

Computer algebra independent integration tests

4-Trig-functions/4.3-Tangent/4.3.3.1-a+b-tan^m-c+d-tanⁿ-A+B-tan-

Nasser M. Abbasi

May 22, 2020

Compiled on May 22, 2020 at 10:55pm

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	5
1.4	list of integrals that has no closed form antiderivative	6
1.5	list of integrals solved by CAS but has no known antiderivative	6
1.6	list of integrals solved by CAS but failed verification	6
1.7	Timing	7
1.8	Verification	7
1.9	Important notes about some of the results	7
1.10	Design of the test system	8
2	detailed summary tables of results	11
2.1	List of integrals sorted by grade for each CAS	11
2.2	Detailed conclusion table per each integral for all CAS systems	17
2.3	Detailed conclusion table specific for Rubi results	139
3	Listing of integrals	161
3.1	$\int \tan^2(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	161
3.2	$\int \tan(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	165
3.3	$\int (a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	168
3.4	$\int \cot(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	171
3.5	$\int \cot^2(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	174
3.6	$\int \cot^3(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	177
3.7	$\int \cot^4(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	180
3.8	$\int \cot^5(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$	183
3.9	$\int \tan^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	187
3.10	$\int \tan(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	191
3.11	$\int (a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	195
3.12	$\int \cot(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	198
3.13	$\int \cot^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	201
3.14	$\int \cot^3(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	204
3.15	$\int \cot^4(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	208
3.16	$\int \cot^5(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$	212
3.17	$\int \tan^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$	216
3.18	$\int \tan(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$	220

3.19	$\int (a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	224
3.20	$\int \cot(c + dx)(a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	227
3.21	$\int \cot^2(c + dx)(a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	231
3.22	$\int \cot^3(c + dx)(a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	235
3.23	$\int \cot^4(c + dx)(a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	239
3.24	$\int \cot^5(c + dx)(a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	243
3.25	$\int \cot^6(c + dx)(a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$	247
3.26	$\int \tan^2(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	252
3.27	$\int \tan(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	257
3.28	$\int (a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	261
3.29	$\int \cot(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	265
3.30	$\int \cot^2(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	269
3.31	$\int \cot^3(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	273
3.32	$\int \cot^4(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	277
3.33	$\int \cot^5(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	281
3.34	$\int \cot^6(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	285
3.35	$\int \cot^7(c + dx)(a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$	289
3.36	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	294
3.37	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	298
3.38	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	301
3.39	$\int \frac{A+B \tan(c+dx)}{a+ia \tan(c+dx)} dx$	304
3.40	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	307
3.41	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	310
3.42	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	313
3.43	$\int \frac{\cot^4(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	317
3.44	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	321
3.45	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	325
3.46	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	329
3.47	$\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^2} dx$	332
3.48	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	335
3.49	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	338
3.50	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	342
3.51	$\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	346
3.52	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	350
3.53	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	354
3.54	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	357
3.55	$\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^3} dx$	360
3.56	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	363
3.57	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	367
3.58	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	371
3.59	$\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	375
3.60	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	379
3.61	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	383

3.62	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	387
3.63	$\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^4} dx$	390
3.64	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	393
3.65	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	397
3.66	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	401
3.67	$\int \tan^3(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	405
3.68	$\int \tan^2(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	409
3.69	$\int \tan(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	413
3.70	$\int \sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	416
3.71	$\int \cot(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	419
3.72	$\int \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	423
3.73	$\int \cot^3(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	427
3.74	$\int \cot^4(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	432
3.75	$\int \tan^2(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	437
3.76	$\int \tan(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	441
3.77	$\int (a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	445
3.78	$\int \cot(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	448
3.79	$\int \cot^2(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	452
3.80	$\int \cot^3(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	456
3.81	$\int \cot^4(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	461
3.82	$\int \tan^2(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	466
3.83	$\int \tan(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	470
3.84	$\int (a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	474
3.85	$\int \cot(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	477
3.86	$\int \cot^2(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	481
3.87	$\int \cot^3(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	486
3.88	$\int \cot^4(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	491
3.89	$\int \cot^5(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	497
3.90	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	503
3.91	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	507
3.92	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	511
3.93	$\int \frac{A+B \tan(c+dx)}{\sqrt{a+ia \tan(c+dx)}} dx$	514
3.94	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	517
3.95	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	521
3.96	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	527
3.97	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	533
3.98	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	537
3.99	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	541
3.100	$\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^{3/2}} dx$	544
3.101	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	547
3.102	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	551
3.103	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	557
3.104	$\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	563
3.105	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	567
3.106	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	571

3.107	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	575
3.108	$\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^{5/2}} dx$	579
3.109	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	582
3.110	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	587
3.111	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	593
3.112	$\int \tan^2(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	599
3.113	$\int \tan^3(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	603
3.114	$\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	607
3.115	$\int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	611
3.116	$\int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\tan^3(c+dx)} dx$	614
3.117	$\int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\tan^5(c+dx)} dx$	618
3.118	$\int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\tan^7(c+dx)} dx$	622
3.119	$\int \tan^5(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	626
3.120	$\int \tan^3(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	630
3.121	$\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	634
3.122	$\int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	638
3.123	$\int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^3(c+dx)} dx$	642
3.124	$\int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^5(c+dx)} dx$	646
3.125	$\int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^7(c+dx)} dx$	650
3.126	$\int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^9(c+dx)} dx$	654
3.127	$\int \tan^3(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	658
3.128	$\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	662
3.129	$\int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	666
3.130	$\int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^3(c+dx)} dx$	670
3.131	$\int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^5(c+dx)} dx$	674
3.132	$\int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^7(c+dx)} dx$	678
3.133	$\int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^9(c+dx)} dx$	682
3.134	$\int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	686
3.135	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	691
3.136	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	696
3.137	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))} dx$	700
3.138	$\int \frac{A+B \tan(c+dx)}{\tan^3(c+dx)(a+ia \tan(c+dx))} dx$	704
3.139	$\int \frac{A+B \tan(c+dx)}{\tan^5(c+dx)(a+ia \tan(c+dx))} dx$	709
3.140	$\int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	714
3.141	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	719

3.142	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	724
3.143	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2} dx$	729
3.144	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$	734
3.145	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$	739
3.146	$\int \frac{\tan^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	744
3.147	$\int \frac{\tan^{\frac{9}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	749
3.148	$\int \frac{\tan^{\frac{11}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	754
3.149	$\int \frac{\tan^{\frac{13}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	759
3.150	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	764
3.151	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3} dx$	769
3.152	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^3} dx$	774
3.153	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^3} dx$	779
3.154	$\int \tan^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	784
3.155	$\int \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	789
3.156	$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	794
3.157	$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	798
3.158	$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	802
3.159	$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	806
3.160	$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx$	810
3.161	$\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	814
3.162	$\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	819
3.163	$\int \frac{(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	824
3.164	$\int \frac{(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	828
3.165	$\int \frac{(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	832
3.166	$\int \frac{(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	836
3.167	$\int \frac{(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx$	840
3.168	$\int \frac{(a+ia \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx$	844
3.169	$\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	849
3.170	$\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	854
3.171	$\int \frac{(a+ia \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	859
3.172	$\int \frac{(a+ia \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	864
3.173	$\int \frac{(a+ia \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	869
3.174	$\int \frac{(a+ia \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	874

3.175	$\int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx$	878
3.176	$\int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx$	882
3.177	$\int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{13}{2}}(c+dx)} dx$	887
3.178	$\int \frac{(a+ia \tan(c+dx))^{5/2}\left(\frac{3bB}{2a}+B \tan(c+dx)\right)}{\tan^{\frac{5}{2}}(c+dx)} dx$	892
3.179	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	897
3.180	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	902
3.181	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx$	906
3.182	$\int \frac{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{A+B \tan(c+dx)} dx$	910
3.183	$\int \frac{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{A+B \tan(c+dx)} dx$	914
3.184	$\int \frac{\tan^{\frac{7}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{A+B \tan(c+dx)} dx$	918
3.185	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	922
3.186	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	927
3.187	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}} dx$	931
3.188	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{A+B \tan(c+dx)} dx$	935
3.189	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{A+B \tan(c+dx)} dx$	939
3.190	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	943
3.191	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	948
3.192	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	952
3.193	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}} dx$	956
3.194	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}}{A+B \tan(c+dx)} dx$	960
3.195	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}}{A+B \tan(c+dx)} dx$	965
3.196	$\int \sqrt[3]{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	970
3.197	$\int \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$	974
3.198	$\int \tan(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$	979
3.199	$\int (a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$	983
3.200	$\int \cot(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$	987
3.201	$\int \cot^2(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$	991
3.202	$\int \frac{A+B \tan(c+dx)}{\sqrt[3]{a+ia \tan(c+dx)}} dx$	996
3.203	$\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^{2/3}} dx$	1000
3.204	$\int \tan^m(c+dx)(a+ia \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1004
3.205	$\int \tan^m(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1008
3.206	$\int \tan^m(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1012
3.207	$\int \tan^m(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	1016
3.208	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	1019
3.209	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	1022
3.210	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	1026
3.211	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$	1030

3.212	$\int \tan^m(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1034
3.213	$\int \tan^m(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1038
3.214	$\int \tan^m(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	1042
3.215	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	1046
3.216	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	1050
3.217	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	1054
3.218	$\int \tan^m(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1058
3.219	$\int \tan^3(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1062
3.220	$\int \tan^2(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1065
3.221	$\int \tan(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1068
3.222	$\int (a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1071
3.223	$\int \cot(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1074
3.224	$\int \cot^2(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1077
3.225	$\int \cot^3(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1080
3.226	$\int \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1084
3.227	$\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1088
3.228	$\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	1092
3.229	$\int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	1096
3.230	$\int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	1100
3.231	$\int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	1104
3.232	$\int \tan^2(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1108
3.233	$\int \tan(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1112
3.234	$\int (a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1115
3.235	$\int \cot(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1118
3.236	$\int \cot^2(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1121
3.237	$\int \cot^3(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1124
3.238	$\int \cot^4(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1127
3.239	$\int \cot^5(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1131
3.240	$\int \tan^2(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1135
3.241	$\int \tan(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1140
3.242	$\int (a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1144
3.243	$\int \cot(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1147
3.244	$\int \cot^2(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1150
3.245	$\int \cot^3(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1153
3.246	$\int \cot^4(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1157
3.247	$\int \cot^5(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1161
3.248	$\int \tan^2(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1165
3.249	$\int \tan(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1171
3.250	$\int (a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1176
3.251	$\int \cot(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1180
3.252	$\int \cot^2(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1183
3.253	$\int \cot^3(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1187
3.254	$\int \cot^4(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1191
3.255	$\int \cot^5(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1195
3.256	$\int \cot^6(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1199
3.257	$\int \tan^2(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1203
3.258	$\int \tan(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1210
3.259	$\int (a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1216
3.260	$\int \cot(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1221
3.261	$\int \cot^2(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1225
3.262	$\int \cot^3(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1229

3.263	$\int \cot^4(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1233
3.264	$\int \cot^5(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1237
3.265	$\int \cot^6(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1241
3.266	$\int \cot^7(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	1246
3.267	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1251
3.268	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1255
3.269	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1259
3.270	$\int \frac{A+B \tan(c+dx)}{a+b \tan(c+dx)} dx$	1263
3.271	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1266
3.272	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1269
3.273	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1273
3.274	$\int \frac{\cot^4(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1278
3.275	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1282
3.276	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1286
3.277	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1290
3.278	$\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^2} dx$	1293
3.279	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1296
3.280	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1300
3.281	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1304
3.282	$\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1308
3.283	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1314
3.284	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1319
3.285	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1323
3.286	$\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^3} dx$	1327
3.287	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1331
3.288	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1335
3.289	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1340
3.290	$\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1345
3.291	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1351
3.292	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1356
3.293	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1361
3.294	$\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^4} dx$	1365
3.295	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1369
3.296	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1374
3.297	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	1379
3.298	$\int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1385
3.299	$\int \frac{\tan^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1388
3.300	$\int \frac{\tan(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1391
3.301	$\int \frac{aB+bB \tan(c+dx)}{a+b \tan(c+dx)} dx$	1394
3.302	$\int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1396

3.303	$\int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1399
3.304	$\int \frac{\cot^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1402
3.305	$\int \frac{\cot^4(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1405
3.306	$\int \frac{\tan^4(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1408
3.307	$\int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1412
3.308	$\int \frac{\tan^2(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1416
3.309	$\int \frac{\tan(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1419
3.310	$\int \frac{aB+bB \tan(c+dx)}{(a+b \tan(c+dx))^2} dx$	1422
3.311	$\int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1425
3.312	$\int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1428
3.313	$\int \frac{\cot^3(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1432
3.314	$\int \frac{3+\tan(c+dx)}{2-\tan(c+dx)} dx$	1436
3.315	$\int \frac{\frac{bB}{a}+B \tan(c+dx)}{a+b \tan(c+dx)} dx$	1439
3.316	$\int \frac{\frac{bB}{a+b \tan(c+dx)}}{(b+a \tan(c+dx))^2} dx$	1442
3.317	$\int \tan^3(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1445
3.318	$\int \tan^2(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1453
3.319	$\int \tan(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1460
3.320	$\int \sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1467
3.321	$\int \cot(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1474
3.322	$\int \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1477
3.323	$\int \cot^3(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1481
3.324	$\int \cot^4(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	1485
3.325	$\int \tan^2(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1490
3.326	$\int \tan(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1495
3.327	$\int (a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1499
3.328	$\int \cot(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1503
3.329	$\int \cot^2(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1507
3.330	$\int \cot^3(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1511
3.331	$\int \cot^4(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	1515
3.332	$\int \tan^2(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1519
3.333	$\int \tan(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1524
3.334	$\int (a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1529
3.335	$\int \cot(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1533
3.336	$\int \cot^2(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1537
3.337	$\int \cot^3(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1541
3.338	$\int \cot^4(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1545
3.339	$\int \cot^5(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	1549
3.340	$\int (-a+b \tan(c+dx))(a+b \tan(c+dx))^{5/2} dx$	1554
3.341	$\int (-a+b \tan(c+dx))(a+b \tan(c+dx))^{3/2} dx$	1561
3.342	$\int (-a+b \tan(c+dx))\sqrt{a+b \tan(c+dx)} dx$	1567
3.343	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	1573
3.344	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	1582
3.345	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	1590
3.346	$\int \frac{A+B \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$	1598
3.347	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	1605
3.348	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	1608

3.349	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	1612
3.350	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1616
3.351	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1620
3.352	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1624
3.353	$\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^{3/2}} dx$	1627
3.354	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1630
3.355	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1634
3.356	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1638
3.357	$\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1642
3.358	$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1647
3.359	$\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1651
3.360	$\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1655
3.361	$\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^{5/2}} dx$	1659
3.362	$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1662
3.363	$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1666
3.364	$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1670
3.365	$\int \frac{aB+bB \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$	1675
3.366	$\int \frac{aB+bB \tan(c+dx)}{(a+b \tan(c+dx))^{3/2}} dx$	1680
3.367	$\int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$	1686
3.368	$\int \frac{aB+bB \tan(c+dx)}{(a+b \tan(c+dx))^{5/2}} dx$	1692
3.369	$\int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	1699
3.370	$\int \frac{-a+b \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$	1708
3.371	$\int \frac{-a+b \tan(c+dx)}{(a+b \tan(c+dx))^{3/2}} dx$	1713
3.372	$\int \frac{-a+b \tan(c+dx)}{(a+b \tan(c+dx))^{5/2}} dx$	1720
3.373	$\int \frac{1+i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$	1729
3.374	$\int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$	1733
3.375	$\int \frac{3+\tan(x)}{\sqrt{4+3 \tan(x)}} dx$	1737
3.376	$\int \frac{1-3 \tan(x)}{\sqrt{4+3 \tan(x)}} dx$	1740
3.377	$\int \frac{4-3 \tan(a+bx)}{\sqrt{4+3 \tan(a+bx)}} dx$	1743
3.378	$\int \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1747
3.379	$\int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1756
3.380	$\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	1765
3.381	$\int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	1774
3.382	$\int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	1783
3.383	$\int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	1792
3.384	$\int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	1801
3.385	$\int \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1811
3.386	$\int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1816
3.387	$\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	1821

3.388	$\int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	1826
3.389	$\int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	1831
3.390	$\int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	1836
3.391	$\int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	1841
3.392	$\int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1846
3.393	$\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	1851
3.394	$\int \frac{(a+b \tan(c+dx))^3(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	1856
3.395	$\int \frac{(a+b \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	1861
3.396	$\int \frac{(a+b \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	1866
3.397	$\int \frac{(a+b \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	1871
3.398	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1876
3.399	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1881
3.400	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	1886
3.401	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx$	1890
3.402	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$	1895
3.403	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))} dx$	1900
3.404	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1906
3.405	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1912
3.406	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	1917
3.407	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^2} dx$	1922
3.408	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$	1927
3.409	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$	1933
3.410	$\int \frac{\tan^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1939
3.411	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1946
3.412	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1952
3.413	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	1958
3.414	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^3} dx$	1964
3.415	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$	1970
3.416	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1977
3.417	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1982
3.418	$\int \frac{\sqrt{\tan(c+dx)}(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	1987
3.419	$\int \frac{aB+bB \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx$	1991
3.420	$\int \frac{aB+bB \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$	1995

3.421	$\int \frac{aB+bB \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))} dx$	2000
3.422	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	2005
3.423	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	2013
3.424	$\int \frac{\sqrt{\tan(c+dx)}(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	2020
3.425	$\int \frac{aB+bB \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^2} dx$	2028
3.426	$\int \frac{aB+bB \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$	2036
3.427	$\int \tan^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2044
3.428	$\int \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2048
3.429	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	2052
3.430	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	2056
3.431	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	2060
3.432	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	2064
3.433	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx$	2068
3.434	$\int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2072
3.435	$\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2077
3.436	$\int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	2081
3.437	$\int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	2085
3.438	$\int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	2089
3.439	$\int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	2093
3.440	$\int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx$	2097
3.441	$\int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx$	2101
3.442	$\int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2107
3.443	$\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2112
3.444	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	2117
3.445	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$	2121
3.446	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$	2125
3.447	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$	2129
3.448	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx$	2133
3.449	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx$	2137
3.450	$\int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{13}{2}}(c+dx)} dx$	2143
3.451	$\int \frac{(a+b \tan(c+dx))^{5/2} \left(\frac{3bB}{2a} + B \tan(c+dx) \right)}{\tan^{\frac{5}{2}}(c+dx)} dx$	2149
3.452	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	2154
3.453	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	2158

3.454	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx$	2162
3.455	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$	2165
3.456	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$	2169
3.457	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$	2173
3.458	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2177
3.459	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2181
3.460	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2185
3.461	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2189
3.462	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2193
3.463	$\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{5}{2}}} dx$	2197
3.464	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{5}{2}}} dx$	2201
3.465	$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{5}{2}}} dx$	2205
3.466	$\int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{\frac{5}{2}}} dx$	2209
3.467	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}} dx$	2213
3.468	$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}} dx$	2217
3.469	$\int \frac{\tan^{\frac{3}{2}}(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2221
3.470	$\int \frac{\sqrt{\tan(c+dx)}(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2225
3.471	$\int \frac{aB+bB \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2228
3.472	$\int \frac{aB+bB \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2231
3.473	$\int (a+b \tan(c+dx))^{\frac{2}{3}}(A+B \tan(c+dx)) dx$	2235
3.474	$\int \sqrt[3]{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2239
3.475	$\int \frac{A+B \tan(c+dx)}{\sqrt[3]{a+b \tan(c+dx)}} dx$	2243
3.476	$\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^{\frac{2}{3}}} dx$	2247
3.477	$\int \frac{i-\tan(e+fx)}{\sqrt[3]{c+d \tan(e+fx)}} dx$	2251
3.478	$\int \frac{d-c \tan(e+fx)}{(c+d \tan(e+fx))^{\frac{2}{3}}} dx$	2255
3.479	$\int \tan^m(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx$	2260
3.480	$\int \tan^m(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2264
3.481	$\int \tan^m(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2268
3.482	$\int \tan^m(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	2271
3.483	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	2274
3.484	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	2278
3.485	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	2282
3.486	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$	2287
3.487	$\int \tan^m(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	2292
3.488	$\int \tan^m(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2295
3.489	$\int \tan^m(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2298
3.490	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	2301
3.491	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	2304

3.492	$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	2307
3.493	$\int \tan^m(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2310
3.494	$\int \tan^4(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2313
3.495	$\int \tan^3(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2317
3.496	$\int \tan^2(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2321
3.497	$\int \tan(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2325
3.498	$\int (a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2328
3.499	$\int \cot(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2331
3.500	$\int \cot^2(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2334
3.501	$\int \cot^3(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2338
3.502	$\int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	2342
3.503	$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	2347
3.504	$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	2351
3.505	$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx$	2355
3.506	$\int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2359
3.507	$\int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$	2363
3.508	$\int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2367
3.509	$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2372
3.510	$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2376
3.511	$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2380
3.512	$\int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2384
3.513	$\int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2389
3.514	$\int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2394
3.515	$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2399
3.516	$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2404
3.517	$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2408
3.518	$\int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2412
3.519	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	2417
3.520	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	2423
3.521	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$	2429
3.522	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))} dx$	2434
3.523	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))} dx$	2440
3.524	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))} dx$	2446
3.525	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	2452
3.526	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$	2458
3.527	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^2} dx$	2463
3.528	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$	2468
3.529	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$	2473
3.530	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	2478
3.531	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$	2484

3.532	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+ia \tan(c+dx))^3}} dx$	2489
3.533	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^3} dx$	2494
3.534	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^3} dx$	2501
3.535	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^3} dx$	2506
3.536	$\int \cot^{\frac{7}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	2511
3.537	$\int \cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	2517
3.538	$\int \cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	2522
3.539	$\int \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx)) dx$	2526
3.540	$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2530
3.541	$\int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2536
3.542	$\int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2544
3.543	$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2550
3.544	$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2555
3.545	$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$	2560
3.546	$\int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2565
3.547	$\int \cot^{\frac{11}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2572
3.548	$\int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2582
3.549	$\int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2590
3.550	$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2596
3.551	$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2602
3.552	$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$	2608
3.553	$\int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2613
3.554	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	2620
3.555	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	2624
3.556	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$	2628
3.557	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx$	2632
3.558	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	2637
3.559	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$	2641
3.560	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}} dx$	2645
3.561	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}} dx$	2649
3.562	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	2654
3.563	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$	2658
3.564	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} dx$	2662
3.565	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}} dx$	2666
3.566	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}} dx$	2671
3.567	$\int \cot^m(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2677
3.568	$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2681
3.569	$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2685

3.570	$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$	2689
3.571	$\int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2693
3.572	$\int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$	2697
3.573	$\int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\cot^{\frac{5}{2}}(c+dx)} dx$	2702
3.574	$\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	2707
3.575	$\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	2713
3.576	$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))(A+B \tan(c+dx)) dx$	2719
3.577	$\int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2724
3.578	$\int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2729
3.579	$\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2734
3.580	$\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2738
3.581	$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx$	2742
3.582	$\int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2748
3.583	$\int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2754
3.584	$\int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2759
3.585	$\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2764
3.586	$\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2769
3.587	$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx$	2774
3.588	$\int \frac{(a+b \tan(c+dx))^3(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2781
3.589	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	2786
3.590	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	2791
3.591	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$	2796
3.592	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+b \tan(c+dx))} dx$	2802
3.593	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$	2808
3.594	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))} dx$	2813
3.595	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	2818
3.596	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$	2824
3.597	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^2} dx$	2829
3.598	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$	2834
3.599	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$	2839
3.600	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	2845
3.601	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$	2851
3.602	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^3} dx$	2857
3.603	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$	2863
3.604	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$	2869
3.605	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$	2875
3.606	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	2881

3.607	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$	2886
3.608	$\int \frac{\sqrt{\cot(c+dx)(aB+bB \tan(c+dx))}}{a+b \tan(c+dx)} dx$	2891
3.609	$\int \frac{aB+bB \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))}} dx$	2895
3.610	$\int \frac{aB+bB \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$	2899
3.611	$\int \frac{\cot^{\frac{2}{9}}(c+dx)(a+b \tan(c+dx))}{aB+bB \tan(c+dx)} dx$	2904
3.612	$\int \cot^{\frac{2}{9}}(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2909
3.613	$\int \cot^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2913
3.614	$\int \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2917
3.615	$\int \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2921
3.616	$\int \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx$	2925
3.617	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2929
3.618	$\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$	2933
3.619	$\int \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2938
3.620	$\int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2944
3.621	$\int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2948
3.622	$\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2952
3.623	$\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2956
3.624	$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx$	2960
3.625	$\int \frac{(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	2964
3.626	$\int \frac{(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$	2969
3.627	$\int \cot^{\frac{13}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	2974
3.628	$\int \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	2980
3.629	$\int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	2986
3.630	$\int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	2991
3.631	$\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	2996
3.632	$\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	3001
3.633	$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx)) dx$	3006
3.634	$\int \frac{(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	3011
3.635	$\int \frac{(a+b \tan(c+dx))^{\frac{5}{2}}(A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$	3016
3.636	$\int \frac{\cot^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	3021
3.637	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	3025
3.638	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	3029
3.639	$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$	3033
3.640	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} dx$	3038
3.641	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$	3042
3.642	$\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	3046
3.643	$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx$	3051

3.644	$\int \frac{\sqrt{\cot(c+dx)(A+B \tan(c+dx))}}{(a+b \tan(c+dx))^{3/2}} dx$	3055
3.645	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))^{3/2}}} dx$	3059
3.646	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{5}}(c+dx)(a+b \tan(c+dx))^{3/2}} dx$	3063
3.647	$\int \frac{\cot^{\frac{2}{5}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	3067
3.648	$\int \frac{\cot^{\frac{2}{3}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$	3072
3.649	$\int \frac{\sqrt{\cot(c+dx)(A+B \tan(c+dx))}}{(a+b \tan(c+dx))^{5/2}} dx$	3077
3.650	$\int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))^{5/2}}} dx$	3081
3.651	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{5}}(c+dx)(a+b \tan(c+dx))^{5/2}} dx$	3085
3.652	$\int \frac{A+B \tan(c+dx)}{\cot^{\frac{2}{5}}(c+dx)(a+b \tan(c+dx))^{5/2}} dx$	3089
3.653	$\int \frac{\sqrt{\cot(c+dx)(aB+bB \tan(c+dx))}}{(a+b \tan(c+dx))^{3/2}} dx$	3094
3.654	$\int \frac{aB+bB \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))^{3/2}}} dx$	3098
3.655	$\int \frac{aB+bB \tan(c+dx)}{\cot^{\frac{3}{5}}(c+dx)(a+b \tan(c+dx))^{3/2}} dx$	3102
3.656	$\int \cot^{\frac{3}{5}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	3108
3.657	$\int \cot^{\frac{2}{5}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	3111
3.658	$\int \sqrt{\cot(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx))} dx$	3115
3.659	$\int \frac{(a+b \tan(c+dx))^n(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$	3119
3.660	$\int \frac{(a+b \tan(c+dx))^n(A+B \tan(c+dx))}{\cot^{\frac{3}{5}}(c+dx)} dx$	3123
3.661	$\int \tan^{\frac{3}{5}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$	3127
3.662	$\int \sqrt{\tan(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx))} dx$	3130
3.663	$\int \frac{(a+b \tan(c+dx))^n(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$	3133
3.664	$\int \frac{(a+b \tan(c+dx))^n(A+B \tan(c+dx))}{\tan^{\frac{3}{5}}(c+dx)} dx$	3136
3.665	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^n dx$	3140
3.666	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^4 dx$	3143
3.667	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^3 dx$	3146
3.668	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^2 dx$	3149
3.669	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx)) dx$	3152
3.670	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx)) dx$	3155
3.671	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx$	3158
3.672	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx$	3161
3.673	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx$	3164
3.674	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx$	3167
3.675	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx$	3170
3.676	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^n dx$	3173
3.677	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^5 dx$	3176
3.678	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^4 dx$	3179
3.679	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^3 dx$	3182
3.680	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^2 dx$	3185
3.681	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx)) dx$	3188
3.682	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx)) dx$	3191
3.683	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx$	3194
3.684	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx$	3197

3.685	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx$	3200
3.686	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx$	3203
3.687	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx$	3206
3.688	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^6} dx$	3209
3.689	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^n dx$	3212
3.690	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^6 dx$	3218
3.691	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^5 dx$	3221
3.692	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^4 dx$	3224
3.693	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^3 dx$	3227
3.694	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^2 dx$	3231
3.695	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx)) dx$	3234
3.696	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx)) dx$	3237
3.697	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx$	3241
3.698	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx$	3245
3.699	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx$	3249
3.700	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx$	3252
3.701	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx$	3255
3.702	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^6} dx$	3258
3.703	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^7} dx$	3261
3.704	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^8} dx$	3264
3.705	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^n}{a+ia \tan(e+fx)} dx$	3267
3.706	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^4}{a+ia \tan(e+fx)} dx$	3270
3.707	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{a+ia \tan(e+fx)} dx$	3274
3.708	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{a+ia \tan(e+fx)} dx$	3277
3.709	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{a+ia \tan(e+fx)} dx$	3280
3.710	$\int \frac{A+B \tan(e+fx)}{a+ia \tan(e+fx)} dx$	3283
3.711	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))} dx$	3286
3.712	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^2} dx$	3289
3.713	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^3} dx$	3292
3.714	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^4} dx$	3296
3.715	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^n}{(a+ia \tan(e+fx))^2} dx$	3300
3.716	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^5}{(a+ia \tan(e+fx))^2} dx$	3303
3.717	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^4}{(a+ia \tan(e+fx))^2} dx$	3307
3.718	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{(a+ia \tan(e+fx))^2} dx$	3311
3.719	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{(a+ia \tan(e+fx))^2} dx$	3314
3.720	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{(a+ia \tan(e+fx))^2} dx$	3317
3.721	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2} dx$	3320
3.722	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))} dx$	3323
3.723	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^2} dx$	3326
3.724	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^3} dx$	3330

3.725	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^4} dx$	3334
3.726	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^5} dx$	3338
3.727	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{n_1}}{(a+ia \tan(e+fx))^3} dx$	3342
3.728	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^5}{(a+ia \tan(e+fx))^3} dx$	3345
3.729	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^4}{(a+ia \tan(e+fx))^3} dx$	3349
3.730	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{(a+ia \tan(e+fx))^3} dx$	3353
3.731	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{(a+ia \tan(e+fx))^3} dx$	3356
3.732	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{(a+ia \tan(e+fx))^3} dx$	3359
3.733	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3} dx$	3362
3.734	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))} dx$	3365
3.735	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^2} dx$	3368
3.736	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^3} dx$	3372
3.737	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^4} dx$	3376
3.738	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^5} dx$	3380
3.739	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^6} dx$	3384
3.740	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2} dx$	3388
3.741	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2} dx$	3391
3.742	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2} dx$	3394
3.743	$\int (a+ia \tan(e+fx))(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)} dx$	3397
3.744	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3400
3.745	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3403
3.746	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3406
3.747	$\int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3409
3.748	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2} dx$	3412
3.749	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2} dx$	3415
3.750	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2} dx$	3418
3.751	$\int (a+ia \tan(e+fx))^2(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)} dx$	3421
3.752	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3424
3.753	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3427
3.754	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3430
3.755	$\int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3433
3.756	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2} dx$	3436
3.757	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2} dx$	3439
3.758	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2} dx$	3442
3.759	$\int (a+ia \tan(e+fx))^3(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)} dx$	3445
3.760	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3448
3.761	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3451
3.762	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3454
3.763	$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3457
3.764	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{a+ia \tan(e+fx)} dx$	3460
3.765	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{a+ia \tan(e+fx)} dx$	3464

3.766	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{a+ia \tan(e+fx)} dx$	3468
3.767	$\int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{a+ia \tan(e+fx)} dx$	3472
3.768	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))\sqrt{c-ic \tan(e+fx)}} dx$	3475
3.769	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^{3/2}} dx$	3479
3.770	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^{5/2}} dx$	3483
3.771	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{9/2}}{(a+ia \tan(e+fx))^2} dx$	3487
3.772	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^2} dx$	3491
3.773	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^2} dx$	3495
3.774	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^2} dx$	3499
3.775	$\int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^2} dx$	3503
3.776	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2 \sqrt{c-ic \tan(e+fx)}} dx$	3507
3.777	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2 (c-ic \tan(e+fx))^{3/2}} dx$	3511
3.778	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2 (c-ic \tan(e+fx))^{5/2}} dx$	3515
3.779	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{9/2}}{(a+ia \tan(e+fx))^3} dx$	3519
3.780	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^3} dx$	3523
3.781	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^3} dx$	3527
3.782	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^3} dx$	3531
3.783	$\int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^3} dx$	3535
3.784	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3 \sqrt{c-ic \tan(e+fx)}} dx$	3539
3.785	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3 (c-ic \tan(e+fx))^{3/2}} dx$	3543
3.786	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3 (c-ic \tan(e+fx))^{5/2}} dx$	3547
3.787	$\int \sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2} dx$	3551
3.788	$\int \sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2} dx$	3556
3.789	$\int \sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2} dx$	3561
3.790	$\int \sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)} dx$	3565
3.791	$\int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3569
3.792	$\int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3573
3.793	$\int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3576
3.794	$\int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3579
3.795	$\int (a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2} dx$	3583
3.796	$\int (a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2} dx$	3588
3.797	$\int (a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2} dx$	3593
3.798	$\int (a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)} dx$	3597
3.799	$\int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3601
3.800	$\int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3605
3.801	$\int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3609
3.802	$\int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3612
3.803	$\int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{9/2}} dx$	3616
3.804	$\int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{11/2}} dx$	3620

3.805	$\int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx$	3624
3.806	$\int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx$	3630
3.807	$\int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx$	3635
3.808	$\int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)} dx$	3640
3.809	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3645
3.810	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3650
3.811	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3655
3.812	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3659
3.813	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{9/2}} dx$	3662
3.814	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{11/2}} dx$	3666
3.815	$\int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{13/2}} dx$	3670
3.816	$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{9/2} dx$	3674
3.817	$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx$	3681
3.818	$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx$	3686
3.819	$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx$	3692
3.820	$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)} dx$	3697
3.821	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$	3702
3.822	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$	3707
3.823	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$	3713
3.824	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$	3719
3.825	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{9/2}} dx$	3724
3.826	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{11/2}} dx$	3727
3.827	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{13/2}} dx$	3731
3.828	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{15/2}} dx$	3735
3.829	$\int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{17/2}} dx$	3739
3.830	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{\sqrt{a+ia \tan(e+fx)}} dx$	3743
3.831	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{\sqrt{a+ia \tan(e+fx)}} dx$	3748
3.832	$\int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{\sqrt{a+ia \tan(e+fx)}} dx$	3753
3.833	$\int \frac{\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{A+B \tan(e+fx)} dx$	3757
3.834	$\int \frac{\sqrt{a+ia \tan(e+fx)}(c-ic \tan(e+fx))^{3/2}}{A+B \tan(e+fx)} dx$	3760
3.835	$\int \frac{\sqrt{a+ia \tan(e+fx)}(c-ic \tan(e+fx))^{5/2}}{A+B \tan(e+fx)} dx$	3763
3.836	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^{3/2}} dx$	3767
3.837	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^{3/2}} dx$	3773
3.838	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^{3/2}} dx$	3777
3.839	$\int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^{3/2}} dx$	3781
3.840	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{3/2}\sqrt{c-ic \tan(e+fx)}} dx$	3784
3.841	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{3/2}(c-ic \tan(e+fx))^{3/2}} dx$	3787
3.842	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{3/2}(c-ic \tan(e+fx))^{5/2}} dx$	3790
3.843	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{9/2}}{(a+ia \tan(e+fx))^{5/2}} dx$	3794

3.844	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^{5/2}} dx$	3799
3.845	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^{5/2}} dx$	3805
3.846	$\int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^{5/2}} dx$	3809
3.847	$\int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^{5/2}} dx$	3812
3.848	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{5/2}\sqrt{c-ic \tan(e+fx)}} dx$	3815
3.849	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{3/2}} dx$	3819
3.850	$\int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{5/2}} dx$	3823
3.851	$\int (a+ia \tan(e+fx))^m (A+B \tan(e+fx))(c-ic \tan(e+fx))^n dx$	3827
3.852	$\int (a+ia \tan(e+fx))^{1+m} (A+B \tan(e+fx))(c-ic \tan(e+fx))^{-1-m} dx$	3830
3.853	$\int \frac{(c-ic \tan(e+fx))^n (-i(2+n)+(-2+n) \tan(e+fx))}{(-i+\tan(e+fx))^2} dx$	3833
3.854	$\int \frac{(A+B \tan(e+fx))(c+d \tan(e+fx))}{(a+ia \tan(e+fx))^2} dx$	3836
3.855	$\int \frac{(A+B \tan(e+fx))(c+d \tan(e+fx))}{(a+ia \tan(e+fx))^{3/2}} dx$	3839

4 Listing of Grading functions

3843

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [855]. This is test number [104].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (855)	% 0. (0)
Mathematica	% 93.22 (797)	% 6.78 (58)
Maple	% 91.23 (780)	% 8.77 (75)
Maxima	% 36.26 (310)	% 63.74 (545)
Fricas	% 68.19 (583)	% 31.81 (272)
Sympy	% 20.35 (174)	% 79.65 (681)
Giac	% 38.71 (331)	% 61.29 (524)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	61.75	13.45	18.01	6.78
Maple	38.48	35.2	17.54	8.77
Maxima	28.54	7.6	0.12	63.74
Fricas	27.6	39.88	0.7	31.81
Sympy	17.89	2.22	0.23	79.65
Giac	22.34	16.26	0.12	61.29

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.53	202.72	1.	189.	1.
Mathematica	5.28	2489.43	9.76	215.	1.09
Maple	0.41	136789.	579.08	496.	2.46
Maxima	2.8	452.06	2.48	237.	1.59
Fricas	4.22	1939.69	10.79	1026.	5.5
Sympy	13.94	276.52	2.54	222.	1.95
Giac	1.88	447.57	3.	269.	1.98

1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {

Mathematica {

Maple {

Maxima {

Fricas {

Sympy {

Giac {

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {

Mathematica {74, 80, 81, 85, 86, 87, 88, 89, 95, 127, 128, 132, 133, 149, 150, 169, 170, 171, 172, 173, 174, 175, 195, 209, 210, 211, 222, 289, 437, 445, 446, 458, 463, 532, 533, 546, 550, 551, 552, 553, 600, 623, 631, 632, 646, 652, 716, 816, 822, 823, 824, 851}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This pecentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```

from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')

```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in->

```

def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

```

```

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1

```

For Sympy, called directly from Python, the following code is used

```

try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))


except Exception as ee:
    leafCount =1

```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Nasser M. Abbasi
June 22, 2018

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820,

821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 33, 45, 46, 47, 48, 52, 53, 54, 55, 56, 59, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 73, 74, 75, 76, 77, 78, 79, 82, 83, 84, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117, 119, 120, 122, 123, 124, 126, 129, 130, 131, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 174, 175, 176, 177, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 205, 222, 232, 233, 234, 235, 270, 298, 299, 300, 301, 302, 304, 315, 317, 318, 319, 320, 321, 322, 323, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 338, 339, 340, 343, 344, 345, 346, 347, 348, 349, 352, 354, 355, 356, 360, 362, 363, 364, 367, 369, 370, 373, 374, 382, 383, 384, 400, 401, 417, 419, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 438, 439, 440, 441, 442, 443, 444, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 459, 460, 461, 462, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 478, 479, 480, 481, 482, 483, 484, 485, 494, 495, 496, 497, 498, 499, 500, 501, 504, 505, 506, 507, 509, 510, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 541, 542, 543, 544, 545, 546, 547, 548, 549, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 607, 609, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 624, 625, 626, 627, 628, 629, 630, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 647, 648, 649, 650, 651, 653, 654, 655, 665, 668, 669, 670, 672, 673, 674, 676, 678, 679, 680, 681, 685, 686, 687, 688, 690, 691, 692, 693, 694, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 711, 712, 713, 714, 719, 720, 721, 722, 723, 724, 725, 726, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 767, 768, 769, 770, 774, 775, 776, 777, 778, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 808, 809, 810, 811, 812, 813, 814, 816, 819, 820, 821, 822, 823, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855 }

B grade: { 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 49, 50, 51, 57, 58, 65, 66, 72, 80, 81, 85, 86, 87, 88, 89, 112, 113, 118, 121, 125, 127, 128, 132, 133, 155, 156, 170, 171, 172, 173, 178, 195, 206, 207, 209, 210, 211, 221, 314, 324, 336, 337, 410, 486, 502, 503, 508, 511, 550, 666, 667, 671, 675, 677, 682, 683, 684, 689, 695, 696, 697, 698, 709, 710, 716, 717, 718, 728, 729, 806, 807, 815, 817, 818, 824, 825, 826, 827, 828, 829 }

C grade: { 5, 6, 7, 8, 197, 198, 199, 200, 202, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 303, 305, 306, 307, 308, 309, 310, 311, 312, 313, 316, 341, 342, 350, 351, 353, 357, 358, 359, 361, 365, 366, 368, 371, 372, 375, 376, 377, 378, 379, 380, 381, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 402, 403, 404, 405, 406, 407, 408, 409, 411, 412, 413, 414, 415, 416, 418, 420, 421, 422, 423, 424, 425, 426, 437, 445, 446, 458, 463, 477, 606, 608, 610, 611, 623, 631, 632, 646, 652 }

F grade: { 154, 196, 201, 203, 204, 208, 212, 213, 214, 215, 216, 217, 218, 219, 220, 223, 224, 225, 226, 227, 228, 229, 230, 231, 487, 488, 489, 490, 491, 492, 493, 540, 567, 568, 569, 570, 571, 572, 573, 656, 657, 658, 659, 660, 661, 662, 663, 664, 715, 727, 764, 765, 766, 771, 772, 773, 779, 780 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 41, 42, 43, 44, 45, 49, 50, 51, 52, 53, 56, 57, 58, 59, 60, 61,

62, 63, 64, 65, 66, 67, 68, 69, 70, 75, 76, 77, 82, 83, 84, 90, 91, 92, 93, 97, 98, 99, 100, 104, 105, 106, 107, 108, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 196, 197, 198, 199, 202, 203, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 273, 275, 276, 281, 282, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 377, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 706, 707, 708, 709, 713, 714, 716, 717, 718, 719, 720, 724, 725, 726, 728, 729, 730, 731, 732, 734, 735, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 792, 793, 794, 795, 796, 797, 798, 801, 802, 803, 804, 806, 807, 808, 812, 813, 814, 815, 817, 819, 820, 825, 826, 827, 828, 829, 833, 834, 835, 839, 840, 841, 842, 846, 847, 848, 849, 850, 855 }

B grade: { 39, 40, 46, 47, 48, 54, 55, 71, 72, 73, 74, 78, 79, 80, 81, 85, 86, 87, 88, 89, 94, 95, 96, 101, 102, 103, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 257, 258, 270, 271, 272, 274, 277, 278, 279, 280, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 315, 316, 317, 318, 319, 320, 325, 326, 327, 332, 333, 334, 340, 341, 342, 343, 344, 345, 346, 350, 351, 352, 353, 357, 358, 359, 360, 361, 365, 366, 368, 370, 371, 372, 373, 374, 375, 376, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 665, 676, 710, 712, 721, 722, 733, 791, 799, 800, 805, 809, 810, 811, 816, 818, 821, 822, 823, 824, 830, 831, 832, 836, 837, 838, 843, 844, 845, 854 }

C grade: { 321, 322, 323, 324, 328, 329, 330, 331, 335, 336, 337, 338, 339, 347, 348, 349, 354, 355, 356, 362, 363, 364, 367, 369, 473, 474, 475, 476, 477, 478, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 689, 711, 723, 736 }

F grade: { 200, 201, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 567, 568, 569, 570, 571, 572, 573, 656, 657, 658, 659, 660, 661, 662, 663, 664, 705, 715, 727, 851, 852, 853 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 119, 120, 121, 125, 126, 127, 128, 129, 130, 131, 132, 133, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 295, 296, 297, 298, 299, 300, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 416, 417, 418, 419, 420, 421, 508, 512, 513, 514, 515, 516, 517, 518, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 606, 607, 608, 609, 610, 611, 666, 667, 668, 669, 670, 677, 678, 679, 680, 681, 682, 690, 691, 692, 693, 694, 695, 696, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 800, 801, 802, 803, 804, 811, 813, 814, 815, 824, 826, 827, 828, 829, 832, 833, 838, 841, 845, 846 }

B grade: { 112, 113, 114, 115, 116, 117, 118, 122, 123, 124, 292, 293, 294, 302, 502, 503, 504, 505, 506, 507, 509, 510, 511, 536, 537, 538, 541, 542, 543, 547, 548, 549, 665, 676, 689, 787, 788, 789, 790, }

795, 796, 797, 798, 799, 805, 806, 807, 808, 809, 810, 812, 816, 817, 818, 819, 820, 821, 822, 823, 825, 830, 831, 836, 844, 850 }

C grade: { 301 }

F grade: { 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 539, 540, 544, 545, 546, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 671, 672, 673, 674, 675, 683, 684, 685, 686, 687, 688, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 791, 792, 793, 794, 834, 835, 837, 839, 840, 842, 843, 847, 848, 849, 851, 852, 853, 854, 855 }

2.1.5 FriCAS

A grade: { 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 277, 278, 298, 299, 300, 301, 302, 304, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 375, 665, 667, 668, 670, 671, 672, 673, 674, 677, 678, 679, 681, 682, 683, 684, 685, 686, 687, 688, 690, 691, 692, 694, 696, 697, 698, 699, 700, 701, 702, 703, 704, 708, 709, 710, 712, 713, 714, 716, 717, 718, 719, 720, 721, 722, 724, 725, 726, 728, 729, 730, 731, 732, 733, 734, 735, 737, 738, 739, 741, 742, 743, 744, 745, 746, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 785, 786, 792, 793, 794, 801, 802, 803, 804, 812, 813, 814, 815, 825, 826, 827, 828, 829, 833, 834, 835, 839, 840, 841, 842, 846, 847, 848, 849, 850, 854 }

B grade: { 1, 7, 8, 29, 30, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 275, 276, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 303, 305, 317, 318, 319, 320, 340, 341, 342, 343, 344, 345, 346, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 376, 377, 378, 379, 380, 381, 382, 383, 384, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 477, 478, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 666, 675, 676, 689, 695, 706, 707, 740, 747, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782,

783, 784, 787, 788, 789, 790, 791, 795, 796, 797, 798, 799, 800, 805, 806, 807, 808, 809, 810, 811, 816, 817, 818, 819, 820, 821, 822, 823, 824, 830, 831, 832, 836, 837, 838, 843, 844, 845, 853, 855 }

C grade: { 669, 680, 693, 711, 723, 736 }

F grade: { 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 705, 715, 727, 851, 852 }

2.1.6 Sympy

A grade: { 2, 3, 5, 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 28, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 59, 60, 61, 62, 63, 64, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 257, 258, 259, 260, 261, 262, 263, 267, 268, 269, 270, 271, 272, 273, 298, 299, 300, 301, 302, 303, 304, 314, 315, 670, 671, 672, 673, 682, 683, 684, 685, 686, 687, 688, 696, 697, 698, 699, 700, 701, 702, 703, 704, 706, 707, 708, 709, 710, 711, 712, 713, 714, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 854 }

B grade: { 1, 4, 7, 8, 20, 21, 29, 666, 667, 668, 674, 675, 677, 678, 679, 681, 692, 694, 695 }

C grade: { 669, 680 }

F grade: { 26, 27, 35, 58, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 256, 264, 265, 266, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 305, 306, 307, 308, 309, 310, 311, 312, 313, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 676, 689, 690, 691, 693, 705, 715, 727, 740, 741, 742, 743, 744, 745, 746,

747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 855 }

2.1.7 Giac

A grade: { 36, 37, 38, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 182, 183, 184, 187, 188, 189, 193, 194, 195, 235, 243, 244, 251, 252, 253, 260, 261, 262, 263, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 280, 281, 282, 283, 288, 297, 299, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 381, 382, 383, 384, 388, 389, 390, 391, 394, 395, 396, 397, 401, 402, 403, 407, 408, 409, 414, 415, 419, 420, 421, 425, 426, 474, 476, 478, 668, 679, 711, 712, 713, 714, 720, 721, 722, 723, 724, 725, 726, 733, 734, 735, 736, 737, 738, 739 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 39, 157, 181, 232, 233, 234, 236, 237, 238, 239, 240, 241, 242, 245, 246, 247, 248, 249, 250, 254, 255, 256, 257, 258, 259, 264, 265, 266, 277, 278, 279, 284, 285, 286, 287, 289, 290, 291, 292, 293, 294, 295, 296, 298, 300, 302, 303, 304, 305, 373, 374, 473, 475, 477, 666, 667, 669, 670, 671, 672, 673, 674, 675, 677, 678, 680, 681, 682, 683, 684, 685, 686, 687, 688, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 706, 707, 708, 709, 710, 716, 717, 718, 719, 728, 729, 730, 731, 732, 854 }

C grade: { 301 }

F grade: { 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 179, 180, 185, 186, 190, 191, 192, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 375, 376, 377, 378, 379, 380, 385, 386, 387, 392, 393, 398, 399, 400, 404, 405, 406, 410, 411, 412, 413, 416, 417, 418, 422, 423, 424, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 676, 689, 705, 715, 727, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 855 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	86	141	113	467	156	383
normalized size	1	1.	0.95	1.55	1.24	5.13	1.71	4.21
time (sec)	N/A	0.111	0.87	0.012	1.526	1.42	12.603	1.643

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	70	110	92	304	110	262
normalized size	1	1.	1.01	1.59	1.33	4.41	1.59	3.8
time (sec)	N/A	0.056	0.306	0.005	1.648	1.469	4.956	1.292

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	66	81	68	161	58	139
normalized size	1	1.	1.43	1.76	1.48	3.5	1.26	3.02
time (sec)	N/A	0.028	0.026	0.003	1.665	1.361	2.381	1.343

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	40	40	49	56	66	103	92	104
normalized size	1	1.	1.22	1.4	1.65	2.58	2.3	2.6
time (sec)	N/A	0.071	0.056	0.059	1.715	1.385	2.492	1.449

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	84	71	86	162	58	142
normalized size	1	1.	1.91	1.61	1.95	3.68	1.32	3.23
time (sec)	N/A	0.084	0.198	0.046	1.668	1.386	3.392	1.404

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	76	101	113	302	109	220
normalized size	1	1.	1.12	1.49	1.66	4.44	1.6	3.24
time (sec)	N/A	0.121	0.361	0.064	1.706	1.402	5.836	1.459

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	102	129	140	471	156	300
normalized size	1	1.	1.15	1.45	1.57	5.29	1.75	3.37
time (sec)	N/A	0.152	0.69	0.061	1.678	1.433	10.136	1.38

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	96	159	159	589	204	382
normalized size	1	1.	0.86	1.43	1.43	5.31	1.84	3.44
time (sec)	N/A	0.186	0.866	0.064	1.536	1.47	36.645	1.548

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	305	193	158	643	221	551
normalized size	1	1.	2.16	1.37	1.12	4.56	1.57	3.91
time (sec)	N/A	0.252	6.323	0.006	1.615	1.383	42.024	1.71

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	273	158	126	474	172	421
normalized size	1	1.	2.55	1.48	1.18	4.43	1.61	3.93
time (sec)	N/A	0.115	3.916	0.006	1.705	1.32	15.407	1.479

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	263	123	100	339	121	290
normalized size	1	1.	3.29	1.54	1.25	4.24	1.51	3.62
time (sec)	N/A	0.069	2.22	0.006	1.545	1.475	7.089	1.387

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	201	100	90	265	119	240
normalized size	1	1.	2.68	1.33	1.2	3.53	1.59	3.2
time (sec)	N/A	0.159	2.707	0.06	1.715	1.448	4.316	1.49

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	202	100	101	266	121	213
normalized size	1	1.	2.56	1.27	1.28	3.37	1.53	2.7
time (sec)	N/A	0.178	3.085	0.06	1.544	1.552	5.219	1.552

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	94	94	302	119	130	316	119	254
normalized size	1	1.	3.21	1.27	1.38	3.36	1.27	2.7
time (sec)	N/A	0.208	2.356	0.071	1.666	1.405	5.362	1.619

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	435	154	154	498	170	346
normalized size	1	1.	3.72	1.32	1.32	4.26	1.45	2.96
time (sec)	N/A	0.256	3.301	0.066	1.627	1.322	7.441	1.489

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	139	139	902	188	182	620	221	437
normalized size	1	1.	6.49	1.35	1.31	4.46	1.59	3.14
time (sec)	N/A	0.293	8.44	0.074	1.711	1.432	22.491	1.649

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	847	230	182	836	272	680
normalized size	1	1.	4.65	1.26	1.	4.59	1.49	3.74
time (sec)	N/A	0.424	8.209	0.005	1.927	1.413	54.875	1.755

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	980	195	155	626	223	551
normalized size	1	1.	7.1	1.41	1.12	4.54	1.62	3.99
time (sec)	N/A	0.135	7.61	0.006	1.698	1.479	25.506	1.397

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	331	160	131	509	172	421
normalized size	1	1.	3.01	1.45	1.19	4.63	1.56	3.83
time (sec)	N/A	0.089	3.826	0.003	1.692	1.484	6.484	1.501

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	281	135	123	466	207	362
normalized size	1	1.	2.63	1.26	1.15	4.36	1.93	3.38
time (sec)	N/A	0.281	7.659	0.067	1.688	1.447	8.413	1.576

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	291	134	115	360	199	351
normalized size	1	1.	2.51	1.16	0.99	3.1	1.72	3.03
time (sec)	N/A	0.296	4.201	0.061	1.561	1.406	3.944	1.593

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	1010	136	132	474	207	306
normalized size	1	1.	8.21	1.11	1.07	3.85	1.68	2.49
time (sec)	N/A	0.315	8.581	0.075	1.661	1.506	8.865	1.65

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	442	154	157	504	170	344
normalized size	1	1.	3.3	1.15	1.17	3.76	1.27	2.57
time (sec)	N/A	0.365	4.684	0.071	2.379	1.388	14.52	1.718

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	1007	189	185	626	221	439
normalized size	1	1.	6.41	1.2	1.18	3.99	1.41	2.8
time (sec)	N/A	0.418	8.496	0.077	2.31	1.64	34.132	1.77

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	943	224	208	844	272	529
normalized size	1	1.	5.24	1.24	1.16	4.69	1.51	2.94
time (sec)	N/A	0.46	8.779	0.08	2.245	1.648	146.15	1.767

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	951	264	208	1019	0	810
normalized size	1	1.	4.23	1.17	0.92	4.53	0.	3.6
time (sec)	N/A	0.642	8.66	0.006	2.176	1.71	0.	1.982

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	589	229	182	790	0	680
normalized size	1	1.	3.51	1.36	1.08	4.7	0.	4.05
time (sec)	N/A	0.158	4.522	0.006	2.209	1.76	0.	1.623

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	448	194	158	670	223	551
normalized size	1	1.	3.2	1.39	1.13	4.79	1.59	3.94
time (sec)	N/A	0.115	3.224	0.003	2.066	1.715	48.713	1.571

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	429	169	149	672	262	454
normalized size	1	1.	3.02	1.19	1.05	4.73	1.85	3.2
time (sec)	N/A	0.421	6.971	0.074	2.18	1.487	29.704	1.64

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	1122	165	142	686	230	458
normalized size	1	1.	7.79	1.15	0.99	4.76	1.6	3.18
time (sec)	N/A	0.432	10.521	0.066	2.139	1.55	8.586	1.685

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	1116	166	149	678	228	433
normalized size	1	1.	7.15	1.06	0.96	4.35	1.46	2.78
time (sec)	N/A	0.442	10.343	0.074	2.103	1.547	16.967	1.739

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	1138	170	159	679	262	397
normalized size	1	1.	6.98	1.04	0.98	4.17	1.61	2.44
time (sec)	N/A	0.453	9.595	0.074	2.377	1.535	28.472	1.905

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	177	177	319	189	188	622	221	439
normalized size	1	1.	1.8	1.07	1.06	3.51	1.25	2.48
time (sec)	N/A	0.532	5.82	0.079	2.1	1.43	20.132	1.895

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	542	224	211	857	272	529
normalized size	1	1.	2.71	1.12	1.05	4.28	1.36	2.64
time (sec)	N/A	0.592	8.239	0.081	2.003	1.464	146.132	1.865

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	1009	259	239	948	0	624
normalized size	1	1.	4.52	1.16	1.07	4.25	0.	2.8
time (sec)	N/A	0.646	9.411	0.087	2.045	1.367	0.	2.111

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	898	169	0	527	196	169
normalized size	1	1.	6.96	1.31	0.	4.09	1.52	1.31
time (sec)	N/A	0.173	7.199	0.033	0.	1.468	13.363	2.01

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	240	137	0	362	150	136
normalized size	1	1.	2.38	1.36	0.	3.58	1.49	1.35
time (sec)	N/A	0.125	4.357	0.028	0.	1.471	7.32	1.634

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	148	121	0	189	114	111
normalized size	1	1.	2.21	1.81	0.	2.82	1.7	1.66
time (sec)	N/A	0.093	0.919	0.027	0.	1.555	4.198	1.443

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	102	121	0	108	88	115
normalized size	1	1.	2.17	2.57	0.	2.3	1.87	2.45
time (sec)	N/A	0.043	0.452	0.027	0.	1.391	1.43	1.425

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	150	136	0	186	117	135
normalized size	1	1.	2.42	2.19	0.	3.	1.89	2.18
time (sec)	N/A	0.109	0.938	0.103	0.	1.413	2.157	1.378

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	225	170	0	365	151	184
normalized size	1	1.	2.21	1.67	0.	3.58	1.48	1.8
time (sec)	N/A	0.175	2.701	0.096	0.	1.543	3.991	1.401

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	902	206	0	528	197	223
normalized size	1	1.	6.89	1.57	0.	4.03	1.5	1.7
time (sec)	N/A	0.212	7.145	0.111	0.	1.536	7.907	1.414

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	1062	241	0	724	243	252
normalized size	1	1.	6.85	1.55	0.	4.67	1.57	1.63
time (sec)	N/A	0.246	7.362	0.106	0.	1.534	25.152	1.448

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	956	177	0	424	223	162
normalized size	1	1.	6.73	1.25	0.	2.99	1.57	1.14
time (sec)	N/A	0.28	6.91	0.033	0.	1.466	14.432	1.857

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	185	162	0	240	223	144
normalized size	1	1.	1.8	1.57	0.	2.33	2.17	1.4
time (sec)	N/A	0.211	0.873	0.032	0.	1.443	4.923	1.543

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	92	162	0	154	167	147
normalized size	1	1.	1.21	2.13	0.	2.03	2.2	1.93
time (sec)	N/A	0.131	0.531	0.03	0.	1.423	2.053	1.349

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	94	162	0	150	163	149
normalized size	1	1.	1.18	2.02	0.	1.88	2.04	1.86
time (sec)	N/A	0.062	0.521	0.028	0.	1.364	1.807	1.346

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	184	177	0	242	221	165
normalized size	1	1.	1.94	1.86	0.	2.55	2.33	1.74
time (sec)	N/A	0.229	0.965	0.112	0.	1.551	3.756	1.29

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	302	211	0	433	223	219
normalized size	1	1.	2.14	1.5	0.	3.07	1.58	1.55
time (sec)	N/A	0.346	6.032	0.102	0.	1.435	14.798	1.316

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	1112	247	0	601	274	239
normalized size	1	1.	6.54	1.45	0.	3.54	1.61	1.41
time (sec)	N/A	0.405	7.084	0.118	0.	1.561	35.129	1.422

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	1251	219	0	506	292	194
normalized size	1	1.	6.55	1.15	0.	2.65	1.53	1.02
time (sec)	N/A	0.473	7.013	0.036	0.	1.464	35.956	2.372

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	178	203	0	306	253	176
normalized size	1	1.	1.2	1.37	0.	2.07	1.71	1.19
time (sec)	N/A	0.368	1.206	0.034	0.	1.514	13.85	1.955

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	147	203	0	219	260	177
normalized size	1	1.	1.19	1.64	0.	1.77	2.1	1.43
time (sec)	N/A	0.289	1.076	0.034	0.	1.38	5.453	1.587

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	148	203	0	216	260	176
normalized size	1	1.	1.35	1.85	0.	1.96	2.36	1.6
time (sec)	N/A	0.165	1.309	0.031	0.	1.444	4.556	1.381

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	150	203	0	217	260	177
normalized size	1	1.	1.34	1.81	0.	1.94	2.32	1.58
time (sec)	N/A	0.084	0.775	0.03	0.	1.395	4.21	1.407

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	180	218	0	305	294	197
normalized size	1	1.	1.37	1.66	0.	2.33	2.24	1.5
time (sec)	N/A	0.361	1.064	0.125	0.	1.483	11.229	1.399

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	1282	252	0	504	294	252
normalized size	1	1.	7.01	1.38	0.	2.75	1.61	1.38
time (sec)	N/A	0.53	6.981	0.12	0.	1.538	31.108	1.507

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	1448	288	0	691	0	286
normalized size	1	1.	6.7	1.33	0.	3.2	0.	1.32
time (sec)	N/A	0.598	7.251	0.13	0.	1.525	0.	1.522

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	195	244	0	359	360	208
normalized size	1	1.	1.05	1.32	0.	1.94	1.95	1.12
time (sec)	N/A	0.509	1.2	0.04	0.	1.486	35.788	3.434

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	158	244	0	262	303	207
normalized size	1	1.	0.99	1.53	0.	1.65	1.91	1.3
time (sec)	N/A	0.466	1.359	0.035	0.	1.432	8.532	2.266

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	144	244	0	232	243	204
normalized size	1	1.	0.99	1.68	0.	1.6	1.68	1.41
time (sec)	N/A	0.291	1.497	0.035	0.	1.388	6.474	1.576

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	141	244	0	236	246	208
normalized size	1	1.	0.99	1.71	0.	1.65	1.72	1.45
time (sec)	N/A	0.192	1.228	0.033	0.	1.363	8.76	1.423

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	160	244	0	261	301	208
normalized size	1	1.	1.1	1.68	0.	1.8	2.08	1.43
time (sec)	N/A	0.106	0.818	0.031	0.	1.425	11.346	1.337

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	193	259	0	362	360	224
normalized size	1	1.	1.19	1.6	0.	2.23	2.22	1.38
time (sec)	N/A	0.494	1.124	0.122	0.	1.532	23.555	1.342

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	1466	293	0	578	0	278
normalized size	1	1.	6.66	1.33	0.	2.63	0.	1.26
time (sec)	N/A	0.721	7.004	0.122	0.	1.78	0.	1.304

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	255	255	1625	329	0	772	0	309
normalized size	1	1.	6.37	1.29	0.	3.03	0.	1.21
time (sec)	N/A	0.79	7.237	0.136	0.	1.829	0.	1.407

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	201	162	0	1253	0	0
normalized size	1	1.	1.04	0.84	0.	6.46	0.	0.
time (sec)	N/A	0.518	3.313	0.069	0.	1.827	0.	0.

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	184	124	0	1084	0	0
normalized size	1	1.	1.29	0.87	0.	7.58	0.	0.
time (sec)	N/A	0.302	2.509	0.062	0.	1.785	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	132	82	0	919	0	0
normalized size	1	1.	1.26	0.78	0.	8.75	0.	0.
time (sec)	N/A	0.137	1.293	0.018	0.	1.505	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	87	63	0	755	0	0
normalized size	1	1.	1.16	0.84	0.	10.07	0.	0.
time (sec)	N/A	0.072	1.165	0.018	0.	1.467	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	113	312	0	1139	0	0
normalized size	1	1.	1.31	3.63	0.	13.24	0.	0.
time (sec)	N/A	0.227	1.645	0.414	0.	1.552	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	293	1179	0	1644	0	0
normalized size	1	1.	2.38	9.59	0.	13.37	0.	0.
time (sec)	N/A	0.385	4.618	0.553	0.	1.791	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	230	2240	0	1921	0	0
normalized size	1	1.	1.36	13.25	0.	11.37	0.	0.
time (sec)	N/A	0.565	3.18	0.536	0.	1.879	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	210	210	414	1783	0	2192	0	0
normalized size	1	1.	1.97	8.49	0.	10.44	0.	0.
time (sec)	N/A	0.752	4.42	0.513	0.	2.015	0.	0.

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	239	164	0	1365	0	0
normalized size	1	1.	1.21	0.83	0.	6.93	0.	0.
time (sec)	N/A	0.532	4.272	0.027	0.	1.812	0.	0.

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	204	123	0	1180	0	0
normalized size	1	1.	1.49	0.9	0.	8.61	0.	0.
time (sec)	N/A	0.176	3.647	0.018	0.	1.751	0.	0.

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	190	99	0	1017	0	0
normalized size	1	1.	1.78	0.93	0.	9.5	0.	0.
time (sec)	N/A	0.1	2.547	0.018	0.	1.703	0.	0.

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	157	467	0	1354	0	0
normalized size	1	1.	1.39	4.13	0.	11.98	0.	0.
time (sec)	N/A	0.375	1.928	0.345	0.	1.864	0.	0.

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	201	1117	0	1796	0	0
normalized size	1	1.	1.61	8.94	0.	14.37	0.	0.
time (sec)	N/A	0.39	2.984	0.437	0.	1.898	0.	0.

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	400	1290	0	2080	0	0
normalized size	1	1.	2.34	7.54	0.	12.16	0.	0.
time (sec)	N/A	0.583	5.654	0.45	0.	1.986	0.	0.

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	213	213	439	1804	0	2348	0	0
normalized size	1	1.	2.06	8.47	0.	11.02	0.	0.
time (sec)	N/A	0.772	6.376	0.522	0.	1.873	0.	0.

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	246	246	284	206	0	1585	0	0
normalized size	1	1.	1.15	0.84	0.	6.44	0.	0.
time (sec)	N/A	0.753	5.643	0.027	0.	1.796	0.	0.

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	268	165	0	1385	0	0
normalized size	1	1.	1.57	0.96	0.	8.1	0.	0.
time (sec)	N/A	0.2	3.936	0.019	0.	1.761	0.	0.

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	236	141	0	1223	0	0
normalized size	1	1.	1.67	1.	0.	8.67	0.	0.
time (sec)	N/A	0.126	3.019	0.017	0.	1.749	0.	0.

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	147	147	429	965	0	1652	0	0
normalized size	1	1.	2.92	6.56	0.	11.24	0.	0.
time (sec)	N/A	0.534	7.939	0.431	0.	1.884	0.	0.

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	158	158	413	1141	0	1872	0	0
normalized size	1	1.	2.61	7.22	0.	11.85	0.	0.
time (sec)	N/A	0.552	6.896	0.471	0.	1.901	0.	0.

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	173	173	427	1292	0	2133	0	0
normalized size	1	1.	2.47	7.47	0.	12.33	0.	0.
time (sec)	N/A	0.606	8.459	0.445	0.	1.83	0.	0.

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	217	217	634	2506	0	2412	0	0
normalized size	1	1.	2.92	11.55	0.	11.12	0.	0.
time (sec)	N/A	0.797	8.602	0.483	0.	1.844	0.	0.

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	261	261	698	3444	0	2722	0	0
normalized size	1	1.	2.67	13.2	0.	10.43	0.	0.
time (sec)	N/A	1.005	8.984	0.429	0.	1.934	0.	0.

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	176	168	0	1266	0	0
normalized size	1	1.	0.86	0.82	0.	6.18	0.	0.
time (sec)	N/A	0.524	3.34	0.064	0.	2.098	0.	0.

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	147	127	0	1089	0	0
normalized size	1	1.	0.92	0.8	0.	6.85	0.	0.
time (sec)	N/A	0.335	2.332	0.061	0.	2.031	0.	0.

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	140	88	0	913	0	0
normalized size	1	1.	1.28	0.81	0.	8.38	0.	0.
time (sec)	N/A	0.141	1.379	0.054	0.	2.002	0.	0.

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	129	71	0	918	0	0
normalized size	1	1.	1.57	0.87	0.	11.2	0.	0.
time (sec)	N/A	0.073	0.974	0.056	0.	1.93	0.	0.

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	208	948	0	1543	0	0
normalized size	1	1.	1.82	8.32	0.	13.54	0.	0.
time (sec)	N/A	0.348	2.317	0.488	0.	2.72	0.	0.

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	167	167	224	2727	0	2034	0	0
normalized size	1	1.	1.34	16.33	0.	12.18	0.	0.
time (sec)	N/A	0.567	3.962	0.575	0.	2.978	0.	0.

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	363	2751	0	2369	0	0
normalized size	1	1.	1.66	12.56	0.	10.82	0.	0.
time (sec)	N/A	0.762	4.203	0.494	0.	3.049	0.	0.

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	176	153	0	1210	0	0
normalized size	1	1.	0.84	0.73	0.	5.79	0.	0.
time (sec)	N/A	0.535	4.13	0.032	0.	2.139	0.	0.

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	167	116	0	1031	0	0
normalized size	1	1.	1.	0.69	0.	6.17	0.	0.
time (sec)	N/A	0.353	2.757	0.032	0.	1.988	0.	0.

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	145	96	0	1027	0	0
normalized size	1	1.	1.22	0.81	0.	8.63	0.	0.
time (sec)	N/A	0.186	2.344	0.024	0.	2.021	0.	0.

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	143	96	0	1027	0	0
normalized size	1	1.	1.18	0.79	0.	8.49	0.	0.
time (sec)	N/A	0.102	2.117	0.021	0.	1.981	0.	0.

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	192	1026	0	1694	0	0
normalized size	1	1.	1.23	6.58	0.	10.86	0.	0.
time (sec)	N/A	0.514	3.869	0.369	0.	2.831	0.	0.

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	259	2818	0	2230	0	0
normalized size	1	1.	1.19	12.99	0.	10.28	0.	0.
time (sec)	N/A	0.804	4.788	0.432	0.	3.133	0.	0.

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	283	2818	0	2570	0	0
normalized size	1	1.	1.06	10.51	0.	9.59	0.	0.
time (sec)	N/A	0.983	5.405	0.415	0.	3.23	0.	0.

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	255	255	191	181	0	1274	0	0
normalized size	1	1.	0.75	0.71	0.	5.	0.	0.
time (sec)	N/A	0.779	5.305	0.033	0.	2.164	0.	0.

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	193	142	0	1100	0	0
normalized size	1	1.	0.91	0.67	0.	5.21	0.	0.
time (sec)	N/A	0.569	4.223	0.03	0.	2.059	0.	0.

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	176	124	0	1092	0	0
normalized size	1	1.	1.05	0.74	0.	6.54	0.	0.
time (sec)	N/A	0.395	3.159	0.031	0.	2.024	0.	0.

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	176	121	0	1095	0	0
normalized size	1	1.	1.15	0.79	0.	7.16	0.	0.
time (sec)	N/A	0.228	2.74	0.023	0.	2.053	0.	0.

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	176	123	0	1095	0	0
normalized size	1	1.	1.14	0.79	0.	7.06	0.	0.
time (sec)	N/A	0.13	2.462	0.023	0.	1.989	0.	0.

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	233	1084	0	1764	0	0
normalized size	1	1.	1.21	5.65	0.	9.19	0.	0.
time (sec)	N/A	0.676	4.175	0.388	0.	2.96	0.	0.

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	259	259	287	2858	0	2310	0	0
normalized size	1	1.	1.11	11.03	0.	8.92	0.	0.
time (sec)	N/A	1.048	7.767	0.473	0.	3.285	0.	0.

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	312	312	317	2876	0	2677	0	0
normalized size	1	1.	1.02	9.22	0.	8.58	0.	0.
time (sec)	N/A	1.237	9.094	0.484	0.	3.494	0.	0.

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	280	537	275	1326	0	193
normalized size	1	1.	2.15	4.13	2.12	10.2	0.	1.48
time (sec)	N/A	0.198	4.279	0.015	1.771	2.315	0.	1.268

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	266	506	254	1160	0	151
normalized size	1	1.	2.53	4.82	2.42	11.05	0.	1.44
time (sec)	N/A	0.166	2.67	0.012	1.768	2.007	0.	1.218

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	112	475	230	977	0	112
normalized size	1	1.	1.4	5.94	2.88	12.21	0.	1.4
time (sec)	N/A	0.121	1.802	0.011	1.866	1.836	0.	1.205

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	92	444	204	811	0	63
normalized size	1	1.	1.67	8.07	3.71	14.75	0.	1.15
time (sec)	N/A	0.09	1.53	0.012	1.806	1.754	0.	1.25

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	53	53	76	443	204	944	0	63
normalized size	1	1.	1.43	8.36	3.85	17.81	0.	1.19
time (sec)	N/A	0.093	2.359	0.013	1.867	1.802	0.	1.229

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	94	474	231	1135	0	95
normalized size	1	1.	1.21	6.08	2.96	14.55	0.	1.22
time (sec)	N/A	0.127	1.875	0.015	1.801	1.908	0.	1.273

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	265	505	254	1305	0	127
normalized size	1	1.	2.57	4.9	2.47	12.67	0.	1.23
time (sec)	N/A	0.155	3.78	0.014	1.894	2.039	0.	1.246

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	315	607	316	1555	0	263
normalized size	1	1.	1.72	3.32	1.73	8.5	0.	1.44
time (sec)	N/A	0.357	6.122	0.015	1.848	2.658	0.	1.285

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	307	574	292	1382	0	216
normalized size	1	1.	1.97	3.68	1.87	8.86	0.	1.38
time (sec)	N/A	0.31	5.094	0.014	1.819	2.239	0.	1.285

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	272	537	265	1193	0	171
normalized size	1	1.	2.11	4.16	2.05	9.25	0.	1.33
time (sec)	N/A	0.259	4.999	0.013	1.831	1.952	0.	1.242

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	110	500	238	1034	0	124
normalized size	1	1.	1.06	4.81	2.29	9.94	0.	1.19
time (sec)	N/A	0.224	3.312	0.014	2.075	1.773	0.	1.361

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	85	484	230	1010	0	95
normalized size	1	1.	0.87	4.94	2.35	10.31	0.	0.97
time (sec)	N/A	0.214	3.249	0.016	1.835	1.768	0.	1.261

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	96	504	239	1181	0	108
normalized size	1	1.	0.94	4.94	2.34	11.58	0.	1.06
time (sec)	N/A	0.218	3.187	0.017	2.482	1.803	0.	1.271

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	272	537	265	1359	0	146
normalized size	1	1.	2.14	4.23	2.09	10.7	0.	1.15
time (sec)	N/A	0.257	4.946	0.018	1.824	1.923	0.	1.255

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	296	570	289	1547	0	184
normalized size	1	1.	1.92	3.7	1.88	10.05	0.	1.19
time (sec)	N/A	0.299	7.116	0.017	2.013	2.291	0.	1.273

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	198	198	496	610	316	1569	0	262
normalized size	1	1.	2.51	3.08	1.6	7.92	0.	1.32
time (sec)	N/A	0.467	10.002	0.014	1.896	2.414	0.	1.341

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	452	574	289	1381	0	217
normalized size	1	1.	2.64	3.36	1.69	8.08	0.	1.27
time (sec)	N/A	0.421	9.843	0.014	2.102	2.089	0.	1.275

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	273	538	262	1214	0	171
normalized size	1	1.	1.87	3.68	1.79	8.32	0.	1.17
time (sec)	N/A	0.377	7.253	0.016	2.11	1.849	0.	1.386

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	151	521	254	1069	0	149
normalized size	1	1.	1.13	3.89	1.9	7.98	0.	1.11
time (sec)	N/A	0.355	6.517	0.017	2.534	1.819	0.	1.398

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	266	522	255	1185	0	131
normalized size	1	1.	1.96	3.84	1.88	8.71	0.	0.96
time (sec)	N/A	0.358	6.695	0.017	2.098	1.859	0.	1.367

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	144	144	449	538	262	1366	0	146
normalized size	1	1.	3.12	3.74	1.82	9.49	0.	1.01
time (sec)	N/A	0.377	10.028	0.017	2.286	1.879	0.	1.365

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	169	169	495	572	286	1558	0	184
normalized size	1	1.	2.93	3.38	1.69	9.22	0.	1.09
time (sec)	N/A	0.425	12.053	0.019	2.103	2.073	0.	1.373

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	306	306	248	290	0	1886	0	223
normalized size	1	1.	0.81	0.95	0.	6.16	0.	0.73
time (sec)	N/A	0.408	2.796	0.052	0.	2.042	0.	1.226

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	275	275	220	255	0	1642	0	162
normalized size	1	1.	0.8	0.93	0.	5.97	0.	0.59
time (sec)	N/A	0.354	2.084	0.047	0.	2.026	0.	1.223

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	198	192	0	1477	0	131
normalized size	1	1.	0.84	0.81	0.	6.26	0.	0.56
time (sec)	N/A	0.286	1.583	0.061	0.	1.808	0.	1.245

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	199	192	0	1513	0	132
normalized size	1	1.	0.85	0.82	0.	6.47	0.	0.56
time (sec)	N/A	0.291	1.987	0.057	0.	1.835	0.	1.229

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	267	267	217	254	0	1832	0	153
normalized size	1	1.	0.81	0.95	0.	6.86	0.	0.57
time (sec)	N/A	0.366	2.104	0.049	0.	1.976	0.	1.299

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	296	296	241	289	0	2156	0	190
normalized size	1	1.	0.81	0.98	0.	7.28	0.	0.64
time (sec)	N/A	0.401	2.728	0.049	0.	2.084	0.	1.255

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	316	316	255	311	0	1759	0	196
normalized size	1	1.	0.81	0.98	0.	5.57	0.	0.62
time (sec)	N/A	0.575	2.261	0.049	0.	2.031	0.	1.241

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	277	277	243	294	0	1754	0	166
normalized size	1	1.	0.88	1.06	0.	6.33	0.	0.6
time (sec)	N/A	0.501	2.352	0.05	0.	1.948	0.	1.233

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	279	279	241	294	0	1694	0	171
normalized size	1	1.	0.86	1.05	0.	6.07	0.	0.61
time (sec)	N/A	0.469	1.954	0.06	0.	1.905	0.	1.2

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	285	285	243	294	0	1755	0	170
normalized size	1	1.	0.85	1.03	0.	6.16	0.	0.6
time (sec)	N/A	0.5	2.174	0.065	0.	1.864	0.	1.242

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	318	318	250	311	0	2009	0	193
normalized size	1	1.	0.79	0.98	0.	6.32	0.	0.61
time (sec)	N/A	0.578	2.382	0.055	0.	2.373	0.	1.221

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	347	347	282	346	0	2340	0	221
normalized size	1	1.	0.81	1.	0.	6.74	0.	0.64
time (sec)	N/A	0.631	3.224	0.052	0.	2.319	0.	1.265

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	393	393	300	404	0	2095	0	284
normalized size	1	1.	0.76	1.03	0.	5.33	0.	0.72
time (sec)	N/A	0.827	4.993	0.057	0.	1.989	0.	1.344

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	364	364	286	369	0	1860	0	223
normalized size	1	1.	0.79	1.01	0.	5.11	0.	0.61
time (sec)	N/A	0.771	3.412	0.06	0.	1.796	0.	1.262

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	307	307	254	323	0	1778	0	182
normalized size	1	1.	0.83	1.05	0.	5.79	0.	0.59
time (sec)	N/A	0.638	2.597	0.057	0.	1.699	0.	1.211

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	309	309	274	278	0	1713	0	177
normalized size	1	1.	0.89	0.9	0.	5.54	0.	0.57
time (sec)	N/A	0.627	3.777	0.05	0.	1.618	0.	1.261

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	317	317	272	278	0	1670	0	177
normalized size	1	1.	0.86	0.88	0.	5.27	0.	0.56
time (sec)	N/A	0.624	3.374	0.066	0.	1.615	0.	1.217

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	315	315	258	323	0	1820	0	185
normalized size	1	1.	0.82	1.03	0.	5.78	0.	0.59
time (sec)	N/A	0.64	2.95	0.068	0.	1.958	0.	1.203

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	364	364	278	368	0	2071	0	225
normalized size	1	1.	0.76	1.01	0.	5.69	0.	0.62
time (sec)	N/A	0.804	3.144	0.058	0.	2.1	0.	1.254

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	393	393	306	403	0	2407	0	246
normalized size	1	1.	0.78	1.03	0.	6.12	0.	0.63
time (sec)	N/A	0.861	4.019	0.062	0.	2.291	0.	1.222

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	B	F(-1)	A
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	200	200	0	838	0	2155	0	378
normalized size	1	1.	0.	4.19	0.	10.78	0.	1.89
time (sec)	N/A	0.68	10.131	0.073	0.	1.962	0.	1.359

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	560	713	0	1847	0	313
normalized size	1	1.	3.68	4.69	0.	12.15	0.	2.06
time (sec)	N/A	0.489	4.2	0.042	0.	1.91	0.	1.292

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	238	498	0	1516	0	189
normalized size	1	1.	2.12	4.45	0.	13.54	0.	1.69
time (sec)	N/A	0.323	3.943	0.061	0.	1.845	0.	1.487

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	156	434	0	1157	0	216
normalized size	1	1.	1.73	4.82	0.	12.86	0.	2.4
time (sec)	N/A	0.186	6.104	0.045	0.	1.743	0.	1.441

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	174	553	0	1327	0	240
normalized size	1	1.	1.29	4.1	0.	9.83	0.	1.78
time (sec)	N/A	0.342	6.458	0.043	0.	1.81	0.	1.422

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	211	630	0	1482	0	265
normalized size	1	1.	1.19	3.54	0.	8.33	0.	1.49
time (sec)	N/A	0.535	7.414	0.048	0.	1.822	0.	1.447

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	239	707	0	1666	0	289
normalized size	1	1.	1.08	3.2	0.	7.54	0.	1.31
time (sec)	N/A	0.713	9.338	0.043	0.	1.82	0.	1.479

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	248	248	420	652	0	2564	0	412
normalized size	1	1.	1.69	2.63	0.	10.34	0.	1.66
time (sec)	N/A	0.902	7.185	0.062	0.	2.045	0.	1.387

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	389	565	0	2290	0	348
normalized size	1	1.	1.91	2.77	0.	11.23	0.	1.71
time (sec)	N/A	0.7	5.959	0.048	0.	1.92	0.	1.364

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	221	484	0	2020	0	209
normalized size	1	1.	1.42	3.1	0.	12.95	0.	1.34
time (sec)	N/A	0.493	3.247	0.059	0.	1.946	0.	1.523

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	234	521	0	2007	0	236
normalized size	1	1.	1.6	3.57	0.	13.75	0.	1.62
time (sec)	N/A	0.483	3.895	0.046	0.	1.857	0.	1.539

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	221	618	0	1418	0	261
normalized size	1	1.	1.61	4.51	0.	10.35	0.	1.91
time (sec)	N/A	0.366	5.609	0.042	0.	1.748	0.	1.522

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	237	707	0	1598	0	285
normalized size	1	1.	1.31	3.91	0.	8.83	0.	1.57
time (sec)	N/A	0.55	8.641	0.043	0.	1.774	0.	1.527

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	261	796	0	1774	0	309
normalized size	1	1.	1.16	3.54	0.	7.88	0.	1.37
time (sec)	N/A	0.735	11.016	0.044	0.	1.845	0.	1.487

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	269	269	242	885	0	1971	0	333
normalized size	1	1.	0.9	3.29	0.	7.33	0.	1.24
time (sec)	N/A	0.936	14.21	0.048	0.	1.892	0.	1.5

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	298	298	581	742	0	2928	0	416
normalized size	1	1.	1.95	2.49	0.	9.83	0.	1.4
time (sec)	N/A	1.132	9.7	0.041	0.	2.018	0.	1.593

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	252	252	537	653	0	2603	0	347
normalized size	1	1.	2.13	2.59	0.	10.33	0.	1.38
time (sec)	N/A	0.922	8.981	0.042	0.	1.936	0.	1.492

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	206	206	499	564	0	2363	0	212
normalized size	1	1.	2.42	2.74	0.	11.47	0.	1.03
time (sec)	N/A	0.712	9.173	0.058	0.	2.01	0.	1.643

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	196	196	493	565	0	2295	0	239
normalized size	1	1.	2.52	2.88	0.	11.71	0.	1.22
time (sec)	N/A	0.7	9.367	0.042	0.	1.96	0.	1.681

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	190	190	618	620	0	2317	0	263
normalized size	1	1.	3.25	3.26	0.	12.19	0.	1.38
time (sec)	N/A	0.665	9.913	0.044	0.	1.94	0.	1.649

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	185	185	323	709	0	1642	0	288
normalized size	1	1.	1.75	3.83	0.	8.88	0.	1.56
time (sec)	N/A	0.575	10.7	0.044	0.	1.763	0.	1.601

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	231	231	363	798	0	1813	0	312
normalized size	1	1.	1.57	3.45	0.	7.85	0.	1.35
time (sec)	N/A	0.757	12.968	0.044	0.	1.822	0.	1.638

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	277	277	246	887	0	2014	0	336
normalized size	1	1.	0.89	3.2	0.	7.27	0.	1.21
time (sec)	N/A	0.951	14.996	0.048	0.	1.878	0.	1.72

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	323	323	328	976	0	2203	0	360
normalized size	1	1.	1.02	3.02	0.	6.82	0.	1.11
time (sec)	N/A	1.161	19.332	0.046	0.	1.886	0.	1.713

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	485	551	0	2410	0	258
normalized size	1	1.	2.55	2.9	0.	12.68	0.	1.36
time (sec)	N/A	0.729	10.221	0.076	0.	1.965	0.	1.638

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	277	1141	0	2268	0	0
normalized size	1	1.	1.35	5.57	0.	11.06	0.	0.
time (sec)	N/A	0.691	4.779	0.101	0.	3.035	0.	0.

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	183	900	0	1989	0	0
normalized size	1	1.	1.17	5.77	0.	12.75	0.	0.
time (sec)	N/A	0.48	3.56	0.09	0.	2.805	0.	0.

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	123	639	0	1183	0	207
normalized size	1	1.	1.24	6.45	0.	11.95	0.	2.09
time (sec)	N/A	0.193	3.064	0.094	0.	2.048	0.	1.353

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	181	701	0	1330	0	234
normalized size	1	1.	1.27	4.9	0.	9.3	0.	1.64
time (sec)	N/A	0.365	3.197	0.1	0.	2.067	0.	1.457

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	221	746	0	1523	0	258
normalized size	1	1.	1.16	3.91	0.	7.97	0.	1.35
time (sec)	N/A	0.546	3.805	0.103	0.	2.087	0.	1.482

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	241	821	0	1694	0	282
normalized size	1	1.	1.02	3.46	0.	7.15	0.	1.19
time (sec)	N/A	0.739	5.091	0.098	0.	2.155	0.	1.45

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	285	1223	0	2169	0	0
normalized size	1	1.	1.4	6.02	0.	10.68	0.	0.
time (sec)	N/A	0.669	6.15	0.068	0.	2.864	0.	0.

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	228	868	0	1293	0	0
normalized size	1	1.	1.52	5.79	0.	8.62	0.	0.
time (sec)	N/A	0.379	4.664	0.049	0.	2.037	0.	0.

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	230	868	0	1303	0	209
normalized size	1	1.	1.55	5.86	0.	8.8	0.	1.41
time (sec)	N/A	0.38	5.039	0.079	0.	2.094	0.	1.414

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	237	931	0	1462	0	236
normalized size	1	1.	1.22	4.8	0.	7.54	0.	1.22
time (sec)	N/A	0.577	4.802	0.069	0.	2.059	0.	1.463

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	240	240	244	1012	0	1656	0	261
normalized size	1	1.	1.02	4.22	0.	6.9	0.	1.09
time (sec)	N/A	0.769	6.641	0.08	0.	2.222	0.	1.471

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	249	249	275	1542	0	2205	0	0
normalized size	1	1.	1.1	6.19	0.	8.86	0.	0.
time (sec)	N/A	0.855	7.551	0.073	0.	2.979	0.	0.

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	214	1096	0	1368	0	0
normalized size	1	1.	1.1	5.65	0.	7.05	0.	0.
time (sec)	N/A	0.6	6.98	0.062	0.	2.132	0.	0.

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	215	1096	0	1357	0	0
normalized size	1	1.	1.1	5.59	0.	6.92	0.	0.
time (sec)	N/A	0.592	5.708	0.052	0.	2.11	0.	0.

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	216	1096	0	1370	0	209
normalized size	1	1.	1.11	5.65	0.	7.06	0.	1.08
time (sec)	N/A	0.597	6.138	0.076	0.	2.132	0.	1.459

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	240	240	288	1158	0	1534	0	236
normalized size	1	1.	1.2	4.82	0.	6.39	0.	0.98
time (sec)	N/A	0.803	9.887	0.059	0.	2.189	0.	1.529

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	286	286	701	1239	0	1740	0	261
normalized size	1	1.	2.45	4.33	0.	6.08	0.	0.91
time (sec)	N/A	1.007	9.454	0.058	0.	2.403	0.	1.568

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	201	201	0	297	0	1131	0	0
normalized size	1	1.	0.	1.48	0.	5.63	0.	0.
time (sec)	N/A	0.166	180.004	0.019	0.	1.767	0.	0.

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	270	270	104	367	0	1762	0	0
normalized size	1	1.	0.39	1.36	0.	6.53	0.	0.
time (sec)	N/A	0.444	2.642	0.027	0.	1.822	0.	0.

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	115	321	0	1520	0	0
normalized size	1	1.	0.5	1.38	0.	6.55	0.	0.
time (sec)	N/A	0.221	1.473	0.018	0.	1.772	0.	0.

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	91	297	0	1283	0	0
normalized size	1	1.	0.45	1.47	0.	6.35	0.	0.
time (sec)	N/A	0.149	1.05	0.015	0.	1.772	0.	0.

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	289	289	127	0	0	1848	0	0
normalized size	1	1.	0.44	0.	0.	6.39	0.	0.
time (sec)	N/A	0.373	1.502	0.167	0.	1.89	0.	0.

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	342	342	0	0	0	2824	0	0
normalized size	1	1.	0.	0.	0.	8.26	0.	0.
time (sec)	N/A	0.59	6.249	0.211	0.	2.009	0.	0.

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	137	318	0	1503	0	0
normalized size	1	1.	0.64	1.49	0.	7.06	0.	0.
time (sec)	N/A	0.158	1.073	0.02	0.	1.779	0.	0.

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	213	213	0	318	0	1411	0	0
normalized size	1	1.	0.	1.49	0.	6.62	0.	0.
time (sec)	N/A	0.16	0.629	0.02	0.	1.734	0.	0.

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	290	290	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	1.068	19.647	0.532	0.	0.	0.	0.

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	374	0	0	0	0	0
normalized size	1	1.	1.82	0.	0.	0.	0.	0.
time (sec)	N/A	0.642	10.868	0.383	0.	0.	0.	0.

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	323	0	0	0	0	0
normalized size	1	1.	2.45	0.	0.	0.	0.	0.
time (sec)	N/A	0.36	5.581	0.346	0.	0.	0.	0.

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	190	0	0	0	0	0
normalized size	1	1.	2.71	0.	0.	0.	0.	0.
time (sec)	N/A	0.117	2.203	0.821	0.	0.	0.	0.

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	168	168	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.22	7.237	1.348	0.	0.	0.	0.

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	226	226	565	0	0	0	0	0
normalized size	1	1.	2.5	0.	0.	0.	0.	0.
time (sec)	N/A	0.484	8.278	1.386	0.	0.	0.	0.

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	308	308	712	0	0	0	0	0
normalized size	1	1.	2.31	0.	0.	0.	0.	0.
time (sec)	N/A	0.833	113.738	1.496	0.	0.	0.	0.

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	386	386	921	0	0	0	0	0
normalized size	1	1.	2.39	0.	0.	0.	0.	0.
time (sec)	N/A	1.207	115.997	0.901	0.	0.	0.	0.

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	316	316	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.986	6.682	0.51	0.	0.	0.	0.

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	227	227	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.703	4.705	0.488	0.	0.	0.	0.

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	159	159	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.365	3.758	0.57	0.	0.	0.	0.

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	214	214	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.625	180.003	0.582	0.	0.	0.	0.

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	285	285	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.976	15.655	0.482	0.	0.	0.	0.

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	363	363	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	1.369	72.679	0.474	0.	0.	0.	0.

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	167	167	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.304	18.191	184.135	0.	0.	0.	0.

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	245	245	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.649	21.194	0.647	0.	0.	0.	0.

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	164	164	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.313	38.865	1.212	0.	0.	0.	0.

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	270	0	0	0	0	0
normalized size	1	1.	2.43	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	30.009	0.998	0.	0.	0.	0.

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	78	78	152	0	0	0	0	0
normalized size	1	1.	1.95	0.	0.	0.	0.	0.
time (sec)	N/A	0.066	7.155	0.787	0.	0.	0.	0.

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	97	97	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.178	23.956	0.745	0.	0.	0.	0.

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	131	131	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.327	44.251	0.761	0.	0.	0.	0.

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	185	185	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.583	64.709	0.942	0.	0.	0.	0.

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	383	383	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	1.138	15.275	0.336	0.	0.	0.	0.

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	291	291	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.779	16.56	0.327	0.	0.	0.	0.

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	215	215	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.495	20.289	0.347	0.	0.	0.	0.

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	158	158	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.308	19.692	0.369	0.	0.	0.	0.

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	194	194	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.49	9.516	0.327	0.	0.	0.	0.

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	247	247	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.723	12.678	0.326	0.	0.	0.	0.

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	86	135	116	208	136	1373
normalized size	1	1.	0.99	1.55	1.33	2.39	1.56	15.78
time (sec)	N/A	0.117	0.547	0.012	1.507	1.889	0.457	2.477

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	67	105	89	161	104	832
normalized size	1	1.	1.03	1.62	1.37	2.48	1.6	12.8
time (sec)	N/A	0.059	0.272	0.013	1.492	1.931	0.297	1.602

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	59	77	68	122	73	444
normalized size	1	1.	1.4	1.83	1.62	2.9	1.74	10.57
time (sec)	N/A	0.025	0.027	0.012	1.472	1.972	0.216	1.327

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	37	37	44	51	70	146	78	72
normalized size	1	1.	1.19	1.38	1.89	3.95	2.11	1.95
time (sec)	N/A	0.069	0.072	0.056	1.496	2.02	0.671	1.18

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	78	65	92	178	122	161
normalized size	1	1.	1.81	1.51	2.14	4.14	2.84	3.74
time (sec)	N/A	0.082	0.174	0.052	1.459	1.984	1.56	1.278

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	77	96	116	234	150	242
normalized size	1	1.	1.17	1.45	1.76	3.55	2.27	3.67
time (sec)	N/A	0.12	0.45	0.069	1.472	1.892	2.819	1.279

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	101	124	140	292	180	320
normalized size	1	1.	1.16	1.43	1.61	3.36	2.07	3.68
time (sec)	N/A	0.153	1.023	0.069	1.494	1.975	4.912	1.284

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	100	150	165	340	211	404
normalized size	1	1.	0.93	1.39	1.53	3.15	1.95	3.74
time (sec)	N/A	0.187	1.17	0.066	1.478	2.06	8.459	1.365

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	221	249	198	340	246	3008
normalized size	1	1.	1.49	1.68	1.34	2.3	1.66	20.32
time (sec)	N/A	0.269	6.198	0.013	1.468	1.98	0.773	4.92

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	172	199	162	275	192	2037
normalized size	1	1.	1.54	1.78	1.45	2.46	1.71	18.19
time (sec)	N/A	0.124	1.745	0.012	1.461	2.02	0.56	2.867

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	96	151	123	209	143	1216
normalized size	1	1.	1.1	1.74	1.41	2.4	1.64	13.98
time (sec)	N/A	0.076	0.441	0.013	1.472	2.037	0.372	1.937

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	93	109	115	217	129	116
normalized size	1	1.	1.33	1.56	1.64	3.1	1.84	1.66
time (sec)	N/A	0.114	0.288	0.062	1.483	2.065	1.41	1.349

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	100	110	126	274	167	159
normalized size	1	1.	1.39	1.53	1.75	3.81	2.32	2.21
time (sec)	N/A	0.133	0.262	0.066	1.485	2.015	2.868	1.415

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	123	141	162	285	214	320
normalized size	1	1.	1.4	1.6	1.84	3.24	2.43	3.64
time (sec)	N/A	0.191	0.345	0.081	1.51	1.967	4.776	1.478

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	152	188	201	367	260	451
normalized size	1	1.	1.29	1.59	1.7	3.11	2.2	3.82
time (sec)	N/A	0.243	1.386	0.072	1.467	2.033	7.873	1.494

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	180	238	236	446	313	587
normalized size	1	1.	1.19	1.58	1.56	2.95	2.07	3.89
time (sec)	N/A	0.301	3.038	0.076	1.521	2.001	14.483	1.532

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	241	383	289	494	384	5396
normalized size	1	1.	1.2	1.91	1.44	2.46	1.91	26.85
time (sec)	N/A	0.369	2.067	0.014	1.537	2.085	1.099	9.771

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	209	314	242	408	311	3875
normalized size	1	1.	1.27	1.9	1.47	2.47	1.88	23.48
time (sec)	N/A	0.194	1.436	0.011	1.456	1.94	0.819	5.839

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	130	247	193	324	240	2580
normalized size	1	1.	0.93	1.76	1.38	2.31	1.71	18.43
time (sec)	N/A	0.154	0.966	0.013	1.483	2.002	0.571	3.864

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	115	183	167	305	204	174
normalized size	1	1.	0.98	1.56	1.43	2.61	1.74	1.49
time (sec)	N/A	0.27	0.573	0.08	1.516	2.144	2.698	1.881

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	113	168	169	347	223	205
normalized size	1	1.	0.95	1.41	1.42	2.92	1.87	1.72
time (sec)	N/A	0.263	0.507	0.067	1.474	2.166	4.894	1.903

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	126	186	192	383	262	261
normalized size	1	1.	0.99	1.46	1.51	3.02	2.06	2.06
time (sec)	N/A	0.29	0.426	0.092	1.476	2.124	7.837	1.978

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	164	233	243	419	332	527
normalized size	1	1.	1.06	1.51	1.58	2.72	2.16	3.42
time (sec)	N/A	0.365	1.219	0.081	1.673	1.968	14.819	2.047

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	199	302	290	518	400	713
normalized size	1	1.	1.04	1.58	1.52	2.71	2.09	3.73
time (sec)	N/A	0.453	0.703	0.093	1.488	2.009	41.583	2.108

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	237	376	338	620	0	905
normalized size	1	1.	1.02	1.61	1.45	2.66	0.	3.88
time (sec)	N/A	0.496	1.156	0.087	1.483	2.01	0.	2.107

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	263	263	290	539	392	662	536	8629
normalized size	1	1.	1.1	2.05	1.49	2.52	2.04	32.81
time (sec)	N/A	0.432	5.608	0.014	1.497	2.169	1.625	18.457

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	257	449	332	562	437	6465
normalized size	1	1.	1.14	1.99	1.47	2.49	1.93	28.61
time (sec)	N/A	0.273	3.529	0.014	1.498	1.962	1.185	11.444

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	240	362	273	456	347	4567
normalized size	1	1.	1.19	1.79	1.35	2.26	1.72	22.61
time (sec)	N/A	0.23	3.454	0.011	1.471	2.083	0.885	7.058

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	149	277	236	423	291	258
normalized size	1	1.	0.87	1.61	1.37	2.46	1.69	1.5
time (sec)	N/A	0.471	1.394	0.089	1.485	2.361	4.895	2.602

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	134	242	221	448	289	263
normalized size	1	1.	0.77	1.38	1.26	2.56	1.65	1.5
time (sec)	N/A	0.482	1.016	0.081	1.471	2.214	8.107	2.697

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	186	186	140	244	234	456	309	302
normalized size	1	1.	0.75	1.31	1.26	2.45	1.66	1.62
time (sec)	N/A	0.505	0.673	0.094	1.463	2.148	14.332	2.795

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	167	278	273	520	369	379
normalized size	1	1.	0.89	1.49	1.46	2.78	1.97	2.03
time (sec)	N/A	0.531	1.095	0.089	1.499	2.289	41.373	2.807

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	211	347	332	571	0	788
normalized size	1	1.	0.94	1.54	1.48	2.54	0.	3.5
time (sec)	N/A	0.645	0.92	0.094	1.502	1.927	0.	2.904

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	273	273	257	440	390	695	0	1030
normalized size	1	1.	0.94	1.61	1.43	2.55	0.	3.77
time (sec)	N/A	0.733	1.564	0.098	1.466	1.836	0.	2.926

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	323	323	299	532	450	813	0	1273
normalized size	1	1.	0.93	1.65	1.39	2.52	0.	3.94
time (sec)	N/A	0.858	1.268	0.106	1.503	1.806	0.	3.029

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	138	211	176	412	1297	182
normalized size	1	1.	1.09	1.66	1.39	3.24	10.21	1.43
time (sec)	N/A	0.397	1.377	0.033	1.512	2.036	48.537	1.768

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	118	179	147	333	1015	149
normalized size	1	1.	1.17	1.77	1.46	3.3	10.05	1.48
time (sec)	N/A	0.197	0.555	0.035	1.491	1.972	8.95	1.443

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	98	159	127	251	700	128
normalized size	1	1.	1.22	1.99	1.59	3.14	8.75	1.6
time (sec)	N/A	0.127	0.155	0.032	1.528	1.862	4.4	1.218

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	66	153	119	174	524	127
normalized size	1	1.	1.14	2.64	2.05	3.	9.03	2.19
time (sec)	N/A	0.068	0.103	0.031	1.49	1.647	2.569	1.229

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	113	174	144	267	952	153
normalized size	1	1.	1.41	2.17	1.8	3.34	11.9	1.91
time (sec)	N/A	0.109	0.335	0.1	1.495	1.821	21.129	1.293

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	138	214	177	404	2066	212
normalized size	1	1.	1.34	2.08	1.72	3.92	20.06	2.06
time (sec)	N/A	0.251	0.831	0.1	1.483	1.905	151.578	1.32

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	163	266	213	518	2594	289
normalized size	1	1.	1.19	1.94	1.55	3.78	18.93	2.11
time (sec)	N/A	0.55	1.35	0.114	1.479	2.035	159.793	1.293

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	194	337	270	644	0	385
normalized size	1	1.	1.15	1.99	1.6	3.81	0.	2.28
time (sec)	N/A	0.833	2.485	0.11	1.484	2.083	0.	1.271

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	444	364	297	936	0	392
normalized size	1	1.	2.13	1.75	1.43	4.5	0.	1.88
time (sec)	N/A	0.455	3.779	0.044	1.495	2.371	0.	1.836

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	323	313	266	682	0	329
normalized size	1	1.	2.06	1.99	1.69	4.34	0.	2.1
time (sec)	N/A	0.273	1.994	0.042	1.55	2.091	0.	1.448

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	140	305	250	490	0	325
normalized size	1	1.	1.22	2.65	2.17	4.26	0.	2.83
time (sec)	N/A	0.159	1.965	0.04	1.478	1.742	0.	1.236

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	190	301	239	489	0	316
normalized size	1	1.	1.71	2.71	2.15	4.41	0.	2.85
time (sec)	N/A	0.137	1.841	0.04	1.521	1.702	0.	1.272

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	183	325	281	701	0	377
normalized size	1	1.	1.34	2.37	2.05	5.12	0.	2.75
time (sec)	N/A	0.319	0.789	0.126	1.492	2.073	0.	1.264

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	193	399	354	1017	0	489
normalized size	1	1.	1.01	2.08	1.84	5.3	0.	2.55
time (sec)	N/A	0.541	3.279	0.124	1.605	2.394	0.	1.281

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	220	457	439	1283	0	543
normalized size	1	1.	0.88	1.83	1.76	5.13	0.	2.17
time (sec)	N/A	0.86	4.338	0.15	1.574	2.518	0.	1.334

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	331	331	1146	619	525	1895	0	682
normalized size	1	1.	3.46	1.87	1.59	5.73	0.	2.06
time (sec)	N/A	0.798	6.673	0.05	1.556	2.918	0.	2.46

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	462	566	494	1432	0	618
normalized size	1	1.	1.85	2.26	1.98	5.73	0.	2.47
time (sec)	N/A	0.493	4.492	0.054	1.623	2.547	0.	1.746

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	189	189	288	495	450	1038	0	554
normalized size	1	1.	1.52	2.62	2.38	5.49	0.	2.93
time (sec)	N/A	0.372	4.606	0.051	1.566	1.88	0.	1.429

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	188	488	446	1058	0	554
normalized size	1	1.	1.05	2.73	2.49	5.91	0.	3.09
time (sec)	N/A	0.275	3.57	0.045	1.551	1.904	0.	1.245

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	243	483	433	1038	0	552
normalized size	1	1.	1.39	2.76	2.47	5.93	0.	3.15
time (sec)	N/A	0.266	3.709	0.046	1.616	1.865	0.	1.266

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	254	540	502	1451	0	647
normalized size	1	1.	1.18	2.51	2.33	6.75	0.	3.01
time (sec)	N/A	0.621	3.35	0.181	1.6	2.563	0.	1.347

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	287	287	288	651	613	1982	0	756
normalized size	1	1.	1.	2.27	2.14	6.91	0.	2.63
time (sec)	N/A	0.882	6.401	0.145	1.559	2.985	0.	1.312

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	352	352	320	713	730	2338	0	1096
normalized size	1	1.	0.91	2.03	2.07	6.64	0.	3.11
time (sec)	N/A	1.249	6.465	0.177	1.757	3.238	0.	1.377

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	351	351	1812	854	787	2438	0	971
normalized size	1	1.	5.16	2.43	2.24	6.95	0.	2.77
time (sec)	N/A	0.824	6.692	0.059	1.587	3.056	0.	2.347

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	298	298	465	780	743	1777	0	905
normalized size	1	1.	1.56	2.62	2.49	5.96	0.	3.04
time (sec)	N/A	0.572	6.307	0.059	1.682	2.104	0.	1.791

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	411	709	710	1829	0	853
normalized size	1	1.	1.57	2.72	2.72	7.01	0.	3.27
time (sec)	N/A	0.483	6.266	0.059	1.614	2.125	0.	1.494

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	248	702	706	1831	0	861
normalized size	1	1.	0.99	2.81	2.82	7.32	0.	3.44
time (sec)	N/A	0.428	1.131	0.052	1.595	2.104	0.	1.29

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	B	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	327	695	694	1777	0	851
normalized size	1	1.	1.32	2.81	2.81	7.19	0.	3.45
time (sec)	N/A	0.408	6.233	0.053	1.537	2.068	0.	1.261

Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	302	302	308	789	783	2457	0	975
normalized size	1	1.	1.02	2.61	2.59	8.14	0.	3.23
time (sec)	N/A	0.899	3.041	0.189	1.589	3.564	0.	1.29

Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	399	399	357	969	942	3368	0	1142
normalized size	1	1.	0.89	2.43	2.36	8.44	0.	2.86
time (sec)	N/A	1.321	5.872	0.165	1.594	4.274	0.	1.339

Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	477	477	417	1030	1100	3954	0	1219
normalized size	1	1.	0.87	2.16	2.31	8.29	0.	2.56
time (sec)	N/A	1.738	6.628	0.173	1.644	4.685	0.	1.357

Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	29	29	26	33	41	78	53	252
normalized size	1	1.	0.9	1.14	1.41	2.69	1.83	8.69
time (sec)	N/A	0.018	0.028	0.022	1.481	1.715	14.007	1.839

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	16	16	25	26	30	39	36	30
normalized size	1	1.	1.56	1.62	1.88	2.44	2.25	1.88
time (sec)	N/A	0.012	0.01	0.022	1.668	1.738	0.828	1.483

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	13	13	13	18	23	51	37	134
normalized size	1	1.	1.	1.38	1.77	3.92	2.85	10.31
time (sec)	N/A	0.007	0.007	0.017	1.677	1.939	0.689	1.228

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	3	3	3	4	14	7	2	14
normalized size	1	1.	1.	1.33	4.67	2.33	0.67	4.67
time (sec)	N/A	0.001	0.	0.006	1.677	1.724	0.172	1.193

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	12	12	20	13	39	57	49	80
normalized size	1	1.	1.67	1.08	3.25	4.75	4.08	6.67
time (sec)	N/A	0.007	0.011	0.044	1.695	2.058	1.187	1.278

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	17	17	30	22	31	99	37	53
normalized size	1	1.	1.76	1.29	1.82	5.82	2.18	3.12
time (sec)	N/A	0.011	0.014	0.041	1.779	1.899	33.205	1.253

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	30	30	35	29	54	131	80	167
normalized size	1	1.	1.17	0.97	1.8	4.37	2.67	5.57
time (sec)	N/A	0.016	0.075	0.048	1.819	1.732	27.372	1.404

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	34	27	51	212	0	93
normalized size	1	1.	1.1	0.87	1.65	6.84	0.	3.
time (sec)	N/A	0.026	0.015	0.044	1.805	1.679	0.	1.329

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	108	115	140	328	0	142
normalized size	1	1.	1.06	1.13	1.37	3.22	0.	1.39
time (sec)	N/A	0.291	0.412	0.034	1.759	1.908	0.	2.395

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	92	98	120	277	0	122
normalized size	1	1.	1.11	1.18	1.45	3.34	0.	1.47
time (sec)	N/A	0.174	0.382	0.033	1.73	1.874	0.	1.782

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	81	81	79	83	101	224	0	103
normalized size	1	1.	0.98	1.02	1.25	2.77	0.	1.27
time (sec)	N/A	0.116	0.082	0.032	1.783	1.77	0.	1.474

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	67	78	96	153	0	103
normalized size	1	1.	1.4	1.62	2.	3.19	0.	2.15
time (sec)	N/A	0.067	0.108	0.029	1.721	1.637	0.	1.236

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	77	77	97	153	0	104
normalized size	1	1.	1.64	1.64	2.06	3.26	0.	2.21
time (sec)	N/A	0.054	0.063	0.029	1.739	1.751	0.	1.262

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	79	99	119	242	0	124
normalized size	1	1.	1.14	1.43	1.72	3.51	0.	1.8
time (sec)	N/A	0.085	0.114	0.089	1.522	1.788	0.	1.244

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	97	117	142	347	0	165
normalized size	1	1.	1.14	1.38	1.67	4.08	0.	1.94
time (sec)	N/A	0.182	0.387	0.081	1.757	1.843	0.	1.281

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	107	151	176	435	0	223
normalized size	1	1.	0.96	1.35	1.57	3.88	0.	1.99
time (sec)	N/A	0.325	0.622	0.095	1.592	1.903	0.	1.323

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	25	25	62	41	47	109	39	49
normalized size	1	1.	2.48	1.64	1.88	4.36	1.56	1.96
time (sec)	N/A	0.048	0.042	0.024	1.801	1.647	0.406	1.202

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	65	142	128	174	233	134
normalized size	1	1.	1.12	2.45	2.21	3.	4.02	2.31
time (sec)	N/A	0.078	0.097	0.033	1.717	1.738	2.409	1.165

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	A	F(-2)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	187	222	217	417	0	269
normalized size	1	1.	1.85	2.2	2.15	4.13	0.	2.66
time (sec)	N/A	0.128	1.946	0.039	1.798	1.711	0.	1.235

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	233	233	212	1099	0	18625	0	0
normalized size	1	1.	0.91	4.72	0.	79.94	0.	0.
time (sec)	N/A	0.63	2.667	0.121	0.	72.883	0.	0.

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	186	186	169	1032	0	18297	0	0
normalized size	1	1.	0.91	5.55	0.	98.37	0.	0.
time (sec)	N/A	0.455	1.841	0.125	0.	76.076	0.	0.

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	140	989	0	17963	0	0
normalized size	1	1.	0.96	6.77	0.	123.03	0.	0.
time (sec)	N/A	0.279	0.452	0.105	0.	62.566	0.	0.

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	120	968	0	17595	0	0
normalized size	1	1.	0.98	7.93	0.	144.22	0.	0.
time (sec)	N/A	0.212	0.12	0.084	0.	60.819	0.	0.

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	219	29038	0	0	0	0
normalized size	1	1.	1.67	221.66	0.	0.	0.	0.
time (sec)	N/A	0.36	0.556	1.433	0.	0.	0.	0.

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	235	50548	0	0	0	0
normalized size	1	1.	1.41	302.68	0.	0.	0.	0.
time (sec)	N/A	0.516	2.331	1.578	0.	0.	0.	0.

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	271	81276	0	0	0	0
normalized size	1	1.	1.24	371.12	0.	0.	0.	0.
time (sec)	N/A	0.861	4.652	1.935	0.	0.	0.	0.

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	279	279	564	118304	0	0	0	0
normalized size	1	1.	2.02	424.03	0.	0.	0.	0.
time (sec)	N/A	1.168	6.392	2.46	0.	0.	0.	0.

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	252	1729	0	0	0	0
normalized size	1	1.	1.18	8.08	0.	0.	0.	0.
time (sec)	N/A	0.623	2.388	0.111	0.	0.	0.	0.

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	192	1686	0	0	0	0
normalized size	1	1.	1.1	9.63	0.	0.	0.	0.
time (sec)	N/A	0.378	1.289	0.107	0.	0.	0.	0.

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	140	1665	0	0	0	0
normalized size	1	1.	0.93	11.1	0.	0.	0.	0.
time (sec)	N/A	0.312	0.482	0.088	0.	0.	0.	0.

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	144	41721	0	0	0	0
normalized size	1	1.	0.95	274.48	0.	0.	0.	0.
time (sec)	N/A	0.64	0.335	1.837	0.	0.	0.	0.

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	282	69532	0	0	0	0
normalized size	1	1.	1.67	411.43	0.	0.	0.	0.
time (sec)	N/A	0.635	0.552	1.714	0.	0.	0.	0.

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	195	102706	0	0	0	0
normalized size	1	1.	0.89	468.98	0.	0.	0.	0.
time (sec)	N/A	0.964	2.427	2.227	0.	0.	0.	0.

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	241	145176	0	0	0	0
normalized size	1	1.	0.87	522.22	0.	0.	0.	0.
time (sec)	N/A	1.315	5.474	2.825	0.	0.	0.	0.

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	296	2469	0	0	0	0
normalized size	1	1.	1.17	9.8	0.	0.	0.	0.
time (sec)	N/A	0.769	4.456	0.12	0.	0.	0.	0.

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	258	2426	0	0	0	0
normalized size	1	1.	1.21	11.39	0.	0.	0.	0.
time (sec)	N/A	0.531	1.583	0.108	0.	0.	0.	0.

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	188	188	233	2405	0	0	0	0
normalized size	1	1.	1.24	12.79	0.	0.	0.	0.
time (sec)	N/A	0.425	1.054	0.08	0.	0.	0.	0.

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	177	55566	0	0	0	0
normalized size	1	1.	0.97	305.31	0.	0.	0.	0.
time (sec)	N/A	0.847	1.109	3.712	0.	0.	0.	0.

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	400	88645	0	0	0	0
normalized size	1	1.	2.04	452.27	0.	0.	0.	0.
time (sec)	N/A	0.882	1.013	2.879	0.	0.	0.	0.

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	448	128221	0	0	0	0
normalized size	1	1.	2.04	582.82	0.	0.	0.	0.
time (sec)	N/A	0.927	2.35	2.441	0.	0.	0.	0.

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	277	277	240	171974	0	0	0	0
normalized size	1	1.	0.87	620.84	0.	0.	0.	0.
time (sec)	N/A	1.33	6.353	3.369	0.	0.	0.	0.

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	342	342	622	227162	0	0	0	0
normalized size	1	1.	1.82	664.22	0.	0.	0.	0.
time (sec)	N/A	1.669	6.458	4.294	0.	0.	0.	0.

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	193	1375	0	17797	0	0
normalized size	1	1.	1.28	9.11	0.	117.86	0.	0.
time (sec)	N/A	0.253	1.257	0.104	0.	22.988	0.	0.

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	408	408	183	986	0	9535	0	0
normalized size	1	1.	0.45	2.42	0.	23.37	0.	0.
time (sec)	N/A	0.473	0.454	0.089	0.	5.179	0.	0.

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	422	422	157	2285	0	6637	0	0
normalized size	1	1.	0.37	5.41	0.	15.73	0.	0.
time (sec)	N/A	0.395	0.233	0.093	0.	2.296	0.	0.

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	170	4107	0	17573	0	0
normalized size	1	1.	0.8	19.28	0.	82.5	0.	0.
time (sec)	N/A	0.522	4.081	0.148	0.	20.394	0.	0.

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	166	166	139	4040	0	17361	0	0
normalized size	1	1.	0.84	24.34	0.	104.58	0.	0.
time (sec)	N/A	0.357	1.518	0.124	0.	19.477	0.	0.

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	118	3997	0	17095	0	0
normalized size	1	1.	0.95	32.23	0.	137.86	0.	0.
time (sec)	N/A	0.223	0.504	0.106	0.	20.912	0.	0.

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	101	3976	0	16926	0	0
normalized size	1	1.	0.99	38.98	0.	165.94	0.	0.
time (sec)	N/A	0.151	0.099	0.108	0.	20.555	0.	0.

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	170	33052	0	0	0	0
normalized size	1	1.	1.3	252.31	0.	0.	0.	0.
time (sec)	N/A	0.34	0.708	1.214	0.	0.	0.	0.

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	201	69579	0	0	0	0
normalized size	1	1.	1.19	411.71	0.	0.	0.	0.
time (sec)	N/A	0.513	2.805	1.607	0.	0.	0.	0.

Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	224	224	362	111109	0	0	0	0
normalized size	1	1.	1.62	496.02	0.	0.	0.	0.
time (sec)	N/A	0.807	6.261	2.191	0.	0.	0.	0.

Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	264	264	300	8025	0	0	0	0
normalized size	1	1.	1.14	30.4	0.	0.	0.	0.
time (sec)	N/A	0.724	3.298	0.14	0.	0.	0.	0.

Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	248	7982	0	0	0	0
normalized size	1	1.	1.49	47.8	0.	0.	0.	0.
time (sec)	N/A	0.443	1.271	0.115	0.	0.	0.	0.

Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	229	7956	0	0	0	0
normalized size	1	1.	1.62	56.43	0.	0.	0.	0.
time (sec)	N/A	0.281	1.389	0.091	0.	0.	0.	0.

Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	113	7951	0	0	0	0
normalized size	1	1.	0.82	57.62	0.	0.	0.	0.
time (sec)	N/A	0.236	0.179	0.108	0.	0.	0.	0.

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	186	63939	0	0	0	0
normalized size	1	1.	1.09	373.91	0.	0.	0.	0.
time (sec)	N/A	0.607	1.182	1.801	0.	0.	0.	0.

Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	208	119757	0	0	0	0
normalized size	1	1.	0.95	546.84	0.	0.	0.	0.
time (sec)	N/A	0.858	3.568	2.865	0.	0.	0.	0.

Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	285	285	409	174418	0	0	0	0
normalized size	1	1.	1.44	611.99	0.	0.	0.	0.
time (sec)	N/A	1.21	6.217	3.467	0.	0.	0.	0.

Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	371	371	450	12953	0	0	0	0
normalized size	1	1.	1.21	34.91	0.	0.	0.	0.
time (sec)	N/A	1.045	6.323	0.137	0.	0.	0.	0.

Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	309	12907	0	0	0	0
normalized size	1	1.	1.18	49.45	0.	0.	0.	0.
time (sec)	N/A	0.712	3.313	0.13	0.	0.	0.	0.

Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	260	12849	0	0	0	0
normalized size	1	1.	1.31	64.89	0.	0.	0.	0.
time (sec)	N/A	0.529	0.942	0.102	0.	0.	0.	0.

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	188	188	325	12841	0	0	0	0
normalized size	1	1.	1.73	68.3	0.	0.	0.	0.
time (sec)	N/A	0.401	3.629	0.1	0.	0.	0.	0.

Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	115	12836	0	0	0	0
normalized size	1	1.	0.62	69.38	0.	0.	0.	0.
time (sec)	N/A	0.364	0.149	0.107	0.	0.	0.	0.

Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	224	224	242	185586	0	0	0	0
normalized size	1	1.	1.08	828.51	0.	0.	0.	0.
time (sec)	N/A	0.918	4.898	5.095	0.	0.	0.	0.

Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	289	289	306	339349	0	0	0	0
normalized size	1	1.	1.06	1174.22	0.	0.	0.	0.
time (sec)	N/A	1.252	4.873	9.231	0.	0.	0.	0.

Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	364	364	593	467680	0	0	0	0
normalized size	1	1.	1.63	1284.84	0.	0.	0.	0.
time (sec)	N/A	1.634	6.291	10.691	0.	0.	0.	0.

Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	362	362	88	662	0	4263	0	0
normalized size	1	1.	0.24	1.83	0.	11.78	0.	0.
time (sec)	N/A	0.328	0.083	0.103	0.	2.249	0.	0.

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	406	406	88	1575	0	4593	0	0
normalized size	1	1.	0.22	3.88	0.	11.31	0.	0.
time (sec)	N/A	0.334	0.058	0.105	0.	1.536	0.	0.

Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	112	20195	0	11555	0	0
normalized size	1	1.	0.94	169.71	0.	97.1	0.	0.
time (sec)	N/A	0.28	0.138	0.808	0.	4.845	0.	0.

Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	106	1955	0	14052	0	0
normalized size	1	1.	0.86	15.89	0.	114.24	0.	0.
time (sec)	N/A	0.185	0.138	0.094	0.	2.642	0.	0.

Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	166	39987	0	29088	0	0
normalized size	1	1.	1.08	259.66	0.	188.88	0.	0.
time (sec)	N/A	0.494	1.16	1.17	0.	7.602	0.	0.

Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	109	1905	0	7656	0	0
normalized size	1	1.	1.07	18.68	0.	75.06	0.	0.
time (sec)	N/A	0.149	0.167	0.139	0.	1.973	0.	0.

Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	154	2291	0	14344	0	0
normalized size	1	1.	1.17	17.36	0.	108.67	0.	0.
time (sec)	N/A	0.225	0.322	0.097	0.	3.505	0.	0.

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	156	3055	0	23711	0	0
normalized size	1	1.	0.9	17.56	0.	136.27	0.	0.
time (sec)	N/A	0.338	0.269	0.101	0.	6.204	0.	0.

Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	70	1624	0	682	0	203
normalized size	1	1.	1.56	36.09	0.	15.16	0.	4.51
time (sec)	N/A	0.052	1.546	0.115	0.	1.065	0.	1.462

Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	45	1624	0	718	0	203
normalized size	1	1.	1.	36.09	0.	15.96	0.	4.51
time (sec)	N/A	0.052	0.044	0.102	0.	1.111	0.	1.389

Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	30	30	69	54	0	93	0	0
normalized size	1	1.	2.3	1.8	0.	3.1	0.	0.
time (sec)	N/A	0.031	0.173	0.095	0.	1.04	0.	0.

Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	27	27	65	52	0	153	0	0
normalized size	1	1.	2.41	1.93	0.	5.67	0.	0.
time (sec)	N/A	0.032	0.116	0.076	0.	1.016	0.	0.

Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	75	142	0	2720	0	0
normalized size	1	1.	0.88	1.67	0.	32.	0.	0.
time (sec)	N/A	0.108	0.091	0.105	0.	1.264	0.	0.

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	151	527	306	28355	0	0
normalized size	1	1.	0.54	1.9	1.1	102.	0.	0.
time (sec)	N/A	0.321	1.594	0.02	1.786	95.206	0.	0.

Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	134	497	284	28034	0	0
normalized size	1	1.	0.53	1.96	1.12	110.37	0.	0.
time (sec)	N/A	0.263	1.002	0.021	1.856	122.131	0.	0.

Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	114	467	259	27690	0	0
normalized size	1	1.	0.5	2.04	1.13	120.92	0.	0.
time (sec)	N/A	0.233	0.396	0.021	1.745	104.72	0.	0.

Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	94	437	235	27232	0	306
normalized size	1	1.	0.46	2.13	1.15	132.84	0.	1.49
time (sec)	N/A	0.199	0.167	0.022	1.705	90.482	0.	2.123

Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	158	437	235	27960	0	306
normalized size	1	1.	0.77	2.13	1.15	136.39	0.	1.49
time (sec)	N/A	0.214	0.632	0.023	1.784	101.37	0.	2.082

Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	178	467	259	28280	0	336
normalized size	1	1.	0.78	2.04	1.13	123.49	0.	1.47
time (sec)	N/A	0.228	0.772	0.025	1.765	128.221	0.	1.768

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	198	497	285	29755	0	370
normalized size	1	1.	0.78	1.96	1.12	117.15	0.	1.46
time (sec)	N/A	0.263	1.197	0.026	1.752	115.376	0.	1.348

Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	394	394	205	858	444	0	0	0
normalized size	1	1.	0.52	2.18	1.13	0.	0.	0.
time (sec)	N/A	0.667	6.056	0.022	1.757	0.	0.	0.

Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	360	360	178	810	408	0	0	0
normalized size	1	1.	0.49	2.25	1.13	0.	0.	0.
time (sec)	N/A	0.583	2.129	0.024	1.772	0.	0.	0.

Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	326	326	151	762	371	0	0	0
normalized size	1	1.	0.46	2.34	1.14	0.	0.	0.
time (sec)	N/A	0.519	1.199	0.022	1.715	0.	0.	0.

Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	119	710	335	0	0	490
normalized size	1	1.	0.4	2.41	1.14	0.	0.	1.67
time (sec)	N/A	0.455	0.516	0.021	1.679	0.	0.	1.525

Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	211	692	324	0	0	462
normalized size	1	1.	0.76	2.51	1.17	0.	0.	1.67
time (sec)	N/A	0.343	0.897	0.026	1.792	0.	0.	1.632

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	283	283	119	710	335	0	0	473
normalized size	1	1.	0.42	2.51	1.18	0.	0.	1.67
time (sec)	N/A	0.354	0.687	0.025	1.695	0.	0.	1.519

Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	317	317	120	762	373	0	0	529
normalized size	1	1.	0.38	2.4	1.18	0.	0.	1.67
time (sec)	N/A	0.446	0.597	0.029	1.82	0.	0.	1.588

Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	463	463	221	1147	537	0	0	0
normalized size	1	1.	0.48	2.48	1.16	0.	0.	0.
time (sec)	N/A	0.917	3.585	0.026	1.715	0.	0.	0.

Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	421	421	197	1077	490	0	0	0
normalized size	1	1.	0.47	2.56	1.16	0.	0.	0.
time (sec)	N/A	0.745	2.028	0.023	1.76	0.	0.	0.

Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	380	380	153	1007	441	0	0	690
normalized size	1	1.	0.4	2.65	1.16	0.	0.	1.82
time (sec)	N/A	0.667	1.451	0.022	1.637	0.	0.	2.325

Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	374	374	264	971	419	0	0	640
normalized size	1	1.	0.71	2.6	1.12	0.	0.	1.71
time (sec)	N/A	0.676	2.717	0.027	1.839	0.	0.	1.927

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	372	372	165	971	419	0	0	622
normalized size	1	1.	0.44	2.61	1.13	0.	0.	1.67
time (sec)	N/A	0.612	1.222	0.028	1.676	0.	0.	1.671

Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	A	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	380	380	166	1007	441	0	0	660
normalized size	1	1.	0.44	2.65	1.16	0.	0.	1.74
time (sec)	N/A	0.659	1.346	0.028	1.755	0.	0.	1.697

Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	325	325	187	666	0	0	0	0
normalized size	1	1.	0.58	2.05	0.	0.	0.	0.
time (sec)	N/A	0.979	1.11	0.047	0.	0.	0.	0.

Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	165	628	0	0	0	0
normalized size	1	1.	0.56	2.11	0.	0.	0.	0.
time (sec)	N/A	0.654	0.335	0.048	0.	0.	0.	0.

Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	195	607	0	0	0	0
normalized size	1	1.	0.7	2.18	0.	0.	0.	0.
time (sec)	N/A	0.369	0.357	0.06	0.	0.	0.	0.

Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	194	607	0	0	0	398
normalized size	1	1.	0.7	2.18	0.	0.	0.	1.43
time (sec)	N/A	0.361	0.347	0.064	0.	0.	0.	2.222

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	153	628	0	0	0	425
normalized size	1	1.	0.52	2.11	0.	0.	0.	1.43
time (sec)	N/A	0.637	0.566	0.05	0.	0.	0.	2.363

Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	325	325	174	666	0	0	0	459
normalized size	1	1.	0.54	2.05	0.	0.	0.	1.41
time (sec)	N/A	0.974	3.213	0.052	0.	0.	0.	1.832

Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	436	436	275	1160	0	0	0	0
normalized size	1	1.	0.63	2.66	0.	0.	0.	0.
time (sec)	N/A	1.162	2.206	0.063	0.	0.	0.	0.

Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	391	391	230	1136	0	0	0	0
normalized size	1	1.	0.59	2.91	0.	0.	0.	0.
time (sec)	N/A	0.788	1.778	0.056	0.	0.	0.	0.

Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	391	391	220	1128	0	0	0	0
normalized size	1	1.	0.56	2.88	0.	0.	0.	0.
time (sec)	N/A	0.819	1.343	0.073	0.	0.	0.	0.

Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	391	391	204	1136	0	0	0	695
normalized size	1	1.	0.52	2.91	0.	0.	0.	1.78
time (sec)	N/A	0.865	1.06	0.074	0.	0.	0.	1.55

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	439	439	239	1160	0	0	0	749
normalized size	1	1.	0.54	2.64	0.	0.	0.	1.71
time (sec)	N/A	1.173	2.299	0.063	0.	0.	0.	1.513

Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	493	493	287	1198	0	0	0	760
normalized size	1	1.	0.58	2.43	0.	0.	0.	1.54
time (sec)	N/A	1.533	3.813	0.061	0.	0.	0.	1.483

Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	600	600	1563	1864	0	0	0	0
normalized size	1	1.	2.6	3.11	0.	0.	0.	0.
time (sec)	N/A	1.725	6.312	0.064	0.	0.	0.	0.

Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	534	534	690	1843	0	0	0	0
normalized size	1	1.	1.29	3.45	0.	0.	0.	0.
time (sec)	N/A	1.23	6.297	0.062	0.	0.	0.	0.

Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	533	533	333	1835	0	0	0	0
normalized size	1	1.	0.62	3.44	0.	0.	0.	0.
time (sec)	N/A	1.228	5.675	0.059	0.	0.	0.	0.

Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	531	531	344	1835	0	0	0	0
normalized size	1	1.	0.65	3.46	0.	0.	0.	0.
time (sec)	N/A	1.312	6.112	0.075	0.	0.	0.	0.

Problem 414	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	534	534	288	1843	0	0	0	1062
normalized size	1	1.	0.54	3.45	0.	0.	0.	1.99
time (sec)	N/A	1.25	4.484	0.079	0.	0.	0.	1.548

Problem 415	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	601	601	585	1864	0	0	0	1092
normalized size	1	1.	0.97	3.1	0.	0.	0.	1.82
time (sec)	N/A	1.691	6.263	0.067	0.	0.	0.	1.65

Problem 416	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	38	118	166	1466	0	0
normalized size	1	1.	0.24	0.76	1.06	9.4	0.	0.
time (sec)	N/A	0.11	0.047	0.023	1.55	2.543	0.	0.

Problem 417	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	138	118	166	1311	0	0
normalized size	1	1.	0.9	0.77	1.08	8.51	0.	0.
time (sec)	N/A	0.104	0.114	0.023	1.686	2.299	0.	0.

Problem 418	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	36	104	147	1283	0	0
normalized size	1	1.	0.26	0.75	1.07	9.3	0.	0.
time (sec)	N/A	0.099	0.02	0.035	1.554	2.291	0.	0.

Problem 419	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	110	104	151	1245	0	159
normalized size	1	1.	0.8	0.75	1.09	9.02	0.	1.15
time (sec)	N/A	0.096	0.033	0.04	1.679	2.325	0.	1.702

Problem 420	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	34	118	165	1569	0	177
normalized size	1	1.	0.22	0.77	1.07	10.19	0.	1.15
time (sec)	N/A	0.105	0.028	0.028	1.788	2.129	0.	1.778

Problem 421	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	36	118	167	1526	0	178
normalized size	1	1.	0.23	0.76	1.07	9.78	0.	1.14
time (sec)	N/A	0.099	0.028	0.027	1.793	2.133	0.	1.763

Problem 422	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	156	325	0	18137	0	0
normalized size	1	1.	0.61	1.27	0.	70.85	0.	0.
time (sec)	N/A	0.526	0.188	0.043	0.	86.383	0.	0.

Problem 423	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	228	305	0	17946	0	0
normalized size	1	1.	0.96	1.29	0.	75.72	0.	0.
time (sec)	N/A	0.304	0.255	0.041	0.	84.229	0.	0.

Problem 424	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	205	304	0	18178	0	0
normalized size	1	1.	0.86	1.28	0.	76.7	0.	0.
time (sec)	N/A	0.278	0.166	0.057	0.	55.717	0.	0.

Problem 425	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	226	305	0	18194	0	312
normalized size	1	1.	0.95	1.29	0.	76.77	0.	1.32
time (sec)	N/A	0.278	0.194	0.061	0.	52.696	0.	2.134

Problem 426	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	132	325	0	19458	0	335
normalized size	1	1.	0.52	1.27	0.	76.01	0.	1.31
time (sec)	N/A	0.453	0.502	0.044	0.	53.417	0.	1.504

Problem 427	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	264	264	294	2181075	0	0	0	0
normalized size	1	1.	1.11	8261.65	0.	0.	0.	0.
time (sec)	N/A	1.913	4.023	0.717	0.	0.	0.	0.

Problem 428	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	241	2178530	0	0	0	0
normalized size	1	1.	1.2	10838.5	0.	0.	0.	0.
time (sec)	N/A	1.547	3.006	0.712	0.	0.	0.	0.

Problem 429	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	208	2177043	0	0	0	0
normalized size	1	1.	1.23	12881.9	0.	0.	0.	0.
time (sec)	N/A	0.644	1.124	0.753	0.	0.	0.	0.

Problem 430	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	168	2178373	0	0	0	0
normalized size	1	1.	1.09	14145.3	0.	0.	0.	0.
time (sec)	N/A	0.541	0.535	0.74	0.	0.	0.	0.

Problem 431	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	194	2178959	0	0	0	0
normalized size	1	1.	0.97	10949.5	0.	0.	0.	0.
time (sec)	N/A	0.757	1.394	0.704	0.	0.	0.	0.

Problem 432	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	226	2182092	0	0	0	0
normalized size	1	1.	0.9	8728.37	0.	0.	0.	0.
time (sec)	N/A	1.058	2.465	0.701	0.	0.	0.	0.

Problem 433	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	314	314	265	2183144	0	0	0	0
normalized size	1	1.	0.84	6952.69	0.	0.	0.	0.
time (sec)	N/A	1.343	3.77	0.735	0.	0.	0.	0.

Problem 434	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	323	323	347	2400808	0	0	0	0
normalized size	1	1.	1.07	7432.84	0.	0.	0.	0.
time (sec)	N/A	2.56	4.27	0.767	0.	0.	0.	0.

Problem 435	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	290	2398581	0	0	0	0
normalized size	1	1.	1.08	8949.93	0.	0.	0.	0.
time (sec)	N/A	2.407	2.485	0.82	0.	0.	0.	0.

Problem 436	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	243	2396041	0	0	0	0
normalized size	1	1.	1.19	11745.3	0.	0.	0.	0.
time (sec)	N/A	1.731	0.962	0.826	0.	0.	0.	0.

Problem 437	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	209	209	121803	2396071	0	0	0	0
normalized size	1	1.	582.79	11464.5	0.	0.	0.	0.
time (sec)	N/A	1.685	39.146	0.814	0.	0.	0.	0.

Problem 438	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	238	2397670	0	0	0	0
normalized size	1	1.	1.21	12233.	0.	0.	0.	0.
time (sec)	N/A	0.878	0.9	0.814	0.	0.	0.	0.

Problem 439	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	259	259	286	2398570	0	0	0	0
normalized size	1	1.	1.1	9260.89	0.	0.	0.	0.
time (sec)	N/A	1.153	2.273	0.875	0.	0.	0.	0.

Problem 440	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	311	311	346	2400710	0	0	0	0
normalized size	1	1.	1.11	7719.32	0.	0.	0.	0.
time (sec)	N/A	1.477	5.353	0.849	0.	0.	0.	0.

Problem 441	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	382	382	474	2404245	0	0	0	0
normalized size	1	1.	1.24	6293.84	0.	0.	0.	0.
time (sec)	N/A	1.832	6.633	0.852	0.	0.	0.	0.

Problem 442	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	397	397	411	2656933	0	0	0	0
normalized size	1	1.	1.04	6692.53	0.	0.	0.	0.
time (sec)	N/A	3.12	4.382	0.893	0.	0.	0.	0.

Problem 443	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	316	316	345	2654491	0	0	0	0
normalized size	1	1.	1.09	8400.29	0.	0.	0.	0.
time (sec)	N/A	3.067	4.507	0.919	0.	0.	0.	0.

Problem 444	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	260	260	291	2652267	0	0	0	0
normalized size	1	1.	1.12	10201.	0.	0.	0.	0.
time (sec)	N/A	2.33	2.593	0.935	0.	0.	0.	0.

Problem 445	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	241	241	209298	2652458	0	0	0	0
normalized size	1	1.	868.46	11006.1	0.	0.	0.	0.
time (sec)	N/A	2.351	40.969	0.92	0.	0.	0.	0.

Problem 446	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	240	240	139636	2652764	0	0	0	0
normalized size	1	1.	581.82	11053.2	0.	0.	0.	0.
time (sec)	N/A	2.016	39.583	0.911	0.	0.	0.	0.

Problem 447	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	321	2653616	0	0	0	0
normalized size	1	1.	1.3	10743.4	0.	0.	0.	0.
time (sec)	N/A	1.17	2.39	0.939	0.	0.	0.	0.

Problem 448	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	309	309	385	2654465	0	0	0	0
normalized size	1	1.	1.25	8590.5	0.	0.	0.	0.
time (sec)	N/A	1.519	5.997	0.95	0.	0.	0.	0.

Problem 449	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	378	378	543	2656820	0	0	0	0
normalized size	1	1.	1.44	7028.62	0.	0.	0.	0.
time (sec)	N/A	1.911	6.861	0.967	0.	0.	0.	0.

Problem 450	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	460	460	632	2660696	0	0	0	0
normalized size	1	1.	1.37	5784.12	0.	0.	0.	0.
time (sec)	N/A	2.313	6.986	0.959	0.	0.	0.	0.

Problem 451	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	355	1490268	0	0	0	0
normalized size	1	1.	1.4	5890.39	0.	0.	0.	0.
time (sec)	N/A	2.456	4.192	0.658	0.	0.	0.	0.

Problem 452	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	206	206	245	1888526	0	0	0	0
normalized size	1	1.	1.19	9167.6	0.	0.	0.	0.
time (sec)	N/A	1.368	2.344	0.885	0.	0.	0.	0.

Problem 453	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	208	1885958	0	0	0	0
normalized size	1	1.	1.24	11225.9	0.	0.	0.	0.
time (sec)	N/A	0.608	1.359	0.864	0.	0.	0.	0.

Problem 454	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	137	1878820	0	0	0	0
normalized size	1	1.	1.11	15275.	0.	0.	0.	0.
time (sec)	N/A	0.369	0.224	0.875	0.	0.	0.	0.

Problem 455	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	172	1886236	0	0	0	0
normalized size	1	1.	1.08	11863.1	0.	0.	0.	0.
time (sec)	N/A	0.535	0.444	0.862	0.	0.	0.	0.

Problem 456	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	195	1888895	0	0	0	0
normalized size	1	1.	0.96	9304.9	0.	0.	0.	0.
time (sec)	N/A	0.742	1.744	0.882	0.	0.	0.	0.

Problem 457	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	227	1890924	0	0	0	0
normalized size	1	1.	0.89	7386.42	0.	0.	0.	0.
time (sec)	N/A	1.062	5.44	0.853	0.	0.	0.	0.

Problem 458	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	219	219	177751	1561442	0	0	0	0
normalized size	1	1.	811.65	7129.87	0.	0.	0.	0.
time (sec)	N/A	1.77	39.938	1.622	0.	0.	0.	0.

Problem 459	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	239	1559497	0	0	0	0
normalized size	1	1.	1.41	9173.51	0.	0.	0.	0.
time (sec)	N/A	0.605	1.494	1.724	0.	0.	0.	0.

Problem 460	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	202	1559531	0	0	0	0
normalized size	1	1.	1.15	8911.61	0.	0.	0.	0.
time (sec)	N/A	0.578	0.763	1.633	0.	0.	0.	0.

Problem 461	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	249	1560429	0	0	0	0
normalized size	1	1.	1.15	7224.21	0.	0.	0.	0.
time (sec)	N/A	0.847	2.703	1.599	0.	0.	0.	0.

Problem 462	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	299	1562498	0	0	0	0
normalized size	1	1.	1.08	5661.22	0.	0.	0.	0.
time (sec)	N/A	1.16	2.763	1.656	0.	0.	0.	0.

Problem 463	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	282	282	265550	2978162	0	0	0	0
normalized size	1	1.	941.67	10560.9	0.	0.	0.	0.
time (sec)	N/A	2.478	41.453	2.164	0.	0.	0.	0.

Problem 464	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	308	2976654	0	0	0	0
normalized size	1	1.	1.26	12199.4	0.	0.	0.	0.
time (sec)	N/A	0.989	2.85	2.301	0.	0.	0.	0.

Problem 465	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	320	2976700	0	0	0	0
normalized size	1	1.	1.31	12199.6	0.	0.	0.	0.
time (sec)	N/A	1.009	3.259	2.2	0.	0.	0.	0.

Problem 466	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	273	2975233	0	0	0	0
normalized size	1	1.	1.11	12045.5	0.	0.	0.	0.
time (sec)	N/A	0.927	2.463	2.143	0.	0.	0.	0.

Problem 467	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	301	301	326	2978232	0	0	0	0
normalized size	1	1.	1.08	9894.46	0.	0.	0.	0.
time (sec)	N/A	1.19	4.711	3.099	0.	0.	0.	0.

Problem 468	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	359	359	383	2979563	0	0	0	0
normalized size	1	1.	1.07	8299.62	0.	0.	0.	0.
time (sec)	N/A	1.642	3.422	2.284	0.	0.	0.	0.

Problem 469	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	193	943902	0	0	0	0
normalized size	1	1.	1.25	6089.69	0.	0.	0.	0.
time (sec)	N/A	0.2	0.902	0.572	0.	0.	0.	0.

Problem 470	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	124	940031	0	0	0	0
normalized size	1	1.	1.06	8034.45	0.	0.	0.	0.
time (sec)	N/A	0.143	0.095	0.786	0.	0.	0.	0.

Problem 471	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	125	939328	0	0	0	0
normalized size	1	1.	1.13	8462.41	0.	0.	0.	0.
time (sec)	N/A	0.137	0.105	0.574	0.	0.	0.	0.

Problem 472	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	158	943929	0	0	0	0
normalized size	1	1.	1.05	6292.86	0.	0.	0.	0.
time (sec)	N/A	0.222	0.362	0.636	0.	0.	0.	0.

Problem 473	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	379	379	263	101	0	0	0	1397
normalized size	1	1.	0.69	0.27	0.	0.	0.	3.69
time (sec)	N/A	0.44	0.874	0.194	0.	0.	0.	15.494

Problem 474	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	377	377	347	99	0	0	0	666
normalized size	1	1.	0.92	0.26	0.	0.	0.	1.77
time (sec)	N/A	0.406	0.876	0.079	0.	0.	0.	13.59

Problem 475	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	357	357	227	72	0	0	0	752
normalized size	1	1.	0.64	0.2	0.	0.	0.	2.11
time (sec)	N/A	0.278	0.433	0.075	0.	0.	0.	10.155

Problem 476	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	357	357	305	69	0	0	0	215
normalized size	1	1.	0.85	0.19	0.	0.	0.	0.6
time (sec)	N/A	0.284	0.242	0.083	0.	0.	0.	21.371

Problem 477	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	109	42	0	757	0	1229
normalized size	1	1.	0.74	0.28	0.	5.11	0.	8.3
time (sec)	N/A	0.126	1.727	0.086	0.	2.187	0.	1.577

Problem 478	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	299	299	330	72	0	6688	0	390
normalized size	1	1.	1.1	0.24	0.	22.37	0.	1.3
time (sec)	N/A	0.345	0.433	0.081	0.	2.742	0.	2.599

Problem 479	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	403	403	355	0	0	0	0	0
normalized size	1	1.	0.88	0.	0.	0.	0.	0.
time (sec)	N/A	1.328	5.475	0.598	0.	0.	0.	0.

Problem 480	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	267	267	232	0	0	0	0	0
normalized size	1	1.	0.87	0.	0.	0.	0.	0.
time (sec)	N/A	0.691	2.523	0.416	0.	0.	0.	0.

Problem 481	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	155	0	0	0	0	0
normalized size	1	1.	0.8	0.	0.	0.	0.	0.
time (sec)	N/A	0.332	0.672	0.354	0.	0.	0.	0.

Problem 482	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	108	0	0	0	0	0
normalized size	1	1.	0.85	0.	0.	0.	0.	0.
time (sec)	N/A	0.139	0.433	0.797	0.	0.	0.	0.

Problem 483	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	144	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.313	0.865	0.323	0.	0.	0.	0.

Problem 484	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	282	282	239	0	0	0	0	0
normalized size	1	1.	0.85	0.	0.	0.	0.	0.
time (sec)	N/A	0.704	2.756	0.433	0.	0.	0.	0.

Problem 485	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	438	438	534	0	0	0	0	0
normalized size	1	1.	1.22	0.	0.	0.	0.	0.
time (sec)	N/A	1.285	6.243	0.578	0.	0.	0.	0.

Problem 486	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	659	659	1901	0	0	0	0	0
normalized size	1	1.	2.88	0.	0.	0.	0.	0.
time (sec)	N/A	2.447	6.279	0.633	0.	0.	0.	0.

Problem 487	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F(-2)
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	193	193	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.452	28.353	0.49	0.	0.	0.	0.

Problem 488	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F(-2)
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	189	189	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.455	14.915	0.493	0.	0.	0.	0.

Problem 489	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F	F(-2)
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	187	187	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.398	4.986	0.542	0.	0.	0.	0.

Problem 490	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	187	187	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.409	9.209	0.568	0.	0.	0.	0.

Problem 491	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	193	193	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.455	25.772	0.517	0.	0.	0.	0.

Problem 492	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	193	193	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.457	70.37	0.505	0.	0.	0.	0.

Problem 493	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	183	183	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.314	2.104	0.415	0.	0.	0.	0.

Problem 494	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	387	385	384	0	0	0	0	0
normalized size	1	0.99	0.99	0.	0.	0.	0.	0.
time (sec)	N/A	1.051	5.781	0.362	0.	0.	0.	0.

Problem 495	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	291	289	281	0	0	0	0	0
normalized size	1	0.99	0.97	0.	0.	0.	0.	0.
time (sec)	N/A	0.584	2.248	0.355	0.	0.	0.	0.

Problem 496	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	169	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.353	1.237	0.368	0.	0.	0.	0.

Problem 497	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	125	0	0	0	0	0
normalized size	1	1.	0.74	0.	0.	0.	0.	0.
time (sec)	N/A	0.178	0.209	0.328	0.	0.	0.	0.

Problem 498	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	120	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.13	0.149	0.553	0.	0.	0.	0.

Problem 499	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	169	0	0	0	0	0
normalized size	1	1.	0.89	0.	0.	0.	0.	0.
time (sec)	N/A	0.273	0.337	0.536	0.	0.	0.	0.

Problem 500	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	202	0	0	0	0	0
normalized size	1	1.	0.89	0.	0.	0.	0.	0.
time (sec)	N/A	0.447	0.37	0.343	0.	0.	0.	0.

Problem 501	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	292	292	230	0	0	0	0	0
normalized size	1	1.	0.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.806	0.474	0.653	0.	0.	0.	0.

Problem 502	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	263	2945	259	1153	0	0
normalized size	1	1.	2.55	28.59	2.51	11.19	0.	0.
time (sec)	N/A	0.236	2.967	0.474	1.554	1.592	0.	0.

Problem 503	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	161	1538	235	983	0	0
normalized size	1	1.	2.06	19.72	3.01	12.6	0.	0.
time (sec)	N/A	0.192	3.312	0.446	1.598	1.457	0.	0.

Problem 504	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	53	53	92	1425	209	803	0	0
normalized size	1	1.	1.74	26.89	3.94	15.15	0.	0.
time (sec)	N/A	0.151	2.003	0.417	1.558	1.411	0.	0.

Problem 505	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	108	784	209	938	0	0
normalized size	1	1.	1.96	14.25	3.8	17.05	0.	0.
time (sec)	N/A	0.152	3.39	0.454	1.548	1.544	0.	0.

Problem 506	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	96	889	239	1135	0	0
normalized size	1	1.	1.2	11.11	2.99	14.19	0.	0.
time (sec)	N/A	0.188	2.644	0.501	1.553	1.473	0.	0.

Problem 507	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	133	971	261	1310	0	0
normalized size	1	1.	1.27	9.25	2.49	12.48	0.	0.
time (sec)	N/A	0.226	3.501	0.459	1.565	1.651	0.	0.

Problem 508	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	128	272	2947	270	1200	0	0
normalized size	1	1.	2.12	23.02	2.11	9.38	0.	0.
time (sec)	N/A	0.36	5.661	0.446	1.568	1.596	0.	0.

Problem 509	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	174	1540	243	1026	0	0
normalized size	1	1.	1.69	14.95	2.36	9.96	0.	0.
time (sec)	N/A	0.326	4.635	0.454	1.551	1.477	0.	0.

Problem 510	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	163	1440	235	1010	0	0
normalized size	1	1.	1.65	14.55	2.37	10.2	0.	0.
time (sec)	N/A	0.317	4.215	0.461	1.556	1.46	0.	0.

Problem 511	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	254	888	244	1172	0	0
normalized size	1	1.	2.42	8.46	2.32	11.16	0.	0.
time (sec)	N/A	0.326	3.54	0.458	1.565	1.501	0.	0.

Problem 512	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	133	971	270	1361	0	0
normalized size	1	1.	1.02	7.47	2.08	10.47	0.	0.
time (sec)	N/A	0.372	7.074	0.481	1.551	1.639	0.	0.

Problem 513	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	161	3132	292	1386	0	0
normalized size	1	1.	0.94	18.32	1.71	8.11	0.	0.
time (sec)	N/A	0.528	9.166	0.568	1.526	1.754	0.	0.

Problem 514	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	132	2947	267	1208	0	0
normalized size	1	1.	0.9	20.18	1.83	8.27	0.	0.
time (sec)	N/A	0.488	7.52	0.536	1.522	1.59	0.	0.

Problem 515	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	146	1562	259	1077	0	0
normalized size	1	1.	1.06	11.32	1.88	7.8	0.	0.
time (sec)	N/A	0.457	5.467	0.526	1.559	1.501	0.	0.

Problem 516	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	132	1539	263	1185	0	0
normalized size	1	1.	0.93	10.84	1.85	8.35	0.	0.
time (sec)	N/A	0.471	5.915	0.54	1.558	1.632	0.	0.

Problem 517	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	140	973	270	1369	0	0
normalized size	1	1.	0.95	6.57	1.82	9.25	0.	0.
time (sec)	N/A	0.492	6.34	0.61	1.598	1.563	0.	0.

Problem 518	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	298	1043	294	1553	0	0
normalized size	1	1.	1.72	6.03	1.7	8.98	0.	0.
time (sec)	N/A	0.542	14.26	0.636	1.566	1.762	0.	0.

Problem 519	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	247	2598	0	1879	0	0
normalized size	1	1.	0.83	8.75	0.	6.33	0.	0.
time (sec)	N/A	0.518	2.765	0.501	0.	1.694	0.	0.

Problem 520	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	223	2437	0	1634	0	0
normalized size	1	1.	0.83	9.09	0.	6.1	0.	0.
time (sec)	N/A	0.459	2.208	0.436	0.	1.552	0.	0.

Problem 521	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	235	235	199	1139	0	1470	0	0
normalized size	1	1.	0.85	4.85	0.	6.26	0.	0.
time (sec)	N/A	0.379	1.615	0.431	0.	1.758	0.	0.

Problem 522	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	198	2963	0	1497	0	0
normalized size	1	1.	0.84	12.5	0.	6.32	0.	0.
time (sec)	N/A	0.39	1.977	0.398	0.	1.587	0.	0.

Problem 523	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	214	3717	0	1823	0	0
normalized size	1	1.	0.78	13.47	0.	6.61	0.	0.
time (sec)	N/A	0.457	2.172	0.416	0.	1.646	0.	0.

Problem 524	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	307	307	242	3871	0	2148	0	0
normalized size	1	1.	0.79	12.61	0.	7.	0.	0.
time (sec)	N/A	0.513	2.66	0.533	0.	1.764	0.	0.

Problem 525	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	317	317	256	2507	0	1783	0	0
normalized size	1	1.	0.81	7.91	0.	5.62	0.	0.
time (sec)	N/A	0.685	2.502	0.652	0.	1.773	0.	0.

Problem 526	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	243	1517	0	1715	0	0
normalized size	1	1.	0.86	5.34	0.	6.04	0.	0.
time (sec)	N/A	0.61	1.998	0.592	0.	1.557	0.	0.

Problem 527	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	243	5032	0	1717	0	0
normalized size	1	1.	0.89	18.36	0.	6.27	0.	0.
time (sec)	N/A	0.576	1.915	0.575	0.	1.599	0.	0.

Problem 528	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	241	5040	0	1719	0	0
normalized size	1	1.	0.85	17.75	0.	6.05	0.	0.
time (sec)	N/A	0.601	2.406	0.493	0.	1.577	0.	0.

Problem 529	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	319	319	249	5063	0	2032	0	0
normalized size	1	1.	0.78	15.87	0.	6.37	0.	0.
time (sec)	N/A	0.68	2.756	0.497	0.	1.675	0.	0.

Problem 530	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	367	367	284	2577	0	1854	0	0
normalized size	1	1.	0.77	7.02	0.	5.05	0.	0.
time (sec)	N/A	0.918	3.573	0.741	0.	1.672	0.	0.

Problem 531	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	318	318	258	1581	0	1771	0	0
normalized size	1	1.	0.81	4.97	0.	5.57	0.	0.
time (sec)	N/A	0.775	2.44	0.645	0.	1.583	0.	0.

Problem 532	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	316	316	272	5075	0	1706	0	0
normalized size	1	1.	0.86	16.06	0.	5.4	0.	0.
time (sec)	N/A	0.761	3.78	0.602	0.	1.566	0.	0.

Problem 533	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	308	308	274	4520	0	1675	0	0
normalized size	1	1.	0.89	14.68	0.	5.44	0.	0.
time (sec)	N/A	0.725	3.353	0.493	0.	1.484	0.	0.

Problem 534	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	310	310	415	5731	0	1813	0	0
normalized size	1	1.	1.34	18.49	0.	5.85	0.	0.
time (sec)	N/A	0.757	4.229	0.506	0.	1.617	0.	0.

Problem 535	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	367	367	280	6350	0	2064	0	0
normalized size	1	1.	0.76	17.3	0.	5.62	0.	0.
time (sec)	N/A	0.926	4.335	0.635	0.	1.767	0.	0.

Problem 536	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	188	2243	1875	1337	0	0
normalized size	1	1.	0.95	11.33	9.47	6.75	0.	0.
time (sec)	N/A	0.668	2.983	0.667	3.908	1.533	0.	0.

Problem 537	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	162	2016	1546	1175	0	0
normalized size	1	1.	1.05	13.01	9.97	7.58	0.	0.
time (sec)	N/A	0.48	2.145	0.647	2.459	1.458	0.	0.

Problem 538	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	112	1048	749	1010	0	0
normalized size	1	1.	1.02	9.53	6.81	9.18	0.	0.
time (sec)	N/A	0.314	2.203	0.606	2.069	1.44	0.	0.

Problem 539	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	241	895	0	1501	0	0
normalized size	1	1.	1.59	5.89	0.	9.88	0.	0.
time (sec)	N/A	0.458	42.847	0.543	0.	1.508	0.	0.

Problem 540	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	B	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	192	192	0	3889	0	2071	0	0
normalized size	1	1.	0.	20.26	0.	10.79	0.	0.
time (sec)	N/A	0.614	8.873	0.609	0.	1.558	0.	0.

Problem 541	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	320	3124	5021	1619	0	0
normalized size	1	1.	1.31	12.75	20.49	6.61	0.	0.
time (sec)	N/A	0.894	7.46	0.505	14.406	1.508	0.	0.

Problem 542	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	289	2244	1940	1436	0	0
normalized size	1	1.	1.44	11.16	9.65	7.14	0.	0.
time (sec)	N/A	0.71	5.247	0.585	3.372	1.447	0.	0.

Problem 543	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	259	2017	1486	1274	0	0
normalized size	1	1.	1.65	12.85	9.46	8.11	0.	0.
time (sec)	N/A	0.511	4.643	0.592	2.319	1.43	0.	0.

Problem 544	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	186	186	286	1366	0	1793	0	0
normalized size	1	1.	1.54	7.34	0.	9.64	0.	0.
time (sec)	N/A	0.634	4.294	0.534	0.	1.548	0.	0.

Problem 545	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	360	1306	0	2218	0	0
normalized size	1	1.	1.84	6.66	0.	11.32	0.	0.
time (sec)	N/A	0.654	7.011	0.522	0.	1.618	0.	0.

Problem 546	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	244	244	441	4490	0	2515	0	0
normalized size	1	1.	1.81	18.4	0.	10.31	0.	0.
time (sec)	N/A	0.858	6.213	0.571	0.	1.559	0.	0.

Problem 547	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	354	3412	6020	1813	0	0
normalized size	1	1.	1.19	11.49	20.27	6.1	0.	0.
time (sec)	N/A	1.129	11.546	0.566	26.929	1.542	0.	0.

Problem 548	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	251	251	332	3126	5426	1659	0	0
normalized size	1	1.	1.32	12.45	21.62	6.61	0.	0.
time (sec)	N/A	0.946	9.698	0.507	9.947	1.569	0.	0.

Problem 549	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	306	2246	2059	1469	0	0
normalized size	1	1.	1.49	10.96	10.04	7.17	0.	0.
time (sec)	N/A	0.736	7.533	0.799	3.589	1.486	0.	0.

Problem 550	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	230	230	496	2629	0	2090	0	0
normalized size	1	1.	2.16	11.43	0.	9.09	0.	0.
time (sec)	N/A	0.829	10.271	0.692	0.	1.591	0.	0.

Problem 551	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	236	236	387	1896	0	2300	0	0
normalized size	1	1.	1.64	8.03	0.	9.75	0.	0.
time (sec)	N/A	0.857	9.532	0.55	0.	1.632	0.	0.

Problem 552	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	246	246	447	1530	0	2566	0	0
normalized size	1	1.	1.82	6.22	0.	10.43	0.	0.
time (sec)	N/A	0.882	8.029	0.589	0.	1.591	0.	0.

Problem 553	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	292	292	484	4851	0	2843	0	0
normalized size	1	1.	1.66	16.61	0.	9.74	0.	0.
time (sec)	N/A	1.086	9.612	0.623	0.	1.672	0.	0.

Problem 554	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	166	683	0	1353	0	0
normalized size	1	1.	0.79	3.24	0.	6.41	0.	0.
time (sec)	N/A	0.697	4.052	0.709	0.	1.681	0.	0.

Problem 555	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	165	484	0	1176	0	0
normalized size	1	1.	1.01	2.97	0.	7.21	0.	0.
time (sec)	N/A	0.496	3.089	0.676	0.	1.591	0.	0.

Problem 556	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	156	431	0	1184	0	0
normalized size	1	1.	1.31	3.62	0.	9.95	0.	0.
time (sec)	N/A	0.321	2.356	0.584	0.	1.722	0.	0.

Problem 557	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	227	805	0	2007	0	0
normalized size	1	1.	1.16	4.11	0.	10.24	0.	0.
time (sec)	N/A	0.615	4.101	0.633	0.	2.707	0.	0.

Problem 558	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	195	648	0	1299	0	0
normalized size	1	1.	0.91	3.03	0.	6.07	0.	0.
time (sec)	N/A	0.725	4.731	0.673	0.	1.969	0.	0.

Problem 559	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	192	853	0	1293	0	0
normalized size	1	1.	1.14	5.08	0.	7.7	0.	0.
time (sec)	N/A	0.531	3.663	0.595	0.	1.974	0.	0.

Problem 560	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	190	867	0	1292	0	0
normalized size	1	1.	1.12	5.1	0.	7.6	0.	0.
time (sec)	N/A	0.532	4.14	0.582	0.	1.929	0.	0.

Problem 561	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	388	1516	0	2129	0	0
normalized size	1	1.	1.6	6.24	0.	8.76	0.	0.
time (sec)	N/A	0.825	7.5	1.064	0.	2.77	0.	0.

Problem 562	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	260	260	200	764	0	1365	0	0
normalized size	1	1.	0.77	2.94	0.	5.25	0.	0.
time (sec)	N/A	0.966	8.75	0.541	0.	2.147	0.	0.

Problem 563	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	167	1078	0	1358	0	0
normalized size	1	1.	0.78	5.04	0.	6.35	0.	0.
time (sec)	N/A	0.747	6.619	0.636	0.	2.03	0.	0.

Problem 564	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	168	1092	0	1359	0	0
normalized size	1	1.	0.78	5.06	0.	6.29	0.	0.
time (sec)	N/A	0.747	7.114	0.626	0.	2.001	0.	0.

Problem 565	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	169	1212	0	1359	0	0
normalized size	1	1.	0.79	5.66	0.	6.35	0.	0.
time (sec)	N/A	0.757	7.574	0.535	0.	2.033	0.	0.

Problem 566	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	289	289	426	2158	0	2233	0	0
normalized size	1	1.	1.47	7.47	0.	7.73	0.	0.
time (sec)	N/A	1.032	9.891	0.577	0.	2.847	0.	0.

Problem 567	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	179	179	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.429	18.973	179.186	0.	0.	0.	0.

Problem 568	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	247	247	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.827	11.254	0.378	0.	0.	0.	0.

Problem 569	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	194	194	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.593	28.15	0.38	0.	0.	0.	0.

Problem 570	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	158	158	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.391	21.621	0.412	0.	0.	0.	0.

Problem 571	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	215	215	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.598	13.803	0.411	0.	0.	0.	0.

Problem 572	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	291	291	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.895	19.071	0.375	0.	0.	0.	0.

Problem 573	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	383	383	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	1.264	22.862	0.392	0.	0.	0.	0.

Problem 574	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	198	4418	265	0	0	0
normalized size	1	1.	0.86	19.29	1.16	0.	0.	0.
time (sec)	N/A	0.3	0.922	0.45	1.562	0.	0.	0.

Problem 575	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	179	4158	240	0	0	0
normalized size	1	1.	0.87	20.28	1.17	0.	0.	0.
time (sec)	N/A	0.242	0.465	0.436	1.788	0.	0.	0.

Problem 576	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	178	2187	240	0	0	0
normalized size	1	1.	0.87	10.67	1.17	0.	0.	0.
time (sec)	N/A	0.242	0.21	0.47	1.678	0.	0.	0.

Problem 577	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	198	2365	267	0	0	0
normalized size	1	1.	0.86	10.33	1.17	0.	0.	0.
time (sec)	N/A	0.283	0.503	0.489	1.69	0.	0.	0.

Problem 578	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	326	326	255	13170	377	0	0	0
normalized size	1	1.	0.78	40.4	1.16	0.	0.	0.
time (sec)	N/A	0.614	1.852	0.641	1.718	0.	0.	0.

Problem 579	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	226	6783	340	0	0	0
normalized size	1	1.	0.77	23.07	1.16	0.	0.	0.
time (sec)	N/A	0.546	1.226	0.531	1.751	0.	0.	0.

Problem 580	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	221	6423	329	0	0	0
normalized size	1	1.	0.8	23.27	1.19	0.	0.	0.
time (sec)	N/A	0.443	0.843	0.429	1.744	0.	0.	0.

Problem 581	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	283	283	226	3582	343	0	0	0
normalized size	1	1.	0.8	12.66	1.21	0.	0.	0.
time (sec)	N/A	0.434	0.542	0.478	1.589	0.	0.	0.

Problem 582	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	317	317	255	3748	381	0	0	0
normalized size	1	1.	0.8	11.82	1.2	0.	0.	0.
time (sec)	N/A	0.489	1.144	0.521	1.572	0.	0.	0.

Problem 583	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	421	421	326	18631	494	0	0	0
normalized size	1	1.	0.77	44.25	1.17	0.	0.	0.
time (sec)	N/A	0.862	3.747	1.012	1.55	0.	0.	0.

Problem 584	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	380	380	286	17628	446	0	0	0
normalized size	1	1.	0.75	46.39	1.17	0.	0.	0.
time (sec)	N/A	0.769	2.339	0.796	1.705	0.	0.	0.

Problem 585	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	374	374	270	9099	424	0	0	0
normalized size	1	1.	0.72	24.33	1.13	0.	0.	0.
time (sec)	N/A	0.77	2.104	0.577	1.67	0.	0.	0.

Problem 586	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	372	372	270	8955	427	0	0	0
normalized size	1	1.	0.73	24.07	1.15	0.	0.	0.
time (sec)	N/A	0.695	2.074	0.63	1.533	0.	0.	0.

Problem 587	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	380	380	287	4947	451	0	0	0
normalized size	1	1.	0.76	13.02	1.19	0.	0.	0.
time (sec)	N/A	0.714	1.268	0.702	1.622	0.	0.	0.

Problem 588	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	421	421	327	5111	500	0	0	0
normalized size	1	1.	0.78	12.14	1.19	0.	0.	0.
time (sec)	N/A	0.783	2.53	0.781	1.598	0.	0.	0.

Problem 589	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	325	325	272	22300	0	0	0	0
normalized size	1	1.	0.84	68.62	0.	0.	0.	0.
time (sec)	N/A	1.129	1.64	1.073	0.	0.	0.	0.

Problem 590	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	249	20614	0	0	0	0
normalized size	1	1.	0.84	69.41	0.	0.	0.	0.
time (sec)	N/A	0.771	0.877	0.668	0.	0.	0.	0.

Problem 591	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	215	4107	0	0	0	0
normalized size	1	1.	0.77	14.77	0.	0.	0.	0.
time (sec)	N/A	0.46	0.377	0.438	0.	0.	0.	0.

Problem 592	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	215	3684	0	0	0	0
normalized size	1	1.	0.77	13.25	0.	0.	0.	0.
time (sec)	N/A	0.463	0.402	0.43	0.	0.	0.	0.

Problem 593	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	251	9867	0	0	0	0
normalized size	1	1.	0.85	33.22	0.	0.	0.	0.
time (sec)	N/A	0.76	0.549	0.401	0.	0.	0.	0.

Problem 594	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	325	325	272	12107	0	0	0	0
normalized size	1	1.	0.84	37.25	0.	0.	0.	0.
time (sec)	N/A	1.09	0.998	0.772	0.	0.	0.	0.

Problem 595	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	438	438	383	57937	0	0	0	0
normalized size	1	1.	0.87	132.28	0.	0.	0.	0.
time (sec)	N/A	1.298	5.559	1.804	0.	0.	0.	0.

Problem 596	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	392	392	341	36048	0	0	0	0
normalized size	1	1.	0.87	91.96	0.	0.	0.	0.
time (sec)	N/A	0.94	2.624	1.192	0.	0.	0.	0.

Problem 597	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	390	390	336	40736	0	0	0	0
normalized size	1	1.	0.86	104.45	0.	0.	0.	0.
time (sec)	N/A	0.92	2.862	0.824	0.	0.	0.	0.

Problem 598	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	392	392	342	40734	0	0	0	0
normalized size	1	1.	0.87	103.91	0.	0.	0.	0.
time (sec)	N/A	0.916	2.552	0.675	0.	0.	0.	0.

Problem 599	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	437	437	390	42723	0	0	0	0
normalized size	1	1.	0.89	97.76	0.	0.	0.	0.
time (sec)	N/A	1.282	3.362	0.888	0.	0.	0.	0.

Problem 600	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	601	601	602	159192	0	0	0	0
normalized size	1	1.	1.	264.88	0.	0.	0.	0.
time (sec)	N/A	1.845	6.469	4.692	0.	0.	0.	0.

Problem 601	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	534	534	566	100786	0	0	0	0
normalized size	1	1.	1.06	188.74	0.	0.	0.	0.
time (sec)	N/A	1.365	6.382	2.611	0.	0.	0.	0.

Problem 602	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	534	534	558	102181	0	0	0	0
normalized size	1	1.	1.04	191.35	0.	0.	0.	0.
time (sec)	N/A	1.388	6.342	1.905	0.	0.	0.	0.

Problem 603	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	530	530	568	102237	0	0	0	0
normalized size	1	1.	1.07	192.9	0.	0.	0.	0.
time (sec)	N/A	1.425	6.393	1.521	0.	0.	0.	0.

Problem 604	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	534	534	592	102109	0	0	0	0
normalized size	1	1.	1.11	191.22	0.	0.	0.	0.
time (sec)	N/A	1.379	6.445	1.564	0.	0.	0.	0.

Problem 605	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	600	600	621	104911	0	0	0	0
normalized size	1	1.	1.03	174.85	0.	0.	0.	0.
time (sec)	N/A	1.825	6.458	2.065	0.	0.	0.	0.

Problem 606	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	38	1275	171	0	0	0
normalized size	1	1.	0.24	8.17	1.1	0.	0.	0.
time (sec)	N/A	0.105	0.077	0.25	1.494	0.	0.	0.

Problem 607	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	138	969	171	0	0	0
normalized size	1	1.	0.9	6.29	1.11	0.	0.	0.
time (sec)	N/A	0.103	0.157	0.243	1.497	0.	0.	0.

Problem 608	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	36	324	153	0	0	0
normalized size	1	1.	0.26	2.35	1.11	0.	0.	0.
time (sec)	N/A	0.097	0.021	0.21	1.466	0.	0.	0.

Problem 609	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	110	284	157	0	0	0
normalized size	1	1.	0.8	2.06	1.14	0.	0.	0.
time (sec)	N/A	0.092	0.032	0.261	1.496	0.	0.	0.

Problem 610	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	34	658	170	0	0	0
normalized size	1	1.	0.22	4.27	1.1	0.	0.	0.
time (sec)	N/A	0.102	0.032	0.256	1.484	0.	0.	0.

Problem 611	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	36	546	173	0	0	0
normalized size	1	1.	0.23	3.5	1.11	0.	0.	0.
time (sec)	N/A	0.102	0.032	0.263	1.516	0.	0.	0.

Problem 612	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	354	354	291	43931	0	0	0	0
normalized size	1	1.	0.82	124.1	0.	0.	0.	0.
time (sec)	N/A	1.488	4.009	2.038	0.	0.	0.	0.

Problem 613	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	290	290	251	42569	0	0	0	0
normalized size	1	1.	0.87	146.79	0.	0.	0.	0.
time (sec)	N/A	1.187	3.986	1.63	0.	0.	0.	0.

Problem 614	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	239	239	216	21562	0	0	0	0
normalized size	1	1.	0.9	90.22	0.	0.	0.	0.
time (sec)	N/A	0.887	1.566	1.144	0.	0.	0.	0.

Problem 615	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	188	21142	0	0	0	0
normalized size	1	1.	0.97	108.98	0.	0.	0.	0.
time (sec)	N/A	0.664	0.689	0.872	0.	0.	0.	0.

Problem 616	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	256	8336	0	0	0	0
normalized size	1	1.	1.12	36.4	0.	0.	0.	0.
time (sec)	N/A	0.734	0.763	0.621	0.	0.	0.	0.

Problem 617	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	295	23606	0	0	0	0
normalized size	1	1.	1.13	90.44	0.	0.	0.	0.
time (sec)	N/A	1.511	3.267	0.998	0.	0.	0.	0.

Problem 618	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	324	324	356	28218	0	0	0	0
normalized size	1	1.	1.1	87.09	0.	0.	0.	0.
time (sec)	N/A	1.991	4.734	1.514	0.	0.	0.	0.

Problem 619	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	422	422	495	74462	0	0	0	0
normalized size	1	1.	1.17	176.45	0.	0.	0.	0.
time (sec)	N/A	2.025	6.598	2.586	0.	0.	0.	0.

Problem 620	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	351	351	346	49857	0	0	0	0
normalized size	1	1.	0.99	142.04	0.	0.	0.	0.
time (sec)	N/A	1.644	5.031	2.154	0.	0.	0.	0.

Problem 621	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	299	299	286	48329	0	0	0	0
normalized size	1	1.	0.96	161.64	0.	0.	0.	0.
time (sec)	N/A	1.305	2.286	1.624	0.	0.	0.	0.

Problem 622	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	244	24544	0	0	0	0
normalized size	1	1.	1.03	104.	0.	0.	0.	0.
time (sec)	N/A	1.097	0.985	1.155	0.	0.	0.	0.

Problem 623	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	269	269	114092	41906	0	0	0	0
normalized size	1	1.	424.13	155.78	0.	0.	0.	0.
time (sec)	N/A	1.863	31.956	1.145	0.	0.	0.	0.

Problem 624	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	264	264	263	27748	0	0	0	0
normalized size	1	1.	1.	105.11	0.	0.	0.	0.
time (sec)	N/A	1.837	1.18	1.099	0.	0.	0.	0.

Problem 625	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	328	328	310	30720	0	0	0	0
normalized size	1	1.	0.95	93.66	0.	0.	0.	0.
time (sec)	N/A	2.393	3.084	1.454	0.	0.	0.	0.

Problem 626	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	383	383	367	34370	0	0	0	0
normalized size	1	1.	0.96	89.74	0.	0.	0.	0.
time (sec)	N/A	2.532	5.614	2.793	0.	0.	0.	0.

Problem 627	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	500	500	653	103896	0	0	0	0
normalized size	1	1.	1.31	207.79	0.	0.	0.	0.
time (sec)	N/A	2.47	6.986	3.986	0.	0.	0.	0.

Problem 628	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	418	418	564	101204	0	0	0	0
normalized size	1	1.	1.35	242.11	0.	0.	0.	0.
time (sec)	N/A	2.035	6.747	3.115	0.	0.	0.	0.

Problem 629	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	349	349	386	67683	0	0	0	0
normalized size	1	1.	1.11	193.93	0.	0.	0.	0.
time (sec)	N/A	1.653	5.178	2.56	0.	0.	0.	0.

Problem 630	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	287	287	321	65903	0	0	0	0
normalized size	1	1.	1.12	229.63	0.	0.	0.	0.
time (sec)	N/A	1.305	3.319	2.023	0.	0.	0.	0.

Problem 631	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	300	300	130606	46754	0	0	0	0
normalized size	1	1.	435.35	155.85	0.	0.	0.	0.
time (sec)	N/A	2.289	40.15	2.002	0.	0.	0.	0.

Problem 632	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	301	301	196709	57755	0	0	0	0
normalized size	1	1.	653.52	191.88	0.	0.	0.	0.
time (sec)	N/A	2.446	40.635	2.99	0.	0.	0.	0.

Problem 633	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	320	320	311	32501	0	0	0	0
normalized size	1	1.	0.97	101.57	0.	0.	0.	0.
time (sec)	N/A	2.175	3.328	1.924	0.	0.	0.	0.

Problem 634	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	376	376	365	36039	0	0	0	0
normalized size	1	1.	0.97	95.85	0.	0.	0.	0.
time (sec)	N/A	2.97	4.955	2.418	0.	0.	0.	0.

Problem 635	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	457	457	431	39339	0	0	0	0
normalized size	1	1.	0.94	86.08	0.	0.	0.	0.
time (sec)	N/A	3.011	5.329	3.753	0.	0.	0.	0.

Problem 636	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	296	296	244	28811	0	0	0	0
normalized size	1	1.	0.82	97.33	0.	0.	0.	0.
time (sec)	N/A	1.157	5.918	1.385	0.	0.	0.	0.

Problem 637	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	213	14642	0	0	0	0
normalized size	1	1.	0.88	60.26	0.	0.	0.	0.
time (sec)	N/A	0.862	2.288	0.957	0.	0.	0.	0.

Problem 638	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	193	14212	0	0	0	0
normalized size	1	1.	0.97	71.42	0.	0.	0.	0.
time (sec)	N/A	0.63	1.405	0.749	0.	0.	0.	0.

Problem 639	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	157	3483	0	0	0	0
normalized size	1	1.	0.96	21.37	0.	0.	0.	0.
time (sec)	N/A	0.48	0.362	0.604	0.	0.	0.	0.

Problem 640	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	228	6696	0	0	0	0
normalized size	1	1.	1.	29.37	0.	0.	0.	0.
time (sec)	N/A	0.7	1.603	0.574	0.	0.	0.	0.

Problem 641	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	263	21197	0	0	0	0
normalized size	1	1.	0.99	79.69	0.	0.	0.	0.
time (sec)	N/A	1.461	4.04	0.959	0.	0.	0.	0.

Problem 642	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	316	316	301	19553	0	0	0	0
normalized size	1	1.	0.95	61.88	0.	0.	0.	0.
time (sec)	N/A	1.318	3.955	1.119	0.	0.	0.	0.

Problem 643	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	256	18733	0	0	0	0
normalized size	1	1.	1.	73.18	0.	0.	0.	0.
time (sec)	N/A	0.97	2.64	0.802	0.	0.	0.	0.

Problem 644	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	222	9704	0	0	0	0
normalized size	1	1.	1.03	45.13	0.	0.	0.	0.
time (sec)	N/A	0.716	1.167	0.773	0.	0.	0.	0.

Problem 645	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	210	210	259	9576	0	0	0	0
normalized size	1	1.	1.23	45.6	0.	0.	0.	0.
time (sec)	N/A	0.742	2.033	0.705	0.	0.	0.	0.

Problem 646	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	279	279	167374	21787	0	0	0	0
normalized size	1	1.	599.91	78.09	0.	0.	0.	0.
time (sec)	N/A	1.905	40.023	0.937	0.	0.	0.	0.

Problem 647	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	399	399	385	80979	0	0	0	0
normalized size	1	1.	0.96	202.95	0.	0.	0.	0.
time (sec)	N/A	1.745	3.915	3.816	0.	0.	0.	0.

Problem 648	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	341	341	334	54573	0	0	0	0
normalized size	1	1.	0.98	160.04	0.	0.	0.	0.
time (sec)	N/A	1.335	3.879	2.572	0.	0.	0.	0.

Problem 649	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	287	287	293	40999	0	0	0	0
normalized size	1	1.	1.02	142.85	0.	0.	0.	0.
time (sec)	N/A	1.076	3.486	2.378	0.	0.	0.	0.

Problem 650	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	340	40367	0	0	0	0
normalized size	1	1.	1.2	142.14	0.	0.	0.	0.
time (sec)	N/A	1.125	4.246	2.156	0.	0.	0.	0.

Problem 651	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	328	40379	0	0	0	0
normalized size	1	1.	1.15	142.18	0.	0.	0.	0.
time (sec)	N/A	1.116	3.57	2.073	0.	0.	0.	0.

Problem 652	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	342	342	250233	76827	0	0	0	0
normalized size	1	1.	731.68	224.64	0.	0.	0.	0.
time (sec)	N/A	2.458	32.68	3.756	0.	0.	0.	0.

Problem 653	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	145	2054	0	0	0	0
normalized size	1	1.	0.96	13.6	0.	0.	0.	0.
time (sec)	N/A	0.215	0.194	0.593	0.	0.	0.	0.

Problem 654	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	144	1631	0	0	0	0
normalized size	1	1.	0.92	10.39	0.	0.	0.	0.
time (sec)	N/A	0.218	0.174	0.572	0.	0.	0.	0.

Problem 655	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	213	4640	0	0	0	0
normalized size	1	1.	0.99	21.58	0.	0.	0.	0.
time (sec)	N/A	0.259	1.105	0.498	0.	0.	0.	0.

Problem 656	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	195	195	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.44	6.242	0.397	0.	0.	0.	0.

Problem 657	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	169	169	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.488	8.403	0.4	0.	0.	0.	0.

Problem 658	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	167	167	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.432	9.532	0.419	0.	0.	0.	0.

Problem 659	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	173	173	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.463	15.196	0.438	0.	0.	0.	0.

Problem 660	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	173	173	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.462	15.406	0.394	0.	0.	0.	0.

Problem 661	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F(-2)
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	173	173	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.367	2.621	0.371	0.	0.	0.	0.

Problem 662	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F	F	F(-1)	F(-2)
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	173	173	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.363	1.912	0.399	0.	0.	0.	0.

Problem 663	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	167	167	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.331	1.355	0.405	0.	0.	0.	0.

Problem 664	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-1)	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	169	169	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.375	2.389	0.373	0.	0.	0.	0.

Problem 665	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	75	128	420	225	0	0
normalized size	1	1.	1.19	2.03	6.67	3.57	0.	0.
time (sec)	N/A	0.094	3.825	0.347	2.099	1.401	0.	0.

Problem 666	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	226	99	131	282	148	161
normalized size	1	1.	3.83	1.68	2.22	4.78	2.51	2.73
time (sec)	N/A	0.084	3.473	0.012	2.183	1.295	15.063	1.726

Problem 667	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	161	75	99	236	133	143
normalized size	1	1.	2.73	1.27	1.68	4.	2.25	2.42
time (sec)	N/A	0.093	3.471	0.011	1.703	1.366	9.018	1.597

Problem 668	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	109	53	74	201	114	126
normalized size	1	1.	1.65	0.8	1.12	3.05	1.73	1.91
time (sec)	N/A	0.085	2.346	0.012	1.722	1.289	5.578	1.5

Problem 669	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	32	27	39	144	82	153
normalized size	1	1.	1.	0.84	1.22	4.5	2.56	4.78
time (sec)	N/A	0.04	0.041	0.011	1.747	1.312	2.802	1.42

Problem 670	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	66	81	68	161	58	149
normalized size	1	1.	1.43	1.76	1.48	3.5	1.26	3.24
time (sec)	N/A	0.031	0.033	0.013	1.733	1.371	2.495	1.334

Problem 671	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	54	54	123	64	0	112	90	184
normalized size	1	1.	2.28	1.19	0.	2.07	1.67	3.41
time (sec)	N/A	0.088	1.745	0.038	0.	1.451	1.529	1.542

Problem 672	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	62	46	0	117	155	113
normalized size	1	1.	1.35	1.	0.	2.54	3.37	2.46
time (sec)	N/A	0.075	1.834	0.043	0.	1.368	1.493	1.401

Problem 673	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	72	43	0	159	202	201
normalized size	1	1.	1.31	0.78	0.	2.89	3.67	3.65
time (sec)	N/A	0.087	1.293	0.043	0.	1.404	1.948	1.378

Problem 674	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	97	44	0	236	306	288
normalized size	1	1.	1.7	0.77	0.	4.14	5.37	5.05
time (sec)	N/A	0.088	1.532	0.045	0.	1.42	2.753	1.391

Problem 675	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	124	45	0	282	350	374
normalized size	1	1.	2.25	0.82	0.	5.13	6.36	6.8
time (sec)	N/A	0.089	2.842	0.047	0.	1.342	2.18	1.498

Problem 676	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	146	280	902	498	0	0
normalized size	1	1.	1.34	2.57	8.28	4.57	0.	0.
time (sec)	N/A	0.164	6.627	0.49	2.426	1.431	0.	0.

Problem 677	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	254	147	201	441	231	258
normalized size	1	1.	2.57	1.48	2.03	4.45	2.33	2.61
time (sec)	N/A	0.168	9.043	0.011	1.726	1.277	71.334	2.178

Problem 678	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	177	101	158	393	212	240
normalized size	1	1.	1.79	1.02	1.6	3.97	2.14	2.42
time (sec)	N/A	0.155	5.808	0.011	2.431	1.408	40.726	1.856

Problem 679	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	146	101	139	351	197	223
normalized size	1	1.	1.47	1.02	1.4	3.55	1.99	2.25
time (sec)	N/A	0.15	5.699	0.012	1.91	1.385	18.053	1.699

Problem 680	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	53	53	97	284	158	555
normalized size	1	1.	0.85	0.85	1.56	4.58	2.55	8.95
time (sec)	N/A	0.109	0.156	0.011	1.654	1.357	10.588	1.685

Problem 681	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	109	53	72	262	150	171
normalized size	1	1.	1.7	0.83	1.12	4.09	2.34	2.67
time (sec)	N/A	0.082	2.613	0.01	1.593	1.252	6.421	1.482

Problem 682	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	263	123	100	339	121	309
normalized size	1	1.	3.29	1.54	1.25	4.24	1.51	3.86
time (sec)	N/A	0.07	2.201	0.011	1.612	1.467	3.558	1.484

Problem 683	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	418	113	0	275	144	385
normalized size	1	1.	4.49	1.22	0.	2.96	1.55	4.14
time (sec)	N/A	0.156	5.079	0.04	0.	1.478	1.775	1.442

Problem 684	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	184	116	0	161	162	275
normalized size	1	1.	2.02	1.27	0.	1.77	1.78	3.02
time (sec)	N/A	0.151	3.169	0.044	0.	1.501	1.133	1.535

Problem 685	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	81	69	0	130	168	223
normalized size	1	1.	0.87	0.74	0.	1.4	1.81	2.4
time (sec)	N/A	0.152	2.687	0.047	0.	1.415	1.366	1.553

Problem 686	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	91	68	0	173	219	271
normalized size	1	1.	1.	0.75	0.	1.9	2.41	2.98
time (sec)	N/A	0.15	2.794	0.047	0.	1.35	1.835	1.482

Problem 687	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	116	69	0	255	333	417
normalized size	1	1.	1.22	0.73	0.	2.68	3.51	4.39
time (sec)	N/A	0.152	3.629	0.051	0.	1.427	1.811	1.563

Problem 688	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	143	66	0	300	381	514
normalized size	1	1.	1.57	0.73	0.	3.3	4.19	5.65
time (sec)	N/A	0.15	4.827	0.048	0.	1.328	2.279	1.626

Problem 689	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	B	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	822	4339	1435	830	0	0
normalized size	1	1.	5.44	28.74	9.5	5.5	0.	0.
time (sec)	N/A	0.191	13.129	0.656	2.707	1.556	0.	0.

Problem 690	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	262	193	266	586	0	344
normalized size	1	1.	1.94	1.43	1.97	4.34	0.	2.55
time (sec)	N/A	0.203	11.34	0.012	1.686	1.289	0.	2.648

Problem 691	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	215	169	230	547	0	327
normalized size	1	1.	1.59	1.25	1.7	4.05	0.	2.42
time (sec)	N/A	0.19	10.474	0.012	1.703	1.296	0.	2.416

Problem 692	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	172	147	204	506	270	309
normalized size	1	1.	1.3	1.11	1.55	3.83	2.05	2.34
time (sec)	N/A	0.178	7.026	0.012	1.676	1.285	107.986	2.083

Problem 693	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	65	75	143	420	0	1071
normalized size	1	1.	0.77	0.89	1.7	5.	0.	12.75
time (sec)	N/A	0.126	0.259	0.012	1.673	1.352	0.	2.647

Problem 694	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	146	101	143	417	236	274
normalized size	1	1.	1.45	1.	1.42	4.13	2.34	2.71
time (sec)	N/A	0.148	5.126	0.011	1.61	1.383	36.393	1.713

Problem 695	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	161	75	99	358	204	235
normalized size	1	1.	2.64	1.23	1.62	5.87	3.34	3.85
time (sec)	N/A	0.087	3.611	0.012	1.652	1.329	50.146	1.603

Problem 696	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	331	160	131	509	172	450
normalized size	1	1.	3.01	1.45	1.19	4.63	1.56	4.09
time (sec)	N/A	0.093	3.92	0.013	1.637	1.319	10.504	1.473

Problem 697	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	944	150	0	439	209	437
normalized size	1	1.	7.93	1.26	0.	3.69	1.76	3.67
time (sec)	N/A	0.172	9.462	0.044	0.	1.26	5.587	1.682

Problem 698	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	1063	160	0	352	228	485
normalized size	1	1.	8.64	1.3	0.	2.86	1.85	3.94
time (sec)	N/A	0.178	9.544	0.043	0.	1.423	4.134	1.578

Problem 699	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	167	164	0	201	214	348
normalized size	1	1.	1.29	1.27	0.	1.56	1.66	2.7
time (sec)	N/A	0.154	4.284	0.052	0.	1.454	2.661	1.637

Problem 700	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	81	90	0	130	168	320
normalized size	1	1.	0.82	0.91	0.	1.31	1.7	3.23
time (sec)	N/A	0.138	3.247	0.056	0.	1.327	2.022	1.633

Problem 701	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	91	87	0	181	219	417
normalized size	1	1.	0.75	0.71	0.	1.48	1.8	3.42
time (sec)	N/A	0.175	3.916	0.052	0.	1.278	2.515	1.67

Problem 702	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	112	90	0	258	333	466
normalized size	1	1.	0.88	0.71	0.	2.03	2.62	3.67
time (sec)	N/A	0.176	6.059	0.052	0.	1.386	3.601	1.641

Problem 703	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	143	89	0	312	381	612
normalized size	1	1.	1.14	0.71	0.	2.5	3.05	4.9
time (sec)	N/A	0.174	7.546	0.053	0.	1.388	4.89	1.655

Problem 704	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	182	90	0	402	498	709
normalized size	1	1.	1.43	0.71	0.	3.17	3.92	5.58
time (sec)	N/A	0.182	9.599	0.051	0.	1.424	6.148	1.669

Problem 705	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	111	0	0	0	0	0
normalized size	1	1.	0.97	0.	0.	0.	0.	0.
time (sec)	N/A	0.179	63.264	0.823	0.	0.	0.	0.

Problem 706	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	260	193	0	817	301	602
normalized size	1	1.	1.66	1.23	0.	5.2	1.92	3.83
time (sec)	N/A	0.216	3.76	0.046	0.	1.444	11.418	1.536

Problem 707	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	212	150	0	587	248	437
normalized size	1	1.	1.75	1.24	0.	4.85	2.05	3.61
time (sec)	N/A	0.183	5.753	0.042	0.	1.418	6.182	1.522

Problem 708	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	184	113	0	387	184	385
normalized size	1	1.	1.92	1.18	0.	4.03	1.92	4.01
time (sec)	N/A	0.159	3.611	0.04	0.	1.746	5.186	1.336

Problem 709	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	124	64	0	186	114	184
normalized size	1	1.	2.18	1.12	0.	3.26	2.	3.23
time (sec)	N/A	0.091	1.395	0.042	0.	1.728	1.487	1.387

Problem 710	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	102	121	0	108	88	122
normalized size	1	1.	2.17	2.57	0.	2.3	1.87	2.6
time (sec)	N/A	0.045	0.454	0.04	0.	1.574	0.732	1.353

Problem 711	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	C	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	43	142	0	144	167	72
normalized size	1	1.	0.96	3.16	0.	3.2	3.71	1.6
time (sec)	N/A	0.128	0.081	0.062	0.	1.696	0.933	1.45

Problem 712	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	166	209	0	217	286	228
normalized size	1	1.	1.47	1.85	0.	1.92	2.53	2.02
time (sec)	N/A	0.19	2.234	0.07	0.	1.724	1.633	1.432

Problem 713	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	203	257	0	258	330	259
normalized size	1	1.	1.36	1.72	0.	1.73	2.21	1.74
time (sec)	N/A	0.216	2.4	0.068	0.	1.117	2.751	1.504

Problem 714	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	221	303	0	343	440	298
normalized size	1	1.	1.22	1.67	0.	1.9	2.43	1.65
time (sec)	N/A	0.24	2.6	0.073	0.	1.06	3.737	1.439

Problem 715	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	115	115	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.173	180.002	1.252	0.	0.	0.	0.

Problem 716	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	194	194	1357	240	0	898	389	698
normalized size	1	1.	6.99	1.24	0.	4.63	2.01	3.6
time (sec)	N/A	0.249	11.138	0.06	0.	1.168	14.686	1.881

Problem 717	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	1079	198	0	651	332	601
normalized size	1	1.	6.83	1.25	0.	4.12	2.1	3.8
time (sec)	N/A	0.21	9.059	0.043	0.	1.065	8.284	2.095

Problem 718	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	128	413	160	0	460	269	485
normalized size	1	1.	3.23	1.25	0.	3.59	2.1	3.79
time (sec)	N/A	0.18	6.79	0.044	0.	1.113	8.065	1.949

Problem 719	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	140	116	0	236	207	275
normalized size	1	1.	1.44	1.2	0.	2.43	2.13	2.84
time (sec)	N/A	0.152	2.454	0.044	0.	1.11	1.762	1.246

Problem 720	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	58	46	0	116	160	113
normalized size	1	1.	1.21	0.96	0.	2.42	3.33	2.35
time (sec)	N/A	0.081	1.442	0.043	0.	1.157	1.523	1.293

Problem 721	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	94	162	0	150	163	158
normalized size	1	1.	1.18	2.02	0.	1.88	2.04	1.98
time (sec)	N/A	0.065	0.504	0.042	0.	1.033	1.183	1.347

Problem 722	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	129	209	0	216	298	228
normalized size	1	1.	1.1	1.79	0.	1.85	2.55	1.95
time (sec)	N/A	0.187	2.034	0.089	0.	1.071	2.548	1.384

Problem 723	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	C	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	53	236	0	251	362	90
normalized size	1	1.	0.75	3.32	0.	3.54	5.1	1.27
time (sec)	N/A	0.138	0.124	0.06	0.	1.167	3.356	1.33

Problem 724	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	217	303	0	336	456	296
normalized size	1	1.	1.19	1.66	0.	1.84	2.49	1.62
time (sec)	N/A	0.239	2.167	0.075	0.	1.112	4.876	1.4

Problem 725	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	232	351	0	383	500	328
normalized size	1	1.	1.05	1.59	0.	1.73	2.26	1.48
time (sec)	N/A	0.268	2.576	0.073	0.	1.089	5.562	1.237

Problem 726	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	251	251	274	397	0	464	607	363
normalized size	1	1.	1.09	1.58	0.	1.85	2.42	1.45
time (sec)	N/A	0.305	3.247	0.088	0.	1.108	6.268	1.318

Problem 727	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	115	115	0	0	0	0	0	0
normalized size	1	1.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.171	180.005	2.055	0.	0.	0.	0.

Problem 728	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	1496	244	0	736	415	698
normalized size	1	1.	7.83	1.28	0.	3.85	2.17	3.65
time (sec)	N/A	0.245	11.33	0.066	0.	1.116	12.514	1.702

Problem 729	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	1239	207	0	527	348	582
normalized size	1	1.	7.55	1.26	0.	3.21	2.12	3.55
time (sec)	N/A	0.21	9.209	0.048	0.	1.095	10.747	1.592

Problem 730	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	145	164	0	279	260	348
normalized size	1	1.	1.07	1.21	0.	2.07	1.93	2.58
time (sec)	N/A	0.157	3.605	0.053	0.	1.107	3.609	1.543

Problem 731	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	79	69	0	128	173	223
normalized size	1	1.	0.8	0.7	0.	1.29	1.75	2.25
time (sec)	N/A	0.157	2.756	0.049	0.	1.051	2.766	1.488

Problem 732	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	81	43	0	158	207	201
normalized size	1	1.	1.37	0.73	0.	2.68	3.51	3.41
time (sec)	N/A	0.088	1.21	0.05	0.	1.035	1.4	1.341

Problem 733	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	150	203	0	217	260	189
normalized size	1	1.	1.34	1.81	0.	1.94	2.32	1.69
time (sec)	N/A	0.085	0.713	0.046	0.	1.072	4.469	1.227

Problem 734	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	164	257	0	257	342	259
normalized size	1	1.	1.07	1.68	0.	1.68	2.24	1.69
time (sec)	N/A	0.213	2.09	0.069	0.	1.055	4.523	1.307

Problem 735	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	217	303	0	335	454	296
normalized size	1	1.	1.17	1.64	0.	1.81	2.45	1.6
time (sec)	N/A	0.239	2.387	0.073	0.	1.068	6.115	1.274

Problem 736	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	C	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	63	330	0	363	510	107
normalized size	1	1.	0.64	3.33	0.	3.67	5.15	1.08
time (sec)	N/A	0.146	0.145	0.07	0.	1.1	5.929	1.336

Problem 737	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	251	251	267	397	0	455	607	366
normalized size	1	1.	1.06	1.58	0.	1.81	2.42	1.46
time (sec)	N/A	0.306	3.214	0.076	0.	1.054	7.965	1.5

Problem 738	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	287	287	280	445	0	508	648	393
normalized size	1	1.	0.98	1.55	0.	1.77	2.26	1.37
time (sec)	N/A	0.338	4.368	0.078	0.	1.064	10.008	1.433

Problem 739	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	319	319	321	491	0	586	755	431
normalized size	1	1.	1.01	1.54	0.	1.84	2.37	1.35
time (sec)	N/A	0.38	5.024	0.078	0.	1.077	10.469	1.425

Problem 740	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	90	55	66	304	0	0
normalized size	1	1.	1.45	0.89	1.06	4.9	0.	0.
time (sec)	N/A	0.107	6.537	0.066	1.412	1.798	0.	0.

Problem 741	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	88	55	66	265	0	0
normalized size	1	1.	1.42	0.89	1.06	4.27	0.	0.
time (sec)	N/A	0.108	4.418	0.059	1.501	1.41	0.	0.

Problem 742	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	97	55	66	223	0	0
normalized size	1	1.	1.56	0.89	1.06	3.6	0.	0.
time (sec)	N/A	0.107	3.209	0.062	1.183	1.152	0.	0.

Problem 743	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	45	66	66	177	0	0
normalized size	1	1.	0.75	1.1	1.1	2.95	0.	0.
time (sec)	N/A	0.099	2.364	0.069	1.195	1.107	0.	0.

Problem 744	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	82	53	65	136	0	0
normalized size	1	1.	1.41	0.91	1.12	2.34	0.	0.
time (sec)	N/A	0.1	2.525	0.133	1.162	1.064	0.	0.

Problem 745	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	98	53	61	197	0	0
normalized size	1	1.	1.63	0.88	1.02	3.28	0.	0.
time (sec)	N/A	0.107	4.474	0.067	1.153	1.085	0.	0.

Problem 746	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	100	53	63	258	0	0
normalized size	1	1.	1.61	0.85	1.02	4.16	0.	0.
time (sec)	N/A	0.106	7.858	0.069	1.147	1.172	0.	0.

Problem 747	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	100	53	63	320	0	0
normalized size	1	1.	1.61	0.85	1.02	5.16	0.	0.
time (sec)	N/A	0.104	11.277	0.071	1.126	1.404	0.	0.

Problem 748	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	119	83	109	423	0	0
normalized size	1	1.	1.13	0.79	1.04	4.03	0.	0.
time (sec)	N/A	0.183	11.135	0.067	1.129	2.336	0.	0.

Problem 749	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	112	83	109	379	0	0
normalized size	1	1.	1.07	0.79	1.04	3.61	0.	0.
time (sec)	N/A	0.181	7.136	0.07	1.192	1.619	0.	0.

Problem 750	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	116	83	109	331	0	0
normalized size	1	1.	1.1	0.79	1.04	3.15	0.	0.
time (sec)	N/A	0.181	5.706	0.066	1.117	1.304	0.	0.

Problem 751	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	83	83	109	282	0	0
normalized size	1	1.	0.81	0.81	1.06	2.74	0.	0.
time (sec)	N/A	0.164	4.498	0.072	1.169	1.155	0.	0.

Problem 752	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	138	93	113	251	0	0
normalized size	1	1.	1.37	0.92	1.12	2.49	0.	0.
time (sec)	N/A	0.168	4.867	0.117	1.817	1.115	0.	0.

Problem 753	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	112	80	111	204	0	0
normalized size	1	1.	1.11	0.79	1.1	2.02	0.	0.
time (sec)	N/A	0.18	8.503	0.075	1.553	1.136	0.	0.

Problem 754	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	118	80	107	266	0	0
normalized size	1	1.	1.15	0.78	1.04	2.58	0.	0.
time (sec)	N/A	0.179	11.961	0.081	1.16	1.188	0.	0.

Problem 755	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	122	80	107	333	0	0
normalized size	1	1.	1.16	0.76	1.02	3.17	0.	0.
time (sec)	N/A	0.186	13.199	0.077	1.154	1.373	0.	0.

Problem 756	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	127	121	146	539	0	0
normalized size	1	1.	0.88	0.84	1.01	3.74	0.	0.
time (sec)	N/A	0.21	13.205	0.075	1.212	3.026	0.	0.

Problem 757	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	139	121	146	498	0	0
normalized size	1	1.	0.97	0.84	1.01	3.46	0.	0.
time (sec)	N/A	0.2	11.825	0.071	1.146	2.058	0.	0.

Problem 758	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	130	121	146	437	0	0
normalized size	1	1.	0.9	0.84	1.01	3.03	0.	0.
time (sec)	N/A	0.2	8.495	0.074	1.194	1.491	0.	0.

Problem 759	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	124	121	146	390	0	0
normalized size	1	1.	0.87	0.85	1.03	2.75	0.	0.
time (sec)	N/A	0.182	6.784	0.085	1.137	1.201	0.	0.

Problem 760	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	152	135	153	359	0	0
normalized size	1	1.	1.09	0.96	1.09	2.56	0.	0.
time (sec)	N/A	0.185	7.092	0.115	1.209	1.136	0.	0.

Problem 761	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	168	118	146	309	0	0
normalized size	1	1.	1.2	0.84	1.04	2.21	0.	0.
time (sec)	N/A	0.199	12.17	0.076	1.114	1.187	0.	0.

Problem 762	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	135	105	150	270	0	0
normalized size	1	1.	0.96	0.75	1.07	1.93	0.	0.
time (sec)	N/A	0.201	13.103	0.076	1.238	1.169	0.	0.

Problem 763	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	141	105	143	333	0	0
normalized size	1	1.	0.99	0.74	1.01	2.35	0.	0.
time (sec)	N/A	0.205	13.383	0.08	1.176	1.176	0.	0.

Problem 764	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	220	220	0	192	0	1261	0	0
normalized size	1	1.	0.	0.87	0.	5.73	0.	0.
time (sec)	N/A	0.276	180.005	0.097	0.	1.282	0.	0.

Problem 765	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	180	180	0	150	0	1057	0	0
normalized size	1	1.	0.	0.83	0.	5.87	0.	0.
time (sec)	N/A	0.24	180.007	0.101	0.	1.165	0.	0.

Problem 766	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	144	144	0	109	0	855	0	0
normalized size	1	1.	0.	0.76	0.	5.94	0.	0.
time (sec)	N/A	0.22	180.002	0.101	0.	1.128	0.	0.

Problem 767	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	168	88	0	841	0	0
normalized size	1	1.	1.54	0.81	0.	7.72	0.	0.
time (sec)	N/A	0.185	2.468	0.136	0.	1.1	0.	0.

Problem 768	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	160	121	0	903	0	0
normalized size	1	1.	1.13	0.86	0.	6.4	0.	0.
time (sec)	N/A	0.219	3.63	0.16	0.	1.117	0.	0.

Problem 769	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	184	184	239	141	0	1017	0	0
normalized size	1	1.	1.3	0.77	0.	5.53	0.	0.
time (sec)	N/A	0.268	6.111	0.1	0.	1.219	0.	0.

Problem 770	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	213	168	0	1112	0	0
normalized size	1	1.	0.96	0.75	0.	4.99	0.	0.
time (sec)	N/A	0.289	7.559	0.103	0.	1.369	0.	0.

Problem 771	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	275	275	0	221	0	1382	0	0
normalized size	1	1.	0.	0.8	0.	5.03	0.	0.
time (sec)	N/A	0.301	180.005	0.104	0.	1.689	0.	0.

Problem 772	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	238	238	0	179	0	1215	0	0
normalized size	1	1.	0.	0.75	0.	5.11	0.	0.
time (sec)	N/A	0.272	180.005	0.112	0.	1.644	0.	0.

Problem 773	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	199	199	0	138	0	1011	0	0
normalized size	1	1.	0.	0.69	0.	5.08	0.	0.
time (sec)	N/A	0.245	180.004	0.108	0.	1.416	0.	0.

Problem 774	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	205	117	0	973	0	0
normalized size	1	1.	1.28	0.73	0.	6.08	0.	0.
time (sec)	N/A	0.226	3.866	0.099	0.	1.449	0.	0.

Problem 775	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	206	121	0	961	0	0
normalized size	1	1.	1.3	0.76	0.	6.04	0.	0.
time (sec)	N/A	0.212	2.848	0.144	0.	1.436	0.	0.

Problem 776	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	160	152	0	1031	0	0
normalized size	1	1.	0.82	0.78	0.	5.29	0.	0.
time (sec)	N/A	0.248	4.748	0.161	0.	1.55	0.	0.

Problem 777	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	204	179	0	1139	0	0
normalized size	1	1.	0.9	0.79	0.	5.04	0.	0.
time (sec)	N/A	0.29	5.916	0.109	0.	1.537	0.	0.

Problem 778	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	273	273	209	199	0	1233	0	0
normalized size	1	1.	0.77	0.73	0.	4.52	0.	0.
time (sec)	N/A	0.316	9.125	0.118	0.	1.824	0.	0.

Problem 779	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	291	291	0	206	0	1305	0	0
normalized size	1	1.	0.	0.71	0.	4.48	0.	0.
time (sec)	N/A	0.305	180.006	0.116	0.	1.603	0.	0.

Problem 780	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	252	252	0	167	0	1092	0	0
normalized size	1	1.	0.	0.66	0.	4.33	0.	0.
time (sec)	N/A	0.271	180.003	0.119	0.	1.582	0.	0.

Problem 781	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	227	146	0	1054	0	0
normalized size	1	1.	1.07	0.69	0.	4.95	0.	0.
time (sec)	N/A	0.249	7.381	0.11	0.	1.475	0.	0.

Problem 782	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	224	140	0	1030	0	0
normalized size	1	1.	1.06	0.66	0.	4.88	0.	0.
time (sec)	N/A	0.25	5.541	0.111	0.	1.466	0.	0.

Problem 783	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	225	148	0	1035	0	0
normalized size	1	1.	1.08	0.71	0.	4.95	0.	0.
time (sec)	N/A	0.24	3.701	0.146	0.	1.498	0.	0.

Problem 784	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	181	179	0	1118	0	0
normalized size	1	1.	0.74	0.73	0.	4.56	0.	0.
time (sec)	N/A	0.274	5.547	0.165	0.	1.592	0.	0.

Problem 785	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	206	206	0	1233	0	0
normalized size	1	1.	0.75	0.75	0.	4.5	0.	0.
time (sec)	N/A	0.31	7.996	0.115	0.	1.516	0.	0.

Problem 786	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	311	311	256	233	0	1319	0	0
normalized size	1	1.	0.82	0.75	0.	4.24	0.	0.
time (sec)	N/A	0.35	12.201	0.117	0.	1.802	0.	0.

Problem 787	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	272	272	257	349	1798	1628	0	0
normalized size	1	1.	0.94	1.28	6.61	5.99	0.	0.
time (sec)	N/A	0.329	9.309	0.173	7.75	1.617	0.	0.

Problem 788	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	226	285	1455	1413	0	0
normalized size	1	1.	1.04	1.31	6.71	6.51	0.	0.
time (sec)	N/A	0.296	6.649	0.154	3.483	1.687	0.	0.

Problem 789	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	159	223	1040	1179	0	0
normalized size	1	1.	0.97	1.36	6.34	7.19	0.	0.
time (sec)	N/A	0.259	5.749	0.202	2.516	1.618	0.	0.

Problem 790	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	102	121	609	751	0	0
normalized size	1	1.	0.98	1.16	5.86	7.22	0.	0.
time (sec)	N/A	0.208	3.318	0.131	2.254	1.486	0.	0.

Problem 791	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	127	321	0	830	0	0
normalized size	1	1.	1.17	2.94	0.	7.61	0.	0.
time (sec)	N/A	0.22	4.011	0.233	0.	1.534	0.	0.

Problem 792	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	101	100	0	244	0	0
normalized size	1	1.	0.99	0.98	0.	2.39	0.	0.
time (sec)	N/A	0.218	5.578	0.132	0.	1.396	0.	0.

Problem 793	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	114	125	0	308	0	0
normalized size	1	1.	0.74	0.81	0.	1.99	0.	0.
time (sec)	N/A	0.247	9.359	0.122	0.	1.366	0.	0.

Problem 794	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	136	147	0	373	0	0
normalized size	1	1.	0.65	0.71	0.	1.79	0.	0.
time (sec)	N/A	0.276	12.329	0.129	0.	1.429	0.	0.

Problem 795	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	279	279	257	412	2215	1802	0	0
normalized size	1	1.	0.92	1.48	7.94	6.46	0.	0.
time (sec)	N/A	0.337	13.189	0.115	13.988	1.654	0.	0.

Problem 796	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	241	350	1843	1594	0	0
normalized size	1	1.	1.07	1.55	8.15	7.05	0.	0.
time (sec)	N/A	0.306	10.498	0.094	6.47	1.695	0.	0.

Problem 797	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	109	186	1156	1127	0	0
normalized size	1	1.	0.69	1.18	7.36	7.18	0.	0.
time (sec)	N/A	0.257	7.026	0.099	2.468	1.508	0.	0.

Problem 798	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	220	223	1038	1165	0	0
normalized size	1	1.	1.38	1.39	6.49	7.28	0.	0.
time (sec)	N/A	0.261	6.452	0.098	2.287	1.562	0.	0.

Problem 799	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	190	497	829	1112	0	0
normalized size	1	1.	1.12	2.94	4.91	6.58	0.	0.
time (sec)	N/A	0.269	6.422	0.181	2.133	1.641	0.	0.

Problem 800	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	123	406	232	946	0	0
normalized size	1	1.	0.79	2.62	1.5	6.1	0.	0.
time (sec)	N/A	0.265	8.488	0.116	2.209	1.597	0.	0.

Problem 801	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	117	90	209	290	0	0
normalized size	1	1.	1.15	0.88	2.05	2.84	0.	0.
time (sec)	N/A	0.234	11.656	0.106	2.29	1.44	0.	0.

Problem 802	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	131	113	254	355	0	0
normalized size	1	1.	0.85	0.73	1.64	2.29	0.	0.
time (sec)	N/A	0.263	12.832	0.111	2.516	1.277	0.	0.

Problem 803	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	148	136	351	423	0	0
normalized size	1	1.	0.71	0.65	1.69	2.03	0.	0.
time (sec)	N/A	0.282	8.816	0.117	2.395	1.333	0.	0.

Problem 804	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	179	158	421	502	0	0
normalized size	1	1.	0.69	0.61	1.61	1.92	0.	0.
time (sec)	N/A	0.321	12.729	0.114	2.321	1.407	0.	0.

Problem 805	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	288	288	568	478	2722	2005	0	0
normalized size	1	1.	1.97	1.66	9.45	6.96	0.	0.
time (sec)	N/A	0.33	16.795	0.102	31.298	1.621	0.	0.

Problem 806	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	459	252	1955	1523	0	0
normalized size	1	1.	2.15	1.18	9.18	7.15	0.	0.
time (sec)	N/A	0.275	13.92	0.095	5.693	1.609	0.	0.

Problem 807	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	222	222	460	350	1845	1581	0	0
normalized size	1	1.	2.07	1.58	8.31	7.12	0.	0.
time (sec)	N/A	0.304	11.928	0.098	6.784	1.648	0.	0.

Problem 808	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	253	285	1457	1399	0	0
normalized size	1	1.	1.17	1.31	6.71	6.45	0.	0.
time (sec)	N/A	0.29	8.352	0.102	3.487	1.6	0.	0.

Problem 809	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	239	565	1342	1347	0	0
normalized size	1	1.	1.05	2.49	5.91	5.93	0.	0.
time (sec)	N/A	0.305	10.19	0.183	2.814	1.618	0.	0.

Problem 810	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	227	667	1114	1237	0	0
normalized size	1	1.	1.	2.95	4.93	5.47	0.	0.
time (sec)	N/A	0.315	13.928	0.178	2.155	1.59	0.	0.

Problem 811	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	203	555	290	1023	0	0
normalized size	1	1.	1.	2.73	1.43	5.04	0.	0.
time (sec)	N/A	0.289	15.564	0.131	2.36	1.689	0.	0.

Problem 812	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	121	115	225	300	0	0
normalized size	1	1.	1.19	1.13	2.21	2.94	0.	0.
time (sec)	N/A	0.231	12.131	0.108	2.455	1.392	0.	0.

Problem 813	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	135	138	270	373	0	0
normalized size	1	1.	0.87	0.89	1.74	2.41	0.	0.
time (sec)	N/A	0.259	10.031	0.119	2.165	1.41	0.	0.

Problem 814	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	156	161	373	451	0	0
normalized size	1	1.	0.75	0.77	1.79	2.17	0.	0.
time (sec)	N/A	0.291	13.484	0.158	2.46	1.417	0.	0.

Problem 815	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	577	183	448	531	0	0
normalized size	1	1.	2.21	0.7	1.72	2.03	0.	0.
time (sec)	N/A	0.321	17.054	0.11	2.536	1.413	0.	0.

Problem 816	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	350	350	666	604	3482	2461	0	0
normalized size	1	1.	1.9	1.73	9.95	7.03	0.	0.
time (sec)	N/A	0.369	17.526	0.111	124.471	1.801	0.	0.

Problem 817	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	267	267	535	314	2570	1883	0	0
normalized size	1	1.	2.	1.18	9.63	7.05	0.	0.
time (sec)	N/A	0.297	17.073	0.105	19.374	1.568	0.	0.

Problem 818	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	572	478	2724	1991	0	0
normalized size	1	1.	2.01	1.68	9.59	7.01	0.	0.
time (sec)	N/A	0.327	15.958	0.1	33.223	1.817	0.	0.

Problem 819	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	279	279	507	412	2222	1787	0	0
normalized size	1	1.	1.82	1.48	7.96	6.41	0.	0.
time (sec)	N/A	0.329	13.191	0.099	14.752	1.711	0.	0.

Problem 820	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	272	272	465	349	1800	1612	0	0
normalized size	1	1.	1.71	1.28	6.62	5.93	0.	0.
time (sec)	N/A	0.32	11.427	0.102	6.579	1.737	0.	0.

Problem 821	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	283	283	481	627	1794	1557	0	0
normalized size	1	1.	1.7	2.22	6.34	5.5	0.	0.
time (sec)	N/A	0.336	13.468	0.175	4.649	1.542	0.	0.

Problem 822	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	285	285	517	731	1598	1477	0	0
normalized size	1	1.	1.81	2.56	5.61	5.18	0.	0.
time (sec)	N/A	0.344	17.47	0.115	3.244	1.657	0.	0.

Problem 823	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	283	283	528	833	1315	1311	0	0
normalized size	1	1.	1.87	2.94	4.65	4.63	0.	0.
time (sec)	N/A	0.348	17.577	0.121	2.681	1.69	0.	0.

Problem 824	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	251	251	570	638	335	1075	0	0
normalized size	1	1.	2.27	2.54	1.33	4.28	0.	0.
time (sec)	N/A	0.315	17.583	0.117	2.571	1.467	0.	0.

Problem 825	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	335	134	225	304	0	0
normalized size	1	1.	3.28	1.31	2.21	2.98	0.	0.
time (sec)	N/A	0.228	13.766	0.114	2.767	1.414	0.	0.

Problem 826	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	417	161	270	375	0	0
normalized size	1	1.	2.69	1.04	1.74	2.42	0.	0.
time (sec)	N/A	0.264	15.722	0.11	3.054	1.418	0.	0.

Problem 827	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	495	184	373	458	0	0
normalized size	1	1.	2.38	0.88	1.79	2.2	0.	0.
time (sec)	N/A	0.286	17.067	0.114	3.119	1.3	0.	0.

Problem 828	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	577	206	448	537	0	0
normalized size	1	1.	2.21	0.79	1.72	2.06	0.	0.
time (sec)	N/A	0.316	17.317	0.122	3.281	1.41	0.	0.

Problem 829	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	314	314	655	230	554	635	0	0
normalized size	1	1.	2.09	0.73	1.76	2.02	0.	0.
time (sec)	N/A	0.354	17.723	0.124	3.408	1.432	0.	0.

Problem 830	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	185	566	1779	1593	0	0
normalized size	1	1.	0.81	2.48	7.8	6.99	0.	0.
time (sec)	N/A	0.297	8.249	0.196	4.107	1.747	0.	0.

Problem 831	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	161	499	1229	1308	0	0
normalized size	1	1.	0.95	2.95	7.27	7.74	0.	0.
time (sec)	N/A	0.264	6.356	0.219	2.756	1.683	0.	0.

Problem 832	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	152	323	189	1013	0	0
normalized size	1	1.	1.38	2.94	1.72	9.21	0.	0.
time (sec)	N/A	0.219	3.987	0.18	2.375	1.594	0.	0.

Problem 833	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	77	99	170	290	0	0
normalized size	1	1.	0.84	1.08	1.85	3.15	0.	0.
time (sec)	N/A	0.2	3.772	0.193	2.525	1.31	0.	0.

Problem 834	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	103	151	0	389	0	0
normalized size	1	1.	0.66	0.96	0.	2.48	0.	0.
time (sec)	N/A	0.251	7.038	0.19	0.	1.442	0.	0.

Problem 835	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	128	184	0	447	0	0
normalized size	1	1.	0.6	0.86	0.	2.1	0.	0.
time (sec)	N/A	0.275	10.835	0.188	0.	1.412	0.	0.

Problem 836	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	287	287	255	733	1854	1729	0	0
normalized size	1	1.	0.89	2.55	6.46	6.02	0.	0.
time (sec)	N/A	0.343	13.365	0.137	5.964	1.752	0.	0.

Problem 837	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	174	669	0	1447	0	0
normalized size	1	1.	0.76	2.92	0.	6.32	0.	0.
time (sec)	N/A	0.308	11.283	0.125	0.	1.78	0.	0.

Problem 838	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	114	408	228	1143	0	0
normalized size	1	1.	0.73	2.6	1.45	7.28	0.	0.
time (sec)	N/A	0.265	7.365	0.119	2.844	1.658	0.	0.

Problem 839	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	81	103	0	348	0	0
normalized size	1	1.	0.78	0.99	0.	3.35	0.	0.
time (sec)	N/A	0.215	4.14	0.114	0.	1.325	0.	0.

Problem 840	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	85	152	0	400	0	0
normalized size	1	1.	0.56	1.	0.	2.63	0.	0.
time (sec)	N/A	0.246	4.816	0.187	0.	1.374	0.	0.

Problem 841	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	120	113	267	409	0	0
normalized size	1	1.	0.8	0.75	1.78	2.73	0.	0.
time (sec)	N/A	0.245	8.565	0.125	2.551	1.383	0.	0.

Problem 842	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	269	269	170	199	0	531	0	0
normalized size	1	1.	0.63	0.74	0.	1.97	0.	0.
time (sec)	N/A	0.317	11.899	0.138	0.	1.463	0.	0.

Problem 843	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	343	343	247	899	0	1820	0	0
normalized size	1	1.	0.72	2.62	0.	5.31	0.	0.
time (sec)	N/A	0.381	15.177	0.125	0.	1.918	0.	0.

Problem 844	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	284	284	205	835	1416	1531	0	0
normalized size	1	1.	0.72	2.94	4.99	5.39	0.	0.
time (sec)	N/A	0.343	14.297	0.121	3.93	1.739	0.	0.

Problem 845	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	129	557	294	1223	0	0
normalized size	1	1.	0.63	2.72	1.43	5.97	0.	0.
time (sec)	N/A	0.289	12.706	0.119	3.223	1.707	0.	0.

Problem 846	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	92	92	207	371	0	0
normalized size	1	1.	0.88	0.88	1.99	3.57	0.	0.
time (sec)	N/A	0.229	7.774	0.11	2.991	1.359	0.	0.

Problem 847	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	106	127	0	416	0	0
normalized size	1	1.	0.68	0.81	0.	2.65	0.	0.
time (sec)	N/A	0.244	4.662	0.126	0.	1.421	0.	0.

Problem 848	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	212	132	186	0	458	0	0
normalized size	1	1.	0.62	0.88	0.	2.16	0.	0.
time (sec)	N/A	0.278	6.337	0.183	0.	1.353	0.	0.

Problem 849	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	133	199	0	531	0	0
normalized size	1	1.	0.62	0.92	0.	2.46	0.	0.
time (sec)	N/A	0.294	11.907	0.125	0.	1.485	0.	0.

Problem 850	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	151	124	446	540	0	0
normalized size	1	1.	0.74	0.61	2.19	2.65	0.	0.
time (sec)	N/A	0.275	11.534	0.131	2.648	1.508	0.	0.

Problem 851	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	150	150	197	0	0	0	0	0
normalized size	1	1.	1.31	0.	0.	0.	0.	0.
time (sec)	N/A	0.227	33.303	1.095	0.	0.	0.	0.

Problem 852	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	177	0	0	0	0	0
normalized size	1	1.	1.2	0.	0.	0.	0.	0.
time (sec)	N/A	0.225	84.184	1.369	0.	0.	0.	0.

Problem 853	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	33	33	56	0	0	153	0	0
normalized size	1	1.	1.7	0.	0.	4.64	0.	0.
time (sec)	N/A	0.106	3.702	0.713	0.	1.372	0.	0.

Problem 854	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	201	338	0	224	298	270
normalized size	1	1.	1.93	3.25	0.	2.15	2.87	2.6
time (sec)	N/A	0.238	1.689	0.045	0.	1.347	1.876	1.23

Problem 855	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	206	131	0	1629	0	0
normalized size	1	1.	1.4	0.89	0.	11.08	0.	0.
time (sec)	N/A	0.295	5.31	0.074	0.	1.741	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [600] had the largest ratio of [0.4545]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	4	1.	32	0.125
2	A	3	3	1.	30	0.1
3	A	2	2	1.	24	0.083
4	A	4	3	1.	30	0.1
5	A	3	3	1.	32	0.094
6	A	4	4	1.	32	0.125
7	A	5	4	1.	32	0.125
8	A	6	4	1.	32	0.125
9	A	5	5	1.	34	0.147
10	A	4	4	1.	32	0.125
11	A	3	3	1.	26	0.115
12	A	5	4	1.	32	0.125
13	A	5	4	1.	34	0.118
14	A	4	4	1.	34	0.118

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
15	A	5	5	1.	34	0.147
16	A	6	5	1.	34	0.147
17	A	6	5	1.	34	0.147
18	A	5	5	1.	32	0.156
19	A	4	4	1.	26	0.154
20	A	6	4	1.	32	0.125
21	A	6	5	1.	34	0.147
22	A	6	4	1.	34	0.118
23	A	5	4	1.	34	0.118
24	A	6	5	1.	34	0.147
25	A	7	5	1.	34	0.147
26	A	7	5	1.	34	0.147
27	A	6	5	1.	32	0.156
28	A	5	4	1.	26	0.154
29	A	7	4	1.	32	0.125
30	A	7	5	1.	34	0.147
31	A	7	5	1.	34	0.147
32	A	7	4	1.	34	0.118
33	A	6	4	1.	34	0.118
34	A	7	5	1.	34	0.147
35	A	8	5	1.	34	0.147
36	A	4	4	1.	34	0.118
37	A	3	3	1.	34	0.088
38	A	5	5	1.	32	0.156
39	A	2	2	1.	26	0.077
40	A	3	3	1.	32	0.094
41	A	4	4	1.	34	0.118
42	A	5	4	1.	34	0.118
43	A	6	4	1.	34	0.118
44	A	4	3	1.	34	0.088
45	A	6	6	1.	34	0.176
46	A	3	3	1.	32	0.094
47	A	3	3	1.	26	0.115
48	A	4	3	1.	32	0.094
49	A	5	4	1.	34	0.118
50	A	6	4	1.	34	0.118
51	A	5	3	1.	34	0.088
52	A	7	6	1.	34	0.176
53	A	4	4	1.	34	0.118
54	A	4	4	1.	32	0.125
55	A	4	3	1.	26	0.115
56	A	5	3	1.	32	0.094
57	A	6	4	1.	34	0.118
58	A	7	4	1.	34	0.118

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
59	A	8	6	1.	34	0.176
60	A	5	4	1.	34	0.118
61	A	5	5	1.	34	0.147
62	A	5	4	1.	32	0.125
63	A	5	3	1.	26	0.115
64	A	6	3	1.	32	0.094
65	A	7	4	1.	34	0.118
66	A	8	4	1.	34	0.118
67	A	6	5	1.	36	0.139
68	A	5	5	1.	36	0.139
69	A	4	4	1.	34	0.118
70	A	3	3	1.	28	0.107
71	A	6	6	1.	34	0.176
72	A	7	7	1.	36	0.194
73	A	8	7	1.	36	0.194
74	A	9	7	1.	36	0.194
75	A	6	6	1.	36	0.167
76	A	5	5	1.	34	0.147
77	A	4	4	1.	28	0.143
78	A	7	7	1.	34	0.206
79	A	7	7	1.	36	0.194
80	A	8	8	1.	36	0.222
81	A	9	8	1.	36	0.222
82	A	7	6	1.	36	0.167
83	A	6	5	1.	34	0.147
84	A	5	4	1.	28	0.143
85	A	8	7	1.	34	0.206
86	A	8	8	1.	36	0.222
87	A	8	7	1.	36	0.194
88	A	9	8	1.	36	0.222
89	A	10	8	1.	36	0.222
90	A	6	6	1.	36	0.167
91	A	5	5	1.	36	0.139
92	A	4	4	1.	34	0.118
93	A	3	3	1.	28	0.107
94	A	7	7	1.	34	0.206
95	A	8	8	1.	36	0.222
96	A	9	8	1.	36	0.222
97	A	6	5	1.	36	0.139
98	A	5	5	1.	36	0.139
99	A	4	4	1.	34	0.118
100	A	4	4	1.	28	0.143
101	A	8	7	1.	34	0.206
102	A	9	8	1.	36	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
103	A	10	8	1.	36	0.222
104	A	7	5	1.	36	0.139
105	A	6	5	1.	36	0.139
106	A	5	5	1.	36	0.139
107	A	5	5	1.	34	0.147
108	A	5	4	1.	28	0.143
109	A	9	7	1.	34	0.206
110	A	10	8	1.	36	0.222
111	A	11	8	1.	36	0.222
112	A	6	4	1.	34	0.118
113	A	5	4	1.	34	0.118
114	A	4	4	1.	34	0.118
115	A	3	3	1.	34	0.088
116	A	3	3	1.	34	0.088
117	A	4	4	1.	34	0.118
118	A	5	4	1.	34	0.118
119	A	7	5	1.	36	0.139
120	A	6	5	1.	36	0.139
121	A	5	5	1.	36	0.139
122	A	4	4	1.	36	0.111
123	A	4	4	1.	36	0.111
124	A	4	4	1.	36	0.111
125	A	5	5	1.	36	0.139
126	A	6	5	1.	36	0.139
127	A	7	5	1.	36	0.139
128	A	6	5	1.	36	0.139
129	A	5	4	1.	36	0.111
130	A	5	5	1.	36	0.139
131	A	5	4	1.	36	0.111
132	A	5	4	1.	36	0.111
133	A	6	5	1.	36	0.139
134	A	13	9	1.	36	0.25
135	A	12	9	1.	36	0.25
136	A	11	8	1.	36	0.222
137	A	11	8	1.	36	0.222
138	A	12	9	1.	36	0.25
139	A	13	9	1.	36	0.25
140	A	13	9	1.	36	0.25
141	A	12	8	1.	36	0.222
142	A	12	9	1.	36	0.25
143	A	12	8	1.	36	0.222
144	A	13	9	1.	36	0.25
145	A	14	9	1.	36	0.25
146	A	15	9	1.	36	0.25

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
147	A	14	9	1.	36	0.25
148	A	13	8	1.	36	0.222
149	A	13	9	1.	36	0.25
150	A	13	9	1.	36	0.25
151	A	13	8	1.	36	0.222
152	A	14	9	1.	36	0.25
153	A	15	9	1.	36	0.25
154	A	9	8	1.	38	0.21
155	A	8	8	1.	38	0.21
156	A	7	7	1.	38	0.184
157	A	4	4	1.	38	0.105
158	A	5	4	1.	38	0.105
159	A	6	4	1.	38	0.105
160	A	7	4	1.	38	0.105
161	A	10	9	1.	38	0.237
162	A	9	9	1.	38	0.237
163	A	8	8	1.	38	0.21
164	A	8	8	1.	38	0.21
165	A	5	5	1.	38	0.132
166	A	6	5	1.	38	0.132
167	A	7	5	1.	38	0.132
168	A	8	5	1.	38	0.132
169	A	11	9	1.	38	0.237
170	A	10	9	1.	38	0.237
171	A	9	8	1.	38	0.21
172	A	9	9	1.	38	0.237
173	A	9	8	1.	38	0.21
174	A	6	5	1.	38	0.132
175	A	7	5	1.	38	0.132
176	A	8	5	1.	38	0.132
177	A	9	5	1.	38	0.132
178	A	9	8	1.	46	0.174
179	A	9	9	1.	38	0.237
180	A	8	8	1.	38	0.21
181	A	4	4	1.	38	0.105
182	A	5	5	1.	38	0.132
183	A	6	5	1.	38	0.132
184	A	7	5	1.	38	0.132
185	A	9	8	1.	38	0.21
186	A	5	5	1.	38	0.132
187	A	5	4	1.	38	0.105
188	A	6	5	1.	38	0.132
189	A	7	5	1.	38	0.132
190	A	10	8	1.	38	0.21

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
191	A	6	5	1.	38	0.132
192	A	6	5	1.	38	0.132
193	A	6	4	1.	38	0.105
194	A	7	5	1.	38	0.132
195	A	8	5	1.	38	0.132
196	A	6	6	1.	28	0.214
197	A	8	8	1.	36	0.222
198	A	7	7	1.	34	0.206
199	A	6	6	1.	28	0.214
200	A	11	7	1.	34	0.206
201	A	12	8	1.	36	0.222
202	A	6	6	1.	28	0.214
203	A	6	6	1.	28	0.214
204	A	7	5	1.	34	0.147
205	A	6	5	1.	34	0.147
206	A	5	5	1.	34	0.147
207	A	3	3	1.	32	0.094
208	A	6	4	1.	34	0.118
209	A	7	4	1.	34	0.118
210	A	8	4	1.	34	0.118
211	A	9	4	1.	34	0.118
212	A	9	8	1.	36	0.222
213	A	8	8	1.	36	0.222
214	A	7	7	1.	36	0.194
215	A	8	8	1.	36	0.222
216	A	9	8	1.	36	0.222
217	A	10	8	1.	36	0.222
218	A	7	7	1.	34	0.206
219	A	6	5	1.	34	0.147
220	A	5	5	1.	34	0.147
221	A	4	4	1.	32	0.125
222	A	3	3	1.	26	0.115
223	A	5	5	1.	32	0.156
224	A	6	6	1.	34	0.176
225	A	7	6	1.	34	0.176
226	A	11	9	1.	36	0.25
227	A	10	9	1.	36	0.25
228	A	9	9	1.	36	0.25
229	A	8	8	1.	36	0.222
230	A	9	9	1.	36	0.25
231	A	10	9	1.	36	0.25
232	A	4	4	1.	29	0.138
233	A	3	3	1.	27	0.111
234	A	2	2	1.	21	0.095

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
235	A	4	3	1.	27	0.111
236	A	3	3	1.	29	0.103
237	A	4	4	1.	29	0.138
238	A	5	4	1.	29	0.138
239	A	6	4	1.	29	0.138
240	A	5	5	1.	31	0.161
241	A	4	4	1.	29	0.138
242	A	3	3	1.	23	0.13
243	A	4	3	1.	29	0.103
244	A	4	3	1.	31	0.097
245	A	4	4	1.	31	0.129
246	A	5	5	1.	31	0.161
247	A	6	5	1.	31	0.161
248	A	6	5	1.	31	0.161
249	A	5	4	1.	29	0.138
250	A	4	3	1.	23	0.13
251	A	5	4	1.	29	0.138
252	A	5	4	1.	31	0.129
253	A	5	4	1.	31	0.129
254	A	5	5	1.	31	0.161
255	A	6	6	1.	31	0.194
256	A	7	6	1.	31	0.194
257	A	7	5	1.	31	0.161
258	A	6	4	1.	29	0.138
259	A	5	3	1.	23	0.13
260	A	6	5	1.	29	0.172
261	A	6	5	1.	31	0.161
262	A	6	5	1.	31	0.161
263	A	6	5	1.	31	0.161
264	A	6	6	1.	31	0.194
265	A	7	7	1.	31	0.226
266	A	8	7	1.	31	0.226
267	A	6	6	1.	31	0.194
268	A	5	5	1.	31	0.161
269	A	5	5	1.	29	0.172
270	A	2	2	1.	23	0.087
271	A	3	3	1.	29	0.103
272	A	4	4	1.	31	0.129
273	A	5	5	1.	31	0.161
274	A	6	5	1.	31	0.161
275	A	6	6	1.	31	0.194
276	A	5	5	1.	31	0.161
277	A	3	3	1.	29	0.103
278	A	3	3	1.	23	0.13

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
279	A	4	4	1.	29	0.138
280	A	5	5	1.	31	0.161
281	A	6	5	1.	31	0.161
282	A	7	7	1.	31	0.226
283	A	6	6	1.	31	0.194
284	A	4	4	1.	31	0.129
285	A	4	4	1.	29	0.138
286	A	4	3	1.	23	0.13
287	A	5	5	1.	29	0.172
288	A	6	5	1.	31	0.161
289	A	7	5	1.	31	0.161
290	A	7	7	1.	31	0.226
291	A	5	5	1.	31	0.161
292	A	5	5	1.	31	0.161
293	A	5	4	1.	29	0.138
294	A	5	3	1.	23	0.13
295	A	6	5	1.	29	0.172
296	A	7	5	1.	31	0.161
297	A	8	5	1.	31	0.161
298	A	3	3	1.	34	0.088
299	A	3	3	1.	34	0.088
300	A	2	2	1.	32	0.062
301	A	2	2	1.	26	0.077
302	A	2	2	1.	32	0.062
303	A	3	3	1.	34	0.088
304	A	3	3	1.	34	0.088
305	A	4	3	1.	34	0.088
306	A	7	7	1.	34	0.206
307	A	6	6	1.	34	0.176
308	A	5	5	1.	34	0.147
309	A	3	3	1.	32	0.094
310	A	3	3	1.	26	0.115
311	A	4	4	1.	32	0.125
312	A	5	5	1.	34	0.147
313	A	6	6	1.	34	0.176
314	A	2	2	1.	21	0.095
315	A	2	2	1.	28	0.071
316	A	3	3	1.	23	0.13
317	A	11	8	1.	33	0.242
318	A	10	7	1.	33	0.212
319	A	9	6	1.	31	0.194
320	A	8	5	1.	25	0.2
321	A	11	6	1.	31	0.194
322	A	12	7	1.	33	0.212

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
323	A	13	8	1.	33	0.242
324	A	14	8	1.	33	0.242
325	A	11	7	1.	33	0.212
326	A	10	6	1.	31	0.194
327	A	9	5	1.	25	0.2
328	A	12	7	1.	31	0.226
329	A	12	7	1.	33	0.212
330	A	13	8	1.	33	0.242
331	A	14	8	1.	33	0.242
332	A	12	7	1.	33	0.212
333	A	11	6	1.	31	0.194
334	A	10	5	1.	25	0.2
335	A	13	8	1.	31	0.258
336	A	13	8	1.	33	0.242
337	A	13	8	1.	33	0.242
338	A	14	9	1.	33	0.273
339	A	15	9	1.	33	0.273
340	A	10	7	1.	27	0.259
341	A	13	9	1.	27	0.333
342	A	13	9	1.	27	0.333
343	A	10	7	1.	33	0.212
344	A	9	6	1.	33	0.182
345	A	8	5	1.	31	0.161
346	A	7	4	1.	25	0.16
347	A	11	6	1.	31	0.194
348	A	12	7	1.	33	0.212
349	A	13	8	1.	33	0.242
350	A	10	7	1.	33	0.212
351	A	9	6	1.	33	0.182
352	A	8	5	1.	31	0.161
353	A	8	5	1.	25	0.2
354	A	12	7	1.	31	0.226
355	A	13	8	1.	33	0.242
356	A	14	8	1.	33	0.242
357	A	11	8	1.	33	0.242
358	A	10	7	1.	33	0.212
359	A	9	6	1.	33	0.182
360	A	9	6	1.	31	0.194
361	A	9	5	1.	25	0.2
362	A	13	8	1.	31	0.258
363	A	14	8	1.	33	0.242
364	A	15	8	1.	33	0.242
365	A	12	8	1.	28	0.286
366	A	12	8	1.	28	0.286

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
367	A	12	7	1.	34	0.206
368	A	9	6	1.	28	0.214
369	A	13	8	1.	34	0.235
370	A	7	4	1.	27	0.148
371	A	8	5	1.	27	0.185
372	A	9	5	1.	27	0.185
373	A	3	3	1.	27	0.111
374	A	3	3	1.	27	0.111
375	A	2	2	1.	15	0.133
376	A	2	2	1.	17	0.118
377	A	5	4	1.	25	0.16
378	A	14	9	1.	31	0.29
379	A	13	9	1.	31	0.29
380	A	12	9	1.	31	0.29
381	A	11	8	1.	31	0.258
382	A	11	8	1.	31	0.258
383	A	12	9	1.	31	0.29
384	A	13	9	1.	31	0.29
385	A	15	10	1.	33	0.303
386	A	14	10	1.	33	0.303
387	A	13	10	1.	33	0.303
388	A	12	9	1.	33	0.273
389	A	12	9	1.	33	0.273
390	A	12	9	1.	33	0.273
391	A	13	10	1.	33	0.303
392	A	15	11	1.	33	0.333
393	A	14	11	1.	33	0.333
394	A	13	10	1.	33	0.303
395	A	13	10	1.	33	0.303
396	A	13	10	1.	33	0.303
397	A	13	10	1.	33	0.303
398	A	16	13	1.	33	0.394
399	A	15	12	1.	33	0.364
400	A	14	11	1.	33	0.333
401	A	14	11	1.	33	0.333
402	A	15	12	1.	33	0.364
403	A	16	13	1.	33	0.394
404	A	16	13	1.	33	0.394
405	A	15	12	1.	33	0.364
406	A	15	12	1.	33	0.364
407	A	15	12	1.	33	0.364
408	A	16	13	1.	33	0.394
409	A	17	13	1.	33	0.394
410	A	17	14	1.	33	0.424

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
411	A	16	13	1.	33	0.394
412	A	16	13	1.	33	0.394
413	A	16	13	1.	33	0.394
414	A	16	13	1.	33	0.394
415	A	17	13	1.	33	0.394
416	A	13	10	1.	36	0.278
417	A	13	10	1.	36	0.278
418	A	12	9	1.	36	0.25
419	A	12	9	1.	36	0.25
420	A	13	10	1.	36	0.278
421	A	13	10	1.	36	0.278
422	A	16	13	1.	36	0.361
423	A	15	12	1.	36	0.333
424	A	15	12	1.	36	0.333
425	A	15	12	1.	36	0.333
426	A	16	13	1.	36	0.361
427	A	14	10	1.	35	0.286
428	A	13	9	1.	35	0.257
429	A	12	9	1.	35	0.257
430	A	8	6	1.	35	0.171
431	A	9	7	1.	35	0.2
432	A	10	7	1.	35	0.2
433	A	11	7	1.	35	0.2
434	A	15	10	1.	35	0.286
435	A	14	10	1.	35	0.286
436	A	13	9	1.	35	0.257
437	A	13	9	1.	35	0.257
438	A	9	7	1.	35	0.2
439	A	10	7	1.	35	0.2
440	A	11	7	1.	35	0.2
441	A	12	7	1.	35	0.2
442	A	16	10	1.	35	0.286
443	A	15	10	1.	35	0.286
444	A	14	10	1.	35	0.286
445	A	14	10	1.	35	0.286
446	A	14	10	1.	35	0.286
447	A	10	8	1.	35	0.229
448	A	11	8	1.	35	0.229
449	A	12	8	1.	35	0.229
450	A	13	8	1.	35	0.229
451	A	14	10	1.	43	0.233
452	A	13	9	1.	35	0.257
453	A	12	9	1.	35	0.257
454	A	7	5	1.	35	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
455	A	8	6	1.	35	0.171
456	A	9	7	1.	35	0.2
457	A	10	7	1.	35	0.2
458	A	13	9	1.	35	0.257
459	A	8	6	1.	35	0.171
460	A	8	6	1.	35	0.171
461	A	9	7	1.	35	0.2
462	A	10	7	1.	35	0.2
463	A	14	10	1.	35	0.286
464	A	9	7	1.	35	0.2
465	A	9	7	1.	35	0.2
466	A	9	7	1.	35	0.2
467	A	10	7	1.	35	0.2
468	A	11	7	1.	35	0.2
469	A	13	10	1.	38	0.263
470	A	8	6	1.	38	0.158
471	A	8	6	1.	38	0.158
472	A	10	8	1.	38	0.21
473	A	12	7	1.	25	0.28
474	A	12	7	1.	25	0.28
475	A	11	6	1.	25	0.24
476	A	11	6	1.	25	0.24
477	A	5	5	1.	27	0.185
478	A	11	6	1.	26	0.231
479	A	9	7	1.	31	0.226
480	A	8	6	1.	31	0.194
481	A	7	5	1.	31	0.161
482	A	6	4	1.	29	0.138
483	A	8	6	1.	31	0.194
484	A	9	7	1.	31	0.226
485	A	10	8	1.	31	0.258
486	A	11	8	1.	31	0.258
487	A	7	4	1.	33	0.121
488	A	7	4	1.	33	0.121
489	A	7	4	1.	33	0.121
490	A	7	4	1.	33	0.121
491	A	7	4	1.	33	0.121
492	A	7	4	1.	33	0.121
493	A	7	4	1.	31	0.129
494	A	9	6	0.99	31	0.194
495	A	8	6	0.99	31	0.194
496	A	7	5	1.	31	0.161
497	A	6	4	1.	29	0.138
498	A	5	3	1.	23	0.13

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
499	A	8	6	1.	29	0.207
500	A	9	7	1.	31	0.226
501	A	10	8	1.	31	0.258
502	A	6	5	1.	34	0.147
503	A	5	5	1.	34	0.147
504	A	4	4	1.	34	0.118
505	A	4	4	1.	34	0.118
506	A	5	5	1.	34	0.147
507	A	6	5	1.	34	0.147
508	A	6	6	1.	36	0.167
509	A	5	5	1.	36	0.139
510	A	5	5	1.	36	0.139
511	A	5	5	1.	36	0.139
512	A	6	6	1.	36	0.167
513	A	7	6	1.	36	0.167
514	A	6	5	1.	36	0.139
515	A	6	6	1.	36	0.167
516	A	6	5	1.	36	0.139
517	A	6	5	1.	36	0.139
518	A	7	6	1.	36	0.167
519	A	14	10	1.	36	0.278
520	A	13	10	1.	36	0.278
521	A	12	9	1.	36	0.25
522	A	12	9	1.	36	0.25
523	A	13	10	1.	36	0.278
524	A	14	10	1.	36	0.278
525	A	14	10	1.	36	0.278
526	A	13	9	1.	36	0.25
527	A	13	10	1.	36	0.278
528	A	13	9	1.	36	0.25
529	A	14	10	1.	36	0.278
530	A	15	10	1.	36	0.278
531	A	14	9	1.	36	0.25
532	A	14	10	1.	36	0.278
533	A	14	10	1.	36	0.278
534	A	14	9	1.	36	0.25
535	A	15	10	1.	36	0.278
536	A	7	5	1.	38	0.132
537	A	6	5	1.	38	0.132
538	A	5	5	1.	38	0.132
539	A	8	8	1.	38	0.21
540	A	9	9	1.	38	0.237
541	A	8	6	1.	38	0.158
542	A	7	6	1.	38	0.158

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
543	A	6	6	1.	38	0.158
544	A	9	9	1.	38	0.237
545	A	9	9	1.	38	0.237
546	A	10	10	1.	38	0.263
547	A	9	6	1.	38	0.158
548	A	8	6	1.	38	0.158
549	A	7	6	1.	38	0.158
550	A	10	9	1.	38	0.237
551	A	10	10	1.	38	0.263
552	A	10	9	1.	38	0.237
553	A	11	10	1.	38	0.263
554	A	7	6	1.	38	0.158
555	A	6	6	1.	38	0.158
556	A	5	5	1.	38	0.132
557	A	9	9	1.	38	0.237
558	A	7	6	1.	38	0.158
559	A	6	5	1.	38	0.132
560	A	6	6	1.	38	0.158
561	A	10	9	1.	38	0.237
562	A	8	6	1.	38	0.158
563	A	7	5	1.	38	0.132
564	A	7	6	1.	38	0.158
565	A	7	6	1.	38	0.158
566	A	11	9	1.	38	0.237
567	A	8	8	1.	34	0.235
568	A	11	10	1.	36	0.278
569	A	10	10	1.	36	0.278
570	A	9	9	1.	36	0.25
571	A	10	10	1.	36	0.278
572	A	11	10	1.	36	0.278
573	A	12	10	1.	36	0.278
574	A	13	10	1.	31	0.323
575	A	12	9	1.	31	0.29
576	A	12	9	1.	31	0.29
577	A	13	10	1.	31	0.323
578	A	14	11	1.	33	0.333
579	A	13	10	1.	33	0.303
580	A	13	10	1.	33	0.303
581	A	13	10	1.	33	0.303
582	A	14	11	1.	33	0.333
583	A	15	12	1.	33	0.364
584	A	14	11	1.	33	0.333
585	A	14	11	1.	33	0.333
586	A	14	11	1.	33	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
587	A	14	11	1.	33	0.333
588	A	15	12	1.	33	0.364
589	A	17	14	1.	33	0.424
590	A	16	13	1.	33	0.394
591	A	15	12	1.	33	0.364
592	A	15	12	1.	33	0.364
593	A	16	13	1.	33	0.394
594	A	17	14	1.	33	0.424
595	A	17	14	1.	33	0.424
596	A	16	13	1.	33	0.394
597	A	16	13	1.	33	0.394
598	A	16	13	1.	33	0.394
599	A	17	14	1.	33	0.424
600	A	18	15	1.	33	0.454
601	A	17	14	1.	33	0.424
602	A	17	14	1.	33	0.424
603	A	17	14	1.	33	0.424
604	A	17	14	1.	33	0.424
605	A	18	14	1.	33	0.424
606	A	13	10	1.	36	0.278
607	A	13	10	1.	36	0.278
608	A	12	9	1.	36	0.25
609	A	12	9	1.	36	0.25
610	A	13	10	1.	36	0.278
611	A	13	10	1.	36	0.278
612	A	12	8	1.	35	0.229
613	A	11	8	1.	35	0.229
614	A	10	8	1.	35	0.229
615	A	9	7	1.	35	0.2
616	A	13	10	1.	35	0.286
617	A	14	10	1.	35	0.286
618	A	15	11	1.	35	0.314
619	A	13	8	1.	35	0.229
620	A	12	8	1.	35	0.229
621	A	11	8	1.	35	0.229
622	A	10	8	1.	35	0.229
623	A	14	10	1.	35	0.286
624	A	14	10	1.	35	0.286
625	A	15	11	1.	35	0.314
626	A	16	11	1.	35	0.314
627	A	14	9	1.	35	0.257
628	A	13	9	1.	35	0.257
629	A	12	9	1.	35	0.257
630	A	11	9	1.	35	0.257

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
631	A	15	11	1.	35	0.314
632	A	15	11	1.	35	0.314
633	A	15	11	1.	35	0.314
634	A	16	11	1.	35	0.314
635	A	17	11	1.	35	0.314
636	A	11	8	1.	35	0.229
637	A	10	8	1.	35	0.229
638	A	9	7	1.	35	0.2
639	A	8	6	1.	35	0.171
640	A	13	10	1.	35	0.286
641	A	14	10	1.	35	0.286
642	A	11	8	1.	35	0.229
643	A	10	8	1.	35	0.229
644	A	9	7	1.	35	0.2
645	A	9	7	1.	35	0.2
646	A	14	10	1.	35	0.286
647	A	12	8	1.	35	0.229
648	A	11	8	1.	35	0.229
649	A	10	8	1.	35	0.229
650	A	10	8	1.	35	0.229
651	A	10	8	1.	35	0.229
652	A	15	11	1.	35	0.314
653	A	9	7	1.	38	0.184
654	A	9	7	1.	38	0.184
655	A	14	11	1.	38	0.29
656	A	8	5	1.	31	0.161
657	A	10	6	1.	33	0.182
658	A	10	6	1.	33	0.182
659	A	10	6	1.	33	0.182
660	A	10	6	1.	33	0.182
661	A	9	5	1.	33	0.152
662	A	9	5	1.	33	0.152
663	A	9	5	1.	33	0.152
664	A	9	5	1.	33	0.152
665	A	3	2	1.	39	0.051
666	A	3	2	1.	39	0.051
667	A	3	2	1.	39	0.051
668	A	3	2	1.	39	0.051
669	A	2	1	1.	37	0.027
670	A	2	2	1.	24	0.083
671	A	3	2	1.	39	0.051
672	A	2	2	1.	39	0.051
673	A	3	2	1.	39	0.051
674	A	3	2	1.	39	0.051

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
675	A	3	2	1.	39	0.051
676	A	3	2	1.	41	0.049
677	A	3	2	1.	41	0.049
678	A	3	2	1.	41	0.049
679	A	3	2	1.	41	0.049
680	A	4	3	1.	41	0.073
681	A	3	2	1.	39	0.051
682	A	3	3	1.	26	0.115
683	A	3	2	1.	41	0.049
684	A	3	2	1.	41	0.049
685	A	3	2	1.	41	0.049
686	A	3	2	1.	41	0.049
687	A	3	2	1.	41	0.049
688	A	3	2	1.	41	0.049
689	A	3	2	1.	41	0.049
690	A	3	2	1.	41	0.049
691	A	3	2	1.	41	0.049
692	A	3	2	1.	41	0.049
693	A	5	4	1.	41	0.098
694	A	3	2	1.	41	0.049
695	A	3	2	1.	39	0.051
696	A	4	4	1.	26	0.154
697	A	3	2	1.	41	0.049
698	A	3	2	1.	41	0.049
699	A	4	3	1.	41	0.073
700	A	3	3	1.	41	0.073
701	A	3	2	1.	41	0.049
702	A	3	2	1.	41	0.049
703	A	3	2	1.	41	0.049
704	A	3	2	1.	41	0.049
705	A	3	3	1.	41	0.073
706	A	3	2	1.	41	0.049
707	A	3	2	1.	41	0.049
708	A	3	2	1.	41	0.049
709	A	3	2	1.	39	0.051
710	A	2	2	1.	26	0.077
711	A	4	4	1.	41	0.098
712	A	4	3	1.	41	0.073
713	A	4	3	1.	41	0.073
714	A	4	3	1.	41	0.073
715	A	3	3	1.	41	0.073
716	A	3	2	1.	41	0.049
717	A	3	2	1.	41	0.049
718	A	3	2	1.	41	0.049

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
719	A	3	2	1.	41	0.049
720	A	2	2	1.	39	0.051
721	A	3	3	1.	26	0.115
722	A	4	3	1.	41	0.073
723	A	5	5	1.	41	0.122
724	A	4	3	1.	41	0.073
725	A	4	3	1.	41	0.073
726	A	4	3	1.	41	0.073
727	A	3	3	1.	41	0.073
728	A	3	2	1.	41	0.049
729	A	3	2	1.	41	0.049
730	A	4	3	1.	41	0.073
731	A	3	2	1.	41	0.049
732	A	3	2	1.	39	0.051
733	A	4	3	1.	26	0.115
734	A	4	3	1.	41	0.073
735	A	4	3	1.	41	0.073
736	A	6	5	1.	41	0.122
737	A	4	3	1.	41	0.073
738	A	4	3	1.	41	0.073
739	A	4	3	1.	41	0.073
740	A	3	2	1.	41	0.049
741	A	3	2	1.	41	0.049
742	A	3	2	1.	41	0.049
743	A	3	2	1.	41	0.049
744	A	3	2	1.	41	0.049
745	A	3	2	1.	41	0.049
746	A	3	2	1.	41	0.049
747	A	3	2	1.	41	0.049
748	A	3	2	1.	43	0.047
749	A	3	2	1.	43	0.047
750	A	3	2	1.	43	0.047
751	A	3	2	1.	43	0.047
752	A	3	2	1.	43	0.047
753	A	3	2	1.	43	0.047
754	A	3	2	1.	43	0.047
755	A	3	2	1.	43	0.047
756	A	3	2	1.	43	0.047
757	A	3	2	1.	43	0.047
758	A	3	2	1.	43	0.047
759	A	3	2	1.	43	0.047
760	A	3	2	1.	43	0.047
761	A	3	2	1.	43	0.047
762	A	3	2	1.	43	0.047

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
763	A	3	2	1.	43	0.047
764	A	7	5	1.	43	0.116
765	A	6	5	1.	43	0.116
766	A	5	5	1.	43	0.116
767	A	4	4	1.	43	0.093
768	A	5	5	1.	43	0.116
769	A	6	5	1.	43	0.116
770	A	7	5	1.	43	0.116
771	A	8	6	1.	43	0.14
772	A	7	6	1.	43	0.14
773	A	6	6	1.	43	0.14
774	A	5	5	1.	43	0.116
775	A	5	5	1.	43	0.116
776	A	6	5	1.	43	0.116
777	A	7	5	1.	43	0.116
778	A	8	5	1.	43	0.116
779	A	8	6	1.	43	0.14
780	A	7	6	1.	43	0.14
781	A	6	5	1.	43	0.116
782	A	6	6	1.	43	0.14
783	A	6	5	1.	43	0.116
784	A	7	5	1.	43	0.116
785	A	8	5	1.	43	0.116
786	A	9	5	1.	43	0.116
787	A	8	6	1.	45	0.133
788	A	7	6	1.	45	0.133
789	A	6	6	1.	45	0.133
790	A	5	5	1.	45	0.111
791	A	5	5	1.	45	0.111
792	A	3	3	1.	45	0.067
793	A	4	4	1.	45	0.089
794	A	5	4	1.	45	0.089
795	A	8	7	1.	45	0.156
796	A	7	7	1.	45	0.156
797	A	6	6	1.	45	0.133
798	A	6	6	1.	45	0.133
799	A	6	6	1.	45	0.133
800	A	6	6	1.	45	0.133
801	A	3	3	1.	45	0.067
802	A	4	4	1.	45	0.089
803	A	5	4	1.	45	0.089
804	A	6	4	1.	45	0.089
805	A	8	7	1.	45	0.156
806	A	7	6	1.	45	0.133

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
807	A	7	7	1.	45	0.156
808	A	7	6	1.	45	0.133
809	A	7	6	1.	45	0.133
810	A	7	7	1.	45	0.156
811	A	7	6	1.	45	0.133
812	A	3	3	1.	45	0.067
813	A	4	4	1.	45	0.089
814	A	5	4	1.	45	0.089
815	A	6	4	1.	45	0.089
816	A	9	7	1.	45	0.156
817	A	8	6	1.	45	0.133
818	A	8	7	1.	45	0.156
819	A	8	7	1.	45	0.156
820	A	8	6	1.	45	0.133
821	A	8	6	1.	45	0.133
822	A	8	7	1.	45	0.156
823	A	8	7	1.	45	0.156
824	A	8	6	1.	45	0.133
825	A	3	3	1.	45	0.067
826	A	4	4	1.	45	0.089
827	A	5	4	1.	45	0.089
828	A	6	4	1.	45	0.089
829	A	7	4	1.	45	0.089
830	A	7	6	1.	45	0.133
831	A	6	6	1.	45	0.133
832	A	5	5	1.	45	0.111
833	A	3	3	1.	45	0.067
834	A	4	4	1.	45	0.089
835	A	5	4	1.	45	0.089
836	A	8	7	1.	45	0.156
837	A	7	7	1.	45	0.156
838	A	6	6	1.	45	0.133
839	A	3	3	1.	45	0.067
840	A	4	4	1.	45	0.089
841	A	4	4	1.	45	0.089
842	A	6	4	1.	45	0.089
843	A	9	7	1.	45	0.156
844	A	8	7	1.	45	0.156
845	A	7	6	1.	45	0.133
846	A	3	3	1.	45	0.067
847	A	4	4	1.	45	0.089
848	A	5	4	1.	45	0.089
849	A	5	4	1.	45	0.089
850	A	5	5	1.	45	0.111

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
851	A	4	4	1.	41	0.098
852	A	4	4	1.	47	0.085
853	A	2	2	1.	46	0.043
854	A	3	3	1.	36	0.083
855	A	4	4	1.	38	0.105

Chapter 3

Listing of integrals

$$3.1 \quad \int \tan^2(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=91

$$\frac{a(B + iA) \tan^2(c + dx)}{2d} + \frac{a(A - iB) \tan(c + dx)}{d} + \frac{a(B + iA) \log(\cos(c + dx))}{d} - ax(A - iB) + \frac{iaB \tan^3(c + dx)}{3d}$$

[Out] $-(a*(A - I*B)*x) + (a*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a*(A - I*B)*\text{Tan}[c + d*x])/d + (a*(I*A + B)*\text{Tan}[c + d*x]^2)/(2*d) + ((I/3)*a*B*\text{Tan}[c + d*x]^3)/d$

Rubi [A] time = 0.110829, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3592, 3528, 3525, 3475}

$$\frac{a(B + iA) \tan^2(c + dx)}{2d} + \frac{a(A - iB) \tan(c + dx)}{d} + \frac{a(B + iA) \log(\cos(c + dx))}{d} - ax(A - iB) + \frac{iaB \tan^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a*(A - I*B)*x) + (a*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a*(A - I*B)*\text{Tan}[c + d*x])/d + (a*(I*A + B)*\text{Tan}[c + d*x]^2)/(2*d) + ((I/3)*a*B*\text{Tan}[c + d*x]^3)/d$

Rule 3592

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m*(A + B*\text{tan}[(e + f*x)] + (c + d*\text{tan}[(e + f*x)])), x_Symbol] := \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3528

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m*(c + d*\text{tan}[(e + f*x)] + (f*x))), x_Symbol] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2,$

0] && GtQ[m, 0]

Rule 3525

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)
*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e +
f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f},
x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= \frac{iaB \tan^3(c + dx)}{3d} + \int \tan^2(c + dx)(a(A - iB) + a(iA + B) \tan(c + dx)) dx \\ &= \frac{a(iA + B) \tan^2(c + dx)}{2d} + \frac{iaB \tan^3(c + dx)}{3d} + \int \tan(c + dx)(a(A - iB) + a(iA + B) \tan(c + dx)) dx \\ &= -a(A - iB)x + \frac{a(A - iB) \tan(c + dx)}{d} + \frac{a(iA + B) \tan^2(c + dx)}{2d} \\ &= -a(A - iB)x + \frac{a(iA + B) \log(\cos(c + dx))}{d} + \frac{a(A - iB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.869767, size = 86, normalized size = 0.95

$$\frac{a(3(B + iA) \tan^2(c + dx) - 6(A - iB) \tan^{-1}(\tan(c + dx)) + 6(A - iB) \tan(c + dx) + 6(B + iA) \log(\cos(c + dx)) + 2iB \tan(c + dx))}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]
```

```
[Out] (a*(-6*(A - I*B)*ArcTan[Tan[c + d*x]] + 6*(I*A + B)*Log[Cos[c + d*x]] + 6*(A - I*B)*Tan[c + d*x] + 3*(I*A + B)*Tan[c + d*x]^2 + (2*I)*B*Tan[c + d*x]^3))/(6*d)
```

Maple [A] time = 0.012, size = 141, normalized size = 1.6

$$\frac{\frac{i}{3}aB(\tan(dx + c))^3}{d} + \frac{\frac{i}{2}aA(\tan(dx + c))^2}{d} - \frac{iaB \tan(dx + c)}{d} + \frac{aB(\tan(dx + c))^2}{2d} + \frac{aA \tan(dx + c)}{d} - \frac{\frac{i}{2}a \ln(1 + (\tan(dx + c))^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)
```

```
[Out] 1/3*I*a*B*tan(d*x+c)^3/d+1/2*I/d*a*A*tan(d*x+c)^2-I/d*a*B*tan(d*x+c)+1/2/d*a*B*tan(d*x+c)^2+1/d*a*A*tan(d*x+c)-1/2*I/d*a*ln(1+tan(d*x+c)^2)*A-1/2/d*a*ln(1+tan(d*x+c)^2)*B+I/d*a*B*arctan(tan(d*x+c))-1/d*a*A*arctan(tan(d*x+c))
```


Maxima [A] time = 1.52614, size = 113, normalized size = 1.24

$$\frac{-2iBa \tan(dx+c)^3 + 3(-iA-B)a \tan(dx+c)^2 + 6(dx+c)(A-iB)a + 3(iA+B)a \log(\tan(dx+c)^2+1) - (6A-6iB)a \tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/6*(-2*I*B*a*tan(d*x+c)^3 + 3*(-I*A-B)*a*tan(d*x+c)^2 + 6*(d*x+c)*(A-I*B)*a + 3*(I*A+B)*a*log(tan(d*x+c)^2+1) - (6*A-6*I*B)*a*tan(d*x+c))/d

Fricas [B] time = 1.42001, size = 467, normalized size = 5.13

$$\frac{(12iA+18B)ae^{4idx+4ic} + (18iA+18B)ae^{2idx+2ic} + (6iA+8B)a + ((3iA+3B)ae^{6idx+6ic} + (9iA+9B)ae^{4idx+4ic})}{3(de^{6idx+6ic} + 3de^{4idx+4ic} + 3de^{2idx+2ic} + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/3*((12*I*A+18*B)*a*e^(4*I*d*x+4*I*c) + (18*I*A+18*B)*a*e^(2*I*d*x+2*I*c) + (6*I*A+8*B)*a + ((3*I*A+3*B)*a*e^(6*I*d*x+6*I*c) + (9*I*A+9*B)*a*e^(4*I*d*x+4*I*c) + (9*I*A+9*B)*a*e^(2*I*d*x+2*I*c) + (3*I*A+3*B)*a)*log(e^(2*I*d*x+2*I*c)+1)/(d*e^(6*I*d*x+6*I*c)+3*d*e^(4*I*d*x+4*I*c)+3*d*e^(2*I*d*x+2*I*c)+d)

Sympy [B] time = 12.6028, size = 156, normalized size = 1.71

$$\frac{a(iA+B) \log(e^{2idx} + e^{-2ic})}{d} + \frac{\frac{(4iAa+6Ba)e^{-2ic}e^{4idx}}{d} + \frac{(6iAa+6Ba)e^{-4ic}e^{2idx}}{d} + \frac{(6iAa+8Ba)e^{-6ic}}{3d}}{e^{6idx} + 3e^{-2ic}e^{4idx} + 3e^{-4ic}e^{2idx} + e^{-6ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] a*(I*A+B)*log(exp(2*I*d*x)+exp(-2*I*c))/d + ((4*I*A*a+6*B*a)*exp(-2*I*c)*exp(4*I*d*x)/d + (6*I*A*a+6*B*a)*exp(-4*I*c)*exp(2*I*d*x)/d + (6*I*A*a+8*B*a)*exp(-6*I*c)/(3*d))/(exp(6*I*d*x)+3*exp(-2*I*c)*exp(4*I*d*x)+3*exp(-4*I*c)*exp(2*I*d*x)+exp(-6*I*c))

Giac [B] time = 1.64339, size = 383, normalized size = 4.21

$$\frac{3iAae^{(6idx+6ic)} \log(e^{(2idx+2ic)}+1) + 3Bae^{(6idx+6ic)} \log(e^{(2idx+2ic)}+1) + 9iAae^{(4idx+4ic)} \log(e^{(2idx+2ic)}+1) + 9Bae^{(4idx+4ic)} \log(e^{(2idx+2ic)}+1)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{3} \cdot (3 \cdot I \cdot A \cdot a \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 3 \cdot B \cdot a \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 9 \cdot I \cdot A \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 9 \cdot B \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 9 \cdot I \cdot A \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 9 \cdot B \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 12 \cdot I \cdot A \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 18 \cdot B \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 18 \cdot I \cdot A \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 18 \cdot B \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 3 \cdot I \cdot A \cdot a \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 3 \cdot B \cdot a \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1) + 6 \cdot I \cdot A \cdot a + 8 \cdot B \cdot a) / (d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + d)$

3.2 $\int \tan(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=69

$$\frac{a(B + iA) \tan(c + dx)}{d} - \frac{a(A - iB) \log(\cos(c + dx))}{d} - ax(B + iA) + \frac{iaB \tan^2(c + dx)}{2d}$$

[Out] $-(a*(I*A + B)*x) - (a*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a*(I*A + B)*\text{Tan}[c + d*x])/d + ((I/2)*a*B*\text{Tan}[c + d*x]^2)/d$

Rubi [A] time = 0.0555895, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {3592, 3525, 3475}

$$\frac{a(B + iA) \tan(c + dx)}{d} - \frac{a(A - iB) \log(\cos(c + dx))}{d} - ax(B + iA) + \frac{iaB \tan^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a*(I*A + B)*x) - (a*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a*(I*A + B)*\text{Tan}[c + d*x])/d + ((I/2)*a*B*\text{Tan}[c + d*x]^2)/d$

Rule 3592

$\text{Int}[(a + (b*\text{tan}[e + f*x])^m)*(A + B*\text{tan}[e + f*x] + (c + d*\text{tan}[e + f*x]))*(c + d*\text{tan}[e + f*x]), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3525

$\text{Int}[(a + (b*\text{tan}[e + f*x])*(c + d*\text{tan}[e + f*x]))*(c + d*\text{tan}[e + f*x]), x_Symbol] \rightarrow \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \tan(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= \frac{iaB \tan^2(c + dx)}{2d} + \int \tan(c + dx)(a(A - iB) + a(iA + B)) \\ &= -a(iA + B)x + \frac{a(iA + B) \tan(c + dx)}{d} + \frac{iaB \tan^2(c + dx)}{2d} \\ &= -a(iA + B)x - \frac{a(A - iB) \log(\cos(c + dx))}{d} + \frac{a(iA + B) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.306199, size = 70, normalized size = 1.01

$$\frac{a((-2B - 2iA) \tan^{-1}(\tan(c + dx)) + 2(B + iA) \tan(c + dx) - 2(A - iB) \log(\cos(c + dx)) + iB \tan^2(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (a*(((−2*I)*A − 2*B)*ArcTan[Tan[c + d*x]] − 2*(A − I*B)*Log[Cos[c + d*x]] + 2*(I*A + B)*Tan[c + d*x] + I*B*Tan[c + d*x]^2))/(2*d)

Maple [A] time = 0.005, size = 110, normalized size = 1.6

$$\frac{\frac{i}{2}aB(\tan(dx+c))^2}{d} + \frac{iaA \tan(dx+c)}{d} + \frac{aB \tan(dx+c)}{d} + \frac{a \ln(1 + (\tan(dx+c))^2)A}{2d} - \frac{\frac{i}{2}a \ln(1 + (\tan(dx+c))^2)B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] 1/2*I*a*B*tan(d*x+c)^2/d+I/d*a*A*tan(d*x+c)+1/d*a*B*tan(d*x+c)+1/2/d*a*ln(1+tan(d*x+c)^2)*A-1/2*I/d*a*ln(1+tan(d*x+c)^2)*B-I/d*a*A*arctan(tan(d*x+c))-1/d*a*B*arctan(tan(d*x+c))

Maxima [A] time = 1.64783, size = 92, normalized size = 1.33

$$\frac{-iBa \tan(dx+c)^2 - 2(dx+c)(-iA-B)a - (A-iB)a \log(\tan(dx+c)^2 + 1) + 2(-iA-B)a \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(-I*B*a*tan(d*x + c)^2 - 2*(d*x + c)*(-I*A - B)*a - (A - I*B)*a*log(tan(d*x + c)^2 + 1) + 2*(-I*A - B)*a*tan(d*x + c))/d

Fricas [A] time = 1.46938, size = 304, normalized size = 4.41

$$\frac{2(A - 2iB)ae^{(2i dx + 2i c)} + 2(A - iB)a + ((A - iB)ae^{(4i dx + 4i c)} + 2(A - iB)ae^{(2i dx + 2i c)} + (A - iB)a) \log(e^{(2i dx + 2i c)} + 1)}{de^{(4i dx + 4i c)} + 2de^{(2i dx + 2i c)} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -(2*(A - 2*I*B)*a*e^(2*I*d*x + 2*I*c) + 2*(A - I*B)*a + ((A - I*B)*a*e^(4*I*d*x + 4*I*c) + 2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (A - I*B)*a)*log(e^(2*I*d*x + 2*I*c) + 1))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [A] time = 4.95594, size = 110, normalized size = 1.59

$$\frac{a(-A + iB) \log(e^{2idx} + e^{-2ic})}{d} + \frac{-\frac{(2Aa-4iBa)e^{-2ic}e^{2idx}}{d} - \frac{(2Aa-2iBa)e^{-4ic}}{d}}{e^{4idx} + 2e^{-2ic}e^{2idx} + e^{-4ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] a*(-A + I*B)*log(exp(2*I*d*x) + exp(-2*I*c))/d + (-(2*A*a - 4*I*B*a)*exp(-2*I*c)*exp(2*I*d*x)/d - (2*A*a - 2*I*B*a)*exp(-4*I*c)/d)/(exp(4*I*d*x) + 2*exp(-2*I*c)*exp(2*I*d*x) + exp(-4*I*c))

Giac [B] time = 1.2918, size = 262, normalized size = 3.8

$$\frac{Aae^{(4idx+4ic)} \log(e^{(2idx+2ic)} + 1) - iBae^{(4idx+4ic)} \log(e^{(2idx+2ic)} + 1) + 2Aae^{(2idx+2ic)} \log(e^{(2idx+2ic)} + 1) - 2iBae^{(2idx+2ic)}}{de^{(4idx+4ic)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] -(A*a*e^(4*I*d*x + 4*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - I*B*a*e^(4*I*d*x + 4*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 2*A*a*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - 2*I*B*a*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 2*A*a*e^(2*I*d*x + 2*I*c) - 4*I*B*a*e^(2*I*d*x + 2*I*c) + A*a*log(e^(2*I*d*x + 2*I*c) + 1) - I*B*a*log(e^(2*I*d*x + 2*I*c) + 1) + 2*A*a - 2*I*B*a)/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)

3.3 $\int (a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=46

$$-\frac{a(B + iA) \log(\cos(c + dx))}{d} + ax(A - iB) + \frac{iaB \tan(c + dx)}{d}$$

[Out] $a*(A - I*B)*x - (a*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d + (I*a*B*\text{Tan}[c + d*x])/d$

Rubi [A] time = 0.0278612, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {3525, 3475}

$$-\frac{a(B + iA) \log(\cos(c + dx))}{d} + ax(A - iB) + \frac{iaB \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $a*(A - I*B)*x - (a*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d + (I*a*B*\text{Tan}[c + d*x])/d$

Rule 3525

$\text{Int}[(a + b*\text{tan}[(e + f)*(x)])*((c + d)*\text{tan}[(e + f)*(x)])], x_Symbol] \rightarrow \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

$\text{Int}[\text{tan}[(c + d)*(x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= a(A - iB)x + \frac{iaB \tan(c + dx)}{d} + (a(iA + B)) \int \tan(c + dx) dx \\ &= a(A - iB)x - \frac{a(iA + B) \log(\cos(c + dx))}{d} + \frac{iaB \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0263979, size = 66, normalized size = 1.43

$$-\frac{iaA \log(\cos(c + dx))}{d} + aAx - \frac{iaB \tan^{-1}(\tan(c + dx))}{d} + \frac{iaB \tan(c + dx)}{d} - \frac{aB \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $a*A*x - (I*a*B*\text{ArcTan}[\text{Tan}[c + d*x]])/d - (I*a*A*\text{Log}[\text{Cos}[c + d*x]])/d - (a*B*\text{Log}[\text{Cos}[c + d*x]])/d + (I*a*B*\text{Tan}[c + d*x])/d$

Maple [A] time = 0.003, size = 81, normalized size = 1.8

$$\frac{iaB \tan(dx+c)}{d} + \frac{\frac{i}{2}a \ln(1+(\tan(dx+c))^2)A}{d} + \frac{a \ln(1+(\tan(dx+c))^2)B}{2d} - \frac{iaB \arctan(\tan(dx+c))}{d} + \frac{aA \arctan(\tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] I*a*B*tan(d*x+c)/d+1/2*I/d*a*ln(1+tan(d*x+c)^2)*A+1/2/d*a*ln(1+tan(d*x+c)^2)*B-I/d*a*B*arctan(tan(d*x+c))+1/d*a*A*arctan(tan(d*x+c))

Maxima [A] time = 1.66479, size = 68, normalized size = 1.48

$$\frac{2(dx+c)(A-iB)a - (-iA-B)a \log(\tan(dx+c)^2+1) + 2iBa \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*(d*x+c)*(A-I*B)*a - (-I*A-B)*a*log(tan(d*x+c)^2+1) + 2*I*B*a*tan(d*x+c))/d

Fricas [A] time = 1.36108, size = 161, normalized size = 3.5

$$\frac{2Ba - ((-iA-B)ae^{2idx+2ic} + (-iA-B)a) \log(e^{2idx+2ic}+1)}{de^{2idx+2ic}+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -(2*B*a - ((-I*A - B)*a*e^(2*I*d*x + 2*I*c) + (-I*A - B)*a)*log(e^(2*I*d*x + 2*I*c) + 1))/(d*e^(2*I*d*x + 2*I*c) + d)

Sympy [A] time = 2.38147, size = 58, normalized size = 1.26

$$\frac{2Bae^{-2ic}}{d(e^{2idx} + e^{-2ic})} - \frac{a(iA+B) \log(e^{2idx} + e^{-2ic})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] -2*B*a*exp(-2*I*c)/(d*(exp(2*I*d*x) + exp(-2*I*c))) - a*(I*A + B)*log(exp(2*I*d*x) + exp(-2*I*c))/d

Giac [B] time = 1.34306, size = 139, normalized size = 3.02

$$\frac{-i A a e^{(2i dx+2i c)} \log\left(e^{(2i dx+2i c)} + 1\right) - B a e^{(2i dx+2i c)} \log\left(e^{(2i dx+2i c)} + 1\right) - i A a \log\left(e^{(2i dx+2i c)} + 1\right) - B a \log\left(e^{(2i dx+2i c)} + 1\right)}{d e^{(2i dx+2i c)} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] (-I*A*a*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - B*a*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - I*A*a*log(e^(2*I*d*x + 2*I*c) + 1) - B*a*log(e^(2*I*d*x + 2*I*c) + 1) - 2*B*a)/(d*e^(2*I*d*x + 2*I*c) + d)

3.4 $\int \cot(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=40

$$ax(B + iA) + \frac{aA \log(\sin(c + dx))}{d} - \frac{iaB \log(\cos(c + dx))}{d}$$

[Out] a*(I*A + B)*x - (I*a*B*Log[Cos[c + d*x]])/d + (a*A*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.0711095, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {3589, 3475, 3531}

$$ax(B + iA) + \frac{aA \log(\sin(c + dx))}{d} - \frac{iaB \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] a*(I*A + B)*x - (I*a*B*Log[Cos[c + d*x]])/d + (a*A*Log[Sin[c + d*x]])/d

Rule 3589

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(B*d)/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= (iaB) \int \tan(c + dx) dx + \int \cot(c + dx)(aA + a(iA + B) \tan(c + dx)) dx \\ &= a(iA + B)x - \frac{iaB \log(\cos(c + dx))}{d} + (aA) \int \cot(c + dx) dx \\ &= a(iA + B)x - \frac{iaB \log(\cos(c + dx))}{d} + \frac{aA \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0557537, size = 49, normalized size = 1.22

$$\frac{aA(\log(\tan(c + dx)) + \log(\cos(c + dx)))}{d} + iaAx - \frac{iaB \log(\cos(c + dx))}{d} + aBx$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] I*a*A*x + a*B*x - (I*a*B*Log[Cos[c + d*x]])/d + (a*A*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d

Maple [A] time = 0.059, size = 56, normalized size = 1.4

$$iAax + \frac{iAac}{d} - \frac{iBa \ln(\cos(dx + c))}{d} + aBx + \frac{Aa \ln(\sin(dx + c))}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] I*A*a*x+I/d*A*a*c-I*a*B*ln(cos(d*x+c))/d+a*B*x+a*A*ln(sin(d*x+c))/d+1/d*B*a*c

Maxima [A] time = 1.71528, size = 66, normalized size = 1.65

$$\frac{2(dx + c)(iA + B)a - (A - iB)a \log(\tan(dx + c)^2 + 1) + 2Aa \log(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*(I*A + B)*a - (A - I*B)*a*log(tan(d*x + c)^2 + 1) + 2*A*a*log(tan(d*x + c)))/d

Fricas [A] time = 1.38504, size = 103, normalized size = 2.58

$$\frac{-iBa \log(e^{(2i dx + 2ic)} + 1) + Aa \log(e^{(2i dx + 2ic)} - 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] (-I*B*a*log(e^(2*I*d*x + 2*I*c) + 1) + A*a*log(e^(2*I*d*x + 2*I*c) - 1))/d

Sympy [B] time = 2.49193, size = 92, normalized size = 2.3

$$\text{RootSum}\left(z^2 d^2 + z(-Aad + iBad) - iABa^2, \left(i \mapsto i \log\left(-\frac{2iid}{iAae^{2ic} - Bae^{2ic}} + \frac{iA + B}{iAe^{2ic} - Be^{2ic}} + e^{2idx}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] RootSum(_z**2*d**2 + _z*(-A*a*d + I*B*a*d) - I*A*B*a**2, Lambda(_i, _i*log(-2*_i*I*d/(I*A*a*exp(2*I*c) - B*a*exp(2*I*c)) + (I*A + B)/(I*A*exp(2*I*c) - B*exp(2*I*c)) + exp(2*I*d*x))))

Giac [B] time = 1.44866, size = 104, normalized size = 2.6

$$\frac{iBa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + iBa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - Aa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right) + 2(Aa - iBa) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] -(I*B*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + I*B*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - A*a*log(abs(tan(1/2*d*x + 1/2*c)))) + 2*(A*a - I*B*a)*log(tan(1/2*d*x + 1/2*c) + I))/d

3.5 $\int \cot^2(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=44

$$\frac{a(B + iA) \log(\sin(c + dx))}{d} - ax(A - iB) - \frac{aA \cot(c + dx)}{d}$$

[Out] $-(a*(A - I*B)*x) - (a*A*Cot[c + d*x])/d + (a*(I*A + B)*Log[Sin[c + d*x]])/d$

Rubi [A] time = 0.0840953, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3591, 3531, 3475}

$$\frac{a(B + iA) \log(\sin(c + dx))}{d} - ax(A - iB) - \frac{aA \cot(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a*(A - I*B)*x) - (a*A*Cot[c + d*x])/d + (a*(I*A + B)*Log[Sin[c + d*x]])/d$

Rule 3591

$\text{Int}[(a + b*\tan[e + f*x])^m*((A + B*\tan[e + f*x]) + (f)*(x))], x_Symbol] :> \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{m+1}/(b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3531

$\text{Int}[(c + d*\tan[e + f*x])/(a + b*\tan[e + f*x]), x_Symbol] :> \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\tan[(c + d*x)], x_Symbol] :> -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)}{d} + \int \cot(c + dx)(a(iA + B) - a(A - iB) \tan(c + dx)) dx \\ &= -a(A - iB)x - \frac{aA \cot(c + dx)}{d} + (a(iA + B)) \int \cot(c + dx) dx \\ &= -a(A - iB)x - \frac{aA \cot(c + dx)}{d} + \frac{a(iA + B) \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [C] time = 0.197743, size = 84, normalized size = 1.91

$$\frac{aA \cot(c + dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c + dx)\right)}{d} + \frac{iaA(\log(\tan(c + dx)) + \log(\cos(c + dx)))}{d} + \frac{aB(\log(\cos(c + dx)) + \log(\tan(c + dx)))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] I*a*B*x - (a*A*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2])/d + (I*a*A*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d + (a*B*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d

Maple [A] time = 0.046, size = 71, normalized size = 1.6

$$iBax + \frac{iAa \ln(\sin(dx + c))}{d} - Axa + \frac{iBac}{d} - \frac{Aa \cot(dx + c)}{d} - \frac{Aac}{d} + \frac{aB \ln(\sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] I*B*a*x+I/d*A*a*ln(sin(d*x+c))-A*x*a+I/d*B*a*c-a*A*cot(d*x+c)/d-1/d*A*a*c+1/d*a*B*ln(sin(d*x+c))

Maxima [A] time = 1.66823, size = 86, normalized size = 1.95

$$\frac{2(dx + c)(A - iB)a + (iA + B)a \log(\tan(dx + c)^2 + 1) - 2(iA + B)a \log(\tan(dx + c)) + \frac{2Aa}{\tan(dx + c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(2*(d*x + c)*(A - I*B)*a + (I*A + B)*a*log(tan(d*x + c)^2 + 1) - 2*(I*A + B)*a*log(tan(d*x + c)) + 2*A*a/tan(d*x + c))/d

Fricas [A] time = 1.38598, size = 162, normalized size = 3.68

$$\frac{-2iAa + ((iA + B)ae^{2idx+2ic} + (-iA - B)a) \log(e^{2idx+2ic} - 1)}{de^{2idx+2ic} - d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] (-2*I*A*a + ((I*A + B)*a*e^(2*I*d*x + 2*I*c) + (-I*A - B)*a)*log(e^(2*I*d*x + 2*I*c) - 1))/(d*e^(2*I*d*x + 2*I*c) - d)

Sympy [A] time = 3.39197, size = 58, normalized size = 1.32

$$-\frac{2iAae^{-2ic}}{d(e^{2idx} - e^{-2ic})} + \frac{a(iA + B) \log(e^{2idx} - e^{-2ic})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] $-2*I*A*a*\exp(-2*I*c)/(d*(\exp(2*I*d*x) - \exp(-2*I*c))) + a*(I*A + B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/d$

Giac [B] time = 1.4037, size = 142, normalized size = 3.23

$$\frac{Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 4(-iAa - Ba) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i\right) + 2(iAa + Ba) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right) + \frac{-2iAa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)} + \frac{-2iAa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x, algorithm="giac")

[Out] $1/2*(A*a*\tan(1/2*d*x + 1/2*c) + 4*(-I*A*a - B*a)*\log(\tan(1/2*d*x + 1/2*c) + I) + 2*(I*A*a + B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) + (-2*I*A*a*\tan(1/2*d*x + 1/2*c) - 2*B*a*\tan(1/2*d*x + 1/2*c) - A*a)/\tan(1/2*d*x + 1/2*c))/d$

3.6 $\int \cot^3(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=68

$$\frac{a(B + iA) \cot(c + dx)}{d} - \frac{a(A - iB) \log(\sin(c + dx))}{d} - ax(B + iA) - \frac{aA \cot^2(c + dx)}{2d}$$

[Out] $-(a*(I*A + B)*x) - (a*(I*A + B)*\text{Cot}[c + d*x])/d - (a*A*\text{Cot}[c + d*x]^2)/(2*d) - (a*(A - I*B)*\text{Log}[\text{Sin}[c + d*x]])/d$

Rubi [A] time = 0.121235, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3591, 3529, 3531, 3475}

$$\frac{a(B + iA) \cot(c + dx)}{d} - \frac{a(A - iB) \log(\sin(c + dx))}{d} - ax(B + iA) - \frac{aA \cot^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^3*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a*(I*A + B)*x) - (a*(I*A + B)*\text{Cot}[c + d*x])/d - (a*A*\text{Cot}[c + d*x]^2)/(2*d) - (a*(A - I*B)*\text{Log}[\text{Sin}[c + d*x]])/d$

Rule 3591

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3531

$\text{Int}[(c_. + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rubi steps

$$\begin{aligned}
\int \cot^3(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)}{2d} + \int \cot^2(c + dx)(a(iA + B) - a(A - iB) \tan(c + dx)) dx \\
&= -\frac{a(iA + B) \cot(c + dx)}{d} - \frac{aA \cot^2(c + dx)}{2d} + \int \cot(c + dx)(a(iA + B) - a(A - iB) \tan(c + dx)) dx \\
&= -a(iA + B)x - \frac{a(iA + B) \cot(c + dx)}{d} - \frac{aA \cot^2(c + dx)}{2d} - (a(A - iB) \log(\tan(c + dx)) + \log(\cos(c + dx))) \\
&= -a(iA + B)x - \frac{a(iA + B) \cot(c + dx)}{d} - \frac{aA \cot^2(c + dx)}{2d} - (a(A - iB) \log(\tan(c + dx)) + \log(\cos(c + dx)))
\end{aligned}$$

Mathematica [C] time = 0.361013, size = 76, normalized size = 1.12

$$\frac{a \left(2(B + iA) \cot(c + dx) \operatorname{Hypergeometric2F1} \left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c + dx) \right) + 2(A - iB) (\log(\tan(c + dx)) + \log(\cos(c + dx))) \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] -(a*(A*Cot[c + d*x]^2 + 2*(I*A + B)*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2] + 2*(A - I*B)*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]])))/(2*d)

Maple [A] time = 0.064, size = 101, normalized size = 1.5

$$-iAax - \frac{iA \cot(dx + c)a}{d} - \frac{iAac}{d} + \frac{iBa \ln(\sin(dx + c))}{d} - \frac{Aa(\cot(dx + c))^2}{2d} - \frac{Aa \ln(\sin(dx + c))}{d} - aBx - \frac{\cot(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] -I*A*a*x-I/d*A*cot(d*x+c)*a-I/d*A*a*c+I/d*B*a*ln(sin(d*x+c))-1/2*a*A*cot(d*x+c)^2/d-a*A*ln(sin(d*x+c))/d-a*B*x-1/d*B*cot(d*x+c)*a-1/d*B*a*c

Maxima [A] time = 1.70647, size = 113, normalized size = 1.66

$$\frac{2(dx + c)(-iA - B)a + (A - iB)a \log(\tan(dx + c)^2 + 1) - 2(A - iB)a \log(\tan(dx + c)) + \frac{2(-iA - B)a \tan(dx + c) - Aa}{\tan(dx + c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*(-I*A - B)*a + (A - I*B)*a*log(tan(d*x + c)^2 + 1) - 2*(A - I*B)*a*log(tan(d*x + c)) + (2*(-I*A - B)*a*tan(d*x + c) - A*a)/tan(d*x + c)^2)/d

Fricas [A] time = 1.40163, size = 302, normalized size = 4.44

$$\frac{2(2A - iB)ae^{(2i dx + 2i c)} - 2(A - iB)a - ((A - iB)ae^{(4i dx + 4i c)} - 2(A - iB)ae^{(2i dx + 2i c)} + (A - iB)a) \log(e^{(2i dx + 2i c)} - 1)}{de^{(4i dx + 4i c)} - 2de^{(2i dx + 2i c)} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] (2*(2*A - I*B)*a*e^(2*I*d*x + 2*I*c) - 2*(A - I*B)*a - ((A - I*B)*a*e^(4*I*d*x + 4*I*c) - 2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (A - I*B)*a)*log(e^(2*I*d*x + 2*I*c) - 1)/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [A] time = 5.83582, size = 109, normalized size = 1.6

$$\frac{a(-A + iB) \log(e^{2idx} - e^{-2ic})}{d} + \frac{-\frac{(2Aa-2iBa)e^{-4ic}}{d} + \frac{(4Aa-2iBa)e^{-2ic}e^{2idx}}{d}}{e^{4idx} - 2e^{-2ic}e^{2idx} + e^{-4ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] a*(-A + I*B)*log(exp(2*I*d*x) - exp(-2*I*c))/d + (-(2*A*a - 2*I*B*a)*exp(-4*I*c)/d + (4*A*a - 2*I*B*a)*exp(-2*I*c)*exp(2*I*d*x)/d)/(exp(4*I*d*x) - 2*exp(-2*I*c)*exp(2*I*d*x) + exp(-4*I*c))

Giac [B] time = 1.45869, size = 220, normalized size = 3.24

$$Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 4i Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 4Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 16(Aa - iBa) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i\right) + 8$$

8d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] -1/8*(A*a*tan(1/2*d*x + 1/2*c)^2 - 4*I*A*a*tan(1/2*d*x + 1/2*c) - 4*B*a*tan(1/2*d*x + 1/2*c) - 16*(A*a - I*B*a)*log(tan(1/2*d*x + 1/2*c) + I) + 8*(A*a - I*B*a)*log(abs(tan(1/2*d*x + 1/2*c)))) - (12*A*a*tan(1/2*d*x + 1/2*c)^2 - 12*I*B*a*tan(1/2*d*x + 1/2*c)^2 - 4*I*A*a*tan(1/2*d*x + 1/2*c) - 4*B*a*tan(1/2*d*x + 1/2*c) - A*a)/tan(1/2*d*x + 1/2*c)^2/d

3.7 $\int \cot^4(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=89

$$-\frac{a(B + iA) \cot^2(c + dx)}{2d} + \frac{a(A - iB) \cot(c + dx)}{d} - \frac{a(B + iA) \log(\sin(c + dx))}{d} + ax(A - iB) - \frac{aA \cot^3(c + dx)}{3d}$$

[Out] $a*(A - I*B)*x + (a*(A - I*B)*\text{Cot}[c + d*x])/d - (a*(I*A + B)*\text{Cot}[c + d*x]^2)/(2*d) - (a*A*\text{Cot}[c + d*x]^3)/(3*d) - (a*(I*A + B)*\text{Log}[\text{Sin}[c + d*x]])/d$

Rubi [A] time = 0.152381, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3591, 3529, 3531, 3475}

$$-\frac{a(B + iA) \cot^2(c + dx)}{2d} + \frac{a(A - iB) \cot(c + dx)}{d} - \frac{a(B + iA) \log(\sin(c + dx))}{d} + ax(A - iB) - \frac{aA \cot^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^4*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $a*(A - I*B)*x + (a*(A - I*B)*\text{Cot}[c + d*x])/d - (a*(I*A + B)*\text{Cot}[c + d*x]^2)/(2*d) - (a*A*\text{Cot}[c + d*x]^3)/(3*d) - (a*(I*A + B)*\text{Log}[\text{Sin}[c + d*x]])/d$

Rule 3591

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3531

$\text{Int}[(c_. + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \cot^4(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= -\frac{aA \cot^3(c+dx)}{3d} + \int \cot^3(c+dx)(a(iA+B) - a(A-iB)) dx \\
&= -\frac{a(iA+B) \cot^2(c+dx)}{2d} - \frac{aA \cot^3(c+dx)}{3d} + \int \cot^2(c+dx)(a(iA+B) - a(A-iB)) dx \\
&= \frac{a(A-iB) \cot(c+dx)}{d} - \frac{a(iA+B) \cot^2(c+dx)}{2d} - \frac{aA \cot^3(c+dx)}{3d} \\
&= a(A-iB)x + \frac{a(A-iB) \cot(c+dx)}{d} - \frac{a(iA+B) \cot^2(c+dx)}{2d} \\
&= a(A-iB)x + \frac{a(A-iB) \cot(c+dx)}{d} - \frac{a(iA+B) \cot^2(c+dx)}{2d}
\end{aligned}$$

Mathematica [C] time = 0.689976, size = 102, normalized size = 1.15

$$\frac{a \left(2A \cot^3(c+dx) \operatorname{Hypergeometric2F1} \left(-\frac{3}{2}, 1, -\frac{1}{2}, -\tan^2(c+dx) \right) + 6iB \cot(c+dx) \operatorname{Hypergeometric2F1} \left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c+dx) \right) \right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] -(a*(2*A*Cot[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, -Tan[c + d*x]^2] + (6*I)*B*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2] + 3*(I*A + B)*(Cot[c + d*x]^2 + 2*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))))/(6*d)

Maple [A] time = 0.061, size = 129, normalized size = 1.5

$$\frac{-\frac{i}{2}Aa(\cot(dx+c))^2}{d} - \frac{iAa \ln(\sin(dx+c))}{d} - iBax - \frac{iB \cot(dx+c)a}{d} - \frac{iBac}{d} - \frac{Aa(\cot(dx+c))^3}{3d} + \frac{Aa \cot(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/2*I/d*A*a*cot(d*x+c)^2-I/d*A*a*ln(sin(d*x+c))-I*B*a*x-I/d*B*cot(d*x+c)*a -I/d*B*a*c-1/3*a*A*cot(d*x+c)^3/d+a*A*cot(d*x+c)/d+A*x*a+1/d*A*a*c-1/2/d*a*B*cot(d*x+c)^2-1/d*a*B*ln(sin(d*x+c))

Maxima [A] time = 1.67821, size = 140, normalized size = 1.57

$$\frac{6(dx+c)(A-iB)a - 3(-iA-B)a \log(\tan(dx+c)^2 + 1) + 6(-iA-B)a \log(\tan(dx+c)) + \frac{(6A-6iB)a \tan(dx+c)^2 + 3(-iA-B)a}{\tan(dx+c)}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] $\frac{1}{6}*(6*(d*x + c)*(A - I*B)*a - 3*(-I*A - B)*a*\log(\tan(d*x + c)^2 + 1) + 6*(-I*A - B)*a*\log(\tan(d*x + c)) + ((6*A - 6*I*B)*a*\tan(d*x + c)^2 + 3*(-I*A - B)*a*\tan(d*x + c) - 2*A*a)/\tan(d*x + c)^3)/d$

Fricas [B] time = 1.43306, size = 471, normalized size = 5.29

$$\frac{(18i A + 12 B)ae^{4i dx+4ic} + (-18i A - 18 B)ae^{2i dx+2ic} + (8i A + 6 B)a + ((-3i A - 3 B)ae^{6i dx+6ic} + (9i A + 9 B)ae^{4i dx+4ic})}{3(d e^{6i dx+6ic} - 3 d e^{4i dx+4ic} + 3 d e^{2i dx+2ic} - d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{3}*((18*I*A + 12*B)*a*e^{(4*I*d*x + 4*I*c)} + (-18*I*A - 18*B)*a*e^{(2*I*d*x + 2*I*c)} + (8*I*A + 6*B)*a + ((-3*I*A - 3*B)*a*e^{(6*I*d*x + 6*I*c)} + (9*I*A + 9*B)*a*e^{(4*I*d*x + 4*I*c)} + (-9*I*A - 9*B)*a*e^{(2*I*d*x + 2*I*c)} + (3*I*A + 3*B)*a)*\log(e^{(2*I*d*x + 2*I*c)} - 1))/(d*e^{(6*I*d*x + 6*I*c)} - 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d)$

Sympy [B] time = 10.1357, size = 156, normalized size = 1.75

$$-\frac{a(iA + B)\log(e^{2idx} - e^{-2ic})}{d} + \frac{\frac{(6iAa+4Ba)e^{-2ic}e^{4idx}}{d} - \frac{(6iAa+6Ba)e^{-4ic}e^{2idx}}{d} + \frac{(8iAa+6Ba)e^{-6ic}}{3d}}{e^{6idx} - 3e^{-2ic}e^{4idx} + 3e^{-4ic}e^{2idx} - e^{-6ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] $-a*(I*A + B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/d + ((6*I*A*a + 4*B*a)*\exp(-2*I*c)*\exp(4*I*d*x)/d - (6*I*A*a + 6*B*a)*\exp(-4*I*c)*\exp(2*I*d*x)/d + (8*I*A*a + 6*B*a)*\exp(-6*I*c)/(3*d))/(\exp(6*I*d*x) - 3*\exp(-2*I*c)*\exp(4*I*d*x) + 3*\exp(-4*I*c)*\exp(2*I*d*x) - \exp(-6*I*c))$

Giac [B] time = 1.38009, size = 300, normalized size = 3.37

$$Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3i Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 3 Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 15 Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 12i Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 3*I*A*a*\tan(1/2*d*x + 1/2*c)^2 - 3*B*a*\tan(1/2*d*x + 1/2*c)^2 - 15*A*a*\tan(1/2*d*x + 1/2*c) + 12*I*B*a*\tan(1/2*d*x + 1/2*c) + 48*(I*A*a + B*a)*\log(\tan(1/2*d*x + 1/2*c) + I) - 24*(I*A*a + B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) - (-44*I*A*a*\tan(1/2*d*x + 1/2*c)^3 - 44*B*a*\tan(1/2*d*x + 1/2*c)^3 - 15*A*a*\tan(1/2*d*x + 1/2*c)^2 + 12*I*B*a*\tan(1/2*d*x + 1/2*c)^2 + 3*I*A*a*\tan(1/2*d*x + 1/2*c) + 3*B*a*\tan(1/2*d*x + 1/2*c) + A*a)/\tan(1/2*d*x + 1/2*c)^3)/d$

3.8 $\int \cot^5(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=111

$$\frac{a(B + iA) \cot^3(c + dx)}{3d} + \frac{a(A - iB) \cot^2(c + dx)}{2d} + \frac{a(B + iA) \cot(c + dx)}{d} + \frac{a(A - iB) \log(\sin(c + dx))}{d} + ax(B + iA)$$

```
[Out] a*(I*A + B)*x + (a*(I*A + B)*Cot[c + d*x])/d + (a*(A - I*B)*Cot[c + d*x]^2)/(2*d) - (a*(I*A + B)*Cot[c + d*x]^3)/(3*d) - (a*A*Cot[c + d*x]^4)/(4*d) + (a*(A - I*B)*Log[Sin[c + d*x]])/d
```

Rubi [A] time = 0.185932, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3591, 3529, 3531, 3475}

$$\frac{a(B + iA) \cot^3(c + dx)}{3d} + \frac{a(A - iB) \cot^2(c + dx)}{2d} + \frac{a(B + iA) \cot(c + dx)}{d} + \frac{a(A - iB) \log(\sin(c + dx))}{d} + ax(B + iA)$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] a*(I*A + B)*x + (a*(I*A + B)*Cot[c + d*x])/d + (a*(A - I*B)*Cot[c + d*x]^2)/(2*d) - (a*(I*A + B)*Cot[c + d*x]^3)/(3*d) - (a*A*Cot[c + d*x]^4)/(4*d) + (a*(A - I*B)*Log[Sin[c + d*x]])/d
```

Rule 3591

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)}{4d} + \int \cot^4(c + dx)(a(iA + B) - a(A - iB) \tan(c + dx)) dx \\ &= -\frac{a(iA + B) \cot^3(c + dx)}{3d} - \frac{aA \cot^4(c + dx)}{4d} + \int \cot^3(c + dx)(a(A - iB) \tan(c + dx) + a(iA + B)) dx \\ &= \frac{a(A - iB) \cot^2(c + dx)}{2d} - \frac{a(iA + B) \cot^3(c + dx)}{3d} - \frac{aA \cot^4(c + dx)}{4d} + \int \cot^2(c + dx)(a(iA + B) \tan(c + dx) + a(A - iB)) dx \\ &= \frac{a(iA + B) \cot(c + dx)}{d} + \frac{a(A - iB) \cot^2(c + dx)}{2d} - \frac{a(iA + B) \cot^3(c + dx)}{3d} - \frac{aA \cot^4(c + dx)}{4d} \\ &= a(iA + B)x + \frac{a(iA + B) \cot(c + dx)}{d} + \frac{a(A - iB) \cot^2(c + dx)}{2d} - \frac{a(iA + B) \cot^3(c + dx)}{3d} - \frac{aA \cot^4(c + dx)}{4d} \\ &= a(iA + B)x + \frac{a(iA + B) \cot(c + dx)}{d} + \frac{a(A - iB) \cot^2(c + dx)}{2d} \end{aligned}$$

Mathematica [C] time = 0.865551, size = 96, normalized size = 0.86

$$\frac{a \left(4(B + iA) \cot^3(c + dx) \text{Hypergeometric2F1} \left(-\frac{3}{2}, 1, -\frac{1}{2}, -\tan^2(c + dx) \right) - 6(A - iB) \cot^2(c + dx) - 12(A - iB) (\log(\cos(c + dx)) + \log(\tan(c + dx))) \right)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] -(a*(-6*(A - I*B)*Cot[c + d*x]^2 + 3*A*Cot[c + d*x]^4 + 4*(I*A + B)*Cot[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, -Tan[c + d*x]^2] - 12*(A - I*B)*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]])))/(12*d)

Maple [A] time = 0.064, size = 159, normalized size = 1.4

$$\frac{-\frac{i}{3}Aa(\cot(dx + c))^3}{d} + \frac{iAa \cot(dx + c)}{d} + iAax + \frac{iAac}{d} - \frac{\frac{i}{2}Ba(\cot(dx + c))^2}{d} - \frac{iBa \ln(\sin(dx + c))}{d} - \frac{Aa(\cot(dx + c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^5*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/3*I/d*A*a*cot(d*x+c)^3+I/d*A*a*cot(d*x+c)+I*A*a*x+I/d*A*a*c-1/2*I/d*B*a*cot(d*x+c)^2-I/d*B*a*ln(sin(d*x+c))-1/4*a*A*cot(d*x+c)^4/d+1/2*a*A*cot(d*x+c)^2/d+a*A*ln(sin(d*x+c))/d-1/3/d*a*B*cot(d*x+c)^3+1/d*B*cot(d*x+c)*a+a*B*x+1/d*B*a*c

Maxima [A] time = 1.53561, size = 159, normalized size = 1.43

$$\frac{12(dx + c)(iA + B)a - 6(A - iB)a \log(\tan(dx + c)^2 + 1) + 12(A - iB)a \log(\tan(dx + c)) - \frac{12(-iA - B)a \tan(dx + c)^3 - (6A - 6iB)a \tan(dx + c)}{12d}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12} \cdot (12 \cdot (d \cdot x + c) \cdot (I \cdot A + B) \cdot a - 6 \cdot (A - I \cdot B) \cdot a \cdot \log(\tan(d \cdot x + c)^2 + 1) + 12 \cdot (A - I \cdot B) \cdot a \cdot \log(\tan(d \cdot x + c)) - (12 \cdot (-I \cdot A - B) \cdot a \cdot \tan(d \cdot x + c)^3 - (6 \cdot A - 6 \cdot I \cdot B) \cdot a \cdot \tan(d \cdot x + c)^2 + 4 \cdot (I \cdot A + B) \cdot a \cdot \tan(d \cdot x + c) + 3 \cdot A \cdot a) / \tan(d \cdot x + c)^4) / d$

Fricas [B] time = 1.47014, size = 589, normalized size = 5.31

$$\frac{6(4A - 3iB)ae^{6idx+6ic} - 36(A - iB)ae^{4idx+4ic} + 2(16A - 13iB)ae^{2idx+2ic} - 8(A - iB)a - 3((A - iB)ae^{8idx+8ic} - 4de^{6idx+6ic} + 6de^{4idx+4ic})}{3(de^{8idx+8ic} - 4de^{6idx+6ic} + 6de^{4idx+4ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $-1/3 \cdot (6 \cdot (4 \cdot A - 3 \cdot I \cdot B) \cdot a \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} - 36 \cdot (A - I \cdot B) \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 2 \cdot (16 \cdot A - 13 \cdot I \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - 8 \cdot (A - I \cdot B) \cdot a - 3 \cdot ((A - I \cdot B) \cdot a \cdot e^{(8 \cdot I \cdot d \cdot x + 8 \cdot I \cdot c)} - 4 \cdot (A - I \cdot B) \cdot a \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} + 6 \cdot (A - I \cdot B) \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} - 4 \cdot (A - I \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (A - I \cdot B) \cdot a) \cdot \log(e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - 1)) / (d \cdot e^{(8 \cdot I \cdot d \cdot x + 8 \cdot I \cdot c)} - 4 \cdot d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} + 6 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} - 4 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + d)$

Sympy [B] time = 36.6446, size = 204, normalized size = 1.84

$$\frac{a(A - iB) \log(e^{2idx} - e^{-2ic})}{d} + \frac{(8Aa - 8iBa)e^{-8ic}}{3d} - \frac{(8Aa - 6iBa)e^{-2ic}e^{6idx}}{d} + \frac{(12Aa - 12iBa)e^{-4ic}e^{4idx}}{d} - \frac{(32Aa - 26iBa)e^{-6ic}e^{2idx}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**5*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] $a \cdot (A - I \cdot B) \cdot \log(\exp(2 \cdot I \cdot d \cdot x) - \exp(-2 \cdot I \cdot c)) / d + ((8 \cdot A \cdot a - 8 \cdot I \cdot B \cdot a) \cdot \exp(-8 \cdot I \cdot c) / (3 \cdot d) - (8 \cdot A \cdot a - 6 \cdot I \cdot B \cdot a) \cdot \exp(-2 \cdot I \cdot c) \cdot \exp(6 \cdot I \cdot d \cdot x) / d + (12 \cdot A \cdot a - 12 \cdot I \cdot B \cdot a) \cdot \exp(-4 \cdot I \cdot c) \cdot \exp(4 \cdot I \cdot d \cdot x) / d - (32 \cdot A \cdot a - 26 \cdot I \cdot B \cdot a) \cdot \exp(-6 \cdot I \cdot c) \cdot \exp(2 \cdot I \cdot d \cdot x) / (3 \cdot d)) / (\exp(8 \cdot I \cdot d \cdot x) - 4 \cdot \exp(-2 \cdot I \cdot c) \cdot \exp(6 \cdot I \cdot d \cdot x) + 6 \cdot \exp(-4 \cdot I \cdot c) \cdot \exp(4 \cdot I \cdot d \cdot x) - 4 \cdot \exp(-6 \cdot I \cdot c) \cdot \exp(2 \cdot I \cdot d \cdot x) + \exp(-8 \cdot I \cdot c))$

Giac [B] time = 1.54844, size = 382, normalized size = 3.44

$$3Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 8iAa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 8Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 36Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 24iBa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{-1/192*(3*A*a*\tan(1/2*d*x + 1/2*c)^4 - 8*I*A*a*\tan(1/2*d*x + 1/2*c)^3 - 8*B*a*\tan(1/2*d*x + 1/2*c)^3 - 36*A*a*\tan(1/2*d*x + 1/2*c)^2 + 24*I*B*a*\tan(1/2*d*x + 1/2*c)^2 + 120*I*A*a*\tan(1/2*d*x + 1/2*c) + 120*B*a*\tan(1/2*d*x + 1/2*c) + 384*(A*a - I*B*a)*\log(\tan(1/2*d*x + 1/2*c) + I) - 192*(A*a - I*B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) + (400*A*a*\tan(1/2*d*x + 1/2*c)^4 - 400*I*B*a*\tan(1/2*d*x + 1/2*c)^4 - 120*I*A*a*\tan(1/2*d*x + 1/2*c)^3 - 120*B*a*\tan(1/2*d*x + 1/2*c)^3 - 36*A*a*\tan(1/2*d*x + 1/2*c)^2 + 24*I*B*a*\tan(1/2*d*x + 1/2*c)^2 + 8*I*A*a*\tan(1/2*d*x + 1/2*c) + 8*B*a*\tan(1/2*d*x + 1/2*c) + 3*A*a)/\tan(1/2*d*x + 1/2*c)^4}{d}$$

3.9 $\int \tan^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=141

$$\frac{a^2(4A - 5iB) \tan^3(c + dx)}{12d} + \frac{a^2(B + iA) \tan^2(c + dx)}{d} + \frac{2a^2(A - iB) \tan(c + dx)}{d} + \frac{2a^2(B + iA) \log(\cos(c + dx))}{d}$$

[Out] $-2*a^2*(A - I*B)*x + (2*a^2*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d + (2*a^2*(A - I*B)*\text{Tan}[c + d*x])/d + (a^2*(I*A + B)*\text{Tan}[c + d*x]^2)/d - (a^2*(4*A - (5*I)*B)*\text{Tan}[c + d*x]^3)/(12*d) + ((I/4)*B*\text{Tan}[c + d*x]^3*(a^2 + I*a^2*\text{Tan}[c + d*x]))/d$

Rubi [A] time = 0.252153, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3594, 3592, 3528, 3525, 3475}

$$\frac{a^2(4A - 5iB) \tan^3(c + dx)}{12d} + \frac{a^2(B + iA) \tan^2(c + dx)}{d} + \frac{2a^2(A - iB) \tan(c + dx)}{d} + \frac{2a^2(B + iA) \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-2*a^2*(A - I*B)*x + (2*a^2*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d + (2*a^2*(A - I*B)*\text{Tan}[c + d*x])/d + (a^2*(I*A + B)*\text{Tan}[c + d*x]^2)/d - (a^2*(4*A - (5*I)*B)*\text{Tan}[c + d*x]^3)/(12*d) + ((I/4)*B*\text{Tan}[c + d*x]^3*(a^2 + I*a^2*\text{Tan}[c + d*x]))/d$

Rule 3594

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^m*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))*(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))^n, x_Symbol] := \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{tQ}[m, 1] \&\& !\text{LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^m*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))*(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))^n, x_Symbol] := \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3528

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^m*((c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))^n, x_Symbol] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3525

```
Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)])*((c_) + (d_.)*tan[(e_) + (f_.)
*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e +
f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f},
x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{iB \tan^3(c + dx)(a^2 + ia^2 \tan(c + dx))}{4d} + \frac{1}{4} \int \tan^2(c + dx) \\ &= -\frac{a^2(4A - 5iB) \tan^3(c + dx)}{12d} + \frac{iB \tan^3(c + dx)(a^2 + ia^2 \tan(c + dx))}{4d} \\ &= \frac{a^2(iA + B) \tan^2(c + dx)}{d} - \frac{a^2(4A - 5iB) \tan^3(c + dx)}{12d} + \frac{iB \tan^3(c + dx)(a^2 + ia^2 \tan(c + dx))}{4d} \\ &= -2a^2(A - iB)x + \frac{2a^2(A - iB) \tan(c + dx)}{d} + \frac{a^2(iA + B) \tan^2(c + dx)}{d} \\ &= -2a^2(A - iB)x + \frac{2a^2(iA + B) \log(\cos(c + dx))}{d} + \frac{2a^2(A - iB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 6.32311, size = 305, normalized size = 2.16

$$(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) \left(-4dx(A - iB)(\cos(2c) - i \sin(2c)) \cos^3(c + dx) + (B + iA)(\cos(2c) - i \sin(2c)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((-4*(A - I*B)*d*x*Cos[c + d*x]^3*(Cos[2*c] - I*Sin[2*c]) + 2*(A - I*B)*Arc
Tan[Tan[3*c + d*x]]*Cos[c + d*x]^3*(Cos[2*c] - I*Sin[2*c]) + (I*A + B)*Cos[
c + d*x]^3*Log[Cos[c + d*x]^2*(Cos[2*c] - I*Sin[2*c]) - (B*Sec[c + d*x]*(C
os[2*c] - I*Sin[2*c]))]/4 + ((7*A - (8*I)*B)*Cos[c + d*x]^2*Sec[c]*(Cos[2*c]
- I*Sin[2*c])*Sin[d*x])/3 + ((A - (2*I)*B)*Cos[c]*Sin[d*x]*(I + Tan[c])^2
/3 - (Cos[c + d*x]*(Cos[2*c] - I*Sin[2*c]))*((-6*I)*A - 9*B + 2*(A - (2*I)*B
)*Tan[c]))/6)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] +
I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [A] time = 0.006, size = 193, normalized size = 1.4

$$\frac{2i}{3} a^2 B (\tan(dx + c))^3 - \frac{a^2 B (\tan(dx + c))^4}{4d} + \frac{ia^2 A (\tan(dx + c))^2}{d} - \frac{a^2 A (\tan(dx + c))^3}{3d} - \frac{2ia^2 B \tan(dx + c)}{d} + \frac{a^2 B (\tan(dx + c))^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)
```

[Out] $\frac{2}{3}I/d*a^2*B*\tan(d*x+c)^3 - 1/4/d*a^2*B*\tan(d*x+c)^4 + I/d*a^2*A*\tan(d*x+c)^2 - 1/3/d*a^2*A*\tan(d*x+c)^3 - 2*I/d*a^2*B*\tan(d*x+c) + 1/d*a^2*B*\tan(d*x+c)^2 + 2/d*a^2*A*\tan(d*x+c) - I/d*a^2*A*\ln(1+\tan(d*x+c)^2) - 1/d*a^2*B*\ln(1+\tan(d*x+c)^2) + 2*I/d*a^2*B*\arctan(\tan(d*x+c)) - 2/d*a^2*A*\arctan(\tan(d*x+c))$

Maxima [A] time = 1.61527, size = 158, normalized size = 1.12

$$\frac{3Ba^2 \tan(dx+c)^4 + (4A-8iB)a^2 \tan(dx+c)^3 + 12(-iA-B)a^2 \tan(dx+c)^2 + 12(dx+c)(2A-2iB)a^2 - 12(-12d)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $-1/12*(3*B*a^2*\tan(d*x+c)^4 + (4*A-8*I*B)*a^2*\tan(d*x+c)^3 + 12*(-I*A-B)*a^2*\tan(d*x+c)^2 + 12*(d*x+c)*(2*A-2*I*B)*a^2 - 12*(-I*A-B)*a^2*\log(\tan(d*x+c)^2+1) - (24*A-24*I*B)*a^2*\tan(d*x+c))/d$

Fricas [A] time = 1.38267, size = 643, normalized size = 4.56

$$\frac{(30iA+42B)a^2e^{(6i dx+6ic)} + (66iA+72B)a^2e^{(4i dx+4ic)} + (50iA+58B)a^2e^{(2i dx+2ic)} + (14iA+16B)a^2 + ((6iA+6B)3(d e^{(8i dx+8ic)} + 4 d e^{(6i dx+6ic)}))}{3(d e^{(8i dx+8ic)} + 4 d e^{(6i dx+6ic)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{3}*((30*I*A+42*B)*a^2*e^{(6*I*d*x+6*I*c)} + (66*I*A+72*B)*a^2*e^{(4*I*d*x+4*I*c)} + (50*I*A+58*B)*a^2*e^{(2*I*d*x+2*I*c)} + (14*I*A+16*B)*a^2 + ((6*I*A+6*B)*a^2*e^{(8*I*d*x+8*I*c)} + (24*I*A+24*B)*a^2*e^{(6*I*d*x+6*I*c)} + (36*I*A+36*B)*a^2*e^{(4*I*d*x+4*I*c)} + (24*I*A+24*B)*a^2*e^{(2*I*d*x+2*I*c)} + (6*I*A+6*B)*a^2)*\log(e^{(2*I*d*x+2*I*c)}+1))/(d*e^{(8*I*d*x+8*I*c)}+4*d*e^{(6*I*d*x+6*I*c)}+6*d*e^{(4*I*d*x+4*I*c)}+4*d*e^{(2*I*d*x+2*I*c)}+d)$

Sympy [A] time = 42.0235, size = 221, normalized size = 1.57

$$\frac{2a^2(iA+B)\log(e^{2idx}+e^{-2ic})}{d} + \frac{(10iAa^2+14Ba^2)e^{-2ic}e^{6idx}}{d} + \frac{(14iAa^2+16Ba^2)e^{-8ic}}{3d} + \frac{(22iAa^2+24Ba^2)e^{-4ic}e^{4idx}}{d} + \frac{(50iAa^2+58Ba^2)e^{-6ic}e^{2idx}}{3d} + \frac{12(-iA-B)a^2 \tan(dx+c)^2 + 12(dx+c)(2A-2iB)a^2 - 12(-12d)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] $2*a**2*(I*A+B)*\log(\exp(2*I*d*x)+\exp(-2*I*c))/d + ((10*I*A*a**2+14*B*a**2)*\exp(-2*I*c)*\exp(6*I*d*x)/d + (14*I*A*a**2+16*B*a**2)*\exp(-8*I*c)/(3*d) + (22*I*A*a**2+24*B*a**2)*\exp(-4*I*c)*\exp(4*I*d*x)/d + (50*I*A*a**2+58*B*a**2)*\exp(-6*I*c)*\exp(2*I*d*x)/(3*d))/(\exp(8*I*d*x)+4*\exp(-2*I*c)*\exp(6*I*d*x)+6*\exp(-4*I*c)*\exp(4*I*d*x)+4*\exp(-6*I*c)*\exp(2*I*d*x)+\exp(-2*I*c)+d)$

$-8*I*c))$

Giac [B] time = 1.70968, size = 551, normalized size = 3.91

$$6i Aa^2 e^{(8i dx+8ic)} \log(e^{(2i dx+2ic)} + 1) + 6 Ba^2 e^{(8i dx+8ic)} \log(e^{(2i dx+2ic)} + 1) + 24i Aa^2 e^{(6i dx+6ic)} \log(e^{(2i dx+2ic)} + 1) + 24 Ba^2 e^{(6i dx+6ic)} \log(e^{(2i dx+2ic)} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{3} * (6 * I * A * a^2 * e^{(8 * I * d * x + 8 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 6 * B * a^2 * e^{(8 * I * d * x + 8 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 24 * I * A * a^2 * e^{(6 * I * d * x + 6 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 24 * B * a^2 * e^{(6 * I * d * x + 6 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 36 * I * A * a^2 * e^{(4 * I * d * x + 4 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 36 * B * a^2 * e^{(4 * I * d * x + 4 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 24 * I * A * a^2 * e^{(2 * I * d * x + 2 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 24 * B * a^2 * e^{(2 * I * d * x + 2 * I * c)} * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 30 * I * A * a^2 * e^{(6 * I * d * x + 6 * I * c)} + 4 * 2 * B * a^2 * e^{(6 * I * d * x + 6 * I * c)} + 66 * I * A * a^2 * e^{(4 * I * d * x + 4 * I * c)} + 72 * B * a^2 * e^{(4 * I * d * x + 4 * I * c)} + 50 * I * A * a^2 * e^{(2 * I * d * x + 2 * I * c)} + 58 * B * a^2 * e^{(2 * I * d * x + 2 * I * c)} + 6 * I * A * a^2 * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 6 * B * a^2 * \log(e^{(2 * I * d * x + 2 * I * c)} + 1) + 14 * I * A * a^2 + 16 * B * a^2) / (d * e^{(8 * I * d * x + 8 * I * c)} + 4 * d * e^{(6 * I * d * x + 6 * I * c)} + 6 * d * e^{(4 * I * d * x + 4 * I * c)} + 4 * d * e^{(2 * I * d * x + 2 * I * c)} + d)$

3.10 $\int \tan(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=107

$$\frac{a^2(B + iA) \tan(c + dx)}{d} - \frac{2a^2(A - iB) \log(\cos(c + dx))}{d} - 2a^2x(B + iA) + \frac{A(a + ia \tan(c + dx))^2}{2d} - \frac{iB(a + ia \tan(c + dx))}{3ad}$$

[Out] $-2*a^2*(I*A + B)*x - (2*a^2*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a^2*(I*A + B)*\text{Tan}[c + d*x])/d + (A*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d) - ((I/3)*B*(a + I*a*\text{Tan}[c + d*x])^3)/(a*d)$

Rubi [A] time = 0.115465, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3592, 3527, 3477, 3475}

$$\frac{a^2(B + iA) \tan(c + dx)}{d} - \frac{2a^2(A - iB) \log(\cos(c + dx))}{d} - 2a^2x(B + iA) + \frac{A(a + ia \tan(c + dx))^2}{2d} - \frac{iB(a + ia \tan(c + dx))}{3ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-2*a^2*(I*A + B)*x - (2*a^2*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a^2*(I*A + B)*\text{Tan}[c + d*x])/d + (A*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d) - ((I/3)*B*(a + I*a*\text{Tan}[c + d*x])^3)/(a*d)$

Rule 3592

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m*((A + B)*\text{tan}[(e + f*x)] + (c + d)*\text{tan}[(e + f*x)]), x_Symbol] := \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m*((c + d)*\text{tan}[(e + f*x)] + (f*x))), x_Symbol] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3477

$\text{Int}[(a + b*\text{tan}[(c + d*x)]^2, x_Symbol] := \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /;$ FreeQ[{a, b, c, d}, x]

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] := -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \tan(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= -\frac{iB(a+ia \tan(c+dx))^3}{3ad} + \int (a+ia \tan(c+dx))^2(-B+A \tan(c+dx)) dx \\
&= \frac{A(a+ia \tan(c+dx))^2}{2d} - \frac{iB(a+ia \tan(c+dx))^3}{3ad} - (iA+B) \int \tan(c+dx) dx \\
&= -2a^2(iA+B)x + \frac{a^2(iA+B) \tan(c+dx)}{d} + \frac{A(a+ia \tan(c+dx))^2}{2d} \\
&= -2a^2(iA+B)x - \frac{2a^2(A-iB) \log(\cos(c+dx))}{d} + \frac{a^2(iA+B) \tan(c+dx)}{d}
\end{aligned}$$

Mathematica [B] time = 3.91559, size = 273, normalized size = 2.55

$$(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) \left((A-iB) \cos^3(c+dx)(-4dx \sin(2c) - 4idx \cos(2c)) - (A-iB)(\cos(2c) - i \sin(2c)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] ((2*(I*A + B)*ArcTan[Tan[3*c + d*x]]*Cos[c + d*x]^3*(Cos[2*c] - I*Sin[2*c]) - (A - I*B)*Cos[c + d*x]^3*Log[Cos[c + d*x]^2]*(Cos[2*c] - I*Sin[2*c]) + (A - I*B)*Cos[c + d*x]^3*(-4*I)*d*x*Cos[2*c] - 4*d*x*Sin[2*c]) + ((6*A - (7*I)*B)*Cos[c + d*x]^2*Sec[c]*(I*Cos[2*c] + Sin[2*c])*Sin[d*x])/3 + (B*Cos[c]*Sin[d*x]*(I + Tan[c])^2)/3 - (Cos[c + d*x]*(Cos[2*c] - I*Sin[2*c])*(3*A - (6*I)*B + 2*B*Tan[c]))/6)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.006, size = 158, normalized size = 1.5

$$\frac{ia^2B(\tan(dx+c))^2}{d} - \frac{a^2B(\tan(dx+c))^3}{3d} + \frac{2ia^2A \tan(dx+c)}{d} - \frac{a^2A(\tan(dx+c))^2}{2d} + 2 \frac{a^2B \tan(dx+c)}{d} - \frac{ia^2B \ln(1+\tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] I/d*a^2*B*tan(d*x+c)^2-1/3/d*a^2*B*tan(d*x+c)^3+2*I/d*a^2*A*tan(d*x+c)-1/2/d*a^2*A*tan(d*x+c)^2+2/d*a^2*B*tan(d*x+c)-I/d*a^2*B*ln(1+tan(d*x+c)^2)+1/d*a^2*A*ln(1+tan(d*x+c)^2)-2*I/d*a^2*A*arctan(tan(d*x+c))-2/d*a^2*B*arctan(tan(d*x+c))

Maxima [A] time = 1.70474, size = 126, normalized size = 1.18

$$\frac{2Ba^2 \tan(dx+c)^3 + (3A-6iB)a^2 \tan(dx+c)^2 + 12(dx+c)(iA+B)a^2 - 6(A-iB)a^2 \log(\tan(dx+c)^2+1) + 12(iA+B)a^2 \tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] $-1/6*(2*B*a^2*\tan(d*x + c)^3 + (3*A - 6*I*B)*a^2*\tan(d*x + c)^2 + 12*(d*x + c)*(I*A + B)*a^2 - 6*(A - I*B)*a^2*\log(\tan(d*x + c)^2 + 1) + 12*(-I*A - B)*a^2*\tan(d*x + c))/d$

Fricas [A] time = 1.32, size = 474, normalized size = 4.43

$$\frac{2(3(3A - 5iB)a^2e^{4idx+4ic} + 3(5A - 6iB)a^2e^{2idx+2ic}) + (6A - 7iB)a^2 + 3((A - iB)a^2e^{6idx+6ic} + 3(A - iB)a^2e^{4idx+4ic})}{3(d e^{6idx+6ic} + 3d e^{4idx+4ic} + 3d e^{2idx+2ic} + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $-2/3*(3*(3A - 5I*B)*a^2*e^{(4I*d*x + 4I*c)} + 3*(5A - 6I*B)*a^2*e^{(2I*d*x + 2I*c)} + (6A - 7I*B)*a^2 + 3*((A - I*B)*a^2*e^{(6I*d*x + 6I*c)} + 3*(A - I*B)*a^2*e^{(4I*d*x + 4I*c)} + 3*(A - I*B)*a^2*e^{(2I*d*x + 2I*c)} + (A - I*B)*a^2)*\log(e^{(2I*d*x + 2I*c)} + 1))/(d*e^{(6I*d*x + 6I*c)} + 3*d*e^{(4I*d*x + 4I*c)} + 3*d*e^{(2I*d*x + 2I*c)} + d)$

Sympy [A] time = 15.407, size = 172, normalized size = 1.61

$$\frac{2a^2(-A + iB)\log(e^{2idx} + e^{-2ic})}{d} + \frac{(6Aa^2 - 10iBa^2)e^{-2ic}e^{4idx}}{d} - \frac{(10Aa^2 - 12iBa^2)e^{-4ic}e^{2idx}}{d} - \frac{(12Aa^2 - 14iBa^2)e^{-6ic}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] $2*a**2*(-A + I*B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/d + (-(6*A*a**2 - 10*I*B*a**2)*\exp(-2*I*c)*\exp(4*I*d*x)/d - (10*A*a**2 - 12*I*B*a**2)*\exp(-4*I*c)*\exp(2*I*d*x)/d - (12*A*a**2 - 14*I*B*a**2)*\exp(-6*I*c)/(3*d))/(\exp(6*I*d*x) + 3*\exp(-2*I*c)*\exp(4*I*d*x) + 3*\exp(-4*I*c)*\exp(2*I*d*x) + \exp(-6*I*c))$

Giac [B] time = 1.47892, size = 421, normalized size = 3.93

$$\frac{6Aa^2e^{(6idx+6ic)}\log(e^{(2idx+2ic)} + 1) - 6iBa^2e^{(6idx+6ic)}\log(e^{(2idx+2ic)} + 1) + 18Aa^2e^{(4idx+4ic)}\log(e^{(2idx+2ic)} + 1) - 18iBa^2e^{(4idx+4ic)}\log(e^{(2idx+2ic)} + 1) + 18Aa^2e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) - 18iBa^2e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) + 18Aa^2e^{(4idx+4ic)} - 30iBa^2e^{(4idx+4ic)} + 30Aa^2e^{(2idx+2ic)} - 30iBa^2e^{(2idx+2ic)}}{3(d e^{6idx+6ic} + 3d e^{4idx+4ic} + 3d e^{2idx+2ic} + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] $-1/3*(6*A*a^2*e^{(6I*d*x + 6I*c)}*\log(e^{(2I*d*x + 2I*c)} + 1) - 6*I*B*a^2*e^{(6I*d*x + 6I*c)}*\log(e^{(2I*d*x + 2I*c)} + 1) + 18*A*a^2*e^{(4I*d*x + 4I*c)}*\log(e^{(2I*d*x + 2I*c)} + 1) - 18*I*B*a^2*e^{(4I*d*x + 4I*c)}*\log(e^{(2I*d*x + 2I*c)} + 1) + 18*A*a^2*e^{(2I*d*x + 2I*c)}*\log(e^{(2I*d*x + 2I*c)} + 1) - 18*I*B*a^2*e^{(2I*d*x + 2I*c)}*\log(e^{(2I*d*x + 2I*c)} + 1) + 18*A*a^2*e^{(4I*d*x + 4I*c)} - 30*I*B*a^2*e^{(4I*d*x + 4I*c)} + 30*A*a^2*e^{(2I*d*x + 2I*c)} - 30*I*B*a^2*e^{(2I*d*x + 2I*c)})/d$

$$\begin{aligned} & d*x + 2*I*c) - 36*I*B*a^2*e^{(2*I*d*x + 2*I*c)} + 6*A*a^2*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 6*I*B*a^2*\log(e^{(2*I*d*x + 2*I*c)} + 1) + 12*A*a^2 - 14*I*B*a^2) \\ & / (d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d) \end{aligned}$$

3.11 $\int (a + ia \tan(c + dx))^2 (A + B \tan(c + dx)) dx$

Optimal. Leaf size=80

$$-\frac{a^2(A - iB) \tan(c + dx)}{d} - \frac{2a^2(B + iA) \log(\cos(c + dx))}{d} + 2a^2x(A - iB) + \frac{B(a + ia \tan(c + dx))^2}{2d}$$

[Out] $2*a^2*(A - I*B)*x - (2*a^2*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d - (a^2*(A - I*B)*\text{Tan}[c + d*x])/d + (B*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d)$

Rubi [A] time = 0.0691261, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3527, 3477, 3475}

$$-\frac{a^2(A - iB) \tan(c + dx)}{d} - \frac{2a^2(B + iA) \log(\cos(c + dx))}{d} + 2a^2x(A - iB) + \frac{B(a + ia \tan(c + dx))^2}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $2*a^2*(A - I*B)*x - (2*a^2*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d - (a^2*(A - I*B)*\text{Tan}[c + d*x])/d + (B*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d)$

Rule 3527

$\text{Int}[(a + b*\text{tan}[e + f*x])^m * (c + d*\text{tan}[e + f*x]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3477

$\text{Int}[(a + b*\text{tan}[c + d*x])^2, x_Symbol] \rightarrow \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /;$ FreeQ[{a, b, c, d}, x]

Rule 3475

$\text{Int}[\text{tan}[c + d*x], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + ia \tan(c + dx))^2 (A + B \tan(c + dx)) dx &= \frac{B(a + ia \tan(c + dx))^2}{2d} - (-A + iB) \int (a + ia \tan(c + dx))^2 dx \\ &= 2a^2(A - iB)x - \frac{a^2(A - iB) \tan(c + dx)}{d} + \frac{B(a + ia \tan(c + dx))^2}{2d} + \dots \\ &= 2a^2(A - iB)x - \frac{2a^2(iA + B) \log(\cos(c + dx))}{d} - \frac{a^2(A - iB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 2.22004, size = 263, normalized size = 3.29

$a^2 \sec(c) \sec^2(c + dx) (\cos(2dx) + i \sin(2dx)) (-8(A - iB) \cos(c) \cos^2(c + dx) \tan^{-1}(\tan(3c + dx)) - i((B + iA) \cos(c + dx) \tan(3c + dx) + \dots))$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (a^2*Sec[c]*Sec[c + d*x]^2*(Cos[2*d*x] + I*Sin[2*d*x])*(-8*(A - I*B)*ArcTan[Tan[3*c + d*x]]*Cos[c]*Cos[c + d*x]^2 - I*((4*I)*A*d*x*Cos[3*c + 2*d*x] + 4*B*d*x*Cos[3*c + 2*d*x] + (I*A + B)*Cos[c + 2*d*x]*(4*d*x - I*Log[Cos[c + d*x]^2]) + A*Cos[3*c + 2*d*x]*Log[Cos[c + d*x]^2] - I*B*Cos[3*c + 2*d*x]*Log[Cos[c + d*x]^2] + 2*Cos[c]*((-I)*B + (4*I)*A*d*x + 4*B*d*x + (A - I*B)*Log[Cos[c + d*x]^2]) + (2*I)*A*Sin[c] + 4*B*Sin[c] - (2*I)*A*Sin[c + 2*d*x] - 4*B*Sin[c + 2*d*x]))/(4*d*(Cos[d*x] + I*Sin[d*x])^2)

Maple [A] time = 0.006, size = 123, normalized size = 1.5

$$-\frac{a^2 B (\tan(dx + c))^2}{2d} - \frac{a^2 A \tan(dx + c)}{d} + \frac{2ia^2 B \tan(dx + c)}{d} + \frac{ia^2 A \ln(1 + (\tan(dx + c))^2)}{d} + \frac{a^2 B \ln(1 + (\tan(dx + c))^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)

[Out] -1/2/d*a^2*B*tan(d*x+c)^2-1/d*a^2*A*tan(d*x+c)+2*I/d*a^2*B*tan(d*x+c)+I/d*a^2*A*ln(1+tan(d*x+c)^2)+1/d*a^2*B*ln(1+tan(d*x+c)^2)-2*I/d*a^2*B*arctan(tan(d*x+c))+2/d*a^2*A*arctan(tan(d*x+c))

Maxima [A] time = 1.54547, size = 100, normalized size = 1.25

$$\frac{Ba^2 \tan(dx + c)^2 - 2(dx + c)(2A - 2iB)a^2 - 2(iA + B)a^2 \log(\tan(dx + c)^2 + 1) + (2A - 4iB)a^2 \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(B*a^2*tan(d*x + c)^2 - 2*(d*x + c)*(2*A - 2*I*B)*a^2 - 2*(I*A + B)*a^2*log(tan(d*x + c)^2 + 1) + (2*A - 4*I*B)*a^2*tan(d*x + c))/d

Fricas [A] time = 1.4749, size = 339, normalized size = 4.24

$$\frac{(-2iA - 6B)a^2 e^{(2i dx + 2i c)} + (-2iA - 4B)a^2 + ((-2iA - 2B)a^2 e^{(4i dx + 4i c)} + (-4iA - 4B)a^2 e^{(2i dx + 2i c)} + (-2iA - 2B)a^2) \log(e^{(2i dx + 2i c)} + 1)}{d e^{(4i dx + 4i c)} + 2 d e^{(2i dx + 2i c)} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] ((-2*I*A - 6*B)*a^2*e^(2*I*d*x + 2*I*c) + (-2*I*A - 4*B)*a^2 + ((-2*I*A - 2*B)*a^2*e^(4*I*d*x + 4*I*c) + (-4*I*A - 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a^2)*log(e^(2*I*d*x + 2*I*c) + 1)/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [A] time = 7.08905, size = 121, normalized size = 1.51

$$-\frac{2a^2 (iA + B) \log(e^{2idx} + e^{-2ic})}{d} + \frac{-\frac{(2iAa^2+4Ba^2)e^{-4ic}}{d} - \frac{(2iAa^2+6Ba^2)e^{-2ic}e^{2idx}}{d}}{e^{4idx} + 2e^{-2ic}e^{2idx} + e^{-4ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] $-2*a**2*(I*A + B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/d + (-(2*I*A*a**2 + 4*B*a**2)*\exp(-4*I*c)/d - (2*I*A*a**2 + 6*B*a**2)*\exp(-2*I*c)*\exp(2*I*d*x)/d)/(e^{4*I*d*x} + 2*\exp(-2*I*c)*\exp(2*I*d*x) + \exp(-4*I*c))$

Giac [B] time = 1.3872, size = 290, normalized size = 3.62

$$\frac{-2i Aa^2 e^{4i dx+4ic} \log(e^{(2i dx+2ic)} + 1) - 2Ba^2 e^{4i dx+4ic} \log(e^{(2i dx+2ic)} + 1) - 4i Aa^2 e^{(2i dx+2ic)} \log(e^{(2i dx+2ic)} + 1) - 4B a^2 e^{(2i dx+2ic)} \log(e^{(2i dx+2ic)} + 1)}{d e^{(4i dx+4ic)} + 2 d e^{(2i dx+2ic)} + d e^{-4ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $(-2*I*A*a^2*e^{(4*I*d*x + 4*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 2*B*a^2*e^{(4*I*d*x + 4*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 4*I*A*a^2*e^{(2*I*d*x + 2*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 4*B*a^2*e^{(2*I*d*x + 2*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 2*I*A*a^2*e^{(2*I*d*x + 2*I*c)} - 6*B*a^2*e^{(2*I*d*x + 2*I*c)} - 2*I*A*a^2*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 2*B*a^2*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 2*I*A*a^2 - 4*B*a^2)/(d*e^{(4*I*d*x + 4*I*c)} + 2*d*e^{(2*I*d*x + 2*I*c)} + d)$

3.12 $\int \cot(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=75

$$\frac{a^2(A - 2iB) \log(\cos(c + dx))}{d} + 2a^2x(B + iA) + \frac{a^2A \log(\sin(c + dx))}{d} + \frac{iB(a^2 + ia^2 \tan(c + dx))}{d}$$

[Out] $2*a^2*(I*A + B)*x + (a^2*(A - (2*I)*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a^2*A*\text{Log}[\text{Sin}[c + d*x]])/d + (I*B*(a^2 + I*a^2*\text{Tan}[c + d*x]))/d$

Rubi [A] time = 0.158676, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3594, 3589, 3475, 3531}

$$\frac{a^2(A - 2iB) \log(\cos(c + dx))}{d} + 2a^2x(B + iA) + \frac{a^2A \log(\sin(c + dx))}{d} + \frac{iB(a^2 + ia^2 \tan(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $2*a^2*(I*A + B)*x + (a^2*(A - (2*I)*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a^2*A*\text{Log}[\text{Sin}[c + d*x]])/d + (I*B*(a^2 + I*a^2*\text{Tan}[c + d*x]))/d$

Rule 3594

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3589

$\text{Int}[\frac{(A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(B*d)/b, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Dist}[1/b, \text{Int}[\text{Simp}[A*b*c + (A*b*d + B*(b*c - a*d))*\text{Tan}[e + f*x], x]/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3531

$\text{Int}[\frac{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}, x_Symbol] \rightarrow \text{Simp}[\frac{(a*c + b*d)*x}{(a^2 + b^2)}, x] + \text{Dist}[\frac{(b*c - a*d)}{(a^2 + b^2)}, \text{Int}[\frac{(b - a*\text{Tan}[e + f*x])}{(a + b*\text{Tan}[e + f*x])}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a, 0]$

$\mathbb{Q}[a*c + b*d, 0]$

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{iB(a^2 + ia^2 \tan(c + dx))}{d} + \int \cot(c + dx)(a + ia \tan(c + dx))^2 dx \\ &= \frac{iB(a^2 + ia^2 \tan(c + dx))}{d} - (a^2(A - 2iB)) \int \tan(c + dx) dx \\ &= 2a^2(iA + B)x + \frac{a^2(A - 2iB) \log(\cos(c + dx))}{d} + \frac{iB(a^2 + ia^2 \tan(c + dx))}{d} \\ &= 2a^2(iA + B)x + \frac{a^2(A - 2iB) \log(\cos(c + dx))}{d} + \frac{a^2 A \log(\cos(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 2.70705, size = 201, normalized size = 2.68

$$\frac{a^2(\cos(2dx) + i \sin(2dx))(A + B \tan(c + dx)) \left(\sec(c) \left(\cos(dx) \left((A - 2iB) \log(\cos^2(c + dx)) + 8dx(B + iA) + A \log(\sin^2(c + dx)) \right) \right) \right)}{4d(\cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (a^2*((-8*I)*(A - I*B)*ArcTan[Tan[3*c + d*x]]*Cos[c + d*x] + Sec[c]*(Cos[d*x]*(8*(I*A + B)*d*x + (A - (2*I)*B)*Log[Cos[c + d*x]^2] + A*Log[Sin[c + d*x]^2]) + Cos[2*c + d*x]*(8*(I*A + B)*d*x + (A - (2*I)*B)*Log[Cos[c + d*x]^2] + A*Log[Sin[c + d*x]^2]) - 4*B*Sin[d*x]))*(Cos[2*d*x] + I*Sin[2*d*x])*(A + B*Tan[c + d*x]))/(4*d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.06, size = 100, normalized size = 1.3

$$2iAa^2x + \frac{2iAa^2c}{d} - \frac{2iBa^2 \ln(\cos(dx + c))}{d} + 2a^2Bx + \frac{a^2A \ln(\cos(dx + c))}{d} + \frac{a^2A \ln(\sin(dx + c))}{d} - \frac{a^2B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 2*I*A*a^2*x+2*I/d*A*a^2*c-2*I/d*B*a^2*ln(cos(d*x+c))+2*a^2*B*x+1/d*a^2*A*ln(cos(d*x+c))+a^2*A*ln(sin(d*x+c))/d-1/d*a^2*B*tan(d*x+c)+2/d*B*a^2*c

Maxima [A] time = 1.71502, size = 90, normalized size = 1.2

$$\frac{2(dx + c)(-iA - B)a^2 + (A - iB)a^2 \log(\tan(dx + c)^2 + 1) - Aa^2 \log(\tan(dx + c)) + Ba^2 \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] $-(2*(d*x + c)*(-I*A - B)*a^2 + (A - I*B)*a^2*\log(\tan(d*x + c)^2 + 1) - A*a^2*\log(\tan(d*x + c)) + B*a^2*\tan(d*x + c))/d$

Fricas [A] time = 1.4481, size = 265, normalized size = 3.53

$$\frac{-2iBa^2 + ((A - 2iB)a^2e^{2idx+2ic} + (A - 2iB)a^2)\log(e^{2idx+2ic} + 1) + (Aa^2e^{2idx+2ic} + Aa^2)\log(e^{2idx+2ic} - 1)}{de^{2idx+2ic} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $(-2*I*B*a^2 + ((A - 2*I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (A - 2*I*B)*a^2)*\log(e^{(2*I*d*x + 2*I*c)} + 1) + (A*a^2*e^{(2*I*d*x + 2*I*c)} + A*a^2)*\log(e^{(2*I*d*x + 2*I*c)} - 1))/(d*e^{(2*I*d*x + 2*I*c)} + d)$

Sympy [A] time = 4.31611, size = 119, normalized size = 1.59

$$-\frac{2iBa^2e^{-2ic}}{d(e^{2idx} + e^{-2ic})} + \text{RootSum}\left(z^2d^2 + z(-2Aa^2d + 2iBa^2d) + A^2a^4 - 2iABa^4, \left(i \mapsto i \log\left(\frac{iide^{-2ic}}{Ba^2} + e^{2idx} - \frac{(iA + B)e^{-2ic}}{B}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)

[Out] $-2*I*B*a**2*\exp(-2*I*c)/(d*(\exp(2*I*d*x) + \exp(-2*I*c))) + \text{RootSum}(_z**2*d**2 + _z*(-2*A*a**2*d + 2*I*B*a**2*d) + A**2*a**4 - 2*I*A*B*a**4, \text{Lambda}(_i, _i*\log(_i*I*d*\exp(-2*I*c)/(B*a**2) + \exp(2*I*d*x) - (I*A + B)*\exp(-2*I*c)/B)))$

Giac [B] time = 1.48997, size = 240, normalized size = 3.2

$$Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right) - 2(2Aa^2 - 2iBa^2) \log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + i\right) + (Aa^2 - 2iBa^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $(A*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c)))) - 2*(2*A*a^2 - 2*I*B*a^2)*\log(\tan(1/2*d*x + 1/2*c) + I) + (A*a^2 - 2*I*B*a^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + (A*a^2 - 2*I*B*a^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - (A*a^2*\tan(1/2*d*x + 1/2*c)^2 - 2*I*B*a^2*\tan(1/2*d*x + 1/2*c)^2 - 2*B*a^2*\tan(1/2*d*x + 1/2*c) - A*a^2 + 2*I*B*a^2)/(\tan(1/2*d*x + 1/2*c)^2 - 1))/d$

3.13 $\int \cot^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=79

$$\frac{a^2(B + 2iA) \log(\sin(c + dx))}{d} - 2a^2x(A - iB) - \frac{A \cot(c + dx)(a^2 + ia^2 \tan(c + dx))}{d} + \frac{a^2B \log(\cos(c + dx))}{d}$$

[Out] $-2*a^2*(A - I*B)*x + (a^2*B*Log[Cos[c + d*x]])/d + (a^2*((2*I)*A + B)*Log[Sin[c + d*x]])/d - (A*Cot[c + d*x]*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rubi [A] time = 0.177857, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3593, 3589, 3475, 3531}

$$\frac{a^2(B + 2iA) \log(\sin(c + dx))}{d} - 2a^2x(A - iB) - \frac{A \cot(c + dx)(a^2 + ia^2 \tan(c + dx))}{d} + \frac{a^2B \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-2*a^2*(A - I*B)*x + (a^2*B*Log[Cos[c + d*x]])/d + (a^2*((2*I)*A + B)*Log[Sin[c + d*x]])/d - (A*Cot[c + d*x]*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rule 3593

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow -\text{Simp}[a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1}]/(d*f*(b*c + a*d)*(n + 1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3589

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((c + d*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(B*d)/b, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Dist}[1/b, \text{Int}[\text{Simp}[A*b*c + (A*b*d + B*(b*c - a*d))*\text{Tan}[e + f*x], x]/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3531

$\text{Int}[(c + d*\text{tan}[(e + f*x)])/(a + b*\text{tan}[(e + f*x)])^2, x_Symbol] \rightarrow \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[d, 0]$

Q[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{A \cot(c + dx) (a^2 + ia^2 \tan(c + dx))}{d} + \int \cot(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx \\ &= -\frac{A \cot(c + dx) (a^2 + ia^2 \tan(c + dx))}{d} - (a^2 B) \int \tan(c + dx) dx \\ &= -2a^2(A - iB)x + \frac{a^2 B \log(\cos(c + dx))}{d} - \frac{A \cot(c + dx) (a^2 + ia^2 \tan(c + dx))}{d} \\ &= -2a^2(A - iB)x + \frac{a^2 B \log(\cos(c + dx))}{d} + \frac{a^2(2iA + B) \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 3.08541, size = 202, normalized size = 2.56

$$\frac{a^2(\cos(2dx) + i \sin(2dx))(A \cot(c + dx) + B) (8(A - iB) \sin(c + dx) \tan^{-1}(\tan(3c + dx)) + \csc(c) (\cos(2c + dx) ((-B - 2iA) \cos(2c + dx) + 2iA \sin(2c + dx)) + 4d(\cos(dx) \sin(2c + dx) + \sin(dx) \cos(2c + dx))))}{4d(\cos(dx) \sin(2c + dx) + \sin(dx) \cos(2c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (a^2*(B + A*Cot[c + d*x])*(Cos[2*d*x] + I*Sin[2*d*x])*(Csc[c]*(Cos[2*c + d*x])*(8*(A - I*B)*d*x - B*Log[Cos[c + d*x]^2] + ((-2*I)*A - B)*Log[Sin[c + d*x]^2]) + Cos[d*x]*(-8*(A - I*B)*d*x + B*Log[Cos[c + d*x]^2] + ((2*I)*A + B)*Log[Sin[c + d*x]^2]) + 4*A*Sin[d*x]) + 8*(A - I*B)*ArcTan[Tan[3*c + d*x]]*Sin[c + d*x])/ (4*d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.06, size = 100, normalized size = 1.3

$$2iBa^2x + \frac{2iAa^2 \ln(\sin(dx + c))}{d} - 2a^2Ax + \frac{2iBa^2c}{d} - \frac{a^2A \cot(dx + c)}{d} - 2\frac{Aa^2c}{d} + \frac{a^2B \ln(\cos(dx + c))}{d} + \frac{a^2B \ln(\sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 2*I*B*a^2*x+2*I/d*A*a^2*ln(sin(d*x+c))-2*a^2*A*x+2*I/d*B*a^2*c-a^2*A*cot(d*x+c)/d-2/d*A*a^2*c+a^2*B*ln(cos(d*x+c))/d+1/d*a^2*B*ln(sin(d*x+c))

Maxima [A] time = 1.54445, size = 101, normalized size = 1.28

$$\frac{(dx + c)(2A - 2iB)a^2 - (-iA - B)a^2 \log(\tan(dx + c)^2 + 1) - (2iA + B)a^2 \log(\tan(dx + c)) + \frac{Aa^2}{\tan(dx+c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] $-\left((d*x + c)*(2*A - 2*I*B)*a^2 - (-I*A - B)*a^2*\log(\tan(d*x + c)^2 + 1) - (2*I*A + B)*a^2*\log(\tan(d*x + c)) + A*a^2/\tan(d*x + c)\right)/d$

Fricas [A] time = 1.55175, size = 266, normalized size = 3.37

$$\frac{-2i A a^2 + \left(B a^2 e^{2i d x + 2i c} - B a^2\right) \log\left(e^{2i d x + 2i c} + 1\right) + \left((2i A + B) a^2 e^{2i d x + 2i c} + (-2i A - B) a^2\right) \log\left(e^{2i d x + 2i c} - 1\right)}{d e^{2i d x + 2i c} - d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{(-2*I*A*a^2 + (B*a^2*e^{(2*I*d*x + 2*I*c)} - B*a^2)*\log(e^{(2*I*d*x + 2*I*c)} + 1) + ((2*I*A + B)*a^2*e^{(2*I*d*x + 2*I*c)} + (-2*I*A - B)*a^2)*\log(e^{(2*I*d*x + 2*I*c)} - 1))/(d*e^{(2*I*d*x + 2*I*c)} - d)}$

Sympy [A] time = 5.21919, size = 121, normalized size = 1.53

$$-\frac{2i A a^2 e^{-2ic}}{d(e^{2idx} - e^{-2ic})} + \text{RootSum}\left(z^2 d^2 + z(-2i A a^2 d - 2B a^2 d) + 2i A B a^4 + B^2 a^4, \left(i \mapsto i \log\left(\frac{i d e^{-2ic}}{A a^2} + e^{2idx} + \frac{(A - iB) e^{2idx}}{A}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] $-2*I*A*a**2*\exp(-2*I*c)/(d*(\exp(2*I*d*x) - \exp(-2*I*c))) + \text{RootSum}(_z**2*d**2 + _z*(-2*I*A*a**2*d - 2*B*a**2*d) + 2*I*A*B*a**4 + B**2*a**4, \text{Lambda}(_i, _i*\log(_i*I*d*\exp(-2*I*c)/(A*a**2) + \exp(2*I*d*x) + (A - I*B)*\exp(-2*I*c)/A)))$

Giac [B] time = 1.55165, size = 213, normalized size = 2.7

$$2 B a^2 \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right|\right) + 2 B a^2 \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right|\right) + A a^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 8 (i A a^2 + B a^2) \log\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + I\right) + 2 * (2 * I * A * a^2 + B * a^2) * \log\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + I\right) + (-4 * I * A * a^2 * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 2 * B * a^2 * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - A * a^2) / \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) / d$$

2 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] $1/2*(2*B*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 2*B*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + A*a^2*\tan(1/2*d*x + 1/2*c) - 8*(I*A*a^2 + B*a^2)*\log(\tan(1/2*d*x + 1/2*c) + I) + 2*(2*I*A*a^2 + B*a^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + I)) + (-4*I*A*a^2*\tan(1/2*d*x + 1/2*c) - 2*B*a^2*\tan(1/2*d*x + 1/2*c) - A*a^2)/\tan(1/2*d*x + 1/2*c)/d$

3.14 $\int \cot^3(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=94

$$\frac{a^2(2B + 3iA) \cot(c + dx)}{2d} - \frac{2a^2(A - iB) \log(\sin(c + dx))}{d} - 2a^2x(B + iA) - \frac{A \cot^2(c + dx)(a^2 + ia^2 \tan(c + dx))}{2d}$$

[Out] $-2a^2(I*A + B)*x - (a^2*((3*I)*A + 2*B)*\text{Cot}[c + d*x])/(2*d) - (2*a^2*(A - I*B)*\text{Log}[\text{Sin}[c + d*x]])/d - (A*\text{Cot}[c + d*x]^2*(a^2 + I*a^2*\text{Tan}[c + d*x]))/(2*d)$

Rubi [A] time = 0.207893, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3593, 3591, 3531, 3475}

$$\frac{a^2(2B + 3iA) \cot(c + dx)}{2d} - \frac{2a^2(A - iB) \log(\sin(c + dx))}{d} - 2a^2x(B + iA) - \frac{A \cot^2(c + dx)(a^2 + ia^2 \tan(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^3*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-2a^2(I*A + B)*x - (a^2*((3*I)*A + 2*B)*\text{Cot}[c + d*x])/(2*d) - (2*a^2*(A - I*B)*\text{Log}[\text{Sin}[c + d*x]])/d - (A*\text{Cot}[c + d*x]^2*(a^2 + I*a^2*\text{Tan}[c + d*x]))/(2*d)$

Rule 3593

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3531

$\text{Int}[(c + d*\text{tan}[(e + f*x)])/(a + b*\text{tan}[(e + f*x)]), x_Symbol] \rightarrow \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a*c + b*d, 0]$

Rule 3475

`Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{A \cot^2(c + dx)(a^2 + ia^2 \tan(c + dx))}{2d} + \frac{1}{2} \int \cot^2(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx \\ &= -\frac{a^2(3iA + 2B) \cot(c + dx)}{2d} - \frac{A \cot^2(c + dx)(a^2 + ia^2 \tan(c + dx))}{2d} \\ &= -2a^2(iA + B)x - \frac{a^2(3iA + 2B) \cot(c + dx)}{2d} - \frac{A \cot^2(c + dx)(a^2 + ia^2 \tan(c + dx))}{2d} \\ &= -2a^2(iA + B)x - \frac{a^2(3iA + 2B) \cot(c + dx)}{2d} - \frac{2a^2(A - iB) \cot(c + dx)}{2d} \end{aligned}$$

Mathematica [B] time = 2.3557, size = 302, normalized size = 3.21

$$\frac{a^2 \csc(c) \csc^2(c + dx)(\cos(2dx) + i \sin(2dx))(8(B + iA) \sin(c) \sin^2(c + dx) \tan^{-1}(\tan(3c + dx)) + 2(B + 2iA) \cos(c) - \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (a^2*Csc[c]*Csc[c + d*x]^2*(Cos[2*d*x] + I*Sin[2*d*x])*(2*((2*I)*A + B)*Cos[c] - (4*I)*A*Cos[c + 2*d*x] - 2*B*Cos[c + 2*d*x] - 2*A*Sin[c] - (8*I)*A*d*x*Sin[c] - 8*B*d*x*Sin[c] - 2*A*Log[Sin[c + d*x]^2]*Sin[c] + (2*I)*B*Log[Sin[c + d*x]^2]*Sin[c] + 8*(I*A + B)*ArcTan[Tan[3*c + d*x]]*Sin[c]*Sin[c + d*x]^2 - (4*I)*A*d*x*Sin[c + 2*d*x] - 4*B*d*x*Sin[c + 2*d*x] - A*Log[Sin[c + d*x]^2]*Sin[c + 2*d*x] + I*B*Log[Sin[c + d*x]^2]*Sin[c + 2*d*x] + (4*I)*A*d*x*Sin[3*c + 2*d*x] + 4*B*d*x*Sin[3*c + 2*d*x] + A*Log[Sin[c + d*x]^2]*Sin[3*c + 2*d*x] - I*B*Log[Sin[c + d*x]^2]*Sin[3*c + 2*d*x]))/(4*d*(Cos[d*x] + I*Sin[d*x])^2)

Maple [A] time = 0.071, size = 119, normalized size = 1.3

$$-2 \frac{a^2 A \ln(\sin(dx + c))}{d} - 2a^2 Bx - 2 \frac{Ba^2 c}{d} - 2iAa^2 x - \frac{2iA \cot(dx + c) a^2}{d} - \frac{2iAa^2 c}{d} + \frac{2iBa^2 \ln(\sin(dx + c))}{d} - \frac{a^2 A}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] -2*a^2*A*ln(sin(d*x+c))/d-2*a^2*B*x-2/d*B*a^2*c-2*I*A*x*a^2-2*I/d*A*cot(d*x+c)*a^2-2*I/d*A*a^2*c+2*I/d*B*a^2*ln(sin(d*x+c))-1/2*a^2*A*cot(d*x+c)^2/d-1/d*B*cot(d*x+c)*a^2

Maxima [A] time = 1.66555, size = 130, normalized size = 1.38

$$\frac{4(dx + c)(iA + B)a^2 - 2(A - iB)a^2 \log(\tan(dx + c)^2 + 1) + 2(2A - 2iB)a^2 \log(\tan(dx + c)) - \frac{2(-2iA - B)a^2 \tan(dx + c)}{\tan(dx + c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/2*(4*(d*x + c)*(I*A + B)*a^2 - 2*(A - I*B)*a^2*\log(\tan(d*x + c)^2 + 1) + 2*(2*A - 2*I*B)*a^2*\log(\tan(d*x + c)) - (2*(-2*I*A - B)*a^2*\tan(d*x + c) - A*a^2)/\tan(d*x + c)^2/d$

Fricas [A] time = 1.40485, size = 316, normalized size = 3.36

$$\frac{2\left((3A - iB)a^2e^{2idx+2ic} - (2A - iB)a^2 - \left((A - iB)a^2e^{4idx+4ic} - 2(A - iB)a^2e^{2idx+2ic} + (A - iB)a^2\right)\log\left(e^{2idx+2ic} - 1\right)\right)}{de^{4idx+4ic} - 2de^{2idx+2ic} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $2*((3A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - (2*A - I*B)*a^2 - ((A - I*B)*a^2*e^{(4*I*d*x + 4*I*c)} - 2*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (A - I*B)*a^2)*\log(e^{(2*I*d*x + 2*I*c)} - 1)/(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)$

Sympy [A] time = 5.36212, size = 119, normalized size = 1.27

$$\frac{2a^2(-A + iB)\log(e^{2idx} - e^{-2ic})}{d} + \frac{-\frac{(4Aa^2 - 2iBa^2)e^{-4ic}}{d} + \frac{(6Aa^2 - 2iBa^2)e^{-2ic}e^{2idx}}{d}}{e^{4idx} - 2e^{-2ic}e^{2idx} + e^{-4ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] $2*a**2*(-A + I*B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/d + (-4*A*a**2 - 2*I*B*a**2)*\exp(-4*I*c)/d + (6*A*a**2 - 2*I*B*a**2)*\exp(-2*I*c)*\exp(2*I*d*x)/d/(e^{\exp(4*I*d*x) - 2*\exp(-2*I*c)*\exp(2*I*d*x) + \exp(-4*I*c)})$

Giac [B] time = 1.61919, size = 254, normalized size = 2.7

$$Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 8iAa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 4Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 16(2Aa^2 - 2iBa^2) \log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $-1/8*(A*a^2*\tan(1/2*d*x + 1/2*c)^2 - 8*I*A*a^2*\tan(1/2*d*x + 1/2*c) - 4*B*a^2*\tan(1/2*d*x + 1/2*c) - 16*(2*A*a^2 - 2*I*B*a^2)*\log(\tan(1/2*d*x + 1/2*c))$

$$\begin{aligned} &+ I) + 16*(A*a^2 - I*B*a^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) - (24*A*a^2*\tan \\ &(1/2*d*x + 1/2*c)^2 - 24*I*B*a^2*\tan(1/2*d*x + 1/2*c)^2 - 8*I*A*a^2*\tan(1/2 \\ &*d*x + 1/2*c) - 4*B*a^2*\tan(1/2*d*x + 1/2*c) - A*a^2)/\tan(1/2*d*x + 1/2*c)^2)/d \end{aligned}$$

3.15 $\int \cot^4(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=117

$$-\frac{a^2(3B + 4iA) \cot^2(c + dx)}{6d} + \frac{2a^2(A - iB) \cot(c + dx)}{d} - \frac{2a^2(B + iA) \log(\sin(c + dx))}{d} + 2a^2x(A - iB) - \frac{A \cot^3(c + dx)}{3d}$$

[Out] $2a^2(A - I*B)*x + (2a^2(A - I*B)*\text{Cot}[c + d*x])/d - (a^2*((4*I)*A + 3*B)*\text{Cot}[c + d*x]^2)/(6*d) - (2a^2(I*A + B)*\text{Log}[\text{Sin}[c + d*x]])/d - (A*\text{Cot}[c + d*x]^3*(a^2 + I*a^2*\text{Tan}[c + d*x]))/(3*d)$

Rubi [A] time = 0.255599, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3591, 3529, 3531, 3475}

$$-\frac{a^2(3B + 4iA) \cot^2(c + dx)}{6d} + \frac{2a^2(A - iB) \cot(c + dx)}{d} - \frac{2a^2(B + iA) \log(\sin(c + dx))}{d} + 2a^2x(A - iB) - \frac{A \cot^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^4*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $2a^2(A - I*B)*x + (2a^2(A - I*B)*\text{Cot}[c + d*x])/d - (a^2*((4*I)*A + 3*B)*\text{Cot}[c + d*x]^2)/(6*d) - (2a^2(I*A + B)*\text{Log}[\text{Sin}[c + d*x]])/d - (A*\text{Cot}[c + d*x]^3*(a^2 + I*a^2*\text{Tan}[c + d*x]))/(3*d)$

Rule 3593

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)})/(d*f*(b*c + a*d)*(n + 1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{A \cot^3(c + dx)(a^2 + ia^2 \tan(c + dx))}{3d} + \frac{1}{3} \int \cot^3(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx \\ &= -\frac{a^2(4iA + 3B) \cot^2(c + dx)}{6d} - \frac{A \cot^3(c + dx)(a^2 + ia^2 \tan(c + dx))}{3d} \\ &= \frac{2a^2(A - iB) \cot(c + dx)}{d} - \frac{a^2(4iA + 3B) \cot^2(c + dx)}{6d} \\ &= 2a^2(A - iB)x + \frac{2a^2(A - iB) \cot(c + dx)}{d} - \frac{a^2(4iA + 3B)}{6d} \\ &= 2a^2(A - iB)x + \frac{2a^2(A - iB) \cot(c + dx)}{d} - \frac{a^2(4iA + 3B)}{6d} \end{aligned}$$

Mathematica [B] time = 3.30089, size = 435, normalized size = 3.72

$a^2 \csc(c) \csc^3(c + dx)(\cos(2dx) + i \sin(2dx))(-48(A - iB) \sin(c) \sin^3(c + dx) \tan^{-1}(\tan(3c + dx)) + 3 \cos(dx)((-3B$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (a^2*Csc[c]*Csc[c + d*x]^3*(Cos[2*d*x] + I*Sin[2*d*x])*((12*I)*A*Cos[2*c + d*x] + 6*B*Cos[2*c + d*x] - 36*A*d*x*Cos[2*c + d*x] + (36*I)*B*d*x*Cos[2*c + d*x] - 12*A*d*x*Cos[2*c + 3*d*x] + (12*I)*B*d*x*Cos[2*c + 3*d*x] + 12*A*d*x*Cos[4*c + 3*d*x] - (12*I)*B*d*x*Cos[4*c + 3*d*x] + (9*I)*A*Cos[2*c + d*x]*Log[Sin[c + d*x]^2] + 9*B*Cos[2*c + d*x]*Log[Sin[c + d*x]^2] + (3*I)*A*Cos[2*c + 3*d*x]*Log[Sin[c + d*x]^2] + 3*B*Cos[2*c + 3*d*x]*Log[Sin[c + d*x]^2] - (3*I)*A*Cos[4*c + 3*d*x]*Log[Sin[c + d*x]^2] - 3*B*Cos[4*c + 3*d*x]*Log[Sin[c + d*x]^2] + 3*Cos[d*x]*(2*B*(-1 - (6*I)*d*x) + 4*A*(-I + 3*d*x) + (-3*I)*A - 3*B)*Log[Sin[c + d*x]^2]) - 24*A*Sin[d*x] + (24*I)*B*Sin[d*x] - 48*(A - I*B)*ArcTan[Tan[3*c + d*x]]*Sin[c]*Sin[c + d*x]^3 - 18*A*Sin[2*c + d*x] + (12*I)*B*Sin[2*c + d*x] + 14*A*Sin[2*c + 3*d*x] - (12*I)*B*Sin[2*c + 3*d*x]))/(24*d*(Cos[d*x] + I*Sin[d*x])^2)

Maple [A] time = 0.066, size = 154, normalized size = 1.3

$2a^2Ax + 2\frac{a^2A \cot(dx + c)}{d} + 2\frac{Aa^2c}{d} - 2\frac{a^2B \ln(\sin(dx + c))}{d} - \frac{iAa^2(\cot(dx + c))^2}{d} - \frac{2iAa^2 \ln(\sin(dx + c))}{d} - 2iB$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out] $2a^2Ax+2a^2A\cot(dx+c)/d+2/dAa^2c-2/dA^2B\ln(\sin(dx+c))-I/dAa^2\cot(dx+c)^2-2I/dAa^2\ln(\sin(dx+c))-2I*Bxa^2-2I/dB\cot(dx+c)a^2-2I/dBa^2c-1/3a^2A\cot(dx+c)^3/d-1/2/dA^2B\cot(dx+c)^2$

Maxima [A] time = 1.62685, size = 154, normalized size = 1.32

$$\frac{6(dx+c)(2A-2iB)a^2+6(iA+B)a^2\log(\tan(dx+c)^2+1)-12(iA+B)a^2\log(\tan(dx+c))+\frac{(12A-12iB)a^2\tan(dx+c)^2}{\tan(dx+c)}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $1/6*(6*(dx+c)*(2A-2I*B)*a^2+6*(I*A+B)*a^2*\log(\tan(dx+c)^2+1)-12*(I*A+B)*a^2*\log(\tan(dx+c))+((12*A-12*I*B)*a^2*\tan(dx+c)^2+3*(-2*I*A-B)*a^2*\tan(dx+c)-2*A*a^2)/\tan(dx+c)^3)/d$

Fricas [A] time = 1.32167, size = 498, normalized size = 4.26

$$\frac{(30iA+18B)a^2e^{4idx+4ic}+(-36iA-30B)a^2e^{2idx+2ic}+(14iA+12B)a^2+((-6iA-6B)a^2e^{6idx+6ic}+(18iA+18B)a^2e^{4idx+4ic})}{3(de^{6idx+6ic}-3de^{4idx+4ic}+3de^{2idx+2ic}-d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $1/3*((30*I*A+18*B)*a^2*e^{(4*I*d*x+4*I*c)}+(-36*I*A-30*B)*a^2*e^{(2*I*d*x+2*I*c)}+(14*I*A+12*B)*a^2+((-6*I*A-6*B)*a^2*e^{(6*I*d*x+6*I*c)}+(18*I*A+18*B)*a^2*e^{(4*I*d*x+4*I*c)}+(-18*I*A-18*B)*a^2*e^{(2*I*d*x+2*I*c)}+(6*I*A+6*B)*a^2)*\log(e^{(2*I*d*x+2*I*c)}-1)/(d*e^{(6*I*d*x+6*I*c)}-3*d*e^{(4*I*d*x+4*I*c)}+3*d*e^{(2*I*d*x+2*I*c)}-d)$

Sympy [A] time = 7.44088, size = 170, normalized size = 1.45

$$-\frac{2a^2(iA+B)\log(e^{2idx}-e^{-2ic})}{d}+\frac{(10iAa^2+6Ba^2)e^{-2ic}e^{Aidx}}{d}-\frac{(12iAa^2+10Ba^2)e^{-4ic}e^{2idx}}{d}+\frac{(14iAa^2+12Ba^2)e^{-6ic}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**4*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] $-2a^2*(I*A+B)*\log(\exp(2*I*d*x)-\exp(-2*I*c))/d+((10*I*A*a^2+6*B*a^2)*\exp(-2*I*c)*\exp(4*I*d*x)/d-(12*I*A*a^2+10*B*a^2)*\exp(-4*I*c)*\exp(2*I*d*x)/d+(14*I*A*a^2+12*B*a^2)*\exp(-6*I*c)/(3*d))/(\exp(6*I*d*x)-3*\exp(-2*I*c)*\exp(4*I*d*x)+3*\exp(-4*I*c)*\exp(2*I*d*x)-\exp(-6*I*c))$

Giac [B] time = 1.48899, size = 346, normalized size = 2.96

$$Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 6iAa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 3Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 27Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24iBa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/24*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - 6*I*A*a^2*tan(1/2*d*x + 1/2*c)^2 - 3*B*a^2*tan(1/2*d*x + 1/2*c)^2 - 27*A*a^2*tan(1/2*d*x + 1/2*c) + 24*I*B*a^2*tan(1/2*d*x + 1/2*c) - 96*(-I*A*a^2 - B*a^2)*log(tan(1/2*d*x + 1/2*c) + I) + 48*(-I*A*a^2 - B*a^2)*log(abs(tan(1/2*d*x + 1/2*c)))) - (-88*I*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 88*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 27*A*a^2*tan(1/2*d*x + 1/2*c)^2 + 24*I*B*a^2*tan(1/2*d*x + 1/2*c)^2 + 6*I*A*a^2*tan(1/2*d*x + 1/2*c) + 3*B*a^2*tan(1/2*d*x + 1/2*c) + A*a^2)/tan(1/2*d*x + 1/2*c)^3/d

3.16 $\int \cot^5(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=139

$$-\frac{a^2(4B + 5iA) \cot^3(c + dx)}{12d} + \frac{a^2(A - iB) \cot^2(c + dx)}{d} + \frac{2a^2(B + iA) \cot(c + dx)}{d} + \frac{2a^2(A - iB) \log(\sin(c + dx))}{d} + 2a^2x$$

[Out] $2*a^2*(I*A + B)*x + (2*a^2*(I*A + B)*Cot[c + d*x])/d + (a^2*(A - I*B)*Cot[c + d*x]^2)/d - (a^2*((5*I)*A + 4*B)*Cot[c + d*x]^3)/(12*d) + (2*a^2*(A - I*B)*Log[Sin[c + d*x]])/d - (A*Cot[c + d*x]^4*(a^2 + I*a^2*Tan[c + d*x]))/(4*d)$

Rubi [A] time = 0.293271, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3591, 3529, 3531, 3475}

$$-\frac{a^2(4B + 5iA) \cot^3(c + dx)}{12d} + \frac{a^2(A - iB) \cot^2(c + dx)}{d} + \frac{2a^2(B + iA) \cot(c + dx)}{d} + \frac{2a^2(A - iB) \log(\sin(c + dx))}{d} + 2a^2x$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^5*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $2*a^2*(I*A + B)*x + (2*a^2*(I*A + B)*Cot[c + d*x])/d + (a^2*(A - I*B)*Cot[c + d*x]^2)/d - (a^2*((5*I)*A + 4*B)*Cot[c + d*x]^3)/(12*d) + (2*a^2*(A - I*B)*Log[Sin[c + d*x]])/d - (A*Cot[c + d*x]^4*(a^2 + I*a^2*Tan[c + d*x]))/(4*d)$

Rule 3593

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)})/(d*f*(b*c + a*d)*(n + 1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a,$

b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{A \cot^4(c + dx)(a^2 + ia^2 \tan(c + dx))}{4d} + \frac{1}{4} \int \cot^4(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx \\ &= -\frac{a^2(5iA + 4B) \cot^3(c + dx)}{12d} - \frac{A \cot^4(c + dx)(a^2 + ia^2 \tan(c + dx))}{4d} \\ &= \frac{a^2(A - iB) \cot^2(c + dx)}{d} - \frac{a^2(5iA + 4B) \cot^3(c + dx)}{12d} \\ &= \frac{2a^2(iA + B) \cot(c + dx)}{d} + \frac{a^2(A - iB) \cot^2(c + dx)}{d} \\ &= 2a^2(iA + B)x + \frac{2a^2(iA + B) \cot(c + dx)}{d} + \frac{a^2(A - iB) \cot^2(c + dx)}{d} \\ &= 2a^2(iA + B)x + \frac{2a^2(iA + B) \cot(c + dx)}{d} + \frac{a^2(A - iB) \cot^2(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 8.43952, size = 902, normalized size = 6.49

$$a^2 \left(\frac{(\cot(c + dx) + i)^2(B + A \cot(c + dx))(A \cos(c) - iB \cos(c) - iA \sin(c) - B \sin(c))(-2i \tan^{-1}(\tan(3c + dx)) \cos(c) + \sin(c))}{d(\cos(dx) + i \sin(dx))^2(A \cos(c + dx) + B \sin(c + dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] a^2*(((I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])*Csc[c + d*x]*(-(A*Cos[2*c])/4 + (I/4)*A*Sin[2*c]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])*Csc[c]*(Cos[2*c]/3 - (I/3)*Sin[2*c])*((2*I)*A*Sin[d*x] + B*Sin[d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])*Csc[c]*((-4*I)*A*Cos[c] - 2*B*Cos[c] + 9*A*Sin[c] - (6*I)*B*Sin[c])*(Cos[2*c]/6 - (I/6)*Sin[2*c])*Sin[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])*Csc[c]*(Cos[2*c]/3 - (I/3)*Sin[2*c])*((-8*I)*A*Sin[d*x] - 7*B*Sin[d*x])*Sin[c + d*x]^2)/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])*Csc[c]*(Cos[2*c]/3 - (I/3)*Sin[2*c])*((-2*I)*ArcTan[Tan[3*c + d*x]]*Cos[c] - 2*ArcTan[Tan[3*c + d*x]]*Sin[c])*Sin[c + d*x]^3)/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])

$$\begin{aligned} &*(A*\cos[c] - I*B*\cos[c] - I*A*\sin[c] - B*\sin[c])*(\cos[c]*\log[\sin[c + dx]^2] \\ &- I*\log[\sin[c + dx]^2]*\sin[c])* \sin[c + dx]^3 / (d*(\cos[dx] + I*\sin[dx]) \\ &)^2*(A*\cos[c + dx] + B*\sin[c + dx])) + (x*(I + \cot[c + dx])^2*(B + A*\cot \\ &[c + dx]))*((6*I)*A*\cos[c]^2 + 6*B*\cos[c]^2 - 2*A*\cos[c]^2*\cot[c] + (2*I)*B \\ &*\cos[c]^2*\cot[c] + 6*A*\cos[c]*\sin[c] - (6*I)*B*\cos[c]*\sin[c] - (2*I)*A*\sin[\\ &c]^2 - 2*B*\sin[c]^2 + (A - I*B)*\cot[c]*(2*\cos[2*c] - (2*I)*\sin[2*c]))*\sin[c \\ &+ dx]^3 / ((\cos[dx] + I*\sin[dx])^2*(A*\cos[c + dx] + B*\sin[c + dx])) + \\ &((I*A + B)*(I + \cot[c + dx])^2*(B + A*\cot[c + dx]))*(2*dx*\cos[2*c] - (2*I \\ &)*dx*\sin[2*c])* \sin[c + dx]^3 / (d*(\cos[dx] + I*\sin[dx])^2*(A*\cos[c + dx] \\ &+ B*\sin[c + dx])) \end{aligned}$$

Maple [A] time = 0.074, size = 188, normalized size = 1.4

$$\frac{a^2 A (\cot(dx + c))^2}{d} + 2 \frac{a^2 A \ln(\sin(dx + c))}{d} + 2 a^2 B x + 2 \frac{\cot(dx + c) B a^2}{d} + 2 \frac{B a^2 c}{d} + \frac{2 i A a^2 \cot(dx + c)}{d} + 2 i A a^2 x + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(dx+c)^5*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x)`

[Out] $a^2 A \cot(dx+c)^2/d + 2 a^2 A \ln(\sin(dx+c))/d + 2 a^2 B x + 2/d B \cot(dx+c) a^2 + 2/d B a^2 c + 2 I/d A a^2 \cot(dx+c) + 2 I A a^2 x + 2 I/d A a^2 c - I/d B a^2 \cot(dx+c)^2 - 2/3 I/d A a^2 \cot(dx+c)^3 - 2 I/d B a^2 \ln(\sin(dx+c)) - 1/4 a^2 A \cot(dx+c)^4/d - 1/3/d a^2 B \cot(dx+c)^3$

Maxima [A] time = 1.71061, size = 182, normalized size = 1.31

$$\frac{24(dx+c)(-iA-B)a^2 + 12(A-iB)a^2 \log(\tan(dx+c)^2 + 1) - 12(2A-2iB)a^2 \log(\tan(dx+c)) - \frac{24(iA+B)a^2 \tan(dx+c)}{12d}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^5*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="maxima")`

[Out] $-1/12*(24*(dx+c)*(-iA-B)*a^2 + 12*(A-iB)*a^2*\log(\tan(dx+c)^2 + 1) - 12*(2A-2iB)*a^2*\log(\tan(dx+c)) - (24*(iA+B)*a^2*\tan(dx+c))^3 + (12A-12iB)*a^2*\tan(dx+c)^2 + 4*(-2iA-B)*a^2*\tan(dx+c) - 3A*a^2)/\tan(dx+c)^4/d$

Fricas [A] time = 1.43193, size = 620, normalized size = 4.46

$$\frac{2(3(7A-5iB)a^2 e^{(6i dx+6i c)} - 3(12A-11iB)a^2 e^{(4i dx+4i c)} + (29A-25iB)a^2 e^{(2i dx+2i c)} - (8A-7iB)a^2 - 3((A-iB)a^2 \dots)}{3(d e^{(8i dx+8i c)} - 4 d e^{(6i dx+6i c)} + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^5*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="fricas")`

```
[Out] -2/3*(3*(7*A - 5*I*B)*a^2*e^(6*I*d*x + 6*I*c) - 3*(12*A - 11*I*B)*a^2*e^(4*I*d*x + 4*I*c) + (29*A - 25*I*B)*a^2*e^(2*I*d*x + 2*I*c) - (8*A - 7*I*B)*a^2 - 3*((A - I*B)*a^2*e^(8*I*d*x + 8*I*c) - 4*(A - I*B)*a^2*e^(6*I*d*x + 6*I*c) + 6*(A - I*B)*a^2*e^(4*I*d*x + 4*I*c) - 4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + (A - I*B)*a^2)*log(e^(2*I*d*x + 2*I*c) - 1)/(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [A] time = 22.4911, size = 221, normalized size = 1.59

$$\frac{2a^2(A - iB)\log(e^{2idx} - e^{-2ic})}{d} + \frac{-\frac{(14Aa^2 - 10iBa^2)e^{-2ic}e^{6idx}}{d} + \frac{(16Aa^2 - 14iBa^2)e^{-8ic}}{3d} + \frac{(24Aa^2 - 22iBa^2)e^{-4ic}e^{4idx}}{d} - \frac{(58Aa^2 - 50iBa^2)e^{-6ic}e^{2idx}}{3d}}{e^{8idx} - 4e^{-2ic}e^{6idx} + 6e^{-4ic}e^{4idx} - 4e^{-6ic}e^{2idx} + e^{-8ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**5*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] 2*a**2*(A - I*B)*log(exp(2*I*d*x) - exp(-2*I*c))/d + (-14*A*a**2 - 10*I*B*a**2)*exp(-2*I*c)*exp(6*I*d*x)/d + (16*A*a**2 - 14*I*B*a**2)*exp(-8*I*c)/(3*d) + (24*A*a**2 - 22*I*B*a**2)*exp(-4*I*c)*exp(4*I*d*x)/d - (58*A*a**2 - 50*I*B*a**2)*exp(-6*I*c)*exp(2*I*d*x)/(3*d)/(exp(8*I*d*x) - 4*exp(-2*I*c)*exp(6*I*d*x) + 6*exp(-4*I*c)*exp(4*I*d*x) - 4*exp(-6*I*c)*exp(2*I*d*x) + exp(-8*I*c))
```

Giac [B] time = 1.6494, size = 437, normalized size = 3.14

$$3Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 16iAa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 8Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 60Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 48iBa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/192*(3*A*a^2*tan(1/2*d*x + 1/2*c)^4 - 16*I*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 8*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 60*A*a^2*tan(1/2*d*x + 1/2*c)^2 + 48*I*B*a^2*tan(1/2*d*x + 1/2*c)^2 + 240*I*A*a^2*tan(1/2*d*x + 1/2*c) + 216*B*a^2*tan(1/2*d*x + 1/2*c) + 384*(2*A*a^2 - 2*I*B*a^2)*log(tan(1/2*d*x + 1/2*c) + I) - 384*(A*a^2 - I*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c))) + (800*A*a^2*tan(1/2*d*x + 1/2*c)^4 - 800*I*B*a^2*tan(1/2*d*x + 1/2*c)^4 - 240*I*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 216*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 60*A*a^2*tan(1/2*d*x + 1/2*c)^2 + 48*I*B*a^2*tan(1/2*d*x + 1/2*c)^2 + 16*I*A*a^2*tan(1/2*d*x + 1/2*c) + 8*B*a^2*tan(1/2*d*x + 1/2*c) + 3*A*a^2)/tan(1/2*d*x + 1/2*c)^4)/d
```

3.17 $\int \tan^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=182

$$\frac{a^3(45A - 47iB) \tan^3(c + dx)}{60d} + \frac{2a^3(B + iA) \tan^2(c + dx)}{d} - \frac{(5A - 7iB) \tan^3(c + dx)(a^3 + ia^3 \tan(c + dx))}{20d} + \frac{4a^3(A - iB) \tan(c + dx)}{d}$$

[Out] $-4a^3(A - iB)x + (4a^3(IA + B) \operatorname{Log}[\operatorname{Cos}[c + dx]])/d + (4a^3(A - iB) \operatorname{Tan}[c + dx])/d + (2a^3(IA + B) \operatorname{Tan}[c + dx]^2)/d - (a^3(45A - (47I)B) \operatorname{Tan}[c + dx]^3)/(60d) + ((I/5) a^3 B \operatorname{Tan}[c + dx]^3 (a + I a \operatorname{Tan}[c + dx])^2)/d - ((5A - (7I)B) \operatorname{Tan}[c + dx]^3 (a^3 + I a^3 \operatorname{Tan}[c + dx]))/(20d)$

Rubi [A] time = 0.423991, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3594, 3592, 3528, 3525, 3475}

$$\frac{a^3(45A - 47iB) \tan^3(c + dx)}{60d} + \frac{2a^3(B + iA) \tan^2(c + dx)}{d} - \frac{(5A - 7iB) \tan^3(c + dx)(a^3 + ia^3 \tan(c + dx))}{20d} + \frac{4a^3(A - iB) \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Tan}[c + dx]^2(a + I a \operatorname{Tan}[c + dx])^3(A + B \operatorname{Tan}[c + dx]), x]$

[Out] $-4a^3(A - iB)x + (4a^3(IA + B) \operatorname{Log}[\operatorname{Cos}[c + dx]])/d + (4a^3(A - iB) \operatorname{Tan}[c + dx])/d + (2a^3(IA + B) \operatorname{Tan}[c + dx]^2)/d - (a^3(45A - (47I)B) \operatorname{Tan}[c + dx]^3)/(60d) + ((I/5) a^3 B \operatorname{Tan}[c + dx]^3 (a + I a \operatorname{Tan}[c + dx])^2)/d - ((5A - (7I)B) \operatorname{Tan}[c + dx]^3 (a^3 + I a^3 \operatorname{Tan}[c + dx]))/(20d)$

Rule 3594

$\operatorname{Int}[(a + b \operatorname{tan}[e + f x])^m ((c + d \operatorname{tan}[e + f x])^n), x_Symbol] \rightarrow \operatorname{Simp}[(b B (a + b \operatorname{Tan}[e + f x])^{m-1} (c + d \operatorname{Tan}[e + f x])^{n+1}) / (d f (m + n)), x] + \operatorname{Dist}[1 / (d (m + n)), \operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^{m-1} (c + d \operatorname{Tan}[e + f x])^n \operatorname{Simp}[a A d (m + n) + B (a c (m - 1) - b d (n + 1)) - (B (b c - a d) (m - 1) - d (A b + a B) (m + n)) \operatorname{Tan}[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{EqQ}[a^2 + b^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{!LtQ}[n, -1]$

Rule 3592

$\operatorname{Int}[(a + b \operatorname{tan}[e + f x])^m ((c + d \operatorname{tan}[e + f x])^n), x_Symbol] \rightarrow \operatorname{Simp}[(B d (a + b \operatorname{Tan}[e + f x])^{m+1}) / (b f (m + 1)), x] + \operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^m \operatorname{Simp}[A c - B d + (B c + A d) \operatorname{Tan}[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{!LeQ}[m, -1]$

Rule 3528

$\operatorname{Int}[(a + b \operatorname{tan}[e + f x])^m ((c + d \operatorname{tan}[e + f x])^n), x_Symbol] \rightarrow \operatorname{Simp}[(d (a + b \operatorname{Tan}[e + f x])^m) / (f m), x] + \operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^{m-1} \operatorname{Simp}[a c - b d + (b c + a d) \operatorname{Tan}[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{NeQ}[a^2 + b^2,$

0] && GtQ[m, 0]

Rule 3525

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^2}{5d} + \frac{1}{5} \int \tan^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx \\ &= \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^2}{5d} - \frac{(5A - 7iB) \tan^3(c + dx)(a + ia \tan(c + dx))^2}{5d} \\ &= -\frac{a^3(45A - 47iB) \tan^3(c + dx)}{60d} + \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^2}{5d} \\ &= \frac{2a^3(iA + B) \tan^2(c + dx)}{d} - \frac{a^3(45A - 47iB) \tan^3(c + dx)}{60d} \\ &= -4a^3(A - iB)x + \frac{4a^3(A - iB) \tan(c + dx)}{d} + \frac{2a^3(iA + B) \tan^2(c + dx)}{d} \\ &= -4a^3(A - iB)x + \frac{4a^3(iA + B) \log(\cos(c + dx))}{d} + \frac{4a^3(A - iB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 8.20921, size = 847, normalized size = 4.65

$$x \left(-2A \cos^3(c) + 2iB \cos^3(c) + 8iA \sin(c) \cos^2(c) + 8B \sin(c) \cos^2(c) + 12A \sin^2(c) \cos(c) - 12iB \sin^2(c) \cos(c) + 2A \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^4*(I*A*Cos[(3*c)/2] + B*Cos[(3*c)/2] + A*Sin[(3*c)/2] - I*B*Sin[(3*c)/2])*(2*Cos[(3*c)/2]*Log[Cos[c + d*x]^2] - (2*I)*Log[Cos[c + d*x]^2]*Sin[(3*c)/2])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Sec[c]*Sec[c + d*x]*(Cos[3*c]/240 - (I/240)*Sin[3*c])*((195*I)*A*Cos[d*x] + 225*B*Cos[d*x] - 300*A*d*x*Cos[d*x] + (300*I)*B*d*x*Cos[d*x] + (195*I)*A*Cos[2*c + d*x] + 225*B*Cos[2*c + d*x] - 300*A*d*x*Cos[2*c + d*x] + (300*I)*B*d*x*Cos[2*c + d*x] + (75*I)*A*Cos[2*c + 3*d*x] + 105*B*Cos[2*c + 3*d*x] - 150*A*d*x*Cos[2*c + 3*d*x] + (150*I)*B*d*x*Cos[2*c + 3*d*x] + (75*I)*A*Cos[4*c + 3*d*x] + 105*B*Cos[4*c + 3*d*x] - 150*A*d*x*Cos[4*c + 3*d*x] + (150*I)*B*d*x*Cos[4*c + 3*d*x] - 30*A*d*x*Cos[4*c + 5*d*x] + (30*I)*B*d*x*Cos[4*c + 5*d*x] - 30*A*d*x*Cos[6*c + 5*d*x] + (30*I)*B*d*x*Cos[6*c + 5*d*x] + 420*A*Sin[d*x] - (470*I)*B*Sin[d*x] - 330*A*Sin[2*c + d*x] + (360*I)*B*Sin[2*c + d*x] + 270*A*Sin[2*c + 3*d*x] - (280*I)*B*Sin[2*c + 3*d*x] - 105*A*Sin[4*c + 3*d*x] + (135*I)*B*Sin[4*c + 3*d*x] + 75*A*Sin[4*c + 5*d*x] - (83*I)*B*Sin[4*c + 5*d*x])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^3)

$$\frac{(A \cos[c + dx] + B \sin[c + dx]) + (x \cos[c + dx]^4 (2A \cos[c] - (2I)B \cos[c] - 2A \cos[c]^3 + (2I)B \cos[c]^3 - (4I)A \sin[c] - 4B \sin[c] + (8I)A \cos[c]^2 \sin[c] + 8B \cos[c]^2 \sin[c] + 12A \cos[c] \sin[c]^2 - (12I)B \cos[c] \sin[c]^2 - (8I)A \sin[c]^3 - 8B \sin[c]^3 - 2A \sin[c] \tan[c] + (2I)B \sin[c] \tan[c] - 2A \sin[c]^3 \tan[c] + (2I)B \sin[c]^3 \tan[c] - I(A - I B)(4 \cos[3c] - (4I) \sin[3c]) \tan[c]) (a + I a \tan[c + dx])^3 (A + B \tan[c + dx])}{((\cos[dx] + I \sin[dx])^3 (A \cos[c + dx] + B \sin[c + dx]))}$$

Maple [A] time = 0.005, size = 230, normalized size = 1.3

$$\frac{-\frac{i}{5} a^3 B (\tan(dx + c))^5}{d} - \frac{\frac{i}{4} a^3 A (\tan(dx + c))^4}{d} + \frac{\frac{4i}{3} a^3 B (\tan(dx + c))^3}{d} - \frac{3 a^3 B (\tan(dx + c))^4}{4d} + \frac{2 i a^3 A (\tan(dx + c))^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(dx+c)^2*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x)

[Out] $-1/5 * I / d * a^3 * B * \tan(dx+c)^5 - 1/4 * I / d * a^3 * A * \tan(dx+c)^4 + 4/3 * I / d * a^3 * B * \tan(dx+c)^3 - 3/4 * I / d * a^3 * B * \tan(dx+c)^4 + 2 * I / d * a^3 * A * \tan(dx+c)^2 - 1/d * a^3 * A * \tan(dx+c)^3 - 4 * I / d * a^3 * B * \tan(dx+c) + 2/d * a^3 * B * \tan(dx+c)^2 + 4/d * a^3 * A * \tan(dx+c) - 2 * I / d * a^3 * A * \ln(1 + \tan(dx+c)^2) - 2/d * a^3 * B * \ln(1 + \tan(dx+c)^2) + 4 * I / d * a^3 * B * \arctan(\tan(dx+c)) - 4/d * a^3 * A * \arctan(\tan(dx+c))$

Maxima [A] time = 1.92663, size = 182, normalized size = 1.

$$\frac{12iBa^3 \tan(dx + c)^5 + 15(iA + 3B)a^3 \tan(dx + c)^4 + (60A - 80iB)a^3 \tan(dx + c)^3 + 120(-iA - B)a^3 \tan(dx + c)^2}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] $-1/60 * (12 * I * B * a^3 * \tan(dx + c)^5 + 15 * (I * A + 3 * B) * a^3 * \tan(dx + c)^4 + (60 * A - 80 * I * B) * a^3 * \tan(dx + c)^3 + 120 * (-I * A - B) * a^3 * \tan(dx + c)^2 + 60 * (dx + c) * (4 * A - 4 * I * B) * a^3 + 120 * (I * A + B) * a^3 * \log(\tan(dx + c)^2 + 1) - (240 * A - 240 * I * B) * a^3 * \tan(dx + c)) / d$

Fricas [A] time = 1.41306, size = 836, normalized size = 4.59

$$\frac{(360iA + 480B)a^3 e^{(8i dx + 8i c)} + (1050iA + 1170B)a^3 e^{(6i dx + 6i c)} + (1230iA + 1390B)a^3 e^{(4i dx + 4i c)} + (690iA + 770B)a^3 e^{(2i dx + 2i c)}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $1/15 * ((360 * I * A + 480 * B) * a^3 * e^{(8 * I * dx + 8 * I * c)} + (1050 * I * A + 1170 * B) * a^3 * e^{(6 * I * dx + 6 * I * c)} + (1230 * I * A + 1390 * B) * a^3 * e^{(4 * I * dx + 4 * I * c)} + (690 * I * A + 770 * B) * a^3 * e^{(2 * I * dx + 2 * I * c)})$

$$+ 770*B)*a^3*e^{(2*I*d*x + 2*I*c)} + (150*I*A + 166*B)*a^3 + ((60*I*A + 60*B) * a^3 * e^{(10*I*d*x + 10*I*c)} + (300*I*A + 300*B) * a^3 * e^{(8*I*d*x + 8*I*c)} + (600*I*A + 600*B) * a^3 * e^{(6*I*d*x + 6*I*c)} + (600*I*A + 600*B) * a^3 * e^{(4*I*d*x + 4*I*c)} + (300*I*A + 300*B) * a^3 * e^{(2*I*d*x + 2*I*c)} + (60*I*A + 60*B) * a^3) * \log(e^{(2*I*d*x + 2*I*c)} + 1) / (d * e^{(10*I*d*x + 10*I*c)} + 5 * d * e^{(8*I*d*x + 8*I*c)} + 10 * d * e^{(6*I*d*x + 6*I*c)} + 10 * d * e^{(4*I*d*x + 4*I*c)} + 5 * d * e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [A] time = 54.8753, size = 272, normalized size = 1.49

$$\frac{4a^3 (iA + B) \log(e^{2idx} + e^{-2ic})}{d} + \frac{(24iAa^3 + 32Ba^3)e^{-2ic}e^{8idx}}{d} + \frac{(70iAa^3 + 78Ba^3)e^{-4ic}e^{6idx}}{d} + \frac{(138iAa^3 + 154Ba^3)e^{-8ic}e^{2idx}}{3d} + \frac{(150iAa^3 + 166Ba^3)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] 4*a**3*(I*A + B)*log(exp(2*I*d*x) + exp(-2*I*c))/d + ((24*I*A*a**3 + 32*B*a**3)*exp(-2*I*c)*exp(8*I*d*x)/d + (70*I*A*a**3 + 78*B*a**3)*exp(-4*I*c)*exp(6*I*d*x)/d + (138*I*A*a**3 + 154*B*a**3)*exp(-8*I*c)*exp(2*I*d*x)/(3*d) + (150*I*A*a**3 + 166*B*a**3)*exp(-10*I*c)/(15*d) + (246*I*A*a**3 + 278*B*a**3)*exp(-6*I*c)*exp(4*I*d*x)/(3*d))/(exp(10*I*d*x) + 5*exp(-2*I*c)*exp(8*I*d*x) + 10*exp(-4*I*c)*exp(6*I*d*x) + 10*exp(-6*I*c)*exp(4*I*d*x) + 5*exp(-8*I*c)*exp(2*I*d*x) + exp(-10*I*c))

Giac [B] time = 1.75459, size = 680, normalized size = 3.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/15*(60*I*A*a^3*e^{(10*I*d*x + 10*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 60*B*a^3*e^{(10*I*d*x + 10*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 300*I*A*a^3*e^{(8*I*d*x + 8*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 300*B*a^3*e^{(8*I*d*x + 8*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 600*I*A*a^3*e^{(6*I*d*x + 6*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 600*B*a^3*e^{(6*I*d*x + 6*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 600*I*A*a^3*e^{(4*I*d*x + 4*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 600*B*a^3*e^{(4*I*d*x + 4*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 300*I*A*a^3*e^{(2*I*d*x + 2*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 300*B*a^3*e^{(2*I*d*x + 2*I*c)}*log(e^{(2*I*d*x + 2*I*c)} + 1) + 360*I*A*a^3*e^{(8*I*d*x + 8*I*c)} + 480*B*a^3*e^{(8*I*d*x + 8*I*c)} + 1050*I*A*a^3*e^{(6*I*d*x + 6*I*c)} + 1170*B*a^3*e^{(6*I*d*x + 6*I*c)} + 1230*I*A*a^3*e^{(4*I*d*x + 4*I*c)} + 1390*B*a^3*e^{(4*I*d*x + 4*I*c)} + 690*I*A*a^3*e^{(2*I*d*x + 2*I*c)} + 770*B*a^3*e^{(2*I*d*x + 2*I*c)} + 60*I*A*a^3*log(e^{(2*I*d*x + 2*I*c)} + 1) + 60*B*a^3*log(e^{(2*I*d*x + 2*I*c)} + 1) + 150*I*A*a^3 + 166*B*a^3)/(d*e^{(10*I*d*x + 10*I*c)} + 5*d*e^{(8*I*d*x + 8*I*c)} + 10*d*e^{(6*I*d*x + 6*I*c)} + 10*d*e^{(4*I*d*x + 4*I*c)} + 5*d*e^{(2*I*d*x + 2*I*c)} + d)

3.18 $\int \tan(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=138

$$\frac{2a^3(B + iA) \tan(c + dx)}{d} - \frac{4a^3(A - iB) \log(\cos(c + dx))}{d} - 4a^3x(B + iA) + \frac{a(A - iB)(a + ia \tan(c + dx))^2}{2d} + \frac{A(a + ia \tan(c + dx))}{3d}$$

[Out] $-4a^3(I*A + B)*x - (4a^3*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (2a^3*(I*A + B)*\text{Tan}[c + d*x])/d + (a*(A - I*B)*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d) + (A*(a + I*a*\text{Tan}[c + d*x])^3)/(3*d) - ((I/4)*B*(a + I*a*\text{Tan}[c + d*x])^4)/(a*d)$

Rubi [A] time = 0.134645, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3592, 3527, 3478, 3477, 3475}

$$\frac{2a^3(B + iA) \tan(c + dx)}{d} - \frac{4a^3(A - iB) \log(\cos(c + dx))}{d} - 4a^3x(B + iA) + \frac{a(A - iB)(a + ia \tan(c + dx))^2}{2d} + \frac{A(a + ia \tan(c + dx))}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-4a^3(I*A + B)*x - (4a^3*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (2a^3*(I*A + B)*\text{Tan}[c + d*x])/d + (a*(A - I*B)*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d) + (A*(a + I*a*\text{Tan}[c + d*x])^3)/(3*d) - ((I/4)*B*(a + I*a*\text{Tan}[c + d*x])^4)/(a*d)$

Rule 3592

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3527

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& !\text{LtQ}[m, 0]$

Rule 3478

$\text{Int}[(a_. + (b_.)*\text{tan}[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*(a + b*\text{Tan}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[2*a, \text{Int}[(a + b*\text{Tan}[c + d*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[n, 1]$

Rule 3477

$\text{Int}[(a_. + (b_.)*\text{tan}[(c_.) + (d_.)*(x_.)])^2, x_Symbol] \rightarrow \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /; \text{FreeQ}\{a, b, c, d\}, x]$

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \tan(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{iB(a + ia \tan(c + dx))^4}{4ad} + \int (a + ia \tan(c + dx))^3(-B + \\
 &= \frac{A(a + ia \tan(c + dx))^3}{3d} - \frac{iB(a + ia \tan(c + dx))^4}{4ad} - (iA - \\
 &= \frac{a(A - iB)(a + ia \tan(c + dx))^2}{2d} + \frac{A(a + ia \tan(c + dx))^3}{3d} \\
 &= -4a^3(iA + B)x + \frac{2a^3(iA + B) \tan(c + dx)}{d} + \frac{a(A - iB)(a + ia \tan(c + dx))^3}{3d} \\
 &= -4a^3(iA + B)x - \frac{4a^3(A - iB) \log(\cos(c + dx))}{d} + \frac{2a^3(iA + B) \tan(c + dx)}{d}
 \end{aligned}$$

Mathematica [B] time = 7.61, size = 980, normalized size = 7.1

$$\frac{x(-2iA \cos^3(c) - 2B \cos^3(c) - 8A \sin(c) \cos^2(c) + 8iB \sin(c) \cos^2(c) + 12iA \sin^2(c) \cos(c) + 12B \sin^2(c) \cos(c) + 2iA \sin^3(c) + 2B \sin^3(c))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^4*(A*Cos[(3*c)/2] - I*B*Cos[(3*c)/2] - I*A*Sin[(3*c)/2] - B*Sin[(3*c)/2])*(-2*Cos[(3*c)/2]*Log[Cos[c + d*x]^2] + (2*I)*Log[Cos[c + d*x]^2]*Sin[(3*c)/2])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^2*(-9*A*Cos[c] + (15*I)*B*Cos[c] - (2*I)*A*Sin[c] - 6*B*Sin[c])*(Cos[3*c]/6 - (I/6)*Sin[3*c])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (((-I/4)*B*Cos[3*c] - (B*Sin[3*c])/4)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((A - I*B)*Cos[c + d*x]^4*((-4*I)*d*x*Cos[3*c] - 4*d*x*Sin[3*c])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]*(Cos[3*c]/3 - (I/3)*Sin[3*c])*((-I)*A*Sin[d*x] - 3*B*Sin[d*x])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*(Cos[3*c]/3 - (I/3)*Sin[3*c])*((13*I)*A*Sin[d*x] + 15*B*Sin[d*x])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (x*Cos[c + d*x]^4*((2*I)*A*Cos[c] + 2*B*Cos[c] - (2*I)*A*Cos[c]^3 - 2*B*Cos[c]^3 + 4*A*Sin[c] - (4*I)*B*Sin[c] - 8*A*Cos[c]^2*Sin[c] + (8*I)*B*Cos[c]^2*Sin[c] + (12*I)*A*Cos[c]*Sin[c]^2 + 12*B*Cos[c]*Sin[c]^2 + 8*A*Sin[c]^3 - (8*I)*B*Sin[c]^3 - (2*I)*A*Sin[c]*Tan[c] - 2*B*Sin[c]*Tan[c] - (2*I)*A*Sin[c]^3*Tan[c] - 2*B*Sin[c]^3*Tan[c] + (A - I*B)*(4*Cos[3*c] - (4*I)*Sin[3*c])*Tan[c])*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/((Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.006, size = 195, normalized size = 1.4

$$\frac{-\frac{i}{4}a^3B(\tan(dx + c))^4}{d} - \frac{\frac{i}{3}a^3A(\tan(dx + c))^3}{d} + \frac{2ia^3B(\tan(dx + c))^2}{d} - \frac{a^3B(\tan(dx + c))^3}{d} + \frac{4ia^3A \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)`

[Out] $-1/4*I/d*a^3*B*\tan(d*x+c)^4-1/3*I/d*a^3*A*\tan(d*x+c)^3+2*I/d*a^3*B*\tan(d*x+c)^2-1/d*a^3*B*\tan(d*x+c)^3+4*I/d*a^3*A*\tan(d*x+c)-3/2/d*a^3*A*\tan(d*x+c)^2+4/d*a^3*B*\tan(d*x+c)-2*I/d*a^3*B*\ln(1+\tan(d*x+c)^2)+2/d*a^3*A*\ln(1+\tan(d*x+c)^2)-4*I/d*a^3*A*\arctan(\tan(d*x+c))-4/d*a^3*B*\arctan(\tan(d*x+c))$

Maxima [A] time = 1.69836, size = 155, normalized size = 1.12

$$\frac{3iBa^3 \tan(dx+c)^4 + 4(iA+3B)a^3 \tan(dx+c)^3 + (18A-24iB)a^3 \tan(dx+c)^2 + 48(dx+c)(iA+B)a^3 - 12(2A-3iB)a^3}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $-1/12*(3*I*B*a^3*\tan(d*x+c)^4 + 4*(I*A+3*B)*a^3*\tan(d*x+c)^3 + (18*A-24*I*B)*a^3*\tan(d*x+c)^2 + 48*(d*x+c)*(I*A+B)*a^3 - 12*(2*A-2*I*B)*a^3*\log(\tan(d*x+c)^2+1) + 48*(-I*A-B)*a^3*\tan(d*x+c))/d$

Fricas [A] time = 1.4785, size = 626, normalized size = 4.54

$$\frac{2(12(2A-3iB)a^3e^{6idx+6ic} + 3(19A-23iB)a^3e^{4idx+4ic} + 2(23A-27iB)a^3e^{2idx+2ic} + (13A-15iB)a^3 + 6((A-3iB)a^3e^{8idx+8ic} + 4(A-I*B)a^3e^{6idx+6ic} + 6(A-I*B)a^3e^{4idx+4ic} + 4(A-I*B)a^3e^{2idx+2ic} + (A-I*B)a^3)*\log(e^{2idx+2ic}+1))/(d*e^{8idx+8ic} + 4de^{6idx+6ic} + 4de^{4idx+4ic} + 4de^{2idx+2ic} + e^{-8ic})}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $-2/3*(12*(2*A-3*I*B)*a^3*e^{(6*I*d*x+6*I*c)} + 3*(19*A-23*I*B)*a^3*e^{(4*I*d*x+4*I*c)} + 2*(23*A-27*I*B)*a^3*e^{(2*I*d*x+2*I*c)} + (13*A-15*I*B)*a^3 + 6*((A-I*B)*a^3*e^{(8*I*d*x+8*I*c)} + 4*(A-I*B)*a^3*e^{(6*I*d*x+6*I*c)} + 6*(A-I*B)*a^3*e^{(4*I*d*x+4*I*c)} + 4*(A-I*B)*a^3*e^{(2*I*d*x+2*I*c)} + (A-I*B)*a^3)*\log(e^{(2*I*d*x+2*I*c)}+1))/(d*e^{(8*I*d*x+8*I*c)} + 4*d*e^{(6*I*d*x+6*I*c)} + 6*d*e^{(4*I*d*x+4*I*c)} + 4*d*e^{(2*I*d*x+2*I*c)} + d)$

Sympy [A] time = 25.5057, size = 223, normalized size = 1.62

$$\frac{4a^3(-A+iB)\log(e^{2idx}+e^{-2ic})}{d} + \frac{(16Aa^3-24iBa^3)e^{-2ic}e^{6idx}}{d} - \frac{(26Aa^3-30iBa^3)e^{-8ic}}{3d} - \frac{(38Aa^3-46iBa^3)e^{-4ic}e^{4idx}}{d} - \frac{(92Aa^3-108iBa^3)e^{-6ic}e^{2idx}}{3d} - \frac{e^{8idx} + 4e^{-2ic}e^{6idx} + 6e^{-4ic}e^{4idx} + 4e^{-6ic}e^{2idx} + e^{-8ic}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)`

```
[Out] 4*a**3*(-A + I*B)*log(exp(2*I*d*x) + exp(-2*I*c))/d + (-16*A*a**3 - 24*I*B
*a**3)*exp(-2*I*c)*exp(6*I*d*x)/d - (26*A*a**3 - 30*I*B*a**3)*exp(-8*I*c)/(
3*d) - (38*A*a**3 - 46*I*B*a**3)*exp(-4*I*c)*exp(4*I*d*x)/d - (92*A*a**3 -
108*I*B*a**3)*exp(-6*I*c)*exp(2*I*d*x)/(3*d)/(exp(8*I*d*x) + 4*exp(-2*I*c)
*exp(6*I*d*x) + 6*exp(-4*I*c)*exp(4*I*d*x) + 4*exp(-6*I*c)*exp(2*I*d*x) + e
xp(-8*I*c))
```

Giac [B] time = 1.39743, size = 551, normalized size = 3.99

$$\frac{12 A a^3 e^{(8i dx+8i c)} \log\left(e^{(2i dx+2i c)} + 1\right) - 12i B a^3 e^{(8i dx+8i c)} \log\left(e^{(2i dx+2i c)} + 1\right) + 48 A a^3 e^{(6i dx+6i c)} \log\left(e^{(2i dx+2i c)} + 1\right) - \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] -1/3*(12*A*a^3*e^(8*I*d*x + 8*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - 12*I*B*a^
3*e^(8*I*d*x + 8*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 48*A*a^3*e^(6*I*d*x +
6*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - 48*I*B*a^3*e^(6*I*d*x + 6*I*c)*log(e^
(2*I*d*x + 2*I*c) + 1) + 72*A*a^3*e^(4*I*d*x + 4*I*c)*log(e^(2*I*d*x + 2*I*
c) + 1) - 72*I*B*a^3*e^(4*I*d*x + 4*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 48*
A*a^3*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - 48*I*B*a^3*e^(2*I*
d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 48*A*a^3*e^(6*I*d*x + 6*I*c) -
72*I*B*a^3*e^(6*I*d*x + 6*I*c) + 114*A*a^3*e^(4*I*d*x + 4*I*c) - 138*I*B*a^
3*e^(4*I*d*x + 4*I*c) + 92*A*a^3*e^(2*I*d*x + 2*I*c) - 108*I*B*a^3*e^(2*I*d
*x + 2*I*c) + 12*A*a^3*log(e^(2*I*d*x + 2*I*c) + 1) - 12*I*B*a^3*log(e^(2*I
*d*x + 2*I*c) + 1) + 26*A*a^3 - 30*I*B*a^3)/(d*e^(8*I*d*x + 8*I*c) + 4*d*e^
(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(2*I*d*x + 2*I*c) + d)
```

3.19 $\int (a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx$

Optimal. Leaf size=110

$$-\frac{2a^3(A - iB) \tan(c + dx)}{d} - \frac{4a^3(B + iA) \log(\cos(c + dx))}{d} + 4a^3x(A - iB) + \frac{a(B + iA)(a + ia \tan(c + dx))^2}{2d} + \frac{B(a + ia \tan(c + dx))^3}{3d}$$

[Out] $4a^3(A - iB)x - (4a^3(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d - (2a^3(A - I*B)*\text{Tan}[c + d*x])/d + (a*(I*A + B)*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d) + (B*(a + I*a*\text{Tan}[c + d*x])^3)/(3*d)$

Rubi [A] time = 0.0890933, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {3527, 3478, 3477, 3475}

$$-\frac{2a^3(A - iB) \tan(c + dx)}{d} - \frac{4a^3(B + iA) \log(\cos(c + dx))}{d} + 4a^3x(A - iB) + \frac{a(B + iA)(a + ia \tan(c + dx))^2}{2d} + \frac{B(a + ia \tan(c + dx))^3}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $4a^3(A - I*B)x - (4a^3(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d - (2a^3(A - I*B)*\text{Tan}[c + d*x])/d + (a*(I*A + B)*(a + I*a*\text{Tan}[c + d*x])^2)/(2*d) + (B*(a + I*a*\text{Tan}[c + d*x])^3)/(3*d)$

Rule 3527

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^m*((c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))], x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& !\text{LtQ}[m, 0]$

Rule 3478

$\text{Int}[(a_ + (b_)*\text{tan}[(c_ + (d_)*(x_)]))^n], x_Symbol] \rightarrow \text{Simp}[(b*(a + b*\text{Tan}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[2*a, \text{Int}[(a + b*\text{Tan}[c + d*x])^{n-1}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[n, 1]$

Rule 3477

$\text{Int}[(a_ + (b_)*\text{tan}[(c_ + (d_)*(x_)]))^2, x_Symbol] \rightarrow \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /; \text{FreeQ}\{a, b, c, d\}, x]$

Rule 3475

$\text{Int}[\text{tan}[(c_ + (d_)*(x_)]), x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) dx &= \frac{B(a + ia \tan(c + dx))^3}{3d} - (-A + iB) \int (a + ia \tan(c + dx))^3 dx \\
&= \frac{a(iA + B)(a + ia \tan(c + dx))^2}{2d} + \frac{B(a + ia \tan(c + dx))^3}{3d} + (2a(A - iB) \tan(c + dx)) \\
&= 4a^3(A - iB)x - \frac{2a^3(A - iB) \tan(c + dx)}{d} + \frac{a(iA + B)(a + ia \tan(c + dx))^2}{2d} \\
&= 4a^3(A - iB)x - \frac{4a^3(iA + B) \log(\cos(c + dx))}{d} - \frac{2a^3(A - iB) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [B] time = 3.82623, size = 331, normalized size = 3.01

$$\frac{a^3 \sec(c) \sec^3(c + dx) (3 \cos(dx) ((-3B - 3iA) \log(\cos^2(c + dx)) + 6Adx - iA - 6iBdx - 3B) + 3 \cos(2c + dx) ((-3B - 3iA) \log(\cos^2(c + dx)) + 6Adx - iA - 6iBdx - 3B))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (a^3*Sec[c]*Sec[c + d*x]^3*(6*A*d*x*Cos[2*c + 3*d*x] - (6*I)*B*d*x*Cos[2*c + 3*d*x] + 6*A*d*x*Cos[4*c + 3*d*x] - (6*I)*B*d*x*Cos[4*c + 3*d*x] - (3*I)*A*Cos[2*c + 3*d*x]*Log[Cos[c + d*x]^2] - 3*B*Cos[2*c + 3*d*x]*Log[Cos[c + d*x]^2] - (3*I)*A*Cos[4*c + 3*d*x]*Log[Cos[c + d*x]^2] - 3*B*Cos[4*c + 3*d*x]*Log[Cos[c + d*x]^2] + 3*Cos[d*x]*((-I)*A - 3*B + 6*A*d*x - (6*I)*B*d*x + ((-3*I)*A - 3*B)*Log[Cos[c + d*x]^2]) + 3*Cos[2*c + d*x]*((-I)*A - 3*B + 6*A*d*x - (6*I)*B*d*x + ((-3*I)*A - 3*B)*Log[Cos[c + d*x]^2]) - 18*A*Sin[d*x] + (24*I)*B*Sin[d*x] + 9*A*Sin[2*c + d*x] - (15*I)*B*Sin[2*c + d*x] - 9*A*Sin[2*c + 3*d*x] + (13*I)*B*Sin[2*c + 3*d*x])/ (12*d)

Maple [A] time = 0.003, size = 160, normalized size = 1.5

$$\frac{-\frac{i}{3}a^3B(\tan(dx+c))^3}{d} - \frac{\frac{i}{2}a^3A(\tan(dx+c))^2}{d} + \frac{4ia^3B \tan(dx+c)}{d} - \frac{3a^3B(\tan(dx+c))^2}{2d} - 3\frac{a^3A \tan(dx+c)}{d} + \frac{2a^3B \tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] -1/3*I/d*a^3*B*tan(d*x+c)^3-1/2*I/d*a^3*A*tan(d*x+c)^2+4*I/d*a^3*B*tan(d*x+c)-3/2/d*a^3*B*tan(d*x+c)^2-3/d*a^3*A*tan(d*x+c)+2*I/d*a^3*A*ln(1+tan(d*x+c)^2)+2/d*a^3*B*ln(1+tan(d*x+c)^2)-4*I/d*a^3*B*arctan(tan(d*x+c))+4/d*a^3*A*arctan(tan(d*x+c))

Maxima [A] time = 1.69227, size = 131, normalized size = 1.19

$$\frac{2iBa^3 \tan(dx+c)^3 + 3(iA + 3B)a^3 \tan(dx+c)^2 - 6(dx+c)(4A - 4iB)a^3 + 12(-iA - B)a^3 \log(\tan(dx+c)^2 + 1)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/6*(2*I*B*a^3*\tan(dx + c)^3 + 3*(I*A + 3*B)*a^3*\tan(dx + c)^2 - 6*(dx + c)*(4*A - 4*I*B)*a^3 + 12*(-I*A - B)*a^3*\log(\tan(dx + c)^2 + 1) + (18*A - 24*I*B)*a^3*\tan(dx + c))/d$

Fricas [A] time = 1.48427, size = 509, normalized size = 4.63

$$\frac{(-24iA - 48B)a^3e^{4idx+4ic} + (-42iA - 66B)a^3e^{2idx+2ic} + (-18iA - 26B)a^3 + ((-12iA - 12B)a^3e^{6idx+6ic} + (-36iA - 36B)a^3e^{4idx+4ic} + 3de^{2idx+2ic})}{3(de^{6idx+6ic} + 3de^{4idx+4ic} + 3de^{2idx+2ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")`

[Out] $1/3*((-24*I*A - 48*B)*a^3*e^{(4*I*d*x + 4*I*c)} + (-42*I*A - 66*B)*a^3*e^{(2*I*d*x + 2*I*c)} + (-18*I*A - 26*B)*a^3 + ((-12*I*A - 12*B)*a^3*e^{(6*I*d*x + 6*I*c)} + (-36*I*A - 36*B)*a^3*e^{(4*I*d*x + 4*I*c)} + (-36*I*A - 36*B)*a^3*e^{(2*I*d*x + 2*I*c)} + (-12*I*A - 12*B)*a^3)*\log(e^{(2*I*d*x + 2*I*c)} + 1)/(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)$

Sympy [A] time = 6.48434, size = 172, normalized size = 1.56

$$-\frac{4a^3(iA + B)\log(e^{2idx} + e^{-2ic})}{d} + \frac{\frac{(8iAa^3+16Ba^3)e^{-2ic}e^{4idx}}{d} - \frac{(14iAa^3+22Ba^3)e^{-4ic}e^{2idx}}{d} - \frac{(18iAa^3+26Ba^3)e^{-6ic}}{3d}}{e^{6idx} + 3e^{-2ic}e^{4idx} + 3e^{-4ic}e^{2idx} + e^{-6ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(dx+c))**3*(A+B*tan(dx+c)),x)`

[Out] $-4*a**3*(I*A + B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/d + (-8*I*A*a**3 + 16*B*a**3)*\exp(-2*I*c)*\exp(4*I*d*x)/d - (14*I*A*a**3 + 22*B*a**3)*\exp(-4*I*c)*\exp(2*I*d*x)/d - (18*I*A*a**3 + 26*B*a**3)*\exp(-6*I*c)/(3*d)/(\exp(6*I*d*x) + 3*\exp(-2*I*c)*\exp(4*I*d*x) + 3*\exp(-4*I*c)*\exp(2*I*d*x) + \exp(-6*I*c))$

Giac [B] time = 1.50127, size = 421, normalized size = 3.83

$$\frac{-12iAa^3e^{(6idx+6ic)}\log(e^{(2idx+2ic)} + 1) - 12Ba^3e^{(6idx+6ic)}\log(e^{(2idx+2ic)} + 1) - 36iAa^3e^{(4idx+4ic)}\log(e^{(2idx+2ic)} + 1) - 36Ba^3e^{(4idx+4ic)}\log(e^{(2idx+2ic)} + 1) - 12iAa^3e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) - 12Ba^3e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) - 18iAa^3e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) - 18Ba^3e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) - 18iAa^3e^{(2idx+2ic)} - 18Ba^3e^{(2idx+2ic)}}{3(d e^{6idx} + 3e^{-2ic}e^{4idx} + 3e^{-4ic}e^{2idx} + e^{-6ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="giac")`

[Out] $1/3*(-12*I*A*a^3*e^{(6*I*d*x + 6*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 12*B*a^3*e^{(6*I*d*x + 6*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 36*I*A*a^3*e^{(4*I*d*x + 4*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 36*B*a^3*e^{(4*I*d*x + 4*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 36*I*A*a^3*e^{(2*I*d*x + 2*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 36*B*a^3*e^{(2*I*d*x + 2*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 24*I*A*a^3*e^{(4*I*d*x + 4*I*c)} - 48*B*a^3*e^{(4*I*d*x + 4*I*c)} - 42*I*A*a^3*e^{(2*I*d*x + 2*I*c)} - 66*B*a^3*e^{(2*I*d*x + 2*I*c)} - 12*I*A*a^3*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 12*B*a^3*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 18*I*A*a^3 - 26*B*a^3)/(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)$

3.20 $\int \cot(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=107

$$\frac{(A - 2iB)(a^3 + ia^3 \tan(c + dx))}{d} + \frac{a^3(3A - 4iB) \log(\cos(c + dx))}{d} + 4a^3x(B + iA) + \frac{a^3A \log(\sin(c + dx))}{d} + \frac{iaB(a + ia \tan(c + dx))}{d}$$

[Out] $4*a^3*(I*A + B)*x + (a^3*(3*A - (4*I)*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a^3*A*\text{Log}[\text{Sin}[c + d*x]])/d + ((I/2)*a*B*(a + I*a*\text{Tan}[c + d*x])^2)/d - ((A - (2*I)*B)*(a^3 + I*a^3*\text{Tan}[c + d*x]))/d$

Rubi [A] time = 0.280963, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3594, 3589, 3475, 3531}

$$\frac{(A - 2iB)(a^3 + ia^3 \tan(c + dx))}{d} + \frac{a^3(3A - 4iB) \log(\cos(c + dx))}{d} + 4a^3x(B + iA) + \frac{a^3A \log(\sin(c + dx))}{d} + \frac{iaB(a + ia \tan(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $4*a^3*(I*A + B)*x + (a^3*(3*A - (4*I)*B)*\text{Log}[\text{Cos}[c + d*x]])/d + (a^3*A*\text{Log}[\text{Sin}[c + d*x]])/d + ((I/2)*a*B*(a + I*a*\text{Tan}[c + d*x])^2)/d - ((A - (2*I)*B)*(a^3 + I*a^3*\text{Tan}[c + d*x]))/d$

Rule 3594

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m)((c + d*\text{tan}[(e + f*x)]^n), x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3589

$\text{Int}[(A + B*\text{tan}[(e + f*x)]*(c + d*\text{tan}[(e + f*x)]^n)/(a + b*\text{tan}[(e + f*x)]), x_Symbol] \rightarrow \text{Dist}[(B*d)/b, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Dist}[1/b, \text{Int}[\text{Simp}[A*b*c + (A*b*d + B*(b*c - a*d))*\text{Tan}[e + f*x], x]/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3531

$\text{Int}[(c + d*\text{tan}[(e + f*x)]/(a + b*\text{tan}[(e + f*x)]^2), x_Symbol] \rightarrow \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[a^2 + b^2, 0]$

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{iaB(a + ia \tan(c + dx))^2}{2d} + \frac{1}{2} \int \cot(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx \\ &= \frac{iaB(a + ia \tan(c + dx))^2}{2d} - \frac{(A - 2iB)(a^3 + ia^3 \tan(c + dx))}{d} \\ &= \frac{iaB(a + ia \tan(c + dx))^2}{2d} - \frac{(A - 2iB)(a^3 + ia^3 \tan(c + dx))}{d} \\ &= 4a^3(iA + B)x + \frac{a^3(3A - 4iB) \log(\cos(c + dx))}{d} + \frac{iaB(a + ia \tan(c + dx))^2}{2d} \\ &= 4a^3(iA + B)x + \frac{a^3(3A - 4iB) \log(\cos(c + dx))}{d} + \frac{a^3 A \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 7.65867, size = 281, normalized size = 2.63

$$\frac{a^3 \sec(c) \sec^2(c + dx)(\cos(3dx) + i \sin(3dx)) \left(2 \cos(c) \left((3A - 4iB) \log(\cos^2(c + dx)) + A \log(\sin^2(c + dx)) + 8iAdx + 8 \right) \right)}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (a^3*Sec[c]*Sec[c + d*x]^2*(Cos[3*d*x] + I*Sin[3*d*x])*((8*I)*A*d*x*Cos[3*c + 2*d*x] + 8*B*d*x*Cos[3*c + 2*d*x] + 3*A*Cos[3*c + 2*d*x]*Log[Cos[c + d*x]^2] - (4*I)*B*Cos[3*c + 2*d*x]*Log[Cos[c + d*x]^2] + A*Cos[3*c + 2*d*x]*Log[Sin[c + d*x]^2] + 2*Cos[c]*((-2*I)*B + (8*I)*A*d*x + 8*B*d*x + (3*A - (4*I)*B)*Log[Cos[c + d*x]^2] + A*Log[Sin[c + d*x]^2]) + Cos[c + 2*d*x]*(8*(I*A + B)*d*x + (3*A - (4*I)*B)*Log[Cos[c + d*x]^2] + A*Log[Sin[c + d*x]^2]) + (4*I)*A*Sin[c] + 12*B*Sin[c] - (4*I)*A*Sin[c + 2*d*x] - 12*B*Sin[c + 2*d*x])/((8*d*(Cos[d*x] + I*Sin[d*x])^3)

Maple [A] time = 0.067, size = 135, normalized size = 1.3

$$4iAxa^3 - \frac{iA \tan(dx + c)a^3}{d} + \frac{4iAa^3c}{d} - \frac{\frac{i}{2}Ba^3(\tan(dx + c))^2}{d} - \frac{4iBa^3 \ln(\cos(dx + c))}{d} + 3 \frac{Aa^3 \ln(\cos(dx + c))}{d} + 4Ba^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] 4*I*A*x*a^3-I/d*A*tan(d*x+c)*a^3+4*I/d*A*a^3*c-1/2*I/d*B*a^3*tan(d*x+c)^2-4*I/d*B*a^3*ln(cos(d*x+c))+3/d*A*a^3*ln(cos(d*x+c))+4*B*a^3*x-3/d*a^3*B*tan(d*x+c)+4/d*B*a^3*c+a^3*A*ln(sin(d*x+c))/d

Maxima [A] time = 1.68772, size = 123, normalized size = 1.15

$$\frac{iBa^3 \tan(dx + c)^2 + 8(dx + c)(-iA - B)a^3 + 2(2A - 2iB)a^3 \log(\tan(dx + c)^2 + 1) - 2Aa^3 \log(\tan(dx + c)) + 2(iA + B)a^3 \log(\cos(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/2*(I*B*a^3*\tan(d*x + c)^2 + 8*(d*x + c)*(-I*A - B)*a^3 + 2*(2*A - 2*I*B)*a^3*\log(\tan(d*x + c)^2 + 1) - 2*A*a^3*\log(\tan(d*x + c)) + 2*(I*A + 3*B)*a^3*\tan(d*x + c))/d$$

Fricas [A] time = 1.44725, size = 466, normalized size = 4.36

$$\frac{2(A - 4iB)a^3e^{2idx+2ic} + 2(A - 3iB)a^3 + ((3A - 4iB)a^3e^{4idx+4ic} + 2(3A - 4iB)a^3e^{2idx+2ic} + (3A - 4iB)a^3)\log(\tan(d*x + c))}{de^{4idx+4ic} + 2de^{2idx+2ic} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$(2*(A - 4*I*B)*a^3*e^{(2*I*d*x + 2*I*c)} + 2*(A - 3*I*B)*a^3 + ((3*A - 4*I*B)*a^3*e^{(4*I*d*x + 4*I*c)} + 2*(3*A - 4*I*B)*a^3*e^{(2*I*d*x + 2*I*c)} + (3*A - 4*I*B)*a^3)*\log(e^{(2*I*d*x + 2*I*c)} + 1) + (A*a^3*e^{(4*I*d*x + 4*I*c)} + 2*A*a^3*e^{(2*I*d*x + 2*I*c)} + A*a^3)*\log(e^{(2*I*d*x + 2*I*c)} - 1))/(d*e^{(4*I*d*x + 4*I*c)} + 2*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [B] time = 8.41282, size = 207, normalized size = 1.93

$$\frac{(2Aa^3 - 8iBa^3)e^{-2ic}e^{2idx}}{e^{4idx} + 2e^{-2ic}e^{2idx} + e^{-4ic}} + \frac{(2Aa^3 - 6iBa^3)e^{-4ic}}{d} + \text{RootSum}\left(z^2d^2 + z(-4Aa^3d + 4iBa^3d) + 3A^2a^6 - 4iABa^6, \left(i \mapsto i \log\left(\frac{1}{iAa^3e^{2ic} + z}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out]
$$((2*A*a**3 - 8*I*B*a**3)*\exp(-2*I*c)*\exp(2*I*d*x)/d + (2*A*a**3 - 6*I*B*a**3)*\exp(-4*I*c)/d)/(\exp(4*I*d*x) + 2*\exp(-2*I*c)*\exp(2*I*d*x) + \exp(-4*I*c)) + \text{RootSum}(_z**2*d**2 + _z*(-4*A*a**3*d + 4*I*B*a**3*d) + 3*A**2*a**6 - 4*I*A*B*a**6, \text{Lambda}(_i, _i*\log(_i*I*d/(I*A*a**3*\exp(2*I*c) + 2*B*a**3*\exp(2*I*c)) - (2*I*A + 2*B)/(I*A*\exp(2*I*c) + 2*B*\exp(2*I*c)) + \exp(2*I*d*x))))$$

Giac [B] time = 1.5758, size = 362, normalized size = 3.38

$$2Aa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right) - 4(4Aa^3 - 4iBa^3) \log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + i\right) + 2(3Aa^3 - 4iBa^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

```
[Out] 1/2*(2*A*a^3*log(abs(tan(1/2*d*x + 1/2*c))) - 4*(4*A*a^3 - 4*I*B*a^3)*log(t
an(1/2*d*x + 1/2*c) + I) + 2*(3*A*a^3 - 4*I*B*a^3)*log(abs(tan(1/2*d*x + 1/
2*c) + 1)) + 2*(3*A*a^3 - 4*I*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - (
9*A*a^3*tan(1/2*d*x + 1/2*c)^4 - 12*I*B*a^3*tan(1/2*d*x + 1/2*c)^4 - 4*I*A*
a^3*tan(1/2*d*x + 1/2*c)^3 - 12*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 18*A*a^3*tan
(1/2*d*x + 1/2*c)^2 + 28*I*B*a^3*tan(1/2*d*x + 1/2*c)^2 + 4*I*A*a^3*tan(1/2
*d*x + 1/2*c) + 12*B*a^3*tan(1/2*d*x + 1/2*c) + 9*A*a^3 - 12*I*B*a^3)/(tan(
1/2*d*x + 1/2*c)^2 - 1)^2)/d
```

3.21 $\int \cot^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=116

$$\frac{(-B + iA)(a^3 + ia^3 \tan(c + dx))}{d} + \frac{a^3(B + 3iA) \log(\sin(c + dx))}{d} + \frac{a^3(3B + iA) \log(\cos(c + dx))}{d} - 4a^3x(A - iB) - \frac{a^3}{d}$$

```
[Out] -4*a^3*(A - I*B)*x + (a^3*(I*A + 3*B)*Log[Cos[c + d*x]])/d + (a^3*((3*I)*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^2)/d + ((I*A - B)*(a^3 + I*a^3*Tan[c + d*x]))/d
```

Rubi [A] time = 0.29589, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3594, 3589, 3475, 3531}

$$\frac{(-B + iA)(a^3 + ia^3 \tan(c + dx))}{d} + \frac{a^3(B + 3iA) \log(\sin(c + dx))}{d} + \frac{a^3(3B + iA) \log(\cos(c + dx))}{d} - 4a^3x(A - iB) - \frac{a^3}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] -4*a^3*(A - I*B)*x + (a^3*(I*A + 3*B)*Log[Cos[c + d*x]])/d + (a^3*((3*I)*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^2)/d + ((I*A - B)*(a^3 + I*a^3*Tan[c + d*x]))/d
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3589

```
Int[((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])/(a_) + (b_)*tan[(e_) + (f_)*(x_)], x_Symbol] :> Dist[(B*d)/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d,
```

e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^2}{d} + \int \cot(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx \\ &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^2}{d} + \frac{(iA - B)(a^3 + ia^3)}{d} \\ &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^2}{d} + \frac{(iA - B)(a^3 + ia^3)}{d} \\ &= -4a^3(A - iB)x + \frac{a^3(iA + 3B) \log(\cos(c + dx))}{d} - \frac{aA \cot(c + dx)}{d} \\ &= -4a^3(A - iB)x + \frac{a^3(iA + 3B) \log(\cos(c + dx))}{d} + \frac{a^3(3iA + 3B)}{d} \end{aligned}$$

Mathematica [B] time = 4.20123, size = 291, normalized size = 2.51

$\frac{a^3 \csc(c) \sec(c) \csc(c + dx) \sec(c + dx) (4(3A - iB) \sin(2c) \sin(2(c + dx)) \tan^{-1}(\tan(4c + dx)) + \cos(2dx) ((B + 3iA) \log(\cos(c + dx)) - \log(\cos(c)))}}{d}$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (a^3*Csc[c]*Csc[c + d*x]*Sec[c]*Sec[c + d*x]*(14*A*d*x*Cos[4*c + 2*d*x] - (10*I)*B*d*x*Cos[4*c + 2*d*x] - I*A*Cos[4*c + 2*d*x]*Log[Cos[c + d*x]^2] - 3*B*Cos[4*c + 2*d*x]*Log[Cos[c + d*x]^2] - (3*I)*A*Cos[4*c + 2*d*x]*Log[Sin[c + d*x]^2] - B*Cos[4*c + 2*d*x]*Log[Sin[c + d*x]^2] + Cos[2*d*x]*(2*(-7*A + (5*I)*B)*d*x + (I*A + 3*B)*Log[Cos[c + d*x]^2] + ((3*I)*A + B)*Log[Sin[c + d*x]^2]) - 4*A*Sin[2*c] - (4*I)*B*Sin[2*c] + 4*A*Sin[2*d*x] - (4*I)*B*Sin[2*d*x] + 4*A*Sin[2*(c + d*x)] + (4*I)*B*Sin[2*(c + d*x)] + 4*(3*A - I*B)*ArcTan[Tan[4*c + d*x]*Sin[2*c]*Sin[2*(c + d*x)]))/(16*d)

Maple [A] time = 0.061, size = 134, normalized size = 1.2

$4iBxa^3 + \frac{iAa^3 \ln(\cos(dx + c))}{d} + \frac{3iAa^3 \ln(\sin(dx + c))}{d} - 4Aa^3x - \frac{iB \tan(dx + c) a^3}{d} + \frac{4iBa^3c}{d} - \frac{A \cot(dx + c) a^3}{d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] $4*I*B*x*a^3 + I/d*A*a^3*\ln(\cos(d*x+c)) + 3*I/d*A*a^3*\ln(\sin(d*x+c)) - 4*A*a^3*x - I/d*B*tan(d*x+c)*a^3 + 4*I/d*B*a^3*c - 1/d*A*cot(d*x+c)*a^3 - 4/d*A*a^3*c + 3/d*B*a^3*\ln(\cos(d*x+c)) + 1/d*B*a^3*\ln(\sin(d*x+c))$

Maxima [A] time = 1.56119, size = 115, normalized size = 0.99

$$\frac{(dx+c)(4A-4iB)a^3 + 2(iA+B)a^3 \log(\tan(dx+c)^2+1) - (3iA+B)a^3 \log(\tan(dx+c)) + iBa^3 \tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-((dx+c)*(4A-4I*B)*a^3 + 2*(I*A+B)*a^3*\log(\tan(dx+c)^2+1) - (3*I*A+B)*a^3*\log(\tan(dx+c)) + I*B*a^3*\tan(dx+c) + A*a^3/\tan(dx+c))/d$

Fricas [A] time = 1.40567, size = 360, normalized size = 3.1

$$\frac{(-2iA+2B)a^3 e^{2i dx+2ic} + (-2iA-2B)a^3 + ((iA+3B)a^3 e^{4i dx+4ic} + (-iA-3B)a^3) \log(e^{2i dx+2ic}+1) + ((3iA+3B)a^3 \log(e^{2i dx+2ic}-1) + (-iA-3B)a^3)}{d e^{4i dx+4ic} - d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $((-2*I*A+2*B)*a^3*e^{(2*I*d*x+2*I*c)} + (-2*I*A-2*B)*a^3 + ((I*A+3*B)*a^3*e^{(4*I*d*x+4*I*c)} + (-I*A-3*B)*a^3)*\log(e^{(2*I*d*x+2*I*c)}+1) + ((3*I*A+B)*a^3*e^{(4*I*d*x+4*I*c)} + (-3*I*A-B)*a^3)*\log(e^{(2*I*d*x+2*I*c)}-1))/(d*e^{(4*I*d*x+4*I*c)}-d)$

Sympy [B] time = 3.94357, size = 199, normalized size = 1.72

$$\frac{\frac{(2iAa^3-2Ba^3)e^{-2ic}e^{2idx}}{d} - \frac{(2iAa^3+2Ba^3)e^{-4ic}}{d}}{e^{Aidx} - e^{-4ic}} + \text{RootSum}\left(z^2 d^2 + z(-4iAa^3 d - 4Ba^3 d) - 3A^2 a^6 + 10iAa^6 + 3B^2 a^6, (i \mapsto i)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] $(-2*I*A*a**3 - 2*B*a**3)*\exp(-2*I*c)*\exp(2*I*d*x)/d - (2*I*A*a**3 + 2*B*a**3)*\exp(-4*I*c)/d / (\exp(4*I*d*x) - \exp(-4*I*c)) + \text{RootSum}(_z**2*d**2 + _z*(-4*I*A*a**3*d - 4*B*a**3*d) - 3*A**2*a**6 + 10*I*A*B*a**6 + 3*B**2*a**6, \text{Lambda}(_i, _i*\log(_i*I*d/(A*a**3*\exp(2*I*c) + I*B*a**3*\exp(2*I*c)) + (2*A - 2*I*B)/(A*\exp(2*I*c) + I*B*\exp(2*I*c)) + \exp(2*I*d*x))))$

Giac [B] time = 1.59254, size = 351, normalized size = 3.03

$$3 A a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 48 (i A a^3 + B a^3) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i\right) + 6 (i A a^3 + 3 B a^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) + 6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/6*(3*A*a^3*tan(1/2*d*x + 1/2*c) - 48*(I*A*a^3 + B*a^3)*log(tan(1/2*d*x + 1/2*c) + I) + 6*(I*A*a^3 + 3*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + 6*(I*A*a^3 + 3*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 6*(-3*I*A*a^3 - B*a^3)*log(abs(tan(1/2*d*x + 1/2*c)))) + (-10*I*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 14*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 3*A*a^3*tan(1/2*d*x + 1/2*c)^2 + 12*I*B*a^3*tan(1/2*d*x + 1/2*c)^2 + 10*I*A*a^3*tan(1/2*d*x + 1/2*c) + 14*B*a^3*tan(1/2*d*x + 1/2*c) + 3*A*a^3)/(tan(1/2*d*x + 1/2*c)^3 - tan(1/2*d*x + 1/2*c))/d

3.22 $\int \cot^3(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=123

$$\frac{a^3(4A - 3iB) \log(\sin(c + dx))}{d} - \frac{(B + 2iA) \cot(c + dx) (a^3 + ia^3 \tan(c + dx))}{d} - 4a^3x(B + iA) + \frac{ia^3B \log(\cos(c + dx))}{d}$$

```
[Out] -4*a^3*(I*A + B)*x + (I*a^3*B*Log[Cos[c + d*x]])/d - (a^3*(4*A - (3*I)*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^2)/(2*d) - (((2*I)*A + B)*Cot[c + d*x]*(a^3 + I*a^3*Tan[c + d*x]))/d
```

Rubi [A] time = 0.315215, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3593, 3589, 3475, 3531}

$$\frac{a^3(4A - 3iB) \log(\sin(c + dx))}{d} - \frac{(B + 2iA) \cot(c + dx) (a^3 + ia^3 \tan(c + dx))}{d} - 4a^3x(B + iA) + \frac{ia^3B \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] -4*a^3*(I*A + B)*x + (I*a^3*B*Log[Cos[c + d*x]])/d - (a^3*(4*A - (3*I)*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^2)/(2*d) - (((2*I)*A + B)*Cot[c + d*x]*(a^3 + I*a^3*Tan[c + d*x]))/d
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3589

```
Int((((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]))/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(B*d)/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3531

```
Int(((c_) + (d_)*tan[(e_) + (f_)*(x_)])/(a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
```

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^2}{2d} + \frac{1}{2} \int \cot^2(c + dx) \\ &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^2}{2d} - \frac{(2iA + B) \cot(c + dx)}{2d} \\ &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^2}{2d} - \frac{(2iA + B) \cot(c + dx)}{2d} \\ &= -4a^3(iA + B)x + \frac{ia^3B \log(\cos(c + dx))}{d} - \frac{aA \cot^2(c + dx)}{2d} \\ &= -4a^3(iA + B)x + \frac{ia^3B \log(\cos(c + dx))}{d} - \frac{a^3(4A - 3iB) \log(\cos(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 8.58067, size = 1010, normalized size = 8.21

$$a^3 \left(\frac{x(\cot(c + dx) + i)^3(B + A \cot(c + dx)) \left(-16iA \cos^3(c) - \frac{25}{2}B \cos^3(c) + 4A \cot(c) \cos^3(c) - 3iB \cot(c) \cos^3(c) - 24A \sin^3(c) \right)}{\dots} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] a^3*((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*(-(A*Cos[3*c])/2 + (I/2)*A*Sin[3*c])*Sin[c + d*x]^2)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Csc[c/2]*Sec[c/2]*(Cos[3*c]/2 - (I/2)*Sin[3*c])*((3*I)*A*Sin[d*x] + B*Sin[d*x])*Sin[c + d*x]^3)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I/2)*B*Cos[3*c]*(I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Log[Cos[c + d*x]^2]*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*(4*A*Cos[(3*c)/2] - (3*I)*B*Cos[(3*c)/2] - (4*I)*A*Sin[(3*c)/2] - 3*B*Sin[(3*c)/2])*(I*ArcTan[Tan[4*c + d*x]]*Cos[(3*c)/2] + ArcTan[Tan[4*c + d*x]]*Sin[(3*c)/2])*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*(4*A*Cos[(3*c)/2] - (3*I)*B*Cos[(3*c)/2] - (4*I)*A*Sin[(3*c)/2] - 3*B*Sin[(3*c)/2])*(-(Cos[(3*c)/2]*Log[Sin[c + d*x]^2])/2 + (I/2)*Log[Sin[c + d*x]^2]*Sin[(3*c)/2])*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (B*(I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Log[Cos[c + d*x]^2]*Sin[3*c]*Sin[c + d*x]^4)/(2*d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((A - I*B)*(I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*((-4*I)*d*x*Cos[3*c] - 4*d*x*Sin[3*c])*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (x*(I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Sin[c + d*x]^4*((B*Cos[c])/2 - (16*I)*A*Cos[c]^3 - (25*B*Cos[c]^3)/2 + 4*A*Cos[c]^3*Cot[c] - (3*I)*B*Cos[c]^3*Cot[c] - I*B*Sin[c] - 24*A*Cos[c]^2*Sin[c] + (20*I)*B*Cos[c]^2*Sin[c] + (16*I)*A*Cos[c]*Sin[c]^2 + 15*B*Cos[c]*Sin[c]^2 + 4*A*Sin[c]^3 - (5*I)*B*Sin[c]^3 + (2*A - I*B + 2*A*Cos[2*c] - (2*I)*B*Cos[2*c])*Csc[c]*Sec[c]*(-Cos[3*c] + I*Sin[3*c]) - (B*Sin[c]*Tan[c])/2 - (B*Sin[c]^3*Tan[c])/2))/((Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.075, size = 136, normalized size = 1.1

$$-4iAxa^3 - \frac{4iAa^3c}{d} + \frac{iBa^3 \ln(\cos(dx+c))}{d} - 4 \frac{Aa^3 \ln(\sin(dx+c))}{d} - 4Ba^3x - 4 \frac{Ba^3c}{d} - \frac{3iA \cot(dx+c)a^3}{d} + \frac{3iB}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] $-4*I*A*x*a^3 - 4*I/d*A*a^3*c + I*a^3*B*\ln(\cos(d*x+c))/d - 4*a^3*A*\ln(\sin(d*x+c))/d - 4*B*a^3*x - 4/d*B*a^3*c - 3*I/d*A*\cot(d*x+c)*a^3 + 3*I/d*B*a^3*\ln(\sin(d*x+c)) - 1/2/d*A*a^3*\cot(d*x+c)^2 - 1/d*B*\cot(d*x+c)*a^3$

Maxima [A] time = 1.66136, size = 132, normalized size = 1.07

$$\frac{8(dx+c)(iA+B)a^3 - 2(2A-2iB)a^3 \log(\tan(dx+c)^2+1) + 2(4A-3iB)a^3 \log(\tan(dx+c)) - \frac{2(-3iA-B)a^3 \tan(dx+c)}{\tan(dx+c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/2*(8*(d*x+c)*(I*A+B)*a^3 - 2*(2*A-2*I*B)*a^3*\log(\tan(d*x+c)^2+1) + 2*(4*A-3*I*B)*a^3*\log(\tan(d*x+c)) - (2*(-3*I*A-B)*a^3*\tan(d*x+c) - A*a^3)/\tan(d*x+c)^2)/d$

Fricas [A] time = 1.50599, size = 474, normalized size = 3.85

$$\frac{2(4A-iB)a^3 e^{2i dx+2ic} - 2(3A-iB)a^3 + (iBa^3 e^{4i dx+4ic} - 2iBa^3 e^{2i dx+2ic} + iBa^3) \log(e^{2i dx+2ic} + 1) - ((4A-3iB)a^3 e^{2i dx+2ic} - 2(4A-3iB)a^3 \log(e^{2i dx+2ic} - 1))}{de^{4i dx+4ic} - 2de^{2i dx+2ic} + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $(2*(4*A-I*B)*a^3*e^{(2*I*d*x+2*I*c)} - 2*(3*A-I*B)*a^3 + (I*B*a^3*e^{(4*I*d*x+4*I*c)} - 2*I*B*a^3*e^{(2*I*d*x+2*I*c)} + I*B*a^3)*\log(e^{(2*I*d*x+2*I*c)} + 1) - ((4*A-3*I*B)*a^3*e^{(4*I*d*x+4*I*c)} - 2*(4*A-3*I*B)*a^3*e^{(2*I*d*x+2*I*c)} + (4*A-3*I*B)*a^3)*\log(e^{(2*I*d*x+2*I*c)} - 1))/(d*e^{(4*I*d*x+4*I*c)} - 2*d*e^{(2*I*d*x+2*I*c)} + d)$

Sympy [A] time = 8.86526, size = 207, normalized size = 1.68

$$\frac{\frac{(6Aa^3-2iBa^3)e^{-4ic}}{d} + \frac{(8Aa^3-2iBa^3)e^{-2ic}e^{2idx}}{d}}{e^{Aidx} - 2e^{-2ic}e^{2idx} + e^{-4ic}} + \text{RootSum}\left(z^2d^2 + z(4Aa^3d - 4iBa^3d) - 4iAa^3d^2 - 3B^2a^6, \left(i \mapsto i \log\left(\frac{2iAa^3d}{2iAa^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

```
[Out] (-6*A*a**3 - 2*I*B*a**3)*exp(-4*I*c)/d + (8*A*a**3 - 2*I*B*a**3)*exp(-2*I*c)*exp(2*I*d*x)/d/(exp(4*I*d*x) - 2*exp(-2*I*c)*exp(2*I*d*x) + exp(-4*I*c)) + RootSum(_z**2*d**2 + _z*(4*A*a**3*d - 4*I*B*a**3*d) - 4*I*A*B*a**6 - 3*B**2*a**6, Lambda(_i, _i*log(_i*I*d/(2*I*A*a**3*exp(2*I*c) + B*a**3*exp(2*I*c)) + (2*I*A + 2*B)/(2*I*A*exp(2*I*c) + B*exp(2*I*c)) + exp(2*I*d*x))))
```

Giac [B] time = 1.65034, size = 306, normalized size = 2.49

$$Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 8iBa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 8iBa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - 12iAa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/8*(A*a^3*tan(1/2*d*x + 1/2*c)^2 - 8*I*B*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 8*I*B*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 12*I*A*a^3*tan(1/2*d*x + 1/2*c) - 4*B*a^3*tan(1/2*d*x + 1/2*c) - 16*(4*A*a^3 - 4*I*B*a^3)*log(tan(1/2*d*x + 1/2*c) + I) + 8*(4*A*a^3 - 3*I*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c)))) - (48*A*a^3*tan(1/2*d*x + 1/2*c)^2 - 36*I*B*a^3*tan(1/2*d*x + 1/2*c)^2 - 12*I*A*a^3*tan(1/2*d*x + 1/2*c) - 4*B*a^3*tan(1/2*d*x + 1/2*c) - A*a^3)/tan(1/2*d*x + 1/2*c)^2/d
```

3.23 $\int \cot^4(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=134

$$\frac{a^3(17A - 15iB) \cot(c + dx)}{6d} - \frac{4a^3(B + iA) \log(\sin(c + dx))}{d} - \frac{(3B + 5iA) \cot^2(c + dx) (a^3 + ia^3 \tan(c + dx))}{6d} + 4a^3x$$

```
[Out] 4*a^3*(A - I*B)*x + (a^3*(17*A - (15*I)*B)*Cot[c + d*x])/(6*d) - (4*a^3*(I*
A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^2)
/(3*d) - (((5*I)*A + 3*B)*Cot[c + d*x]^2*(a^3 + I*a^3*Tan[c + d*x]))/(6*d)
```

Rubi [A] time = 0.364967, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3593, 3591, 3531, 3475}

$$\frac{a^3(17A - 15iB) \cot(c + dx)}{6d} - \frac{4a^3(B + iA) \log(\sin(c + dx))}{d} - \frac{(3B + 5iA) \cot^2(c + dx) (a^3 + ia^3 \tan(c + dx))}{6d} + 4a^3x$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] 4*a^3*(A - I*B)*x + (a^3*(17*A - (15*I)*B)*Cot[c + d*x])/(6*d) - (4*a^3*(I*
A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^2)
/(3*d) - (((5*I)*A + 3*B)*Cot[c + d*x]^2*(a^3 + I*a^3*Tan[c + d*x]))/(6*d)
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a
+ b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n -
2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*
(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3591

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((
b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^
2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c +
b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m,
-1] && NeQ[a^2 + b^2, 0]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_
)*(x_)]), x_Symbol] :> Simp[(a*c + b*d)*x/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^2}{3d} + \frac{1}{3} \int \cot^3(c + dx) \\ &= -\frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^2}{3d} - \frac{(5iA + 3B) \cot^2(c + dx)}{3d} \\ &= \frac{a^3(17A - 15iB) \cot(c + dx)}{6d} - \frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^2}{3d} \\ &= 4a^3(A - iB)x + \frac{a^3(17A - 15iB) \cot(c + dx)}{6d} - \frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^2}{3d} \\ &= 4a^3(A - iB)x + \frac{a^3(17A - 15iB) \cot(c + dx)}{6d} - \frac{4a^3(iA + B)}{6d} \end{aligned}$$

Mathematica [B] time = 4.68382, size = 442, normalized size = 3.3

$$a^3 \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \csc^3(c + dx)(\cos(3dx) + i \sin(3dx)) \left(-48(A - iB) \sin(c) \sin^3(c + dx) \tan^{-1}(\tan(4c + dx)) + \cos(dx) \left(-\right.\right.$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (a^3*Csc[c/2]*Csc[c + d*x]^3*Sec[c/2]*(Cos[3*d*x] + I*Sin[3*d*x])*((9*I)*A*Cos[2*c + d*x] + 3*B*Cos[2*c + d*x] - 36*A*d*x*Cos[2*c + d*x] + (36*I)*B*d*x*Cos[2*c + d*x] - 12*A*d*x*Cos[2*c + 3*d*x] + (12*I)*B*d*x*Cos[2*c + 3*d*x] + 12*A*d*x*Cos[4*c + 3*d*x] - (12*I)*B*d*x*Cos[4*c + 3*d*x] + (9*I)*A*Cos[2*c + d*x]*Log[Sin[c + d*x]^2] + 9*B*Cos[2*c + d*x]*Log[Sin[c + d*x]^2] + (3*I)*A*Cos[2*c + 3*d*x]*Log[Sin[c + d*x]^2] + 3*B*Cos[2*c + 3*d*x]*Log[Sin[c + d*x]^2] - (3*I)*A*Cos[4*c + 3*d*x]*Log[Sin[c + d*x]^2] - 3*B*Cos[4*c + 3*d*x]*Log[Sin[c + d*x]^2] + Cos[d*x]*((-9*I)*A - 3*B + 36*A*d*x - (36*I)*B*d*x + ((-9*I)*A - 9*B)*Log[Sin[c + d*x]^2]) - 24*A*Sin[d*x] + (18*I)*B*Sin[d*x] - 48*(A - I*B)*ArcTan[Tan[4*c + d*x]]*Sin[c]*Sin[c + d*x]^3 - 15*A*Sin[2*c + d*x] + (9*I)*B*Sin[2*c + d*x] + 13*A*Sin[2*c + 3*d*x] - (9*I)*B*Sin[2*c + 3*d*x]))/(24*d*(Cos[d*x] + I*Sin[d*x])^3)

Maple [A] time = 0.071, size = 154, normalized size = 1.2

$$\frac{-3iB \cot(dx + c) a^3}{d} - \frac{\frac{3i}{2} A a^3 (\cot(dx + c))^2}{d} - \frac{4iB a^3 c}{d} + 4 A a^3 x + 4 \frac{A \cot(dx + c) a^3}{d} + 4 \frac{A a^3 c}{d} - 4 \frac{B a^3 \ln(\sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] -3*I/d*B*cot(d*x+c)*a^3-3/2*I/d*A*a^3*cot(d*x+c)^2-4*I/d*B*a^3*c+4*A*a^3*x+4/d*A*cot(d*x+c)*a^3+4/d*A*a^3*c-4/d*B*a^3*ln(sin(d*x+c))-4*I*B*x*a^3-4*I/d*A*a^3*ln(sin(d*x+c))-1/3/d*A*a^3*cot(d*x+c)^3-1/2/d*B*a^3*cot(d*x+c)^2

Maxima [A] time = 2.37918, size = 157, normalized size = 1.17

$$\frac{6(dx+c)(4A-4iB)a^3 - 12(-iA-B)a^3 \log(\tan(dx+c)^2+1) - 24(iA+B)a^3 \log(\tan(dx+c)) + \frac{(24A-18iB)a^3 \tan(dx+c)}{\tan(dx+c)^2+1}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(6*(d*x + c)*(4*A - 4*I*B)*a^3 - 12*(-I*A - B)*a^3*log(tan(d*x + c)^2 + 1) - 24*(I*A + B)*a^3*log(tan(d*x + c)) + ((24*A - 18*I*B)*a^3*tan(d*x + c)^2 + 3*(-3*I*A - B)*a^3*tan(d*x + c) - 2*A*a^3)/tan(d*x + c)^3)/d

Fricas [A] time = 1.38771, size = 504, normalized size = 3.76

$$\frac{(48iA + 24B)a^3 e^{4i dx + 4ic} + (-66iA - 42B)a^3 e^{2i dx + 2ic} + (26iA + 18B)a^3 + ((-12iA - 12B)a^3 e^{6i dx + 6ic} + (36iA + 36B)a^3 e^{4i dx + 4ic} + (-36iA - 36B)a^3 e^{2i dx + 2ic})}{3(d e^{6i dx + 6ic} - 3d e^{4i dx + 4ic} + 3d e^{2i dx + 2ic} - d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/3*((48*I*A + 24*B)*a^3*e^(4*I*d*x + 4*I*c) + (-66*I*A - 42*B)*a^3*e^(2*I*d*x + 2*I*c) + (26*I*A + 18*B)*a^3 + ((-12*I*A - 12*B)*a^3*e^(6*I*d*x + 6*I*c) + (36*I*A + 36*B)*a^3*e^(4*I*d*x + 4*I*c) + (-36*I*A - 36*B)*a^3*e^(2*I*d*x + 2*I*c) + (12*I*A + 12*B)*a^3)*log(e^(2*I*d*x + 2*I*c) - 1)/(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)

Sympy [A] time = 14.52, size = 170, normalized size = 1.27

$$-\frac{4a^3(iA+B)\log(e^{2idx}-e^{-2ic})}{d} + \frac{\frac{(16iAa^3+8Ba^3)e^{-2ic}e^{4idx}}{d} - \frac{(22iAa^3+14Ba^3)e^{-4ic}e^{2idx}}{d} + \frac{(26iAa^3+18Ba^3)e^{-6ic}}{3d}}{e^{6idx}-3e^{-2ic}e^{4idx}+3e^{-4ic}e^{2idx}-e^{-6ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] -4*a**3*(I*A + B)*log(exp(2*I*d*x) - exp(-2*I*c))/d + ((16*I*A*a**3 + 8*B*a**3)*exp(-2*I*c)*exp(4*I*d*x)/d - (22*I*A*a**3 + 14*B*a**3)*exp(-4*I*c)*exp(2*I*d*x)/d + (26*I*A*a**3 + 18*B*a**3)*exp(-6*I*c)/(3*d))/(exp(6*I*d*x) - 3*exp(-2*I*c)*exp(4*I*d*x) + 3*exp(-4*I*c)*exp(2*I*d*x) - exp(-6*I*c))

Giac [B] time = 1.71772, size = 344, normalized size = 2.57

$$Aa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 9iAa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 3Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 51Aa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 36iBa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] 1/24*(A*a^3*tan(1/2*d*x + 1/2*c)^3 - 9*I*A*a^3*tan(1/2*d*x + 1/2*c)^2 - 3*B
*a^3*tan(1/2*d*x + 1/2*c)^2 - 51*A*a^3*tan(1/2*d*x + 1/2*c) + 36*I*B*a^3*ta
n(1/2*d*x + 1/2*c) - 192*(-I*A*a^3 - B*a^3)*log(tan(1/2*d*x + 1/2*c) + I) -
96*(I*A*a^3 + B*a^3)*log(abs(tan(1/2*d*x + 1/2*c)))) - (-176*I*A*a^3*tan(1/
2*d*x + 1/2*c)^3 - 176*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 51*A*a^3*tan(1/2*d*x
+ 1/2*c)^2 + 36*I*B*a^3*tan(1/2*d*x + 1/2*c)^2 + 9*I*A*a^3*tan(1/2*d*x + 1/
2*c) + 3*B*a^3*tan(1/2*d*x + 1/2*c) + A*a^3)/tan(1/2*d*x + 1/2*c)^3)/d
```


3.24 $\int \cot^5(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=157

$$\frac{a^3(15A - 14iB) \cot^2(c + dx)}{12d} + \frac{4a^3(B + iA) \cot(c + dx)}{d} + \frac{4a^3(A - iB) \log(\sin(c + dx))}{d} - \frac{(2B + 3iA) \cot^3(c + dx) (a^3)}{6d}$$

[Out] 4*a^3*(I*A + B)*x + (4*a^3*(I*A + B)*Cot[c + d*x])/d + (a^3*(15*A - (14*I)*B)*Cot[c + d*x]^2)/(12*d) + (4*a^3*(A - I*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^2)/(4*d) - (((3*I)*A + 2*B)*Cot[c + d*x]^3*(a^3 + I*a^3*Tan[c + d*x]))/(6*d)

Rubi [A] time = 0.418088, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3591, 3529, 3531, 3475}

$$\frac{a^3(15A - 14iB) \cot^2(c + dx)}{12d} + \frac{4a^3(B + iA) \cot(c + dx)}{d} + \frac{4a^3(A - iB) \log(\sin(c + dx))}{d} - \frac{(2B + 3iA) \cot^3(c + dx) (a^3)}{6d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] 4*a^3*(I*A + B)*x + (4*a^3*(I*A + B)*Cot[c + d*x])/d + (a^3*(15*A - (14*I)*B)*Cot[c + d*x]^2)/(12*d) + (4*a^3*(A - I*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^2)/(4*d) - (((3*I)*A + 2*B)*Cot[c + d*x]^3*(a^3 + I*a^3*Tan[c + d*x]))/(6*d)

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3591

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,

b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^2}{4d} + \frac{1}{4} \int \cot^4(c + dx) dx \\ &= -\frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^2}{4d} - \frac{(3iA + 2B) \cot^3(c + dx)}{4d} \\ &= \frac{a^3(15A - 14iB) \cot^2(c + dx)}{12d} - \frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^2}{4d} \\ &= \frac{4a^3(iA + B) \cot(c + dx)}{d} + \frac{a^3(15A - 14iB) \cot^2(c + dx)}{12d} - \frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^2}{4d} \\ &= 4a^3(iA + B)x + \frac{4a^3(iA + B) \cot(c + dx)}{d} + \frac{a^3(15A - 14iB)}{12d} \\ &= 4a^3(iA + B)x + \frac{4a^3(iA + B) \cot(c + dx)}{d} + \frac{a^3(15A - 14iB)}{12d} \end{aligned}$$

Mathematica [B] time = 8.49607, size = 1007, normalized size = 6.41

$$a^3 \left(\frac{(\cot(c + dx) + i)^3(B + A \cot(c + dx)) \left(A \cos\left(\frac{3c}{2}\right) - iB \cos\left(\frac{3c}{2}\right) - iA \sin\left(\frac{3c}{2}\right) - B \sin\left(\frac{3c}{2}\right) \right) \left(-4i \tan^{-1}(\tan(4c + dx)) \right)}{d(\cos(dx) + i \sin(dx))^3(A \cos(c + dx) + B \sin(c + dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] a^3*(((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*(-(A*Cos[3*c])/4 + (I/4)*A*Sin[3*c]))/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Csc[c/2]*Sec[c/2]*(Cos[3*c]/6 - (I/6)*Sin[3*c])*((3*I)*A*Sin[d*x] + B*Sin[d*x])*Sin[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Csc[c/2]*Sec[c/2]*((-6*I)*A*Cos[c] - 2*B*Cos[c] + 15*A*Sin[c] - (9*I)*B*Sin[c])*(Cos[3*c]/12 - (I/12)*Sin[3*c])*Sin[c + d*x]^2)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*Csc[c/2]*Sec[c/2]*(Cos[3*c]/6 - (I/6)*Sin[3*c])*((-15*I)*A*Sin[d*x] - 13*B*Sin[d*x])*Sin[c + d*x]^3)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*(A*Cos[(3*c)/2] - I*B*Cos[(3*c)/2] - I*A*Sin[(3*c)/2] - B*Sin[(3*c)/2])*((-4*I)*ArcTan[Tan[4*c + d*x]]*Cos[(3*c)/2] - 4*ArcTan[Tan[4*c + d*x]]*Sin[(3*c)/2])*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^3*(A

$$\begin{aligned} & \cos[c + dx] + B \sin[c + dx])) + ((I + \cot[c + dx])^3 (B + A \cot[c + dx]) \\ &) * (A \cos[(3c)/2] - I B \cos[(3c)/2] - I A \sin[(3c)/2] - B \sin[(3c)/2]) * (\\ & 2 \cos[(3c)/2] * \log[\sin[c + dx]^2] - (2I) * \log[\sin[c + dx]^2] * \sin[(3c)/2] \\ &) * \sin[c + dx]^4 / (d * (\cos[dx] + I \sin[dx])^3 * (A \cos[c + dx] + B \sin[c + \\ & dx])) + (x * (I + \cot[c + dx])^3 * (B + A \cot[c + dx]) * ((16I) * A \cos[c]^3 + \\ & 16 * B \cos[c]^3 - 4 * A \cos[c]^3 * \cot[c] + (4I) * B \cos[c]^3 * \cot[c] + 24 * A \cos[c] \\ & ^2 * \sin[c] - (24I) * B \cos[c]^2 * \sin[c] - (16I) * A \cos[c] * \sin[c]^2 - 16 * B \cos[c] \\ & * \sin[c]^2 - 4 * A \sin[c]^3 + (4I) * B \sin[c]^3 + (A - I B) * \cot[c] * (4 * \cos[3c] \\ &] - (4I) * \sin[3c])) * \sin[c + dx]^4 / ((\cos[dx] + I \sin[dx])^3 * (A \cos[c + \\ & dx] + B \sin[c + dx])) + ((I * A + B) * (I + \cot[c + dx])^3 * (B + A \cot[c + dx]) \\ &) * (4 * dx * \cos[3c] - (4I) * dx * \sin[3c]) * \sin[c + dx]^4 / (d * (\cos[dx] + I \\ & \sin[dx])^3 * (A \cos[c + dx] + B \sin[c + dx])) \end{aligned}$$

Maple [A] time = 0.077, size = 189, normalized size = 1.2

$$\frac{4iAa^3c}{d} - \frac{\frac{3i}{2}Ba^3(\cot(dx+c))^2}{d} - \frac{iAa^3(\cot(dx+c))^3}{d} + \frac{4iA\cot(dx+c)a^3}{d} + 2\frac{Aa^3(\cot(dx+c))^2}{d} + 4\frac{Aa^3\ln(\sin(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^5*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x)

[Out] $4I/d * A * a^3 * c - 3/2 * I/d * B * a^3 * \cot(dx+c)^2 - I/d * A * a^3 * \cot(dx+c)^3 + 4I/d * A * \cot(dx+c) * a^3 + 2/d * A * a^3 * \cot(dx+c)^2 + 4 * a^3 * A * \ln(\sin(dx+c)) / d + 4 * B * a^3 * x + 4/d * B * \cot(dx+c) * a^3 + 4/d * B * a^3 * c - 4I/d * B * a^3 * \ln(\sin(dx+c)) + 4I * A * x * a^3 - 1/4/d * A * a^3 * \cot(dx+c)^4 - 1/3/d * B * a^3 * \cot(dx+c)^3$

Maxima [A] time = 2.3096, size = 185, normalized size = 1.18

$$\frac{48(dx+c)(-iA-B)a^3 + 12(2A-2iB)a^3 \log(\tan(dx+c)^2+1) - 12(4A-4iB)a^3 \log(\tan(dx+c)) - \frac{48(iA+B)a^3}{12d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^5*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] $-1/12 * (48 * (dx+c) * (-iA-B) * a^3 + 12 * (2A-2iB) * a^3 * \log(\tan(dx+c)^2+1) - 12 * (4A-4iB) * a^3 * \log(\tan(dx+c)) - (48 * (iA+B) * a^3 * \tan(dx+c)^3 + (24A-18iB) * a^3 * \tan(dx+c)^2 + 4 * (-3iA-B) * a^3 * \tan(dx+c) - 3 * A * a^3) / \tan(dx+c)^4) / d$

Fricas [A] time = 1.64047, size = 626, normalized size = 3.99

$$\frac{2(12(3A-2iB)a^3e^{6idx+6ic} - 3(23A-19iB)a^3e^{4idx+4ic} + 2(27A-23iB)a^3e^{2idx+2ic} - (15A-13iB)a^3 - 6((A+B)\tan(dx+c)^3 - 3A))}{3(de^{8idx+8ic} - 4de^{6idx+6ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^5*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $-2/3*(12*(3*A - 2*I*B)*a^3*e^{(6*I*d*x + 6*I*c)} - 3*(23*A - 19*I*B)*a^3*e^{(4*I*d*x + 4*I*c)} + 2*(27*A - 23*I*B)*a^3*e^{(2*I*d*x + 2*I*c)} - (15*A - 13*I*B)*a^3 - 6*((A - I*B)*a^3*e^{(8*I*d*x + 8*I*c)} - 4*(A - I*B)*a^3*e^{(6*I*d*x + 6*I*c)} + 6*(A - I*B)*a^3*e^{(4*I*d*x + 4*I*c)} - 4*(A - I*B)*a^3*e^{(2*I*d*x + 2*I*c)} + (A - I*B)*a^3)*\log(e^{(2*I*d*x + 2*I*c)} - 1)/(d*e^{(8*I*d*x + 8*I*c)} - 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} - 4*d*e^{(2*I*d*x + 2*I*c)} + d)$

Sympy [A] time = 34.1315, size = 221, normalized size = 1.41

$$\frac{4a^3(A - iB)\log(e^{2idx} - e^{-2ic})}{d} + \frac{-\frac{(24Aa^3 - 16iBa^3)e^{-2ic}e^{6idx}}{d} + \frac{(30Aa^3 - 26iBa^3)e^{-8ic}}{3d} + \frac{(46Aa^3 - 38iBa^3)e^{-4ic}e^{4idx}}{d} - \frac{(108Aa^3 - 92iBa^3)e^{-6ic}e^{2idx}}{3d}}{e^{8idx} - 4e^{-2ic}e^{6idx} + 6e^{-4ic}e^{4idx} - 4e^{-6ic}e^{2idx} + e^{-8ic}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**5*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] $4*a**3*(A - I*B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/d + (- (24*A*a**3 - 16*I*B*a**3)*\exp(-2*I*c)*\exp(6*I*d*x)/d + (30*A*a**3 - 26*I*B*a**3)*\exp(-8*I*c)/(3*d) + (46*A*a**3 - 38*I*B*a**3)*\exp(-4*I*c)*\exp(4*I*d*x)/d - (108*A*a**3 - 92*I*B*a**3)*\exp(-6*I*c)*\exp(2*I*d*x)/(3*d))/(\exp(8*I*d*x) - 4*\exp(-2*I*c)*\exp(6*I*d*x) + 6*\exp(-4*I*c)*\exp(4*I*d*x) - 4*\exp(-6*I*c)*\exp(2*I*d*x) + \exp(-8*I*c))$

Giac [B] time = 1.76959, size = 439, normalized size = 2.8

$$3Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 24iAa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 8Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 108Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 72iBa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $-1/192*(3*A*a^3*\tan(1/2*d*x + 1/2*c)^4 - 24*I*A*a^3*\tan(1/2*d*x + 1/2*c)^3 - 8*B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 108*A*a^3*\tan(1/2*d*x + 1/2*c)^2 + 72*I*B*a^3*\tan(1/2*d*x + 1/2*c)^2 + 456*I*A*a^3*\tan(1/2*d*x + 1/2*c) + 408*B*a^3*\tan(1/2*d*x + 1/2*c) + 384*(4*A*a^3 - 4*I*B*a^3)*\log(\tan(1/2*d*x + 1/2*c) + I) - 384*(2*A*a^3 - 2*I*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) + (1600*A*a^3*\tan(1/2*d*x + 1/2*c)^4 - 1600*I*B*a^3*\tan(1/2*d*x + 1/2*c)^4 - 456*I*A*a^3*\tan(1/2*d*x + 1/2*c)^3 - 408*B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 108*A*a^3*\tan(1/2*d*x + 1/2*c)^2 + 72*I*B*a^3*\tan(1/2*d*x + 1/2*c)^2 + 24*I*A*a^3*\tan(1/2*d*x + 1/2*c) + 8*B*a^3*\tan(1/2*d*x + 1/2*c) + 3*A*a^3)/\tan(1/2*d*x + 1/2*c)^4)/d$

3.25 $\int \cot^6(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=180

$$\frac{a^3(47A - 45iB) \cot^3(c + dx)}{60d} + \frac{2a^3(B + iA) \cot^2(c + dx)}{d} - \frac{4a^3(A - iB) \cot(c + dx)}{d} + \frac{4a^3(B + iA) \log(\sin(c + dx))}{d}$$

```
[Out] -4*a^3*(A - I*B)*x - (4*a^3*(A - I*B)*Cot[c + d*x])/d + (2*a^3*(I*A + B)*Cot[c + d*x]^2)/d + (a^3*(47*A - (45*I)*B)*Cot[c + d*x]^3)/(60*d) + (4*a^3*(I*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^2)/(5*d) - (((7*I)*A + 5*B)*Cot[c + d*x]^4*(a^3 + I*a^3*Tan[c + d*x]))/(20*d)
```

Rubi [A] time = 0.460285, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3591, 3529, 3531, 3475}

$$\frac{a^3(47A - 45iB) \cot^3(c + dx)}{60d} + \frac{2a^3(B + iA) \cot^2(c + dx)}{d} - \frac{4a^3(A - iB) \cot(c + dx)}{d} + \frac{4a^3(B + iA) \log(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^6*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] -4*a^3*(A - I*B)*x - (4*a^3*(A - I*B)*Cot[c + d*x])/d + (2*a^3*(I*A + B)*Cot[c + d*x]^2)/d + (a^3*(47*A - (45*I)*B)*Cot[c + d*x]^3)/(60*d) + (4*a^3*(I*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^2)/(5*d) - (((7*I)*A + 5*B)*Cot[c + d*x]^4*(a^3 + I*a^3*Tan[c + d*x]))/(20*d)
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3591

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
```

$$\int \frac{(f(m+1)(a^2+b^2))^m}{(a+b\tan(e+fx))^{m+1}} dx + \text{Dist}\left[\frac{1}{a^2+b^2}, \int \frac{(a+b\tan(e+fx))^m}{(a+b\tan(e+fx))^{m+1}} dx\right];$$

$$\text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b^2c - a^2d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{LtQ}[m, -1]$$

Rule 3531

$$\text{Int}\left[\frac{(c + d\tan(e + fx))}{(a + b\tan(e + fx))}, x\right] := \text{Simp}\left[\frac{(a^2c + b^2d)x}{a^2 + b^2}, x\right] + \text{Dist}\left[\frac{(b^2c - a^2d)}{a^2 + b^2}, \int \frac{(b - a\tan(e + fx))}{(a + b\tan(e + fx))} dx, x\right];$$

$$\text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b^2c - a^2d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[a^2c + b^2d, 0]$$

Rule 3475

$$\text{Int}[\tan(c + dx), x] := -\text{Simp}\left[\frac{\text{Log}[\text{RemoveContent}[\cos(c + dx), x]]}{d}, x\right];$$

$$\text{FreeQ}\{c, d, x\}$$

Rubi steps

$$\begin{aligned} \int \cot^6(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^2}{5d} + \frac{1}{5} \int \cot^5(c + dx) dx \\ &= -\frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^2}{5d} - \frac{(7iA + 5B) \cot^4(c + dx)}{5d} \\ &= \frac{a^3(47A - 45iB) \cot^3(c + dx)}{60d} - \frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^2}{5d} \\ &= \frac{2a^3(iA + B) \cot^2(c + dx)}{d} + \frac{a^3(47A - 45iB) \cot^3(c + dx)}{60d} \\ &= -\frac{4a^3(A - iB) \cot(c + dx)}{d} + \frac{2a^3(iA + B) \cot^2(c + dx)}{d} + \frac{a^3(47A - 45iB) \cot^3(c + dx)}{60d} \\ &= -4a^3(A - iB)x - \frac{4a^3(A - iB) \cot(c + dx)}{d} + \frac{2a^3(iA + B) \cot^2(c + dx)}{d} \\ &= -4a^3(A - iB)x - \frac{4a^3(A - iB) \cot(c + dx)}{d} + \frac{2a^3(iA + B) \cot^2(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 8.77901, size = 943, normalized size = 5.24

$$a^3 \frac{\left((\cot(c + dx) + i)^3 (B + A \cot(c + dx)) \left(iA \cos\left(\frac{3c}{2}\right) + B \cos\left(\frac{3c}{2}\right) + A \sin\left(\frac{3c}{2}\right) - iB \sin\left(\frac{3c}{2}\right) \right) \left(-4i \tan^{-1}(\tan(4c + dx)) \right) \right)}{d (\cos(dx) + i \sin(dx))^3 (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^6*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] $a^3 \left((I + \cot(c + dx))^3 (B + A \cot(c + dx)) (I A \cos\left(\frac{3c}{2}\right) + B \cos\left(\frac{3c}{2}\right) + A \sin\left(\frac{3c}{2}\right) - I B \sin\left(\frac{3c}{2}\right)) \left((-4I) \text{ArcTan}[\tan(4c + dx)] \right) \right. \\ \left. * \cos\left(\frac{3c}{2}\right) - 4 \text{ArcTan}[\tan(4c + dx)] * \sin\left(\frac{3c}{2}\right) * \sin^4(c + dx) \right) / (d * (\cos(dx) + I \sin(dx))^3 (A \cos(c + dx) + B \sin(c + dx))) + ((I + \cot(c + dx))^3 (B + A \cot(c + dx)) (I A \cos\left(\frac{3c}{2}\right) + B \cos\left(\frac{3c}{2}\right) + A \sin\left(\frac{3c}{2}\right) - I B \sin\left(\frac{3c}{2}\right)) * (2 \cos\left(\frac{3c}{2}\right) * \text{Log}[\sin^2(c + dx)] - (2I) * \text{Log}[\sin^2(c + dx)] * \sin\left(\frac{3c}{2}\right)) * \sin^4(c + dx) / (d * (\cos(dx) + I \sin(dx))^3 (A \cos(c + dx) + B \sin(c + dx))) + (x * (I + \cot(c + dx))^3 (B + A \cot(c + dx)) * (-16 A \cos^3[c] + (16I) * B \cos^3[c] - (4I) * A \cos^3[c] * \cot[c] - 4 * B \cos^3[c] * \cot[c] + (24I) * A \cos^2[c] * \sin[c] + 24 * B \cos^2[c] * \sin[c] + 16 * A \cos^2[c] * \cot[c] + 16 * B \cos^2[c] * \cot[c] - 16 * A \cos[c] * \sin^2[c] - 16 * B \cos[c] * \sin^2[c] + 16 * A \cos[c] * \cot[c] * \sin[c] + 16 * B \cos[c] * \cot[c] * \sin[c] - 16 * A \sin^3[c] - 16 * B \sin^3[c] + 16 * A \sin^2[c] * \cot[c] + 16 * B \sin^2[c] * \cot[c] - 16 * A \sin[c] * \cot^2[c] - 16 * B \sin[c] * \cot^2[c] + 16 * A \cot^3[c] + 16 * B \cot^3[c])$

$$\begin{aligned} & s[c] * \sin[c]^2 - (16 * I) * B * \cos[c] * \sin[c]^2 - (4 * I) * A * \sin[c]^3 - 4 * B * \sin[c]^3 \\ & + (I * A + B) * \cot[c] * (4 * \cos[3 * c] - (4 * I) * \sin[3 * c]) * \sin[c + d * x]^4 / ((\cos[d * x] \\ & + I * \sin[d * x])^3 * (A * \cos[c + d * x] + B * \sin[c + d * x])) + ((I + \cot[c + d * x])^3 \\ & * (B + A * \cot[c + d * x]) * \csc[c] * \csc[c + d * x] * (\cos[3 * c] / 240 - (I / 240) * \sin[3 * c] \\ &) * ((225 * I) * A * \cos[d * x] + 195 * B * \cos[d * x] - 300 * A * d * x * \cos[d * x] + (300 * I) * B * d * x \\ & * \cos[d * x] - (225 * I) * A * \cos[2 * c + d * x] - 195 * B * \cos[2 * c + d * x] + 300 * A * d * x * \cos \\ & [2 * c + d * x] - (300 * I) * B * d * x * \cos[2 * c + d * x] - (105 * I) * A * \cos[2 * c + 3 * d * x] - 7 \\ & 5 * B * \cos[2 * c + 3 * d * x] + 150 * A * d * x * \cos[2 * c + 3 * d * x] - (150 * I) * B * d * x * \cos[2 * c + \\ & 3 * d * x] + (105 * I) * A * \cos[4 * c + 3 * d * x] + 75 * B * \cos[4 * c + 3 * d * x] - 150 * A * d * x * \cos \\ & [4 * c + 3 * d * x] + (150 * I) * B * d * x * \cos[4 * c + 3 * d * x] - 30 * A * d * x * \cos[4 * c + 5 * d * x] \\ & + (30 * I) * B * d * x * \cos[4 * c + 5 * d * x] + 30 * A * d * x * \cos[6 * c + 5 * d * x] - (30 * I) * B * d * x \\ & * \cos[6 * c + 5 * d * x] + 470 * A * \sin[d * x] - (420 * I) * B * \sin[d * x] + 360 * A * \sin[2 * c + d \\ & * x] - (330 * I) * B * \sin[2 * c + d * x] - 280 * A * \sin[2 * c + 3 * d * x] + (270 * I) * B * \sin[2 * c \\ & + 3 * d * x] - 135 * A * \sin[4 * c + 3 * d * x] + (105 * I) * B * \sin[4 * c + 3 * d * x] + 83 * A * \sin[\\ & 4 * c + 5 * d * x] - (75 * I) * B * \sin[4 * c + 5 * d * x])) / (d * (\cos[d * x] + I * \sin[d * x])^3 * (A * \\ & \cos[c + d * x] + B * \sin[c + d * x])) \end{aligned}$$

Maple [A] time = 0.08, size = 224, normalized size = 1.2

$$4 \frac{Ba^3 \ln(\sin(dx + c))}{d} - 4 \frac{Aa^3 c}{d} + \frac{4Aa^3 (\cot(dx + c))^3}{3d} - 4 \frac{A \cot(dx + c) a^3}{d} + 2 \frac{Ba^3 (\cot(dx + c))^2}{d} - \frac{Aa^3 (\cot(dx + c))}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^6*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] 4/d*B*a^3*ln(sin(d*x+c))-4/d*A*a^3*c+4/3/d*A*a^3*cot(d*x+c)^3-4/d*A*cot(d*x+c)*a^3+2/d*B*a^3*cot(d*x+c)^2-1/5/d*A*a^3*cot(d*x+c)^5-1/4/d*B*a^3*cot(d*x+c)^4+4*I*B*x*a^3-3/4*I/d*A*a^3*cot(d*x+c)^4+4*I/d*B*a^3*c+4*I/d*B*cot(d*x+c)*a^3+2*I/d*A*a^3*cot(d*x+c)^2-4*A*a^3*x+4*I/d*A*a^3*ln(sin(d*x+c))-I/d*B*a^3*cot(d*x+c)^3

Maxima [A] time = 2.24459, size = 208, normalized size = 1.16

$$\frac{60(dx + c)(4A - 4iB)a^3 + 120(iA + B)a^3 \log(\tan(dx + c)^2 + 1) + 240(-iA - B)a^3 \log(\tan(dx + c)) + \frac{(240A - 240iB)a^3 \tan(dx + c)^4 - 120(iA + B)a^3 \tan(dx + c)^3 - (80A - 60iB)a^3 \tan(dx + c)^2 - 15(-3iA - B)a^3 \tan(dx + c) + 12Aa^3}{\tan(dx + c)^5}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] -1/60*(60*(d*x + c)*(4*A - 4*I*B)*a^3 + 120*(I*A + B)*a^3*log(tan(d*x + c)^2 + 1) + 240*(-I*A - B)*a^3*log(tan(d*x + c)) + ((240*A - 240*I*B)*a^3*tan(d*x + c)^4 - 120*(I*A + B)*a^3*tan(d*x + c)^3 - (80*A - 60*I*B)*a^3*tan(d*x + c)^2 - 15*(-3*I*A - B)*a^3*tan(d*x + c) + 12*A*a^3)/tan(d*x + c)^5/d

Fricas [A] time = 1.64839, size = 844, normalized size = 4.69

$$\frac{(-480iA - 360B)a^3 e^{(8i dx + 8i c)} + (1170iA + 1050B)a^3 e^{(6i dx + 6i c)} + (-1390iA - 1230B)a^3 e^{(4i dx + 4i c)} + (770iA + 690B)a^3 e^{(2i dx + 2i c)}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{15} * ((-480 * I * A - 360 * B) * a^3 * e^{(8 * I * d * x + 8 * I * c)} + (1170 * I * A + 1050 * B) * a^3 * e^{(6 * I * d * x + 6 * I * c)} + (-1390 * I * A - 1230 * B) * a^3 * e^{(4 * I * d * x + 4 * I * c)} + (770 * I * A + 690 * B) * a^3 * e^{(2 * I * d * x + 2 * I * c)} + (-166 * I * A - 150 * B) * a^3 + ((60 * I * A + 60 * B) * a^3 * e^{(10 * I * d * x + 10 * I * c)} + (-300 * I * A - 300 * B) * a^3 * e^{(8 * I * d * x + 8 * I * c)} + (600 * I * A + 600 * B) * a^3 * e^{(6 * I * d * x + 6 * I * c)} + (-600 * I * A - 600 * B) * a^3 * e^{(4 * I * d * x + 4 * I * c)} + (300 * I * A + 300 * B) * a^3 * e^{(2 * I * d * x + 2 * I * c)} + (-60 * I * A - 60 * B) * a^3) * \log(e^{(2 * I * d * x + 2 * I * c)} - 1) / (d * e^{(10 * I * d * x + 10 * I * c)} - 5 * d * e^{(8 * I * d * x + 8 * I * c)} + 10 * d * e^{(6 * I * d * x + 6 * I * c)} - 10 * d * e^{(4 * I * d * x + 4 * I * c)} + 5 * d * e^{(2 * I * d * x + 2 * I * c)} - d)$

Sympy [A] time = 146.15, size = 272, normalized size = 1.51

$$\frac{4a^3 (iA + B) \log(e^{2idx} - e^{-2ic})}{d} + \frac{-(32iAa^3 + 24Ba^3)e^{-2ic}e^{8idx}}{d} + \frac{(78iAa^3 + 70Ba^3)e^{-4ic}e^{6idx}}{d} + \frac{(154iAa^3 + 138Ba^3)e^{-8ic}e^{2idx}}{3d} - \frac{(166iAa^3 + 150Ba^3)e^{-10ic}}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**6*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] $4 * a^{**3} * (I * A + B) * \log(\exp(2 * I * d * x) - \exp(-2 * I * c)) / d + (- (32 * I * A * a^{**3} + 24 * B * a^{**3}) * \exp(-2 * I * c) * \exp(8 * I * d * x) / d + (78 * I * A * a^{**3} + 70 * B * a^{**3}) * \exp(-4 * I * c) * \exp(6 * I * d * x) / d + (154 * I * A * a^{**3} + 138 * B * a^{**3}) * \exp(-8 * I * c) * \exp(2 * I * d * x) / (3 * d) - (166 * I * A * a^{**3} + 150 * B * a^{**3}) * \exp(-10 * I * c) / (15 * d) - (278 * I * A * a^{**3} + 246 * B * a^{**3}) * \exp(-6 * I * c) * \exp(4 * I * d * x) / (3 * d)) / (\exp(10 * I * d * x) - 5 * \exp(-2 * I * c) * \exp(8 * I * d * x) + 10 * \exp(-4 * I * c) * \exp(6 * I * d * x) - 10 * \exp(-6 * I * c) * \exp(4 * I * d * x) + 5 * \exp(-8 * I * c) * \exp(2 * I * d * x) - \exp(-10 * I * c))$

Giac [B] time = 1.76694, size = 529, normalized size = 2.94

$$6 A a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 45 i A a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 - 15 B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 - 190 A a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 120 i B a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{960} * (6 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 45 * I * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^4 - 15 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^4 - 190 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 120 * I * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 660 * I * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^2 + 540 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^2 + 2460 * A * a^3 * \tan(1/2 * d * x + 1/2 * c) - 2280 * I * B * a^3 * \tan(1/2 * d * x + 1/2 * c) - 7680 * (I * A * a^3 + B * a^3) * \log(\tan(1/2 * d * x + 1/2 * c) + I) - 3840 * (-I * A * a^3 - B * a^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c))) + (-8768 * I * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 8768 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 2460 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^4 + 2280 * I * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^4 + 660 * I * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 540 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 190 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^2 - 120 * I * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^2 - 45 * I * A * a^3 * \tan(1/2 * d * x + 1/2 * c) + 15 * B * a^3) / (d * \tan(1/2 * d * x + 1/2 * c)^6 - 5 * d * \tan(1/2 * d * x + 1/2 * c)^5 + 10 * d * \tan(1/2 * d * x + 1/2 * c)^4 - 10 * d * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * d * \tan(1/2 * d * x + 1/2 * c)^2 - d)$

$$\frac{(dx + \frac{1}{2}c) - 15B^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 6A^3}{\tan(\frac{1}{2}dx + \frac{1}{2}c)^5} / d$$

3.26 $\int \tan^2(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=225

$$-\frac{a^4(92A - 93iB) \tan^3(c + dx)}{60d} + \frac{4a^4(B + iA) \tan^2(c + dx)}{d} - \frac{(2A - 3iB) \tan^3(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{10d} - \frac{(12A - 13iB) \tan^3(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{10d} \quad (12A - 13iB)$$

```
[Out] -8*a^4*(A - I*B)*x + (8*a^4*(I*A + B)*Log[Cos[c + d*x]])/d + (8*a^4*(A - I*B)*Tan[c + d*x])/d + (4*a^4*(I*A + B)*Tan[c + d*x]^2)/d - (a^4*(92*A - (93*I)*B)*Tan[c + d*x]^3)/(60*d) + ((I/6)*a*B*Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^3)/d - ((2*A - (3*I)*B)*Tan[c + d*x]^3*(a^2 + I*a^2*Tan[c + d*x])^2)/(10*d) - ((12*A - (13*I)*B)*Tan[c + d*x]^3*(a^4 + I*a^4*Tan[c + d*x]))/(20*d)
```

Rubi [A] time = 0.642305, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3594, 3592, 3528, 3525, 3475}

$$-\frac{a^4(92A - 93iB) \tan^3(c + dx)}{60d} + \frac{4a^4(B + iA) \tan^2(c + dx)}{d} - \frac{(2A - 3iB) \tan^3(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{10d} - \frac{(12A - 13iB) \tan^3(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{10d} \quad (12A - 13iB)$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] -8*a^4*(A - I*B)*x + (8*a^4*(I*A + B)*Log[Cos[c + d*x]])/d + (8*a^4*(A - I*B)*Tan[c + d*x])/d + (4*a^4*(I*A + B)*Tan[c + d*x]^2)/d - (a^4*(92*A - (93*I)*B)*Tan[c + d*x]^3)/(60*d) + ((I/6)*a*B*Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^3)/d - ((2*A - (3*I)*B)*Tan[c + d*x]^3*(a^2 + I*a^2*Tan[c + d*x])^2)/(10*d) - ((12*A - (13*I)*B)*Tan[c + d*x]^3*(a^4 + I*a^4*Tan[c + d*x]))/(20*d)
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
```

```
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3525

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)
*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e +
f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f},
x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^3}{6d} + \frac{1}{6} \int \tan^2(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^3}{6d} - \frac{(2A - 3iB) \tan^2(c + dx)(a + ia \tan(c + dx))^4}{6d} \\ &= \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^3}{6d} - \frac{(2A - 3iB) \tan^2(c + dx)(a + ia \tan(c + dx))^4}{6d} \\ &= -\frac{a^4(92A - 93iB) \tan^3(c + dx)}{60d} + \frac{iaB \tan^3(c + dx)(a + ia \tan(c + dx))^3}{6d} \\ &= \frac{4a^4(iA + B) \tan^2(c + dx)}{d} - \frac{a^4(92A - 93iB) \tan^3(c + dx)}{60d} \\ &= -8a^4(A - iB)x + \frac{8a^4(A - iB) \tan(c + dx)}{d} + \frac{4a^4(iA + B)}{d} \\ &= -8a^4(A - iB)x + \frac{8a^4(iA + B) \log(\cos(c + dx))}{d} + \frac{8a^4(A + B)}{d} \end{aligned}$$

Mathematica [B] time = 8.66036, size = 951, normalized size = 4.23

$$\frac{x(-4A \cos^4(c) + 4iB \cos^4(c) + 20iA \sin(c) \cos^3(c) + 20B \sin(c) \cos^3(c) + 40A \sin^2(c) \cos^2(c) - 40iB \sin^2(c) \cos^2(c) + \dots)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] (Cos[c + d*x]^5*(I*A*Cos[2*c] + B*Cos[2*c] + A*Sin[2*c] - I*B*Sin[2*c])*(4*
Cos[2*c]*Log[Cos[c + d*x]^2] - (4*I)*Log[Cos[c + d*x]^2]*Sin[2*c])*(a + I*a
*Tan[c + d*x])^4*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[
c + d*x] + B*Sin[c + d*x])) + (Sec[c]*Sec[c + d*x]*(Cos[4*c]/240 - (I/240)*
Sin[4*c])*((420*I)*A*Cos[c] + 490*B*Cos[c] - 600*A*d*x*Cos[c] + (600*I)*B*d
*x*Cos[c] + (300*I)*A*Cos[c + 2*d*x] + 345*B*Cos[c + 2*d*x] - 450*A*d*x*Cos
[c + 2*d*x] + (450*I)*B*d*x*Cos[c + 2*d*x] + (300*I)*A*Cos[3*c + 2*d*x] + 3
45*B*Cos[3*c + 2*d*x] - 450*A*d*x*Cos[3*c + 2*d*x] + (450*I)*B*d*x*Cos[3*c
+ 2*d*x] + (90*I)*A*Cos[3*c + 4*d*x] + 120*B*Cos[3*c + 4*d*x] - 180*A*d*x*C
os[3*c + 4*d*x] + (180*I)*B*d*x*Cos[3*c + 4*d*x] + (90*I)*A*Cos[5*c + 4*d*x
] + 120*B*Cos[5*c + 4*d*x] - 180*A*d*x*Cos[5*c + 4*d*x] + (180*I)*B*d*x*Cos
```

$$\begin{aligned} & [5*c + 4*d*x] - 30*A*d*x*\text{Cos}[5*c + 6*d*x] + (30*I)*B*d*x*\text{Cos}[5*c + 6*d*x] - \\ & 30*A*d*x*\text{Cos}[7*c + 6*d*x] + (30*I)*B*d*x*\text{Cos}[7*c + 6*d*x] - 790*A*\text{Sin}[c] + \\ & (860*I)*B*\text{Sin}[c] + 720*A*\text{Sin}[c + 2*d*x] - (780*I)*B*\text{Sin}[c + 2*d*x] - 465*A \\ & * \text{Sin}[3*c + 2*d*x] + (510*I)*B*\text{Sin}[3*c + 2*d*x] + 354*A*\text{Sin}[3*c + 4*d*x] - (\\ & 366*I)*B*\text{Sin}[3*c + 4*d*x] - 120*A*\text{Sin}[5*c + 4*d*x] + (150*I)*B*\text{Sin}[5*c + 4* \\ & d*x] + 79*A*\text{Sin}[5*c + 6*d*x] - (86*I)*B*\text{Sin}[5*c + 6*d*x])*(a + I*a*\text{Tan}[c + \\ & d*x])^4*(A + B*\text{Tan}[c + d*x]))/(d*(\text{Cos}[d*x] + I*\text{Sin}[d*x])^4*(A*\text{Cos}[c + d*x] \\ & + B*\text{Sin}[c + d*x])) + (x*\text{Cos}[c + d*x]^5*(4*A*\text{Cos}[c]^2 - (4*I)*B*\text{Cos}[c]^2 - 4 \\ & *A*\text{Cos}[c]^4 + (4*I)*B*\text{Cos}[c]^4 - (12*I)*A*\text{Cos}[c]*\text{Sin}[c] - 12*B*\text{Cos}[c]*\text{Sin}[c \\ &] + (20*I)*A*\text{Cos}[c]^3*\text{Sin}[c] + 20*B*\text{Cos}[c]^3*\text{Sin}[c] - 12*A*\text{Sin}[c]^2 + (12*I \\ &)*B*\text{Sin}[c]^2 + 40*A*\text{Cos}[c]^2*\text{Sin}[c]^2 - (40*I)*B*\text{Cos}[c]^2*\text{Sin}[c]^2 - (40*I) \\ & *A*\text{Cos}[c]*\text{Sin}[c]^3 - 40*B*\text{Cos}[c]*\text{Sin}[c]^3 - 20*A*\text{Sin}[c]^4 + (20*I)*B*\text{Sin}[c] \\ & ^4 + (4*I)*A*\text{Sin}[c]^2*\text{Tan}[c] + 4*B*\text{Sin}[c]^2*\text{Tan}[c] + (4*I)*A*\text{Sin}[c]^4*\text{Tan}[c \\ &] + 4*B*\text{Sin}[c]^4*\text{Tan}[c] - I*(A - I*B)*(8*\text{Cos}[4*c] - (8*I)*\text{Sin}[4*c])* \text{Tan}[c]) \\ & *(a + I*a*\text{Tan}[c + d*x])^4*(A + B*\text{Tan}[c + d*x]))/((\text{Cos}[d*x] + I*\text{Sin}[d*x])^4* \\ & (A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x])) \end{aligned}$$

Maple [A] time = 0.006, size = 264, normalized size = 1.2

$$\frac{-\frac{4i}{5}a^4B(\tan(dx+c))^5}{d} + \frac{a^4B(\tan(dx+c))^6}{6d} - \frac{ia^4A(\tan(dx+c))^4}{d} + \frac{a^4A(\tan(dx+c))^5}{5d} + \frac{\frac{8i}{3}a^4B(\tan(dx+c))^3}{d} - \frac{7a^4A(\tan(dx+c))^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] $-4/5*I/d*a^4*B*\text{tan}(d*x+c)^5 + 1/6/d*a^4*B*\text{tan}(d*x+c)^6 - I/d*a^4*A*\text{tan}(d*x+c)^4 + 1/5/d*a^4*A*\text{tan}(d*x+c)^5 + 8/3*I/d*a^4*B*\text{tan}(d*x+c)^3 - 7/4/d*a^4*B*\text{tan}(d*x+c)^4 + 4*I/d*a^4*A*\text{tan}(d*x+c)^2 - 7/3/d*a^4*A*\text{tan}(d*x+c)^3 - 8*I/d*a^4*B*\text{tan}(d*x+c)^4 + 4/d*a^4*B*\text{tan}(d*x+c)^2 + 8/d*a^4*A*\text{tan}(d*x+c) - 4*I/d*a^4*A*\ln(1+\text{tan}(d*x+c)^2) - 4/d*a^4*B*\ln(1+\text{tan}(d*x+c)^2) + 8*I/d*a^4*B*\text{arctan}(\text{tan}(d*x+c)) - 8/d*a^4*A*\text{arctan}(\text{tan}(d*x+c))$

Maxima [A] time = 2.17629, size = 208, normalized size = 0.92

$$\frac{10Ba^4 \tan(dx+c)^6 + (12A - 48iB)a^4 \tan(dx+c)^5 - 15(4iA + 7B)a^4 \tan(dx+c)^4 - (140A - 160iB)a^4 \tan(dx+c)^3 - 240(-IA - B)a^4 \tan(dx+c)^2 - 60(dx+c)(8A - 8iB)a^4 - 240(IA + B)a^4 \log(\tan(dx+c)^2 + 1) + (480A - 480iB)a^4 \tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $1/60*(10*B*a^4*\text{tan}(d*x+c)^6 + (12*A - 48*I*B)*a^4*\text{tan}(d*x+c)^5 - 15*(4*I*A + 7*B)*a^4*\text{tan}(d*x+c)^4 - (140*A - 160*I*B)*a^4*\text{tan}(d*x+c)^3 - 240*(-I*A - B)*a^4*\text{tan}(d*x+c)^2 - 60*(d*x+c)*(8*A - 8*I*B)*a^4 - 240*(I*A + B)*a^4*\log(\text{tan}(d*x+c)^2 + 1) + (480*A - 480*I*B)*a^4*\text{tan}(d*x+c))/d$

Fricas [A] time = 1.7098, size = 1019, normalized size = 4.53

$$\frac{(840iA + 1080B)a^4 e^{10i dx + 10ic} + (3060iA + 3420B)a^4 e^{8i dx + 8ic} + (4840iA + 5400B)a^4 e^{6i dx + 6ic} + (4080iA + 4500B)a^4 e^{4i dx + 4ic}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="
fricas")
```

```
[Out] 1/15*((840*I*A + 1080*B)*a^4*e^(10*I*d*x + 10*I*c) + (3060*I*A + 3420*B)*a^
4*e^(8*I*d*x + 8*I*c) + (4840*I*A + 5400*B)*a^4*e^(6*I*d*x + 6*I*c) + (4080
*I*A + 4500*B)*a^4*e^(4*I*d*x + 4*I*c) + (1776*I*A + 1944*B)*a^4*e^(2*I*d*x
+ 2*I*c) + (316*I*A + 344*B)*a^4 + ((120*I*A + 120*B)*a^4*e^(12*I*d*x + 12
*I*c) + (720*I*A + 720*B)*a^4*e^(10*I*d*x + 10*I*c) + (1800*I*A + 1800*B)*a
^4*e^(8*I*d*x + 8*I*c) + (2400*I*A + 2400*B)*a^4*e^(6*I*d*x + 6*I*c) + (180
0*I*A + 1800*B)*a^4*e^(4*I*d*x + 4*I*c) + (720*I*A + 720*B)*a^4*e^(2*I*d*x
+ 2*I*c) + (120*I*A + 120*B)*a^4)*log(e^(2*I*d*x + 2*I*c) + 1)/(d*e^(12*I*
d*x + 12*I*c) + 6*d*e^(10*I*d*x + 10*I*c) + 15*d*e^(8*I*d*x + 8*I*c) + 20*d
*e^(6*I*d*x + 6*I*c) + 15*d*e^(4*I*d*x + 4*I*c) + 6*d*e^(2*I*d*x + 2*I*c) +
d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.98238, size = 810, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] 1/15*(120*I*A*a^4*e^(12*I*d*x + 12*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 120*
B*a^4*e^(12*I*d*x + 12*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 720*I*A*a^4*e^(1
0*I*d*x + 10*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 720*B*a^4*e^(10*I*d*x + 10
*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 1800*I*A*a^4*e^(8*I*d*x + 8*I*c)*log(e
^(2*I*d*x + 2*I*c) + 1) + 1800*B*a^4*e^(8*I*d*x + 8*I*c)*log(e^(2*I*d*x + 2
*I*c) + 1) + 2400*I*A*a^4*e^(6*I*d*x + 6*I*c)*log(e^(2*I*d*x + 2*I*c) + 1)
+ 2400*B*a^4*e^(6*I*d*x + 6*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 1800*I*A*a^
4*e^(4*I*d*x + 4*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 1800*B*a^4*e^(4*I*d*x
+ 4*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) + 720*I*A*a^4*e^(2*I*d*x + 2*I*c)*log
(e^(2*I*d*x + 2*I*c) + 1) + 720*B*a^4*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x +
2*I*c) + 1) + 840*I*A*a^4*e^(10*I*d*x + 10*I*c) + 1080*B*a^4*e^(10*I*d*x +
10*I*c) + 3060*I*A*a^4*e^(8*I*d*x + 8*I*c) + 3420*B*a^4*e^(8*I*d*x + 8*I*c)
+ 4840*I*A*a^4*e^(6*I*d*x + 6*I*c) + 5400*B*a^4*e^(6*I*d*x + 6*I*c) + 4080
*I*A*a^4*e^(4*I*d*x + 4*I*c) + 4500*B*a^4*e^(4*I*d*x + 4*I*c) + 1776*I*A*a^
4*e^(2*I*d*x + 2*I*c) + 1944*B*a^4*e^(2*I*d*x + 2*I*c) + 120*I*A*a^4*log(e^
(2*I*d*x + 2*I*c) + 1) + 120*B*a^4*log(e^(2*I*d*x + 2*I*c) + 1) + 316*I*A*a
^4 + 344*B*a^4)/(d*e^(12*I*d*x + 12*I*c) + 6*d*e^(10*I*d*x + 10*I*c) + 15*d
*e^(8*I*d*x + 8*I*c) + 20*d*e^(6*I*d*x + 6*I*c) + 15*d*e^(4*I*d*x + 4*I*c)
```

$$+ 6*d*e^{(2*I*d*x + 2*I*c)} + d)$$

$$3.27 \quad \int \tan(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=168

$$\frac{(A - iB)(a^2 + ia^2 \tan(c + dx))^2}{d} + \frac{4a^4(B + iA) \tan(c + dx)}{d} - \frac{8a^4(A - iB) \log(\cos(c + dx))}{d} - 8a^4x(B + iA) + \frac{a(A - iB)}{d}$$

```
[Out] -8*a^4*(I*A + B)*x - (8*a^4*(A - I*B)*Log[Cos[c + d*x]])/d + (4*a^4*(I*A + B)*Tan[c + d*x])/d + (a*(A - I*B)*(a + I*a*Tan[c + d*x])^3)/(3*d) + (A*(a + I*a*Tan[c + d*x])^4)/(4*d) - ((I/5)*B*(a + I*a*Tan[c + d*x])^5)/(a*d) + ((A - I*B)*(a^2 + I*a^2*Tan[c + d*x])^2)/d
```

Rubi [A] time = 0.157747, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3592, 3527, 3478, 3477, 3475}

$$\frac{(A - iB)(a^2 + ia^2 \tan(c + dx))^2}{d} + \frac{4a^4(B + iA) \tan(c + dx)}{d} - \frac{8a^4(A - iB) \log(\cos(c + dx))}{d} - 8a^4x(B + iA) + \frac{a(A - iB)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] -8*a^4*(I*A + B)*x - (8*a^4*(A - I*B)*Log[Cos[c + d*x]])/d + (4*a^4*(I*A + B)*Tan[c + d*x])/d + (a*(A - I*B)*(a + I*a*Tan[c + d*x])^3)/(3*d) + (A*(a + I*a*Tan[c + d*x])^4)/(4*d) - ((I/5)*B*(a + I*a*Tan[c + d*x])^5)/(a*d) + ((A - I*B)*(a^2 + I*a^2*Tan[c + d*x])^2)/d
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3527

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]
```

Rule 3478

```
Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(a + b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[2*a, Int[(a + b*Tan[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && GtQ[n, 1]
```

Rule 3477

```
Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^2, x_Symbol] := Simp[(a^2 - b^2)*x, x] + (Dist[2*a*b, Int[Tan[c + d*x], x], x] + Simp[(b^2*Tan[c + d*x])/d,
```

x]) /; FreeQ[{a, b, c, d}, x]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \tan(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{iB(a + ia \tan(c + dx))^5}{5ad} + \int (a + ia \tan(c + dx))^4(-B + A \tan(c + dx)) dx \\
 &= \frac{A(a + ia \tan(c + dx))^4}{4d} - \frac{iB(a + ia \tan(c + dx))^5}{5ad} - (iA + B) \int (a + ia \tan(c + dx))^3 dx \\
 &= \frac{a(A - iB)(a + ia \tan(c + dx))^3}{3d} + \frac{A(a + ia \tan(c + dx))^4}{4d} - (iA + B) \int (a + ia \tan(c + dx))^2 dx \\
 &= \frac{a(A - iB)(a + ia \tan(c + dx))^3}{3d} + \frac{A(a + ia \tan(c + dx))^4}{4d} - (iA + B) \int (a + ia \tan(c + dx)) dx \\
 &= -8a^4(iA + B)x + \frac{4a^4(iA + B) \tan(c + dx)}{d} + \frac{a(A - iB)(a + ia \tan(c + dx))^4}{4d} \\
 &= -8a^4(iA + B)x - \frac{8a^4(A - iB) \log(\cos(c + dx))}{d} + \frac{4a^4(iA + B) \tan(c + dx)}{d}
 \end{aligned}$$

Mathematica [B] time = 4.52209, size = 589, normalized size = 3.51

$$\frac{a^4 \sec(c) \sec^5(c + dx) \left(-15i \cos(dx) \left(-10i(A - iB) \log(\cos^2(c + dx)) + 20Adx - 11iA - 20iBdx - 14B \right) - 15i \cos(2c + 2dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]

[Out] (a^4*Sec[c]*Sec[c + d*x]^5*(-60*A*Cos[2*c + 3*d*x] + (90*I)*B*Cos[2*c + 3*d*x] - (150*I)*A*d*x*Cos[2*c + 3*d*x] - 150*B*d*x*Cos[2*c + 3*d*x] - 60*A*Cos[4*c + 3*d*x] + (90*I)*B*Cos[4*c + 3*d*x] - (150*I)*A*d*x*Cos[4*c + 3*d*x] - 150*B*d*x*Cos[4*c + 3*d*x] - (30*I)*A*d*x*Cos[4*c + 5*d*x] - 30*B*d*x*Cos[4*c + 5*d*x] - (30*I)*A*d*x*Cos[6*c + 5*d*x] - 30*B*d*x*Cos[6*c + 5*d*x] - 75*A*Cos[2*c + 3*d*x]*Log[Cos[c + d*x]^2] + (75*I)*B*Cos[2*c + 3*d*x]*Log[Cos[c + d*x]^2] - 75*A*Cos[4*c + 3*d*x]*Log[Cos[c + d*x]^2] + (75*I)*B*Cos[4*c + 3*d*x]*Log[Cos[c + d*x]^2] - 15*A*Cos[4*c + 5*d*x]*Log[Cos[c + d*x]^2] + (15*I)*B*Cos[4*c + 5*d*x]*Log[Cos[c + d*x]^2] - 15*A*Cos[6*c + 5*d*x]*Log[Cos[c + d*x]^2] + (15*I)*B*Cos[6*c + 5*d*x]*Log[Cos[c + d*x]^2] - (15*I)*Cos[d*x]*((-11*I)*A - 14*B + 20*A*d*x - (20*I)*B*d*x - (10*I)*(A - I*B)*Log[Cos[c + d*x]^2]) - (15*I)*Cos[2*c + d*x]*((-11*I)*A - 14*B + 20*A*d*x - (20*I)*B*d*x - (10*I)*(A - I*B)*Log[Cos[c + d*x]^2]) + (400*I)*A*Sin[d*x] + 445*B*Sin[d*x] - (300*I)*A*Sin[2*c + d*x] - 345*B*Sin[2*c + d*x] + (260*I)*A*Sin[2*c + 3*d*x] + 275*B*Sin[2*c + 3*d*x] - (90*I)*A*Sin[4*c + 3*d*x] - 120*B*Sin[4*c + 3*d*x] + (70*I)*A*Sin[4*c + 5*d*x] + 79*B*Sin[4*c + 5*d*x])/(120*d)

Maple [A] time = 0.006, size = 229, normalized size = 1.4

$$\frac{-ia^4B(\tan(dx + c))^4}{d} + \frac{a^4B(\tan(dx + c))^5}{5d} - \frac{\frac{4i}{3}a^4A(\tan(dx + c))^3}{d} + \frac{a^4A(\tan(dx + c))^4}{4d} + \frac{4ia^4B(\tan(dx + c))^2}{d} - \frac{7a^4A(\tan(dx + c))^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)`

[Out]
$$-I/d*a^4*B*tan(d*x+c)^4 + 1/5/d*a^4*B*tan(d*x+c)^5 - 4/3*I/d*a^4*A*tan(d*x+c)^3 + 1/4/d*a^4*A*tan(d*x+c)^4 + 4*I/d*a^4*B*tan(d*x+c)^2 - 7/3/d*a^4*B*tan(d*x+c)^3 + 8*I/d*a^4*A*tan(d*x+c) - 7/2/d*a^4*A*tan(d*x+c)^2 + 8/d*a^4*B*tan(d*x+c) - 4*I/d*a^4*B*\ln(1+tan(d*x+c)^2) + 4/d*a^4*A*\ln(1+tan(d*x+c)^2) - 8*I/d*a^4*A*\arctan(tan(d*x+c)) - 8/d*a^4*B*\arctan(tan(d*x+c))$$

Maxima [A] time = 2.20945, size = 182, normalized size = 1.08

$$\frac{12Ba^4 \tan(dx+c)^5 + (15A - 60iB)a^4 \tan(dx+c)^4 - 20(4iA + 7B)a^4 \tan(dx+c)^3 - (210A - 240iB)a^4 \tan(dx+c)^2 + 80iAa^4 \tan(dx+c) - 40A^2 a^4}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out]
$$1/60*(12*B*a^4*tan(d*x+c)^5 + (15*A - 60*I*B)*a^4*tan(d*x+c)^4 - 20*(4*I*A + 7*B)*a^4*tan(d*x+c)^3 - (210*A - 240*I*B)*a^4*tan(d*x+c)^2 - 480*(d*x+c)*(I*A + B)*a^4 + 60*(4*A - 4*I*B)*a^4*\log(tan(d*x+c)^2 + 1) - 480*(-I*A - B)*a^4*tan(d*x+c))/d$$

Fricas [A] time = 1.76039, size = 790, normalized size = 4.7

$$\frac{4(30(5A - 7iB)a^4 e^{(8i dx + 8i c)} + 15(31A - 37iB)a^4 e^{(6i dx + 6i c)} + 5(113A - 131iB)a^4 e^{(4i dx + 4i c)} + 5(64A - 73iB)a^4 e^{(2i dx + 2i c)} + (70A - 79iB)a^4 + 30((A - iB)a^4 e^{(10i dx + 10i c)} + 5(A - iB)a^4 e^{(8i dx + 8i c)} + 10(A - iB)a^4 e^{(6i dx + 6i c)} + 10(A - iB)a^4 e^{(4i dx + 4i c)} + 5(A - iB)a^4 e^{(2i dx + 2i c)} + (A - iB)a^4) * \log(e^{(2i dx + 2i c)} + 1))}{15(d e^{(10i dx + 10i c)} + 5d e^{(8i dx + 8i c)} + 10d e^{(6i dx + 6i c)} + 10d e^{(4i dx + 4i c)} + 5d e^{(2i dx + 2i c)} + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out]
$$-4/15*(30*(5A - 7iB)*a^4*e^{(8I*d*x + 8I*c)} + 15*(31A - 37iB)*a^4*e^{(6I*d*x + 6I*c)} + 5*(113A - 131iB)*a^4*e^{(4I*d*x + 4I*c)} + 5*(64A - 73iB)*a^4*e^{(2I*d*x + 2I*c)} + (70A - 79iB)*a^4 + 30*((A - iB)*a^4*e^{(10I*d*x + 10I*c)} + 5*(A - iB)*a^4*e^{(8I*d*x + 8I*c)} + 10*(A - iB)*a^4*e^{(6I*d*x + 6I*c)} + 10*(A - iB)*a^4*e^{(4I*d*x + 4I*c)} + 5*(A - iB)*a^4*e^{(2I*d*x + 2I*c)} + (A - iB)*a^4)*\log(e^{(2I*d*x + 2I*c)} + 1))/(d*e^{(10I*d*x + 10I*c)} + 5*d*e^{(8I*d*x + 8I*c)} + 10*d*e^{(6I*d*x + 6I*c)} + 10*d*e^{(4I*d*x + 4I*c)} + 5*d*e^{(2I*d*x + 2I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [B] time = 1.62291, size = 680, normalized size = 4.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/15*(120*A*a^4*e^{(10*I*d*x + 10*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 120*I \\ & *B*a^4*e^{(10*I*d*x + 10*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) + 600*A*a^4*e^{(8*I*d*x + 8*I*c)} \\ & *\log(e^{(2*I*d*x + 2*I*c)} + 1) - 600*I*B*a^4*e^{(8*I*d*x + 8*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) \\ & + 1200*A*a^4*e^{(6*I*d*x + 6*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 1200*I*B*a^4*e^{(6*I*d*x + 6*I*c)} \\ & *\log(e^{(2*I*d*x + 2*I*c)} + 1) + 1200*A*a^4*e^{(4*I*d*x + 4*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) - 1200 \\ & *I*B*a^4*e^{(4*I*d*x + 4*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) + 600*A*a^4*e^{(2*I*d*x + 2*I*c)} \\ & *\log(e^{(2*I*d*x + 2*I*c)} + 1) - 600*I*B*a^4*e^{(2*I*d*x + 2*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) \\ & + 600*A*a^4*e^{(8*I*d*x + 8*I*c)} - 840*I*B*a^4*e^{(8*I*d*x + 8*I*c)} + 1860*A*a^4*e^{(6*I*d*x + 6*I*c)} \\ & - 2220*I*B*a^4*e^{(6*I*d*x + 6*I*c)} + 2260*A*a^4*e^{(4*I*d*x + 4*I*c)} - 2620*I*B*a^4*e^{(4*I*d*x + 4*I*c)} \\ & + 1280*A*a^4*e^{(2*I*d*x + 2*I*c)} - 1460*I*B*a^4*e^{(2*I*d*x + 2*I*c)} + 120*A*a^4*\log(e^{(2*I*d*x + 2*I*c)} + 1) \\ & - 120*I*B*a^4*\log(e^{(2*I*d*x + 2*I*c)} + 1) + 280*A*a^4 - 316*I*B*a^4)/(d*e^{(10*I*d*x + 10*I*c)} + 5*d*e^{(8*I*d*x + 8*I*c)} \\ & + 10*d*e^{(6*I*d*x + 6*I*c)} + 10*d*e^{(4*I*d*x + 4*I*c)} + 5*d*e^{(2*I*d*x + 2*I*c)} + d) \end{aligned}$$

3.28 $\int (a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx$

Optimal. Leaf size=140

$$\frac{4a^4(A - iB)\tan(c + dx)}{d} + \frac{(B + iA)(a^2 + ia^2 \tan(c + dx))^2}{d} - \frac{8a^4(B + iA)\log(\cos(c + dx))}{d} + 8a^4x(A - iB) + \frac{a(B + iA)}{d}$$

[Out] $8*a^4*(A - I*B)*x - (8*a^4*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d - (4*a^4*(A - I*B)*\text{Tan}[c + d*x])/d + (a*(I*A + B)*(a + I*a*\text{Tan}[c + d*x])^3)/(3*d) + (B*(a + I*a*\text{Tan}[c + d*x])^4)/(4*d) + ((I*A + B)*(a^2 + I*a^2*\text{Tan}[c + d*x])^2)/d$

Rubi [A] time = 0.114768, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {3527, 3478, 3477, 3475}

$$\frac{4a^4(A - iB)\tan(c + dx)}{d} + \frac{(B + iA)(a^2 + ia^2 \tan(c + dx))^2}{d} - \frac{8a^4(B + iA)\log(\cos(c + dx))}{d} + 8a^4x(A - iB) + \frac{a(B + iA)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^4*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $8*a^4*(A - I*B)*x - (8*a^4*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/d - (4*a^4*(A - I*B)*\text{Tan}[c + d*x])/d + (a*(I*A + B)*(a + I*a*\text{Tan}[c + d*x])^3)/(3*d) + (B*(a + I*a*\text{Tan}[c + d*x])^4)/(4*d) + ((I*A + B)*(a^2 + I*a^2*\text{Tan}[c + d*x])^2)/d$

Rule 3527

$\text{Int}[(a + b*\text{tan}[c + d*x])^m, x] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[c + d*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[c + d*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ !\text{LtQ}[m, 0]$

Rule 3478

$\text{Int}[(a + b*\text{tan}[c + d*x])^n, x] \rightarrow \text{Simp}[(b*(a + b*\text{Tan}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[2*a, \text{Int}[(a + b*\text{Tan}[c + d*x])^{n-1}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{GtQ}[n, 1]$

Rule 3477

$\text{Int}[(a + b*\text{tan}[c + d*x])^2, x] \rightarrow \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /; \text{FreeQ}\{a, b, c, d\}, x$

Rule 3475

$\text{Int}[\text{tan}[c + d*x], x] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /; \text{FreeQ}\{c, d\}, x$

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(c + dx))^4 (A + B \tan(c + dx)) dx &= \frac{B(a + ia \tan(c + dx))^4}{4d} - (-A + iB) \int (a + ia \tan(c + dx))^4 dx \\
&= \frac{a(iA + B)(a + ia \tan(c + dx))^3}{3d} + \frac{B(a + ia \tan(c + dx))^4}{4d} + (2a(A - iB)) \\
&= \frac{a(iA + B)(a + ia \tan(c + dx))^3}{3d} + \frac{B(a + ia \tan(c + dx))^4}{4d} + \frac{(iA + B)(a^2)}{3d} \\
&= 8a^4(A - iB)x - \frac{4a^4(A - iB) \tan(c + dx)}{d} + \frac{a(iA + B)(a + ia \tan(c + dx))}{3d} \\
&= 8a^4(A - iB)x - \frac{8a^4(iA + B) \log(\cos(c + dx))}{d} - \frac{4a^4(A - iB) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [B] time = 3.22407, size = 448, normalized size = 3.2

$$\frac{a^4 \sec(c) \sec^4(c + dx) (3 \cos(c) ((-6B - 6iA) \log(\cos^2(c + dx)) + 12Adx - 4iA - 12iBdx - 7B) + 6 \cos(c + 2dx) ((-2B - 6iA) \log(\cos(c + dx)) + 12Adx - 4iA - 12iBdx - 7B))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (a^4*Sec[c]*Sec[c + d*x]^4*((-6*I)*A*Cos[3*c + 2*d*x] - 12*B*Cos[3*c + 2*d*x] + 24*A*d*x*Cos[3*c + 2*d*x] - (24*I)*B*d*x*Cos[3*c + 2*d*x] + 6*A*d*x*Cos[3*c + 4*d*x] - (6*I)*B*d*x*Cos[3*c + 4*d*x] + 6*A*d*x*Cos[5*c + 4*d*x] - (6*I)*B*d*x*Cos[5*c + 4*d*x] - (12*I)*A*Cos[3*c + 2*d*x]*Log[Cos[c + d*x]^2] - 12*B*Cos[3*c + 2*d*x]*Log[Cos[c + d*x]^2] - (3*I)*A*Cos[3*c + 4*d*x]*Log[Cos[c + d*x]^2] - 3*B*Cos[3*c + 4*d*x]*Log[Cos[c + d*x]^2] - (3*I)*A*Cos[5*c + 4*d*x]*Log[Cos[c + d*x]^2] - 3*B*Cos[5*c + 4*d*x]*Log[Cos[c + d*x]^2] + 3*Cos[c]*((-4*I)*A - 7*B + 12*A*d*x - (12*I)*B*d*x + ((-6*I)*A - 6*B)*Log[Cos[c + d*x]^2]) + 6*Cos[c + 2*d*x]*((-I)*A - 2*B + 4*A*d*x - (4*I)*B*d*x + ((-2*I)*A - 2*B)*Log[Cos[c + d*x]^2]) + 33*A*Sin[c] - (42*I)*B*Sin[c] - 32*A*Sin[c + 2*d*x] + (38*I)*B*Sin[c + 2*d*x] + 12*A*Sin[3*c + 2*d*x] - (18*I)*B*Sin[3*c + 2*d*x] - 11*A*Sin[3*c + 4*d*x] + (14*I)*B*Sin[3*c + 4*d*x])/ (12*d)

Maple [A] time = 0.003, size = 194, normalized size = 1.4

$$\frac{-\frac{4i}{3}a^4B(\tan(dx+c))^3}{d} + \frac{a^4B(\tan(dx+c))^4}{4d} - \frac{2ia^4A(\tan(dx+c))^2}{d} + \frac{a^4A(\tan(dx+c))^3}{3d} + \frac{8ia^4B \tan(dx+c)}{d} - \frac{7a^4A}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)

[Out] -4/3*I/d*a^4*B*tan(d*x+c)^3+1/4/d*a^4*B*tan(d*x+c)^4-2*I/d*a^4*A*tan(d*x+c)^2+1/3/d*a^4*A*tan(d*x+c)^3+8*I/d*a^4*B*tan(d*x+c)-7/2/d*a^4*B*tan(d*x+c)^2-7/d*a^4*A*tan(d*x+c)+4*I/d*a^4*A*ln(1+tan(d*x+c)^2)+4/d*a^4*B*ln(1+tan(d*x+c)^2)-8*I/d*a^4*B*arctan(tan(d*x+c))+8/d*a^4*A*arctan(tan(d*x+c))

Maxima [A] time = 2.06552, size = 158, normalized size = 1.13

$$\frac{3Ba^4 \tan(dx+c)^4 + (4A - 16iB)a^4 \tan(dx+c)^3 - 6(4iA + 7B)a^4 \tan(dx+c)^2 + 12(dx+c)(8A - 8iB)a^4 - 48(-iA + B)a^4}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12}*(3*B*a^4*\tan(d*x + c)^4 + (4*A - 16*I*B)*a^4*\tan(d*x + c)^3 - 6*(4*I*A + 7*B)*a^4*\tan(d*x + c)^2 + 12*(d*x + c)*(8*A - 8*I*B)*a^4 - 48*(-I*A - B)*a^4*\log(\tan(d*x + c)^2 + 1) - (84*A - 96*I*B)*a^4*\tan(d*x + c))/d$

Fricas [A] time = 1.71488, size = 670, normalized size = 4.79

$$\frac{(-72iA - 120B)a^4e^{(6idx+6ic)} + (-180iA - 252B)a^4e^{(4idx+4ic)} + (-152iA - 200B)a^4e^{(2idx+2ic)} + (-44iA - 56B)a^4 + 3(de^{(8idx+8ic)} + 4e^{(6idx+6ic)} + 6e^{(4idx+4ic)} + e^{(2idx+2ic)})}{3(d e^{(8idx+8ic)} + 4e^{(6idx+6ic)} + 6e^{(4idx+4ic)} + e^{(2idx+2ic)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{3}*((-72*I*A - 120*B)*a^4*e^{(6*I*d*x + 6*I*c)} + (-180*I*A - 252*B)*a^4*e^{(4*I*d*x + 4*I*c)} + (-152*I*A - 200*B)*a^4*e^{(2*I*d*x + 2*I*c)} + (-44*I*A - 56*B)*a^4 + ((-24*I*A - 24*B)*a^4*e^{(8*I*d*x + 8*I*c)} + (-96*I*A - 96*B)*a^4*e^{(6*I*d*x + 6*I*c)} + (-144*I*A - 144*B)*a^4*e^{(4*I*d*x + 4*I*c)} + (-96*I*A - 96*B)*a^4*e^{(2*I*d*x + 2*I*c)} + (-24*I*A - 24*B)*a^4)*\log(e^{(2*I*d*x + 2*I*c)} + 1))/(d*e^{(8*I*d*x + 8*I*c)} + 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} + 4*d*e^{(2*I*d*x + 2*I*c)} + d)$

Sympy [A] time = 48.7133, size = 223, normalized size = 1.59

$$\frac{8a^4(iA + B)\log(e^{2idx} + e^{-2ic})}{d} + \frac{(24iAa^4+40Ba^4)e^{-2ic}e^{6idx}}{d} - \frac{(44iAa^4+56Ba^4)e^{-8ic}}{3d} - \frac{(60iAa^4+84Ba^4)e^{-4ic}e^{4idx}}{d} - \frac{(152iAa^4+200Ba^4)e^{-2ic}e^{2idx}}{3d} - \frac{e^{8idx} + 4e^{-2ic}e^{6idx} + 6e^{-4ic}e^{4idx} + 4e^{-6ic}e^{2idx} + e^{-8ic}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] $-8*a**4*(I*A + B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/d + (-24*I*A*a**4 + 40*B*a**4)*\exp(-2*I*c)*\exp(6*I*d*x)/d - (44*I*A*a**4 + 56*B*a**4)*\exp(-8*I*c)/(3*d) - (60*I*A*a**4 + 84*B*a**4)*\exp(-4*I*c)*\exp(4*I*d*x)/d - (152*I*A*a**4 + 200*B*a**4)*\exp(-6*I*c)*\exp(2*I*d*x)/(3*d)/(exp(8*I*d*x) + 4*exp(-2*I*c)*exp(6*I*d*x) + 6*exp(-4*I*c)*exp(4*I*d*x) + 4*exp(-6*I*c)*exp(2*I*d*x) + exp(-8*I*c))$

Giac [B] time = 1.57072, size = 551, normalized size = 3.94

$$\frac{-24iAa^4e^{(8idx+8ic)}\log(e^{(2idx+2ic)} + 1) - 24Ba^4e^{(8idx+8ic)}\log(e^{(2idx+2ic)} + 1) - 96iAa^4e^{(6idx+6ic)}\log(e^{(2idx+2ic)} + 1) - 44iAa^4e^{(4idx+4ic)}\log(e^{(2idx+2ic)} + 1) - 56Ba^4e^{(4idx+4ic)}\log(e^{(2idx+2ic)} + 1) - 152iAa^4e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) - 200Ba^4e^{(2idx+2ic)}\log(e^{(2idx+2ic)} + 1) + 3(d e^{(8idx+8ic)} + 4e^{(6idx+6ic)} + 6e^{(4idx+4ic)} + e^{(2idx+2ic)})}{3(d e^{(8idx+8ic)} + 4e^{(6idx+6ic)} + 6e^{(4idx+4ic)} + e^{(2idx+2ic)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{3}(-24IAa^4e^{(8Ix + 8Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 24Ba^4e^{(8Ix + 8Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 96IAa^4e^{(6Ix + 6Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 96Ba^4e^{(6Ix + 6Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 144IAa^4e^{(4Ix + 4Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 144Ba^4e^{(4Ix + 4Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 96IAa^4e^{(2Ix + 2Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 96Ba^4e^{(2Ix + 2Ic)}\log(e^{(2Ix + 2Ic)} + 1) - 72IAa^4e^{(6Ix + 6Ic)} - 120Ba^4e^{(6Ix + 6Ic)} - 180IAa^4e^{(4Ix + 4Ic)} - 252Ba^4e^{(4Ix + 4Ic)} - 152IAa^4e^{(2Ix + 2Ic)} - 200Ba^4e^{(2Ix + 2Ic)} - 24IAa^4\log(e^{(2Ix + 2Ic)} + 1) - 24Ba^4\log(e^{(2Ix + 2Ic)} + 1) - 44IAa^4 - 56Ba^4)/(de^{(8Ix + 8Ic)} + 4de^{(6Ix + 6Ic)} + 6de^{(4Ix + 4Ic)} + 4de^{(2Ix + 2Ic)} + d)$

$$3.29 \quad \int \cot(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=142

$$\frac{(A - 2iB)(a^2 + ia^2 \tan(c + dx))^2}{2d} - \frac{(3A - 4iB)(a^4 + ia^4 \tan(c + dx))}{d} + \frac{a^4(7A - 8iB) \log(\cos(c + dx))}{d} + 8a^4x(B + iA)$$

```
[Out] 8*a^4*(I*A + B)*x + (a^4*(7*A - (8*I)*B)*Log[Cos[c + d*x]])/d + (a^4*A*Log[
Sin[c + d*x]])/d + ((I/3)*a*B*(a + I*a*Tan[c + d*x])^3)/d - ((A - (2*I)*B)*
(a^2 + I*a^2*Tan[c + d*x])^2)/(2*d) - ((3*A - (4*I)*B)*(a^4 + I*a^4*Tan[c +
d*x]))/d
```

Rubi [A] time = 0.420767, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3594, 3589, 3475, 3531}

$$\frac{(A - 2iB)(a^2 + ia^2 \tan(c + dx))^2}{2d} - \frac{(3A - 4iB)(a^4 + ia^4 \tan(c + dx))}{d} + \frac{a^4(7A - 8iB) \log(\cos(c + dx))}{d} + 8a^4x(B + iA)$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] 8*a^4*(I*A + B)*x + (a^4*(7*A - (8*I)*B)*Log[Cos[c + d*x]])/d + (a^4*A*Log[
Sin[c + d*x]])/d + ((I/3)*a*B*(a + I*a*Tan[c + d*x])^3)/d - ((A - (2*I)*B)*
(a^2 + I*a^2*Tan[c + d*x])^2)/(2*d) - ((3*A - (4*I)*B)*(a^4 + I*a^4*Tan[c +
d*x]))/d
```

Rule 3594

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_))*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m +
n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[
e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c -
a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a,
b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && G
tQ[m, 1] && !LtQ[n, -1]
```

Rule 3589

```
Int[(((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_
)*(x_)]))/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(B*d)
/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c -
a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d,
e, f, A, B}, x] && NeQ[b*c - a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.
)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= \frac{iaB(a + ia \tan(c + dx))^3}{3d} + \frac{1}{3} \int \cot(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= \frac{iaB(a + ia \tan(c + dx))^3}{3d} - \frac{(A - 2iB)(a^2 + ia^2 \tan(c + dx))^2}{2d} \\ &= \frac{iaB(a + ia \tan(c + dx))^3}{3d} - \frac{(A - 2iB)(a^2 + ia^2 \tan(c + dx))^2}{2d} \\ &= \frac{iaB(a + ia \tan(c + dx))^3}{3d} - \frac{(A - 2iB)(a^2 + ia^2 \tan(c + dx))^2}{2d} \\ &= 8a^4(iA + B)x + \frac{a^4(7A - 8iB) \log(\cos(c + dx))}{d} + \frac{iaB(a + ia \tan(c + dx))^3}{3d} \\ &= 8a^4(iA + B)x + \frac{a^4(7A - 8iB) \log(\cos(c + dx))}{d} + \frac{a^4 A \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 6.97096, size = 429, normalized size = 3.02

$$\frac{a^4 \sec(c) \sec^3(c + dx) (\cos(4dx) + i \sin(4dx)) (3 \cos(dx) (3(7A - 8iB) \log(\cos^2(c + dx)) + 3A \log(\sin^2(c + dx)) + 48iAd))}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] (a^4*Sec[c]*Sec[c + d*x]^3*(Cos[4*d*x] + I*Sin[4*d*x])*((48*I)*A*d*x*Cos[2*c + 3*d*x] + 48*B*d*x*Cos[2*c + 3*d*x] + (48*I)*A*d*x*Cos[4*c + 3*d*x] + 48*B*d*x*Cos[4*c + 3*d*x] + 21*A*Cos[2*c + 3*d*x]*Log[Cos[c + d*x]^2] - (24*I)*B*Cos[2*c + 3*d*x]*Log[Cos[c + d*x]^2] + 21*A*Cos[4*c + 3*d*x]*Log[Cos[c + d*x]^2] - (24*I)*B*Cos[4*c + 3*d*x]*Log[Cos[c + d*x]^2] + 3*A*Cos[2*c + 3*d*x]*Log[Sin[c + d*x]^2] + 3*A*Cos[4*c + 3*d*x]*Log[Sin[c + d*x]^2] + 3*Cos[d*x]*(4*A - (16*I)*B + (48*I)*A*d*x + 48*B*d*x + 3*(7*A - (8*I)*B)*Log[Cos[c + d*x]^2] + 3*A*Log[Sin[c + d*x]^2]) + 3*Cos[2*c + d*x]*(4*A - (16*I)*B + (48*I)*A*d*x + 48*B*d*x + 3*(7*A - (8*I)*B)*Log[Cos[c + d*x]^2] + 3*A*Log[Sin[c + d*x]^2]) - (96*I)*A*Sin[d*x] - 168*B*Sin[d*x] + (48*I)*A*Sin[2*c + d*x] + 96*B*Sin[2*c + d*x] - (48*I)*A*Sin[2*c + 3*d*x] - 88*B*Sin[2*c + 3*d*x]))/(48*d*(Cos[d*x] + I*Sin[d*x])^4)
```

Maple [A] time = 0.074, size = 169, normalized size = 1.2

$$\frac{Aa^4 (\tan(dx + c))^2}{2d} + 7 \frac{Aa^4 \ln(\cos(dx + c))}{d} + \frac{Ba^4 (\tan(dx + c))^3}{3d} - 7 \frac{Ba^4 \tan(dx + c)}{d} + 8Ba^4x + 8 \frac{Ba^4c}{d} - \frac{4iA \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)
```


[Out] $\frac{1}{2}d^4 A \tan(dx+c)^2 + 7/d^4 A^2 \ln(\cos(dx+c)) + 1/3 d^4 B \tan(dx+c)^3 - 7/d^4 A^4 B \tan(dx+c) + 8 B^4 a^4 x + 8/d^4 B^4 a^4 c - 4 I/d^4 A \tan(dx+c) a^4 + 8 I A^4 x a^4 - 2 I/d^4 B^4 a^4 \tan(dx+c)^2 + 8 I/d^4 A^4 a^4 c - 8 I/d^4 B^4 a^4 \ln(\cos(dx+c)) + a^4 A \ln(\sin(dx+c))/d$

Maxima [A] time = 2.18017, size = 149, normalized size = 1.05

$$\frac{2Ba^4 \tan(dx+c)^3 + (3A-12iB)a^4 \tan(dx+c)^2 - 48(dx+c)(-iA-B)a^4 - 6(4A-4iB)a^4 \log(\tan(dx+c)^2+1)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x, algorithm="maxima")`

[Out] $\frac{1}{6}*(2B^4 a^4 \tan(dx+c)^3 + (3A-12I^2 B)a^4 \tan(dx+c)^2 - 48(dx+c)(-IA-B)a^4 - 6(4A-4I^2 B)a^4 \log(\tan(dx+c)^2+1) + 6A^4 a^4 \log(\tan(dx+c)) - 6(4IA+7B)a^4 \tan(dx+c))/d$

Fricas [B] time = 1.48668, size = 672, normalized size = 4.73

$$\frac{6(5A-12iB)a^4 e^{4i dx+4ic} + 54(A-2iB)a^4 e^{2i dx+2ic} + 4(6A-11iB)a^4 + 3((7A-8iB)a^4 e^{6i dx+6ic} + 3(7A-8iB)a^4 e^{4i dx+4ic})}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x, algorithm="fricas")`

[Out] $\frac{1}{3}*(6*(5A-12I^2 B)a^4 e^{4I dx+4Ic} + 54(A-2I^2 B)a^4 e^{2I dx+2Ic} + 4*(6A-11I^2 B)a^4 + 3*((7A-8I^2 B)a^4 e^{6I dx+6Ic} + 3*(7A-8I^2 B)a^4 e^{4I dx+4Ic}) + (7A-8I^2 B)a^4 \log(e^{2I dx+2Ic}+1) + 3*(A^4 a^4 e^{6I dx+6Ic} + 3A^4 a^4 e^{4I dx+4Ic} + 3A^4 a^4 e^{2I dx+2Ic} + A^4 a^4) \log(e^{2I dx+2Ic}-1))/(d e^{6I dx+6Ic} + 3d e^{4I dx+4Ic} + 3d e^{2I dx+2Ic} + d)$

Sympy [B] time = 29.7044, size = 262, normalized size = 1.85

$$\frac{\frac{(10Aa^4-24iBa^4)e^{-2ic}e^{4idx}}{d} + \frac{(18Aa^4-36iBa^4)e^{-4ic}e^{2idx}}{d} + \frac{(24Aa^4-44iBa^4)e^{-6ic}}{3d}}{e^{6idx} + 3e^{-2ic}e^{4idx} + 3e^{-4ic}e^{2idx} + e^{-6ic}} + \text{RootSum}\left(z^2 d^2 + z(-8Aa^4 d + 8iBa^4 d) + 7A^2 a^8 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)*(a+I*a*tan(dx+c))**4*(A+B*tan(dx+c)),x)`

[Out] $((10A^4 a^4 - 24I^2 B^4 a^4) \exp(-2Ic) \exp(4I dx)/d + (18A^4 a^4 - 36I^2 B^4 a^4) \exp(-4Ic) \exp(2I dx)/d + (24A^4 a^4 - 44I^2 B^4 a^4) \exp(-6Ic)/(3d))/(\exp(6I dx) + 3 \exp(-2Ic) \exp(4I dx) + 3 \exp(-4Ic) \exp(2I dx) + \exp(-6Ic)) + \text{RootSum}(_z^2 d^2 + _z(-8A^4 a^4 d + 8I^2 B^4 a^4 d) + 7A^2 a^8 - 8I^2 A^4 B^4 a^8, \text{Lambda}(_i, _i \log(_i I d/(3I^2 A^4 a^4 \exp(2Ic))))$

$$+ 4*B*a**4*exp(2*I*c)) - (4*I*A + 4*B)/(3*I*A*exp(2*I*c) + 4*B*exp(2*I*c)) + exp(2*I*d*x)))$$

Giac [B] time = 1.64026, size = 454, normalized size = 3.2

$$6 Aa^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right) - 12 (8 Aa^4 - 8i Ba^4) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i\right) + 6 (7 Aa^4 - 8i Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/6*(6*A*a^4*log(abs(tan(1/2*d*x + 1/2*c))) - 12*(8*A*a^4 - 8*I*B*a^4)*log(tan(1/2*d*x + 1/2*c) + I) + 6*(7*A*a^4 - 8*I*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + 6*(7*A*a^4 - 8*I*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - (77*A*a^4*tan(1/2*d*x + 1/2*c)^6 - 88*I*B*a^4*tan(1/2*d*x + 1/2*c)^6 - 48*I*A*a^4*tan(1/2*d*x + 1/2*c)^5 - 84*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 243*A*a^4*tan(1/2*d*x + 1/2*c)^4 + 312*I*B*a^4*tan(1/2*d*x + 1/2*c)^4 + 96*I*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 184*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 243*A*a^4*tan(1/2*d*x + 1/2*c)^2 - 312*I*B*a^4*tan(1/2*d*x + 1/2*c)^2 - 48*I*A*a^4*tan(1/2*d*x + 1/2*c) - 84*B*a^4*tan(1/2*d*x + 1/2*c) - 77*A*a^4 + 88*I*B*a^4)/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d

$$3.30 \quad \int \cot^2(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=144

$$\frac{(-B + 2iA)(a^2 + ia^2 \tan(c + dx))^2}{2d} + \frac{a^4(B + 4iA) \log(\sin(c + dx))}{d} + \frac{a^4(7B + 4iA) \log(\cos(c + dx))}{d} - 8a^4x(A - iB)$$

```
[Out] -8*a^4*(A - I*B)*x + (a^4*((4*I)*A + 7*B)*Log[Cos[c + d*x]])/d + (a^4*((4*I)*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^3)/d + (((2*I)*A - B)*(a^2 + I*a^2*Tan[c + d*x])^2)/(2*d) - (3*B*(a^4 + I*a^4*Tan[c + d*x]))/d
```

Rubi [A] time = 0.432015, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3594, 3589, 3475, 3531}

$$\frac{(-B + 2iA)(a^2 + ia^2 \tan(c + dx))^2}{2d} + \frac{a^4(B + 4iA) \log(\sin(c + dx))}{d} + \frac{a^4(7B + 4iA) \log(\cos(c + dx))}{d} - 8a^4x(A - iB)$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] -8*a^4*(A - I*B)*x + (a^4*((4*I)*A + 7*B)*Log[Cos[c + d*x]])/d + (a^4*((4*I)*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^3)/d + (((2*I)*A - B)*(a^2 + I*a^2*Tan[c + d*x])^2)/(2*d) - (3*B*(a^4 + I*a^4*Tan[c + d*x]))/d
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3589

```
Int[((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])]/((a_) + (b_)*tan[(e_) + (f_)*(x_)], x_Symbol] := Dist[(B*d)
```

/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^3}{d} + \int \cot(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^3}{d} + \frac{(2iA - B)(a^2 + ia^2 \tan(c + dx))}{2d} \\ &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^3}{d} + \frac{(2iA - B)(a^2 + ia^2 \tan(c + dx))}{2d} \\ &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^3}{d} + \frac{(2iA - B)(a^2 + ia^2 \tan(c + dx))}{2d} \\ &= -8a^4(A - iB)x + \frac{a^4(4iA + 7B) \log(\cos(c + dx))}{d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^3}{d} \\ &= -8a^4(A - iB)x + \frac{a^4(4iA + 7B) \log(\cos(c + dx))}{d} + \frac{a^4(4iA - 7B) \log(\cos(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 10.5206, size = 1122, normalized size = 7.79

$$a^4 \left(\frac{x(\cot(c + dx) + i)^4(B + A \cot(c + dx)) \left(-22A \cos^4(c) + \frac{17}{2}iB \cos^4(c) - 4iA \cot(c) \cos^4(c) - B \cot(c) \cos^4(c) + 50iA \sin^4(c) \right)}{\dots} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]

[Out] a^4*((A*(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Csc[c]*(Cos[4*c] - I*Sin[4*c])*Sin[d*x]*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*((4*I)*A*Cos[2*c] + B*Cos[2*c] + 4*A*Sin[2*c] - I*B*Sin[2*c]))*((-I)*ArcTan[Tan[5*c + d*x]]*Cos[2*c] - ArcTan[Tan[5*c + d*x]]*Sin[2*c])*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*((4*I)*A*Cos[2*c] + 7*B*Cos[2*c] + 4*A*Sin[2*c] - (7*I)*B*Sin[2*c]))*((Cos[2*c]*Log[Cos[c + d*x]^2])/2 - (I/2)*Log[Cos[c + d*x]^2]*Sin[2*c])*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*((4*I)*A*Cos[2*c] + B*Cos[2*c] + 4*A*Sin[2*c] - I*B*Sin[2*c]))*((Cos[2*c]*Log[Sin[c + d*x]^2])/2 - (I/2)*Log[Sin[c + d*x]^2]*Sin[2*c])*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x]))

$$\begin{aligned} & d*x]^2)/2 - (I/2)*\text{Log}[\text{Sin}[c + d*x]^2*\text{Sin}[2*c)]*\text{Sin}[c + d*x]^5)/(d*(\text{Cos}[d*x] \\ & + I*\text{Sin}[d*x])^4*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x])) + ((A - I*B)*(I + \text{Cot} \\ & [c + d*x])^4*(B + A*\text{Cot}[c + d*x])*(-8*d*x*\text{Cos}[4*c] + (8*I)*d*x*\text{Sin}[4*c))*\text{Si} \\ & n[c + d*x]^5)/(d*(\text{Cos}[d*x] + I*\text{Sin}[d*x])^4*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x] \\ &)) + (x*(I + \text{Cot}[c + d*x])^4*(B + A*\text{Cot}[c + d*x])*\text{Sin}[c + d*x]^5*(2*A*\text{Cos}[c \\ &]^2 - ((7*I)/2)*B*\text{Cos}[c]^2 - 22*A*\text{Cos}[c]^4 + ((17*I)/2)*B*\text{Cos}[c]^4 - (4*I)* \\ & A*\text{Cos}[c]^4*\text{Cot}[c] - B*\text{Cos}[c]^4*\text{Cot}[c] - (6*I)*A*\text{Cos}[c]*\text{Sin}[c] - (21*B*\text{Cos}[c \\ &]*\text{Sin}[c])/2 + (50*I)*A*\text{Cos}[c]^3*\text{Sin}[c] + (55*B*\text{Cos}[c]^3*\text{Sin}[c])/2 - 6*A*\text{Sin} \\ & [c]^2 + ((21*I)/2)*B*\text{Sin}[c]^2 + 60*A*\text{Cos}[c]^2*\text{Sin}[c]^2 - (45*I)*B*\text{Cos}[c]^2* \\ & \text{Sin}[c]^2 - (40*I)*A*\text{Cos}[c]*\text{Sin}[c]^3 - 40*B*\text{Cos}[c]*\text{Sin}[c]^3 - 14*A*\text{Sin}[c]^4 \\ & + ((37*I)/2)*B*\text{Sin}[c]^4 + (-3*B + (4*I)*A*\text{Cos}[2*c] + 4*B*\text{Cos}[2*c))*\text{Csc}[c]*\text{S} \\ & ec[c]*(\text{Cos}[4*c] - I*\text{Sin}[4*c]) + (2*I)*A*\text{Sin}[c]^2*\text{Tan}[c] + (7*B*\text{Sin}[c]^2*\text{Tan} \\ & [c])/2 + (2*I)*A*\text{Sin}[c]^4*\text{Tan}[c] + (7*B*\text{Sin}[c]^4*\text{Tan}[c])/2))/((\text{Cos}[d*x] + I \\ & * \text{Sin}[d*x])^4*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x])) + ((I + \text{Cot}[c + d*x])^4*(B \\ & + A*\text{Cot}[c + d*x])* \text{Sec}[c]*(\text{Cos}[4*c] - I*\text{Sin}[4*c])*(A*\text{Sin}[d*x] - (4*I)*B*\text{Sin}[\\ & d*x])* \text{Sin}[c + d*x]^4*\text{Tan}[c + d*x))/(d*(\text{Cos}[d*x] + I*\text{Sin}[d*x])^4*(A*\text{Cos}[c + \\ & d*x] + B*\text{Sin}[c + d*x])) + ((I + \text{Cot}[c + d*x])^4*(B + A*\text{Cot}[c + d*x])*((B*\text{Co} \\ & s[4*c])/2 - (I/2)*B*\text{Sin}[4*c])* \text{Sin}[c + d*x]^3*\text{Tan}[c + d*x]^2)/(d*(\text{Cos}[d*x] + \\ & I*\text{Sin}[d*x])^4*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x]))) \end{aligned}$$

Maple [A] time = 0.066, size = 165, normalized size = 1.2

$$-8 Aa^4x + \frac{Aa^4 \tan(dx + c)}{d} - 8 \frac{Aa^4c}{d} + \frac{Ba^4 (\tan(dx + c))^2}{2d} + 7 \frac{Ba^4 \ln(\cos(dx + c))}{d} + \frac{4iAa^4 \ln(\cos(dx + c))}{d} + \frac{4iB}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^2*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x)

[Out] $-8*A*a^4*x + 1/d*a^4*A*\tan(dx+c) - 8/d*A*a^4*c + 1/2/d*a^4*B*\tan(dx+c)^2 + 7*a^4*B*\ln(\cos(dx+c))/d + 4*I/d*A*a^4*\ln(\cos(dx+c)) + 4*I/d*A*a^4*\ln(\sin(dx+c)) + 8*I/d*B*a^4*c + 8*I*B*x*a^4 - 4*I/d*B*\tan(dx+c)*a^4 - 1/d*A*\cot(dx+c)*a^4 + 1/d*B*a^4*\ln(\sin(dx+c))$

Maxima [A] time = 2.13928, size = 142, normalized size = 0.99

$$\frac{Ba^4 \tan(dx + c)^2 - 2(dx + c)(8A - 8iB)a^4 - 8(iA + B)a^4 \log(\tan(dx + c)^2 + 1) + 2(4iA + B)a^4 \log(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] $1/2*(B*a^4*\tan(dx + c)^2 - 2*(dx + c)*(8*A - 8*I*B)*a^4 - 8*(I*A + B)*a^4*\log(\tan(dx + c)^2 + 1) + 2*(4*I*A + B)*a^4*\log(\tan(dx + c)) + (2*A - 8*I*B)*a^4*\tan(dx + c) - 2*A*a^4/\tan(dx + c))/d$

Fricas [B] time = 1.54956, size = 686, normalized size = 4.76

$$10 Ba^4 e^{(4i dx + 4i c)} + (-4i A - 2B)a^4 e^{(2i dx + 2i c)} + (-4i A - 8B)a^4 + ((4i A + 7B)a^4 e^{(6i dx + 6i c)} + (4i A + 7B)a^4 e^{(4i dx + 4i c)} +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="
fricas")
```

```
[Out] (10*B*a^4*e^(4*I*d*x + 4*I*c) + (-4*I*A - 2*B)*a^4*e^(2*I*d*x + 2*I*c) + (-
4*I*A - 8*B)*a^4 + ((4*I*A + 7*B)*a^4*e^(6*I*d*x + 6*I*c) + (4*I*A + 7*B)*a
^4*e^(4*I*d*x + 4*I*c) + (-4*I*A - 7*B)*a^4*e^(2*I*d*x + 2*I*c) + (-4*I*A -
7*B)*a^4)*log(e^(2*I*d*x + 2*I*c) + 1) + ((4*I*A + B)*a^4*e^(6*I*d*x + 6*I
*c) + (4*I*A + B)*a^4*e^(4*I*d*x + 4*I*c) + (-4*I*A - B)*a^4*e^(2*I*d*x + 2
*I*c) + (-4*I*A - B)*a^4)*log(e^(2*I*d*x + 2*I*c) - 1))/(d*e^(6*I*d*x + 6*I
*c) + d*e^(4*I*d*x + 4*I*c) - d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [A] time = 8.58648, size = 230, normalized size = 1.6

$$\frac{10Ba^4e^{-2ic}e^{Aidx} - (4iAa^4+2Ba^4)e^{-4ic}e^{2idx} - (4iAa^4+8Ba^4)e^{-6ic}}{e^{6idx} + e^{-2ic}e^{Aidx} - e^{-4ic}e^{2idx} - e^{-6ic}} + \text{RootSum}\left(z^2d^2 + z(-8iAa^4d - 8Ba^4d) - 16A^2a^8 + 32iABa^8 + 7B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)
```

```
[Out] (10*B*a**4*exp(-2*I*c)*exp(4*I*d*x)/d - (4*I*A*a**4 + 2*B*a**4)*exp(-4*I*c)
*exp(2*I*d*x)/d - (4*I*A*a**4 + 8*B*a**4)*exp(-6*I*c)/d)/(exp(6*I*d*x) + ex
p(-2*I*c)*exp(4*I*d*x) - exp(-4*I*c)*exp(2*I*d*x) - exp(-6*I*c)) + RootSum(
_z**2*d**2 + _z*(-8*I*A*a**4*d - 8*B*a**4*d) - 16*A**2*a**8 + 32*I*A*B*a**8
+ 7*B**2*a**8, Lambda(_i, _i*log(_i*d*exp(-2*I*c)/(3*B*a**4) + exp(2*I*d*x
) - (4*I*A + 4*B)*exp(-2*I*c)/(3*B))))
```

Giac [B] time = 1.68531, size = 458, normalized size = 3.18

$$Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 32\left(iAa^4 + Ba^4\right) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + i\right) + 2\left(4iAa^4 + 7Ba^4\right) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 2\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] 1/2*(A*a^4*tan(1/2*d*x + 1/2*c) - 32*(I*A*a^4 + B*a^4)*log(tan(1/2*d*x + 1/
2*c) + I) + 2*(4*I*A*a^4 + 7*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*
(-4*I*A*a^4 - 7*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(-4*I*A*a^4 -
B*a^4)*log(abs(tan(1/2*d*x + 1/2*c)))) - (8*I*A*a^4*tan(1/2*d*x + 1/2*c) +
2*B*a^4*tan(1/2*d*x + 1/2*c) + A*a^4)/tan(1/2*d*x + 1/2*c) - (12*I*A*a^4*ta
n(1/2*d*x + 1/2*c)^4 + 21*B*a^4*tan(1/2*d*x + 1/2*c)^4 + 4*A*a^4*tan(1/2*d*
x + 1/2*c)^3 - 16*I*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 24*I*A*a^4*tan(1/2*d*x +
1/2*c)^2 - 46*B*a^4*tan(1/2*d*x + 1/2*c)^2 - 4*A*a^4*tan(1/2*d*x + 1/2*c)
+ 16*I*B*a^4*tan(1/2*d*x + 1/2*c) + 12*I*A*a^4 + 21*B*a^4)/(tan(1/2*d*x + 1
/2*c)^2 - 1)^2)/d
```

$$3.31 \quad \int \cot^3(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=156

$$\frac{a^4(7A - 4iB) \log(\sin(c + dx))}{d} - \frac{a^4(A - 4iB) \log(\cos(c + dx))}{d} - \frac{(2B + 5iA) \cot(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{2d} - 8a$$

[Out] $-8*a^4*(I*A + B)*x - (a^4*(A - (4*I)*B)*\text{Log}[\text{Cos}[c + d*x]])/d - (a^4*(7*A - (4*I)*B)*\text{Log}[\text{Sin}[c + d*x]])/d - (a*A*\text{Cot}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^3)/(2*d) - (((5*I)*A + 2*B)*\text{Cot}[c + d*x]*(a^2 + I*a^2*\text{Tan}[c + d*x])^2)/(2*d) - (3*A*(a^4 + I*a^4*\text{Tan}[c + d*x]))/d$

Rubi [A] time = 0.442379, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3594, 3589, 3475, 3531}

$$\frac{a^4(7A - 4iB) \log(\sin(c + dx))}{d} - \frac{a^4(A - 4iB) \log(\cos(c + dx))}{d} - \frac{(2B + 5iA) \cot(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{2d} - 8a$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^3*(a + I*a*\text{Tan}[c + d*x])^4*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-8*a^4*(I*A + B)*x - (a^4*(A - (4*I)*B)*\text{Log}[\text{Cos}[c + d*x]])/d - (a^4*(7*A - (4*I)*B)*\text{Log}[\text{Sin}[c + d*x]])/d - (a*A*\text{Cot}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^3)/(2*d) - (((5*I)*A + 2*B)*\text{Cot}[c + d*x]*(a^2 + I*a^2*\text{Tan}[c + d*x])^2)/(2*d) - (3*A*(a^4 + I*a^4*\text{Tan}[c + d*x]))/d$

Rule 3593

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3594

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3589

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((c + d*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(B*d)$

/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^3}{2d} + \frac{1}{2} \int \cot^2(c + dx) \\ &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^3}{2d} - \frac{(5iA + 2B) \cot(c + dx)}{2d} \\ &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^3}{2d} - \frac{(5iA + 2B) \cot(c + dx)}{2d} \\ &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^3}{2d} - \frac{(5iA + 2B) \cot(c + dx)}{2d} \\ &= -8a^4(iA + B)x - \frac{a^4(A - 4iB) \log(\cos(c + dx))}{d} - \frac{aA \cot^2(c + dx)}{2d} \\ &= -8a^4(iA + B)x - \frac{a^4(A - 4iB) \log(\cos(c + dx))}{d} - \frac{a^4(7A - 4B)}{2d} \end{aligned}$$

Mathematica [B] time = 10.3433, size = 1116, normalized size = 7.15

$$a^4 \left(\frac{x(\cot(c + dx) + i)^4(B + A \cot(c + dx)) \left(-\frac{71}{2}iA \cos^4(c) - 22B \cos^4(c) + 7A \cot(c) \cos^4(c) - 4iB \cot(c) \cos^4(c) - \frac{145}{2}A \right)}{\dots} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] a^4*(((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*(-(A*Cos[4*c])/2 + (I/2)*A*Sin[4*c])*Sin[c + d*x]^3)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Csc[c]*(Cos[4*c] - I*Sin[4*c])*((4*I)*A*Sin[d*x] + B*Sin[d*x])*Sin[c + d*x]^4)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*(7*A*Cos[2*c] - (4*I)*B*Cos[2*c] - (7*I)*A*Sin[2*c] - 4*B*Sin[2*c])*(I*ArcTan[Tan[5*c + d*x]]*Cos[2*c] + ArcTan[Tan[5*c + d*x]]*Sin[2*c])*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*(A*Cos[2*c] - (4*I)*B*Cos[2*c] - I*A*Sin[2*c] - 4*B*Sin[2*c])*(-(Cos[2*c]*Log[Cos[c + d*x]^2])/2 + (I/2)*Log[Cos[c + d*x]^2]*Sin[2*c])*Sin[c + d*x]^5)/(d*(Cos[d*x]

$$+ I \sin[d*x])^4 (A \cos[c + d*x] + B \sin[c + d*x])) + ((I + \cot[c + d*x])^4 (B + A \cot[c + d*x]) * (7*A \cos[2*c] - (4*I) * B \cos[2*c] - (7*I) * A \sin[2*c] - 4*B \sin[2*c]) * (-\cos[2*c] * \log[\sin[c + d*x]^2]) / 2 + (I/2) * \log[\sin[c + d*x]^2] * \sin[2*c]) * \sin[c + d*x]^5) / (d * (\cos[d*x] + I \sin[d*x])^4 (A \cos[c + d*x] + B \sin[c + d*x])) + ((A - I*B) * (I + \cot[c + d*x])^4 (B + A \cot[c + d*x]) * ((-8*I) * d*x * \cos[4*c] - 8*d*x * \sin[4*c]) * \sin[c + d*x]^5) / (d * (\cos[d*x] + I \sin[d*x])^4 (A \cos[c + d*x] + B \sin[c + d*x])) + (x * (I + \cot[c + d*x])^4 (B + A \cot[c + d*x]) * \sin[c + d*x]^5 * ((I/2) * A \cos[c]^2 + 2*B \cos[c]^2 - ((71*I)/2) * A \cos[c]^4 - 22*B \cos[c]^4 + 7*A \cos[c]^4 * \cot[c] - (4*I) * B \cos[c]^4 * \cot[c] + (3*A \cos[c] * \sin[c]) / 2 - (6*I) * B \cos[c] * \sin[c] - (145*A \cos[c]^3 * \sin[c]) / 2 + (50*I) * B \cos[c]^3 * \sin[c] - ((3*I)/2) * A \sin[c]^2 - 6*B \sin[c]^2 + (75*I) * A \cos[c]^2 * \sin[c]^2 + 60*B \cos[c]^2 * \sin[c]^2 + 40*A \cos[c] * \sin[c]^3 - (40*I) * B \cos[c] * \sin[c]^3 - ((19*I)/2) * A \sin[c]^4 - 14*B \sin[c]^4 + (3*A + 4*A \cos[2*c] - (4*I) * B \cos[2*c]) * \csc[c] * \sec[c] * (-\cos[4*c] + I \sin[4*c]) - (A \sin[c]^2 * \tan[c]) / 2 + (2*I) * B \sin[c]^2 * \tan[c] - (A \sin[c]^4 * \tan[c]) / 2 + (2*I) * B \sin[c]^4 * \tan[c])) / ((\cos[d*x] + I \sin[d*x])^4 (A \cos[c + d*x] + B \sin[c + d*x])) + (B * (I + \cot[c + d*x])^4 (B + A \cot[c + d*x]) * \sec[c] * (\cos[4*c] - I \sin[4*c]) * \sin[d*x] * \sin[c + d*x]^4 * \tan[c + d*x]) / (d * (\cos[d*x] + I \sin[d*x])^4 (A \cos[c + d*x] + B \sin[c + d*x])))$$

Maple [A] time = 0.074, size = 166, normalized size = 1.1

$$\frac{Aa^4 \ln(\cos(dx+c))}{d} - 8Ba^4x + \frac{Ba^4 \tan(dx+c)}{d} - 8\frac{Ba^4c}{d} + \frac{4iBa^4 \ln(\cos(dx+c))}{d} - \frac{4iA \cot(dx+c)a^4}{d} + \frac{4iBa^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^3*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x)

[Out] -1/d*A*a^4*ln(cos(dx+c))-8*B*a^4*x+1/d*a^4*B*tan(dx+c)-8/d*B*a^4*c+4*I/d*B*a^4*ln(cos(dx+c))-4*I/d*A*cot(dx+c)*a^4+4*I/d*B*a^4*ln(sin(dx+c))-7*a^4*A*ln(sin(dx+c))/d-8*I*A*x*a^4-8*I/d*A*a^4*c-1/2/d*A*a^4*cot(dx+c)^2-1/d*B*cot(dx+c)*a^4

Maxima [A] time = 2.10328, size = 149, normalized size = 0.96

$$\frac{16(dx+c)(iA+B)a^4 - 2(4A-4iB)a^4 \log(\tan(dx+c)^2+1) + 2(7A-4iB)a^4 \log(\tan(dx+c)) - 2Ba^4 \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] -1/2*(16*(dx+c)*(I*A+B)*a^4 - 2*(4*A - 4*I*B)*a^4*log(tan(dx+c)^2+1) + 2*(7*A - 4*I*B)*a^4*log(tan(dx+c)) - 2*B*a^4*tan(dx+c) - (2*(-I*A - B)*a^4*tan(dx+c) - A*a^4)/tan(dx+c)^2)/d

Fricas [A] time = 1.54735, size = 678, normalized size = 4.35

$$10 Aa^4 e^{(4i dx+4i c)} + 2(A-2iB)a^4 e^{(2i dx+2i c)} - 4(2A-iB)a^4 - ((A-4iB)a^4 e^{(6i dx+6i c)} - (A-4iB)a^4 e^{(4i dx+4i c)} - (A-4iB)a^4 e^{(2i dx+2i c)} - (A-4iB)a^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] (10*A*a^4*e^(4*I*d*x + 4*I*c) + 2*(A - 2*I*B)*a^4*e^(2*I*d*x + 2*I*c) - 4*(2*A - I*B)*a^4 - ((A - 4*I*B)*a^4*e^(6*I*d*x + 6*I*c) - (A - 4*I*B)*a^4*e^(4*I*d*x + 4*I*c) - (A - 4*I*B)*a^4*e^(2*I*d*x + 2*I*c) + (A - 4*I*B)*a^4)*log(e^(2*I*d*x + 2*I*c) + 1) - ((7*A - 4*I*B)*a^4*e^(6*I*d*x + 6*I*c) - (7*A - 4*I*B)*a^4*e^(4*I*d*x + 4*I*c) - (7*A - 4*I*B)*a^4*e^(2*I*d*x + 2*I*c) + (7*A - 4*I*B)*a^4)*log(e^(2*I*d*x + 2*I*c) - 1))/(d*e^(6*I*d*x + 6*I*c) - d*e^(4*I*d*x + 4*I*c) - d*e^(2*I*d*x + 2*I*c) + d)

Sympy [A] time = 16.9671, size = 228, normalized size = 1.46

$$\frac{10Aa^4e^{-2ic}e^{4idx}}{d} + \frac{(2Aa^4-4iBa^4)e^{-4ic}e^{2idx}}{d} - \frac{(8Aa^4-4iBa^4)e^{-6ic}}{d} + \text{RootSum}\left(z^2d^2 + z(8Aa^4d - 8iBa^4d) + 7A^2a^8 - 32iABa^8 - 16B^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] (10*A*a**4*exp(-2*I*c)*exp(4*I*d*x)/d + (2*A*a**4 - 4*I*B*a**4)*exp(-4*I*c)*exp(2*I*d*x)/d - (8*A*a**4 - 4*I*B*a**4)*exp(-6*I*c)/d)/(exp(6*I*d*x) - exp(-2*I*c)*exp(4*I*d*x) - exp(-4*I*c)*exp(2*I*d*x) + exp(-6*I*c)) + RootSum(_z**2*d**2 + _z*(8*A*a**4*d - 8*I*B*a**4*d) + 7*A**2*a**8 - 32*I*A*B*a**8 - 16*B**2*a**8, Lambda(_i, _i*log(_i*d*exp(-2*I*c)/(3*A*a**4) + exp(2*I*d*x) + (4*A - 4*I*B)*exp(-2*I*c)/(3*A))))

Giac [B] time = 1.73924, size = 433, normalized size = 2.78

$$Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 16iAa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 4Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 16(8Aa^4 - 8iBa^4) \log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] -1/8*(A*a^4*tan(1/2*d*x + 1/2*c)^2 - 16*I*A*a^4*tan(1/2*d*x + 1/2*c) - 4*B*a^4*tan(1/2*d*x + 1/2*c) - 16*(8*A*a^4 - 8*I*B*a^4)*log(tan(1/2*d*x + 1/2*c) + I) + 8*(A*a^4 - 4*I*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + 8*(A*a^4 - 4*I*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 8*(7*A*a^4 - 4*I*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c)))) - 8*(A*a^4*tan(1/2*d*x + 1/2*c)^2 - 4*I*B*a^4*tan(1/2*d*x + 1/2*c)^2 - 2*B*a^4*tan(1/2*d*x + 1/2*c) - A*a^4 + 4*I*B*a^4)/(tan(1/2*d*x + 1/2*c)^2 - 1) - (84*A*a^4*tan(1/2*d*x + 1/2*c)^2 - 48*I*B*a^4*tan(1/2*d*x + 1/2*c)^2 - 16*I*A*a^4*tan(1/2*d*x + 1/2*c) - 4*B*a^4*tan(1/2*d*x + 1/2*c) - A*a^4)/tan(1/2*d*x + 1/2*c)^2)/d

3.32 $\int \cot^4(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=163

$$\frac{a^4(7B + 8iA) \log(\sin(c + dx))}{d} - \frac{(B + 2iA) \cot^2(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{2d} + \frac{(4A - 3iB) \cot(c + dx) (a^4 + ia^4 \tan(c + dx))}{d}$$

```
[Out] 8*a^4*(A - I*B)*x - (a^4*B*Log[Cos[c + d*x]])/d - (a^4*((8*I)*A + 7*B)*Log[
Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^3)/(3*d) - ((
(2*I)*A + B)*Cot[c + d*x]^2*(a^2 + I*a^2*Tan[c + d*x])^2)/(2*d) + ((4*A - (
3*I)*B)*Cot[c + d*x]*(a^4 + I*a^4*Tan[c + d*x]))/d
```

Rubi [A] time = 0.452709, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3593, 3589, 3475, 3531}

$$\frac{a^4(7B + 8iA) \log(\sin(c + dx))}{d} - \frac{(B + 2iA) \cot^2(c + dx) (a^2 + ia^2 \tan(c + dx))^2}{2d} + \frac{(4A - 3iB) \cot(c + dx) (a^4 + ia^4 \tan(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] 8*a^4*(A - I*B)*x - (a^4*B*Log[Cos[c + d*x]])/d - (a^4*((8*I)*A + 7*B)*Log[
Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^3)/(3*d) - ((
(2*I)*A + B)*Cot[c + d*x]^2*(a^2 + I*a^2*Tan[c + d*x])^2)/(2*d) + ((4*A - (
3*I)*B)*Cot[c + d*x]*(a^4 + I*a^4*Tan[c + d*x]))/d
```

Rule 3593

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_))*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a
+ b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n -
2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*
(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3589

```
Int[(((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_
)*(x_)]))/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(B*d)
/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c -
a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d,
e, f, A, B}, x] && NeQ[b*c - a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.
)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^3}{3d} + \frac{1}{3} \int \cot^3(c + dx) \\ &= -\frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^3}{3d} - \frac{(2iA + B) \cot^2(c + dx)(a + ia \tan(c + dx))^2}{3d} \\ &= -\frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^3}{3d} - \frac{(2iA + B) \cot^2(c + dx)(a + ia \tan(c + dx))^2}{3d} \\ &= -\frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^3}{3d} - \frac{(2iA + B) \cot^2(c + dx)(a + ia \tan(c + dx))^2}{3d} \\ &= 8a^4(A - iB)x - \frac{a^4B \log(\cos(c + dx))}{d} - \frac{aA \cot^3(c + dx)(a + ia \tan(c + dx))^3}{3d} \\ &= 8a^4(A - iB)x - \frac{a^4B \log(\cos(c + dx))}{d} - \frac{a^4(8iA + 7B) \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 9.59529, size = 1138, normalized size = 6.98

$$a^4 \left(\frac{x(\cot(c + dx) + i)^4(B + A \cot(c + dx)) \left(40A \cos^4(c) - \frac{71}{2}iB \cos^4(c) + 8iA \cot(c) \cos^4(c) + 7B \cot(c) \cos^4(c) - 80iA \sin^4(c) \right)}{\dots} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] a^4*((A*(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Csc[c]*(Cos[4*c]/3 - (I/3
)*Sin[4*c])*Sin[d*x]*Sin[c + d*x]^2)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c
+ d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Csc[
c]*(-2*A*Cos[c] - (12*I)*A*Sin[c] - 3*B*Sin[c])*(Cos[4*c]/6 - (I/6)*Sin[4*c
])*Sin[c + d*x]^3)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c +
d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Csc[c]*((-2*Cos[4*c])/
3 + ((2*I)/3)*Sin[4*c])*(11*A*Sin[d*x] - (6*I)*B*Sin[d*x])*Sin[c + d*x]^4)/
(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) - (B*Cos[4*
c]*(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Log[Cos[c + d*x]^2]*Sin[c + d*
x]^5)/(2*d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (
(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*(8*A*Cos[2*c] - (7*I)*B*Cos[2*c]
- (8*I)*A*Sin[2*c] - 7*B*Sin[2*c])*(-(ArcTan[Tan[5*c + d*x]]*Cos[2*c]) + I*
ArcTan[Tan[5*c + d*x]]*Sin[2*c])*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x]
)^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c + d*x])^4*(B + A*Cot[c
+ d*x])*(8*A*Cos[2*c] - (7*I)*B*Cos[2*c] - (8*I)*A*Sin[2*c] - 7*B*Sin[2*c]
)*((-I/2)*Cos[2*c]*Log[Sin[c + d*x]^2] - (Log[Sin[c + d*x]^2]*Sin[2*c])/2)*S
in[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x
])) + ((I/2)*B*(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Log[Cos[c + d*x]^2
]*Sin[4*c]*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B
*Sin[c + d*x])) + ((A - I*B)*(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*(8*d
*x*Cos[4*c] - (8*I)*d*x*Sin[4*c])*Sin[c + d*x]^5)/(d*(Cos[d*x] + I*Sin[d*x]
)^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (x*(I + Cot[c + d*x])^4*(B + A*Cot
```

$$\begin{aligned} & [c + d*x])*\sin[c + d*x]^5*((I/2)*B*\cos[c]^2 + 40*A*\cos[c]^4 - ((71*I)/2)*B* \\ & \cos[c]^4 + (8*I)*A*\cos[c]^4*\cot[c] + 7*B*\cos[c]^4*\cot[c] + (3*B*\cos[c]*\sin[\\ & c])/2 - (80*I)*A*\cos[c]^3*\sin[c] - (145*B*\cos[c]^3*\sin[c])/2 - ((3*I)/2)*B* \\ & \sin[c]^2 - 80*A*\cos[c]^2*\sin[c]^2 + (75*I)*B*\cos[c]^2*\sin[c]^2 + (40*I)*A*\cos \\ & [c]*\sin[c]^3 + 40*B*\cos[c]*\sin[c]^3 + 8*A*\sin[c]^4 - ((19*I)/2)*B*\sin[c]^4 \\ & - I*(4*A - (3*I)*B + 4*A*\cos[2*c] - (4*I)*B*\cos[2*c])*Csc[c]*Sec[c]*(\cos[\\ & 4*c] - I*\sin[4*c]) - (B*\sin[c]^2*\tan[c])/2 - (B*\sin[c]^4*\tan[c])/2))/((\cos[\\ & d*x] + I*\sin[d*x])^4*(A*\cos[c + d*x] + B*\sin[c + d*x])) \end{aligned}$$

Maple [A] time = 0.074, size = 170, normalized size = 1.

$$8 Aa^4x + 8 \frac{Aa^4c}{d} - \frac{Ba^4 \ln(\cos(dx + c))}{d} - 8 iBxa^4 - \frac{8 iBa^4c}{d} - \frac{2 iAa^4 (\cot(dx + c))^2}{d} + 7 \frac{A \cot(dx + c) a^4}{d} - 7 \frac{Ba^4 \ln(\cos(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)

[Out] 8*A*a^4*x+8/d*A*a^4*c-a^4*B*ln(cos(d*x+c))/d-8*I*B*x*a^4-8*I/d*B*a^4*c-2*I/d*A*a^4*cot(d*x+c)^2+7/d*A*cot(d*x+c)*a^4-7/d*B*a^4*ln(sin(d*x+c))-8*I/d*A*a^4*ln(sin(d*x+c))-4*I/d*B*cot(d*x+c)*a^4-1/3/d*A*a^4*cot(d*x+c)^3-1/2/d*B*a^4*cot(d*x+c)^2

Maxima [A] time = 2.37657, size = 159, normalized size = 0.98

$$\frac{6(dx+c)(8A-8iB)a^4 - 24(-iA-B)a^4 \log(\tan(dx+c)^2+1) + 6(-8iA-7B)a^4 \log(\tan(dx+c)) + \frac{(42A-24iB)a^4}{6d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] 1/6*(6*(d*x + c)*(8*A - 8*I*B)*a^4 - 24*(-I*A - B)*a^4*log(tan(d*x + c)^2 + 1) + 6*(-8*I*A - 7*B)*a^4*log(tan(d*x + c)) + ((42*A - 24*I*B)*a^4*tan(d*x + c)^2 + 3*(-4*I*A - B)*a^4*tan(d*x + c) - 2*A*a^4)/tan(d*x + c)^3)/d

Fricas [A] time = 1.53453, size = 679, normalized size = 4.17

$$\frac{(72iA + 30B)a^4 e^{(4i dx + 4ic)} + (-108iA - 54B)a^4 e^{(2i dx + 2ic)} + (44iA + 24B)a^4 - 3(Ba^4 e^{(6i dx + 6ic)} - 3Ba^4 e^{(4i dx + 4ic)} + 3Ba^4 e^{(2i dx + 2ic)})}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)), x, algorithm="fricas")

[Out] 1/3*((72*I*A + 30*B)*a^4*e^(4*I*d*x + 4*I*c) + (-108*I*A - 54*B)*a^4*e^(2*I*d*x + 2*I*c) + (44*I*A + 24*B)*a^4 - 3*(B*a^4*e^(6*I*d*x + 6*I*c) - 3*B*a^4*e^(4*I*d*x + 4*I*c) + 3*B*a^4*e^(2*I*d*x + 2*I*c) - B*a^4)*log(e^(2*I*d*x + 2*I*c) + 1) + ((-24*I*A - 21*B)*a^4*e^(6*I*d*x + 6*I*c) + (72*I*A + 63*B

) $a^4 e^{(4Ix + 4Ic)}$ + $(-72IA - 63B)a^4 e^{(2Ix + 2Ic)}$ + $(24IA + 21B)a^4 \log(e^{(2Ix + 2Ic)} - 1) / (d e^{(6Ix + 6Ic)} - 3d e^{(4Ix + 4Ic)} + 3d e^{(2Ix + 2Ic)} - d)$

Sympy [A] time = 28.4718, size = 262, normalized size = 1.61

$$\frac{(24iAa^4 + 10Ba^4)e^{-2ic}e^{4idix} - (36iAa^4 + 18Ba^4)e^{-4ic}e^{2idix} + (44iAa^4 + 24Ba^4)e^{-6ic}}{d e^{6idix} - 3e^{-2ic}e^{4idix} + 3e^{-4ic}e^{2idix} - e^{-6ic}} + \text{RootSum}\left(z^2 d^2 + z(8iAa^4 d + 8Ba^4 d) + 8iABa^8 + 7B^2 a^8\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] $((24IAa^4 + 10Ba^4) \exp(-2Ic) \exp(4Id*x) / d - (36IAa^4 + 18Ba^4) \exp(-4Ic) \exp(2Id*x) / d + (44IAa^4 + 24Ba^4) \exp(-6Ic) / (3d)) / (\exp(6Id*x) - 3 \exp(-2Ic) \exp(4Id*x) + 3 \exp(-4Ic) \exp(2Id*x) - \exp(-6Ic)) + \text{RootSum}(_z^2 d^2 + _z(8IAa^4 d + 8Ba^4 d) + 8IAa^4 B^2 + 7B^2 a^8, \text{Lambda}(_i, _i \log(-_i Id / (4Aa^4 \exp(2Ic) - 3IBa^4 \exp(2Ic)) + (4A - 4IB) / (4A \exp(2Ic) - 3IB \exp(2Ic)) + \exp(2Id*x)))$

Giac [B] time = 1.90507, size = 397, normalized size = 2.44

$$Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 12iAa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 3Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 24Ba^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 24Ba^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $1/24*(Aa^4 \tan(1/2*d*x + 1/2*c)^3 - 12IAa^4 \tan(1/2*d*x + 1/2*c)^2 - 3Ba^4 \tan(1/2*d*x + 1/2*c)^2 - 24Ba^4 \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 24Ba^4 \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 87Aa^4 \tan(1/2*d*x + 1/2*c) + 48IBa^4 \tan(1/2*d*x + 1/2*c) - 384*(-IAa^4 - Ba^4) \log(\tan(1/2*d*x + 1/2*c) + I) - 24*(8IAa^4 + 7Ba^4) \log(\text{abs}(\tan(1/2*d*x + 1/2*c))) - (-352IAa^4 \tan(1/2*d*x + 1/2*c)^3 - 308Ba^4 \tan(1/2*d*x + 1/2*c)^3 - 87Aa^4 \tan(1/2*d*x + 1/2*c)^2 + 48IBa^4 \tan(1/2*d*x + 1/2*c)^2 + 12IAa^4 \tan(1/2*d*x + 1/2*c) + 3Ba^4 \tan(1/2*d*x + 1/2*c) + Aa^4) / \tan(1/2*d*x + 1/2*c)^3) / d$

3.33 $\int \cot^5(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=177

$$\frac{a^4(64B + 67iA) \cot(c + dx)}{12d} + \frac{8a^4(A - iB) \log(\sin(c + dx))}{d} - \frac{(4B + 7iA) \cot^3(c + dx)(a^2 + ia^2 \tan(c + dx))^2}{12d} + \frac{(19A - (16i)B) \cot^2(c + dx)(a^4 + ia^4 \tan(c + dx))}{12d}$$

```
[Out] 8*a^4*(I*A + B)*x + (a^4*((67*I)*A + 64*B)*Cot[c + d*x])/(12*d) + (8*a^4*(A - I*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^3)/(4*d) - (((7*I)*A + 4*B)*Cot[c + d*x]^3*(a^2 + I*a^2*Tan[c + d*x])^2)/(12*d) + ((19*A - (16*I)*B)*Cot[c + d*x]^2*(a^4 + I*a^4*Tan[c + d*x]))/(12*d)
```

Rubi [A] time = 0.531504, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3593, 3591, 3531, 3475}

$$\frac{a^4(64B + 67iA) \cot(c + dx)}{12d} + \frac{8a^4(A - iB) \log(\sin(c + dx))}{d} - \frac{(4B + 7iA) \cot^3(c + dx)(a^2 + ia^2 \tan(c + dx))^2}{12d} + \frac{(19A - (16i)B) \cot^2(c + dx)(a^4 + ia^4 \tan(c + dx))}{12d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] 8*a^4*(I*A + B)*x + (a^4*((67*I)*A + 64*B)*Cot[c + d*x])/(12*d) + (8*a^4*(A - I*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^3)/(4*d) - (((7*I)*A + 4*B)*Cot[c + d*x]^3*(a^2 + I*a^2*Tan[c + d*x])^2)/(12*d) + ((19*A - (16*I)*B)*Cot[c + d*x]^2*(a^4 + I*a^4*Tan[c + d*x]))/(12*d)
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3591

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(a*c + b*d)*x/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
```

FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^3}{4d} + \frac{1}{4} \int \cot^4(c + dx) \\ &= -\frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^3}{4d} - \frac{(7iA + 4B) \cot^3(c + dx)}{4d} \\ &= -\frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^3}{4d} - \frac{(7iA + 4B) \cot^3(c + dx)}{4d} \\ &= \frac{a^4(67iA + 64B) \cot(c + dx)}{12d} - \frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^3}{4d} \\ &= 8a^4(iA + B)x + \frac{a^4(67iA + 64B) \cot(c + dx)}{12d} - \frac{aA \cot^4(c + dx)(a + ia \tan(c + dx))^3}{4d} \\ &= 8a^4(iA + B)x + \frac{a^4(67iA + 64B) \cot(c + dx)}{12d} + \frac{8a^4(A - iB)}{12d} \end{aligned}$$

Mathematica [A] time = 5.82022, size = 319, normalized size = 1.8

$$\frac{a^4 \sin(c + dx)(\cot(c + dx) + i)^4(A \cot(c + dx) + B) (192dx(A - iB)(\sin(4c) + i \cos(4c)) \sin^4(c + dx) + 48(A - iB)(\cos(4c) + i \sin(4c)) \sin^3(c + dx) + 48(A - iB)(\cos(4c) - i \sin(4c)) \sin^2(c + dx) + 48(A - iB)(\cos(4c) - i \sin(4c)) \sin(c + dx) + 48(A - iB))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (a^4*(I + Cot[c + d*x])^4*(B + A*Cot[c + d*x])*Sin[c + d*x]*(-3*A*Cos[4*c] + (3*I)*A*Sin[4*c] + 4*((4*I)*A + B)*Csc[c]*(Cos[4*c] - I*Sin[4*c])*Sin[d*x]*Sin[c + d*x] + 4*(12*A - (6*I)*B + ((-4*I)*A - B)*Cot[c]*(Cos[4*c] - I*Sin[4*c])*Sin[c + d*x]^2 - (8*I)*(14*A - (11*I)*B)*Csc[c]*(Cos[4*c] - I*Sin[4*c])*Sin[d*x]*Sin[c + d*x]^3 - (96*I)*(A - I*B)*ArcTan[Tan[5*c + d*x]]*(Cos[4*c] - I*Sin[4*c])*Sin[c + d*x]^4 + 48*(A - I*B)*Log[Sin[c + d*x]^2]*(Cos[4*c] - I*Sin[4*c])*Sin[c + d*x]^4 + 192*(A - I*B)*d*x*(I*Cos[4*c] + Sin[4*c])*Sin[c + d*x]^4)/(12*d*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.079, size = 189, normalized size = 1.1

$$8 \frac{Aa^4 \ln(\sin(dx + c))}{d} - \frac{Aa^4 (\cot(dx + c))^4}{4d} - \frac{Ba^4 (\cot(dx + c))^3}{3d} + \frac{7Aa^4 (\cot(dx + c))^2}{2d} + 8 \frac{Ba^4 c}{d} + 7 \frac{\cot(dx + c) Ba^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)

[Out] $8a^4A \ln(\sin(dx+c))/d - 1/4/dAa^4 \cot(dx+c)^4 - 1/3/dBa^4 \cot(dx+c)^3 + 7/2/dAa^4 \cot(dx+c)^2 + 8/dBa^4c + 7/dB \cot(dx+c)a^4 - 2I/dBa^4 \cot(dx+c)^2 + 8I/dA \cot(dx+c)a^4 + 8I/dAa^4c - 8I/dBa^4 \ln(\sin(dx+c)) + 8I A x a^4 + 8B a^4 x - 4/3I/dAa^4 \cot(dx+c)^3$

Maxima [A] time = 2.10027, size = 188, normalized size = 1.06

$$\frac{96(dx+c)(-iA-B)a^4 + 12(4A-4iB)a^4 \log(\tan(dx+c)^2+1) - 12(8A-8iB)a^4 \log(\tan(dx+c)) - \frac{12(8iA+7B)}{12d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^5*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] $-1/12*(96*(dx+c)*(-iA-B)a^4 + 12*(4A-4iB)a^4 \log(\tan(dx+c)^2+1) - 12*(8A-8iB)a^4 \log(\tan(dx+c)) - (12*(8iA+7B)a^4 \tan(dx+c)^3 + (42A-24iB)a^4 \tan(dx+c)^2 + 4*(-4iA-B)a^4 \tan(dx+c) - 3Aa^4)/\tan(dx+c)^4)/d$

Fricas [A] time = 1.42994, size = 622, normalized size = 3.51

$$\frac{4(6(5A-3iB)a^4 e^{6idx+6ic} - 9(7A-5iB)a^4 e^{4idx+4ic} + 2(25A-19iB)a^4 e^{2idx+2ic} - (14A-11iB)a^4 - 6((A-iB)a^4 - 6((A-iB)a^4 e^{8idx+8ic} - 4(A-iB)a^4 e^{6idx+6ic} + 6(A-iB)a^4 e^{4idx+4ic} - 4(A-iB)a^4 e^{2idx+2ic} + (A-iB)a^4) \log(e^{2idx+2ic} - 1))/d e^{8idx+8ic} - 4d e^{6idx+6ic}}{3(d e^{8idx+8ic} - 4d e^{6idx+6ic})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^5*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $-4/3*(6*(5A-3iB)a^4 e^{(6I*dx+6I*c)} - 9*(7A-5iB)a^4 e^{(4I*dx+4I*c)} + 2*(25A-19iB)a^4 e^{(2I*dx+2I*c)} - (14A-11iB)a^4 - 6*((A-iB)a^4 e^{(8I*dx+8I*c)} - 4*(A-iB)a^4 e^{(6I*dx+6I*c)} + 6*(A-iB)a^4 e^{(4I*dx+4I*c)} - 4*(A-iB)a^4 e^{(2I*dx+2I*c)} + (A-iB)a^4) \log(e^{(2I*dx+2I*c)} - 1))/d e^{(8I*dx+8I*c)} - 4*d e^{(6I*dx+6I*c)} + 6*d e^{(4I*dx+4I*c)} - 4*d e^{(2I*dx+2I*c)} + d$

Sympy [A] time = 20.1324, size = 221, normalized size = 1.25

$$\frac{8a^4(A-iB) \log(e^{2idx} - e^{-2ic})}{d} + \frac{(40Aa^4 - 24iBa^4)e^{-2ic}e^{6idx}}{d} + \frac{(56Aa^4 - 44iBa^4)e^{-8ic}}{3d} + \frac{(84Aa^4 - 60iBa^4)e^{-4ic}e^{4idx}}{d} - \frac{(200Aa^4 - 152iBa^4)e^{-6ic}}{3d} - \frac{(200Aa^4 - 152iBa^4)e^{-8ic}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**5*(a+I*a*tan(dx+c))**4*(A+B*tan(dx+c)),x)

[Out] $8a**4*(A-I*B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/d + (-40*A*a**4 - 24*I*B*a**4)*\exp(-2*I*c)*\exp(6*I*d*x)/d + (56*A*a**4 - 44*I*B*a**4)*\exp(-8*I*c)/(3*d) + (84*A*a**4 - 60*I*B*a**4)*\exp(-4*I*c)*\exp(4*I*d*x)/d - (200*A*a**4 -$

```
152*I*B*a**4)*exp(-6*I*c)*exp(2*I*d*x)/(3*d))/(exp(8*I*d*x) - 4*exp(-2*I*c)
*exp(6*I*d*x) + 6*exp(-4*I*c)*exp(4*I*d*x) - 4*exp(-6*I*c)*exp(2*I*d*x) + e
xp(-8*I*c))
```

Giac [B] time = 1.89542, size = 439, normalized size = 2.48

$$3 Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 - 32i Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 8 Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 180 Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 96i Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] -1/192*(3*A*a^4*tan(1/2*d*x + 1/2*c)^4 - 32*I*A*a^4*tan(1/2*d*x + 1/2*c)^3
- 8*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 180*A*a^4*tan(1/2*d*x + 1/2*c)^2 + 96*I*
B*a^4*tan(1/2*d*x + 1/2*c)^2 + 864*I*A*a^4*tan(1/2*d*x + 1/2*c) + 696*B*a^4
*tan(1/2*d*x + 1/2*c) + 384*(8*A*a^4 - 8*I*B*a^4)*log(tan(1/2*d*x + 1/2*c)
+ I) - 384*(4*A*a^4 - 4*I*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c))) + (3200*A*a
^4*tan(1/2*d*x + 1/2*c)^4 - 3200*I*B*a^4*tan(1/2*d*x + 1/2*c)^4 - 864*I*A*a
^4*tan(1/2*d*x + 1/2*c)^3 - 696*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 180*A*a^4*ta
n(1/2*d*x + 1/2*c)^2 + 96*I*B*a^4*tan(1/2*d*x + 1/2*c)^2 + 32*I*A*a^4*tan(1
/2*d*x + 1/2*c) + 8*B*a^4*tan(1/2*d*x + 1/2*c) + 3*A*a^4)/tan(1/2*d*x + 1/2
*c)^4)/d
```

3.34 $\int \cot^6(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=200

$$\frac{a^4(145B + 148iA) \cot^2(c + dx)}{60d} - \frac{8a^4(A - iB) \cot(c + dx)}{d} + \frac{8a^4(B + iA) \log(\sin(c + dx))}{d} - \frac{(5B + 8iA) \cot^4(c + dx)}{20d}$$

```
[Out] -8*a^4*(A - I*B)*x - (8*a^4*(A - I*B)*Cot[c + d*x])/d + (a^4*((148*I)*A + 145*B)*Cot[c + d*x]^2)/(60*d) + (8*a^4*(I*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^3)/(5*d) - (((8*I)*A + 5*B)*Cot[c + d*x]^4*(a^2 + I*a^2*Tan[c + d*x])^2)/(20*d) + ((28*A - (25*I)*B)*Cot[c + d*x]^3*(a^4 + I*a^4*Tan[c + d*x]))/(30*d)
```

Rubi [A] time = 0.591938, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3591, 3529, 3531, 3475}

$$\frac{a^4(145B + 148iA) \cot^2(c + dx)}{60d} - \frac{8a^4(A - iB) \cot(c + dx)}{d} + \frac{8a^4(B + iA) \log(\sin(c + dx))}{d} - \frac{(5B + 8iA) \cot^4(c + dx)}{20d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^6*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] -8*a^4*(A - I*B)*x - (8*a^4*(A - I*B)*Cot[c + d*x])/d + (a^4*((148*I)*A + 145*B)*Cot[c + d*x]^2)/(60*d) + (8*a^4*(I*A + B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^3)/(5*d) - (((8*I)*A + 5*B)*Cot[c + d*x]^4*(a^2 + I*a^2*Tan[c + d*x])^2)/(20*d) + ((28*A - (25*I)*B)*Cot[c + d*x]^3*(a^4 + I*a^4*Tan[c + d*x]))/(30*d)
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3591

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
```

$$\int \frac{(f(m+1)(a^2+b^2))^m}{(a+b\tan(e+fx))^{m+1}} dx + \text{Dist}\left[\frac{1}{a^2+b^2}, \int \frac{a+b\tan(e+fx)}{(a+b\tan(e+fx))^{m+1}} dx\right];$$

 FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

$$\int \frac{(c + d \tan(e + f x))}{(a + b \tan(e + f x))} dx := \text{Simp}\left[\frac{(a*c + b*d)*x}{a^2 + b^2}, x\right] + \text{Dist}\left[\frac{b*c - a*d}{a^2 + b^2}, \int \frac{b - a*\tan(e + f*x)}{a + b*\tan(e + f*x)} dx\right];$$

 FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

$$\int \tan(c + d x) dx := -\text{Simp}\left[\frac{\text{Log}\left[\frac{\cos(c + d x)}{\cos(c)}\right]}{d}, x\right];$$

 FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^6(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^3}{5d} + \frac{1}{5} \int \cot^5(c + dx) dx \\ &= -\frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^3}{5d} - \frac{(8iA + 5B) \cot^4(c + dx)}{5d} \\ &= -\frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^3}{5d} - \frac{(8iA + 5B) \cot^4(c + dx)}{5d} \\ &= \frac{a^4(148iA + 145B) \cot^2(c + dx)}{60d} - \frac{aA \cot^5(c + dx)(a + ia \tan(c + dx))^3}{5d} \\ &= -\frac{8a^4(A - iB) \cot(c + dx)}{d} + \frac{a^4(148iA + 145B) \cot^2(c + dx)}{60d} \\ &= -8a^4(A - iB)x - \frac{8a^4(A - iB) \cot(c + dx)}{d} + \frac{a^4(148iA + 145B) \cot^2(c + dx)}{60d} \\ &= -8a^4(A - iB)x - \frac{8a^4(A - iB) \cot(c + dx)}{d} + \frac{a^4(148iA + 145B) \cot^2(c + dx)}{60d} \end{aligned}$$

Mathematica [B] time = 8.23866, size = 542, normalized size = 2.71

$$a^4(\cot(c + dx) + i)^4(A \cot(c + dx) + B) \left(-8dx(A - iB)(\cos(4c) - i \sin(4c)) \sin^5(c + dx) + 4(A - iB)(\sin(4c) + i \cos(4c)) \sin^4(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^6*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] $(a^4(I + \cot(c + dx))^4(B + A \cot(c + dx)) * (-8(A - I*B)*dx*(\cos[4*c] - I*\sin[4*c])* \sin[c + dx]^5 + 8*(A - I*B)*\text{ArcTan}[\tan[5*c + dx]]*(\cos[4*c] - I*\sin[4*c])* \sin[c + dx]^5 + 4*(A - I*B)*\text{Log}[\sin[c + dx]^2]*(I*\cos[4*c] + \sin[4*c])* \sin[c + dx]^5 + (\text{Csc}[c]*(\cos[4*c] - I*\sin[4*c]))*(15*(A*(14*I - 20*d*x) + B*(11 + (20*I)*d*x))*\cos[d*x] + 15*((-14*I)*A - 11*B + 20*A*d*x - (20*I)*B*d*x)*\cos[2*c + d*x] - (90*I)*A*\cos[2*c + 3*d*x] - 60*B*\cos[2*c + 3*d*x] + 150*A*d*x*\cos[2*c + 3*d*x] - (150*I)*B*d*x*\cos[2*c + 3*d*x] + (90*I)*A*\cos[4*c + 3*d*x] + 60*B*\cos[4*c + 3*d*x] - 150*A*d*x*\cos[4*c + 3*d*x] + (150*I)*B*d*x*\cos[4*c + 3*d*x] - 30*A*d*x*\cos[4*c + 5*d*x] + (30*I)*B*d*x*\cos[4*c + 5*d*x] + 30*A*d*x*\cos[6*c + 5*d*x] - (30*I)*B*d*x*\cos[6*c + 5*d*x])$

$$d*x] + 445*A*\sin[d*x] - (400*I)*B*\sin[d*x] + 345*A*\sin[2*c + d*x] - (300*I)*B*\sin[2*c + d*x] - 275*A*\sin[2*c + 3*d*x] + (260*I)*B*\sin[2*c + 3*d*x] - 120*A*\sin[4*c + 3*d*x] + (90*I)*B*\sin[4*c + 3*d*x] + 79*A*\sin[4*c + 5*d*x] - (70*I)*B*\sin[4*c + 5*d*x]))/120))/(d*(\cos[d*x] + I*\sin[d*x])^4*(A*\cos[c + d*x] + B*\sin[c + d*x]))$$

Maple [A] time = 0.081, size = 224, normalized size = 1.1

$$8 \frac{B a^4 \ln(\sin(dx+c))}{d} + \frac{8 i B a^4 c}{d} + \frac{8 i B \cot(dx+c) a^4}{d} - \frac{i A a^4 (\cot(dx+c))^4}{d} + \frac{8 i A a^4 \ln(\sin(dx+c))}{d} - \frac{A a^4 (\cot(dx+c))^4}{5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(dx+c)^6*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)), x)
```

```
[Out] 8/d*B*a^4*ln(sin(dx+c))+8*I/d*B*a^4*c+8*I/d*B*cot(dx+c)*a^4-I/d*A*a^4*cot(dx+c)^4+8*I/d*A*a^4*ln(sin(dx+c))-1/5/d*A*a^4*cot(dx+c)^5-1/4/d*B*a^4*cot(dx+c)^4+7/3/d*A*a^4*cot(dx+c)^3+7/2/d*B*a^4*cot(dx+c)^2-8/d*A*a^4*c-8/d*A*cot(dx+c)*a^4+8*I*B*x*a^4-4/3*I/d*B*a^4*cot(dx+c)^3-8*A*a^4*x+4*I/d*A*a^4*cot(dx+c)^2
```

Maxima [A] time = 2.00317, size = 211, normalized size = 1.05

$$\frac{60(dx+c)(8A-8iB)a^4 + 240(iA+B)a^4 \log(\tan(dx+c)^2+1) + 480(-iA-B)a^4 \log(\tan(dx+c)) + \frac{(480A-480iB)a^4}{d}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(dx+c)^6*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)), x, algorithm="maxima")
```

```
[Out] -1/60*(60*(dx+c)*(8A-8I*B)*a^4 + 240*(I*A+B)*a^4*log(tan(dx+c)^2+1) + 480*(-I*A-B)*a^4*log(tan(dx+c)) + ((480*A-480*I*B)*a^4*tan(dx+c)^4 - 30*(8*I*A+7*B)*a^4*tan(dx+c)^3 - (140*A-80*I*B)*a^4*tan(dx+c)^2 - 15*(-4*I*A-B)*a^4*tan(dx+c) + 12*A*a^4)/tan(dx+c)^5)/d
```

Fricas [A] time = 1.46433, size = 857, normalized size = 4.28

$$\frac{(-840iA - 600B)a^4 e^{(8id x + 8ic)} + (2220iA + 1860B)a^4 e^{(6id x + 6ic)} + (-2620iA - 2260B)a^4 e^{(4id x + 4ic)} + (1460iA + 1280B)a^4 e^{(2id x + 2ic)} + (-316iA - 280B)a^4 + ((120iA + 120B)a^4 e^{(10id x + 10ic)} + (-600iA - 600B)a^4 e^{(8id x + 8ic)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(dx+c)^6*(a+I*a*tan(dx+c))^4*(A+B*tan(dx+c)), x, algorithm="fricas")
```

```
[Out] 1/15*((-840*I*A - 600*B)*a^4*e^(8*I*d*x + 8*I*c) + (2220*I*A + 1860*B)*a^4*e^(6*I*d*x + 6*I*c) + (-2620*I*A - 2260*B)*a^4*e^(4*I*d*x + 4*I*c) + (1460*I*A + 1280*B)*a^4*e^(2*I*d*x + 2*I*c) + (-316*I*A - 280*B)*a^4 + ((120*I*A + 120*B)*a^4*e^(10*I*d*x + 10*I*c) + (-600*I*A - 600*B)*a^4*e^(8*I*d*x + 8*I*c))
```

$I*c) + (1200*I*A + 1200*B)*a^4*e^{(6*I*d*x + 6*I*c)} + (-1200*I*A - 1200*B)*a^4*e^{(4*I*d*x + 4*I*c)} + (600*I*A + 600*B)*a^4*e^{(2*I*d*x + 2*I*c)} + (-120*I*A - 120*B)*a^4*\log(e^{(2*I*d*x + 2*I*c)} - 1))/(d*e^{(10*I*d*x + 10*I*c)} - 5*d*e^{(8*I*d*x + 8*I*c)} + 10*d*e^{(6*I*d*x + 6*I*c)} - 10*d*e^{(4*I*d*x + 4*I*c)} + 5*d*e^{(2*I*d*x + 2*I*c)} - d)$

Sympy [A] time = 146.132, size = 272, normalized size = 1.36

$$\frac{8a^4(iA + B)\log(e^{2idx} - e^{-2ic})}{d} + \frac{-(56iAa^4 + 40Ba^4)e^{-2ic}e^{8idx}}{d} + \frac{(148iAa^4 + 124Ba^4)e^{-4ic}e^{6idx}}{d} + \frac{(292iAa^4 + 256Ba^4)e^{-8ic}e^{2idx}}{3d} - \frac{(316iAa^4 + 280Ba^4)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**6*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] $8*a**4*(I*A + B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/d + (-56*I*A*a**4 + 40*B*a**4)*\exp(-2*I*c)*\exp(8*I*d*x)/d + (148*I*A*a**4 + 124*B*a**4)*\exp(-4*I*c)*\exp(6*I*d*x)/d + (292*I*A*a**4 + 256*B*a**4)*\exp(-8*I*c)*\exp(2*I*d*x)/(3*d) - (316*I*A*a**4 + 280*B*a**4)*\exp(-10*I*c)/(15*d) - (524*I*A*a**4 + 452*B*a**4)*\exp(-6*I*c)*\exp(4*I*d*x)/(3*d))/(\exp(10*I*d*x) - 5*\exp(-2*I*c)*\exp(8*I*d*x) + 10*\exp(-4*I*c)*\exp(6*I*d*x) - 10*\exp(-6*I*c)*\exp(4*I*d*x) + 5*\exp(-8*I*c)*\exp(2*I*d*x) - \exp(-10*I*c))$

Giac [B] time = 1.86528, size = 529, normalized size = 2.64

$$6Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 60iAa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 15Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 310Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 160iBa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $1/960*(6*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 60*I*A*a^4*\tan(1/2*d*x + 1/2*c)^4 - 15*B*a^4*\tan(1/2*d*x + 1/2*c)^4 - 310*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 160*I*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 1200*I*A*a^4*\tan(1/2*d*x + 1/2*c)^2 + 900*B*a^4*\tan(1/2*d*x + 1/2*c)^2 + 4740*A*a^4*\tan(1/2*d*x + 1/2*c) - 4320*I*B*a^4*\tan(1/2*d*x + 1/2*c) - 15360*(I*A*a^4 + B*a^4)*\log(\tan(1/2*d*x + 1/2*c) + I) - 7680*(-I*A*a^4 - B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) + (-17536*I*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 17536*B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 4740*A*a^4*\tan(1/2*d*x + 1/2*c)^4 + 4320*I*B*a^4*\tan(1/2*d*x + 1/2*c)^4 + 1200*I*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 900*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 310*A*a^4*\tan(1/2*d*x + 1/2*c)^2 - 160*I*B*a^4*\tan(1/2*d*x + 1/2*c)^2 - 60*I*A*a^4*\tan(1/2*d*x + 1/2*c) - 15*B*a^4*\tan(1/2*d*x + 1/2*c) - 6*A*a^4)/\tan(1/2*d*x + 1/2*c)^5)/d$

3.35 $\int \cot^7(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=223

$$\frac{a^4(92B + 93iA) \cot^3(c + dx)}{60d} - \frac{4a^4(A - iB) \cot^2(c + dx)}{d} - \frac{8a^4(B + iA) \cot(c + dx)}{d} - \frac{8a^4(A - iB) \log(\sin(c + dx))}{d}$$

[Out] $-8a^4(I*A + B)*x - (8a^4(I*A + B)*\text{Cot}[c + d*x])/d - (4a^4(A - I*B)*\text{Cot}[c + d*x]^2)/d + (a^4((93*I)*A + 92*B)*\text{Cot}[c + d*x]^3)/(60*d) - (8a^4(A - I*B)*\text{Log}[\text{Sin}[c + d*x]])/d - (a*A*\text{Cot}[c + d*x]^6*(a + I*a*\text{Tan}[c + d*x])^3)/(6*d) - (((3*I)*A + 2*B)*\text{Cot}[c + d*x]^5*(a^2 + I*a^2*\text{Tan}[c + d*x])^2)/(10*d) + ((13*A - (12*I)*B)*\text{Cot}[c + d*x]^4*(a^4 + I*a^4*\text{Tan}[c + d*x]))/(20*d)$

Rubi [A] time = 0.645658, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3593, 3591, 3529, 3531, 3475}

$$\frac{a^4(92B + 93iA) \cot^3(c + dx)}{60d} - \frac{4a^4(A - iB) \cot^2(c + dx)}{d} - \frac{8a^4(B + iA) \cot(c + dx)}{d} - \frac{8a^4(A - iB) \log(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^7*(a + I*a*\text{Tan}[c + d*x])^4*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-8a^4(I*A + B)*x - (8a^4(I*A + B)*\text{Cot}[c + d*x])/d - (4a^4(A - I*B)*\text{Cot}[c + d*x]^2)/d + (a^4((93*I)*A + 92*B)*\text{Cot}[c + d*x]^3)/(60*d) - (8a^4(A - I*B)*\text{Log}[\text{Sin}[c + d*x]])/d - (a*A*\text{Cot}[c + d*x]^6*(a + I*a*\text{Tan}[c + d*x])^3)/(6*d) - (((3*I)*A + 2*B)*\text{Cot}[c + d*x]^5*(a^2 + I*a^2*\text{Tan}[c + d*x])^2)/(10*d) + ((13*A - (12*I)*B)*\text{Cot}[c + d*x]^4*(a^4 + I*a^4*\text{Tan}[c + d*x]))/(20*d)$

Rule 3593

$\text{Int}[(a + (b_*)\text{tan}[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\text{tan}[(e_*) + (f_*)(x_*)])^{(n_*)}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)})/(d*f*(b*c + a*d)*(n + 1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[(a + (b_*)\text{tan}[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\text{tan}[(e_*) + (f_*)(x_*)])^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[(a + (b_*)\text{tan}[(e_*) + (f_*)(x_*)])^{(m_*)}((c_*) + (d_*)\text{tan}[(e_*) + (f_*)(x_*)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})]$

$$\int (f(m+1)(a^2+b^2))^m dx + \text{Dist}\left[\frac{1}{a^2+b^2}, \int (a+b\tan[e+fx])^{m+1} \text{Simp}[a*c+b*d-(b*c-a*d)\tan[e+fx], x], x\right] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c-a*d, 0] \&\& \text{NeQ}[a^2+b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 3531

$$\text{Int}[\frac{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}{(a_.) + (b_.)\tan[(e_.) + (f_.)x]}, x_Symbol] :> \text{Simp}[\frac{(a*c + b*d)x}{a^2 + b^2}, x] + \text{Dist}[\frac{(b*c - a*d)}{a^2 + b^2}, \text{Int}[\frac{(b - a\tan[e + fx])}{(a + b\tan[e + fx])}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a*c + b*d, 0]$$

Rule 3475

$$\text{Int}[\tan[(c_.) + (d_.)x], x_Symbol] :> -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + dx], x]], x] /; \text{FreeQ}\{c, d\}, x\}$$

Rubi steps

$$\begin{aligned} \int \cot^7(c+dx)(a+ia\tan(c+dx))^4(A+B\tan(c+dx))dx &= -\frac{aA\cot^6(c+dx)(a+ia\tan(c+dx))^3}{6d} + \frac{1}{6} \int \cot^6(c+dx) \\ &= -\frac{aA\cot^6(c+dx)(a+ia\tan(c+dx))^3}{6d} - \frac{(3iA+2B)\cot^5(c+dx)}{6d} \\ &= -\frac{aA\cot^6(c+dx)(a+ia\tan(c+dx))^3}{6d} - \frac{(3iA+2B)\cot^5(c+dx)}{6d} \\ &= \frac{a^4(93iA+92B)\cot^3(c+dx)}{60d} - \frac{aA\cot^6(c+dx)(a+ia\tan(c+dx))^3}{6d} \\ &= -\frac{4a^4(A-iB)\cot^2(c+dx)}{d} + \frac{a^4(93iA+92B)\cot^3(c+dx)}{60d} \\ &= -\frac{8a^4(iA+B)\cot(c+dx)}{d} - \frac{4a^4(A-iB)\cot^2(c+dx)}{d} + \frac{a^4(93iA+92B)\cot^3(c+dx)}{60d} \\ &= -8a^4(iA+B)x - \frac{8a^4(iA+B)\cot(c+dx)}{d} - \frac{4a^4(A-iB)\cot^2(c+dx)}{d} + \frac{a^4(93iA+92B)\cot^3(c+dx)}{60d} \\ &= -8a^4(iA+B)x - \frac{8a^4(iA+B)\cot(c+dx)}{d} - \frac{4a^4(A-iB)\cot^2(c+dx)}{d} + \frac{a^4(93iA+92B)\cot^3(c+dx)}{60d} \end{aligned}$$

Mathematica [B] time = 9.4112, size = 1009, normalized size = 4.52

$$a^4 \frac{(\cot(c+dx) + i)^4(B + A\cot(c+dx))(A\cos(2c) - iB\cos(2c) - iA\sin(2c) - B\sin(2c)) (8i\tan^{-1}(\tan(5c+dx))\cos(2c) - \cot(2c))}{d(\cos(dx) + i\sin(dx))^4(A\cos(c+dx) + B\sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^7*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] $a^4 \left((I + \cot[c + dx])^4 (B + A \cot[c + dx]) (A \cos[2c] - I B \cos[2c] - I A \sin[2c] - B \sin[2c]) ((8I) \text{ArcTan}[\tan[5c + dx]] \cos[2c] + 8 \text{ArcTan}[\tan[5c + dx]] \sin[2c]) \sin[c + dx]^5 / (d (\cos[dx] + I \sin[dx])^4 (A \cos[c + dx] + B \sin[c + dx])) + (I + \cot[c + dx])^4 (B + A \cot[c + dx]) (A \cos[2c] - I B \cos[2c] - I A \sin[2c] - B \sin[2c]) (-4 \cos[2c] \text{Log}[\sin[c + dx]^2] + (4I) \text{Log}[\sin[c + dx]^2] \sin[2c]) \sin[c + dx]^5 / (d (\cos[dx] + I \sin[dx])^4 (A \cos[c + dx] + B \sin[c + dx])) \right)$


```

*(Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (x*(I + Cot
[c + d*x])^4*(B + A*Cot[c + d*x]))*((-40*I)*A*Cos[c]^4 - 40*B*Cos[c]^4 + 8*A
*Cos[c]^4*Cot[c] - (8*I)*B*Cos[c]^4*Cot[c] - 80*A*Cos[c]^3*Sin[c] + (80*I)*
B*Cos[c]^3*Sin[c] + (80*I)*A*Cos[c]^2*Sin[c]^2 + 80*B*Cos[c]^2*Sin[c]^2 + 4
0*A*Cos[c]*Sin[c]^3 - (40*I)*B*Cos[c]*Sin[c]^3 - (8*I)*A*Sin[c]^4 - 8*B*Sin
[c]^4 + (A - I*B)*Cot[c]*(-8*Cos[4*c] + (8*I)*Sin[4*c]))*Sin[c + d*x]^5)/((
Cos[d*x] + I*Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x])) + ((I + Cot[c +
d*x])^4*(B + A*Cot[c + d*x]))*Csc[c]*Csc[c + d*x]*(Cos[4*c]/240 - (I/240)*S
in[4*c])*((860*I)*A*Cos[c] + 790*B*Cos[c] - (780*I)*A*Cos[c + 2*d*x] - 720*
B*Cos[c + 2*d*x] - (510*I)*A*Cos[3*c + 2*d*x] - 465*B*Cos[3*c + 2*d*x] + (3
66*I)*A*Cos[3*c + 4*d*x] + 354*B*Cos[3*c + 4*d*x] + (150*I)*A*Cos[5*c + 4*d
*x] + 120*B*Cos[5*c + 4*d*x] - (86*I)*A*Cos[5*c + 6*d*x] - 79*B*Cos[5*c + 6
*d*x] - 490*A*Sin[c] + (420*I)*B*Sin[c] - (600*I)*A*d*x*Sin[c] - 600*B*d*x*
Sin[c] - 345*A*Sin[c + 2*d*x] + (300*I)*B*Sin[c + 2*d*x] - (450*I)*A*d*x*Si
n[c + 2*d*x] - 450*B*d*x*Sin[c + 2*d*x] + 345*A*Sin[3*c + 2*d*x] - (300*I)*
B*Sin[3*c + 2*d*x] + (450*I)*A*d*x*Sin[3*c + 2*d*x] + 450*B*d*x*Sin[3*c + 2
*d*x] + 120*A*Sin[3*c + 4*d*x] - (90*I)*B*Sin[3*c + 4*d*x] + (180*I)*A*d*x*
Sin[3*c + 4*d*x] + 180*B*d*x*Sin[3*c + 4*d*x] - 120*A*Sin[5*c + 4*d*x] + (9
0*I)*B*Sin[5*c + 4*d*x] - (180*I)*A*d*x*Sin[5*c + 4*d*x] - 180*B*d*x*Sin[5*
c + 4*d*x] - (30*I)*A*d*x*Sin[5*c + 6*d*x] - 30*B*d*x*Sin[5*c + 6*d*x] + (3
0*I)*A*d*x*Sin[7*c + 6*d*x] + 30*B*d*x*Sin[7*c + 6*d*x]))/(d*(Cos[d*x] + I*
Sin[d*x])^4*(A*Cos[c + d*x] + B*Sin[c + d*x]))

```

Maple [A] time = 0.087, size = 259, normalized size = 1.2

$$\frac{4iBa^4(\cot(dx+c))^2}{d} + \frac{\frac{8i}{3}Aa^4(\cot(dx+c))^3}{d} - 8\frac{Aa^4\ln(\sin(dx+c))}{d} - \frac{Ba^4(\cot(dx+c))^5}{5d} - 4\frac{Aa^4(\cot(dx+c))^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^7*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)
```

```
[Out] 4*I/d*B*a^4*cot(d*x+c)^2+8/3*I/d*A*a^4*cot(d*x+c)^3-8*a^4*A*ln(sin(d*x+c))/
d-1/5/d*B*a^4*cot(d*x+c)^5-4/d*A*a^4*cot(d*x+c)^2-8/d*B*a^4*c-8/d*B*cot(d*x
+c)*a^4-1/6/d*A*a^4*cot(d*x+c)^6+7/4/d*A*a^4*cot(d*x+c)^4+7/3/d*B*a^4*cot(d
*x+c)^3-4/5*I/d*A*a^4*cot(d*x+c)^5-8*I/d*A*a^4*cot(d*x+c)+8*I/d*B*a^4*ln(si
n(d*x+c))-8*B*a^4*x-8*I/d*A*a^4*c-I/d*B*a^4*cot(d*x+c)^4-8*I*A*x*a^4
```

Maxima [A] time = 2.04492, size = 239, normalized size = 1.07

$$\frac{480(dx+c)(iA+B)a^4 - 60(4A-4iB)a^4 \log(\tan(dx+c)^2+1) + 60(8A-8iB)a^4 \log(\tan(dx+c)) - \frac{480(-iA-B)}{60d}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^7*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="
maxima")
```

```
[Out] -1/60*(480*(d*x + c)*(I*A + B)*a^4 - 60*(4*A - 4*I*B)*a^4*log(tan(d*x + c)^
2 + 1) + 60*(8*A - 8*I*B)*a^4*log(tan(d*x + c)) - (480*(-I*A - B)*a^4*tan(d
*x + c)^5 - (240*A - 240*I*B)*a^4*tan(d*x + c)^4 + 20*(8*I*A + 7*B)*a^4*tan
(d*x + c)^3 + (105*A - 60*I*B)*a^4*tan(d*x + c)^2 + 12*(-4*I*A - B)*a^4*tan
(d*x + c) - 10*A*a^4)/tan(d*x + c)^6/d
```

Fricas [A] time = 1.36707, size = 948, normalized size = 4.25

$$4 \left(30(9A - 7iB)a^4 e^{(10i dx + 10i c)} - 45(19A - 17iB)a^4 e^{(8i dx + 8i c)} + 10(135A - 121iB)a^4 e^{(6i dx + 6i c)} - 15(75A - 68iB)a^4 e^{(4i dx + 4i c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^7*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{4}{15} \left(30(9A - 7iB)a^4 e^{(10I d x + 10I c)} - 45(19A - 17iB)a^4 e^{(8I d x + 8I c)} + 10(135A - 121iB)a^4 e^{(6I d x + 6I c)} - 15(75A - 68iB)a^4 e^{(4I d x + 4I c)} + 6(81A - 74iB)a^4 e^{(2I d x + 2I c)} - (86A - 79iB)a^4 - 30((A - I*B)a^4 e^{(12I d x + 12I c)} - 6(A - I*B)a^4 e^{(10I d x + 10I c)} + 15(A - I*B)a^4 e^{(8I d x + 8I c)} - 20(A - I*B)a^4 e^{(6I d x + 6I c)} + 15(A - I*B)a^4 e^{(4I d x + 4I c)} - 6(A - I*B)a^4 e^{(2I d x + 2I c)} + (A - I*B)a^4) \log(e^{(2I d x + 2I c)} - 1) \right) / (d e^{(12I d x + 12I c)} - 6d e^{(10I d x + 10I c)} + 15d e^{(8I d x + 8I c)} - 20d e^{(6I d x + 6I c)} + 15d e^{(4I d x + 4I c)} - 6d e^{(2I d x + 2I c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**7*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [B] time = 2.11067, size = 624, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^7*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/1920*(5A*a^4*\tan(1/2*d*x + 1/2*c)^6 - 48I*A*a^4*\tan(1/2*d*x + 1/2*c)^5 \\ & - 12B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 240A*a^4*\tan(1/2*d*x + 1/2*c)^4 + 120 \\ & *I*B*a^4*\tan(1/2*d*x + 1/2*c)^4 + 880I*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 620* \\ & B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 2835A*a^4*\tan(1/2*d*x + 1/2*c)^2 - 2400I*B \\ & *a^4*\tan(1/2*d*x + 1/2*c)^2 - 10080I*A*a^4*\tan(1/2*d*x + 1/2*c) - 9480B*a \\ & ^4*\tan(1/2*d*x + 1/2*c) - 3840*(8A*a^4 - 8I*B*a^4)*\log(\tan(1/2*d*x + 1/2* \\ & c) + I) + 3840*(4A*a^4 - 4I*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) - (3763 \\ & 2A*a^4*\tan(1/2*d*x + 1/2*c)^6 - 37632I*B*a^4*\tan(1/2*d*x + 1/2*c)^6 - 100 \\ & 80I*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 9480B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 283 \\ & 5A*a^4*\tan(1/2*d*x + 1/2*c)^4 + 2400I*B*a^4*\tan(1/2*d*x + 1/2*c)^4 + 880* \\ & I*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 620B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 240A*a \\ & ^4*\tan(1/2*d*x + 1/2*c)^2 - 120I*B*a^4*\tan(1/2*d*x + 1/2*c)^2 - 48I*A*a^4 \end{aligned}$$

$$\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 12B a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 5A a^4}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^6} / d$$

$$3.36 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=129

$$\frac{(-B + iA) \tan^3(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{(A + 2iB) \tan^2(c + dx)}{2ad} - \frac{3(-B + iA) \tan(c + dx)}{2ad} - \frac{(A + 2iB) \log(\cos(c + dx))}{ad} + \frac{3x(-B + iA)}{2a}$$

[Out] (3*(I*A - B)*x)/(2*a) - ((A + (2*I)*B)*Log[Cos[c + d*x]])/(a*d) - (3*(I*A - B)*Tan[c + d*x])/(2*a*d) - ((A + (2*I)*B)*Tan[c + d*x]^2)/(2*a*d) + ((I*A - B)*Tan[c + d*x]^3)/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.173158, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3595, 3528, 3525, 3475}

$$\frac{(-B + iA) \tan^3(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{(A + 2iB) \tan^2(c + dx)}{2ad} - \frac{3(-B + iA) \tan(c + dx)}{2ad} - \frac{(A + 2iB) \log(\cos(c + dx))}{ad} + \frac{3x(-B + iA)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] (3*(I*A - B)*x)/(2*a) - ((A + (2*I)*B)*Log[Cos[c + d*x]])/(a*d) - (3*(I*A - B)*Tan[c + d*x])/(2*a*d) - ((A + (2*I)*B)*Tan[c + d*x]^2)/(2*a*d) + ((I*A - B)*Tan[c + d*x]^3)/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3525

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{a+ia\tan(c+dx)} dx &= \frac{(iA-B)\tan^3(c+dx)}{2d(a+ia\tan(c+dx))} - \frac{\int \tan^2(c+dx)(3a(iA-B)+2a(A+2iB)\tan(c+dx))}{2a^2} \\
&= -\frac{(A+2iB)\tan^2(c+dx)}{2ad} + \frac{(iA-B)\tan^3(c+dx)}{2d(a+ia\tan(c+dx))} - \frac{\int \tan(c+dx)(-2a(A+2iB)\tan(c+dx))}{2a^2} \\
&= \frac{3(iA-B)x}{2a} - \frac{3(iA-B)\tan(c+dx)}{2ad} - \frac{(A+2iB)\tan^2(c+dx)}{2ad} + \frac{(iA-B)\tan^3(c+dx)}{2d(a+ia\tan(c+dx))} \\
&= \frac{3(iA-B)x}{2a} - \frac{(A+2iB)\log(\cos(c+dx))}{ad} - \frac{3(iA-B)\tan(c+dx)}{2ad} - \frac{(A+2iB)\tan^2(c+dx)}{2ad}
\end{aligned}$$

Mathematica [B] time = 7.1989, size = 898, normalized size = 6.96

$$\frac{\left(\frac{1}{2}B\sin(c) - \frac{1}{2}iB\cos(c)\right)(\cos(dx) + i\sin(dx))(A + B\tan(c + dx))\sec^2(c + dx)}{d(A\cos(c + dx) + B\sin(c + dx))(i\tan(c + dx)a + a)} + \frac{(\cos(dx) + i\sin(dx))(A\cos(c - dx) - B\sin(c - dx))}{d(A\cos(c + dx) + B\sin(c + dx))(i\tan(c + dx)a + a)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((A*Cos[c/2] + (2*I)*B*Cos[c/2] + I*A*Sin[c/2] - 2*B*Sin[c/2])*(I*ArcTan[Tan[d*x]]*Cos[c/2] - ArcTan[Tan[d*x]]*Sin[c/2])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A*Cos[c/2] + (2*I)*B*Cos[c/2] + I*A*Sin[c/2] - 2*B*Sin[c/2])*(-(Cos[c/2]*Log[Cos[c + d*x]^2])/2 - (I/2)*Log[Cos[c + d*x]^2]*Sin[c/2])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*Cos[2*d*x]*(Cos[c]/4 - (I/4)*Sin[c])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Sec[c + d*x]^2*((-I/2)*B*Cos[c] + (B*Sin[c])/2)*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*(((3*I)/2)*d*x*Cos[c] - (3*d*x*Sin[c])/2)*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (((-I)*A + B)*(Cos[c]/4 - (I/4)*Sin[c])*(Cos[d*x] + I*Sin[d*x])*Sin[2*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])*(A*Cos[c - d*x] + I*B*Cos[c - d*x] - A*Cos[c + d*x] - I*B*Cos[c + d*x] + I*A*Sin[c - d*x] - B*Sin[c - d*x] - I*A*Sin[c + d*x] + B*Sin[c + d*x])*(A + B*Tan[c + d*x]))/(2*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (x*(Cos[d*x] + I*Sin[d*x])*((-I)*A*Sec[c] + 2*B*Sec[c] + (A + (2*I)*B)*(Cos[c] + I*Sin[c])*Tan[c])*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.033, size = 169, normalized size = 1.3

$$\frac{B\tan(dx+c)}{ad} - \frac{\frac{i}{2}B(\tan(dx+c))^2}{ad} - \frac{iA\tan(dx+c)}{ad} + \frac{5\ln(\tan(dx+c)-i)A}{4ad} + \frac{\frac{7i}{4}\ln(\tan(dx+c)-i)B}{ad} - \frac{B}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] $1/d/a*B*\tan(d*x+c)-1/2*I/d/a*B*\tan(d*x+c)^2-I/d/a*A*\tan(d*x+c)+5/4/d/a*\ln(\tan(d*x+c)-I)*A+7/4*I/d/a*\ln(\tan(d*x+c)-I)*B-1/2*I/d/a/(\tan(d*x+c)-I)*A+1/2/d/a/(\tan(d*x+c)-I)*B-1/4/d/a*A*\ln(\tan(d*x+c)+I)+1/4*I/d/a*B*\ln(\tan(d*x+c)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.46816, size = 527, normalized size = 4.09

$$\frac{(10iA - 14B)dx e^{(6i dx + 6i c)} + ((20iA - 28B)dx + 9A + iB)e^{(4i dx + 4i c)} + ((10iA - 14B)dx + 10A + 10iB)e^{(2i dx + 2i c)} - 4 \left((ade^{(6i dx + 6i c)} + 2ade^{(4i dx + 4i c)} + ad \right)}{4 \left(ade^{(6i dx + 6i c)} + 2ade^{(4i dx + 4i c)} + ad \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")`

[Out] $1/4*((10*I*A - 14*B)*d*x*e^{(6*I*d*x + 6*I*c)} + ((20*I*A - 28*B)*d*x + 9*A + I*B)*e^{(4*I*d*x + 4*I*c)} + ((10*I*A - 14*B)*d*x + 10*A + 10*I*B)*e^{(2*I*d*x + 2*I*c)} - 4*((A + 2*I*B)*e^{(6*I*d*x + 6*I*c)} + 2*(A + 2*I*B)*e^{(4*I*d*x + 4*I*c)} + (A + 2*I*B)*e^{(2*I*d*x + 2*I*c)})*\log(e^{(2*I*d*x + 2*I*c)} + 1) + A + I*B)/(a*d*e^{(6*I*d*x + 6*I*c)} + 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})$

Sympy [A] time = 13.3631, size = 196, normalized size = 1.52

$$\frac{\frac{2Ae^{-2ic}e^{2idx}}{ad} + \frac{(2A+2iB)e^{-4ic}}{ad}}{e^{4idx} + 2e^{-2ic}e^{2idx} + e^{-4ic}} + \frac{\left(\begin{cases} 5iAxe^{2ic} + \frac{Ae^{-2idx}}{2d} - 7Bxe^{2ic} + \frac{iBe^{-2idx}}{2d} & \text{for } d \neq 0 \\ x(5iAe^{2ic} - iA - 7Be^{2ic} + B) & \text{otherwise} \end{cases} \right) e^{-2ic}}{2a} - \frac{(A + 2iB) \log(e^{2idx} + e^{-2ic})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)`

[Out] $(2*A*\exp(-2*I*c)*\exp(2*I*d*x)/(a*d) + (2*A + 2*I*B)*\exp(-4*I*c)/(a*d))/(\exp(4*I*d*x) + 2*\exp(-2*I*c)*\exp(2*I*d*x) + \exp(-4*I*c)) + \text{Piecewise}((5*I*A*x*\exp(2*I*c) + A*\exp(-2*I*d*x)/(2*d) - 7*B*x*\exp(2*I*c) + I*B*\exp(-2*I*d*x)/(2*d), \text{Ne}(d, 0)), (x*(5*I*A*\exp(2*I*c) - I*A - 7*B*\exp(2*I*c) + B), \text{True}))*\exp(-2*I*c)/(2*a) - (A + 2*I*B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/(a*d)$

Giac [A] time = 2.01044, size = 169, normalized size = 1.31

$$\frac{\frac{(5A+7iB)\log(\tan(dx+c)-i)}{a} - \frac{(A-iB)\log(-i\tan(dx+c)+1)}{a} - \frac{2(iBa\tan(dx+c)^2+2iAa\tan(dx+c)-2Ba\tan(dx+c))}{a^2} - \frac{5A\tan(dx+c)+7iB\tan(dx+c)-i}{a(\tan(dx+c)-i)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] 1/4*((5*A + 7*I*B)*log(tan(d*x + c) - I)/a - (A - I*B)*log(-I*tan(d*x + c) + 1)/a - 2*(I*B*a*tan(d*x + c)^2 + 2*I*A*a*tan(d*x + c) - 2*B*a*tan(d*x + c))/a^2 - (5*A*tan(d*x + c) + 7*I*B*tan(d*x + c) - 3*I*A + 5*B)/(a*(tan(d*x + c) - I)))/d

$$3.37 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=101

$$\frac{(-B + iA) \tan^2(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{(A + 3iB) \tan(c + dx)}{2ad} + \frac{(-B + iA) \log(\cos(c + dx))}{ad} + \frac{x(A + 3iB)}{2a}$$

[Out] ((A + (3*I)*B)*x)/(2*a) + ((I*A - B)*Log[Cos[c + d*x]])/(a*d) - ((A + (3*I)*B)*Tan[c + d*x])/(2*a*d) + ((I*A - B)*Tan[c + d*x]^2)/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.124644, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {3595, 3525, 3475}

$$\frac{(-B + iA) \tan^2(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{(A + 3iB) \tan(c + dx)}{2ad} + \frac{(-B + iA) \log(\cos(c + dx))}{ad} + \frac{x(A + 3iB)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((A + (3*I)*B)*x)/(2*a) + ((I*A - B)*Log[Cos[c + d*x]])/(a*d) - ((A + (3*I)*B)*Tan[c + d*x])/(2*a*d) + ((I*A - B)*Tan[c + d*x]^2)/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3525

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\tan^2(c+dx)(A+B\tan(c+dx))}{a+ia\tan(c+dx)} dx = \frac{(iA-B)\tan^2(c+dx)}{2d(a+ia\tan(c+dx))} - \frac{\int \tan(c+dx)(2a(iA-B)+a(A+3iB)\tan(c+dx))}{2a^2}$$

$$= \frac{(A+3iB)x}{2a} - \frac{(A+3iB)\tan(c+dx)}{2ad} + \frac{(iA-B)\tan^2(c+dx)}{2d(a+ia\tan(c+dx))} - \frac{(iA-B)\int \tan(c+dx)}{2d(a+ia\tan(c+dx))}$$

$$= \frac{(A+3iB)x}{2a} + \frac{(iA-B)\log(\cos(c+dx))}{ad} - \frac{(A+3iB)\tan(c+dx)}{2ad} + \frac{(iA-B)\int \tan(c+dx)}{2d(a+ia\tan(c+dx))}$$

Mathematica [B] time = 4.35677, size = 240, normalized size = 2.38

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx))((B - iA)(\cos(c) - i \sin(c)) \cos(2dx) + 2dx(A + 3iB)(\cos(c) + i \sin(c)) + (A + B) \cos(2c))}{(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(-4*A*d*x*Sec[c] - (4*I)*B*d*x*Sec[c] + ((-I)*A + B)*Cos[2*d*x]*(Cos[c] - I*Sin[c]) + 2*(A + (3*I)*B)*d*x*(Cos[c] + I*Sin[c]) + 4*(A + I*B)*ArcTan[Tan[d*x]]*(Cos[c] + I*Sin[c]) + (2*I)*(A + I*B)*Log[Cos[c + d*x]^2]*(Cos[c] + I*Sin[c]) + (A + I*B)*(-Cos[c] + I*Sin[c])*Sin[2*d*x] + 4*(A + I*B)*d*x*((-I)*Cos[c] + Sin[c])*Tan[c] + 4*B*Sec[c + d*x]*Sin[d*x]*(-I + Tan[c]))*(A + B*Tan[c + d*x]))/(4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.028, size = 137, normalized size = 1.4

$$\frac{-iB \tan(dx+c)}{ad} - \frac{A}{2ad(\tan(dx+c)-i)} - \frac{\frac{i}{2}B}{ad(\tan(dx+c)-i)} - \frac{\frac{3i}{4} \ln(\tan(dx+c)-i)A}{ad} + \frac{5 \ln(\tan(dx+c)-i)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] -I/d/a*B*tan(d*x+c)-1/2/d/a/(tan(d*x+c)-I)*A-1/2*I/d/a/(tan(d*x+c)-I)*B-3/4*I/d/a*ln(tan(d*x+c)-I)*A+5/4/d/a*ln(tan(d*x+c)-I)*B-1/4/d/a*B*ln(tan(d*x+c)+I)-1/4*I/d/a*A*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.4707, size = 362, normalized size = 3.58

$$\frac{2(3A + 5iB)dx e^{(4i dx + 4ic)} + (2(3A + 5iB)dx - iA + 9B)e^{(2i dx + 2ic)} + ((4iA - 4B)e^{(4i dx + 4ic)} + (4iA - 4B)e^{(2i dx + 2ic)}) \log}{4(ad e^{(4i dx + 4ic)} + ad e^{(2i dx + 2ic)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(2*(3*A + 5*I*B)*d*x*e^(4*I*d*x + 4*I*c) + (2*(3*A + 5*I*B)*d*x - I*A + 9*B)*e^(2*I*d*x + 2*I*c) + ((4*I*A - 4*B)*e^(4*I*d*x + 4*I*c) + (4*I*A - 4*B)*e^(2*I*d*x + 2*I*c))*log(e^(2*I*d*x + 2*I*c) + 1) - I*A + B)/(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))

Sympy [A] time = 7.31978, size = 150, normalized size = 1.49

$$\frac{2Be^{-2ic}}{ad(e^{2idx} + e^{-2ic})} + \frac{\left(\begin{cases} 3Axe^{2ic} - \frac{iAe^{-2idx}}{2d} + 5iBxe^{2ic} + \frac{Be^{-2idx}}{2d} & \text{for } d \neq 0 \\ x(3Ae^{2ic} - A + 5iBe^{2ic} - iB) & \text{otherwise} \end{cases} \right) e^{-2ic}}{2a} + \frac{(iA - B) \log(e^{2idx} + e^{-2ic})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] 2*B*exp(-2*I*c)/(a*d*(exp(2*I*d*x) + exp(-2*I*c))) + Piecewise((3*A*x*exp(2*I*c) - I*A*exp(-2*I*d*x)/(2*d) + 5*I*B*x*exp(2*I*c) + B*exp(-2*I*d*x)/(2*d), Ne(d, 0)), (x*(3*A*exp(2*I*c) - A + 5*I*B*exp(2*I*c) - I*B), True))*exp(-2*I*c)/(2*a) + (I*A - B)*log(exp(2*I*d*x) + exp(-2*I*c))/(a*d)

Giac [A] time = 1.63444, size = 136, normalized size = 1.35

$$\frac{\frac{(-iA-B) \log(\tan(dx+c)+i)}{a} - \frac{(3iA-5B) \log(-i \tan(dx+c)-1)}{a} - \frac{4iB \tan(dx+c)}{a} - \frac{-3iA \tan(dx+c)+5B \tan(dx+c)-A-3iB}{a(\tan(dx+c)-i)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] 1/4*((-I*A - B)*log(tan(d*x + c) + I)/a - (3*I*A - 5*B)*log(-I*tan(d*x + c) - 1)/a - 4*I*B*tan(d*x + c)/a - (-3*I*A*tan(d*x + c) + 5*B*tan(d*x + c) - A - 3*I*B)/(a*(tan(d*x + c) - I)))/d

$$3.38 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=67

$$-\frac{A+iB}{2ad(1+i \tan(c+dx))} - \frac{x(-B+iA)}{2a} + \frac{iB \log(\cos(c+dx))}{ad}$$

[Out] -((I*A - B)*x)/(2*a) + (I*B*Log[Cos[c + d*x]])/(a*d) - (A + I*B)/(2*a*d*(1 + I*Tan[c + d*x]))

Rubi [A] time = 0.093083, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3589, 3475, 12, 3526, 8}

$$-\frac{A+iB}{2ad(1+i \tan(c+dx))} - \frac{x(-B+iA)}{2a} + \frac{iB \log(\cos(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] -((I*A - B)*x)/(2*a) + (I*B*Log[Cos[c + d*x]])/(a*d) - (A + I*B)/(2*a*d*(1 + I*Tan[c + d*x]))

Rule 3589

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(B*d)/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3526

Int[(((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\tan(c+dx)(A+B\tan(c+dx))}{a+ia\tan(c+dx)} dx &= -\frac{i \int \frac{a(iA-B)\tan(c+dx)}{a+ia\tan(c+dx)} dx}{a} - \frac{(iB) \int \tan(c+dx) dx}{a} \\
&= \frac{iB \log(\cos(c+dx))}{ad} - (-A-iB) \int \frac{\tan(c+dx)}{a+ia\tan(c+dx)} dx \\
&= \frac{iB \log(\cos(c+dx))}{ad} - \frac{A+iB}{2d(a+ia\tan(c+dx))} - \frac{(iA-B) \int 1 dx}{2a} \\
&= -\frac{(iA-B)x}{2a} + \frac{iB \log(\cos(c+dx))}{ad} - \frac{A+iB}{2d(a+ia\tan(c+dx))}
\end{aligned}$$

Mathematica [B] time = 0.918988, size = 148, normalized size = 2.21

$$\frac{\cos(c+dx)(A+B\tan(c+dx))(\tan(c+dx)(-2iAdx+A+2iB\log(\cos^2(c+dx))-2Bdx+iB)-2Adx+iA+4B\tan(c+dx))}{4ad(\tan(c+dx)-i)(A\cos(c+dx)+B\sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]*(A + B*Tan[c + d*x])*(I*A - B - 2*A*d*x + (2*I)*B*d*x + 2*B*Log[Cos[c + d*x]^2] + (A + I*B - (2*I)*A*d*x - 2*B*d*x + (2*I)*B*Log[Cos[c + d*x]^2]) * Tan[c + d*x] + 4*B*ArcTan[Tan[d*x]]*(-I + Tan[c + d*x])))/(4*a*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(-I + Tan[c + d*x]))

Maple [A] time = 0.027, size = 121, normalized size = 1.8

$$-\frac{\ln(\tan(dx+c)-i)A}{4ad} - \frac{\frac{3i}{4}\ln(\tan(dx+c)-i)B}{ad} + \frac{\frac{i}{2}A}{ad(\tan(dx+c)-i)} - \frac{B}{2ad(\tan(dx+c)-i)} + \frac{A\ln(\tan(dx+c))}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

[Out] -1/4/d/a*ln(tan(d*x+c)-I)*A-3/4*I/d/a*ln(tan(d*x+c)-I)*B+1/2*I/d/a/(tan(d*x+c)-I)*A-1/2/d/a/(tan(d*x+c)-I)*B+1/4/d/a*A*ln(tan(d*x+c)+I)-1/4*I/d/a*B*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.55483, size = 189, normalized size = 2.82

$$\frac{((-2i A + 6 B)dx e^{(2i dx + 2i c)} + 4i B e^{(2i dx + 2i c)} \log(e^{(2i dx + 2i c)} + 1) - A - i B)e^{(-2i dx - 2i c)}}{4 a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/4*((-2*I*A + 6*B)*d*x*e^(2*I*d*x + 2*I*c) + 4*I*B*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) + 1) - A - I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)

Sympy [A] time = 4.19816, size = 114, normalized size = 1.7

$$\frac{iB \log(e^{2idx} + e^{-2ic})}{ad} - \frac{\left(\begin{cases} iAxe^{2ic} + \frac{Ae^{-2idx}}{2d} - 3Bxe^{2ic} + \frac{iBe^{-2idx}}{2d} & \text{for } d \neq 0 \\ x(iAe^{2ic} - iA - 3Be^{2ic} + B) & \text{otherwise} \end{cases} \right) e^{-2ic}}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] I*B*log(exp(2*I*d*x) + exp(-2*I*c))/(a*d) - Piecewise((I*A*x*exp(2*I*c) + A*exp(-2*I*d*x)/(2*d) - 3*B*x*exp(2*I*c) + I*B*exp(-2*I*d*x)/(2*d), Ne(d, 0)), (x*(I*A*exp(2*I*c) - I*A - 3*B*exp(2*I*c) + B), True))*exp(-2*I*c)/(2*a)

Giac [A] time = 1.44311, size = 111, normalized size = 1.66

$$\frac{\frac{(A+3iB) \log(\tan(dx+c)-i)}{a} - \frac{(A-iB) \log(i \tan(dx+c)-1)}{a} - \frac{A \tan(dx+c)+3iB \tan(dx+c)+iA+B}{a(\tan(dx+c)-i)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] -1/4*((A + 3*I*B)*log(tan(d*x + c) - I)/a - (A - I*B)*log(I*tan(d*x + c) - 1)/a - (A*tan(d*x + c) + 3*I*B*tan(d*x + c) + I*A + B)/(a*(tan(d*x + c) - I)))/d

$$3.39 \quad \int \frac{A+B \tan(c+dx)}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=47

$$\frac{-B+iA}{2d(a+ia \tan(c+dx))} + \frac{x(A-iB)}{2a}$$

[Out] ((A - I*B)*x)/(2*a) + (I*A - B)/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.0427031, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {3526, 8}

$$\frac{-B+iA}{2d(a+ia \tan(c+dx))} + \frac{x(A-iB)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x]),x]

[Out] ((A - I*B)*x)/(2*a) + (I*A - B)/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3526

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{A+B \tan(c+dx)}{a+ia \tan(c+dx)} dx &= \frac{iA-B}{2d(a+ia \tan(c+dx))} + \frac{(A-iB) \int 1 dx}{2a} \\ &= \frac{(A-iB)x}{2a} + \frac{iA-B}{2d(a+ia \tan(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.452348, size = 102, normalized size = 2.17

$$\frac{\cos(c+dx)(A+B \tan(c+dx))((A(2dx-i)-2iBdx+B) \tan(c+dx)-2iAdx+A+B(-2dx+i))}{4ad(\tan(c+dx)-i)(A \cos(c+dx)+B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x]),x]

[Out] (Cos[c + d*x]*(A + B*Tan[c + d*x])*(A - (2*I)*A*d*x + B*(I - 2*d*x) + (B - (2*I)*B*d*x + A*(-I + 2*d*x))*Tan[c + d*x]))/(4*a*d*(A*Cos[c + d*x] + B*Sin

$[c + d*x]*(-I + \text{Tan}[c + d*x])$

Maple [B] time = 0.027, size = 121, normalized size = 2.6

$$\frac{A}{2ad(\tan(dx+c)-i)} + \frac{\frac{i}{2}B}{ad(\tan(dx+c)-i)} - \frac{\frac{i}{4}\ln(\tan(dx+c)-i)A}{ad} - \frac{\ln(\tan(dx+c)-i)B}{4ad} + \frac{B\ln(\tan(dx+c)-i)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)`

[Out] $\frac{1}{2} \frac{d}{a} \frac{1}{\tan(dx+c)-I} A + \frac{1}{2} \frac{I}{d} \frac{1}{a} \frac{1}{\tan(dx+c)-I} B - \frac{1}{4} \frac{I}{d} \frac{1}{a} \ln(\tan(dx+c)-I) A - \frac{1}{4} \frac{I}{d} \frac{1}{a} \ln(\tan(dx+c)-I) B + \frac{1}{4} \frac{I}{d} \frac{1}{a} B \ln(\tan(dx+c)+I) + \frac{1}{4} \frac{I}{d} \frac{1}{a} A \ln(\tan(dx+c)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.39061, size = 108, normalized size = 2.3

$$\frac{(2(A-iB)dx e^{(2i dx+2ic)} + iA-B)e^{(-2i dx-2ic)}}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{4} * (2 * (A - I * B) * d * x * e^{(2 * I * d * x + 2 * I * c)} + I * A - B) * e^{(-2 * I * d * x - 2 * I * c)} / (a * d)$

Sympy [A] time = 1.43027, size = 88, normalized size = 1.87

$$\begin{cases} \frac{(iA-B)e^{-2ic}e^{-2idx}}{4ad} & \text{for } 4ade^{2ic} \neq 0 \\ x \left(-\frac{A-iB}{2a} + \frac{(Ae^{2ic}+A-iBe^{2ic}+iB)e^{-2ic}}{2a} \right) & \text{otherwise} \end{cases} + \frac{x(A-iB)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)`

[Out] `Piecewise(((I*A - B)*exp(-2*I*c)*exp(-2*I*d*x)/(4*a*d), Ne(4*a*d*exp(2*I*c), 0)), (x*(-(A - I*B)/(2*a) + (A*exp(2*I*c) + A - I*B*exp(2*I*c) + I*B)*exp`

$(-2*I*c)/(2*a)), True)) + x*(A - I*B)/(2*a)$

Giac [B] time = 1.42467, size = 115, normalized size = 2.45

$$\frac{\frac{(iA+B)\log(\tan(dx+c)-i)}{a} + \frac{(-iA-B)\log(-i\tan(dx+c)+1)}{a} + \frac{-iA\tan(dx+c)-B\tan(dx+c)-3A-iB}{a(\tan(dx+c)-i)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] -1/4*((I*A + B)*log(tan(d*x + c) - I)/a + (-I*A - B)*log(-I*tan(d*x + c) + 1)/a + (-I*A*tan(d*x + c) - B*tan(d*x + c) - 3*A - I*B)/(a*(tan(d*x + c) - I)))/d

$$3.40 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=62

$$\frac{A + iB}{2d(a + ia \tan(c + dx))} - \frac{x(-B + iA)}{2a} + \frac{A \log(\sin(c + dx))}{ad}$$

[Out] -((I*A - B)*x)/(2*a) + (A*Log[Sin[c + d*x]])/(a*d) + (A + I*B)/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.109208, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3596, 3531, 3475}

$$\frac{A + iB}{2d(a + ia \tan(c + dx))} - \frac{x(-B + iA)}{2a} + \frac{A \log(\sin(c + dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] -((I*A - B)*x)/(2*a) + (A*Log[Sin[c + d*x]])/(a*d) + (A + I*B)/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx = \frac{A+iB}{2d(a+ia \tan(c+dx))} + \frac{\int \cot(c+dx)(2aA-a(iA-B) \tan(c+dx)) dx}{2a^2}$$

$$= -\frac{(iA-B)x}{2a} + \frac{A+iB}{2d(a+ia \tan(c+dx))} + \frac{A \int \cot(c+dx) dx}{a}$$

$$= -\frac{(iA-B)x}{2a} + \frac{A \log(\sin(c+dx))}{ad} + \frac{A+iB}{2d(a+ia \tan(c+dx))}$$

Mathematica [B] time = 0.938486, size = 150, normalized size = 2.42

$$\frac{\cos(c+dx)(A+B \tan(c+dx)) \left(\tan(c+dx) \left(2A \log(\sin^2(c+dx)) + 2iAdx - A + 2Bdx - iB \right) - 4iA \tan^{-1}(\tan(dx)) \right)}{4ad(\tan(c+dx) - i)(A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]*(A + B*Tan[c + d*x])*((-I)*A + B + 2*A*d*x - (2*I)*B*d*x - (2*I)*A*Log[Sin[c + d*x]^2] + (-A - I*B + (2*I)*A*d*x + 2*B*d*x + 2*A*Log[Sin[c + d*x]^2])*Tan[c + d*x] - (4*I)*A*ArcTan[Tan[d*x]]*(-I + Tan[c + d*x]))) / (4*a*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(-I + Tan[c + d*x]))

Maple [B] time = 0.103, size = 136, normalized size = 2.2

$$\frac{3 \ln(\tan(dx+c) - i) A}{4 ad} - \frac{\frac{i}{4} \ln(\tan(dx+c) - i) B}{ad} - \frac{\frac{i}{2} A}{ad(\tan(dx+c) - i)} + \frac{B}{2 ad(\tan(dx+c) - i)} - \frac{A \ln(\tan(dx+c) + i)}{4 ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

[Out] -3/4/d/a*ln(tan(d*x+c)-I)*A-1/4*I/a/d*ln(tan(d*x+c)-I)*B-1/2*I/d/a/(tan(d*x+c)-I)*A+1/2/d/a/(tan(d*x+c)-I)*B-1/4/d/a*A*ln(tan(d*x+c)+I)+1/4*I/d/a*B*ln(tan(d*x+c)+I)+1/a/d*A*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.41324, size = 186, normalized size = 3.

$$\frac{((-6i A + 2 B) dx e^{(2i dx + 2i c)} + 4 A e^{(2i dx + 2i c)} \log(e^{(2i dx + 2i c)} - 1) + A + i B) e^{(-2i dx - 2i c)}}{4 ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/4*((-6*I*A + 2*B)*d*x*e^(2*I*d*x + 2*I*c) + 4*A*e^(2*I*d*x + 2*I*c)*log(e^(2*I*d*x + 2*I*c) - 1) + A + I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)

Sympy [A] time = 2.15723, size = 117, normalized size = 1.89

$$\frac{A \log(e^{2idx} - e^{-2ic})}{ad} + \begin{cases} \frac{(A+iB)e^{-2ic}e^{-2idx}}{4ad} & \text{for } 4ade^{2ic} \neq 0 \\ x \left(\frac{3iA-B}{2a} - \frac{(3iAe^{2ic}+iA-Be^{2ic}-B)e^{-2ic}}{2a} \right) & \text{otherwise} \end{cases} + \frac{x(-3iA+B)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] A*log(exp(2*I*d*x) - exp(-2*I*c))/(a*d) + Piecewise(((A + I*B)*exp(-2*I*c)*exp(-2*I*d*x)/(4*a*d), Ne(4*a*d*exp(2*I*c), 0)), (x*((3*I*A - B)/(2*a) - (3*I*A*exp(2*I*c) + I*A - B*exp(2*I*c) - B)*exp(-2*I*c)/(2*a)), True)) + x*(-3*I*A + B)/(2*a)

Giac [A] time = 1.37828, size = 135, normalized size = 2.18

$$\frac{\frac{(3A+iB)\log(\tan(dx+c)-i)}{a} + \frac{(A-iB)\log(-i\tan(dx+c)+1)}{a} - \frac{4A\log(|\tan(dx+c)|)}{a} - \frac{3A\tan(dx+c)+iB\tan(dx+c)-5iA+3B}{a(\tan(dx+c)-i)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] -1/4*((3*A + I*B)*log(tan(d*x + c) - I)/a + (A - I*B)*log(-I*tan(d*x + c) + 1)/a - 4*A*log(abs(tan(d*x + c)))/a - (3*A*tan(d*x + c) + I*B*tan(d*x + c) - 5*I*A + 3*B)/(a*(tan(d*x + c) - I)))/d

$$3.41 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=102

$$-\frac{(3A+iB)\cot(c+dx)}{2ad} - \frac{(-B+iA)\log(\sin(c+dx))}{ad} + \frac{(A+iB)\cot(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{x(3A+iB)}{2a}$$

[Out] -((3*A + I*B)*x)/(2*a) - ((3*A + I*B)*Cot[c + d*x])/(2*a*d) - ((I*A - B)*Log[Sin[c + d*x]])/(a*d) + ((A + I*B)*Cot[c + d*x])/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.174708, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$-\frac{(3A+iB)\cot(c+dx)}{2ad} - \frac{(-B+iA)\log(\sin(c+dx))}{ad} + \frac{(A+iB)\cot(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{x(3A+iB)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] -((3*A + I*B)*x)/(2*a) - ((3*A + I*B)*Cot[c + d*x])/(2*a*d) - ((I*A - B)*Log[Sin[c + d*x]])/(a*d) + ((A + I*B)*Cot[c + d*x])/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/(a_) + (b_)*tan[(e_) + (f_)*(x_)], x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c + dx)(A + B \tan(c + dx))}{a + ia \tan(c + dx)} dx &= \frac{(A + iB) \cot(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{\int \cot^2(c + dx)(a(3A + iB) - 2a(iA - B) \tan(c + dx))}{2a^2} \\ &= -\frac{(3A + iB) \cot(c + dx)}{2ad} + \frac{(A + iB) \cot(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{\int \cot(c + dx)(-2a(iA - B) \tan(c + dx))}{2a^2} \\ &= -\frac{(3A + iB)x}{2a} - \frac{(3A + iB) \cot(c + dx)}{2ad} + \frac{(A + iB) \cot(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{(iA - B) \int \cot(c + dx)}{2a^2} \\ &= -\frac{(3A + iB)x}{2a} - \frac{(3A + iB) \cot(c + dx)}{2ad} - \frac{(iA - B) \log(\sin(c + dx))}{ad} + \frac{(A + iB) \cot(c + dx)}{2d(a + ia \tan(c + dx))} \end{aligned}$$

Mathematica [B] time = 2.70133, size = 225, normalized size = 2.21

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(\frac{1}{2}(B - iA)(\cos(c) - i \sin(c)) \cos(2dx) - \frac{1}{2}(A + iB)(\cos(c) - i \sin(c)) \sin(2dx) \right)}{2ad(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]
```

```
[Out] ((Cos[d*x] + I*Sin[d*x])*((( -I)*A + B)*Cos[2*d*x]*(Cos[c] - I*Sin[c]))/2 +
2*(A + I*B)*d*x*(Cos[c] + I*Sin[c]) - (3*A + I*B)*d*x*(Cos[c] + I*Sin[c])
- 2*(A + I*B)*ArcTan[Tan[d*x]]*(Cos[c] + I*Sin[c]) + (( -I)*A + B)*Log[Sin[c
+ d*x]^2]*(Cos[c] + I*Sin[c]) + 2*A*(I + Cot[c])*Csc[c + d*x]*Sin[d*x] - (
(A + I*B)*(Cos[c] - I*Sin[c])*Sin[2*d*x])/2)*(A + B*Tan[c + d*x]))/(2*d*(A*
Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))
```

Maple [A] time = 0.096, size = 170, normalized size = 1.7

$$-\frac{A}{2ad(\tan(dx+c)-i)} - \frac{\frac{i}{2}B}{ad(\tan(dx+c)-i)} + \frac{\frac{5i}{4} \ln(\tan(dx+c)-i)A}{ad} - \frac{3 \ln(\tan(dx+c)-i)B}{4ad} - \frac{B \ln(\tan(dx+c)+i)A}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)
```

```
[Out] -1/2/d/a/(tan(d*x+c)-I)*A-1/2*I/d/a/(tan(d*x+c)-I)*B+5/4*I/d/a*ln(tan(d*x+c
)-I)*A-3/4/d/a*ln(tan(d*x+c)-I)*B-1/4/d/a*B*ln(tan(d*x+c)+I)-1/4*I/d/a*A*ln
(tan(d*x+c)+I)-1/d/a*A/tan(d*x+c)-I/d/a*A*ln(tan(d*x+c))+1/d/a*B*ln(tan(d*x
+c))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.54263, size = 365, normalized size = 3.58

$$\frac{2(5A + 3iB)dx e^{(4i dx + 4i c)} - (2(5A + 3iB)dx - 9iA + B)e^{(2i dx + 2i c)} - ((-4iA + 4B)e^{(4i dx + 4i c)} + (4iA - 4B)e^{(2i dx + 2i c)})}{4(a d e^{(4i dx + 4i c)} - a d e^{(2i dx + 2i c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/4*(2*(5*A + 3*I*B)*d*x*e^{(4*I*d*x + 4*I*c)} - (2*(5*A + 3*I*B)*d*x - 9*I*A + B)*e^{(2*I*d*x + 2*I*c)} - ((-4*I*A + 4*B)*e^{(4*I*d*x + 4*I*c)} + (4*I*A - 4*B)*e^{(2*I*d*x + 2*I*c)})*\log(e^{(2*I*d*x + 2*I*c)} - 1) - I*A + B)/(a*d*e^{(4*I*d*x + 4*I*c)} - a*d*e^{(2*I*d*x + 2*I*c)})$$

Sympy [A] time = 3.99142, size = 151, normalized size = 1.48

$$\frac{2iAe^{-2ic}}{ad(e^{2idx} - e^{-2ic})} - \frac{\left(\begin{cases} 5Axe^{2ic} + \frac{iAe^{-2idx}}{2d} + 3iBxe^{2ic} - \frac{Be^{-2idx}}{2d} & \text{for } d \neq 0 \\ x(5Ae^{2ic} + A + 3iBe^{2ic} + iB) & \text{otherwise} \end{cases} \right) e^{-2ic}}{2a} + \frac{(-iA + B) \log(e^{2idx} - e^{-2ic})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out]
$$-2*I*A*\exp(-2*I*c)/(a*d*(\exp(2*I*d*x) - \exp(-2*I*c))) - \text{Piecewise}((5*A*x*\exp(2*I*c) + I*A*\exp(-2*I*d*x)/(2*d) + 3*I*B*x*\exp(2*I*c) - B*\exp(-2*I*d*x)/(2*d), \text{Ne}(d, 0)), (x*(5*A*\exp(2*I*c) + A + 3*I*B*\exp(2*I*c) + I*B), \text{True}))*\exp(-2*I*c)/(2*a) + (-I*A + B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/(a*d)$$

Giac [A] time = 1.40134, size = 184, normalized size = 1.8

$$\frac{2(-5iA+3B)\log(\tan(dx+c)-i)}{a} + \frac{2(iA+B)\log(-i\tan(dx+c)+1)}{a} + \frac{8(iA-B)\log(|\tan(dx+c)|)}{a} + \frac{A\tan(dx+c)^2-iB\tan(dx+c)^2-13iA\tan(dx+c)+3B\tan(dx+c)}{(-i\tan(dx+c)^2-\tan(dx+c))a}$$

$$\frac{\hspace{15em}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-1/8*(2*(-5*I*A + 3*B)*\log(\tan(d*x + c) - I)/a + 2*(I*A + B)*\log(-I*\tan(d*x + c) + 1)/a + 8*(I*A - B)*\log(\text{abs}(\tan(d*x + c)))/a + (A*\tan(d*x + c)^2 - I*B*\tan(d*x + c)^2 - 13*I*A*\tan(d*x + c) + 3*B*\tan(d*x + c) - 8*A)/((-I*\tan(d*x + c)^2 - \tan(d*x + c))*a)/d$$

$$3.42 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=131

$$\frac{(2A + iB) \cot^2(c + dx)}{2ad} + \frac{3(-B + iA) \cot(c + dx)}{2ad} - \frac{(2A + iB) \log(\sin(c + dx))}{ad} + \frac{(A + iB) \cot^2(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{3x(-B + iA)}{2a}$$

```
[Out] (3*(I*A - B)*x)/(2*a) + (3*(I*A - B)*Cot[c + d*x])/(2*a*d) - ((2*A + I*B)*Cot[c + d*x]^2)/(2*a*d) - ((2*A + I*B)*Log[Sin[c + d*x]])/(a*d) + ((A + I*B)*Cot[c + d*x]^2)/(2*d*(a + I*a*Tan[c + d*x]))
```

Rubi [A] time = 0.212175, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$\frac{(2A + iB) \cot^2(c + dx)}{2ad} + \frac{3(-B + iA) \cot(c + dx)}{2ad} - \frac{(2A + iB) \log(\sin(c + dx))}{ad} + \frac{(A + iB) \cot^2(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{3x(-B + iA)}{2a}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]
```

```
[Out] (3*(I*A - B)*x)/(2*a) + (3*(I*A - B)*Cot[c + d*x])/(2*a*d) - ((2*A + I*B)*Cot[c + d*x]^2)/(2*a*d) - ((2*A + I*B)*Log[Sin[c + d*x]])/(a*d) + ((A + I*B)*Cot[c + d*x]^2)/(2*d*(a + I*a*Tan[c + d*x]))
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^3(c+dx)(A+B\tan(c+dx))}{a+ia\tan(c+dx)} dx &= \frac{(A+iB)\cot^2(c+dx)}{2d(a+ia\tan(c+dx))} + \frac{\int \cot^3(c+dx)(2a(2A+iB)-3a(iA-B)\tan(c+dx))}{2a^2} \\ &= -\frac{(2A+iB)\cot^2(c+dx)}{2ad} + \frac{(A+iB)\cot^2(c+dx)}{2d(a+ia\tan(c+dx))} + \frac{\int \cot^2(c+dx)(-3a(iA-B)\tan(c+dx))}{2a^2} \\ &= \frac{3(iA-B)\cot(c+dx)}{2ad} - \frac{(2A+iB)\cot^2(c+dx)}{2ad} + \frac{(A+iB)\cot^2(c+dx)}{2d(a+ia\tan(c+dx))} + \frac{\int \cot(c+dx)(-3a(iA-B)\tan(c+dx))}{2a^2} \\ &= \frac{3(iA-B)x}{2a} + \frac{3(iA-B)\cot(c+dx)}{2ad} - \frac{(2A+iB)\cot^2(c+dx)}{2ad} + \frac{(A+iB)\cot^2(c+dx)}{2d(a+ia\tan(c+dx))} \\ &= \frac{3(iA-B)x}{2a} + \frac{3(iA-B)\cot(c+dx)}{2ad} - \frac{(2A+iB)\cot^2(c+dx)}{2ad} - \frac{(2A+iB)\log(\tan(c+dx))}{ad} \end{aligned}$$

Mathematica [B] time = 7.14485, size = 902, normalized size = 6.89

$$\frac{\left(-\frac{1}{2}A\cos(c) - \frac{1}{2}iA\sin(c)\right)(\cos(dx) + i\sin(dx))(A + B\tan(c+dx))\csc^2(c+dx)}{d(A\cos(c+dx) + B\sin(c+dx))(i\tan(c+dx)a + a)} + \frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)(\cos(dx) + i\sin(dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((2*A*Cos[c/2] + I*B*Cos[c/2] + (2*I)*A*Sin[c/2] - B*Sin[c/2])*(I*ArcTan[Tan[d*x]]*Cos[c/2] - ArcTan[Tan[d*x]]*Sin[c/2])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((2*A*Cos[c/2] + I*B*Cos[c/2] + (2*I)*A*Sin[c/2] - B*Sin[c/2])*(-(Cos[c/2]*Log[Sin[c + d*x]^2])/2 - (I/2)*Log[Sin[c + d*x]^2]*Sin[c/2])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (x*(2*A*Csc[c] + I*B*Csc[c] + (2*A + I*B)*Cot[c]*(-Cos[c] - I*Sin[c]))*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*Cos[2*d*x]*(-Cos[c]/4 + (I/4)*Sin[c])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Csc[c + d*x]^2*(-(A*Cos[c])/2 - (I/2)*A*Sin[c])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*(((3*I)/2)*d*x*Cos[c] - (3*d*x*Sin[c])/2)*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*((I/4)*Cos[c] + Sin[c]/4)*(Cos[d*x] + I*Sin[d*x])*Sin[2*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Csc[c/2]*Csc[c + d*x]*Sec[c/2]*(Cos[d*x] + I*Sin[d*x])*((A*Cos[c - d*x])/2 + (I/2)*B*Cos[c - d*x] - (A*Cos[c + d*x])/2 - (I/2)*B*Cos[c + d*x] + (I/2)*A*Sin[c - d*x] - (B*Sin[c - d*x])/2 - (I/2)*A*Sin[c + d*x] + (B*Sin[c + d*x])/2)*(A + B*Tan[c + d*x]))/(2*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.111, size = 206, normalized size = 1.6

$$\frac{\frac{i}{2}A}{ad(\tan(dx+c)-i)} - \frac{B}{2ad(\tan(dx+c)-i)} + \frac{7\ln(\tan(dx+c)-i)A}{4ad} + \frac{\frac{5i}{4}\ln(\tan(dx+c)-i)B}{ad} + \frac{A\ln(\tan(dx+c))}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(dx+c)^3*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c)),x)$

[Out] $\frac{1}{2}I/d/a/(\tan(dx+c)-I)*A - \frac{1}{2}d/a/(\tan(dx+c)-I)*B + \frac{7}{4}d/a*\ln(\tan(dx+c)-I)*A + \frac{5}{4}I/d/a*\ln(\tan(dx+c)-I)*B + \frac{1}{4}d/a*A*\ln(\tan(dx+c)+I) - \frac{1}{4}I/d/a*B*\ln(\tan(dx+c)+I) - \frac{1}{2}d/a*A/\tan(dx+c)^2 + I/d/a/\tan(dx+c)*A - \frac{1}{d/a/\tan(dx+c)*B - I/d/a*B*\ln(\tan(dx+c)) - 2/a/d*A*\ln(\tan(dx+c))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^3*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.53613, size = 528, normalized size = 4.03

$$\frac{(14iA - 10B)dx e^{(6i dx + 6i c)} + ((-28iA + 20B)dx - A - 9iB)e^{(4i dx + 4i c)} + ((14iA - 10B)dx + 10A + 10iB)e^{(2i dx + 2i c)}}{4 \left(a d e^{(6i dx + 6i c)} - 2 a d e^{(4i dx + 4i c)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^3*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c)),x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1}{4} * ((14I*A - 10*B)*d*x*e^{(6*I*d*x + 6*I*c)} + ((-28*I*A + 20*B)*d*x - A - 9*I*B)*e^{(4*I*d*x + 4*I*c)} + ((14*I*A - 10*B)*d*x + 10*A + 10*I*B)*e^{(2*I*d*x + 2*I*c)} - 4*((2*A + I*B)*e^{(6*I*d*x + 6*I*c)} - 2*(2*A + I*B)*e^{(4*I*d*x + 4*I*c)} + (2*A + I*B)*e^{(2*I*d*x + 2*I*c)}) * \log(e^{(2*I*d*x + 2*I*c)} - 1) - A - I*B) / (a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})$

Sympy [A] time = 7.9065, size = 197, normalized size = 1.5

$$\frac{-\frac{2iBe^{-2ic}e^{2idx}}{ad} + \frac{(2A+2iB)e^{-4ic}}{ad}}{e^{4idx} - 2e^{-2ic}e^{2idx} + e^{-4ic}} + \frac{\left(\begin{cases} 7iAxe^{2ic} - \frac{Ae^{-2idx}}{2d} - 5Bxe^{2ic} - \frac{iBe^{-2idx}}{2d} & \text{for } d \neq 0 \\ x(7iAe^{2ic} + iA - 5Be^{2ic} - B) & \text{otherwise} \end{cases} \right) e^{-2ic}}{2a} - \frac{(2A + iB) \log(e^{2idx} - e^{-2ic})}{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)**3*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c)),x)$

[Out] $(-2*I*B*\exp(-2*I*c)*\exp(2*I*d*x)/(a*d) + (2*A + 2*I*B)*\exp(-4*I*c)/(a*d))/(\exp(4*I*d*x) - 2*\exp(-2*I*c)*\exp(2*I*d*x) + \exp(-4*I*c)) + \text{Piecewise}((7*I*A*x*\exp(2*I*c) - A*\exp(-2*I*d*x)/(2*d) - 5*B*x*\exp(2*I*c) - I*B*\exp(-2*I*d*x$

```
)/(2*d), Ne(d, 0)), (x*(7*I*A*exp(2*I*c) + I*A - 5*B*exp(2*I*c) - B), True)
)*exp(-2*I*c)/(2*a) - (2*A + I*B)*log(exp(2*I*d*x) - exp(-2*I*c))/(a*d)
```

Giac [A] time = 1.41393, size = 223, normalized size = 1.7

$$\frac{\frac{4(2A+iB)\log(-i\tan(dx+c))}{a} - \frac{(7A+5iB)\log(\tan(dx+c)-i)}{a} - \frac{(A-iB)\log(-i\tan(dx+c)+1)}{a} + \frac{7A\tan(dx+c)+5iB\tan(dx+c)-9iA+7B}{a(\tan(dx+c)-i)} - \frac{2(6A\tan(dx+c)+3iB\tan(dx+c)^2+2IA\tan(dx+c)-2B\tan(dx+c)-A)}{a\tan(dx+c)^2}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/4*(4*(2*A + I*B)*log(-I*tan(d*x + c))/a - (7*A + 5*I*B)*log(tan(d*x + c) - I)/a - (A - I*B)*log(-I*tan(d*x + c) + 1)/a + (7*A*tan(d*x + c) + 5*I*B*tan(d*x + c) - 9*I*A + 7*B)/(a*(tan(d*x + c) - I)) - 2*(6*A*tan(d*x + c)^2 + 3*I*B*tan(d*x + c)^2 + 2*I*A*tan(d*x + c) - 2*B*tan(d*x + c) - A)/(a*tan(d*x + c)^2))/d
```

$$3.43 \quad \int \frac{\cot^4(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=155

$$-\frac{(5A+3iB)\cot^3(c+dx)}{6ad} + \frac{(-B+iA)\cot^2(c+dx)}{ad} + \frac{(5A+3iB)\cot(c+dx)}{2ad} + \frac{2(-B+iA)\log(\sin(c+dx))}{ad} + \frac{(A+3iB)}{2d(a+ia \tan(c+dx))}$$

[Out] ((5*A + (3*I)*B)*x)/(2*a) + ((5*A + (3*I)*B)*Cot[c + d*x])/(2*a*d) + ((I*A - B)*Cot[c + d*x]^2)/(a*d) - ((5*A + (3*I)*B)*Cot[c + d*x]^3)/(6*a*d) + (2*(I*A - B)*Log[Sin[c + d*x]])/(a*d) + ((A + I*B)*Cot[c + d*x]^3)/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.246209, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$-\frac{(5A+3iB)\cot^3(c+dx)}{6ad} + \frac{(-B+iA)\cot^2(c+dx)}{ad} + \frac{(5A+3iB)\cot(c+dx)}{2ad} + \frac{2(-B+iA)\log(\sin(c+dx))}{ad} + \frac{(A+3iB)}{2d(a+ia \tan(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((5*A + (3*I)*B)*x)/(2*a) + ((5*A + (3*I)*B)*Cot[c + d*x])/(2*a*d) + ((I*A - B)*Cot[c + d*x]^2)/(a*d) - ((5*A + (3*I)*B)*Cot[c + d*x]^3)/(6*a*d) + (2*(I*A - B)*Log[Sin[c + d*x]])/(a*d) + ((A + I*B)*Cot[c + d*x]^3)/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/(a_ + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^4(c + dx)(A + B \tan(c + dx))}{a + ia \tan(c + dx)} dx &= \frac{(A + iB) \cot^3(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{\int \cot^4(c + dx)(a(5A + 3iB) - 4a(iA - B) \tan(c + dx))}{2a^2} \\ &= -\frac{(5A + 3iB) \cot^3(c + dx)}{6ad} + \frac{(A + iB) \cot^3(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{\int \cot^3(c + dx)(-4a(iA - B) \tan(c + dx))}{2a^2} \\ &= \frac{(iA - B) \cot^2(c + dx)}{ad} - \frac{(5A + 3iB) \cot^3(c + dx)}{6ad} + \frac{(A + iB) \cot^3(c + dx)}{2d(a + ia \tan(c + dx))} + \frac{\int \cot^2(c + dx)(-4a(iA - B) \tan(c + dx))}{2a^2} \\ &= \frac{(5A + 3iB) \cot(c + dx)}{2ad} + \frac{(iA - B) \cot^2(c + dx)}{ad} - \frac{(5A + 3iB) \cot^3(c + dx)}{6ad} + \frac{\int \cot(c + dx)(-4a(iA - B) \tan(c + dx))}{2a^2} \\ &= \frac{(5A + 3iB)x}{2a} + \frac{(5A + 3iB) \cot(c + dx)}{2ad} + \frac{(iA - B) \cot^2(c + dx)}{ad} - \frac{(5A + 3iB) \cot^3(c + dx)}{6ad} \\ &= \frac{(5A + 3iB)x}{2a} + \frac{(5A + 3iB) \cot(c + dx)}{2ad} + \frac{(iA - B) \cot^2(c + dx)}{ad} - \frac{(5A + 3iB) \cot^3(c + dx)}{6ad} \end{aligned}$$

Mathematica [B] time = 7.36207, size = 1062, normalized size = 6.85

$$\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) (\cos(dx) + i \sin(dx)) \left(\frac{1}{2}iA \cos(c - dx) - \frac{1}{2}iA \cos(c + dx) - \frac{1}{2}A \sin(c - dx) + \frac{1}{2}A \sin(c + dx)\right) (A + B \tan(c + dx))}{6d(A \cos(c + dx) + B \sin(c + dx))(i \tan(c + dx)a + a)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((A*Cos[c/2] + I*B*Cos[c/2] + I*A*Sin[c/2] - B*Sin[c/2])*(2*ArcTan[Tan[d*x]]*Cos[c/2] + (2*I)*ArcTan[Tan[d*x]]*Sin[c/2])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A*Cos[c/2] + I*B*Cos[c/2] + I*A*Sin[c/2] - B*Sin[c/2])*(I*Cos[c/2]*Log[Sin[c + d*x]^2] - Log[Sin[c + d*x]^2]*Sin[c/2])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (x*((-2*I)*A*Csc[c] + 2*B*Csc[c] + I*(A + I*B)*Cot[c]*(2*Cos[c] + (2*I)*Sin[c]))*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*Cos[2*d*x]*((I/4)*Cos[c] + Sin[c]/4)*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Csc[c/2]*Csc[c + d*x]^2*Sec[c/2]*(-Cos[c]/12 - (I/12)*Sin[c])*(2*A*Cos[c] - (3*I)*A*Sin[c] + 3*B*Sin[c]))*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((5*A + (3*I)*B)*((d*x*Cos[c])/2 + (I/2)*d*x*Sin[c])*(Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + ((A + I*B)*(Cos[c]/4 - (I/4)*Sin[c])*(Cos[d*x] + I*Sin[d*x])*Sin[2*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Csc[c/2]*Csc[c + d*x]^3*Sec[c/2]*(Cos[d*x] + I*Sin[d*x])*((I/2)*A*Cos[c - d*x] - (I/2)*A*Cos[c + d*x] - (A*Sin[c - d*x])/2 + (A*Sin[c + d*x])/2)*(A + B*Tan[c + d*x]))/(6*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])) + (Csc[c/2]*Csc[c + d*x]*Sec[c/2]*(Cos[d*x] + I*Sin[d*x])*(((7*I)/2)*A*Cos[c - d*x] + (3*B*Cos[c - d*x])/2 + ((7*I)/2)*A*Cos[c + d*x] - (3*B*Cos[c + d*x])/2 + (7*A*Sin[c - d*x])/2 + ((3*I)/2)*B*Sin[c - d*x] - (7*A*Sin[c + d*x])/2 - ((3*I)/2)*B*Sin[c + d*x])*(A + B*Tan[c + d*x]))/(6*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.106, size = 241, normalized size = 1.6

$$\frac{A}{2ad(\tan(dx+c)-i)} + \frac{\frac{i}{2}B}{ad(\tan(dx+c)-i)} - \frac{\frac{9i}{4}\ln(\tan(dx+c)-i)A}{ad} + \frac{7\ln(\tan(dx+c)-i)B}{4ad} + \frac{B\ln(\tan(dx+c)-i)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] 1/2/d/a/(tan(d*x+c)-I)*A+1/2*I/d/a/(tan(d*x+c)-I)*B-9/4*I/d/a*ln(tan(d*x+c)-I)*A+7/4/d/a*ln(tan(d*x+c)-I)*B+1/4/d/a*B*ln(tan(d*x+c)+I)+1/4*I/d/a*A*ln(tan(d*x+c)+I)+1/2*I/d/a/tan(d*x+c)^2*A-1/2/d/a/tan(d*x+c)^2*B+I/d/a/tan(d*x+c)*B+2/d/a*A/tan(d*x+c)-1/3/d/a*A/tan(d*x+c)^3+2*I/d/a*A*ln(tan(d*x+c))-2/d/a*B*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.53407, size = 724, normalized size = 4.67

$$6(9A+7iB)dx e^{(8i dx+8i c)} - (18(9A+7iB)dx - 51iA+3B)e^{(6i dx+6i c)} + (18(9A+7iB)dx - 81iA+33B)e^{(4i dx+4i c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/12*(6*(9*A + 7*I*B)*d*x*e^(8*I*d*x + 8*I*c) - (18*(9*A + 7*I*B)*d*x - 51*I*A + 3*B)*e^(6*I*d*x + 6*I*c) + (18*(9*A + 7*I*B)*d*x - 81*I*A + 33*B)*e^(4*I*d*x + 4*I*c) - (6*(9*A + 7*I*B)*d*x - 65*I*A + 33*B)*e^(2*I*d*x + 2*I*c) + ((24*I*A - 24*B)*e^(8*I*d*x + 8*I*c) + (-72*I*A + 72*B)*e^(6*I*d*x + 6*I*c) + (72*I*A - 72*B)*e^(4*I*d*x + 4*I*c) + (-24*I*A + 24*B)*e^(2*I*d*x + 2*I*c))*log(e^(2*I*d*x + 2*I*c) - 1) - 3*I*A + 3*B)/(a*d*e^(8*I*d*x + 8*I*c) - 3*a*d*e^(6*I*d*x + 6*I*c) + 3*a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))

Sympy [A] time = 25.1523, size = 243, normalized size = 1.57

$$\frac{\frac{4iAe^{-2ic}e^{Aidx}}{ad} - \frac{(6iA-2B)e^{-4ic}e^{2idx}}{ad} + \frac{(14iA-6B)e^{-6ic}}{3ad}}{e^{6idx} - 3e^{-2ic}e^{Aidx} + 3e^{-4ic}e^{2idx} - e^{-6ic}} + \frac{\left(\begin{cases} 9Axe^{2ic} + \frac{iAe^{-2idx}}{2d} + 7iBxe^{2ic} - \frac{Be^{-2idx}}{2d} & \text{for } d \neq 0 \\ x(9Ae^{2ic} + A + 7iBe^{2ic} + iB) & \text{otherwise} \end{cases} \right) e^{-2ic}}{2a} + \frac{2(iA - B)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] $(4*I*A*\exp(-2*I*c)*\exp(4*I*d*x)/(a*d) - (6*I*A - 2*B)*\exp(-4*I*c)*\exp(2*I*d*x)/(a*d) + (14*I*A - 6*B)*\exp(-6*I*c)/(3*a*d))/(\exp(6*I*d*x) - 3*\exp(-2*I*c)*\exp(4*I*d*x) + 3*\exp(-4*I*c)*\exp(2*I*d*x) - \exp(-6*I*c)) + \text{Piecewise}((9*A*x*\exp(2*I*c) + I*A*\exp(-2*I*d*x)/(2*d) + 7*I*B*x*\exp(2*I*c) - B*\exp(-2*I*d*x)/(2*d), \text{Ne}(d, 0)), (x*(9*A*\exp(2*I*c) + A + 7*I*B*\exp(2*I*c) + I*B), \text{True}))*\exp(-2*I*c)/(2*a) + 2*(I*A - B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/(a*d)$

Giac [A] time = 1.44846, size = 252, normalized size = 1.63

$$\frac{\frac{3(9iA-7B)\log(\tan(dx+c)-i)}{a} + \frac{3(-iA-B)\log(-i\tan(dx+c)+1)}{a} + \frac{24(-iA+B)\log(|\tan(dx+c)|)}{a} + \frac{3(-9iA\tan(dx+c)+7B\tan(dx+c)-11A-9iB)}{a(\tan(dx+c)-i)} + \frac{2i}{a}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] $-1/12*(3*(9*I*A - 7*B)*\log(\tan(d*x + c) - I)/a + 3*(-I*A - B)*\log(-I*\tan(d*x + c) + 1)/a + 24*(-I*A + B)*\log(\text{abs}(\tan(d*x + c)))/a + 3*(-9*I*A*\tan(d*x + c) + 7*B*\tan(d*x + c) - 11*A - 9*I*B)/(a*(\tan(d*x + c) - I)) + 2*I*(22*A*\tan(d*x + c)^3 + 22*I*B*\tan(d*x + c)^3 + 12*I*A*\tan(d*x + c)^2 - 6*B*\tan(d*x + c)^2 - 3*A*\tan(d*x + c) - 3*I*B*\tan(d*x + c) - 2*I*A)/(a*\tan(d*x + c)^3))/d$

$$3.44 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=142

$$\frac{(A+2iB) \tan^2(c+dx)}{2a^2d(1+i \tan(c+dx))} + \frac{3(-3B+iA) \tan(c+dx)}{4a^2d} + \frac{(A+2iB) \log(\cos(c+dx))}{a^2d} - \frac{3x(-3B+iA)}{4a^2} + \frac{(-B+iA) \tan^3(c+dx)}{4d(a+ia \tan(c+dx))^2}$$

```
[Out] (-3*(I*A - 3*B)*x)/(4*a^2) + ((A + (2*I)*B)*Log[Cos[c + d*x]])/(a^2*d) + (3
*(I*A - 3*B)*Tan[c + d*x])/(4*a^2*d) + ((A + (2*I)*B)*Tan[c + d*x]^2)/(2*a^
2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^3)/(4*d*(a + I*a*Tan[c
+ d*x])^2)
```

Rubi [A] time = 0.280072, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {3595, 3525, 3475}

$$\frac{(A+2iB) \tan^2(c+dx)}{2a^2d(1+i \tan(c+dx))} + \frac{3(-3B+iA) \tan(c+dx)}{4a^2d} + \frac{(A+2iB) \log(\cos(c+dx))}{a^2d} - \frac{3x(-3B+iA)}{4a^2} + \frac{(-B+iA) \tan^3(c+dx)}{4d(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]
```

```
[Out] (-3*(I*A - 3*B)*x)/(4*a^2) + ((A + (2*I)*B)*Log[Cos[c + d*x]])/(a^2*d) + (3
*(I*A - 3*B)*Tan[c + d*x])/(4*a^2*d) + ((A + (2*I)*B)*Tan[c + d*x]^2)/(2*a^
2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^3)/(4*d*(a + I*a*Tan[c
+ d*x])^2)
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x
] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])
^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*
(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3525

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_
)*(x_)]), x_Symbol] :> Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e +
f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f},
x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx &= \frac{(iA-B)\tan^3(c+dx)}{4d(a+ia\tan(c+dx))^2} - \frac{\int \frac{\tan^2(c+dx)(3a(iA-B)+a(A+5iB)\tan(c+dx))}{a+ia\tan(c+dx)} dx}{4a^2} \\
&= \frac{(A+2iB)\tan^2(c+dx)}{2a^2d(1+i\tan(c+dx))} + \frac{(iA-B)\tan^3(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{\int \tan(c+dx)(-8a^2(A+2iB)\tan^2(c+dx) + (iA-B)\tan^3(c+dx))}{4d(a+ia\tan(c+dx))^2} \\
&= -\frac{3(iA-3B)x}{4a^2} + \frac{3(iA-3B)\tan(c+dx)}{4a^2d} + \frac{(A+2iB)\tan^2(c+dx)}{2a^2d(1+i\tan(c+dx))} + \frac{(iA-B)\tan^3(c+dx)}{4d(a+ia\tan(c+dx))^2} \\
&= -\frac{3(iA-3B)x}{4a^2} + \frac{(A+2iB)\log(\cos(c+dx))}{a^2d} + \frac{3(iA-3B)\tan(c+dx)}{4a^2d} + \frac{(iA-B)\tan^3(c+dx)}{2a^2d}
\end{aligned}$$

Mathematica [B] time = 6.91042, size = 956, normalized size = 6.73

$$\frac{i \sec(c) \sec^2(c+dx)(-B \cos(2c-dx) + B \cos(2c+dx) - iB \sin(2c-dx) + iB \sin(2c+dx))(A+B \tan(c+dx))(\cos(dx) + \sin(dx))}{2d(A \cos(c+dx) + B \sin(c+dx))(i \tan(c+dx)a + a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] -((2*A + (3*I)*B)*Cos[2*d*x]*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (Sec[c + d*x]*(A*Cos[c] + (2*I)*B*Cos[c] + I*A*Sin[c] - 2*B*Sin[c])*((-I)*ArcTan[Tan[d*x]]*Cos[c] + ArcTan[Tan[d*x]]*Sin[c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (Sec[c + d*x]*(A*Cos[c] + (2*I)*B*Cos[c] + I*A*Sin[c] - 2*B*Sin[c])*((Cos[c]*Log[Cos[c + d*x]^2])/2 + (I/2)*Log[Cos[c + d*x]^2]*Sin[c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((A + I*B)*Cos[4*d*x]*Sec[c + d*x]*(Cos[2*c]/16 - (I/16)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (((-I)*A + 3*B)*Sec[c + d*x]*((3*d*x*Cos[2*c])/4 + ((3*I)/4)*d*x*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((I/4)*(2*A + (3*I)*B)*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*Sin[2*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (((-I)*A + B)*Sec[c + d*x]*(Cos[2*c]/16 - (I/16)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^2*Sin[4*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((I/2)*Sec[c]*Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^2*(-(B*Cos[2*c - d*x]) + B*Cos[2*c + d*x] - I*B*Sin[2*c - d*x] + I*B*Sin[2*c + d*x])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (x*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(I*A - 2*B - A*Tan[c] - (2*I)*B*Tan[c] + (A + (2*I)*B)*(-Cos[2*c] - I*Sin[2*c])*Tan[c])*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.033, size = 177, normalized size = 1.3

$$-\frac{B \tan(dx+c)}{a^2d} + \frac{\frac{5i}{4}A}{a^2d(\tan(dx+c)-i)} - \frac{7B}{4a^2d(\tan(dx+c)-i)} - \frac{A}{4a^2d(\tan(dx+c)-i)^2} - \frac{\frac{i}{4}B}{a^2d(\tan(dx+c)-i)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

[Out] $-1/d/a^2*B*\tan(d*x+c)+5/4*I/d/a^2/(\tan(d*x+c)-I)*A-7/4/d/a^2/(\tan(d*x+c)-I)*B-1/4/d/a^2/(\tan(d*x+c)-I)^2*A-1/4*I/d/a^2/(\tan(d*x+c)-I)^2*B-7/8/d/a^2*\ln(\tan(d*x+c)-I)*A-17/8*I/d/a^2*\ln(\tan(d*x+c)-I)*B-1/8/d/a^2*A*\ln(\tan(d*x+c)+I)+1/8*I/d/a^2*B*\ln(\tan(d*x+c)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.46559, size = 424, normalized size = 2.99

$$\frac{(-28iA + 68B)dx e^{(6i dx + 6i c)} + ((-28iA + 68B)dx - 8A - 44iB)e^{(4i dx + 4i c)} - (7A + 11iB)e^{(2i dx + 2i c)} + 16((A + 2iB)e^{(2i dx + 2i c)} + 1)}{16(a^2 d e^{(6i dx + 6i c)} + a^2 d e^{(4i dx + 4i c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")`

[Out] $1/16*((-28*I*A + 68*B)*d*x*e^{(6*I*d*x + 6*I*c)} + ((-28*I*A + 68*B)*d*x - 8*A - 44*I*B)*e^{(4*I*d*x + 4*I*c)} - (7*A + 11*I*B)*e^{(2*I*d*x + 2*I*c)} + 16*((A + 2*I*B)*e^{(6*I*d*x + 6*I*c)} + (A + 2*I*B)*e^{(4*I*d*x + 4*I*c)})*\log(e^{(2*I*d*x + 2*I*c)} + 1) + A + I*B)/(a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})$

Sympy [A] time = 14.4321, size = 223, normalized size = 1.57

$$\frac{2iBe^{-2ic}}{a^2d(e^{2idx} + e^{-2ic})} - \frac{\left(\begin{cases} 7iAxe^{4ic} + \frac{2Ae^{2ic}e^{-2idx}}{d} - \frac{Ae^{-4idx}}{4d} - 17Bxe^{4ic} + \frac{3iBe^{2ic}e^{-2idx}}{d} - \frac{iBe^{-4idx}}{4d} & \text{for } d \neq 0 \\ x(7iAe^{4ic} - 4iAe^{2ic} + iA - 17Be^{4ic} + 6Be^{2ic} - B) & \text{otherwise} \end{cases} \right) e^{-4ic}}{4a^2} + \frac{(A + 2iB)\log(e^{2i dx} + e^{-2i c})}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)`

[Out] $-2*I*B*\exp(-2*I*c)/(a**2*d*(\exp(2*I*d*x) + \exp(-2*I*c))) - \text{Piecewise}((7*I*A*x*\exp(4*I*c) + 2*A*\exp(2*I*c)*\exp(-2*I*d*x)/d - A*\exp(-4*I*d*x)/(4*d) - 17*B*x*\exp(4*I*c) + 3*I*B*\exp(2*I*c)*\exp(-2*I*d*x)/d - I*B*\exp(-4*I*d*x)/(4*d), \text{Ne}(d, 0)), (x*(7*I*A*\exp(4*I*c) - 4*I*A*\exp(2*I*c) + I*A - 17*B*\exp(4*I*c) + 6*B*\exp(2*I*c) - B), \text{True}))*\exp(-4*I*c)/(4*a**2) + (A + 2*I*B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/(a**2*d)$

Giac [A] time = 1.85702, size = 162, normalized size = 1.14

$$\frac{\frac{2(A-iB)\log(\tan(dx+c)+i)}{a^2} + \frac{2(7A+17iB)\log(\tan(dx+c)-i)}{a^2} + \frac{16B\tan(dx+c)}{a^2} - \frac{21A\tan(dx+c)^2+51iB\tan(dx+c)^2-22iA\tan(dx+c)+74B\tan(dx+c)-5A-27iB}{a^2(\tan(dx+c)-i)^2}}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] -1/16*(2*(A - I*B)*log(tan(d*x + c) + I)/a^2 + 2*(7*A + 17*I*B)*log(tan(d*x + c) - I)/a^2 + 16*B*tan(d*x + c)/a^2 - (21*A*tan(d*x + c)^2 + 51*I*B*tan(d*x + c)^2 - 22*I*A*tan(d*x + c) + 74*B*tan(d*x + c) - 5*A - 27*I*B)/(a^2*(tan(d*x + c) - I)^2))/d

$$3.45 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=103

$$\frac{-3B + iA}{4a^2d(1 + i \tan(c + dx))} - \frac{x(A + 3iB)}{4a^2} + \frac{B \log(\cos(c + dx))}{a^2d} + \frac{(-B + iA) \tan^2(c + dx)}{4d(a + ia \tan(c + dx))^2}$$

[Out] $-\frac{(A + (3I)B)x}{4a^2} + \frac{B \log[\cos[c + d*x]]}{a^2d} + \frac{(IA - 3B)}{4a^2d(1 + I \tan[c + d*x])} + \frac{(IA - B) \tan[c + d*x]^2}{4d(a + I a \tan[c + d*x])^2}$

Rubi [A] time = 0.210948, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3595, 3589, 3475, 12, 3526, 8}

$$\frac{-3B + iA}{4a^2d(1 + i \tan(c + dx))} - \frac{x(A + 3iB)}{4a^2} + \frac{B \log(\cos(c + dx))}{a^2d} + \frac{(-B + iA) \tan^2(c + dx)}{4d(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\tan[c + d*x]^2*(A + B*\tan[c + d*x]))/(a + I*a*\tan[c + d*x])^2, x]$

[Out] $-\frac{(A + (3I)B)x}{4a^2} + \frac{B \log[\cos[c + d*x]]}{a^2d} + \frac{(IA - 3B)}{4a^2d(1 + I \tan[c + d*x])} + \frac{(IA - B) \tan[c + d*x]^2}{4d(a + I a \tan[c + d*x])^2}$

Rule 3595

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^m * ((A_*) + (B_*)\tan[(e_*) + (f_*)(x_*)]) * ((c_*) + (d_*)\tan[(e_*) + (f_*)(x_*)])^n, x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^n / (2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * (c + d*\tan[e + f*x])^{n-1} * \text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n)) * \tan[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3589

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)]) * ((c_*) + (d_*)\tan[(e_*) + (f_*)(x_*)]) / ((a_*) + (b_*)\tan[(e_*) + (f_*)(x_*)]), x_Symbol] \rightarrow \text{Dist}[(B*d)/b, \text{Int}[\tan[e + f*x], x], x] + \text{Dist}[1/b, \text{Int}[\text{Simp}[A*b*c + (A*b*d + B*(b*c - a*d)) * \tan[e + f*x], x] / (a + b*\tan[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3475

$\text{Int}[\tan[(c_*) + (d_*)(x_*)], x_Symbol] \rightarrow -\text{Simp}[\log[\text{RemoveContent}[\cos[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 12

$\text{Int}[(a_*)(u_*), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_*) /; \text{FreeQ}[b, x]]$

Rule 3526

```
Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*tan[(e_) +
(f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*
f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0
] && LtQ[m, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx &= \frac{(iA-B)\tan^2(c+dx)}{4d(a+ia\tan(c+dx))^2} - \frac{\int \frac{\tan(c+dx)(2a(iA-B)+4iaB\tan(c+dx))}{a+ia\tan(c+dx)} dx}{4a^2} \\ &= \frac{(iA-B)\tan^2(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{i \int -\frac{2a^2(A+3iB)\tan(c+dx)}{a+ia\tan(c+dx)} dx}{4a^3} - \frac{B \int \tan(c+dx) dx}{a^2} \\ &= \frac{B \log(\cos(c+dx))}{a^2 d} + \frac{(iA-B)\tan^2(c+dx)}{4d(a+ia\tan(c+dx))^2} - \frac{(iA-3B) \int \frac{\tan(c+dx)}{a+ia\tan(c+dx)} dx}{2a} \\ &= \frac{B \log(\cos(c+dx))}{a^2 d} + \frac{(iA-B)\tan^2(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{iA-3B}{4d(a^2+ia^2\tan(c+dx))} - \frac{(A-3B)\tan(c+dx)}{2a} \\ &= -\frac{(A+3iB)x}{4a^2} + \frac{B \log(\cos(c+dx))}{a^2 d} + \frac{(iA-B)\tan^2(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{iA-3B}{4d(a^2+ia^2\tan(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.872514, size = 185, normalized size = 1.8

$$\frac{\sec^2(c+dx) \left(\cos(2(c+dx)) (4Adx + iA - 8B \log(\cos^2(c+dx)) - 4iBdx - B) + 4iAdx \sin(2(c+dx)) + A \sin(2(c+dx)) \right)}{4a^2 d (a + ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]
```

```
[Out] (Sec[c + d*x]^2*((-4*I)*A + 8*B + Cos[2*(c + d*x)]*(I*A - B + 4*A*d*x - (4*I)*B*d*x - 8*B*Log[Cos[c + d*x]^2]) + (16*I)*B*ArcTan[Tan[d*x]]*(Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)]) + A*Sin[2*(c + d*x)] + I*B*Sin[2*(c + d*x)] + (4*I)*A*d*x*Sin[2*(c + d*x)] + 4*B*d*x*Sin[2*(c + d*x)] - (8*I)*B*Log[Cos[c + d*x]^2]*Sin[2*(c + d*x)])/(16*a^2*d*(-I + Tan[c + d*x])^2)
```

Maple [A] time = 0.032, size = 162, normalized size = 1.6

$$\frac{\frac{i}{4}A}{a^2 d (\tan(dx+c) - i)^2} - \frac{B}{4 a^2 d (\tan(dx+c) - i)^2} + \frac{\frac{5i}{4}B}{a^2 d (\tan(dx+c) - i)} + \frac{3A}{4 a^2 d (\tan(dx+c) - i)} + \frac{\frac{i}{8} \ln(\tan(dx+c))}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)
```

```
[Out] 1/4*I/d/a^2/(tan(d*x+c)-I)^2*A-1/4/d/a^2/(tan(d*x+c)-I)^2*B+5/4*I/d/a^2/(tan(d*x+c)-I)*B+3/4/d/a^2/(tan(d*x+c)-I)*A+1/8*I/d/a^2*ln(tan(d*x+c)-I)*A-7/8
```

$/d/a^2 \ln(\tan(dx+c)-I) * B - 1/8/d/a^2 * B * \ln(\tan(dx+c)+I) - 1/8 * I/d/a^2 * A * \ln(\tan(dx+c)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.44303, size = 240, normalized size = 2.33

$$\frac{(4(A+7iB)dx e^{4i dx+4ic} - 16B e^{4i dx+4ic}) \log(e^{2i dx+2ic} + 1) - (4iA - 8B)e^{2i dx+2ic} + iA - B)e^{(-4i dx-4ic)}}{16a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^2,x, algorithm="fricas")

[Out] $-1/16*(4*(A+7*I*B)*d*x*e^{(4*I*d*x+4*I*c)} - 16*B*e^{(4*I*d*x+4*I*c)}*\log(e^{(2*I*d*x+2*I*c)}+1) - (4*I*A-8*B)*e^{(2*I*d*x+2*I*c)}+I*A-B)*e^{(-4*I*d*x-4*I*c)}/(a^2*d)$

Sympy [A] time = 4.92274, size = 223, normalized size = 2.17

$$\frac{B \log(e^{2idx} + e^{-2ic})}{a^2 d} + \begin{cases} \frac{((-4iAa^2de^{2ic}+4Ba^2de^{2ic})e^{-4idx}+(16iAa^2de^{4ic}-32Ba^2de^{4ic})e^{-2idx})e^{-6ic}}{64a^4d^2} & \text{for } 64a^4d^2e^{6ic} \neq 0 \\ x \left(\frac{A+7iB}{4a^2} - \frac{(Ae^{4ic}-2Ac^{2ic}+A+7iBe^{4ic}-4iBe^{2ic}+iB)e^{-4ic}}{4a^2} \right) & \text{otherwise} \end{cases} + \frac{x(-A-7iB)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**2,x)

[Out] $B*\log(\exp(2*I*d*x) + \exp(-2*I*c))/(a**2*d) + \text{Piecewise}(\left(\left(\left(-4*I*A*a**2*d*\exp(2*I*c) + 4*B*a**2*d*\exp(2*I*c)\right)*\exp(-4*I*d*x) + (16*I*A*a**2*d*\exp(4*I*c) - 32*B*a**2*d*\exp(4*I*c))*\exp(-2*I*d*x)\right)*\exp(-6*I*c)/(64*a**4*d**2), \text{Ne}(64*a**4*d**2*\exp(6*I*c), 0)), (x*((A+7*I*B)/(4*a**2) - (A*\exp(4*I*c) - 2*A*\exp(2*I*c) + A + 7*I*B*\exp(4*I*c) - 4*I*B*\exp(2*I*c) + I*B)*\exp(-4*I*c)/(4*a**2)), \text{True})) + x*(-A-7*I*B)/(4*a**2)$

Giac [A] time = 1.54296, size = 144, normalized size = 1.4

$$\frac{2(iA+B)\log(\tan(dx+c)+i)}{a^2} + \frac{2(-iA+7B)\log(\tan(dx+c)-i)}{a^2} + \frac{3iA \tan(dx+c)^2 - 21B \tan(dx+c)^2 - 6A \tan(dx+c) + 22iB \tan(dx+c) + 5iA + 5B}{a^2(\tan(dx+c)-i)^2}$$

$16d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="
giac")
```

```
[Out] -1/16*(2*(I*A + B)*log(tan(d*x + c) + I)/a^2 + 2*(-I*A + 7*B)*log(tan(d*x +
c) - I)/a^2 + (3*I*A*tan(d*x + c)^2 - 21*B*tan(d*x + c)^2 - 6*A*tan(d*x +
c) + 22*I*B*tan(d*x + c) + 5*I*A + 5*B)/(a^2*(tan(d*x + c) - I)^2))/d
```

$$3.46 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=76

$$\frac{A+3iB}{4a^2d(1+i \tan(c+dx))} - \frac{x(B+iA)}{4a^2} - \frac{A+iB}{4d(a+ia \tan(c+dx))^2}$$

[Out] $-\frac{(I*A + B)*x}{(4*a^2)} + \frac{(A + (3*I)*B)}{(4*a^2*d*(1 + I*\tan[c + d*x]))} - \frac{(A + I*B)}{(4*d*(a + I*a*\tan[c + d*x])^2)}$

Rubi [A] time = 0.130703, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3590, 3526, 8}

$$\frac{A+3iB}{4a^2d(1+i \tan(c+dx))} - \frac{x(B+iA)}{4a^2} - \frac{A+iB}{4d(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\tan[c + d*x]*(A + B*\tan[c + d*x]))/(a + I*a*\tan[c + d*x])^2, x]$

[Out] $-\frac{(I*A + B)*x}{(4*a^2)} + \frac{(A + (3*I)*B)}{(4*a^2*d*(1 + I*\tan[c + d*x]))} - \frac{(A + I*B)}{(4*d*(a + I*a*\tan[c + d*x])^2)}$

Rule 3590

$\text{Int}[(a + b*\tan[e + f*x])^m * ((A + B*\tan[e + f*x]) + (C + D*\tan[e + f*x])), x_Symbol] := -\text{Simp}[(A*b - a*B)*(a*c + b*d)*(a + b*\tan[e + f*x])^m / (2*a^2*f*m), x] + \text{Dist}[1/(2*a*b), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * \text{Simp}[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 3526

$\text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x]), x_Symbol] := -\text{Simp}[(b*c - a*d)*(a + b*\tan[e + f*x])^m / (2*a*f*m), x] + \text{Dist}[(b*c + a*d)/(2*a*b), \text{Int}[(a + b*\tan[e + f*x])^{m+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0]$

Rule 8

$\text{Int}[a, x_Symbol] := \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx &= -\frac{A+iB}{4d(a+ia \tan(c+dx))^2} - \frac{i \int \frac{a(A+iB)+2aB \tan(c+dx)}{a+ia \tan(c+dx)} dx}{2a^2} \\ &= \frac{A+3iB}{4a^2d(1+i \tan(c+dx))} - \frac{A+iB}{4d(a+ia \tan(c+dx))^2} - \frac{(iA+B) \int 1 dx}{4a^2} \\ &= -\frac{(iA+B)x}{4a^2} + \frac{A+3iB}{4a^2d(1+i \tan(c+dx))} - \frac{A+iB}{4d(a+ia \tan(c+dx))^2} \end{aligned}$$

Mathematica [A] time = 0.53058, size = 92, normalized size = 1.21

$$\frac{\sec^2(c + dx)((-4Adx - iA + 4iBdx + B) \sin(2(c + dx)) + (4iAdx + A + B(4dx + i)) \cos(2(c + dx)) - 4iB)}{16a^2d(\tan(c + dx) - i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] (Sec[c + d*x]^2*((-4*I)*B + (A + (4*I)*A*d*x + B*(I + 4*d*x))*Cos[2*(c + d*x)] + ((-I)*A + B - 4*A*d*x + (4*I)*B*d*x)*Sin[2*(c + d*x)])/(16*a^2*d*(-I + Tan[c + d*x])^2)

Maple [B] time = 0.03, size = 162, normalized size = 2.1

$$\frac{A}{4a^2d(\tan(dx+c)-i)^2} + \frac{\frac{i}{4}B}{a^2d(\tan(dx+c)-i)^2} - \frac{\frac{i}{4}A}{a^2d(\tan(dx+c)-i)} + \frac{3B}{4a^2d(\tan(dx+c)-i)} - \frac{\ln(\tan(dx+c)-i)}{8a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x)

[Out] 1/4/d/a^2/(tan(d*x+c)-I)^2*A+1/4*I/d/a^2/(tan(d*x+c)-I)^2*B-1/4*I/d/a^2/(tan(d*x+c)-I)*A+3/4/d/a^2/(tan(d*x+c)-I)*B-1/8/d/a^2*ln(tan(d*x+c)-I)*A+1/8*I/d/a^2*ln(tan(d*x+c)-I)*B+1/8/d/a^2*A*ln(tan(d*x+c)+I)-1/8*I/d/a^2*B*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.42338, size = 154, normalized size = 2.03

$$\frac{((-4iA - 4B)dx e^{4i dx + 4ic} + 4i B e^{2i dx + 2ic} - A - i B) e^{(-4i dx - 4ic)}}{16 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out] 1/16*((-4*I*A - 4*B)*d*x*e^(4*I*d*x + 4*I*c) + 4*I*B*e^(2*I*d*x + 2*I*c) - A - I*B)*e^(-4*I*d*x - 4*I*c)/(a^2*d)

Sympy [A] time = 2.05259, size = 167, normalized size = 2.2

$$\begin{cases} \frac{(16iBa^2de^{4ic}e^{-2idx} + (-4Aa^2de^{2ic} - 4iBa^2de^{2ic})e^{-4idx})e^{-6ic}}{64a^4d^2} & \text{for } 64a^4d^2e^{6ic} \neq 0 \\ x \left(\frac{iA+B}{4a^2} - \frac{(iAe^{4ic} - iA + Be^{4ic} - 2Be^{2ic} + B)e^{-4ic}}{4a^2} \right) & \text{otherwise} \end{cases} + \frac{x(-iA - B)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] Piecewise(((16*I*B*a**2*d*exp(4*I*c)*exp(-2*I*d*x) + (-4*A*a**2*d*exp(2*I*c) - 4*I*B*a**2*d*exp(2*I*c))*exp(-4*I*d*x))*exp(-6*I*c)/(64*a**4*d**2), Ne(64*a**4*d**2*exp(6*I*c), 0)), (x*((I*A + B)/(4*a**2) - (I*A*exp(4*I*c) - I*A + B*exp(4*I*c) - 2*B*exp(2*I*c) + B)*exp(-4*I*c)/(4*a**2)), True)) + x*(-I*A - B)/(4*a**2)

Giac [A] time = 1.34941, size = 147, normalized size = 1.93

$$\frac{\frac{2(A-iB)\log(-i\tan(dx+c)+1)}{a^2} - \frac{2(A-iB)\log(-i\tan(dx+c)-1)}{a^2} + \frac{3A\tan(dx+c)^2 - 3iB\tan(dx+c)^2 - 10iA\tan(dx+c) + 6B\tan(dx+c) - 3A - 5iB}{a^2(\tan(dx+c)-i)^2}}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] 1/16*(2*(A - I*B)*log(-I*tan(d*x + c) + 1)/a^2 - 2*(A - I*B)*log(-I*tan(d*x + c) - 1)/a^2 + (3*A*tan(d*x + c)^2 - 3*I*B*tan(d*x + c)^2 - 10*I*A*tan(d*x + c) + 6*B*tan(d*x + c) - 3*A - 5*I*B)/(a^2*(tan(d*x + c) - I)^2)/d

$$3.47 \quad \int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=80

$$\frac{B+iA}{4d(a^2+ia^2 \tan(c+dx))} + \frac{x(A-iB)}{4a^2} + \frac{-B+iA}{4d(a+ia \tan(c+dx))^2}$$

[Out] ((A - I*B)*x)/(4*a^2) + (I*A - B)/(4*d*(a + I*a*Tan[c + d*x])^2) + (I*A + B)/(4*d*(a^2 + I*a^2*Tan[c + d*x]))

Rubi [A] time = 0.0615542, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3526, 3479, 8}

$$\frac{B+iA}{4d(a^2+ia^2 \tan(c+dx))} + \frac{x(A-iB)}{4a^2} + \frac{-B+iA}{4d(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^2,x]

[Out] ((A - I*B)*x)/(4*a^2) + (I*A - B)/(4*d*(a + I*a*Tan[c + d*x])^2) + (I*A + B)/(4*d*(a^2 + I*a^2*Tan[c + d*x]))

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^2} dx &= \frac{iA-B}{4d(a+ia \tan(c+dx))^2} + \frac{(A-iB) \int \frac{1}{a+ia \tan(c+dx)} dx}{2a} \\ &= \frac{iA-B}{4d(a+ia \tan(c+dx))^2} + \frac{iA+B}{4d(a^2+ia^2 \tan(c+dx))} + \frac{(A-iB) \int 1 dx}{4a^2} \\ &= \frac{(A-iB)x}{4a^2} + \frac{iA-B}{4d(a+ia \tan(c+dx))^2} + \frac{iA+B}{4d(a^2+ia^2 \tan(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.520707, size = 94, normalized size = 1.18

$$\frac{\sec^2(c + dx)((4iAdx + A + 4Bdx + iB) \sin(2(c + dx)) + (A(4dx + i) + B(-1 - 4idx)) \cos(2(c + dx)) + 4iA)}{16a^2d(\tan(c + dx) - i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^2,x]

[Out] -(Sec[c + d*x]^2*((4*I)*A + (B*(-1 - (4*I)*d*x) + A*(I + 4*d*x))*Cos[2*(c + d*x)] + (A + I*B + (4*I)*A*d*x + 4*B*d*x)*Sin[2*(c + d*x)])/(16*a^2*d*(-I + Tan[c + d*x])^2)

Maple [B] time = 0.028, size = 162, normalized size = 2.

$$\frac{A}{4a^2d(\tan(dx + c) - i)} - \frac{\frac{i}{4}B}{a^2d(\tan(dx + c) - i)} - \frac{\frac{i}{4}A}{a^2d(\tan(dx + c) - i)^2} + \frac{B}{4a^2d(\tan(dx + c) - i)^2} - \frac{\frac{i}{8} \ln(\tan(dx + c) - i)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x)

[Out] 1/4/d/a^2/(tan(d*x+c)-I)*A-1/4*I/d/a^2/(tan(d*x+c)-I)*B-1/4*I/d/a^2/(tan(d*x+c)-I)^2*A+1/4/d/a^2/(tan(d*x+c)-I)^2*B-1/8*I/d/a^2*ln(tan(d*x+c)-I)*A-1/8/d/a^2*ln(tan(d*x+c)-I)*B+1/8/d/a^2*B*ln(tan(d*x+c)+I)+1/8*I/d/a^2*A*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.36364, size = 150, normalized size = 1.88

$$\frac{(4(A - iB)dx e^{(4i dx + 4i c)} + 4i A e^{(2i dx + 2i c)} + i A - B) e^{(-4i dx - 4i c)}}{16 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out] 1/16*(4*(A - I*B)*d*x*e^(4*I*d*x + 4*I*c) + 4*I*A*e^(2*I*d*x + 2*I*c) + I*A - B)*e^(-4*I*d*x - 4*I*c)/(a^2*d)

Sympy [A] time = 1.80745, size = 163, normalized size = 2.04

$$\begin{cases} \frac{(16iAa^2de^{4ic}e^{-2idx} + (4iAa^2de^{2ic} - 4Ba^2de^{2ic})e^{-4idx})e^{-6ic}}{64a^4d^2} & \text{for } 64a^4d^2e^{6ic} \neq 0 \\ x \left(-\frac{A-iB}{4a^2} + \frac{(Ae^{4ic} + 2Ae^{2ic} + A-iBe^{4ic} + iB)e^{-4ic}}{4a^2} \right) & \text{otherwise} \end{cases} + \frac{x(A-iB)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] Piecewise((((16*I*A*a**2*d*exp(4*I*c)*exp(-2*I*d*x) + (4*I*A*a**2*d*exp(2*I*c) - 4*B*a**2*d*exp(2*I*c))*exp(-4*I*d*x))*exp(-6*I*c)/(64*a**4*d**2), Ne(64*a**4*d**2*exp(6*I*c), 0)), (x*(-(A - I*B)/(4*a**2) + (A*exp(4*I*c) + 2*A*exp(2*I*c) + A - I*B*exp(4*I*c) + I*B)*exp(-4*I*c)/(4*a**2))), True)) + x*(A - I*B)/(4*a**2)

Giac [A] time = 1.34553, size = 149, normalized size = 1.86

$$\frac{\frac{2(-iA-B)\log(\tan(dx+c)+i)}{a^2} - \frac{2(-iA-B)\log(\tan(dx+c)-i)}{a^2} - \frac{3iA\tan(dx+c)^2+3B\tan(dx+c)^2+10A\tan(dx+c)-10iB\tan(dx+c)-11iA-3B}{a^2(\tan(dx+c)-i)^2}}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] -1/16*(2*(-I*A - B)*log(tan(d*x + c) + I)/a^2 - 2*(-I*A - B)*log(tan(d*x + c) - I)/a^2 - (3*I*A*tan(d*x + c)^2 + 3*B*tan(d*x + c)^2 + 10*A*tan(d*x + c) - 10*I*B*tan(d*x + c) - 11*I*A - 3*B)/(a^2*(tan(d*x + c) - I)^2))/d

$$3.48 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=95

$$\frac{3A + iB}{4a^2d(1 + i \tan(c + dx))} - \frac{x(-B + 3iA)}{4a^2} + \frac{A \log(\sin(c + dx))}{a^2d} + \frac{A + iB}{4d(a + ia \tan(c + dx))^2}$$

[Out] -(((3*I)*A - B)*x)/(4*a^2) + (A*Log[Sin[c + d*x]])/(a^2*d) + (3*A + I*B)/(4*a^2*d*(1 + I*Tan[c + d*x])) + (A + I*B)/(4*d*(a + I*a*Tan[c + d*x])^2)

Rubi [A] time = 0.228687, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3596, 3531, 3475}

$$\frac{3A + iB}{4a^2d(1 + i \tan(c + dx))} - \frac{x(-B + 3iA)}{4a^2} + \frac{A \log(\sin(c + dx))}{a^2d} + \frac{A + iB}{4d(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] -(((3*I)*A - B)*x)/(4*a^2) + (A*Log[Sin[c + d*x]])/(a^2*d) + (3*A + I*B)/(4*a^2*d*(1 + I*Tan[c + d*x])) + (A + I*B)/(4*d*(a + I*a*Tan[c + d*x])^2)

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)])], x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx &= \frac{A+iB}{4d(a+ia \tan(c+dx))^2} + \frac{\int \frac{\cot(c+dx)(4aA-2a(iA-B) \tan(c+dx))}{a+ia \tan(c+dx)} dx}{4a^2} \\
&= \frac{3A+iB}{4a^2d(1+i \tan(c+dx))} + \frac{A+iB}{4d(a+ia \tan(c+dx))^2} + \frac{\int \cot(c+dx)(8a^2A-2a^2)}{8a} \\
&= -\frac{(3iA-B)x}{4a^2} + \frac{3A+iB}{4a^2d(1+i \tan(c+dx))} + \frac{A+iB}{4d(a+ia \tan(c+dx))^2} + \frac{A \int \cot(c+dx)}{a^2} \\
&= -\frac{(3iA-B)x}{4a^2} + \frac{A \log(\sin(c+dx))}{a^2d} + \frac{3A+iB}{4a^2d(1+i \tan(c+dx))} + \frac{A+iB}{4d(a+ia \tan(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.965453, size = 184, normalized size = 1.94

$$\frac{i \sec^2(c+dx) (\cos(2(c+dx)) (-8iA \log(\sin^2(c+dx)) + 4Adx - iA - 4iBdx + B) + 4iAdx \sin(2(c+dx)) - A \sin(2(c+dx)))}{(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] ((-I/16)*Sec[c + d*x]^2*((-8*I)*A + 4*B + Cos[2*(c + d*x)]*((-I)*A + B + 4*A*d*x - (4*I)*B*d*x - (8*I)*A*Log[Sin[c + d*x]^2]) - 16*A*ArcTan[Tan[d*x]]*(Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)]) - A*Sin[2*(c + d*x)] - I*B*Sin[2*(c + d*x)] + (4*I)*A*d*x*Sin[2*(c + d*x)] + 4*B*d*x*Sin[2*(c + d*x)] + 8*A*Log[Sin[c + d*x]^2]*Sin[2*(c + d*x)])/(a^2*d*(-I + Tan[c + d*x])^2)

Maple [B] time = 0.112, size = 177, normalized size = 1.9

$$\frac{B}{4a^2d(\tan(dx+c)-i)} - \frac{\frac{3i}{4}A}{a^2d(\tan(dx+c)-i)} - \frac{7 \ln(\tan(dx+c)-i)A}{8a^2d} - \frac{\frac{i}{8} \ln(\tan(dx+c)-i)B}{a^2d} - \frac{A}{4a^2d(\tan(dx+c)+i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

[Out] 1/4/d/a^2/(tan(d*x+c)-I)*B-3/4*I/d/a^2/(tan(d*x+c)-I)*A-7/8/d/a^2*ln(tan(d*x+c)-I)*A-1/8*I/d/a^2*ln(tan(d*x+c)-I)*B-1/4/d/a^2/(tan(d*x+c)-I)^2*A-1/4*I/d/a^2/(tan(d*x+c)-I)^2*B-1/8/d/a^2*A*ln(tan(d*x+c)+I)+1/8*I/d/a^2*B*ln(tan(d*x+c)+I)+1/d/a^2*A*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.5515, size = 242, normalized size = 2.55

$$\frac{((-28iA + 4B)dx e^{(4i dx + 4ic)} + 16A e^{(4i dx + 4ic)} \log(e^{(2i dx + 2ic)} - 1) + 4(2A + iB)e^{(2i dx + 2ic)} + A + iB)e^{(-4i dx - 4ic)}}{16a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out] 1/16*((-28*I*A + 4*B)*d*x*e^(4*I*d*x + 4*I*c) + 16*A*e^(4*I*d*x + 4*I*c)*log(e^(2*I*d*x + 2*I*c) - 1) + 4*(2*A + I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*e^(-4*I*d*x - 4*I*c)/(a^2*d)

Sympy [A] time = 3.75569, size = 221, normalized size = 2.33

$$\frac{A \log(e^{2idx} - e^{-2ic})}{a^2 d} + \begin{cases} \frac{((4Aa^2 de^{2ic} + 4iBa^2 de^{2ic})e^{-4idx} + (32Aa^2 de^{4ic} + 16iBa^2 de^{4ic})e^{-2idx})e^{-6ic}}{64a^4 d^2} & \text{for } 64a^4 d^2 e^{6ic} \neq 0 \\ x \left(\frac{7iA-B}{4a^2} - \frac{(7iAe^{4ic} + 4iAe^{2ic} + iA - Be^{4ic} - 2Be^{2ic} - B)e^{-4ic}}{4a^2} \right) & \text{otherwise} \end{cases} + \frac{x(-7iA + B)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x)

[Out] A*log(exp(2*I*d*x) - exp(-2*I*c))/(a**2*d) + Piecewise((((4*A*a**2*d*exp(2*I*c) + 4*I*B*a**2*d*exp(2*I*c))*exp(-4*I*d*x) + (32*A*a**2*d*exp(4*I*c) + 16*I*B*a**2*d*exp(4*I*c))*exp(-2*I*d*x))*exp(-6*I*c)/(64*a**4*d**2), Ne(64*a**4*d**2*exp(6*I*c), 0)), (x*((7*I*A - B)/(4*a**2) - (7*I*A*exp(4*I*c) + 4*I*A*exp(2*I*c) + I*A - B*exp(4*I*c) - 2*B*exp(2*I*c) - B)*exp(-4*I*c)/(4*a**2)), True)) + x*(-7*I*A + B)/(4*a**2)

Giac [A] time = 1.29025, size = 165, normalized size = 1.74

$$\frac{\frac{2(A-iB) \log(\tan(dx+c)+i)}{a^2} + \frac{2(7A+iB) \log(\tan(dx+c)-i)}{a^2} - \frac{16A \log(|\tan(dx+c)|)}{a^2} - \frac{21A \tan(dx+c)^2 + 3iB \tan(dx+c)^2 - 54iA \tan(dx+c) + 10B \tan(dx+c)}{a^2 (\tan(dx+c)-i)^2}}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] -1/16*(2*(A - I*B)*log(tan(d*x + c) + I)/a^2 + 2*(7*A + I*B)*log(tan(d*x + c) - I)/a^2 - 16*A*log(abs(tan(d*x + c)))/a^2 - (21*A*tan(d*x + c)^2 + 3*I*B*tan(d*x + c)^2 - 54*I*A*tan(d*x + c) + 10*B*tan(d*x + c) - 37*A - 11*I*B)/(a^2*(tan(d*x + c) - I)^2)/d

$$3.49 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=141

$$-\frac{3(3A + iB) \cot(c + dx)}{4a^2d} - \frac{(-B + 2iA) \log(\sin(c + dx))}{a^2d} + \frac{(2A + iB) \cot(c + dx)}{2a^2d(1 + i \tan(c + dx))} - \frac{3x(3A + iB)}{4a^2} + \frac{(A + iB) \cot(c + dx)}{4d(a + ia \tan(c + dx))}$$

[Out] $(-3*(3*A + I*B)*x)/(4*a^2) - (3*(3*A + I*B)*Cot[c + d*x])/(4*a^2*d) - (((2*I)*A - B)*Log[Sin[c + d*x]])/(a^2*d) + ((2*A + I*B)*Cot[c + d*x])/(2*a^2*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x])/(4*d*(a + I*a*Tan[c + d*x])^2)$

Rubi [A] time = 0.345708, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$-\frac{3(3A + iB) \cot(c + dx)}{4a^2d} - \frac{(-B + 2iA) \log(\sin(c + dx))}{a^2d} + \frac{(2A + iB) \cot(c + dx)}{2a^2d(1 + i \tan(c + dx))} - \frac{3x(3A + iB)}{4a^2} + \frac{(A + iB) \cot(c + dx)}{4d(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] $(-3*(3*A + I*B)*x)/(4*a^2) - (3*(3*A + I*B)*Cot[c + d*x])/(4*a^2*d) - (((2*I)*A - B)*Log[Sin[c + d*x]])/(a^2*d) + ((2*A + I*B)*Cot[c + d*x])/(2*a^2*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x])/(4*d*(a + I*a*Tan[c + d*x])^2)$

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx &= \frac{(A+iB)\cot(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{\int \frac{\cot^2(c+dx)(a(5A+iB)-3a(iA-B)\tan(c+dx))}{a+ia\tan(c+dx)} dx}{4a^2} \\ &= \frac{(2A+iB)\cot(c+dx)}{2a^2d(1+i\tan(c+dx))} + \frac{(A+iB)\cot(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{\int \cot^2(c+dx)(6a^2(3A+iB)-3a(5A+iB)\tan(c+dx))}{4a^2} \\ &= -\frac{3(3A+iB)\cot(c+dx)}{4a^2d} + \frac{(2A+iB)\cot(c+dx)}{2a^2d(1+i\tan(c+dx))} + \frac{(A+iB)\cot(c+dx)}{4d(a+ia\tan(c+dx))} \\ &= -\frac{3(3A+iB)x}{4a^2} - \frac{3(3A+iB)\cot(c+dx)}{4a^2d} + \frac{(2A+iB)\cot(c+dx)}{2a^2d(1+i\tan(c+dx))} + \frac{(A+iB)\cot(c+dx)}{4d(a+ia\tan(c+dx))} \\ &= -\frac{3(3A+iB)x}{4a^2} - \frac{3(3A+iB)\cot(c+dx)}{4a^2d} - \frac{(2iA-B)\log(\sin(c+dx))}{a^2d} + \frac{(2A+iB)\cot(c+dx)}{4d(a+ia\tan(c+dx))} \end{aligned}$$

Mathematica [B] time = 6.03195, size = 302, normalized size = 2.14

$$\frac{\sec(c+dx)(\cos(dx)+i\sin(dx))^2(A+B\tan(c+dx))\left(\frac{1}{4}(B-iA)(\cos(2c)-i\sin(2c))\cos(4dx)+4dx(2A+iB)(\cos(2c)+i\sin(2c))\right)}{4a^2d(a+ia\tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(((-3*I)*A + 2*B)*Cos[2*d*x] + (((-I)*A + B)*Cos[4*d*x]*(Cos[2*c] - I*Sin[2*c]))/4 + 4*(2*A + I*B)*d*x*(Cos[2*c] + I*Sin[2*c]) - 3*(3*A + I*B)*d*x*(Cos[2*c] + I*Sin[2*c]) - 4*(2*A + I*B)*ArcTan[Tan[d*x]]*(Cos[2*c] + I*Sin[2*c]) + 2*((-2*I)*A + B)*Log[Sin[c + d*x]^2]*(Cos[2*c] + I*Sin[2*c]) + 4*A*Csc[c]*Csc[c + d*x]*(Cos[2*c] + I*Sin[2*c])*Sin[d*x] - (3*A + (2*I)*B)*Sin[2*d*x] - ((A + I*B)*(Cos[2*c] - I*Sin[2*c])*Sin[4*d*x])/4)*(A + B*Tan[c + d*x]))/(4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.102, size = 211, normalized size = 1.5

$$-\frac{5A}{4a^2d(\tan(dx+c)-i)} - \frac{\frac{3i}{4}B}{a^2d(\tan(dx+c)-i)} - \frac{7\ln(\tan(dx+c)-i)B}{8a^2d} + \frac{\frac{17i}{8}\ln(\tan(dx+c)-i)A}{a^2d} + \frac{1}{a^2d(\tan(dx+c)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

[Out] -5/4/d/a^2/(tan(d*x+c)-I)*A-3/4*I/d/a^2/(tan(d*x+c)-I)*B-7/8/d/a^2*ln(tan(d*x+c)-I)*B+17/8*I/d/a^2*ln(tan(d*x+c)-I)*A+1/4*I/d/a^2/(tan(d*x+c)-I)^2*A-1/4/d/a^2/(tan(d*x+c)-I)^2*B-1/8/d/a^2*B*ln(tan(d*x+c)+I)-1/8*I/d/a^2*A*ln(tan(d*x+c)+I)-1/d/a^2*A/tan(d*x+c)-2*I/d/a^2*A*ln(tan(d*x+c))+1/d/a^2*B*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.43534, size = 433, normalized size = 3.07

$$\frac{4(17A + 7iB)dx e^{(6i dx + 6i c)} - (4(17A + 7iB)dx - 44iA + 8B)e^{(4i dx + 4i c)} - (11iA - 7B)e^{(2i dx + 2i c)} - ((-32iA + 16B)e^{(6i dx + 6i c)})}{16(a^2 d e^{(6i dx + 6i c)} - a^2 d e^{(4i dx + 4i c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/16*(4*(17*A + 7*I*B)*d*x*e^{(6*I*d*x + 6*I*c)} - (4*(17*A + 7*I*B)*d*x - 44*I*A + 8*B)*e^{(4*I*d*x + 4*I*c)} - (11*I*A - 7*B)*e^{(2*I*d*x + 2*I*c)} - ((-32*I*A + 16*B)*e^{(6*I*d*x + 6*I*c)} + (32*I*A - 16*B)*e^{(4*I*d*x + 4*I*c)})*\log(e^{(2*I*d*x + 2*I*c)} - 1) - I*A + B)/(a^2*d*e^{(6*I*d*x + 6*I*c)} - a^2*d*e^{(4*I*d*x + 4*I*c)})$$

Sympy [A] time = 14.7981, size = 223, normalized size = 1.58

$$-\frac{2iAe^{-2ic}}{a^2d(e^{2idx} - e^{-2ic})} - \frac{\left(\begin{cases} 17Axe^{4ic} + \frac{3iAe^{2ic}e^{-2idx}}{d} + \frac{iAe^{-4idx}}{4d} + 7iBxe^{4ic} - \frac{2Be^{2ic}e^{-2idx}}{d} - \frac{Be^{-4idx}}{4d} & \text{for } d \neq 0 \\ x(17Ae^{4ic} + 6Ae^{2ic} + A + 7iBe^{4ic} + 4iBe^{2ic} + iB) & \text{otherwise} \end{cases} \right) e^{-4ic}}{4a^2} + \frac{(-2iA + B)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out]
$$-2*I*A*\exp(-2*I*c)/(a**2*d*(\exp(2*I*d*x) - \exp(-2*I*c))) - \text{Piecewise}((17*A*x*\exp(4*I*c) + 3*I*A*\exp(2*I*c)*\exp(-2*I*d*x)/d + I*A*\exp(-4*I*d*x)/(4*d) + 7*I*B*x*\exp(4*I*c) - 2*B*\exp(2*I*c)*\exp(-2*I*d*x)/d - B*\exp(-4*I*d*x)/(4*d), \text{Ne}(d, 0)), (x*(17*A*\exp(4*I*c) + 6*A*\exp(2*I*c) + A + 7*I*B*\exp(4*I*c) + 4*I*B*\exp(2*I*c) + I*B), \text{True}))*\exp(-4*I*c)/(4*a**2) + (-2*I*A + B)*\log(\exp(2*I*d*x) - \exp(-2*I*c))/(a**2*d)$$

Giac [A] time = 1.31596, size = 219, normalized size = 1.55

$$\frac{2(-iA-B)\log(\tan(dx+c)+i)}{a^2} - \frac{2(-17iA+7B)\log(\tan(dx+c)-i)}{a^2} - \frac{16(2iA-B)\log(|\tan(dx+c)|)}{a^2} - \frac{16(-2iA\tan(dx+c)+B\tan(dx+c)+A)}{a^2\tan(dx+c)} - \frac{51iA\tan(dx+c)}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="
giac")
```

```
[Out] 1/16*(2*(-I*A - B)*log(tan(d*x + c) + I)/a^2 - 2*(-17*I*A + 7*B)*log(tan(d*
x + c) - I)/a^2 - 16*(2*I*A - B)*log(abs(tan(d*x + c)))/a^2 - 16*(-2*I*A*ta
n(d*x + c) + B*tan(d*x + c) + A)/(a^2*tan(d*x + c)) - (51*I*A*tan(d*x + c)^
2 - 21*B*tan(d*x + c)^2 + 122*A*tan(d*x + c) + 54*I*B*tan(d*x + c) - 75*I*A
+ 37*B)/(a^2*(tan(d*x + c) - I)^2))/d
```

3.50 $\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$

Optimal. Leaf size=170

$$-\frac{(2A + iB) \cot^2(c + dx)}{a^2 d} + \frac{3(-3B + 5iA) \cot(c + dx)}{4a^2 d} - \frac{2(2A + iB) \log(\sin(c + dx))}{a^2 d} + \frac{(5A + 3iB) \cot^2(c + dx)}{4a^2 d(1 + i \tan(c + dx))} + \frac{3x(-3B + 5iA)}{4a^2 d}$$

[Out] (3*((5*I)*A - 3*B)*x)/(4*a^2) + (3*((5*I)*A - 3*B)*Cot[c + d*x])/(4*a^2*d) - ((2*A + I*B)*Cot[c + d*x]^2)/(a^2*d) - (2*(2*A + I*B)*Log[Sin[c + d*x]])/(a^2*d) + ((5*A + (3*I)*B)*Cot[c + d*x]^2)/(4*a^2*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x]^2)/(4*d*(a + I*a*Tan[c + d*x])^2)

Rubi [A] time = 0.404879, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$-\frac{(2A + iB) \cot^2(c + dx)}{a^2 d} + \frac{3(-3B + 5iA) \cot(c + dx)}{4a^2 d} - \frac{2(2A + iB) \log(\sin(c + dx))}{a^2 d} + \frac{(5A + 3iB) \cot^2(c + dx)}{4a^2 d(1 + i \tan(c + dx))} + \frac{3x(-3B + 5iA)}{4a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] (3*((5*I)*A - 3*B)*x)/(4*a^2) + (3*((5*I)*A - 3*B)*Cot[c + d*x])/(4*a^2*d) - ((2*A + I*B)*Cot[c + d*x]^2)/(a^2*d) - (2*(2*A + I*B)*Log[Sin[c + d*x]])/(a^2*d) + ((5*A + (3*I)*B)*Cot[c + d*x]^2)/(4*a^2*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x]^2)/(4*d*(a + I*a*Tan[c + d*x])^2)

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^3(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx &= \frac{(A+iB)\cot^2(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{\int \frac{\cot^3(c+dx)(2a(3A+iB)-4a(iA-B)\tan(c+dx))}{a+ia\tan(c+dx)} dx}{4a^2} \\
 &= \frac{(5A+3iB)\cot^2(c+dx)}{4a^2d(1+i\tan(c+dx))} + \frac{(A+iB)\cot^2(c+dx)}{4d(a+ia\tan(c+dx))^2} + \frac{\int \cot^3(c+dx)(16a^2(2A+iB)-4a(3A+iB)\tan(c+dx))}{4a^2d(1+i\tan(c+dx))} dx}{4a^2d(1+i\tan(c+dx))} \\
 &= -\frac{(2A+iB)\cot^2(c+dx)}{a^2d} + \frac{(5A+3iB)\cot^2(c+dx)}{4a^2d(1+i\tan(c+dx))} + \frac{(A+iB)\cot^2(c+dx)}{4d(a+ia\tan(c+dx))^2} \\
 &= \frac{3(5iA-3B)\cot(c+dx)}{4a^2d} - \frac{(2A+iB)\cot^2(c+dx)}{a^2d} + \frac{(5A+3iB)\cot^2(c+dx)}{4a^2d(1+i\tan(c+dx))} \\
 &= \frac{3(5iA-3B)x}{4a^2} + \frac{3(5iA-3B)\cot(c+dx)}{4a^2d} - \frac{(2A+iB)\cot^2(c+dx)}{a^2d} + \frac{(5A+3iB)\cot^2(c+dx)}{4a^2d(1+i\tan(c+dx))} \\
 &= \frac{3(5iA-3B)x}{4a^2} + \frac{3(5iA-3B)\cot(c+dx)}{4a^2d} - \frac{(2A+iB)\cot^2(c+dx)}{a^2d} - \frac{2(2A+iB)\cot^2(c+dx)}{4a^2d(1+i\tan(c+dx))}
 \end{aligned}$$

Mathematica [B] time = 7.08443, size = 1112, normalized size = 6.54

$$\frac{\csc(c)\csc(c+dx)\sec(c+dx)\left(A\cos(2c-dx)+\frac{1}{2}iB\cos(2c-dx)-A\cos(2c+dx)-\frac{1}{2}iB\cos(2c+dx)+iA\sin(2c-dx)+iB\sin(2c-dx)\right)}{d(A\cos(c+dx)+B\sin(c+dx))(i\tan(c+dx)+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] -((4*A + (3*I)*B)*Cos[2*d*x]*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (Sec[c + d*x]*(2*A*Cos[c] + I*B*Cos[c] + (2*I)*A*Sin[c] - B*Sin[c])*((2*I)*ArcTan[Tan[d*x]]*Cos[c] - 2*ArcTan[Tan[d*x]]*Sin[c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (Sec[c + d*x]*(2*A*Cos[c] + I*B*Cos[c] + (2*I)*A*Sin[c] - B*Sin[c])*(-(Cos[c]*Log[Sin[c + d*x]^2]) - I*Log[Sin[c + d*x]^2]*Sin[c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (x*Sec[c + d*x]*((4*I)*A - 2*B + 4*A*Cot[c] + (2*I)*B*Cot[c] + (2*A + I*B)*Cot[c]*(-2*Cos[2*c] - (2*I)*Sin[2*c]))*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((A + I*B)*Cos[4*d*x]*Sec[c + d*x]*(-Cos[2*c]/16 + (I/16)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (Csc[c + d*x]^2*Sec[c + d*x]*(-(A*Cos[2*c])/2 - (I/2)*A*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((5*A + (3*I)*B)*Sec[c + d*x]*(((3*I)/4)*d*x*Cos[2*c] - (3*d*x*Sin[2*c])/4)*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((I/4)*(4*A + (3*I)*B)*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*Sin[2*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + ((A + I*B)*Sec[c + d*x]*((I/16)*Cos[2*c] + Sin[2*c]/16)*(Cos[d*x] + I*Sin[d*x])^2*Sin[4*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2) + (Csc[c]*Csc[c + d*x]*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[2*c - d*x] + (I/2)*B*Cos[2*c - d*x] - A*Cos[2*c + d*x] - (I/2)*B*Cos[2*c + d*x] + I*A*Sin[2*c - d*x] - (B*Sin[2*c - d*x])/2 - I

$$*A*\sin[2*c + d*x] + (B*\sin[2*c + d*x])/2*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^2)$$

Maple [A] time = 0.118, size = 247, normalized size = 1.5

$$\frac{A}{4a^2d(\tan(dx+c)-i)^2} + \frac{\frac{i}{4}B}{a^2d(\tan(dx+c)-i)^2} - \frac{5B}{4a^2d(\tan(dx+c)-i)} + \frac{\frac{7i}{4}A}{a^2d(\tan(dx+c)-i)} + \frac{31 \ln(\tan(dx+c))}{8a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x)
```

```
[Out] 1/4/d/a^2/(tan(d*x+c)-I)^2*A+1/4*I/d/a^2/(tan(d*x+c)-I)^2*B-5/4/d/a^2/(tan(d*x+c)-I)*B+7/4*I/d/a^2/(tan(d*x+c)-I)*A+31/8/d/a^2*ln(tan(d*x+c)-I)*A+17/8*I/d/a^2*ln(tan(d*x+c)-I)*B+1/8/d/a^2*A*ln(tan(d*x+c)+I)-1/8*I/d/a^2*B*ln(tan(d*x+c)+I)-1/2/d/a^2*A/tan(d*x+c)^2-2*I/d/a^2*B*ln(tan(d*x+c))-4/d/a^2*A*ln(tan(d*x+c))+2*I/d/a^2/tan(d*x+c)*A-1/d/a^2/tan(d*x+c)*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.56098, size = 601, normalized size = 3.54

$$\frac{(124iA - 68B)dx e^{(8i dx + 8i c)} + ((-248iA + 136B)dx - 48A - 44iB)e^{(6i dx + 6i c)} + ((124iA - 68B)dx + 95A + 55iB)e^{(4i dx + 4i c)}}{16(a^2 d e^{(8i dx + 8i c)} - \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] 1/16*((124*I*A - 68*B)*d*x*e^(8*I*d*x + 8*I*c) + ((-248*I*A + 136*B)*d*x - 48*A - 44*I*B)*e^(6*I*d*x + 6*I*c) + ((124*I*A - 68*B)*d*x + 95*A + 55*I*B)*e^(4*I*d*x + 4*I*c) - 2*(7*A + 5*I*B)*e^(2*I*d*x + 2*I*c) - 32*((2*A + I*B)*e^(8*I*d*x + 8*I*c) - 2*(2*A + I*B)*e^(6*I*d*x + 6*I*c) + (2*A + I*B)*e^(4*I*d*x + 4*I*c))*log(e^(2*I*d*x + 2*I*c) - 1) - A - I*B)/(a^2*d*e^(8*I*d*x + 8*I*c) - 2*a^2*d*e^(6*I*d*x + 6*I*c) + a^2*d*e^(4*I*d*x + 4*I*c))
```

Sympy [A] time = 35.1293, size = 274, normalized size = 1.61

$$-\frac{(2A+2iB)e^{-2ic}e^{2idx}}{a^2d} + \frac{(4A+2iB)e^{-4ic}}{a^2d} + \frac{\left(\begin{cases} 31iAxe^{4ic} - \frac{4Ae^{2ic}e^{-2idx}}{d} - \frac{Ae^{-4idx}}{4d} - 17Bxe^{4ic} - \frac{3iBe^{2ic}e^{-2idx}}{d} - \frac{iBe^{-4idx}}{4d} & \text{for } d \neq 0 \\ x(31iAe^{4ic} + 8iAe^{2ic} + iA - 17Be^{4ic} - 6Be^{2ic} - B) & \text{otherwise} \end{cases} \right) e^{-4ic}}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] $(-(2A + 2IB)\exp(-2Ic)\exp(2Id*x)/(a^2*d) + (4A + 2IB)\exp(-4Ic)/(a^2*d))/(\exp(4Id*x) - 2\exp(-2Ic)\exp(2Id*x) + \exp(-4Ic)) + \text{Piecewise}((31IA*x\exp(4Ic) - 4A\exp(2Ic)\exp(-2Id*x)/d - A\exp(-4Id*x)/(4d) - 17B*x\exp(4Ic) - 3IB\exp(2Ic)\exp(-2Id*x)/d - IB\exp(-4Id*x)/(4d), \text{Ne}(d, 0)), (x*(31IA\exp(4Ic) + 8IA\exp(2Ic) + IA - 17B\exp(4Ic) - 6B\exp(2Ic) - B), \text{True}))\exp(-4Ic)/(4a^2) - (4A + 2IB)\log(\exp(2Id*x) - \exp(-2Ic))/(a^2*d)$

Giac [A] time = 1.42164, size = 239, normalized size = 1.41

$$\frac{4(A-iB)\log(\tan(dx+c)+i)}{a^2} + \frac{4(31A+17iB)\log(\tan(dx+c)-i)}{a^2} - \frac{64(2A+iB)\log(|\tan(dx+c)|)}{a^2} + \frac{3A\tan(dx+c)^4 - 3iB\tan(dx+c)^4 + 114iA\tan(dx+c)^3 - 173A\tan(dx+c)^2 + 115iB\tan(dx+c)^2 - 32iA\tan(dx+c) + 32iB\tan(dx+c) + 16A}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] $1/32*(4*(A - IB)\log(\tan(dx + c) + I)/a^2 + 4*(31A + 17IB)\log(\tan(dx + c) - I)/a^2 - 64*(2A + IB)\log(\text{abs}(\tan(dx + c)))/a^2 + (3A*\tan(dx + c)^4 - 3IB*\tan(dx + c)^4 + 114IA*\tan(dx + c)^3 - 78B*\tan(dx + c)^3 + 173A*\tan(dx + c)^2 + 115IB*\tan(dx + c)^2 - 32IA*\tan(dx + c) + 32IB*\tan(dx + c) + 16A)/((\tan(dx + c)^2 - I*\tan(dx + c))^2*a^2))/d$

$$3.51 \quad \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=191

$$\frac{(-3B + iA) \tan^2(c + dx)}{2d(a^3 + ia^3 \tan(c + dx))} + \frac{(7A + 25iB) \tan(c + dx)}{8a^3d} - \frac{(-3B + iA) \log(\cos(c + dx))}{a^3d} - \frac{x(7A + 25iB)}{8a^3} + \frac{(-B + iA) \tan^4(c + dx)}{6d(a + ia \tan(c + dx))}$$

[Out] $-\frac{(7A + (25I)B)x}{8a^3} - \frac{(IA - 3B)\text{Log}[\text{Cos}[c + dx]]}{a^3d} + \frac{(7A + (25I)B)\text{Tan}[c + dx]}{8a^3d} + \frac{(IA - B)\text{Tan}[c + dx]^4}{6d(a + I a \text{Tan}[c + dx])^3} + \frac{(5A + (11I)B)\text{Tan}[c + dx]^3}{24a d(a + I a \text{Tan}[c + dx])^2} - \frac{(IA - 3B)\text{Tan}[c + dx]^2}{2d(a^3 + I a^3 \text{Tan}[c + dx])}$

Rubi [A] time = 0.473484, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {3595, 3525, 3475}

$$\frac{(-3B + iA) \tan^2(c + dx)}{2d(a^3 + ia^3 \tan(c + dx))} + \frac{(7A + 25iB) \tan(c + dx)}{8a^3d} - \frac{(-3B + iA) \log(\cos(c + dx))}{a^3d} - \frac{x(7A + 25iB)}{8a^3} + \frac{(-B + iA) \tan^4(c + dx)}{6d(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + dx]^4(A + B \text{Tan}[c + dx]))/(a + I a \text{Tan}[c + dx])^3, x]$

[Out] $-\frac{(7A + (25I)B)x}{8a^3} - \frac{(IA - 3B)\text{Log}[\text{Cos}[c + dx]]}{a^3d} + \frac{(7A + (25I)B)\text{Tan}[c + dx]}{8a^3d} + \frac{(IA - B)\text{Tan}[c + dx]^4}{6d(a + I a \text{Tan}[c + dx])^3} + \frac{(5A + (11I)B)\text{Tan}[c + dx]^3}{24a d(a + I a \text{Tan}[c + dx])^2} - \frac{(IA - 3B)\text{Tan}[c + dx]^2}{2d(a^3 + I a^3 \text{Tan}[c + dx])}$

Rule 3595

$\text{Int}[(a + b \tan(e + f x))^m ((c + d \tan(e + f x))^n), x_Symbol] \rightarrow -\text{Simp}[(A b - a B)(a + b \text{Tan}[e + f x])^m (c + d \text{Tan}[e + f x])^n / (2 a f m), x] + \text{Dist}[1 / (2 a^2 m), \text{Int}[(a + b \text{Tan}[e + f x])^{m+1} (c + d \text{Tan}[e + f x])^{n-1} \text{Simp}[A(a c m + b d n) - B(b c m + a d n) - d(b B(m - n) - a A(m + n)) \text{Tan}[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3525

$\text{Int}[(a + b \tan(e + f x))(c + d \tan(e + f x)), x_Symbol] \rightarrow \text{Simp}[(a c - b d)x, x] + (\text{Dist}[b c + a d, \text{Int}[\text{Tan}[e + f x], x], x] + \text{Simp}[(b d \text{Tan}[e + f x])/f, x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[b c + a d, 0]$

Rule 3475

$\text{Int}[\tan((c + d x)), x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{(iA-B) \tan^4(c+dx)}{6d(a+ia \tan(c+dx))^3} - \frac{\int \frac{\tan^3(c+dx)(4a(iA-B)+a(A+7iB) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{(iA-B) \tan^4(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(5A+11iB) \tan^3(c+dx)}{24ad(a+ia \tan(c+dx))^2} + \frac{\int \frac{\tan^2(c+dx)(-3a^2(5A+)}{a+}}{24ad(a+ia \tan(c+dx))^2} \\
&= \frac{(iA-B) \tan^4(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(5A+11iB) \tan^3(c+dx)}{24ad(a+ia \tan(c+dx))^2} - \frac{(iA-3B) \tan^2(c+dx)}{2d(a^3+ia^3 \tan(c+dx))} \\
&= -\frac{(7A+25iB)x}{8a^3} + \frac{(7A+25iB) \tan(c+dx)}{8a^3d} + \frac{(iA-B) \tan^4(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(5A+11iB) \tan^3(c+dx)}{24ad(a+ia \tan(c+dx))^2} \\
&= -\frac{(7A+25iB)x}{8a^3} - \frac{(iA-3B) \log(\cos(c+dx))}{a^3d} + \frac{(7A+25iB) \tan(c+dx)}{8a^3d} + \frac{(5A+11iB) \tan^3(c+dx)}{24ad(a+ia \tan(c+dx))^2}
\end{aligned}$$

Mathematica [B] time = 7.01278, size = 1251, normalized size = 6.55

$$\frac{\sec^3(c+dx)(-B \cos(3c-dx) + B \cos(3c+dx) - iB \sin(3c-dx) + iB \sin(3c+dx))(A+B \tan(c+dx))(\cos(dx) + i \sin(dx))}{2d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) \left(\cos\left(\frac{c}{2}\right) + \sin\left(\frac{c}{2}\right) \right) (A \cos(c+dx) + B \sin(c+dx))(i \tan(c+dx)a + a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] ((11*A + (23*I)*B)*Cos[2*d*x]*Sec[c + d*x]^2*((I/16)*Cos[c] - Sin[c]/16)*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (((-5*I)*A + 7*B)*Cos[4*d*x]*Sec[c + d*x]^2*(Cos[c]/32 - (I/32)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Sec[c + d*x]^2*(-I)*A*Cos[(3*c)/2] + 3*B*Cos[(3*c)/2] + A*Sin[(3*c)/2] + (3*I)*B*Sin[(3*c)/2])*(Cos[(3*c)/2]*Log[Cos[c + d*x]] + I*Log[Cos[c + d*x]]*Sin[(3*c)/2])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((A + I*B)*Cos[6*d*x]*Sec[c + d*x]^2*((I/48)*Cos[3*c] + Sin[3*c]/48)*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((7*A + (25*I)*B)*Sec[c + d*x]^2*(-(d*x)*Cos[3*c])/8 - (I/8)*d*x*Sin[3*c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((11*A + (23*I)*B)*Sec[c + d*x]^2*(Cos[c]/16 + (I/16)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*Sin[2*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((5*A + (7*I)*B)*Sec[c + d*x]^2*(-Cos[c]/32 + (I/32)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*Sin[4*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((A + I*B)*Sec[c + d*x]^2*(Cos[3*c]/48 - (I/48)*Sin[3*c])*(Cos[d*x] + I*Sin[d*x])^3*Sin[6*d*x]*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Sec[c + d*x]^3*(Cos[d*x] + I*Sin[d*x])^3*(-(B*Cos[3*c - d*x]) + B*Cos[3*c + d*x] - I*B*Sin[3*c - d*x] + I*B*Sin[3*c + d*x])*(A + B*Tan[c + d*x]))/(2*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (x*Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*((A*Cos[c])/2 + ((3*I)/2)*B*Cos[c] - (A*Cos[c]^3)/2 - ((3*I)/2)*B*Cos[c]^3 + I*A*Sin[c] - 3*B*Sin[c] - (2*I)*A*Cos[c]^2*Sin[c] + 6*B*Cos[c]^2*Sin[c] + 3*A*Cos[c]*Sin[c]^2 + (9*I)*B*Cos[c]*Sin[c]^2 + (2*I)*A*Sin[c]^3 - 6*B*Sin[c]^3 - (A*Sin[c]*Tan[c])/2 - ((3*I)/2)*B*Sin[c]*Tan[c] - (A*Sin[c]^3*Tan[c])/2 - ((3*I)/2)*B*Sin[c]^3*Tan[c] + I*(A + (3*I)*B)*(Cos[3*c] + I*Sin[3*c])*Tan[c])*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3)

$\text{an}[c + d*x])^3)$

Maple [A] time = 0.036, size = 219, normalized size = 1.2

$$\frac{iB \tan(dx + c)}{a^3 d} - \frac{A}{6 a^3 d (\tan(dx + c) - i)^3} - \frac{\frac{i}{6} B}{a^3 d (\tan(dx + c) - i)^3} - \frac{49 \ln(\tan(dx + c) - i) B}{16 a^3 d} + \frac{\frac{15i}{16} \ln(\tan(dx + c) - i)}{a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)`

[Out] $I/d/a^3*B*\tan(d*x+c)-1/6/d/a^3/(\tan(d*x+c)-I)^3*A-1/6*I/d/a^3/(\tan(d*x+c)-I)^3*B-49/16/d/a^3*\ln(\tan(d*x+c)-I)*B+15/16*I/d/a^3*\ln(\tan(d*x+c)-I)*A+17/8/d/a^3/(\tan(d*x+c)-I)*A+31/8*I/d/a^3/(\tan(d*x+c)-I)*B+7/8*I/d/a^3/(\tan(d*x+c)-I)^2*A-9/8/d/a^3/(\tan(d*x+c)-I)^2*B+1/16/d/a^3*B*\ln(\tan(d*x+c)+I)+1/16*I/d/a^3*A*\ln(\tan(d*x+c)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.46397, size = 506, normalized size = 2.65

$$\frac{12(15A + 49iB)dx e^{(8i dx + 8i c)} + (12(15A + 49iB)dx - 66iA + 330B)e^{(6i dx + 6i c)} - (51iA - 117B)e^{(4i dx + 4i c)} - (-13iA + 19B)e^{(2i dx + 2i c)} - ((-96iA + 288B)e^{(8i dx + 8i c)} + (-96iA + 288B)e^{(6i dx + 6i c)}) \log(e^{(2i dx + 2i c)} + 1) - 2iA + 2B}{96(a^3 d e^{(8i dx + 8i c)} + a^3 d e^{(6i dx + 6i c)} + a^3 d e^{(4i dx + 4i c)} + a^3 d e^{(2i dx + 2i c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")`

[Out] $-1/96*(12*(15*A + 49*I*B)*d*x*e^{(8*I*d*x + 8*I*c)} + (12*(15*A + 49*I*B)*d*x - 66*I*A + 330*B)*e^{(6*I*d*x + 6*I*c)} - (51*I*A - 117*B)*e^{(4*I*d*x + 4*I*c)} - (-13*I*A + 19*B)*e^{(2*I*d*x + 2*I*c)} - ((-96*I*A + 288*B)*e^{(8*I*d*x + 8*I*c)} + (-96*I*A + 288*B)*e^{(6*I*d*x + 6*I*c)}) \log(e^{(2*I*d*x + 2*I*c)} + 1) - 2*I*A + 2*B)/(a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})$

Sympy [A] time = 35.9561, size = 292, normalized size = 1.53

$$\frac{2Be^{-2ic}}{a^3 d (e^{2idx} + e^{-2ic})} - \frac{\left(\begin{array}{l} 15Axe^{6ic} - \frac{11iAe^{4ic}e^{-2idx}}{2d} + \frac{5iAe^{2ic}e^{-4idx}}{4d} - \frac{iAe^{-6idx}}{6d} + 49iBxe^{6ic} + \frac{23Be^{4ic}e^{-2idx}}{2d} - \frac{7Be^{2ic}e^{-4idx}}{4d} + \frac{Be^{-6idx}}{6d} \\ x(15Ae^{6ic} - 11Ae^{4ic} + 5Ae^{2ic} - A + 49iBe^{6ic} - 23iBe^{4ic} + 7iBe^{2ic} - iB) \end{array} \right)}{8a^3} \quad \text{for } \text{otl}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] $-2*B*\exp(-2*I*c)/(a**3*d*(\exp(2*I*d*x) + \exp(-2*I*c))) - \text{Piecewise}((15*A*x*\exp(6*I*c) - 11*I*A*\exp(4*I*c)*\exp(-2*I*d*x)/(2*d) + 5*I*A*\exp(2*I*c)*\exp(-4*I*d*x)/(4*d) - I*A*\exp(-6*I*d*x)/(6*d) + 49*I*B*x*\exp(6*I*c) + 23*B*\exp(4*I*c)*\exp(-2*I*d*x)/(2*d) - 7*B*\exp(2*I*c)*\exp(-4*I*d*x)/(4*d) + B*\exp(-6*I*d*x)/(6*d), \text{Ne}(d, 0)), (x*(15*A*\exp(6*I*c) - 11*A*\exp(4*I*c) + 5*A*\exp(2*I*c) - A + 49*I*B*\exp(6*I*c) - 23*I*B*\exp(4*I*c) + 7*I*B*\exp(2*I*c) - I*B), \text{True}))*\exp(-6*I*c)/(8*a**3) + (-I*A + 3*B)*\log(\exp(2*I*d*x) + \exp(-2*I*c))/(a**3*d)$

Giac [A] time = 2.37201, size = 194, normalized size = 1.02

$$\frac{6(iA+B)\log(\tan(dx+c)+i)}{a^3} - \frac{6(-15iA+49B)\log(i\tan(dx+c)+1)}{a^3} + \frac{96iB\tan(dx+c)}{a^3} - \frac{165iA\tan(dx+c)^3-539B\tan(dx+c)^3+291A\tan(dx+c)^2+1245B\tan(dx+c)}{a^3\tan(dx+c)}$$

96 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] $1/96*(6*(I*A + B)*\log(\tan(d*x + c) + I)/a^3 - 6*(-15*I*A + 49*B)*\log(I*\tan(d*x + c) + 1)/a^3 + 96*I*B*\tan(d*x + c)/a^3 - (165*I*A*\tan(d*x + c)^3 - 539*B*\tan(d*x + c)^3 + 291*A*\tan(d*x + c)^2 + 1245*I*B*\tan(d*x + c)^2 - 171*I*A*\tan(d*x + c) + 981*B*\tan(d*x + c) - 29*A - 259*I*B)/(a^3*(\tan(d*x + c) - I)^3))/d$

$$3.52 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=148

$$\frac{A + 7iB}{8d(a^3 + ia^3 \tan(c + dx))} + \frac{x(-7B + iA)}{8a^3} - \frac{iB \log(\cos(c + dx))}{a^3 d} + \frac{(-B + iA) \tan^3(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(A + 3iB) \tan^2(c + dx)}{8ad(a + ia \tan(c + dx))^2}$$

```
[Out] ((I*A - 7*B)*x)/(8*a^3) - (I*B*Log[Cos[c + d*x]])/(a^3*d) + ((I*A - B)*Tan[
c + d*x]^3)/(6*d*(a + I*a*Tan[c + d*x])^3) + ((A + (3*I)*B)*Tan[c + d*x]^2)
/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (A + (7*I)*B)/(8*d*(a^3 + I*a^3*Tan[c +
d*x]))
```

Rubi [A] time = 0.368236, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3595, 3589, 3475, 12, 3526, 8}

$$\frac{A + 7iB}{8d(a^3 + ia^3 \tan(c + dx))} + \frac{x(-7B + iA)}{8a^3} - \frac{iB \log(\cos(c + dx))}{a^3 d} + \frac{(-B + iA) \tan^3(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(A + 3iB) \tan^2(c + dx)}{8ad(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]
```

```
[Out] ((I*A - 7*B)*x)/(8*a^3) - (I*B*Log[Cos[c + d*x]])/(a^3*d) + ((I*A - B)*Tan[
c + d*x]^3)/(6*d*(a + I*a*Tan[c + d*x])^3) + ((A + (3*I)*B)*Tan[c + d*x]^2)
/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (A + (7*I)*B)/(8*d*(a^3 + I*a^3*Tan[c +
d*x]))
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x
] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])
^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*
(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3589

```
Int[(((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_
)*(x_)]))/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(B*d)
/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c -
a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d,
e, f, A, B}, x] && NeQ[b*c - a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} - \frac{\int \frac{\tan^2(c+dx)(3a(iA-B)+6iaB \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{6a^2} \\ &= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+3iB) \tan^2(c+dx)}{8ad(a+ia \tan(c+dx))^2} + \frac{\int \frac{\tan(c+dx)(-6a^2(A+3iB))}{a+ia \tan(c+dx)} dx}{24a^4} \\ &= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+3iB) \tan^2(c+dx)}{8ad(a+ia \tan(c+dx))^2} - \frac{i \int \frac{6a^3(iA-7B) \tan(c+dx)}{a+ia \tan(c+dx)} dx}{24a^5} \\ &= -\frac{iB \log(\cos(c+dx))}{a^3d} + \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+3iB) \tan^2(c+dx)}{8ad(a+ia \tan(c+dx))^2} \\ &= -\frac{iB \log(\cos(c+dx))}{a^3d} + \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+3iB) \tan^2(c+dx)}{8ad(a+ia \tan(c+dx))^2} \\ &= \frac{(iA-7B)x}{8a^3} - \frac{iB \log(\cos(c+dx))}{a^3d} + \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+3iB) \tan^2(c+dx)}{8ad(a+ia \tan(c+dx))^2} \end{aligned}$$

Mathematica [A] time = 1.20566, size = 178, normalized size = 1.2

$\frac{\sec^3(c+dx)((-51B+9iA) \cos(c+dx) - 2 \cos(3(c+dx))(6Adx - iA - 48B \log(\cos(c+dx)) + 42iBdx + B) - 27A \sin(c+dx))}{(a+ia \tan(c+dx))^3}$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^3*(((9*I)*A - 51*B)*Cos[c + d*x] - 2*Cos[3*(c + d*x)]*((-I)*A + B + 6*A*d*x + (42*I)*B*d*x - 48*B*Log[Cos[c + d*x]]) - 27*A*Sin[c + d*x] - (81*I)*B*Sin[c + d*x] + 2*A*Sin[3*(c + d*x)] + (2*I)*B*Sin[3*(c + d*x)] - (12*I)*A*d*x*Sin[3*(c + d*x)] + 84*B*d*x*Sin[3*(c + d*x)] + (96*I)*B*Log[Cos[c + d*x]]*Sin[3*(c + d*x)]))/(96*a^3*d*(-I + Tan[c + d*x])^3)

Maple [A] time = 0.034, size = 203, normalized size = 1.4

$\frac{\ln(\tan(dx+c)-i)A}{16a^3d} + \frac{\frac{15i}{16} \ln(\tan(dx+c)-i)B}{a^3d} + \frac{17B}{8a^3d(\tan(dx+c)-i)} - \frac{\frac{7i}{8}A}{a^3d(\tan(dx+c)-i)} + \frac{5A}{8a^3d(\tan(dx+c)-i)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x)

```
[Out] 1/16/d/a^3*ln(tan(d*x+c)-I)*A+15/16*I/d/a^3*ln(tan(d*x+c)-I)*B+17/8/d/a^3/(
tan(d*x+c)-I)*B-7/8*I/d/a^3/(tan(d*x+c)-I)*A+5/8/d/a^3/(tan(d*x+c)-I)^2*A+7
/8*I/d/a^3/(tan(d*x+c)-I)^2*B+1/6*I/d/a^3/(tan(d*x+c)-I)^3*A-1/6/d/a^3/(tan
(d*x+c)-I)^3*B-1/16/d/a^3*A*ln(tan(d*x+c)+I)+1/16*I/d/a^3*B*ln(tan(d*x+c)+I
)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="
maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.51358, size = 306, normalized size = 2.07

$$\frac{((12i A - 180 B)dx e^{(6i dx + 6i c)} - 96i B e^{(6i dx + 6i c)} \log(e^{(2i dx + 2i c)} + 1) + 6(3 A + 11i B)e^{(4i dx + 4i c)} - 3(3 A + 5i B)e^{(2i dx + 2i c)} + 2A + 2i B)e^{(-6i dx - 6i c)}}{96 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="
fricas")
```

```
[Out] 1/96*((12*I*A - 180*B)*d*x*e^(6*I*d*x + 6*I*c) - 96*I*B*e^(6*I*d*x + 6*I*c)
*log(e^(2*I*d*x + 2*I*c) + 1) + 6*(3*A + 11*I*B)*e^(4*I*d*x + 4*I*c) - 3*(3
*A + 5*I*B)*e^(2*I*d*x + 2*I*c) + 2*A + 2*I*B)*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [A] time = 13.8499, size = 253, normalized size = 1.71

$$-\frac{iB \log(e^{2idx} + e^{-2ic})}{a^3 d} + \frac{\left(\begin{matrix} iAx e^{6ic} + \frac{3Ae^{4ic}e^{-2idx}}{2d} - \frac{3Ae^{2ic}e^{-4idx}}{4d} + \frac{Ae^{-6idx}}{6d} - 15Bxe^{6ic} + \frac{11Be^{4ic}e^{-2idx}}{2d} - \frac{5iBe^{2ic}e^{-4idx}}{4d} + \frac{iBe^{-6idx}}{6d} \\ x(iAe^{6ic} - 3iAe^{4ic} + 3iAe^{2ic} - iA - 15Be^{6ic} + 11Be^{4ic} - 5Be^{2ic} + B) \end{matrix} \right)}{8a^3} \text{ for oth}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] -I*B*log(exp(2*I*d*x) + exp(-2*I*c))/(a**3*d) + Piecewise((I*A*x*exp(6*I*c)
+ 3*A*exp(4*I*c)*exp(-2*I*d*x)/(2*d) - 3*A*exp(2*I*c)*exp(-4*I*d*x)/(4*d)
+ A*exp(-6*I*d*x)/(6*d) - 15*B*x*exp(6*I*c) + 11*I*B*exp(4*I*c)*exp(-2*I*d*
x)/(2*d) - 5*I*B*exp(2*I*c)*exp(-4*I*d*x)/(4*d) + I*B*exp(-6*I*d*x)/(6*d),
Ne(d, 0)), (x*(I*A*exp(6*I*c) - 3*I*A*exp(4*I*c) + 3*I*A*exp(2*I*c) - I*A -
15*B*exp(6*I*c) + 11*B*exp(4*I*c) - 5*B*exp(2*I*c) + B), True))*exp(-6*I*c
)/(8*a**3)
```

Giac [A] time = 1.95469, size = 176, normalized size = 1.19

$$\frac{\frac{6(A+15iB)\log(\tan(dx+c)-i)}{a^3} - \frac{6(A-iB)\log(-i\tan(dx+c)+1)}{a^3} - \frac{11A\tan(dx+c)^3+165iB\tan(dx+c)^3+51iA\tan(dx+c)^2+291B\tan(dx+c)^2+75A\tan(dx+c)}{a^3(\tan(dx+c)-i)^3}}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] 1/96*(6*(A + 15*I*B)*log(tan(d*x + c) - I)/a^3 - 6*(A - I*B)*log(-I*tan(d*x + c) + 1)/a^3 - (11*A*tan(d*x + c)^3 + 165*I*B*tan(d*x + c)^3 + 51*I*A*tan(d*x + c)^2 + 291*B*tan(d*x + c)^2 + 75*A*tan(d*x + c) - 171*I*B*tan(d*x + c) - 29*I*A - 29*B)/(a^3*(tan(d*x + c) - I)^3)/d

3.53 $\int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$

Optimal. Leaf size=124

$$\frac{17B + iA}{24d(a^3 + ia^3 \tan(c + dx))} - \frac{x(A - iB)}{8a^3} + \frac{(-B + iA) \tan^2(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{-7B + iA}{24ad(a + ia \tan(c + dx))^2}$$

[Out] $-\left(\frac{(A - I*B)*x}{(8*a^3)} + \frac{(I*A - B)*\text{Tan}[c + d*x]^2}{(6*d*(a + I*a*\text{Tan}[c + d*x])^3)} + \frac{(I*A - 7*B)}{(24*a*d*(a + I*a*\text{Tan}[c + d*x])^2)} + \frac{(I*A + 17*B)}{(24*d*(a^3 + I*a^3*\text{Tan}[c + d*x])}\right)$

Rubi [A] time = 0.288754, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3595, 3590, 3526, 8}

$$\frac{17B + iA}{24d(a^3 + ia^3 \tan(c + dx))} - \frac{x(A - iB)}{8a^3} + \frac{(-B + iA) \tan^2(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{-7B + iA}{24ad(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + d*x]^2*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x]^3, x]$

[Out] $-\left(\frac{(A - I*B)*x}{(8*a^3)} + \frac{(I*A - B)*\text{Tan}[c + d*x]^2}{(6*d*(a + I*a*\text{Tan}[c + d*x])^3)} + \frac{(I*A - 7*B)}{(24*a*d*(a + I*a*\text{Tan}[c + d*x])^2)} + \frac{(I*A + 17*B)}{(24*d*(a^3 + I*a^3*\text{Tan}[c + d*x])}\right)$

Rule 3595

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^n / (2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1} * (c + d*\text{Tan}[e + f*x])^{n-1} * \text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3590

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*(a*c + b*d)*(a + b*\text{Tan}[e + f*x])^m / (2*a^2*f*m), x] + \text{Dist}[1/(2*a*b), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1} * \text{Simp}[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 3526

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((c + d*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^m / (2*a*f*m), x] + \text{Dist}[(b*c + a*d)/(2*a*b), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0]$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^3} dx &= \frac{(iA-B)\tan^2(c+dx)}{6d(a+ia\tan(c+dx))^3} - \frac{\int \frac{\tan(c+dx)(2a(iA-B)-a(A-5iB)\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx}{6a^2} \\ &= \frac{(iA-B)\tan^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{iA-7B}{24ad(a+ia\tan(c+dx))^2} + \frac{i \int \frac{a^2(iA-7B)-2a^2(A-5iB)\tan(c+dx)}{a+ia\tan(c+dx)} dx}{12a^4} \\ &= \frac{(iA-B)\tan^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{iA-7B}{24ad(a+ia\tan(c+dx))^2} + \frac{iA+17B}{24d(a^3+ia^3\tan(c+dx))} \\ &= -\frac{(A-iB)x}{8a^3} + \frac{(iA-B)\tan^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{iA-7B}{24ad(a+ia\tan(c+dx))^2} + \frac{iA+17B}{24d(a^3+ia^3\tan(c+dx))} \end{aligned}$$

Mathematica [A] time = 1.07636, size = 147, normalized size = 1.19

$$\frac{\sec^3(c+dx)(-9(A-iB)\cos(c+dx)+2(-6iAdx+A-6Bdx+iB)\cos(3(c+dx))-3iA\sin(c+dx)-2iA\sin(3(c+dx)))}{96a^3d(\tan(c+dx)-i)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^3*(-9*(A - I*B)*Cos[c + d*x] + 2*(A + I*B - (6*I)*A*d*x - 6*B*d*x)*Cos[3*(c + d*x)] - (3*I)*A*Sin[c + d*x] - 27*B*Sin[c + d*x] - (2*I)*A*Sin[3*(c + d*x)] + 2*B*Sin[3*(c + d*x)] + 12*A*d*x*Sin[3*(c + d*x)] - (12*I)*B*d*x*Sin[3*(c + d*x)]))/(96*a^3*d*(-I + Tan[c + d*x])^3)

Maple [A] time = 0.034, size = 203, normalized size = 1.6

$$\frac{A}{6a^3d(\tan(dx+c)-i)^3} + \frac{\frac{i}{6}B}{a^3d(\tan(dx+c)-i)^3} - \frac{A}{8a^3d(\tan(dx+c)-i)} - \frac{\frac{7i}{8}B}{a^3d(\tan(dx+c)-i)} + \frac{\frac{i}{16}\ln(\tan(dx+c)-i)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x)

[Out] 1/6/d/a^3/(tan(d*x+c)-I)^3*A+1/6*I/d/a^3/(tan(d*x+c)-I)^3*B-1/8/d/a^3/(tan(d*x+c)-I)*A-7/8*I/d/a^3/(tan(d*x+c)-I)*B+1/16*I/d/a^3*ln(tan(d*x+c)-I)*A+1/16/d/a^3*ln(tan(d*x+c)-I)*B-3/8*I/d/a^3/(tan(d*x+c)-I)^2*A+5/8/d/a^3/(tan(d*x+c)-I)^2*B-1/16/d/a^3*B*ln(tan(d*x+c)+I)-1/16*I/d/a^3*A*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.38038, size = 219, normalized size = 1.77

$$\frac{(12(A - iB)dx e^{(6i dx + 6ic)} - (6iA + 18B)e^{(4i dx + 4ic)} - (3iA - 9B)e^{(2i dx + 2ic)} + 2iA - 2B)e^{(-6i dx - 6ic)}}{96 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] -1/96*(12*(A - I*B)*d*x*e^(6*I*d*x + 6*I*c) - (6*I*A + 18*B)*e^(4*I*d*x + 4*I*c) - (3*I*A - 9*B)*e^(2*I*d*x + 2*I*c) + 2*I*A - 2*B)*e^(-6*I*d*x - 6*I*c)/(a^3*d)

Sympy [A] time = 5.45332, size = 260, normalized size = 2.1

$$\begin{cases} \frac{((-512iAa^6d^2e^{6ic} + 512Ba^6d^2e^{6ic})e^{-6idx} + (768iAa^6d^2e^{8ic} - 2304Ba^6d^2e^{8ic})e^{-4idx} + (1536iAa^6d^2e^{10ic} + 4608Ba^6d^2e^{10ic})e^{-2idx})e^{-12ic}}{8a^3} & \text{for } 24576a^9d^3e^{12ic} \neq 0 \\ x \left(\frac{A-iB}{8a^3} - \frac{(Ae^{6ic} - Ae^{4ic} - Ae^{2ic} + A - iBe^{6ic} + 3iBe^{4ic} - 3iBe^{2ic} + iB)e^{-6ic}}{8a^3} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Piecewise(((((-512*I*A*a**6*d**2*exp(6*I*c) + 512*B*a**6*d**2*exp(6*I*c))*exp(-6*I*d*x) + (768*I*A*a**6*d**2*exp(8*I*c) - 2304*B*a**6*d**2*exp(8*I*c))*exp(-4*I*d*x) + (1536*I*A*a**6*d**2*exp(10*I*c) + 4608*B*a**6*d**2*exp(10*I*c))*exp(-2*I*d*x))*exp(-12*I*c)/(24576*a**9*d**3), Ne(24576*a**9*d**3*exp(12*I*c), 0)), (x*((A - I*B)/(8*a**3) - (A*exp(6*I*c) - A*exp(4*I*c) - A*exp(2*I*c) + A - I*B*exp(6*I*c) + 3*I*B*exp(4*I*c) - 3*I*B*exp(2*I*c) + I*B)*exp(-6*I*c)/(8*a**3)), True)) + x*(-A + I*B)/(8*a**3)

Giac [A] time = 1.58729, size = 177, normalized size = 1.43

$$\frac{\frac{6(-iA-B)\log(\tan(dx+c)-i)}{a^3} + \frac{6(iA+B)\log(i\tan(dx+c)-1)}{a^3} + \frac{11iA\tan(dx+c)^3 + 11B\tan(dx+c)^3 + 45A\tan(dx+c)^2 + 51iB\tan(dx+c)^2 - 21iA\tan(dx+c) - 3A - 29iB}{a^3(\tan(dx+c)-i)^3}}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] -1/96*(6*(-I*A - B)*log(tan(d*x + c) - I)/a^3 + 6*(I*A + B)*log(I*tan(d*x + c) - 1)/a^3 + (11*I*A*tan(d*x + c)^3 + 11*B*tan(d*x + c)^3 + 45*A*tan(d*x + c)^2 + 51*I*B*tan(d*x + c)^2 - 21*I*A*tan(d*x + c) + 75*B*tan(d*x + c) - 3*A - 29*I*B)/(a^3*(tan(d*x + c) - I)^3)/d

$$3.54 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=110

$$\frac{A - iB}{8d(a^3 + ia^3 \tan(c + dx))} - \frac{x(B + iA)}{8a^3} + \frac{A + 3iB}{8ad(a + ia \tan(c + dx))^2} - \frac{A + iB}{6d(a + ia \tan(c + dx))^3}$$

[Out] -((I*A + B)*x)/(8*a^3) - (A + I*B)/(6*d*(a + I*a*Tan[c + d*x])^3) + (A + (3*I)*B)/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (A - I*B)/(8*d*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.164954, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3590, 3526, 3479, 8}

$$\frac{A - iB}{8d(a^3 + ia^3 \tan(c + dx))} - \frac{x(B + iA)}{8a^3} + \frac{A + 3iB}{8ad(a + ia \tan(c + dx))^2} - \frac{A + iB}{6d(a + ia \tan(c + dx))^3}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] -((I*A + B)*x)/(8*a^3) - (A + I*B)/(6*d*(a + I*a*Tan[c + d*x])^3) + (A + (3*I)*B)/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (A - I*B)/(8*d*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3590

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]
```

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]
```

Rule 3479

```
Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^3} dx &= -\frac{A+iB}{6d(a+ia\tan(c+dx))^3} - \frac{i \int \frac{a(A+iB)+2aB\tan(c+dx)}{(a+ia\tan(c+dx))^2} dx}{2a^2} \\
&= -\frac{A+iB}{6d(a+ia\tan(c+dx))^3} + \frac{A+3iB}{8ad(a+ia\tan(c+dx))^2} - \frac{(iA+B) \int \frac{1}{a+ia\tan(c+dx)} dx}{4a^2} \\
&= -\frac{A+iB}{6d(a+ia\tan(c+dx))^3} + \frac{A+3iB}{8ad(a+ia\tan(c+dx))^2} + \frac{A-iB}{8d(a^3+ia^3\tan(c+dx))} \\
&= -\frac{(iA+B)x}{8a^3} - \frac{A+iB}{6d(a+ia\tan(c+dx))^3} + \frac{A+3iB}{8ad(a+ia\tan(c+dx))^2} + \frac{A-iB}{8d(a^3+ia^3\tan(c+dx))}
\end{aligned}$$

Mathematica [A] time = 1.30899, size = 148, normalized size = 1.35

$$\frac{(\cos(3(c+dx)) - i\sin(3(c+dx)))(3(A+3iB)\cos(c+dx) - 2(6iAdx + A + B(6dx+i))\cos(3(c+dx)) + 9iA\sin(c+dx))}{96a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] ((Cos[3*(c + d*x)] - I*Sin[3*(c + d*x)])*(3*(A + (3*I)*B)*Cos[c + d*x] - 2*(A + (6*I)*A*d*x + B*(I + 6*d*x))*Cos[3*(c + d*x)] + (9*I)*A*Sin[c + d*x] - 3*B*Sin[c + d*x] + (2*I)*A*Sin[3*(c + d*x)] - 2*B*Sin[3*(c + d*x)] + 12*A*d*x*Sin[3*(c + d*x)] - (12*I)*B*d*x*Sin[3*(c + d*x)])/(96*a^3*d)

Maple [B] time = 0.031, size = 203, normalized size = 1.9

$$\frac{-\frac{i}{6}A}{a^3d(\tan(dx+c)-i)^3} + \frac{B}{6a^3d(\tan(dx+c)-i)^3} - \frac{\ln(\tan(dx+c)-i)A}{16a^3d} + \frac{\frac{i}{16}\ln(\tan(dx+c)-i)B}{a^3d} - \frac{A}{8a^3d(\tan(dx+c)-i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] -1/6*I/d/a^3/(tan(d*x+c)-I)^3*A+1/6/d/a^3/(tan(d*x+c)-I)^3*B-1/16/d/a^3*ln(tan(d*x+c)-I)*A+1/16*I/d/a^3*ln(tan(d*x+c)-I)*B-1/8/d/a^3/(tan(d*x+c)-I)^2*A-3/8*I/d/a^3/(tan(d*x+c)-I)^2*B-1/8*I/d/a^3/(tan(d*x+c)-I)*A-1/8/d/a^3/(tan(d*x+c)-I)*B+1/16/d/a^3*A*ln(tan(d*x+c)+I)-1/16*I/d/a^3*B*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.44393, size = 216, normalized size = 1.96

$$\frac{((-12iA - 12B)dx e^{(6i dx + 6ic)} + 6(A + iB)e^{(4i dx + 4ic)} - 3(A - iB)e^{(2i dx + 2ic)} - 2A - 2iB)e^{(-6i dx - 6ic)}}{96 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] 1/96*((-12*I*A - 12*B)*d*x*e^(6*I*d*x + 6*I*c) + 6*(A + I*B)*e^(4*I*d*x + 4*I*c) - 3*(A - I*B)*e^(2*I*d*x + 2*I*c) - 2*A - 2*I*B)*e^(-6*I*d*x - 6*I*c)/(a^3*d)

Sympy [A] time = 4.55575, size = 260, normalized size = 2.36

$$\left\{ \begin{array}{ll} \frac{((-512Aa^6d^2e^{6ic} - 512iBa^6d^2e^{6ic})e^{-6idx} + (-768Aa^6d^2e^{8ic} + 768iBa^6d^2e^{8ic})e^{-4idx} + (1536Aa^6d^2e^{10ic} + 1536iBa^6d^2e^{10ic})e^{-2idx})e^{-12ic}}{8a^3} & \text{for } 24576a^9d^3e^{12ic} \\ x \left(\frac{iA+B}{8a^3} - \frac{(iAe^{6ic} + iAe^{4ic} - iAe^{2ic} - iA + Be^{6ic} - Be^{4ic} - Be^{2ic} + B)e^{-6ic}}{8a^3} \right) & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] Piecewise(((((-512*A*a**6*d**2*exp(6*I*c) - 512*I*B*a**6*d**2*exp(6*I*c))*exp(-6*I*d*x) + (-768*A*a**6*d**2*exp(8*I*c) + 768*I*B*a**6*d**2*exp(8*I*c))*exp(-4*I*d*x) + (1536*A*a**6*d**2*exp(10*I*c) + 1536*I*B*a**6*d**2*exp(10*I*c))*exp(-2*I*d*x))*exp(-12*I*c)/(24576*a**9*d**3), Ne(24576*a**9*d**3*exp(12*I*c), 0)), (x*((I*A + B)/(8*a**3) - (I*A*exp(6*I*c) + I*A*exp(4*I*c) - I*A*exp(2*I*c) - I*A + B*exp(6*I*c) - B*exp(4*I*c) - B*exp(2*I*c) + B)*exp(-6*I*c)/(8*a**3)), True)) + x*(-I*A - B)/(8*a**3)

Giac [A] time = 1.38145, size = 176, normalized size = 1.6

$$\frac{\frac{6(A-iB)\log(\tan(dx+c)-i)}{a^3} - \frac{6(A-iB)\log(i\tan(dx+c)-1)}{a^3} - \frac{11A\tan(dx+c)^3 - 11iB\tan(dx+c)^3 - 45iA\tan(dx+c)^2 - 45B\tan(dx+c)^2 - 69A\tan(dx+c)}{a^3(\tan(dx+c)-i)^3}}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] -1/96*(6*(A - I*B)*log(tan(d*x + c) - I)/a^3 - 6*(A - I*B)*log(I*tan(d*x + c) - 1)/a^3 - (11*A*tan(d*x + c)^3 - 11*I*B*tan(d*x + c)^3 - 45*I*A*tan(d*x + c)^2 - 45*B*tan(d*x + c)^2 - 69*A*tan(d*x + c) + 21*I*B*tan(d*x + c) + 19*I*A + 3*B)/(a^3*(tan(d*x + c) - I)^3)/d

$$3.55 \quad \int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=112

$$\frac{B+iA}{8d(a^3+ia^3 \tan(c+dx))} + \frac{x(A-iB)}{8a^3} + \frac{-B+iA}{6d(a+ia \tan(c+dx))^3} + \frac{B+iA}{8ad(a+ia \tan(c+dx))^2}$$

[Out] ((A - I*B)*x)/(8*a^3) + (I*A - B)/(6*d*(a + I*a*Tan[c + d*x])^3) + (I*A + B)/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (I*A + B)/(8*d*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.0836763, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3526, 3479, 8}

$$\frac{B+iA}{8d(a^3+ia^3 \tan(c+dx))} + \frac{x(A-iB)}{8a^3} + \frac{-B+iA}{6d(a+ia \tan(c+dx))^3} + \frac{B+iA}{8ad(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^3,x]

[Out] ((A - I*B)*x)/(8*a^3) + (I*A - B)/(6*d*(a + I*a*Tan[c + d*x])^3) + (I*A + B)/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (I*A + B)/(8*d*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{(a + ia \tan(c + dx))^3} dx &= \frac{iA - B}{6d(a + ia \tan(c + dx))^3} + \frac{(A - iB) \int \frac{1}{(a + ia \tan(c + dx))^2} dx}{2a} \\
&= \frac{iA - B}{6d(a + ia \tan(c + dx))^3} + \frac{iA + B}{8ad(a + ia \tan(c + dx))^2} + \frac{(A - iB) \int \frac{1}{a + ia \tan(c + dx)} dx}{4a^2} \\
&= \frac{iA - B}{6d(a + ia \tan(c + dx))^3} + \frac{iA + B}{8ad(a + ia \tan(c + dx))^2} + \frac{iA + B}{8d(a^3 + ia^3 \tan(c + dx))} + \frac{(A - iB)x}{8a^3} \\
&= \frac{(A - iB)x}{8a^3} + \frac{iA - B}{6d(a + ia \tan(c + dx))^3} + \frac{iA + B}{8ad(a + ia \tan(c + dx))^2} + \frac{iA + B}{8d(a^3 + ia^3 \tan(c + dx))}
\end{aligned}$$

Mathematica [A] time = 0.77543, size = 150, normalized size = 1.34

$$\frac{\sec^3(c + dx)((-27A + 3iB) \cos(c + dx) + 2(6iAdx - A + 6Bdx - iB) \cos(3(c + dx)) - 9iA \sin(c + dx) + 2iA \sin(3(c + dx)))}{96a^3d(\tan(c + dx) - i)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^3,x]

[Out] (Sec[c + d*x]^3*((-27*A + (3*I)*B)*Cos[c + d*x] + 2*(-A - I*B + (6*I)*A*d*x + 6*B*d*x)*Cos[3*(c + d*x)] - (9*I)*A*Sin[c + d*x] - 9*B*Sin[c + d*x] + (2*I)*A*Sin[3*(c + d*x)] - 2*B*Sin[3*(c + d*x)] - 12*A*d*x*Sin[3*(c + d*x)] + (12*I)*B*d*x*Sin[3*(c + d*x)]))/(96*a^3*d*(-I + Tan[c + d*x])^3)

Maple [B] time = 0.03, size = 203, normalized size = 1.8

$$-\frac{A}{6a^3d(\tan(dx+c)-i)^3} - \frac{\frac{i}{6}B}{a^3d(\tan(dx+c)-i)^3} - \frac{\frac{i}{16}\ln(\tan(dx+c)-i)A}{a^3d} - \frac{\ln(\tan(dx+c)-i)B}{16a^3d} - \frac{\frac{i}{8}A}{a^3d(\tan(dx+c)-i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] -1/6/d/a^3/(tan(d*x+c)-I)^3*A-1/6*I/d/a^3/(tan(d*x+c)-I)^3*B-1/16*I/d/a^3*ln(tan(d*x+c)-I)*A-1/16/d/a^3*ln(tan(d*x+c)-I)*B-1/8*I/d/a^3/(tan(d*x+c)-I)^2*A-1/8/d/a^3/(tan(d*x+c)-I)^2*B+1/8/d/a^3/(tan(d*x+c)-I)*A-1/8*I/d/a^3/(tan(d*x+c)-I)*B+1/16/d/a^3*B*ln(tan(d*x+c)+I)+1/16*I/d/a^3*A*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.39536, size = 217, normalized size = 1.94

$$\frac{(12(A - iB)dx e^{(6i dx + 6i c)} + (18i A + 6B)e^{(4i dx + 4i c)} + (9i A - 3B)e^{(2i dx + 2i c)} + 2i A - 2B)e^{(-6i dx - 6i c)}}{96 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/96*(12*(A - I*B)*d*x*e^(6*I*d*x + 6*I*c) + (18*I*A + 6*B)*e^(4*I*d*x + 4*I*c) + (9*I*A - 3*B)*e^(2*I*d*x + 2*I*c) + 2*I*A - 2*B)*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [A] time = 4.2097, size = 260, normalized size = 2.32

$$\left\{ \begin{array}{l} \frac{((512iAa^6d^2e^{6ic} - 512Ba^6d^2e^{6ic})e^{-6idx} + (2304iAa^6d^2e^{8ic} - 768Ba^6d^2e^{8ic})e^{-4idx} + (4608iAa^6d^2e^{10ic} + 1536Ba^6d^2e^{10ic})e^{-2idx})e^{-12ic}}{24576a^9d^3} \text{ for } 24576a^9d^3e^{12ic} \neq 0 \\ x \left(-\frac{A-iB}{8a^3} + \frac{(Ae^{6ic} + 3Ae^{4ic} + 3Ae^{2ic} + A - iBe^{6ic} - iBe^{4ic} + iBe^{2ic} + iB)e^{-6ic}}{8a^3} \right) \text{ otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] Piecewise((((512*I*A*a**6*d**2*exp(6*I*c) - 512*B*a**6*d**2*exp(6*I*c))*exp(-6*I*d*x) + (2304*I*A*a**6*d**2*exp(8*I*c) - 768*B*a**6*d**2*exp(8*I*c))*exp(-4*I*d*x) + (4608*I*A*a**6*d**2*exp(10*I*c) + 1536*B*a**6*d**2*exp(10*I*c))*exp(-2*I*d*x))*exp(-12*I*c)/(24576*a**9*d**3), Ne(24576*a**9*d**3*exp(12*I*c), 0)), (x*(-(A - I*B)/(8*a**3) + (A*exp(6*I*c) + 3*A*exp(4*I*c) + 3*A*exp(2*I*c) + A - I*B*exp(6*I*c) - I*B*exp(4*I*c) + I*B*exp(2*I*c) + I*B)*exp(-6*I*c)/(8*a**3)), True)) + x*(A - I*B)/(8*a**3)
```

Giac [A] time = 1.4069, size = 177, normalized size = 1.58

$$\frac{\frac{6(iA+B)\log(\tan(dx+c)-i)}{a^3} + \frac{6(-iA-B)\log(i\tan(dx+c)-1)}{a^3} + \frac{-11iA\tan(dx+c)^3 - 11B\tan(dx+c)^3 - 45A\tan(dx+c)^2 + 45iB\tan(dx+c)^2 + 69iA\tan(dx+c)}{a^3(\tan(dx+c)-i)^3}}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -1/96*(6*(I*A + B)*log(tan(d*x + c) - I)/a^3 + 6*(-I*A - B)*log(I*tan(d*x + c) - 1)/a^3 + (-11*I*A*tan(d*x + c)^3 - 11*B*tan(d*x + c)^3 - 45*A*tan(d*x + c)^2 + 45*I*B*tan(d*x + c)^2 + 69*I*A*tan(d*x + c) + 69*B*tan(d*x + c) + 51*A - 19*I*B)/(a^3*(tan(d*x + c) - I)^3))/d
```


$$3.56 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=131

$$\frac{7A + iB}{8d(a^3 + ia^3 \tan(c + dx))} - \frac{x(-B + 7iA)}{8a^3} + \frac{A \log(\sin(c + dx))}{a^3 d} + \frac{A + iB}{6d(a + ia \tan(c + dx))^3} + \frac{3A + iB}{8ad(a + ia \tan(c + dx))^2}$$

[Out] -(((7*I)*A - B)*x)/(8*a^3) + (A*Log[Sin[c + d*x]])/(a^3*d) + (A + I*B)/(6*d*(a + I*a*Tan[c + d*x])^3) + (3*A + I*B)/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (7*A + I*B)/(8*d*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.360603, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3596, 3531, 3475}

$$\frac{7A + iB}{8d(a^3 + ia^3 \tan(c + dx))} - \frac{x(-B + 7iA)}{8a^3} + \frac{A \log(\sin(c + dx))}{a^3 d} + \frac{A + iB}{6d(a + ia \tan(c + dx))^3} + \frac{3A + iB}{8ad(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] -(((7*I)*A - B)*x)/(8*a^3) + (A*Log[Sin[c + d*x]])/(a^3*d) + (A + I*B)/(6*d*(a + I*a*Tan[c + d*x])^3) + (3*A + I*B)/(8*a*d*(a + I*a*Tan[c + d*x])^2) + (7*A + I*B)/(8*d*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)])*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{A+iB}{6d(a+ia \tan(c+dx))^3} + \frac{\int \frac{\cot(c+dx)(6aA-3a(iA-B) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{A+iB}{6d(a+ia \tan(c+dx))^3} + \frac{3A+iB}{8ad(a+ia \tan(c+dx))^2} + \frac{\int \frac{\cot(c+dx)(24a^2A-6a^2(3iA-B))}{a+ia \tan(c+dx)} dx}{24a^4} \\
&= \frac{A+iB}{6d(a+ia \tan(c+dx))^3} + \frac{3A+iB}{8ad(a+ia \tan(c+dx))^2} + \frac{7A+iB}{8d(a^3+ia^3 \tan(c+dx))} \\
&= -\frac{(7iA-B)x}{8a^3} + \frac{A+iB}{6d(a+ia \tan(c+dx))^3} + \frac{3A+iB}{8ad(a+ia \tan(c+dx))^2} + \frac{7A+iB}{8d(a^3+ia^3 \tan(c+dx))} \\
&= -\frac{(7iA-B)x}{8a^3} + \frac{A \log(\sin(c+dx))}{a^3d} + \frac{A+iB}{6d(a+ia \tan(c+dx))^3} + \frac{3A+iB}{8ad(a+ia \tan(c+dx))^2}
\end{aligned}$$

Mathematica [A] time = 1.06443, size = 180, normalized size = 1.37

$$\frac{\sec^3(c+dx)((-27B+81iA) \cos(c+dx) + 2 \cos(3(c+dx))(48iA \log(\sin(c+dx)) + 42Adx + iA + 6iBdx - B) - 51A \sin(c+dx))}{(a+ia \tan(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^3(((81*I)*A - 27*B)*Cos[c + d*x] + 2*Cos[3*(c + d*x)]*(I*A - B + 42*A*d*x + (6*I)*B*d*x + (48*I)*A*Log[Sin[c + d*x]]) - 51*A*Sin[c + d*x] - (9*I)*B*Sin[c + d*x] + 2*A*Sin[3*(c + d*x)] + (2*I)*B*Sin[3*(c + d*x)] + (84*I)*A*d*x*Sin[3*(c + d*x)] - 12*B*d*x*Sin[3*(c + d*x)] - 96*A*Log[Sin[c + d*x]]*Sin[3*(c + d*x)]))/(96*a^3*d*(-I + Tan[c + d*x])^3)

Maple [A] time = 0.125, size = 218, normalized size = 1.7

$$-\frac{3A}{8a^3d(\tan(dx+c)-i)^2} - \frac{\frac{i}{8}B}{a^3d(\tan(dx+c)-i)^2} - \frac{\frac{7i}{8}A}{a^3d(\tan(dx+c)-i)} + \frac{B}{8a^3d(\tan(dx+c)-i)} - \frac{\frac{i}{16} \ln(\tan(dx+c)-i)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x)

[Out] -3/8/d/a^3/(tan(d*x+c)-I)^2*A-1/8*I/d/a^3/(tan(d*x+c)-I)^2*B-7/8*I/d/a^3/(tan(d*x+c)-I)*A+1/8/d/a^3/(tan(d*x+c)-I)*B-1/16*I/d/a^3*ln(tan(d*x+c)-I)*B-15/16/d/a^3*ln(tan(d*x+c)-I)*A+1/6*I/d/a^3/(tan(d*x+c)-I)^3*A-1/6/d/a^3/(tan(d*x+c)-I)^3*B-1/16/d/a^3*A*ln(tan(d*x+c)+I)+1/16*I/d/a^3*B*ln(tan(d*x+c)+I)+1/d/a^3*A*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.48293, size = 305, normalized size = 2.33

$$\frac{((-180iA + 12B)dx e^{(6idx+6ic)} + 96Ae^{(6idx+6ic)} \log(e^{(2idx+2ic)} - 1) + 6(11A + 3iB)e^{(4idx+4ic)} + 3(5A + 3iB)e^{(2idx+2ic)})}{96a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] 1/96*((-180*I*A + 12*B)*d*x*e^(6*I*d*x + 6*I*c) + 96*A*e^(6*I*d*x + 6*I*c)*log(e^(2*I*d*x + 2*I*c) - 1) + 6*(11*A + 3*I*B)*e^(4*I*d*x + 4*I*c) + 3*(5*A + 3*I*B)*e^(2*I*d*x + 2*I*c) + 2*A + 2*I*B)*e^(-6*I*d*x - 6*I*c)/(a^3*d)

Sympy [A] time = 11.2294, size = 294, normalized size = 2.24

$$\frac{A \log(e^{2idx} - e^{-2ic})}{a^3d} + \left\{ \frac{((512Aa^6d^2e^{6ic} + 512iBa^6d^2e^{6ic})e^{-6idx} + (3840Aa^6d^2e^{8ic} + 2304iBa^6d^2e^{8ic})e^{-4idx} + (16896Aa^6d^2e^{10ic} + 4608iBa^6d^2e^{10ic})e^{-2idx})e^{-2ic}}{24576a^9d^3} \right. \\ \left. x \left(\frac{15iA-B}{8a^3} - \frac{(15iAe^{6ic} + 11iAe^{4ic} + 5iAe^{2ic} + iA - Be^{6ic} - 3Be^{4ic} - 3Be^{2ic} - B)e^{-6ic}}{8a^3} \right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] A*log(exp(2*I*d*x) - exp(-2*I*c))/(a**3*d) + Piecewise((((512*A*a**6*d**2*exp(6*I*c) + 512*I*B*a**6*d**2*exp(6*I*c))*exp(-6*I*d*x) + (3840*A*a**6*d**2*exp(8*I*c) + 2304*I*B*a**6*d**2*exp(8*I*c))*exp(-4*I*d*x) + (16896*A*a**6*d**2*exp(10*I*c) + 4608*I*B*a**6*d**2*exp(10*I*c))*exp(-2*I*d*x))*exp(-12*I*c)/(24576*a**9*d**3), Ne(24576*a**9*d**3*exp(12*I*c), 0)), (x*((15*I*A - B)/(8*a**3) - (15*I*A*exp(6*I*c) + 11*I*A*exp(4*I*c) + 5*I*A*exp(2*I*c) + I*A - B*exp(6*I*c) - 3*B*exp(4*I*c) - 3*B*exp(2*I*c) - B)*exp(-6*I*c)/(8*a**3)), True)) + x*(-15*I*A + B)/(8*a**3)

Giac [A] time = 1.39853, size = 197, normalized size = 1.5

$$\frac{6(15A+iB)\log(\tan(dx+c)-i)}{a^3} + \frac{6(A-iB)\log(i\tan(dx+c)-1)}{a^3} - \frac{96A\log(|\tan(dx+c)|)}{a^3} - \frac{165A\tan(dx+c)^3+11iB\tan(dx+c)^3-579iA\tan(dx+c)^2+45iA^2-45iB^2}{a^3\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] -1/96*(6*(15*A + I*B)*log(tan(d*x + c) - I)/a^3 + 6*(A - I*B)*log(I*tan(d*x + c) - 1)/a^3 - 96*A*log(abs(tan(d*x + c)))/a^3 - (165*A*tan(d*x + c)^3 +

$$\frac{11IB \tan(dx + c)^3 - 579IA \tan(dx + c)^2 + 45B \tan(dx + c)^2 - 699A \tan(dx + c) - 69IB \tan(dx + c) + 301IA - 51B}{a^3(\tan(dx + c) - I)^3} / d$$

$$3.57 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=183

$$\frac{(25A + 7iB) \cot(c + dx)}{8a^3 d} - \frac{(-B + 3iA) \log(\sin(c + dx))}{a^3 d} + \frac{(3A + iB) \cot(c + dx)}{2d(a^3 + ia^3 \tan(c + dx))} - \frac{x(25A + 7iB)}{8a^3} + \frac{(11A + 5iB)}{24ad(a + ia \tan(c + dx))}$$

[Out] -((25*A + (7*I)*B)*x)/(8*a^3) - ((25*A + (7*I)*B)*Cot[c + d*x])/(8*a^3*d) - (((3*I)*A - B)*Log[Sin[c + d*x]])/(a^3*d) + ((A + I*B)*Cot[c + d*x])/(6*d*(a + I*a*Tan[c + d*x])^3) + ((11*A + (5*I)*B)*Cot[c + d*x])/(24*a*d*(a + I*a*Tan[c + d*x])^2) + ((3*A + I*B)*Cot[c + d*x])/(2*d*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.529629, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$\frac{(25A + 7iB) \cot(c + dx)}{8a^3 d} - \frac{(-B + 3iA) \log(\sin(c + dx))}{a^3 d} + \frac{(3A + iB) \cot(c + dx)}{2d(a^3 + ia^3 \tan(c + dx))} - \frac{x(25A + 7iB)}{8a^3} + \frac{(11A + 5iB)}{24ad(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] -((25*A + (7*I)*B)*x)/(8*a^3) - ((25*A + (7*I)*B)*Cot[c + d*x])/(8*a^3*d) - (((3*I)*A - B)*Log[Sin[c + d*x]])/(a^3*d) + ((A + I*B)*Cot[c + d*x])/(6*d*(a + I*a*Tan[c + d*x])^3) + ((11*A + (5*I)*B)*Cot[c + d*x])/(24*a*d*(a + I*a*Tan[c + d*x])^2) + ((3*A + I*B)*Cot[c + d*x])/(2*d*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne

$Q[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] \text{ /; FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^3} dx &= \frac{(A+iB)\cot(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{\int \frac{\cot^2(c+dx)(a(7A+iB)-4a(iA-B)\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx}{6a^2} \\ &= \frac{(A+iB)\cot(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(11A+5iB)\cot(c+dx)}{24ad(a+ia\tan(c+dx))^2} + \frac{\int \frac{\cot^2(c+dx)(3a^2(13A+3iB)-)}{a+ia\tan(c+dx)} dx}{24a^2} \\ &= \frac{(A+iB)\cot(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(11A+5iB)\cot(c+dx)}{24ad(a+ia\tan(c+dx))^2} + \frac{(3A+iB)\cot(c+dx)}{2d(a^3+ia^3\tan(c+dx))} \\ &= -\frac{(25A+7iB)\cot(c+dx)}{8a^3d} + \frac{(A+iB)\cot(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(11A+5iB)\cot(c+dx)}{24ad(a+ia\tan(c+dx))} \\ &= -\frac{(25A+7iB)x}{8a^3} - \frac{(25A+7iB)\cot(c+dx)}{8a^3d} + \frac{(A+iB)\cot(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(11A+5iB)\cot(c+dx)}{24ad(a+ia\tan(c+dx))} \\ &= -\frac{(25A+7iB)x}{8a^3} - \frac{(25A+7iB)\cot(c+dx)}{8a^3d} - \frac{(3iA-B)\log(\sin(c+dx))}{a^3d} + \frac{(A+iB)\cot(c+dx)}{6d(a+ia\tan(c+dx))^3} \end{aligned}$$

Mathematica [B] time = 6.98094, size = 1282, normalized size = 7.01

$$\frac{\csc\left(\frac{c}{2}\right)\csc(c+dx)\sec\left(\frac{c}{2}\right)\sec^2(c+dx)\left(\frac{1}{2}iA\cos(3c-dx)-\frac{1}{2}iA\cos(3c+dx)-\frac{1}{2}A\sin(3c-dx)+\frac{1}{2}A\sin(3c+dx)\right)(A+B\tan(c+dx))}{2d(A\cos(c+dx)+B\sin(c+dx))(i\tan(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (((-7*I)*A + 5*B)*Cos[4*d*x]*Sec[c + d*x]^2*(Cos[c]/32 - (I/32)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (((-23*I)*A + 11*B)*Cos[2*d*x]*Sec[c + d*x]^2*(Cos[c]/16 + (I/16)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Sec[c + d*x]^2*((-3*I)*A*Cos[(3*c)/2] + B*Cos[(3*c)/2] + 3*A*Sin[(3*c)/2] + I*B*Sin[(3*c)/2])*((-I)*ArcTan[Tan[d*x]]*Cos[(3*c)/2] + ArcTan[Tan[d*x]]*Sin[(3*c)/2])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Sec[c + d*x]^2*((-3*I)*A*Cos[(3*c)/2] + B*Cos[(3*c)/2] + 3*A*Sin[(3*c)/2] + I*B*Sin[(3*c)/2])*((Cos[(3*c)/2]*Log[Sin[c + d*x]^2])/2 + (I/2)*Log[Sin[c + d*x]^2]*Sin[(3*c)/2])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (x*Sec[c + d*x]^2*(-6*A*Cos[c] - (2*I)*B*Cos[c] + (3*I)*A*Cos[c]*Cot[c] - B*Cos[c]*Cot[c] - (3*I)*A*Sin[c] + B*Sin[c] + ((-3*I)*A + B)*Cot[c]*(Cos[3*c] + I*Sin[3*c]))*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (((-I)*A + B)*Cos[6*d*x]*Sec[c + d*x]^2*(Cos[3*c]/48 - (I/48)*Sin[3*c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((25*A + (7*I)*B)*Sec[c + d*x]^2*(-(d*x*Cos[3*c])/8 - (I/8)*d*x*Sin[3*c])*(Cos[d*x] + I*Sin[d*x])^3*

$$\begin{aligned} & (A + B \tan[c + dx]) / (d(A \cos[c + dx] + B \sin[c + dx]) * (a + I a \tan[c + dx])^3) + ((23A + (11I)B) \sec[c + dx]^2 (-\cos[c]/16 - (I/16) \sin[c]) * \\ & (\cos[dx] + I \sin[dx])^3 \sin[2dx] * (A + B \tan[c + dx])) / (d(A \cos[c + dx] + B \sin[c + dx]) * (a + I a \tan[c + dx])^3) + ((7A + (5I)B) \sec[c + dx]^2 (-\cos[c]/32 + (I/32) \sin[c]) * (\cos[dx] + I \sin[dx])^3 \sin[4dx] * (A + B \tan[c + dx])) / (d(A \cos[c + dx] + B \sin[c + dx]) * (a + I a \tan[c + dx])^3) + ((A + I B) \sec[c + dx]^2 (-\cos[3c]/48 + (I/48) \sin[3c]) * (\cos[dx] + I \sin[dx])^3 \sin[6dx] * (A + B \tan[c + dx])) / (d(A \cos[c + dx] + B \sin[c + dx]) * (a + I a \tan[c + dx])^3) + (\csc[c/2] \csc[c + dx] \sec[c/2] \sec[c + dx]^2 (\cos[dx] + I \sin[dx])^3 ((I/2) A \cos[3c - dx] - (I/2) A \cos[3c + dx] - (A \sin[3c - dx])/2 + (A \sin[3c + dx])/2) * (A + B \tan[c + dx])) / (2d(A \cos[c + dx] + B \sin[c + dx]) * (a + I a \tan[c + dx])^3) \end{aligned}$$

Maple [A] time = 0.12, size = 252, normalized size = 1.4

$$\frac{17A}{8a^3d(\tan(dx+c)-i)} - \frac{\frac{7i}{8}B}{a^3d(\tan(dx+c)-i)} + \frac{\frac{49i}{16} \ln(\tan(dx+c)-i)A}{a^3d} - \frac{15 \ln(\tan(dx+c)-i)B}{16a^3d} + \frac{\dots}{6a^3d(\tan(dx+c)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^3,x)

[Out] $-17/8/d/a^3/(\tan(dx+c)-I)*A-7/8*I/d/a^3/(\tan(dx+c)-I)*B+49/16*I/d/a^3*\ln(\tan(dx+c)-I)*A-15/16/d/a^3*\ln(\tan(dx+c)-I)*B+1/6/d/a^3/(\tan(dx+c)-I)^3*A+1/6*I/d/a^3/(\tan(dx+c)-I)^3*B+5/8*I/d/a^3/(\tan(dx+c)-I)^2*A-3/8/d/a^3/(\tan(dx+c)-I)^2*B-1/16/d/a^3*B*\ln(\tan(dx+c)+I)-1/16*I/d/a^3*A*\ln(\tan(dx+c)+I)-1/d/a^3*A/\tan(dx+c)-3*I/d/a^3*A*\ln(\tan(dx+c))+1/d/a^3*B*\ln(\tan(dx+c))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.53771, size = 504, normalized size = 2.75

$$\frac{12(49A + 15iB)dx e^{(8i dx + 8i c)} - (12(49A + 15iB)dx - 330iA + 66B)e^{(6i dx + 6i c)} - (117iA - 51B)e^{(4i dx + 4i c)} - (19iA - 15iB)e^{(2i dx + 2i c)}}{96(a^3 d e^{(8i dx + 8i c)} - a^3 d e^{(6i dx + 6i c)} - a^3 d e^{(4i dx + 4i c)} - a^3 d e^{(2i dx + 2i c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^3,x, algorithm="fricas")

[Out] $-1/96*(12*(49*A + 15*I*B)*d*x*e^{(8*I*d*x + 8*I*c)} - (12*(49*A + 15*I*B)*d*x - 330*I*A + 66*B)*e^{(6*I*d*x + 6*I*c)} - (117*I*A - 51*B)*e^{(4*I*d*x + 4*I*c)} - (19*I*A - 15*I*B)*e^{(2*I*d*x + 2*I*c)})$

$$c) - (19IA - 13B)e^{(2I*d*x + 2I*c)} - ((-288IA + 96B)e^{(8I*d*x + 8I*c)} + (288IA - 96B)e^{(6I*d*x + 6I*c)}) * \log(e^{(2I*d*x + 2I*c)} - 1) - 2IA + 2B / (a^3*d*e^{(8I*d*x + 8I*c)} - a^3*d*e^{(6I*d*x + 6I*c)})$$

Sympy [A] time = 31.1081, size = 294, normalized size = 1.61

$$\frac{2iAe^{-2ic}}{a^3d(e^{2idx} - e^{-2ic})} - \frac{\left(\begin{matrix} 49Axe^{6ic} + \frac{23iAe^{4ic}e^{-2idx}}{2d} + \frac{7iAe^{2ic}e^{-4idx}}{4d} + \frac{iAe^{-6idx}}{6d} + 15iBxe^{6ic} - \frac{11Be^{4ic}e^{-2idx}}{2d} - \frac{5Be^{2ic}e^{-4idx}}{4d} - \frac{Be^{-6idx}}{6d} \\ x(49Ae^{6ic} + 23Ae^{4ic} + 7Ae^{2ic} + A + 15iBe^{6ic} + 11iBe^{4ic} + 5iBe^{2ic} + iB) \end{matrix} \right)}{8a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] -2*I*A*exp(-2*I*c)/(a**3*d*(exp(2*I*d*x) - exp(-2*I*c))) - Piecewise((49*A*x*exp(6*I*c) + 23*I*A*exp(4*I*c)*exp(-2*I*d*x)/(2*d) + 7*I*A*exp(2*I*c)*exp(-4*I*d*x)/(4*d) + I*A*exp(-6*I*d*x)/(6*d) + 15*I*B*x*exp(6*I*c) - 11*B*exp(4*I*c)*exp(-2*I*d*x)/(2*d) - 5*B*exp(2*I*c)*exp(-4*I*d*x)/(4*d) - B*exp(-6*I*d*x)/(6*d), Ne(d, 0)), (x*(49*A*exp(6*I*c) + 23*A*exp(4*I*c) + 7*A*exp(2*I*c) + A + 15*I*B*exp(6*I*c) + 11*I*B*exp(4*I*c) + 5*I*B*exp(2*I*c) + I*B), True))*exp(-6*I*c)/(8*a**3) + (-3*I*A + B)*log(exp(2*I*d*x) - exp(-2*I*c))/(a**3*d)
```

Giac [A] time = 1.50734, size = 252, normalized size = 1.38

$$\frac{6(-49iA+15B)\log(i\tan(dx+c)+1)}{a^3} + \frac{6(iA+B)\log(i\tan(dx+c)-1)}{a^3} + \frac{96(3iA-B)\log(|\tan(dx+c)|)}{a^3} + \frac{96(-3iA\tan(dx+c)+B\tan(dx+c)+A)}{a^3\tan(dx+c)} + \frac{539A\tan(dx+c)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -1/96*(6*(-49I*A + 15*B)*log(I*tan(d*x + c) + 1)/a^3 + 6*(I*A + B)*log(I*tan(d*x + c) - 1)/a^3 + 96*(3I*A - B)*log(abs(tan(d*x + c)))/a^3 + 96*(-3I*A*tan(d*x + c) + B*tan(d*x + c) + A)/(a^3*tan(d*x + c)) + (539*A*tan(d*x + c)^3 + 165*I*B*tan(d*x + c)^3 - 1821*I*A*tan(d*x + c)^2 + 579*B*tan(d*x + c)^2 - 2085*A*tan(d*x + c) - 699*I*B*tan(d*x + c) + 819*I*A - 301*B)/(a^3*(I*tan(d*x + c) + 1)^3))/d
```


$$3.58 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=216

$$\frac{(7A + 3iB) \cot^2(c + dx)}{2a^3d} + \frac{5(-5B + 11iA) \cot(c + dx)}{8a^3d} - \frac{(7A + 3iB) \log(\sin(c + dx))}{a^3d} + \frac{5(11A + 5iB) \cot^2(c + dx)}{24d(a^3 + ia^3 \tan(c + dx))} +$$

[Out] (5*((11*I)*A - 5*B)*x)/(8*a^3) + (5*((11*I)*A - 5*B)*Cot[c + d*x])/(8*a^3*d) - ((7*A + (3*I)*B)*Cot[c + d*x]^2)/(2*a^3*d) - ((7*A + (3*I)*B)*Log[Sin[c + d*x]])/(a^3*d) + ((A + I*B)*Cot[c + d*x]^2)/(6*d*(a + I*a*Tan[c + d*x])^3) + ((13*A + (7*I)*B)*Cot[c + d*x]^2)/(24*a*d*(a + I*a*Tan[c + d*x])^2) + (5*(11*A + (5*I)*B)*Cot[c + d*x]^2)/(24*d*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.598347, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$\frac{(7A + 3iB) \cot^2(c + dx)}{2a^3d} + \frac{5(-5B + 11iA) \cot(c + dx)}{8a^3d} - \frac{(7A + 3iB) \log(\sin(c + dx))}{a^3d} + \frac{5(11A + 5iB) \cot^2(c + dx)}{24d(a^3 + ia^3 \tan(c + dx))} +$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] (5*((11*I)*A - 5*B)*x)/(8*a^3) + (5*((11*I)*A - 5*B)*Cot[c + d*x])/(8*a^3*d) - ((7*A + (3*I)*B)*Cot[c + d*x]^2)/(2*a^3*d) - ((7*A + (3*I)*B)*Log[Sin[c + d*x]])/(a^3*d) + ((A + I*B)*Cot[c + d*x]^2)/(6*d*(a + I*a*Tan[c + d*x])^3) + ((13*A + (7*I)*B)*Cot[c + d*x]^2)/(24*a*d*(a + I*a*Tan[c + d*x])^2) + (5*(11*A + (5*I)*B)*Cot[c + d*x]^2)/(24*d*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/(a_) + (b_)*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne

$Q[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] \text{ /; FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^3(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^3} dx &= \frac{(A+iB)\cot^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{\int \frac{\cot^3(c+dx)(2a(4A+iB)-5a(iA-B)\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx}{6a^2} \\ &= \frac{(A+iB)\cot^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(13A+7iB)\cot^2(c+dx)}{24ad(a+ia\tan(c+dx))^2} + \frac{\int \frac{\cot^3(c+dx)(2a^2(29A+11iB))}{a+ia\tan(c+dx)} dx}{24a^2} \\ &= \frac{(A+iB)\cot^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(13A+7iB)\cot^2(c+dx)}{24ad(a+ia\tan(c+dx))^2} + \frac{5(11A+5iB)\cot^2(c+dx)}{24d(a^3+ia^3\tan(c+dx))} \\ &= -\frac{(7A+3iB)\cot^2(c+dx)}{2a^3d} + \frac{(A+iB)\cot^2(c+dx)}{6d(a+ia\tan(c+dx))^3} + \frac{(13A+7iB)\cot^2(c+dx)}{24ad(a+ia\tan(c+dx))^2} \\ &= \frac{5(11iA-5B)\cot(c+dx)}{8a^3d} - \frac{(7A+3iB)\cot^2(c+dx)}{2a^3d} + \frac{(A+iB)\cot^2(c+dx)}{6d(a+ia\tan(c+dx))^3} \\ &= \frac{5(11iA-5B)x}{8a^3} + \frac{5(11iA-5B)\cot(c+dx)}{8a^3d} - \frac{(7A+3iB)\cot^2(c+dx)}{2a^3d} + \frac{(A+iB)\cot^2(c+dx)}{6d(a+ia\tan(c+dx))^3} \\ &= \frac{5(11iA-5B)x}{8a^3} + \frac{5(11iA-5B)\cot(c+dx)}{8a^3d} - \frac{(7A+3iB)\cot^2(c+dx)}{2a^3d} - \frac{(7A+3iB)\cot^2(c+dx)}{24ad(a+ia\tan(c+dx))^2} \end{aligned}$$

Mathematica [B] time = 7.25086, size = 1448, normalized size = 6.7

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] ((9*A + (7*I)*B)*Cos[4*d*x]*Sec[c + d*x]^2*(-Cos[c]/32 + (I/32)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((39*A + (23*I)*B)*Cos[2*d*x]*Sec[c + d*x]^2*(-Cos[c]/16 - (I/16)*Sin[c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Sec[c + d*x]^2*(7*A*Cos[(3*c)/2] + (3*I)*B*Cos[(3*c)/2] + (7*I)*A*Sin[(3*c)/2] - 3*B*Sin[(3*c)/2])*(I*ArcTan[Tan[d*x]]*Cos[(3*c)/2] - ArcTan[Tan[d*x]]*Sin[(3*c)/2])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Sec[c + d*x]^2*(7*A*Cos[(3*c)/2] + (3*I)*B*Cos[(3*c)/2] + (7*I)*A*Sin[(3*c)/2] - 3*B*Sin[(3*c)/2])*(-(Cos[(3*c)/2]*Log[Sin[c + d*x]^2])/2 - (I/2)*Log[Sin[c + d*x]^2]*Sin[(3*c)/2])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (x*Sec[c + d*x]^2*((14*I)*A*Cos[c] - 6*B*Cos[c] + 7*A*Cos[c]*Cot[c] + (3*I)*B*Cos[c]*Cot[c] - 7*A*Sin[c] - (3*I)*B*Sin[c] + (7*A + (3*I)*B)*Cot[c]*(-Cos[3*c] - I*Sin[3*c]))*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + ((A + I*B)*Cos[6*d*x]*Sec[c + d*x]^2*(-Cos[3*c]/48 + (I/48)*Sin[3*c])*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3) + (Csc[c + d*x]

$$\begin{aligned} &^2 \operatorname{Sec}[c + d*x]^2 * (-A * \operatorname{Cos}[3*c]) / 2 - (I/2) * A * \operatorname{Sin}[3*c] * (\operatorname{Cos}[d*x] + I * \operatorname{Sin}[d*x]) \\ &^3 * (A + B * \operatorname{Tan}[c + d*x]) / (d * (A * \operatorname{Cos}[c + d*x] + B * \operatorname{Sin}[c + d*x]) * (a + I * a * \operatorname{Tan}[c + d*x])^3) \\ &+ ((11 * A + (5 * I) * B) * \operatorname{Sec}[c + d*x]^2 * ((5 * I) / 8) * d * x * \operatorname{Cos}[3*c] - (5 * d * x * \operatorname{Sin}[3*c]) / 8) * (\operatorname{Cos}[d*x] + I * \operatorname{Sin}[d*x])^3 * (A + B * \operatorname{Tan}[c + d*x]) / (d * (A * \operatorname{Cos}[c + d*x] + B * \operatorname{Sin}[c + d*x]) * (a + I * a * \operatorname{Tan}[c + d*x])^3) \\ &+ ((39 * A + (23 * I) * B) * \operatorname{Sec}[c + d*x]^2 * ((I / 16) * \operatorname{Cos}[c] - \operatorname{Sin}[c] / 16) * (\operatorname{Cos}[d*x] + I * \operatorname{Sin}[d*x])^3 * \operatorname{Sin}[2 * d * x] * (A + B * \operatorname{Tan}[c + d*x]) / (d * (A * \operatorname{Cos}[c + d*x] + B * \operatorname{Sin}[c + d*x]) * (a + I * a * \operatorname{Tan}[c + d*x])^3) \\ &+ ((9 * A + (7 * I) * B) * \operatorname{Sec}[c + d*x]^2 * ((I / 32) * \operatorname{Cos}[c] + \operatorname{Sin}[c] / 32) * (\operatorname{Cos}[d*x] + I * \operatorname{Sin}[d*x])^3 * \operatorname{Sin}[4 * d * x] * (A + B * \operatorname{Tan}[c + d*x]) / (d * (A * \operatorname{Cos}[c + d*x] + B * \operatorname{Sin}[c + d*x]) * (a + I * a * \operatorname{Tan}[c + d*x])^3) \\ &+ ((A + I * B) * \operatorname{Sec}[c + d*x]^2 * ((I / 48) * \operatorname{Cos}[3*c] + \operatorname{Sin}[3*c] / 48) * (\operatorname{Cos}[d*x] + I * \operatorname{Sin}[d*x])^3 * \operatorname{Sin}[6 * d * x] * (A + B * \operatorname{Tan}[c + d*x]) / (d * (A * \operatorname{Cos}[c + d*x] + B * \operatorname{Sin}[c + d*x]) * (a + I * a * \operatorname{Tan}[c + d*x])^3) \\ &+ (\operatorname{Csc}[c / 2] * \operatorname{Csc}[c + d*x] * \operatorname{Sec}[c / 2] * \operatorname{Sec}[c + d*x]^2 * (\operatorname{Cos}[d*x] + I * \operatorname{Sin}[d*x])^3 * ((3 * A * \operatorname{Cos}[3*c - d*x]) / 2 + (I / 2) * B * \operatorname{Cos}[3*c - d*x] - (3 * A * \operatorname{Cos}[3*c + d*x]) / 2 - (I / 2) * B * \operatorname{Cos}[3*c + d*x] + ((3 * I) / 2) * A * \operatorname{Sin}[3*c - d*x] - (B * \operatorname{Sin}[3*c - d*x]) / 2 - ((3 * I) / 2) * A * \operatorname{Sin}[3*c + d*x] + (B * \operatorname{Sin}[3*c + d*x]) / 2) * (A + B * \operatorname{Tan}[c + d*x]) / (2 * d * (A * \operatorname{Cos}[c + d*x] + B * \operatorname{Sin}[c + d*x]) * (a + I * a * \operatorname{Tan}[c + d*x])^3) \end{aligned}$$

Maple [A] time = 0.13, size = 288, normalized size = 1.3

$$\frac{\frac{31i}{8}A}{a^3d(\tan(dx+c)-i)} - \frac{17B}{8a^3d(\tan(dx+c)-i)} + \frac{\frac{49i}{16}\ln(\tan(dx+c)-i)B}{a^3d} + \frac{111\ln(\tan(dx+c)-i)A}{16a^3d} - \frac{1}{a^3d(\tan(dx+c)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] 31/8*I/d/a^3/(tan(d*x+c)-I)*A-17/8/d/a^3/(tan(d*x+c)-I)*B+49/16*I/d/a^3*ln(tan(d*x+c)-I)*B+111/16/d/a^3*ln(tan(d*x+c)-I)*A-1/6*I/d/a^3/(tan(d*x+c)-I)^3*A+1/6/d/a^3/(tan(d*x+c)-I)^3*B+7/8/d/a^3/(tan(d*x+c)-I)^2*A+5/8*I/d/a^3/(tan(d*x+c)-I)^2*B+1/16/d/a^3*A*ln(tan(d*x+c)+I)-1/16*I/d/a^3*B*ln(tan(d*x+c)+I)-1/2/d/a^3*A/tan(d*x+c)^2+3*I/d/a^3/tan(d*x+c)*A-1/d/a^3/tan(d*x+c)*B-3*I/d/a^3*B*ln(tan(d*x+c))-7/d/a^3*A*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.52476, size = 691, normalized size = 3.2

$$(1332i A - 588 B) dx e^{(10i dx + 10i c)} + ((-2664i A + 1176 B) dx - 618 A - 330i B) e^{(8i dx + 8i c)} + ((1332i A - 588 B) dx + 1017 B) e^{(6i dx + 6i c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] 1/96*((1332*I*A - 588*B)*d*x*e^(10*I*d*x + 10*I*c) + ((-2664*I*A + 1176*B)*d*x - 618*A - 330*I*B)*e^(8*I*d*x + 8*I*c) + ((1332*I*A - 588*B)*d*x + 1017*A + 447*I*B)*e^(6*I*d*x + 6*I*c) - 14*(13*A + 7*I*B)*e^(4*I*d*x + 4*I*c) - (23*A + 17*I*B)*e^(2*I*d*x + 2*I*c) - 96*((7*A + 3*I*B)*e^(10*I*d*x + 10*I*c) - 2*(7*A + 3*I*B)*e^(8*I*d*x + 8*I*c) + (7*A + 3*I*B)*e^(6*I*d*x + 6*I*c))*log(e^(2*I*d*x + 2*I*c) - 1) - 2*A - 2*I*B)/(a^3*d*e^(10*I*d*x + 10*I*c) - 2*a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.52209, size = 286, normalized size = 1.32

$$\frac{6(111A+49iB)\log(i\tan(dx+c)+1)}{a^3} + \frac{6(A-iB)\log(i\tan(dx+c)-1)}{a^3} - \frac{96(7A+3iB)\log(|\tan(dx+c)|)}{a^3} + \frac{48(21A\tan(dx+c)^2+9iB\tan(dx+c)^2+6iA\tan(dx+c)-A)}{a^3\tan(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] 1/96*(6*(111*A + 49*I*B)*log(I*tan(d*x + c) + 1)/a^3 + 6*(A - I*B)*log(I*tan(d*x + c) - 1)/a^3 - 96*(7*A + 3*I*B)*log(abs(tan(d*x + c)))/a^3 + 48*(21*A*tan(d*x + c)^2 + 9*I*B*tan(d*x + c)^2 + 6*I*A*tan(d*x + c) - 2*B*tan(d*x + c) - A)/(a^3*tan(d*x + c)^2) + (1221*I*A*tan(d*x + c)^3 - 539*B*tan(d*x + c)^3 + 4035*A*tan(d*x + c)^2 + 1821*I*B*tan(d*x + c)^2 - 4491*I*A*tan(d*x + c) + 2085*B*tan(d*x + c) - 1693*A - 819*I*B)/(a^3*(I*tan(d*x + c) + 1)^3)/d

$$3.59 \quad \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=185

$$\frac{(-7B + iA) \tan^2(c + dx)}{16a^4d(1 + i \tan(c + dx))^2} - \frac{-15B + iA}{16a^4d(1 + i \tan(c + dx))} + \frac{x(A + 15iB)}{16a^4} - \frac{B \log(\cos(c + dx))}{a^4d} + \frac{(-B + iA) \tan^4(c + dx)}{8d(a + ia \tan(c + dx))^4}$$

```
[Out] ((A + (15*I)*B)*x)/(16*a^4) - (B*Log[Cos[c + d*x]])/(a^4*d) - (I*A - 15*B)/
(16*a^4*d*(1 + I*Tan[c + d*x])) - ((I*A - 7*B)*Tan[c + d*x]^2)/(16*a^4*d*(1
+ I*Tan[c + d*x])^2) + ((I*A - B)*Tan[c + d*x]^4)/(8*d*(a + I*a*Tan[c + d*
x])^4) + ((A + (3*I)*B)*Tan[c + d*x]^3)/(12*a*d*(a + I*a*Tan[c + d*x])^3)
```

Rubi [A] time = 0.508708, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3595, 3589, 3475, 12, 3526, 8}

$$\frac{(-7B + iA) \tan^2(c + dx)}{16a^4d(1 + i \tan(c + dx))^2} - \frac{-15B + iA}{16a^4d(1 + i \tan(c + dx))} + \frac{x(A + 15iB)}{16a^4} - \frac{B \log(\cos(c + dx))}{a^4d} + \frac{(-B + iA) \tan^4(c + dx)}{8d(a + ia \tan(c + dx))^4}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4,x]
```

```
[Out] ((A + (15*I)*B)*x)/(16*a^4) - (B*Log[Cos[c + d*x]])/(a^4*d) - (I*A - 15*B)/
(16*a^4*d*(1 + I*Tan[c + d*x])) - ((I*A - 7*B)*Tan[c + d*x]^2)/(16*a^4*d*(1
+ I*Tan[c + d*x])^2) + ((I*A - B)*Tan[c + d*x]^4)/(8*d*(a + I*a*Tan[c + d*
x])^4) + ((A + (3*I)*B)*Tan[c + d*x]^3)/(12*a*d*(a + I*a*Tan[c + d*x])^3)
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[
((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x]
+ Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])
^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*
(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3589

```
Int[(((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_
)*(x_)]))/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(B*d)
/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c -
a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d,
e, f, A, B}, x] && NeQ[b*c - a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3526

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*
f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
] && LtQ[m, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx &= \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} - \frac{\int \frac{\tan^3(c+dx)(4a(iA-B)+8iaB \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx}{8a^2} \\ &= \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+3iB) \tan^3(c+dx)}{12ad(a+ia \tan(c+dx))^3} + \frac{\int \frac{\tan^2(c+dx)(-12a^2(A+3iB)-)}{(a+ia \tan(c+dx))^2} dx}{48a^4} \\ &= -\frac{(iA-7B) \tan^2(c+dx)}{16a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+3iB) \tan^3(c+dx)}{12ad(a+ia \tan(c+dx))^3} \\ &= -\frac{(iA-7B) \tan^2(c+dx)}{16a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+3iB) \tan^3(c+dx)}{12ad(a+ia \tan(c+dx))^3} \\ &= -\frac{B \log(\cos(c+dx))}{a^4d} - \frac{(iA-7B) \tan^2(c+dx)}{16a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+3iB) \tan^3(c+dx)}{12ad(a+ia \tan(c+dx))^3} \\ &= -\frac{B \log(\cos(c+dx))}{a^4d} - \frac{(iA-7B) \tan^2(c+dx)}{16a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+3iB) \tan^3(c+dx)}{12ad(a+ia \tan(c+dx))^3} \\ &= \frac{(A+15iB)x}{16a^4} - \frac{B \log(\cos(c+dx))}{a^4d} - \frac{(iA-7B) \tan^2(c+dx)}{16a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^4(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+3iB) \tan^3(c+dx)}{12ad(a+ia \tan(c+dx))^3} \end{aligned}$$

Mathematica [A] time = 1.19954, size = 195, normalized size = 1.05

$$\frac{\sec^4(c+dx)(16(21B-4iA) \cos(2(c+dx)) + 3 \cos(4(c+dx))(8Adx+iA-128B \log(\cos(c+dx)) + 120iBdx-B) + 32A)}{16a^4d(1+i \tan(c+dx))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]
```

```
[Out] (Sec[c + d*x]^4*((36*I)*A - 96*B + 16*((-4*I)*A + 21*B)*Cos[2*(c + d*x)] +
3*Cos[4*(c + d*x)]*(I*A - B + 8*A*d*x + (120*I)*B*d*x - 128*B*Log[Cos[c + d
*x]])) + 32*A*Sin[2*(c + d*x)] + (288*I)*B*Sin[2*(c + d*x)] + 3*A*Sin[4*(c +
d*x)] + (3*I)*B*Sin[4*(c + d*x)] + (24*I)*A*d*x*Sin[4*(c + d*x)] - 360*B*d
*x*Sin[4*(c + d*x)] - (384*I)*B*Log[Cos[c + d*x]]*Sin[4*(c + d*x)])))/(384*a
^4*d*(-I + Tan[c + d*x])^4)
```

Maple [A] time = 0.04, size = 244, normalized size = 1.3

$$\frac{31B}{16a^4d(\tan(dx+c)-i)^2} - \frac{\frac{17i}{16}A}{a^4d(\tan(dx+c)-i)^2} - \frac{\frac{i}{32} \ln(\tan(dx+c)-i)A}{a^4d} + \frac{31 \ln(\tan(dx+c)-i)B}{32a^4d} + \frac{\frac{i}{8}A}{a^4d(\tan(dx+c)-i)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^4*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^4,x)$

[Out] $\frac{31}{16}d/a^4/(\tan(dx+c)-I)^2*B-17/16*I/d/a^4/(\tan(dx+c)-I)^2*A-1/32*I/d/a^4*\ln(\tan(dx+c)-I)*A+31/32/d/a^4*\ln(\tan(dx+c)-I)*B+1/8*I/d/a^4/(\tan(dx+c)-I)^4*A-1/8/d/a^4/(\tan(dx+c)-I)^4*B+3/4*I/d/a^4/(\tan(dx+c)-I)^3*B+7/12/d/a^4/(\tan(dx+c)-I)^3*A-49/16*I/d/a^4/(\tan(dx+c)-I)*B-15/16/d/a^4/(\tan(dx+c)-I)*A+1/32/d/a^4*B*\ln(\tan(dx+c)+I)+1/32*I/d/a^4*A*\ln(\tan(dx+c)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^4*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^4,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.48558, size = 359, normalized size = 1.94

$$\frac{(24(A+31iB)dx e^{(8i dx+8i c)} - 384 B e^{(8i dx+8i c)} \log(e^{(2i dx+2i c)} + 1) + (-48i A + 312 B) e^{(6i dx+6i c)} + (36i A - 96 B) e^{(4i dx+4i c)})}{384 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^4*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^4,x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1}{384}*(24*(A + 31*I*B)*d*x*e^{(8*I*d*x + 8*I*c)} - 384*B*e^{(8*I*d*x + 8*I*c)}*\log(e^{(2*I*d*x + 2*I*c)} + 1) + (-48*I*A + 312*B)*e^{(6*I*d*x + 6*I*c)} + (36*I*A - 96*B)*e^{(4*I*d*x + 4*I*c)} + (-16*I*A + 24*B)*e^{(2*I*d*x + 2*I*c)} + 3*I*A - 3*B)*e^{(-8*I*d*x - 8*I*c)}/(a^4*d)$

Sympy [A] time = 35.7878, size = 360, normalized size = 1.95

$$-\frac{B \log(e^{2i dx} + e^{-2i c})}{a^4 d} + \left\{ x \left(-\frac{A+31iB}{16a^4} + \frac{(Ae^{8ic}-4Ae^{6ic}+6Ae^{4ic}-4Ae^{2ic}+A+31iBe^{8ic}-26iBe^{6ic}+16iBe^{4ic}-6iBe^{2ic}+iB)e^{-8ic}}{16a^4} \right) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)**4*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))**4,x)$

[Out] $-B*\log(\exp(2*I*d*x) + \exp(-2*I*c))/(a**4*d) + \text{Piecewise}(\left((24576*I*A*a**12*d**3*\exp(12*I*c) - 24576*B*a**12*d**3*\exp(12*I*c))*\exp(-8*I*d*x) + (-131072*I*A*a**12*d**3*\exp(14*I*c) + 196608*B*a**12*d**3*\exp(14*I*c))*\exp(-6*I*d*x) + (294912*I*A*a**12*d**3*\exp(16*I*c) - 786432*B*a**12*d**3*\exp(16*I*c))*\exp(-4*I*d*x) + (-393216*I*A*a**12*d**3*\exp(18*I*c) + 2555904*B*a**12*d**3*\exp(18*I*c)) \right)$

```

xp(18*I*c))*exp(-2*I*d*x))*exp(-20*I*c)/(3145728*a**16*d**4), Ne(3145728*a*
*16*d**4*exp(20*I*c), 0)), (x*(-(A + 31*I*B)/(16*a**4) + (A*exp(8*I*c) - 4*
A*exp(6*I*c) + 6*A*exp(4*I*c) - 4*A*exp(2*I*c) + A + 31*I*B*exp(8*I*c) - 26
*I*B*exp(6*I*c) + 16*I*B*exp(4*I*c) - 6*I*B*exp(2*I*c) + I*B)*exp(-8*I*c)/(
16*a**4)), True)) + x*(A + 31*I*B)/(16*a**4)

```

Giac [A] time = 3.43351, size = 208, normalized size = 1.12

$$\frac{12(-iA-B)\log(\tan(dx+c)+i)}{a^4} - \frac{12(-iA+31B)\log(\tan(dx+c)-i)}{a^4} - \frac{25iA\tan(dx+c)^4 - 775B\tan(dx+c)^4 - 260A\tan(dx+c)^3 + 1924iB\tan(dx+c)^3 + 522iA\tan(dx+c)^2 + 1866iB\tan(dx+c)^2 + 388A\tan(dx+c) - 772iB\tan(dx+c) - 103iA - 103B}{a^4(\tan(dx+c) - i)^4}$$

384d

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="
giac")

```

```

[Out] -1/384*(12*(-I*A - B)*log(tan(d*x + c) + I)/a^4 - 12*(-I*A + 31*B)*log(tan(
d*x + c) - I)/a^4 - (25*I*A*tan(d*x + c)^4 - 775*B*tan(d*x + c)^4 - 260*A*t
an(d*x + c)^3 + 1924*I*B*tan(d*x + c)^3 + 522*I*A*tan(d*x + c)^2 + 1866*B*t
an(d*x + c)^2 + 388*A*tan(d*x + c) - 772*I*B*tan(d*x + c) - 103*I*A - 103*B
)/(a^4*(tan(d*x + c) - I)^4))/d

```


$$3.60 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=159

$$\frac{5A - 29iB}{48a^4d(1 + i \tan(c + dx))} - \frac{A - 13iB}{48a^4d(1 + i \tan(c + dx))^2} + \frac{x(B + iA)}{16a^4} + \frac{(-B + iA) \tan^3(c + dx)}{8d(a + ia \tan(c + dx))^4} + \frac{(A + 5iB) \tan^2(c + dx)}{24ad(a + ia \tan(c + dx))}$$

[Out] ((I*A + B)*x)/(16*a^4) - (A - (13*I)*B)/(48*a^4*d*(1 + I*Tan[c + d*x])^2) + (5*A - (29*I)*B)/(48*a^4*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^3)/(8*d*(a + I*a*Tan[c + d*x])^4) + ((A + (5*I)*B)*Tan[c + d*x]^2)/(24*a*d*(a + I*a*Tan[c + d*x])^3)

Rubi [A] time = 0.465667, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3595, 3590, 3526, 8}

$$\frac{5A - 29iB}{48a^4d(1 + i \tan(c + dx))} - \frac{A - 13iB}{48a^4d(1 + i \tan(c + dx))^2} + \frac{x(B + iA)}{16a^4} + \frac{(-B + iA) \tan^3(c + dx)}{8d(a + ia \tan(c + dx))^4} + \frac{(A + 5iB) \tan^2(c + dx)}{24ad(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4,x]

[Out] ((I*A + B)*x)/(16*a^4) - (A - (13*I)*B)/(48*a^4*d*(1 + I*Tan[c + d*x])^2) + (5*A - (29*I)*B)/(48*a^4*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^3)/(8*d*(a + I*a*Tan[c + d*x])^4) + ((A + (5*I)*B)*Tan[c + d*x]^2)/(24*a*d*(a + I*a*Tan[c + d*x])^3)

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3590

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx &= \frac{(iA-B) \tan^3(c+dx)}{8d(a+ia \tan(c+dx))^4} - \frac{\int \frac{\tan^2(c+dx)(3a(iA-B)-a(A-7iB) \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx}{8a^2} \\ &= \frac{(iA-B) \tan^3(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+5iB) \tan^2(c+dx)}{24ad(a+ia \tan(c+dx))^3} + \frac{\int \frac{\tan(c+dx)(-4a^2(A+5iB)-8a(A-7iB) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{48a^2} \\ &= -\frac{A-13iB}{48a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^3(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+5iB) \tan^2(c+dx)}{24ad(a+ia \tan(c+dx))^3} \\ &= -\frac{A-13iB}{48a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^3(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+5iB) \tan^2(c+dx)}{24ad(a+ia \tan(c+dx))^3} \\ &= \frac{(iA+B)x}{16a^4} - \frac{A-13iB}{48a^4d(1+i \tan(c+dx))^2} + \frac{(iA-B) \tan^3(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(A+5iB) \tan^2(c+dx)}{24ad(a+ia \tan(c+dx))^3} \end{aligned}$$

Mathematica [A] time = 1.35887, size = 158, normalized size = 0.99

$$\frac{\sec^4(c+dx)(16(A-4iB) \cos(2(c+dx)) + 3(8iAdx + A + 8Bdx + iB) \cos(4(c+dx)) + 32iA \sin(2(c+dx)) - 3iA \sin(4(c+dx)))}{384a^4d(\tan(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]

[Out] (Sec[c + d*x]^4*((36*I)*B + 16*(A - (4*I)*B)*Cos[2*(c + d*x)] + 3*(A + I*B + (8*I)*A*d*x + 8*B*d*x)*Cos[4*(c + d*x)] + (32*I)*A*Sin[2*(c + d*x)] + 32*B*Sin[2*(c + d*x)] - (3*I)*A*Sin[4*(c + d*x)] + 3*B*Sin[4*(c + d*x)] - 24*A*d*x*Sin[4*(c + d*x)] + (24*I)*B*d*x*Sin[4*(c + d*x)]))/(384*a^4*d*(-I + Tan[c + d*x])^4)

Maple [A] time = 0.035, size = 244, normalized size = 1.5

$$\frac{\ln(\tan(dx+c)-i)A}{32a^4d} - \frac{\frac{i}{32} \ln(\tan(dx+c)-i)B}{a^4d} - \frac{\frac{5i}{12}A}{a^4d(\tan(dx+c)-i)^3} + \frac{7B}{12a^4d(\tan(dx+c)-i)^3} + \frac{\frac{i}{16}A}{a^4d(\tan(dx+c)-i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4, x)

[Out] 1/32/d/a^4*ln(tan(d*x+c)-I)*A-1/32*I/d/a^4*ln(tan(d*x+c)-I)*B-5/12*I/d/a^4/(tan(d*x+c)-I)^3*A+7/12/d/a^4/(tan(d*x+c)-I)^3*B+1/16*I/d/a^4/(tan(d*x+c)-I)*A-15/16/d/a^4/(tan(d*x+c)-I)*B+1/8/d/a^4/(tan(d*x+c)-I)^4*A+1/8*I/d/a^4/(tan(d*x+c)-I)^4*B-7/16/d/a^4/(tan(d*x+c)-I)^2*A-17/16*I/d/a^4/(tan(d*x+c)-I)^2*B-1/32/d/a^4*A*ln(tan(d*x+c)+I)+1/32*I/d/a^4*B*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.43188, size = 262, normalized size = 1.65

$$\frac{((24i A + 24 B)dx e^{(8i dx + 8i c)} + 24(A - 2i B)e^{(6i dx + 6i c)} + 36i B e^{(4i dx + 4i c)} - 8(A + 2i B)e^{(2i dx + 2i c)} + 3A + 3i B)e^{(-8i dx - 8i c)}}{384 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

[Out] 1/384*((24*I*A + 24*B)*d*x*e^(8*I*d*x + 8*I*c) + 24*(A - 2*I*B)*e^(6*I*d*x + 6*I*c) + 36*I*B*e^(4*I*d*x + 4*I*c) - 8*(A + 2*I*B)*e^(2*I*d*x + 2*I*c) + 3*A + 3*I*B)*e^(-8*I*d*x - 8*I*c)/(a^4*d)

Sympy [A] time = 8.53229, size = 303, normalized size = 1.91

$$\left\{ x \left(-\frac{iA+B}{16a^4} + \frac{(iAe^{8ic} - 2iAe^{6ic} + 2iAe^{2ic} - iA + Be^{8ic} - 4Be^{6ic} + 6Be^{4ic} - 4Be^{2ic} + B)e^{-8ic}}{16a^4} \right) \right\}^{3145728a^{16}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)

[Out] Piecewise(((294912*I*B*a**12*d**3*exp(16*I*c)*exp(-4*I*d*x) + (24576*A*a**12*d**3*exp(12*I*c) + 24576*I*B*a**12*d**3*exp(12*I*c))*exp(-8*I*d*x) + (-6536*A*a**12*d**3*exp(14*I*c) - 131072*I*B*a**12*d**3*exp(14*I*c))*exp(-6*I*d*x) + (196608*A*a**12*d**3*exp(18*I*c) - 393216*I*B*a**12*d**3*exp(18*I*c))*exp(-2*I*d*x))*exp(-20*I*c)/(3145728*a**16*d**4), Ne(3145728*a**16*d**4*exp(20*I*c), 0)), (x*(-(I*A + B)/(16*a**4) + (I*A*exp(8*I*c) - 2*I*A*exp(6*I*c) + 2*I*A*exp(2*I*c) - I*A + B*exp(8*I*c) - 4*B*exp(6*I*c) + 6*B*exp(4*I*c) - 4*B*exp(2*I*c) + B)*exp(-8*I*c)/(16*a**4)), True)) + x*(I*A + B)/(16*a**4)

Giac [A] time = 2.2655, size = 207, normalized size = 1.3

$$\frac{12(A-iB)\log(-i\tan(dx+c)+1)}{a^4} - \frac{12(A-iB)\log(-i\tan(dx+c)-1)}{a^4} + \frac{25A\tan(dx+c)^4 - 25iB\tan(dx+c)^4 - 124iA\tan(dx+c)^3 + 260B\tan(dx+c)^3 - 54A}{a^4(\tan(dx+c))}$$

384 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="giac")

```
[Out] -1/384*(12*(A - I*B)*log(-I*tan(d*x + c) + 1)/a^4 - 12*(A - I*B)*log(-I*tan
(d*x + c) - 1)/a^4 + (25*A*tan(d*x + c)^4 - 25*I*B*tan(d*x + c)^4 - 124*I*A
*tan(d*x + c)^3 + 260*B*tan(d*x + c)^3 - 54*A*tan(d*x + c)^2 - 522*I*B*tan(
d*x + c)^2 - 4*I*A*tan(d*x + c) - 388*B*tan(d*x + c) - 7*A + 103*I*B)/(a^4*
(tan(d*x + c) - I)^4))/d
```

$$3.61 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=145

$$-\frac{B+iA}{16a^4d(1+i \tan(c+dx))} + \frac{5B+iA}{16a^4d(1+i \tan(c+dx))^2} - \frac{x(A-iB)}{16a^4} + \frac{(-B+iA) \tan^2(c+dx)}{8d(a+ia \tan(c+dx))^4} - \frac{B}{6ad(a+ia \tan(c+dx))}$$

[Out] $-\frac{(A - I*B)*x}{(16*a^4)} + \frac{(I*A + 5*B)}{(16*a^4*d*(1 + I*\tan[c + d*x])^2)} - \frac{(I*A + B)}{(16*a^4*d*(1 + I*\tan[c + d*x]))} + \frac{((I*A - B)*\tan[c + d*x]^2)}{(8*d*(a + I*a*\tan[c + d*x])^4)} - \frac{B}{(6*a*d*(a + I*a*\tan[c + d*x])^3)}$

Rubi [A] time = 0.290671, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3595, 3590, 3526, 3479, 8}

$$-\frac{B+iA}{16a^4d(1+i \tan(c+dx))} + \frac{5B+iA}{16a^4d(1+i \tan(c+dx))^2} - \frac{x(A-iB)}{16a^4} + \frac{(-B+iA) \tan^2(c+dx)}{8d(a+ia \tan(c+dx))^4} - \frac{B}{6ad(a+ia \tan(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\tan[c + d*x]^2*(A + B*\tan[c + d*x]))/(a + I*a*\tan[c + d*x])^4, x]$

[Out] $-\frac{(A - I*B)*x}{(16*a^4)} + \frac{(I*A + 5*B)}{(16*a^4*d*(1 + I*\tan[c + d*x])^2)} - \frac{(I*A + B)}{(16*a^4*d*(1 + I*\tan[c + d*x]))} + \frac{((I*A - B)*\tan[c + d*x]^2)}{(8*d*(a + I*a*\tan[c + d*x])^4)} - \frac{B}{(6*a*d*(a + I*a*\tan[c + d*x])^3)}$

Rule 3595

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\tan[(e_*) + (f_*)(x_*)])^{(n_*)}, x_Symbol] := -\text{Simp}[(A*b - a*B)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^n]/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^{(n-1)}*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\tan[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3590

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\tan[(e_*) + (f_*)(x_*)])^{(n_*)}, x_Symbol] := -\text{Simp}[(A*b - a*B)*(a*c + b*d)*(a + b*\tan[e + f*x])^m]/(2*a^2*f*m), x] + \text{Dist}[1/(2*a*b), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*\text{Simp}[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*\tan[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 3526

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^{(m_*)}((c_*) + (d_*)\tan[(e_*) + (f_*)(x_*)]), x_Symbol] := -\text{Simp}[(b*c - a*d)*(a + b*\tan[e + f*x])^m]/(2*a*f*m), x] + \text{Dist}[(b*c + a*d)/(2*a*b), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0]$

Rule 3479

Int[((a_) + (b_.)*tan[(c_) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^4} dx &= \frac{(iA - B) \tan^2(c + dx)}{8d(a + ia \tan(c + dx))^4} - \frac{\int \frac{\tan(c+dx)(2a(iA-B)-2a(A-3iB) \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx}{8a^2} \\ &= \frac{(iA - B) \tan^2(c + dx)}{8d(a + ia \tan(c + dx))^4} - \frac{B}{6ad(a + ia \tan(c + dx))^3} + \frac{i \int \frac{-8a^2B-4a^2(A-3iB) \tan(c+dx)}{(a+ia \tan(c+dx))^2} dx}{16a^4} \\ &= \frac{iA + 5B}{16a^4d(1 + i \tan(c + dx))^2} + \frac{(iA - B) \tan^2(c + dx)}{8d(a + ia \tan(c + dx))^4} - \frac{B}{6ad(a + ia \tan(c + dx))^3} \\ &= \frac{iA + 5B}{16a^4d(1 + i \tan(c + dx))^2} + \frac{(iA - B) \tan^2(c + dx)}{8d(a + ia \tan(c + dx))^4} - \frac{B}{6ad(a + ia \tan(c + dx))^3} \\ &= \frac{(A - iB)x}{16a^4} + \frac{iA + 5B}{16a^4d(1 + i \tan(c + dx))^2} + \frac{(iA - B) \tan^2(c + dx)}{8d(a + ia \tan(c + dx))^4} - \frac{B}{6ad(a + ia \tan(c + dx))^3} \end{aligned}$$

Mathematica [A] time = 1.49652, size = 144, normalized size = 0.99

$$\frac{(\cos(4(c + dx)) - i \sin(4(c + dx)))(3(8Adx + iA - 8iBdx - B) \cos(4(c + dx)) + 24iAdx \sin(4(c + dx)) + 3A \sin(4(c + dx)))}{384a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]

[Out] -((Cos[4*(c + d*x)] - I*Sin[4*(c + d*x)])*((-12*I)*A - 16*B*Cos[2*(c + d*x)] + 3*(I*A - B + 8*A*d*x - (8*I)*B*d*x)*Cos[4*(c + d*x)] - (32*I)*B*Sin[2*(c + d*x)] + 3*A*Sin[4*(c + d*x)] + (3*I)*B*Sin[4*(c + d*x)] + (24*I)*A*d*x*Sin[4*(c + d*x)] + 24*B*d*x*Sin[4*(c + d*x)]))/(384*a^4*d)

Maple [A] time = 0.035, size = 244, normalized size = 1.7

$$\frac{-\frac{i}{8}A}{a^4d(\tan(dx + c) - i)^4} + \frac{B}{8a^4d(\tan(dx + c) - i)^4} - \frac{A}{4a^4d(\tan(dx + c) - i)^3} - \frac{\frac{5i}{12}B}{a^4d(\tan(dx + c) - i)^3} + \frac{\frac{i}{32} \ln(\tan(dx + c) - i)}{a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4, x)

[Out] -1/8*I/d/a^4/(tan(d*x+c)-I)^4*A+1/8/d/a^4/(tan(d*x+c)-I)^4*B-1/4/d/a^4/(tan(d*x+c)-I)^3*A-5/12*I/d/a^4/(tan(d*x+c)-I)^3*B+1/32*I/d/a^4*ln(tan(d*x+c)-I)*A+1/32/d/a^4*ln(tan(d*x+c)-I)*B-1/16/d/a^4/(tan(d*x+c)-I)*A+1/16*I/d/a^4/(tan(d*x+c)-I)*B+1/16*I/d/a^4/(tan(d*x+c)-I)^2*A-7/16/d/a^4/(tan(d*x+c)-I)^2*B-1/32/d/a^4*B*ln(tan(d*x+c)+I)-1/32*I/d/a^4*A*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.38764, size = 232, normalized size = 1.6

$$\frac{(24(A-iB)dx e^{(8i dx+8i c)} - 24 B e^{(6i dx+6i c)} - 12i A e^{(4i dx+4i c)} + 8 B e^{(2i dx+2i c)} + 3i A - 3 B) e^{(-8i dx-8i c)}}{384 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

[Out]
$$-1/384*(24*(A - I*B)*d*x*e^{(8*I*d*x + 8*I*c)} - 24*B*e^{(6*I*d*x + 6*I*c)} - 12*I*A*e^{(4*I*d*x + 4*I*c)} + 8*B*e^{(2*I*d*x + 2*I*c)} + 3*I*A - 3*B)*e^{(-8*I*d*x - 8*I*c)}/(a^4*d)$$

Sympy [A] time = 6.47366, size = 243, normalized size = 1.68

$$\begin{cases} \frac{(98304iAa^{12}d^3e^{16ic}e^{-4idx} + 196608Ba^{12}d^3e^{18ic}e^{-2idx} - 65536Ba^{12}d^3e^{14ic}e^{-6idx} + (-24576iAa^{12}d^3e^{12ic} + 24576Ba^{12}d^3e^{12ic})e^{-8idx})e^{-20ic}}{3145728a^{16}d^4} & \text{for } 3145728a^{16}d^4 \\ x \left(\frac{A-iB}{16a^4} - \frac{(Ae^{8ic} - 2Ae^{4ic} + A - iBe^{8ic} + 2iBe^{6ic} - 2iBe^{2ic} + iB)e^{-8ic}}{16a^4} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)

[Out] Piecewise(((98304*I*A*a**12*d**3*exp(16*I*c)*exp(-4*I*d*x) + 196608*B*a**12*d**3*exp(18*I*c)*exp(-2*I*d*x) - 65536*B*a**12*d**3*exp(14*I*c)*exp(-6*I*d*x) + (-24576*I*A*a**12*d**3*exp(12*I*c) + 24576*B*a**12*d**3*exp(12*I*c))*exp(-8*I*d*x)*exp(-20*I*c)/(3145728*a**16*d**4), Ne(3145728*a**16*d**4*exp(20*I*c), 0)), (x*((A - I*B)/(16*a**4) - (A*exp(8*I*c) - 2*A*exp(4*I*c) + A - I*B*exp(8*I*c) + 2*I*B*exp(6*I*c) - 2*I*B*exp(2*I*c) + I*B)*exp(-8*I*c)/(16*a**4)), True)) + x*(-A + I*B)/(16*a**4)

Giac [A] time = 1.57564, size = 204, normalized size = 1.41

$$\frac{12(iA+B)\log(\tan(dx+c)+i)}{a^4} + \frac{12(-iA-B)\log(\tan(dx+c)-i)}{a^4} + \frac{25iA\tan(dx+c)^4 + 25B\tan(dx+c)^4 + 124A\tan(dx+c)^3 - 124iB\tan(dx+c)^3 - 246iA\tan(dx+c)^2 + 246B\tan(dx+c)^2 + 124iA\tan(dx+c) - 124B\tan(dx+c) - i}{a^4(\tan(dx+c)-i)}$$

384 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="
giac")
```

```
[Out] -1/384*(12*(I*A + B)*log(tan(d*x + c) + I)/a^4 + 12*(-I*A - B)*log(tan(d*x
+ c) - I)/a^4 + (25*I*A*tan(d*x + c)^4 + 25*B*tan(d*x + c)^4 + 124*A*tan(d*
x + c)^3 - 124*I*B*tan(d*x + c)^3 - 246*I*A*tan(d*x + c)^2 - 54*B*tan(d*x +
c)^2 - 124*A*tan(d*x + c) - 4*I*B*tan(d*x + c) + 25*I*A - 7*B)/(a^4*(tan(d
*x + c) - I)^4))/d
```


$$3.62 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=143

$$\frac{A - iB}{16d(a^4 + ia^4 \tan(c + dx))} + \frac{A - iB}{16d(a^2 + ia^2 \tan(c + dx))^2} - \frac{x(B + iA)}{16a^4} + \frac{A + 3iB}{12ad(a + ia \tan(c + dx))^3} - \frac{A + iB}{8d(a + ia \tan(c + dx))}$$

[Out] -((I*A + B)*x)/(16*a^4) - (A + I*B)/(8*d*(a + I*a*Tan[c + d*x])^4) + (A + (3*I)*B)/(12*a*d*(a + I*a*Tan[c + d*x])^3) + (A - I*B)/(16*d*(a^2 + I*a^2*Tan[c + d*x])^2) + (A - I*B)/(16*d*(a^4 + I*a^4*Tan[c + d*x]))

Rubi [A] time = 0.192248, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3590, 3526, 3479, 8}

$$\frac{A - iB}{16d(a^4 + ia^4 \tan(c + dx))} + \frac{A - iB}{16d(a^2 + ia^2 \tan(c + dx))^2} - \frac{x(B + iA)}{16a^4} + \frac{A + 3iB}{12ad(a + ia \tan(c + dx))^3} - \frac{A + iB}{8d(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4,x]

[Out] -((I*A + B)*x)/(16*a^4) - (A + I*B)/(8*d*(a + I*a*Tan[c + d*x])^4) + (A + (3*I)*B)/(12*a*d*(a + I*a*Tan[c + d*x])^3) + (A - I*B)/(16*d*(a^2 + I*a^2*Tan[c + d*x])^2) + (A - I*B)/(16*d*(a^4 + I*a^4*Tan[c + d*x]))

Rule 3590

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\tan(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^4} dx &= -\frac{A+iB}{8d(a+ia\tan(c+dx))^4} - \frac{i \int \frac{a(A+iB)+2aB\tan(c+dx)}{(a+ia\tan(c+dx))^3} dx}{2a^2} \\
&= -\frac{A+iB}{8d(a+ia\tan(c+dx))^4} + \frac{A+3iB}{12ad(a+ia\tan(c+dx))^3} - \frac{(iA+B) \int \frac{1}{(a+ia\tan(c+dx))}}{4a^2} \\
&= -\frac{A+iB}{8d(a+ia\tan(c+dx))^4} + \frac{A+3iB}{12ad(a+ia\tan(c+dx))^3} + \frac{A-iB}{16d(a^2+ia^2\tan(c+dx))} \\
&= -\frac{A+iB}{8d(a+ia\tan(c+dx))^4} + \frac{A+3iB}{12ad(a+ia\tan(c+dx))^3} + \frac{A-iB}{16d(a^2+ia^2\tan(c+dx))} \\
&= -\frac{(iA+B)x}{16a^4} - \frac{A+iB}{8d(a+ia\tan(c+dx))^4} + \frac{A+3iB}{12ad(a+ia\tan(c+dx))^3} + \frac{A-iB}{16d(a^2+ia^2\tan(c+dx))}
\end{aligned}$$

Mathematica [A] time = 1.22754, size = 141, normalized size = 0.99

$$\frac{\sec^4(c+dx)(-3(8iAdx+A+B(8dx+i))\cos(4(c+dx))+32iA\sin(2(c+dx))+3iA\sin(4(c+dx))+24Adx\sin(4(c+dx))}{384a^4d(\tan(c+dx)-i)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]

[Out] (Sec[c + d*x]^4*((12*I)*B + 16*A*Cos[2*(c + d*x)] - 3*(A + (8*I)*A*d*x + B*(I + 8*d*x))*Cos[4*(c + d*x)] + (32*I)*A*Sin[2*(c + d*x)] + (3*I)*A*Sin[4*(c + d*x)] - 3*B*Sin[4*(c + d*x)] + 24*A*d*x*Sin[4*(c + d*x)] - (24*I)*B*d*x*Sin[4*(c + d*x)])/(384*a^4*d*(-I + Tan[c + d*x])^4)

Maple [A] time = 0.033, size = 244, normalized size = 1.7

$$\frac{-\frac{i}{16}A}{a^4d(\tan(dx+c)-i)} - \frac{B}{16a^4d(\tan(dx+c)-i)} - \frac{A}{8a^4d(\tan(dx+c)-i)^4} - \frac{\frac{i}{8}B}{a^4d(\tan(dx+c)-i)^4} - \frac{A}{16a^4d(\tan(dx+c)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4, x)

[Out] -1/16*I/d/a^4/(tan(d*x+c)-I)*A-1/16/d/a^4/(tan(d*x+c)-I)*B-1/8/d/a^4/(tan(d*x+c)-I)^4*A-1/8*I/d/a^4/(tan(d*x+c)-I)^4*B-1/16/d/a^4/(tan(d*x+c)-I)^2*A+1/16*I/d/a^4/(tan(d*x+c)-I)^2*B-1/4/d/a^4/(tan(d*x+c)-I)^3*B+1/12*I/d/a^4/(tan(d*x+c)-I)^3*A-1/32/d/a^4*ln(tan(d*x+c)-I)*A+1/32*I/d/a^4*ln(tan(d*x+c)-I)*B+1/32/d/a^4*A*ln(tan(d*x+c)+I)-1/32*I/d/a^4*B*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4, x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.36316, size = 236, normalized size = 1.65

$$\frac{((-24i A - 24 B)dx e^{(8i dx + 8i c)} + 24 A e^{(6i dx + 6i c)} + 12i B e^{(4i dx + 4i c)} - 8 A e^{(2i dx + 2i c)} - 3 A - 3i B) e^{(-8i dx - 8i c)}}{384 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

[Out] 1/384*((-24*I*A - 24*B)*d*x*e^(8*I*d*x + 8*I*c) + 24*A*e^(6*I*d*x + 6*I*c) + 12*I*B*e^(4*I*d*x + 4*I*c) - 8*A*e^(2*I*d*x + 2*I*c) - 3*A - 3*I*B)*e^(-8*I*d*x - 8*I*c)/(a^4*d)

Sympy [A] time = 8.76024, size = 246, normalized size = 1.72

$$\begin{cases} \frac{(196608Aa^{12}d^3e^{18ic}e^{-2idx} - 65536Aa^{12}d^3e^{14ic}e^{-6idx} + 98304iBa^{12}d^3e^{16ic}e^{-4idx} + (-24576Aa^{12}d^3e^{12ic} - 24576iBa^{12}d^3e^{12ic})e^{-8idx})e^{-20ic}}{3145728a^{16}d^4} & \text{for } 3145728a^{16}d^4 \\ x \left(\frac{iA+B}{16a^4} - \frac{(iAe^{8ic} + 2iAe^{6ic} - 2iAe^{2ic} - iA + Be^{8ic} - 2Be^{4ic} + B)e^{-8ic}}{16a^4} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)

[Out] Piecewise((((196608*A*a**12*d**3*exp(18*I*c)*exp(-2*I*d*x) - 65536*A*a**12*d**3*exp(14*I*c)*exp(-6*I*d*x) + 98304*I*B*a**12*d**3*exp(16*I*c)*exp(-4*I*d*x) + (-24576*A*a**12*d**3*exp(12*I*c) - 24576*I*B*a**12*d**3*exp(12*I*c))*exp(-8*I*d*x))*exp(-20*I*c)/(3145728*a**16*d**4), Ne(3145728*a**16*d**4*exp(20*I*c), 0)), (x*((I*A + B)/(16*a**4) - (I*A*exp(8*I*c) + 2*I*A*exp(6*I*c) - 2*I*A*exp(2*I*c) - I*A + B*exp(8*I*c) - 2*B*exp(4*I*c) + B)*exp(-8*I*c)/(16*a**4)), True)) + x*(-I*A - B)/(16*a**4)

Giac [A] time = 1.42321, size = 208, normalized size = 1.45

$$\frac{\frac{12(A-iB)\log(i\tan(dx+c)+1)}{a^4} - \frac{12(A-iB)\log(i\tan(dx+c)-1)}{a^4} - \frac{25A\tan(dx+c)^4 - 25iB\tan(dx+c)^4 - 124iA\tan(dx+c)^3 - 124B\tan(dx+c)^3 - 246A\tan(dx+c)^2 + 246iB\tan(dx+c)^2 + 252iA\tan(dx+c) + 124B\tan(dx+c) + 57A - 25iB}{a^4(\tan(dx+c) - i)^4}}{384d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="giac")

[Out] -1/384*(12*(A - I*B)*log(I*tan(d*x + c) + 1)/a^4 - 12*(A - I*B)*log(I*tan(d*x + c) - 1)/a^4 - (25*A*tan(d*x + c)^4 - 25*I*B*tan(d*x + c)^4 - 124*I*A*tan(d*x + c)^3 - 124*B*tan(d*x + c)^3 - 246*A*tan(d*x + c)^2 + 246*I*B*tan(d*x + c)^2 + 252*I*A*tan(d*x + c) + 124*B*tan(d*x + c) + 57*A - 25*I*B)/(a^4*(tan(d*x + c) - I)^4)/d

3.63 $\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^4} dx$

Optimal. Leaf size=145

$$\frac{B+iA}{16d(a^4+ia^4 \tan(c+dx))} + \frac{B+iA}{16d(a^2+ia^2 \tan(c+dx))^2} + \frac{x(A-iB)}{16a^4} + \frac{-B+iA}{8d(a+ia \tan(c+dx))^4} + \frac{B+iA}{12ad(a+ia \tan(c+dx))}$$

[Out] ((A - I*B)*x)/(16*a^4) + (I*A - B)/(8*d*(a + I*a*Tan[c + d*x])^4) + (I*A + B)/(12*a*d*(a + I*a*Tan[c + d*x])^3) + (I*A + B)/(16*d*(a^2 + I*a^2*Tan[c + d*x])^2) + (I*A + B)/(16*d*(a^4 + I*a^4*Tan[c + d*x]))

Rubi [A] time = 0.106414, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3526, 3479, 8}

$$\frac{B+iA}{16d(a^4+ia^4 \tan(c+dx))} + \frac{B+iA}{16d(a^2+ia^2 \tan(c+dx))^2} + \frac{x(A-iB)}{16a^4} + \frac{-B+iA}{8d(a+ia \tan(c+dx))^4} + \frac{B+iA}{12ad(a+ia \tan(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^4, x]

[Out] ((A - I*B)*x)/(16*a^4) + (I*A - B)/(8*d*(a + I*a*Tan[c + d*x])^4) + (I*A + B)/(12*a*d*(a + I*a*Tan[c + d*x])^3) + (I*A + B)/(16*d*(a^2 + I*a^2*Tan[c + d*x])^2) + (I*A + B)/(16*d*(a^4 + I*a^4*Tan[c + d*x]))

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{(a + ia \tan(c + dx))^4} dx &= \frac{iA - B}{8d(a + ia \tan(c + dx))^4} + \frac{(A - iB) \int \frac{1}{(a + ia \tan(c + dx))^3} dx}{2a} \\
&= \frac{iA - B}{8d(a + ia \tan(c + dx))^4} + \frac{iA + B}{12ad(a + ia \tan(c + dx))^3} + \frac{(A - iB) \int \frac{1}{(a + ia \tan(c + dx))^2} dx}{4a^2} \\
&= \frac{iA - B}{8d(a + ia \tan(c + dx))^4} + \frac{iA + B}{12ad(a + ia \tan(c + dx))^3} + \frac{iA + B}{16d(a^2 + ia^2 \tan(c + dx))^2} + \frac{(A - iB) \int \frac{1}{a + ia \tan(c + dx)} dx}{16a^2} \\
&= \frac{iA - B}{8d(a + ia \tan(c + dx))^4} + \frac{iA + B}{12ad(a + ia \tan(c + dx))^3} + \frac{iA + B}{16d(a^2 + ia^2 \tan(c + dx))^2} + \frac{(A - iB)x}{16a^2} \\
&= \frac{(A - iB)x}{16a^4} + \frac{iA - B}{8d(a + ia \tan(c + dx))^4} + \frac{iA + B}{12ad(a + ia \tan(c + dx))^3} + \frac{iA + B}{16d(a^2 + ia^2 \tan(c + dx))^2}
\end{aligned}$$

Mathematica [A] time = 0.817563, size = 160, normalized size = 1.1

$$\frac{\sec^4(c + dx)(16(B + 4iA) \cos(2(c + dx)) + 3(8Adx + iA - 8iBdx - B) \cos(4(c + dx)) - 32A \sin(2(c + dx)) + 24iAdx \sin(4(c + dx)))}{384a^4d(\tan(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^4, x]

[Out] (Sec[c + d*x]^4*((36*I)*A + 16*((4*I)*A + B)*Cos[2*(c + d*x)] + 3*(I*A - B + 8*A*d*x - (8*I)*B*d*x)*Cos[4*(c + d*x)] - 32*A*Sin[2*(c + d*x)] + (32*I)*B*Sin[2*(c + d*x)] + 3*A*Sin[4*(c + d*x)] + (3*I)*B*Sin[4*(c + d*x)] + (24*I)*A*d*x*Sin[4*(c + d*x)] + 24*B*d*x*Sin[4*(c + d*x)])/(384*a^4*d*(-I + Tan[c + d*x])^4)

Maple [A] time = 0.031, size = 244, normalized size = 1.7

$$\frac{\frac{i}{8}A}{a^4d(\tan(dx + c) - i)^4} - \frac{B}{8a^4d(\tan(dx + c) - i)^4} - \frac{\frac{i}{32} \ln(\tan(dx + c) - i)A}{a^4d} - \frac{\ln(\tan(dx + c) - i)B}{32a^4d} - \frac{A}{12a^4d(\tan(dx + c) - i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4, x)

[Out] 1/8*I/d/a^4/(tan(d*x+c)-I)^4*A-1/8/d/a^4/(tan(d*x+c)-I)^4*B-1/32*I/d/a^4*ln(tan(d*x+c)-I)*A-1/32/d/a^4*ln(tan(d*x+c)-I)*B-1/12/d/a^4/(tan(d*x+c)-I)^3*A+1/12*I/d/a^4/(tan(d*x+c)-I)^3*B-1/16*I/d/a^4/(tan(d*x+c)-I)^2*A-1/16/d/a^4/(tan(d*x+c)-I)^2*B+1/16/d/a^4/(tan(d*x+c)-I)*A-1/16*I/d/a^4/(tan(d*x+c)-I)*B+1/32/d/a^4*B*ln(tan(d*x+c)+I)+1/32*I/d/a^4*A*ln(tan(d*x+c)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.42516, size = 261, normalized size = 1.8

$$\frac{(24(A-iB)dx e^{(8i dx+8i c)} + (48i A + 24 B)e^{(6i dx+6i c)} + 36i A e^{(4i dx+4i c)} + (16i A - 8 B)e^{(2i dx+2i c)} + 3i A - 3 B)e^{(-8i dx-8i c)}}{384 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

[Out] $\frac{1}{384} * (24 * (A - I * B) * d * x * e^{(8 * I * d * x + 8 * I * c)} + (48 * I * A + 24 * B) * e^{(6 * I * d * x + 6 * I * c)} + 36 * I * A * e^{(4 * I * d * x + 4 * I * c)} + (16 * I * A - 8 * B) * e^{(2 * I * d * x + 2 * I * c)} + 3 * I * A - 3 * B) * e^{(-8 * I * d * x - 8 * I * c)} / (a^4 * d)$

Sympy [A] time = 11.3457, size = 301, normalized size = 2.08

$$\left\{ \begin{array}{l} \frac{(294912iAa^{12}d^3e^{16ic}e^{-4idx} + (24576iAa^{12}d^3e^{12ic} - 24576Ba^{12}d^3e^{12ic})e^{-8idx} + (131072iAa^{12}d^3e^{14ic} - 65536Ba^{12}d^3e^{14ic})e^{-6idx} + (393216iAa^{12}d^3e^{18ic} + 196608Ba^{12}d^3e^{18ic})e^{-4idx} + (24576iAa^{12}d^3e^{12ic} - 24576Ba^{12}d^3e^{12ic})e^{-8idx} + (131072iAa^{12}d^3e^{14ic} - 65536Ba^{12}d^3e^{14ic})e^{-6idx} + (393216iAa^{12}d^3e^{18ic} + 196608Ba^{12}d^3e^{18ic})e^{-4idx}}{3145728a^{16}d^4} \\ x \left(-\frac{A-iB}{16a^4} + \frac{(Ae^{8ic} + 4Ae^{6ic} + 6Ae^{4ic} + 4Ae^{2ic} + A - iBe^{8ic} - 2iBe^{6ic} + 2iBe^{2ic} + iB)e^{-8ic}}{16a^4} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)

[Out] Piecewise(((294912*I*A*a**12*d**3*exp(16*I*c)*exp(-4*I*d*x) + (24576*I*A*a**12*d**3*exp(12*I*c) - 24576*B*a**12*d**3*exp(12*I*c))*exp(-8*I*d*x) + (131072*I*A*a**12*d**3*exp(14*I*c) - 65536*B*a**12*d**3*exp(14*I*c))*exp(-6*I*d*x) + (393216*I*A*a**12*d**3*exp(18*I*c) + 196608*B*a**12*d**3*exp(18*I*c))*exp(-2*I*d*x))*exp(-20*I*c)/(3145728*a**16*d**4), Ne(3145728*a**16*d**4*exp(20*I*c), 0)), (x*(-(A - I*B)/(16*a**4) + (A*exp(8*I*c) + 4*A*exp(6*I*c) + 6*A*exp(4*I*c) + 4*A*exp(2*I*c) + A - I*B*exp(8*I*c) - 2*I*B*exp(6*I*c) + 2*I*B*exp(2*I*c) + I*B)*exp(-8*I*c)/(16*a**4)), True)) + x*(A - I*B)/(16*a**4)

Giac [A] time = 1.33658, size = 208, normalized size = 1.43

$$\frac{\frac{12(-iA-B)\log(\tan(dx+c)+i)}{a^4} - \frac{12(-iA-B)\log(\tan(dx+c)-i)}{a^4} - \frac{25iA\tan(dx+c)^4 + 25B\tan(dx+c)^4 + 124A\tan(dx+c)^3 - 124iB\tan(dx+c)^3 - 246iA\tan(dx+c)^2 + 246B\tan(dx+c)^2 - 252A\tan(dx+c) + 252iB\tan(dx+c) + 153iA + 57B}{a^4(\tan(dx+c)-i)}}{384 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="giac")

[Out] $\frac{-1}{384} * (12 * (-I * A - B) * \log(\tan(d * x + c) + I) / a^4 - 12 * (-I * A - B) * \log(\tan(d * x + c) - I) / a^4 - (25 * I * A * \tan(d * x + c)^4 + 25 * B * \tan(d * x + c)^4 + 124 * A * \tan(d * x + c)^3 - 124 * I * B * \tan(d * x + c)^3 - 246 * I * A * \tan(d * x + c)^2 - 246 * B * \tan(d * x + c)^2 - 252 * A * \tan(d * x + c) + 252 * I * B * \tan(d * x + c) + 153 * I * A + 57 * B) / (a^4 * (\tan(d * x + c) - I)^4) / d$

$$3.64 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=162

$$\frac{15A + iB}{16a^4d(1 + i \tan(c + dx))} + \frac{7A + iB}{16a^4d(1 + i \tan(c + dx))^2} - \frac{x(-B + 15iA)}{16a^4} + \frac{A \log(\sin(c + dx))}{a^4d} + \frac{A + iB}{8d(a + ia \tan(c + dx))^4}$$

```
[Out] -(((15*I)*A - B)*x)/(16*a^4) + (A*Log[Sin[c + d*x]])/(a^4*d) + (7*A + I*B)/
(16*a^4*d*(1 + I*Tan[c + d*x])^2) + (15*A + I*B)/(16*a^4*d*(1 + I*Tan[c + d
*x])) + (A + I*B)/(8*d*(a + I*a*Tan[c + d*x])^4) + (3*A + I*B)/(12*a*d*(a +
I*a*Tan[c + d*x])^3)
```

Rubi [A] time = 0.494243, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3596, 3531, 3475}

$$\frac{15A + iB}{16a^4d(1 + i \tan(c + dx))} + \frac{7A + iB}{16a^4d(1 + i \tan(c + dx))^2} - \frac{x(-B + 15iA)}{16a^4} + \frac{A \log(\sin(c + dx))}{a^4d} + \frac{A + iB}{8d(a + ia \tan(c + dx))^4}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4,x]
```

```
[Out] -(((15*I)*A - B)*x)/(16*a^4) + (A*Log[Sin[c + d*x]])/(a^4*d) + (7*A + I*B)/
(16*a^4*d*(1 + I*Tan[c + d*x])^2) + (15*A + I*B)/(16*a^4*d*(1 + I*Tan[c + d
*x])) + (A + I*B)/(8*d*(a + I*a*Tan[c + d*x])^4) + (3*A + I*B)/(12*a*d*(a +
I*a*Tan[c + d*x])^3)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_
)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx &= \frac{A+iB}{8d(a+ia \tan(c+dx))^4} + \frac{\int \frac{\cot(c+dx)(8aA-4a(iA-B) \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx}{8a^2} \\
&= \frac{A+iB}{8d(a+ia \tan(c+dx))^4} + \frac{3A+iB}{12ad(a+ia \tan(c+dx))^3} + \frac{\int \frac{\cot(c+dx)(48a^2A-12a^2(3iA-B) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{48a^4} \\
&= \frac{7A+iB}{16a^4d(1+i \tan(c+dx))^2} + \frac{A+iB}{8d(a+ia \tan(c+dx))^4} + \frac{3A+iB}{12ad(a+ia \tan(c+dx))^3} \\
&= \frac{7A+iB}{16a^4d(1+i \tan(c+dx))^2} + \frac{A+iB}{8d(a+ia \tan(c+dx))^4} + \frac{3A+iB}{12ad(a+ia \tan(c+dx))^3} \\
&= -\frac{(15iA-B)x}{16a^4} + \frac{7A+iB}{16a^4d(1+i \tan(c+dx))^2} + \frac{A+iB}{8d(a+ia \tan(c+dx))^4} + \frac{3A+iB}{12ad(a+ia \tan(c+dx))^3} \\
&= -\frac{(15iA-B)x}{16a^4} + \frac{A \log(\sin(c+dx))}{a^4d} + \frac{7A+iB}{16a^4d(1+i \tan(c+dx))^2} + \frac{A+iB}{8d(a+ia \tan(c+dx))^4}
\end{aligned}$$

Mathematica [A] time = 1.12394, size = 193, normalized size = 1.19

$$\frac{\sec^4(c+dx)(16(21A+4iB) \cos(2(c+dx)) + 3 \cos(4(c+dx))(128A \log(\sin(c+dx)) - 120iAdx + A + 8Bdx + iB) + 288A^2)}{16a^4d(1+i \tan(c+dx))^2 + \frac{A+iB}{8d(a+ia \tan(c+dx))^4} + \frac{3A+iB}{12ad(a+ia \tan(c+dx))^3} - \frac{(15iA-B)x}{16a^4} + \frac{A \log(\sin(c+dx))}{a^4d}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]

[Out] (Sec[c + d*x]^4*(96*A + (36*I)*B + 16*(21*A + (4*I)*B)*Cos[2*(c + d*x)] + 3*Cos[4*(c + d*x)]*(A + I*B - (120*I)*A*d*x + 8*B*d*x + 128*A*Log[Sin[c + d*x]]) + (288*I)*A*Sin[2*(c + d*x)] - 32*B*Sin[2*(c + d*x)] - (3*I)*A*Sin[4*(c + d*x)] + 3*B*Sin[4*(c + d*x)] + 360*A*d*x*Sin[4*(c + d*x)] + (24*I)*B*d*x*Sin[4*(c + d*x)] + (384*I)*A*Log[Sin[c + d*x]]*Sin[4*(c + d*x)])/(384*a^4*d*(-I + Tan[c + d*x])^4)

Maple [A] time = 0.122, size = 259, normalized size = 1.6

$$\frac{A}{8a^4d(\tan(dx+c)-i)^4} + \frac{\frac{i}{8}B}{a^4d(\tan(dx+c)-i)^4} - \frac{\frac{i}{32} \ln(\tan(dx+c)-i)B}{a^4d} - \frac{31 \ln(\tan(dx+c)-i)A}{32a^4d} - \frac{\frac{15i}{16}A}{a^4d(\tan(dx+c)-i)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4, x)

[Out] 1/8/d/a^4/(tan(d*x+c)-I)^4*A+1/8*I/d/a^4/(tan(d*x+c)-I)^4*B-1/32*I/d/a^4*ln(tan(d*x+c)-I)*B-31/32/d/a^4*ln(tan(d*x+c)-I)*A-15/16*I/d/a^4/(tan(d*x+c)-I)*A+1/16/d/a^4/(tan(d*x+c)-I)*B-1/12/d/a^4/(tan(d*x+c)-I)^3*B+1/4*I/d/a^4/(tan(d*x+c)-I)^3*A-7/16/d/a^4/(tan(d*x+c)-I)^2*A-1/16*I/d/a^4/(tan(d*x+c)-I)^2*B-1/32/d/a^4*A*ln(tan(d*x+c)+I)+1/32*I/d/a^4*B*ln(tan(d*x+c)+I)+1/d/a^4*A*ln(tan(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.53233, size = 362, normalized size = 2.23

$$\frac{((-744i A + 24 B)dx e^{(8i dx + 8i c)} + 384 A e^{(8i dx + 8i c)} \log(e^{(2i dx + 2i c)} - 1) + 24(13 A + 2i B)e^{(6i dx + 6i c)} + 12(8 A + 3i B)e^{(4i dx + 4i c)} + 8(3 A + 2i B)e^{(2i dx + 2i c)} + 3 A + 3i B)e^{(-8i dx - 8i c)}}{384 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

[Out] 1/384*((-744*I*A + 24*B)*d*x*e^(8*I*d*x + 8*I*c) + 384*A*e^(8*I*d*x + 8*I*c)*log(e^(2*I*d*x + 2*I*c) - 1) + 24*(13*A + 2*I*B)*e^(6*I*d*x + 6*I*c) + 12*(8*A + 3*I*B)*e^(4*I*d*x + 4*I*c) + 8*(3*A + 2*I*B)*e^(2*I*d*x + 2*I*c) + 3*A + 3*I*B)*e^(-8*I*d*x - 8*I*c)/(a^4*d)

Sympy [A] time = 23.5548, size = 360, normalized size = 2.22

$$\frac{A \log(e^{2idx} - e^{-2ic})}{a^4 d} + \left\{ x \left(\frac{31iA - B}{16a^4} - \frac{(31iAe^{8ic} + 26iAe^{6ic} + 16iAe^{4ic} + 6iAe^{2ic} + iA - Be^{8ic} - 4Be^{6ic} - 6Be^{4ic} - 4Be^{2ic} - B)e^{-8ic}}{16a^4} \right) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x)

[Out] A*log(exp(2*I*d*x) - exp(-2*I*c))/(a**4*d) + Piecewise((((24576*A*a**12*d**3*exp(12*I*c) + 24576*I*B*a**12*d**3*exp(12*I*c))*exp(-8*I*d*x) + (196608*A*a**12*d**3*exp(14*I*c) + 131072*I*B*a**12*d**3*exp(14*I*c))*exp(-6*I*d*x) + (786432*A*a**12*d**3*exp(16*I*c) + 294912*I*B*a**12*d**3*exp(16*I*c))*exp(-4*I*d*x) + (2555904*A*a**12*d**3*exp(18*I*c) + 393216*I*B*a**12*d**3*exp(18*I*c))*exp(-2*I*d*x))*exp(-20*I*c)/(3145728*a**16*d**4), Ne(3145728*a**16*d**4*exp(20*I*c), 0)), (x*((31*I*A - B)/(16*a**4) - (31*I*A*exp(8*I*c) + 26*I*A*exp(6*I*c) + 16*I*A*exp(4*I*c) + 6*I*A*exp(2*I*c) + I*A - B*exp(8*I*c) - 4*B*exp(6*I*c) - 6*B*exp(4*I*c) - 4*B*exp(2*I*c) - B)*exp(-8*I*c)/(16*a**4)), True)) + x*(-31*I*A + B)/(16*a**4)

Giac [A] time = 1.34165, size = 224, normalized size = 1.38

$$\frac{12(A-iB) \log(\tan(dx+c)+i)}{a^4} + \frac{12(31A+iB) \log(\tan(dx+c)-i)}{a^4} - \frac{384 A \log(|\tan(dx+c)|)}{a^4} - \frac{775 A \tan(dx+c)^4 + 25i B \tan(dx+c)^4 - 3460i A \tan(dx+c)^3}{384 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{-1/384*(12*(A - I*B)*\log(\tan(dx + c) + I)/a^4 + 12*(31*A + I*B)*\log(\tan(dx + c) - I)/a^4 - 384*A*\log(\text{abs}(\tan(dx + c)))/a^4 - (775*A*\tan(dx + c)^4 + 25*I*B*\tan(dx + c)^4 - 3460*I*A*\tan(dx + c)^3 + 124*B*\tan(dx + c)^3 - 5898*A*\tan(dx + c)^2 - 246*I*B*\tan(dx + c)^2 + 4612*I*A*\tan(dx + c) - 252*B*\tan(dx + c) + 1447*A + 153*I*B)/(a^4*(\tan(dx + c) - I)^4))/d}$$

$$3.65 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=220

$$\frac{5(13A + 3iB) \cot(c + dx)}{16a^4d} - \frac{(-B + 4iA) \log(\sin(c + dx))}{a^4d} + \frac{(4A + iB) \cot(c + dx)}{2a^4d(1 + i \tan(c + dx))} + \frac{(31A + 9iB) \cot(c + dx)}{48a^4d(1 + i \tan(c + dx))^2} - \frac{5}{5}$$

```
[Out] (-5*(13*A + (3*I)*B)*x)/(16*a^4) - (5*(13*A + (3*I)*B)*Cot[c + d*x])/(16*a^4*d) - (((4*I)*A - B)*Log[Sin[c + d*x]])/(a^4*d) + ((31*A + (9*I)*B)*Cot[c + d*x])/(48*a^4*d*(1 + I*Tan[c + d*x])^2) + ((4*A + I*B)*Cot[c + d*x])/(2*a^4*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x])/(8*d*(a + I*a*Tan[c + d*x])^4) + ((7*A + (3*I)*B)*Cot[c + d*x])/(24*a*d*(a + I*a*Tan[c + d*x])^3)
```

Rubi [A] time = 0.720652, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$\frac{5(13A + 3iB) \cot(c + dx)}{16a^4d} - \frac{(-B + 4iA) \log(\sin(c + dx))}{a^4d} + \frac{(4A + iB) \cot(c + dx)}{2a^4d(1 + i \tan(c + dx))} + \frac{(31A + 9iB) \cot(c + dx)}{48a^4d(1 + i \tan(c + dx))^2} - \frac{5}{5}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]
```

```
[Out] (-5*(13*A + (3*I)*B)*x)/(16*a^4) - (5*(13*A + (3*I)*B)*Cot[c + d*x])/(16*a^4*d) - (((4*I)*A - B)*Log[Sin[c + d*x]])/(a^4*d) + ((31*A + (9*I)*B)*Cot[c + d*x])/(48*a^4*d*(1 + I*Tan[c + d*x])^2) + ((4*A + I*B)*Cot[c + d*x])/(2*a^4*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x])/(8*d*(a + I*a*Tan[c + d*x])^4) + ((7*A + (3*I)*B)*Cot[c + d*x])/(24*a*d*(a + I*a*Tan[c + d*x])^3)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
```

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx &= \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{\int \frac{\cot^2(c+dx)(a(9A+iB)-5a(iA-B) \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx}{8a^2} \\ &= \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(7A+3iB) \cot(c+dx)}{24ad(a+ia \tan(c+dx))^3} + \frac{\int \frac{\cot^2(c+dx)(4a^2(17A+3iB)-5a^2(9A+iB)-5a^2(iA-B) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{48a^3} \\ &= \frac{(31A+9iB) \cot(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(7A+3iB) \cot(c+dx)}{24ad(a+ia \tan(c+dx))^3} \\ &= \frac{(31A+9iB) \cot(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(7A+3iB) \cot(c+dx)}{24ad(a+ia \tan(c+dx))^3} \\ &= -\frac{5(13A+3iB) \cot(c+dx)}{16a^4d} + \frac{(31A+9iB) \cot(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} \\ &= -\frac{5(13A+3iB)x}{16a^4} - \frac{5(13A+3iB) \cot(c+dx)}{16a^4d} + \frac{(31A+9iB) \cot(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} \\ &= -\frac{5(13A+3iB)x}{16a^4} - \frac{5(13A+3iB) \cot(c+dx)}{16a^4d} - \frac{(4iA-B) \log(\sin(c+dx))}{a^4d} + \frac{(A+iB) \cot(c+dx)}{8d(a+ia \tan(c+dx))^4} \end{aligned}$$

Mathematica [B] time = 7.0038, size = 1466, normalized size = 6.66

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]

[Out] (((-15*I)*A + 8*B)*Cos[4*d*x]*Sec[c + d*x]^3*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (((-4*I)*A + 3*B)*Cos[6*d*x]*Sec[c + d*x]^3*(Cos[2*c]/48 - (I/48)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (((-36*I)*A + 13*B)*Cos[2*d*x]*Sec[c + d*x]^3*(Cos[2*c]/16 + (I/16)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (Sec[c + d*x]^3*((-4*I)*A*Cos[2*c] + B*Cos[2*c] + 4*A*Sin[2*c] + I*B*Sin[2*c])*((-I)*ArcTan[Tan[d*x]]*Cos[2*c] + ArcTan[Tan[d*x]]*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (Sec[c + d*x]^3*((-4*I)*A*Cos[2*c] + B*Cos[2*c] + 4*A*Sin[2*c] + I*B*Sin[2*c])*((Cos[2*c]*Log[Sin[c + d*x]^2])/2 + (I/2)*Log[Sin[c + d*x]^2]*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (x*Sec[c + d*x]^3*(-12*A*Cos[c]^2 - (3*I)*B*Cos[c]^2 + (4*I)*A*Cos[c]^2*Cot[c] - B*Cos[c]^2*Cot[c] - (12*I)*A*Cos[c]*Sin[c] + 3*B*Cos[c]*Sin[c] + 4*A*Sin[c]^2 + I*B*Sin[c]^2 + ((-4*I)*A + B)*Cot[c]*(Cos[4*c] + I*Sin[4*c]))*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/((A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4)

$$\begin{aligned} & \sin[c + dx] \cdot (a + I \cdot \tan[c + dx])^4 + (((-I) \cdot A + B) \cdot \cos[8dx] \cdot \sec[c + dx]^3 \cdot (\cos[4c]/128 - (I/128) \cdot \sin[4c]) \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot (A + B \cdot \tan[c + dx])) / (d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \\ & + ((13A + (3I) \cdot B) \cdot \sec[c + dx]^3 \cdot ((-5dx \cdot \cos[4c])/16 - ((5I)/16) \cdot dx \cdot \sin[4c]) \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot (A + B \cdot \tan[c + dx])) / (d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \\ & + ((36A + (13I) \cdot B) \cdot \sec[c + dx]^3 \cdot (-\cos[2c]/16 - (I/16) \cdot \sin[2c]) \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot \sin[2dx] \cdot (A + B \cdot \tan[c + dx])) / (d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \\ & - ((15A + (8I) \cdot B) \cdot \sec[c + dx]^3 \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot \sin[4dx] \cdot (A + B \cdot \tan[c + dx])) / (32d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \\ & + ((4A + (3I) \cdot B) \cdot \sec[c + dx]^3 \cdot (-\cos[2c]/48 + (I/48) \cdot \sin[2c]) \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot \sin[6dx] \cdot (A + B \cdot \tan[c + dx])) / (d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \\ & + ((A + I \cdot B) \cdot \sec[c + dx]^3 \cdot (-\cos[4c]/128 + (I/128) \cdot \sin[4c]) \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot \sin[8dx] \cdot (A + B \cdot \tan[c + dx])) / (d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \\ & + (\csc[c] \cdot \csc[c + dx] \cdot \sec[c + dx]^3 \cdot (\cos[dx] + I \cdot \sin[dx])^4 \cdot ((I/2) \cdot A \cdot \cos[4c - dx] - (I/2) \cdot A \cdot \cos[4c + dx] - (A \cdot \sin[4c - dx])/2 + (A \cdot \sin[4c + dx])/2) \cdot (A + B \cdot \tan[c + dx])) / (d \cdot (A \cdot \cos[c + dx] + B \cdot \sin[c + dx]) \cdot (a + I \cdot \tan[c + dx])^4) \end{aligned}$$

Maple [A] time = 0.122, size = 293, normalized size = 1.3

$$\frac{5A}{12a^4d(\tan(dx+c)-i)^3} + \frac{\frac{i}{4}B}{a^4d(\tan(dx+c)-i)^3} - \frac{31 \ln(\tan(dx+c)-i)B}{32a^4d} + \frac{\frac{129i}{32} \ln(\tan(dx+c)-i)A}{a^4d} - \frac{1}{16a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^4,x)

[Out] 5/12/d/a^4/(tan(dx+c)-I)^3*A+1/4*I/d/a^4/(tan(dx+c)-I)^3*B-31/32/d/a^4*ln(tan(dx+c)-I)*B+129/32*I/d/a^4*ln(tan(dx+c)-I)*A-7/16/d/a^4/(tan(dx+c)-I)^2*B+17/16*I/d/a^4/(tan(dx+c)-I)^2*A-1/8*I/d/a^4/(tan(dx+c)-I)^4*A+1/8/d/a^4/(tan(dx+c)-I)^4*B-49/16/d/a^4/(tan(dx+c)-I)*A-15/16*I/d/a^4/(tan(dx+c)-I)*B-1/32/d/a^4*B*ln(tan(dx+c)+I)-1/32*I/d/a^4*A*ln(tan(dx+c)+I)-1/d/a^4*A/tan(dx+c)-4*I/d/a^4*A*ln(tan(dx+c))+1/d/a^4*B*ln(tan(dx+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.78027, size = 578, normalized size = 2.63

$$\frac{24(129A + 31iB)dx e^{(10i dx + 10i c)} - (24(129A + 31iB)dx - 1632iA + 312B)e^{(8i dx + 8i c)} - (684iA - 216B)e^{(6i dx + 6i c)}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="
fricas")
```

```
[Out] -1/384*(24*(129*A + 31*I*B)*d*x*e^(10*I*d*x + 10*I*c) - (24*(129*A + 31*I*B)
)*d*x - 1632*I*A + 312*B)*e^(8*I*d*x + 8*I*c) - (684*I*A - 216*B)*e^(6*I*d*
x + 6*I*c) - (148*I*A - 72*B)*e^(4*I*d*x + 4*I*c) - (29*I*A - 21*B)*e^(2*I*
d*x + 2*I*c) - ((-1536*I*A + 384*B)*e^(10*I*d*x + 10*I*c) + (1536*I*A - 384
*B)*e^(8*I*d*x + 8*I*c))*log(e^(2*I*d*x + 2*I*c) - 1) - 3*I*A + 3*B)/(a^4*d
*e^(10*I*d*x + 10*I*c) - a^4*d*e^(8*I*d*x + 8*I*c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)
```

```
[Out] Timed out
```

Giac [A] time = 1.30358, size = 278, normalized size = 1.26

$$\frac{12(-iA-B)\log(\tan(dx+c)+i)}{a^4} - \frac{12(-129iA+31B)\log(\tan(dx+c)-i)}{a^4} - \frac{384(4iA-B)\log(|\tan(dx+c)|)}{a^4} - \frac{384(-4iA\tan(dx+c)+B\tan(dx+c)+A)}{a^4\tan(dx+c)} - \frac{3225iA}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="
giac")
```

```
[Out] 1/384*(12*(-I*A - B)*log(tan(d*x + c) + I)/a^4 - 12*(-129*I*A + 31*B)*log(t
an(d*x + c) - I)/a^4 - 384*(4*I*A - B)*log(abs(tan(d*x + c)))/a^4 - 384*(-4
*I*A*tan(d*x + c) + B*tan(d*x + c) + A)/(a^4*tan(d*x + c)) - (3225*I*A*tan(
d*x + c)^4 - 775*B*tan(d*x + c)^4 + 14076*A*tan(d*x + c)^3 + 3460*I*B*tan(d
*x + c)^3 - 23286*I*A*tan(d*x + c)^2 + 5898*B*tan(d*x + c)^2 - 17404*A*tan(
d*x + c) - 4612*I*B*tan(d*x + c) + 5017*I*A - 1447*B)/(a^4*(tan(d*x + c) -
I)^4))/d
```

$$3.66 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=255

$$\frac{(11A + 4iB) \cot^2(c + dx)}{2a^4d} + \frac{5(-13B + 35iA) \cot(c + dx)}{16a^4d} - \frac{(11A + 4iB) \log(\sin(c + dx))}{a^4d} + \frac{5(35A + 13iB) \cot^2(c + dx)}{48a^4d(1 + i \tan(c + dx))}$$

```
[Out] (5*((35*I)*A - 13*B)*x)/(16*a^4) + (5*((35*I)*A - 13*B)*Cot[c + d*x])/(16*a^4*d) - ((11*A + (4*I)*B)*Cot[c + d*x]^2)/(2*a^4*d) - ((11*A + (4*I)*B)*Log[Sin[c + d*x]])/(a^4*d) + ((43*A + (17*I)*B)*Cot[c + d*x]^2)/(48*a^4*d*(1 + I*Tan[c + d*x])^2) + (5*(35*A + (13*I)*B)*Cot[c + d*x]^2)/(48*a^4*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x]^2)/(8*d*(a + I*a*Tan[c + d*x])^4) + ((2*A + I*B)*Cot[c + d*x]^2)/(6*a*d*(a + I*a*Tan[c + d*x])^3)
```

Rubi [A] time = 0.789628, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3529, 3531, 3475}

$$\frac{(11A + 4iB) \cot^2(c + dx)}{2a^4d} + \frac{5(-13B + 35iA) \cot(c + dx)}{16a^4d} - \frac{(11A + 4iB) \log(\sin(c + dx))}{a^4d} + \frac{5(35A + 13iB) \cot^2(c + dx)}{48a^4d(1 + i \tan(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4,x]
```

```
[Out] (5*((35*I)*A - 13*B)*x)/(16*a^4) + (5*((35*I)*A - 13*B)*Cot[c + d*x])/(16*a^4*d) - ((11*A + (4*I)*B)*Cot[c + d*x]^2)/(2*a^4*d) - ((11*A + (4*I)*B)*Log[Sin[c + d*x]])/(a^4*d) + ((43*A + (17*I)*B)*Cot[c + d*x]^2)/(48*a^4*d*(1 + I*Tan[c + d*x])^2) + (5*(35*A + (13*I)*B)*Cot[c + d*x]^2)/(48*a^4*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Cot[c + d*x]^2)/(8*d*(a + I*a*Tan[c + d*x])^4) + ((2*A + I*B)*Cot[c + d*x]^2)/(6*a*d*(a + I*a*Tan[c + d*x])^3)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
```

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx &= \frac{(A+iB) \cot^2(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{\int \frac{\cot^3(c+dx)(2a(5A+iB)-6a(iA-B) \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx}{8a^2} \\ &= \frac{(A+iB) \cot^2(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(2A+iB) \cot^2(c+dx)}{6ad(a+ia \tan(c+dx))^3} + \frac{\int \frac{\cot^3(c+dx)(4a^2(23A+7iB)-4a(5A+iB) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{48a^4} \\ &= \frac{(43A+17iB) \cot^2(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot^2(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(2A+iB) \cot^2(c+dx)}{6ad(a+ia \tan(c+dx))^3} \\ &= \frac{(43A+17iB) \cot^2(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot^2(c+dx)}{8d(a+ia \tan(c+dx))^4} + \frac{(2A+iB) \cot^2(c+dx)}{6ad(a+ia \tan(c+dx))^3} \\ &= -\frac{(11A+4iB) \cot^2(c+dx)}{2a^4d} + \frac{(43A+17iB) \cot^2(c+dx)}{48a^4d(1+i \tan(c+dx))^2} + \frac{(A+iB) \cot^2(c+dx)}{8d(a+ia \tan(c+dx))^4} \\ &= \frac{5(35iA-13B) \cot(c+dx)}{16a^4d} - \frac{(11A+4iB) \cot^2(c+dx)}{2a^4d} + \frac{(43A+17iB) \cot^2(c+dx)}{48a^4d(1+i \tan(c+dx))^2} \\ &= \frac{5(35iA-13B)x}{16a^4} + \frac{5(35iA-13B) \cot(c+dx)}{16a^4d} - \frac{(11A+4iB) \cot^2(c+dx)}{2a^4d} + \frac{(43A+17iB) \cot^2(c+dx)}{48a^4d(1+i \tan(c+dx))^2} \\ &= \frac{5(35iA-13B)x}{16a^4} + \frac{5(35iA-13B) \cot(c+dx)}{16a^4d} - \frac{(11A+4iB) \cot^2(c+dx)}{2a^4d} - \frac{(11A+4iB) \cot^2(c+dx)}{48a^4d(1+i \tan(c+dx))^2} \end{aligned}$$

Mathematica [B] time = 7.2365, size = 1625, normalized size = 6.37

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]^4, x]

[Out] (-3*(8*A + (5*I)*B)*Cos[4*d*x]*Sec[c + d*x]^3*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + ((5*A + (4*I)*B)*Cos[6*d*x]*Sec[c + d*x]^3*(-Cos[2*c]/48 + (I/48)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + ((25*A + (12*I)*B)*Cos[2*d*x]*Sec[c + d*x]^3*((-3*Cos[2*c])/16 - ((3*I)/16)*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (Sec[c + d*x]^3*(11*A*Cos[2*c] + (4*I)*B*Cos[2*c] + (11*I)*A*Sin[2*c] - 4*B*Sin[2*c])*(I*ArcTan[Tan[d*x]]*Cos[2*c] - ArcTan[Tan[d*x]]*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (Sec[c + d*x]^3*(11*A*Cos[2*c] + (4*I)*B*Cos[2*c] + (11*I)*A*Sin[2*c] - 4*B*Sin[2*c])*(-(Cos[2*c]*Log[Sin[c + d*x]^2])/2 - (I/2)*Log[Sin[c + d*x]^2]*Sin[2*c])*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4) + (x*Sec[c + d*x]^3*((33*I)*A*Cos[c]^2 - 12*B*Co

$$\begin{aligned} & s[c]^2 + 11*A*\cos[c]^2*\cot[c] + (4*I)*B*\cos[c]^2*\cot[c] - 33*A*\cos[c]*\sin[c] \\ &] - (12*I)*B*\cos[c]*\sin[c] - (11*I)*A*\sin[c]^2 + 4*B*\sin[c]^2 + (11*A + (4*I)*B)*\cot[c]*(-\cos[4*c] - I*\sin[4*c]) \\ &)*(\cos[d*x] + I*\sin[d*x])^4*(A + B*\tan[c + d*x]) \\ &))/((A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + \\ & ((A + I*B)*\cos[8*d*x]*\sec[c + d*x]^3*(-\cos[4*c]/128 + (I/128)*\sin[4*c])*(\cos[d*x] + I*\sin[d*x])^4*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + (\csc[c + d*x]^2*\sec[c + d*x]^3*(-(A*\cos[4*c])/2 - (I/2)*A*\sin[4*c])*(\cos[d*x] + I*\sin[d*x])^4*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + ((35*A + (13*I)*B)*\sec[c + d*x]^3*((5*I)/16)*d*x*\cos[4*c] - (5*d*x*\sin[4*c])/16)*(\cos[d*x] + I*\sin[d*x])^4*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + ((25*A + (12*I)*B)*\sec[c + d*x]^3*((3*I)/16)*\cos[2*c] - (3*\sin[2*c])/16)*(\cos[d*x] + I*\sin[d*x])^4*\sin[2*d*x]*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + (((3*I)/32)*(8*A + (5*I)*B)*\sec[c + d*x]^3*(\cos[d*x] + I*\sin[d*x])^4*\sin[4*d*x]*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + ((5*A + (4*I)*B)*\sec[c + d*x]^3*((I/48)*\cos[2*c] + \sin[2*c]/48)*(\cos[d*x] + I*\sin[d*x])^4*\sin[6*d*x]*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + ((A + I*B)*\sec[c + d*x]^3*((I/128)*\cos[4*c] + \sin[4*c]/128)*(\cos[d*x] + I*\sin[d*x])^4*\sin[8*d*x]*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) + (\csc[c]*\csc[c + d*x]*\sec[c + d*x]^3*(\cos[d*x] + I*\sin[d*x])^4*(2*A*\cos[4*c - d*x] + (I/2)*B*\cos[4*c - d*x] - 2*A*\cos[4*c + d*x] - (I/2)*B*\cos[4*c + d*x] + (2*I)*A*\sin[4*c - d*x] - (B*\sin[4*c - d*x])/2 - (2*I)*A*\sin[4*c + d*x] + (B*\sin[4*c + d*x])/2)*(A + B*\tan[c + d*x]))/(d*(A*\cos[c + d*x] + B*\sin[c + d*x])*(a + I*a*\tan[c + d*x])^4) \end{aligned}$$

Maple [A] time = 0.136, size = 329, normalized size = 1.3

$$\frac{A}{8a^4d(\tan(dx+c)-i)^4} - \frac{\frac{7i}{12}A}{a^4d(\tan(dx+c)-i)^3} - \frac{49B}{16a^4d(\tan(dx+c)-i)} + \frac{4iA}{a^4d\tan(dx+c)} + \frac{31A}{16a^4d(\tan(dx+c)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x)

[Out]
$$\begin{aligned} & -1/8/d/a^4/(\tan(d*x+c)-I)^4*A-7/12*I/d/a^4/(\tan(d*x+c)-I)^3*A-49/16/d/a^4/(\tan(d*x+c)-I)*B+4*I/d/a^4/\tan(d*x+c)*A+31/16/d/a^4/(\tan(d*x+c)-I)^2*A+111/16*I/d/a^4/(\tan(d*x+c)-I)*A+5/12/d/a^4/(\tan(d*x+c)-I)^3*B+17/16*I/d/a^4/(\tan(d*x+c)-I)^2*B+351/32/d/a^4*\ln(\tan(d*x+c)-I)*A-1/32*I/d/a^4*B*\ln(\tan(d*x+c)+I)+1/32/d/a^4*A*\ln(\tan(d*x+c)+I)-4*I/d/a^4*B*\ln(\tan(d*x+c))-1/2/d/a^4*A/\tan(d*x+c)^2+129/32*I/d/a^4*\ln(\tan(d*x+c)-I)*B-11/d/a^4*A*\ln(\tan(d*x+c))-1/8*I/d/a^4/(\tan(d*x+c)-I)^4*B-1/d/a^4/\tan(d*x+c)*B \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.82941, size = 772, normalized size = 3.03

$$(8424i A - 3096 B)dx e^{(12i dx + 12i c)} + ((-16848i A + 6192 B)dx - 4104 A - 1632i B)e^{(10i dx + 10i c)} + ((8424i A - 3096 B)dx +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

[Out] 1/384*((8424*I*A - 3096*B)*d*x*e^(12*I*d*x + 12*I*c) + ((-16848*I*A + 6192*B)*d*x - 4104*A - 1632*I*B)*e^(10*I*d*x + 10*I*c) + ((8424*I*A - 3096*B)*d*x + 6384*A + 2316*I*B)*e^(8*I*d*x + 8*I*c) - 8*(158*A + 67*I*B)*e^(6*I*d*x + 6*I*c) - (211*A + 119*I*B)*e^(4*I*d*x + 4*I*c) - 2*(17*A + 13*I*B)*e^(2*I*d*x + 2*I*c) - 384*((11*A + 4*I*B)*e^(12*I*d*x + 12*I*c) - 2*(11*A + 4*I*B)*e^(10*I*d*x + 10*I*c) + (11*A + 4*I*B)*e^(8*I*d*x + 8*I*c))*log(e^(2*I*d*x + 2*I*c) - 1) - 3*A - 3*I*B)/(a^4*d*e^(12*I*d*x + 12*I*c) - 2*a^4*d*e^(10*I*d*x + 10*I*c) + a^4*d*e^(8*I*d*x + 8*I*c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)

[Out] Timed out

Giac [A] time = 1.40691, size = 309, normalized size = 1.21

$$\frac{12(A-iB)\log(\tan(dx+c)+i)}{a^4} + \frac{36(117A+43iB)\log(\tan(dx+c)-i)}{a^4} - \frac{384(11A+4iB)\log(|\tan(dx+c)|)}{a^4} + \frac{192(33A\tan(dx+c)^2+12iB\tan(dx+c)^2+8iA\tan(dx+c))}{a^4\tan(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="giac")

[Out] 1/384*(12*(A - I*B)*log(tan(d*x + c) + I)/a^4 + 36*(117*A + 43*I*B)*log(tan(d*x + c) - I)/a^4 - 384*(11*A + 4*I*B)*log(abs(tan(d*x + c)))/a^4 + 192*(3*3*A*tan(d*x + c)^2 + 12*I*B*tan(d*x + c)^2 + 8*I*A*tan(d*x + c) - 2*B*tan(d*x + c) - A)/(a^4*tan(d*x + c)^2) - (8775*A*tan(d*x + c)^4 + 3225*I*B*tan(d*x + c)^4 - 37764*I*A*tan(d*x + c)^3 + 14076*B*tan(d*x + c)^3 - 61386*A*tan(d*x + c)^2 - 23286*I*B*tan(d*x + c)^2 + 44804*I*A*tan(d*x + c) - 17404*B*tan(d*x + c) + 12455*A + 5017*I*B)/(a^4*(tan(d*x + c) - I)^4)/d

$$3.67 \quad \int \tan^3(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=194

$$\frac{2(7A - iB) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{35d} - \frac{2(7A - 31iB)(a + ia \tan(c + dx))^{3/2}}{105ad} - \frac{8(7A - iB) \sqrt{a + ia \tan(c + dx)}}{35d}$$

```
[Out] (Sqrt[2]*Sqrt[a]*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]]/(Sqrt[2]*Sqrt[a]))/d - (8*(7*A - I*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) + (2*(7*A - I*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) + (2*B*Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/(7*d) - (2*(7*A - (31*I)*B)*(a + I*a*Tan[c + d*x])^(3/2))/(105*a*d)
```

Rubi [A] time = 0.51827, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3597, 3592, 3527, 3480, 206}

$$\frac{2(7A - iB) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{35d} - \frac{2(7A - 31iB)(a + ia \tan(c + dx))^{3/2}}{105ad} - \frac{8(7A - iB) \sqrt{a + ia \tan(c + dx)}}{35d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] (Sqrt[2]*Sqrt[a]*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]]/(Sqrt[2]*Sqrt[a]))/d - (8*(7*A - I*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) + (2*(7*A - I*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) + (2*B*Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/(7*d) - (2*(7*A - (31*I)*B)*(a + I*a*Tan[c + d*x])^(3/2))/(105*a*d)
```

Rule 3597

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3527

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e,
```

f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_.)*tan[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx &= \frac{2B \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{7d} + \frac{2 \int \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)} dx}{7d} \\ &= \frac{2(7A - iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2B \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} \\ &= \frac{2(7A - iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2B \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} \\ &= -\frac{8(7A - iB)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2(7A - iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} \\ &= -\frac{8(7A - iB)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2(7A - iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} \\ &= \frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{8(7A - iB)\sqrt{a + ia \tan(c + dx)}}{35d} \end{aligned}$$

Mathematica [A] time = 3.31257, size = 201, normalized size = 1.04

$$\frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) \left(\frac{\sqrt{2}(A - iB) \sinh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right)}{\sqrt{1+e^{2i(c+dx)}}} + \frac{2}{105} \sqrt{\sec(c + dx)} \left((-46B - 7iA) \tan(c + dx) + 3 \sec^2(c + dx) \right) \right)}{d \sec^{\frac{3}{2}}(c + dx) (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))*((Sqrt[2]*(A - I*B)*ArcSin[h[E^(I*(c + d*x))]]/(Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))]]*Sqrt[1 + E^((2*I)*(c + d*x))]) + (2*Sqrt[Sec[c + d*x]]*(-112*A + (46*I)*B + ((-7*I)*A - 46*B)*Tan[c + d*x] + 3*Sec[c + d*x]^2*(7*A - I*B + 5*B*Tan[c + d*x]))/105))/(d*Sec[c + d*x]^(3/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.069, size = 162, normalized size = 0.8

$$-2 \frac{1}{a^3 d} \left(-i/7B (a + ia \tan(dx + c))^{7/2} + 2/5 iB (a + ia \tan(dx + c))^{5/2} a + 1/5 A (a + ia \tan(dx + c))^{5/2} a - 2/3 iB (a + ia \tan(dx + c))^{3/2} a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x)`

[Out]
$$-2/d/a^3*(-1/7*I*B*(a+I*a*\tan(d*x+c))^{7/2}+2/5*I*B*(a+I*a*\tan(d*x+c))^{5/2})*a+1/5*A*(a+I*a*\tan(d*x+c))^{5/2}*a-2/3*I*B*(a+I*a*\tan(d*x+c))^{3/2}*a^2-1/3*A*(a+I*a*\tan(d*x+c))^{3/2}*a^2+A*a^3*(a+I*a*\tan(d*x+c))^{1/2}-1/2*a^{7/2}*(A-I*B)*2^{1/2}*\operatorname{arctanh}(1/2*(a+I*a*\tan(d*x+c))^{1/2}*2^{1/2}/a^{1/2}))$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.82687, size = 1253, normalized size = 6.46

$$4\sqrt{2}\left((119A - 92iB)e^{(6i dx+6ic)} + 7(37A - 16iB)e^{(4i dx+4ic)} + 35(7A - 4iB)e^{(2i dx+2ic)} + 105A\right)\sqrt{\frac{a}{e^{(2i dx+2ic)}+1}}e^{(i dx+ic)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & -1/210*(4*\sqrt{2})*((119*A - 92*I*B)*e^{(6*I*d*x + 6*I*c)} + 7*(37*A - 16*I*B) \\ & *e^{(4*I*d*x + 4*I*c)} + 35*(7*A - 4*I*B)*e^{(2*I*d*x + 2*I*c)} + 105*A)*\sqrt{a} \\ & /((e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - 105*(d*e^{(6*I*d*x + 6*I*c)} + \\ & 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{((2*A^2 - 4*I*A*B - \\ & 2*B^2)*a/d^2)*\log((\sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a} \\ & /((e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} + I*d*\sqrt{((2*A^2 - 4*I*A*B - \\ & 2*B^2)*a/d^2)*e^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)} / (I*A + B))} + 105 \\ & *(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} \\ & + d)*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*\log((\sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} \\ & + I*A + B)*\sqrt{a} / (e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - \\ & I*d*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - \\ & 2*I*c)} / (I*A + B))} / (d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx)) \tan^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(1/2)*tan(d*x+c)**3*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))*tan(c + d*x)**3,
x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x, algorit
hm="giac")
```

```
[Out] Timed out
```

$$3.68 \quad \int \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=143

$$\frac{2(B + 5iA)(a + ia \tan(c + dx))^{3/2}}{15ad} + \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2B \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{5d}$$

```
[Out] (Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]]/(Sqrt[2]*Sqrt[a]))/d - (8*B*Sqrt[a + I*a*Tan[c + d*x]])/(5*d) + (2*B*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(5*d) - (2*((5*I)*A + B)*(a + I*a*Tan[c + d*x])^(3/2))/(15*a*d)
```

Rubi [A] time = 0.3021, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3597, 3592, 3527, 3480, 206}

$$\frac{2(B + 5iA)(a + ia \tan(c + dx))^{3/2}}{15ad} + \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2B \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] (Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]]/(Sqrt[2]*Sqrt[a]))/d - (8*B*Sqrt[a + I*a*Tan[c + d*x]])/(5*d) + (2*B*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(5*d) - (2*((5*I)*A + B)*(a + I*a*Tan[c + d*x])^(3/2))/(15*a*d)
```

Rule 3597

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3527

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_.)*tan[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
  b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
  Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
  Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \tan^2(c+dx)\sqrt{a+ia\tan(c+dx)}(A+B\tan(c+dx))dx &= \frac{2B\tan^2(c+dx)\sqrt{a+ia\tan(c+dx)}}{5d} + \frac{2\int \tan(c+dx)\sqrt{a+ia\tan(c+dx)}dx}{5d} \\ &= \frac{2B\tan^2(c+dx)\sqrt{a+ia\tan(c+dx)}}{5d} - \frac{2(5iA+B)(a+ia\tan(c+dx))}{15ad} \\ &= -\frac{8B\sqrt{a+ia\tan(c+dx)}}{5d} + \frac{2B\tan^2(c+dx)\sqrt{a+ia\tan(c+dx)}}{5d} \\ &= -\frac{8B\sqrt{a+ia\tan(c+dx)}}{5d} + \frac{2B\tan^2(c+dx)\sqrt{a+ia\tan(c+dx)}}{5d} \\ &= \frac{\sqrt{2}\sqrt{a}(iA+B)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{8B\sqrt{a+ia\tan(c+dx)}}{5d} \end{aligned}$$

Mathematica [A] time = 2.50878, size = 184, normalized size = 1.29

$$\frac{\sqrt{a+ia\tan(c+dx)}(A+B\tan(c+dx))\left(\frac{\sqrt{2}(B+iA)\sinh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right)}{\sqrt{1+e^{2i(c+dx)}}} + \frac{2}{15}\sqrt{\sec(c+dx)}\left((5A-iB)\tan(c+dx)-5iA+3B\sec^2(c+dx)\right)\right)}{d\sec^2(c+dx)(A\cos(c+dx)+B\sin(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] (Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))*((Sqrt[2]*(I*A + B)*ArcSin
h[E^(I*(c + d*x))])/(Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1
+ E^((2*I)*(c + d*x))]) + (2*Sqrt[Sec[c + d*x]]*((-5*I)*A - 16*B + 3*B*Sec
[c + d*x]^2 + (5*A - I*B)*Tan[c + d*x]))/15)/(d*Sec[c + d*x]^(3/2)*(A*Cos[
c + d*x] + B*Sin[c + d*x]))
```

Maple [A] time = 0.062, size = 124, normalized size = 0.9

$$\frac{-2i}{a^2d}\left(-\frac{i}{5}B(a+ia\tan(dx+c))^{\frac{5}{2}} + \frac{i}{3}B(a+ia\tan(dx+c))^{\frac{3}{2}}a + \frac{Aa}{3}(a+ia\tan(dx+c))^{\frac{3}{2}} - ia^2B\sqrt{a+ia\tan(dx+c)} - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x)
```



```
[Out] -2*I/d/a^2*(-1/5*I*B*(a+I*a*tan(d*x+c))^(5/2)+1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)*a+1/3*A*(a+I*a*tan(d*x+c))^(3/2)*a-I*a^2*B*(a+I*a*tan(d*x+c))^(1/2)-1/2*a^(5/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.78475, size = 1084, normalized size = 7.58

$$\sqrt{2}((-40iA - 68B)e^{(4i dx + 4i c)} + (-40iA - 80B)e^{(2i dx + 2i c)} - 60B)\sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}}e^{(i dx + i c)} + 15(d e^{(4i dx + 4i c)} + 2 d e^{(2i dx + 2i c)})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/30*(sqrt(2)*((-40*I*A - 68*B)*e^(4*I*d*x + 4*I*c) + (-40*I*A - 80*B)*e^(2*I*d*x + 2*I*c) - 60*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 15*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 15*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx)) \tan^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(1/2)*tan(d*x+c)**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))*tan(c + d*x)**2, x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.69 \quad \int \tan(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=105

$$-\frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2A\sqrt{a + ia \tan(c + dx)}}{d} - \frac{2iB(a + ia \tan(c + dx))^{3/2}}{3ad}$$

[Out] -((Sqrt[2]*Sqrt[a]*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d) + (2*A*Sqrt[a + I*a*Tan[c + d*x]]/d - (((2*I)/3)*B*(a + I*a*Tan[c + d*x])^(3/2))/(a*d))

Rubi [A] time = 0.136788, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3592, 3527, 3480, 206}

$$-\frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2A\sqrt{a + ia \tan(c + dx)}}{d} - \frac{2iB(a + ia \tan(c + dx))^{3/2}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -((Sqrt[2]*Sqrt[a]*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d) + (2*A*Sqrt[a + I*a*Tan[c + d*x]]/d - (((2*I)/3)*B*(a + I*a*Tan[c + d*x])^(3/2))/(a*d))

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \tan(c+dx)\sqrt{a+ia\tan(c+dx)}(A+B\tan(c+dx))dx &= -\frac{2iB(a+ia\tan(c+dx))^{3/2}}{3ad} + \int \sqrt{a+ia\tan(c+dx)}(-B+A\tan(c+dx))dx \\
&= \frac{2A\sqrt{a+ia\tan(c+dx)}}{d} - \frac{2iB(a+ia\tan(c+dx))^{3/2}}{3ad} - (iA+B)\int \sqrt{a+ia\tan(c+dx)}dx \\
&= \frac{2A\sqrt{a+ia\tan(c+dx)}}{d} - \frac{2iB(a+ia\tan(c+dx))^{3/2}}{3ad} - \frac{(2a(A-iB))\sqrt{2}\sqrt{a}(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2A\sqrt{a+ia\tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.29348, size = 132, normalized size = 1.26

$$\frac{e^{-i(c+dx)}\sqrt{a+ia\tan(c+dx)}\left(-3(A-iB)\left(1+e^{2i(c+dx)}\right)^{3/2}\sinh^{-1}\left(e^{i(c+dx)}\right)+6Ae^{i(c+dx)}\left(1+e^{2i(c+dx)}\right)-4iBe^{3i(c+dx)}\right)}{3d\left(1+e^{2i(c+dx)}\right)}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (((-4*I)*B*E^((3*I)*(c + d*x)) + 6*A*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))) - 3*(A - I*B)*(1 + E^((2*I)*(c + d*x)))^(3/2)*ArcSinh[E^(I*(c + d*x))]) *Sqrt[a + I*a*Tan[c + d*x]]/(3*d*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x))))

Maple [A] time = 0.018, size = 82, normalized size = 0.8

$$2\frac{1}{ad}\left(-i/3B(a+ia\tan(dx+c))^{3/2}+A\sqrt{a+ia\tan(dx+c)}a-1/2a^{3/2}(A-iB)\sqrt{2}\operatorname{Artanh}\left(1/2\frac{\sqrt{a+ia\tan(dx+c)}\sqrt{2}}{\sqrt{a}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)), x)

[Out] 2/d/a*(-1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)+A*(a+I*a*tan(d*x+c))^(1/2)*a-1/2*a^(3/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.50508, size = 919, normalized size = 8.75

$$4\sqrt{2}\left((3A - 2iB)e^{(2i dx + 2ic)} + 3A\right)\sqrt{\frac{a}{e^{(2i dx + 2ic)} + 1}}e^{(i dx + ic)} - 3\left(de^{(2i dx + 2ic)} + d\right)\sqrt{\frac{(2A^2 - 4iAB - 2B^2)a}{d^2}}\log\left(\frac{\sqrt{2}(iA + B)e^{(2i dx + 2ic)} + I(A + B)\sqrt{a/(e^{(2I dx + 2Ic)} + 1)}e^{(I dx + Ic)} + I d \sqrt{(2A^2 - 4IAB - 2B^2)a/d^2}e^{(2I dx + 2Ic)}}{\sqrt{2}(iA + B)e^{(2i dx + 2ic)} + I(A + B)\sqrt{a/(e^{(2I dx + 2Ic)} + 1)}e^{(I dx + Ic)} + I d \sqrt{(2A^2 - 4IAB - 2B^2)a/d^2}e^{(2I dx + 2Ic)}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(4*sqrt(2)*((3*A - 2*I*B)*e^(2*I*d*x + 2*I*c) + 3*A)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 3*(d*e^(2*I*d*x + 2*I*c) + d)*sqrt((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*d*sqrt((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c)))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 3*(d*e^(2*I*d*x + 2*I*c) + d)*sqrt((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*d*sqrt((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)))/(d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c + dx) + 1)}(A + B \tan(c + dx)) \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x)

[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))*tan(c + d*x), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.70 $\int \sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=75

$$\frac{2B\sqrt{a + ia \tan(c + dx)}}{d} - \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d}$$

[Out] -((Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d) + (2*B*Sqrt[a + I*a*Tan[c + d*x]])/d

Rubi [A] time = 0.0721885, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {3527, 3480, 206}

$$\frac{2B\sqrt{a + ia \tan(c + dx)}}{d} - \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] -((Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d) + (2*B*Sqrt[a + I*a*Tan[c + d*x]])/d

Rule 3527

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx &= \frac{2B\sqrt{a + ia \tan(c + dx)}}{d} - (-A + iB) \int \sqrt{a + ia \tan(c + dx)} dx \\ &= \frac{2B\sqrt{a + ia \tan(c + dx)}}{d} - \frac{(2a(iA + B)) \text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, \sqrt{a + ia \tan(c + dx)}\right)}{d} \\ &= -\frac{\sqrt{2}\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2B\sqrt{a + ia \tan(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 1.16491, size = 87, normalized size = 1.16

$$\frac{e^{-i(c+dx)}\sqrt{a+ia\tan(c+dx)}\left(2Be^{i(c+dx)}-i(A-iB)\sqrt{1+e^{2i(c+dx)}}\sinh^{-1}\left(e^{i(c+dx)}\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] ((2*B*E^(I*(c + d*x)) - I*(A - I*B)*Sqrt[1 + E^((2*I)*(c + d*x))])*ArcSinh[E^(I*(c + d*x))])*Sqrt[a + I*a*Tan[c + d*x]]/(d*E^(I*(c + d*x)))

Maple [A] time = 0.018, size = 63, normalized size = 0.8

$$\frac{2i}{d}\left(-iB\sqrt{a+ia\tan(dx+c)}-\frac{(A-iB)\sqrt{2}}{2}\sqrt{a}\operatorname{Artanh}\left(\frac{\sqrt{2}}{2}\sqrt{a+ia\tan(dx+c)}\frac{1}{\sqrt{a}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)

[Out] 2*I/d*(-I*B*(a+I*a*tan(d*x+c))^(1/2)-1/2*a^(1/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.46742, size = 755, normalized size = 10.07

$$4\sqrt{2}B\sqrt{\frac{a}{e^{2i(dx+ic)}+1}}e^{i(dx+ic)}-d\sqrt{-\frac{(2A^2-4iAB-2B^2)a}{d^2}}\log\left(\frac{\left(\sqrt{2}((iA+B)e^{2i(dx+ic)}+iA+B)\sqrt{\frac{a}{e^{2i(dx+ic)}+1}}e^{i(dx+ic)}+d\sqrt{-\frac{(2A^2-4iAB-2B^2)a}{d^2}}\right)e^{2i(dx+ic)}}{iA+B}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(4*sqrt(2)*B*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2))*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B) + d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2))*((I*A +

$B)e^{(2I dx + 2I c) + I A + B} \sqrt{a/(e^{(2I dx + 2I c) + 1})} e^{(I dx + I c) - d \sqrt{-(2A^2 - 4I AB - 2B^2)a/d^2} e^{(2I dx + 2I c)}} e^{(-2I dx - 2I c)/(I A + B)}/d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.71 $\int \cot(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=86

$$\frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d}$$

[Out] $(-2*\text{Sqrt}[a]*A*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/\text{Sqrt}[a]])/d + (\text{Sqrt}[2]*\text{Sqrt}[a]*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(\text{Sqrt}[2]*\text{Sqrt}[a])])/d$

Rubi [A] time = 0.227318, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3600, 3480, 206, 3599, 63, 208}

$$\frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*\text{Sqrt}[a]*A*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/\text{Sqrt}[a]])/d + (\text{Sqrt}[2]*\text{Sqrt}[a]*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(\text{Sqrt}[2]*\text{Sqrt}[a])])/d$

Rule 3600

$\text{Int}[\frac{((a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])}{((c_) + (d_)*\text{tan}[(e_) + (f_)*(x_)])}, x_Symbol] := \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x])/(c + d*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)]], x_Symbol] := \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 206

$\text{Int}[\frac{((a_) + (b_)*(x_)^2)^{-1}}{x_Symbol}, x_Symbol] := \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3599

$\text{Int}[\frac{((a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])}{((c_) + (d_)*\text{tan}[(e_) + (f_)*(x_)])^{(n_)}}, x_Symbol] := \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A*b + a*B, 0]$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \cot(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx &= \frac{A \int \cot(c+dx) (a-ia \tan(c+dx)) \sqrt{a+ia \tan(c+dx)} dx}{a} + \\ &= \frac{(aA) \operatorname{Subst}\left(\int \frac{1}{x \sqrt{a+iax}} dx, x, \tan(c+dx)\right)}{d} + \frac{(2a(A-iB)) \operatorname{Subst}\left(\int \frac{1}{x \sqrt{a+iax}} dx, x, \tan(c+dx)\right)}{d} \\ &= \frac{\sqrt{2} \sqrt{a} (A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2} \sqrt{a}}\right)}{d} - \frac{(2iA) \operatorname{Subst}\left(\int \frac{1}{x \sqrt{a+iax}} dx, x, \tan(c+dx)\right)}{d} \\ &= -\frac{2\sqrt{a} A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{\sqrt{2} \sqrt{a} (A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2} \sqrt{a}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 1.64546, size = 113, normalized size = 1.31

$$\frac{e^{-i(c+dx)} \sqrt{1+e^{2i(c+dx)}} \sqrt{a+ia \tan(c+dx)} \left((A-iB) \sinh^{-1}\left(e^{i(c+dx)}\right) - \sqrt{2} A \tanh^{-1}\left(\frac{\sqrt{2} e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]
```

```
[Out] (Sqrt[1 + E^((2*I)*(c + d*x))])*((A - I*B)*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]
)*A*ArcTanh[(Sqrt[2]*E^(I*(c + d*x))]/Sqrt[1 + E^((2*I)*(c + d*x))])*Sqrt[
a + I*a*Tan[c + d*x]]/(d*E^(I*(c + d*x)))
```

Maple [B] time = 0.414, size = 312, normalized size = 3.6

$$-\frac{\sin(dx+c)}{d(i \sin(dx+c) + \cos(dx+c) - 1)} \sqrt{\frac{a(i \sin(dx+c) + \cos(dx+c))}{\cos(dx+c)}} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c) + 1}} \left(iA \arctan\left(\frac{\sqrt{2}}{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c) + 1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)
```

```
[Out] -1/d*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(I*A*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))
*2^(1/2)+I*B*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)/cos(d*x+c))*2^(1/2)+I*A*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))
```

$$-A \operatorname{arctanh}\left(\frac{1}{2} \sqrt{2} \left(-2 \cos(dx+c) / (\cos(dx+c)+1)\right)^{1/2} \sin(dx+c) / \cos(dx+c)\right) \sqrt{2}^{1/2} + B \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} \left(-2 \cos(dx+c) / (\cos(dx+c)+1)\right)^{1/2}\right) \sqrt{2}^{1/2} - A \ln\left(-\left(-2 \cos(dx+c) / (\cos(dx+c)+1)\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c)\right) \sin(dx+c) / (I \sin(dx+c) + \cos(dx+c) - 1)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.55173, size = 1139, normalized size = 13.24

$$-\sqrt{\frac{A^2 a}{d^2}} \log\left(\frac{\left(\sqrt{2}(Ae^{2i dx+2i c}) + A\right) \sqrt{\frac{a}{e^{2i dx+2i c}+1}} e^{i(dx+i c)} + 2 \sqrt{\frac{A^2 a}{d^2}} d e^{2i dx+2i c}\right) e^{-2i dx-2i c}}{A}\right) + \sqrt{\frac{A^2 a}{d^2}} \log\left(\frac{\sqrt{2}(Ae^{2i dx+2i c}) + A}{A}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out]
$$-\sqrt{A^2 a / d^2} \log\left(\left(\sqrt{2}\left(A e^{2 I d x+2 I c}\right)+A\right) \sqrt{a / \left(e^{2 I d x+2 I c}+1\right)} e^{I d x+I c}+2 \sqrt{A^2 a / d^2} d e^{2 I d x+2 I c}\right) e^{-2 I d x-2 I c} / A+\sqrt{A^2 a / d^2} \log\left(\left(\sqrt{2}\left(A e^{2 I d x+2 I c}\right)+A\right) \sqrt{a / \left(e^{2 I d x+2 I c}+1\right)} e^{I d x+I c}-2 \sqrt{A^2 a / d^2} d e^{2 I d x+2 I c}\right) e^{-2 I d x-2 I c} / A+1 / 2 \sqrt{\left(2 A^2-4 I A B-2 B^2\right) a / d^2} \log\left(\left(\sqrt{2}\left(I A+B\right) e^{2 I d x+2 I c}+I A+B\right) \sqrt{a / \left(e^{2 I d x+2 I c}+1\right)} e^{I d x+I c}+I d \sqrt{\left(2 A^2-4 I A B-2 B^2\right) a / d^2} e^{2 I d x+2 I c}\right) e^{-2 I d x-2 I c} / \left(I A+B\right)-1 / 2 \sqrt{\left(2 A^2-4 I A B-2 B^2\right) a / d^2} \log\left(\left(\sqrt{2}\left(I A+B\right) e^{2 I d x+2 I c}+I A+B\right) \sqrt{a / \left(e^{2 I d x+2 I c}+1\right)} e^{I d x+I c}-I d \sqrt{\left(2 A^2-4 I A B-2 B^2\right) a / d^2} e^{2 I d x+2 I c}\right) e^{-2 I d x-2 I c} / \left(I A+B\right)\right)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c+dx)+1)}(A+B \tan(c+dx)) \cot(c+dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(a+I*a*tan(dx+c))**(1/2)*(A+B*tan(dx+c)),x)

[Out] Integral(sqrt(a*(I*tan(c + dx) + 1))*(A + B*tan(c + dx))*cot(c + dx), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{ia \tan(dx + c) + a \cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*cot(d*x + c), x)
```

$$3.72 \quad \int \cot^2(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=123

$$\frac{\sqrt{a}(2B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{A \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{d}$$

[Out] -((Sqrt[a]*(I*A + 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/d) + (Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (A*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rubi [A] time = 0.384709, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{\sqrt{a}(2B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{A \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -((Sqrt[a]*(I*A + 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/d) + (Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (A*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])/((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int((((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \cot^2(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx &= -\frac{A \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{d} + \frac{\int \cot(c + dx) \sqrt{a + ia \tan(c + dx)} dx}{d} \\
&= -\frac{A \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{d} + (-A + iB) \int \sqrt{a + ia \tan(c + dx)} dx \\
&= -\frac{A \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{d} + \frac{(2a(iA + B)) \operatorname{Subst}\left(\int \sqrt{a + ia \tan(c + dx)} dx\right)}{d} \\
&= \frac{\sqrt{2} \sqrt{a} (iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2} \sqrt{a}}\right)}{d} - \frac{A \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{d} \\
&= -\frac{\sqrt{a} (iA + 2B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{d} + \frac{\sqrt{2} \sqrt{a} (iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2} \sqrt{a}}\right)}{d}
\end{aligned}$$

Mathematica [B] time = 4.61775, size = 293, normalized size = 2.38

$$\sqrt{a + ia \tan(c + dx)} \left(-8A \cot(c + dx) + e^{-i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \left(\sqrt{2}(2B + iA) \left(\log\left((-1 + e^{i(c+dx)})^2\right) - \log\left((1 + e^{i(c+dx)})^2\right) \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((-8*A*Cot[c + d*x] + (Sqrt[1 + E^((2*I)*(c + d*x))])*(8*(I*A + B)*ArcSinh[E
^(I*(c + d*x))] + Sqrt[2]*(I*A + 2*B)*(Log[(-1 + E^(I*(c + d*x))]^2) - Log[
(1 + E^(I*(c + d*x))]^2) + Log[3 + 3*E^((2*I)*(c + d*x))] + 2*Sqrt[2]*Sqrt[1
+ E^((2*I)*(c + d*x))] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*
(c + d*x))])) - Log[3 + 3*E^((2*I)*(c + d*x))] + 2*Sqrt[2]*Sqrt[1 + E^((2*I)
```

$*(c + d*x)) + 2*E^{(I*(c + d*x))*(1 + \text{Sqrt}[2]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])]} / E^{(I*(c + d*x))} * \text{Sqrt}[a + I*a*\text{Tan}[c + d*x]] / (8*d)$

Maple [B] time = 0.553, size = 1179, normalized size = 9.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)`

[Out] $\frac{1}{2}d*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-2*I*A*\cos(d*x+c)^{-2} * I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)-2*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+2*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+2*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*2^{(1/2)}+2*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)/\cos(d*x+c))*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+2*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)+2*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)*2^{(1/2)}-2*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)*2^{(1/2)}+2*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)*2^{(1/2)}+I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+2*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c)+A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)-2*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)+2*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c))/(I*\sin(d*x+c)+\cos(d*x+c)-1)/(\cos(d*x+c)+1)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.79056, size = 1644, normalized size = 13.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(sqrt(2)*(-2*I*A*e^(2*I*d*x + 2*I*c) - 2*I*A)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))e^(I*d*x + I*c) - (d*e^(2*I*d*x + 2*I*c) - d)*sqrt(-(A^2 - 4*I*A*B - 4*B^2)*a/d^2)*log((sqrt(2)*((I*A + 2*B)*e^(2*I*d*x + 2*I*c) + I*A + 2*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))e^(I*d*x + I*c) + 2*d*sqrt(-(A^2 - 4*I*A*B - 4*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))e^(-2*I*d*x - 2*I*c)/(I*A + 2*B)) + (d*e^(2*I*d*x + 2*I*c) - d)*sqrt(-(A^2 - 4*I*A*B - 4*B^2)*a/d^2)*log((sqrt(2)*((I*A + 2*B)*e^(2*I*d*x + 2*I*c) + I*A + 2*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))e^(I*d*x + I*c) - 2*d*sqrt(-(A^2 - 4*I*A*B - 4*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))e^(-2*I*d*x - 2*I*c)/(I*A + 2*B)) + (d*e^(2*I*d*x + 2*I*c) - d)*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))e^(I*d*x + I*c) + d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))e^(-2*I*d*x - 2*I*c)/(I*A + B)) - (d*e^(2*I*d*x + 2*I*c) - d)*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))e^(I*d*x + I*c) - d*sqrt(-(2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))e^(-2*I*d*x - 2*I*c)/(I*A + B)))/(d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{I a \tan(dx + c) + a} \cot(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*cot(d*x + c)^2, x)
```


3.73 $\int \cot^3(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=169

$$\frac{\sqrt{a}(7A - 4iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{(4B + iA) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{4d}$$

[Out] (Sqrt[a]*(7*A - (4*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(4*d) - (Sqrt[2]*Sqrt[a]*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - ((I*A + 4*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]]/(4*d) - (A*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]/(2*d))

Rubi [A] time = 0.565097, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{\sqrt{a}(7A - 4iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{(4B + iA) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[a]*(7*A - (4*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(4*d) - (Sqrt[2]*Sqrt[a]*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - ((I*A + 4*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]]/(4*d) - (A*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]/(2*d))

Rule 3598

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_))*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_))*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[(((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx = -\frac{A \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{2d} + \frac{\int \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)} dx}{2d}$$

$$= -\frac{(iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} - \frac{A \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d}$$

$$= -\frac{(iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} - \frac{A \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d}$$

$$= -\frac{(iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} - \frac{A \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d}$$

$$= -\frac{\sqrt{2}\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{(iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d}$$

$$= \frac{\sqrt{a}(7A - 4iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{\sqrt{2}\sqrt{a}(A - iB) \tan^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4d}$$

Mathematica [A] time = 3.17976, size = 230, normalized size = 1.36

$$\frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) \left(\frac{2(7A - 4iB) \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right) - 8\sqrt{2}(A - iB) \sinh^{-1}(e^{i(c+dx)})}{\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}} - \frac{2 \csc(c+dx)(2A \csc(c+dx) + (4B + iA) \sec^2(c+dx))}{\sec^2(c+dx)} \right)}{8d \sec^2(c + dx)(A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

```
[Out] (((-8*sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))] + 2*(7*A - (4*I)*B)*ArcTan
h[(sqrt[2]*E^(I*(c + d*x))]/sqrt[1 + E^((2*I)*(c + d*x))])]/(sqrt[E^(I*(c +
d*x))/(1 + E^((2*I)*(c + d*x))])*sqrt[1 + E^((2*I)*(c + d*x))]) - (2*Csc[c
+ d*x]*(2*A*Csc[c + d*x] + (I*A + 4*B)*Sec[c + d*x]))/Sec[c + d*x]^(3/2))*
sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(8*d*Sec[c + d*x]^(3/2)*(A
*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [B] time = 0.536, size = 2240, normalized size = 13.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] -1/8/d*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(8*A*2^(1/2)*cos(d*x+
c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-8*B*2^(1/2)*cos(d*x+c)*(-2*cos
(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(1/2))+7*I*A*cos(d*x+c)^3*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(
1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+4*I*B*cos(d*x+c)^3*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+
cos(d*x+c)-1)/sin(d*x+c))+7*I*A*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))
^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+4*I*B*cos(d*x+c)^2*(-
2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-8*I*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-7*
I*A*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2))-8*I*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x
+c))-4*I*B*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-8*A*2^(1/2)
*cos(d*x+c)^3*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+8*B*2^(1/2)*cos(d*x
+c)^3*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2))-8*A*2^(1/2)*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*
x+c)/cos(d*x+c))+8*B*2^(1/2)*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1
/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+8*I*A*2^(1/2)*
cos(d*x+c)^3*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*co
s(d*x+c)/(cos(d*x+c)+1))^(1/2))-2*A*cos(d*x+c)*sin(d*x+c)-2*I*A*cos(d*x+c)-
6*A*cos(d*x+c)^2*sin(d*x+c)+6*I*A*cos(d*x+c)^3+4*I*A*cos(d*x+c)^2+7*A*(-2*c
os(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-4*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-7*A*cos(d*x+c)^3*(-2*cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin
(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+4*B*cos(d*x+c)^3*(-2*cos(d*x+c)/(cos(d*x+
c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-7*A*cos(d*x+c)^
2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))
^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+4*B*cos(d*x+c)^2*(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+8*A*2
^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+7*A*cos(d*x+c)*(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*
x+c)+cos(d*x+c)-1)/sin(d*x+c))-8*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-4*B*cos(d*x+c)
*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+
```

$$\begin{aligned} & 1))^{(1/2)} + 8*I*B*\sin(d*x+c)*\cos(d*x+c)^2 - 7*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & \arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}) + 8*I*B*\cos(d*x+c)*\sin(d*x+c) \\ & - 4*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * \ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *\sin(d*x+c) + \cos(d*x+c) - 1) / \sin(d*x+c) - 8*B*\cos(d*x+c) + 8*\cos(d*x+c)^3 \\ & + 8*I*B*2^{(1/2)}*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & \arctanh(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)) \\ & + 8*I*A*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & \arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}) + 8*I*B*2^{(1/2)}*\cos(d*x+c)^2 \\ & (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \arctanh(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *\sin(d*x+c)/\cos(d*x+c)) - 8*I*A*2^{(1/2)}*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & \arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}) - 8*I*B*2^{(1/2)}*\cos(d*x+c) \\ & (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \arctanh(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *\sin(d*x+c)/\cos(d*x+c)) / (I*\sin(d*x+c) + \cos(d*x+c) - 1) / \sin(d*x+c) / (\cos(d*x+c) + 1) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.87883, size = 1921, normalized size = 11.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/8*(2*\sqrt{2})*((3*A - 4*I*B)*e^{(4*I*d*x + 4*I*c)} + 4*A*e^{(2*I*d*x + 2*I*c)} \\ & + A + 4*I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{((49*A^2 - 56*I*A*B - 16*B^2)*a/d^2)*\log((\sqrt{2})*((7*I*A + 4*B)*e^{(2*I*d*x + 2*I*c)} + 7*I*A + 4*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 2*I*d*\sqrt{((49*A^2 - 56*I*A*B - 16*B^2)*a/d^2)*e^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)}/(7*I*A + 4*B)) - (d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{((49*A^2 - 56*I*A*B - 16*B^2)*a/d^2)*\log((\sqrt{2})*((7*I*A + 4*B)*e^{(2*I*d*x + 2*I*c)} + 7*I*A + 4*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 2*I*d*\sqrt{((49*A^2 - 56*I*A*B - 16*B^2)*a/d^2)*e^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)}/(7*I*A + 4*B)) - 4*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*\log((\sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + I*d*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)}/(I*A + B)) + 4*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*\log((\sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - I*d*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)*a/d^2)*e^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)}/(I*A + B)))/(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{I a \tan(dx + c) + a} \cot(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*cot(d*x + c)^3, x)

$$3.74 \quad \int \cot^4(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=210

$$\frac{\sqrt{a}(14B + 9iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{(6B + iA) \cot^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{12d}$$

[Out] (Sqrt[a]*((9*I)*A + 14*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(8*d) - (Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + ((7*A - (2*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - ((I*A + 6*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(12*d) - (A*Cot[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/(3*d)

Rubi [A] time = 0.751938, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{\sqrt{a}(14B + 9iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{\sqrt{2}\sqrt{a}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{(6B + iA) \cot^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{12d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[a]*((9*I)*A + 14*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(8*d) - (Sqrt[2]*Sqrt[a]*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + ((7*A - (2*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - ((I*A + 6*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(12*d) - (A*Cot[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/(3*d)

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int((((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,

b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx &= -\frac{A \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{3d} + \frac{\int \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)} dx}{3d} \\ &= -\frac{(iA + 6B) \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} - \frac{A \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} \\ &= \frac{(7A - 2iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{8d} - \frac{(iA + 6B) \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} \\ &= \frac{(7A - 2iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{8d} - \frac{(iA + 6B) \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} \\ &= \frac{(7A - 2iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{8d} - \frac{(iA + 6B) \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} \\ &= -\frac{\sqrt{2}\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{(7A - 2iB) \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} \\ &= \frac{\sqrt{a}(9iA + 14B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{8d} - \frac{\sqrt{2}\sqrt{a}(iA + B) \cot^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{12d} \end{aligned}$$

Mathematica [A] time = 4.42029, size = 414, normalized size = 1.97

$$\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) \left(-\frac{2i(9A - 14iB) \left(\log\left((-1 + e^{i(c + dx)})^2\right) - \log\left((1 + e^{i(c + dx)})^2\right) + \log\left(-2e^{i(c + dx)}\left(1 + \sqrt{2}\sqrt{1 + e^{2i(c + dx)}}\right) + 3e^{2i(c + dx)}\right)\right)}{8d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^4*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] ((((-2*I)*(32*Sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))] + (9*A - (14*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])))/(Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]) - (4*Csc[c + d*x]^3*(-13*A + (6*I)*B + (29*A - (6*I)*B)*Cos[2*(c + d*x)] + 2*(I*A + 6*B)*Sin[2*(c + d*x)]))/(3*Sqrt[Sec[c + d*x]])*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(64*d*Sec[c + d*x]^(3/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.513, size = 1783, normalized size = 8.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)

[Out] -1/48/d*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(27*A*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+42*B*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-54*A*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-84*B*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+48*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-4*I*A*cos(d*x+c)^2*sin(d*x+c)-42*I*A*cos(d*x+c)*sin(d*x+c)+27*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c)-42*I*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+62*I*A*cos(d*x+c)^3*sin(d*x+c)+48*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-46*A*cos(d*x+c)^2+42*A*cos(d*x+c)+62*A*cos(d*x+c)^4-58*A*cos(d*x+c)^3+48*I*A*2^(1/2)*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-12*B*cos(d*x+c)*sin(d*x+c)-24*B*cos(d*x+c)^2*sin(d*x+c)+36*B*cos(d*x+c)^3*sin(d*x+c)+27*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+42*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-36*I*B*cos(d*x+c)^4+12*I*B*cos(d*x+c)^3+36*I*B*cos(d*x+c)^2-12*I*B*cos(d*x+c)-48*I*B*2^(1/2)*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-96*I*A*2^(1/2)*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+96*I*B*2^(1/2)*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+27*I*A*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c)-42*I*B*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-54*I*A*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+84*I*B*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+48*I*A*2^(1/2)*(-2

$$\begin{aligned} & * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) - 48 * I * B * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \operatorname{arctan}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) + 48 * A * 2^{1/2} * \cos(dx+c)^4 * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \operatorname{arctan}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) + 48 * B * 2^{1/2} * \cos(dx+c)^4 * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) - 96 * A * 2^{1/2} * \cos(dx+c)^2 * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \operatorname{arctan}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) - 96 * B * 2^{1/2} * \cos(dx+c)^2 * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 * \cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c)) / (I * \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)^3 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.01517, size = 2192, normalized size = 10.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/48 * (2 * \sqrt{2}) * ((31 * I * A + 18 * B) * e^{(6 * I * dx + 6 * I * c)} + (5 * I * A + 6 * B) * e^{(4 * I * dx + 4 * I * c)} + (I * A - 18 * B) * e^{(2 * I * dx + 2 * I * c)} + 27 * I * A - 6 * B) * \sqrt{a / (e^{(2 * I * dx + 2 * I * c)} + 1)} * e^{(I * dx + I * c)} + 3 * (d * e^{(6 * I * dx + 6 * I * c)} - 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} - d) * \sqrt{-(81 * A^2 - 252 * I * A * B - 196 * B^2) * a / d^2} * \log((\sqrt{2}) * ((9 * I * A + 14 * B) * e^{(2 * I * dx + 2 * I * c)} + 9 * I * A + 14 * B) * \sqrt{a / (e^{(2 * I * dx + 2 * I * c)} + 1)} * e^{(I * dx + I * c)} + 2 * d * \sqrt{-(81 * A^2 - 252 * I * A * B - 196 * B^2) * a / d^2} * e^{(2 * I * dx + 2 * I * c)}) * e^{(-2 * I * dx - 2 * I * c)} / (9 * I * A + 14 * B)) - 3 * (d * e^{(6 * I * dx + 6 * I * c)} - 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} - d) * \sqrt{-(81 * A^2 - 252 * I * A * B - 196 * B^2) * a / d^2} * \log((\sqrt{2}) * ((9 * I * A + 14 * B) * e^{(2 * I * dx + 2 * I * c)} + 9 * I * A + 14 * B) * \sqrt{a / (e^{(2 * I * dx + 2 * I * c)} + 1)} * e^{(I * dx + I * c)} - 2 * d * \sqrt{-(81 * A^2 - 252 * I * A * B - 196 * B^2) * a / d^2} * e^{(2 * I * dx + 2 * I * c)}) * e^{(-2 * I * dx - 2 * I * c)} / (9 * I * A + 14 * B)) - 24 * (d * e^{(6 * I * dx + 6 * I * c)} - 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} - d) * \sqrt{-(2 * A^2 - 4 * I * A * B - 2 * B^2) * a / d^2} * \log((\sqrt{2}) * ((I * A + B) * e^{(2 * I * dx + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * dx + 2 * I * c)} + 1)} * e^{(I * dx + I * c)} + d * \sqrt{-(2 * A^2 - 4 * I * A * B - 2 * B^2) * a / d^2} * e^{(2 * I * dx + 2 * I * c)}) * e^{(-2 * I * dx - 2 * I * c)} / (I * A + B)) + 24 * (d * e^{(6 * I * dx + 6 * I * c)} - 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} - d) * \sqrt{-(2 * A^2 - 4 * I * A * B - 2 * B^2) * a / d^2} * \log((\sqrt{2}) * ((I * A + B) * e^{(2 * I * dx + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * dx + 2 * I * c)} + 1)} * e^{(I * dx + I * c)} - d * \sqrt{-(2 * A^2 - 4 * I * A * B - 2 * B^2) * a / d^2} * e^{(2 * I * dx + 2 * I * c)}) * e^{(-2 * I * dx - 2 * I * c)} / (I * A + B))) / (d * e^{(6 * I * dx + 6 * I * c)} - 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} - d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giacc [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{ia \tan(dx + c) + a} \cot(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*cot(d*x + c)^4, x)

$$3.75 \quad \int \tan^2(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=197

$$\frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(8B + 7iA) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} - \frac{4(19B + 21iA)(a + ia \tan(c + dx))^{3/2}}{105d}$$

```
[Out] (2*Sqrt[2]*a^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (8*a*((7*I)*A + 8*B)*Sqrt[a + I*a*Tan[c + d*x]]/(35*d) + (2*a*((7*I)*A + 8*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]/(35*d) + (((2*I)/7)*a*B*Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/d - (4*((21*I)*A + 19*B)*(a + I*a*Tan[c + d*x])^(3/2))/(105*d)
```

Rubi [A] time = 0.532475, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3594, 3597, 3592, 3527, 3480, 206}

$$\frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(8B + 7iA) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} - \frac{4(19B + 21iA)(a + ia \tan(c + dx))^{3/2}}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] (2*Sqrt[2]*a^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (8*a*((7*I)*A + 8*B)*Sqrt[a + I*a*Tan[c + d*x]]/(35*d) + (2*a*((7*I)*A + 8*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]/(35*d) + (((2*I)/7)*a*B*Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/d - (4*((21*I)*A + 19*B)*(a + I*a*Tan[c + d*x])^(3/2))/(105*d)
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3597

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(
```

B*d*(a + b*Tan[e + f*x])^(m + 1)/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \tan^2(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx = \frac{2iaB \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{7d} + \frac{2}{7} \int \tan^2(c + dx) dx$$

$$= \frac{2a(7iA + 8B) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2iaB \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d}$$

$$= \frac{2a(7iA + 8B) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2iaB \tan^3(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d}$$

$$= -\frac{8a(7iA + 8B)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2a(7iA + 8B) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d}$$

$$= -\frac{8a(7iA + 8B)\sqrt{a + ia \tan(c + dx)}}{35d} + \frac{2a(7iA + 8B) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d}$$

$$= \frac{2\sqrt{2}a^{3/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{8a(7iA + 8B)\sqrt{a + ia \tan(c + dx)}}{35d}$$

Mathematica [A] time = 4.27191, size = 239, normalized size = 1.21

$$(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) \left(\frac{2\sqrt{2}(B + iA) \sinh^{-1}(e^{i(c + dx)})}{\left(\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}}\right)^{3/2} (1 + e^{2i(c + dx)})^{3/2}} - \frac{1}{210} (\tan(c + dx) + i) \sec^2(c + dx) (21(17A - 18iB) \cos^5(c + dx) + \dots) \right)$$

$$d \sec^2(c + dx) (A \cos^5(c + dx) + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])*((2*Sqrt[2]*(I*A + B)*ArcSinh[E^(I*(c + d*x))])/(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2)*

$$(1 + E^{((2*I)*(c + d*x))}^{(3/2)}) - (\text{Sec}[c + d*x]^{(5/2)}*(21*(17*A - (18*I)*B) * \text{Cos}[c + d*x] + (147*A - (158*I)*B)*\text{Cos}[3*(c + d*x)] + (42*I)*A*\text{Sin}[c + d*x] - 7*B*\text{Sin}[c + d*x] + (42*I)*A*\text{Sin}[3*(c + d*x)] + 53*B*\text{Sin}[3*(c + d*x)])*(I + \text{Tan}[c + d*x]))/210)) / (d*\text{Sec}[c + d*x]^{(5/2)}*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x]))$$

Maple [A] time = 0.027, size = 164, normalized size = 0.8

$$\frac{-2i}{a^2d} \left(-\frac{i}{7}B(a + ia \tan(dx + c))^{\frac{7}{2}} + \frac{i}{5}B(a + ia \tan(dx + c))^{\frac{5}{2}}a + \frac{Aa}{5}(a + ia \tan(dx + c))^{\frac{5}{2}} - \frac{i}{3}a^2B(a + ia \tan(dx + c))^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] -2*I/d/a^2*(-1/7*I*B*(a+I*a*tan(d*x+c))^(7/2)+1/5*I*B*(a+I*a*tan(d*x+c))^(5/2)*a+1/5*A*(a+I*a*tan(d*x+c))^(5/2)*a-1/3*I*a^2*B*(a+I*a*tan(d*x+c))^(3/2)-I*B*a^3*(a+I*a*tan(d*x+c))^(1/2)+A*a^3*(a+I*a*tan(d*x+c))^(1/2)-a^(7/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.81235, size = 1365, normalized size = 6.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/210*(sqrt(2)*((-756*I*A - 844*B)*a*e^(6*I*d*x + 6*I*c) + (-1596*I*A - 1484*B)*a*e^(4*I*d*x + 4*I*c) + (-1260*I*A - 1540*B)*a*e^(2*I*d*x + 2*I*c) + (-420*I*A - 420*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 105*sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a) - 105*sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x
```

$$- 2*I*c)/((2*I*A + 2*B)*a))/ (d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.76 \quad \int \tan(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=137

$$-\frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(A - iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2A(a + ia \tan(c + dx))^{3/2}}{3d} - \frac{2iB(a + ia \tan(c + dx))^{5/2}}{5d}$$

[Out] (-2*Sqrt[2]*a^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (2*a*(A - I*B)*Sqrt[a + I*a*Tan[c + d*x]])/d + (2*A*(a + I*a*Tan[c + d*x])^(3/2))/(3*d) - (((2*I)/5)*B*(a + I*a*Tan[c + d*x])^(5/2))/(a*d)

Rubi [A] time = 0.176307, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3592, 3527, 3478, 3480, 206}

$$-\frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(A - iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2A(a + ia \tan(c + dx))^{3/2}}{3d} - \frac{2iB(a + ia \tan(c + dx))^{5/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] (-2*Sqrt[2]*a^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (2*a*(A - I*B)*Sqrt[a + I*a*Tan[c + d*x]])/d + (2*A*(a + I*a*Tan[c + d*x])^(3/2))/(3*d) - (((2*I)/5)*B*(a + I*a*Tan[c + d*x])^(5/2))/(a*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3478

Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b*(a + b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[2*a, Int[(a + b*Tan[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && GtQ[n, 1]

Rule 3480

Int[Sqrt[(a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,

b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \tan(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= -\frac{2iB(a+ia \tan(c+dx))^{5/2}}{5ad} + \int (a+ia \tan(c+dx))^{3/2}(-E \\ &= \frac{2A(a+ia \tan(c+dx))^{3/2}}{3d} - \frac{2iB(a+ia \tan(c+dx))^{5/2}}{5ad} - (\\ &= \frac{2a(A-iB)\sqrt{a+ia \tan(c+dx)}}{d} + \frac{2A(a+ia \tan(c+dx))^{3/2}}{3d} \\ &= \frac{2a(A-iB)\sqrt{a+ia \tan(c+dx)}}{d} + \frac{2A(a+ia \tan(c+dx))^{3/2}}{3d} \\ &= -\frac{2\sqrt{2}a^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(A-iB)\sqrt{a+ia \tan(c+dx)}}{d} \end{aligned}$$

Mathematica [A] time = 3.64747, size = 204, normalized size = 1.49

$$\frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) \left(\frac{1}{15}(\tan(c+dx)+i) \sec^2(c+dx)((5A-6iB) \sin(2(c+dx)) + (-21B-20iA) \cos(2(c+dx))) \right)}{d \sec^2(c+dx)(A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])*((-2*Sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))]]/(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2)*(1 + E^((2*I)*(c + d*x)))^(3/2)) + (Sec[c + d*x]^(3/2)*((-20*I)*A - 15*B + ((-20*I)*A - 21*B)*Cos[2*(c + d*x)] + (5*A - (6*I)*B)*Sin[2*(c + d*x)]*(I + Tan[c + d*x]))/15)/(d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.018, size = 123, normalized size = 0.9

$$2 \frac{1}{ad} \left(-i/5B(a+ia \tan(dx+c))^{5/2} + 1/3 A(a+ia \tan(dx+c))^{3/2} a - ia^2B\sqrt{a+ia \tan(dx+c)} + a^2A\sqrt{a+ia \tan(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] 2/d/a*(-1/5*I*B*(a+I*a*tan(d*x+c))^(5/2)+1/3*A*(a+I*a*tan(d*x+c))^(3/2)*a-I*a^2*B*(a+I*a*tan(d*x+c))^(1/2)+a^2*A*(a+I*a*tan(d*x+c))^(1/2)-a^(5/2)*(A-I

$*B)*2^{(1/2)*\operatorname{arctanh}(1/2*(a+I*a*\tan(d*x+c))^{(1/2)*2^{(1/2)}/a^{(1/2))})}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.75105, size = 1180, normalized size = 8.61

$$4\sqrt{2}\left((25A - 27iB)ae^{4idx+4ic} + 10(4A - 3iB)ae^{2idx+2ic} + 15(A - iB)a\right)\sqrt{\frac{a}{e^{2i dx+2ic}+1}}e^{(i dx+ic)} - 15\sqrt{\frac{(8A^2-16iAB-8B^2)}{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{30}*(4*\sqrt{2}*((25*A - 27*I*B)*a*e^{4*I*d*x + 4*I*c} + 10*(4*A - 3*I*B)*a*e^{2*I*d*x + 2*I*c} + 15*(A - I*B)*a)*\sqrt{a/(e^{2*I*d*x + 2*I*c} + 1))*e^{(I*d*x + I*c)} - 15*\sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)*\log((\sqrt{2}*((2*I*A + 2*B)*a*e^{2*I*d*x + 2*I*c} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{2*I*d*x + 2*I*c} + 1))*e^{(I*d*x + I*c)} + I*\sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)} + 15*\sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)*\log((\sqrt{2}*((2*I*A + 2*B)*a*e^{2*I*d*x + 2*I*c} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{2*I*d*x + 2*I*c} + 1))*e^{(I*d*x + I*c)} - I*\sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)})/(d*e^{(4*I*d*x + 4*I*c) + 2*d*e^{(2*I*d*x + 2*I*c) + d})}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^{\frac{3}{2}} (A + B \tan(c + dx)) \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))**(3/2)*(A + B*tan(c + d*x))*tan(c + d*x), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

3.77 $\int (a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=107

$$\frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(B + iA)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2B(a + ia \tan(c + dx))^{3/2}}{3d}$$

[Out] $(-2*\text{Sqrt}[2]*a^{(3/2)}*(I*A + B)*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*\text{Sqrt}[a]))/d + (2*a*(I*A + B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d + (2*B*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/(3*d)$

Rubi [A] time = 0.0999415, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3527, 3478, 3480, 206}

$$\frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(B + iA)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2B(a + ia \tan(c + dx))^{3/2}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^{(3/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*\text{Sqrt}[2]*a^{(3/2)}*(I*A + B)*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*\text{Sqrt}[a]))/d + (2*a*(I*A + B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d + (2*B*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/(3*d)$

Rule 3527

$\text{Int}[(a + b*\text{Tan}[c + d*x])^m, x] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[c + d*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[c + d*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3478

$\text{Int}[(a + b*\text{Tan}[c + d*x])^n, x] \rightarrow \text{Simp}[(b*(a + b*\text{Tan}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[2*a, \text{Int}[(a + b*\text{Tan}[c + d*x])^{n-1}, x], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && GtQ[n, 1]

Rule 3480

$\text{Int}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]], x] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], \text{Sqrt}[a + b*\text{Tan}[c + d*x]], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx)) dx &= \frac{2B(a + ia \tan(c + dx))^{3/2}}{3d} - (-A + iB) \int (a + ia \tan(c + dx))^{3/2} dx \\
&= \frac{2a(iA + B)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2B(a + ia \tan(c + dx))^{3/2}}{3d} + (2a(A - B) \sqrt{a + ia \tan(c + dx)}) \\
&= \frac{2a(iA + B)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2B(a + ia \tan(c + dx))^{3/2}}{3d} - \frac{(4a^2(iA - B) \sqrt{a + ia \tan(c + dx)})}{3d} \\
&= -\frac{2\sqrt{2}a^{3/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(iA + B)\sqrt{a + ia \tan(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 2.54725, size = 190, normalized size = 1.78

$$\frac{(a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx)) \left(\frac{2}{3} (\cos(c) - i \sin(c)) \sqrt{\sec(c + dx)} (\sin(dx) + i \cos(dx)) (3A + B \tan(c + dx)) - 4 \right)}{d \sec^{\frac{5}{2}}(c + dx) (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])*(((-2*I)*Sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))])/(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2)*(1 + E^((2*I)*(c + d*x)))^(3/2)) + (2*Sqrt[Sec[c + d*x]]*(Cos[c] - I*Sin[c])*(I*Cos[d*x] + Sin[d*x])*(3*A - (4*I)*B + B*Tan[c + d*x]))/3)/(d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.018, size = 99, normalized size = 0.9

$$\frac{2i}{d} \left(-\frac{i}{3} B (a + ia \tan(dx + c))^{\frac{3}{2}} - iBa\sqrt{a + ia \tan(dx + c)} + A\sqrt{a + ia \tan(dx + c)}a - a^{\frac{3}{2}} (A - iB) \sqrt{2} \operatorname{Artanh} \left(\frac{\sqrt{2}}{2} \sqrt{a + ia \tan(dx + c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] 2*I/d*(-1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)-I*B*a*(a+I*a*tan(d*x+c))^(1/2)+A*(a+I*a*tan(d*x+c))^(1/2)*a-a^(3/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.70316, size = 1017, normalized size = 9.5

$$\sqrt{2}((12i A + 20 B)ae^{(2i dx+2ic)} + (12i A + 12 B)a)\sqrt{\frac{a}{e^{(2i dx+2ic)}+1}}e^{(i dx+ic)} - 3\sqrt{-\frac{(8A^2-16i AB-8B^2)a^3}{d^2}}(de^{(2i dx+2ic)} + d)\log\left(\frac{\left(\sqrt{2}((2i A + 2 B)a e^{(2i dx+2ic)} + (2i A + 2 B)a)\sqrt{\frac{a}{e^{(2i dx+2ic)}+1}}e^{(i dx+ic)} + \sqrt{-\frac{(8A^2-16i AB-8B^2)a^3}{d^2}}d e^{(2i dx+2ic)} + d\right)}{\left(\sqrt{2}((2i A + 2 B)a e^{(2i dx+2ic)} + (2i A + 2 B)a)\sqrt{\frac{a}{e^{(2i dx+2ic)}+1}}e^{(i dx+ic)} - \sqrt{-\frac{(8A^2-16i AB-8B^2)a^3}{d^2}}d e^{(2i dx+2ic)} + d\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(sqrt(2)*((12*I*A + 20*B)*a*e^(2*I*d*x + 2*I*c) + (12*I*A + 12*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 3*sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a) + 3*sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a))/((d*e^(2*I*d*x + 2*I*c) + d))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^{\frac{3}{2}} (A + B \tan(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))**(3/2)*(A + B*tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.78 \quad \int \cot(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=113

$$\frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d}$$

[Out] $(-2*a^{(3/2)}*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/d + (2*Sqrt[2]*a^{(3/2)}*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + ((2*I)*a*B*Sqrt[a + I*a*Tan[c + d*x]])/d$

Rubi [A] time = 0.374943, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3594, 3600, 3480, 206, 3599, 63, 208}

$$\frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] $(-2*a^{(3/2)}*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/d + (2*Sqrt[2]*a^{(3/2)}*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + ((2*I)*a*B*Sqrt[a + I*a*Tan[c + d*x]])/d$

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \cot(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d} + 2 \int \cot(c + dx)\sqrt{a + ia \tan(c + dx)} dx \\
&= \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d} + A \int \cot(c + dx)(a - ia \tan(c + dx))^{3/2} dx \\
&= \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d} + \frac{(a^2 A) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+iax}} dx, \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} \\
&= \frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d} \\
&= -\frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2iaB\sqrt{a + ia \tan(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.92784, size = 157, normalized size = 1.39

$$\frac{\sqrt{2}ae^{-i(c+dx)}\sqrt{a + ia \tan(c + dx)}\left(\sqrt{2}(A - iB)\sqrt{1 + e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) - A\sqrt{1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1 + e^{2i(c+dx)}}}\right) + i\sqrt{2}a\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] (Sqrt[2]*a*(I*Sqrt[2]*B*E^(I*(c + d*x)) + Sqrt[2]*(A - I*B)*Sqrt[1 + E^((2*I)*(c + d*x))])*ArcSinh[E^(I*(c + d*x))] - A*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[1 + E^((2*I)*(c + d*x))]])*Sqrt[a + I*a*Tan[c + d*x]]/(d*E^(I*(c + d*x)))
```

Maple [B] time = 0.345, size = 467, normalized size = 4.1

$$\frac{a}{d(i \sin(dx+c) + \cos(dx+c) - 1)} \sqrt{\frac{a(i \sin(dx+c) + \cos(dx+c))}{\cos(dx+c)}} \left(2iA\sqrt{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \arctan\left(\frac{\sqrt{2}}{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] $-1/d*a*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(2*I*A*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)+2*I*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)-2*A*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)+2*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)-A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-2*I*B*\cos(d*x+c)+2*I*B*2*B*\sin(d*x+c))/(I*\sin(d*x+c)+\cos(d*x+c)-1)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.86401, size = 1354, normalized size = 11.98

$$4i\sqrt{2}Ba\sqrt{\frac{a}{e^{(2i dx+2i c)+1}}}e^{(i dx+i c)}-2\sqrt{\frac{A^2a^3}{d^2}}d\log\left(\frac{\left(\sqrt{2}(Aae^{(2i dx+2i c)+Aa})\sqrt{\frac{a}{e^{(2i dx+2i c)+1}}}e^{(i dx+i c)}+2\sqrt{\frac{A^2a^3}{d^2}}de^{(2i dx+2i c)}\right)e^{(-2i dx-2i c)}}{Aa}\right)+2\sqrt{\frac{A^2a^3}{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $1/2*(4*I*\sqrt{2}*B*a*\sqrt{a/(e^{(2*I*d*x+2*I*c)}+1)}*e^{(I*d*x+I*c)}-2*\sqrt{A^2*a^3/d^2}*d*\log((\sqrt{2}*(A*a*e^{(2*I*d*x+2*I*c)}+A*a)*\sqrt{a/(e^{(2*I*d*x+2*I*c)}+1)}*e^{(I*d*x+I*c)}+2*\sqrt{A^2*a^3/d^2}*d*e^{(2*I*d*x+2*I*c)})*e^{(-2*I*d*x-2*I*c)/(A*a)}+2*\sqrt{A^2*a^3/d^2}*d*\log((\sqrt{2}*(A*a*e^{(2*I*d*x+2*I*c)}+A*a)*\sqrt{a/(e^{(2*I*d*x+2*I*c)}+1)}*e^{(I*d*x$

$$+ I*c) - 2*\sqrt{A^2*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(A*a)} + \sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*d*\log(\sqrt{2}*((2*I*A + 2*B)*a*e^{(2*I*d*x + 2*I*c)} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)} + I*\sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)} - \sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*d*\log(\sqrt{2}*((2*I*A + 2*B)*a*e^{(2*I*d*x + 2*I*c)} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)} - I*\sqrt{(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)})/d$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*(I*a*tan(dx + c) + a)^(3/2)*cot(dx + c), x)

$$3.79 \quad \int \cot^2(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=125

$$\frac{a^{3/2}(2B + 3iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{d}$$

[Out] $-\left(\frac{a^{3/2}((3I)A + 2B) \operatorname{ArcTanh}\left[\frac{\sqrt{a + I a \tan(c + d x)}}{\sqrt{a}}\right]}{d} + \frac{2 \sqrt{2} a^{3/2} (I A + B) \operatorname{ArcTanh}\left[\frac{\sqrt{a + I a \tan(c + d x)}}{\sqrt{2} \sqrt{a}}\right]}{d} - \frac{a A \cot(c + d x) \sqrt{a + i a \tan(c + d x)}}{d}\right)$

Rubi [A] time = 0.390221, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3593, 3600, 3480, 206, 3599, 63, 208}

$$\frac{a^{3/2}(2B + 3iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\cot(c + d x)^2 (a + I a \tan(c + d x))^{3/2} (A + B \tan(c + d x)), x]$

[Out] $-\left(\frac{a^{3/2}((3I)A + 2B) \operatorname{ArcTanh}\left[\frac{\sqrt{a + I a \tan(c + d x)}}{\sqrt{a}}\right]}{d} + \frac{2 \sqrt{2} a^{3/2} (I A + B) \operatorname{ArcTanh}\left[\frac{\sqrt{a + I a \tan(c + d x)}}{\sqrt{2} \sqrt{a}}\right]}{d} - \frac{a A \cot(c + d x) \sqrt{a + i a \tan(c + d x)}}{d}\right)$

Rule 3593

$\operatorname{Int}[\left(\frac{(a_.) + (b_.) \tan[(e_.) + (f_.) (x_.)]}{(c_.) + (d_.) \tan[(e_.) + (f_.) (x_.)]}\right)^m \left(\frac{(A_.) + (B_.) \tan[(e_.) + (f_.) (x_.)]}{(c_.) + (d_.) \tan[(e_.) + (f_.) (x_.)]}\right)^n, x_Symbol] \rightarrow -\operatorname{Simp}[\frac{a^2 (B c - A d) (a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^{n+1}}{(d f (b c + a d) (n + 1))}, x] - \operatorname{Dist}[\frac{a}{(d (b c + a d) (n + 1))}, \operatorname{Int}[(a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^{n+1} \operatorname{Simp}[A b d (m - n - 2) - B (b c (m - 1) + a d (n + 1)) + (a A d (m + n) - B (a c (m - 1) + b d (n + 1))] \tan[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{EqQ}[a^2 + b^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

Rule 3600

$\operatorname{Int}[\left(\frac{(a_.) + (b_.) \tan[(e_.) + (f_.) (x_.)]}{(c_.) + (d_.) \tan[(e_.) + (f_.) (x_.)]}\right)^m \left(\frac{(A_.) + (B_.) \tan[(e_.) + (f_.) (x_.)]}{(c_.) + (d_.) \tan[(e_.) + (f_.) (x_.)]}\right)^n, x_Symbol] \rightarrow \operatorname{Dist}[\frac{A b + a B}{(b c + a d)}, \operatorname{Int}[(a + b \tan[e + f x])^m, x], x] - \operatorname{Dist}[\frac{B c - A d}{(b c + a d)}, \operatorname{Int}[\left(\frac{(a + b \tan[e + f x])^m (a - b \tan[e + f x])}{(c + d \tan[e + f x])}\right), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{EqQ}[a^2 + b^2, 0] \&\& \operatorname{NeQ}[A b + a B, 0]$

Rule 3480

$\operatorname{Int}[\sqrt{(a_.) + (b_.) \tan[(c_.) + (d_.) (x_.)]}], x_Symbol] \rightarrow \operatorname{Dist}[(-2 b)/d, \operatorname{Subst}[\operatorname{Int}[1/(2 a - x^2), x], x, \sqrt{a + b \tan[c + d x]}], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{EqQ}[a^2 + b^2, 0]$

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{d} + \int \cot(c + dx) \\ &= -\frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{1}{2}(-3iA - 2B) \\ &= -\frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{(4a^2(iA + B))}{d} \\ &= \frac{2\sqrt{2}a^{3/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{aA \cot(c + dx)}{d} \\ &= -\frac{a^{3/2}(3iA + 2B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2\sqrt{2}a^{3/2}(iA + B)}{d} \end{aligned}$$

Mathematica [A] time = 2.9835, size = 201, normalized size = 1.61

$$\frac{ae^{-\frac{1}{2}i(4c+5dx)}(1 + e^{2i(c+dx)})^{3/2} \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \sec(c + dx) \left(\cos\left(\frac{dx}{2}\right) + i \sin\left(\frac{dx}{2}\right)\right) \left((-4B - 4iA) \sinh^{-1}\left(e^{i(c+dx)}\right) + \sqrt{2}(2B + iA)\right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),
x]
```

```
[Out] -(a*Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*(1 + E^((2*I)*(
c + d*x)))^(3/2)*((-4*I)*A - 4*B)*ArcSinh[E^(I*(c + d*x))] + Sqrt[2]*((3*I
)*A + 2*B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[1 + E^((2*I)*(c + d*x))]]
+ A*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c + d*x]*Sec[c + d*x]*(Cos[(d*x)/2])
```

$$+ I \sin[(d*x)/2]) / (2 * \text{Sqrt}[2] * d * E^{((I/2) * (4*c + 5*d*x))})$$

Maple [B] time = 0.437, size = 1117, normalized size = 8.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] $\frac{1}{2} d a (a (I \sin(d*x+c) + \cos(d*x+c)) / \cos(d*x+c))^{1/2} \sin(d*x+c) (-2 I B \cos(d*x+c)^2 (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1 / (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) - 3 I A (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \ln(-(-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \sin(d*x+c) + \cos(d*x+c) - 1) / \sin(d*x+c)) - 4 I B 2^{1/2} (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) \cos(d*x+c)^2 + 4 A 2^{1/2} \cos(d*x+c)^2 (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) + 2 I A \cos(d*x+c) \sin(d*x+c) + 4 B 2^{1/2} \cos(d*x+c)^2 (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) \sin(d*x+c) / \cos(d*x+c)) + 3 A \cos(d*x+c)^2 (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1 / (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) - 4 I A 2^{1/2} (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) \sin(d*x+c) / \cos(d*x+c)) + 2 B \cos(d*x+c)^2 (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \ln(-(-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \sin(d*x+c) + \cos(d*x+c) - 1) / \sin(d*x+c)) + 4 I B 2^{1/2} (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) + 4 I A 2^{1/2} (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) \sin(d*x+c) / \cos(d*x+c)) \cos(d*x+c)^2 + 2 I B (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1 / (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) - 4 A 2^{1/2} (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) + 3 I A (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \ln(-(-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \sin(d*x+c) + \cos(d*x+c) - 1) / \sin(d*x+c)) \cos(d*x+c)^2 - 4 B 2^{1/2} (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \operatorname{arctanh}(1/2 * 2^{1/2} * (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) \sin(d*x+c) / \cos(d*x+c)) + 2 A \cos(d*x+c)^2 - 3 A (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \arctan(1 / (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2}) - 2 B (-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \ln(-(-2 \cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \sin(d*x+c) + \cos(d*x+c) - 1) / \sin(d*x+c)) - 2 A \cos(d*x+c) / (\cos(d*x+c)+1) / (I \sin(d*x+c) + \cos(d*x+c) - 1) / (\cos(d*x+c) - 1)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.89847, size = 1796, normalized size = 14.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(sqrt(2)*(-2*I*A*a*e^(2*I*d*x + 2*I*c) - 2*I*A*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - sqrt(-(9*A^2 - 12*I*A*B - 4*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((3*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (3*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*sqrt(-(9*A^2 - 12*I*A*B - 4*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((3*I*A + 2*B)*a)) + sqrt(-(9*A^2 - 12*I*A*B - 4*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((3*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (3*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*sqrt(-(9*A^2 - 12*I*A*B - 4*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((3*I*A + 2*B)*a)) + sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)) - sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - sqrt(-(8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^2, x)
```

$$3.80 \quad \int \cot^3(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=171

$$\frac{a^{3/2}(11A - 12iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a(4B + 5iA) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d}$$

[Out] (a^(3/2)*(11*A - (12*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*d) - (2*Sqrt[2]*a^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (a*((5*I)*A + 4*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(2*d)

Rubi [A] time = 0.58305, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3593, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{a^{3/2}(11A - 12iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a(4B + 5iA) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] (a^(3/2)*(11*A - (12*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*d) - (2*Sqrt[2]*a^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (a*((5*I)*A + 4*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(2*d)

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int((((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[

$A*b + a*B)/(b*c + a*d)$, $\text{Int}[(a + b*\text{Tan}[e + f*x])^m, x]$, $x] - \text{Dist}[(B*c - A*d)/(b*c + a*d)$, $\text{Int}[(a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x])]/(c + d*\text{Tan}[e + f*x])$, $x]$, $x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)]]$, $x_Symbol] := \text{Dist}[(-2*b)/d$, $\text{Subst}[\text{Int}[1/(2*a - x^2)$, $x]$, x , $\text{Sqrt}[a + b*\text{Tan}[c + d*x]]$], $x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}$, $x_Symbol] := \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2])$, $x] /;$ $\text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3599

$\text{Int}[(a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])^{(n_)$, $x_Symbol] := \text{Dist}[(b*B)/f$, $\text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n$, $x]$, x , $\text{Tan}[e + f*x]$], $x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[(a_) + (b_)*(x_)^{(m_)*((c_) + (d_)*(x_)^{(n_)$, $x_Symbol] := \text{With}\{p = \text{Denominator}[m]\}$, $\text{Dist}[p/b$, $\text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n$, $x]$, x , $(a + b*x)^{(1/p)}$], $x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}$, $x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a$, $x] /;$ $\text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{2d} + \frac{1}{2} \int \cot^2(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx \\ &= -\frac{a(5iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} \\ &= -\frac{a(5iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} \\ &= -\frac{a(5iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} \\ &= -\frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a(5iA + 4B) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4d} \\ &= \frac{a^{3/2}(11A - 12iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{4d} - \frac{2\sqrt{2}a^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} \end{aligned}$$

Mathematica [B] time = 5.65381, size = 400, normalized size = 2.34

$$(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) \left(\frac{-2(11A-12iB)\left(\log\left((-1+e^{i(c+dx)})^2\right)-\log\left((1+e^{i(c+dx)})^2\right)+\log\left(-2e^{i(c+dx)}\left(1+\sqrt{2}\sqrt{1+e^{2i(c+dx)}}\right)+3e^{2i(c+dx)}\right)\right)}{\left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)^5} \right)$$

$32d \sec^2(c + dx)$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])*((-64*sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))] - 2*(11*A - (12*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]]) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))] + 2*E^(I*(c + d*x))*(1 + sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])]/((E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2)*(1 + E^((2*I)*(c + d*x)))^(3/2)) + ((8*I)*Csc[c + d*x]*(2*A*Csc[c + d*x] + ((5*I)*A + 4*B)*Sec[c + d*x])*(I + Tan[c + d*x])/Sec[c + d*x]^(5/2))/(32*d*Sec[c + d*x]^(5/2)*(A*cos[c + d*x] + B*sin[c + d*x]))
```

Maple [B] time = 0.45, size = 1290, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)
```

```
[Out] 1/8/d*a*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(11*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-12*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+14*I*A*cos(d*x+c)^2*sin(d*x+c)-10*I*A*cos(d*x+c)*sin(d*x+c)+12*I*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-4*A*cos(d*x+c)^2-10*A*cos(d*x+c)+14*A*cos(d*x+c)^3-8*I*B*cos(d*x+c)^3-8*B*cos(d*x+c)*sin(d*x+c)+8*B*cos(d*x+c)^2*sin(d*x+c)+8*I*B*cos(d*x+c)+16*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)-16*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+11*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-16*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-16*I*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)*2^(1/2)-16*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+16*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-11*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)+12*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c)-11*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2
```



```
*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-12*I*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+16*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)+16*I*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*2^(1/2))/(cos(d*x+c)-1)/(I*sin(d*x+c)+cos(d*x+c)-1)/(cos(d*x+c)+1)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.98599, size = 2080, normalized size = 12.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/8*(2*sqrt(2)*((7*A - 4*I*B)*a*e^(4*I*d*x + 4*I*c) + 4*A*a*e^(2*I*d*x + 2*I*c) - (3*A - 4*I*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt((121*A^2 - 264*I*A*B - 144*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((11*I*A + 12*B)*a*e^(2*I*d*x + 2*I*c) + (11*I*A + 12*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*I*sqrt((121*A^2 - 264*I*A*B - 144*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((11*I*A + 12*B)*a)) - sqrt((121*A^2 - 264*I*A*B - 144*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((11*I*A + 12*B)*a*e^(2*I*d*x + 2*I*c) + (11*I*A + 12*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*I*sqrt((121*A^2 - 264*I*A*B - 144*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((11*I*A + 12*B)*a)) - 4*sqrt((8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)) + 4*sqrt((8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*sqrt((8*A^2 - 16*I*A*B - 8*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^3, x)

$$3.81 \quad \int \cot^4(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=213

$$\frac{a^{3/2}(22B + 23iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a(6B + 7iA) \cot^2(c + dx)\sqrt{a + dx}}{12d}$$

[Out] (a^(3/2)*((23*I)*A + 22*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(8*d) - (2*Sqrt[2]*a^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (a*(9*A - (10*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - (a*((7*I)*A + 6*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(12*d) - (a*A*Cot[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/(3*d)

Rubi [A] time = 0.771934, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3593, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{a^{3/2}(22B + 23iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{2\sqrt{2}a^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a(6B + 7iA) \cot^2(c + dx)\sqrt{a + dx}}{12d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (a^(3/2)*((23*I)*A + 22*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(8*d) - (2*Sqrt[2]*a^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (a*(9*A - (10*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - (a*((7*I)*A + 6*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(12*d) - (a*A*Cot[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]])/(3*d)

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(
A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*
d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Ta
n[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a
*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \cot^4(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= -\frac{aA \cot^3(c+dx)\sqrt{a+ia \tan(c+dx)}}{3d} + \frac{1}{3} \int \cot^3(c+dx) dx \\
&= -\frac{a(7iA+6B) \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}}{12d} - \frac{aA \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= \frac{a(9A-10iB) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a(7iA+6B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= \frac{a(9A-10iB) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a(7iA+6B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= \frac{a(9A-10iB) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a(7iA+6B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= -\frac{2\sqrt{2}a^{3/2}(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{a(9A-10iB) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= \frac{a^{3/2}(23iA+22B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{2\sqrt{2}a^{3/2}(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d}
\end{aligned}$$

Mathematica [B] time = 6.37591, size = 439, normalized size = 2.06

$$(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) \left(-\frac{2i((23A-22iB)(\log((-1+e^{i(c+dx)})^2)-\log((1+e^{i(c+dx)})^2))+\log(-2e^{i(c+dx)}(1+\sqrt{2}\sqrt{1+e^{2i(c+dx)}})+3e^{i(c+dx)}))}{(E^{i(c+dx)})/(1+E^{i(c+dx)})^{3/2}(1+E^{i(c+dx)})^{3/2})-(4*\text{Csc}[c+d*x]^3*(\text{Cos}[c]-I*\text{Sin}[c])*(-19*A+(30*I)*B+5*(7*A-(6*I)*B)*\text{Cos}[2*(c+d*x)]+2*((7*I)*A+6*B)*\text{Sin}[2*(c+d*x)]))/(\text{Sqrt}[\text{Sec}[c+d*x]]*(3*\text{Cos}[d*x]+(3*I)*\text{Sin}[d*x]))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((((-2*I)*(64*Sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))]) + (23*A - (22*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]]) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])))/((E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(3/2)*(1 + E^((2*I)*(c + d*x))))^(3/2) - (4*Csc[c + d*x]^3*(Cos[c] - I*Sin[c])*(-19*A + (30*I)*B + 5*(7*A - (6*I)*B)*Cos[2*(c + d*x)] + 2*((7*I)*A + 6*B)*Sin[2*(c + d*x)]))/((Sqrt[Sec[c + d*x]]*(3*Cos[d*x] + (3*I)*Sin[d*x]))*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/(64*d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.522, size = 1804, normalized size = 8.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] 1/48/d*a*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(69*A*cos(d*x+c)^4*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1)))

$$\begin{aligned} &)^{(1/2)}+66*B*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-138*A*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-132*B*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+96*A*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+96*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))+69*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^4-66*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^4-138*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^2+132*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^2+96*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}+96*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*\cos(d*x+c)^4+98*I*A*\cos(d*x+c)^3*\sin(d*x+c)-28*I*A*\cos(d*x+c)^2*\sin(d*x+c)-192*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}*\cos(d*x+c)^2+192*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^2-96*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^4-82*A*\cos(d*x+c)^2+54*A*\cos(d*x+c)+98*A*\cos(d*x+c)^4-70*A*\cos(d*x+c)^3-60*B*\cos(d*x+c)*\sin(d*x+c)-24*B*\cos(d*x+c)^2*\sin(d*x+c)+84*B*\cos(d*x+c)^3*\sin(d*x+c)+69*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+66*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+60*I*B*\cos(d*x+c)^3+84*I*B*\cos(d*x+c)^2-60*I*B*\cos(d*x+c)-84*I*B*\cos(d*x+c)^4-96*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}+96*A*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+96*B*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))-192*A*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-192*B*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))+69*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-54*I*A*\cos(d*x+c)*\sin(d*x+c)-66*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})/(\cos(d*x+c)-1)/(I*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c)/(\cos(d*x+c)+1) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.8727, size = 2348, normalized size = 11.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{48} \cdot (2 \cdot \sqrt{2}) \cdot ((49 \cdot I \cdot A + 42 \cdot B) \cdot a \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} + (11 \cdot I \cdot A - 18 \cdot B) \cdot a \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + (-17 \cdot I \cdot A - 42 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (21 \cdot I \cdot A + 18 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)} \cdot e^{(I \cdot d \cdot x + I \cdot c)} + 3 \cdot \sqrt{- (529 \cdot A^2 - 1012 \cdot I \cdot A \cdot B - 484 \cdot B^2) \cdot a^3 / d^2} \cdot (d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} - 3 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d) \cdot \log((\sqrt{2}) \cdot ((23 \cdot I \cdot A + 22 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (23 \cdot I \cdot A + 22 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot e^{(I \cdot d \cdot x + I \cdot c)} + 2 \cdot \sqrt{- (529 \cdot A^2 - 1012 \cdot I \cdot A \cdot B - 484 \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((23 \cdot I \cdot A + 22 \cdot B) \cdot a)) - 3 \cdot \sqrt{- (529 \cdot A^2 - 1012 \cdot I \cdot A \cdot B - 484 \cdot B^2) \cdot a^3 / d^2} \cdot (d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} - 3 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d) \cdot \log((\sqrt{2}) \cdot ((23 \cdot I \cdot A + 22 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (23 \cdot I \cdot A + 22 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot e^{(I \cdot d \cdot x + I \cdot c)} - 2 \cdot \sqrt{- (529 \cdot A^2 - 1012 \cdot I \cdot A \cdot B - 484 \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((23 \cdot I \cdot A + 22 \cdot B) \cdot a)) - 24 \cdot \sqrt{- (8 \cdot A^2 - 16 \cdot I \cdot A \cdot B - 8 \cdot B^2) \cdot a^3 / d^2} \cdot (d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} - 3 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d) \cdot \log((\sqrt{2}) \cdot ((2 \cdot I \cdot A + 2 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (2 \cdot I \cdot A + 2 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot e^{(I \cdot d \cdot x + I \cdot c)} + \sqrt{- (8 \cdot A^2 - 16 \cdot I \cdot A \cdot B - 8 \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((2 \cdot I \cdot A + 2 \cdot B) \cdot a)) + 24 \cdot \sqrt{- (8 \cdot A^2 - 16 \cdot I \cdot A \cdot B - 8 \cdot B^2) \cdot a^3 / d^2} \cdot (d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} - 3 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d) \cdot \log((\sqrt{2}) \cdot ((2 \cdot I \cdot A + 2 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (2 \cdot I \cdot A + 2 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot e^{(I \cdot d \cdot x + I \cdot c)} - \sqrt{- (8 \cdot A^2 - 16 \cdot I \cdot A \cdot B - 8 \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((2 \cdot I \cdot A + 2 \cdot B) \cdot a))) / (d \cdot e^{(6 \cdot I \cdot d \cdot x + 6 \cdot I \cdot c)} - 3 \cdot d \cdot e^{(4 \cdot I \cdot d \cdot x + 4 \cdot I \cdot c)} + 3 \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**4*(a+I*a*tan(dx+c))**(3/2)*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A) (i a \tan(dx+c) + a)^{\frac{3}{2}} \cot(dx+c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx+c) + A)*(I*a*tan(dx+c) + a)^(3/2)*cot(dx+c)^4, x)

$$3.82 \quad \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=246

$$\frac{2a^2(3A - 4iB) \tan^3(c + dx) \sqrt{a + ia \tan(c + dx)}}{21d} + \frac{2a^2(46B + 45iA) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{105d} - \frac{8a^2(46B + 45iA)}{105d}$$

```
[Out] (4*Sqrt[2]*a^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (8*a^2*((45*I)*A + 46*B)*Sqrt[a + I*a*Tan[c + d*x]]/(105*d) + (2*a^2*((45*I)*A + 46*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]/(105*d) - (2*a^2*(3*A - (4*I)*B)*Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]]/(21*d) - (8*a*((60*I)*A + 59*B)*(a + I*a*Tan[c + d*x])^(3/2))/(315*d) + (((2*I)/9)*a*B*Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^(3/2))/d
```

Rubi [A] time = 0.753477, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3594, 3597, 3592, 3527, 3480, 206}

$$\frac{2a^2(3A - 4iB) \tan^3(c + dx) \sqrt{a + ia \tan(c + dx)}}{21d} + \frac{2a^2(46B + 45iA) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{105d} - \frac{8a^2(46B + 45iA)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] (4*Sqrt[2]*a^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (8*a^2*((45*I)*A + 46*B)*Sqrt[a + I*a*Tan[c + d*x]]/(105*d) + (2*a^2*((45*I)*A + 46*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]]/(105*d) - (2*a^2*(3*A - (4*I)*B)*Tan[c + d*x]^3*Sqrt[a + I*a*Tan[c + d*x]]/(21*d) - (8*a*((60*I)*A + 59*B)*(a + I*a*Tan[c + d*x])^(3/2))/(315*d) + (((2*I)/9)*a*B*Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^(3/2))/d
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3597

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3592


```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(
B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*
x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3527

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist
[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e,
f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= \frac{2iaB \tan^3(c + dx)(a + ia \tan(c + dx))^{3/2}}{9d} + \frac{2}{9} \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
&= -\frac{2a^2(3A - 4iB) \tan^3(c + dx) \sqrt{a + ia \tan(c + dx)}}{21d} + \frac{2}{9} \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
&= \frac{2a^2(45iA + 46B) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{105d} - \frac{2}{9} \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
&= \frac{2a^2(45iA + 46B) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{105d} - \frac{2}{9} \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
&= -\frac{8a^2(45iA + 46B) \sqrt{a + ia \tan(c + dx)}}{105d} + \frac{2a^2(45iA + 46B) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{105d} - \frac{2}{9} \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
&= -\frac{8a^2(45iA + 46B) \sqrt{a + ia \tan(c + dx)}}{105d} + \frac{2a^2(45iA + 46B) \tan^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{105d} - \frac{2}{9} \int \tan^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
&= \frac{4\sqrt{2}a^{5/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{8a^2(45iA + 46B) \sqrt{a + ia \tan(c + dx)}}{105d}
\end{aligned}$$

Mathematica [A] time = 5.6426, size = 284, normalized size = 1.15

$$\frac{(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) \left(4\sqrt{2}(B + iA)e^{-3i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) - \frac{i(\cos(2c) - i)}{2} \right)}{d \sec^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),
x]
```

```
[Out] (((4*sqrt(2)*(I*A + B)*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))])*sqrt
[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))])/E^((3*I)*(c + d*x)) - (
(I/1260)*Sec[c + d*x]^(9/2)*(Cos[2*c] - I*Sin[2*c])*(2205*A - (2331*I)*B +
12*(260*A - (251*I)*B)*Cos[2*(c + d*x)] + (915*A - (961*I)*B)*Cos[4*(c + d*
x)] + (390*I)*A*Sin[2*(c + d*x)] + 282*B*Sin[2*(c + d*x)] + (285*I)*A*Sin[4
*(c + d*x)] + 331*B*Sin[4*(c + d*x)]))/(Cos[d*x] + I*Sin[d*x])^2*(a + I*a*
Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*Sec[c + d*x]^(7/2)*(A*cos[c +
d*x] + B*Sin[c + d*x]))
```

Maple [A] time = 0.027, size = 206, normalized size = 0.8

$$\frac{-2i}{a^2d} \left(-\frac{i}{9} B (a + ia \tan(dx + c))^{\frac{9}{2}} + \frac{i}{7} B (a + ia \tan(dx + c))^{\frac{7}{2}} a + \frac{Aa}{7} (a + ia \tan(dx + c))^{\frac{7}{2}} - \frac{i}{5} B a^2 (a + ia \tan(dx + c))^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] -2*I/d/a^2*(-1/9*I*B*(a+I*a*tan(d*x+c))^(9/2)+1/7*I*B*(a+I*a*tan(d*x+c))^(7
/2)*a+1/7*A*(a+I*a*tan(d*x+c))^(7/2)*a-1/5*I*B*a^2*(a+I*a*tan(d*x+c))^(5/2)
-1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)*a^3+1/3*A*(a+I*a*tan(d*x+c))^(3/2)*a^3-2*
I*B*a^4*(a+I*a*tan(d*x+c))^(1/2)+2*A*a^4*(a+I*a*tan(d*x+c))^(1/2)-2*a^(9/2)
*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorit
hm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.79612, size = 1585, normalized size = 6.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorit
hm="fricas")
```

```
[Out] 1/630*(sqrt(2)*((-4800*I*A - 5168*B)*a^2*e^(8*I*d*x + 8*I*c) + (-14040*I*A
- 13176*B)*a^2*e^(6*I*d*x + 6*I*c) + (-17640*I*A - 18648*B)*a^2*e^(4*I*d*x
+ 4*I*c) + (-10920*I*A - 10920*B)*a^2*e^(2*I*d*x + 2*I*c) + (-2520*I*A - 25
20*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 315*sqrt(-(3
2*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) + 4*d*e^(6*I*d*x
+ 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqr
t(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^
(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt(-(32*A^2 - 64*I*A*B - 32*B^2
```

```
) * a^5/d^2 * d * e^(2*I*d*x + 2*I*c)) * e^(-2*I*d*x - 2*I*c) / ((4*I*A + 4*B) * a^2))
- 315 * sqrt(-(32*A^2 - 64*I*A*B - 32*B^2) * a^5/d^2) * (d * e^(8*I*d*x + 8*I*c) +
4 * d * e^(6*I*d*x + 6*I*c) + 6 * d * e^(4*I*d*x + 4*I*c) + 4 * d * e^(2*I*d*x + 2*I*c)
) + d) * log((sqrt(2) * ((4*I*A + 4*B) * a^2 * e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B) *
a^2) * sqrt(a / (e^(2*I*d*x + 2*I*c) + 1))) * e^(I*d*x + I*c) - sqrt(-(32*A^2 - 64
*I*A*B - 32*B^2) * a^5/d^2) * d * e^(2*I*d*x + 2*I*c)) * e^(-2*I*d*x - 2*I*c) / ((4*I
*A + 4*B) * a^2))) / (d * e^(8*I*d*x + 8*I*c) + 4 * d * e^(6*I*d*x + 6*I*c) + 6 * d * e^(
4*I*d*x + 4*I*c) + 4 * d * e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(a + I a \tan(dx + c))^{5/2} \tan(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorit
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*tan(d*x + c)^2,
x)
```

3.83 $\int \tan(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=171

$$\frac{4a^2(A - iB)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(A - iB)(a + ia \tan(c + dx))^{3/2}}{3d} + \frac{2A(a + ia \tan(c + dx))^{5/2}}{5d}$$

[Out] (-4*Sqrt[2]*a^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (4*a^2*(A - I*B)*Sqrt[a + I*a*Tan[c + d*x]]/d + (2*a*(A - I*B)*(a + I*a*Tan[c + d*x])^(3/2))/(3*d) + (2*A*(a + I*a*Tan[c + d*x])^(5/2))/(5*d) - (((2*I)/7)*B*(a + I*a*Tan[c + d*x])^(7/2))/(a*d)

Rubi [A] time = 0.199722, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3592, 3527, 3478, 3480, 206}

$$\frac{4a^2(A - iB)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(A - iB)(a + ia \tan(c + dx))^{3/2}}{3d} + \frac{2A(a + ia \tan(c + dx))^{5/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] (-4*Sqrt[2]*a^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (4*a^2*(A - I*B)*Sqrt[a + I*a*Tan[c + d*x]]/d + (2*a*(A - I*B)*(a + I*a*Tan[c + d*x])^(3/2))/(3*d) + (2*A*(a + I*a*Tan[c + d*x])^(5/2))/(5*d) - (((2*I)/7)*B*(a + I*a*Tan[c + d*x])^(7/2))/(a*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3478

Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b*(a + b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[2*a, Int[(a + b*Tan[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && GtQ[n, 1]

Rule 3480

Int[Sqrt[(a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,

b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \tan(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= -\frac{2iB(a+ia \tan(c+dx))^{7/2}}{7ad} + \int (a+ia \tan(c+dx))^{5/2} \\ &= \frac{2A(a+ia \tan(c+dx))^{5/2}}{5d} - \frac{2iB(a+ia \tan(c+dx))^{7/2}}{7ad} \\ &= \frac{2a(A-iB)(a+ia \tan(c+dx))^{3/2}}{3d} + \frac{2A(a+ia \tan(c+dx))^{5/2}}{5d} \\ &= \frac{4a^2(A-iB)\sqrt{a+ia \tan(c+dx)}}{d} + \frac{2a(A-iB)(a+ia \tan(c+dx))^{5/2}}{3d} \\ &= \frac{4a^2(A-iB)\sqrt{a+ia \tan(c+dx)}}{d} + \frac{2a(A-iB)(a+ia \tan(c+dx))^{5/2}}{3d} \\ &= -\frac{4\sqrt{2}a^{5/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{4a^2(A-iB)\sqrt{a+ia \tan(c+dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 3.93588, size = 268, normalized size = 1.57

$$\frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left(\frac{(\cos(2c)-i \sin(2c)) \sec^{\frac{7}{2}}(c+dx)(21(37A-35iB) \cos(c+dx)+(287A-305iB) \cos(3(c+dx))+77iA \sin(c+dx))}{210(\cos(dx)+i \sin(dx))^2} \right)}{d \sec^{\frac{7}{2}}(c+dx)(A \cos(c+dx)+B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (((-4*Sqrt[2]*(A - I*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))]/E^((3*I)*(c + d*x)) + (Sec[c + d*x]^(7/2)*(Cos[2*c] - I*Sin[2*c])*(21*(37*A - (35*I)*B)*Cos[c + d*x] + (287*A - (305*I)*B)*Cos[3*(c + d*x)] + (77*I)*A*Sin[c + d*x] + 35*B*Sin[c + d*x] + (77*I)*A*Sin[3*(c + d*x)] + 95*B*Sin[3*(c + d*x)]))/(210*(Cos[d*x] + I*Sin[d*x])^2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*Sec[c + d*x]^(7/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.019, size = 165, normalized size = 1.

$$2 \frac{1}{ad} \left(-i/7B(a+ia \tan(dx+c))^{7/2} + 1/5 A(a+ia \tan(dx+c))^{5/2} a - i/3a^2B(a+ia \tan(dx+c))^{3/2} + 1/3 A(a+ia \tan(dx+c))^{5/2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

```
[Out] 2/d/a*(-1/7*I*B*(a+I*a*tan(d*x+c))^(7/2)+1/5*A*(a+I*a*tan(d*x+c))^(5/2)*a-1
/3*I*a^2*B*(a+I*a*tan(d*x+c))^(3/2)+1/3*A*(a+I*a*tan(d*x+c))^(3/2)*a^2-2*I*
B*a^3*(a+I*a*tan(d*x+c))^(1/2)+2*A*a^3*(a+I*a*tan(d*x+c))^(1/2)-2*a^(7/2)*(
A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.76055, size = 1385, normalized size = 8.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 1/210*(8*sqrt(2)*(2*(91*A - 100*I*B)*a^2*e^(6*I*d*x + 6*I*c) + 7*(61*A - 55
*I*B)*a^2*e^(4*I*d*x + 4*I*c) + 350*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + 105
*(A - I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 105*sqrt
((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I
*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^
2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1)
)*e^(I*d*x + I*c) + I*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d
*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 105*sqrt((32*A^2 -
64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*
c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*
x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x
+ I*c) - I*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c)
)*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(6*I*d*x + 6*I*c) + 3*d*e
^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \tan(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*tan(d*x + c), x
)
```

3.84 $\int (a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=141

$$\frac{4a^2(B + iA)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{4\sqrt{2}a^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(B + iA)(a + ia \tan(c + dx))^{3/2}}{3d} + \frac{2B(a}{5d}$$

[Out] $(-4*\text{Sqrt}[2]*a^{(5/2)}*(I*A + B)*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*\text{Sqrt}[a]))/d + (4*a^2*(I*A + B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/d + (2*a*(I*A + B)*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/(3*d) + (2*B*(a + I*a*\text{Tan}[c + d*x])^{(5/2)})/(5*d)$

Rubi [A] time = 0.125664, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3527, 3478, 3480, 206}

$$\frac{4a^2(B + iA)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{4\sqrt{2}a^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{2a(B + iA)(a + ia \tan(c + dx))^{3/2}}{3d} + \frac{2B(a}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^{(5/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-4*\text{Sqrt}[2]*a^{(5/2)}*(I*A + B)*\text{ArcTanh}[\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*\text{Sqrt}[a]))/d + (4*a^2*(I*A + B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/d + (2*a*(I*A + B)*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/(3*d) + (2*B*(a + I*a*\text{Tan}[c + d*x])^{(5/2)})/(5*d)$

Rule 3527

$\text{Int}[(a + b*\text{tan}[e + f*x])^m * (c + d*\text{tan}[e + f*x]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3478

$\text{Int}[(a + b*\text{tan}[c + d*x])^n, x_Symbol] \rightarrow \text{Simp}[(b*(a + b*\text{Tan}[c + d*x])^{(n-1)})/(d*(n-1)), x] + \text{Dist}[2*a, \text{Int}[(a + b*\text{Tan}[c + d*x])^{(n-1)}, x], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && GtQ[n, 1]

Rule 3480

$\text{Int}[\text{Sqrt}[a + b*\text{tan}[c + d*x]], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]]], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx)) dx &= \frac{2B(a + ia \tan(c + dx))^{5/2}}{5d} - (-A + iB) \int (a + ia \tan(c + dx))^{5/2} dx \\
&= \frac{2a(iA + B)(a + ia \tan(c + dx))^{3/2}}{3d} + \frac{2B(a + ia \tan(c + dx))^{5/2}}{5d} + (2A - iB) \int (a + ia \tan(c + dx))^{3/2} dx \\
&= \frac{4a^2(iA + B)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2a(iA + B)(a + ia \tan(c + dx))^{3/2}}{3d} \\
&= \frac{4a^2(iA + B)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2a(iA + B)(a + ia \tan(c + dx))^{3/2}}{3d} \\
&= -\frac{4\sqrt{2}a^{5/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{4a^2(iA + B)\sqrt{a + ia \tan(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 3.01935, size = 236, normalized size = 1.67

$$\frac{(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx)) \left(\frac{(\cos(2c) - i \sin(2c)) \sec^2(c + dx) ((-5A + 11iB) \sin(2(c + dx)) + (41B + 35iA) \cos(2(c + dx)) + 35(B + iA))}{15(\cos(dx) + i \sin(dx))^2} \right)}{d \sec^2(c + dx) (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] ((((-4*I)*Sqrt[2]*(A - I*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))])*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))]/E^((3*I)*(c + d*x)) + (Sec[c + d*x]^(5/2)*(Cos[2*c] - I*Sin[2*c])*(35*(I*A + B) + ((35*I)*A + 41*B)*Cos[2*(c + d*x)] + (-5*A + (11*I)*B)*Sin[2*(c + d*x)]))/(15*(Cos[d*x] + I*Sin[d*x])^2))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*Sec[c + d*x]^(7/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [A] time = 0.017, size = 141, normalized size = 1.

$$\frac{2i}{d} \left(-\frac{i}{5} B (a + ia \tan(dx + c))^{5/2} - \frac{i}{3} B (a + ia \tan(dx + c))^{3/2} a + \frac{Aa}{3} (a + ia \tan(dx + c))^{3/2} - 2iB \sqrt{a + ia \tan(dx + c)} a^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] 2*I/d*(-1/5*I*B*(a+I*a*tan(d*x+c))^(5/2)-1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)*a+1/3*A*(a+I*a*tan(d*x+c))^(3/2)*a-2*I*B*(a+I*a*tan(d*x+c))^(1/2)*a^2+2*a^2*A*(a+I*a*tan(d*x+c))^(1/2)-2*a^(5/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.74943, size = 1223, normalized size = 8.67

$$\sqrt{2}((160i A + 208 B)a^2 e^{4i dx + 4i c} + (280i A + 280 B)a^2 e^{2i dx + 2i c} + (120i A + 120 B)a^2) \sqrt{\frac{a}{e^{2i dx + 2i c} + 1}} e^{i dx + i c} - 15 \sqrt{-\frac{(32 A^2 - 64 I A B - 32 B^2) a^5}{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/30*(sqrt(2)*((160*I*A + 208*B)*a^2*e^(4*I*d*x + 4*I*c) + (280*I*A + 280*B)*a^2*e^(2*I*d*x + 2*I*c) + (120*I*A + 120*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 15*sqrt(-(32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt(-(32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 15*sqrt(-(32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - sqrt(-(32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.85 \quad \int \cot(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=147

$$\frac{2a^2(A - 2iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2ia^{5/2}B \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d}$$

[Out] $(-2*a^{(5/2)}*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/d + (4*Sqrt[2]*a^{(5/2)}*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (2*a^2*(A - (2*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/d + (((2*I)/3)*a*B*(a + I*a*Tan[c + d*x])^{(3/2)})/d$

Rubi [A] time = 0.534141, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3594, 3600, 3480, 206, 3599, 63, 208}

$$\frac{2a^2(A - 2iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2ia^{5/2}B \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^{(5/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*a^{(5/2)}*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/d + (4*Sqrt[2]*a^{(5/2)}*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (2*a^2*(A - (2*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/d + (((2*I)/3)*a*B*(a + I*a*Tan[c + d*x])^{(3/2)})/d$

Rule 3594

$\text{Int}[\frac{((a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])^{(n_)}}{((c_) + (d_)*\text{tan}[(e_) + (f_)*(x_)])^{(n_)}}], x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)})/(d*f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^n * \text{Simp}[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3600

$\text{Int}[\frac{((a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])}{((c_) + (d_)*\text{tan}[(e_) + (f_)*(x_)])}], x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[\frac{((a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x]))}{(c + d*\text{Tan}[e + f*x])}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= \frac{2iaB(a + ia \tan(c + dx))^{3/2}}{3d} + \frac{2}{3} \int \cot(c + dx)(a + ia \tan(c + dx))^{5/2} dx \\ &= -\frac{2a^2(A - 2iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2iaB(a + ia \tan(c + dx))^{3/2}}{3d} \\ &= -\frac{2a^2(A - 2iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2iaB(a + ia \tan(c + dx))^{3/2}}{3d} \\ &= -\frac{2a^2(A - 2iB)\sqrt{a + ia \tan(c + dx)}}{d} + \frac{2iaB(a + ia \tan(c + dx))^{3/2}}{3d} \\ &= \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{2a^2(A - 2iB)\sqrt{a + ia \tan(c + dx)}}{d} \\ &= -\frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{d} + \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} \end{aligned}$$

Mathematica [B] time = 7.93852, size = 429, normalized size = 2.92

$$\frac{\cos^3(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) \left((3A - 8iB) \left(-\frac{2}{3} \cos(2c) + \frac{2}{3} i \sin(2c) \right) + \sec(c + dx) \left(-\frac{2}{3} B \sin(3c) \right) \right)}{d(\cos(dx) + i \sin(dx))^2(A \cos(c + dx) + B \sin(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

```
[Out] (Sqrt[E^(I*d*x)]*(8*(A - I*B)*ArcSinh[E^(I*(c + d*x))] + Sqrt[2]*A*(Log[1 -
E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))] + Log[1 - E^(I*(c + d*x)) + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]) - Log[1 + E^(I*(c + d*x)) + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(Sqrt[2]*d*E^((2*I)*c)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*((3*A - (8*I)*B)*((-2*Cos[2*c])/3 + ((2*I)/3)*Sin[2*c]) + Sec[c + d*x]*(((2*I)/3)*B*Cos[3*c + d*x] - (2*B*Sin[3*c + d*x])/3))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [B] time = 0.431, size = 965, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] 1/6/d*a^2*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(3*I*A*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+12*I*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+12*I*A*2^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-28*I*B*cos(d*x+c)-12*A*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+3*I*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+12*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-12*I*A*cos(d*x+c)*sin(d*x+c)-3*A*cos(d*x+c)*sin(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)-12*A*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)+12*B*2^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-3*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*sin(d*x+c)-4*I*B+12*I*A*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-12*A*cos(d*x+c)^2+12*I*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))-32*B*cos(d*x+c)*sin(d*x+c)+12*A*cos(d*x+c)+32*I*B*cos(d*x+c)^2+4*B*sin(d*x+c))/(I*sin(d*x+c)+cos(d*x+c)-1)/cos(d*x+c)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

[Out] Exception raised: ValueError

Fricas [B] time = 1.884, size = 1652, normalized size = 11.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/6*(4*\sqrt{2}*((3*A - 8*I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + 3*(A - 2*I*B)*a^2) \\ & * \sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 6*\sqrt{A^2*a^5/d^2}*(d \\ & *e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*(A*a^2*e^{(2*I*d*x + 2*I*c)} + A*a^2)* \\ & \sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 2*\sqrt{A^2*a^5/d^2}*d*e^{ \\ & ^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)/(A*a^2)}) - 6*\sqrt{A^2*a^5/d^2}*(d* \\ & e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*(A*a^2*e^{(2*I*d*x + 2*I*c)} + A*a^2)*s \\ & \sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 2*\sqrt{A^2*a^5/d^2}*d*e^{ \\ & ^{(2*I*d*x + 2*I*c)}}*e^{(-2*I*d*x - 2*I*c)/(A*a^2)}) - 3*\sqrt{(32*A^2 - 64*I*A* \\ & B - 32*B^2)*a^5/d^2}*(d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((4*I*A + 4*B) \\ &)*a^2*e^{(2*I*d*x + 2*I*c)} + (4*I*A + 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} \\ & + 1)}*e^{(I*d*x + I*c)} + I*\sqrt{(32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2}*d*e^{(2 \\ & *I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)}) + 3*\sqrt{(32*A^2 \\ & - 64*I*A*B - 32*B^2)*a^5/d^2}*(d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((4 \\ & *I*A + 4*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (4*I*A + 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x \\ & + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - I*\sqrt{(32*A^2 - 64*I*A*B - 32*B^2)*a^5/d \\ & ^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)})))/(d*e^{ \\ & ^{(2*I*d*x + 2*I*c)}} + d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c), x)

$$3.86 \quad \int \cot^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=158

$$\frac{a^2(-2B + iA)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{a^{5/2}(2B + 5iA) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{d} + \frac{4\sqrt{2}a^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d}$$

[Out] $-\left(\frac{a^{5/2}((5I)A + 2B)\text{ArcTanh}\left[\frac{\sqrt{a + I*a*\text{Tan}[c + d*x]}}{\sqrt{a}}\right]}{d} + \frac{4*\sqrt{2}*a^{5/2}*(I*A + B)\text{ArcTanh}\left[\frac{\sqrt{a + I*a*\text{Tan}[c + d*x]}}{\sqrt{2}*\sqrt{a}}\right]}{d} + \frac{a^2*(I*A - 2*B)*\sqrt{a + I*a*\text{Tan}[c + d*x]}}{d} - \frac{a*A*\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^{3/2}}{d}\right)$

Rubi [A] time = 0.552072, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3593, 3594, 3600, 3480, 206, 3599, 63, 208}

$$\frac{a^2(-2B + iA)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{a^{5/2}(2B + 5iA) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{d} + \frac{4\sqrt{2}a^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^{5/2}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-\left(\frac{a^{5/2}((5I)A + 2B)\text{ArcTanh}\left[\frac{\sqrt{a + I*a*\text{Tan}[c + d*x]}}{\sqrt{a}}\right]}{d} + \frac{4*\sqrt{2}*a^{5/2}*(I*A + B)\text{ArcTanh}\left[\frac{\sqrt{a + I*a*\text{Tan}[c + d*x]}}{\sqrt{2}*\sqrt{a}}\right]}{d} + \frac{a^2*(I*A - 2*B)*\sqrt{a + I*a*\text{Tan}[c + d*x]}}{d} - \frac{a*A*\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^{3/2}}{d}\right)$

Rule 3593

$\text{Int}[\left(\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}\right)^m*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])^n, x_Symbol] :> -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3594

$\text{Int}[\left(\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}\right)^m*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])^n, x_Symbol] :> \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3600

$\text{Int}[\left(\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}\right)^m*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]), x_Symbol] :> \text{Dist}[($

$A*b + a*B)/(b*c + a*d)$, $\text{Int}[(a + b*\text{Tan}[e + f*x])^m, x]$, $x] - \text{Dist}[(B*c - A*d)/(b*c + a*d)$, $\text{Int}[(a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x])]/(c + d*\text{Tan}[e + f*x])$, $x]$, $x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\}$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$ && $\text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)]]$, $x_Symbol]$ $\rightarrow \text{Dist}[(-2*b)/d$, $\text{Subst}[\text{Int}[1/(2*a - x^2)$, $x]$, x , $\text{Sqrt}[a + b*\text{Tan}[c + d*x]]]$, $x]$ /; $\text{FreeQ}\{a, b, c, d\}, x\}$ && $\text{EqQ}[a^2 + b^2, 0]$

Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}$, $x_Symbol]$ $\rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2])$, $x]$ /; $\text{FreeQ}\{a, b\}, x\}$ && $\text{NegQ}[a/b]$ && $(\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3599

$\text{Int}[(a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])^{(n_)$, $x_Symbol]$ $\rightarrow \text{Dist}[(b*B)/f$, $\text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n$, $x]$, $\text{Tan}[e + f*x]$, $x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\}$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$ && $\text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[(a_) + (b_)*(x_)^{(m_)*((c_) + (d_)*(x_)^{(n_)$, $x_Symbol]$ $\rightarrow \text{With}[\{p = \text{Denominator}[m]\}$, $\text{Dist}[p/b$, $\text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n$, $x]$, $(a + b*x)^{(1/p)}$, $x]$ /; $\text{FreeQ}\{a, b, c, d\}, x\}$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{LtQ}[-1, m, 0]$ && $\text{LeQ}[-1, n, 0]$ && $\text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]]$ && $\text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}$, $x_Symbol]$ $\rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a$, $x]$ /; $\text{FreeQ}\{a, b\}, x\}$ && $\text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{d} + \int \cot(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\ &= \frac{a^2(iA - 2B)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{d} \\ &= \frac{a^2(iA - 2B)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{d} \\ &= \frac{a^2(iA - 2B)\sqrt{a + ia \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{d} \\ &= \frac{4\sqrt{2}a^{5/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{a^2(iA - 2B)\sqrt{a + ia \tan(c + dx)}}{d} \\ &= -\frac{a^{5/2}(5iA + 2B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{4\sqrt{2}a^{5/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{a^2(iA - 2B)\sqrt{a + ia \tan(c + dx)}}{d} \end{aligned}$$

Mathematica [B] time = 6.89558, size = 413, normalized size = 2.61

$$(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx)) \left(e^{-3i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \left(2(2B + 5iA) \left(\log \left((-1 + e^{i(c+dx)})^2 \right) - \log \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (((Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))])*(32*Sqrt[2]*(I*A + B)*ArcSinh[E^(I*(c + d*x))] + 2*((5*I)*A + 2*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])))/E^((3*I)*(c + d*x)) - (8*(A*Csc[c + d*x] + 2*B*Sec[c + d*x])*(Cos[2*c] - I*Sin[2*c]))/(Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])^2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(8*d*Sec[c + d*x]^(7/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.471, size = 1141, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out]
$$\begin{aligned} & -1/2/d*a^2*(-2*I*B*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan \\ & (1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-5*I*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+8*A*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-8*I*B*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+8*B*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))-4*I*B*\cos(d*x+c)^2+2*I*A*\cos(d*x+c)*\sin(d*x+c)+5*A*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-8*I*A*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+2*B*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-8*A*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+4*I*B+8*I*B*2^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-8*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))+8*I*A*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))+2*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+2*A*\cos(d*x+c)^2-5*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+4*B*\cos(d*x+c)*\sin(d*x+c)-2*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-2*A*\cos(d*x+c)-4*B*\sin(d*x+c)+5*I*A*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \end{aligned}$$

$$\frac{1}{2} \ln\left(-\left(-2\cos(dx+c)/(\cos(dx+c)+1)\right)^{1/2} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \cdot \left(a \cdot \left(\frac{\sin(dx+c) + \cos(dx+c)}{\cos(dx+c)}\right)^{1/2} / \left(\frac{\sin(dx+c) + \cos(dx+c) - 1}{\sin(dx+c)}\right)\right)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.90083, size = 1872, normalized size = 11.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{2} \left(\sqrt{2} \left((-2IA - 4B)a^2 e^{(2I dx + 2Ic)} + (-2IA + 4B)a^2 \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} e^{(I dx + Ic)} - \sqrt{-(25A^2 - 20IA B - 4B^2)} a^5/d^2 \cdot (d e^{(2I dx + 2Ic)} - d) \log\left(\frac{\sqrt{2} \left((5IA + 2B)a^2 e^{(2I dx + 2Ic)} + (5IA + 2B)a^2 \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} e^{(I dx + Ic)} + 2 \sqrt{-(25A^2 - 20IA B - 4B^2)} a^5/d^2 \cdot d e^{(2I dx + 2Ic)}}{(5IA + 2B)a^2} \right) + \sqrt{-(25A^2 - 20IA B - 4B^2)} a^5/d^2 \cdot (d e^{(2I dx + 2Ic)} - d) \log\left(\frac{\sqrt{2} \left((5IA + 2B)a^2 e^{(2I dx + 2Ic)} + (5IA + 2B)a^2 \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} e^{(I dx + Ic)} - 2 \sqrt{-(25A^2 - 20IA B - 4B^2)} a^5/d^2 \cdot d e^{(2I dx + 2Ic)}}{(5IA + 2B)a^2} \right) + \sqrt{-(32A^2 - 64IA B - 32B^2)} a^5/d^2 \cdot (d e^{(2I dx + 2Ic)} - d) \log\left(\frac{\sqrt{2} \left((4IA + 4B)a^2 e^{(2I dx + 2Ic)} + (4IA + 4B)a^2 \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} e^{(I dx + Ic)} + \sqrt{-(32A^2 - 64IA B - 32B^2)} a^5/d^2 \cdot d e^{(2I dx + 2Ic)}}{(4IA + 4B)a^2} \right) - \sqrt{-(32A^2 - 64IA B - 32B^2)} a^5/d^2 \cdot (d e^{(2I dx + 2Ic)} - d) \log\left(\frac{\sqrt{2} \left((4IA + 4B)a^2 e^{(2I dx + 2Ic)} + (4IA + 4B)a^2 \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} e^{(I dx + Ic)} - \sqrt{-(32A^2 - 64IA B - 32B^2)} a^5/d^2 \cdot d e^{(2I dx + 2Ic)}}{(4IA + 4B)a^2} \right) \right) / (d e^{(2I dx + 2Ic)} - d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**2*(a+I*a*tan(dx+c))**(5/2)*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^2, x)

$$3.87 \quad \int \cot^3(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=173

$$\frac{a^{5/2}(23A - 20iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(4B + 7iA) \cot(c + dx)\sqrt{a + ia}}{4d}$$

[Out] (a^(5/2)*(23*A - (20*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*d) - (4*Sqrt[2]*a^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (a^2*((7*I)*A + 4*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^(3/2))/(2*d)

Rubi [A] time = 0.605962, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3593, 3600, 3480, 206, 3599, 63, 208}

$$\frac{a^{5/2}(23A - 20iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(4B + 7iA) \cot(c + dx)\sqrt{a + ia}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (a^(5/2)*(23*A - (20*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*d) - (4*Sqrt[2]*a^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d - (a^2*((7*I)*A + 4*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^(3/2))/(2*d)

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)(a + ia \tan(c + dx))^{3/2}}{2d} + \frac{1}{2} \int \cot^2(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\ &= -\frac{a^2(7iA + 4B) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{2d} \\ &= -\frac{a^2(7iA + 4B) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{2d} \\ &= -\frac{a^2(7iA + 4B) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)(a + ia \tan(c + dx))^{3/2}}{2d} \\ &= -\frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(7iA + 4B) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{4d} \\ &= \frac{a^{5/2}(23A - 20iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{a}}\right)}{4d} - \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} \end{aligned}$$

Mathematica [B] time = 8.45932, size = 427, normalized size = 2.47

$$(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) \left(-2e^{-3i(c + dx)} \sqrt{\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}}} \sqrt{1 + e^{2i(c + dx)}} \left((23A - 20iB) \left(\log \left((-1 + e^{i(c + dx)})^2 \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

```
[Out] (((-2*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))])*(64*sqrt[2]*(A - I*B)*ArcSinh[E^(I*(c + d*x))] + (23*A - (20*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]] + 2*E^(I*(c + d*x))*(1 + sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])))/E^((3*I)*(c + d*x)) - (8*Csc[c + d*x]*(2*A*Csc[c + d*x] + ((9*I)*A + 4*B)*Sec[c + d*x])*(Cos[2*c] - I*Sin[2*c]))/(Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])^2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(32*d*Sec[c + d*x]^(7/2)*(A*cos[c + d*x] + B*sin[c + d*x]))
```

Maple [B] time = 0.445, size = 1292, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] 1/8/d*a^2*(20*I*B*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-20*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-23*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-20*I*B*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-32*I*A*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-4*A*cos(d*x+c)^2-18*A*cos(d*x+c)+22*A*cos(d*x+c)^3-8*I*B*cos(d*x+c)^3-8*B*cos(d*x+c)*sin(d*x+c)+8*B*cos(d*x+c)^2*sin(d*x+c)+8*I*B*cos(d*x+c)+32*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)-32*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-32*I*B*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+23*I*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+23*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+32*I*A*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)*cos(d*x+c)^2+32*I*B*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)/cos(d*x+c))*2^(1/2)*cos(d*x+c)^2-32*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+32*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)+22*I*A*cos(d*x+c)^2*sin(d*x+c)-18*I*A*sin(d*x+c)*cos(d*x+c)-23*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)+20*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2*sin(d*x+c))*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)/(cos(d*x+c)-1)/(I*sin(d*x+c)+cos(d*x+c)-1)/(cos(d*x+c)+1)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.82976, size = 2133, normalized size = 12.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/8*(2*sqrt(2)*((11*A - 4*I*B)*a^2*e^(4*I*d*x + 4*I*c) + 4*A*a^2*e^(2*I*d*x + 2*I*c) - (7*A - 4*I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt((529*A^2 - 920*I*A*B - 400*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((23*I*A + 20*B)*a^2*e^(2*I*d*x + 2*I*c) + (23*I*A + 20*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*I*sqrt((529*A^2 - 920*I*A*B - 400*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((23*I*A + 20*B)*a^2)) - sqrt((529*A^2 - 920*I*A*B - 400*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((23*I*A + 20*B)*a^2*e^(2*I*d*x + 2*I*c) + (23*I*A + 20*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*I*sqrt((529*A^2 - 920*I*A*B - 400*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((23*I*A + 20*B)*a^2)) - 4*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 4*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^3, x)

$$3.88 \quad \int \cot^4(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=217

$$\frac{a^{5/2}(46B + 45iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{4\sqrt{2}a^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(2B + 3iA) \cot^2(c + dx)\sqrt{a}}{4d}$$

[Out] (a^(5/2)*((45*I)*A + 46*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(8*d) - (4*Sqrt[2]*a^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (a^2*(19*A - (18*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - (a^2*((3*I)*A + 2*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^(3/2))/(3*d)

Rubi [A] time = 0.797316, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3593, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{a^{5/2}(46B + 45iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{4\sqrt{2}a^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(2B + 3iA) \cot^2(c + dx)\sqrt{a}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] (a^(5/2)*((45*I)*A + 46*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(8*d) - (4*Sqrt[2]*a^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/d + (a^2*(19*A - (18*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - (a^2*((3*I)*A + 2*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^(3/2))/(3*d)

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(
A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*
d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Ta
n[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a
*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \cot^4(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= -\frac{aA \cot^3(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} + \frac{1}{3} \int \cot^3(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx \\
&= -\frac{a^2(3iA+2B) \cot^2(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} - \frac{aA \cot^3(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} \\
&= \frac{a^2(19A-18iB) \cot(c+dx) \sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a^2(3iA+2B) \cot^2(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= \frac{a^2(19A-18iB) \cot(c+dx) \sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a^2(3iA+2B) \cot^2(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= \frac{a^2(19A-18iB) \cot(c+dx) \sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a^2(3iA+2B) \cot^2(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= -\frac{4\sqrt{2}a^{5/2}(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{a^2(19A-18iB) \cot(c+dx) \sqrt{a+ia \tan(c+dx)}}{8d} \\
&= \frac{a^{5/2}(45iA+46B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{8d} - \frac{4\sqrt{2}a^{5/2}(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{a^2(19A-18iB) \cot(c+dx) \sqrt{a+ia \tan(c+dx)}}{8d}
\end{aligned}$$

Mathematica [B] time = 8.60248, size = 634, normalized size = 2.92

$$\cos^3(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left(\csc(c) \left(\frac{1}{12} \cos(2c) - \frac{1}{12} i \sin(2c) \right) \csc^2(c+dx) (-13iA \sin(c) - 4B \cos(c)) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] ((-I/32)*Sqrt[E^(I*d*x)]*(256*(A - I*B)*ArcSinh[E^(I*(c + d*x))] + Sqrt[2]*(45*A - (46*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(Sqrt[2]*d*E^((2*I)*c)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*(Csc[c]*(65*A*Cos[c] - (54*I)*B*Cos[c] + (26*I)*A*Sin[c] + 12*B*Sin[c])*(Cos[2*c]/24 - (I/24)*Sin[2*c]) + Csc[c]*Csc[c + d*x]^2*(-4*A*Cos[c] - (13*I)*A*Sin[c] - 6*B*Sin[c])*(Cos[2*c]/12 - (I/12)*Sin[2*c]) + A*Csc[c]*Csc[c + d*x]^3*(Cos[2*c]/3 - (I/3)*Sin[2*c])*Sin[d*x] + Csc[c]*Csc[c + d*x]*(Cos[2*c]/24 - (I/24)*Sin[2*c])*(-65*A*Sin[d*x] + (54*I)*B*Sin[d*x]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.483, size = 2506, normalized size = 11.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(d*x+c)^4*(a+I*a*\tan(d*x+c))^{5/2}*(A+B*\tan(d*x+c)),x)$

[Out]
$$\begin{aligned} & -1/48/d*a^2*(192*A*2^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})-135*A \\ & *(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)*\sin(d*x+c)-192*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)*2^{1/2}-192*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c)*\sin(d*x+c)*2^{1/2}-138*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c)-114*A*\cos(d*x+c)*\sin(d*x+c)-192*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}+182*A*\cos(d*x+c)^3*\sin(d*x+c)+114*I*A*\cos(d*x+c)-130*I*A*\cos(d*x+c)^3+166*I*A*\cos(d*x+c)^2-182*I*A*\cos(d*x+c)^4-135*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)-138*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+52*A*\cos(d*x+c)^2*\sin(d*x+c)-192*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c)*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}+135*A*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+138*B*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+135*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+138*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-135*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+138*I*B*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+108*B*\cos(d*x+c)-108*\cos(d*x+c)^3*B-132*\cos(d*x+c)^4*B+132*B*\cos(d*x+c)^2+192*I*A*2^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c))-192*I*B*2^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+192*I*A*2^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c))-192*I*B*2^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})-192*I*A*2^{1/2}*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c))+192*I*B*2^{1/2}*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+192*B*2^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c))+192*A*2^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+192*B*2^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c))-192*I*A*2^{1/2}*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})*\sin(d*x+c)/\cos(d*x+c))+192*I*B*2^{1/2}*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+135*I*A*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-138*I*B*\cos(d*x+c)^3*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2})+135*I*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-138*I*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}) \end{aligned}$$

$$\begin{aligned} & (x+c)+1)^{(1/2)}-135*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c) \\ & *\sin(d*x+c)+138*I*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+108*I*B*\cos(d*x+c)*\sin(d*x+c)-132*I*B*\cos(d*x+c)^3*\sin(d*x+c)-24*I*B*\sin(d*x+c)*\cos(d*x+c)^2*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(\cos(d*x+c)-1)/(I*\sin(d*x+c)+\cos(d*x+c)-1)/(\cos(d*x+c)+1)^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.84368, size = 2412, normalized size = 11.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/48*(2*\sqrt{2})*((91*I*A + 66*B)*a^2*e^{(6*I*d*x + 6*I*c)} + (-7*I*A - 42*B)* \\ & a^2*e^{(4*I*d*x + 4*I*c)} + (-59*I*A - 66*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (39*I* \\ & A + 42*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 3*\sqrt{(- \\ & (2025*A^2 - 4140*I*A*B - 2116*B^2)*a^5/d^2)}*(d*e^{(6*I*d*x + 6*I*c)} - 3*d*e^{ \\ & (4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d)*\log((\sqrt{2})*((45*I*A + 46 \\ & *B)*a^2*e^{(2*I*d*x + 2*I*c)} + (45*I*A + 46*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I \\ & *c)} + 1)}*e^{(I*d*x + I*c)} + 2*\sqrt{(- (2025*A^2 - 4140*I*A*B - 2116*B^2)*a^5/ \\ & d^2)}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((45*I*A + 46*B)*a^2) - 3 \\ & *\sqrt{(- (2025*A^2 - 4140*I*A*B - 2116*B^2)*a^5/d^2)}*(d*e^{(6*I*d*x + 6*I*c)} - \\ & 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d)*\log((\sqrt{2})*((45*I \\ & *A + 46*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (45*I*A + 46*B)*a^2)*\sqrt{a/(e^{(2*I*d* \\ & x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 2*\sqrt{(- (2025*A^2 - 4140*I*A*B - 2116*B^ \\ & 2)*a^5/d^2)}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((45*I*A + 46*B)*a^ \\ & 2) - 24*\sqrt{(- (32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)}*(d*e^{(6*I*d*x + 6*I*c)} \\ & - 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d)*\log((\sqrt{2})*((4* \\ & I*A + 4*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (4*I*A + 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x \\ & + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + \sqrt{(- (32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2} \\ &)*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((4*I*A + 4*B)*a^2) + 24*\sqrt{ \\ & (- (32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)}*(d*e^{(6*I*d*x + 6*I*c)} - 3*d*e^{(4* \\ & I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d)*\log((\sqrt{2})*((4*I*A + 4*B)*a \\ & ^2*e^{(2*I*d*x + 2*I*c)} + (4*I*A + 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1 \\ &)}*e^{(I*d*x + I*c)} - \sqrt{(- (32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)}*d*e^{(2*I*d \\ & *x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((4*I*A + 4*B)*a^2))/ (d*e^{(6*I*d*x + 6*I \\ & *c)} - 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^4, x)

$$3.89 \quad \int \cot^5(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=261

$$\frac{3a^{5/2}(121A - 120iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{64d} + \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(8B + 11iA) \cot^3(c + dx)}{24a}$$

```
[Out] (-3*a^(5/2)*(121*A - (120*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]
)/(64*d) + (4*Sqrt[2]*a^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/
(Sqrt[2]*Sqrt[a])])/d + (a^2*((149*I)*A + 152*B)*Cot[c + d*x]*Sqrt[a + I*a*
Tan[c + d*x]])/(64*d) + (a^2*(107*A - (104*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*
a*Tan[c + d*x]])/(96*d) - (a^2*((11*I)*A + 8*B)*Cot[c + d*x]^3*Sqrt[a + I*a
*Tan[c + d*x]])/(24*d) - (a*A*Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^(3/2))/
(4*d)
```

Rubi [A] time = 1.0046, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3593, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{3a^{5/2}(121A - 120iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{64d} + \frac{4\sqrt{2}a^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} - \frac{a^2(8B + 11iA) \cot^3(c + dx)}{24a}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] (-3*a^(5/2)*(121*A - (120*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]
)/(64*d) + (4*Sqrt[2]*a^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/
(Sqrt[2]*Sqrt[a])])/d + (a^2*((149*I)*A + 152*B)*Cot[c + d*x]*Sqrt[a + I*a*
Tan[c + d*x]])/(64*d) + (a^2*(107*A - (104*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*
a*Tan[c + d*x]])/(96*d) - (a^2*((11*I)*A + 8*B)*Cot[c + d*x]^3*Sqrt[a + I*a
*Tan[c + d*x]])/(24*d) - (a*A*Cot[c + d*x]^4*(a + I*a*Tan[c + d*x])^(3/2))/
(4*d)
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a
+ b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n -
2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*
(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; Fre
eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
```

] && LtQ[n, -1]

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \cot^5(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= -\frac{aA \cot^4(c+dx)(a+ia \tan(c+dx))^{3/2}}{4d} + \frac{1}{4} \int \cot^4(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx \\
&= -\frac{a^2(11iA+8B) \cot^3(c+dx)\sqrt{a+ia \tan(c+dx)}}{24d} - \frac{a^2(107A-104iB) \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}}{96d} \\
&= \frac{a^2(149iA+152B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{64d} + \frac{a^2(149iA+152B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= \frac{a^2(149iA+152B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{64d} + \frac{a^2(149iA+152B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= \frac{4\sqrt{2}a^{5/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d} + \frac{a^2(149iA+152B) \cot(c+dx)\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= -\frac{3a^{5/2}(121A-120iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{64d} + \frac{4\sqrt{2}a^{5/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{d}
\end{aligned}$$

Mathematica [B] time = 8.98414, size = 698, normalized size = 2.67

$$\cos^3(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left(\csc(c) \left(\frac{1}{24} \cos(2c) - \frac{1}{24} i \sin(2c) \right) \csc^3(c+dx)(8B \sin(dx) + 17) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^5*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[E^(I*d*x)]*(2048*(A - I*B)*ArcSinh[E^(I*(c + d*x))] + 3*Sqrt[2]*(121*A - (120*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))] + 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(256*Sqrt[2]*d*E^((2*I)*c)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Sec[c + d*x])^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*(Csc[c]*((583*I)*A*Cos[c] + 520*B*Cos[c] - 262*A*Sin[c] + (208*I)*B*Sin[c]))*(Cos[2*c]/192 - (I/192)*Sin[2*c]) + Csc[c + d*x]^4*(-(A*Cos[2*c])/4 + (I/4)*A*Sin[2*c]) + Csc[c]*Csc[c + d*x]^2*((87*I)*A + 72*B - (223*I)*A*Cos[2*c] - 136*B*Cos[2*c] + 223*A*Sin[2*c] - (136*I)*B*Sin[2*c]))*(Cos[3*c]/192 - (I/192)*Sin[3*c]) + Csc[c]*Csc[c + d*x]*(Cos[2*c]/192 - (I/192)*Sin[2*c]))*((-583*I)*A*Sin[d*x] - 520*B*Sin[d*x]) + Csc[c]*Csc[c + d*x]^3*(Cos[2*c]/24 - (I/24)*Sin[2*c]))*((17*I)*A*Sin[d*x] + 8*B*Sin[d*x]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.429, size = 3444, normalized size = 13.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(dx+c)^5*(a+I*a*\tan(dx+c))^{5/2}*(A+B*\tan(dx+c)),x)$

[Out] $\frac{1}{384}d^2a^2(a(I\sin(dx+c)+\cos(dx+c))/\cos(dx+c))^{1/2}*(1536IB\cos(dx+c)^5*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+1536IA\cos(dx+c)^4*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}+1536IB\cos(dx+c)^4*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}-3072IA\cos(dx+c)^3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}-3072IB\cos(dx+c)^3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}-3072IA\cos(dx+c)^2*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}-3072IB\cos(dx+c)^2*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+1536IA\cos(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}+1536IB\cos(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}-1536A*2^{1/2}*\cos(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+1536B*2^{1/2}*\cos(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+3072A*2^{1/2}*\cos(dx+c)^3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))-3072B*2^{1/2}*\cos(dx+c)^3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+3072A*2^{1/2}*\cos(dx+c)^2*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))-3072B*2^{1/2}*\cos(dx+c)^2*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))-1690A*\cos(dx+c)^4*\sin(dx+c)+1690IA*\cos(dx+c)^5+524IA*\cos(dx+c)^4-2488IA*\cos(dx+c)^3-428IA*\cos(dx+c)^2+894IA*\cos(dx+c)+1536IA*\cos(dx+c)^5*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}+894A*\cos(dx+c)*\sin(dx+c)-1166A*\cos(dx+c)^3*\sin(dx+c)+1322A*\cos(dx+c)^2*\sin(dx+c)-1089A*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+1080B*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+1456\cos(dx+c)^5*B+1080B*\cos(dx+c)^4*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+1456IB*\cos(dx+c)^4*\sin(dx+c)+1040IB*\cos(dx+c)^3*\sin(dx+c)-1328IB*\sin(dx+c)*\cos(dx+c)^2+1089IA*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))-912IB*\cos(dx+c)*\sin(dx+c)+1080IB*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-1089A*\cos(dx+c)^5*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+1080B*\cos(dx+c)^5*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))-1089A*\cos(dx+c)^4*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+2178A*\cos(dx+c)^3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-2160B*\cos(dx+c)^3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+2178A*\cos(dx+c)^2*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-2160B*\cos(dx+c)^2*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctan}(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))-1536A*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))-1089A*\cos(dx+c)$

$$\begin{aligned}
& *x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+1536*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+1080*B*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+912*B*\cos(d*x+c)-2368*\cos(d*x+c)^3*B-1536*A*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}+1536*B*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}-1536*A*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}+1536*B*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}+1089*I*A*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+1080*I*B*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+1089*I*A*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+1080*I*B*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-2178*I*A*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-2160*I*B*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-2178*I*A*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-2160*I*B*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+1536*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}+1536*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*2^{(1/2)}+1089*I*A*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+1080*I*B*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+416*\cos(d*x+c)^4*B-416*B*\cos(d*x+c)^2)/(\cos(d*x+c)-1)/(I*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c)/(\cos(d*x+c)+1)^2
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.93416, size = 2722, normalized size = 10.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

```
[Out] -1/384*(2*sqrt(2)*(13*(65*A - 56*I*B)*a^2*e^(8*I*d*x + 8*I*c) - 2*(215*A - 392*I*B)*a^2*e^(6*I*d*x + 6*I*c) - 4*(35*A - 104*I*B)*a^2*e^(4*I*d*x + 4*I*c) + 2*(407*A - 392*I*B)*a^2*e^(2*I*d*x + 2*I*c) - 3*(107*A - 104*I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 3*sqrt((131769*A^2 - 261360*I*A*B - 129600*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((363*I*A + 360*B)*a^2*e^(2*I*d*x + 2*I*c) + (363*I*A + 360*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*I*sqrt((131769*A^2 - 261360*I*A*B - 129600*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((363*I*A + 360*B)*a^2) - 3*sqrt((131769*A^2 - 261360*I*A*B - 129600*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((363*I*A + 360*B)*a^2*e^(2*I*d*x + 2*I*c) + (363*I*A + 360*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*I*sqrt((131769*A^2 - 261360*I*A*B - 129600*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((363*I*A + 360*B)*a^2) - 192*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2) + 192*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*sqrt((32*A^2 - 64*I*A*B - 32*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2))/((d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**5*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^5, x)
```

$$3.90 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=205

$$\frac{(25A + 23iB)(a + ia \tan(c + dx))^{3/2}}{15a^2d} + \frac{(-B + iA) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 7iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} + \frac{4(5A + 7iB) \tan(c + dx)}{5ad}$$

[Out] ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d) + ((I*A - B)*Tan[c + d*x]^3)/(d*Sqrt[a + I*a*Tan[c + d*x]]) + (4*(5*A + (7*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(5*a*d) - ((5*A + (7*I)*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(5*a*d) - ((25*A + (23*I)*B)*(a + I*a*Tan[c + d*x])^(3/2))/(15*a^2*d)

Rubi [A] time = 0.524372, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3595, 3597, 3592, 3527, 3480, 206}

$$\frac{(25A + 23iB)(a + ia \tan(c + dx))^{3/2}}{15a^2d} + \frac{(-B + iA) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 7iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} + \frac{4(5A + 7iB) \tan(c + dx)}{5ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d) + ((I*A - B)*Tan[c + d*x]^3)/(d*Sqrt[a + I*a*Tan[c + d*x]]) + (4*(5*A + (7*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(5*a*d) - ((5*A + (7*I)*B)*Tan[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(5*a*d) - ((25*A + (23*I)*B)*(a + I*a*Tan[c + d*x])^(3/2))/(15*a^2*d)

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n]/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(A*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

$B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)}/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3527

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)])), x_Symbol] :> \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& !\text{LtQ}[m, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_ + (b_)*\text{tan}[(c_ + (d_)*(x_)])], x_Symbol] :> \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{\sqrt{a + ia \tan(c + dx)}} dx &= \frac{(iA - B) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{\int \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)} \left(3a(iA - B) + \frac{1}{2}a(5A + 7iB)\right)}{a^2} \\ &= \frac{(iA - B) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 7iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} - \frac{2 \int \tan(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} \\ &= \frac{(iA - B) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 7iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} - \frac{(25A + 59iB) \tan(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} \\ &= \frac{(iA - B) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{4(5A + 7iB)\sqrt{a + ia \tan(c + dx)}}{5ad} - \frac{(5A + 7iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} \\ &= \frac{(iA - B) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{4(5A + 7iB)\sqrt{a + ia \tan(c + dx)}}{5ad} - \frac{(5A + 7iB) \tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{5ad} \\ &= \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{(iA - B) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{4(5A + 7iB)\sqrt{a + ia \tan(c + dx)}}{5ad} \end{aligned}$$

Mathematica [A] time = 3.33997, size = 176, normalized size = 0.86

$$\frac{(A + B \tan(c + dx)) \left((A - iB) \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1} \left(e^{i(c+dx)} \right) + \frac{1}{30} \sec^2(c + dx) (5(23A + 37iB) \cos(c + dx) + (25A + 59iB)) \right)}{2d\sqrt{a + ia \tan(c + dx)} (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] (((A - I*B)*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))]) + (Sec[c + d*x]^2*(5*(23*A + (37*I)*B)*Cos[c + d*x] + (25*A + (59*I)*B)*Cos[3*(c +

$d*x]] + (4*I)*(5*A + (16*I)*B + (5*A + (22*I)*B)*\text{Cos}[2*(c + d*x)])*\text{Sin}[c + d*x]))/30)*(A + B*\text{Tan}[c + d*x]))/(2*d*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x]))*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]$

Maple [A] time = 0.064, size = 168, normalized size = 0.8

$$-2 \frac{1}{a^3 d} \left(-i/5 B (a + i a \tan(dx + c))^{5/2} + 2/3 i B (a + i a \tan(dx + c))^{3/2} a + 1/3 A (a + i a \tan(dx + c))^{3/2} a - 2 i B \sqrt{a + i a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)`

[Out] `-2/d/a^3*(-1/5*I*B*(a+I*a*tan(d*x+c))^(5/2)+2/3*I*B*(a+I*a*tan(d*x+c))^(3/2)*a+1/3*A*(a+I*a*tan(d*x+c))^(3/2)*a-2*I*B*(a+I*a*tan(d*x+c))^(1/2)*a^2-a^2*A*(a+I*a*tan(d*x+c))^(1/2)-1/2*a^3*(A+I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/4*a^(5/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 2.09766, size = 1266, normalized size = 6.18

$$2 \sqrt{2} \left((35 A + 103 i B) e^{(6 i d x + 6 i c)} + 5 (25 A + 41 i B) e^{(4 i d x + 4 i c)} + 15 (7 A + 11 i B) e^{(2 i d x + 2 i c)} + 15 A + 15 i B \right) \sqrt{\frac{a}{e^{(2 i d x + 2 i c)} + 1}} e^{(i d x + i c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `1/60*(2*sqrt(2))*((35*A + 103*I*B)*e^(6*I*d*x + 6*I*c) + 5*(25*A + 41*I*B)*e^(4*I*d*x + 4*I*c) + 15*(7*A + 11*I*B)*e^(2*I*d*x + 2*I*c) + 15*A + 15*I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 15*(a*d*e^(6*I*d*x + 6*I*c) + 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*log((I*a*d*sqrt((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2))*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(I*A + B) - 15*(a*d*e^(6*I*d*x + 6*I*c) + 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*log((-I*a*d*sqrt((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2))*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(I*A + B)`

$$\frac{2 - 4IA B - 2B^2}{(a d^2)} e^{2I d x + 2I c} + \sqrt{2} \left((IA + B) e^{2I d x + 2I c} + IA + B \right) \sqrt{\frac{a}{e^{2I d x + 2I c} + 1}} e^{I d x + I c} \left(e^{-I d x - I c} / (IA + B) \right) / (a d e^{6I d x + 6I c} + 2 a d e^{4I d x + 4I c} + a d e^{2I d x + 2I c})$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^3(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**3/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^3}{\sqrt{ia \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^3/sqrt(I*a*tan(d*x + c) + a), x)

$$3.91 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=159

$$\frac{(-5B + 3iA)(a + ia \tan(c + dx))^{3/2}}{3a^2d} + \frac{(-B + iA) \tan^2(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{4(-B + iA)\sqrt{a + ia \tan(c + dx)}}{ad} + \frac{(B + iA) \tanh^{-1}\left(\frac{1 + \sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{a}}$$

[Out] ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d) + ((I*A - B)*Tan[c + d*x]^2)/(d*Sqrt[a + I*a*Tan[c + d*x]]) - (4*(I*A - B)*Sqrt[a + I*a*Tan[c + d*x]])/(a*d) + (((3*I)*A - 5*B)*(a + I*a*Tan[c + d*x])^(3/2))/(3*a^2*d)

Rubi [A] time = 0.334669, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3595, 3592, 3527, 3480, 206}

$$\frac{(-5B + 3iA)(a + ia \tan(c + dx))^{3/2}}{3a^2d} + \frac{(-B + iA) \tan^2(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{4(-B + iA)\sqrt{a + ia \tan(c + dx)}}{ad} + \frac{(B + iA) \tanh^{-1}\left(\frac{1 + \sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d) + ((I*A - B)*Tan[c + d*x]^2)/(d*Sqrt[a + I*a*Tan[c + d*x]]) - (4*(I*A - B)*Sqrt[a + I*a*Tan[c + d*x]])/(a*d) + (((3*I)*A - 5*B)*(a + I*a*Tan[c + d*x])^(3/2))/(3*a^2*d)

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
  b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
  Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
  Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(A+B\tan(c+dx))}{\sqrt{a+ia\tan(c+dx)}} dx &= \frac{(iA-B)\tan^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{\int \tan(c+dx)\sqrt{a+ia\tan(c+dx)} \left(2a(iA-B) + \frac{1}{2}a(3iA-5B)\right)}{a^2} \\ &= \frac{(iA-B)\tan^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(3iA-5B)(a+ia\tan(c+dx))^{3/2}}{3a^2d} - \frac{\int \sqrt{a+ia\tan(c+dx)}}{3a^2d} \\ &= \frac{(iA-B)\tan^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{4(iA-B)\sqrt{a+ia\tan(c+dx)}}{ad} + \frac{(3iA-5B)(a+ia\tan(c+dx))^{3/2}}{3a^2d} \\ &= \frac{(iA-B)\tan^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{4(iA-B)\sqrt{a+ia\tan(c+dx)}}{ad} + \frac{(3iA-5B)(a+ia\tan(c+dx))^{3/2}}{3a^2d} \\ &= \frac{(iA+B)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{(iA-B)\tan^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{4(iA-B)\sqrt{a+ia\tan(c+dx)}}{ad} \end{aligned}$$

Mathematica [A] time = 2.33153, size = 147, normalized size = 0.92

$$\frac{(A+B\tan(c+dx))\left((B+iA)\sqrt{1+e^{2i(c+dx)}}\sinh^{-1}\left(e^{i(c+dx)}\right)+\frac{1}{3}\sec(c+dx)((6A+2iB)\sin(2(c+dx))+(5B-9iA)\cos(2(c+dx)))\right)}{2d\sqrt{a+ia\tan(c+dx)}(A\cos(c+dx)+B\sin(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],
  x]
```

```
[Out] (((I*A + B)*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))] + (Sec[c
  + d*x]*(9*((-I)*A + B) + ((-9*I)*A + 5*B)*Cos[2*(c + d*x)] + (6*A + (2*I)*
  B)*Sin[2*(c + d*x)]))/3)*(A + B*Tan[c + d*x]))/(2*d*(A*Cos[c + d*x] + B*Sin
  [c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [A] time = 0.061, size = 127, normalized size = 0.8

$$\frac{-2i}{a^2d} \left(-\frac{i}{3}B(a+ia\tan(dx+c))^{\frac{3}{2}} + iBa\sqrt{a+ia\tan(dx+c)} + A\sqrt{a+ia\tan(dx+c)}a + \frac{a^2(A+iB)}{2} \frac{1}{\sqrt{a+ia\tan(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)
```

```
[Out] -2*I/d/a^2*(-1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)+I*B*a*(a+I*a*tan(d*x+c))^(1/2)
  )+A*(a+I*a*tan(d*x+c))^(1/2)*a+1/2*a^2*(A+I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/4
```

$*a^{(3/2)}*(A-I*B)*2^{(1/2)}*\operatorname{arctanh}(1/2*(a+I*a*\tan(dx+c))^{(1/2)}*2^{(1/2)}/a^{(1/2)})$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.03114, size = 1089, normalized size = 6.85

$\sqrt{2}((-30iA + 14B)e^{4idx+4ic} + (-36iA + 36B)e^{2idx+2ic} - 6iA + 6B)\sqrt{\frac{a}{e^{2idx+2ic}+1}}e^{(idx+ic)} + 3(ade^{4idx+4ic} + ade^{2idx+2ic})$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{12}(\sqrt{2}((-30IA + 14B)e^{4I dx + 4I c} + (-36IA + 36B)e^{2I dx + 2I c} - 6IA + 6B)\sqrt{a/(e^{2I dx + 2I c} + 1)}e^{I dx + I c} + 3(a d e^{4I dx + 4I c} + a d e^{2I dx + 2I c})\sqrt{-(2A^2 - 4IA B - 2B^2)/(a d^2)})\log((a d \sqrt{-(2A^2 - 4IA B - 2B^2)/(a d^2)})e^{2I dx + 2I c} + \sqrt{2}((IA + B)e^{2I dx + 2I c} + IA + B)\sqrt{a/(e^{2I dx + 2I c} + 1)}e^{I dx + I c})e^{-I dx - I c}/(IA + B) - 3(a d e^{4I dx + 4I c} + a d e^{2I dx + 2I c})\sqrt{-(2A^2 - 4IA B - 2B^2)/(a d^2)})\log(-(a d \sqrt{-(2A^2 - 4IA B - 2B^2)/(a d^2)})e^{2I dx + 2I c} - \sqrt{2}((IA + B)e^{2I dx + 2I c} + IA + B)\sqrt{a/(e^{2I dx + 2I c} + 1)}e^{I dx + I c})e^{-I dx - I c}/(IA + B)))/(a d e^{4I dx + 4I c} + a d e^{2I dx + 2I c})$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^2(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**2/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^2}{\sqrt{ia \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^2/sqrt(I*a*tan(d*x + c) + a), x)

$$3.92 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=109

$$-\frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{2iB\sqrt{a+ia \tan(c+dx)}}{ad}$$

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d)) - (A + I*B)/(d*Sqrt[a + I*a*Tan[c + d*x]]) - ((2*I)*B*Sqrt[a + I*a*Tan[c + d*x]])/(a*d)

Rubi [A] time = 0.14114, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3592, 3526, 3480, 206}

$$-\frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{2iB\sqrt{a+ia \tan(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d)) - (A + I*B)/(d*Sqrt[a + I*a*Tan[c + d*x]]) - ((2*I)*B*Sqrt[a + I*a*Tan[c + d*x]])/(a*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3526

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\tan(c+dx)(A+B\tan(c+dx))}{\sqrt{a+ia\tan(c+dx)}} dx &= -\frac{2iB\sqrt{a+ia\tan(c+dx)}}{ad} + \int \frac{-B+A\tan(c+dx)}{\sqrt{a+ia\tan(c+dx)}} dx \\
&= -\frac{A+iB}{d\sqrt{a+ia\tan(c+dx)}} - \frac{2iB\sqrt{a+ia\tan(c+dx)}}{ad} - \frac{(iA+B) \int \sqrt{a+ia\tan(c+dx)}}{2a} \\
&= -\frac{A+iB}{d\sqrt{a+ia\tan(c+dx)}} - \frac{2iB\sqrt{a+ia\tan(c+dx)}}{ad} - \frac{(A-iB) \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx\right)}{d} \\
&= -\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{A+iB}{d\sqrt{a+ia\tan(c+dx)}} - \frac{2iB\sqrt{a+ia\tan(c+dx)}}{ad}
\end{aligned}$$

Mathematica [A] time = 1.37876, size = 140, normalized size = 1.28

$$\frac{e^{-2i(c+dx)} \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \left((A-iB)e^{i(c+dx)} \sqrt{1+e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) + A(1+e^{2i(c+dx)}) + iB(1+5e^{2i(c+dx)}) \right)}{\sqrt{2}ad}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] -((Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*(A*(1 + E^((2*I)*(c + d*x))) + I*B*(1 + 5*E^((2*I)*(c + d*x)))) + (A - I*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))])/(Sqrt[2]*a*d*E^((2*I)*(c + d*x))))

Maple [A] time = 0.054, size = 88, normalized size = 0.8

$$2 \frac{1}{ad} \left(-iB\sqrt{a+ia\tan(dx+c)} - 1/2 \frac{a(A+iB)}{\sqrt{a+ia\tan(dx+c)}} - 1/4 \sqrt{a}(A-iB) \sqrt{2} \operatorname{Arctanh} \left(1/2 \frac{\sqrt{a+ia\tan(dx+c)}\sqrt{2}}{\sqrt{a}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)

[Out] 2/d/a*(-I*B*(a+I*a*tan(d*x+c))^(1/2)-1/2*a*(A+I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/4*a^(1/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.00163, size = 913, normalized size = 8.38

$$\left(ad \sqrt{\frac{2A^2 - 4iAB - 2B^2}{ad^2}} e^{(2i dx + 2i c)} \log \left(\frac{\left(i ad \sqrt{\frac{2A^2 - 4iAB - 2B^2}{ad^2}} e^{(2i dx + 2i c)} + \sqrt{2} \left((iA + B) e^{(2i dx + 2i c)} + iA + B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} e^{(i dx + i c)} \right) e^{(-i dx - i c)}}{iA + B} \right) - ad \sqrt{\frac{2A^2 - 4iAB - 2B^2}{ad^2}} e^{(2i dx + 2i c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$-1/4*(a*d*\sqrt{(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log((I*a*d*\sqrt{(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)}*e^{(-I*d*x - I*c)/(I*A + B)} - a*d*\sqrt{(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log((-I*a*d*\sqrt{(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)}*e^{(-I*d*x - I*c)/(I*A + B)} + 2*\sqrt{2}*((A + 5*I*B)*e^{(2*I*d*x + 2*I*c)} + A + I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}*e^{(-2*I*d*x - 2*I*c)/(a*d)}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{\sqrt{i a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)/sqrt(I*a*tan(d*x + c) + a), x)

3.93 $\int \frac{A+B \tan(c+dx)}{\sqrt{a+ia \tan(c+dx)}} dx$

Optimal. Leaf size=82

$$\frac{-B + iA}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}}$$

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d)) + (I*A - B)/(d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.073144, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {3526, 3480, 206}

$$\frac{-B + iA}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d)) + (I*A - B)/(d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{a + ia \tan(c + dx)}} dx &= \frac{iA - B}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \int \sqrt{a + ia \tan(c + dx)} dx}{2a} \\ &= \frac{iA - B}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(iA + B) \text{Subst} \left(\int \frac{1}{2a-x^2} dx, x, \sqrt{a + ia \tan(c + dx)} \right)}{d} \\ &= -\frac{(iA + B) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}} \right)}{\sqrt{2}\sqrt{ad}} + \frac{iA - B}{d\sqrt{a + ia \tan(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.973927, size = 129, normalized size = 1.57

$$\frac{ie^{-2i(c+dx)} \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \left((A + iB) (1 + e^{2i(c+dx)}) - (A - iB) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1} \left(e^{i(c+dx)} \right) \right)}{\sqrt{2ad}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] (I*Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*((A + I*B)*(1 + E^((2*I)*(c + d*x))) - (A - I*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))])*ArcSinh[E^(I*(c + d*x))])/(Sqrt[2]*a*d*E^((2*I)*(c + d*x)))

Maple [A] time = 0.056, size = 71, normalized size = 0.9

$$\frac{2i}{d} \left(-\left(-\frac{A}{2} - \frac{i}{2}B \right) \frac{1}{\sqrt{a + ia \tan(dx + c)}} - \frac{\sqrt{2}}{2} \left(-\frac{i}{2}B + \frac{A}{2} \right) \text{Artanh} \left(\frac{\sqrt{2}}{2} \sqrt{a + ia \tan(dx + c)} \frac{1}{\sqrt{a}} \right) \frac{1}{\sqrt{a}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)

[Out] 2*I/d*(-(-1/2*A-1/2*I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/2*(-1/2*I*B+1/2*A)*2^(1/2)/a^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Ericas [B] time = 1.92976, size = 918, normalized size = 11.2

$$\left(ad \sqrt{-\frac{2A^2-4iAB-2B^2}{ad^2}} e^{(2i dx+2i c)} \log \left(\frac{\left(ad \sqrt{-\frac{2A^2-4iAB-2B^2}{ad^2}} e^{(2i dx+2i c)} + \sqrt{2} \left((iA+B) e^{(2i dx+2i c)} + iA+B \right) \sqrt{\frac{a}{e^{(2i dx+2i c)}+1}} e^{(i dx+i c)} \right) e^{(-i dx-i c)}}{iA+B} \right) - ad \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$-1/4*(a*d*\sqrt{-(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log((a*d*\sqrt{-(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)} - a*d*\sqrt{-(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(-(a*d*\sqrt{-(2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)} - \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)} - \sqrt{2}*((2*I*A - 2*B)*e^{(2*I*d*x + 2*I*c)} + 2*I*A - 2*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-2*I*d*x - 2*I*c)/(a*d)}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)

[Out] Integral((A + B*tan(c + d*x))/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{ia \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/sqrt(I*a*tan(d*x + c) + a), x)

$$3.94 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=114

$$\frac{A + iB}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

[Out] $(-2*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*d) + ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])]/(Sqrt[2]*Sqrt[a]*d) + (A + I*B)/(d*Sqrt[a + I*a*Tan[c + d*x]]))$

Rubi [A] time = 0.347744, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3596, 3600, 3480, 206, 3599, 63, 208}

$$\frac{A + iB}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(A + B*\text{Tan}[c + d*x]))/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]], x]$

[Out] $(-2*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*d) + ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])]/(Sqrt[2]*Sqrt[a]*d) + (A + I*B)/(d*Sqrt[a + I*a*Tan[c + d*x]]))$

Rule 3596

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^m * ((A_*) + (B_*)\tan[(e_*) + (f_*)(x_*)]) * ((c_*) + (d_*)\tan[(e_*) + (f_*)(x_*)])^n), x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^{n+1}]/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1} * (c + d*\text{Tan}[e + f*x])^n * \text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{!GtQ}[n, 0]$

Rule 3600

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^m * ((A_*) + (B_*)\tan[(e_*) + (f_*)(x_*)]) * ((c_*) + (d_*)\tan[(e_*) + (f_*)(x_*)])^n), x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (a - b*\text{Tan}[e + f*x])]/(c + d*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a + (b_*)\tan[(c_*) + (d_*)(x_*)])], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx &= \frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} + \frac{\int \cot(c+dx)\sqrt{a+ia \tan(c+dx)} \left(aA - \frac{1}{2}a(iA-B) \tan(c+dx) \right)}{a^2} \\ &= \frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} + \frac{A \int \cot(c+dx)(a-ia \tan(c+dx))\sqrt{a+ia \tan(c+dx)}}{a^2} \\ &= \frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} + \frac{A \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+iax}} dx, x, \tan(c+dx)\right)}{d} + \frac{(A-iB) \operatorname{Subst}\left(\int \frac{1}{i-\frac{ix^2}{a}} dx, x, \tan(c+dx)\right)}{d} \\ &= \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(2iA) \operatorname{Subst}\left(\int \frac{1}{i-\frac{ix^2}{a}} dx, x, \tan(c+dx)\right)}{d} \\ &= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{A+iB}{d\sqrt{a+ia \tan(c+dx)}} \end{aligned}$$

Mathematica [A] time = 2.31708, size = 208, normalized size = 1.82

$$\frac{\sqrt{\sec(c+dx)} \left((A+iB)\sqrt{1+e^{2i(c+dx)}} + (A-iB)e^{i(c+dx)} \sinh^{-1}\left(e^{i(c+dx)}\right) - 2\sqrt{2}Ae^{i(c+dx)} \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right) \right)}{2d\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] (((A + I*B)*Sqrt[1 + E^((2*I)*(c + d*x))] + (A - I*B)*E^(I*(c + d*x))*ArcSinh[E^(I*(c + d*x))] - 2*Sqrt[2]*A*E^(I*(c + d*x))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x))])

$$\frac{+ d*x)))/\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(2*d*\text{Sqrt}[E^{(I*(c + d*x))/(1 + E^{((2*I)*(c + d*x))})}]]*\text{Sqrt}[(a*E^{((2*I)*(c + d*x))})/(1 + E^{((2*I)*(c + d*x))})]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]]$$

Maple [B] time = 0.488, size = 948, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)`

[Out]
$$\begin{aligned} & -1/4/d/a*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(I*A*(-2*\cos(d*x+c) \\ & /(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\arctan(1/2*2^{(1/2)}*(I*\cos(d*x+c)-I-\sin(d* \\ & x+c))/\sin(d*x+c)/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}-I*B*(-2*\cos(\\ & d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\arctan(1/2*2^{(1/2)}*(I*\cos(d*x+c)-I- \\ & \sin(d*x+c))/\sin(d*x+c)/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}+2*I*A* \\ & (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d \\ & *x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+2*I*A*(-2*\cos(d*x+c)/(\\ & \cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x \\ & +c)+A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\arctan(1/2*2^{(1/2)}*(I \\ & *\cos(d*x+c)-I-\sin(d*x+c))/\sin(d*x+c)/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})* \\ & 2^{(1/2)}-I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(I*\cos(\\ & d*x+c)-I-\sin(d*x+c))/\sin(d*x+c)/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/ \\ & 2)}+B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\arctan(1/2*2^{(1/2)}*(I* \\ & \cos(d*x+c)-I-\sin(d*x+c))/\sin(d*x+c)/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2 \\ & ^{(1/2)}+2*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+2*A*(-2*\cos(d*x+c)/(\\ & \cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/ \\ & 2)})-2*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+ \\ & c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+A*(-2*\cos(d*x+ \\ & c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(I*\cos(d*x+c)-I-\sin(d*x+c))/\sin \\ & (d*x+c)/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*2^{(1/2)}+2*A*(-2*\cos(d*x+c)/(c \\ & os(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-4*I*B*co \\ & s(d*x+c)-4*A*\cos(d*x+c))/(I*\sin(d*x+c)+\cos(d*x+c)) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 2.7198, size = 1543, normalized size = 13.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm
="fricas")
```

```
[Out] 1/4*(a*d*sqrt((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c)*log((I
*a*d*sqrt((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*
((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))
*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - a*d*sqrt((2*A^2 - 4*I*A
*B - 2*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c)*log((-I*a*d*sqrt((2*A^2 - 4*I*A*B
- 2*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I
*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x
- I*c)/(4*I*A + 4*B)) - 2*a*d*sqrt(A^2/(a*d^2))*e^(2*I*d*x + 2*I*c)*log(-8
8/507*(2*sqrt(2)*(A*e^(2*I*d*x + 2*I*c) + A)*sqrt(a/(e^(2*I*d*x + 2*I*c) +
1))*e^(I*d*x + I*c) + (3*a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt(A^2/(a*d^2)))/
(A*e^(2*I*d*x + 2*I*c) - A)) + 2*a*d*sqrt(A^2/(a*d^2))*e^(2*I*d*x + 2*I*c)*
log(-88/507*(2*sqrt(2)*(A*e^(2*I*d*x + 2*I*c) + A)*sqrt(a/(e^(2*I*d*x + 2*I
*c) + 1))*e^(I*d*x + I*c) - (3*a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt(A^2/(a*d
^2)))/(A*e^(2*I*d*x + 2*I*c) - A)) + 2*sqrt(2)*((A + I*B)*e^(2*I*d*x + 2*I
c) + A + I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-2*I*d*
x - 2*I*c)/(a*d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)/sqrt(a*(I*tan(c + d*x) + 1)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)}{\sqrt{i a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)/sqrt(I*a*tan(d*x + c) + a), x)
```

$$3.95 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=167

$$\frac{(-2B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{(2A + iB) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{ad}$$

[Out] ((I*A - 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(Sqrt[a]*d) + ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d) + ((A + I*B)*Cot[c + d*x])/(d*Sqrt[a + I*a*Tan[c + d*x]]) - ((2*A + I*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(a*d)

Rubi [A] time = 0.567088, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(-2B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{(2A + iB) \cot(c + dx) \sqrt{a + ia \tan(c + dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] ((I*A - 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(Sqrt[a]*d) + ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d) + ((A + I*B)*Cot[c + d*x])/(d*Sqrt[a + I*a*Tan[c + d*x]]) - ((2*A + I*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(a*d)

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[

$A*b + a*B)/(b*c + a*d)$, $\text{Int}[(a + b*\text{Tan}[e + f*x])^m, x]$, $x] - \text{Dist}[(B*c - A*d)/(b*c + a*d)$, $\text{Int}[(a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x])]/(c + d*\text{Tan}[e + f*x])$, $x]$, $x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x]$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$ && $\text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)]]]$, $x_Symbol]$ \rightarrow $\text{Dist}[(-2*b)/d$, $\text{Subst}[\text{Int}[1/(2*a - x^2), x]$, x , $\text{Sqrt}[a + b*\text{Tan}[c + d*x]]]$, $x]$ $;/$; $\text{FreeQ}\{a, b, c, d\}, x]$ && $\text{EqQ}[a^2 + b^2, 0]$

Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}$, $x_Symbol]$ \rightarrow $\text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2])$, $x]$ $;/$; $\text{FreeQ}\{a, b\}, x]$ && $\text{NegQ}[a/b]$ && $(\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3599

$\text{Int}[(a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])^{(n_)}}$, $x_Symbol]$ \rightarrow $\text{Dist}[(b*B)/f$, $\text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n, x]$, x , $\text{Tan}[e + f*x]$, $x]$ $;/$; $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x]$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$ && $\text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)*((c_ + (d_)*(x_))^{(n_)}}$, $x_Symbol]$ \rightarrow $\text{With}[\{p = \text{Denominator}[m]\}$, $\text{Dist}[p/b$, $\text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x]$, x , $(a + b*x)^{(1/p)}$, $x]$ $;/$; $\text{FreeQ}\{a, b, c, d\}, x]$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{LtQ}[-1, m, 0]$ && $\text{LeQ}[-1, n, 0]$ && $\text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]]$ && $\text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}$, $x_Symbol]$ \rightarrow $\text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a$, $x]$ $;/$; $\text{FreeQ}\{a, b\}, x]$ && $\text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\cot^2(c+dx)(A+B\tan(c+dx))}{\sqrt{a+ia\tan(c+dx)}} dx &= \frac{(A+iB)\cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{\int \cot^2(c+dx)\sqrt{a+ia\tan(c+dx)}(a(2A+iB)-\frac{3}{2}}{a^2} \\
&= \frac{(A+iB)\cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{(2A+iB)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{ad} + \frac{\int \cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{(A+iB)\cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{(2A+iB)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{ad} - \frac{(iA-2B)}{d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{(A+iB)\cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{(2A+iB)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{ad} - \frac{(iA-2B)}{d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{(iA+B)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{(A+iB)\cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{(2A+iB)\cot(c+dx)}{ad} \\
&= \frac{(iA-2B)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(iA+B)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{(A+iB)\cot(c+dx)}{d\sqrt{a+ia\tan(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 3.96218, size = 224, normalized size = 1.34

$$\frac{(A \cot(c+dx) + B) \left(2(B - 2iA) \sin(c+dx) + \frac{(-1+e^{2i(c+dx)})\sqrt{\sec(c+dx)}(A-iB) \sinh^{-1}(e^{i(c+dx)}) + \sqrt{2}(A+2iB) \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right)}{\sqrt{2}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}} \right)}{2d\sqrt{a+ia\tan(c+dx)}(A\cos(c+dx) + B\sin(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] ((B + A*Cot[c + d*x])*(-2*A*Cos[c + d*x] + ((-1 + E^((2*I)*(c + d*x))))*((A - I*B)*ArcSinh[E^(I*(c + d*x))] + Sqrt[2]*(A + (2*I)*B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x))]/Sqrt[1 + E^((2*I)*(c + d*x))])]*Sqrt[Sec[c + d*x]])/(Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]) + 2*((-2*I)*A + B)*Sin[c + d*x]))/(2*d*(A*Cos[c + d*x] + B*Sin[c + d*x]))*Sqrt[a + I*a*Tan[c + d*x]]

Maple [B] time = 0.575, size = 2727, normalized size = 16.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)

[Out] -1/4/d/a*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(I*A*cos(d*x+c)^3*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-8*I*A*cos(d*x+c)+8*I*A*cos(d*x+c)^3+2*I*B*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-I*A*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-I*B*

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.97838, size = 2034, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & \frac{1}{4} \left(\sqrt{2} \left((-6IA + 2B) e^{(4Ix + 4Ic)} - 4IA e^{(2Ix + 2Ic)} + 2IA - 2B \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)} + (a d e^{(4Ix + 4Ic)} - a d e^{(2Ix + 2Ic)}) \sqrt{\frac{-(2A^2 - 4IAB - 2B^2)}{a d^2}} \right. \\ & \left. \log\left(\frac{a d \sqrt{\frac{-(2A^2 - 4IAB - 2B^2)}{a d^2}} e^{(2Ix + 2Ic)} + \sqrt{2} \left((IA + B) e^{(2Ix + 2Ic)} + IA + B \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)}\right) e^{(-Ix - Ic)} \right) / (4IA + 4B) - (a d e^{(4Ix + 4Ic)} - a d e^{(2Ix + 2Ic)}) \sqrt{\frac{-(2A^2 - 4IAB - 2B^2)}{a d^2}} \\ & \left. \log\left(-\frac{a d \sqrt{\frac{-(2A^2 - 4IAB - 2B^2)}{a d^2}} e^{(2Ix + 2Ic)} - \sqrt{2} \left((IA + B) e^{(2Ix + 2Ic)} + IA + B \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)}\right) e^{(-Ix - Ic)} \right) / (4IA + 4B) + (a d e^{(4Ix + 4Ic)} - a d e^{(2Ix + 2Ic)}) \sqrt{\frac{-(A^2 + 4IAB - 4B^2)}{a d^2}} \right. \\ & \left. \log\left(\frac{\sqrt{2} \left((176IA - 352B) e^{(2Ix + 2Ic)} + 176IA - 352B \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)} + 88 \left(3 a d e^{(2Ix + 2Ic)} + a d \right) \sqrt{\frac{-(A^2 + 4IAB - 4B^2)}{a d^2}} \right)}{\left((-507IA + 1014B) e^{(2Ix + 2Ic)} + 507IA - 1014B \right)} \right) - (a d e^{(4Ix + 4Ic)} - a d e^{(2Ix + 2Ic)}) \sqrt{\frac{-(A^2 + 4IAB - 4B^2)}{a d^2}} \\ & \left. \log\left(\frac{\sqrt{2} \left((176IA - 352B) e^{(2Ix + 2Ic)} + 176IA - 352B \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)} - 88 \left(3 a d e^{(2Ix + 2Ic)} + a d \right) \sqrt{\frac{-(A^2 + 4IAB - 4B^2)}{a d^2}} \right)}{\left((-507IA + 1014B) e^{(2Ix + 2Ic)} + 507IA - 1014B \right)} \right) / (a d e^{(4Ix + 4Ic)} - a d e^{(2Ix + 2Ic)}) \right) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot^2(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)**2/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^2}{\sqrt{I a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^2/sqrt(I*a*tan(d*x + c) + a), x)

$$3.96 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=219

$$\frac{(11A + 4iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{(3A + 2iB) \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{2ad}$$

```
[Out] ((11*A + (4*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*Sqrt[a]*d)
- ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d)
+ ((A + I*B)*Cot[c + d*x]^2)/(d*Sqrt[a + I*a*Tan[c + d*x]])
+ (((7*I)*A - 8*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a*d) - ((3*A
+ (2*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(2*a*d)
```

Rubi [A] time = 0.761527, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(11A + 4iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} - \frac{(3A + 2iB) \cot^2(c + dx)\sqrt{a + ia \tan(c + dx)}}{2ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]
```

```
[Out] ((11*A + (4*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*Sqrt[a]*d)
- ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(Sqrt[2]*Sqrt[a]*d)
+ ((A + I*B)*Cot[c + d*x]^2)/(d*Sqrt[a + I*a*Tan[c + d*x]])
+ (((7*I)*A - 8*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a*d) - ((3*A
+ (2*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(2*a*d)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; Fre
eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[n, -1]
```

Rule 3600

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(
A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*
d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Ta
n[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a
*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^3(c+dx)(A+B\tan(c+dx))}{\sqrt{a+ia\tan(c+dx)}} dx &= \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{\int \cot^3(c+dx)\sqrt{a+ia\tan(c+dx)}(a(3A+2iB)-}{a^2} \\
&= \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{(3A+2iB)\cot^2(c+dx)\sqrt{a+ia\tan(c+dx)}}{2ad} + \frac{\int \cot^3(c+dx)\sqrt{a+ia\tan(c+dx)}}{a^2} \\
&= \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(7iA-8B)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{4ad} - \frac{(3A+2iB)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{2ad} \\
&= \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(7iA-8B)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{4ad} - \frac{(3A+2iB)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{2ad} \\
&= \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(7iA-8B)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{4ad} - \frac{(3A+2iB)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{2ad} \\
&= -\frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(7iA-8B)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{4ad} \\
&= \frac{(11A+4iB)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{\sqrt{2}\sqrt{ad}} + \frac{(A+iB)\cot^2(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(7iA-8B)\cot(c+dx)\sqrt{a+ia\tan(c+dx)}}{4ad}
\end{aligned}$$

Mathematica [A] time = 4.20334, size = 363, normalized size = 1.66

$$(A+B\tan(c+dx))\left(4\cot(c+dx)\csc(c+dx)(i(A+4iB)\sin(2(c+dx))+(5A+8iB)\cos(2(c+dx))-9A-8iB)-\sqrt{a+ia\tan(c+dx)}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] ((-(Sqrt[1 + E^((2*I)*(c + d*x))])*(16*(A - I*B)*ArcSinh[E^(I*(c + d*x))]] + Sqrt[2]*(11*A + (4*I)*B)*(Log[(-1 + E^(I*(c + d*x)))^2] - Log[(1 + E^(I*(c + d*x)))^2] + Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] - 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - Log[3 + 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + 2*E^(I*(c + d*x))*(1 + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])) + 4*Cot[c + d*x]*Csc[c + d*x]*(-9*A - (8*I)*B + (5*A + (8*I)*B)*Cos[2*(c + d*x)] + I*(A + (4*I)*B)*Sin[2*(c + d*x)]))*(A + B*Tan[c + d*x])/(32*d*(A*Cos[c + d*x] + B*Ssin[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.494, size = 2751, normalized size = 12.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)

[Out] 1/16/d/a*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(11*A*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))

$$\frac{(\cos(dx+c)+1)^{1/2} \ln\left(-\frac{-2\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \sin(dx+c) + \cos(dx+c) - 1\right)}{\sin(dx+c)} \cos(dx+c)^2 \sin(dx+c) - 4B \frac{-2\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \arctan\left(\frac{1}{-2\cos(dx+c)} \frac{1}{(\cos(dx+c)+1)^{1/2}}\right) \cos(dx+c)^2 \sin(dx+c) - 11IA \frac{-2\cos(dx+c)}{(\cos(dx+c)+1)^{1/2}} \arctan\left(\frac{1}{-2\cos(dx+c)} \frac{1}{(\cos(dx+c)+1)^{1/2}}\right) \sin(dx+c)}{(\cos(dx+c)-1) / (I \sin(dx+c) + \cos(dx+c)) / (\cos(dx+c)+1)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.04929, size = 2369, normalized size = 10.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/16*(4*\sqrt{2})*(3*(A + 2*I*B)*e^{(6*I*d*x + 6*I*c)} - 2*(3*A + I*B)*e^{(4*I*d*x + 4*I*c)} - (7*A + 6*I*B)*e^{(2*I*d*x + 2*I*c)} + 2*A + 2*I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} \\ & *e^{(I*d*x + I*c)} + 4*(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*\log((I*a*d*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}))} \\ & *e^{(I*d*x + I*c)} *e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 4*(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*\log((-I*a*d*\sqrt{((2*A^2 - 4*I*A*B - 2*B^2)/(a*d^2))*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}))} \\ & *e^{(I*d*x + I*c)} *e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - (a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{((121*A^2 + 88*I*A*B - 16*B^2)/(a*d^2))*\log(1/4*(4*\sqrt{2})*((1936*I*A - 704*B)*e^{(2*I*d*x + 2*I*c)} + 1936*I*A - 704*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} *e^{(I*d*x + I*c)} + (1056*I*a*d*e^{(2*I*d*x + 2*I*c)} + 352*I*a*d)*\sqrt{((121*A^2 + 88*I*A*B - 16*B^2)/(a*d^2))})/((-5577*I*A + 2028*B)*e^{(2*I*d*x + 2*I*c)} + 5577*I*A - 2028*B)} + (a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{((121*A^2 + 88*I*A*B - 16*B^2)/(a*d^2))*\log(1/4*(4*\sqrt{2})*((1936*I*A - 704*B)*e^{(2*I*d*x + 2*I*c)} + 1936*I*A - 704*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} *e^{(I*d*x + I*c)} + (-1056*I*a*d*e^{(2*I*d*x + 2*I*c)} - 352*I*a*d)*\sqrt{((121*A^2 + 88*I*A*B - 16*B^2)/(a*d^2))})/((-5577*I*A + 2028*B)*e^{(2*I*d*x + 2*I*c)} + 5577*I*A - 2028*B)} \\ &)/(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)}) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^3}{\sqrt{I a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^3/sqrt(I*a*tan(d*x + c) + a), x)

$$3.97 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=209

$$\frac{(11A + 21iB)(a + ia \tan(c + dx))^{3/2}}{6a^3d} - \frac{2(3A + 5iB)\sqrt{a + ia \tan(c + dx)}}{a^2d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(-B + iA)}{3d(a + ia \tan(c + dx))}$$

[Out] ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) + ((I*A - B)*Tan[c + d*x]^3)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((3*A + (5*I)*B)*Tan[c + d*x]^2)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]]) - (2*(3*A + (5*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(a^2*d) + ((11*A + (21*I)*B)*(a + I*a*Tan[c + d*x])^(3/2))/(6*a^3*d)

Rubi [A] time = 0.535262, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3595, 3592, 3527, 3480, 206}

$$\frac{(11A + 21iB)(a + ia \tan(c + dx))^{3/2}}{6a^3d} - \frac{2(3A + 5iB)\sqrt{a + ia \tan(c + dx)}}{a^2d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(-B + iA)}{3d(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) + ((I*A - B)*Tan[c + d*x]^3)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((3*A + (5*I)*B)*Tan[c + d*x]^2)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]]) - (2*(3*A + (5*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(a^2*d) + ((11*A + (21*I)*B)*(a + I*a*Tan[c + d*x])^(3/2))/(6*a^3*d)

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_.)*tan[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^{3/2}} dx &= \frac{(iA-B)\tan^3(c+dx)}{3d(a+ia\tan(c+dx))^{3/2}} - \frac{\int \frac{\tan^2(c+dx)\left(3a(iA-B)+\frac{3}{2}a(A+3iB)\tan(c+dx)\right)}{\sqrt{a+ia\tan(c+dx)}} dx}{3a^2} \\ &= \frac{(iA-B)\tan^3(c+dx)}{3d(a+ia\tan(c+dx))^{3/2}} + \frac{(3A+5iB)\tan^2(c+dx)}{2ad\sqrt{a+ia\tan(c+dx)}} + \frac{\int \tan(c+dx)\sqrt{a+ia\tan(c+dx)} dx}{6a^3d} \\ &= \frac{(iA-B)\tan^3(c+dx)}{3d(a+ia\tan(c+dx))^{3/2}} + \frac{(3A+5iB)\tan^2(c+dx)}{2ad\sqrt{a+ia\tan(c+dx)}} + \frac{(11A+21iB)(a+ia\tan(c+dx))}{6a^3d} \\ &= \frac{(iA-B)\tan^3(c+dx)}{3d(a+ia\tan(c+dx))^{3/2}} + \frac{(3A+5iB)\tan^2(c+dx)}{2ad\sqrt{a+ia\tan(c+dx)}} - \frac{2(3A+5iB)\sqrt{a+ia\tan(c+dx)}}{a^2d} \\ &= \frac{(iA-B)\tan^3(c+dx)}{3d(a+ia\tan(c+dx))^{3/2}} + \frac{(3A+5iB)\tan^2(c+dx)}{2ad\sqrt{a+ia\tan(c+dx)}} - \frac{2(3A+5iB)\sqrt{a+ia\tan(c+dx)}}{a^2d} \\ &= \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(iA-B)\tan^3(c+dx)}{3d(a+ia\tan(c+dx))^{3/2}} + \frac{(3A+5iB)\tan^2(c+dx)}{2ad\sqrt{a+ia\tan(c+dx)}} \end{aligned}$$

Mathematica [A] time = 4.13008, size = 176, normalized size = 0.84

$$\frac{i \sec^3(c+dx)(21(3A+5iB)\cos(c+dx) + (37A+51iB)\cos(3(c+dx)) + 2i\sin(c+dx)((39A+53iB)\cos(2(c+dx)) + 39A + 53iB))}{24ad(\tan(c+dx) - i)\sqrt{a+ia\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (((-24*I)*(A - I*B)*E^((3*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))])/(1 + E^((2*I)*(c + d*x)))^(3/2) + I*Sec[c + d*x]^3*(21*(3*A + (5*I)*B)*Cos[c + d*x] + (37*A + (51*I)*B)*Cos[3*(c + d*x)] + (2*I)*(39*A + (61*I)*B + (39*A + (53*I)*B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/(24*a*d*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.032, size = 153, normalized size = 0.7

$$-2 \frac{1}{a^3 d} \left(-i/3B(a+ia\tan(dx+c))^{3/2} + 2iBa\sqrt{a+ia\tan(dx+c)} + A\sqrt{a+ia\tan(dx+c)}a + 1/4 \frac{a^2(5A+7iB)}{\sqrt{a+ia\tan(dx+c)}} \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^3(A+B\tan(dx+c))/(a+I*a*\tan(dx+c))^{3/2}, x)$

[Out] $-2/d/a^3(-1/3*I*B*(a+I*a*\tan(dx+c))^{3/2}+2*I*B*a*(a+I*a*\tan(dx+c))^{1/2})+A*(a+I*a*\tan(dx+c))^{1/2}*a+1/4*a^2*(5*A+7*I*B)/(a+I*a*\tan(dx+c))^{1/2}-1/6*a^3*(A+I*B)/(a+I*a*\tan(dx+c))^{3/2}-1/8*a^{3/2}*(A-I*B)*2^{1/2}*\text{arctanh}(1/2*(a+I*a*\tan(dx+c))^{1/2}*2^{1/2}/a^{1/2}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^3(A+B\tan(dx+c))/(a+I*a*\tan(dx+c))^{3/2}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 2.13936, size = 1210, normalized size = 5.79

$$\sqrt{2}\left(2(19A + 26iB)e^{(6idx+6ic)} + 3(17A + 29iB)e^{(4idx+4ic)} + 6(2A + 3iB)e^{(2idx+2ic)} - A - iB\right)\sqrt{\frac{a}{e^{(2idx+2ic)}+1}}e^{(idx+ic)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^3(A+B\tan(dx+c))/(a+I*a*\tan(dx+c))^{3/2}, x, \text{algorithm}="fricas")$

[Out] $-1/12*(\text{sqrt}(2)*(2*(19*A + 26*I*B)*e^{(6*I*d*x + 6*I*c)} + 3*(17*A + 29*I*B)*e^{(4*I*d*x + 4*I*c)} + 6*(2*A + 3*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\text{sqrt}(a/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - 3*\text{sqrt}(1/2)*(a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\text{sqrt}((A^2 - 2*I*A*B - B^2)/(a^3*d^2))*\log((2*I*\text{sqrt}(1/2)*a^2*d*\text{sqrt}((A^2 - 2*I*A*B - B^2)/(a^3*d^2))*e^{(2*I*d*x + 2*I*c)} + \text{sqrt}(2)*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\text{sqrt}(a/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(I*A + B)) + 3*\text{sqrt}(1/2)*(a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\text{sqrt}((A^2 - 2*I*A*B - B^2)/(a^3*d^2))*\log((-2*I*\text{sqrt}(1/2)*a^2*d*\text{sqrt}((A^2 - 2*I*A*B - B^2)/(a^3*d^2))*e^{(2*I*d*x + 2*I*c)} + \text{sqrt}(2)*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\text{sqrt}(a/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(I*A + B)))/(a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^3}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^3/(I*a*tan(d*x + c) + a)^(3/2), x)
```

$$3.98 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=167

$$\frac{(-7B + iA)\sqrt{a + ia \tan(c + dx)}}{3a^2d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(-B + iA) \tan^2(c + dx)}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{-11B + 5iA}{6ad\sqrt{a + ia \tan(c + dx)}}$$

```
[Out] ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) + ((I*A - B)*Tan[c + d*x]^2)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((5*I)*A - 11*B)/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((I*A - 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3*a^2*d)
```

Rubi [A] time = 0.353451, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3595, 3592, 3526, 3480, 206}

$$\frac{(-7B + iA)\sqrt{a + ia \tan(c + dx)}}{3a^2d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(-B + iA) \tan^2(c + dx)}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{-11B + 5iA}{6ad\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) + ((I*A - B)*Tan[c + d*x]^2)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((5*I)*A - 11*B)/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((I*A - 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3*a^2*d)
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]
```

Rule 3480

Int[Sqrt[(a_) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{(iA-B) \tan^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} - \frac{\int \frac{\tan(c+dx)(2a(iA-B)+\frac{1}{2}a(A+7iB) \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\ &= \frac{(iA-B) \tan^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(iA-7B)\sqrt{a+ia \tan(c+dx)}}{3a^2d} - \frac{\int \frac{-\frac{1}{2}a(A+7iB)+2a(iA-B) \tan(c+dx)}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\ &= \frac{(iA-B) \tan^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{5iA-11B}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{(iA-7B)\sqrt{a+ia \tan(c+dx)}}{3a^2d} \\ &= \frac{(iA-B) \tan^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{5iA-11B}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{(iA-7B)\sqrt{a+ia \tan(c+dx)}}{3a^2d} \\ &= \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(iA-B) \tan^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{5iA-11B}{6ad\sqrt{a+ia \tan(c+dx)}} \end{aligned}$$

Mathematica [A] time = 2.7572, size = 167, normalized size = 1.

$$\frac{3(A-iB)e^{3i(c+dx)}\sqrt{1+e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) + A\left(7e^{2i(c+dx)} + 8e^{4i(c+dx)} - 1\right) + iB\left(13e^{2i(c+dx)} + 38e^{4i(c+dx)} - 1\right)}{3ad\left(1+e^{2i(c+dx)}\right)^2(\tan(c+dx)-i)\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (A*(-1 + 7*E^((2*I)*(c + d*x)) + 8*E^((4*I)*(c + d*x)))) + I*B*(-1 + 13*E^((2*I)*(c + d*x)) + 38*E^((4*I)*(c + d*x))) + 3*(A - I*B)*E^((3*I)*(c + d*x)) *Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))]/(3*a*d*(1 + E^((2*I)*(c + d*x)))^2*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.032, size = 116, normalized size = 0.7

$$\frac{-2i}{a^2d} \left(-iB\sqrt{a+ia \tan(dx+c)} - \frac{a(3A+5iB)}{4} \frac{1}{\sqrt{a+ia \tan(dx+c)}} + \frac{a^2(A+iB)}{6} (a+ia \tan(dx+c))^{-\frac{3}{2}} - \frac{(A-iB)\sqrt{2}}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] $-2I/d/a^2*(-I*B*(a+I*a*\tan(dx+c))^{(1/2)}-1/4*a*(3*A+5*I*B)/(a+I*a*\tan(dx+c))^{(1/2)}+1/6*a^2*(A+I*B)/(a+I*a*\tan(dx+c))^{(3/2)}-1/8*a^{(1/2)}*(A-I*B)*2^{(1/2)}*\operatorname{arctanh}(1/2*(a+I*a*\tan(dx+c))^{(1/2)}*2^{(1/2)}/a^{(1/2)})$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.9881, size = 1031, normalized size = 6.17

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{-\frac{A^2 - 2iAB - B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^2 d \sqrt{-\frac{A^2 - 2iAB - B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} (iA + B) e^{(2i dx + 2i c) + iA + B} \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} e^{(i dx + i c)} \right) e^{(-i dx - i c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2),x, algorithm="fricas")`

[Out] $1/12*(3*\sqrt{1/2}*a^2*d*\sqrt{-(A^2 - 2I*A*B - B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log((2*\sqrt{1/2}*a^2*d*\sqrt{-(A^2 - 2I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)}) - 3*\sqrt{1/2}*a^2*d*\sqrt{-(A^2 - 2I*A*B - B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-(2*\sqrt{1/2}*a^2*d*\sqrt{-(A^2 - 2I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} - \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)}) + \sqrt{2}*((8*I*A - 38*B)*e^{(4*I*d*x + 4*I*c)} + (7*I*A - 13*B)*e^{(2*I*d*x + 2*I*c)} - I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-4*I*d*x - 4*I*c)/(a^2*d)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(dx+c)**2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**(3/2),x)`

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^2}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^2/(I*a*tan(d*x + c) + a)^(3/2), x)

$$3.99 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=119

$$-\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{A+3iB}{2ad\sqrt{a+ia \tan(c+dx)}}$$

[Out] -((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) - (A + I*B)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + (A + (3*I)*B)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.185539, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3590, 3526, 3480, 206}

$$-\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{A+3iB}{2ad\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2),x]

[Out] -((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) - (A + I*B)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + (A + (3*I)*B)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3590

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= -\frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} - \frac{i \int \frac{a(A+iB)+2aB \tan(c+dx)}{\sqrt{a+ia \tan(c+dx)}} dx}{2a^2} \\
&= -\frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{A+3iB}{2ad\sqrt{a+ia \tan(c+dx)}} - \frac{(iA+B) \int \sqrt{a+ia \tan(c+dx)}}{4a^2} \\
&= -\frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{A+3iB}{2ad\sqrt{a+ia \tan(c+dx)}} - \frac{(A-iB) \operatorname{Subst}\left(\int \frac{1}{2a-x^2}\right)}{(A-iB) \operatorname{Subst}\left(\int \frac{1}{2a-x^2}\right)} \\
&= -\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{A+3iB}{2ad\sqrt{a+ia \tan(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.34392, size = 145, normalized size = 1.22

$$\frac{\sqrt{1+e^{2i(c+dx)}} \left(B(-1+8e^{2i(c+dx)}) - iA(-1+2e^{2i(c+dx)}) \right) + 3(B+iA)e^{3i(c+dx)} \sinh^{-1}\left(e^{i(c+dx)}\right)}{3ad \left(1+e^{2i(c+dx)}\right)^{3/2} (\tan(c+dx)-i)\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (Sqrt[1 + E^((2*I)*(c + d*x))]*((-I)*A*(-1 + 2*E^((2*I)*(c + d*x))) + B*(-1 + 8*E^((2*I)*(c + d*x)))) + 3*(I*A + B)*E^((3*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))])/(3*a*d*(1 + E^((2*I)*(c + d*x)))^(3/2)*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.024, size = 96, normalized size = 0.8

$$2 \frac{1}{ad} \left(-\frac{-A/4 - 3/4 iB}{\sqrt{a+ia \tan(dx+c)}} - 1/6 \frac{a(A+iB)}{(a+ia \tan(dx+c))^{3/2}} - 1/2 \frac{(A/4 - i/4B)\sqrt{2}}{\sqrt{a}} \operatorname{Arctanh}\left(1/2 \frac{\sqrt{a+ia \tan(dx+c)}\sqrt{2}}{\sqrt{a}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] 2/d/a*(-(-1/4*A-3/4*I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/6*a*(A+I*B)/(a+I*a*tan(d*x+c))^(3/2)-1/2*(1/4*A-1/4*I*B)*2^(1/2)/a^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.02055, size = 1027, normalized size = 8.63

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{A^2 - 2iAB - B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{\left(2i \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{A^2 - 2iAB - B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} \left((iA + B) e^{(2i dx + 2i c)} + iA + B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} e^{(i dx + i c)} \right) e^{(-i dx - i c)}}{iA + B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/12*(3*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log((2*I*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)}) - 3*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log((-2*I*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)}) - \sqrt{2}*(2*(A + 4*I*B)*e^{(4*I*d*x + 4*I*c)} + (A + 7*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}*e^{(-4*I*d*x - 4*I*c)/(a^2*d)} \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)/(I*a*tan(d*x + c) + a)^(3/2), x)

$$3.100 \quad \int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=121

$$-\frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{-B+iA}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{B+iA}{2ad\sqrt{a+ia \tan(c+dx)}}$$

[Out] -((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) + (I*A - B)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + (I*A + B)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.101753, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3526, 3479, 3480, 206}

$$-\frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{-B+iA}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{B+iA}{2ad\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] -((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[2]*a^(3/2)*d) + (I*A - B)/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + (I*A + B)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{(a + ia \tan(c + dx))^{3/2}} dx &= \frac{iA - B}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(A - iB) \int \frac{1}{\sqrt{a + ia \tan(c + dx)}} dx}{2a} \\
&= \frac{iA - B}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{iA + B}{2ad\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \int \sqrt{a + ia \tan(c + dx)}}{4a^2} \\
&= \frac{iA - B}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{iA + B}{2ad\sqrt{a + ia \tan(c + dx)}} - \frac{(iA + B) \operatorname{Subst}\left(\int \frac{1}{2a - x^2} dx, x, \sqrt{a + ia \tan(c + dx)}\right)}{2ad} \\
&= -\frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{iA - B}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{iA + B}{2ad\sqrt{a + ia \tan(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.1172, size = 143, normalized size = 1.18

$$\frac{\sqrt{1 + e^{2i(c+dx)}} (4Ae^{2i(c+dx)} + A - iB(-1 + 2e^{2i(c+dx)})) - 3(A - iB)e^{3i(c+dx)} \sinh^{-1}(e^{i(c+dx)})}{3ad(1 + e^{2i(c+dx)})^{3/2} (\tan(c + dx) - i)\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (Sqrt[1 + E^((2*I)*(c + d*x))]*(A + 4*A*E^((2*I)*(c + d*x)) - I*B*(-1 + 2*E^((2*I)*(c + d*x)))) - 3*(A - I*B)*E^((3*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))])/(3*a*d*(1 + E^((2*I)*(c + d*x)))^(3/2)*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.021, size = 96, normalized size = 0.8

$$\frac{2i}{d} \left(-\frac{1}{3} \left(-\frac{A}{2} - \frac{i}{2} B \right) (a + ia \tan(dx + c))^{-\frac{3}{2}} - \frac{-A + iB}{4a} \frac{1}{\sqrt{a + ia \tan(dx + c)}} - \frac{(A - iB)\sqrt{2}}{8} \operatorname{Arctanh} \left(\frac{\sqrt{2}}{2} \sqrt{a + ia \tan(dx + c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] 2*I/d*(-1/3*(-1/2*A-1/2*I*B)/(a+I*a*tan(d*x+c))^(3/2)-1/4/a*(-A+I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/8*(A-I*B)/a^(3/2)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.98117, size = 1027, normalized size = 8.49

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{-\frac{A^2 - 2iAB - B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^2 d \sqrt{-\frac{A^2 - 2iAB - B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} (iA + B) e^{(2i dx + 2i c)} + iA + B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} e^{(i dx + i c)} \right) e^{(-i dx - i c)} \right)}{iA + B}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out]
$$-1/12 * (3 * \sqrt{1/2} * a^2 * d * \sqrt{-(A^2 - 2 * I * A * B - B^2) / (a^3 * d^2)}) * e^{(4 * I * d * x + 4 * I * c)} * \log((2 * \sqrt{1/2} * a^2 * d * \sqrt{-(A^2 - 2 * I * A * B - B^2) / (a^3 * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} + \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(I * d * x + I * c)}) * e^{(-I * d * x - I * c)} / (I * A + B)) - 3 * \sqrt{1/2} * a^2 * d * \sqrt{-(A^2 - 2 * I * A * B - B^2) / (a^3 * d^2)}) * e^{(4 * I * d * x + 4 * I * c)} * \log(-(2 * \sqrt{1/2} * a^2 * d * \sqrt{-(A^2 - 2 * I * A * B - B^2) / (a^3 * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} - \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(I * d * x + I * c)}) * e^{(-I * d * x - I * c)} / (I * A + B)) - \sqrt{2} * ((4 * I * A + 2 * B) * e^{(4 * I * d * x + 4 * I * c)} + (5 * I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A - B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(I * d * x + I * c)}) * e^{(-4 * I * d * x - 4 * I * c)} / (a^2 * d)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/(I*a*tan(d*x + c) + a)^(3/2), x)

$$3.101 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=156

$$\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{A + iB}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{3A + iB}{2ad\sqrt{a + ia \tan(c + dx)}}$$

[Out] $(-2*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(a^{(3/2)*d}) + ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])]/(2*Sqrt[2]*a^{(3/2)*d}) + (A + I*B)/(3*d*(a + I*a*Tan[c + d*x])^{(3/2)}) + (3*A + I*B)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]]))$

Rubi [A] time = 0.514128, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3596, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{A + iB}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{3A + iB}{2ad\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x])^{(3/2)}, x]$

[Out] $(-2*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(a^{(3/2)*d}) + ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])]/(2*Sqrt[2]*a^{(3/2)*d}) + (A + I*B)/(3*d*(a + I*a*Tan[c + d*x])^{(3/2)}) + (3*A + I*B)/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]]))$

Rule 3596

$\text{Int}[(a + b*\tan[(e + f*x)])^m * ((A + B*\tan[(e + f*x)]*(c + d*\tan[e + f*x])^{n+1}) / (2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * (c + d*\tan[e + f*x])^n * \text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3600

$\text{Int}[(a + b*\tan[(e + f*x)])^m * ((A + B*\tan[(e + f*x)]*(c + d*\tan[e + f*x])^n) / (2*f*m*(b*c + a*d)), x] + \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\tan[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[(a + b*\tan[e + f*x])^m * (a - b*\tan[e + f*x]) / (c + d*\tan[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

$\text{Int}[Sqrt[(a + b*\tan[(c + d*x)]), x_Symbol] := \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, Sqrt[a + b*\tan[c + d*x]]], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot(c+dx)(3aA-\frac{3}{2}a(iA-B) \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\ &= \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{3A+iB}{2ad\sqrt{a+ia \tan(c+dx)}} + \frac{\int \cot(c+dx)\sqrt{a+ia \tan(c+dx)} dx}{2ad\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{3A+iB}{2ad\sqrt{a+ia \tan(c+dx)}} + \frac{A \int \cot(c+dx)(a-ia \tan(c+dx)) dx}{2ad\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{3A+iB}{2ad\sqrt{a+ia \tan(c+dx)}} + \frac{A \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+iax}} dx, x, a+ia \tan(c+dx)\right)}{ad} \\ &= \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{3A+iB}{2ad\sqrt{a+ia \tan(c+dx)}} \\ &= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{A+iB}{3d(a+ia \tan(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 3.86922, size = 192, normalized size = 1.23

$$\frac{-\frac{12i(A-iB)e^{3i(c+dx)} \sinh^{-1}(e^{i(c+dx)})}{(1+e^{2i(c+dx)})^{3/2}} + 18A \tan(c+dx) + \frac{48i\sqrt{2}Ae^{3i(c+dx)} \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right)}{(1+e^{2i(c+dx)})^{3/2}} - 22iA + 6iB \tan(c+dx) + 10B}{12ad(\tan(c+dx) - i)\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2),
x]
```

```
[Out] ((-22*I)*A + 10*B - ((12*I)*(A - I*B)*E^((3*I)*(c + d*x))*ArcSinh[E^(I*(c +
d*x))])/(1 + E^((2*I)*(c + d*x)))^(3/2) + ((48*I)*Sqrt[2]*A*E^((3*I)*(c +
d*x))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[1 + E^((2*I)*(c + d*x))]])/(1
+ E^((2*I)*(c + d*x)))^(3/2) + 18*A*Tan[c + d*x] + (6*I)*B*Tan[c + d*x])/(1
2*a*d*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.369, size = 1026, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x)
```

```
[Out] 1/24/d/a^2*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(16*I*B*cos(d*x+c)
)^4-12*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-12*I*A*cos(d*x+c)*(-2*
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)
*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+4*I*B*cos(d*x+c)^2-16*I*A*cos(d*x+c)^
3*sin(d*x+c)+3*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*arctan(1
/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c
)+1))^(1/2))*2^(1/2)-3*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*ar
ctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos
(d*x+c)+1))^(1/2))*2^(1/2)+16*A*cos(d*x+c)^4-36*I*A*cos(d*x+c)*sin(d*x+c)+3
*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*arctan(1/2*2^(1/2)*(I*co
s(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(
1/2)+16*B*cos(d*x+c)^3*sin(d*x+c)+12*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+3*I*B*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin
(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-3*A*(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(
d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-12*A*(-2*cos(d*x+c)/(c
os(d*x+c)+1))^(1/2)*cos(d*x+c)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2
))-12*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+
c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+3*I*B*2^(1/2)*
cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d
*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+28*A*c
os(d*x+c)^2-12*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+
c)/(cos(d*x+c)+1))^(1/2))+12*B*cos(d*x+c)*sin(d*x+c))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 2.83075, size = 1694, normalized size = 10.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/12*(3*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log((2*I*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}*e^{(-I*d*x - I*c)})/(4*I*A + 4*B)) \\ & - 3*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log((-2*I*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}*e^{(-I*d*x - I*c)})/(4*I*A + 4*B)) - 6 \\ & *a^2*d*\sqrt{A^2/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-88/507*(2*\sqrt{2}*(A*e^{(2*I*d*x + 2*I*c)} + A)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (3*a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{A^2/(a^3*d^2)}))/(A*e^{(2*I*d*x + 2*I*c)} - A)) + 6*a^2*d*\sqrt{A^2/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-88/507*(2*\sqrt{2}*(A*e^{(2*I*d*x + 2*I*c)} + A)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - (3*a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{A^2/(a^3*d^2)}))/(A*e^{(2*I*d*x + 2*I*c)} - A)) + \sqrt{2}*(2*(5*A + 2*I*B)*e^{(4*I*d*x + 4*I*c)} \\ & + (11*A + 5*I*B)*e^{(2*I*d*x + 2*I*c)} + A + I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}*e^{(-4*I*d*x - 4*I*c)}/(a^2*d) \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)/(I*a*tan(d*x + c) + a)^(3/2), x)

$$3.102 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=217

$$\frac{(-2B + 3iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A + 3iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{2a^2d}$$

```
[Out] (((3*I)*A - 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(a^(3/2)*d) +
  ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[
  2]*a^(3/2)*d) + ((A + I*B)*Cot[c + d*x])/(3*d*(a + I*a*Tan[c + d*x])^(3/2))
  + ((13*A + (7*I)*B)*Cot[c + d*x])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) - ((7
  *A + (3*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(2*a^2*d)
```

Rubi [A] time = 0.80406, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(-2B + 3iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A + 3iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{2a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]
```

```
[Out] (((3*I)*A - 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(a^(3/2)*d) +
  ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*Sqrt[
  2]*a^(3/2)*d) + ((A + I*B)*Cot[c + d*x])/(3*d*(a + I*a*Tan[c + d*x])^(3/2))
  + ((13*A + (7*I)*B)*Cot[c + d*x])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) - ((7
  *A + (3*I)*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(2*a^2*d)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
  (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
  p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
  (b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
  + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
  b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
  [{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
  && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
  (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
  p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
  1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
  *x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
  + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; Fre
  eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
  && LtQ[n, -1]
```

Rule 3600

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(
A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*
d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Ta
n[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a
*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{(A+iB) \cot(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot^2(c+dx) \left(a(4A+iB) - \frac{5}{2}a(iA-B) \tan(c+dx) \right)}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\
&= \frac{(A+iB) \cot(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(13A+7iB) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{\int \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)} dx}{6ad} \\
&= \frac{(A+iB) \cot(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(13A+7iB) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(7A+3iB) \cot(c+dx)}{6ad} \\
&= \frac{(A+iB) \cot(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(13A+7iB) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(7A+3iB) \cot(c+dx)}{6ad} \\
&= \frac{(A+iB) \cot(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(13A+7iB) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(7A+3iB) \cot(c+dx)}{6ad} \\
&= \frac{(iA+B) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}} \right)}{2\sqrt{2}a^{3/2}d} + \frac{(A+iB) \cot(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(13A+7iB)}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(3iA-2B) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}} \right)}{a^{3/2}d} + \frac{(iA+B) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}} \right)}{2\sqrt{2}a^{3/2}d} + \frac{(13A+7iB)}{6ad\sqrt{a+ia \tan(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 4.7885, size = 259, normalized size = 1.19

$$\frac{\sqrt{\sec(c+dx)}(A+B \tan(c+dx)) \left(\sqrt{2} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{3/2} (1+e^{2i(c+dx)})^{3/2} \left((B+iA) \sinh^{-1}(e^{i(c+dx)}) + 2\sqrt{2}(-2B+3iA) \tan(c+dx) \right) \right)}{4d(a+ia \tan(c+dx))^{3/2}(A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(Sqrt[2]*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^(3/2)*(1 + E^((2*I)*(c + d*x))))^(3/2)*((I*A + B)*ArcSinh[E^(I*(c + d*x))] + 2*Sqrt[2]*((3*I)*A - 2*B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x))]/Sqrt[1 + E^((2*I)*(c + d*x))])]) - (Csc[c + d*x]*(-3*(5*A + (3*I)*B) + 9*(3*A + I*B)*Cos[2*(c + d*x)] + ((29*I)*A - 11*B)*Sin[2*(c + d*x)]))/(3*Sqrt[Sec[c + d*x]])*(A + B*Tan[c + d*x]))/(4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(3/2))

Maple [B] time = 0.432, size = 2818, normalized size = 13.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] -1/24/d/a^2*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(3*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-16*B*cos(d*x+c)^6-84*A*cos(d*x+c)*sin(d*x+c)+16*I*A*cos(d*x+c)^6+36*I*A

$$3IA\cos(dx+c)*2^{(1/2)}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(I\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})-3IB\cos(dx+c)^2*\sin(dx+c)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\arctan(1/2*2^{(1/2)}*(I\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})*2^{(1/2)}-12\cos(dx+c)^4*B+28*B\cos(dx+c)^2)/(-1+\cos(dx+c)^2)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.13325, size = 2230, normalized size = 10.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2),x, algorithm="fricas")

[Out]
$$\frac{1}{12}(\sqrt{2}*((-28IA + 10B)*e^{(6I dx + 6I c)} + (-13IA + B)*e^{(4I dx + 4I c)} + (16IA - 10B)*e^{(2I dx + 2I c)} + IA - B)*\sqrt{a/(e^{(2I dx + 2I c)} + 1)}*e^{(I dx + I c)} + 3*\sqrt{1/2}*(a^2*d*e^{(6I dx + 6I c)} - a^2*d*e^{(4I dx + 4I c)})*\sqrt{-(A^2 - 2IA*B - B^2)/(a^3*d^2)}*\log((2*\sqrt{1/2}*a^2*d*\sqrt{-(A^2 - 2IA*B - B^2)/(a^3*d^2)})*e^{(2I dx + 2I c)} + \sqrt{2}*((IA + B)*e^{(2I dx + 2I c)} + IA + B)*\sqrt{a/(e^{(2I dx + 2I c)} + 1)}*e^{(I dx + I c)})*e^{(-I dx - I c)}/(4IA + 4B)) - 3*\sqrt{1/2}*(a^2*d*e^{(6I dx + 6I c)} - a^2*d*e^{(4I dx + 4I c)})*\sqrt{-(A^2 - 2IA*B - B^2)/(a^3*d^2)}*\log(-(2*\sqrt{1/2}*a^2*d*\sqrt{-(A^2 - 2IA*B - B^2)/(a^3*d^2)})*e^{(2I dx + 2I c)} - \sqrt{2}*((IA + B)*e^{(2I dx + 2I c)} + IA + B)*\sqrt{a/(e^{(2I dx + 2I c)} + 1)}*e^{(I dx + I c)})*e^{(-I dx - I c)}/(4IA + 4B)) + 3*(a^2*d*e^{(6I dx + 6I c)} - a^2*d*e^{(4I dx + 4I c)})*\sqrt{-(9A^2 + 12IA*B - 4B^2)/(a^3*d^2)}*\log((\sqrt{2}*((528IA - 352B)*e^{(2I dx + 2I c)} + 528IA - 352B)*\sqrt{a/(e^{(2I dx + 2I c)} + 1)}*e^{(I dx + I c)} + 88*(3a^2*d*e^{(2I dx + 2I c)} + a^2*d)*\sqrt{-(9A^2 + 12IA*B - 4B^2)/(a^3*d^2)}))/((-1521IA + 1014B)*e^{(2I dx + 2I c)} + 1521IA - 1014B)) - 3*(a^2*d*e^{(6I dx + 6I c)} - a^2*d*e^{(4I dx + 4I c)})*\sqrt{-(9A^2 + 12IA*B - 4B^2)/(a^3*d^2)}*\log((\sqrt{2}*((528IA - 352B)*e^{(2I dx + 2I c)} + 528IA - 352B)*\sqrt{a/(e^{(2I dx + 2I c)} + 1)}*e^{(I dx + I c)} - 88*(3a^2*d*e^{(2I dx + 2I c)} + a^2*d)*\sqrt{-(9A^2 + 12IA*B - 4B^2)/(a^3*d^2)}))/((-1521IA + 1014B)*e^{(2I dx + 2I c)} + 1521IA - 1014B)))/(a^2*d*e^{(6I dx + 6I c)} - a^2*d*e^{(4I dx + 4I c)})$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^2}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorit
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^2/(I*a*tan(d*x + c) + a)^(3/2),
x)
```

$$3.103 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=268

$$\frac{(23A + 12iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(22A + 13iB) \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}}{6a^2d}$$

```
[Out] ((23*A + (12*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*a^(3/2)*
d) - ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*S
qrt[2]*a^(3/2)*d) + ((A + I*B)*Cot[c + d*x]^2)/(3*d*(a + I*a*Tan[c + d*x])^
(3/2)) + ((17*A + (11*I)*B)*Cot[c + d*x]^2)/(6*a*d*Sqrt[a + I*a*Tan[c + d*x
]]) + (7*((3*I)*A - 2*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a^2*d)
- ((22*A + (13*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(6*a^2*d)
```

Rubi [A] time = 0.982629, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(23A + 12iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(22A + 13iB) \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}}{6a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((23*A + (12*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(4*a^(3/2)*
d) - ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(2*S
qrt[2]*a^(3/2)*d) + ((A + I*B)*Cot[c + d*x]^2)/(3*d*(a + I*a*Tan[c + d*x])^
(3/2)) + ((17*A + (11*I)*B)*Cot[c + d*x]^2)/(6*a*d*Sqrt[a + I*a*Tan[c + d*x
]]) + (7*((3*I)*A - 2*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a^2*d)
- ((22*A + (13*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(6*a^2*d)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; Fre
eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[n, -1]
```

Rule 3600

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(
A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*
d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Ta
n[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a
*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot^3(c+dx) \left(a(5A+2iB) - \frac{7}{2} a(iA-B) \tan(c+dx) \right)}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\
&= \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(17A+11iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{\int \cot^3(c+dx) \sqrt{a+ia \tan(c+dx)} dx}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(17A+11iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(22A+13iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(17A+11iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{7(3iA-2B) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(17A+11iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{7(3iA-2B) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(17A+11iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{7(3iA-2B) \cot(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= -\frac{(A-iB) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}} \right)}{2\sqrt{2}a^{3/2}d} + \frac{(A+iB) \cot^2(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(17A+11iB) \cot^2(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(23A+12iB) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}} \right)}{4a^{3/2}d} - \frac{(A-iB) \tanh^{-1} \left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}} \right)}{2\sqrt{2}a^{3/2}d} + \dots
\end{aligned}$$

Mathematica [A] time = 5.40464, size = 283, normalized size = 1.06

$$\frac{\sqrt{\sec(c+dx)}(A+B \tan(c+dx)) \left(\sqrt{2} \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{3/2} (1+e^{2i(c+dx)})^{3/2} \left(\sqrt{2}(23A+12iB) \tanh^{-1} \left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}} \right) - 2(A-iB) \right) \right)}{8d(a+ia \tan(c+dx))^{3/2}(A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(Sqrt[2]*(E^(I*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(3/2)*(1 + E^((2*I)*(c + d*x)))^(3/2)*(-2*(A - I*B)*ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*(23*A + (12*I)*B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[1 + E^((2*I)*(c + d*x))]]) + (Csc[c + d*x]^2*(-((50*A + (29*I)*B)*Cos[c + d*x]) + (38*A + (29*I)*B)*Cos[3*(c + d*x)] + 6*((-9*I)*A + 5*B + ((12*I)*A - 9*B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/(3*Sqrt[Sec[c + d*x]])*(A + B*Tan[c + d*x]))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(3/2))

Maple [B] time = 0.415, size = 2818, normalized size = 10.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] 1/48/d/a^2*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(69*I*A*cos(d*x+c)^3*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1

$$\begin{aligned}
& -(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)+\cos(dx+c)-1/\sin(dx+c))* \\
& \cos(dx+c)^2\sin(dx+c)+36*B*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/ \\
& (-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^2\sin(dx+c)+32*I*A*\cos(d* \\
& x+c)^5*\sin(dx+c)+136*I*A*\sin(dx+c)*\cos(dx+c)^3-69*I*A*(-2\cos(dx+c)/(c \\
& os(dx+c)+1))^{1/2}*\ln(-(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+c \\
& os(dx+c)-1/\sin(dx+c))-36*I*B*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(\\
& 1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-252*I*A*\sin(dx+c)*\cos(dx+c))/(-1+ \\
& \cos(dx+c)^2)
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.22973, size = 2570, normalized size = 9.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/48*(4*\sqrt{2})*((37*A + 28*I*B)*e^{(8*I*d*x + 8*I*c)} - 3*(11*A + 5*I*B)*e^{(6*I*d*x + 6*I*c)} - \\
& (50*A + 29*I*B)*e^{(4*I*d*x + 4*I*c)} + 3*(7*A + 5*I*B)*e^{(2*I*d*x + 2*I*c)} + A + I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + \\
& 12*\sqrt{1/2}*(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*\log((2 \\
& *I*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}))e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 12*\sqrt{1/2} \\
& *(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*\log((-2*I*\sqrt{1/2}*a^2*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^3*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}))e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 3*(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\sqrt{(529*A^2 + 552*I*A*B - 144*B^2)/(a^3*d^2)}*\log(1/4*(4*\sqrt{2})*((4048*I*A - 2112*B)*e^{(2*I*d*x + 2*I*c)} + 4048*I*A - 2112*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (1056*I*a^2*d*e^{(2*I*d*x + 2*I*c)} + 352*I*a^2*d)*\sqrt{(529*A^2 + 552*I*A*B - 144*B^2)/(a^3*d^2)})))/((-11661*I*A + 6084*B)*e^{(2*I*d*x + 2*I*c)} + 11661*I*A - 6084*B)) + 3*(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\sqrt{(529*A^2 + 552*I*A*B - 144*B^2)/(a^3*d^2)}*\log(1/4*(4*\sqrt{2})*((4048*I*A - 2112*B)*e^{(2*I*d*x + 2*I*c)} + 4048*I*A - 2112*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (-1056*I*a^2*d*e^{(2*I*d*x + 2*I*c)} - 352*I*a^2*d)*\sqrt{(529*A^2 + 552*I*A*B - 144*B^2)/(a^3*d^2)})))/((-11661*I*A + 6084*B)*e^{(2*I*d*x + 2*I*c)} + 11661*I*A - 6084*B)))/(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} +
\end{aligned}$$

$a^2 d e^{(4 I d x + 4 I c)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^3}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^3/(I*a*tan(d*x + c) + a)^(3/2), x)

$$3.104 \quad \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=255

$$\frac{(-89B + 39iA) \tan^2(c + dx)}{20a^2d\sqrt{a + ia \tan(c + dx)}} - \frac{(-361B + 151iA)(a + ia \tan(c + dx))^{3/2}}{60a^4d} + \frac{(-89B + 39iA)\sqrt{a + ia \tan(c + dx)}}{5a^3d} - \frac{(B + 39iA)\tan(c + dx)}{5a^3d}$$

```
[Out] -((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^4)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((11*A + (21*I)*B)*Tan[c + d*x]^3)/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - (((39*I)*A - 89*B)*Tan[c + d*x]^2)/(20*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) + (((39*I)*A - 89*B)*Sqrt[a + I*a*Tan[c + d*x]])/(5*a^3*d) - (((151*I)*A - 361*B)*(a + I*a*Tan[c + d*x])^(3/2))/(60*a^4*d)
```

Rubi [A] time = 0.779281, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3595, 3592, 3527, 3480, 206}

$$\frac{(-89B + 39iA) \tan^2(c + dx)}{20a^2d\sqrt{a + ia \tan(c + dx)}} - \frac{(-361B + 151iA)(a + ia \tan(c + dx))^{3/2}}{60a^4d} + \frac{(-89B + 39iA)\sqrt{a + ia \tan(c + dx)}}{5a^3d} - \frac{(B + 39iA)\tan(c + dx)}{5a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] -((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^4)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((11*A + (21*I)*B)*Tan[c + d*x]^3)/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - (((39*I)*A - 89*B)*Tan[c + d*x]^2)/(20*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) + (((39*I)*A - 89*B)*Sqrt[a + I*a*Tan[c + d*x]])/(5*a^3*d) - (((151*I)*A - 361*B)*(a + I*a*Tan[c + d*x])^(3/2))/(60*a^4*d)
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3527

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist
```

$[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ !\text{LtQ}[m, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)]]], x_Symbol] \ :> \ \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\tan^4(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^{5/2}} dx &= \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} - \frac{\int \frac{\tan^3(c+dx)\left(4a(iA-B)+\frac{1}{2}a(3A+13iB)\tan(c+dx)\right)}{(a+ia\tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(11A+21iB)\tan^3(c+dx)}{30ad(a+ia\tan(c+dx))^{3/2}} + \frac{\int \frac{\tan^2(c+dx)\left(-\frac{3}{2}a^2(11A-B)+\frac{1}{2}a(3A+13iB)\tan(c+dx)\right)}{\sqrt{a+ia\tan(c+dx)}} dx}{\sqrt{a+ia\tan(c+dx)}} \\ &= \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(11A+21iB)\tan^3(c+dx)}{30ad(a+ia\tan(c+dx))^{3/2}} - \frac{(39iA-89B)\tan^2(c+dx)}{20a^2d\sqrt{a+ia\tan(c+dx)}} \\ &= \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(11A+21iB)\tan^3(c+dx)}{30ad(a+ia\tan(c+dx))^{3/2}} - \frac{(39iA-89B)\tan^2(c+dx)}{20a^2d\sqrt{a+ia\tan(c+dx)}} \\ &= \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(11A+21iB)\tan^3(c+dx)}{30ad(a+ia\tan(c+dx))^{3/2}} - \frac{(39iA-89B)\tan^2(c+dx)}{20a^2d\sqrt{a+ia\tan(c+dx)}} \\ &= \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(11A+21iB)\tan^3(c+dx)}{30ad(a+ia\tan(c+dx))^{3/2}} - \frac{(39iA-89B)\tan^2(c+dx)}{20a^2d\sqrt{a+ia\tan(c+dx)}} \\ &= -\frac{(iA+B)\tanh^{-1}\left(\frac{\sqrt{a+ia\tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(iA-B)\tan^4(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(11A+21iB)\tan^3(c+dx)}{30ad(a+ia\tan(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 5.30489, size = 191, normalized size = 0.75

$$\frac{120(B+iA)e^{5i(c+dx)}\sinh^{-1}\left(e^{i(c+dx)}\right)}{(1+e^{2i(c+dx)})^{5/2}} + \sec^4(c+dx)((747B-317iA)\cos(2(c+dx)) + (493B-233iA)\cos(4(c+dx)) + 340A\sin(2(c+dx)))$$

$$120a^2d(\tan(c+dx)-i)^2\sqrt{a+ia\tan(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((120*(I*A + B)*E^((5*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))^(5/2) + Sec[c + d*x]^4*((-84*I)*A + 174*B + ((-317*I)*A + 747*B)*Cos[2*(c + d*x)] + ((-233*I)*A + 493*B)*Cos[4*(c + d*x)] + 340*A*Sin[2*(c + d*x)] + (780*I)*B*Sin[2*(c + d*x)] + 230*A*Sin[4*(c + d*x)] + (490*I)*B*Sin[4*(c + d*x)]))/(120*a^2*d*(-I + Tan[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])

*x]])

Maple [A] time = 0.033, size = 181, normalized size = 0.7

$$\frac{2i}{a^4d} \left(-\frac{i}{3} B (a + ia \tan(dx + c))^3 + 3iBa\sqrt{a + ia \tan(dx + c)} + A\sqrt{a + ia \tan(dx + c)}a + \frac{a^2(31iB + 17A)}{8} \frac{1}{\sqrt{a + ia \tan(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] 2*I/d/a^4*(-1/3*I*B*(a+I*a*tan(d*x+c))^(3/2)+3*I*B*a*(a+I*a*tan(d*x+c))^(1/2)+A*(a+I*a*tan(d*x+c))^(1/2)*a+1/8*a^2*(31*I*B+17*A)/(a+I*a*tan(d*x+c))^(1/2)-1/12*a^3*(9*I*B+7*A)/(a+I*a*tan(d*x+c))^(3/2)+1/10*a^4*(A+I*B)/(a+I*a*tan(d*x+c))^(5/2)-1/16*a^(3/2)*(A-I*B)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.16433, size = 1274, normalized size = 5.

$$\sqrt{2}((463iA - 983B)e^{(8i dx + 8i c)} + (657iA - 1527B)e^{(6i dx + 6i c)} + (168iA - 348B)e^{(4i dx + 4i c)} + (-23iA + 33B)e^{(2i dx + 2i c)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/120*(sqrt(2)*((463*I*A - 983*B)*e^(8*I*d*x + 8*I*c) + (657*I*A - 1527*B)*e^(6*I*d*x + 6*I*c) + (168*I*A - 348*B)*e^(4*I*d*x + 4*I*c) + (-23*I*A + 33*B)*e^(2*I*d*x + 2*I*c) + 3*I*A - 3*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 15*sqrt(1/2)*(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt(-(A^2 - 2*I*A*B - B^2)/(a^5*d^2))*log((2*sqrt(1/2)*a^3*d*sqrt(-(A^2 - 2*I*A*B - B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(I*A + B)) + 15*sqrt(1/2)*(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt(-(A^2 - 2*I*A*B - B^2)/(a^5*d^2))*log(-(2*sqrt(1/2)*a^3*d*sqrt(-(A^2 - 2*I*A*B - B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x

+ 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(I*A + B)))/(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^4}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^4/(I*a*tan(d*x + c) + a)^(5/2), x)

$$3.105 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=211

$$\frac{(13A + 83iB)\sqrt{a + ia \tan(c + dx)}}{30a^3d} + \frac{41A + 151iB}{60a^2d\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(-B + iA) \tan^3(c + dx)}{5d(a + ia \tan(c + dx))^{5/2}}$$

```
[Out] ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^3)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((7*A + (17*I)*B)*Tan[c + d*x]^2)/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + (41*A + (151*I)*B)/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((13*A + (83*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(30*a^3*d)
```

Rubi [A] time = 0.568629, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3595, 3592, 3526, 3480, 206}

$$\frac{(13A + 83iB)\sqrt{a + ia \tan(c + dx)}}{30a^3d} + \frac{41A + 151iB}{60a^2d\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(-B + iA) \tan^3(c + dx)}{5d(a + ia \tan(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^3)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((7*A + (17*I)*B)*Tan[c + d*x]^2)/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + (41*A + (151*I)*B)/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((13*A + (83*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(30*a^3*d)
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
```

] && LtQ[m, 0]

Rule 3480

```
Int[Sqrt[(a_) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
  b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
  Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
  Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(iA-B) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} - \frac{\int \frac{\tan^2(c+dx)(3a(iA-B)+\frac{1}{2}a(A+11iB) \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{(iA-B) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(7A+17iB) \tan^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\tan(c+dx)(-a^2(7A+17iB))}{\sqrt{a+ia \tan(c+dx)}} dx}{30a^2d} \\ &= \frac{(iA-B) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(7A+17iB) \tan^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(13A+83iB)\sqrt{a+ia \tan(c+dx)}}{30a^3d} \\ &= \frac{(iA-B) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(7A+17iB) \tan^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{41A+151iB}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA-B) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(7A+17iB) \tan^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{41A+151iB}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(iA-B) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(7A+17iB) \tan^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 4.2232, size = 193, normalized size = 0.91

$$\frac{15(A-iB)e^{5i(c+dx)}\sqrt{1+e^{2i(c+dx)}}\sinh^{-1}\left(e^{i(c+dx)}\right)+A\left(-16e^{2i(c+dx)}+64e^{4i(c+dx)}+83e^{6i(c+dx)}+3\right)+iB\left(-26e^{2i(c+dx)}+194e^{4i(c+dx)}+463e^{6i(c+dx)}+3\right)}{15a^2d\left(1+e^{2i(c+dx)}\right)^3\left(\tan(c+dx)-i\right)^2\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] -(A*(3 - 16*E^((2*I)*(c + d*x)) + 64*E^((4*I)*(c + d*x)) + 83*E^((6*I)*(c + d*x))) + I*B*(3 - 26*E^((2*I)*(c + d*x)) + 194*E^((4*I)*(c + d*x)) + 463*E^((6*I)*(c + d*x))) + 15*(A - I*B)*E^((5*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))])/(15*a^2*d*(1 + E^((2*I)*(c + d*x)))^3*(-I + Tan[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [A] time = 0.03, size = 142, normalized size = 0.7

$$-2 \frac{1}{a^3 d} \left(-iB \sqrt{a + ia \tan(dx + c)} - 1/8 \frac{a(7A + 17iB)}{\sqrt{a + ia \tan(dx + c)}} + 1/12 \frac{a^2(5A + 7iB)}{(a + ia \tan(dx + c))^{3/2}} - 1/10 \frac{a^3(A + iB)}{(a + ia \tan(dx + c))^{5/2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x)`

[Out]
$$-2/d/a^3*(-I*B*(a+I*a*\tan(d*x+c))^{(1/2)}-1/8*a*(7*A+17*I*B)/(a+I*a*\tan(d*x+c))^{(1/2)}+1/12*a^2*(5*A+7*I*B)/(a+I*a*\tan(d*x+c))^{(3/2)}-1/10*a^3*(A+I*B)/(a+I*a*\tan(d*x+c))^{(5/2)}-1/16*a^{(1/2)}*(A-I*B)*2^{(1/2)}*\operatorname{arctanh}(1/2*(a+I*a*\tan(d*x+c))^{(1/2)}*2^{(1/2)}/a^{(1/2)}))$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 2.05867, size = 1100, normalized size = 5.21

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{A^2 - 2iAB - B^2}{a^5 d^2}} e^{(6i dx + 6ic)} \log \left(\frac{\left(2i \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{A^2 - 2iAB - B^2}{a^5 d^2}} e^{(2i dx + 2ic)} + \sqrt{2} \left((iA + B) e^{(2i dx + 2ic)} + iA + B \right) \sqrt{\frac{a}{e^{(2i dx + 2ic)} + 1}} e^{(i dx + ic)} \right) e^{(-i dx - ic)}}{iA + B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out]
$$\frac{1}{120} (15 \sqrt{1/2} a^3 d \sqrt{(A^2 - 2IA*B - B^2)/(a^5 d^2)}) e^{(6I*d*x + 6I*c)} * \log((2I*\sqrt{1/2} a^3 d \sqrt{(A^2 - 2IA*B - B^2)/(a^5 d^2)}) e^{(2I*d*x + 2I*c)} + \sqrt{2} * ((I*A + B) e^{(2I*d*x + 2I*c)} + I*A + B) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}) e^{(I*d*x + I*c)}) e^{(-I*d*x - I*c)} / (I*A + B) - 15 \sqrt{1/2} a^3 d \sqrt{(A^2 - 2IA*B - B^2)/(a^5 d^2)}) e^{(6I*d*x + 6I*c)} * \log((-2I*\sqrt{1/2} a^3 d \sqrt{(A^2 - 2IA*B - B^2)/(a^5 d^2)}) e^{(2I*d*x + 2I*c)} + \sqrt{2} * ((I*A + B) e^{(2I*d*x + 2I*c)} + I*A + B) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}) e^{(I*d*x + I*c)}) e^{(-I*d*x - I*c)} / (I*A + B) + \sqrt{2} * ((83*A + 463*I*B) e^{(6I*d*x + 6I*c)} + 2*(32*A + 97*I*B) e^{(4I*d*x + 4I*c)} - 2*(8*A + 13*I*B) e^{(2I*d*x + 2I*c)} + 3*A + 3*I*B) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}) e^{(I*d*x + I*c)}) e^{(-6I*d*x - 6I*c)} / (a^3*d)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)`

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^3}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^3/(I*a*tan(d*x + c) + a)^(5/2), x)

$$3.106 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=167

$$\frac{-31B + iA}{20a^2d\sqrt{a + ia \tan(c + dx)}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(-B + iA) \tan^2(c + dx)}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{-13B + 3iA}{30ad(a + ia \tan(c + dx))}$$

[Out] ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^2)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((3*I)*A - 13*B)/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - (I*A - 31*B)/(20*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.39508, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3595, 3590, 3526, 3480, 206}

$$\frac{-31B + iA}{20a^2d\sqrt{a + ia \tan(c + dx)}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(-B + iA) \tan^2(c + dx)}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{-13B + 3iA}{30ad(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^2)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((3*I)*A - 13*B)/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - (I*A - 31*B)/(20*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3590

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3480

Int[Sqrt[(a_) + (b_.)*tan[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(iA-B) \tan^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} - \frac{\int \frac{\tan(c+dx)(2a(iA-B) - \frac{1}{2}a(A-9iB) \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{(iA-B) \tan^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3iA-13B}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{i \int \frac{\frac{1}{2}a^2(3iA-13B) - a^2(A-9iB) \tan(c+dx)}{\sqrt{a+ia \tan(c+dx)}} dx}{10a^4} \\ &= \frac{(iA-B) \tan^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3iA-13B}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{iA-31B}{20a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA-B) \tan^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3iA-13B}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{iA-31B}{20a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(iA-B) \tan^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3iA-13B}{30ad(a+ia \tan(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 3.15901, size = 176, normalized size = 1.05

$$\frac{e^{-6i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} \sec^2(c+dx) \left(\sqrt{1 + e^{2i(c+dx)}} (B(-19e^{2i(c+dx)} + 83e^{4i(c+dx)} + 3) - 3iA(-3e^{2i(c+dx)} + e^{4i(c+dx)} + 1)) \right)}{240a^2d\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((1 + E^((2*I)*(c + d*x)))^(3/2)*(Sqrt[1 + E^((2*I)*(c + d*x))])*((-3*I)*A*(1 - 3*E^((2*I)*(c + d*x)) + E^((4*I)*(c + d*x))) + B*(3 - 19*E^((2*I)*(c + d*x)) + 83*E^((4*I)*(c + d*x)))) + 15*(I*A + B)*E^((5*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))]*Sec[c + d*x]^2)/(240*a^2*d*E^((6*I)*(c + d*x))*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.031, size = 124, normalized size = 0.7

$$\frac{-2i}{a^2d} \left(-\left(\frac{7i}{8}B - \frac{A}{8} \right) \frac{1}{\sqrt{a+ia \tan(dx+c)}} - \frac{a(3A+5iB)}{12} (a+ia \tan(dx+c))^{-\frac{3}{2}} + \frac{a^2(A+iB)}{10} (a+ia \tan(dx+c))^{-\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x)`

[Out] $-2I/d/a^2*(-(-7/8*I*B-1/8*A)/(a+I*a*\tan(d*x+c))^{1/2}-1/12*a*(3*A+5*I*B)/(a+I*a*\tan(d*x+c))^{3/2}+1/10*a^2*(A+I*B)/(a+I*a*\tan(d*x+c))^{5/2}-1/2*(1/8*A-1/8*I*B)*2^{1/2}/a^{1/2}*\operatorname{arctanh}(1/2*(a+I*a*\tan(d*x+c))^{1/2}*2^{1/2}/a^{1/2}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 2.02363, size = 1092, normalized size = 6.54

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{-\frac{A^2 - 2i AB - B^2}{a^5 d^2}} e^{(6i dx + 6i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^3 d \sqrt{-\frac{A^2 - 2i AB - B^2}{a^5 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} ((i A + B) e^{(2i dx + 2i c)} + i A + B) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} e^{(i dx + i c)} \right) e^{(-i dx - i c)}}{i A + B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] $1/120*(15*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*e^{(6*I*d*x + 6*I*c)}*\log((2*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)}) - 15*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*e^{(6*I*d*x + 6*I*c)}*\log(-2*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*e^{(2*I*d*x + 2*I*c)} - \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)}) + \sqrt{2}*((-3*I*A + 83*B)*e^{(6*I*d*x + 6*I*c)} + (6*I*A + 64*B)*e^{(4*I*d*x + 4*I*c)} + (6*I*A - 16*B)*e^{(2*I*d*x + 2*I*c)} - 3*I*A + 3*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-6*I*d*x - 6*I*c)/(a^3*d)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)`

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^2}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^2/(I*a*tan(d*x + c) + a)^(5/2), x)
```

$$3.107 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=153

$$\frac{A - iB}{4a^2d\sqrt{a + ia \tan(c + dx)}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{A + 3iB}{6ad(a + ia \tan(c + dx))^{3/2}} - \frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}}$$

```
[Out] -((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) - (A + I*B)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + (A + (3*I)*B)/(6*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + (A - I*B)/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])
```

Rubi [A] time = 0.228204, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3590, 3526, 3479, 3480, 206}

$$\frac{A - iB}{4a^2d\sqrt{a + ia \tan(c + dx)}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{A + 3iB}{6ad(a + ia \tan(c + dx))^{3/2}} - \frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] -((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) - (A + I*B)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + (A + (3*I)*B)/(6*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + (A - I*B)/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])
```

Rule 3590

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]
```

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]
```

Rule 3479

```
Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
```

b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{\tan(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{5/2}} dx = -\frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} - \frac{i \int \frac{a(A+iB)+2aB \tan(c+dx)}{(a+ia \tan(c+dx))^{3/2}} dx}{2a^2}$$

$$= -\frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad(a + ia \tan(c + dx))^{3/2}} - \frac{(iA + B) \int \frac{1}{\sqrt{a+ia \tan(c+dx)}}}{4a^2}$$

$$= -\frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad(a + ia \tan(c + dx))^{3/2}} + \frac{A - iB}{4a^2 d \sqrt{a + ia \tan(c + dx)}}$$

$$= -\frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad(a + ia \tan(c + dx))^{3/2}} + \frac{A - iB}{4a^2 d \sqrt{a + ia \tan(c + dx)}}$$

$$= -\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad(a + ia \tan(c + dx))^{3/2}}$$

Mathematica [A] time = 2.74036, size = 176, normalized size = 1.15

$$\frac{e^{-6i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} \sec^2(c + dx) \left(\sqrt{1 + e^{2i(c+dx)}} \left(A \left(-e^{2i(c+dx)} + 17e^{4i(c+dx)} - 3 \right) - 3iB \left(-3e^{2i(c+dx)} + e^{4i(c+dx)} + 1 \right) \right) - 1 \right)}{240a^2 d \sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((1 + E^((2*I)*(c + d*x)))^(3/2)*(Sqrt[1 + E^((2*I)*(c + d*x))])*((-3*I)*B*(1 - 3*E^((2*I)*(c + d*x)) + E^((4*I)*(c + d*x))) + A*(-3 - E^((2*I)*(c + d*x)) + 17*E^((4*I)*(c + d*x)))) - 15*(A - I*B)*E^((5*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))]*Sec[c + d*x]^2)/(240*a^2*d*E^((6*I)*(c + d*x))*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.023, size = 121, normalized size = 0.8

$$2 \frac{1}{ad} \left(-1/3 \frac{-A/4 - 3/4 iB}{(a + ia \tan(dx + c))^{3/2}} - 1/10 \frac{a(A + iB)}{(a + ia \tan(dx + c))^{5/2}} - 1/8 \frac{-A + iB}{a \sqrt{a + ia \tan(dx + c)}} - 1/16 \frac{(A - iB) \sqrt{2}}{a^{3/2}} \operatorname{Arctanh} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] 2/d/a*(-1/3*(-1/4*A-3/4*I*B)/(a+I*a*tan(d*x+c))^(3/2)-1/10*a*(A+I*B)/(a+I*a*tan(d*x+c))^(5/2)-1/8/a*(-A+I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/16*(A-I*B)/a^3/2)

$$3/2 * 2^{(1/2)} * \operatorname{arctanh}(1/2 * (a + I * a * \tan(dx + c))^{(1/2)} * 2^{(1/2)} / a^{(1/2)})$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.05337, size = 1095, normalized size = 7.16

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{A^2 - 2iAB - B^2}{a^5 d^2}} e^{(6i dx + 6i c)} \log \left(\frac{\left(2i \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{A^2 - 2iAB - B^2}{a^5 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} \left((iA + B) e^{(2i dx + 2i c)} + iA + B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \right) e^{(i dx + i c)}}{iA + B} \right) \right) e^{(-i dx - i c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/120 * (15 * \sqrt{1/2} * a^3 * d * \sqrt{(A^2 - 2 * I * A * B - B^2) / (a^5 * d^2)}) * e^{(6 * I * d * x + 6 * I * c)} * \log((2 * I * \sqrt{1/2} * a^3 * d * \sqrt{(A^2 - 2 * I * A * B - B^2) / (a^5 * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} + \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(I * d * x + I * c)}) * e^{(-I * d * x - I * c)} / (I * A + B) \\ & - 15 * \sqrt{1/2} * a^3 * d * \sqrt{(A^2 - 2 * I * A * B - B^2) / (a^5 * d^2)} * e^{(6 * I * d * x + 6 * I * c)} * \log((-2 * I * \sqrt{1/2} * a^3 * d * \sqrt{(A^2 - 2 * I * A * B - B^2) / (a^5 * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} + \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(I * d * x + I * c)}) * e^{(-I * d * x - I * c)} / (I * A + B) \\ & - \sqrt{2} * ((17 * A - 3 * I * B) * e^{(6 * I * d * x + 6 * I * c)} + 2 * (8 * A + 3 * I * B) * e^{(4 * I * d * x + 4 * I * c)} - 2 * (2 * A - 3 * I * B) * e^{(2 * I * d * x + 2 * I * c)} - 3 * A - 3 * I * B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(I * d * x + I * c)} * e^{(-6 * I * d * x - 6 * I * c)} / (a^3 * d) \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{(i a \tan(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)/(I*a*tan(d*x + c) + a)^(5/2), x)
```


$$3.108 \quad \int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=155

$$\frac{B+iA}{4a^2d\sqrt{a+ia \tan(c+dx)}} - \frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{-B+iA}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{B+iA}{6ad(a+ia \tan(c+dx))^{3/2}}$$

[Out] -((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + (I*A - B)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + (I*A + B)/(6*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + (I*A + B)/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.129972, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3526, 3479, 3480, 206}

$$\frac{B+iA}{4a^2d\sqrt{a+ia \tan(c+dx)}} - \frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{-B+iA}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{B+iA}{6ad(a+ia \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] -((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^(5/2)*d) + (I*A - B)/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + (I*A + B)/(6*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + (I*A + B)/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{(a + ia \tan(c + dx))^{5/2}} dx &= \frac{iA - B}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{(A - iB) \int \frac{1}{(a + ia \tan(c + dx))^{3/2}} dx}{2a} \\
&= \frac{iA - B}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{iA + B}{6ad(a + ia \tan(c + dx))^{3/2}} + \frac{(A - iB) \int \frac{1}{\sqrt{a + ia \tan(c + dx)}} dx}{4a^2} \\
&= \frac{iA - B}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{iA + B}{6ad(a + ia \tan(c + dx))^{3/2}} + \frac{iA + B}{4a^2 d \sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB)}{4a^2} \\
&= \frac{iA - B}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{iA + B}{6ad(a + ia \tan(c + dx))^{3/2}} + \frac{iA + B}{4a^2 d \sqrt{a + ia \tan(c + dx)}} - \frac{(iA - B)}{4a^2} \\
&= -\frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{iA - B}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{iA + B}{6ad(a + ia \tan(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 2.46152, size = 176, normalized size = 1.14

$$\frac{e^{-6i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} \sec^2(c + dx) \left(\sqrt{1 + e^{2i(c+dx)}} (B (e^{2i(c+dx)} - 17e^{4i(c+dx)} + 3) - iA (11e^{2i(c+dx)} + 23e^{4i(c+dx)} + 3)) \right)}{240a^2 d \sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] -((1 + E^((2*I)*(c + d*x)))^(3/2)*(Sqrt[1 + E^((2*I)*(c + d*x))])*(B*(3 + E^((2*I)*(c + d*x)) - 17*E^((4*I)*(c + d*x))) - I*A*(3 + 11*E^((2*I)*(c + d*x))) + 23*E^((4*I)*(c + d*x)))) + 15*(I*A + B)*E^((5*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))])*Sec[c + d*x]^2)/(240*a^2*d*E^((6*I)*(c + d*x))*Sqrt[a + I*a*Tan[c + d*x]])

Maple [A] time = 0.023, size = 123, normalized size = 0.8

$$\frac{2i}{d} \left(-\frac{1}{5} \left(-\frac{A}{2} - \frac{i}{2}B \right) (a + ia \tan(dx + c))^{-5/2} - \frac{-A + iB}{12a} (a + ia \tan(dx + c))^{-3/2} - \frac{-A + iB}{8a^2} \frac{1}{\sqrt{a + ia \tan(dx + c)}} - \frac{(A - iB)}{16} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] 2*I/d*(-1/5*(-1/2*A-1/2*I*B)/(a+I*a*tan(d*x+c))^(5/2)-1/12/a*(-A+I*B)/(a+I*a*tan(d*x+c))^(3/2)-1/8/a^2*(-A+I*B)/(a+I*a*tan(d*x+c))^(1/2)-1/16*(A-I*B)/a^(5/2)*2^(1/2)*arctanh(1/2*(a+I*a*tan(d*x+c))^(1/2)*2^(1/2)/a^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.98948, size = 1095, normalized size = 7.06

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{-\frac{A^2 - 2iAB - B^2}{a^5 d^2}} e^{(6i dx + 6ic)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^3 d \sqrt{-\frac{A^2 - 2iAB - B^2}{a^5 d^2}} e^{(2i dx + 2ic)} + \sqrt{2} (iA + B) e^{(2i dx + 2ic) + iA + B} \right) \sqrt{\frac{a}{e^{(2i dx + 2ic)} + 1}} e^{(i dx + ic)}}{iA + B} \right) e^{(-i dx - ic)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] $-1/120*(15*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log((2*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)} - 15*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(-2*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(2*I*d*x + 2*I*c)} - \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(I*A + B)} - \sqrt{2}*((23*I*A + 17*B)*e^{(6*I*d*x + 6*I*c)} + (34*I*A + 16*B)*e^{(4*I*d*x + 4*I*c)} + (14*I*A - 4*B)*e^{(2*I*d*x + 2*I*c)} + 3*I*A - 3*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-6*I*d*x - 6*I*c)/(a^3*d)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/(I*a*tan(d*x + c) + a)^(5/2), x)

$$3.109 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=192

$$\frac{7A + iB}{4a^2 d \sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} +$$

[Out] $(-2*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(a^{(5/2)*d} + ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^{(5/2)*d} + (A + I*B)/(5*d*(a + I*a*Tan[c + d*x])^{(5/2)}) + (3*A + I*B)/(6*a*d*(a + I*a*Tan[c + d*x])^{(3/2)}) + (7*A + I*B)/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.676441, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3596, 3600, 3480, 206, 3599, 63, 208}

$$\frac{7A + iB}{4a^2 d \sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{A + iB}{5d(a + ia \tan(c + dx))^{5/2}} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x])^{(5/2)}, x]$

[Out] $(-2*A*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]])/(a^{(5/2)*d} + ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[2]*a^{(5/2)*d} + (A + I*B)/(5*d*(a + I*a*Tan[c + d*x])^{(5/2)}) + (3*A + I*B)/(6*a*d*(a + I*a*Tan[c + d*x])^{(3/2)}) + (7*A + I*B)/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 3596

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3600

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x])]/(c + d*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3480

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{tan}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, \text{Sqrt}[a + b*\text{Tan}[c + d*x]]], x] /; \text{FreeQ}[\{a,$

b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2])), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{A+iB}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{\int \frac{\cot(c+dx)\left(5aA-\frac{5}{2}a(iA-B) \tan(c+dx)\right)}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{A+iB}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3A+iB}{6ad(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot(c+dx)\left(15a^2A-\frac{15}{4}a^2(iA-B) \tan(c+dx)\right)}{\sqrt{a+ia \tan(c+dx)}} dx}{15a^2} \\ &= \frac{A+iB}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3A+iB}{6ad(a+ia \tan(c+dx))^{3/2}} + \frac{7A+iB}{4a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{A+iB}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3A+iB}{6ad(a+ia \tan(c+dx))^{3/2}} + \frac{7A+iB}{4a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{A+iB}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3A+iB}{6ad(a+ia \tan(c+dx))^{3/2}} + \frac{7A+iB}{4a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{A+iB}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{3A+iB}{6ad(a+ia \tan(c+dx))^{3/2}} \\ &= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{3A+iB}{5d(a+ia \tan(c+dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 4.17522, size = 233, normalized size = 1.21

$$\frac{e^{-6i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} \sec^2(c + dx) \left(\sqrt{1 + e^{2i(c+dx)}} (3A (7e^{2i(c+dx)} + 41e^{4i(c+dx)} + 1) + iB (11e^{2i(c+dx)} + 23e^{4i(c+dx)} + 3)) \right)}{240a^2 d \sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((1 + E^((2*I)*(c + d*x)))^(3/2)*(Sqrt[1 + E^((2*I)*(c + d*x))])*(I*B*(3 + 1*E^((2*I)*(c + d*x)) + 23*E^((4*I)*(c + d*x))) + 3*A*(1 + 7*E^((2*I)*(c + d*x)) + 41*E^((4*I)*(c + d*x)))) + 15*(A - I*B)*E^((5*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))] - 120*Sqrt[2]*A*E^((5*I)*(c + d*x))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^2)/(240*a^2*d*E^((6*I)*(c + d*x))*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.388, size = 1084, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] 1/240/d/a^3*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(-64*I*B*cos(d*x+c)^4-120*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+192*A*cos(d*x+c)^6+192*B*cos(d*x+c)^5*sin(d*x+c)-120*I*A*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+20*I*B*cos(d*x+c)^2-192*I*A*cos(d*x+c)^3*sin(d*x+c)-192*I*A*cos(d*x+c)^5*sin(d*x+c)+15*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)+192*I*B*cos(d*x+c)^6-15*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)+96*A*cos(d*x+c)^4-420*I*A*cos(d*x+c)*sin(d*x+c)+15*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)+32*B*cos(d*x+c)^3*sin(d*x+c)+120*I*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+15*I*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-15*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*2^(1/2)-120*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-120*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)+15*I*B*2^(1/2)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/2*2^(1/2)*(I*cos(d*x+c)-I-sin(d*x+c))/sin(d*x+c)/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+300*A*cos(d*x+c)^2-120*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+60*B*cos(d*x+c)*sin(d*x+c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.96029, size = 1764, normalized size = 9.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/120*(15*\sqrt{1/2}*a^3*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log((2*I*\sqrt{1/2}*a^3*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B) \\ & - 15*\sqrt{1/2}*a^3*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log((-2*I*\sqrt{1/2}*a^3*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B) \\ & - 60*a^3*d*\sqrt{A^2/(a^5*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(-88/507*(2*\sqrt{2}*(A*e^{(2*I*d*x + 2*I*c)} + A)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)} + (3*a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{A^2/(a^5*d^2)})/(A*e^{(2*I*d*x + 2*I*c)} - A)) + 60*a^3*d*\sqrt{A^2/(a^5*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(-88/507*(2*\sqrt{2}*(A*e^{(2*I*d*x + 2*I*c)} + A)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)} - (3*a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{A^2/(a^5*d^2)})))/(A*e^{(2*I*d*x + 2*I*c)} - A)) + \sqrt{2}*((123*A + 23*I*B)*e^{(6*I*d*x + 6*I*c)} + 2*(72*A + 17*I*B)*e^{(4*I*d*x + 4*I*c)} + 2*(12*A + 7*I*B)*e^{(2*I*d*x + 2*I*c)} + 3*A + 3*I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(I*d*x + I*c)})*e^{(-6*I*d*x - 6*I*c)}/(a^3*d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)/(I*a*tan(d*x + c) + a)^(5/2), x)
```


$$3.110 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=259

$$\frac{(-2B + 5iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{7(3A + iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4a^3d}$$

```
[Out] (((5*I)*A - 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(a^(5/2)*d) +
((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[
2]*a^(5/2)*d) + ((A + I*B)*Cot[c + d*x])/(5*d*(a + I*a*Tan[c + d*x])^(5/2))
+ ((19*A + (9*I)*B)*Cot[c + d*x])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) +
((41*A + (15*I)*B)*Cot[c + d*x])/(12*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) - (7
*(3*A + I*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a^3*d)
```

Rubi [A] time = 1.04848, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(-2B + 5iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{7(3A + iB) \cot(c + dx)\sqrt{a + ia \tan(c + dx)}}{4a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] (((5*I)*A - 2*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(a^(5/2)*d) +
((I*A + B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*Sqrt[
2]*a^(5/2)*d) + ((A + I*B)*Cot[c + d*x])/(5*d*(a + I*a*Tan[c + d*x])^(5/2))
+ ((19*A + (9*I)*B)*Cot[c + d*x])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) +
((41*A + (15*I)*B)*Cot[c + d*x])/(12*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) - (7
*(3*A + I*B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a^3*d)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; Fre
eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[n, -1]
```

Rule 3600

```
Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(
A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*
d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Ta
n[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a
*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{\int \frac{\cot^2(c+dx)\left(a(6A+iB)-\frac{7}{2}a(iA-B) \tan(c+dx)\right)}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\
&= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot^2(c+dx)\left(\frac{5}{2}a^2(11A-7B) \tan(c+dx)\right)}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\
&= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(41A+15iB) \cot(c+dx)}{12a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(41A+15iB) \cot(c+dx)}{12a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(41A+15iB) \cot(c+dx)}{12a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(41A+15iB) \cot(c+dx)}{12a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(41A+15iB) \cot(c+dx)}{12a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(A+iB) \cot(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \\
&= \frac{(5iA-2B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(19A+9iB) \cot(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 7.76742, size = 287, normalized size = 1.11

$$\sec^3(c+dx)(A+B \tan(c+dx)) \left(\sqrt{2}e^{2i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \left((B+iA) \sinh^{-1}\left(e^{i(c+dx)}\right) + 4\sqrt{2}(-2B+5iA) \tan(c+dx) \right) \right)$$

$$8d(a+ia \tan(c+dx))^{5/2}(A \cos(c+dx) + B \sin(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] (Sec[c + d*x]^(3/2)*(Sqrt[2]*E^((2*I)*(c + d*x))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*((I*A + B)*ArcSinh[E^(I*(c + d*x))] + 4*Sqrt[2]*((5*I)*A - 2*B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x))]/Sqrt[1 + E^((2*I)*(c + d*x))])) + (-40*(-17*A - (6*I)*B + (20*A + (6*I)*B)*Cos[2*(c + d*x)])*Csc[c + d*x] + 14*((-13*I)*A + 3*B + 2*((-29*I)*A + 9*B)*Cos[2*(c + d*x)])*Sec[c + d*x])/(15*Sec[c + d*x]^(3/2))*(A + B*Tan[c + d*x])/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(5/2))

Maple [B] time = 0.473, size = 2858, normalized size = 11.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] $\frac{1}{240} \frac{d}{a^3} (a(\sin(dx+c) + \cos(dx+c)) / \cos(dx+c))^{1/2} (-15A \cos(dx+c) - 2 \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 96B \cos(dx+c)^6 + 1260A \cos(dx+c) \sin(dx+c) + 15I B \cos(dx+c)^2 \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 160A \cos(dx+c)^5 \sin(dx+c) - 668A \cos(dx+c)^3 \sin(dx+c) + 15B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 15B \cos(dx+c)^3 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 15B \cos(dx+c)^2 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} + 15B \cos(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} + 15A \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 300A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot \sin(dx+c) + 120B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot \sin(dx+c) + 300A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) + 120B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) + 300A \cos(dx+c)^2 \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) - 120B \cos(dx+c)^2 \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) - 192A \cos(dx+c)^7 \sin(dx+c) - 192I A \cos(dx+c)^8 - 64I A \cos(dx+c)^6 - 564I A \cos(dx+c)^4 + 820I A \cos(dx+c)^2 - 300I A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) + 120I B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) - 192I B \cos(dx+c)^7 \sin(dx+c) - 228I B \cos(dx+c)^3 \sin(dx+c) + 420I B \cos(dx+c) \sin(dx+c) + 192B \cos(dx+c)^8 - 300A \cos(dx+c)^3 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) - 120B \cos(dx+c)^3 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) - 300A \cos(dx+c)^2 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) - 120B \cos(dx+c)^2 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) + 300A \cos(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) + 120B \cos(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) + 204 \cos(dx+c)^4 B - 300B \cos(dx+c)^2 + 300I A \cos(dx+c)^2 \sin(dx+c) (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) + 120I B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1 / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot \cos(dx+c)^2 \sin(dx+c) - 15I B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot \sin(dx+c) \cdot 2^{1/2} - 15I A \cos(dx+c)^3 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 15I A \cos(dx+c)^2 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} + 15I A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \arctan(1/2 \cdot 2^{1/2} (I \cos(dx+c) - I \sin(dx+c)) / \sin(dx+c) / (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2}) \cdot 2^{1/2} - 300I A (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \ln(-(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot \sin(dx+c) - 120I B (-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \cdot$

$$\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)-300*I*A*\cos(d*x+c)$$

$$)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+120*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)+300$$

$$*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^3-120*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^3+300*I*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^2-120*I*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\cos(d*x+c)^2)/(-1+\cos(d*x+c)^2)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.28482, size = 2310, normalized size = 8.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] $1/120*(\sqrt{2})*((-403*I*A + 123*B)*e^{(8*I*d*x + 8*I*c)} + (-151*I*A + 21*B)*e^{(6*I*d*x + 6*I*c)} + (280*I*A - 120*B)*e^{(4*I*d*x + 4*I*c)} + (31*I*A - 21*B)*e^{(2*I*d*x + 2*I*c)} + 3*I*A - 3*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 15*\sqrt{1/2}*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*\log((2*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) - 15*\sqrt{1/2}*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*\log(-2*\sqrt{1/2}*a^3*d*\sqrt{-(A^2 - 2*I*A*B - B^2)/(a^5*d^2)})*e^{(2*I*d*x + 2*I*c)} - \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) + 30*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{-(25*A^2 + 20*I*A*B - 4*B^2)/(a^5*d^2)}*\log((\sqrt{2})*((880*I*A - 352*B)*e^{(2*I*d*x + 2*I*c)} + 880*I*A - 352*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 88*(3*a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{-(25*A^2 + 20*I*A*B - 4*B^2)/(a^5*d^2)}))/((-2535*I*A + 1014*B)*e^{(2*I*d*x + 2*I*c)} + 2535*I*A - 1014*B)) - 30*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{-(25*A^2 + 20*I*A*B - 4*B^2)/(a^5*d^2)}*\log((\sqrt{2})*((880*I*A - 352*B)*e^{(2*I*d*x + 2*I*c)} + 880*I*A - 352*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 88*(3*a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{-(25*A^2 + 20*I*A*B - 4*B^2)/(a^5*d^2)}))/((-2535*I*A + 1014*B)*e^{(2*I*d*x + 2*I*c)} + 2535*I*A - 1014*B$

))) / (a³d e^(8I dx + 8I c) - a³d e^(6I dx + 6I c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^2}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*cot(dx + c)^2/(I*a*tan(dx + c) + a)^(5/2), x)

$$3.111 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=312

$$\frac{(43A + 20iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{(85A + 41iB) \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}}{12a^3d}$$

```
[Out] ((43*A + (20*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(4*a^(5/2)*
d) - ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*S
qrt[2]*a^(5/2)*d) + ((A + I*B)*Cot[c + d*x]^2)/(5*d*(a + I*a*Tan[c + d*x])^
(5/2)) + ((23*A + (13*I)*B)*Cot[c + d*x]^2)/(30*a*d*(a + I*a*Tan[c + d*x])^
(3/2)) + ((337*A + (167*I)*B)*Cot[c + d*x]^2)/(60*a^2*d*Sqrt[a + I*a*Tan[c
+ d*x]]) + (21*((2*I)*A - B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a^
3*d) - ((85*A + (41*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(12*a^
3*d)
```

Rubi [A] time = 1.23671, antiderivative size = 312, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3598, 3600, 3480, 206, 3599, 63, 208}

$$\frac{(43A + 20iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} - \frac{(85A + 41iB) \cot^2(c+dx)\sqrt{a+ia \tan(c+dx)}}{12a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((43*A + (20*I)*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/Sqrt[a]]/(4*a^(5/2)*
d) - ((A - I*B)*ArcTanh[Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*Sqrt[a])])/(4*S
qrt[2]*a^(5/2)*d) + ((A + I*B)*Cot[c + d*x]^2)/(5*d*(a + I*a*Tan[c + d*x])^
(5/2)) + ((23*A + (13*I)*B)*Cot[c + d*x]^2)/(30*a*d*(a + I*a*Tan[c + d*x])^
(3/2)) + ((337*A + (167*I)*B)*Cot[c + d*x]^2)/(60*a^2*d*Sqrt[a + I*a*Tan[c
+ d*x]]) + (21*((2*I)*A - B)*Cot[c + d*x]*Sqrt[a + I*a*Tan[c + d*x]])/(4*a^
3*d) - ((85*A + (41*I)*B)*Cot[c + d*x]^2*Sqrt[a + I*a*Tan[c + d*x]])/(12*a^
3*d)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
```

+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3480

Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{\int \frac{\cot^3(c+dx)\left(a(7A+2iB)-\frac{9}{2}a(iA-B) \tan(c+dx)\right)}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\
&= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot^3(c+dx)\left(a^2(44A+20iB)-\frac{9}{2}a^2(iA-B) \tan(c+dx)\right)}{(a+ia \tan(c+dx))^{3/2}} dx}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(337A+167iB) \cot^2(c+dx)}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(337A+167iB) \cot^2(c+dx)}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(337A+167iB) \cot^2(c+dx)}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(337A+167iB) \cot^2(c+dx)}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(337A+167iB) \cot^2(c+dx)}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= -\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \\
&= \frac{(43A+20iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d} + \frac{(A+iB) \cot^2(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(23A+13iB) \cot^2(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 9.09369, size = 317, normalized size = 1.02

$$\frac{\sec^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))\left(\sqrt{2}e^{2i(c+dx)}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\left(\sqrt{2}(43A+20iB) \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}}\right)-(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)\right)-\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{2}\sqrt{a}}\right)}{4\sqrt{2}a^{5/2}d}\right)}{8d(a+ia \tan(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] (Sec[c + d*x]^(3/2)*(Sqrt[2]*E^((2*I)*(c + d*x))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*(Sqrt[2]*(43*A + (20*I)*B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[1 + E^((2*I)*(c + d*x))]]) + (Csc[c + d*x]^2*(212*A + (112*I)*B - 15*(44*A + (21*I)*B)*Cos[2*(c + d*x)] + (388*A + (203*I)*B)*Cos[4*(c + d*x)] - (695*I)*A*Sin[2*(c + d*x)] + 340*B*Sin[2*(c + d*x)] + (385*I)*A*Sin[4*(c + d*x)] - 200*B*Sin[4*(c + d*x)]))/(15*Sqrt[Sec[c + d*x]])*(A + B*Tan[c + d*x]))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(5/2))

Maple [B] time = 0.484, size = 2876, normalized size = 9.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(dx+c)^3*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{5/2}, x)$

[Out] $\frac{1}{240}d/a^3*(a*(I*\sin(dx+c)+\cos(dx+c))/\cos(dx+c))^{1/2}*(645*A*\cos(dx+c)^2*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-300*B*\cos(dx+c)^2*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-645*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-15*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}+15*I*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}-300*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)+15*I*B*2^{1/2}*\cos(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-192*B*\cos(dx+c)^7*\sin(dx+c)-192*I*B*\cos(dx+c)^8-64*I*B*\cos(dx+c)^6-564*I*B*\cos(dx+c)^4+820*I*B*\cos(dx+c)^2+1700*A*\cos(dx+c)^2-1164*A*\cos(dx+c)^4-224*A*\cos(dx+c)^6-160*B*\cos(dx+c)^5*\sin(dx+c)+1260*B*\cos(dx+c)*\sin(dx+c)-668*B*\cos(dx+c)^3*\sin(dx+c)-645*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})+300*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-15*I*A*\cos(dx+c)^2*\sin(dx+c)*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*2^{1/2}+645*A*\cos(dx+c)^3*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-300*B*\cos(dx+c)^3*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+300*B*\cos(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-15*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\cos(dx+c)*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}-645*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)-15*B*\cos(dx+c)^2*\sin(dx+c)*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-192*A*\cos(dx+c)^8+15*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*2^{1/2}+15*I*B*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+15*A*\cos(dx+c)^3*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+15*A*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/2*2^{1/2}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))+645*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+300*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^2*\sin(dx+c)-645*I*A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}-300*I*B*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+192*I*A*\cos(dx+c)^7*\sin(dx+c)+320*I*A*\cos(dx+c)^5*\sin(dx+c)+1348*I*A*\sin(dx+c)*\cos(dx+c)^3-2520*I*A*\sin(dx+c)*\cos(dx+c)+300*I*B*\cos(dx+c)^3*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+645*I*A*\cos(dx+c)^2*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+300*I*B*\cos(dx+c)^2*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}-645*I*A*\cos(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-$

$$\begin{aligned} & 1/\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}-300*I*B*\cos(dx+c)*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}+645*I*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})*\sin(dx+c)-300*I*B*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}+645*I*A*\cos(dx+c)^3*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}-15*I*B*\cos(dx+c)^3*\arctan(1/2*2^{(1/2)}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*2^{(1/2)}-15*I*B*\cos(dx+c)^2*\arctan(1/2*2^{(1/2)}*(I*\cos(dx+c)-I-\sin(dx+c))/\sin(dx+c)/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*2^{(1/2)}-645*I*A*\cos(dx+c)^2*\sin(dx+c)*\arctan(1/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)})*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}+300*I*B*\cos(dx+c)^2*\sin(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}/(-1+\cos(dx+c)^2) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.494, size = 2677, normalized size = 8.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^3*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/240*(2*\sqrt{2})*((773*A + 403*I*B)*e^{(10*I*d*x + 10*I*c)} - 6*(97*A + 42*I*B)*e^{(8*I*d*x + 8*I*c)} - (931*A + 431*I*B)*e^{(6*I*d*x + 6*I*c)} + 3*(153*A + 83*I*B)*e^{(4*I*d*x + 4*I*c)} + 2*(19*A + 14*I*B)*e^{(2*I*d*x + 2*I*c)} + 3*A + 3*I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 30*\sqrt{1/2}*(a^3*d*e^{(10*I*d*x + 10*I*c)} - 2*a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*\log((2*I*\sqrt{1/2})*a^3*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 30*\sqrt{1/2}*(a^3*d*e^{(10*I*d*x + 10*I*c)} - 2*a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*\log((-2*I*\sqrt{1/2})*a^3*d*\sqrt{(A^2 - 2*I*A*B - B^2)/(a^5*d^2)}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 15*(a^3*d*e^{(10*I*d*x + 10*I*c)} - 2*a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{(1849*A^2 + 1720*I*A*B - 400*B^2)/(a^5*d^2)}*\log(1/4*(4*\sqrt{2})*((7568*I*A - 3520*B)*e^{(2*I*d*x + 2*I*c)} + 7568*I*A - 3520*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (1056*I*a^3*d*e^{(2*I*d*x + 2*I*c)} + 352*I*a^3*d)*\sqrt{(1849*A^2 + 1720 \end{aligned}$$

```
*I*A*B - 400*B^2)/(a^5*d^2)))/((-21801*I*A + 10140*B)*e^(2*I*d*x + 2*I*c) +
  21801*I*A - 10140*B)) + 15*(a^3*d*e^(10*I*d*x + 10*I*c) - 2*a^3*d*e^(8*I*d
*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((1849*A^2 + 1720*I*A*B - 400*
B^2)/(a^5*d^2))*log(1/4*(4*sqrt(2)*((7568*I*A - 3520*B)*e^(2*I*d*x + 2*I*c)
+ 7568*I*A - 3520*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + (
-1056*I*a^3*d*e^(2*I*d*x + 2*I*c) - 352*I*a^3*d)*sqrt((1849*A^2 + 1720*I*A*
B - 400*B^2)/(a^5*d^2)))/((-21801*I*A + 10140*B)*e^(2*I*d*x + 2*I*c) + 2180
1*I*A - 10140*B)))/(a^3*d*e^(10*I*d*x + 10*I*c) - 2*a^3*d*e^(8*I*d*x + 8*I*
c) + a^3*d*e^(6*I*d*x + 6*I*c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^3}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorit
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^3/(I*a*tan(d*x + c) + a)^(5/2),
x)
```

$$3.112 \quad \int \tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=130

$$\frac{2a(B + iA) \tan^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a(A - iB) \tan^{\frac{3}{2}}(c + dx)}{3d} - \frac{2\sqrt[4]{-1}a(B + iA) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2a(B + iA)\sqrt{\tan(c + dx)}}{d}$$

[Out] $(-2*(-1)^{1/4}*a*(I*A + B)*ArcTan[(-1)^{3/4}*Sqrt[Tan[c + d*x]])/d - (2*a*(I*A + B)*Sqrt[Tan[c + d*x]])/d + (2*a*(A - I*B)*Tan[c + d*x]^{3/2})/(3*d) + (2*a*(I*A + B)*Tan[c + d*x]^{5/2})/(5*d) + (((2*I)/7)*a*B*Tan[c + d*x]^{7/2})/d$

Rubi [A] time = 0.198178, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3592, 3528, 3533, 205}

$$\frac{2a(B + iA) \tan^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a(A - iB) \tan^{\frac{3}{2}}(c + dx)}{3d} - \frac{2\sqrt[4]{-1}a(B + iA) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2a(B + iA)\sqrt{\tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^{5/2}*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*(-1)^{1/4}*a*(I*A + B)*ArcTan[(-1)^{3/4}*Sqrt[Tan[c + d*x]])/d - (2*a*(I*A + B)*Sqrt[Tan[c + d*x]])/d + (2*a*(A - I*B)*Tan[c + d*x]^{3/2})/(3*d) + (2*a*(I*A + B)*Tan[c + d*x]^{5/2})/(5*d) + (((2*I)/7)*a*B*Tan[c + d*x]^{7/2})/d$

Rule 3592

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

$\text{Int}[(c_. + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/\text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]], x_Symbol] := \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{2iaB \tan^{\frac{7}{2}}(c+dx)}{7d} + \int \tan^{\frac{5}{2}}(c+dx)(a(A-iB) + a(iA+B)) dx \\
&= \frac{2a(iA+B) \tan^{\frac{5}{2}}(c+dx)}{5d} + \frac{2iaB \tan^{\frac{7}{2}}(c+dx)}{7d} + \int \tan^{\frac{3}{2}}(c+dx) dx \\
&= \frac{2a(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2a(iA+B) \tan^{\frac{5}{2}}(c+dx)}{5d} + \frac{2iaB \tan^{\frac{7}{2}}(c+dx)}{7d} \\
&= -\frac{2a(iA+B)\sqrt{\tan(c+dx)}}{d} + \frac{2a(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2iaB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= -\frac{2a(iA+B)\sqrt{\tan(c+dx)}}{d} + \frac{2a(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2iaB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= -\frac{2\sqrt[4]{-1}a(iA+B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a(iA+B)}{d}
\end{aligned}$$

Mathematica [B] time = 4.27937, size = 280, normalized size = 2.15

$$\cos^2(c+dx)(\cos(dx) - i \sin(dx))(a+ia \tan(c+dx))(A+B \tan(c+dx)) \left(\frac{2e^{-ic}(B+iA)\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}} - \frac{1}{105} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^2*(Cos[d*x] - I*Sin[d*x])*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x])*((2*(I*A + B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x))])/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x))])/(1 + E^((2*I)*(c + d*x))])])/(E^(I*c)*Sqrt[(-1 + E^((2*I)*(c + d*x))])/(1 + E^((2*I)*(c + d*x))]) - (Cos[c]*Sec[c + d*x]^2*(I + Tan[c])*Sqrt[Tan[c + d*x]]*(84*(A - I*B) + 5*((7*I)*A + 4*B)*Tan[c + d*x] + Cos[2*(c + d*x)]*(126*(A - I*B) + 5*((7*I)*A + 10*B)*Tan[c + d*x]))/105))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.015, size = 537, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] 1/4*I/d*a*A*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-2/3*I/d*a*B*tan(d*x+c)^(3/2)+2/5/d*a*B*tan(d*x+c)^(5/2)+2/7*I*a*B*tan(d*x+c)^(7/2)/d+2/3/d*a*A*tan(d*x+c)^(3/2)+2/5*I/d*a*A*tan(d*x+c)^(5/2)-2/d*a*B*tan(d*x+c)^(1/2)+1/2*I/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4*I/d*a*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+1/2*I/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4/d*a*

$$B \ln\left(\frac{(1+2^{1/2})\tan(dx+c)^{1/2} + \tan(dx+c)}{(1-2^{1/2})\tan(dx+c)^{1/2} + \tan(dx+c)}\right) * 2^{1/2} + \frac{1}{2} \frac{I}{d} a A \arctan\left(\frac{-1+2^{1/2})\tan(dx+c)^{1/2}}{2^{1/2}}\right) * 2^{1/2} - 2 \frac{I}{d} a A \tan(dx+c)^{1/2} + \frac{1}{2} \frac{I}{d} a A \arctan\left(\frac{1+2^{1/2})\tan(dx+c)^{1/2}}{2^{1/2}}\right) * 2^{1/2} - \frac{1}{4} \frac{I}{d} a A \ln\left(\frac{(1-2^{1/2})\tan(dx+c)^{1/2} + \tan(dx+c)}{(1+2^{1/2})\tan(dx+c)^{1/2} + \tan(dx+c)}\right) * 2^{1/2} - \frac{1}{2} \frac{I}{d} a A \arctan\left(\frac{1+2^{1/2})\tan(dx+c)^{1/2}}{2^{1/2}}\right) * 2^{1/2} - \frac{1}{2} \frac{I}{d} a A \arctan\left(\frac{-1+2^{1/2})\tan(dx+c)^{1/2}}{2^{1/2}}\right) * 2^{1/2}$$

Maxima [B] time = 1.77148, size = 275, normalized size = 2.12

$$-120iBa \tan(dx+c)^{\frac{7}{2}} + 168(-iA-B)a \tan(dx+c)^{\frac{5}{2}} - 8(35A-35iB)a \tan(dx+c)^{\frac{3}{2}} + 840(iA+B)a \sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(5/2)*(a+I*a*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out]
$$-1/420 * (-120 * I * B * a * \tan(dx+c)^{7/2} + 168 * (-I * A - B) * a * \tan(dx+c)^{5/2} - 8 * (35 * A - 35 * I * B) * a * \tan(dx+c)^{3/2} + 840 * (I * A + B) * a * \sqrt{\tan(dx+c)} - 105 * (2 * \sqrt{2}) * ((I - 1) * A + (I + 1) * B) * \arctan(1/2 * \sqrt{2}) * (\sqrt{2} + 2 * \sqrt{\tan(dx+c)}) + 2 * \sqrt{2} * ((I - 1) * A + (I + 1) * B) * \arctan(-1/2 * \sqrt{2}) * (\sqrt{2} - 2 * \sqrt{\tan(dx+c)}) - \sqrt{2} * (- (I + 1) * A + (I - 1) * B) * \log(\sqrt{2} * \sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \sqrt{2} * (- (I + 1) * A + (I - 1) * B) * \log(-\sqrt{2} * \sqrt{\tan(dx+c)} + \tan(dx+c) + 1)) * a) / d$$

Fricas [B] time = 2.31532, size = 1326, normalized size = 10.2

$$105 \left(de^{(6i dx+6i c)} + 3 de^{(4i dx+4i c)} + 3 de^{(2i dx+2i c)} + d \right) \sqrt{\frac{(4i A^2+8 AB-4i B^2)a^2}{d^2}} \log \left(\frac{\left(2(A-iB)ae^{(2i dx+2i c)} + (de^{(2i dx+2i c)}+d) \sqrt{\frac{(4i A^2+8 AB-4i B^2)a^2}{d^2}} \right)}{(i A+B)a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(5/2)*(a+I*a*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{420} * (105 * (d * e^{(6 * I * dx + 6 * I * c)} + 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} + d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2} * \log\left(\frac{(2 * (A - I * B) * a * e^{(2 * I * dx + 2 * I * c)} + (d * e^{(2 * I * dx + 2 * I * c)} + d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2}) * \sqrt{(-I * e^{(2 * I * dx + 2 * I * c)} + I) / (e^{(2 * I * dx + 2 * I * c)} + 1)}}{e^{(-2 * I * dx - 2 * I * c)} / ((I * A + B) * a)}\right) - 105 * (d * e^{(6 * I * dx + 6 * I * c)} + 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} + d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2} * \log\left(\frac{(2 * (A - I * B) * a * e^{(2 * I * dx + 2 * I * c)} - (d * e^{(2 * I * dx + 2 * I * c)} + d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2}) * \sqrt{(-I * e^{(2 * I * dx + 2 * I * c)} + I) / (e^{(2 * I * dx + 2 * I * c)} + 1)}}{e^{(-2 * I * dx - 2 * I * c)} / ((I * A + B) * a)}\right) + ((-1288 * I * A - 1408 * B) * a * e^{(6 * I * dx + 6 * I * c)} + (-2632 * I * A - 2272 * B) * a * e^{(4 * I * dx + 4 * I * c)} + (-2072 * I * A - 2432 * B) * a * e^{(2 * I * dx + 2 * I * c)} + (-728 * I * A - 608 * B) * a) * \sqrt{(-I * e^{(2 * I * dx + 2 * I * c)} + I) / (e^{(2 * I * dx + 2 * I * c)} + 1)}) / (d * e^{(6 * I * dx + 6 * I * c)} + 3 * d * e^{(4 * I * dx + 4 * I * c)} + 3 * d * e^{(2 * I * dx + 2 * I * c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.26835, size = 193, normalized size = 1.48

$$\frac{(i-1)\sqrt{2}(4Aa-4iBa)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} - \frac{-30iBad^6\tan(dx+c)^{\frac{7}{2}}-42iAad^6\tan(dx+c)^{\frac{5}{2}}-42iAad^6\tan(dx+c)^{\frac{3}{2}}+70iB*a*d^6*\tan(dx+c)^{\frac{3}{2}}+210iA*a*d^6*\sqrt{\tan(dx+c)}+210B*a*d^6*\sqrt{\tan(dx+c)}}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] (1/4*I - 1/4)*sqrt(2)*(4*A*a - 4*I*B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/105*(-30*I*B*a*d^6*tan(d*x + c)^(7/2) - 42*I*A*a*d^6*tan(d*x + c)^(5/2) - 42*B*a*d^6*tan(d*x + c)^(5/2) - 70*A*a*d^6*tan(d*x + c)^(3/2) + 70*I*B*a*d^6*tan(d*x + c)^(3/2) + 210*I*A*a*d^6*sqrt(tan(d*x + c)) + 210*B*a*d^6*sqrt(tan(d*x + c)))/d^7

$$3.113 \quad \int \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=105

$$\frac{2a(B + iA) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{2\sqrt[4]{-1}a(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} + \frac{2a(A - iB)\sqrt{\tan(c + dx)}}{d} + \frac{2iaB \tan^{\frac{5}{2}}(c + dx)}{5d}$$

[Out] (2*(-1)^(1/4)*a*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d + (2*a*(A - I*B)*Sqrt[Tan[c + d*x]])/d + (2*a*(I*A + B)*Tan[c + d*x]^(3/2))/(3*d) + (((2*I)/5)*a*B*Tan[c + d*x]^(5/2))/d

Rubi [A] time = 0.165715, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3592, 3528, 3533, 205}

$$\frac{2a(B + iA) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{2\sqrt[4]{-1}a(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} + \frac{2a(A - iB)\sqrt{\tan(c + dx)}}{d} + \frac{2iaB \tan^{\frac{5}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (2*(-1)^(1/4)*a*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d + (2*a*(A - I*B)*Sqrt[Tan[c + d*x]])/d + (2*a*(I*A + B)*Tan[c + d*x]^(3/2))/(3*d) + (((2*I)/5)*a*B*Tan[c + d*x]^(5/2))/d

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{2iaB \tan^{\frac{5}{2}}(c+dx)}{5d} + \int \tan^{\frac{3}{2}}(c+dx)(a(A-iB) + a(iA+B)) dx \\
&= \frac{2a(iA+B) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2iaB \tan^{\frac{5}{2}}(c+dx)}{5d} + \int \sqrt{\tan(c+dx)} dx \\
&= \frac{2a(A-iB) \sqrt{\tan(c+dx)}}{d} + \frac{2a(iA+B) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2iaB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{2a(A-iB) \sqrt{\tan(c+dx)}}{d} + \frac{2a(iA+B) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2iaB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{2\sqrt[4]{-1}a(A-iB) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c+dx)}\right)}{d} + \frac{2a(A-iB) \sqrt{\tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [B] time = 2.66962, size = 266, normalized size = 2.53

$$\cos^2(c+dx)(\cos(dx) - i \sin(dx))(a+ia \tan(c+dx))(A+B \tan(c+dx)) \left(\frac{2e^{-ic}(B+iA) \sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} + \frac{1}{15}(\cos^2(c+dx) - i \sin(2c+2dx)) \right)$$

$$d(A \cos(c+dx) + B \sin(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^2*(Cos[d*x] - I*Sin[d*x])*((2*(I*A + B)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])/(E^I*c*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])) + (Sec[c + d*x]^2*(Cos[c] - I*Sin[c])*(3*(5*A - (4*I)*B) + 3*(5*A - (6*I)*B)*Cos[2*(c + d*x)] + 5*(I*A + B)*Sin[2*(c + d*x)])*Sqrt[Tan[c + d*x]]/15)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x])/(d*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.012, size = 506, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] 1/4*I/d*a*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2*I/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+2/3/d*a*B*tan(d*x+c)^(3/2)+2/3*I/d*a*A*tan(d*x+c)^(3/2)+2/d*a*A*tan(d*x+c)^(1/2)+1/2*I/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-2*I/d*a*B*tan(d*x+c)^(1/2)-1/2*I/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+2/5*I*a*B*tan(d*x+c)^(5/2)/d-1/4*I/d*a*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2*I/d*a*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2*I/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)

) $\tan(dx+c)^{1/2}+\tan(dx+c)$)-1/2/d*a*B*arctan(1+2 $^{1/2}$ * $\tan(dx+c)^{1/2}$) $\tan(dx+c)^{1/2}$

Maxima [B] time = 1.76801, size = 254, normalized size = 2.42

$$-24iBa \tan(dx+c)^{5/2} + 40(-iA-B)a \tan(dx+c)^{3/2} - 8(15A-15iB)a\sqrt{\tan(dx+c)} - 15\left(2\sqrt{2}(-i+1)A+(i-1)B\right) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right) + 2\sqrt{2}(-i+1)A+(i-1)B \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}-2\sqrt{\tan(dx+c)})\right) + \sqrt{2}((i-1)A+(i+1)B)\log(\sqrt{2}\sqrt{\tan(dx+c)}+\tan(dx+c)+1) - \sqrt{2}((i-1)A+(i+1)B)\log(-\sqrt{2}\sqrt{\tan(dx+c)}+\tan(dx+c)+1))a/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($\tan(dx+c)^{3/2}(a+Ia\tan(dx+c))(A+B\tan(dx+c))$),x, algorithm="maxima")

[Out] $-1/60*(-24*I*B*a*\tan(dx+c)^{5/2} + 40*(-I*A - B)*a*\tan(dx+c)^{3/2} - 8*(15*A - 15*I*B)*a*\sqrt{\tan(dx+c)} - 15*(2*\sqrt{2}*(-(I+1)*A + (I-1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)}))) + 2*\sqrt{2}*(-(I+1)*A + (I-1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)}))) + \sqrt{2}*((I-1)*A + (I+1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) - \sqrt{2}*((I-1)*A + (I+1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1))*a/d$

Fricas [B] time = 2.00713, size = 1160, normalized size = 11.05

$$15\left(d e^{4i dx+4i c} + 2 d e^{2i dx+2i c} + d\right) \sqrt{\frac{(-4i A^2-8 A B+4i B^2)a^2}{d^2}} \log\left(\frac{\left(2(A-i B) a e^{2i dx+2i c} + (i d e^{2i dx+2i c} + i d)\right) \sqrt{\frac{(-4i A^2-8 A B+4i B^2)a^2}{d^2}} \sqrt{\frac{-i e^{2i dx+2i c}}{e^{2i dx+2i c}}}}{(i A+B) a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($\tan(dx+c)^{3/2}(a+Ia\tan(dx+c))(A+B\tan(dx+c))$),x, algorithm="fricas")

[Out] $-1/60*(15*(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)*\sqrt{((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*\log((2*(A - I*B)*a*e^{2*I*d*x + 2*I*c} + (I*d*e^{2*I*d*x + 2*I*c} + I*d)*\sqrt{((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*\sqrt{((-I*e^{2*I*d*x + 2*I*c} + I)/(e^{2*I*d*x + 2*I*c} + 1))})*e^{(-2*I*d*x - 2*I*c)/((I*A + B)*a)} - 15*(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)*\sqrt{((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*\log((2*(A - I*B)*a*e^{2*I*d*x + 2*I*c} + (-I*d*e^{2*I*d*x + 2*I*c} - I*d)*\sqrt{((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*\sqrt{((-I*e^{2*I*d*x + 2*I*c} + I)/(e^{2*I*d*x + 2*I*c} + 1))})*e^{(-2*I*d*x - 2*I*c)/((I*A + B)*a)} - 8*((20*A - 23*I*B)*a*e^{4*I*d*x + 4*I*c} + 6*(5*A - 4*I*B)*a*e^{2*I*d*x + 2*I*c} + (10*A - 13*I*B)*a)*\sqrt{((-I*e^{2*I*d*x + 2*I*c} + I)/(e^{2*I*d*x + 2*I*c} + 1)))/(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.21819, size = 151, normalized size = 1.44

$$\frac{(i-1)\sqrt{2}(iAa+Ba)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{d} - \frac{-6iBad^4\tan(dx+c)^{\frac{5}{2}} - 10iAad^4\tan(dx+c)^{\frac{3}{2}} - 10Bad^4}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] (I - 1)*sqrt(2)*(I*A*a + B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/15*(-6*I*B*a*d^4*tan(d*x + c)^(5/2) - 10*I*A*a*d^4*tan(d*x + c)^(3/2) - 10*B*a*d^4*tan(d*x + c)^(3/2) - 30*A*a*d^4*sqrt(tan(d*x + c)) + 30*I*B*a*d^4*sqrt(tan(d*x + c)))/d^5

3.114 $\int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=80

$$\frac{2\sqrt[4]{-1}a(B + iA) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} + \frac{2a(B + iA)\sqrt{\tan(c + dx)}}{d} + \frac{2iaB \tan^{3/2}(c + dx)}{3d}$$

[Out] (2*(-1)^(1/4)*a*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d + (2*a*(I*A + B)*Sqrt[Tan[c + d*x]])/d + (((2*I)/3)*a*B*Tan[c + d*x]^(3/2))/d

Rubi [A] time = 0.120946, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3592, 3528, 3533, 205}

$$\frac{2\sqrt[4]{-1}a(B + iA) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} + \frac{2a(B + iA)\sqrt{\tan(c + dx)}}{d} + \frac{2iaB \tan^{3/2}(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (2*(-1)^(1/4)*a*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d + (2*a*(I*A + B)*Sqrt[Tan[c + d*x]])/d + (((2*I)/3)*a*B*Tan[c + d*x]^(3/2))/d

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{2iaB \tan^{\frac{3}{2}}(c+dx)}{3d} + \int \sqrt{\tan(c+dx)}(a(A-iB)+a(iA+B) \tan(c+dx)) dx \\
&= \frac{2a(iA+B)\sqrt{\tan(c+dx)}}{d} + \frac{2iaB \tan^{\frac{3}{2}}(c+dx)}{3d} + \int \frac{-a(iA+B) \tan(c+dx)}{d} dx \\
&= \frac{2a(iA+B)\sqrt{\tan(c+dx)}}{d} + \frac{2iaB \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{(2a^2(iA+B) \tan^2(c+dx))}{d} \\
&= \frac{2\sqrt[4]{-1}a(iA+B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{2a(iA+B)\sqrt{\tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.80183, size = 112, normalized size = 1.4

$$\frac{2a\sqrt{\tan(c+dx)}\left(\sqrt{i \tan(c+dx)}(3iA+iB \tan(c+dx)+3B)+(-3B-3iA) \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)\right)}{3d\sqrt{i \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (2*a*Sqrt[Tan[c + d*x]]*(((3*I)*A - 3*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]]) + Sqrt[I*Tan[c + d*x]]*(((3*I)*A + 3*B + I*B*Tan[c + d*x]))/(3*d*Sqrt[I*Tan[c + d*x]])

Maple [B] time = 0.011, size = 475, normalized size = 5.9

$$\frac{\frac{2i}{3}aB}{d} (\tan(dx+c))^{\frac{3}{2}} + \frac{2iaA}{d} \sqrt{\tan(dx+c)} + 2 \frac{aB\sqrt{\tan(dx+c)}}{d} - \frac{i}{2} \frac{aA\sqrt{2}}{d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{i}{4} \frac{aA\sqrt{2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] $\frac{2}{3}IaB \tan(d*x+c)^{\frac{3}{2}}/d + 2I/d * aA \tan(d*x+c)^{\frac{1}{2}} + 2/d * aB \tan(d*x+c)^{\frac{1}{2}} - 1/2 * I/d * aA * \arctan(-1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) * 2^{\frac{1}{2}} - 1/4 * I/d * aA * 2^{\frac{1}{2}} * \ln((1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) / (1 - 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}})) - 1/2 * I/d * aA * 2^{\frac{1}{2}} * \arctan(1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) - 1/2 * d * aB * \arctan(-1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) * 2^{\frac{1}{2}} - 1/4 * d * aB * \ln((1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) / (1 - 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}})) * 2^{\frac{1}{2}} - 1/2 * d * aB * \arctan(1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) * 2^{\frac{1}{2}} - 1/4 * I/d * aB * \ln((1 - 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) / (1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}})) * 2^{\frac{1}{2}} - 1/2 * I/d * aB * \arctan(-1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) * 2^{\frac{1}{2}} - 1/2 * I/d * aB * 2^{\frac{1}{2}} * \arctan(1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) + 1/4 * d * aA * \ln((1 - 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) / (1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}})) * 2^{\frac{1}{2}} + 1/2 * d * aA * \arctan(-1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) * 2^{\frac{1}{2}} + 1/2 * d * aA * \arctan(1 + 2^{\frac{1}{2}} * \tan(d*x+c)^{\frac{1}{2}}) * 2^{\frac{1}{2}}$

Maxima [B] time = 1.86613, size = 230, normalized size = 2.88

$$-8iBa \tan(dx+c)^{\frac{3}{2}} + 24(-iA-B)a\sqrt{\tan(dx+c)} + 3\left(2\sqrt{2}((i-1)A+(i+1)B) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/12*(-8*I*B*a*\tan(d*x + c)^{(3/2)} + 24*(-I*A - B)*a*\sqrt{\tan(d*x + c)} + 3*(2*\sqrt{2}*((I - 1)*A + (I + 1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)}))) + 2*\sqrt{2}*((I - 1)*A + (I + 1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)}))) - \sqrt{2}*(-(I + 1)*A + (I - 1)*B)*\log(\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1) + \sqrt{2}*(-(I + 1)*A + (I - 1)*B)*\log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1))*a/d$$

Fricas [B] time = 1.83584, size = 977, normalized size = 12.21

$$3 \left(d e^{2i dx + 2i c} + d \right) \sqrt{\frac{(4i A^2 + 8 AB - 4i B^2) a^2}{d^2}} \log \left(\frac{2(A - i B) a e^{2i dx + 2i c} + (d e^{2i dx + 2i c} + d) \sqrt{\frac{(4i A^2 + 8 AB - 4i B^2) a^2}{d^2}} \sqrt{\frac{-i e^{2i dx + 2i c} + i}{e^{2i dx + 2i c} + 1}}}{(i A + B) a} \right) e^{-2i dx - 2i c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/12*(3*(d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\log((2*(A - I*B)*a*e^{(2*I*d*x + 2*I*c)} + (d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(-2*I*d*x - 2*I*c)/((I*A + B)*a)} - 3*(d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\log((2*(A - I*B)*a*e^{(2*I*d*x + 2*I*c)} - (d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(-2*I*d*x - 2*I*c)/((I*A + B)*a)} - ((24*I*A + 32*B)*a*e^{(2*I*d*x + 2*I*c)} + (24*I*A + 16*B)*a)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})/(d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sqrt{\tan(c + dx)} dx + \int B \tan^{\frac{3}{2}}(c + dx) dx + \int iA \tan^{\frac{3}{2}}(c + dx) dx + \int iB \tan^{\frac{5}{2}}(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] a*(Integral(A*sqrt(tan(c + d*x)), x) + Integral(B*tan(c + d*x)**(3/2), x) + Integral(I*A*tan(c + d*x)**(3/2), x) + Integral(I*B*tan(c + d*x)**(5/2), x))

Giac [A] time = 1.20468, size = 112, normalized size = 1.4

$$\frac{(i - 1) \sqrt{2}(4 A a - 4 i B a) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx + c)}\right)}{4 d} - \frac{-2i B a d^2 \tan(dx + c)^{\frac{3}{2}} - 6i A a d^2 \sqrt{\tan(dx + c)}}{3 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] -(1/4*I - 1/4)*sqrt(2)*(4*A*a - 4*I*B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt
(tan(d*x + c)))/d - 1/3*(-2*I*B*a*d^2*tan(d*x + c)^(3/2) - 6*I*A*a*d^2*sqrt
(tan(d*x + c)) - 6*B*a*d^2*sqrt(tan(d*x + c)))/d^3
```


$$3.115 \quad \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=55

$$\frac{2iaB\sqrt{\tan(c+dx)}}{d} - \frac{2\sqrt[4]{-1}a(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d}$$

[Out] $(-2*(-1)^{1/4}*a*(A - I*B)*\text{ArcTan}[(-1)^{3/4}*\text{Sqrt}[\text{Tan}[c + d*x]]])/d + ((2*I)*a*B*\text{Sqrt}[\text{Tan}[c + d*x]])/d$

Rubi [A] time = 0.0903108, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {3592, 3533, 205}

$$\frac{2iaB\sqrt{\tan(c+dx)}}{d} - \frac{2\sqrt[4]{-1}a(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x])/ \text{Sqrt}[\text{Tan}[c + d*x]], x]$

[Out] $(-2*(-1)^{1/4}*a*(A - I*B)*\text{ArcTan}[(-1)^{3/4}*\text{Sqrt}[\text{Tan}[c + d*x]]])/d + ((2*I)*a*B*\text{Sqrt}[\text{Tan}[c + d*x]])/d$

Rule 3592

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3533

$\text{Int}[(c_. + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/ \text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx &= \frac{2iaB\sqrt{\tan(c+dx)}}{d} + \int \frac{a(A-iB) + a(iA+B) \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx \\ &= \frac{2iaB\sqrt{\tan(c+dx)}}{d} + \frac{(2a^2(A-iB)^2) \text{Subst}\left(\int \frac{1}{a(A-iB)-a(iA+B)x^2} dx, x\right)}{d} \\ &= -\frac{2\sqrt[4]{-1}a(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{2iaB\sqrt{\tan(c+dx)}}{d} \end{aligned}$$

Mathematica [A] time = 1.52984, size = 92, normalized size = 1.67

$$\frac{2a\sqrt{\tan(c+dx)}\left((A-iB)\tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)+iB\sqrt{i\tan(c+dx)}\right)}{d\sqrt{i\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] (2*a*((A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]]) + I*B*Sqrt[I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]/(d*Sqrt[I*Tan[c + d*x]]))

Maple [B] time = 0.012, size = 444, normalized size = 8.1

$$\frac{2iaB}{d}\sqrt{\tan(dx+c)} - \frac{i}{2}\frac{aB\sqrt{2}}{d}\arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{i}{2}\frac{aB\sqrt{2}}{d}\arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{i}{4}\frac{aB\sqrt{2}}{d}\ln\left(\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right)\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)

[Out] 2*I*a*B*tan(d*x+c)^(1/2)/d-1/2*I/d*a*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2*I/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4*I/d*a*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))+1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))+1/4*I/d*a*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))*2^(1/2)+1/2*I/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2*I/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4/d*a*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))+1/2/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)

Maxima [B] time = 1.80595, size = 204, normalized size = 3.71

$$-8iBa\sqrt{\tan(dx+c)} + \left(2\sqrt{2}(-i+1)A + (i-1)B\right)\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + 2\sqrt{2}(-i+1)A + (i-1)B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x, algorithm="maxima")

[Out] -1/4*(-8*I*B*a*sqrt(tan(d*x + c)) + (2*sqrt(2))*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2))*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)

$x + c) + 1)) * a) / d$

Fricas [B] time = 1.75417, size = 811, normalized size = 14.75

$$8iBa\sqrt{\frac{-ie^{(2idx+2ic)+i}}{e^{(2idx+2ic)+1}}} + \sqrt{\frac{(-4iA^2-8AB+4iB^2)a^2}{d^2}} d \log \left(\frac{\left(2(A-iB)ae^{(2idx+2ic)} + (ide^{(2idx+2ic)+id})\sqrt{\frac{(-4iA^2-8AB+4iB^2)a^2}{d^2}}\sqrt{\frac{-ie^{(2idx+2ic)+i}}{e^{(2idx+2ic)+1}}} \right) e^{(-2idx+2ic)}}{(iA+B)a} \right)$$

4d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/4*(8*I*B*a*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)) + sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*d*log((2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))) * e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) - sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*d*log((2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))) * e^(-2*I*d*x - 2*I*c)/((I*A + B)*a))/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sqrt{\tan(c + dx)}} dx + \int B \sqrt{\tan(c + dx)} dx + \int iA \sqrt{\tan(c + dx)} dx + \int iB \tan^{\frac{3}{2}}(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] a*(Integral(A/sqrt(tan(c + d*x)), x) + Integral(B*sqrt(tan(c + d*x)), x) + Integral(I*A*sqrt(tan(c + d*x)), x) + Integral(I*B*tan(c + d*x)**(3/2), x))

Giac [A] time = 1.24972, size = 63, normalized size = 1.15

$$\frac{(i-1)\sqrt{2}(-iAa - Ba)\arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx + c)}\right)}{d} + \frac{2iBa\sqrt{\tan(dx + c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] (I - 1)*sqrt(2)*(-I*A*a - B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d + 2*I*B*a*sqrt(tan(d*x + c))/d

$$3.116 \quad \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=53

$$-\frac{2aA}{d\sqrt{\tan(c+dx)}} - \frac{2\sqrt[4]{-1}a(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d}$$

[Out] $(-2*(-1)^{(1/4)}*a*(I*A + B)*\text{ArcTan}[(-1)^{(3/4)}*\text{Sqrt}[\text{Tan}[c + d*x]]])/d - (2*a*A)/(d*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rubi [A] time = 0.0929169, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {3591, 3533, 205}

$$-\frac{2aA}{d\sqrt{\tan(c+dx)}} - \frac{2\sqrt[4]{-1}a(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x])}{\text{Tan}[c + d*x]^{(3/2)}}, x]$

[Out] $(-2*(-1)^{(1/4)}*a*(I*A + B)*\text{ArcTan}[(-1)^{(3/4)}*\text{Sqrt}[\text{Tan}[c + d*x]]])/d - (2*a*A)/(d*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rule 3591

$\text{Int}[\frac{(a_. + (b_.)*\text{tan}[e_. + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[e_. + (f_.)*(x_.)])}{(c_. + (d_.)*\text{tan}[e_. + (f_.)*(x_.)])}, x_Symbol] :> \text{Simp}[\frac{(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)}}{(b*f*(m + 1)*(a^2 + b^2)}, x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3533

$\text{Int}[\frac{(c_. + (d_.)*\text{tan}[e_. + (f_.)*(x_.)])}{\text{Sqrt}[(b_.)*\text{tan}[e_. + (f_.)*(x_.)]}], x_Symbol] :> \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[\frac{(a_. + (b_.)*(x_.)^2)^{-1}}{x_Symbol}] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))(A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2aA}{d\sqrt{\tan(c + dx)}} + \int \frac{a(iA + B) - a(A - iB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx \\ &= -\frac{2aA}{d\sqrt{\tan(c + dx)}} + \frac{(2a^2(iA + B)^2) \text{Subst}\left(\int \frac{1}{a(iA+B)+a(A-iB)x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= -\frac{2\sqrt[4]{-1}a(iA + B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2aA}{d\sqrt{\tan(c + dx)}} \end{aligned}$$

Mathematica [A] time = 2.35872, size = 76, normalized size = 1.43

$$\frac{2a\left(-A + (A - iB)\sqrt{i \tan(c + dx)} \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}\right)\right)}{d\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (2*a*(-A + (A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]])*Sqrt[I*Tan[c + d*x]]/(d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.013, size = 443, normalized size = 8.4

$$-2 \frac{Aa}{d\sqrt{\tan(dx + c)}} + \frac{\frac{i}{2}aA\sqrt{2}}{d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) + \frac{\frac{i}{2}aA\sqrt{2}}{d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) + \frac{\frac{i}{4}aA\sqrt{2}}{d} \ln\left(\frac{1 + \sqrt{2}\sqrt{\tan(dx + c)}}{1 - \sqrt{2}\sqrt{\tan(dx + c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] $-2*a*A/d/\tan(d*x+c)^{(1/2)} + 1/2*I/d*a*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/2*I/d*a*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/4*I/d*a*A*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)} + 1/2/d*a*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/2/d*a*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/4/d*a*B*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)} + 1/4*I/d*a*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)} + 1/2*I/d*a*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/2*I/d*a*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} - 1/4/d*a*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)} - 1/2/d*a*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} - 1/2/d*a*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}$

Maxima [B] time = 1.86702, size = 204, normalized size = 3.85

$$\frac{\left(2\sqrt{2}((i-1)A + (i+1)B) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx + c)})\right) + 2\sqrt{2}((i-1)A + (i+1)B) \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx + c)})\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")

[Out] $\frac{1}{4} * ((2 * \sqrt{2}) * ((I - 1) * A + (I + 1) * B) * \arctan(1/2 * \sqrt{2}) * (\sqrt{2} + 2 * \sqrt{\tan(d * x + c)})) + 2 * \sqrt{2} * ((I - 1) * A + (I + 1) * B) * \arctan(-1/2 * \sqrt{2}) * (\sqrt{2} - 2 * \sqrt{\tan(d * x + c)}) - \sqrt{2} * (-(I + 1) * A + (I - 1) * B) * \log(\sqrt{2} * \sqrt{\tan(d * x + c)} + \tan(d * x + c) + 1) + \sqrt{2} * (-(I + 1) * A + (I - 1) * B) * \log(-\sqrt{2} * \sqrt{\tan(d * x + c)} + \tan(d * x + c) + 1)) * a - 8 * A * a / \sqrt{\tan(d * x + c)}) / d$

Fricas [B] time = 1.80218, size = 944, normalized size = 17.81

$$(de^{2i dx+2ic} - d) \sqrt{\frac{(4i A^2+8 AB-4i B^2)a^2}{d^2}} \log \left(\frac{2(A-iB)ae^{(2i dx+2ic)} + (de^{(2i dx+2ic)}+d) \sqrt{\frac{(4i A^2+8 AB-4i B^2)a^2}{d^2}} \sqrt{\frac{-ie^{(2i dx+2ic)}+i}{e^{(2i dx+2ic)}+1}} e^{(-2i dx-2ic)}}{(i A+B)a} \right) - (de^{2i dx+2ic} - d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $\frac{1}{4} * ((d * e^{(2 * I * d * x + 2 * I * c)} - d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2}) * \log((2 * (A - I * B) * a * e^{(2 * I * d * x + 2 * I * c)} + (d * e^{(2 * I * d * x + 2 * I * c)} + d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2}) * \sqrt{(-I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(-2 * I * d * x - 2 * I * c)} / ((I * A + B) * a)) - (d * e^{(2 * I * d * x + 2 * I * c)} - d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2}) * \log((2 * (A - I * B) * a * e^{(2 * I * d * x + 2 * I * c)} - (d * e^{(2 * I * d * x + 2 * I * c)} + d) * \sqrt{(4 * I * A^2 + 8 * A * B - 4 * I * B^2) * a^2 / d^2}) * \sqrt{(-I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) * e^{(-2 * I * d * x - 2 * I * c)} / ((I * A + B) * a)) + (-8 * I * A * a * e^{(2 * I * d * x + 2 * I * c)} - 8 * I * A * a) * \sqrt{(-I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} + 1)}) / (d * e^{(2 * I * d * x + 2 * I * c)} - d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\tan^3(c + dx)} dx + \int \frac{B}{\sqrt{\tan(c + dx)}} dx + \int \frac{iA}{\sqrt{\tan(c + dx)}} dx + \int iB \sqrt{\tan(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out] $a * (\text{Integral}(A/\tan(c + d*x)**(3/2), x) + \text{Integral}(B/\sqrt{\tan(c + d*x)}, x) + \text{Integral}(I*A/\sqrt{\tan(c + d*x)}, x) + \text{Integral}(I*B*\sqrt{\tan(c + d*x)}, x))$

Giac [A] time = 1.22885, size = 63, normalized size = 1.19

$$\frac{(i + 1) \sqrt{2}(4i Aa + 4Ba) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx + c)}\right)}{4d} - \frac{2Aa}{d\sqrt{\tan(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] (1/4*I + 1/4)*sqrt(2)*(4*I*A*a + 4*B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 2*A*a/(d*sqrt(tan(d*x + c)))
```

$$3.117 \quad \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=78

$$\frac{2\sqrt[4]{-1}a(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a(B+iA)}{d\sqrt{\tan(c+dx)}} - \frac{2aA}{3d\tan^{\frac{3}{2}}(c+dx)}$$

[Out] (2*(-1)^(1/4)*a*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (2*a*A)/(3*d*Tan[c + d*x]^(3/2)) - (2*a*(I*A + B))/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.126943, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3591, 3529, 3533, 205}

$$\frac{2\sqrt[4]{-1}a(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a(B+iA)}{d\sqrt{\tan(c+dx)}} - \frac{2aA}{3d\tan^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (2*(-1)^(1/4)*a*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (2*a*A)/(3*d*Tan[c + d*x]^(3/2)) - (2*a*(I*A + B))/(d*Sqrt[Tan[c + d*x]])

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))(A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} + \int \frac{a(iA + B) - a(A - iB) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(iA + B)}{d\sqrt{\tan(c + dx)}} + \int \frac{-a(A - iB) - a(iA + B) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx \\
&= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(iA + B)}{d\sqrt{\tan(c + dx)}} + \frac{(2a^2(A - iB)^2) \text{Subst}\left(\int \frac{-a(A - iB) - a(iA + B) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx\right)}{d} \\
&= \frac{2\sqrt[4]{-1}a(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(iA + B)}{d\sqrt{\tan(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.87451, size = 94, normalized size = 1.21

$$\frac{2a \left(-3i(A - iB) \sqrt{i \tan(c + dx)} \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c + dx)}}{1 + e^{2i(c + dx)}}} \right) + A \cot(c + dx) + 3iA + 3B \right)}{3d \sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (-2*a*((3*I)*A + 3*B + A*Cot[c + d*x] - (3*I)*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]]*Sqrt[I*Tan[c + d*x]]))/(3*d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.015, size = 474, normalized size = 6.1

$$-\frac{2Aa}{3d} (\tan(dx + c))^{-\frac{3}{2}} - \frac{2iaA}{d} \frac{1}{\sqrt{\tan(dx + c)}} - 2 \frac{aB}{d\sqrt{\tan(dx + c)}} + \frac{i a B \sqrt{2}}{d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) + \frac{i a B}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] -2/3*a*A/d/tan(d*x+c)^(3/2)-2*I/d*a/tan(d*x+c)^(1/2)*A-2/d*a/tan(d*x+c)^(1/2)*B+1/2*I/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4*I/d*a*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2*I/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4*I/d*a*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2*I/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2*I/d*a*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/4/d*a*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)

Maxima [B] time = 1.80105, size = 231, normalized size = 2.96

$$3 \left(2 \sqrt{2}(-i+1)A + (i-1)B \arctan \left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)}) \right) \right) + 2 \sqrt{2}(-i+1)A + (i-1)B \arctan \left(-\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")

[Out] 1/12*(3*(2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1))*a + 8*(3*(-I*A - B)*a*tan(d*x + c) - A*a)/tan(d*x + c)^(3/2))/d

Fricas [B] time = 1.90797, size = 1135, normalized size = 14.55

$$3 \left(de^{(4i dx+4i c)} - 2 de^{(2i dx+2i c)} + d \right) \sqrt{\frac{(-4i A^2-8 AB+4i B^2)a^2}{d^2}} \log \left(\frac{\left(2(A-iB)ae^{(2i dx+2i c)} + (i de^{(2i dx+2i c)}+id) \sqrt{\frac{(-4i A^2-8 AB+4i B^2)a^2}{d^2}} \sqrt{\frac{-ie^{(2i dx+2i c)}}{e^{(2i dx+2i c)}}}} \right)}{(i A+B)a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/12*(3*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log((2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) - 3*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log((2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) - 8*((4*A - 3*I*B)*a*e^(4*I*d*x + 4*I*c) + 2*A*a*e^(2*I*d*x + 2*I*c) - (2*A - 3*I*B)*a)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\tan^{\frac{5}{2}}(c+dx)} dx + \int \frac{B}{\tan^{\frac{3}{2}}(c+dx)} dx + \int \frac{iA}{\tan^{\frac{3}{2}}(c+dx)} dx + \int \frac{iB}{\sqrt{\tan(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

```
[Out] a*(Integral(A/tan(c + d*x)**(5/2), x) + Integral(B/tan(c + d*x)**(3/2), x)
+ Integral(I*A/tan(c + d*x)**(3/2), x) + Integral(I*B/sqrt(tan(c + d*x)), x
))
```

Giac [A] time = 1.27302, size = 95, normalized size = 1.22

$$\frac{(i-1)\sqrt{2}(-iAa - Ba)\arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{d} - \frac{6iAa\tan(dx+c) + 6Ba\tan(dx+c) + 2Aa}{3d\tan(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm
="giac")
```

```
[Out] -(I - 1)*sqrt(2)*(-I*A*a - B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x
+ c)))/d - 1/3*(6*I*A*a*tan(d*x + c) + 6*B*a*tan(d*x + c) + 2*A*a)/(d*tan(d
*x + c)^(3/2))
```

$$3.118 \quad \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=103

$$\frac{2\sqrt[4]{-1}a(B+ia) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a(B+ia)}{3d \tan^{\frac{3}{2}}(c+dx)} + \frac{2a(A-ib)}{d\sqrt{\tan(c+dx)}} - \frac{2aA}{5d \tan^{\frac{5}{2}}(c+dx)}$$

[Out] (2*(-1)^(1/4)*a*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (2*a*A)/(5*d*Tan[c + d*x]^(5/2)) - (2*a*(I*A + B))/(3*d*Tan[c + d*x]^(3/2)) + (2*a*(A - I*B))/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.154533, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3591, 3529, 3533, 205}

$$\frac{2\sqrt[4]{-1}a(B+ia) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a(B+ia)}{3d \tan^{\frac{3}{2}}(c+dx)} + \frac{2a(A-ib)}{d\sqrt{\tan(c+dx)}} - \frac{2aA}{5d \tan^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (2*(-1)^(1/4)*a*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (2*a*A)/(5*d*Tan[c + d*x]^(5/2)) - (2*a*(I*A + B))/(3*d*Tan[c + d*x]^(3/2)) + (2*a*(A - I*B))/(d*Sqrt[Tan[c + d*x]])

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))(A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx &= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} + \int \frac{a(iA + B) - a(A - iB) \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)} dx \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(iA + B)}{3d \tan^{\frac{3}{2}}(c + dx)} + \int \frac{-a(A - iB) - a(iA + B) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(iA + B)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2a(A - iB)}{d \sqrt{\tan(c + dx)}} + \int \frac{-a(iA + B) - a(A - iB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(iA + B)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2a(A - iB)}{d \sqrt{\tan(c + dx)}} + \frac{(2a^2(iA + B) - a^2(A - iB) \tan(c + dx)) \sqrt{\tan(c + dx)}}{d} \\
&= \frac{2\sqrt[4]{-1}a(iA + B) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c + dx)}\right)}{d} - \frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(iA + B)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2a(A - iB)}{d \sqrt{\tan(c + dx)}} + \frac{(2a^2(iA + B) - a^2(A - iB) \tan(c + dx)) \sqrt{\tan(c + dx)}}{d}
\end{aligned}$$

Mathematica [B] time = 3.77974, size = 265, normalized size = 2.57

$$\cos^2(c + dx)(\cos(dx) - i \sin(dx))(a + ia \tan(c + dx))(A + B \tan(c + dx)) \left(-\frac{2ie^{-ic(A-iB)} \sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}} \right)$$

$$d(A \cos(c + dx) + B \sin(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (Cos[c + d*x]^2*(Cos[d*x] - I*Sin[d*x])*((-2*I)*(A - I*B)*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))]*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]])/(E^(I*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]]) - (Csc[c + d*x]^2*(Cos[c] - I*Sin[c])*(-12*A + (15*I)*B + 3*(6*A - (5*I)*B)*Cos[2*(c + d*x)] + 5*(I*A + B)*Sin[2*(c + d*x)]))/(15*Sqrt[Tan[c + d*x]])*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x])/(d*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.014, size = 505, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

[Out] -2/5*a*A/d/tan(d*x+c)^(5/2)-1/4*I/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+2*a*A/d/tan(d*x+c)^(1/2)-1/4*I/d*a*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-2/3/d*a/tan(d*x+c)^(3/2)*B-1/2*I/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-2*I/d*a/tan(d*x+c)^(1/2)*B-1/2*I/d*a*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/4/d*a*B*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-1/2/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a*B*arctan(-1

$$+2^{(1/2)}*\tan(d*x+c)^{(1/2)}*2^{(1/2)}-2/3*I/d*a/\tan(d*x+c)^{(3/2)}*A-1/2*I/d*a*A$$

$$*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2*I/d*a*A*2^{(1/2)}*\arctan(1+2^{(1/2)}$$

$$*\tan(d*x+c)^{(1/2)}+1/4/d*a*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c$$

$$))/((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+1/2/d*a*A*\arctan(1+2^{(1/2)}$$

$$*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})$$

$$*2^{(1/2)}$$

Maxima [B] time = 1.89448, size = 254, normalized size = 2.47

$$15\left(2\sqrt{2}((i-1)A+(i+1)B)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+2\sqrt{\tan(dx+c)}\right)\right)+2\sqrt{2}((i-1)A+(i+1)B)\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")

[Out] $-1/60*(15*(2*\sqrt{2})*((I-1)*A+(I+1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2*\sqrt{\tan(dx+c)}))$
 $+2*\sqrt{2}*((I-1)*A+(I+1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2*\sqrt{\tan(dx+c)}))$
 $- \sqrt{2}*(-(I+1)*A+(I-1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)}+\tan(dx+c)+1)$
 $+ \sqrt{2}*(-(I+1)*A+(I-1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)}+\tan(dx+c)+1)$
 $*a-8*((15*A-15*I*B)*a*\tan(dx+c)^2+5*(-I*A-B)*a*\tan(dx+c)-3*A*a)/\tan(dx+c)^{(5/2)}/d$

Fricas [B] time = 2.03859, size = 1305, normalized size = 12.67

$$15\left(d e^{(6i dx+6ic)}-3 d e^{(4i dx+4ic)}+3 d e^{(2i dx+2ic)}-d\right) \sqrt{\frac{(4i A^2+8 A B-4i B^2) a^2}{d^2}} \log \left(\frac{\left(2(A-i B) a e^{(2i dx+2ic)}+(d e^{(2i dx+2ic)}+d) \sqrt{\frac{(4i A^2+8 A B-4i B^2)}{d^2}}\right)}{(i A+B) a}\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")

[Out] $-1/60*(15*(d*e^{(6*I*d*x+6*I*c)}-3*d*e^{(4*I*d*x+4*I*c)}+3*d*e^{(2*I*d*x+2*I*c)}$
 $-d)*\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}*\log((2*(A-I*B)*a$
 $*e^{(2*I*d*x+2*I*c)}+(d*e^{(2*I*d*x+2*I*c)}+d)*\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}$
 $*\sqrt{(-I*e^{(2*I*d*x+2*I*c)}+I)/(e^{(2*I*d*x+2*I*c)}+1)}))$
 $*e^{(-2*I*d*x-2*I*c)}/((I*A+B)*a))-15*(d*e^{(6*I*d*x+6*I*c)}-3*d$
 $*e^{(4*I*d*x+4*I*c)}+3*d*e^{(2*I*d*x+2*I*c)}-d)*\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}$
 $*\log((2*(A-I*B)*a*e^{(2*I*d*x+2*I*c)}-(d*e^{(2*I*d*x+2*I*c)}+d)*\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}$
 $*\sqrt{(-I*e^{(2*I*d*x+2*I*c)}+I)/(e^{(2*I*d*x+2*I*c)}+1)}))$
 $*e^{(-2*I*d*x-2*I*c)}/((I*A+B)*a))-((184*I*A+160*B)*a*e^{(6*I*d*x+6*I*c)}$
 $+(-8*I*A-80*B)*a*e^{(4*I*d*x+4*I*c)}+(-88*I*A-160*B)*a*e^{(2*I*d*x+2*I*c)}$
 $+ (104*I*A+80*B)*a)*\sqrt{(-I*e^{(2*I*d*x+2*I*c)}+I)/(e^{(2*I*d*x+2*I*c)}+1)}/(d*e^{(6*I*d*x+6*I*c)}$
 $-3*d*e^{(4*I*d*x+4*I*c)}+3*d*e^{(2*I*d*x+2*I*c)}-d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)

[Out] Timed out

Giac [A] time = 1.24627, size = 127, normalized size = 1.23

$$\frac{(i+1)\sqrt{2}(-4iAa-4Ba)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} + \frac{30Aa\tan(dx+c)^2-30iBa\tan(dx+c)^2-10iAa}{15d\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] (1/4*I + 1/4)*sqrt(2)*(-4*I*A*a - 4*B*a)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d + 1/15*(30*A*a*tan(d*x + c)^2 - 30*I*B*a*tan(d*x + c)^2 - 10*I*A*a*tan(d*x + c) - 10*B*a*tan(d*x + c) - 6*A*a)/(d*tan(d*x + c)^(5/2))

$$3.119 \quad \int \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=183

$$-\frac{2a^2(9A-11iB) \tan^{\frac{7}{2}}(c+dx)}{63d} + \frac{4a^2(B+iA) \tan^{\frac{5}{2}}(c+dx)}{5d} + \frac{4a^2(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{4\sqrt[4]{-1}a^2(B+iA) \tan^{-1}((-1)^3)}{d}$$

[Out] $(-4*(-1)^{(1/4)}*a^2*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d - (4*a^2*(I*A + B)*Sqrt[Tan[c + d*x]]/d + (4*a^2*(A - I*B)*Tan[c + d*x]^{(3/2)})/(3*d) + (4*a^2*(I*A + B)*Tan[c + d*x]^{(5/2)})/(5*d) - (2*a^2*(9*A - (11*I)*B)*Tan[c + d*x]^{(7/2)})/(63*d) + (((2*I)/9)*B*Tan[c + d*x]^{(7/2)}*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rubi [A] time = 0.3568, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3594, 3592, 3528, 3533, 205}

$$-\frac{2a^2(9A-11iB) \tan^{\frac{7}{2}}(c+dx)}{63d} + \frac{4a^2(B+iA) \tan^{\frac{5}{2}}(c+dx)}{5d} + \frac{4a^2(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{4\sqrt[4]{-1}a^2(B+iA) \tan^{-1}((-1)^3)}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] $(-4*(-1)^{(1/4)}*a^2*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d - (4*a^2*(I*A + B)*Sqrt[Tan[c + d*x]]/d + (4*a^2*(A - I*B)*Tan[c + d*x]^{(3/2)})/(3*d) + (4*a^2*(I*A + B)*Tan[c + d*x]^{(5/2)})/(5*d) - (2*a^2*(9*A - (11*I)*B)*Tan[c + d*x]^{(7/2)})/(63*d) + (((2*I)/9)*B*Tan[c + d*x]^{(7/2)}*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]

, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \tan^2(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \frac{2iB \tan^{\frac{7}{2}}(c+dx)(a^2+ia^2 \tan(c+dx))}{9d} + \frac{2}{9} \int \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx \\ &= -\frac{2a^2(9A-11iB) \tan^{\frac{7}{2}}(c+dx)}{63d} + \frac{2iB \tan^{\frac{7}{2}}(c+dx)(a^2+ia^2 \tan(c+dx))}{9d} \\ &= \frac{4a^2(iA+B) \tan^{\frac{5}{2}}(c+dx)}{5d} - \frac{2a^2(9A-11iB) \tan^{\frac{7}{2}}(c+dx)}{63d} \\ &= \frac{4a^2(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{4a^2(iA+B) \tan^{\frac{5}{2}}(c+dx)}{5d} \\ &= -\frac{4a^2(iA+B)\sqrt{\tan(c+dx)}}{d} + \frac{4a^2(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} \\ &= -\frac{4a^2(iA+B)\sqrt{\tan(c+dx)}}{d} + \frac{4a^2(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} \\ &= -\frac{4\sqrt{-1}a^2(iA+B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{4a^2(A-iB) \tan^{\frac{3}{2}}(c+dx)}{3d} \end{aligned}$$

Mathematica [A] time = 6.12168, size = 315, normalized size = 1.72

$$\cos^3(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) \left(\frac{4e^{-2ic(B+iA)} \sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}} - \frac{i(\cos(2c)-i \sin(2c))\sqrt{\tan(c+dx)}}{d(\cos(dx)+i \sin(dx))^2(A+B \tan(c+dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^3*((4*(I*A + B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])/(E^((2*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) - (I/1260)*Sec[c + d*x]^4*(Cos[2*c] - I*Sin[2*c])*(21*(84*A - (89*I)*B) + 140*(18*A - (17*I)*B)*Cos[2*(c + d*x)] + (756*A - (791*I)*B)*Cos[4*(c + d*x)] + 30*((11*I)*A + 8*B)*Sin[2*(c + d*x)] + 15*((17*I)*A + 20*B)*Sin[4*(c + d*x)])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x])

$$[c + d*x]))/(d*(\text{Cos}[d*x] + I*\text{Sin}[d*x])^2*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x]))$$

Maple [B] time = 0.015, size = 607, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2/9/d*a^2*B*\tan(d*x+c)^{(9/2)} + 1/2*I/d*a^2*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)} + \\ & \tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)} + \tan(d*x+c))) * 2^{(1/2)} - 2/7/d*a^2*A*\tan \\ & n(d*x+c)^{(7/2)} + I/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) + 4/5/d*a \\ & ^2*B*\tan(d*x+c)^{(5/2)} + I/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) + \\ & 4/3/d*a^2*A*\tan(d*x+c)^{(3/2)} + 4/7*I/d*a^2*B*\tan(d*x+c)^{(7/2)} - 4/d*a^2*B*\tan(d \\ & *x+c)^{(1/2)} + 4/5*I/d*a^2*A*\tan(d*x+c)^{(5/2)} - 4/3*I/d*a^2*B*\tan(d*x+c)^{(3/2)} + 1 \\ & /2*I/d*a^2*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)} + \tan(d*x+c))/(1-2^{(1/2)}* \\ & \tan(d*x+c)^{(1/2)} + \tan(d*x+c))) + 1/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) \\ & * 2^{(1/2)} + 1/2/d*a^2*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)} + \tan(d*x+c))/(1- \\ & 2^{(1/2)}*\tan(d*x+c)^{(1/2)} + \tan(d*x+c))) + 1/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan \\ & n(d*x+c)^{(1/2)}) + I/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) * 2^{(1/2)} + I/d*a \\ & ^2*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) * 2^{(1/2)} - 4*I/d*a^2*A*\tan(d*x+c)^{(1/ \\ & 2)} - 1/2/d*a^2*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)} + \tan(d*x+c))/(1+2^{(1/2)}*\tan(d \\ & *x+c)^{(1/2)} + \tan(d*x+c))) * 2^{(1/2)} - 1/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2 \\ &)) * 2^{(1/2)} - 1/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) \end{aligned}$$

Maxima [A] time = 1.84791, size = 316, normalized size = 1.73

$$140Ba^2 \tan(dx+c)^{\frac{9}{2}} + 4(45A - 90iB)a^2 \tan(dx+c)^{\frac{7}{2}} + 504(-iA - B)a^2 \tan(dx+c)^{\frac{5}{2}} - 4(210A - 210iB)a^2 \tan(dx+c)^{\frac{3}{2}} + 2520(IA + B)a^2 \sqrt{\tan(dx+c)} - 315(2\sqrt{2})((I-1)A + (I+1)B) \arctan(1/2\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})) + 2\sqrt{2}((I-1)A + (I+1)B) \arctan(-1/2\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})) - \sqrt{2}(-(I+1)A + (I-1)B) \log(\sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \sqrt{2}(-(I+1)A + (I-1)B) \log(-\sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) a^2 / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/630*(140*B*a^2*\tan(d*x + c)^{(9/2)} + 4*(45*A - 90*I*B)*a^2*\tan(d*x + c)^{(7/2)} + \\ & 504*(-I*A - B)*a^2*\tan(d*x + c)^{(5/2)} - 4*(210*A - 210*I*B)*a^2*\tan(d*x + c)^{(3/2)} + \\ & 2520*(I*A + B)*a^2*\sqrt{\tan(d*x + c)} - 315*(2*\sqrt{2})*((I - 1)*A + (I + 1)*B)* \\ & \arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)})) + 2*\sqrt{2}*((I - 1)*A + (I + 1)*B)* \\ & \arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)})) - \sqrt{2}*(-(I + 1)*A + (I - 1)*B) \\ & * \log(\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1) + \sqrt{2}*(-(I + 1)*A + (I - 1)*B) \\ & * \log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1) * a^2 / d \end{aligned}$$

Fricas [B] time = 2.65759, size = 1555, normalized size = 8.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{1260} \cdot (315 \sqrt{(16IA^2 + 32AB - 16IB^2)} a^4/d^2) \cdot (d e^{(8I dx + 8Ic)} + 4d e^{(6I dx + 6Ic)} + 6d e^{(4I dx + 4Ic)} + 4d e^{(2I dx + 2Ic)} + d) \cdot \log\left(\frac{4(A - IB) a^2 e^{(2I dx + 2Ic)} + \sqrt{(16IA^2 + 32AB - 16IB^2)} a^4/d^2}{(d e^{(2I dx + 2Ic)} + d) \sqrt{(-I e^{(2I dx + 2Ic)} + I) / (e^{(2I dx + 2Ic)} + 1)}}\right) \cdot e^{(-2I dx - 2Ic)} / ((2IA + 2B) a^2) - 315 \sqrt{(16IA^2 + 32AB - 16IB^2)} a^4/d^2 \cdot (d e^{(8I dx + 8Ic)} + 4d e^{(6I dx + 6Ic)} + 6d e^{(4I dx + 4Ic)} + 4d e^{(2I dx + 2Ic)} + d) \cdot \log\left(\frac{4(A - IB) a^2 e^{(2I dx + 2Ic)} - \sqrt{(16IA^2 + 32AB - 16IB^2)} a^4/d^2}{(d e^{(2I dx + 2Ic)} + d) \sqrt{(-I e^{(2I dx + 2Ic)} + I) / (e^{(2I dx + 2Ic)} + 1)}}\right) \cdot e^{(-2I dx - 2Ic)} / ((2IA + 2B) a^2) + ((-8088IA - 8728B) a^2 e^{(8I dx + 8Ic)} + (-22800IA - 20960B) a^2 e^{(6I dx + 6Ic)} + (-28224IA - 29904B) a^2 e^{(4I dx + 4Ic)} + (-17520IA - 17120B) a^2 e^{(2I dx + 2Ic)} + (-4008IA - 3928B) a^2) \sqrt{(-I e^{(2I dx + 2Ic)} + I) / (e^{(2I dx + 2Ic)} + 1)} / (d e^{(8I dx + 8Ic)} + 4d e^{(6I dx + 6Ic)} + 6d e^{(4I dx + 4Ic)} + 4d e^{(2I dx + 2Ic)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.28495, size = 263, normalized size = 1.44

$$\frac{(i-1) \sqrt{2} (8Aa^2 - 8iBa^2) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right)}{4d} - \frac{70Ba^2d^8 \tan(dx+c)^{\frac{9}{2}} + 90Aa^2d^8 \tan(dx+c)^{\frac{7}{2}}}{d^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\left(\frac{1}{4}I - \frac{1}{4}\right) \sqrt{2} \cdot (8Aa^2 - 8IBa^2) \cdot \arctan\left(-\left(\frac{1}{2}I - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right) \cdot \sqrt{\tan(dx+c)} / d - \frac{1}{315} \cdot (70B a^2 d^8 \tan(dx+c)^{(9/2)} + 90A a^2 d^8 \tan(dx+c)^{(7/2)} - 180I B a^2 d^8 \tan(dx+c)^{(7/2)} - 252I A a^2 d^8 \tan(dx+c)^{(5/2)} - 252B a^2 d^8 \tan(dx+c)^{(5/2)} - 420A a^2 d^8 \tan(dx+c)^{(3/2)} + 420I B a^2 d^8 \tan(dx+c)^{(3/2)} + 1260I A a^2 d^8 \sqrt{\tan(dx+c)} + 1260B a^2 d^8 \sqrt{\tan(dx+c)}) / d^9$$

3.120 $\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$

Optimal. Leaf size=156

$$-\frac{2a^2(7A-9iB)\tan^{\frac{5}{2}}(c+dx)}{35d} + \frac{4a^2(B+iA)\tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{4\sqrt[4]{-1}a^2(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(A-iB)}{d}$$

[Out] $(4*(-1)^{(1/4)}*a^2*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])/d + (4*a^2*(A - I*B)*Sqrt[Tan[c + d*x]])/d + (4*a^2*(I*A + B)*Tan[c + d*x]^{(3/2)})/(3*d) - (2*a^2*(7*A - (9*I)*B)*Tan[c + d*x]^{(5/2)})/(35*d) + (((2*I)/7)*B*Tan[c + d*x]^{(5/2)}*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rubi [A] time = 0.310372, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3594, 3592, 3528, 3533, 205}

$$-\frac{2a^2(7A-9iB)\tan^{\frac{5}{2}}(c+dx)}{35d} + \frac{4a^2(B+iA)\tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{4\sqrt[4]{-1}a^2(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(A-iB)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(4*(-1)^{(1/4)}*a^2*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])/d + (4*a^2*(A - I*B)*Sqrt[Tan[c + d*x]])/d + (4*a^2*(I*A + B)*Tan[c + d*x]^{(3/2)})/(3*d) - (2*a^2*(7*A - (9*I)*B)*Tan[c + d*x]^{(5/2)})/(35*d) + (((2*I)/7)*B*Tan[c + d*x]^{(5/2)}*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rule 3594

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3528

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(m_)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2,$

0] && GtQ[m, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \frac{2iB \tan^{\frac{5}{2}}(c+dx)(a^2+ia^2 \tan(c+dx))}{7d} + \frac{2}{7} \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx \\ &= -\frac{2a^2(7A-9iB) \tan^{\frac{5}{2}}(c+dx)}{35d} + \frac{2iB \tan^{\frac{5}{2}}(c+dx)(a^2+ia^2 \tan(c+dx))}{7d} \\ &= \frac{4a^2(iA+B) \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{2a^2(7A-9iB) \tan^{\frac{5}{2}}(c+dx)}{35d} \\ &= \frac{4a^2(A-iB) \sqrt{\tan(c+dx)}}{d} + \frac{4a^2(iA+B) \tan^{\frac{3}{2}}(c+dx)}{3d} \\ &= \frac{4a^2(A-iB) \sqrt{\tan(c+dx)}}{d} + \frac{4a^2(iA+B) \tan^{\frac{3}{2}}(c+dx)}{3d} \\ &= \frac{4\sqrt[4]{-1}a^2(A-iB) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(A+iB) \tan^{\frac{3}{2}}(c+dx)}{3d} \end{aligned}$$

Mathematica [A] time = 5.09396, size = 307, normalized size = 1.97

$$\cos^3(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) \left(\frac{4e^{-2ic(B+iA)} \sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} \right) + \frac{1}{210}(\cos(2c) - i \sin(2c))$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^3*((4*(I*A + B)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]])/(E^((2*I)*c)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) + (Sec[c + d*x]^3*(Cos[2*c] - I*Sin[2*c])*(21*(29*A - (28*I)*B)*Cos[c + d*x] + 21*(11*A - (12*I)*B)*Cos[3*(c + d*x)] + (70*I)*A*Sin[c + d*x] + 25*B*Sin[c + d*x] + (70*I)*A*Sin[3*(c + d*x)] + 85*B*Sin[3*(c + d*x)])*Sqrt[Tan[c + d*x]])/210*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.014, size = 574, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{(3/2)}*(a+I*a*\tan(dx+c))^{2*(A+B*\tan(dx+c))},x)$

[Out]
$$\begin{aligned} & -2/7/d*a^2*B*\tan(dx+c)^{(7/2)} - I/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) \\ & - 2/5/d*a^2*A*\tan(dx+c)^{(5/2)} + I/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) \\ & + 4/3/d*a^2*B*\tan(dx+c)^{(3/2)} - 4*I/d*a^2*B*\tan(dx+c)^{(1/2)} + 4/d*a^2*A*\tan(dx+c)^{(1/2)} \\ & - 1/2*I/d*a^2*A*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))) \\ & *2^{(1/2)} + 4/3*I/d*a^2*A*\tan(dx+c)^{(3/2)} + 4/5*I/d*a^2*B*\tan(dx+c)^{(5/2)} - 1/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) \\ & *2^{(1/2)} - 1/2/d*a^2*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))) \\ & - 1/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) + 1/2*I/d*a^2*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))) \\ & + I/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) *2^{(1/2)} - I/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) *2^{(1/2)} \\ & - 1/2/d*a^2*B*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)} + \tan(dx+c))) *2^{(1/2)} \\ & - 1/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) *2^{(1/2)} - 1/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) \end{aligned}$$

Maxima [A] time = 1.8194, size = 292, normalized size = 1.87

$60Ba^2 \tan(dx+c)^{\frac{7}{2}} + 4(21A - 42iB)a^2 \tan(dx+c)^{\frac{5}{2}} + 280(-iA - B)a^2 \tan(dx+c)^{\frac{3}{2}} - 4(210A - 210iB)a^2 \sqrt{\tan(dx+c)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(a+I*a*\tan(dx+c))^{2*(A+B*\tan(dx+c))},x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/210*(60*B*a^2*\tan(dx+c)^{(7/2)} + 4*(21*A - 42*I*B)*a^2*\tan(dx+c)^{(5/2)} + 280*(-I*A - B)*a^2*\tan(dx+c)^{(3/2)} - 4*(210*A - 210*I*B)*a^2*\sqrt{\tan(dx+c)} \\ & - 105*(2*\sqrt{2}*(-(I+1)*A + (I-1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)}))) + 2*\sqrt{2}*(-(I+1)*A + (I-1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)}))) \\ & + \sqrt{2}*((I-1)*A + (I+1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) - \sqrt{2}*((I-1)*A + (I+1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1)) * a^2 / d \end{aligned}$$

Fricas [B] time = 2.23859, size = 1382, normalized size = 8.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(a+I*a*\tan(dx+c))^{2*(A+B*\tan(dx+c))},x, \text{algorithm}="fricas")$

[Out]
$$\begin{aligned} & -1/420*(105*\sqrt{((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)}*(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((4*(A - \end{aligned}$$

$$I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + \sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2} * (I*d*e^{(2*I*d*x + 2*I*c)} + I*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))} * e^{(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2)} - 105*\sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2} * (d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + \sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2} * (-I*d*e^{(2*I*d*x + 2*I*c)} - I*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))} * e^{(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2)} - 8*((301*A - 337*I*B)*a^2*e^{(6*I*d*x + 6*I*c)} + (679*A - 613*I*B)*a^2*e^{(4*I*d*x + 4*I*c)} + (539*A - 563*I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (161*A - 167*I*B)*a^2)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})/(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(3/2)*(a+I*a*tan(dx+c))**2*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [A] time = 1.28536, size = 216, normalized size = 1.38

$$\frac{(2i - 2) \sqrt{2}(i Aa^2 + Ba^2) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx + c)}\right)}{d} - \frac{30 Ba^2 d^6 \tan(dx + c)^{\frac{7}{2}} + 42 Aa^2 d^6 \tan(dx + c)^{\frac{5}{2}}}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(3/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] (2*I - 2)*sqrt(2)*(I*A*a^2 + B*a^2)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(dx + c)))/d - 1/105*(30*B*a^2*d^6*tan(dx + c)^(7/2) + 42*A*a^2*d^6*tan(dx + c)^(5/2) - 84*I*B*a^2*d^6*tan(dx + c)^(5/2) - 140*I*A*a^2*d^6*tan(dx + c)^(3/2) - 140*B*a^2*d^6*tan(dx + c)^(3/2) - 420*A*a^2*d^6*sqrt(tan(dx + c)) + 420*I*B*a^2*d^6*sqrt(tan(dx + c)))/d^7

3.121 $\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$

Optimal. Leaf size=129

$$-\frac{2a^2(5A-7iB)\tan^{\frac{3}{2}}(c+dx)}{15d} + \frac{4\sqrt[4]{-1}a^2(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(B+iA)\sqrt{\tan(c+dx)}}{d} + \frac{2iB\tan^{\frac{3}{2}}(c+dx)}{d}$$

[Out] $(4*(-1)^{(1/4)}*a^2*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (4*a^2*(I*A + B)*Sqrt[Tan[c + d*x]]/d - (2*a^2*(5*A - (7*I)*B)*Tan[c + d*x]^(3/2))/(15*d) + (((2*I)/5)*B*Tan[c + d*x]^(3/2)*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rubi [A] time = 0.259341, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3594, 3592, 3528, 3533, 205}

$$-\frac{2a^2(5A-7iB)\tan^{\frac{3}{2}}(c+dx)}{15d} + \frac{4\sqrt[4]{-1}a^2(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(B+iA)\sqrt{\tan(c+dx)}}{d} + \frac{2iB\tan^{\frac{3}{2}}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]$

[Out] $(4*(-1)^{(1/4)}*a^2*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (4*a^2*(I*A + B)*Sqrt[Tan[c + d*x]]/d - (2*a^2*(5*A - (7*I)*B)*Tan[c + d*x]^(3/2))/(15*d) + (((2*I)/5)*B*Tan[c + d*x]^(3/2)*(a^2 + I*a^2*Tan[c + d*x]))/d$

Rule 3594

$\text{Int}[(a_.) + (b_.)\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}((A_.) + (B_.)\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\tan[e + f*x])^{(m-1)}*(c + d*\tan[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\tan[e + f*x])^{(m-1)}*(c + d*\tan[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_.) + (b_.)\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}((A_.) + (B_.)\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\tan[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\tan[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3528

$\text{Int}[(a_.) + (b_.)\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}((c_.) + (d_.)\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\tan[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\tan[e + f*x])^{(m-1)}*\text{Simp}[a*c - b*d + (b*c + a*d)*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3533


```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*
Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \frac{2iB \tan^{\frac{3}{2}}(c+dx) (a^2+ia^2 \tan(c+dx))}{5d} + \frac{2}{5} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx \\ &= -\frac{2a^2(5A-7iB) \tan^{\frac{3}{2}}(c+dx)}{15d} + \frac{2iB \tan^{\frac{3}{2}}(c+dx) (a^2+ia^2 \tan(c+dx))}{5d} \\ &= \frac{4a^2(iA+B) \sqrt{\tan(c+dx)}}{d} - \frac{2a^2(5A-7iB) \tan^{\frac{3}{2}}(c+dx)}{15d} \\ &= \frac{4a^2(iA+B) \sqrt{\tan(c+dx)}}{d} - \frac{2a^2(5A-7iB) \tan^{\frac{3}{2}}(c+dx)}{15d} \\ &= \frac{4\sqrt[4]{-1}a^2(iA+B) \tan^{-1}((-1)^{3/4} \sqrt{\tan(c+dx)})}{d} + \frac{4a^2(iA+B) \sqrt{\tan(c+dx)}}{d} \end{aligned}$$

Mathematica [B] time = 4.99916, size = 272, normalized size = 2.11

$$\frac{\cos^3(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) \left(\frac{1}{15} (\cos(2c) - i \sin(2c)) \sqrt{\tan(c+dx)} \sec^2(c+dx) (-5(A-2iB) \cos(c+dx) + 5(A+2iB) \sin(c+dx)) \right)}{d(\cos(dx) + i \sin(dx))^2(A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),
x]
```

```
[Out] (Cos[c + d*x]^3*(((4*I)*(A - I*B)*Sqrt[(-1)*(-1 + E^((2*I)*(c + d*x)))]/(
1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((
2*I)*(c + d*x)))]])/(E^((2*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2
*I)*(c + d*x)))])) + (Sec[c + d*x]^2*(Cos[2*c] - I*Sin[2*c])*((30*I)*A + 27*
B + ((30*I)*A + 33*B)*Cos[2*(c + d*x)] - 5*(A - (2*I)*B)*Sin[2*(c + d*x)])*
Sqrt[Tan[c + d*x]])/15*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/(d*(
Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [B] time = 0.013, size = 537, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)
```

```
[Out] -2/5/d*a^2*B*tan(d*x+c)^(5/2)-I/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-2/3/d*a^2*A*tan(d*x+c)^(3/2)-I/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+4/d*a^2*B*tan(d*x+c)^(1/2)-1/2*I/d*a^2*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+4/3*I/d*a^2*B*tan(d*x+c)^(3/2)+4*I/d*a^2*A*tan(d*x+c)^(1/2)-1/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2*I/d*a^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-I/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-I/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a^2*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+1/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))
```

Maxima [A] time = 1.83083, size = 265, normalized size = 2.05

$$12Ba^2 \tan(dx+c)^{\frac{5}{2}} + 4(5A-10iB)a^2 \tan(dx+c)^{\frac{3}{2}} + 120(-iA-B)a^2 \sqrt{\tan(dx+c)} + 15 \left(2\sqrt{2}((i-1)A+(i+1)B) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/30*(12*B*a^2*tan(d*x+c)^(5/2)+4*(5*A-10*I*B)*a^2*tan(d*x+c)^(3/2))+120*(-I*A-B)*a^2*sqrt(tan(d*x+c))+15*(2*sqrt(2)*((I-1)*A+(I+1)*B)*arctan(1/2*sqrt(2)*(sqrt(2)+2*sqrt(tan(d*x+c))))+2*sqrt(2)*((I-1)*A+(I+1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2)-2*sqrt(tan(d*x+c))))-sqrt(2)*(-(I+1)*A+(I-1)*B)*log(sqrt(2)*sqrt(tan(d*x+c))+tan(d*x+c)+1)+sqrt(2)*(-(I+1)*A+(I-1)*B)*log(-sqrt(2)*sqrt(tan(d*x+c))+tan(d*x+c)+1))*a^2)/d
```

Fricas [B] time = 1.95193, size = 1193, normalized size = 9.25

$$15 \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}} \left(de^{(4i dx+4i c)} + 2 de^{(2i dx+2i c)} + d \right) \log \left(\frac{\left(4(A-iB)a^2 e^{(2i dx+2i c)} + \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}} (de^{(2i dx+2i c)}+d) \sqrt{\frac{-ie^{(2i dx+2i c)}}{e^{(2i dx+2i c)}}}} \right)}{(2iA+2B)a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/60*(15*sqrt((16*I*A^2+32*A*B-16*I*B^2)*a^4/d^2)*(d*e^(4*I*d*x+4*I*c)+2*d*e^(2*I*d*x+2*I*c)+d)*log((4*(A-I*B)*a^2*e^(2*I*d*x+2*I*c)+sqrt((16*I*A^2+32*A*B-16*I*B^2)*a^4/d^2)*(d*e^(2*I*d*x+2*I*c)+d)*sqrt((-I*e^(2*I*d*x+2*I*c)+I)/(e^(2*I*d*x+2*I*c)+1)))*e^(-2*I*d*x-2*I*c)/((2*I*A+2*B)*a^2))-15*sqrt((16*I*A^2+32*A*B-16*I*B^2)*a^4/d^2)*(d*e^(4*I*d*x+4*I*c)+2*d*e^(2*I*d*x+2*I*c)+d)*log((4*(A-I*B)*a^2*e^(2*I*d*x+2*I*c)-sqrt((16*I*A^2+32*A*B-16*I*B^2)*a^4/d^2)*(d*e^(2*I*d*x+2*I*c)+d)*sqrt((-I*e^(2*I*d*x+2*I*c)+I)/(e^(2*I*d*x+2*I*c)+1))
```

$*c) + 1)))e^{(-2I*d*x - 2I*c)/((2I*A + 2B)*a^2)} - ((280I*A + 344B)*a^2 * e^{(4I*d*x + 4I*c)} + (480I*A + 432B)*a^2 * e^{(2I*d*x + 2I*c)} + (200I*A + 184B)*a^2) * \sqrt{(-I * e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)}) / (d * e^{(4I*d*x + 4I*c)} + 2 * d * e^{(2I*d*x + 2I*c)} + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.2419, size = 171, normalized size = 1.33

$$\frac{(i-1)\sqrt{2}(8Aa^2 - 8iBa^2)\arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} - \frac{6Ba^2d^4\tan(dx+c)^{\frac{5}{2}} + 10Aa^2d^4\tan(dx+c)^{\frac{3}{2}}}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $-(1/4*I - 1/4)*\sqrt{2}*(8*A*a^2 - 8*I*B*a^2)*\arctan(-(1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/d - 1/15*(6*B*a^2*d^4*\tan(d*x + c)^{(5/2)} + 10*A*a^2*d^4*\tan(d*x + c)^{(3/2)} - 20*I*B*a^2*d^4*\tan(d*x + c)^{(3/2)} - 60*I*A*a^2*d^4*\sqrt{\tan(d*x + c)} - 60*B*a^2*d^4*\sqrt{\tan(d*x + c)})/d^5$

$$3.122 \quad \int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=104

$$-\frac{4\sqrt[4]{-1}a^2(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a^2(3A-5iB)\sqrt{\tan(c+dx)}}{3d} + \frac{2iB\sqrt{\tan(c+dx)}(a^2+ia^2\tan(c+dx))}{3d}$$

[Out] $(-4*(-1)^{(1/4)}*a^2*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])/d - (2*a^2*(3*A - (5*I)*B)*Sqrt[Tan[c + d*x]]/(3*d) + (((2*I)/3)*B*Sqrt[Tan[c + d*x]])*(a^2 + I*a^2*Tan[c + d*x])/d$

Rubi [A] time = 0.224437, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3594, 3592, 3533, 205}

$$-\frac{4\sqrt[4]{-1}a^2(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a^2(3A-5iB)\sqrt{\tan(c+dx)}}{3d} + \frac{2iB\sqrt{\tan(c+dx)}(a^2+ia^2\tan(c+dx))}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\left((a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x])\right)/\text{Sqrt}[\text{Tan}[c + d*x]], x]$

[Out] $(-4*(-1)^{(1/4)}*a^2*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])/d - (2*a^2*(3*A - (5*I)*B)*Sqrt[Tan[c + d*x]]/(3*d) + (((2*I)/3)*B*Sqrt[Tan[c + d*x]])*(a^2 + I*a^2*Tan[c + d*x])/d$

Rule 3594

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3533

$\text{Int}[\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)/\text{Sqrt}[(b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[\left((a_{.}) + (b_{.})*(x_{.})^2\right)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^2 (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{2iB \sqrt{\tan(c + dx)} (a^2 + ia^2 \tan(c + dx))}{3d} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx \\
&= -\frac{2a^2(3A - 5iB) \sqrt{\tan(c + dx)}}{3d} + \frac{2iB \sqrt{\tan(c + dx)} (a^2 + ia^2 \tan(c + dx))}{3d} \\
&= -\frac{2a^2(3A - 5iB) \sqrt{\tan(c + dx)}}{3d} + \frac{2iB \sqrt{\tan(c + dx)} (a^2 + ia^2 \tan(c + dx))}{3d} \\
&= -\frac{4\sqrt[4]{-1} a^2 (A - iB) \tan^{-1}((-1)^{3/4} \sqrt{\tan(c + dx)})}{d} - \frac{2a^2(3A - 5iB) \sqrt{\tan(c + dx)}}{3d}
\end{aligned}$$

Mathematica [A] time = 3.3122, size = 110, normalized size = 1.06

$$\frac{2a^2 \sqrt{\tan(c + dx)} \left(\sqrt{i \tan(c + dx)} (3A + B \tan(c + dx) - 6iB) - 6(A - iB) \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c + dx)}}{1 + e^{2i(c + dx)}}} \right) \right)}{3d \sqrt{i \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]

[Out] (-2*a^2*Sqrt[Tan[c + d*x]]*(-6*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]]) + Sqrt[I*Tan[c + d*x]]*(3*A - (6*I)*B + B*Tan[c + d*x]))/(3*d*Sqrt[I*Tan[c + d*x]])

Maple [B] time = 0.014, size = 500, normalized size = 4.8

$$-\frac{2a^2B}{3d} (\tan(dx + c))^{\frac{3}{2}} - 2 \frac{a^2A \sqrt{\tan(dx + c)}}{d} + \frac{4ia^2B}{d} \sqrt{\tan(dx + c)} - \frac{iBa^2\sqrt{2}}{d} \arctan\left(1 + \sqrt{2} \sqrt{\tan(dx + c)}\right) - \frac{iBa^2\sqrt{2}}{d} \arctan\left(1 - \sqrt{2} \sqrt{\tan(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)

[Out] -2/3/d*a^2*B*tan(d*x+c)^(3/2)-2/d*a^2*A*tan(d*x+c)^(1/2)+4*I/d*a^2*B*tan(d*x+c)^(1/2)-I/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-I/d*a^2*B*a*rctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2*I/d*a^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+1/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2*I/d*a^2*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+I/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+I/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a^2*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+1/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+1/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)

Maxima [B] time = 2.07537, size = 238, normalized size = 2.29

$$4Ba^2 \tan(dx+c)^{\frac{3}{2}} + 4(3A-6iB)a^2 \sqrt{\tan(dx+c)} + 3\left(2\sqrt{2}(-i+1)A + (i-1)B\right) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")

[Out]
$$-1/6*(4*B*a^2*\tan(d*x+c)^{(3/2)} + 4*(3*A-6*I*B)*a^2*\sqrt{\tan(d*x+c)} + 3*(2*\sqrt{2})*(-(I+1)*A + (I-1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x+c)})) + 2*\sqrt{2}*(-(I+1)*A + (I-1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x+c)})) + \sqrt{2}*((I-1)*A + (I+1)*B)*\log(\sqrt{2}*\sqrt{\tan(d*x+c)} + \tan(d*x+c) + 1) - \sqrt{2}*((I-1)*A + (I+1)*B)*\log(-\sqrt{2}*\sqrt{\tan(d*x+c)} + \tan(d*x+c) + 1))*a^2/d$$

Fricas [B] time = 1.77262, size = 1034, normalized size = 9.94

$$3\sqrt{\frac{(-16iA^2-32AB+16iB^2)a^4}{d^2}}(de^{2idx+2ic}+d)\log\left(\frac{\left(4(A-iB)a^2e^{2idx+2ic}+\sqrt{\frac{(-16iA^2-32AB+16iB^2)a^4}{d^2}}(ide^{2idx+2ic}+id)\sqrt{\frac{-ie^{2idx+2ic}+i}{e^{2idx+2ic}+1}}\right)e^{-2idx-2ic}}{(2iA+2B)a^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$1/12*(3*\sqrt{(-16*I*A^2-32*A*B+16*I*B^2)}*a^4/d^2)*(d*e^{2*I*d*x+2*I*c}+d)*\log((4*(A-I*B)*a^2*e^{2*I*d*x+2*I*c}+\sqrt{(-16*I*A^2-32*A*B+16*I*B^2)}*a^4/d^2)*(I*d*e^{2*I*d*x+2*I*c}+I*d)*\sqrt{(-I*e^{2*I*d*x+2*I*c}+I)/(e^{2*I*d*x+2*I*c}+1)})*e^{-2*I*d*x-2*I*c}/((2*I*A+2*B)*a^2)) - 3*\sqrt{(-16*I*A^2-32*A*B+16*I*B^2)}*a^4/d^2)*(d*e^{2*I*d*x+2*I*c}+d)*\log((4*(A-I*B)*a^2*e^{2*I*d*x+2*I*c}+\sqrt{(-16*I*A^2-32*A*B+16*I*B^2)}*a^4/d^2)*(-I*d*e^{2*I*d*x+2*I*c}-I*d)*\sqrt{(-I*e^{2*I*d*x+2*I*c}+I)/(e^{2*I*d*x+2*I*c}+1)})*e^{-2*I*d*x-2*I*c}/((2*I*A+2*B)*a^2)) - 8*((3*A-7*I*B)*a^2*e^{2*I*d*x+2*I*c}+(3*A-5*I*B)*a^2)*\sqrt{(-I*e^{2*I*d*x+2*I*c}+I)/(e^{2*I*d*x+2*I*c}+1)}/(d*e^{2*I*d*x+2*I*c}+d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2\left(\int\frac{A}{\sqrt{\tan(c+dx)}}dx+\int-A\tan^{\frac{3}{2}}(c+dx)dx+\int B\sqrt{\tan(c+dx)}dx+\int-B\tan^{\frac{5}{2}}(c+dx)dx+\int 2iA\sqrt{\tan(c+dx)}dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out]
$$a**2*(Integral(A/\sqrt{\tan(c+dx)},x)+Integral(-A*\tan(c+dx)**(3/2),x)+Integral(B*\sqrt{\tan(c+dx)},x)+Integral(-B*\tan(c+dx)**(5/2),x))$$

) + Integral(2*I*A*sqrt(tan(c + d*x)), x) + Integral(2*I*B*tan(c + d*x)**(3/2), x))

Giac [A] time = 1.36067, size = 124, normalized size = 1.19

$$\frac{(2i - 2) \sqrt{2}(-i Aa^2 - Ba^2) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx + c)}\right)}{d} - \frac{2\left(Ba^2d^2 \tan(dx + c)^{\frac{3}{2}} + 3Aa^2d^2\sqrt{\tan(dx + c)}\right)}{3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] (2*I - 2)*sqrt(2)*(-I*A*a^2 - B*a^2)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 2/3*(B*a^2*d^2*tan(d*x + c)^(3/2) + 3*A*a^2*d^2*sqrt(tan(d*x + c)) - 6*I*B*a^2*d^2*sqrt(tan(d*x + c)))/d^3

$$3.123 \quad \int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=98

$$-\frac{4\sqrt[4]{-1}a^2(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{2a^2(-B+iA)\sqrt{\tan(c+dx)}}{d} - \frac{2A(a^2+ia^2\tan(c+dx))}{d\sqrt{\tan(c+dx)}}$$

[Out] $(-4*(-1)^{(1/4)}*a^2*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (2*a^2*(I*A - B)*Sqrt[Tan[c + d*x]])/d - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(d*Sqrt[Tan[c + d*x]])$

Rubi [A] time = 0.213756, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3593, 3592, 3533, 205}

$$-\frac{4\sqrt[4]{-1}a^2(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{2a^2(-B+iA)\sqrt{\tan(c+dx)}}{d} - \frac{2A(a^2+ia^2\tan(c+dx))}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\left((a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x])\right)/\text{Tan}[c + d*x]^{(3/2)}, x]$

[Out] $(-4*(-1)^{(1/4)}*a^2*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (2*a^2*(I*A - B)*Sqrt[Tan[c + d*x]])/d - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(d*Sqrt[Tan[c + d*x]])$

Rule 3593

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)*\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3592

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)*\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3533

$\text{Int}[\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)/\text{Sqrt}[(b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[\left((a_{.}) + (b_{.})*(x_{.})^2\right)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^3(c + dx)} dx &= -\frac{2A(a^2 + ia^2 \tan(c + dx))}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{(a + ia \tan(c + dx)) \left(\frac{1}{2}a(3iA + B)\right)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{2a^2(iA - B)\sqrt{\tan(c + dx)}}{d} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{a^2(iA + B)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{2a^2(iA - B)\sqrt{\tan(c + dx)}}{d} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{d\sqrt{\tan(c + dx)}} + \frac{(4a^4(iA + B)\sqrt{\tan(c + dx)})}{d} \\
&= -\frac{4\sqrt[4]{-1}a^2(iA + B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} + \frac{2a^2(iA - B)\sqrt{\tan(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 3.24912, size = 85, normalized size = 0.87

$$-\frac{2a^2 \left(-2(A - iB)\sqrt{i \tan(c + dx)} \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}} \right) + A + B \tan(c + dx) \right)}{d\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (-2*a^2*(A - 2*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])*Sqrt[I*Tan[c + d*x]] + B*Tan[c + d*x])/(d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.016, size = 484, normalized size = 4.9

$$-2 \frac{a^2 B \sqrt{\tan(dx + c)}}{d} - 2 \frac{a^2 A}{d \sqrt{\tan(dx + c)}} + \frac{i A a^2 \sqrt{2}}{d} \arctan\left(1 + \sqrt{2} \sqrt{\tan(dx + c)}\right) + \frac{i A a^2 \sqrt{2}}{d} \arctan\left(-1 + \sqrt{2} \sqrt{\tan(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] -2/d*a^2*B*tan(d*x+c)^(1/2)-2*a^2*A/d/tan(d*x+c)^(1/2)+I/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+I/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2*I/d*a^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))+1/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+1/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))+1/2*I/d*a^2*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))*2^(1/2)+I/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+I/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a^2*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)^(1/2)))*2^(1/2)-1/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)

Maxima [B] time = 1.83462, size = 230, normalized size = 2.35

$$4Ba^2\sqrt{\tan(dx+c)} - \left(2\sqrt{2}((i-1)A + (i+1)B)\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)\right) + 2\sqrt{2}((i-1)A + (i+1)B)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")

[Out]
$$-1/2*(4*B*a^2*\sqrt{\tan(dx+c)} - (2*\sqrt{2}*((I-1)*A + (I+1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)}))) + 2*\sqrt{2}*((I-1)*A + (I+1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)})) - \sqrt{2}*(-(I+1)*A + (I-1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \sqrt{2}*(-(I+1)*A + (I-1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1))*a^2 + 4*A*a^2/\sqrt{\tan(dx+c)})/d$$

Fricas [B] time = 1.76831, size = 1010, normalized size = 10.31

$$\sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}}(de^{2idx+2ic} - d) \log\left(\frac{\left(4(A-iB)a^2e^{2idx+2ic} + \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}}(de^{2idx+2ic}+d)\sqrt{\frac{-ie^{2idx+2ic}+i}{e^{2idx+2ic}+1}}\right)e^{-2idx-2ic}}{(2iA+2B)a^2}\right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out]
$$1/4*(\sqrt{(16iA^2 + 32AB - 16iB^2)*a^4/d^2}*(d*e^{(2I*d*x + 2I*c)} - d)*\log((4*(A - I*B)*a^2*e^{(2I*d*x + 2I*c)} + \sqrt{(16iA^2 + 32AB - 16iB^2)*a^4/d^2}*(d*e^{(2I*d*x + 2I*c)} + d)*\sqrt{(-I*e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)})*e^{(-2I*d*x - 2I*c)}/((2I*A + 2B)*a^2)) - \sqrt{(16iA^2 + 32AB - 16iB^2)*a^4/d^2}*(d*e^{(2I*d*x + 2I*c)} - d)*\log((4*(A - I*B)*a^2*e^{(2I*d*x + 2I*c)} - \sqrt{(16iA^2 + 32AB - 16iB^2)*a^4/d^2}*(d*e^{(2I*d*x + 2I*c)} + d)*\sqrt{(-I*e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)})*e^{(-2I*d*x - 2I*c)}/((2I*A + 2B)*a^2)) + ((-8I*A - 8B)*a^2*e^{(2I*d*x + 2I*c)} + (-8I*A + 8B)*a^2)*\sqrt{(-I*e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)})/(d*e^{(2I*d*x + 2I*c)} - d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\tan^3(c+dx)} dx + \int -A\sqrt{\tan(c+dx)} dx + \int \frac{B}{\sqrt{\tan(c+dx)}} dx + \int -B \tan^{\frac{3}{2}}(c+dx) dx + \int \frac{2iA}{\sqrt{\tan(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out]
$$a**2*(Integral(A/\tan(c+dx)**(3/2),x) + Integral(-A*\sqrt{\tan(c+dx)},x) + Integral(B/\sqrt{\tan(c+dx)},x) + Integral(-B*\tan(c+dx)**(3/2),x) + Integral(2*I*A/\sqrt{\tan(c+dx)},x) + Integral(2*I*B*\sqrt{\tan(c+dx)},x))$$

)), x))

Giac [A] time = 1.26082, size = 95, normalized size = 0.97

$$-\frac{2Ba^2\sqrt{\tan(dx+c)}}{d} + \frac{(i+1)\sqrt{2}(8iAa^2+8Ba^2)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} - \frac{2Aa^2}{d\sqrt{\tan(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] -2*B*a^2*sqrt(tan(d*x + c))/d + (1/4*I + 1/4)*sqrt(2)*(8*I*A*a^2 + 8*B*a^2)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 2*A*a^2/(d*sqrt(tan(d*x + c)))

$$3.124 \quad \int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=102

$$\frac{4\sqrt[4]{-1}a^2(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a^2(3B+5iA)}{3d\sqrt{\tan(c+dx)}} - \frac{2A(a^2+ia^2 \tan(c+dx))}{3d \tan^{\frac{3}{2}}(c+dx)}$$

[Out] $(4*(-1)^{(1/4)}*a^2*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])/d - (2*a^2*((5*I)*A + 3*B))/(3*d*Sqrt[Tan[c + d*x]]) - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(3*d*Tan[c + d*x]^{(3/2)})$

Rubi [A] time = 0.217649, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3593, 3591, 3533, 205}

$$\frac{4\sqrt[4]{-1}a^2(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a^2(3B+5iA)}{3d\sqrt{\tan(c+dx)}} - \frac{2A(a^2+ia^2 \tan(c+dx))}{3d \tan^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x])/ \text{Tan}[c + d*x]^{(5/2)}, x]$

[Out] $(4*(-1)^{(1/4)}*a^2*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])/d - (2*a^2*((5*I)*A + 3*B))/(3*d*Sqrt[Tan[c + d*x]]) - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(3*d*Tan[c + d*x]^{(3/2)})$

Rule 3593

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((A + B*\text{tan}[e + f*x]) + (C + D*\text{tan}[e + f*x]))^n, x_Symbol] :> -\text{Simp}[a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}]/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((A + B*\text{tan}[e + f*x]) + (C + D*\text{tan}[e + f*x]))^n, x_Symbol] :> \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m+1)}]/(b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3533

$\text{Int}[(c + d*\text{tan}[e + f*x])/ \text{Sqrt}[(b + a*\text{tan}[e + f*x])], x_Symbol] :> \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2A(a^2 + ia^2 \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx)) \left(\frac{1}{2}a(5iA + 3B)\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{2a^2(5iA + 3B)}{3d\sqrt{\tan(c + dx)}} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{-3a^2(A - iB)}{\tan^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{2a^2(5iA + 3B)}{3d\sqrt{\tan(c + dx)}} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{(12a^4(A - iB)^2)S}{3d \tan^{\frac{3}{2}}(c + dx)} \\ &= \frac{4\sqrt[4]{-1}a^2(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2a^2(5iA + 3B)}{3d\sqrt{\tan(c + dx)}} \end{aligned}$$

Mathematica [A] time = 3.18703, size = 96, normalized size = 0.94

$$\frac{2a^2 \left(-6i(A - iB)\sqrt{i \tan(c + dx)} \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c + dx)}}{1 + e^{2i(c + dx)}}} \right) + A \cot(c + dx) + 6iA + 3B \right)}{3d\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (-2*a^2*((6*I)*A + 3*B + A*Cot[c + d*x] - (6*I)*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[I*Tan[c + d*x]]))/ (3*d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.017, size = 504, normalized size = 4.9

$$-\frac{2a^2A}{3d} (\tan(dx + c))^{-\frac{3}{2}} - \frac{4ia^2A}{d} \frac{1}{\sqrt{\tan(dx + c)}} - 2 \frac{a^2B}{d\sqrt{\tan(dx + c)}} + \frac{iBa^2\sqrt{2}}{d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) + \frac{i}{2} \frac{a^2}{d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] -2/3*a^2*A/d/tan(d*x+c)^(3/2)-4*I/d*a^2/tan(d*x+c)^(1/2)*A-2/d*a^2/tan(d*x+c)^(1/2)*B+I/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2*I/d*a^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+I/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2*I/d*a^2*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-I/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-I/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2/d*a^2*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)

$$\frac{\arctan(\sqrt{d*x+c}) + \tan(d*x+c)}{(1+2^{1/2}*\tan(d*x+c)^{1/2} + \tan(d*x+c))} * 2^{1/2} - 1/d*a^2*B*\arctan(-1+2^{1/2}*\tan(d*x+c)^{1/2}) * 2^{1/2} - 1/d*a^2*B*2^{1/2} * \operatorname{rctan}(1+2^{1/2}*\tan(d*x+c)^{1/2})$$

Maxima [B] time = 2.48213, size = 239, normalized size = 2.34

$$3 \left(2 \sqrt{2}(-i+1) A + (i-1) B \right) \arctan \left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)}) \right) + 2 \sqrt{2}(-i+1) A + (i-1) B \arctan \left(-\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 \sqrt{\tan(dx+c)}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")

[Out] 1/6*(3*(2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1))*a^2 + 4*(3*(-2*I*A - B)*a^2*tan(d*x + c) - A*a^2)/tan(d*x + c)^(3/2))/d

Fricas [B] time = 1.80269, size = 1181, normalized size = 11.58

$$3 \sqrt{\frac{(-16i A^2 - 32 AB + 16i B^2) a^4}{d^2}} (de^{4i dx + 4i c} - 2 de^{2i dx + 2i c} + d) \log \left(\frac{4(A-iB)a^2 e^{2i dx + 2i c} + \sqrt{\frac{(-16i A^2 - 32 AB + 16i B^2) a^4}{d^2}} (i de^{2i dx + 2i c} + i d) \sqrt{\frac{-i e^{4i dx + 4i c}}{e^{2i dx + 2i c}}}}{(2i A + 2 B) a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/12*(3*sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2) - 3*sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2) - 8*((7*A - 3*I*B)*a^2*e^(4*I*d*x + 4*I*c) + 2*A*a^2*e^(2*I*d*x + 2*I*c) - (5*A - 3*I*B)*a^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\tan^{\frac{5}{2}}(c+dx)} dx + \int -\frac{A}{\sqrt{\tan(c+dx)}} dx + \int \frac{B}{\tan^{\frac{3}{2}}(c+dx)} dx + \int -B\sqrt{\tan(c+dx)} dx + \int \frac{2iA}{\tan^{\frac{3}{2}}(c+dx)} dx + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)
```

```
[Out] a**2*(Integral(A/tan(c + d*x)**(5/2), x) + Integral(-A/sqrt(tan(c + d*x)),
x) + Integral(B/tan(c + d*x)**(3/2), x) + Integral(-B*sqrt(tan(c + d*x)), x
) + Integral(2*I*A/tan(c + d*x)**(3/2), x) + Integral(2*I*B/sqrt(tan(c + d*
x)), x))
```

Giac [A] time = 1.27096, size = 108, normalized size = 1.06

$$\frac{(2i - 2) \sqrt{2} (-i A a^2 - B a^2) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx + c)}\right)}{d} - \frac{12i A a^2 \tan(dx + c) + 6 B a^2 \tan(dx + c) + 2 A a^2}{3 d \tan(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorit
hm="giac")
```

```
[Out] -(2*I - 2)*sqrt(2)*(-I*A*a^2 - B*a^2)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(ta
n(d*x + c)))/d - 1/3*(12*I*A*a^2*tan(d*x + c) + 6*B*a^2*tan(d*x + c) + 2*A*
a^2)/(d*tan(d*x + c)^(3/2))
```

$$3.125 \quad \int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=127

$$\frac{4\sqrt[4]{-1}a^2(B+IA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a^2(5B+7iA)}{15d\tan^{\frac{3}{2}}(c+dx)} + \frac{4a^2(A-iB)}{d\sqrt{\tan(c+dx)}} - \frac{2A(a^2+ia^2\tan(c+dx))}{5d\tan^{\frac{5}{2}}(c+dx)}$$

[Out] (4*(-1)^(1/4)*a^2*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (2*a^2*((7*I)*A + 5*B))/(15*d*Tan[c + d*x]^(3/2)) + (4*a^2*(A - I*B))/(d*Sqrt[Tan[c + d*x]]) - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(5*d*Tan[c + d*x]^(5/2))

Rubi [A] time = 0.257492, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3593, 3591, 3529, 3533, 205}

$$\frac{4\sqrt[4]{-1}a^2(B+IA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2a^2(5B+7iA)}{15d\tan^{\frac{3}{2}}(c+dx)} + \frac{4a^2(A-iB)}{d\sqrt{\tan(c+dx)}} - \frac{2A(a^2+ia^2\tan(c+dx))}{5d\tan^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (4*(-1)^(1/4)*a^2*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (2*a^2*((7*I)*A + 5*B))/(15*d*Tan[c + d*x]^(3/2)) + (4*a^2*(A - I*B))/(d*Sqrt[Tan[c + d*x]]) - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(5*d*Tan[c + d*x]^(5/2))

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3591

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,

b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx &= -\frac{2A(a^2 + ia^2 \tan(c + dx))}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + ia \tan(c + dx)) \left(\frac{1}{2}a(7iA + 5B)\right)}{\tan^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2a^2(7iA + 5B)}{15d \tan^{\frac{3}{2}}(c + dx)} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{-5a^2(A - iB)}{\tan^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2a^2(7iA + 5B)}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2(A - iB)}{d\sqrt{\tan(c + dx)}} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{-5a^2(A - iB)}{\tan^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2a^2(7iA + 5B)}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2(A - iB)}{d\sqrt{\tan(c + dx)}} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{-5a^2(A - iB)}{\tan^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{4\sqrt[4]{-1}a^2(iA + B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{\tan(c + dx)}}{1}\right)}{d} - \frac{2a^2(7iA + 5B)}{15d \tan^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [B] time = 4.94616, size = 272, normalized size = 2.14

$$\frac{\cos^3(c + dx)(a + ia \tan(c + dx))^2 (A + B \tan(c + dx)) \left(\frac{4ie^{-2ic}(A - iB) \sqrt{\frac{i(-1 + e^{2i(c+dx)})}{1 + e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}} - \frac{(\cos(2c) - i \sin(2c)) \cos(c + dx)}{d(\cos(dx) + i \sin(dx))^2 (A \cos(c + dx) + B \sin(c + dx))} \right)}{d(\cos(dx) + i \sin(dx))^2 (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (Cos[c + d*x]^3*(((4*I)*(A - I*B)*Sqrt[(-1)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])/(E^((2*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) - (Csc[c + d*x]^2*(Cos[2*c] - I*Sin[2*c])*(-27*A + (30*I)*B + (33*A - (30*I)*B)*Cos[2*(c + d*x)] + 5*((2*I)*A + B)*Sin[2*(c + d*x)]))/(15*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.018, size = 537, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(dx+c))^2*(A+B*\tan(dx+c))/\tan(dx+c)^{(7/2)},x)$

[Out] $-2/5*a^2*A/d/\tan(dx+c)^{(5/2)}-I/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})+4*a^2*A/d/\tan(dx+c)^{(1/2)}-I/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})-2/3/d*a^2/\tan(dx+c)^{(3/2)}*B-1/2*I/d*a^2*B*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*2^{(1/2)}-1/2*I/d*a^2*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))-4/3*I/d*a^2/\tan(dx+c)^{(3/2)}*A-1/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^2*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))-1/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})-4*I/d*a^2/\tan(dx+c)^{(1/2)}*B-I/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}-I/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^2*A*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*2^{(1/2)}+1/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}+1/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})$

Maxima [A] time = 1.82405, size = 265, normalized size = 2.09

$$15 \left(2 \sqrt{2}((i-1)A + (i+1)B) \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)})\right) + 2 \sqrt{2}((i-1)A + (i+1)B) \arctan\left(-\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)})\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(dx+c))^2*(A+B*\tan(dx+c))/\tan(dx+c)^{(7/2)},x, \text{algorithm}="maxima")$

[Out] $-1/30*(15*(2*\sqrt{2})*((I-1)*A + (I+1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)})) + 2*\sqrt{2}*((I-1)*A + (I+1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)})) - \sqrt{2}*(-(I+1)*A + (I-1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \sqrt{2}*(-(I+1)*A + (I-1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1)*a^2 - 4*((30*A - 30*I*B)*a^2*\tan(dx+c)^2 + 5*(-2*I*A - B)*a^2*\tan(dx+c) - 3*A*a^2)/\tan(dx+c)^{(5/2)}/d$

Fricas [B] time = 1.92264, size = 1359, normalized size = 10.7

$$15 \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}} \left(de^{(6idx+6ic)} - 3de^{(4idx+4ic)} + 3de^{(2idx+2ic)} - d \right) \log \left(\frac{4(A-iB)a^2e^{(2idx+2ic)} + \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}} de^{(2idx+2ic)}}{(2iA+2B)a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(dx+c))^2*(A+B*\tan(dx+c))/\tan(dx+c)^{(7/2)},x, \text{algorithm}="fricas")$

[Out] $-1/60*(15*\sqrt{((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)}*(d*e^{(6*I*d*x + 6*I*c)} - 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} - d)*\log((4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + \sqrt{((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)}*(d$

```
*e^(2*I*d*x + 2*I*c) + d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2
*I*c) + 1))) * e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2)) - 15*sqrt((16*I*A^2
+ 32*A*B - 16*I*B^2)*a^4/d^2)*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I
*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*log((4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c)
- sqrt((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)
*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))) * e^(-2*I*d*x
- 2*I*c)/((2*I*A + 2*B)*a^2)) - ((344*I*A + 280*B)*a^2*e^(6*I*d*x + 6*I*c)
+ (-88*I*A - 200*B)*a^2*e^(4*I*d*x + 4*I*c) + (-248*I*A - 280*B)*a^2*e^(2*I
*d*x + 2*I*c) + (184*I*A + 200*B)*a^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e
^(2*I*d*x + 2*I*c) + 1)))/(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c)
+ 3*d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.25522, size = 146, normalized size = 1.15

$$\frac{(i+1)\sqrt{2}(8iAa^2 + 8Ba^2)\arctan\left(\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} + \frac{60Aa^2 \tan(dx+c)^2 - 60iBa^2 \tan(dx+c)^2 - 20iAa^2 \tan(dx+c) - 10iBa^2 \tan(dx+c) - 6Aa^2}{15d \tan(dx+c)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorith
m="giac")
```

```
[Out] (1/4*I + 1/4)*sqrt(2)*(8*I*A*a^2 + 8*B*a^2)*arctan((1/2*I - 1/2)*sqrt(2)*sq
rt(tan(d*x + c)))/d + 1/15*(60*A*a^2*tan(d*x + c)^2 - 60*I*B*a^2*tan(d*x +
c)^2 - 20*I*A*a^2*tan(d*x + c) - 10*B*a^2*tan(d*x + c) - 6*A*a^2)/(d*tan(d*
x + c)^(5/2))
```

$$3.126 \quad \int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=154

$$\frac{4\sqrt[4]{-1}a^2(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(A-iB)}{3d\tan^3(c+dx)} - \frac{2a^2(7B+9iA)}{35d\tan^5(c+dx)} + \frac{4a^2(B+iA)}{d\sqrt{\tan(c+dx)}} - \frac{2A(a^2+ia^2)}{7d\tan^7(c+dx)}$$

[Out] $(-4*(-1)^{1/4}*a^2*(A - I*B)*ArcTan[(-1)^{3/4}*Sqrt[Tan[c + d*x]])]/d - (2*a^2*((9*I)*A + 7*B))/(35*d*Tan[c + d*x]^{(5/2)}) + (4*a^2*(A - I*B))/(3*d*Tan[c + d*x]^{(3/2)}) + (4*a^2*(I*A + B))/(d*Sqrt[Tan[c + d*x]]) - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(7*d*Tan[c + d*x]^{(7/2)})$

Rubi [A] time = 0.298643, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3593, 3591, 3529, 3533, 205}

$$\frac{4\sqrt[4]{-1}a^2(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{4a^2(A-iB)}{3d\tan^3(c+dx)} - \frac{2a^2(7B+9iA)}{35d\tan^5(c+dx)} + \frac{4a^2(B+iA)}{d\sqrt{\tan(c+dx)}} - \frac{2A(a^2+ia^2)}{7d\tan^7(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\left((a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x])\right)/\text{Tan}[c + d*x]^{(9/2)}, x]$

[Out] $(-4*(-1)^{1/4}*a^2*(A - I*B)*ArcTan[(-1)^{3/4}*Sqrt[Tan[c + d*x]])]/d - (2*a^2*((9*I)*A + 7*B))/(35*d*Tan[c + d*x]^{(5/2)}) + (4*a^2*(A - I*B))/(3*d*Tan[c + d*x]^{(3/2)}) + (4*a^2*(I*A + B))/(d*Sqrt[Tan[c + d*x]]) - (2*A*(a^2 + I*a^2*Tan[c + d*x]))/(7*d*Tan[c + d*x]^{(7/2)})$

Rule 3593

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)*\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] :> -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)*\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right), x_Symbol] :> \text{Simp}[\left((b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m+1)}\right)/(b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((c_{.}) + (d_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right), x_Symbol] :> \text{Simp}[\left((b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m+1)}\right)/(f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])$

$(m + 1) \text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

$\text{Int}[\frac{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]}{\text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]}], x_Symbol] := \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^2}{(x_.)^2}, x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^{\frac{9}{2}}(c + dx)} dx &= -\frac{2A(a^2 + ia^2 \tan(c + dx))}{7d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + ia \tan(c + dx)) \left(\frac{1}{2}a(9iA + 7B) + \frac{1}{2}B(a^2 + ia^2 \tan(c + dx))\right)}{\tan^{\frac{7}{2}}(c + dx)} dx \\ &= -\frac{2a^2(9iA + 7B)}{35d \tan^{\frac{5}{2}}(c + dx)} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{7d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{-7a^2(A - iB)}{\tan^{\frac{7}{2}}(c + dx)} dx \\ &= -\frac{2a^2(9iA + 7B)}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{4a^2(A - iB)}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{7d \tan^{\frac{7}{2}}(c + dx)} \\ &= -\frac{2a^2(9iA + 7B)}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{4a^2(A - iB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2(iA + B)}{d \sqrt{\tan(c + dx)}} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{7d \tan^{\frac{7}{2}}(c + dx)} \\ &= -\frac{2a^2(9iA + 7B)}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{4a^2(A - iB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2(iA + B)}{d \sqrt{\tan(c + dx)}} - \frac{2A(a^2 + ia^2 \tan(c + dx))}{7d \tan^{\frac{7}{2}}(c + dx)} \\ &= -\frac{4\sqrt[4]{-1}a^2(A - iB) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c + dx)}\right)}{d} - \frac{2a^2(9iA + 7B)}{35d \tan^{\frac{5}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 7.11641, size = 296, normalized size = 1.92

$$\frac{\cos^3(c + dx)(a + ia \tan(c + dx))^2 (A + B \tan(c + dx)) \left(\frac{4e^{-2ic}(A - iB) \sqrt{\frac{i(-1 + e^{2i(c+dx)})}{1 + e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}} - \frac{(\cos(2c) - i \sin(2c)) \csc^3(c + dx)}{d(\cos(dx) + i \sin(dx))^2 (A \cos(c + dx) + B \sin(c + dx))} \right)}{d(\cos(dx) + i \sin(dx))^2 (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] (Cos[c + d*x]^3*((4*(A - I*B)*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])/(E^((2*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) - (Csc[c + d*x]^3*(Cos[2*c] - I*Sin[2*c])*((-25*A + (70*I)*B)*Cos[c + d*x] + (85*A - (70*I)*B)*Cos[3*(c + d*x)] + 42*((-8*I)*A - 9*B + ((12*I)*A + 11*B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/(210*Sqrt[Tan[c + d*x]]))*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.017, size = 570, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x)`

[Out]
$$-2/7/d*a^2*A/\tan(d*x+c)^{(7/2)}+4/3*a^2*A/d/\tan(d*x+c)^{(3/2)}+I/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})-I/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})+4/d*a^2/\tan(d*x+c)^{(1/2)}*B+4*I/d*a^2/\tan(d*x+c)^{(1/2)}*A-2/5/d*a^2/\tan(d*x+c)^{(5/2)}*B+1/2*I/d*a^2*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}-1/2*I/d*a^2*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-4/3*I/d*a^2/\tan(d*x+c)^{(3/2)}*B+1/d*a^2*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})+1/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^2*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-4/5*I/d*a^2/\tan(d*x+c)^{(5/2)}*A-I/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+I/d*a^2*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^2*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+1/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})+1/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}$$

Maxima [A] time = 2.01341, size = 289, normalized size = 1.88

$$105 \left(2 \sqrt{2}(-i+1) A + (i-1) B \right) \arctan \left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)}) \right) + 2 \sqrt{2}(-i+1) A + (i-1) B \arctan \left(-\frac{1}{2} \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="maxima")`

[Out]
$$-1/210*(105*(2*\sqrt{2})*(-(I+1)*A+(I-1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2*\sqrt{\tan(dx+c)}))+2*\sqrt{2})+2*\sqrt{2})*(-(I+1)*A+(I-1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2*\sqrt{\tan(dx+c)}))+\sqrt{2}*((I-1)*A+(I+1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)}+\tan(dx+c)+1)-\sqrt{2}*((I-1)*A+(I+1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)}+\tan(dx+c)+1))*a^2-4*(210*(I*A+B)*a^2*\tan(dx+c)^3+(70*A-70*I*B)*a^2*\tan(dx+c)^2+21*(-2*I*A-B)*a^2*\tan(dx+c)-15*A*a^2)/\tan(dx+c)^{(7/2)}/d$$

Fricas [B] time = 2.29091, size = 1547, normalized size = 10.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")`

```
[Out] 1/420*(105*sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2) - 105*sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + sqrt((-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2) - 8*((337*A - 301*I*B)*a^2*e^(8*I*d*x + 8*I*c) - 6*(46*A - 63*I*B)*a^2*e^(6*I*d*x + 6*I*c) - 10*(5*A - 14*I*B)*a^2*e^(4*I*d*x + 4*I*c) + 18*(22*A - 21*I*B)*a^2*e^(2*I*d*x + 2*I*c) - (167*A - 161*I*B)*a^2)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))/(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.27336, size = 184, normalized size = 1.19

$$\frac{(2i - 2) \sqrt{2}(-i Aa^2 - Ba^2) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx + c)}\right)}{d} - \frac{-420i Aa^2 \tan(dx + c)^3 - 420 Ba^2 \tan(dx + c)^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] (2*I - 2)*sqrt(2)*(-I*A*a^2 - B*a^2)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/105*(-420*I*A*a^2*tan(d*x + c)^3 - 420*B*a^2*tan(d*x + c)^3 - 140*A*a^2*tan(d*x + c)^2 + 140*I*B*a^2*tan(d*x + c)^2 + 84*I*A*a^2*tan(d*x + c) + 42*B*a^2*tan(d*x + c) + 30*A*a^2)/(d*tan(d*x + c)^(7/2))
```

$$3.127 \quad \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=198

$$-\frac{16a^3(18A-19iB) \tan^{\frac{5}{2}}(c+dx)}{315d} + \frac{8a^3(B+iA) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{8\sqrt[4]{-1}a^3(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2(9A-19iB)}{d}$$

[Out] $(8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (8*a^3*(A - I*B)*Sqrt[Tan[c + d*x]]/d + (8*a^3*(I*A + B)*Tan[c + d*x]^{(3/2)})/(3*d) - (16*a^3*(18*A - (19*I)*B)*Tan[c + d*x]^{(5/2)})/(315*d) + (((2*I)/9)*a*B*Tan[c + d*x]^{(5/2)}*(a + I*a*Tan[c + d*x])^2)/d - (2*(9*A - (13*I)*B)*Tan[c + d*x]^{(5/2)}*(a^3 + I*a^3*Tan[c + d*x]))/(63*d)$

Rubi [A] time = 0.467445, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3594, 3592, 3528, 3533, 205}

$$-\frac{16a^3(18A-19iB) \tan^{\frac{5}{2}}(c+dx)}{315d} + \frac{8a^3(B+iA) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{8\sqrt[4]{-1}a^3(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2(9A-19iB)}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] $(8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (8*a^3*(A - I*B)*Sqrt[Tan[c + d*x]]/d + (8*a^3*(I*A + B)*Tan[c + d*x]^{(3/2)})/(3*d) - (16*a^3*(18*A - (19*I)*B)*Tan[c + d*x]^{(5/2)})/(315*d) + (((2*I)/9)*a*B*Tan[c + d*x]^{(5/2)}*(a + I*a*Tan[c + d*x])^2)/d - (2*(9*A - (13*I)*B)*Tan[c + d*x]^{(5/2)}*(a^3 + I*a^3*Tan[c + d*x]))/(63*d)$

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]

, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{2iaB \tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^2}{9d} + \frac{2}{9} \int \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx \\
 &= \frac{2iaB \tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^2}{9d} - \frac{2(9A - 13iB)}{9d} \int \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx \\
 &= -\frac{16a^3(18A - 19iB) \tan^{\frac{5}{2}}(c + dx)}{315d} + \frac{2iaB \tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^2}{9d} \\
 &= \frac{8a^3(iA + B) \tan^{\frac{3}{2}}(c + dx)}{3d} - \frac{16a^3(18A - 19iB) \tan^{\frac{5}{2}}(c + dx)}{315d} \\
 &= \frac{8a^3(A - iB) \sqrt{\tan(c + dx)}}{d} + \frac{8a^3(iA + B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{8a^3(A - iB) \sqrt{\tan(c + dx)}}{d} + \frac{8a^3(iA + B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{8\sqrt[4]{-1}a^3(A - iB) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c + dx)}\right)}{d} + \frac{8a^3(A + iB) \tan^{\frac{3}{2}}(c + dx)}{3d}
 \end{aligned}$$

Mathematica [B] time = 10.0018, size = 496, normalized size = 2.51

$$\frac{\cos^4(c + dx) \sqrt{\tan(c + dx)} (a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) \left(\sec(c) \left(\frac{2}{7} \cos(3c) - \frac{2}{7} i \sin(3c) \right) \sec^3(c + dx) (-3B \tan(c + dx)) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (-8*(A - I*B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*Cos[c + d*x]^4*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*E^((3*I)*c))*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]) + (Cos[c + d*x]^4*(Sec[c]*(144*9*A*Cos[c] - (1547*I)*B*Cos[c] + (465*I)*A*Sin[c] + 555*B*Sin[c])*((2*Cos[3*c])/315 - ((2*I)/315)*Sin[3*c]) + Sec[c]*Sec[c + d*x]^2*(189*A*Cos[c] - (322*I)*B*Cos[c] + (45*I)*A*Sin[c] + 135*B*Sin[c])*((-2*Cos[3*c])/315 + ((2*I)

$$\begin{aligned} &)/315) * \text{Sin}[3*c]) + \text{Sec}[c + d*x]^4 * (((-2*I)/9) * B * \text{Cos}[3*c] - (2*B * \text{Sin}[3*c])/9 \\ &) + \text{Sec}[c] * \text{Sec}[c + d*x]^3 * ((2 * \text{Cos}[3*c])/7 - ((2*I)/7) * \text{Sin}[3*c]) * ((-I) * A * \text{Sin} \\ & [d*x] - 3*B * \text{Sin}[d*x]) + \text{Sec}[c] * \text{Sec}[c + d*x] * ((2 * \text{Cos}[3*c])/21 - ((2*I)/21) * \text{S} \\ & \text{in}[3*c]) * ((31*I) * A * \text{Sin}[d*x] + 37*B * \text{Sin}[d*x]) * \text{Sqrt}[\text{Tan}[c + d*x]] * (a + I * A * \text{T} \\ & \text{an}[c + d*x])^3 * (A + B * \text{Tan}[c + d*x]) / (d * (\text{Cos}[d*x] + I * \text{Sin}[d*x])^3 * (A * \text{Cos}[c \\ & + d*x] + B * \text{Sin}[c + d*x])) \end{aligned}$$

Maple [B] time = 0.014, size = 610, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2*I/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+8/3*I/d*a^3*A*\tan(d \\ & *x+c)^{(3/2)}-6/7/d*a^3*B*\tan(d*x+c)^{(7/2)}+2*I/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d \\ & *x+c)^{(1/2)})*2^{(1/2)}-6/5/d*a^3*A*\tan(d*x+c)^{(5/2)}+2*I/d*a^3*B*\arctan(-1+2^{(1/2)} \\ & *2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+8/3/d*a^3*B*\tan(d*x+c)^{(3/2)}-2/9*I/d*a^3*B*t \\ & \text{an}(d*x+c)^{(9/2)}+8*a^3*A*\tan(d*x+c)^{(1/2)}/d+I/d*a^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}* \\ & \tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))+8/5*I \\ & /d*a^3*B*\tan(d*x+c)^{(5/2)}-I/d*a^3*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+ \\ & c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))*2^{(1/2)}-2/d*a^3*A*\arctan(1+2^{(1/2)} \\ & *2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)} \\ &)*2^{(1/2)}-1/d*a^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2 \\ & ^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))-2/7*I/d*a^3*A*\tan(d*x+c)^{(7/2)}-8*I/d*a \\ & ^3*B*\tan(d*x+c)^{(1/2)}-2*I/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} \\ & -1/d*a^3*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+ \\ & c)^{(1/2)}+\tan(d*x+c))*2^{(1/2)}-2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})* \\ & 2^{(1/2)}-2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} \end{aligned}$$

Maxima [A] time = 1.89566, size = 316, normalized size = 1.6

$$70iBa^3 \tan(dx+c)^{\frac{9}{2}} + 90(iA+3B)a^3 \tan(dx+c)^{\frac{7}{2}} + 2(189A-252iB)a^3 \tan(dx+c)^{\frac{5}{2}} + 840(-iA-B)a^3 \tan(dx+c)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/315*(70*I*B*a^3*\tan(d*x+c)^{(9/2)}+90*(I*A+3*B)*a^3*\tan(d*x+c)^{(7/2)} \\ & +2*(189*A-252*I*B)*a^3*\tan(d*x+c)^{(5/2)}+840*(-I*A-B)*a^3*\tan(d*x+c)^{(3/2)} \\ & -2*(1260*A-1260*I*B)*a^3*\text{sqrt}(\tan(d*x+c))-315*(\text{sqrt}(2)*(-2*I+2)*A+(2*I-2)*B) \\ & *\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2)+2*\text{sqrt}(\tan(d*x+c))))+\text{sqrt}(2)*(-2*I+2)*A+(2*I-2)*B \\ & *\arctan(-1/2*\text{sqrt}(2)*(\text{sqrt}(2)-2*\text{sqrt}(\tan(d*x+c))))+\text{sqrt}(2)*((I-1)*A+(I+1)*B) \\ & *\log(\text{sqrt}(2)*\text{sqrt}(\tan(d*x+c))+\tan(d*x+c)+1)-\text{sqrt}(2)*((I-1)*A+(I+1)*B) \\ & *\log(-\text{sqrt}(2)*\text{sqrt}(\tan(d*x+c))+\tan(d*x+c)+1))*a^3/d \end{aligned}$$

Fricas [B] time = 2.41392, size = 1569, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/1260*(315*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(8*I*d*x + 8*I*c) + 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(2*I*d*x + 2*I*c) + d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 315*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(8*I*d*x + 8*I*c) + 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(2*I*d*x + 2*I*c) + d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 16*((957*A - 1051*I*B)*a^3*e^(8*I*d*x + 8*I*c) + 5*(579*A - 547*I*B)*a^3*e^(6*I*d*x + 6*I*c) + 21*(171*A - 173*I*B)*a^3*e^(4*I*d*x + 4*I*c) + 5*(429*A - 433*I*B)*a^3*e^(2*I*d*x + 2*I*c) + 4*(123*A - 124*I*B)*a^3)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))/(d*e^(8*I*d*x + 8*I*c) + 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.34052, size = 262, normalized size = 1.32

$$\frac{(4i - 4) \sqrt{2}(i Aa^3 + Ba^3) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx + c)}\right)}{d} - \frac{70i Ba^3 d^8 \tan(dx + c)^{\frac{9}{2}} + 90i Aa^3 d^8 \tan(dx + c)^{\frac{7}{2}}}{d^9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] (4*I - 4)*sqrt(2)*(I*A*a^3 + B*a^3)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/315*(70*I*B*a^3*d^8*tan(d*x + c)^(9/2) + 90*I*A*a^3*d^8*tan(d*x + c)^(7/2) + 270*B*a^3*d^8*tan(d*x + c)^(7/2) + 378*A*a^3*d^8*tan(d*x + c)^(5/2) - 504*I*B*a^3*d^8*tan(d*x + c)^(5/2) - 840*I*A*a^3*d^8*tan(d*x + c)^(3/2) - 840*B*a^3*d^8*tan(d*x + c)^(3/2) - 2520*A*a^3*d^8*sqrt(tan(d*x + c)) + 2520*I*B*a^3*d^8*sqrt(tan(d*x + c)))/d^9
```

$$3.128 \quad \int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=171

$$-\frac{8a^3(21A - 23iB) \tan^{\frac{3}{2}}(c + dx)}{105d} + \frac{8\sqrt[4]{-1}a^3(B + iA) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2(7A - 11iB) \tan^{\frac{3}{2}}(c + dx)(a^3 + ia^3 \tan(c + dx))}{35d}$$

[Out] (8*(-1)^(1/4)*a^3*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d + (8*a^3*(I*A + B)*Sqrt[Tan[c + d*x]]/d - (8*a^3*(21*A - (23*I)*B)*Tan[c + d*x]^(3/2))/(105*d) + (((2*I)/7)*a*B*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2)/d - (2*(7*A - (11*I)*B)*Tan[c + d*x]^(3/2)*(a^3 + I*a^3*Tan[c + d*x]))/(35*d)

Rubi [A] time = 0.421445, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3594, 3592, 3528, 3533, 205}

$$-\frac{8a^3(21A - 23iB) \tan^{\frac{3}{2}}(c + dx)}{105d} + \frac{8\sqrt[4]{-1}a^3(B + iA) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{2(7A - 11iB) \tan^{\frac{3}{2}}(c + dx)(a^3 + ia^3 \tan(c + dx))}{35d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (8*(-1)^(1/4)*a^3*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d + (8*a^3*(I*A + B)*Sqrt[Tan[c + d*x]]/d - (8*a^3*(21*A - (23*I)*B)*Tan[c + d*x]^(3/2))/(105*d) + (((2*I)/7)*a*B*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2)/d - (2*(7*A - (11*I)*B)*Tan[c + d*x]^(3/2)*(a^3 + I*a^3*Tan[c + d*x]))/(35*d)

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]

, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx &= \frac{2iaB \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2}{7d} + \frac{2}{7} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx \\
 &= \frac{2iaB \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2}{7d} - \frac{2(7A-11iB)}{7d} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx \\
 &= -\frac{8a^3(21A-23iB) \tan^{\frac{3}{2}}(c+dx)}{105d} + \frac{2iaB \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2}{7d} \\
 &= \frac{8a^3(iA+B)\sqrt{\tan(c+dx)}}{d} - \frac{8a^3(21A-23iB) \tan^{\frac{3}{2}}(c+dx)}{105d} \\
 &= \frac{8a^3(iA+B)\sqrt{\tan(c+dx)}}{d} - \frac{8a^3(21A-23iB) \tan^{\frac{3}{2}}(c+dx)}{105d} \\
 &= \frac{8\sqrt{-1}a^3(iA+B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{8a^3(iA+B)\sqrt{\tan(c+dx)}}{d}
 \end{aligned}$$

Mathematica [B] time = 9.84344, size = 452, normalized size = 2.64

$$\cos^4(c+dx)\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx))\left(\sec(c)\left(-\frac{2}{35}\sin(3c)-\frac{2}{35}i \cos(3c)\right)\sec^2(c+dx)(7A-11iB)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] ((-8*I)*(A - I*B)*Sqrt[(-1)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*Cos[c + d*x]^4*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*E^((3*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]) + (Cos[c + d*x]^4*(Sec[c]*Sec[c + d*x]^2*(7*A*Cos[c] - (21*I)*B*Cos[c] + 5*B*Sin[c])*((-2*I)/35)*Cos[3*c] - (2*Sin[3*c])/35) + Sec[c]*((441*I)*A*Cos[c] + 483*B*Cos[c] - 105*A*Sin[c] + (155*I)*B*Sin[c])*((2*Cos[3*c])/105 - ((2*I)/105)*Sin[3*c]) - I*B*Sec[c]*Sec[c + d*x]^3*((2*Cos[3*c])/7 - ((2*I)/7)*Sin[3*c])*Sin[d*x] + Sec[c]*Sec[c + d*x]*((-2*Cos[3*c])/21 + ((2*I)/21)*Sin[3*c])*(21*A*Sin[d*x] - (31*I)*B*Sin[d*x]))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])

+ d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.014, size = 574, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out]
$$-I/d*a^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-2/7*I/d*a^3*B*\tan(d*x+c)^{(7/2)}-6/5/d*a^3*B*\tan(d*x+c)^{(5/2)}-2/5*I/d*a^3*A*\tan(d*x+c)^{(5/2)}-2/d*a^3*A*\tan(d*x+c)^{(3/2)}-I/d*a^3*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+8*a^3*B*\tan(d*x+c)^{(1/2)}/d-2*I/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+8*I/d*a^3*A*\tan(d*x+c)^{(1/2)}+8/3*I/d*a^3*B*\tan(d*x+c)^{(3/2)}-2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/d*a^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-2*I/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2*I/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2*I/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/d*a^3*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+2/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}$$

Maxima [A] time = 2.10206, size = 289, normalized size = 1.69

$$30iBa^3 \tan(dx+c)^{\frac{7}{2}} + 42(iA+3B)a^3 \tan(dx+c)^{\frac{5}{2}} + 2(105A-140iB)a^3 \tan(dx+c)^{\frac{3}{2}} + 840(-iA-B)a^3 \sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/105*(30*I*B*a^3*\tan(d*x+c)^{(7/2)}+42*(I*A+3*B)*a^3*\tan(d*x+c)^{(5/2)}+2*(105*A-140*I*B)*a^3*\tan(d*x+c)^{(3/2)}+840*(-I*A-B)*a^3*\sqrt{\tan(d*x+c)}-105*(\sqrt{2})*(-(2*I-2)*A-(2*I+2)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2*\sqrt{\tan(d*x+c)})))+\sqrt{2}*(-(2*I-2)*A-(2*I+2)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2*\sqrt{\tan(d*x+c)})))+\sqrt{2}*(-(I+1)*A+(I-1)*B)*\log(\sqrt{2}*\sqrt{\tan(d*x+c)}+\tan(d*x+c)+1)-\sqrt{2}*(-(I+1)*A+(I-1)*B)*\log(-\sqrt{2}*\sqrt{\tan(d*x+c)}+\tan(d*x+c)+1))*a^3/d$$

Fricas [B] time = 2.08939, size = 1381, normalized size = 8.08

$$105 \sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}} \left(de^{(6idx+6ic)} + 3de^{(4idx+4ic)} + 3de^{(2idx+2ic)} + d \right) \log \left(\frac{8(A-iB)a^3 e^{(2idx+2ic)} + \sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}}}{(4iA+4B)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/420*(105*\sqrt{(64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2}*(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((8*(A - I*B)*a^3*e^{(2*I*d*x + 2*I*c)} + \sqrt{(64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2}*(d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}))e^{(-2*I*d*x - 2*I*c)}/((4*I*A + 4*B)*a^3)) - 105*\sqrt{(64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2}*(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((8*(A - I*B)*a^3*e^{(2*I*d*x + 2*I*c)} - \sqrt{(64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2}*(d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}))e^{(-2*I*d*x - 2*I*c)}/((4*I*A + 4*B)*a^3)) - ((4368*I*A + 5104*B)*a^3*e^{(6*I*d*x + 6*I*c)} + (10752*I*A + 10336*B)*a^3*e^{(4*I*d*x + 4*I*c)} + (9072*I*A + 8816*B)*a^3*e^{(2*I*d*x + 2*I*c)} + (2688*I*A + 2624*B)*a^3)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})/(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.27522, size = 217, normalized size = 1.27

$$\frac{(i-1)\sqrt{2}(16Aa^3 - 16iBa^3)\arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} - \frac{30iBa^3d^6\tan(dx+c)^{\frac{7}{2}} + 42iAa^3d^6\tan(dx+c)^{\frac{5}{2}}}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-(1/4*I - 1/4)*\sqrt{2}*(16*A*a^3 - 16*I*B*a^3)*\arctan(-1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(dx+c)}/d - 1/105*(30*I*B*a^3*d^6*\tan(dx+c)^{(7/2)} + 42*I*A*a^3*d^6*\tan(dx+c)^{(5/2)} + 126*B*a^3*d^6*\tan(dx+c)^{(5/2)} + 210*A*a^3*d^6*\tan(dx+c)^{(3/2)} - 280*I*B*a^3*d^6*\tan(dx+c)^{(3/2)} - 840*I*A*a^3*d^6*\sqrt{\tan(dx+c)} - 840*B*a^3*d^6*\sqrt{\tan(dx+c)})/d^7$$

$$3.129 \quad \int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=146

$$\frac{8\sqrt[4]{-1}a^3(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{16a^3(5A-6iB)\sqrt{\tan(c+dx)}}{15d} - \frac{2(5A-9iB)\sqrt{\tan(c+dx)}(a^3+ia^3 \tan(c+dx))}{15d}$$

[Out] $(-8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/d - (16*a^3*(5*A - (6*I)*B)*Sqrt[Tan[c + d*x]])/(15*d) + (((2*I)/5)*a*B*Sqrt[Tan[c + d*x]])*(a + I*a*Tan[c + d*x])^2/d - (2*(5*A - (9*I)*B)*Sqrt[Tan[c + d*x]])*(a^3 + I*a^3*Tan[c + d*x]))/(15*d)$

Rubi [A] time = 0.376554, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3594, 3592, 3533, 205}

$$\frac{8\sqrt[4]{-1}a^3(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{16a^3(5A-6iB)\sqrt{\tan(c+dx)}}{15d} - \frac{2(5A-9iB)\sqrt{\tan(c+dx)}(a^3+ia^3 \tan(c+dx))}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x])/Sqrt[\text{Tan}[c + d*x]], x]$

[Out] $(-8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/d - (16*a^3*(5*A - (6*I)*B)*Sqrt[Tan[c + d*x]])/(15*d) + (((2*I)/5)*a*B*Sqrt[Tan[c + d*x]])*(a + I*a*Tan[c + d*x])^2/d - (2*(5*A - (9*I)*B)*Sqrt[Tan[c + d*x]])*(a^3 + I*a^3*Tan[c + d*x]))/(15*d)$

Rule 3594

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((A + B*\text{tan}[e + f*x])^n), x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((c + d*\text{tan}[e + f*x])^n), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3533

$\text{Int}[(c + d*\text{tan}[e + f*x])/Sqrt[(b + f*\text{tan}[e + f*x])^2]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, Sqrt[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^3 (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{2iaB \sqrt{\tan(c + dx)} (a + ia \tan(c + dx))^2}{5d} + \frac{2}{5} \int \frac{(a + ia \tan(c + dx))^3}{\sqrt{\tan(c + dx)}} dx \\ &= \frac{2iaB \sqrt{\tan(c + dx)} (a + ia \tan(c + dx))^2}{5d} - \frac{2(5A - 9iB) \sqrt{\tan(c + dx)}}{15d} \\ &= -\frac{16a^3 (5A - 6iB) \sqrt{\tan(c + dx)}}{15d} + \frac{2iaB \sqrt{\tan(c + dx)} (a + ia \tan(c + dx))^2}{5d} \\ &= -\frac{16a^3 (5A - 6iB) \sqrt{\tan(c + dx)}}{15d} + \frac{2iaB \sqrt{\tan(c + dx)} (a + ia \tan(c + dx))^2}{5d} \\ &= -\frac{8\sqrt[4]{-1} a^3 (A - iB) \tan^{-1} \left((-1)^{3/4} \sqrt{\tan(c + dx)} \right)}{d} - \frac{16a^3 (5A - 6iB) \sqrt{\tan(c + dx)}}{15d} \end{aligned}$$

Mathematica [A] time = 7.25288, size = 273, normalized size = 1.87

$$\cos^4(c + dx) (a + ia \tan(c + dx))^3 (A + B \tan(c + dx)) \left(\frac{8e^{-3ic} (A - iB) \sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}} \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}} \right)}{\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}} - \frac{1}{15} (\cos(3c) - i \sin(3c)) \right) / (d (\cos(dx) + i \sin(dx))^3 (A \cos(c + dx) + B \sin(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] (Cos[c + d*x]^4*((8*(A - I*B)*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]])/(E^((3*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))])) - (Sec[c + d*x]^2*(Cos[3*c] - I*Sin[3*c])*(45*A - (57*I)*B + 9*(5*A - (7*I)*B)*Cos[2*(c + d*x)] + 5*(I*A + 3*B)*Sin[2*(c + d*x)])*Sqrt[Tan[c + d*x]]/15)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.016, size = 538, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)

[Out] I/d*a^3*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+2*I/d*a^3*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-2/d*a^3*B*tan(d*x+c)^(3/2)-2*I/d*a^3*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-6*a^3*A*tan(d*x+c)^(1/2)/d-I/d*a^3*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-2*I/d*a

$$\begin{aligned} &^3 B \arctan(-1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} - 2/3 * I/d * a^3 A \tan(dx+c)^{(3/2)} \\ &+ 2/d * a^3 A \arctan(-1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} + 1/d * a^3 A * 2^{(1/2)} \\ & * \ln((1+2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1-2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c))) \\ &+ 2/d * a^3 A \arctan(1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} - 2/5 * I/d * a^3 \\ & * B \tan(dx+c)^{(5/2)} + 8 * I/d * a^3 B \tan(dx+c)^{(1/2)} + 2 * I/d * a^3 A \arctan(-1+2^{(1/2)} \\ & * \tan(dx+c)^{(1/2)}) * 2^{(1/2)} + 1/d * a^3 B \ln((1-2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c)) / \\ & (1+2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c))) * 2^{(1/2)} + 2/d * a^3 B \arctan(-1+2^{(1/2)} \\ & * \tan(dx+c)^{(1/2)}) * 2^{(1/2)} + 2/d * a^3 B \arctan(1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} \end{aligned}$$

Maxima [A] time = 2.11047, size = 262, normalized size = 1.79

$$6iBa^3 \tan(dx+c)^{\frac{5}{2}} + 10(iA+3B)a^3 \tan(dx+c)^{\frac{3}{2}} + 2(45A-60iB)a^3 \sqrt{\tan(dx+c)} + 15\left(\sqrt{2}(-2i+2)A + (2i-2)B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] -1/15*(6*I*B*a^3*tan(d*x+c)^(5/2) + 10*(I*A+3*B)*a^3*tan(d*x+c)^(3/2) + 2*(45*A-60*I*B)*a^3*sqrt(tan(d*x+c)) + 15*(sqrt(2)*(-2*I+2)*A + (2*I-2)*B)*arctan(1/2*sqrt(2)*(sqrt(2)+2*sqrt(tan(d*x+c)))) + sqrt(2)*(-2*I+2)*A + (2*I-2)*B)*arctan(-1/2*sqrt(2)*(sqrt(2)-2*sqrt(tan(d*x+c)))) + sqrt(2)*((I-1)*A + (I+1)*B)*log(sqrt(2)*sqrt(tan(d*x+c)) + tan(d*x+c) + 1) - sqrt(2)*((I-1)*A + (I+1)*B)*log(-sqrt(2)*sqrt(tan(d*x+c)) + tan(d*x+c) + 1))*a^3/d
```

Fricas [B] time = 1.8495, size = 1214, normalized size = 8.32

$$15 \sqrt{\frac{(-64iA^2 - 128AB + 64iB^2)a^6}{d^2}} \left(de^{(4i dx + 4ic)} + 2 de^{(2i dx + 2ic)} + d \right) \log \left(\frac{\left(8(A-iB)a^3 e^{(2i dx + 2ic)} + \sqrt{\frac{(-64iA^2 - 128AB + 64iB^2)a^6}{d^2}} (i de^{(2i dx + 2ic)} + id) \sqrt{\frac{-i}{e}} \right)}{(4iA + 4B)a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/60*(15*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 15*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 16*(25*A - 39*I*B)*a^3*e^(4*I*d*x + 4*I*c) + 3*(15*A - 19*I*B)*a^3*e^(2*I*d*x + 2*I*c) + 4*(5*A - 6*I*B)*a^3)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Timed out

Giac [A] time = 1.38623, size = 171, normalized size = 1.17

$$\frac{(4i - 4) \sqrt{2}(-i Aa^3 - Ba^3) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx + c)}\right)}{d} - \frac{6i Ba^3 d^4 \tan(dx + c)^{\frac{5}{2}} + 10i Aa^3 d^4 \tan(dx + c)^{\frac{3}{2}}}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] (4*I - 4)*sqrt(2)*(-I*A*a^3 - B*a^3)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/15*(6*I*B*a^3*d^4*tan(d*x + c)^(5/2) + 10*I*A*a^3*d^4*tan(d*x + c)^(3/2) + 30*B*a^3*d^4*tan(d*x + c)^(3/2) + 90*A*a^3*d^4*sqrt(tan(d*x + c)) - 120*I*B*a^3*d^4*sqrt(tan(d*x + c)))/d^5

$$3.130 \quad \int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=134

$$\frac{8\sqrt[4]{-1}a^3(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{2(-B+3iA)\sqrt{\tan(c+dx)}\left(a^3+ia^3\tan(c+dx)\right)}{3d} - \frac{16a^3B\sqrt{\tan(c+dx)}}{3d}$$

[Out] $(-8*(-1)^{(1/4)}*a^3*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d - (16*a^3*B*Sqrt[Tan[c + d*x]])/(3*d) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(d*Sqrt[Tan[c + d*x]]) + (2*((3*I)*A - B)*Sqrt[Tan[c + d*x]]*(a^3 + I*a^3*Tan[c + d*x]))/(3*d)$

Rubi [A] time = 0.354862, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3593, 3594, 3592, 3533, 205}

$$\frac{8\sqrt[4]{-1}a^3(B+iA)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{2(-B+3iA)\sqrt{\tan(c+dx)}\left(a^3+ia^3\tan(c+dx)\right)}{3d} - \frac{16a^3B\sqrt{\tan(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\left((a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x])\right)/\text{Tan}[c + d*x]^{(3/2)}, x]$

[Out] $(-8*(-1)^{(1/4)}*a^3*(I*A + B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d - (16*a^3*B*Sqrt[Tan[c + d*x]])/(3*d) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(d*Sqrt[Tan[c + d*x]]) + (2*((3*I)*A - B)*Sqrt[Tan[c + d*x]]*(a^3 + I*a^3*Tan[c + d*x]))/(3*d)$

Rule 3593

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] :> -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3594

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] :> \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[\left((a_{.}) + (b_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(m_{.})}*\left((A_{.}) + (B_{.})*\text{tan}[(e_{.}) + (f_{.})*(x_{.})]\right)^{(n_{.})}, x_Symbol] :> \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

$x]^m \text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3533

$\text{Int}[\frac{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]}{\text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]}], x_Symbol] := \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^2}{(x_.)^2}, x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^3 (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^2}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{(a + ia \tan(c + dx))^2 \left(\frac{1}{2}a(5iA + B)\right)}{\sqrt{\tan(c + dx)}} dx \\ &= -\frac{2aA(a + ia \tan(c + dx))^2}{d\sqrt{\tan(c + dx)}} + \frac{2(3iA - B)\sqrt{\tan(c + dx)}(a^3 + ia^3 \tan(c + dx))}{3d} \\ &= -\frac{16a^3 B \sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + ia \tan(c + dx))^2}{d\sqrt{\tan(c + dx)}} + \frac{2(3iA - B)\sqrt{\tan(c + dx)}(a^3 + ia^3 \tan(c + dx))}{3d} \\ &= -\frac{16a^3 B \sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + ia \tan(c + dx))^2}{d\sqrt{\tan(c + dx)}} + \frac{2(3iA - B)\sqrt{\tan(c + dx)}(a^3 + ia^3 \tan(c + dx))}{3d} \\ &= -\frac{8\sqrt[4]{-1}a^3(iA + B) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{d} - \frac{16a^3 B \sqrt{\tan(c + dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 6.5167, size = 151, normalized size = 1.13

$$\frac{a^3 \sqrt{i \tan(c + dx)} \sqrt{\tan(c + dx)} \csc^2(c + dx) \left(\sqrt{i \tan(c + dx)} (3(A - 3iB) \sin(2(c + dx)) + (-B - 3iA) \cos(2(c + dx))) - \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] $-(a^3 \text{Csc}[c + d*x]^2 (-12*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[(-1 + \text{E}^{((2*I)*(c + d*x))})/(1 + \text{E}^{((2*I)*(c + d*x))})])] * \text{Sin}[2*(c + d*x)] + ((-3*I)*A + B + ((-3*I)*A - B)*\text{Cos}[2*(c + d*x)] + 3*(A - (3*I)*B)*\text{Sin}[2*(c + d*x)]) * \text{Sqrt}[I*\text{Tan}[c + d*x]] * \text{Sqrt}[\text{Tan}[c + d*x]])/(3*d)$

Maple [B] time = 0.017, size = 521, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

```
[Out] I/d*a^3*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+2*I/d*a^3*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-6*a^3*B*tan(d*x+c)^(1/2)/d-2/d*a^3*A/tan(d*x+c)^(1/2)+I/d*a^3*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+2*I/d*a^3*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-2*I/d*a^3*A*tan(d*x+c)^(1/2)+2/d*a^3*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+2/d*a^3*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/d*a^3*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+2*I/d*a^3*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-2/3*I/d*a^3*B*tan(d*x+c)^(3/2)+2*I/d*a^3*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/d*a^3*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-2/d*a^3*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-2/d*a^3*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)
```

Maxima [A] time = 2.5345, size = 254, normalized size = 1.9

$$2iBa^3 \tan(dx+c)^{\frac{3}{2}} + 6(iA+3B)a^3 \sqrt{\tan(dx+c)} + 3\left(\sqrt{2}(-2i-2)A - (2i+2)B\right) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] -1/3*(2*I*B*a^3*tan(d*x+c)^(3/2) + 6*(I*A+3*B)*a^3*sqrt(tan(d*x+c)) + 3*(sqrt(2)*(-(2*I-2)*A - (2*I+2)*B)*arctan(1/2*sqrt(2)*(sqrt(2)+2*sqrt(tan(d*x+c)))) + sqrt(2)*(-(2*I-2)*A - (2*I+2)*B)*arctan(-1/2*sqrt(2)*(sqrt(2)-2*sqrt(tan(d*x+c)))) + sqrt(2)*(-(I+1)*A + (I-1)*B)*log(sqrt(2)*sqrt(tan(d*x+c)) + tan(d*x+c) + 1) - sqrt(2)*(-(I+1)*A + (I-1)*B)*log(-sqrt(2)*sqrt(tan(d*x+c)) + tan(d*x+c) + 1))*a^3 + 6*A*a^3/sqrt(tan(d*x+c))/d
```

Fricas [B] time = 1.81921, size = 1069, normalized size = 7.98

$$3\sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}}(de^{4idx+4ic}-d)\log\left(\frac{\left(8(A-iB)a^3e^{2idx+2ic}+\sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}}(de^{2idx+2ic}+d)\sqrt{\frac{-ie^{(2i dx+2i c)+i}}{e^{(2i dx+2i c)+1}}}\right)e^{(-2i dx-2i c)}}{(4iA+4B)a^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*(3*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) - d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 3*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) - d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) + ((-48*I*A - 80*B)*a^3*e^(4*I*d*x + 4*I*c) + (-48*I*A + 16*B)*a^3*e^(2*I
```

$*d*x + 2*I*c) + 64*B*a^3)*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)))/(d*e^{(4*I*d*x + 4*I*c)} - d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int \frac{A}{\tan^{\frac{3}{2}}(c+dx)} dx + \int -3A\sqrt{\tan(c+dx)} dx + \int \frac{B}{\sqrt{\tan(c+dx)}} dx + \int -3B \tan^{\frac{3}{2}}(c+dx) dx + \int \frac{3iA}{\sqrt{\tan(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out] a**3*(Integral(A/tan(c + d*x)**(3/2), x) + Integral(-3*A*sqrt(tan(c + d*x)), x) + Integral(B/sqrt(tan(c + d*x)), x) + Integral(-3*B*tan(c + d*x)**(3/2), x) + Integral(3*I*A/sqrt(tan(c + d*x)), x) + Integral(-I*A*tan(c + d*x)**(3/2), x) + Integral(3*I*B*sqrt(tan(c + d*x)), x) + Integral(-I*B*tan(c + d*x)**(5/2), x))

Giac [A] time = 1.39826, size = 149, normalized size = 1.11

$$-\frac{2Aa^3}{d\sqrt{\tan(dx+c)}} + \frac{(i+1)\sqrt{2}(16iAa^3+16Ba^3)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4d} - \frac{2iBa^3d^2\tan(dx+c)^{\frac{3}{2}}+6Aa^3d}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] -2*A*a^3/(d*sqrt(tan(d*x + c))) + (1/4*I + 1/4)*sqrt(2)*(16*I*A*a^3 + 16*B*a^3)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/3*(2*I*B*a^3*d^2*tan(d*x + c)^(3/2) + 6*I*A*a^3*d^2*sqrt(tan(d*x + c)) + 18*B*a^3*d^2*sqrt(tan(d*x + c)))/d^3

$$3.131 \quad \int \frac{(a+ia \tan(c+dx))^3 (A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=136

$$\frac{8\sqrt[4]{-1}a^3(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2(3B+7iA)(a^3+ia^3\tan(c+dx))}{3d\sqrt{\tan(c+dx)}} - \frac{16a^3A\sqrt{\tan(c+dx)}}{3d} - \frac{2aA(a+ia\tan(c+dx))}{3d\tan(c+dx)}$$

[Out] (8*(-1)^(1/4)*a^3*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (16*a^3*A*Sqrt[Tan[c + d*x]])/(3*d) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(3*d*Tan[c + d*x]^(3/2)) - (2*((7*I)*A + 3*B)*(a^3 + I*a^3*Tan[c + d*x]))/(3*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.357701, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3593, 3592, 3533, 205}

$$\frac{8\sqrt[4]{-1}a^3(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2(3B+7iA)(a^3+ia^3\tan(c+dx))}{3d\sqrt{\tan(c+dx)}} - \frac{16a^3A\sqrt{\tan(c+dx)}}{3d} - \frac{2aA(a+ia\tan(c+dx))}{3d\tan(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (8*(-1)^(1/4)*a^3*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d - (16*a^3*A*Sqrt[Tan[c + d*x]])/(3*d) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(3*d*Tan[c + d*x]^(3/2)) - (2*((7*I)*A + 3*B)*(a^3 + I*a^3*Tan[c + d*x]))/(3*d*Sqrt[Tan[c + d*x]])

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m+1))/(b*f*(m+1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + ia \tan(c + dx))^3 (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^2}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))^2 \left(\frac{1}{2}a(7iA + 3B) + \frac{1}{2}a^2 \tan(c + dx)\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= -\frac{2aA(a + ia \tan(c + dx))^2}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(7iA + 3B)(a^3 + ia^3 \tan(c + dx))}{3d \sqrt{\tan(c + dx)}} + \frac{2a^2}{3} \int \frac{(a + ia \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= -\frac{16a^3 A \sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + ia \tan(c + dx))^2}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(7iA + 3B)(a^3 + ia^3 \tan(c + dx))}{3d \sqrt{\tan(c + dx)}} + \frac{2a^2}{3} \int \frac{(a + ia \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= -\frac{16a^3 A \sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + ia \tan(c + dx))^2}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(7iA + 3B)(a^3 + ia^3 \tan(c + dx))}{3d \sqrt{\tan(c + dx)}} + \frac{2a^2}{3} \int \frac{(a + ia \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{8\sqrt[4]{-1}a^3(A - iB) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c + dx)}\right)}{d} - \frac{16a^3 A \sqrt{\tan(c + dx)}}{3d}
 \end{aligned}$$

Mathematica [A] time = 6.69537, size = 266, normalized size = 1.96

$$\frac{\cos^4(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) \left(\frac{8e^{-3ic}(A - iB) \sqrt{-\frac{i(-1 + e^{2i(c+dx)})}{1 + e^{2i(c+dx)}}} \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}} - \frac{1}{3}(\cos(3c) - i \sin(3c)) \right)}{d(\cos(dx) + i \sin(dx))^3(A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (Cos[c + d*x]^4*((-8*(A - I*B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]])/(E^((3*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) - (Csc[c + d*x]^2*(Cos[3*c] - I*Sin[3*c])*(A + (3*I)*B + (A - (3*I)*B)*Cos[2*(c + d*x)] + 3*((3*I)*A + B)*Sin[2*(c + d*x)])*Sqrt[Tan[c + d*x]]/3*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.017, size = 522, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] 2*I/d*a^3*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-2/3/d*a^3*A/tan(d*x+c)^(3/2)-I/d*a^3*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-2/d*a^3/tan(d*x+c)^(1/2)*B-2*I/d*a^3*A

$$\begin{aligned} & * \arctan(1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} - 2 * I / d * a^3 * B * \tan(dx+c)^{(1/2)} - 6 * \\ & I / d * a^3 / \tan(dx+c)^{(1/2)} * A - 2 / d * a^3 * A * \arctan(1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} \\ & - 2 / d * a^3 * A * \arctan(-1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} - 1 / d * a^3 * A * 2^{(1/2)} \\ & * \ln((1+2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1-2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c))) \\ & - 2 * I / d * a^3 * A * \arctan(-1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} + 2 * I / d * a^3 * B * \\ & \arctan(1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} + I / d * a^3 * B * 2^{(1/2)} * \ln((1+2^{(1/2)} \\ & \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1-2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c))) - 1 \\ & / d * a^3 * B * \ln((1-2^{(1/2)} \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1+2^{(1/2)} \tan(dx+c)^{(1/2)} \\ & + \tan(dx+c))) * 2^{(1/2)} - 2 / d * a^3 * B * \arctan(1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} \\ & - 2 / d * a^3 * B * \arctan(-1+2^{(1/2)} \tan(dx+c)^{(1/2)}) * 2^{(1/2)} \end{aligned}$$

Maxima [A] time = 2.09837, size = 255, normalized size = 1.88

$$6iBa^3\sqrt{\tan(dx+c)} - 3\left(\sqrt{2}(-2i+2)A + (2i-2)B\right)\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + \sqrt{2}(-2i+2)A + (2i-2)B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^3*(A+B*tan(dx+c))/tan(dx+c)^(5/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/3*(6*I*B*a^3*\sqrt{\tan(dx+c)} - 3*(\sqrt{2})*(-(2*I+2)*A + (2*I-2)*B) \\ & * \arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)}))) + \sqrt{2}*(-(2*I+2) \\ & *A + (2*I-2)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)})) + \\ & \sqrt{2}*((I-1)*A + (I+1)*B)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) \\ & + 1) - \sqrt{2}*((I-1)*A + (I+1)*B)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \\ & \tan(dx+c) + 1)) * a^3 - 2*(3*(-3*I*A - B)*a^3*\tan(dx+c) - A*a^3)/\tan(dx+c)^{(3/2)}/d \end{aligned}$$

Fricas [B] time = 1.8594, size = 1185, normalized size = 8.71

$$3\sqrt{\frac{(-64iA^2-128AB+64iB^2)a^6}{d^2}}(de^{4idx+4ic} - 2de^{2idx+2ic} + d)\log\left(\frac{\left(8(A-iB)a^3e^{2idx+2ic} + \sqrt{\frac{(-64iA^2-128AB+64iB^2)a^6}{d^2}}(ide^{2idx+2ic}+id)\sqrt{\frac{-1}{e}}\right)}{(4iA+4B)a^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^3*(A+B*tan(dx+c))/tan(dx+c)^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/12*(3*\sqrt{(-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2}*(d*e^{(4*I*d*x + 4*I*c)} \\ & - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((8*(A - I*B)*a^3*e^{(2*I*d*x + 2*I*c)} \\ & + \sqrt{(-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2}*(I*d*e^{(2*I*d*x + 2*I*c)} \\ & + I*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})) * e^{(-2*I*d*x - 2*I*c)} \\ & / ((4*I*A + 4*B)*a^3) - 3*\sqrt{(-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2}*(d*e^{(4*I*d*x + 4*I*c)} \\ & - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((8*(A - I*B)*a^3*e^{(2*I*d*x + 2*I*c)} + \sqrt{(-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2} \\ & * (-I*d*e^{(2*I*d*x + 2*I*c)} - I*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})) * e^{(-2*I*d*x - 2*I*c)} \\ & / ((4*I*A + 4*B)*a^3) - 16*((5*A - 3*I*B)*a^3*e^{(4*I*d*x + 4*I*c)} + (A + 3*I*B)*a^3*e^{(2*I*d*x + 2*I*c)} \\ & - 4*A*a^3)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}/(d \end{aligned}$$

$*e^{(4*I*d*x + 4*I*c) - 2*d*e^{(2*I*d*x + 2*I*c) + d)}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int \frac{A}{\tan^{\frac{5}{2}}(c + dx)} dx + \int -\frac{3A}{\sqrt{\tan(c + dx)}} dx + \int \frac{B}{\tan^{\frac{3}{2}}(c + dx)} dx + \int -3B\sqrt{\tan(c + dx)} dx + \int \frac{3iA}{\tan^{\frac{3}{2}}(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] a**3*(Integral(A/tan(c + d*x)**(5/2), x) + Integral(-3*A/sqrt(tan(c + d*x)), x) + Integral(B/tan(c + d*x)**(3/2), x) + Integral(-3*B*sqrt(tan(c + d*x)), x) + Integral(3*I*A/tan(c + d*x)**(3/2), x) + Integral(-I*A*sqrt(tan(c + d*x)), x) + Integral(3*I*B/sqrt(tan(c + d*x)), x) + Integral(-I*B*tan(c + d*x)**(3/2), x))

Giac [A] time = 1.36722, size = 131, normalized size = 0.96

$$\frac{2iBa^3\sqrt{\tan(dx+c)}}{d} - \frac{(4i-4)\sqrt{2}(-iAa^3 - Ba^3)\arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{d} + \frac{-18iAa^3\tan(dx+c) - 3d\tan(dx+c)}{3d\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] -2*I*B*a^3*sqrt(tan(d*x + c))/d - (4*I - 4)*sqrt(2)*(-I*A*a^3 - B*a^3)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d + 1/3*(-18*I*A*a^3*tan(d*x + c) - 6*B*a^3*tan(d*x + c) - 2*A*a^3)/(d*tan(d*x + c)^(3/2))

$$3.132 \quad \int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=144

$$\frac{8\sqrt[4]{-1}a^3(B+ia)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2(5B+9iA)(a^3+ia^3\tan(c+dx))}{15d\tan^{\frac{3}{2}}(c+dx)} + \frac{16a^3(6A-5iB)}{15d\sqrt{\tan(c+dx)}} - \frac{2aA(a+ia\tan(c+dx))}{5d\tan^{\frac{5}{2}}(c+dx)}$$

[Out] $(8*(-1)^{1/4}*a^3*(I*A + B)*ArcTan[(-1)^{3/4}*Sqrt[Tan[c + d*x]])/d + (16*a^3*(6*A - (5*I)*B))/(15*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(5*d*Tan[c + d*x]^{5/2}) - (2*((9*I)*A + 5*B)*(a^3 + I*a^3*Tan[c + d*x]))/(15*d*Tan[c + d*x]^{3/2})$

Rubi [A] time = 0.376675, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3593, 3591, 3533, 205}

$$\frac{8\sqrt[4]{-1}a^3(B+ia)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} - \frac{2(5B+9iA)(a^3+ia^3\tan(c+dx))}{15d\tan^{\frac{3}{2}}(c+dx)} + \frac{16a^3(6A-5iB)}{15d\sqrt{\tan(c+dx)}} - \frac{2aA(a+ia\tan(c+dx))}{5d\tan^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] $(8*(-1)^{1/4}*a^3*(I*A + B)*ArcTan[(-1)^{3/4}*Sqrt[Tan[c + d*x]])/d + (16*a^3*(6*A - (5*I)*B))/(15*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(5*d*Tan[c + d*x]^{5/2}) - (2*((9*I)*A + 5*B)*(a^3 + I*a^3*Tan[c + d*x]))/(15*d*Tan[c + d*x]^{3/2})$

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3591

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*c

$\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[(a + (b_*)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^3 (A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^2}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + ia \tan(c + dx))^2 \left(\frac{1}{2}a(9iA + 5B) + \frac{1}{2}a^2 \tan(c + dx)\right)}{\tan^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2aA(a + ia \tan(c + dx))^2}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(9iA + 5B)(a^3 + ia^3 \tan(c + dx))}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{1}{15} \int \frac{a^2 \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{16a^3(6A - 5iB)}{15d \sqrt{\tan(c + dx)}} - \frac{2aA(a + ia \tan(c + dx))^2}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(9iA + 5B)(a^3 + ia^3 \tan(c + dx))}{15d \tan^{\frac{3}{2}}(c + dx)} \\ &= \frac{16a^3(6A - 5iB)}{15d \sqrt{\tan(c + dx)}} - \frac{2aA(a + ia \tan(c + dx))^2}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(9iA + 5B)(a^3 + ia^3 \tan(c + dx))}{15d \tan^{\frac{3}{2}}(c + dx)} \\ &= \frac{8\sqrt{-1}a^3(iA + B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{\tan(c + dx)}}{1}\right)}{d} + \frac{16a^3(6A - 5iB)}{15d \sqrt{\tan(c + dx)}} \end{aligned}$$

Mathematica [B] time = 10.0278, size = 449, normalized size = 3.12

$\cos^4(c + dx)\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3(A + B \tan(c + dx))\left(\csc(c)\left(-\frac{2}{15}\cos(3c) + \frac{2}{15}i\sin(3c)\right)\csc^2(c + dx)(15\sqrt{\tan(c + dx)} + \frac{1}{15}\sqrt{\tan(c + dx)})\right)$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] ((-8*I)*(A - I*B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*Cos[c + d*x]^4*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*E^((3*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]) + (Cos[c + d*x]^4*(Csc[c]*(63*A*Cos[c] - (45*I)*B*Cos[c] + (15*I)*A*Sin[c] + 5*B*Sin[c])*((2*Cos[3*c])/15 - ((2*I)/15)*Sin[3*c]) + Csc[c]*Csc[c + d*x]^2*(3*A*Cos[c] + (15*I)*A*Sin[c] + 5*B*Sin[c])*((-2*Cos[3*c])/15 + ((2*I)/15)*Sin[3*c]) + A*Csc[c]*Csc[c + d*x]^3*((2*Cos[3*c])/5 - ((2*I)/5)*Sin[3*c])*Sin[d*x] + Csc[c]*Csc[c + d*x]*((-6*Cos[3*c])/5 + ((6*I)/5)*Sin[3*c])*(7*A*Sin[d*x] - (5*I)*B*Sin[d*x]))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.017, size = 538, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x)`

[Out]
$$-2/5/d*a^3*A/\tan(d*x+c)^{(5/2)}-I/d*a^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-2/3/d*a^3/\tan(d*x+c)^{(3/2)}*B-6*I/d*a^3/\tan(d*x+c)^{(1/2)}*B+8/d*a^3*A/\tan(d*x+c)^{(1/2)}-I/d*a^3*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}-2*I/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2*I/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/d*a^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-2*I/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-2*I/d*a^3/\tan(d*x+c)^{(3/2)}*A-2*I/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/d*a^3*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+2/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}$$

Maxima [A] time = 2.28586, size = 262, normalized size = 1.82

$$15 \left(\sqrt{2}(-2i-2)A - (2i+2)B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + 2 \sqrt{\tan(dx+c)} \right) \right) + \sqrt{2}(-2i-2)A - (2i+2)B \arctan \left(-\frac{1}{2} \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{15} \left(15 \left(\sqrt{2}(-2i-2)A - (2i+2)B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + 2 \sqrt{\tan(dx+c)} \right) \right) + \sqrt{2}(-2i-2)A - (2i+2)B \arctan \left(-\frac{1}{2} \sqrt{2} \right) \right) + \sqrt{2} \left(\sqrt{2} - 2 \sqrt{\tan(dx+c)} \right) + \sqrt{2} \left(-(i+1)A + (i-1)B \right) \log \left(\sqrt{2} \sqrt{\tan(dx+c)} + \tan(dx+c) + 1 \right) - \sqrt{2} \left(-(i+1)A + (i-1)B \right) \log \left(-\sqrt{2} \sqrt{\tan(dx+c)} + \tan(dx+c) + 1 \right) \cdot a^3 + 2 \left((60A - 45iB) a^3 \tan^2(dx+c) + 5(-3iA - B) a^3 \tan(dx+c) - 3A a^3 \right) / \tan(dx+c)^{(5/2)} / d$$

Fricas [B] time = 1.87915, size = 1366, normalized size = 9.49

$$15 \sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}} \left(de^{(6idx+6ic)} - 3de^{(4idx+4ic)} + 3de^{(2idx+2ic)} - d \right) \log \left(\frac{\left(8(A-iB)a^3e^{(2idx+2ic)} + \sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}} \right) de^{(6idx+6ic)}}{(4iA+4B)a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")`

[Out]
$$-1/60 \cdot (15 \sqrt{(64iA^2+128AB-64iB^2)a^6/d^2}) \cdot (d \cdot e^{(6i \cdot dx+6i \cdot c)} - 3 \cdot d \cdot e^{(4i \cdot dx+4i \cdot c)} + 3 \cdot d \cdot e^{(2i \cdot dx+2i \cdot c)} - d) \cdot \log((8 \cdot (A - i \cdot B) \cdot a^3 \cdot e^{(2i \cdot dx+2i \cdot c)} + \sqrt{(64iA^2+128AB-64iB^2)a^6/d^2}) \cdot e^{(6i \cdot dx+6i \cdot c)}) / ((4iA+4B)a^3)$$

$$(d e^{(2 I d x + 2 I c)} + d) \sqrt{(-I e^{(2 I d x + 2 I c)} + I) / (e^{(2 I d x + 2 I c)} + 1)} e^{(-2 I d x - 2 I c)} / ((4 I A + 4 B) a^3) - 15 \sqrt{(64 I A^2 + 128 A B - 64 I B^2) a^6 / d^2} (d e^{(6 I d x + 6 I c)} - 3 d e^{(4 I d x + 4 I c)} + 3 d e^{(2 I d x + 2 I c)} - d) \log((8(A - I B) a^3 e^{(2 I d x + 2 I c)} - \sqrt{(64 I A^2 + 128 A B - 64 I B^2) a^6 / d^2} (d e^{(2 I d x + 2 I c)} + d) \sqrt{(-I e^{(2 I d x + 2 I c)} + I) / (e^{(2 I d x + 2 I c)} + 1)}) e^{(-2 I d x - 2 I c)} / ((4 I A + 4 B) a^3) - ((624 I A + 400 B) a^3 e^{(6 I d x + 6 I c)} + (-288 I A - 320 B) a^3 e^{(4 I d x + 4 I c)} + (-528 I A - 400 B) a^3 e^{(2 I d x + 2 I c)} + (384 I A + 320 B) a^3) \sqrt{(-I e^{(2 I d x + 2 I c)} + I) / (e^{(2 I d x + 2 I c)} + 1)} / (d e^{(6 I d x + 6 I c)} - 3 d e^{(4 I d x + 4 I c)} + 3 d e^{(2 I d x + 2 I c)} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)

[Out] Timed out

Giac [A] time = 1.36458, size = 146, normalized size = 1.01

$$\frac{(i+1) \sqrt{2} (-16i A a^3 - 16 B a^3) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right)}{4d} + \frac{120 A a^3 \tan(dx+c)^2 - 90i B a^3 \tan(dx+c)^2}{15 d t}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] (1/4*I + 1/4)*sqrt(2)*(-16*I*A*a^3 - 16*B*a^3)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d + 1/15*(120*A*a^3*tan(d*x + c)^2 - 90*I*B*a^3*tan(d*x + c)^2 - 30*I*A*a^3*tan(d*x + c) - 10*B*a^3*tan(d*x + c) - 6*A*a^3)/(d*tan(d*x + c)^(5/2))

$$3.133 \quad \int \frac{(a+ia \tan(c+dx))^3 (A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=169

$$-\frac{8\sqrt[4]{-1}a^3(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{8a^3(23A-21iB)}{105d\tan^3(c+dx)} - \frac{2(7B+11iA)(a^3+ia^3\tan(c+dx))}{35d\tan^5(c+dx)} + \frac{8a^3(B+ia^3\tan(c+dx))}{d\sqrt{\tan(c+dx)}}$$

[Out] $(-8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (8*a^3*(23*A - (21*I)*B))/(105*d*Tan[c + d*x]^{(3/2)}) + (8*a^3*(I*A + B))/(d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(7*d*Tan[c + d*x]^{(7/2)}) - (2*((11*I)*A + 7*B)*(a^3 + I*a^3*Tan[c + d*x]))/(35*d*Tan[c + d*x]^{(5/2)})$

Rubi [A] time = 0.424736, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3593, 3591, 3529, 3533, 205}

$$-\frac{8\sqrt[4]{-1}a^3(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)}{d} + \frac{8a^3(23A-21iB)}{105d\tan^3(c+dx)} - \frac{2(7B+11iA)(a^3+ia^3\tan(c+dx))}{35d\tan^5(c+dx)} + \frac{8a^3(B+ia^3\tan(c+dx))}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] $(-8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTan[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]]])/d + (8*a^3*(23*A - (21*I)*B))/(105*d*Tan[c + d*x]^{(3/2)}) + (8*a^3*(I*A + B))/(d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^2)/(7*d*Tan[c + d*x]^{(7/2)}) - (2*((11*I)*A + 7*B)*(a^3 + I*a^3*Tan[c + d*x]))/(35*d*Tan[c + d*x]^{(5/2)})$

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3591

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m+1))/(b*f*(m+1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m+1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m+1))

$$\frac{1}{(f(m+1)(a^2+b^2)), x} + \text{Dist}\left[\frac{1}{(a^2+b^2)}, \text{Int}[(a+b\tan[e+fx])^{m+1} \text{Simp}[a*c+b*d-(b*c-a*d)*\tan[e+fx], x], x], x\right]; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c-a*d, 0] \ \&\& \ \text{NeQ}[a^2+b^2, 0] \ \&\& \ \text{LtQ}[m, -1]$$

Rule 3533

$$\text{Int}[\frac{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}{\sqrt{(b_.)\tan[(e_.) + (f_.)x]}}, x_Symbol] \rightarrow \text{Dist}[\frac{(2c^2)/f}{\sqrt{b\tan[e+fx]}}, \text{Subst}[\text{Int}[\frac{1}{(b*c-d*x^2)}, x], x], x]; \text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{EqQ}[c^2+d^2, 0]$$

Rule 205

$$\text{Int}[\frac{(a_.) + (b_.)x^{-2}}{x}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x]; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx &= -\frac{2aA(a+ia \tan(c+dx))^2}{7d \tan^{\frac{7}{2}}(c+dx)} + \frac{2}{7} \int \frac{(a+ia \tan(c+dx))^2 \left(\frac{1}{2}a(11iA+B) + \frac{1}{2}B \tan(c+dx)\right)}{\tan^{\frac{7}{2}}(c+dx)} dx \\ &= -\frac{2aA(a+ia \tan(c+dx))^2}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(11iA+7B)(a^3+ia^3 \tan(c+dx))}{35d \tan^{\frac{5}{2}}(c+dx)} + \frac{2B(a+ia \tan(c+dx))^2}{35d \tan^{\frac{3}{2}}(c+dx)} \\ &= \frac{8a^3(23A-21iB)}{105d \tan^{\frac{3}{2}}(c+dx)} - \frac{2aA(a+ia \tan(c+dx))^2}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(11iA+7B)(a^3+ia^3 \tan(c+dx))}{35d \tan^{\frac{5}{2}}(c+dx)} \\ &= \frac{8a^3(23A-21iB)}{105d \tan^{\frac{3}{2}}(c+dx)} + \frac{8a^3(iA+B)}{d\sqrt{\tan(c+dx)}} - \frac{2aA(a+ia \tan(c+dx))^2}{7d \tan^{\frac{7}{2}}(c+dx)} \\ &= \frac{8a^3(23A-21iB)}{105d \tan^{\frac{3}{2}}(c+dx)} + \frac{8a^3(iA+B)}{d\sqrt{\tan(c+dx)}} - \frac{2aA(a+ia \tan(c+dx))^2}{7d \tan^{\frac{7}{2}}(c+dx)} \\ &= -\frac{8\sqrt[4]{-1}a^3(A-iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{\tan(c+dx)}}{1}\right)}{d} + \frac{8a^3(23A-21iB)}{105d \tan^{\frac{3}{2}}(c+dx)} \end{aligned}$$

Mathematica [B] time = 12.0529, size = 495, normalized size = 2.93

$$\frac{8e^{-3ic}(A-iB)\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \cos^4(c+dx) \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right) (a+ia \tan(c+dx))^3(A+B \tan(c+dx)) \cos^4(c+dx)}{d\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}} (\cos(dx)+i \sin(dx))^3(A \cos(c+dx)+B \sin(c+dx))} + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] (8*(A - I*B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))) * ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))] * Cos[c + d*x]^4*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/(d*E^((3*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))] * (Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + B*Sin[c + d*x]) + (Cos[c + d*x]^4*(Csc[c]*Csc[c + d*x]^2*((-63*I)*A*Cos[c] - 21*B*Cos[c] + 170*A*Sin[c] - (105*I)*B*Sin[c]) * ((2*Cos[3*c])/105 - ((2*I)/105)*Sin[3*c]) + Csc[c]*((483*I)*A*Cos[c] + 441*B*Cos[c] - 155*A*Sin[c] + (105*I)*B*Sin[c]) * ((2*Cos[3*c])/105 - ((2*I)/105)

$$5) \cdot \sin[3c]) + \csc[c + dx]^4 \cdot ((-2A \cos[3c])/7 + ((2I)/7) \cdot A \sin[3c]) + \csc[c] \cdot \csc[c + dx] \cdot ((2 \cos[3c])/5 - ((2I)/5) \cdot \sin[3c]) \cdot ((-23I) \cdot A \sin[dx] - 21B \sin[dx]) + \csc[c] \cdot \csc[c + dx]^3 \cdot ((2 \cos[3c])/5 - ((2I)/5) \cdot \sin[3c]) \cdot ((3I) \cdot A \sin[dx] + B \sin[dx]) \cdot \sqrt{\tan[c + dx]} \cdot (a + I \cdot a \cdot \tan[c + dx])^3 \cdot (A + B \cdot \tan[c + dx]) / (d \cdot (\cos[dx] + I \cdot \sin[dx])^3 \cdot (A \cos[c + dx] + B \sin[c + dx]))$$

Maple [B] time = 0.019, size = 572, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(dx+c))^3*(A+B*tan(dx+c))/tan(dx+c)^(9/2),x)

[Out] $-2/7/d \cdot a^3 \cdot A / \tan(dx+c)^{7/2} - 6/5 \cdot I/d \cdot a^3 / \tan(dx+c)^{5/2} \cdot A + 8/d \cdot a^3 / \tan(dx+c)^{1/2} \cdot B + I/d \cdot a^3 \cdot A \cdot \ln((1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) / (1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) \cdot 2^{1/2} - 2/5/d \cdot a^3 / \tan(dx+c)^{5/2} \cdot B + 2 \cdot I/d \cdot a^3 \cdot A \cdot 2^{1/2} \cdot \arctan(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + 8/3/d \cdot a^3 \cdot A / \tan(dx+c)^{3/2} - 2 \cdot I/d \cdot a^3 \cdot B \cdot \arctan(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2} - I/d \cdot a^3 \cdot B \cdot 2^{1/2} \cdot \ln((1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) / (1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) - 2 \cdot I/d \cdot a^3 \cdot B \cdot \arctan(-1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2} + 2/d \cdot a^3 \cdot A \cdot \arctan(-1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2} + 1/d \cdot a^3 \cdot A \cdot 2^{1/2} \cdot \ln((1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) / (1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) + 2/d \cdot a^3 \cdot A \cdot \arctan(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2} - 2 \cdot I/d \cdot a^3 / \tan(dx+c)^{3/2} \cdot B + 8 \cdot I/d \cdot a^3 / \tan(dx+c)^{1/2} \cdot A + 2 \cdot I/d \cdot a^3 \cdot A \cdot \arctan(-1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2} + 1/d \cdot a^3 \cdot B \cdot \ln((1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) / (1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)) \cdot 2^{1/2} + 2/d \cdot a^3 \cdot B \cdot \arctan(-1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2} + 2/d \cdot a^3 \cdot B \cdot \arctan(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} \cdot 2^{1/2}$

Maxima [A] time = 2.10347, size = 286, normalized size = 1.69

$$105 \left(\sqrt{2} \cdot (-2i + 2) \cdot A + (2i - 2) \cdot B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + 2 \sqrt{\tan(dx+c)} \right) \right) + \sqrt{2} \cdot (-2i + 2) \cdot A + (2i - 2) \cdot B \arctan \left(-\frac{1}{2} \sqrt{2} \left(\sqrt{2} + 2 \sqrt{\tan(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^3*(A+B*tan(dx+c))/tan(dx+c)^(9/2),x, algorithm="maxima")

[Out] $-1/105 \cdot (105 \cdot (\sqrt{2}) \cdot (-2I + 2) \cdot A + (2I - 2) \cdot B) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (\sqrt{2} + 2 \cdot \sqrt{\tan(dx+c)})) + \sqrt{2} \cdot (-2I + 2) \cdot A + (2I - 2) \cdot B \cdot \arctan(-1/2 \cdot \sqrt{2} \cdot (\sqrt{2} - 2 \cdot \sqrt{\tan(dx+c)})) + \sqrt{2} \cdot ((I - 1) \cdot A + (I + 1) \cdot B) \cdot \log(\sqrt{2} \cdot \sqrt{\tan(dx+c)} + \tan(dx+c) + 1) - \sqrt{2} \cdot ((I - 1) \cdot A + (I + 1) \cdot B) \cdot \log(-\sqrt{2} \cdot \sqrt{\tan(dx+c)} + \tan(dx+c) + 1) \cdot a^3 - 2 \cdot (420 \cdot (I \cdot A + B) \cdot a^3 \cdot \tan(dx+c)^3 + (140 \cdot A - 105 \cdot I \cdot B) \cdot a^3 \cdot \tan(dx+c)^2 + 21 \cdot (-3 \cdot I \cdot A - B) \cdot a^3 \cdot \tan(dx+c) - 15 \cdot A \cdot a^3) / \tan(dx+c)^{7/2} / d$

Fricas [B] time = 2.07294, size = 1558, normalized size = 9.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] 1/420*(105*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 105*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 16*((319*A - 273*I*B)*a^3*e^(8*I*d*x + 8*I*c) - 3*(109*A - 133*I*B)*a^3*e^(6*I*d*x + 6*I*c) - 5*(19*A - 21*I*B)*a^3*e^(4*I*d*x + 4*I*c) + 3*(129*A - 133*I*B)*a^3*e^(2*I*d*x + 2*I*c) - 4*(41*A - 42*I*B)*a^3)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.37301, size = 184, normalized size = 1.09

$$\frac{(4i - 4) \sqrt{2}(-i Aa^3 - Ba^3) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx + c)}\right)}{d} - \frac{-840i Aa^3 \tan(dx + c)^3 - 840 Ba^3 \tan(dx + c)^3 - 280 Aa^3 \tan(dx + c)^2 + 210 I B a^3 \tan(dx + c)^2 + 126 I A a^3 \tan(dx + c) + 42 B a^3 \tan(dx + c) + 30 A a^3}{d \tan(dx + c)^{(7/2)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] (4*I - 4)*sqrt(2)*(-I*A*a^3 - B*a^3)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/d - 1/105*(-840*I*A*a^3*tan(d*x + c)^3 - 840*B*a^3*tan(d*x + c)^3 - 280*A*a^3*tan(d*x + c)^2 + 210*I*B*a^3*tan(d*x + c)^2 + 126*I*A*a^3*tan(d*x + c) + 42*B*a^3*tan(d*x + c) + 30*A*a^3)/(d*tan(d*x + c)^(7/2))
```

$$3.134 \quad \int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=306

$$\frac{(-B+iA)\tan^5(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{(3A+7iB)\tan^3(c+dx)}{6ad} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)((4+i)A + (1+6i)B)\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)((4-i)A + (1+6i)B)\tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad}$$

[Out] $((-1/4 - I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) + ((1/4 + I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*((1 + 4*I)*A - (6 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) - ((3 - 5*I)*A + (5 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(8*Sqrt[2]*a*d) - (5*(I*A - B)*Sqrt[Tan[c + d*x]])/(2*a*d) - ((3*A + (7*I)*B)*Tan[c + d*x]^(3/2))/(6*a*d) + ((I*A - B)*Tan[c + d*x]^(5/2))/(2*d*(a + I*a*Tan[c + d*x]))$

Rubi [A] time = 0.408079, antiderivative size = 306, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-B+iA)\tan^5(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{(3A+7iB)\tan^3(c+dx)}{6ad} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)((4+i)A + (1+6i)B)\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)((4-i)A + (1+6i)B)\tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] $((-1/4 - I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) + ((1/4 + I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*((1 + 4*I)*A - (6 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) - ((3 - 5*I)*A + (5 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(8*Sqrt[2]*a*d) - (5*(I*A - B)*Sqrt[Tan[c + d*x]])/(2*a*d) - ((3*A + (7*I)*B)*Tan[c + d*x]^(3/2))/(6*a*d) + ((I*A - B)*Tan[c + d*x]^(5/2))/(2*d*(a + I*a*Tan[c + d*x]))$

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx &= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{\int \tan^{\frac{3}{2}}(c+dx) \left(\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB) \tan(c+dx) \right)}{2a^2} \\
&= -\frac{(3A+7iB) \tan^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{\int \sqrt{\tan(c+dx)} \left(-\frac{1}{2}a(3A+7iB) \tan^{\frac{3}{2}}(c+dx) + (iA-B) \tan^{\frac{5}{2}}(c+dx) \right)}{2a^2} \\
&= -\frac{5(iA-B)\sqrt{\tan(c+dx)}}{2ad} - \frac{(3A+7iB) \tan^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{2d(a+ia \tan(c+dx))} \\
&= -\frac{5(iA-B)\sqrt{\tan(c+dx)}}{2ad} - \frac{(3A+7iB) \tan^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{2d(a+ia \tan(c+dx))} \\
&= -\frac{5(iA-B)\sqrt{\tan(c+dx)}}{2ad} - \frac{(3A+7iB) \tan^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{2d(a+ia \tan(c+dx))} \\
&= -\frac{5(iA-B)\sqrt{\tan(c+dx)}}{2ad} - \frac{(3A+7iB) \tan^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{2d(a+ia \tan(c+dx))} \\
&= \frac{((3-5i)A + (5+7i)B) \log\left(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{8\sqrt{2}ad} - \frac{((3-5i)A - (5+7i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{4\sqrt{2}ad}
\end{aligned}$$

Mathematica [A] time = 2.79564, size = 248, normalized size = 0.81

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(\frac{2}{3} \tan(c + dx) \sec(c + dx) (\cos(dx) - i \sin(dx)) (4(3A + 2iB) \sin(2(c + dx)) + 1) \right)}{a + ia \tan(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))*((-1 - I)*(((4 + I)*A + (1 + 6*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 4*I)*A + (6 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(Cos[c + I*Sin[c]]*Sqrt[Sin[2*(c + d*x)]] + (2*Sec[c + d*x]*(Cos[d*x] - I*Sin[d*x]))*((-15*I)*A + 19*B + ((-15*I)*A + 11*B)*Cos[2*(c + d*x)] + 4*(3*A + (2*I)*B)*Sin[2*(c + d*x)]*Tan[c + d*x])/3))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.052, size = 290, normalized size = 1.

$$-\frac{2iB}{ad} (\tan(dx+c))^{\frac{3}{2}} + 2 \frac{B\sqrt{\tan(dx+c)}}{ad} - \frac{2iA}{ad} \sqrt{\tan(dx+c)} - \frac{\frac{i}{2}B}{ad(\tan(dx+c)-i)} \sqrt{\tan(dx+c)} - \frac{A}{2ad(\tan(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

```
[Out] -2/3*I/d/a*B*tan(d*x+c)^(3/2)+2/d/a*B*tan(d*x+c)^(1/2)-2*I/d/a*A*tan(d*x+c)
^(1/2)-1/2*I/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*B-1/2/d/a*tan(d*x+c)^(1/2)
/(tan(d*x+c)-I)*A+4/d/a/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1
/2)-I*2^(1/2)))*A+6*I/d/a/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^
(1/2)-I*2^(1/2)))*B-1/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^
(1/2)+I*2^(1/2)))*A+I/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^
(1/2)+I*2^(1/2)))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.04194, size = 1886, normalized size = 6.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 1/24*(3*(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((I*A^2 + 2
*A*B - I*B^2)/(a^2*d^2))*log(2*((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^
(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I*B
^2)/(a^2*d^2)) + (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A +
B)) - 3*(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((I*A^2 +
2*A*B - I*B^2)/(a^2*d^2))*log(-2*((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*
e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I
*B^2)/(a^2*d^2)) - (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A
+ B)) - 6*(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((-4*I*A
^2 + 12*A*B + 9*I*B^2)/(a^2*d^2))*log(-((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqr
t((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-4*I*A^2 +
12*A*B + 9*I*B^2)/(a^2*d^2)) + 2*A + 3*I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)) + 6
*(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((-4*I*A^2 + 12*A*
B + 9*I*B^2)/(a^2*d^2))*log(((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^(2*
I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-4*I*A^2 + 12*A*B + 9*
I*B^2)/(a^2*d^2)) - 2*A - 3*I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)) + 2*((-27*I*A
+ 19*B)*e^(4*I*d*x + 4*I*c) + (-30*I*A + 38*B)*e^(2*I*d*x + 2*I*c) - 3*I*A
+ 3*B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))/(a*d*e
^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.22592, size = 223, normalized size = 0.73

$$\frac{(i-1)\sqrt{2}(4iA-6B)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad} + \frac{(i+1)\sqrt{2}(-iA-B)\arctan\left(\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] $-(1/4*I - 1/4)*\sqrt{2}*(4*I*A - 6*B)*\arctan((1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/(a*d) + (1/4*I + 1/4)*\sqrt{2}*(-I*A - B)*\arctan((1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/(a*d) - 1/2*(A*\sqrt{\tan(d*x + c)} + I*B*\sqrt{\tan(d*x + c)})/(a*d*(\tan(d*x + c) - I)) - 1/3*(2*I*B*a^2*d^2*\tan(d*x + c)^{(3/2)} + 6*I*A*a^2*d^2*\sqrt{\tan(d*x + c)} - 6*B*a^2*d^2*\sqrt{\tan(d*x + c)})/(a^3*d^3)$

$$3.135 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=275

$$\frac{(-B + iA) \tan^3(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{((1 - 3i)A + (3 + 5i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{4\sqrt{2}ad} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)((1 + 2i)A - (4 + i)B) \tan^{-1}}{\sqrt{2}ad}$$

[Out] -(((1 - 3*I)*A + (3 + 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqrt[2]*a*d) - ((1/4 + I/4)*((1 + 2*I)*A - (4 + I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) + ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) - ((A + (5*I)*B)*Sqrt[Tan[c + d*x]])/(2*a*d) + ((I*A - B)*Tan[c + d*x]^(3/2))/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.354326, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-B + iA) \tan^3(c + dx)}{2d(a + ia \tan(c + dx))} - \frac{((1 - 3i)A + (3 + 5i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{4\sqrt{2}ad} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)((1 + 2i)A - (4 + i)B) \tan^{-1}}{\sqrt{2}ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] -(((1 - 3*I)*A + (3 + 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqrt[2]*a*d) - ((1/4 + I/4)*((1 + 2*I)*A - (4 + I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) + ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) - ((A + (5*I)*B)*Sqrt[Tan[c + d*x]])/(2*a*d) + ((I*A - B)*Tan[c + d*x]^(3/2))/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx &= \frac{(iA-B) \tan^3(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{\int \sqrt{\tan(c+dx)} \left(\frac{3}{2}a(iA-B) + \frac{1}{2}a(A+5iB) \tan(c+dx) \right)}{2a^2} \\
&= -\frac{(A+5iB)\sqrt{\tan(c+dx)}}{2ad} + \frac{(iA-B) \tan^3(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{\int \frac{-\frac{1}{2}a(A+5iB) + \frac{3}{2}a(iA-B)}{\sqrt{\tan(c+dx)}}}{2a^2} \\
&= -\frac{(A+5iB)\sqrt{\tan(c+dx)}}{2ad} + \frac{(iA-B) \tan^3(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}a(A+5iB) + \frac{3}{2}a(iA-B)}{1+x} \right)}{2a^2} \\
&= -\frac{(A+5iB)\sqrt{\tan(c+dx)}}{2ad} + \frac{(iA-B) \tan^3(c+dx)}{2d(a+ia \tan(c+dx))} + \frac{((1+3i)A - (3-5i)B)}{2a^2} \\
&= -\frac{(A+5iB)\sqrt{\tan(c+dx)}}{2ad} + \frac{(iA-B) \tan^3(c+dx)}{2d(a+ia \tan(c+dx))} - \frac{((1+3i)A - (3-5i)B)}{2a^2} \\
&= -\frac{((1+3i)A - (3-5i)B) \log(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx))}{8\sqrt{2}ad} + \frac{((1+3i)A - (3-5i)B)}{2a^2} \\
&= -\frac{((1-3i)A + (3+5i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{4\sqrt{2}ad} + \frac{((1-3i)A + (3+5i)B)}{2a^2}
\end{aligned}$$

Mathematica [A] time = 2.08446, size = 220, normalized size = 0.8

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) (\tan(c + dx)(-4 \cos(dx) + 4i \sin(dx))(-4B \sin(c + dx) + (A + 5iB) \cos(c + dx))}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(A + B*Tan[c + d*x]))*(-(((1 - 3*I)*A + (3 + 5*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((2 + I)*A + (1 + 4*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(Cos[c] + I*Sin[c])*Sqrt[Sin[2*(c + d*x)]] + (-4*Cos[d*x] + (4*I)*Sin[d*x])*(A + (5*I)*B)*Cos[c + d*x] - 4*B*Sin[c + d*x])*Tan[c + d*x))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.047, size = 255, normalized size = 0.9

$$\frac{-2iB}{ad} \sqrt{\tan(dx+c)} + \frac{\frac{i}{2}A}{ad(\tan(dx+c)-i)} \sqrt{\tan(dx+c)} - \frac{B}{2ad(\tan(dx+c)-i)} \sqrt{\tan(dx+c)} + 4 \frac{B}{ad(\sqrt{2}-i\sqrt{2})} \arctan\left(\frac{\sqrt{\tan(dx+c)}}{\sqrt{2}-i\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

[Out] -2*I/d/a*B*tan(d*x+c)^(1/2)+1/2*I/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*A-1/2/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*B+4/d/a/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*B-2*I/d/a/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A-I/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A-1/d/a/(2^(1/2)+I*2^(1/2))*arctan(2

```
*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.02616, size = 1642, normalized size = 5.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] -1/8*(a*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(
1/2*((4*I*a*d*e^(2*I*d*x + 2*I*c) + 4*I*a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) +
I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)) + 4
*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - a*d*sqrt(
(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(1/2*((-4*I*a*d*
e^(2*I*d*x + 2*I*c) - 4*I*a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*
x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)) + 4*(A - I*B)*e^(
2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 2*a*d*sqrt((I*A^2 - 4*A
*B - 4*I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(((a*d*e^(2*I*d*x + 2*I*c)
+ a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I
*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2)) + I*A - 2*B)*e^(-2*I*d*x - 2*I*c)/(a*d))
+ 2*a*d*sqrt((I*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(
(-(a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I
*d*x + 2*I*c) + 1))*sqrt((I*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2)) - I*A + 2*B)*
e^(-2*I*d*x - 2*I*c)/(a*d)) + 2*((A + 9*I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)
*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(-2*I*d*x
- 2*I*c)/(a*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.22339, size = 162, normalized size = 0.59

$$\frac{(i+1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad} + \frac{(i-1)\sqrt{2}(2A+4iB)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] $-(1/4*I + 1/4)*\sqrt{2}*(A - I*B)*\arctan(-1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)))/(a*d) + (1/4*I - 1/4)*\sqrt{2}*(2*A + 4*I*B)*\arctan(-1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)))/(a*d) - 2*I*B*\sqrt{\tan(d*x + c))/(a*d) - 1/2*(-I*A*\sqrt{\tan(d*x + c)} + B*\sqrt{\tan(d*x + c)))/(a*d*(\tan(d*x + c) - I))$

$$3.136 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=236

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A + (2 - i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2ad}} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A + (2 - i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2ad}} + \frac{(-B + iA)}{2d(a + ia)}$$

[Out] $((-1/4 + I/4)*(A + (2 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) + ((1/4 - I/4)*(A + (2 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) + ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(2*d*(a + I*a*Tan[c + d*x]))$

Rubi [A] time = 0.286259, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3595, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A + (2 - i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2ad}} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A + (2 - i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2ad}} + \frac{(-B + iA)}{2d(a + ia)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Tan}[c + d*x]]*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x]), x]$

[Out] $((-1/4 + I/4)*(A + (2 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) + ((1/4 - I/4)*(A + (2 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a*d) + ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(2*d*(a + I*a*Tan[c + d*x]))$

Rule 3595

$\text{Int}[(a + (b*\text{tan}[e + (f*x)])^m)*((c + (d*\text{tan}[e + (f*x)])^n), x_Symbol] :> -\text{Simp}[(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n]/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*(c + d*\text{Tan}[e + f*x])^{n-1}]*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3534

$\text{Int}[(c + (d*\text{tan}[e + (f*x)])]/\text{Sqrt}[(b*\text{tan}[e + (f*x)])], x_Symbol] :> \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 1168

$\text{Int}[(d + (e*x)^2)/((a + (c*x)^4), x_Symbol] :> \text{With}\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /; \text{FreeQ}\{a,$

$c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*c)]$

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_Symbol] \text{:> With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \text{:> With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\| \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \text{:> -Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \|\| \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_Symbol] \text{:> With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/(a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \text{:> Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{2d(a+ia \tan(c+dx))} - \frac{\int \frac{\frac{1}{2}a(iA-B)-\frac{1}{2}a(A-3iB)\tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{2a^2} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{2d(a+ia \tan(c+dx))} - \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a(iA-B)-\frac{1}{2}a(A-3iB)x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{a^2d} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{2d(a+ia \tan(c+dx))} - \frac{\left(\left(\frac{1}{4}+\frac{i}{4}\right)(A-(2+i)B)\right)\text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{ad} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{2d(a+ia \tan(c+dx))} - \frac{\left(\left(\frac{1}{8}+\frac{i}{8}\right)(A-(2+i)B)\right)\text{Subst}\left(\int \frac{\sqrt{2+2x}}{-1-\sqrt{2x-x^2}} dx, x, \sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad} \\ &= \frac{\left(\frac{1}{8}+\frac{i}{8}\right)(A-(2+i)B)\log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{\sqrt{2}ad} - \frac{\left(\frac{1}{8}+\frac{i}{8}\right)(A-(2+i)B)\log\left(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{\sqrt{2}ad} \\ &= -\frac{\left(\frac{1}{4}-\frac{i}{4}\right)(A+(2-i)B)\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad} + \frac{\left(\frac{1}{4}-\frac{i}{4}\right)(A+(2-i)B)\tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}ad} \end{aligned}$$

Mathematica [A] time = 1.58294, size = 198, normalized size = 0.84

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(4(A + iB) \sin(c + dx)(\sin(dx) + i \cos(dx)) + (1 + i)(-\sin(c) + i \cos(c)) \sqrt{\sin(2c)} \right)}{8d \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(4*(A + I*B)*(I*Cos[d*x] + Sin[d*x])*Sin[c + d*x] + (1 + I)*((A + (2 - I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + I*(A - (2 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[c] - Sin[c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.061, size = 192, normalized size = 0.8

$$\frac{\frac{i}{2}B}{ad(\tan(dx+c)-i)}\sqrt{\tan(dx+c)} + \frac{A}{2ad(\tan(dx+c)-i)}\sqrt{\tan(dx+c)} - \frac{2iB}{ad(\sqrt{2}-i\sqrt{2})}\arctan\left(2\frac{\sqrt{\tan(dx+c)}}{\sqrt{2}-i\sqrt{2}}\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

[Out] 1/2*I/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*B+1/2/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*A-2*I/d/a*B/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))+1/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A-I/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.80759, size = 1477, normalized size = 6.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x, algorithm="fricas")


```
[Out] -1/8*(a*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(2
*((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I
*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^2*d^2)) + (A - I*B)*e^(
2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - a*d*sqrt((I*A^2 + 2*A*B
- I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(-2*((a*d*e^(2*I*d*x + 2*I*c) +
a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*
A^2 + 2*A*B - I*B^2)/(a^2*d^2)) - (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*
x - 2*I*c)/(I*A + B)) - 2*a*d*sqrt(I*B^2/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log
(((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I
*d*x + 2*I*c) + 1))*sqrt(I*B^2/(a^2*d^2)) + I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)
) + 2*a*d*sqrt(I*B^2/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(-((a*d*e^(2*I*d*x +
2*I*c) + a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))
*sqrt(I*B^2/(a^2*d^2)) - I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)) - 2*((I*A - B)*e^
(2*I*d*x + 2*I*c) + I*A - B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x
+ 2*I*c) + 1))*e^(-2*I*d*x - 2*I*c)/(a*d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\tan(c+dx)}}{i\tan(c+dx)+1} dx + \int \frac{B\tan^{\frac{3}{2}}(c+dx)}{i\tan(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)
```

```
[Out] (Integral(A*sqrt(tan(c + d*x))/(I*tan(c + d*x) + 1), x) + Integral(B*tan(c
+ d*x)**(3/2)/(I*tan(c + d*x) + 1), x))/a
```

Giac [A] time = 1.24527, size = 131, normalized size = 0.56

$$\frac{(i-1)\sqrt{2}B\arctan\left(\left(\frac{1}{2}i + \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{2ad} - \frac{(i-1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad} + A\sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] -(1/2*I - 1/2)*sqrt(2)*B*arctan((1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(
a*d) - (1/4*I - 1/4)*sqrt(2)*(A - I*B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(t
an(d*x + c)))/(a*d) + 1/2*(A*sqrt(tan(d*x + c)) + I*B*sqrt(tan(d*x + c)))/(
a*d*(tan(d*x + c) - I))
```

$$3.137 \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)(a+ia \tan(c+dx))}} dx$$

Optimal. Leaf size=234

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(B + (2 + i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2ad}} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(B + (2 + i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2ad}} + \frac{(A + iB)}{2d(a + ia)}$$

[Out] $((-1/4 + I/4)*((2 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a*d) + ((1/4 - I/4)*((2 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a*d) - (((3 + I)*A - (1 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) + (((3 + I)*A - (1 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(2*d*(a + I*a*Tan[c + d*x]))$

Rubi [A] time = 0.2913, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(B + (2 + i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2ad}} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(B + (2 + i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2ad}} + \frac{(A + iB)}{2d(a + ia)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(Sqrt[\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])), x]$

[Out] $((-1/4 + I/4)*((2 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a*d) + ((1/4 - I/4)*((2 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a*d) - (((3 + I)*A - (1 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) + (((3 + I)*A - (1 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(2*d*(a + I*a*Tan[c + d*x]))$

Rule 3596

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] :> \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{n+1})/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3534

$\text{Int}[(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)])/Sqrt[(b_)*\text{tan}[(e_ + (f_)*(x_)])], x_Symbol] :> \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 1168

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /; \text{FreeQ}[\{a,$

$c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*c)]$

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] :> \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \|\ \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> \text{Simplify}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} dx &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{2d(a + ia \tan(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A-iB) - \frac{1}{2}a(iA-B)\tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{2a^2} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{2d(a + ia \tan(c + dx))} + \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a(3A-iB) - \frac{1}{2}a(iA-B)x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{a^2d} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{2d(a + ia \tan(c + dx))} + \frac{((3 + i)A - (1 + i)B) \text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{4ad} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{2d(a + ia \tan(c + dx))} - \frac{((3 + i)A - (1 + i)B) \text{Subst}\left(\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{8\sqrt{2}ad} \\ &= -\frac{((3 + i)A - (1 + i)B) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{8\sqrt{2}ad} + \frac{((3 + i)A - (1 + i)B) \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{8\sqrt{2}ad} \\ &= -\frac{\left(\frac{1}{4} - \frac{i}{4}\right)((2 + i)A + B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}ad} + \frac{\left(\frac{1}{4} - \frac{i}{4}\right)((2 + i)A - B) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}ad} \end{aligned}$$

Mathematica [A] time = 1.98748, size = 199, normalized size = 0.85

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(4(A + iB) \sin(c + dx)(\cos(dx) - i \sin(dx)) + (1 + i)(-\sin(c) + i \cos(c)) \sqrt{\sin(2(c + dx))} \right)}{8d \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(4*(A + I*B)*(Cos[d*x] - I*Sin[d*x])*Sin[c + d*x] + (1 + I)*(((2 + I)*A + B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 2*I)*A + I*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)])])*Sec[c + d*x]*(I*Cos[c] - Sin[c])*Sqrt[Sin[2*(c + d*x)])*(A + B*Tan[c + d*x]))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.057, size = 192, normalized size = 0.8

$$\frac{B}{2ad(\tan(dx+c)-i)}\sqrt{\tan(dx+c)} - \frac{\frac{i}{2}A}{ad(\tan(dx+c)-i)}\sqrt{\tan(dx+c)} - \frac{2iA}{ad(\sqrt{2}-i\sqrt{2})}\arctan\left(2\frac{\sqrt{\tan(dx+c)}}{\sqrt{2}-i\sqrt{2}}\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)), x)

[Out] 1/2/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*B-1/2*I/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*A-2*I/d/a/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A+I/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A+1/d/a/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.83499, size = 1513, normalized size = 6.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)), x, algorithm="fricas")

```
[Out] 1/8*(a*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(1/2*((4*I*a*d*e^(2*I*d*x + 2*I*c) + 4*I*a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)) + 4*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - a*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(1/2*((-4*I*a*d*e^(2*I*d*x + 2*I*c) - 4*I*a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)) + 4*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 2*a*d*sqrt(I*A^2/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt(I*A^2/(a^2*d^2)) + I*A)*e^(-2*I*d*x - 2*I*c)/(a*d)) - 2*a*d*sqrt(I*A^2/(a^2*d^2))*e^(2*I*d*x + 2*I*c)*log(-((a*d*e^(2*I*d*x + 2*I*c) + a*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt(I*A^2/(a^2*d^2)) - I*A)*e^(-2*I*d*x - 2*I*c)/(a*d)) + 2*((A + I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(-2*I*d*x - 2*I*c)/(a*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+I*a*tan(d*x+c)),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [A] time = 1.22894, size = 132, normalized size = 0.56

$$\frac{(i-1)\sqrt{2}A \arctan\left(\left(\frac{1}{2}i + \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{2ad} - \frac{(i-1)\sqrt{2}(iA+B) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad} - iA$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -(1/2*I - 1/2)*sqrt(2)*A*arctan((1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a*d) - (1/4*I - 1/4)*sqrt(2)*(I*A + B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a*d) - 1/2*(I*A*sqrt(tan(d*x + c)) - B*sqrt(tan(d*x + c)))/(a*d*(tan(d*x + c) - I))
```

$$3.138 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))} dx$$

Optimal. Leaf size=267

$$\frac{((5+3i)A - (3-i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{4\sqrt{2}ad} + \frac{((3-i)B - (5+3i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{4\sqrt{2}ad} + \frac{1}{2d\sqrt{\tan(c+dx)}}$$

```
[Out] (((5 + 3*I)*A - (3 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqrt[2]*a*d) + (((-5 - 3*I)*A + (3 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqrt[2]*a*d) - ((1/8 - I/8)*((4 + I)*A + (1 + 2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) + (((5 - 3*I)*A + (3 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) - (5*A + I*B)/(2*a*d*Sqrt[Tan[c + d*x]]) + (A + I*B)/(2*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))
```

Rubi [A] time = 0.365688, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((5+3i)A - (3-i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{4\sqrt{2}ad} + \frac{((3-i)B - (5+3i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{4\sqrt{2}ad} + \frac{1}{2d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])),x]
```

```
[Out] (((5 + 3*I)*A - (3 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqrt[2]*a*d) + (((-5 - 3*I)*A + (3 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqrt[2]*a*d) - ((1/8 - I/8)*((4 + I)*A + (1 + 2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a*d) + (((5 - 3*I)*A + (3 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) - (5*A + I*B)/(2*a*d*Sqrt[Tan[c + d*x]]) + (A + I*B)/(2*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[
e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} dx &= \frac{A + iB}{2d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A+iB) - \frac{3}{2}a(iA-B) \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)} dx}{2a^2} \\
&= -\frac{5A + iB}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} + \frac{\int \frac{-\frac{3}{2}a(iA-B) - \frac{1}{2}a(5A)}{\sqrt{\tan(c+dx)}}}{2a^2} \\
&= -\frac{5A + iB}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} + \frac{\text{Subst}\left(\int \frac{-\frac{3}{2}a(iA-B)}{\sqrt{\tan(c+dx)}}\right)}{2a^2} \\
&= -\frac{5A + iB}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} - \frac{((5 + 3i)A - (3 - i)B) \arcsin\left(\frac{1 - \sqrt{2}\sqrt{\tan(c + dx)}}{1 + \sqrt{2}\sqrt{\tan(c + dx)}}\right)}{4\sqrt{2}ad} \\
&= -\frac{5A + iB}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} - \frac{((5 + 3i)A - (3 - i)B) \arcsin\left(\frac{1 - \sqrt{2}\sqrt{\tan(c + dx)}}{1 + \sqrt{2}\sqrt{\tan(c + dx)}}\right)}{4\sqrt{2}ad} \\
&= \frac{((5 - 3i)A + (3 + i)B) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{8\sqrt{2}ad} + \frac{((5 - 3i)A - (3 - i)B) \arcsin\left(\frac{1 - \sqrt{2}\sqrt{\tan(c + dx)}}{1 + \sqrt{2}\sqrt{\tan(c + dx)}}\right)}{4\sqrt{2}ad} \\
&= \frac{((5 + 3i)A - (3 - i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{4\sqrt{2}ad} - \frac{((5 + 3i)A - (3 - i)B) \arcsin\left(\frac{1 - \sqrt{2}\sqrt{\tan(c + dx)}}{1 + \sqrt{2}\sqrt{\tan(c + dx)}}\right)}{4\sqrt{2}ad}
\end{aligned}$$

Mathematica [A] time = 2.10408, size = 217, normalized size = 0.81

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left((-4 \cos(dx) + 4i \sin(dx))(4A \cos(c + dx) + (-B + 5iA) \sin(c + dx)) + (-\sin(c + dx)) \right)}{8d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*((-4*Cos[d*x] + (4*I)*Sin[d*x])*(4*A*Cos[c + d*x] + ((5*I)*A - B)*Sin[c + d*x]) + (((3 - 5*I)*A + (1 + 3*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((4 + I)*A + (1 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[c] - Sin[c])*Sqrt[Sin[2*(c + d*x)])*(A + B*Tan[c + d*x]))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.049, size = 254, normalized size = 1.

$$-\frac{A}{2ad(\tan(dx + c) - i)}\sqrt{\tan(dx + c)} - \frac{\frac{i}{2}B}{ad(\tan(dx + c) - i)}\sqrt{\tan(dx + c)} - \frac{2iB}{ad(\sqrt{2} - i\sqrt{2})}\arctan\left(2\frac{\sqrt{\tan(dx + c)}}{\sqrt{2} - i\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c)), x)

[Out] -1/2/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*A-1/2*I/d/a*tan(d*x+c)^(1/2)/(tan(d*x+c)-I)*B-2*I/d/a*B/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))-4/d/a/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2))

$$I \cdot 2^{(1/2)}) \cdot A - 1/d/a/(2^{(1/2)} + I \cdot 2^{(1/2)}) \cdot \arctan(2 \cdot \tan(dx+c)^{(1/2)}/(2^{(1/2)} + I \cdot 2^{(1/2)})) \cdot A + I/d/a/(2^{(1/2)} + I \cdot 2^{(1/2)}) \cdot \arctan(2 \cdot \tan(dx+c)^{(1/2)}/(2^{(1/2)} + I \cdot 2^{(1/2)})) \cdot B - 2 \cdot A/a/d/\tan(dx+c)^{(1/2)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/tan(dx+c)^(3/2)/(a+I*a*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.97593, size = 1832, normalized size = 6.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/tan(dx+c)^(3/2)/(a+I*a*tan(dx+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{8} \left((a d e^{4 I d x + 4 I c} - a d e^{2 I d x + 2 I c}) \sqrt{(I A^2 + 2 A B - I B^2)} / (a^2 d^2) \log(2((a d e^{2 I d x + 2 I c} + a d) \sqrt{(-I e^{2 I d x + 2 I c} + I) / (e^{2 I d x + 2 I c} + 1)} \sqrt{(I A^2 + 2 A B - I B^2)} / (a^2 d^2)) + (A - I B) e^{2 I d x + 2 I c}) e^{-2 I d x - 2 I c} / (I A + B) \right) - (a d e^{4 I d x + 4 I c} - a d e^{2 I d x + 2 I c}) \sqrt{(I A^2 + 2 A B - I B^2)} / (a^2 d^2) \log(-2((a d e^{2 I d x + 2 I c} + a d) \sqrt{(-I e^{2 I d x + 2 I c} + I) / (e^{2 I d x + 2 I c} + 1)} \sqrt{(I A^2 + 2 A B - I B^2)} / (a^2 d^2)) - (A - I B) e^{2 I d x + 2 I c}) e^{-2 I d x - 2 I c} / (I A + B) \right) + 2(a d e^{4 I d x + 4 I c} - a d e^{2 I d x + 2 I c}) \sqrt{(-4 I A^2 + 4 A B + I B^2)} / (a^2 d^2) \log(((a d e^{2 I d x + 2 I c} + a d) \sqrt{(-I e^{2 I d x + 2 I c} + I) / (e^{2 I d x + 2 I c} + 1)} \sqrt{(-4 I A^2 + 4 A B + I B^2)} / (a^2 d^2)) + 2 A + I B) e^{-2 I d x - 2 I c} / (a d) - 2(a d e^{4 I d x + 4 I c} - a d e^{2 I d x + 2 I c}) \sqrt{(-4 I A^2 + 4 A B + I B^2)} / (a^2 d^2) \log(-((a d e^{2 I d x + 2 I c} + a d) \sqrt{(-I e^{2 I d x + 2 I c} + I) / (e^{2 I d x + 2 I c} + 1)} \sqrt{(-4 I A^2 + 4 A B + I B^2)} / (a^2 d^2)) - 2 A - I B) e^{-2 I d x - 2 I c} / (a d) + 2((-9 I A + B) e^{4 I d x + 4 I c} - 8 I A e^{2 I d x + 2 I c} + I A - B) \sqrt{(-I e^{2 I d x + 2 I c} + I) / (e^{2 I d x + 2 I c} + 1)}) / (a d e^{4 I d x + 4 I c} - a d e^{2 I d x + 2 I c})$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/tan(dx+c)**(3/2)/(a+I*a*tan(dx+c)),x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.29897, size = 153, normalized size = 0.57

$$\frac{(i+1) \sqrt{2}(iA+B) \arctan\left(-\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad} - \frac{(i-1) \sqrt{2}(4iA-2B) \arctan\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] (1/4*I + 1/4)*sqrt(2)*(I*A + B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a*d) - (1/4*I - 1/4)*sqrt(2)*(4*I*A - 2*B)*arctan(-(1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a*d) + 1/2*(-5*I*A*tan(d*x + c) + B*tan(d*x + c) - 4*A)/((I*tan(d*x + c)^(3/2) + sqrt(tan(d*x + c)))*a*d)

$$3.139 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))} dx$$

Optimal. Leaf size=296

$$\frac{((7-5i)A+(5+3i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{4\sqrt{2}ad} - \frac{\left(\frac{1}{4}-\frac{i}{4}\right)((6+i)A+(1+4i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}ad} +$$

```
[Out] (((7 - 5*I)*A + (5 + 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqr
t[2]*a*d) - ((1/4 - I/4)*((6 + I)*A + (1 + 4*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[
Tan[c + d*x]]])/(Sqrt[2]*a*d) + (((7 + 5*I)*A - (5 - 3*I)*B)*Log[1 - Sqrt[2
]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) + (((-7 - 5*I)*A + (5
- 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a
*d) - (7*A + (3*I)*B)/(6*a*d*Tan[c + d*x]^(3/2)) + (5*(I*A - B))/(2*a*d*Sqr
t[Tan[c + d*x]]) + (A + I*B)/(2*d*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])
)
```

Rubi [A] time = 0.401374, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((7-5i)A+(5+3i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{4\sqrt{2}ad} - \frac{\left(\frac{1}{4}-\frac{i}{4}\right)((6+i)A+(1+4i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}ad} +$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])),x]
```

```
[Out] (((7 - 5*I)*A + (5 + 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(4*Sqr
t[2]*a*d) - ((1/4 - I/4)*((6 + I)*A + (1 + 4*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[
Tan[c + d*x]]])/(Sqrt[2]*a*d) + (((7 + 5*I)*A - (5 - 3*I)*B)*Log[1 - Sqrt[2
]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a*d) + (((-7 - 5*I)*A + (5
- 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*Sqrt[2]*a
*d) - (7*A + (3*I)*B)/(6*a*d*Tan[c + d*x]^(3/2)) + (5*(I*A - B))/(2*a*d*Sqr
t[Tan[c + d*x]]) + (A + I*B)/(2*d*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])
)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a,
```

b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))} dx &= \frac{A + iB}{2d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} + \frac{\int \frac{\frac{1}{2}a(7A+3iB) - \frac{5}{2}a(iA-B) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)} dx}{2a^2} \\
&= -\frac{7A + 3iB}{6ad \tan^{\frac{3}{2}}(c + dx)} + \frac{A + iB}{2d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} + \frac{\int \frac{-\frac{5}{2}a(iA-B) - \frac{1}{2}a}{\tan^{\frac{5}{2}}(c+dx)} dx}{2a^2} \\
&= -\frac{7A + 3iB}{6ad \tan^{\frac{3}{2}}(c + dx)} + \frac{5(iA - B)}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} \\
&= -\frac{7A + 3iB}{6ad \tan^{\frac{3}{2}}(c + dx)} + \frac{5(iA - B)}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} \\
&= -\frac{7A + 3iB}{6ad \tan^{\frac{3}{2}}(c + dx)} + \frac{5(iA - B)}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} \\
&= -\frac{7A + 3iB}{6ad \tan^{\frac{3}{2}}(c + dx)} + \frac{5(iA - B)}{2ad\sqrt{\tan(c + dx)}} + \frac{A + iB}{2d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} \\
&= \frac{((7 + 5i)A - (5 - 3i)B) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx))}{8\sqrt{2}ad} - \frac{((7 + 5i)A - (5 - 3i)B)}{8\sqrt{2}ad} \\
&= \frac{((7 - 5i)A + (5 + 3i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{4\sqrt{2}ad} - \frac{((7 - 5i)A + (5 + 3i)B)}{4\sqrt{2}ad}
\end{aligned}$$

Mathematica [A] time = 2.72783, size = 241, normalized size = 0.81

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(\frac{2}{3} \csc(c + dx)(\cos(dx) - i \sin(dx))((-12B + 8iA) \sin(2(c + dx)) + (11A + 15B) \cos(2(c + dx))) \right)}{3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*((1 - I)*(((6 + I)*A + (1 + 4*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 6*I)*A + (4 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*Sec[c + d*x]*(Cos[c] + I*Sin[c])*Sqrt[Sin[2*(c + d*x)] + (2*Csc[c + d*x]*(Cos[d*x] - I*Sin[d*x])*(-19*A - (15*I)*B + (11*A + (15*I)*B)*Cos[2*(c + d*x)] + ((8*I)*A - 12*B)*Sin[2*(c + d*x)])))/3*(A + B*Tan[c + d*x])/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x]))

Maple [A] time = 0.049, size = 289, normalized size = 1.

$$\frac{\frac{i}{2}A}{ad(\tan(dx + c) - i)}\sqrt{\tan(dx + c)} - \frac{B}{2ad(\tan(dx + c) - i)}\sqrt{\tan(dx + c)} - 4\frac{B}{ad(\sqrt{2} - i\sqrt{2})}\arctan\left(2\frac{\sqrt{\tan(dx + c)}}{\sqrt{2} - i\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(d*x+c))/\tan(d*x+c)^{(5/2)}/(a+I*a*\tan(d*x+c)),x)$

[Out] $\frac{1}{2}I/d/a*\tan(d*x+c)^{(1/2)}/(\tan(d*x+c)-I)*A-1/2/d/a*\tan(d*x+c)^{(1/2)}/(\tan(d*x+c)-I)*B-4/d/a/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*B+6*I/d/a/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*A-I/d/a/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*A-1/d/a/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*B+2*I/d/a/\tan(d*x+c)^{(1/2)}*A-2*B/a/d/\tan(d*x+c)^{(1/2)}-2/3*A/a/d/\tan(d*x+c)^{(3/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(d*x+c))/\tan(d*x+c)^{(5/2)}/(a+I*a*\tan(d*x+c)),x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.08418, size = 2156, normalized size = 7.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(d*x+c))/\tan(d*x+c)^{(5/2)}/(a+I*a*\tan(d*x+c)),x, \text{algorithm}="fricas")$

[Out]
$$\begin{aligned} & -1/24*(3*(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)}*\log(1/2*((4*I*a*d*e^{(2*I*d*x + 2*I*c)} + 4*I*a*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)} + 4*(A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 3*(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)}*\log(1/2*((-4*I*a*d*e^{(2*I*d*x + 2*I*c)} - 4*I*a*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)} + 4*(A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + 6*(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{(9*I*A^2 - 12*A*B - 4*I*B^2)/(a^2*d^2)}*\log(-(a*d*e^{(2*I*d*x + 2*I*c)} + a*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(9*I*A^2 - 12*A*B - 4*I*B^2)/(a^2*d^2)} + 3*I*A - 2*B)*e^{(-2*I*d*x - 2*I*c)/(a*d)} - 6*(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{(9*I*A^2 - 12*A*B - 4*I*B^2)/(a^2*d^2)}*\log(((a*d*e^{(2*I*d*x + 2*I*c)} + a*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(9*I*A^2 - 12*A*B - 4*I*B^2)/(a^2*d^2)} - 3*I*A + 2*B)*e^{(-2*I*d*x - 2*I*c)/(a*d)} + 2*((19*A + 27*I*B)*e^{(6*I*d*x + 6*I*c)} - (19*A + 3*I*B)*e^{(4*I*d*x + 4*I*c)} - (35*A + 27*I*B)*e^{(2*I*d*x + 2*I*c)} + 3*A + 3*I*B)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})))/(a*d*e^{(6*I*d*x + 6*I*c)} - 2*a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)}) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+I*a*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.25524, size = 190, normalized size = 0.64

$$\frac{(i-1)\sqrt{2}(iA+B)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad} - \frac{(i-1)\sqrt{2}(6A+4iB)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] (1/4*I - 1/4)*sqrt(2)*(I*A + B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a*d) - (1/4*I - 1/4)*sqrt(2)*(6*A + 4*I*B)*arctan(-(1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a*d) - 1/2*(-I*A*sqrt(tan(d*x + c)) + B*sqrt(tan(d*x + c)))/(a*d*(tan(d*x + c) - I)) + 1/3*I*(6*A*tan(d*x + c) + 6*I*B*tan(d*x + c) + 2*I*A)/(a*d*tan(d*x + c)^(3/2))

$$3.140 \quad \int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=316

$$\frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{((9+5i)A-(25-21i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((9+5i)A-(25-21i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d}$$

[Out] (((9 + 5*I)*A - (25 - 21*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - (((9 + 5*I)*A - (25 - 21*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a^2*d) + ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a^2*d) + (5*(I*A - 5*B)*Sqrt[Tan[c + d*x]])/(8*a^2*d) + ((3*A + (7*I)*B)*Tan[c + d*x]^(3/2))/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^(5/2))/(4*d*(a + I*a*Tan[c + d*x])^2)

Rubi [A] time = 0.574982, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{((9+5i)A-(25-21i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((9+5i)A-(25-21i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] (((9 + 5*I)*A - (25 - 21*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - (((9 + 5*I)*A - (25 - 21*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a^2*d) + ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(Sqrt[2]*a^2*d) + (5*(I*A - 5*B)*Sqrt[Tan[c + d*x]])/(8*a^2*d) + ((3*A + (7*I)*B)*Tan[c + d*x]^(3/2))/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^(5/2))/(4*d*(a + I*a*Tan[c + d*x])^2)

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m+1)*(c + d*Tan[e + f*x])^(n-1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m-1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx &= \frac{(iA-B) \tan^5(c+dx)}{4d(a+ia \tan(c+dx))^2} - \frac{\int \frac{\tan^3(c+dx) \left(\frac{5}{2}a(iA-B) + \frac{1}{2}a(A+9iB) \tan(c+dx) \right)}{a+ia \tan(c+dx)} dx}{4a^2} \\
&= \frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^5(c+dx)}{4d(a+ia \tan(c+dx))^2} + \frac{\int \sqrt{\tan(c+dx)} \left(-\frac{3}{2}a^2(3A+7iB) \right)}{4a^2d} \\
&= \frac{5(iA-5B)\sqrt{\tan(c+dx)}}{8a^2d} + \frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^5(c+dx)}{4d(a+ia \tan(c+dx))^2} \\
&= \frac{5(iA-5B)\sqrt{\tan(c+dx)}}{8a^2d} + \frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^5(c+dx)}{4d(a+ia \tan(c+dx))^2} \\
&= \frac{5(iA-5B)\sqrt{\tan(c+dx)}}{8a^2d} + \frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^5(c+dx)}{4d(a+ia \tan(c+dx))^2} \\
&= \frac{5(iA-5B)\sqrt{\tan(c+dx)}}{8a^2d} + \frac{(3A+7iB) \tan^3(c+dx)}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^5(c+dx)}{4d(a+ia \tan(c+dx))^2} \\
&= -\frac{((9-5i)A+(25+21i)B) \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^2d} + \frac{((9-5i)A-(25-21i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 2.26112, size = 255, normalized size = 0.81

$$\frac{\sec(c+dx)(\cos(dx)+i \sin(dx))^2(A+B \tan(c+dx))(2 \tan(c+dx)(\sin(2dx)+i \cos(2dx))((-43B+7iA) \sin(2(c+dx)))}{(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x])*((((5 - 9*I)*A + (21 + 25*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((7 + 2*I)*A + (2 + 23*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]] + 2*(I*Cos[2*d*x] + Sin[2*d*x])*(5*A + (9*I)*B + (5*A + (41*I)*B)*Cos[2*(c + d*x)] + ((7*I)*A - 43*B)*Sin[2*(c + d*x)]*Tan[c + d*x])/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.049, size = 311, normalized size = 1.

$$-2 \frac{B\sqrt{\tan(dx+c)}}{a^2d} + \frac{7A}{8a^2d(\tan(dx+c)-i)^2} (\tan(dx+c))^3 + \frac{\frac{11i}{8}B}{a^2d(\tan(dx+c)-i)^2} (\tan(dx+c))^3 - \frac{\frac{5i}{8}A}{a^2d(\tan(dx+c)-i)^2} (\tan(dx+c))^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

```
[Out] -2/d/a^2*B*tan(d*x+c)^(1/2)+7/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*A+1
1/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*B-5/8*I/d/a^2/(tan(d*x+c)-I)^
2*tan(d*x+c)^(1/2)*A+9/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*B-7/4/d/a^
2/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A-23/4
*I/d/a^2/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))
*B-1/2/d/a^2/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/
2)))*A+1/2*I/d/a^2/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I
*2^(1/2)))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorit
hm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.03076, size = 1759, normalized size = 5.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorit
hm="fricas")
```

```
[Out] 1/32*(2*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c)*l
og(2*((a^2*d*e^(2*I*d*x + 2*I*c) + a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)
/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)) + (A -
I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 2*a^2*d*sqrt((I
*A^2 + 2*A*B - I*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c)*log(-2*((a^2*d*e^(2*I*
d*x + 2*I*c) + a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c)
+ 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)) - (A - I*B)*e^(2*I*d*x + 2*
I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + a^2*d*sqrt((-49*I*A^2 + 322*A*B + 5
29*I*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c)*log(1/8*((a^2*d*e^(2*I*d*x + 2*I*c)
+ a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sq
rt((-49*I*A^2 + 322*A*B + 529*I*B^2)/(a^4*d^2)) + 7*A + 23*I*B)*e^(-2*I*d*x
- 2*I*c)/(a^2*d)) - a^2*d*sqrt((-49*I*A^2 + 322*A*B + 529*I*B^2)/(a^4*d^2))
*e^(4*I*d*x + 4*I*c)*log(-1/8*((a^2*d*e^(2*I*d*x + 2*I*c) + a^2*d)*sqrt((-I
*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-49*I*A^2 + 322*
A*B + 529*I*B^2)/(a^4*d^2)) - 7*A - 23*I*B)*e^(-2*I*d*x - 2*I*c)/(a^2*d)) +
2*((6*I*A - 42*B)*e^(4*I*d*x + 4*I*c) + (5*I*A - 9*B)*e^(2*I*d*x + 2*I*c)
- I*A + B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^
(-4*I*d*x - 4*I*c)/(a^2*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.24115, size = 196, normalized size = 0.62

$$\frac{(i+1)\sqrt{2}(-iA-B)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{8a^2d} + \frac{(i-1)\sqrt{2}(-7iA+23B)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] $-(1/8*I + 1/8)*\sqrt{2}*(-I*A - B)*\arctan(-(1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(dx + c)})/(a^2*d) + (1/16*I - 1/16)*\sqrt{2}*(-7*I*A + 23*B)*\arctan(-(1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(dx + c)})/(a^2*d) - 2*B*\sqrt{\tan(dx + c)}/(a^2*d) + 1/8*(7*A*\tan(dx + c)^{(3/2)} + 11*I*B*\tan(dx + c)^{(3/2)} - 5*I*A*\sqrt{\tan(dx + c)} + 9*B*\sqrt{\tan(dx + c)})/(a^2*d*(\tan(dx + c) - I)^2)$

$$3.141 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=277

$$\frac{((1+3i)A+(9+5i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((1+3i)A+(9+5i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{16\sqrt{2}a^2d} + \frac{(A+5i)B}{8a^2d}$$

```
[Out] (((1 + 3*I)*A + (9 + 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - (((1 + 3*I)*A + (9 + 5*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) + (((1 - 3*I)*A - (9 - 5*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^2*d) - (((1 - 3*I)*A - (9 - 5*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^2*d) + ((A + (5*I)*B)*Sqrt[Tan[c + d*x]])/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^(3/2))/(4*d*(a + I*a*Tan[c + d*x])^2)
```

Rubi [A] time = 0.500545, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3595, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((1+3i)A+(9+5i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((1+3i)A+(9+5i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{16\sqrt{2}a^2d} + \frac{(A+5i)B}{8a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]
```

```
[Out] (((1 + 3*I)*A + (9 + 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - (((1 + 3*I)*A + (9 + 5*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) + (((1 - 3*I)*A - (9 - 5*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^2*d) - (((1 - 3*I)*A - (9 - 5*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^2*d) + ((A + (5*I)*B)*Sqrt[Tan[c + d*x]])/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Tan[c + d*x]^(3/2))/(4*d*(a + I*a*Tan[c + d*x])^2)
```

Rule 3595

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
```

```
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{4d(a+ia \tan(c+dx))^2} - \int \frac{\sqrt{\tan(c+dx)} \left(\frac{3}{2}a(iA-B) - \frac{1}{2}a(A-7iB) \tan(c+dx) \right)}{a+ia \tan(c+dx)} dx \\
&= \frac{(A+5iB)\sqrt{\tan(c+dx)}}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{4d(a+ia \tan(c+dx))^2} + \frac{\int \frac{-\frac{1}{2}a^2(A+5iB) - \frac{3}{2}a^2(iA+3B) \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{8a^4} \\
&= \frac{(A+5iB)\sqrt{\tan(c+dx)}}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{4d(a+ia \tan(c+dx))^2} + \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}a^2(A+5iB) - \frac{3}{2}a^2(iA+3B) \tan(c+dx)}{1+\tan(c+dx)} dx \right)}{8a^4} \\
&= \frac{(A+5iB)\sqrt{\tan(c+dx)}}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{4d(a+ia \tan(c+dx))^2} + \frac{\left(\frac{1}{16} + \frac{i}{16} \right) ((1+2i)A - (1-2i)B)}{8a^4} \\
&= \frac{(A+5iB)\sqrt{\tan(c+dx)}}{8a^2d(1+i \tan(c+dx))} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{4d(a+ia \tan(c+dx))^2} + \frac{((1-3i)A - (9-5i)B) \log \left(1 - \sqrt{2} \sqrt{\tan(c+dx)} + \tan(c+dx) \right)}{32\sqrt{2}a^2d} - \frac{((1-3i)A - (9-5i)B)}{16\sqrt{2}a^2d} \\
&= \frac{((1+3i)A + (9+5i)B) \tan^{-1} \left(1 - \sqrt{2} \sqrt{\tan(c+dx)} \right)}{16\sqrt{2}a^2d} - \frac{((1+3i)A + (9+5i)B)}{16\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 2.35207, size = 243, normalized size = 0.88

$$\frac{\sec(c+dx)(\cos(dx) + i \sin(dx))^2(A+B \tan(c+dx)) \left(4 \sin(c+dx)(\sin(2dx) + i \cos(2dx))((3A+7iB) \sin(c+dx) + (3A-7iB) \cos(c+dx)) \right)}{8a^2d(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(4*(I*Cos[2*d*x] + Sin[2*d*x])*Sin[c + d*x]*((-I)*A + 5*B)*Cos[c + d*x] + (3*A + (7*I)*B)*Sin[c + d*x]) - (1 + I)*((-1 + 2*I)*A + (2 + 7*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-2 + I)*A + (7 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.05, size = 294, normalized size = 1.1

$$\frac{7B}{8a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} - \frac{\frac{3i}{8}A}{a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} - \frac{\frac{5i}{8}B}{a^2d(\tan(dx+c)-i)^2}\sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

[Out] 7/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*B-3/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*A-5/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*B-1/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*A-7/4/d/a^2*B/(2^(1/2)-I*2^(1/2))*arctan

$$\frac{n(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))-1/4*I/d/a^{2}/(2^{(1/2)}-I*2^{(1/2)})*arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*A-1/2/d/a^{2}/(2^{(1/2)}+I*2^{(1/2)})*arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*B-1/2*I/d/a^{2}/(2^{(1/2)}+I*2^{(1/2)})*arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.94814, size = 1754, normalized size = 6.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/32*(2*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)})*e^{(4*I*d*x + 4*I*c)} \\ & * \log(1/4*((8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} + 8*I*a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)} \\ & + 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/4*((-8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} - 8*I*a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)} \\ & + 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - a^2*d*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)} + I*A + 7*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} + a^2*d*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)} - I*A - 7*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - 2*(2*(A + 3*I*B)*e^{(4*I*d*x + 4*I*c)} + (A + 5*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(-4*I*d*x - 4*I*c)/(a^2*d)} \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.23344, size = 166, normalized size = 0.6

$$\frac{(i+1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{8a^2d} + \frac{(i-1)\sqrt{2}(A-7iB)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] $-(1/8*I + 1/8)*\sqrt{2}*(A - I*B)*\arctan(-1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)))/(a^2*d) + (1/16*I - 1/16)*\sqrt{2}*(A - 7*I*B)*\arctan(-1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)))/(a^2*d) - 1/8*(3*I*A*\tan(d*x + c)^{3/2} - 7*B*\tan(d*x + c)^{3/2} + A*\sqrt{\tan(d*x + c)} + 5*I*B*\sqrt{\tan(d*x + c)})/(a^2*d*(\tan(d*x + c) - I)^2)$

$$3.142 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=279

$$\frac{((1+3i)B - (1-3i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((1+3i)B - (1-3i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{16\sqrt{2}a^2d} + \frac{(3B+iA)}{8a^2d(1+i)}$$

```
[Out] (((-1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^2*d) - (((-1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^2*d) + (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^2*d) - (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^2*d) + ((I*A + 3*B)*Sqrt[Tan[c + d*x]])/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(4*d*(a + I*a*Tan[c + d*x])^2)
```

Rubi [A] time = 0.468838, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((1+3i)B - (1-3i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((1+3i)B - (1-3i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{16\sqrt{2}a^2d} + \frac{(3B+iA)}{8a^2d(1+i)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]
```

```
[Out] (((-1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^2*d) - (((-1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^2*d) + (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^2*d) - (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^2*d) + ((I*A + 3*B)*Sqrt[Tan[c + d*x]])/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(4*d*(a + I*a*Tan[c + d*x])^2)
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\tan(c+dx)}(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^2} dx &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{4d(a+ia\tan(c+dx))^2} - \frac{\int \frac{\frac{1}{2}a(iA-B)-\frac{1}{2}a(3A-5iB)\tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia\tan(c+dx))} dx}{4a^2} \\
&= \frac{(iA+3B)\sqrt{\tan(c+dx)}}{8a^2d(1+i\tan(c+dx))} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{4d(a+ia\tan(c+dx))^2} - \frac{\int \frac{\frac{1}{2}a^2(3iA+B)-\frac{1}{2}a^2(A-3iB)\tan(c+dx)}{\sqrt{\tan(c+dx)}}}{8a^4} \\
&= \frac{(iA+3B)\sqrt{\tan(c+dx)}}{8a^2d(1+i\tan(c+dx))} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{4d(a+ia\tan(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a^2(3iA+B)-\frac{1}{2}a^2(A-3iB)\tan(c+dx)}{1+x^4} dx\right)}{8a^4} \\
&= \frac{(iA+3B)\sqrt{\tan(c+dx)}}{8a^2d(1+i\tan(c+dx))} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{4d(a+ia\tan(c+dx))^2} - \frac{((1+3i)A+(1-3i)B)\text{S}\left(\frac{1}{2}\sqrt{2}\sqrt{\tan(c+dx)}\right)}{8a^4} \\
&= \frac{(iA+3B)\sqrt{\tan(c+dx)}}{8a^2d(1+i\tan(c+dx))} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{4d(a+ia\tan(c+dx))^2} + \frac{((1+3i)A+(1-3i)B)\text{S}\left(\frac{1}{2}\sqrt{2}\sqrt{\tan(c+dx)}\right)}{8a^4} \\
&= \frac{((1+3i)A+(1-3i)B)\log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^2d} - \frac{((1+3i)A+(1-3i)B)\text{S}\left(\frac{1}{2}\sqrt{2}\sqrt{\tan(c+dx)}\right)}{8a^4} \\
&= \frac{((-1+3i)A+(1+3i)B)\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((-1+3i)A+(1+3i)B)\text{S}\left(\frac{1}{2}\sqrt{2}\sqrt{\tan(c+dx)}\right)}{8a^4}
\end{aligned}$$

Mathematica [A] time = 1.95422, size = 241, normalized size = 0.86

$$\frac{\sec(c+dx)(\cos(dx)+i\sin(dx))^2(A+B\tan(c+dx))\left((1-i)(-\sin(2c)+i\cos(2c))\sqrt{\sin(2(c+dx))}\sec(c+dx)\left(\frac{(1+2i)A+(1-2i)B}{2}\right)\right)}{8a^2d(1+i\tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(-4*(Cos[2*d*x] - I*Sin[2*d*x])*Sin[c + d*x]*((-3*I)*A - B)*Cos[c + d*x] + (A - (3*I)*B)*Sin[c + d*x]) + (1 - I)*(((1 + 2*I)*A + (2 + I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-2 - I)*A + (1 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.06, size = 294, normalized size = 1.1

$$\frac{A}{8a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} - \frac{\frac{3i}{8}B}{a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} - \frac{\frac{3i}{8}A}{a^2d(\tan(dx+c)-i)^2}\sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

[Out] 1/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*A-3/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*B-3/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*A-1/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*B-1/4/d/a^2/(2^(1/2)-I*2^(1/2))*arctan(

$$2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}) * A - 1/4 * I/d/a^2/(2^{(1/2)}-I*2^{(1/2)}) * \arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)})) * B + 1/2/d/a^2/(2^{(1/2)}+I*2^{(1/2)}) * \arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)})) * A - 1/2 * I/d/a^2/(2^{(1/2)}+I*2^{(1/2)}) * \arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)})) * B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.9048, size = 1694, normalized size = 6.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^2,x, algorithm="fricas")

[Out]
$$-1/32*(2*a^2*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)} * \log(2*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)} + (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a^2*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-2*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)} - (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - a^2*d*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)} + A + I*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} + a^2*d*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)} - A - I*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - 2*((2*I*A + 2*B)*e^{(4*I*d*x + 4*I*c)} + (3*I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A - B)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(-4*I*d*x - 4*I*c)/(a^2*d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**2,x)

[Out] Timed out

Giac [A] time = 1.20037, size = 171, normalized size = 0.61

$$\frac{(i-1)\sqrt{2}(iA-B)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^2d} - \frac{(i+1)\sqrt{2}(-iA-B)\arctan\left(\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{8a^2d} + \frac{A}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] (1/16*I - 1/16)*sqrt(2)*(I*A - B)*arctan((1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) - (1/8*I + 1/8)*sqrt(2)*(-I*A - B)*arctan((1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) + 1/8*(A*tan(d*x + c)^(3/2) - 3*I*B*tan(d*x + c)^(3/2) - 3*I*A*sqrt(tan(d*x + c)) - B*sqrt(tan(d*x + c)))/(a^2*d*(tan(d*x + c) - I)^2)

$$3.143 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)(a+ia \tan(c+dx))^2}} dx$$

Optimal. Leaf size=285

$$\frac{\left(\frac{1}{16} + \frac{i}{16}\right) \left((1+2i)B - (2-7i)A\right) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^2d} + \frac{\left((9-5i)A + (1-3i)B\right) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{16\sqrt{2}a^2d}$$

```
[Out] ((1/16 + I/16)*((-2 + 7*I)*A + (1 + 2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*a^2*d) + (((9 - 5*I)*A + (1 - 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^2*d) + ((1/32 + I/32)*((-7 + 2*I)*A + (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^2*d) + (((9 + 5*I)*A - (1 + 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^2*d) + ((5*A + I*B)*Sqrt[Tan[c + d*x]]/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Sqrt[Tan[c + d*x]]/(4*d*(a + I*a*Tan[c + d*x]))^2)
```

Rubi [A] time = 0.499608, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\left(\frac{1}{16} + \frac{i}{16}\right) \left((1+2i)B - (2-7i)A\right) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^2d} + \frac{\left((9-5i)A + (1-3i)B\right) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{16\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2), x]
```

```
[Out] ((1/16 + I/16)*((-2 + 7*I)*A + (1 + 2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*a^2*d) + (((9 - 5*I)*A + (1 - 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^2*d) + ((1/32 + I/32)*((-7 + 2*I)*A + (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^2*d) + (((9 + 5*I)*A - (1 + 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^2*d) + ((5*A + I*B)*Sqrt[Tan[c + d*x]]/(8*a^2*d*(1 + I*Tan[c + d*x])) + ((A + I*B)*Sqrt[Tan[c + d*x]]/(4*d*(a + I*a*Tan[c + d*x]))^2)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)(a + ia \tan(c + dx))^2}} dx &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{4d(a + ia \tan(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(7A-iB) - \frac{3}{2}a(iA-B) \tan(c+dx)}{\sqrt{\tan(c+dx)(a+ia \tan(c+dx))}} dx}{4a^2} \\
&= \frac{(5A + iB)\sqrt{\tan(c + dx)}}{8a^2d(1 + i \tan(c + dx))} + \frac{(A + iB)\sqrt{\tan(c + dx)}}{4d(a + ia \tan(c + dx))^2} + \frac{\int \frac{\frac{3}{2}a^2(3A-iB) - \frac{1}{2}a^2(5iA-1)}{\sqrt{\tan(c+dx)}}}{8a^4} \\
&= \frac{(5A + iB)\sqrt{\tan(c + dx)}}{8a^2d(1 + i \tan(c + dx))} + \frac{(A + iB)\sqrt{\tan(c + dx)}}{4d(a + ia \tan(c + dx))^2} + \frac{\text{Subst}\left(\int \frac{\frac{3}{2}a^2(3A-iB) - 1}{1}\right)}{1} \\
&= \frac{(5A + iB)\sqrt{\tan(c + dx)}}{8a^2d(1 + i \tan(c + dx))} + \frac{(A + iB)\sqrt{\tan(c + dx)}}{4d(a + ia \tan(c + dx))^2} + \frac{((9 + 5i)A - (1 + 3i))}{1} \\
&= \frac{(5A + iB)\sqrt{\tan(c + dx)}}{8a^2d(1 + i \tan(c + dx))} + \frac{(A + iB)\sqrt{\tan(c + dx)}}{4d(a + ia \tan(c + dx))^2} - \frac{((9 + 5i)A - (1 + 3i))}{1} \\
&= -\frac{((9 + 5i)A - (1 + 3i)B) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{32\sqrt{2}a^2d} + \frac{((9 + 5i)A - (1 + 3i))}{16\sqrt{2}a^2d} \\
&= -\frac{((9 - 5i)A + (1 - 3i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^2d} + \frac{((9 - 5i)A + (1 - 3i))}{16\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 2.17374, size = 243, normalized size = 0.85

$$\frac{\sec(c + dx)(\cos(dx) + i \sin(dx))^2(A + B \tan(c + dx))(4 \sin(c + dx)(\sin(2dx) + i \cos(2dx))((5A + iB) \sin(c + dx) + (3$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2), x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(4*(I*Cos[2*d*x] + Sin[2*d*x])*Sin[c + d*x]*((-7*I)*A + 3*B)*Cos[c + d*x] + (5*A + I*B)*Sin[c + d*x]) + (((5 + 9*I)*A + (3 + I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((2 + 7*I)*A + (1 - 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(Sec[c + d*x]*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.065, size = 294, normalized size = 1.

$$\frac{-\frac{5i}{8}A}{a^2d(\tan(dx + c) - i)^2}(\tan(dx + c))^{\frac{3}{2}} + \frac{B}{8a^2d(\tan(dx + c) - i)^2}(\tan(dx + c))^{\frac{3}{2}} - \frac{7A}{8a^2d(\tan(dx + c) - i)^2}\sqrt{\tan(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x)

[Out] -5/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*A+1/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*B-7/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*A-3/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*B-7/4*I/d/a^2/(2^(1/2)-I*2^(1/2))*arct

$$\text{an}(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*A-1/4/d/a^2*B/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))+1/2/d/a^2/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*B+1/2*I/d/a^2/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.86404, size = 1755, normalized size = 6.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\frac{1}{32}*(2*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)})*e^{(4*I*d*x + 4*I*c)}*\log\left(\frac{1}{4}*((8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} + 8*I*a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)} + 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)})*e^{(4*I*d*x + 4*I*c)}*\log\left(\frac{1}{4}*((-8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} - 8*I*a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)} + 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + a^2*d*\sqrt{(49*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2)})*e^{(4*I*d*x + 4*I*c)}*\log\left(\frac{1}{8}*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{(49*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2)} + 7*I*A + B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - a^2*d*\sqrt{(49*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2)})*e^{(4*I*d*x + 4*I*c)}*\log\left(-\frac{1}{8}*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{(49*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2)} - 7*I*A - B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} + 2*(2*(3*A + I*B)*e^{(4*I*d*x + 4*I*c)} + (7*A + 3*I*B)*e^{(2*I*d*x + 2*I*c)} + A + I*B)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(-4*I*d*x - 4*I*c)/(a^2*d)}\right)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: TypeError

Giac [A] time = 1.24192, size = 170, normalized size = 0.6

$$\frac{(i+1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{8a^2d} + \frac{(i-1)\sqrt{2}(7A-iB)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] (1/8*I + 1/8)*sqrt(2)*(A - I*B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) + (1/16*I - 1/16)*sqrt(2)*(7*A - I*B)*arctan(-(1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) - 1/8*(5*I*A*tan(d*x + c)^(3/2) - B*tan(d*x + c)^(3/2) + 7*A*sqrt(tan(d*x + c)) + 3*I*B*sqrt(tan(d*x + c)))/(a^2*d*(tan(d*x + c) - I)^2)

$$3.144 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=318

$$\frac{((25 + 21i)A - (9 - 5i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^2d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)((2 + 23i)A - (7 + 2i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}a^2d}$$

[Out] (((25 + 21*I)*A - (9 - 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - ((1/16 - I/16)*((2 + 23*I)*A - (7 + 2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^2*d) - ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^2*d) + ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^2*d) - (5*(5*A + I*B))/(8*a^2*d*Sqrt[Tan[c + d*x]]) + (7*A + (3*I)*B)/(8*a^2*d*(1 + I*Tan[c + d*x])*Sqrt[Tan[c + d*x]]) + (A + I*B)/(4*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Rubi [A] time = 0.578141, antiderivative size = 318, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((25 + 21i)A - (9 - 5i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^2d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)((2 + 23i)A - (7 + 2i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2), x]

[Out] (((25 + 21*I)*A - (9 - 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^2*d) - ((1/16 - I/16)*((2 + 23*I)*A - (7 + 2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^2*d) - ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^2*d) + ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^2*d) - (5*(5*A + I*B))/(8*a^2*d*Sqrt[Tan[c + d*x]]) + (7*A + (3*I)*B)/(8*a^2*d*(1 + I*Tan[c + d*x])*Sqrt[Tan[c + d*x]]) + (A + I*B)/(4*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Rule 3596

Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,

b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^2} dx &= \frac{A + iB}{4d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(9A+iB) - \frac{5}{2}a(iA-B)\tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))} dx}{4a^2} \\
&= \frac{7A + 3iB}{8a^2d(1 + i \tan(c + dx))\sqrt{\tan(c + dx)}} + \frac{A + iB}{4d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^2} \\
&= -\frac{5(5A + iB)}{8a^2d\sqrt{\tan(c + dx)}} + \frac{7A + 3iB}{8a^2d(1 + i \tan(c + dx))\sqrt{\tan(c + dx)}} + \frac{1}{4d\sqrt{\tan(c + dx)}} \\
&= -\frac{5(5A + iB)}{8a^2d\sqrt{\tan(c + dx)}} + \frac{7A + 3iB}{8a^2d(1 + i \tan(c + dx))\sqrt{\tan(c + dx)}} + \frac{1}{4d\sqrt{\tan(c + dx)}} \\
&= -\frac{5(5A + iB)}{8a^2d\sqrt{\tan(c + dx)}} + \frac{7A + 3iB}{8a^2d(1 + i \tan(c + dx))\sqrt{\tan(c + dx)}} + \frac{1}{4d\sqrt{\tan(c + dx)}} \\
&= -\frac{5(5A + iB)}{8a^2d\sqrt{\tan(c + dx)}} + \frac{7A + 3iB}{8a^2d(1 + i \tan(c + dx))\sqrt{\tan(c + dx)}} + \frac{1}{4d\sqrt{\tan(c + dx)}} \\
&= \frac{((25 - 21i)A + (9 + 5i)B) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx))}{32\sqrt{2}a^2d} + \frac{((25 - 21i)A + (9 + 5i)B)}{16\sqrt{2}a^2d} \\
&= \frac{((25 + 21i)A - (9 - 5i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{16\sqrt{2}a^2d} - \frac{((25 + 21i)A - (9 - 5i)B)}{16\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 2.38228, size = 250, normalized size = 0.79

$$\sec(c + dx)(\cos(dx) + i \sin(dx))^2(A + B \tan(c + dx))((-2 \cos(2dx) + 2i \sin(2dx))((-7B + 43iA) \sin(2(c + dx)) + (41A + 43iB) \cos(2(c + dx))))$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2), x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(((21 - 25*I)*A + (5 + 9*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]] + (-2*Cos[2*d*x] + (2*I)*Sin[2*d*x])*(-9*A - (5*I)*B + (41*A + (5*I)*B)*Cos[2*(c + d*x)] + ((43*I)*A - 7*B)*Sin[2*(c + d*x)])*(A + B*Tan[c + d*x])/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.055, size = 311, normalized size = 1.

$$-\frac{9A}{8a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} - \frac{\frac{5i}{8}B}{a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} + \frac{\frac{11i}{8}A}{a^2d(\tan(dx+c)-i)^2}\sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2, x)

```
[Out] -9/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*A-5/8*I/d/a^2/(tan(d*x+c)-I)^2
*tan(d*x+c)^(3/2)*B+11/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*A-7/8/d/
a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*B-7/4*I/d/a^2/(2^(1/2)-I*2^(1/2))*arc
tan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*B-23/4/d/a^2/(2^(1/2)-I*2^(1/2)
)*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A-1/2/d/a^2/(2^(1/2)+I*2^(
1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A+1/2*I/d/a^2/(2^(1/2)
+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B-2/d/a^2*A/tan(
d*x+c)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2,x, algorit
hm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.37269, size = 2009, normalized size = 6.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2,x, algorit
hm="fricas")
```

```
[Out] 1/32*(2*(a^2*d*e^(6*I*d*x + 6*I*c) - a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((I*A^2
+ 2*A*B - I*B^2)/(a^4*d^2))*log(2*((a^2*d*e^(2*I*d*x + 2*I*c) + a^2*d)*sqrt
t((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A
*B - I*B^2)/(a^4*d^2)) + (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c
)/(I*A + B)) - 2*(a^2*d*e^(6*I*d*x + 6*I*c) - a^2*d*e^(4*I*d*x + 4*I*c))*sq
rt((I*A^2 + 2*A*B - I*B^2)/(a^4*d^2))*log(-2*((a^2*d*e^(2*I*d*x + 2*I*c) +
a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I
*A^2 + 2*A*B - I*B^2)/(a^4*d^2)) - (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d
*x - 2*I*c)/(I*A + B)) + (a^2*d*e^(6*I*d*x + 6*I*c) - a^2*d*e^(4*I*d*x + 4
*I*c))*sqrt((-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2))*log(1/8*((a^2*d*e^(
2*I*d*x + 2*I*c) + a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2
*I*c) + 1))*sqrt((-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2)) + 23*A + 7*I*
B)*e^(-2*I*d*x - 2*I*c)/(a^2*d)) - (a^2*d*e^(6*I*d*x + 6*I*c) - a^2*d*e^(4*
I*d*x + 4*I*c))*sqrt((-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2))*log(-1/8*
((a^2*d*e^(2*I*d*x + 2*I*c) + a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(
2*I*d*x + 2*I*c) + 1))*sqrt((-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2)) -
23*A - 7*I*B)*e^(-2*I*d*x - 2*I*c)/(a^2*d)) + 2*((-42*I*A + 6*B)*e^(6*I*d*x
+ 6*I*c) + (-33*I*A + B)*e^(4*I*d*x + 4*I*c) + (10*I*A - 6*B)*e^(2*I*d*x +
2*I*c) + I*A - B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) +
1)))/(a^2*d*e^(6*I*d*x + 6*I*c) - a^2*d*e^(4*I*d*x + 4*I*c))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: TypeError

Giac [A] time = 1.22138, size = 193, normalized size = 0.61

$$\frac{(i-1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{8a^2d} + \frac{(i-1)\sqrt{2}(-23iA+7B)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] (1/8*I - 1/8)*sqrt(2)*(A - I*B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) + (1/16*I - 1/16)*sqrt(2)*(-23*I*A + 7*B)*arctan(-(1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) - 2*A/(a^2*d*sqrt(tan(d*x + c))) - 1/8*(9*A*tan(d*x + c)^(3/2) + 5*I*B*tan(d*x + c)^(3/2) - 11*I*A*sqrt(tan(d*x + c)) + 7*B*sqrt(tan(d*x + c)))/(a^2*d*(tan(d*x + c) - I)^2)

$$3.145 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=347

$$\frac{\left(\frac{1}{16} - \frac{i}{16}\right)((47+2i)A + (2+23i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^2d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)((47+2i)A + (2+23i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^2d}$$

[Out] $((1/16 - I/16)*((47 + 2*I)*A + (2 + 23*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*a^2*d) - ((1/16 - I/16)*((47 + 2*I)*A + (2 + 23*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*a^2*d) + (((49 + 45*I)*A - (25 - 21*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(32*\text{Sqrt}[2]*a^2*d) - ((1/32 - I/32)*((2 + 47*I)*A - (23 + 2*I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(\text{Sqrt}[2]*a^2*d) - (7*(7*A + (3*I)*B))/(24*a^2*d*\text{Tan}[c + d*x]^(3/2)) + (9*A + (5*I)*B)/(8*a^2*d*(1 + I*\text{Tan}[c + d*x])*\text{Tan}[c + d*x]^(3/2)) + (5*((9*I)*A - 5*B))/(8*a^2*d*\text{Sqrt}[\text{Tan}[c + d*x]]) + (A + I*B)/(4*d*\text{Tan}[c + d*x]^(3/2)*(a + I*a*\text{Tan}[c + d*x])^2)$

Rubi [A] time = 0.630958, antiderivative size = 347, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\left(\frac{1}{16} - \frac{i}{16}\right)((47+2i)A + (2+23i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^2d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)((47+2i)A + (2+23i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(\text{Tan}[c + d*x]^(5/2)*(a + I*a*\text{Tan}[c + d*x])^2), x]$

[Out] $((1/16 - I/16)*((47 + 2*I)*A + (2 + 23*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*a^2*d) - ((1/16 - I/16)*((47 + 2*I)*A + (2 + 23*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]]/(\text{Sqrt}[2]*a^2*d) + (((49 + 45*I)*A - (25 - 21*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(32*\text{Sqrt}[2]*a^2*d) - ((1/32 - I/32)*((2 + 47*I)*A - (23 + 2*I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(\text{Sqrt}[2]*a^2*d) - (7*(7*A + (3*I)*B))/(24*a^2*d*\text{Tan}[c + d*x]^(3/2)) + (9*A + (5*I)*B)/(8*a^2*d*(1 + I*\text{Tan}[c + d*x])*\text{Tan}[c + d*x]^(3/2)) + (5*((9*I)*A - 5*B))/(8*a^2*d*\text{Sqrt}[\text{Tan}[c + d*x]]) + (A + I*B)/(4*d*\text{Tan}[c + d*x]^(3/2)*(a + I*a*\text{Tan}[c + d*x])^2)$

Rule 3596

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^(m_)*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))^(n_), x_Symbol] := \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^(m + 1)*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3529

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^(m_)*((c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)]))^(n_)), x_Symbol] := \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^(m + 1))$

$$\frac{1}{(f(m+1)(a^2+b^2))} \int x + \text{Dist}\left[\frac{1}{(a^2+b^2)}, \int (a+b\tan[e+fx])^{m+1} \text{Simp}[a*c+b*d-(b*c-a*d)\tan[e+fx], x], x\right] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c-a*d, 0] \ \&\& \ \text{NeQ}[a^2+b^2, 0] \ \&\& \ \text{LtQ}[m, -1]$$

Rule 3534

$$\int \frac{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}{\sqrt{(b_.)\tan[(e_.) + (f_.)x]}}$$

$$\text{Int}[\dots, x_Symbol] \rightarrow \text{Dist}\left[\frac{2}{f}, \text{Subst}\left[\int \frac{(b*c + d*x^2)}{(b^2 + x^4)}, x\right], x, \sqrt{b*\tan[e + f*x]}\right] /;$$

$$\text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0]$$

Rule 1168

$$\int \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[a*c, 2]\}, \text{Dist}\left[\frac{d*q + a*e}{2*a*c}, \int \frac{(q + c*x^2)}{(a + c*x^4)}, x\right] + \text{Dist}\left[\frac{d*q - a*e}{2*a*c}, \int \frac{(q - c*x^2)}{(a + c*x^4)}, x\right] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[-(a*c)]$$

Rule 1162

$$\int \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}\left[\frac{e}{2*c}, \int \frac{1}{\text{Simp}[d/e + q*x + x^2, x]}, x\right] + \text{Dist}\left[\frac{e}{2*c}, \int \frac{1}{\text{Simp}[d/e - q*x + x^2, x]}, x\right] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$

Rule 617

$$\int \frac{(a_.) + (b_.)x + (c_.)x^2}{(a_.) + (b_.)x + (c_.)x^2}^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}\left[-\frac{2}{b}, \text{Subst}\left[\int \frac{1}{(q - x^2)}, x\right], x, 1 + \frac{(2*c*x)}{b}\right] /;$$

$$\text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ \|\ \! \text{RationalQ}[b^2 - 4*a*c]) \ \&\& \ \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$$

Rule 204

$$\int \frac{(a_.) + (b_.)x^2}{(a_.) + (b_.)x^2}^{-1}, x_Symbol] \rightarrow -\text{Simp}\left[\frac{\text{ArcTan}[\text{Rt}[-b, 2]*x]}{\text{Rt}[-a, 2]} / (\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x\right] /;$$

$$\text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ \|\ \text{LtQ}[b, 0])$$

Rule 1165

$$\int \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(-2*d)/e, 2]\}, \text{Dist}\left[\frac{e}{2*c*q}, \int \frac{(q - 2*x)}{\text{Simp}[d/e + q*x - x^2, x]}, x\right] + \text{Dist}\left[\frac{e}{2*c*q}, \int \frac{(q + 2*x)}{\text{Simp}[d/e - q*x - x^2, x]}, x\right] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$$

Rule 628

$$\int \frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}\left[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x\right] /;$$

$$\text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^2} dx &= \frac{A + iB}{4d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(11A+3iB) - \frac{7}{2}a(iA-B) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))} dx}{4a^2} \\
&= \frac{9A + 5iB}{8a^2d(1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} + \frac{A + iB}{4d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^2} \\
&= -\frac{7(7A + 3iB)}{24a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{9A + 5iB}{8a^2d(1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} + \frac{A + iB}{4d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^2} \\
&= -\frac{7(7A + 3iB)}{24a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{9A + 5iB}{8a^2d(1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} + \frac{5(9iA - 7B)}{8a^2d \sqrt{\tan(c + dx)}} \\
&= -\frac{7(7A + 3iB)}{24a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{9A + 5iB}{8a^2d(1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} + \frac{5(9iA - 7B)}{8a^2d \sqrt{\tan(c + dx)}} \\
&= -\frac{7(7A + 3iB)}{24a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{9A + 5iB}{8a^2d(1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} + \frac{5(9iA - 7B)}{8a^2d \sqrt{\tan(c + dx)}} \\
&= -\frac{7(7A + 3iB)}{24a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{9A + 5iB}{8a^2d(1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} + \frac{5(9iA - 7B)}{8a^2d \sqrt{\tan(c + dx)}} \\
&= \frac{((49 + 45i)A - (25 - 21i)B) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{32\sqrt{2}a^2d} - \frac{((47 + 2i)A + (2 + 23i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}a^2d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)}{\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 3.22352, size = 282, normalized size = 0.81

$$i \sec(c + dx)(\cos(dx) + i \sin(dx))^2(A + B \tan(c + dx)) \left(\frac{1}{3} \csc(c + dx)(\cos(2dx) - i \sin(2dx))((129B - 269iA) \cos(c + dx) + \dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^2), x]

[Out] ((-I/32)*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*((Csc[c + d*x]*(Cos[2*d*x] - I*Sin[2*d*x])*((-269*I)*A + 129*B)*Cos[c + d*x] + ((205*I)*A - 129*B)*Cos[3*(c + d*x)] - 2*(-71*A - (27*I)*B + (199*A + (123*I)*B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/3 + (1 + I)*(((47 + 2*I)*A + (2 + 23*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-2 - 47*I)*A + (23 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(Cos[2*c] + I*Sin[2*c])*Sqrt[Sin[2*(c + d*x)])*(A + B*Tan[c + d*x])/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2)

Maple [A] time = 0.052, size = 346, normalized size = 1.

$$\frac{\frac{13i}{8}A}{a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} - \frac{9B}{8a^2d(\tan(dx+c)-i)^2}(\tan(dx+c))^{\frac{3}{2}} + \frac{15A}{8a^2d(\tan(dx+c)-i)^2}\sqrt{\tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x)

[Out] 13/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*A-9/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(3/2)*B+15/8/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*A+11/8*I/d/a^2/(tan(d*x+c)-I)^2*tan(d*x+c)^(1/2)*B-23/4/d/a^2*B/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))+47/4*I/d/a^2/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A-1/2/d/a^2/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B-1/2*I/d/a^2/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A-2/3/d/a^2*A/tan(d*x+c)^(3/2)+4*I/d/a^2/tan(d*x+c)^(1/2)*A-2/d/a^2/tan(d*x+c)^(1/2)*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.31857, size = 2340, normalized size = 6.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out] -1/96*(6*(a^2*d*e^(8*I*d*x + 8*I*c) - 2*a^2*d*e^(6*I*d*x + 6*I*c) + a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2))*log(1/4*((8*I*a^2*d*e^(2*I*d*x + 2*I*c) + 8*I*a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)) + 8*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 6*(a^2*d*e^(8*I*d*x + 8*I*c) - 2*a^2*d*e^(6*I*d*x + 6*I*c) + a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2))*log(1/4*((-8*I*a^2*d*e^(2*I*d*x + 2*I*c) - 8*I*a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)) + 8*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 3*(a^2*d*e^(8*I*d*x + 8*I*c) - 2*a^2*d*e^(6*I*d*x + 6*I*c) + a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((2209*I*A^2 - 2162*A*B - 529*I*B^2)/(a^4*d^2))*log(-1/8*((a^2*d*e^(2*I*d*x + 2*I*c) + a^2*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((2209*I*A^2 - 2162*A*B - 529*I*B^2)/(a^4*d^2)) + 47*I*A - 23*B)*e^(-2*I*d*x - 2*I*c)/(a^2*d)) - 3*(a^2*d*e^(8*I*d*x + 8*I*c) - 2*a^2*d*e^(6*I*d*x + 6*I*c) + a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((2209*I*A^2 - 2162*A*B - 529*I*B^2)/(a^4*d^2)) + 47*I*A - 23*B)*e^(-2*I*d*x - 2*I*c)/(a^2*d)) - 3*(a^2*d*e^(8*I*d*x + 8*I*c) - 2*a^2*d*e^(6*I*d*x + 6*I*c) + a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((2209*I*A^2 - 2162*A*B - 529*I*B^2)/(a^4*d^2)) + 47*I*A - 23*B)*e^(-2*I*d*x - 2*I*c)/(a^2*d))

$$2*d*e^{(4*I*d*x + 4*I*c)}*\sqrt{((2209*I*A^2 - 2162*A*B - 529*I*B^2)/(a^4*d^2))}*\log(1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} + a^2*d)*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))}*\sqrt{((2209*I*A^2 - 2162*A*B - 529*I*B^2)/(a^4*d^2))} - 47*I*A + 23*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} + 2*(2*(101*A + 63*I*B)*e^{(8*I*d*x + 8*I*c)} - (103*A + 27*I*B)*e^{(6*I*d*x + 6*I*c)} - (269*A + 129*I*B)*e^{(4*I*d*x + 4*I*c)} + 3*(13*A + 9*I*B)*e^{(2*I*d*x + 2*I*c)} + 3*A + 3*I*B)*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))})/(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.26507, size = 221, normalized size = 0.64

$$\frac{(i-1)\sqrt{2}(47A+23iB)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^2d} + \frac{(i+1)\sqrt{2}(A-iB)\arctan\left(\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{8a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] (1/16*I - 1/16)*sqrt(2)*(47*A + 23*I*B)*arctan((1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) + (1/8*I + 1/8)*sqrt(2)*(A - I*B)*arctan((1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^2*d) - 1/3*(-12*I*A*tan(d*x + c) + 6*B*tan(d*x + c) + 2*A)/(a^2*d*tan(d*x + c)^(3/2)) - 1/8*(-13*I*A*tan(d*x + c)^(3/2) + 9*B*tan(d*x + c)^(3/2) - 15*A*sqrt(tan(d*x + c)) - 11*I*B*sqrt(tan(d*x + c)))/(a^2*d*(tan(d*x + c) - I)^2)

$$3.146 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=393

$$\frac{3(-5B + 2iA) \tan^{\frac{5}{2}}(c + dx)}{8d(a^3 + ia^3 \tan(c + dx))} + \frac{7(4A + 11iB) \tan^{\frac{3}{2}}(c + dx)}{24a^3d} + \frac{\left(\frac{1}{16} + \frac{i}{16}\right)((29 + i)A + (1 + 76i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}a^3d}$$

[Out] $((1/16 + I/16)*((29 + I)*A + (1 + 76*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]]]/(\text{Sqrt}[2]*a^3*d) - ((1/16 + I/16)*((29 + I)*A + (1 + 76*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]]]/(\text{Sqrt}[2]*a^3*d) - (((28 - 30*I)*A + (75 + 77*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]] + \text{Tan}[c + dx]]/(32*\text{Sqrt}[2]*a^3*d) - ((1/32 + I/32)*((1 + 29*I)*A - (76 + I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]] + \text{Tan}[c + dx]]/(32*\text{Sqrt}[2]*a^3*d) + (15*((2*I)*A - 5*B)*\text{Sqrt}[\text{Tan}[c + dx]]/(8*a^3*d) + (7*(4*A + (11*I)*B)*\text{Tan}[c + dx]^(3/2))/(24*a^3*d) + ((I*A - B)*\text{Tan}[c + dx]^(9/2))/(6*d*(a + I*a*\text{Tan}[c + dx])^3) + ((A + (2*I)*B)*\text{Tan}[c + dx]^(7/2))/(4*a*d*(a + I*a*\text{Tan}[c + dx])^2) - (3*((2*I)*A - 5*B)*\text{Tan}[c + dx]^(5/2))/(8*d*(a^3 + I*a^3*\text{Tan}[c + dx]))$

Rubi [A] time = 0.82717, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{3(-5B + 2iA) \tan^{\frac{5}{2}}(c + dx)}{8d(a^3 + ia^3 \tan(c + dx))} + \frac{7(4A + 11iB) \tan^{\frac{3}{2}}(c + dx)}{24a^3d} + \frac{\left(\frac{1}{16} + \frac{i}{16}\right)((29 + i)A + (1 + 76i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + dx]^{(9/2)}*(A + B*\text{Tan}[c + dx]))/(a + I*a*\text{Tan}[c + dx])^3, x]$

[Out] $((1/16 + I/16)*((29 + I)*A + (1 + 76*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]]]/(\text{Sqrt}[2]*a^3*d) - ((1/16 + I/16)*((29 + I)*A + (1 + 76*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]]]/(\text{Sqrt}[2]*a^3*d) - (((28 - 30*I)*A + (75 + 77*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]] + \text{Tan}[c + dx]]/(32*\text{Sqrt}[2]*a^3*d) - ((1/32 + I/32)*((1 + 29*I)*A - (76 + I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + dx]] + \text{Tan}[c + dx]]/(32*\text{Sqrt}[2]*a^3*d) + (15*((2*I)*A - 5*B)*\text{Sqrt}[\text{Tan}[c + dx]]/(8*a^3*d) + (7*(4*A + (11*I)*B)*\text{Tan}[c + dx]^(3/2))/(24*a^3*d) + ((I*A - B)*\text{Tan}[c + dx]^(9/2))/(6*d*(a + I*a*\text{Tan}[c + dx])^3) + ((A + (2*I)*B)*\text{Tan}[c + dx]^(7/2))/(4*a*d*(a + I*a*\text{Tan}[c + dx])^2) - (3*((2*I)*A - 5*B)*\text{Tan}[c + dx]^(5/2))/(8*d*(a^3 + I*a^3*\text{Tan}[c + dx]))$

Rule 3595

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m)*((c + d*\text{tan}[(e + f*x)]^n)/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\text{tan}[(e + f*x)]^m)*(c + d*\text{tan}[(e + f*x)]^n)^{(n-1)}*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3528

$\text{Int}[(a + b*\text{tan}[(e + f*x)]^m)*((c + d*\text{tan}[(e + f*x)]^n)/(f*m), x] + \text{Int}$

$$\int (a + b \tan[e + f x])^{m-1} \operatorname{Simp}[a c - b d + (b c + a d) \tan[e + f x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x \} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 0]$$

Rule 3534

$$\text{Int}[\frac{(c + d \tan[e + f x]) \sqrt{b \tan[e + f x] + (f x)}}{\sqrt{(b \tan[e + f x] + (f x))}}, x_{\text{Symbol}}] := \text{Dist}[2/f, \text{Subst}[\text{Int}[(b c + d x^2)/(b^2 + x^4), x], x, \sqrt{b \tan[e + f x]}], x] /;$$

$$\text{FreeQ}\{b, c, d, e, f\}, x \} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$$

Rule 1168

$$\text{Int}[\frac{(d + e x^2)}{(a + c x^4)}, x_{\text{Symbol}}] := \text{With}[\{q = \text{Rt}[a c, 2]\}, \text{Dist}[(d q + a e)/(2 a c), \text{Int}[(q + c x^2)/(a + c x^4), x], x] + \text{Dist}[(d q - a e)/(2 a c), \text{Int}[(q - c x^2)/(a + c x^4), x], x]] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x \} \&\& \text{NeQ}[c d^2 + a e^2, 0] \&\& \text{NeQ}[c d^2 - a e^2, 0] \&\& \text{NegQ}[-(a c)]$$

Rule 1162

$$\text{Int}[\frac{(d + e x^2)}{(a + c x^4)}, x_{\text{Symbol}}] := \text{With}[\{q = \text{Rt}[(2 d)/e, 2]\}, \text{Dist}[e/(2 c), \text{Int}[1/\text{Simp}[d/e + q x + x^2, x], x], x] + \text{Dist}[e/(2 c), \text{Int}[1/\text{Simp}[d/e - q x + x^2, x], x], x]] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x \} \&\& \text{EqQ}[c d^2 - a e^2, 0] \&\& \text{PosQ}[d e]$$

Rule 617

$$\text{Int}[\frac{(a + b x + c x^2)^{-1}}{(a + c x^4)}, x_{\text{Symbol}}] := \text{With}[\{q = 1 - 4 \text{Simplify}[(a c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 c x)/b], x] /;$$

$$\text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \mid \mid \text{!RationalQ}[b^2 - 4 a c]) /;$$

$$\text{FreeQ}\{a, b, c\}, x \} \&\& \text{NeQ}[b^2 - 4 a c, 0]$$

Rule 204

$$\text{Int}[\frac{(a + b x^2)^{-1}}{(a + c x^4)}, x_{\text{Symbol}}] := -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2] x / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2] \text{Rt}[-b, 2]), x] /;$$

$$\text{FreeQ}\{a, b\}, x \} \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \mid \mid \text{LtQ}[b, 0])$$

Rule 1165

$$\text{Int}[\frac{(d + e x^2)}{(a + c x^4)}, x_{\text{Symbol}}] := \text{With}[\{q = \text{Rt}[-2 d/e, 2]\}, \text{Dist}[e/(2 c q), \text{Int}[(q - 2 x)/\text{Simp}[d/e + q x - x^2, x], x], x] + \text{Dist}[e/(2 c q), \text{Int}[(q + 2 x)/\text{Simp}[d/e - q x - x^2, x], x], x]] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x \} \&\& \text{EqQ}[c d^2 - a e^2, 0] \&\& \text{NegQ}[d e]$$

Rule 628

$$\text{Int}[\frac{(d + e x)}{(a + b x + c x^2)}, x_{\text{Symbol}}] := \text{Simp}[(d \text{Log}[\text{RemoveContent}[a + b x + c x^2, x]])/b, x] /;$$

$$\text{FreeQ}\{a, b, c, d, e\}, x \} \&\& \text{EqQ}[2 c d - b e, 0]$$

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{9}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} - \int \frac{\tan^{\frac{7}{2}}(c+dx) \left(\frac{9}{2}a(iA-B) + \frac{3}{2}a(A+5iB) \tan(c+dx) \right)}{(a+ia \tan(c+dx))^2} dx \\
&= \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+2iB) \tan^{\frac{7}{2}}(c+dx)}{4ad(a+ia \tan(c+dx))^2} + \int \frac{\tan^{\frac{5}{2}}(c+dx) (-21a^2(A+2iB) + \dots)}{a+ia \tan(c+dx)} dx \\
&= \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+2iB) \tan^{\frac{7}{2}}(c+dx)}{4ad(a+ia \tan(c+dx))^2} - \frac{3(2iA-5B) \tan^{\frac{5}{2}}(c+dx)}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{7(4A+11iB) \tan^{\frac{3}{2}}(c+dx)}{24a^3d} + \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+2iB) \tan^{\frac{7}{2}}(c+dx)}{4ad(a+ia \tan(c+dx))^2} \\
&= \frac{15(2iA-5B) \sqrt{\tan(c+dx)}}{8a^3d} + \frac{7(4A+11iB) \tan^{\frac{3}{2}}(c+dx)}{24a^3d} + \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} \\
&= \frac{15(2iA-5B) \sqrt{\tan(c+dx)}}{8a^3d} + \frac{7(4A+11iB) \tan^{\frac{3}{2}}(c+dx)}{24a^3d} + \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} \\
&= \frac{15(2iA-5B) \sqrt{\tan(c+dx)}}{8a^3d} + \frac{7(4A+11iB) \tan^{\frac{3}{2}}(c+dx)}{24a^3d} + \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} \\
&= \frac{15(2iA-5B) \sqrt{\tan(c+dx)}}{8a^3d} + \frac{7(4A+11iB) \tan^{\frac{3}{2}}(c+dx)}{24a^3d} + \frac{(iA-B) \tan^{\frac{9}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} \\
&= -\frac{((28-30i)A+(75+77i)B) \log(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))}{32\sqrt{2}a^3d} + \frac{((28-30i)A+(75+77i)B) \log(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))}{32\sqrt{2}a^3d} \\
&= \frac{\left(\frac{1}{16}+\frac{i}{16}\right)((29+i)A+(1+76i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d} - \frac{\left(\frac{1}{16}+\frac{i}{16}\right)((29-i)A+(1-76i)B) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 4.99308, size = 300, normalized size = 0.76

$$\frac{\sec^3(c+dx)(\cos(dx)+i \sin(dx))^3(A+B \tan(c+dx)) \left(3(-\sin(3c)+i \cos(3c))\sqrt{\sin(2(c+dx))} \left(\frac{1}{16}+\frac{i}{16}\right) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right) + \frac{1}{16}+\frac{i}{16}\right) \left(\frac{1}{16}+\frac{i}{16}\right) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(9/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^3*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x])*(3*(((30 - 28*I)*A + (77 + 75*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + (1 + I)*((-29 + I)*A + (1 - 76*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(I*Cos[3*c] - Sin[3*c])*Sqrt[Sin[2*(c + d*x)]] + (I*Cos[3*d*x] + Sin[3*d*x])*(33*A + (69*I)*B + 2*(90*A + (241*I)*B)*Cos[2*(c + d*x)] + (147*A + (349*I)*B)*Cos[4*(c + d*x)] + (194*I)*A*Sin[2*(c + d*x)] - 502*B*Sin[2*(c + d*x)] + (145*I)*A*Sin[4*(c + d*x)] - 347*B*Sin[4*(c + d*x)])*Tan[c + d*x])/((96*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3)

Maple [A] time = 0.057, size = 404, normalized size = 1.

$$\frac{2iB}{3a^3d} (\tan(dx+c))^{\frac{3}{2}} - 6 \frac{B\sqrt{\tan(dx+c)}}{a^3d} + \frac{2iA}{a^3d} \sqrt{\tan(dx+c)} + \frac{\frac{35i}{8}B}{a^3d(\tan(dx+c)-i)^3} (\tan(dx+c))^{\frac{5}{2}} + \frac{5}{2a^3d(\tan(dx+c)-i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(9/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] $\frac{2}{3}I/d/a^3B\tan(d*x+c)^{(3/2)} - 6/d/a^3B\tan(d*x+c)^{(1/2)} + 2I/d/a^3A\tan(d*x+c)^{(1/2)} + 35/8I/d/a^3/(\tan(d*x+c)-I)^3B\tan(d*x+c)^{(5/2)} + 5/2/d/a^3/(\tan(d*x+c)-I)^3A\tan(d*x+c)^{(5/2)} + 91/12/d/a^3/(\tan(d*x+c)-I)^3B\tan(d*x+c)^{(3/2)} - 49/12I/d/a^3/(\tan(d*x+c)-I)^3\tan(d*x+c)^{(3/2)}A - 7/4/d/a^3/(\tan(d*x+c)-I)^3A\tan(d*x+c)^{(1/2)} - 27/8I/d/a^3/(\tan(d*x+c)-I)^3B\tan(d*x+c)^{(1/2)} - 29/4/d/a^3/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))A - 19I/d/a^3/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))B + 1/4/d/a^3/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))A - 1/4I/d/a^3/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(d*x+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(9/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.98916, size = 2095, normalized size = 5.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(9/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] $-1/96*(3*(a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*\log(2*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\sqrt{((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) + (A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(I*A + B)) - 3*(a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*\log(-2*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\sqrt{((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) - (A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(I*A + B)) - 3*(a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{((-841*I*A^2 + 4408*A*B + 5776*I*B^2)/(a^6*d^2))*\log(1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\sqrt{((-841*I*A^2 + 4408*A*B + 5776*I*B^2)/(a^6*d^2)) + 29*A + 76*I*B)*e^{(-2*I*d*x - 2*I*c)}/(a^3*d)) + 3*(a^3*d*e^{(8*I*d*x + 8*I*c)} +$

$$a^3 d e^{(6 I d x + 6 I c)} \sqrt{(-841 I A^2 + 4408 A B + 5776 I B^2) / (a^6 d^2)} \log(-1/8 ((a^3 d e^{(2 I d x + 2 I c)} + a^3 d) \sqrt{(-I e^{(2 I d x + 2 I c)} + I) / (e^{(2 I d x + 2 I c)} + 1)}) \sqrt{(-841 I A^2 + 4408 A B + 5776 I B^2) / (a^6 d^2)}) - 29 A - 76 I B) e^{(-2 I d x - 2 I c) / (a^3 d)} - 2 ((146 I A - 348 B) e^{(8 I d x + 8 I c)} + (187 I A - 492 B) e^{(6 I d x + 6 I c)} + (33 I A - 69 B) e^{(4 I d x + 4 I c)} + (-7 I A + 10 B) e^{(2 I d x + 2 I c)} + I A - B) \sqrt{(-I e^{(2 I d x + 2 I c)} + I) / (e^{(2 I d x + 2 I c)} + 1)}) / (a^3 d e^{(8 I d x + 8 I c)} + a^3 d e^{(6 I d x + 6 I c)})$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(9/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.34413, size = 284, normalized size = 0.72

$$\frac{(i+1) \sqrt{2}(-iA-B) \arctan\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right)}{16 a^3 d} + \frac{(i-1) \sqrt{2}(-29iA+76B) \arctan\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right)}{16 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(9/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] $-(1/16 I + 1/16) \sqrt{2} (-I A - B) \arctan\left(\left(\frac{1}{2} I - \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right) / (a^3 d) + (1/16 I - 1/16) \sqrt{2} (-29 I A + 76 B) \arctan\left(-\left(\frac{1}{2} I + \frac{1}{2}\right) \sqrt{2} \sqrt{\tan(dx+c)}\right) / (a^3 d) + 1/24 (60 A \tan(dx+c)^{5/2} + 105 I B \tan(dx+c)^{5/2} - 98 I A \tan(dx+c)^{3/2} + 182 B \tan(dx+c)^{3/2} - 42 A \sqrt{\tan(dx+c)} - 81 I B \sqrt{\tan(dx+c)}) / (a^3 d (\tan(dx+c) - I)^3) - 1/3 (-2 I B a^6 d^2 \tan(dx+c)^{3/2} - 6 I A a^6 d^2 \sqrt{\tan(dx+c)} + 18 B a^6 d^2 \sqrt{\tan(dx+c)}) / (a^9 d^3)$

$$3.147 \quad \int \frac{\tan^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=364

$$\frac{7(-4B + iA) \tan^{\frac{3}{2}}(c + dx)}{24d(a^3 + ia^3 \tan(c + dx))} - \frac{\left(\frac{1}{16} + \frac{i}{16}\right)((1 + 6i)A - (29 + i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}a^3d} - \frac{((5 - 7i)A + (28 + 30i)B)}{\sqrt{2}a^3d}$$

```
[Out] ((-1/16 - I/16)*((1 + 6*I)*A - (29 + I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a^3*d) - (((5 - 7*I)*A + (28 + 30*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(16*Sqrt[2]*a^3*d) + ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) - ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) + (5*(A + (6*I)*B)*Sqrt[Tan[c + d*x]])/(8*a^3*d) + ((I*A - B)*Tan[c + d*x]^(7/2))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((2*A + (5*I)*B)*Tan[c + d*x]^(5/2))/(12*a*d*(a + I*a*Tan[c + d*x])^2) - (7*(I*A - 4*B)*Tan[c + d*x]^(3/2))/(24*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rubi [A] time = 0.771327, antiderivative size = 364, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{7(-4B + iA) \tan^{\frac{3}{2}}(c + dx)}{24d(a^3 + ia^3 \tan(c + dx))} - \frac{\left(\frac{1}{16} + \frac{i}{16}\right)((1 + 6i)A - (29 + i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}a^3d} - \frac{((5 - 7i)A + (28 + 30i)B)}{\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(7/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]
```

```
[Out] ((-1/16 - I/16)*((1 + 6*I)*A - (29 + I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*a^3*d) - (((5 - 7*I)*A + (28 + 30*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(16*Sqrt[2]*a^3*d) + ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) - ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) + (5*(A + (6*I)*B)*Sqrt[Tan[c + d*x]])/(8*a^3*d) + ((I*A - B)*Tan[c + d*x]^(7/2))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((2*A + (5*I)*B)*Tan[c + d*x]^(5/2))/(12*a*d*(a + I*a*Tan[c + d*x])^2) - (7*(I*A - 4*B)*Tan[c + d*x]^(3/2))/(24*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3528

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
```

, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} - \frac{\int \frac{\tan^{\frac{5}{2}}(c+dx) \left(\frac{7}{2}a(iA-B) + \frac{1}{2}a(A+13iB) \tan(c+dx) \right)}{(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(2A+5iB) \tan^{\frac{5}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} + \frac{\int \frac{\tan^{\frac{3}{2}}(c+dx)(-5a^2(2A+5iB) \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(2A+5iB) \tan^{\frac{5}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} - \frac{7(iA-4B) \tan^{\frac{3}{2}}(c+dx)}{24d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{5(A+6iB)\sqrt{\tan(c+dx)}}{8a^3d} + \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(2A+5iB) \tan^{\frac{5}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} \\
&= \frac{5(A+6iB)\sqrt{\tan(c+dx)}}{8a^3d} + \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(2A+5iB) \tan^{\frac{5}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} \\
&= \frac{5(A+6iB)\sqrt{\tan(c+dx)}}{8a^3d} + \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(2A+5iB) \tan^{\frac{5}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} \\
&= \frac{5(A+6iB)\sqrt{\tan(c+dx)}}{8a^3d} + \frac{(iA-B) \tan^{\frac{7}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(2A+5iB) \tan^{\frac{5}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} \\
&= \frac{((5+7i)A - (28-30i)B) \log(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx))}{32\sqrt{2}a^3d} - \frac{((5-7i)A + (28+30i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{16\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 3.41184, size = 286, normalized size = 0.79

$$\sec^2(c+dx)(\cos(dx) + i \sin(dx))^3(A+B \tan(c+dx)) \left(\frac{2}{3} \tan(c+dx)(\cos(3dx) - i \sin(3dx))((9A+33iB) \cos(c+dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(7/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*(A + B*Tan[c + d*x]))*((-I)*(((7 + 5*I)*A - (30 - 28*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + (1 - I)*((6 + I)*A + (1 + 29*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(Cos[3*c] + I*Sin[3*c])*Sqrt[Sin[2*(c + d*x)]] + (2*(Cos[3*d*x] - I*Sin[3*d*x])*((9*A + (33*I)*B)*Cos[c + d*x] + 21*(A + (7*I)*B)*Cos[3*(c + d*x)] + (2*I)*(19*A + (97*I)*B + (19*A + (145*I)*B)*Cos[2*(c + d*x)])*Sin[c + d*x])*Tan[c + d*x])/3)/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x]))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3)

Maple [A] time = 0.06, size = 369, normalized size = 1.

$$\frac{2iB}{a^3d} \sqrt{\tan(dx+c)} - \frac{\frac{9i}{8}A}{a^3d(\tan(dx+c)-i)^3} (\tan(dx+c))^{\frac{5}{2}} + \frac{5B}{2a^3d(\tan(dx+c)-i)^3} (\tan(dx+c))^{\frac{5}{2}} - \frac{19}{12a^3d(\tan(dx+c)-i)^3} (\tan(dx+c))^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{(7/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^3,x)$

[Out] $2*I/d/a^3*B*\tan(dx+c)^{(1/2)}-9/8*I/d/a^3/(\tan(dx+c)-I)^3*A*\tan(dx+c)^{(5/2)}+5/2/d/a^3/(\tan(dx+c)-I)^3*B*\tan(dx+c)^{(5/2)}-19/12/d/a^3/(\tan(dx+c)-I)^3*\tan(dx+c)^{(3/2)}*A-49/12*I/d/a^3/(\tan(dx+c)-I)^3*\tan(dx+c)^{(3/2)}*B-7/4/d/a^3/(\tan(dx+c)-I)^3*B*\tan(dx+c)^{(1/2)}+5/8*I/d/a^3/(\tan(dx+c)-I)^3*A*\tan(dx+c)^{(1/2)}-29/4/d/a^3*B/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))+3/2*I/d/a^3/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*A+1/4*I/d/a^3/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*A+1/4/d/a^3/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(7/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.79629, size = 1860, normalized size = 5.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(7/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^3,x, \text{algorithm}="fricas")$

[Out] $1/96*(3*a^3*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(1/8*((16*I*a^3*d*e^{(2*I*d*x + 2*I*c)} + 16*I*a^3*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)} + 16*(A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 3*a^3*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(1/8*((-16*I*a^3*d*e^{(2*I*d*x + 2*I*c)} - 16*I*a^3*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)} + 16*(A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 3*a^3*d*\sqrt{(36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(-1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2)} + 6*I*A - 29*B)*e^{(-2*I*d*x - 2*I*c)/(a^3*d)} + 3*a^3*d*\sqrt{(36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2)})*e^{(6*I*d*x + 6*I*c)}*\log(1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2)} - 6*I*A + 29*B)*e^{(-2*I*d*x - 2*I*c)/(a^3*d)} + 2*(2*(10*A + 73*I*B)*e^{(6*I*d*x + 6*I*c)} + (14*A + 41*I*B)*e^{(4*I*d*x + 4*I*c)} - (5*A + 8*I*B)*e^{(2*I*d*x + 2*I*c)} + A + I*B)*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)})*e^{(-6*I*d*x - 6*I*c)/(a^3*d)}$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(7/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.26151, size = 223, normalized size = 0.61

$$\frac{(i-1)\sqrt{2}(6A+29iB)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} + \frac{(i+1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] (1/16*I - 1/16)*sqrt(2)*(6*A + 29*I*B)*arctan((1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^3*d) + (1/16*I + 1/16)*sqrt(2)*(A - I*B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^3*d) + 2*I*B*sqrt(tan(d*x + c))/(a^3*d) + 1/24*(-27*I*A*tan(d*x + c)^(5/2) + 60*B*tan(d*x + c)^(5/2) - 38*A*tan(d*x + c)^(3/2) - 98*I*B*tan(d*x + c)^(3/2) + 15*I*A*sqrt(tan(d*x + c)) - 42*B*sqrt(tan(d*x + c)))/(a^3*d*(tan(d*x + c) - I)^3)

$$3.148 \quad \int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=307

$$\frac{(2A + (5 - 7i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} - \frac{(2A + (5 - 7i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{16\sqrt{2}a^3d} - \frac{(2A - (5 + 7i)B) \log(t)}{16\sqrt{2}a^3d}$$

```
[Out] ((2*A + (5 - 7*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^3*d) - ((2*A + (5 - 7*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^3*d) - ((2*A - (5 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^3*d) + ((2*A - (5 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^3*d) + ((I*A - B)*Tan[c + d*x]^(5/2))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((A + (4*I)*B)*Tan[c + d*x]^(3/2))/(12*a*d*(a + I*a*Tan[c + d*x])^2) + (5*B*Sqrt[Tan[c + d*x]]/(8*d*(a^3 + I*a^3*Tan[c + d*x])))
```

Rubi [A] time = 0.638102, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3595, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(2A + (5 - 7i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} - \frac{(2A + (5 - 7i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{16\sqrt{2}a^3d} - \frac{(2A - (5 + 7i)B) \log(t)}{16\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]
```

```
[Out] ((2*A + (5 - 7*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^3*d) - ((2*A + (5 - 7*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(16*Sqrt[2]*a^3*d) - ((2*A - (5 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^3*d) + ((2*A - (5 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^3*d) + ((I*A - B)*Tan[c + d*x]^(5/2))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((A + (4*I)*B)*Tan[c + d*x]^(3/2))/(12*a*d*(a + I*a*Tan[c + d*x])^2) + (5*B*Sqrt[Tan[c + d*x]]/(8*d*(a^3 + I*a^3*Tan[c + d*x])))
```

Rule 3595

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168


```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} - \frac{\int \frac{\tan^{\frac{3}{2}}(c+dx) \left(\frac{5}{2} a(iA-B) - \frac{1}{2} a(A-11iB) \tan(c+dx) \right)}{(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+4iB) \tan^{\frac{3}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} + \frac{\int \frac{\sqrt{\tan(c+dx)}(-3a^2(A+4iB))}{a+ia \tan(c+dx)} dx}{24a^2} \\
&= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+4iB) \tan^{\frac{3}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} + \frac{5B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+4iB) \tan^{\frac{3}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} + \frac{5B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+4iB) \tan^{\frac{3}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} + \frac{5B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{(iA-B) \tan^{\frac{5}{2}}(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{(A+4iB) \tan^{\frac{3}{2}}(c+dx)}{12ad(a+ia \tan(c+dx))^2} + \frac{5B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= -\frac{(2A-(5+7i)B) \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^3d} + \frac{(2A-(5+7i)B) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} \\
&= \frac{(2A+(5-7i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} - \frac{(2A+(5-7i)B) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 2.59742, size = 254, normalized size = 0.83

$$\sec^2(c+dx)(\cos(dx)+i \sin(dx))^3(A+B \tan(c+dx)) \left(\frac{4}{3} \sin(c+dx)(\cos(3dx)-i \sin(3dx))((A+19iB) \sin(2(c+dx))+3) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*(((2*A + (5 - 7*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + (1 - I)*((1 + I)*A + (1 - 6*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(Cos[3*c] + I*Sin[3*c])*Sqrt[Sin[2*(c + d*x)]] + (4*(Cos[3*d*x] - I*Sin[3*d*x])*Sin[c + d*x]*((3*I)*A - 6*B + 3*(-I)*A + 7*B)*Cos[2*(c + d*x)] + (A + (19*I)*B)*Sin[2*(c + d*x)]))/3*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3)

Maple [A] time = 0.057, size = 323, normalized size = 1.1

$$\frac{-\frac{9i}{8}B}{a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} - \frac{A}{4a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} - \frac{19B}{12a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x)

```
[Out] -9/8*I/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(5/2)-1/4/d/a^3/(tan(d*x+c)-I)^3
*A*tan(d*x+c)^(5/2)-19/12/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(3/2)+1/12*I/
d/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*A+5/8*I/d/a^3/(tan(d*x+c)-I)^3*B*ta
n(d*x+c)^(1/2)-1/4/d/a^3/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(
1/2)-I*2^(1/2)))*A+3/2*I/d/a^3/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2
)/(2^(1/2)-I*2^(1/2)))*B-1/4/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(
1/2)/(2^(1/2)+I*2^(1/2)))*A+1/4*I/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d
*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorit
hm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.69918, size = 1778, normalized size = 5.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorit
hm="fricas")
```

```
[Out] 1/96*(3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*l
og(2*((a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)
/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) + (A -
I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 3*a^3*d*sqrt((I
*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-2*((a^3*d*e^(2*I*
d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c
) + 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) - (A - I*B)*e^(2*I*d*x + 2*
I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 3*a^3*d*sqrt((-I*A^2 - 12*A*B + 36*
I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*((a^3*d*e^(2*I*d*x + 2*I*c) +
a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((
-I*A^2 - 12*A*B + 36*I*B^2)/(a^6*d^2)) + A - 6*I*B)*e^(-2*I*d*x - 2*I*c)/(a
^3*d)) - 3*a^3*d*sqrt((-I*A^2 - 12*A*B + 36*I*B^2)/(a^6*d^2))*e^(6*I*d*x +
6*I*c)*log(-1/8*((a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x +
2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 12*A*B + 36*I*B^2)/(a
^6*d^2)) - A + 6*I*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) + 2*((-2*I*A + 20*B)*e^(
6*I*d*x + 6*I*c) + (I*A + 14*B)*e^(4*I*d*x + 4*I*c) + (2*I*A - 5*B)*e^(2*I
*d*x + 2*I*c) - I*A + B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*
I*c) + 1))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.21076, size = 182, normalized size = 0.59

$$\frac{(i+1)\sqrt{2}(A-6iB)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} + \frac{(i-1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] $-(1/16*I + 1/16)*\sqrt{2}*(A - 6*I*B)*\arctan((1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/(a^3*d) + (1/16*I - 1/16)*\sqrt{2}*(A - I*B)*\arctan(-(1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/(a^3*d) - 1/24*(6*A*\tan(d*x + c)^{(5/2)} + 27*I*B*\tan(d*x + c)^{(5/2)} - 2*I*A*\tan(d*x + c)^{(3/2)} + 38*B*\tan(d*x + c)^{(3/2)} - 15*I*B*\sqrt{\tan(d*x + c)})/(a^3*d*(\tan(d*x + c) - I)^3)$

$$3.149 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=309

$$\frac{(2B + (1 + i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^3d} - \frac{(2B + (1 + i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{16\sqrt{2}a^3d} + \frac{(A - 2iB)\sqrt{\tan(c + dx)}}{8d(a^3 + ia^3 \tan(c + dx))}$$

```
[Out] (((1 + I)*A + 2*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - (((1 + I)*A + 2*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - (((-1 + I)*A + 2*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + (((-1 + I)*A + 2*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + ((I*A - B)*Tan[c + d*x]^(3/2))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((I/4)*B*Sqrt[Tan[c + d*x]])/(a*d*(a + I*a*Tan[c + d*x])^2) + ((A - (2*I)*B)*Sqrt[Tan[c + d*x]])/(8*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rubi [A] time = 0.627202, antiderivative size = 309, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(2B + (1 + i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^3d} - \frac{(2B + (1 + i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{16\sqrt{2}a^3d} + \frac{(A - 2iB)\sqrt{\tan(c + dx)}}{8d(a^3 + ia^3 \tan(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]
```

```
[Out] (((1 + I)*A + 2*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - (((1 + I)*A + 2*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - (((-1 + I)*A + 2*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + (((-1 + I)*A + 2*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + ((I*A - B)*Tan[c + d*x]^(3/2))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((I/4)*B*Sqrt[Tan[c + d*x]])/(a*d*(a + I*a*Tan[c + d*x])^2) + ((A - (2*I)*B)*Sqrt[Tan[c + d*x]])/(8*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
```

[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} - \int \frac{\sqrt{\tan(c+dx)} \left(\frac{3}{2}a(iA-B) - \frac{3}{2}a(A-3iB) \tan(c+dx) \right)}{(a+ia \tan(c+dx))^2} dx \\
&= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{iB\sqrt{\tan(c+dx)}}{4ad(a+ia \tan(c+dx))^2} + \frac{\int \frac{-3ia^2B-3a^2(2iA+3B) \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))} dx}{24a^4} \\
&= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{iB\sqrt{\tan(c+dx)}}{4ad(a+ia \tan(c+dx))^2} + \frac{(A-2iB)\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{iB\sqrt{\tan(c+dx)}}{4ad(a+ia \tan(c+dx))^2} + \frac{(A-2iB)\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{iB\sqrt{\tan(c+dx)}}{4ad(a+ia \tan(c+dx))^2} + \frac{(A-2iB)\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{(iA-B) \tan^3(c+dx)}{6d(a+ia \tan(c+dx))^3} + \frac{iB\sqrt{\tan(c+dx)}}{4ad(a+ia \tan(c+dx))^2} + \frac{(A-2iB)\sqrt{\tan(c+dx)}}{8d(a^3+ia^3 \tan(c+dx))} \\
&= \frac{((-1+i)A+2B) \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^3d} + \frac{((-1+i)A+2B) \log\left(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^3d} \\
&= \frac{((1+i)A+2B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} - \frac{((1+i)A+2B) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 3.77691, size = 274, normalized size = 0.89

$$e^{-4i(c+dx)}\sqrt{\tan(c+dx)}\csc(c+dx)(\cos(3(c+dx))-i\sin(3(c+dx)))\left((-2e^{2i(c+dx)}-e^{4i(c+dx)}+2e^{6i(c+dx)}+1)\right)(-iA(1+iA+2B)\log(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))+iA(1+iA+2B)\log(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)))/32\sqrt{2}a^3d$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (((1 - 2*E^((2*I)*(c + d*x)) - E^((4*I)*(c + d*x)) + 2*E^((6*I)*(c + d*x))) * (B - B*E^((2*I)*(c + d*x)) - I*A*(1 + 2*E^((2*I)*(c + d*x)))) - 3*B*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((4*I)*(c + d*x))]*ArcTan[Sqrt[-1 + E^((4*I)*(c + d*x))]] + 6*(I*A + B)*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanH[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))]])*Csc[c + d*x]*(Cos[3*(c + d*x)] - I*Sin[3*(c + d*x)])*Sqrt[Tan[c + d*x]])/(96*a^3*d*E^((4*I)*(c + d*x)))

Maple [A] time = 0.05, size = 278, normalized size = 0.9

$$-\frac{B}{4a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} - \frac{\frac{i}{8}A}{a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} - \frac{5A}{12a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x)

```
[Out] -1/4/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(5/2)-1/8*I/d/a^3/(tan(d*x+c)-I)^3
*A*tan(d*x+c)^(5/2)-5/12/d/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*A+1/12*I/d
/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*B+1/8*I/d/a^3/(tan(d*x+c)-I)^3*A*tan
(d*x+c)^(1/2)-1/4/d/a^3*B/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^
(1/2)-I*2^(1/2)))-1/4*I/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)
/(2^(1/2)+I*2^(1/2)))*A-1/4/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(
1/2)/(2^(1/2)+I*2^(1/2)))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorit
hm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.61822, size = 1713, normalized size = 5.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorit
hm="fricas")
```

```
[Out] -1/96*(3*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)
*log(1/8*((16*I*a^3*d*e^(2*I*d*x + 2*I*c) + 16*I*a^3*d)*sqrt((-I*e^(2*I*d*x
+ 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^
6*d^2)) + 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B))
- 3*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log
(1/8*((-16*I*a^3*d*e^(2*I*d*x + 2*I*c) - 16*I*a^3*d)*sqrt((-I*e^(2*I*d*x +
2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d
^2)) + 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) -
24*a^3*d*sqrt(-1/64*I*B^2/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*(8*(a^3*d*
e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x
+ 2*I*c) + 1))*sqrt(-1/64*I*B^2/(a^6*d^2)) + B)*e^(-2*I*d*x - 2*I*c)/(a^3*d
)) + 24*a^3*d*sqrt(-1/64*I*B^2/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-1/8*(8*(
a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*
I*d*x + 2*I*c) + 1))*sqrt(-1/64*I*B^2/(a^6*d^2)) - B)*e^(-2*I*d*x - 2*I*c)/
(a^3*d)) - 2*(2*(2*A - I*B)*e^(6*I*d*x + 6*I*c) + (4*A + I*B)*e^(4*I*d*x +
4*I*c) - (A - 2*I*B)*e^(2*I*d*x + 2*I*c) - A - I*B)*sqrt((-I*e^(2*I*d*x + 2
*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.26051, size = 177, normalized size = 0.57

$$\frac{(i+1)\sqrt{2}B\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} + \frac{(i-1)\sqrt{2}(iA+B)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} - \frac{3iA}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{-(1/16*I + 1/16)*\sqrt{2}*B*\arctan((1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})}{(a^3*d)} + \frac{(1/16*I - 1/16)*\sqrt{2}*(I*A + B)*\arctan(-(1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})}{(a^3*d)} - \frac{1/24*(3*I*A*\tan(d*x + c)^{(5/2)} + 6*B*\tan(d*x + c)^{(5/2)} + 10*A*\tan(d*x + c)^{(3/2)} - 2*I*B*\tan(d*x + c)^{(3/2)} - 3*I*A*\sqrt{\tan(d*x + c)})}{(a^3*d*(\tan(d*x + c) - I)^3)}$$

$$3.150 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=317

$$\frac{\left(\frac{1}{16} + \frac{i}{16}\right)(B + (1+i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2a^3d}} - \frac{\left(\frac{1}{16} + \frac{i}{16}\right)(B + (1+i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2a^3d}} + \frac{(2iA + \dots)}{\dots}$$

```
[Out] ((1/16 + I/16)*((1 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^3*d) - ((1/16 + I/16)*((1 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^3*d) + (((2*I)*A + (1 - I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) - (((2*I)*A + (1 - I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(6*d*(a + I*a*Tan[c + d*x])^3) + ((I*A + 2*B)*Sqrt[Tan[c + d*x]])/(12*a*d*(a + I*a*Tan[c + d*x])^2) + (B*Sqrt[Tan[c + d*x]])/(8*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rubi [A] time = 0.624298, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3595, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\left(\frac{1}{16} + \frac{i}{16}\right)(B + (1+i)A) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2a^3d}} - \frac{\left(\frac{1}{16} + \frac{i}{16}\right)(B + (1+i)A) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2a^3d}} + \frac{(2iA + \dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]
```

```
[Out] ((1/16 + I/16)*((1 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^3*d) - ((1/16 + I/16)*((1 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^3*d) + (((2*I)*A + (1 - I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) - (((2*I)*A + (1 - I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(6*d*(a + I*a*Tan[c + d*x])^3) + ((I*A + 2*B)*Sqrt[Tan[c + d*x]])/(12*a*d*(a + I*a*Tan[c + d*x])^2) + (B*Sqrt[Tan[c + d*x]])/(8*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rule 3595

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
```

[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\tan(c+dx)}(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^3} dx &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{6d(a+ia\tan(c+dx))^3} - \frac{\int \frac{\frac{1}{2}a(iA-B)-\frac{1}{2}a(5A-7iB)\tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia\tan(c+dx))^2} dx}{6a^2} \\
&= \frac{(iA-B)\sqrt{\tan(c+dx)}}{6d(a+ia\tan(c+dx))^3} + \frac{(iA+2B)\sqrt{\tan(c+dx)}}{12ad(a+ia\tan(c+dx))^2} - \frac{\int \frac{3ia^2A-3a^2(A-2iB)\tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia\tan(c+dx))^2} dx}{24a^4} \\
&= \frac{(iA-B)\sqrt{\tan(c+dx)}}{6d(a+ia\tan(c+dx))^3} + \frac{(iA+2B)\sqrt{\tan(c+dx)}}{12ad(a+ia\tan(c+dx))^2} + \frac{B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3\tan(c+dx))} \\
&= \frac{(iA-B)\sqrt{\tan(c+dx)}}{6d(a+ia\tan(c+dx))^3} + \frac{(iA+2B)\sqrt{\tan(c+dx)}}{12ad(a+ia\tan(c+dx))^2} + \frac{B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3\tan(c+dx))} \\
&= \frac{(iA-B)\sqrt{\tan(c+dx)}}{6d(a+ia\tan(c+dx))^3} + \frac{(iA+2B)\sqrt{\tan(c+dx)}}{12ad(a+ia\tan(c+dx))^2} + \frac{B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3\tan(c+dx))} \\
&= \frac{(iA-B)\sqrt{\tan(c+dx)}}{6d(a+ia\tan(c+dx))^3} + \frac{(iA+2B)\sqrt{\tan(c+dx)}}{12ad(a+ia\tan(c+dx))^2} + \frac{B\sqrt{\tan(c+dx)}}{8d(a^3+ia^3\tan(c+dx))} \\
&= \frac{(2iA+(1-i)B)\log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^3d} - \frac{(2iA+(1-i)B)\log\left(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{32\sqrt{2}a^3d} \\
&= \frac{\left(\frac{1}{16}+\frac{i}{16}\right)\left((1+i)A+B\right)\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d} - \frac{\left(\frac{1}{16}+\frac{i}{16}\right)\left((1+i)A+B\right)\tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 3.3741, size = 272, normalized size = 0.86

$$\frac{e^{-4i(c+dx)} \sec(c+dx)(\cos(3(c+dx)) - i \sin(3(c+dx))) \left((-2e^{2i(c+dx)} + e^{4i(c+dx)} + 2e^{6i(c+dx)} - 1) (Ae^{2i(c+dx)} + A - 2iBe^{2i(c+dx)}) \right)}{96a^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (((A + I*B + A*E^((2*I)*(c + d*x)) - (2*I)*B*E^((2*I)*(c + d*x))))*(-1 - 2*E^((2*I)*(c + d*x)) + E^((4*I)*(c + d*x)) + 2*E^((6*I)*(c + d*x))) - 3*A*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((4*I)*(c + d*x))]*ArcTan[Sqrt[-1 + E^((4*I)*(c + d*x))]]) - 6*(A - I*B)*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]*(Cos[3*(c + d*x)] - I*Sin[3*(c + d*x)])))/(96*a^3*d*E^((4*I)*(c + d*x))*Sqrt[Tan[c + d*x]])

Maple [A] time = 0.066, size = 278, normalized size = 0.9

$$\frac{-\frac{i}{8}B}{a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} - \frac{5B}{12a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{3}{2}} - \frac{\frac{i}{12}A}{a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3, x)

```
[Out] -1/8*I/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(5/2)-5/12/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(3/2)-1/12*I/d/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*A+1/8*I/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(1/2)-1/4/d/a^3/(tan(d*x+c)-I)^3*A*tan(d*x+c)^(1/2)-1/4/d/a^3/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A+1/4/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A-1/4*I/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.61481, size = 1670, normalized size = 5.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] -1/96*(3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(2*((a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) + (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-2*((a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) - (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 24*a^3*d*sqrt(-1/64*I*A^2/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*(8*(a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt(-1/64*I*A^2/(a^6*d^2)) + A)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) + 24*a^3*d*sqrt(-1/64*I*A^2/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-1/8*(8*(a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt(-1/64*I*A^2/(a^6*d^2)) - A)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) - 2*((2*I*A + 4*B)*e^(6*I*d*x + 6*I*c) + (5*I*A + 4*B)*e^(4*I*d*x + 4*I*c) + (4*I*A - B)*e^(2*I*d*x + 2*I*c) + I*A - B)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.21718, size = 177, normalized size = 0.56

$$\frac{(i+1)\sqrt{2}A\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} - \frac{(i-1)\sqrt{2}(A-iB)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} - \frac{3iB\tan(dx+c)}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{-(1/16*I + 1/16)*\sqrt{2}*A*\arctan((1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})}{(a^3*d)} - \frac{(1/16*I - 1/16)*\sqrt{2}*(A - I*B)*\arctan(-(1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})}{(a^3*d)} - \frac{1/24*(3*I*B*\tan(d*x + c)^{(5/2)} + 2*I*A*\tan(d*x + c)^{(3/2)} + 10*B*\tan(d*x + c)^{(3/2)} + 6*A*\sqrt{\tan(d*x + c)} - 3*I*B*\sqrt{\tan(d*x + c)})}{(a^3*d*(\tan(d*x + c) - I)^3)}$$

$$3.151 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=315

$$\frac{((7-5i)A-2iB) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} + \frac{((7-5i)A-2iB) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{16\sqrt{2}a^3d} - \frac{((7+5i)A-2iB) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d}$$

```
[Out] -(((7 - 5*I)*A - (2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) + (((7 - 5*I)*A - (2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - (((7 + 5*I)*A - (2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + (((7 + 5*I)*A - (2*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(6*d*(a + I*a*Tan[c + d*x])^3) + ((4*A + I*B)*Sqrt[Tan[c + d*x]])/(12*a*d*(a + I*a*Tan[c + d*x])^2) + (5*A*Sqrt[Tan[c + d*x]])/(8*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rubi [A] time = 0.640067, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((7-5i)A-2iB) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} + \frac{((7-5i)A-2iB) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{16\sqrt{2}a^3d} - \frac{((7+5i)A-2iB) \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3), x]
```

```
[Out] -(((7 - 5*I)*A - (2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) + (((7 - 5*I)*A - (2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - (((7 + 5*I)*A - (2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + (((7 + 5*I)*A - (2*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(32*Sqrt[2]*a^3*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(6*d*(a + I*a*Tan[c + d*x])^3) + ((4*A + I*B)*Sqrt[Tan[c + d*x]])/(12*a*d*(a + I*a*Tan[c + d*x])^2) + (5*A*Sqrt[Tan[c + d*x]])/(8*d*(a^3 + I*a^3*Tan[c + d*x]))
```

Rule 3596

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} dx &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{6d(a + ia \tan(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(11A-iB) - \frac{5}{2}a(iA-B)\tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{(A + iB)\sqrt{\tan(c + dx)}}{6d(a + ia \tan(c + dx))^3} + \frac{(4A + iB)\sqrt{\tan(c + dx)}}{12ad(a + ia \tan(c + dx))^2} + \frac{\int \frac{3a^2(6A-iB) - 3a^2(4iA)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^2} dx}{24a^4} \\
&= \frac{(A + iB)\sqrt{\tan(c + dx)}}{6d(a + ia \tan(c + dx))^3} + \frac{(4A + iB)\sqrt{\tan(c + dx)}}{12ad(a + ia \tan(c + dx))^2} + \frac{5A\sqrt{\tan(c + dx)}}{8d(a^3 + ia^3 \tan(c + dx))} \\
&= \frac{(A + iB)\sqrt{\tan(c + dx)}}{6d(a + ia \tan(c + dx))^3} + \frac{(4A + iB)\sqrt{\tan(c + dx)}}{12ad(a + ia \tan(c + dx))^2} + \frac{5A\sqrt{\tan(c + dx)}}{8d(a^3 + ia^3 \tan(c + dx))} \\
&= \frac{(A + iB)\sqrt{\tan(c + dx)}}{6d(a + ia \tan(c + dx))^3} + \frac{(4A + iB)\sqrt{\tan(c + dx)}}{12ad(a + ia \tan(c + dx))^2} + \frac{5A\sqrt{\tan(c + dx)}}{8d(a^3 + ia^3 \tan(c + dx))} \\
&= \frac{(A + iB)\sqrt{\tan(c + dx)}}{6d(a + ia \tan(c + dx))^3} + \frac{(4A + iB)\sqrt{\tan(c + dx)}}{12ad(a + ia \tan(c + dx))^2} + \frac{5A\sqrt{\tan(c + dx)}}{8d(a^3 + ia^3 \tan(c + dx))} \\
&= -\frac{((7 + 5i)A - 2iB) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx))}{32\sqrt{2}a^3d} + \frac{((7 + 5i)A - 2iB) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{16\sqrt{2}a^3d} \\
&= -\frac{((7 - 5i)A - 2iB) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{16\sqrt{2}a^3d} + \frac{((7 - 5i)A - 2iB) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c + dx)})}{16\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 2.9499, size = 258, normalized size = 0.82

$$\sec^2(c + dx)(\cos(dx) + i \sin(dx))^3(A + B \tan(c + dx)) \left(\frac{4}{3} \sin(c + dx)(\cos(3dx) - i \sin(3dx))((-B + 19iA) \sin(2(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3), x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*(((5 + 7*I)*A + 2*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((1 + 6*I)*A + (1 - I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[3*c] - Sin[3*c])*Sqrt[Sin[2*(c + d*x)]] + (4*(Cos[3*d*x] - I*Sin[3*d*x])*Sin[c + d*x]*(6*A + (3*I)*B + 3*(7*A + I*B)*Cos[2*(c + d*x)] + ((19*I)*A - B)*Sin[2*(c + d*x)]))/3*(A + B*Tan[c + d*x])/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3)

Maple [A] time = 0.068, size = 323, normalized size = 1.

$$\frac{-\frac{5i}{8}A}{a^3d(\tan(dx + c) - i)^3}(\tan(dx + c))^{\frac{5}{2}} - \frac{19A}{12a^3d(\tan(dx + c) - i)^3}(\tan(dx + c))^{\frac{3}{2}} - \frac{\frac{i}{12}B}{a^3d(\tan(dx + c) - i)^3}(\tan(dx + c))^{\frac{1}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3, x)

```
[Out] -5/8*I/d/a^3/(tan(d*x+c)-I)^3*A*tan(d*x+c)^(5/2)-19/12/d/a^3/(tan(d*x+c)-I)
^3*tan(d*x+c)^(3/2)*A-1/12*I/d/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*B+9/8*
I/d/a^3/(tan(d*x+c)-I)^3*A*tan(d*x+c)^(1/2)-1/4/d/a^3/(tan(d*x+c)-I)^3*B*ta
n(d*x+c)^(1/2)-3/2*I/d/a^3/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2
^(1/2)-I*2^(1/2)))*A-1/4/d/a^3*B/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1
/2)/(2^(1/2)-I*2^(1/2)))+1/4*I/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c
)^(1/2)/(2^(1/2)+I*2^(1/2)))*A+1/4/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d
*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x, algorit
hm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.95843, size = 1820, normalized size = 5.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x, algorit
hm="fricas")
```

```
[Out] 1/96*(3*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*
log(1/8*((16*I*a^3*d*e^(2*I*d*x + 2*I*c) + 16*I*a^3*d)*sqrt((-I*e^(2*I*d*x
+ 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6
*d^2)) + 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B))
- 3*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(
1/8*((-16*I*a^3*d*e^(2*I*d*x + 2*I*c) - 16*I*a^3*d)*sqrt((-I*e^(2*I*d*x + 2
*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^
2)) + 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 3
*a^3*d*sqrt((36*I*A^2 + 12*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(
1/8*((a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/
(e^(2*I*d*x + 2*I*c) + 1))*sqrt((36*I*A^2 + 12*A*B - I*B^2)/(a^6*d^2)) + 6*
I*A + B)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) - 3*a^3*d*sqrt((36*I*A^2 + 12*A*B -
I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-1/8*((a^3*d*e^(2*I*d*x + 2*I*c)
+ a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt(
(36*I*A^2 + 12*A*B - I*B^2)/(a^6*d^2)) - 6*I*A - B)*e^(-2*I*d*x - 2*I*c)/(a
^3*d)) + 2*(2*(10*A + I*B)*e^(6*I*d*x + 6*I*c) + (26*A + 5*I*B)*e^(4*I*d*x
+ 4*I*c) + (7*A + 4*I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*sqrt((-I*e^(2*I*d*x
+ 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] Exception raised: TypeError
```

Giac [A] time = 1.20348, size = 185, normalized size = 0.59

$$\frac{(i+1)\sqrt{2}(6iA+B)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} + \frac{(i-1)\sqrt{2}(-iA-B)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -(1/16*I + 1/16)*sqrt(2)*(6*I*A + B)*arctan((1/2*I + 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^3*d) + (1/16*I - 1/16)*sqrt(2)*(-I*A - B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^3*d) - 1/24*(15*I*A*tan(d*x + c)^(5/2) + 38*A*tan(d*x + c)^(3/2) + 2*I*B*tan(d*x + c)^(3/2) - 27*I*A*sqrt(tan(d*x + c)) + 6*B*sqrt(tan(d*x + c)))/(a^3*d*(tan(d*x + c) - I)^3)
```

$$3.152 \quad \int \frac{A+B \tan(c+dx)}{\tan^2(c+dx)(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=364

$$\frac{((30+28i)A-(7-5i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} - \frac{\left(\frac{1}{16}-\frac{i}{16}\right)((1+29i)A-(6+i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}a^3d}$$

[Out] (((30 + 28*I)*A - (7 - 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - ((1/16 - I/16)*((1 + 29*I)*A - (6 + I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^3*d) - ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) + ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) - (5*(6*A + I*B))/(8*a^3*d*Sqrt[Tan[c + d*x]]) + (A + I*B)/(6*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3) + (5*A + (2*I)*B)/(12*a*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2) + (7*(4*A + I*B))/(24*d*Sqrt[Tan[c + d*x]]*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.804328, antiderivative size = 364, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((30+28i)A-(7-5i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{16\sqrt{2}a^3d} - \frac{\left(\frac{1}{16}-\frac{i}{16}\right)((1+29i)A-(6+i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3), x]

[Out] (((30 + 28*I)*A - (7 - 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(16*Sqrt[2]*a^3*d) - ((1/16 - I/16)*((1 + 29*I)*A - (6 + I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*a^3*d) - ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) + ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) - (5*(6*A + I*B))/(8*a^3*d*Sqrt[Tan[c + d*x]]) + (A + I*B)/(6*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3) + (5*A + (2*I)*B)/(12*a*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^2) + (7*(4*A + I*B))/(24*d*Sqrt[Tan[c + d*x]]*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])

$^{(m+1)}\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

$\text{Int}[\frac{(c_.) + (d_.)\text{tan}[e_.] + (f_.)x}{\sqrt{(b_.)\text{tan}[e_.] + (f_.)x}}, x_Symbol] := \text{Dist}[2/f, \text{Subst}[\text{Int}[\frac{b*c + d*x^2}{b^2 + x^4}, x], x, \sqrt{b*\text{Tan}[e + f*x]}], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[\frac{d*q + a*e}{2*a*c}, \text{Int}[\frac{q + c*x^2}{a + c*x^4}, x], x] + \text{Dist}[\frac{d*q - a*e}{2*a*c}, \text{Int}[\frac{q - c*x^2}{a + c*x^4}, x], x]] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[\frac{(a_.) + (b_.)x + (c_.)x^2}{(a_.) + (b_.)x + (c_.)x^2}^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /;

FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[\frac{(a_.) + (b_.)x^2}{(a_.) + (b_.)x^2}^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[-a, 2]}], \text{Rt}[-a, 2]*\text{Rt}[-b, 2]], x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[-2*d/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[\frac{q - 2*x}{\text{Simp}[d/e + q*x - x^2, x]}, x], x] + \text{Dist}[e/(2*c*q), \text{Int}[\frac{q + 2*x}{\text{Simp}[d/e - q*x - x^2, x]}, x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] := \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} dx &= \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(13A+iB) - \frac{7}{2}a(iA-B) \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{5A + 2iB}{12ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} \\
&= \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{5A + 2iB}{12ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))} \\
&= -\frac{5(6A + iB)}{8a^3d\sqrt{\tan(c + dx)}} + \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{5A + 2iB}{12ad\sqrt{\tan(c + dx)}} \\
&= -\frac{5(6A + iB)}{8a^3d\sqrt{\tan(c + dx)}} + \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{5A + 2iB}{12ad\sqrt{\tan(c + dx)}} \\
&= -\frac{5(6A + iB)}{8a^3d\sqrt{\tan(c + dx)}} + \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{5A + 2iB}{12ad\sqrt{\tan(c + dx)}} \\
&= -\frac{5(6A + iB)}{8a^3d\sqrt{\tan(c + dx)}} + \frac{A + iB}{6d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^3} + \frac{5A + 2iB}{12ad\sqrt{\tan(c + dx)}} \\
&= -\frac{((30 - 28i)A + (7 + 5i)B) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{32\sqrt{2}a^3d} + \frac{((30 - 28i)A + (7 + 5i)B) \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{32\sqrt{2}a^3d} \\
&= \frac{((30 + 28i)A - (7 - 5i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^3d} - \frac{((30 + 28i)A - (7 - 5i)B) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{16\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 3.14356, size = 278, normalized size = 0.76

$$\frac{\sec^2(c + dx)(\cos(dx) + i \sin(dx))^3(A + B \tan(c + dx)) \left(\frac{2}{3}(\cos(3dx) - i \sin(3dx))((49A + 19iB) \cos(c + dx) - (145A + 19iB) \sin(c + dx)) \right)}{16\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3), x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*((2*(Cos[3*d*x] - I*Sin[3*d*x])*(49*A + (19*I)*B)*Cos[c + d*x] - (145*A + (19*I)*B)*Cos[3*(c + d*x)] + 6*((-19*I)*A + 2*B + 7*((-7*I)*A + B)*Cos[2*(c + d*x)])*Sin[c + d*x])/3 + ((28 - 30*I)*A + (5 + 7*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((29 + I)*A + (1 + 6*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(I*Cos[3*c] - Sin[3*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^3)

Maple [A] time = 0.058, size = 368, normalized size = 1.

$$-\frac{7A}{4a^3d(\tan(dx + c) - i)^3}(\tan(dx + c))^{\frac{5}{2}} - \frac{\frac{5i}{8}B}{a^3d(\tan(dx + c) - i)^3}(\tan(dx + c))^{\frac{5}{2}} + \frac{\frac{49i}{12}A}{a^3d(\tan(dx + c) - i)^3}(\tan(dx + c))^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)}/(a+I*a*\tan(dx+c))^3,x)$

[Out] $-7/4/d/a^3/(\tan(dx+c)-I)^3*A*\tan(dx+c)^{(5/2)}-5/8*I/d/a^3/(\tan(dx+c)-I)^3*B*\tan(dx+c)^{(5/2)}+49/12*I/d/a^3/(\tan(dx+c)-I)^3*\tan(dx+c)^{(3/2)}*A-19/12/d/a^3/(\tan(dx+c)-I)^3*B*\tan(dx+c)^{(3/2)}+9/8*I/d/a^3/(\tan(dx+c)-I)^3*B*\tan(dx+c)^{(1/2)}+5/2/d/a^3/(\tan(dx+c)-I)^3*A*\tan(dx+c)^{(1/2)}-3/2*I/d/a^3/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*B-29/4/d/a^3/(2^{(1/2)}-I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}-I*2^{(1/2)}))*A-1/4/d/a^3/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*A+1/4*I/d/a^3/(2^{(1/2)}+I*2^{(1/2)})*\arctan(2*\tan(dx+c)^{(1/2)}/(2^{(1/2)}+I*2^{(1/2)}))*B-2/d/a^3*A/\tan(dx+c)^{(1/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)}/(a+I*a*\tan(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.09988, size = 2071, normalized size = 5.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)}/(a+I*a*\tan(dx+c))^3,x, \text{algorithm}="fricas")$

[Out] $1/96*(3*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*\log(2*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) + (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)})/(I*A + B)) - 3*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*\log(-2*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) - (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)})/(I*A + B)) + 3*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\text{sqrt}((-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2))*\log(1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\text{sqrt}((-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2)) + 29*A + 6*I*B)*e^{(-2*I*d*x - 2*I*c)})/(a^3*d)) - 3*(a^3*d*e^{(8*I*d*x + 8*I*c)} - a^3*d*e^{(6*I*d*x + 6*I*c)})*\text{sqrt}((-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2))*\log(-1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} + a^3*d)*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*\text{sqrt}((-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2)) - 29*A - 6*I*B)*e^{(-2*I*d*x - 2*I*c)})/(a^3*d)) + 2*((-146*I*A + 20*B)*e^{(8*I*d*x + 8*I*c)} + (-105*I*A + 6*B)*e^{(6*I*d*x + 6*I*c)} + (49*I*A - 19*B)*e^{(4*I*d*x + 4*I*c)} + (9*I*A - 6*B)*e^{(2*I*d*x + 2*I*c)} + I*A - B)*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)))/(a^3*d*e^{(8*I*d*x + 8*I*c)})$

*c) - a³*d*e^(6*I*d*x + 6*I*c)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.2536, size = 225, normalized size = 0.62

$$\frac{(i+1)\sqrt{2}(29A+6iB)\arctan\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} - \frac{(i+1)\sqrt{2}(iA+B)\arctan\left(\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] $-(1/16*I + 1/16)*\sqrt{2}*(29*A + 6*I*B)*\arctan((1/2*I + 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/(a^3*d) - (1/16*I + 1/16)*\sqrt{2}*(I*A + B)*\arctan((1/2*I - 1/2)*\sqrt{2}*\sqrt{\tan(d*x + c)})/(a^3*d) - 2*A/(a^3*d*\sqrt{\tan(d*x + c)}) - 1/24*(42*I*A*\tan(d*x + c)^{(5/2)} - 15*B*\tan(d*x + c)^{(5/2)} + 98*A*\tan(d*x + c)^{(3/2)} + 38*I*B*\tan(d*x + c)^{(3/2)} - 60*I*A*\sqrt{\tan(d*x + c)} + 27*B*\sqrt{\tan(d*x + c)})/(a^3*d*(-I*\tan(d*x + c) - 1)^3)$

$$3.153 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=393

$$\frac{\left(\frac{1}{16} - \frac{i}{16}\right)((76+i)A + (1+29i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)((76+i)A + (1+29i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d}$$

```
[Out] ((1/16 - I/16)*((76 + I)*A + (1 + 29*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*a^3*d) - ((1/16 - I/16)*((76 + I)*A + (1 + 29*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*a^3*d) + (((77 + 75*I)*A - (30 - 28*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^3*d) - ((1/32 - I/32)*((1 + 76*I)*A - (29 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) - (7*(11*A + (4*I)*B))/(24*a^3*d*Tan[c + d*x]^(3/2)) + (15*((5*I)*A - 2*B))/(8*a^3*d*Sqrt[Tan[c + d*x]]) + (A + I*B)/(6*d*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3) + (2*A + I*B)/(4*a*d*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2) + (3*(5*A + (2*I)*B))/(8*d*Tan[c + d*x]^(3/2)*(a^3 + I*a^3*Tan[c + d*x]))
```

Rubi [A] time = 0.860597, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\left(\frac{1}{16} - \frac{i}{16}\right)((76+i)A + (1+29i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d} - \frac{\left(\frac{1}{16} - \frac{i}{16}\right)((76+i)A + (1+29i)B) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^3), x]
```

```
[Out] ((1/16 - I/16)*((76 + I)*A + (1 + 29*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*a^3*d) - ((1/16 - I/16)*((76 + I)*A + (1 + 29*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*a^3*d) + (((77 + 75*I)*A - (30 - 28*I)*B)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(32*Sqrt[2]*a^3*d) - ((1/32 - I/32)*((1 + 76*I)*A - (29 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(Sqrt[2]*a^3*d) - (7*(11*A + (4*I)*B))/(24*a^3*d*Tan[c + d*x]^(3/2)) + (15*((5*I)*A - 2*B))/(8*a^3*d*Sqrt[Tan[c + d*x]]) + (A + I*B)/(6*d*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3) + (2*A + I*B)/(4*a*d*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2) + (3*(5*A + (2*I)*B))/(8*d*Tan[c + d*x]^(3/2)*(a^3 + I*a^3*Tan[c + d*x]))
```

Rule 3596

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,
b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)
]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^3} dx &= \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} + \frac{\int \frac{\frac{3}{2}a(5A+iB) - \frac{9}{2}a(iA-B) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx}{6a^2} \\
&= \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} + \frac{2A + iB}{4ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} + \frac{2A + iB}{4ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= -\frac{7(11A + 4iB)}{24a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} + \frac{A + iB}{4ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= -\frac{7(11A + 4iB)}{24a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{15(5iA - 2B)}{8a^3d \sqrt{\tan(c + dx)}} + \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= -\frac{7(11A + 4iB)}{24a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{15(5iA - 2B)}{8a^3d \sqrt{\tan(c + dx)}} + \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= -\frac{7(11A + 4iB)}{24a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{15(5iA - 2B)}{8a^3d \sqrt{\tan(c + dx)}} + \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= -\frac{7(11A + 4iB)}{24a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{15(5iA - 2B)}{8a^3d \sqrt{\tan(c + dx)}} + \frac{A + iB}{6d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} \\
&= \frac{((77 + 75i)A - (30 - 28i)B) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx))}{32\sqrt{2}a^3d} - \frac{((77 + 75i)A - (30 - 28i)B) \log(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx))}{32\sqrt{2}a^3d} \\
&= \frac{\left(\frac{1}{16} - \frac{i}{16}\right) ((76 + i)A + (1 + 29i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \left(\frac{1}{16} - \frac{i}{16}\right) ((76 + i)A + (1 + 29i)B) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 4.01906, size = 306, normalized size = 0.78

$$\sec^2(c + dx)(\cos(dx) + i \sin(dx))^3(A + B \tan(c + dx)) \left(\frac{1}{3} \csc(c + dx)(\cos(3dx) - i \sin(3dx))(-2(241A + 90iB) \cos(2(c + dx)) + \sin(2(c + dx)))\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^3), x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*((1 - I)*(((76 + I)*A + (1 + 29*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 76*I)*A + (29 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*Sec[c + d*x]*(Cos[3*c] + I*Sin[3*c])*Sqrt[Sin[2*(c + d*x)]] + (Csc[c + d*x]*(Cos[3*d*x] - I*Sin[3*d*x])*(69*A + (33*I)*B - 2*(241*A + (90*I)*B)*Cos[2*(c + d*x)] + (349*A + (147*I)*B)*Cos[4*(c + d*x)] - (502*I)*A*Sin[2*(c + d*x)] + 194*B*Sin[2*(c + d*x)] + (347*I)*A*Sin[4*(c + d*x)] - 145*B*Sin[4*(c + d*x)]))/3)*(A + B*Tan[c + d*x]))/(32*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*

$(a + I*a*\text{Tan}[c + d*x])^3$

Maple [A] time = 0.062, size = 403, normalized size = 1.

$$\frac{\frac{27i}{8}A}{a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} - \frac{7B}{4a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}} + \frac{91A}{12a^3d(\tan(dx+c)-i)^3}(\tan(dx+c))^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x)

[Out] 27/8*I/d/a^3/(tan(d*x+c)-I)^3*A*tan(d*x+c)^(5/2)-7/4/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(5/2)+91/12/d/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*A+49/12*I/d/a^3/(tan(d*x+c)-I)^3*tan(d*x+c)^(3/2)*B+5/2/d/a^3/(tan(d*x+c)-I)^3*B*tan(d*x+c)^(1/2)-35/8*I/d/a^3/(tan(d*x+c)-I)^3*A*tan(d*x+c)^(1/2)-29/4/d/a^3*B/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))+19*I/d/a^3/(2^(1/2)-I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)-I*2^(1/2)))*A-1/4*I/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*A-1/4/d/a^3/(2^(1/2)+I*2^(1/2))*arctan(2*tan(d*x+c)^(1/2)/(2^(1/2)+I*2^(1/2)))*B+6*I/d/a^3/tan(d*x+c)^(1/2)*A-2/d/a^3/tan(d*x+c)^(1/2)*B-2/3/d/a^3*A/tan(d*x+c)^(3/2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.29068, size = 2407, normalized size = 6.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] -1/96*(3*(a^3*d*e^(10*I*d*x + 10*I*c) - 2*a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*log(1/8*((16*I*a^3*d*e^(2*I*d*x + 2*I*c) + 16*I*a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)) + 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B) - 3*(a^3*d*e^(10*I*d*x + 10*I*c) - 2*a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*log(1/8*((-16*I*a^3*d*e^(2*I*d*x + 2*I*c) - 16*I*a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)) + 16*(A - I*B)*e^(2*I

```
*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 3*(a^3*d*e^(10*I*d*x + 10*
I*c) - 2*a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((5776*
I*A^2 - 4408*A*B - 841*I*B^2)/(a^6*d^2))*log(-1/8*((a^3*d*e^(2*I*d*x + 2*I*
c) + a^3*d)*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sq
rt((5776*I*A^2 - 4408*A*B - 841*I*B^2)/(a^6*d^2)) + 76*I*A - 29*B)*e^(-2*I*
d*x - 2*I*c)/(a^3*d)) - 3*(a^3*d*e^(10*I*d*x + 10*I*c) - 2*a^3*d*e^(8*I*d*x
+ 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((5776*I*A^2 - 4408*A*B - 841*I*
B^2)/(a^6*d^2))*log(1/8*((a^3*d*e^(2*I*d*x + 2*I*c) + a^3*d)*sqrt((-I*e^(2*
I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((5776*I*A^2 - 4408*A*B
- 841*I*B^2)/(a^6*d^2)) - 76*I*A + 29*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) + 2*
(2*(174*A + 73*I*B)*e^(10*I*d*x + 10*I*c) - (144*A + 41*I*B)*e^(8*I*d*x + 8
*I*c) - (423*A + 154*I*B)*e^(6*I*d*x + 6*I*c) + (79*A + 40*I*B)*e^(4*I*d*x
+ 4*I*c) + (11*A + 8*I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*sqrt((-I*e^(2*I*d*
x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1)))/(a^3*d*e^(10*I*d*x + 10*I*c) -
2*a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [A] time = 1.22248, size = 246, normalized size = 0.63

$$\frac{(i-1)\sqrt{2}(iA+B)\arctan\left(-\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d} - \frac{(i-1)\sqrt{2}(76A+29iB)\arctan\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\tan(dx+c)}\right)}{16a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x, algorit
hm="giac")
```

```
[Out] (1/16*I - 1/16)*sqrt(2)*(I*A + B)*arctan(-(1/2*I - 1/2)*sqrt(2)*sqrt(tan(d*
x + c)))/(a^3*d) - (1/16*I - 1/16)*sqrt(2)*(76*A + 29*I*B)*arctan(-(1/2*I +
1/2)*sqrt(2)*sqrt(tan(d*x + c)))/(a^3*d) - 1/24*(225*A*tan(d*x + c)^4 + 90
*I*B*tan(d*x + c)^4 - 598*I*A*tan(d*x + c)^3 + 242*B*tan(d*x + c)^3 - 489*A
*tan(d*x + c)^2 - 204*I*B*tan(d*x + c)^2 + 96*I*A*tan(d*x + c) - 48*B*tan(d
*x + c) - 16*A)/((-I*tan(d*x + c)^(3/2) - sqrt(tan(d*x + c)))^3*a^3*d)
```

$$3.154 \quad \int \tan^2(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=200

$$\frac{(-1)^{3/4} \sqrt{a} (7B + 4iA) \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{4d} + \frac{(4A - iB) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{4d} + \frac{(1+i) \sqrt{a} (B+iA) \tanh}{d}$$

[Out] $((-1)^{(3/4)} \text{Sqrt}[a] * ((4*I)*A + 7*B) * \text{ArcTan}[\frac{((-1)^{(3/4)} \text{Sqrt}[a] * \text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]) / (4*d) + ((1 + I) * \text{Sqrt}[a] * (I*A + B) * \text{ArcTanh}[\frac{((1 + I) * \text{Sqrt}[a] * \text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]) / d + ((4*A - I*B) * \text{Sqrt}[\text{Tan}[c + d*x]] * \text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) / (4*d) + (B * \text{Tan}[c + d*x]^{(3/2)} * \text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) / (2*d)$

Rubi [A] time = 0.680083, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4} \sqrt{a} (7B + 4iA) \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{4d} + \frac{(4A - iB) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{4d} + \frac{(1+i) \sqrt{a} (B+iA) \tanh}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^{(3/2)} * \text{Sqrt}[a + I*a*\text{Tan}[c + d*x]] * (A + B*\text{Tan}[c + d*x]), x]$

[Out] $((-1)^{(3/4)} \text{Sqrt}[a] * ((4*I)*A + 7*B) * \text{ArcTan}[\frac{((-1)^{(3/4)} \text{Sqrt}[a] * \text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]) / (4*d) + ((1 + I) * \text{Sqrt}[a] * (I*A + B) * \text{ArcTanh}[\frac{((1 + I) * \text{Sqrt}[a] * \text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]) / d + ((4*A - I*B) * \text{Sqrt}[\text{Tan}[c + d*x]] * \text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) / (4*d) + (B * \text{Tan}[c + d*x]^{(3/2)} * \text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) / (2*d)$

Rule 3597

$\text{Int}[\frac{(a_.) + (b_.) * \text{tan}[(e_.) + (f_.) * (x_.)]}{(c_.) + (d_.) * \text{tan}[(e_.) + (f_.) * (x_.)]}]^{(m_.)} * ((A_.) + (B_.) * \text{tan}[(e_.) + (f_.) * (x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^n) / (f*(m + n)), x] + \text{Dist}[1/(a*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^{(n-1)} * \text{Simp}[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n)) * \text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 3601

$\text{Int}[\frac{(a_.) + (b_.) * \text{tan}[(e_.) + (f_.) * (x_.)]}{(c_.) + (d_.) * \text{tan}[(e_.) + (f_.) * (x_.)]}]^{(m_.)} * ((A_.) + (B_.) * \text{tan}[(e_.) + (f_.) * (x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^n * (a - b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3544

$\text{Int}[\frac{\text{Sqrt}[(a_.) + (b_.) * \text{tan}[(e_.) + (f_.) * (x_.)]}{(c_.) + (d_.) * \text{tan}[(e_.) + (f_.) * (x_.)]}], x_Symbol] \rightarrow \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a$

$\sqrt{2x^2}$, x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia\tan(c+dx)}(A+B\tan(c+dx))dx &= \frac{B\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia\tan(c+dx)}}{2d} + \frac{\int \sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}dx}{2d} \\
&= \frac{(4A-iB)\sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}}{4d} + \frac{B\tan^{\frac{3}{2}}(c+dx)}{2d} \\
&= \frac{(4A-iB)\sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}}{4d} + \frac{B\tan^{\frac{3}{2}}(c+dx)}{2d} \\
&= \frac{(4A-iB)\sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}}{4d} + \frac{B\tan^{\frac{3}{2}}(c+dx)}{2d} \\
&= \frac{(1+i)\sqrt{a}(iA+B)\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} + \frac{(4A-iB)\sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}}{4d} \\
&= \frac{(1+i)\sqrt{a}(iA+B)\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} + \frac{(4A-iB)\sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}}{4d} \\
&= -\frac{\sqrt[4]{-1}\sqrt{a}(4A-7iB)\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{4d} + \frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}\sqrt{a+ia\tan(c+dx)}}{4d}
\end{aligned}$$

Mathematica [F] time = 10.1308, size = 0, normalized size = 0.

$$\int \tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia\tan(c+dx)}(A+B\tan(c+dx))dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

Maple [B] time = 0.073, size = 838, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)), x)

[Out]
$$\begin{aligned}
& -1/8/d*(a*(1+I*\tan(d*x+c)))^{1/2}*\tan(d*x+c)^{1/2}*(4*I*A*2^{1/2}*(I*a)^{1/2} \\
& * \ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3 \\
& *a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)*a-4*I*B*2^{1/2}*(I*a)^{1/2}*\ln(-(- \\
& -2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d \\
& *x+c))/(\tan(d*x+c)+I))*a-6*I*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(-I*a) \\
& ^{1/2}*(I*a)^{1/2}*\tan(d*x+c)-7*I*B*(-I*a)^{1/2}*\ln(1/2*(2*I*a*\tan(d*x+c)+2 \\
& *(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*\tan(d*x+ \\
& c)*a+4*B*2^{1/2}*(I*a)^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+ \\
& I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)*a+4*B*(\\
& a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2}*\tan(d*x+c)^2- \\
& 8*I*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2}-4*I*A* \\
& (-I*a)^{1/2}*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}
\end{aligned}$$

$$2*(I*a)^{(1/2)+a}/(I*a)^{(1/2)}*a+4*A*2^{(1/2)}*(I*a)^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)+I*a-3*a*\tan(dx+c)})/(\tan(dx+c)+I))*a+8*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*(I*a)^{(1/2)}*\tan(dx+c)+4*A*(-I*a)^{(1/2)}*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{(1/2)}*(I*a)^{(1/2)+a}/(I*a)^{(1/2)}*\tan(dx+c)*a-2*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*(I*a)^{(1/2)}-7*B*(-I*a)^{(1/2)}*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{(1/2)}*(I*a)^{(1/2)+a})/(I*a)^{(1/2)}*a)/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}/(I*a)^{(1/2)}/(-\tan(dx+c)+I)/(-I*a)^{(1/2)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{a \tan(dx + c) + a \tan(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*tan(d*x + c)^(3/2), x)
```

Fricas [B] time = 1.96178, size = 2155, normalized size = 10.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/8*(2*sqrt(2)*((4*A - 3*I*B)*e^(2*I*d*x + 2*I*c) + 4*A + I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + (d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-16*I*A^2 - 56*A*B + 49*I*B^2)*a/d^2)*log((sqrt(2)*((4*I*A + 7*B)*e^(2*I*d*x + 2*I*c) + 4*I*A + 7*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*I*d*sqrt((-16*I*A^2 - 56*A*B + 49*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(4*I*A + 7*B) - (d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-16*I*A^2 - 56*A*B + 49*I*B^2)*a/d^2)*log((sqrt(2)*((4*I*A + 7*B)*e^(2*I*d*x + 2*I*c) + 4*I*A + 7*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*I*d*sqrt((-16*I*A^2 - 56*A*B + 49*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(4*I*A + 7*B) - 4*(d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B) + 4*(d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)))/(d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*tan(d*x+c)**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.35899, size = 378, normalized size = 1.89

$$2 \left((i a \tan(dx + c) + a)^2 + 2(-i a \tan(dx + c) - a)a + a^2 \right) \sqrt{-2(i a \tan(dx + c) + a)a + 2a^2} \sqrt{i a \tan(dx + c) + a} B \left(\frac{\sqrt{i a \tan(dx + c) + a}}{\sqrt{i a \tan(dx + c) + a}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-1/2 * (2 * ((I * a * \tan(d * x + c) + a)^2 + 2 * (-I * a * \tan(d * x + c) - a) * a + a^2) * \sqrt{-2 * (I * a * \tan(d * x + c) + a) * a + 2 * a^2} * \sqrt{I * a * \tan(d * x + c) + a} * B \left(\frac{-I * (I * a * \tan(d * x + c) + a) * a + I * a^2}{\sqrt{(I * a * \tan(d * x + c) + a)^2 * a^2 - 2 * (I * a * \tan(d * x + c) + a) * a^3 + a^4}} + 1 \right) - ((a * \tan(d * x + c) - I * a) * a + I * a^2) * \sqrt{-2 * (I * a * \tan(d * x + c) + a) * a + 2 * a^2} * (I * a * \tan(d * x + c) + a) * \left(\frac{-I * (I * a * \tan(d * x + c) + a) * a + I * a^2}{\sqrt{(I * a * \tan(d * x + c) + a)^2 * a^2 - 2 * (I * a * \tan(d * x + c) + a) * a^3 + a^4}} + 1 \right)) / (((a * \tan(d * x + c) - I * a) * a^2 + 2 * I * a^3) * d)$$

$$3.155 \quad \int \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=152

$$\frac{(-1)^{3/4} \sqrt{a} (2A - iB) \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{(1+i) \sqrt{a} (A - iB) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} + \frac{B \sqrt{\tan(c+dx)} \sqrt{a + ia \tan(c+dx)}}{d}$$

[Out] -(((-1)^(3/4)*Sqrt[a]*(2*A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]])/d + (B*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rubi [A] time = 0.488668, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4} \sqrt{a} (2A - iB) \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{(1+i) \sqrt{a} (A - iB) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} + \frac{B \sqrt{\tan(c+dx)} \sqrt{a + ia \tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -(((-1)^(3/4)*Sqrt[a]*(2*A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]])/d + (B*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ

$Q[c^2 + d^2, 0]$

Rule 205

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 3599

$\text{Int}[(a_ + (b_ \cdot)\tan[(e_) + (f_ \cdot)(x_)])^{(m_)} \cdot ((A_) + (B_ \cdot)\tan[(e_) + (f_ \cdot)(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b \cdot B)/f, \text{Subst}[\text{Int}[(a + b \cdot x)^{(m-1)} \cdot (c + d \cdot x)^n, x], x, \text{Tan}[e + f \cdot x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[A \cdot b + a \cdot B, 0]$

Rule 63

$\text{Int}[(a_ \cdot + (b_ \cdot)(x_))^{(m_)} \cdot ((c_ \cdot + (d_ \cdot)(x_))^{(n_)}, x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p \cdot (m+1) - 1)} \cdot (c - (a \cdot d)/b + (d \cdot x^p)/b)^n, x], x, (a + b \cdot x)^{(1/p)}], x]] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_ \cdot)(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{!GtQ}[a, 0]$

Rule 203

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTan}[(\text{Rt}[b, 2] \cdot x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ \|\ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx &= \frac{B \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{d} + \frac{\int \frac{\sqrt{a+ia \tan(c+dx)} \left(-\frac{aB}{2}\right)}{\sqrt{\tan(c+dx)}} dx}{d} \\ &= \frac{B \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{d} + (-iA-B) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx \\ &= \frac{B \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{d} - \frac{(2a^2(A-iB)) \text{Subst}\left[\int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx\right]}{d} \\ &= -\frac{(1+i)\sqrt{a}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{B \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{d} \\ &= -\frac{(1+i)\sqrt{a}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{B \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{d} \\ &= -\frac{\sqrt[4]{-1}\sqrt{a}(2iA+B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{(1+i)\sqrt{a} \sqrt{a+ia \tan(c+dx)}}{d} \end{aligned}$$

Mathematica [B] time = 4.19985, size = 560, normalized size = 3.68

$$e^{-i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \sqrt{a + ia \tan(c + dx)} \left(8(B + iA) (1 + e^{2i(c+dx)}) \log \left(\sqrt{-1 + e^{2i(c+dx)}} + e^{i(c+dx)} \right) - i\sqrt{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] $-(\text{Sqrt}[E^{(I*(c + d*x))}/(1 + E^{((2*I)*(c + d*x))})]*\text{Sqrt}[((-I)*(-1 + E^{((2*I)*(c + d*x))})/(1 + E^{((2*I)*(c + d*x))}))]*(-8*B*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}] + 8*(I*A + B)*(1 + E^{((2*I)*(c + d*x))})*\text{Log}[E^{(I*(c + d*x))} + \text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]] - I*\text{Sqrt}[2]*(2*A - I*B)*(1 + E^{((2*I)*(c + d*x))})*\text{Log}[1 - 3*E^{((2*I)*(c + d*x))} - 2*\text{Sqrt}[2]*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]] + (2*I)*\text{Sqrt}[2]*A*\text{Log}[1 - 3*E^{((2*I)*(c + d*x))} + 2*\text{Sqrt}[2]*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]] + \text{Sqrt}[2]*B*\text{Log}[1 - 3*E^{((2*I)*(c + d*x))} + 2*\text{Sqrt}[2]*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]] + (2*I)*\text{Sqrt}[2]*A*E^{((2*I)*(c + d*x))}*\text{Log}[1 - 3*E^{((2*I)*(c + d*x))} + 2*\text{Sqrt}[2]*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]] + \text{Sqrt}[2]*B*E^{((2*I)*(c + d*x))}*\text{Log}[1 - 3*E^{((2*I)*(c + d*x))} + 2*\text{Sqrt}[2]*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]])*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(4*\text{Sqrt}[2]*d*E^{(I*(c + d*x))}*\text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}])*\text{Sqrt}[\text{Sec}[c + d*x]]]$

Maple [B] time = 0.042, size = 713, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] $-1/2/d*\text{tan}(d*x+c)^{(1/2)}*(a*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*B*(I*a)^{(1/2)}*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+I*a-3*a*\text{tan}(d*x+c))/(\text{tan}(d*x+c)+I))*\text{tan}(d*x+c)*a+2*I*A*\ln(1/2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*\text{tan}(d*x+c)*a+I*A*(I*a)^{(1/2)}*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+I*a-3*a*\text{tan}(d*x+c))/(\text{tan}(d*x+c)+I))*\text{tan}(d*x+c)*a-I*B*\ln(1/2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+B*\ln(1/2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*\text{tan}(d*x+c)*a+B*(I*a)^{(1/2)}*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+I*a-3*a*\text{tan}(d*x+c))/(\text{tan}(d*x+c)+I))*\text{tan}(d*x+c)+2*A*\ln(1/2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*a)/(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}/(I*a)^{(1/2)}/(-\text{tan}(d*x+c)+I)/(-I*a)^{(1/2)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{ia \tan(dx + c) + a} \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*sqrt(tan(d*x + c)), x)
```

Fricas [B] time = 1.91029, size = 1847, normalized size = 12.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(2*sqrt(2)*B*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + d*sqrt((4*I*A^2 + 4*A*B - I*B^2)*a/d^2)*log((sqrt(2)*((2*I*A + B)*e^(2*I*d*x + 2*I*c) + 2*I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*d*sqrt((4*I*A^2 + 4*A*B - I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(2*I*A + B)) - d*sqrt((4*I*A^2 + 4*A*B - I*B^2)*a/d^2)*log((sqrt(2)*((2*I*A + B)*e^(2*I*d*x + 2*I*c) + 2*I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*d*sqrt((4*I*A^2 + 4*A*B - I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(2*I*A + B)) - d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.29197, size = 313, normalized size = 2.06

$$2\sqrt{-2(i a \tan(dx+c)+a)a+2a^2\sqrt{i a \tan(dx+c)+a}Ba\left(\frac{-i(i a \tan(dx+c)+a)a+i a^2}{\sqrt{(i a \tan(dx+c)+a)^2 a^2-2(i a \tan(dx+c)+a)a^3+a^4}}+1\right)\tan(dx+c)+\sqrt{-2((a \tan(dx+c)-i a)a+2i a^2)}}{2((a \tan(dx+c)-i a)a+2i a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*(2*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)
*B*a*((-I*(I*a*tan(d*x + c) + a)*a + I*a^2)/sqrt((I*a*tan(d*x + c) + a)^2*a
^2 - 2*(I*a*tan(d*x + c) + a)*a^3 + a^4) + 1)*tan(d*x + c) + sqrt(-2*(I*a*t
an(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a*((-I*(I*a*tan(d*x + c)
+ a)*a + I*a^2)/sqrt((I*a*tan(d*x + c) + a)^2*a^2 - 2*(I*a*tan(d*x + c) +
a)*a^3 + a^4) + 1))/(((a*tan(d*x + c) - I*a)*a + 2*I*a^2)*d)
```

$$3.156 \quad \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=112

$$\frac{(1+i)\sqrt{a}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2(-1)^{3/4}\sqrt{a}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

[Out] $(-2*(-1)^{(3/4)}*\text{Sqrt}[a]*B*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d - ((1 + I)*\text{Sqrt}[a]*(I*A + B)*\text{ArcTanh}[(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d$

Rubi [A] time = 0.323059, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(1+i)\sqrt{a}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2(-1)^{3/4}\sqrt{a}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])*(A + B*\text{Tan}[c + d*x])/ \text{Sqrt}[\text{Tan}[c + d*x]], x]$

[Out] $(-2*(-1)^{(3/4)}*\text{Sqrt}[a]*B*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d - ((1 + I)*\text{Sqrt}[a]*(I*A + B)*\text{ArcTanh}[(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d$

Rule 3601

$\text{Int}[(a + b*\tan[(e + f*x)]^m)*((A + B*\tan[(e + f*x)]^n) + (c + d*\tan[(e + f*x)]^n)), x]$ $\rightarrow \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^n*(a - b*\tan[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$ && $\text{NeQ}[A*b + a*B, 0]$

Rule 3544

$\text{Int}[\text{Sqrt}[(a + b*\tan[(e + f*x)]^2)/((c + d*\tan[(e + f*x)]^2) + (f*x))], x]$ $\rightarrow \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a^2*x^2), x], x, \text{Sqrt}[c + d*\tan[e + f*x]]/\text{Sqrt}[a + b*\tan[e + f*x]], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$ && $\text{NeQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[(a + b*(x^2)^{-1}), x]$ $\rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ $\text{FreeQ}\{a, b\}, x$ && $\text{PosQ}[a/b]$

Rule 3599

$\text{Int}[(a + b*\tan[(e + f*x)]^m)*((A + B*\tan[(e + f*x)]^n) + (c + d*\tan[(e + f*x)]^n)), x]$ $\rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^n, x], x, \text{Tan}[e + f*x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{EqQ}[a$

$\sqrt{2 + b^2}, 0] \ \&\& \ \text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] \ /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \ /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{!GtQ}[a, 0]$

Rule 203

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] \ /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= -\left((-A + iB) \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx\right) + \frac{(iB) \int \frac{(a - ia \tan(c + dx))\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx}{a} \\ &= \frac{(iaB) \text{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+iax}} dx, x, \tan(c + dx)\right)}{d} - \frac{(2a^2(iA + B)) \text{Subst}\left(\int \frac{1}{\sqrt{a+ia \tan(c+dx)}} dx, x, \tan(c + dx)\right)}{d} \\ &= -\frac{(1 + i)\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(2iaB) \text{Subst}\left(\int \frac{1}{\sqrt{a+ia \tan(c+dx)}} dx, x, \tan(c + dx)\right)}{d} \\ &= -\frac{(1 + i)\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(2iaB) \text{Subst}\left(\int \frac{1}{\sqrt{a+ia \tan(c+dx)}} dx, x, \tan(c + dx)\right)}{d} \\ &= -\frac{2(-1)^{3/4}\sqrt{a}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{(1 + i)\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} \end{aligned}$$

Mathematica [B] time = 3.9432, size = 238, normalized size = 2.12

$$\frac{\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \cos(c + dx) \sqrt{a + ia \tan(c + dx)} \left(4(A - iB) \log\left(\sqrt{-1 + e^{2i(c+dx)}} + e^{i(c+dx)}\right) + i\sqrt{2}B \left(\log\left(-2\sqrt{2}e^{i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}}\right)\right)\right)}{2d\sqrt{-1 + e^{2i(c+dx)}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] (Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))]*Cos[c + d*x]*(4*(A - I*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + I*Sqrt[2]*B*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])))*Sqrt[a + I*a*Tan[c + d*x]])/(2*d*Sqrt[-1 + E^((2*I)*(c + d*x))])

Maple [B] time = 0.061, size = 498, normalized size = 4.5

$$\frac{a}{2d(-\tan(dx+c)+i)}\sqrt{a(1+i\tan(dx+c))}\sqrt{\tan(dx+c)}\left(iA\sqrt{ia}\sqrt{2}\ln\left(\frac{1}{\tan(dx+c)+i}\left(2\sqrt{2}\sqrt{-ia}\sqrt{a\tan(dx+c)}(1\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)

[Out] 1/2/d*(a*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^(1/2)*a*(I*A*(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)-2*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)-I*B*(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))+B*(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)+A*(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))-2*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2))/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(I*a)^(1/2)/(-tan(d*x+c)+I)/(-I*a)^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.84494, size = 1516, normalized size = 13.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/2*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*log((sqrt(2))*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 1/2*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*log((sqrt(2))*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 1/2*sqrt(4*I*B^2*a/d^2)*log((sqrt(2))*(B*e^(2*I*d*x + 2*I*c) + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B))

*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt(4*I*B^2*a/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/B) + 1/2*sqrt(4*I*B^2*a/d^2)*log((sqrt(2)*(B*e^(2*I*d*x + 2*I*c) + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*sqrt(4*I*B^2*a/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/B)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(i \tan(c + dx) + 1)}(A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))/sqrt(tan(c + d*x)), x)

Giac [A] time = 1.48671, size = 189, normalized size = 1.69

$$\frac{-(i+1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2}(i a \tan(dx+c)+a)a^2 + ((2i-2)(i a \tan(dx+c)+a)a - (2i-2)a^2)\sqrt{-2}}{2((i a \tan(dx+c)+a)^2a - 3(i a \tan(dx+c)+a)a^2 + 2a^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/2*(-(I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^2 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a - (2*I - 2)*a^2)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2))*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^2*a - 3*(I*a*tan(d*x + c) + a)*a^2 + 2*a^3)*d)

$$3.157 \quad \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=90

$$\frac{(1+i)\sqrt{a}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

[Out] ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.186093, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3598, 12, 3544, 205}

$$\frac{(1+i)\sqrt{a}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2),x]

[Out] ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{2 \int \frac{a(iA+B)\sqrt{a+ia \tan(c+dx)}}{2\sqrt{\tan(c+dx)}} dx}{a} \\
&= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + (iA + B) \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx \\
&= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{(2a^2(A - iB)) \text{Subst}\left(\int \frac{1}{-ia-2a^2x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
&= \frac{(1 + i)\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 6.10355, size = 156, normalized size = 1.73

$$\frac{(A - iB)e^{-i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) \sqrt{a + ia \tan(c + dx)}}{d\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} - \frac{2A\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] ((A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sqrt[a + I*a*Tan[c + d*x]]/(d*E^(I*(c + d*x))*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))] - (2*A*Sqrt[a + I*a*Tan[c + d*x]]/(d*Sqrt[Tan[c + d*x]]))

Maple [B] time = 0.045, size = 434, normalized size = 4.8

$$\frac{1}{2d(-\tan(dx + c) + i)} \sqrt{a(1 + i \tan(dx + c))} \left(iB\sqrt{2} \ln\left(-\frac{1}{\tan(dx + c) + i} \left(-2\sqrt{2}\sqrt{-ia}\sqrt{a \tan(dx + c)}(1 + i \tan(dx + c))\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] 1/2/d*(a*(1+I*tan(d*x+c)))^(1/2)*(I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-4*I*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+4*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c))/tan(d*x+c)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*x+c)+I)/(-I*a)^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.74272, size = 1157, normalized size = 12.86

$$\sqrt{2}(-4i A e^{(2i dx+2i c)} - 4i A) \sqrt{\frac{a}{e^{(2i dx+2i c)}+1}} \sqrt{\frac{-i e^{(2i dx+2i c)}+i}{e^{(2i dx+2i c)}+1}} e^{(i dx+i c)} + (d e^{(2i dx+2i c)} - d) \sqrt{\frac{(2i A^2+4 AB-2i B^2)a}{d^2}} \log \left(\frac{\sqrt{2}(i A+B) e^{(2i dx+2i c)}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x, algorithm="fricas")

[Out] 1/2*(sqrt(2)*(-4*I*A*e^(2*I*d*x + 2*I*c) - 4*I*A)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B) - (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B))/(d*e^(2*I*d*x + 2*I*c) - d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(i \tan(c + dx) + 1)}(A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2), x)

[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))/tan(c + d*x)**(3/2), x)

Giac [B] time = 1.44058, size = 216, normalized size = 2.4

$$\frac{-(i+1) \sqrt{-2(i a \tan(dx+c)+a)a+2 a^2(i a \tan(dx+c)+a)a^3 + ((2i-2)(i a \tan(dx+c)+a)a^2 - (2i-2)a^3) \sqrt{-2(i a \tan(dx+c)+a)a+2 a^2(i a \tan(dx+c)+a)a^3 + ((2i-2)(i a \tan(dx+c)+a)a^2 - (2i-2)a^3)}}{(-2i(i a \tan(dx+c)+a)^3 a + 8i(i a \tan(dx+c)+a)^2 a^2 - 10i(i a \tan(dx+c)+a)a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] (- (I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*
a^3 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a^2 - (2*I - 2)*a^3)*sqrt(-2*(I*a*t
an(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/((-2*I*(I*a*tan(d
*x + c) + a)^3*a + 8*I*(I*a*tan(d*x + c) + a)^2*a^2 - 10*I*(I*a*tan(d*x + c
) + a)*a^3 + 4*I*a^4)*d)
```

$$3.158 \quad \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=135

$$-\frac{2(3B+iA)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + \frac{(1+i)\sqrt{a}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)}$$

[Out] ((1 + I)*Sqrt[a]*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*(I*A + 3*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.342461, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3598, 12, 3544, 205}

$$-\frac{2(3B+iA)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + \frac{(1+i)\sqrt{a}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] ((1 + I)*Sqrt[a]*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*(I*A + 3*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx &= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} + \frac{2 \int \frac{\sqrt{a+ia \tan(c+dx)} \left(\frac{1}{2} a(iA+3B) - aA \tan(c+dx) \right)}{\tan^{\frac{3}{2}}(c+dx)} dx}{3a} \\ &= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(iA+3B)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + \frac{4 \int -\frac{3}{2} \frac{\sqrt{a+ia \tan(c+dx)}}{\tan^{\frac{3}{2}}(c+dx)} dx}{3a} \\ &= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(iA+3B)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + (-A + \frac{2A^2}{3d}) \frac{1}{\sqrt{\tan(c+dx)}} \\ &= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(iA+3B)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + \frac{(2a^2(iA+B) + 2A^2)}{3d} \frac{1}{\sqrt{\tan(c+dx)}} \\ &= \frac{(1+i)\sqrt{a}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+ia \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} \end{aligned}$$

Mathematica [A] time = 6.45787, size = 174, normalized size = 1.29

$$\frac{(B+iA)e^{-i(c+dx)}\sqrt{-1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} - \frac{2\sqrt{a+ia \tan(c+dx)}(A \cot(c+dx) + iA)}{3d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] ((I*A + B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sqrt[a + I*a*Tan[c + d*x]])/(d*E^(I*(c + d*x))*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) - (2*(I*A + 3*B + A*Cot[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.043, size = 553, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] -1/6/d*(a*(1+I*tan(d*x+c)))^(1/2)/tan(d*x+c)^(3/2)*(3*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c)))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-12*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2-3*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c)))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+3*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d

$(x+c)^{1/2} + I*a - 3*a*\tan(dx+c) / (\tan(dx+c)+I) * \tan(dx+c)^3 - 8*A*(-I*a)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} * \tan(dx+c) - 4*I*A*\tan(dx+c)^2 * (-I*a)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + 3*A*2^{1/2} * \ln(-(-2*2^{1/2}) * (-I*a)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + I*a - 3*a*\tan(dx+c)) / (\tan(dx+c)+I) * \tan(dx+c)^2 + 12*I*B*(-I*a)^{1/2} * \tan(dx+c) * (a*\tan(dx+c) * (1+I*\tan(dx+c)))^{1/2} + 4*I*A*(-I*a)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} / (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} / (-\tan(dx+c)+I) / (-I*a)^{1/2}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c))/tan(dx+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.81017, size = 1327, normalized size = 9.83

$$\sqrt{2} \left(4(2A - 3iB)e^{4i dx + 4ic} + 8Ae^{2i dx + 2ic} + 12iB \right) \sqrt{\frac{a}{e^{2i dx + 2ic} + 1}} \sqrt{\frac{-i e^{2i dx + 2ic} + i}{e^{2i dx + 2ic} + 1}} e^{i dx + ic} - 3 \left(d e^{4i dx + 4ic} - 2 d e^{2i dx + 2ic} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c))/tan(dx+c)^(5/2),x, algorithm="fricas")

[Out] $\frac{1}{6} * (\sqrt{2} * (4 * (2A - 3I*B) * e^{4I*d*x + 4I*c} + 8 * A * e^{2I*d*x + 2I*c} + 12 * I * B) * \sqrt{a / (e^{2I*d*x + 2I*c} + 1)} * \sqrt{(-I * e^{2I*d*x + 2I*c} + I) / (e^{2I*d*x + 2I*c} + 1)} * e^{I*d*x + I*c} - 3 * (d * e^{4I*d*x + 4I*c} - 2 * d * e^{2I*d*x + 2I*c} + d) * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) * a / d^2} * \log(\sqrt{2} * ((I * A + B) * e^{2I*d*x + 2I*c} + I * A + B) * \sqrt{a / (e^{2I*d*x + 2I*c} + 1)} * \sqrt{(-I * e^{2I*d*x + 2I*c} + I) / (e^{2I*d*x + 2I*c} + 1)} * e^{I*d*x + I*c} + I * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) * a / d^2} * e^{2I*d*x + 2I*c})) * e^{-2I*d*x - 2I*c} / (I * A + B) + 3 * (d * e^{4I*d*x + 4I*c} - 2 * d * e^{2I*d*x + 2I*c} + d) * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) * a / d^2} * \log(\sqrt{2} * ((I * A + B) * e^{2I*d*x + 2I*c} + I * A + B) * \sqrt{a / (e^{2I*d*x + 2I*c} + 1)} * \sqrt{(-I * e^{2I*d*x + 2I*c} + I) / (e^{2I*d*x + 2I*c} + 1)} * e^{I*d*x + I*c} - I * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) * a / d^2} * e^{2I*d*x + 2I*c})) * e^{-2I*d*x - 2I*c} / (I * A + B)) / (d * e^{4I*d*x + 4I*c} - 2 * d * e^{2I*d*x + 2I*c} + d) + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.42187, size = 240, normalized size = 1.78

$$\frac{(i+1) \sqrt{-2(i a \tan(dx+c) + a)a + 2a^2(i a \tan(dx+c) + a)a^4 + (-2i-2)(i a \tan(dx+c) + a)a^3 + (2i-2)a^4} \sqrt{-2((i a \tan(dx+c) + a)^4 a - 5(i a \tan(dx+c) + a)^3 a^2 + 9(i a \tan(dx+c) + a)^2 a^3 - 7(i a \tan(dx+c) + a)a^4 + 2a^5)}}{2((i a \tan(dx+c) + a)^4 a - 5(i a \tan(dx+c) + a)^3 a^2 + 9(i a \tan(dx+c) + a)^2 a^3 - 7(i a \tan(dx+c) + a)a^4 + 2a^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] 1/2*((I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^4 + (-2*I - 2)*(I*a*tan(d*x + c) + a)*a^3 + (2*I - 2)*a^4)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^4*a - 5*(I*a*tan(d*x + c) + a)^3*a^2 + 9*(I*a*tan(d*x + c) + a)^2*a^3 - 7*(I*a*tan(d*x + c) + a)*a^4 + 2*a^5)*d)
```

$$3.159 \quad \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=178

$$-\frac{2(5B+iA)\sqrt{a+ia \tan(c+dx)}}{15d \tan^3(c+dx)} + \frac{2(13A-5iB)\sqrt{a+ia \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}} - \frac{(1+i)\sqrt{a}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - 2$$

```
[Out] ((-1 - I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(5*d*Tan[c + d*x]^(5/2)) - (2*(I*A + 5*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*d*Tan[c + d*x]^(3/2)) + (2*(13*A - (5*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.535027, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3598, 12, 3544, 205}

$$-\frac{2(5B+iA)\sqrt{a+ia \tan(c+dx)}}{15d \tan^3(c+dx)} + \frac{2(13A-5iB)\sqrt{a+ia \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}} - \frac{(1+i)\sqrt{a}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - 2$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]
```

```
[Out] ((-1 - I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(5*d*Tan[c + d*x]^(5/2)) - (2*(I*A + 5*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*d*Tan[c + d*x]^(3/2)) + (2*(13*A - (5*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*d*Sqrt[Tan[c + d*x]])
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] / ; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx &= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(iA + 5B) - 2aA \tan(c + dx) \right)}{\tan^{\frac{5}{2}}(c + dx)} dx}{5a} \\ &= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{4 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{3}{2}}(c + dx)} dx}{15d} \\ &= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(13A + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} \\ &= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(13A + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} \\ &= -\frac{2A\sqrt{a + ia \tan(c + dx)}}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(13A + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^{\frac{3}{2}}(c + dx)} \\ &= -\frac{(1 + i)\sqrt{a}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a + ia \tan(c + dx)}}{5d \tan^{\frac{5}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 7.41365, size = 211, normalized size = 1.19

$$\frac{(A - iB)e^{-i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1 + e^{2i(c+dx)}}}\right) \sqrt{a + ia \tan(c + dx)}}{d\sqrt{-\frac{i(-1 + e^{2i(c+dx)})}{1 + e^{2i(c+dx)}}}} - \frac{\csc^2(c + dx)\sqrt{a + ia \tan(c + dx)}((5B + iA)\sqrt{-1 + e^{2i(c+dx)}})}{15d \tan^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] -(((A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sqrt[a + I*a*Tan[c + d*x]])/(d*E^(I*(c + d*x))*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))])) - (Csc[c + d*x]^2*(-10*A + (5*I)*B + (16*A - (5*I)*B)*Cos[2*(c + d*x)] + (I*A + 5*B)*Sin[2*(c + d*x)])*Sqrt[a + I*a*Tan[c + d*x]]/(15*d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.048, size = 630, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

```
[Out] -1/30/d*(a*(1+I*tan(d*x+c)))^(1/2)*(15*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+15*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-15*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-20*I*B*tan(d*x+c)^3*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+15*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-56*I*A*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+52*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^3+20*I*B*(-I*a)^(1/2)*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-40*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2+12*I*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-16*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c))/tan(d*x+c)^(5/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*x+c)+I)/(-I*a)^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, alg
orithm="maxima")
```

```
[Out] Timed out
```

Fricas [B] time = 1.82182, size = 1482, normalized size = 8.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, alg
orithm="fricas")
```

```
[Out] 1/30*(sqrt(2)*((68*I*A + 40*B)*e^(6*I*d*x + 6*I*c) - 12*I*A*e^(4*I*d*x + 4*I*c) + (-20*I*A - 40*B)*e^(2*I*d*x + 2*I*c) + 60*I*A)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 15*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))/e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 15*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))/e^(-2*I*d*x - 2*I*c)/(I*A + B)))/(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)

[Out] Timed out

Giac [A] time = 1.44699, size = 265, normalized size = 1.49

$$\frac{(i+1) \sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^5} + \left(- (2i-2)(i a \tan(dx+c)+a)a^4 + (2i-2)a^5\right) \sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^5}}{\left(-2i(i a \tan(dx+c)+a)^5 a + 12i(i a \tan(dx+c)+a)^4 a^2 - 28i(i a \tan(dx+c)+a)^3 a^3 + 32i(i a \tan(dx+c)+a)^2 a^4 - 18i(i a \tan(dx+c)+a)a^5 + 4i a^6\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] ((I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^5 + (-2*I - 2)*(I*a*tan(d*x + c) + a)*a^4 + (2*I - 2)*a^5)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B/((-2*I*(I*a*tan(d*x + c) + a)^5*a + 12*I*(I*a*tan(d*x + c) + a)^4*a^2 - 28*I*(I*a*tan(d*x + c) + a)^3*a^3 + 32*I*(I*a*tan(d*x + c) + a)^2*a^4 - 18*I*(I*a*tan(d*x + c) + a)*a^5 + 4*I*a^6)*d)

$$3.160 \quad \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=221

$$\frac{2(31A - 7iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^3(c + dx)} - \frac{2(7B + iA)\sqrt{a + ia \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2(91B + 43iA)\sqrt{a + ia \tan(c + dx)}}{105d\sqrt{\tan(c + dx)}} + \frac{(1 - i)\sqrt{a}(A + B \tan(c + dx))}{\tan^2(c + dx)}$$

[Out] ((1 - I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*(I*A + 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*(31*A - (7*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (2*((43*I)*A + 91*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.713357, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3598, 12, 3544, 205}

$$\frac{2(31A - 7iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^3(c + dx)} - \frac{2(7B + iA)\sqrt{a + ia \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2(91B + 43iA)\sqrt{a + ia \tan(c + dx)}}{105d\sqrt{\tan(c + dx)}} + \frac{(1 - i)\sqrt{a}(A + B \tan(c + dx))}{\tan^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] ((1 - I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*A*Sqrt[a + I*a*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*(I*A + 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*(31*A - (7*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (2*((43*I)*A + 91*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Sqrt[Tan[c + d*x]])

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx = -\frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} + \frac{2 \int \frac{\sqrt{a+ia \tan(c+dx)}\left(\frac{1}{2}a(iA+7B)-3aA \tan(c+dx)\right)}{\tan^{\frac{7}{2}}(c+dx)} dx}{7a}$$

$$= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(iA+7B)\sqrt{a+ia \tan(c+dx)}}{35d \tan^{\frac{5}{2}}(c+dx)} + \frac{4 \int \frac{\sqrt{a+ia \tan(c+dx)}}{\tan^{\frac{5}{2}}(c+dx)} dx}{7a}$$

$$= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(iA+7B)\sqrt{a+ia \tan(c+dx)}}{35d \tan^{\frac{5}{2}}(c+dx)} + \frac{2(31A+7B)\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)}$$

$$= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(iA+7B)\sqrt{a+ia \tan(c+dx)}}{35d \tan^{\frac{5}{2}}(c+dx)} + \frac{2(31A+7B)\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)}$$

$$= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(iA+7B)\sqrt{a+ia \tan(c+dx)}}{35d \tan^{\frac{5}{2}}(c+dx)} + \frac{2(31A+7B)\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)}$$

$$= -\frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(iA+7B)\sqrt{a+ia \tan(c+dx)}}{35d \tan^{\frac{5}{2}}(c+dx)} + \frac{2(31A+7B)\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)}$$

$$= -\frac{(1+i)\sqrt{a}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+ia \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)}$$

Mathematica [A] time = 9.33774, size = 239, normalized size = 1.08

$$\frac{i(A-iB)e^{-i(c+dx)}\sqrt{-1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} - \frac{\csc^3(c+dx)\sqrt{a+ia \tan(c+dx)}(7(2A+7B)\sqrt{a+ia \tan(c+dx)}+7(2A+7B)\sqrt{a+ia \tan(c+dx)})}{7d \tan^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] ((-I)*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sqrt[a + I*a*Tan[c + d*x]])/(d*E^(I*(c + d*x))*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))] - (Csc[c + d*x]^3*(7*(2*A + I*B)*Cos[c + d*x] + (46*A - (7*I)*B)*Cos[3*(c + d*x)] + 4*((-20*I)*A - 35*B + ((23*I)*A + 56*B)*Cos[2*(c + d*x)])*Sin[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])/(210*d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.043, size = 707, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(dx+c))^{1/2}*(A+B*\tan(dx+c))/\tan(dx+c)^{9/2}, x)$

[Out] $\frac{1}{210} \frac{d}{dx} \left(\frac{(a+I*\tan(dx+c))^{1/2}}{\tan(dx+c)^{7/2}} \left(-172IA*\tan(dx+c)^4 * (-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} - 364B*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} * \tan(dx+c)^4 + 392I*B*(-Ia)^{1/2} * \tan(dx+c)^3 * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + 105B*2^{1/2} * \ln(-(-2*2^{1/2}*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + Ia - 3a*\tan(dx+c)) / (\tan(dx+c)+I)) * \tan(dx+c)^5 - 296A*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} * \tan(dx+c)^3 - 60IA*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + 105A*2^{1/2} * \ln(-(-2*2^{1/2}*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + Ia - 3a*\tan(dx+c)) / (\tan(dx+c)+I)) * \tan(dx+c)^4 + 112B*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} * \tan(dx+c)^2 + 105IA*2^{1/2} * \ln(-(-2*2^{1/2}*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + Ia - 3a*\tan(dx+c)) / (\tan(dx+c)+I)) * \tan(dx+c)^5 + 72A*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} * \tan(dx+c) - 84I*B*(-Ia)^{1/2} * \tan(dx+c) * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + 136IA*(-Ia)^{1/2} * \tan(dx+c)^2 * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} - 105I*B*2^{1/2} * \ln(-(-2*2^{1/2}*(-Ia)^{1/2} * (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} + Ia - 3a*\tan(dx+c)) / (\tan(dx+c)+I)) * \tan(dx+c)^4 \right) / (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2} / (-\tan(dx+c)+I) / (-Ia)^{1/2}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(dx+c))^{1/2}*(A+B*\tan(dx+c))/\tan(dx+c)^{9/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 1.82029, size = 1666, normalized size = 7.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(dx+c))^{1/2}*(A+B*\tan(dx+c))/\tan(dx+c)^{9/2}, x, \text{algorithm}="fricas")$

[Out] $-\frac{1}{210} \sqrt{2} (4(92A - 119IB)e^{(8I dx + 8I c)} - 80(A - 7IB)e^{(6I dx + 6I c)} + 56(2A + IB)e^{(4I dx + 4I c)} + 560(A - IB)e^{(2I dx + 2I c)} + 420IB) \sqrt{\frac{a}{e^{(2I dx + 2I c)} + 1}} \sqrt{\frac{(-Ie^{(2I dx + 2I c)} + I)}{(e^{(2I dx + 2I c)} + 1)} e^{(I dx + I c)} - 105(d e^{(8I dx + 8I c)} - 4d e^{(6I dx + 6I c)} + 6d e^{(4I dx + 4I c)} - 4d e^{(2I dx + 2I c)} + d) \sqrt{(-2IA^2 - 4AB + 2IB^2) \frac{a}{d^2}} \log\left(\frac{\sqrt{2}((IA + B)e^{(2I dx + 2I c)} + IA + B) \sqrt{\frac{a}{e^{(2I dx + 2I c)} + 1}} \sqrt{\frac{(-Ie^{(2I dx + 2I c)} + I)}{(e^{(2I dx + 2I c)} + 1)} e^{(I dx + I c)}}\right)$

$$+ I*c) + I*d*\sqrt{(-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2}*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + 105*(d*e^{(8*I*d*x + 8*I*c)} - 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} - 4*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2}*\log((\sqrt{2}*(I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - I*d*\sqrt{(-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2}*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)/(I*A + B)})/(d*e^{(8*I*d*x + 8*I*c)} - 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} - 4*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)

[Out] Timed out

Giac [A] time = 1.47909, size = 289, normalized size = 1.31

$$\frac{- (i + 1) \sqrt{-2(i a \tan(dx + c) + a)a + 2a^2(i a \tan(dx + c) + a)a^6 + ((2i - 2)(i a \tan(dx + c) + a)a^5 - (2i - 2)a^6)}}{2((i a \tan(dx + c) + a)^6 a - 7(i a \tan(dx + c) + a)^5 a^2 + 20(i a \tan(dx + c) + a)^4 a^3 - 30(i a \tan(dx + c) + a)^3 a^4 + 25(i a \tan(dx + c) + a)^2 a^5 - 11(i a \tan(dx + c) + a)a^6 + 2a^7)*d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")

[Out] 1/2*(-(I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^6 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a^5 - (2*I - 2)*a^6)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^6*a - 7*(I*a*tan(d*x + c) + a)^5*a^2 + 20*(I*a*tan(d*x + c) + a)^4*a^3 - 30*(I*a*tan(d*x + c) + a)^3*a^4 + 25*(I*a*tan(d*x + c) + a)^2*a^5 - 11*(I*a*tan(d*x + c) + a)*a^6 + 2*a^7)*d)

$$3.161 \quad \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=248

$$\frac{(-1)^{3/4}a^{3/2}(23B + 22iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d} + \frac{(2 + 2i)a^{3/2}(B + iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(7B + 6iA) \tan^{\frac{3}{2}}(c+dx)}{d}$$

[Out] $((-1)^{(3/4)}*a^{(3/2)}*((22*I)*A + 23*B)*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(8*d) + ((2 + 2*I)*a^{(3/2)}*(I*A + B)*\text{ArcTanh}(((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d + (a*(10*A - (9*I)*B)*\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(8*d) + (a*((6*I)*A + 7*B)*\text{Tan}[c + d*x]^{(3/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(12*d) + ((I/3)*a*B*\text{Tan}[c + d*x]^{(5/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d$

Rubi [A] time = 0.902085, antiderivative size = 248, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {3594, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{3/2}(23B + 22iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d} + \frac{(2 + 2i)a^{3/2}(B + iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(7B + 6iA) \tan^{\frac{3}{2}}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $((-1)^{(3/4)}*a^{(3/2)}*((22*I)*A + 23*B)*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(8*d) + ((2 + 2*I)*a^{(3/2)}*(I*A + B)*\text{ArcTanh}(((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d + (a*(10*A - (9*I)*B)*\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(8*d) + (a*((6*I)*A + 7*B)*\text{Tan}[c + d*x]^{(3/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(12*d) + ((I/3)*a*B*\text{Tan}[c + d*x]^{(5/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d$

Rule 3594

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_))])^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_))])^{(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_))])^{(n_)}}, x_Symbol] :> \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)})/(d*f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3597

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_))])^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_))])^{(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_))])^{(n_)}}, x_Symbol] :> \text{Simp}[(B*(a + b*\text{Tan}[e + f*x])^{(m)}*(c + d*\text{Tan}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(a*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m)}*(c + d*\text{Tan}[e + f*x])^{(n - 1)}*\text{Simp}[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^2)^(m_)*((c_) + (d_)*(x_)^2)^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \frac{iaB \tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{3d} + \frac{1}{3} \int \tan^{\frac{3}{2}}(c+dx) dx \\
&= \frac{a(6iA+7B) \tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{12d} + \frac{iaB \tan^{\frac{3}{2}}(c+dx)}{3} \\
&= \frac{a(10A-9iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{8d} + \frac{a(6iA+7B) \tan^{\frac{3}{2}}(c+dx)}{3} \\
&= \frac{a(10A-9iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{8d} + \frac{a(6iA+7B) \tan^{\frac{3}{2}}(c+dx)}{3} \\
&= \frac{a(10A-9iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{8d} + \frac{a(6iA+7B) \tan^{\frac{3}{2}}(c+dx)}{3} \\
&= \frac{(2+2i)a^{3/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(10A-9iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= \frac{(2+2i)a^{3/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(10A-9iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{8d} \\
&= -\frac{\sqrt[4]{-1}a^{3/2}(22A-23iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d} + \frac{a(10A-9iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{8d}
\end{aligned}$$

Mathematica [A] time = 7.18527, size = 420, normalized size = 1.69

$$(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) \left(\frac{\sqrt{2}e^{-i(c+dx)}\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}}{\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}}} \left(\sqrt{2}(22A-23iB) \left(\log\left(-2\sqrt{2}e^{i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}-3e^{2i(c+dx)}+1\right)-\log\left(2\sqrt{2}e^{i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}-3e^{2i(c+dx)}+1\right)\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (((Sqrt[2]*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(-128*(A - I*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + Sqrt[2]*(22*A - (23*I)*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])))/E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))])) + (4*Sec[c + d*x]^(5/2)*(Cos[c] - I*Sin[c])*(30*A - (19*I)*B + 5*(6*A - (7*I)*B)*Cos[2*(c + d*x)] + 2*((6*I)*A + 7*B)*Sin[2*(c + d*x)])*Sqrt[Tan[c + d*x]]/(3*Cos[d*x] + (3*I)*Sin[d*x]))*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])/(64*d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.062, size = 652, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)

[Out] $\frac{1}{48}d \tan(d*x+c)^{(1/2)} * (a*(1+I*\tan(d*x+c)))^{(1/2)} * a * (16*I*B*\tan(d*x+c)^2 * (a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * (I*a)^{(1/2)} + 24*I*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * (I*a)^{(1/2)} * \tan(d*x+c) + 27*I*B*(-I*a)^{(1/2)} * \ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)} * (I*a)^{(1/2)} + a) / (I*a)^{(1/2)} * a - 54*I*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * (I*a)^{(1/2)} + 28*B*(I*a)^{(1/2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} * \tan(d*x+c) - 24*I*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c)+I)) * (I*a)^{(1/2)} * 2^{(1/2)} * a - 30*A*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)} * (I*a)^{(1/2)} + a) / (I*a)^{(1/2)} * (-I*a)^{(1/2)} * a + 60*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * (I*a)^{(1/2)} - 48*I*(-I*a)^{(1/2)} * \ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)} * (I*a)^{(1/2)} + a) / (I*a)^{(1/2)} * a + 24*2^{(1/2)} * \ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c)+I)) * a * (I*a)^{(1/2)} - 48*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)} * (I*a)^{(1/2)} + a) / (I*a)^{(1/2)} * a * (-I*a)^{(1/2)} / (a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)} / (-I*a)^{(1/2)} / (I*a)^{(1/2)}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 2.04483, size = 2564, normalized size = 10.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{48} * (2*\sqrt{2}) * (7*(6*A - 7*I*B) * a * e^{(4*I*d*x + 4*I*c)} + 2*(30*A - 19*I*B) * a * e^{(2*I*d*x + 2*I*c)} + 3*(6*A - 7*I*B) * a) * \sqrt{a / (e^{(2*I*d*x + 2*I*c)} + 1)} * \sqrt{(-I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} + 1)} * e^{(I*d*x + I*c)} + 3 * \sqrt{(-484*I*A^2 - 1012*A*B + 529*I*B^2) * a^3 / d^2} * (d * e^{(4*I*d*x + 4*I*c)} + 2 * d * e^{(2*I*d*x + 2*I*c)} + d) * \log((\sqrt{2}) * ((22*I*A + 23*B) * a * e^{(2*I*d*x + 2*I*c)} + (22*I*A + 23*B) * a) * \sqrt{a / (e^{(2*I*d*x + 2*I*c)} + 1)}) * \sqrt{(-I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} + 1)} * e^{(I*d*x + I*c)} + 2 * I * \sqrt{(-484*I*A^2 - 1012*A*B + 529*I*B^2) * a^3 / d^2} * d * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c)} / ((22*I*A + 23*B) * a) - 3 * \sqrt{(-484*I*A^2 - 1012*A*B + 529*I*B^2) * a^3 / d^2} * (d * e^{(4*I*d*x + 4*I*c)} + 2 * d * e^{(2*I*d*x + 2*I*c)} + d) * \log((\sqrt{2}) * ((22*I*A + 23*B) * a * e^{(2*I*d*x + 2*I*c)} + (22*I*A + 23*B) * a) * \sqrt{a / (e^{(2*I*d*x + 2*I*c)} + 1)}) * \sqrt{(-I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} + 1)} * e^{(I*d*x + I*c)} - 2 * I * \sqrt{(-484*I*A^2 - 1012*A*B + 529*I*B^2) * a^3 / d^2} * d * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c)} / ((22*I*A + 23*B)$

```

*a)) - 24*sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c)
) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x +
2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*
I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((-8
*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*
I*c)/((2*I*A + 2*B)*a)) + 24*sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*(d
*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A +
2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) +
1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x
+ I*c) - I*sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c
))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^
(2*I*d*x + 2*I*c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)), x)
```

```
[Out] Timed out
```

Giac [A] time = 1.3871, size = 412, normalized size = 1.66

$$\left(-2i(i a \tan(dx + c) + a)^3 + 4i(i a \tan(dx + c) + a)^2 a + (2 a \tan(dx + c) - 2i a)a^2\right) \sqrt{-2(i a \tan(dx + c) + a)a + 2 a^2} \sqrt{i a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x, alg
orithm="giac")
```

```
[Out] 1/2*((-2*I*(I*a*tan(d*x + c) + a)^3 + 4*I*(I*a*tan(d*x + c) + a)^2*a + (2*a
*tan(d*x + c) - 2*I*a)*a^2)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(
I*a*tan(d*x + c) + a)*B*((-I*(I*a*tan(d*x + c) + a)*a + I*a^2)/sqrt((I*a*ta
n(d*x + c) + a)^2*a^2 - 2*(I*a*tan(d*x + c) + a)*a^3 + a^4) + 1) + ((I*a*ta
n(d*x + c) + a)^2*a - (I*a*tan(d*x + c) + a)*a^2)*sqrt(-2*(I*a*tan(d*x + c)
+ a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*((-I*(I*a*tan(d*x + c) + a)*a + I*a
^2)/sqrt((I*a*tan(d*x + c) + a)^2*a^2 - 2*(I*a*tan(d*x + c) + a)*a^3 + a^4)
+ 1))/(((I*a*tan(d*x + c) + a)*a^2 - 2*a^3)*d)
```


$$3.162 \quad \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=204

$$\frac{(-1)^{3/4}a^{3/2}(12A-11iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(5B+4iA)\sqrt{\tan(c+dx)}}{d}$$

[Out] $-\left((-1)^{3/4}a^{3/2}(12A-11iB) \operatorname{ArcTan}\left[\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right]\right)/(4d) - \left((2+2i)a^{3/2}(A-iB) \operatorname{ArcTanh}\left[\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right]\right)/d + \left(a((4i)A+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}\right)/(4d) + \left((i/2)aB \tan(c+dx)^{3/2}\sqrt{a+ia \tan(c+dx)}\right)/d$

Rubi [A] time = 0.699549, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {3594, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{3/2}(12A-11iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(5B+4iA)\sqrt{\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)), x\right]$

[Out] $-\left((-1)^{3/4}a^{3/2}(12A-11iB) \operatorname{ArcTan}\left[\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right]\right)/(4d) - \left((2+2i)a^{3/2}(A-iB) \operatorname{ArcTanh}\left[\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right]\right)/d + \left(a((4i)A+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}\right)/(4d) + \left((i/2)aB \tan(c+dx)^{3/2}\sqrt{a+ia \tan(c+dx)}\right)/d$

Rule 3594

$\operatorname{Int}\left[\left((a_.) + (b_.)\tan[(e_.) + (f_.)x]\right)^{m_.}\left((A_.) + (B_.)\tan[(e_.) + (f_.)x]\right)^{n_.}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\frac{bB(a+b \tan[e+fx])^{m-1}(c+d \tan[e+fx])^{n+1}}{d f(m+n)}, x\right] + \operatorname{Dist}\left[\frac{1}{d(m+n)}, \operatorname{Int}\left[\left(a+b \tan[e+fx]\right)^{m-1}(c+d \tan[e+fx])^n \operatorname{Simp}\left[aA d(m+n) + B(a c(m-1) - b d(n+1)) - (B(b c - a d)(m-1) - d(A b + a B)(m+n)) \tan[e+fx], x\right], x\right] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\right] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{EqQ}[a^2 + b^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{!LtQ}[n, -1]$

Rule 3597

$\operatorname{Int}\left[\left((a_.) + (b_.)\tan[(e_.) + (f_.)x]\right)^{m_.}\left((A_.) + (B_.)\tan[(e_.) + (f_.)x]\right)^{n_.}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\frac{B(a+b \tan[e+fx])^m(c+d \tan[e+fx])^n}{f(m+n)}, x\right] + \operatorname{Dist}\left[\frac{1}{a(m+n)}, \operatorname{Int}\left[\left(a+b \tan[e+fx]\right)^m(c+d \tan[e+fx])^{n-1} \operatorname{Simp}\left[aA c(m+n) - B(b c m + a d n) + (aA d(m+n) - B(b d m - a c n)) \tan[e+fx], x\right], x\right] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\right] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{EqQ}[a^2 + b^2, 0] \&\& \operatorname{GtQ}[n, 0]$

Rule 3601

$\operatorname{Int}\left[\left((a_.) + (b_.)\tan[(e_.) + (f_.)x]\right)^{m_.}\left((A_.) + (B_.)\tan[(e_.) + (f_.)x]\right)^{n_.}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Dis}$

```
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \frac{iaB \tan^3(c+dx)\sqrt{a+ia \tan(c+dx)}}{2d} + \frac{1}{2} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2} dx \\
&= \frac{a(4iA+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{iaB}{4d} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2} dx \\
&= \frac{a(4iA+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{iaB}{4d} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2} dx \\
&= \frac{a(4iA+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{iaB}{4d} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2} dx \\
&= -\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(4iA+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} \\
&= -\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a(4iA+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} \\
&= -\frac{\sqrt[4]{-1}a^{3/2}(12iA+11B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} + \frac{a(4iA+5B)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 5.95936, size = 389, normalized size = 1.91

$$(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) \left(\frac{\sqrt{2}e^{-i(c+dx)}\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}}{\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}}} \left(\sqrt{2}(11B+12iA) \left(\log\left(-2\sqrt{2}e^{i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}-3e^{2i(c+dx)}+1\right) - \log\left(-2\sqrt{2}e^{i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}-3e^{2i(c+dx)}+1\right) \right) \right) \right)$$

32

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])*((Sqrt[2]*Sqrt[(-1)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))))*((-64*I)*(A - I*B)*Log[E^((I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))])] + Sqrt[2]*((12*I)*A + 11*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^((I*(c + d*x)))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^((I*(c + d*x)))*Sqrt[-1 + E^((2*I)*(c + d*x))]])))/(E^((I*(c + d*x)))*Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^((I*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))] + 8*Sqrt[Sec[c + d*x]]*(I*Cos[c] + Sin[c])*(Cos[d*x] - I*Sin[d*x])*Sqrt[Tan[c + d*x]]*(4*A - (5*I)*B + 2*B*Tan[c + d*x])))/(32*d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.048, size = 565, normalized size = 2.8

$$-\frac{a}{8d}\sqrt{\tan(dx+c)}\sqrt{a(1+i \tan(dx+c))} \left(-4iB\sqrt{ia}\sqrt{-ia}\sqrt{a \tan(dx+c)}(1+i \tan(dx+c)) \tan(dx+c) + 4iA\sqrt{-ia} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

```
[Out] -1/8/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)*a*(-4*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)+4*I*A*(-I*a)^(1/2)*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a-8*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)-4*I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+5*B*(-I*a)^(1/2)*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a-10*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)+8*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a*(-I*a)^(1/2)-4*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a*(I*a)^(1/2)-8*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a*(-I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(a \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*sqrt(tan(d*x + c)), x)
```

Fricas [B] time = 1.92043, size = 2290, normalized size = 11.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/8*(2*sqrt(2)*((4*I*A + 7*B)*a*e^(2*I*d*x + 2*I*c) + (4*I*A + 3*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt((144*I*A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((12*I*A + 11*B)*a*e^(2*I*d*x + 2*I*c) + (12*I*A + 11*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*sqrt((144*I*A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((12*I*A + 11*B)*a) - sqrt((144*I*A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((12*I*A + 11*B)*a*e^(2*I*d*x + 2*I*c) + (12*I*A + 11*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*sqrt((144*I*A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((12*I*A + 11*B)*a) - 4*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (2*I*A + 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a) + 4*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*
```

$$\frac{(d e^{2 I d x + 2 I c} + d) \log(\sqrt{2} ((2 I A + 2 B) a e^{2 I d x + 2 I c} + (2 I A + 2 B) a) \sqrt{a/(e^{2 I d x + 2 I c} + 1)}) \sqrt{(-I e^{2 I d x + 2 I c} + I)/(e^{2 I d x + 2 I c} + 1)} e^{I d x + I c} - \sqrt{(8 I A^2 + 16 A B - 8 I B^2) a^3/d^2} d e^{2 I d x + 2 I c}) e^{-2 I d x - 2 I c} / ((2 I A + 2 B) a))}{(d e^{2 I d x + 2 I c} + d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(a+I*a*tan(dx+c))**(3/2)*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [A] time = 1.36409, size = 348, normalized size = 1.71

$$\frac{\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)^2} a \left(\frac{-i(i a \tan(dx+c)+a)a+i a^2}{\sqrt{(i a \tan(dx+c)+a)^2 a^2-2(i a \tan(dx+c)+a)a^3+a^4}} + 1 \right) + (-2i(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)^2)}{2((a \tan(dx+c)+a)a+2a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] 1/2*(sqrt(-2*(I*a*tan(dx+c)+a)*a+2*a^2)*(I*a*tan(dx+c)+a)^2*a*(-I*(I*a*tan(dx+c)+a)*a+I*a^2)/sqrt((I*a*tan(dx+c)+a)^2*a^2-2*(I*a*tan(dx+c)+a)*a^3+a^4)+1)+(-2*I*(I*a*tan(dx+c)+a)^2-(2*a*tan(dx+c)-2*I*a)*a)*sqrt(-2*(I*a*tan(dx+c)+a)*a+2*a^2)*sqrt(I*a*tan(dx+c)+a)*B*((-I*(I*a*tan(dx+c)+a)*a+I*a^2)/sqrt((I*a*tan(dx+c)+a)^2*a^2-2*(I*a*tan(dx+c)+a)*a^3+a^4)+1))/((a*tan(dx+c)-I*a)*a+2*I*a^2)*d)

$$3.163 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=156

$$-\frac{(-1)^{3/4}a^{3/2}(3B+2iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{(2+2i)a^{3/2}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{iaB\sqrt{\tan(c+dx)}\sqrt{d}}{d}$$

[Out] -((((-1)^(3/4)*a^(3/2)*((2*I)*A + 3*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]])/d - ((2 + 2*I)*a^(3/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]])/d + (I*a*B*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rubi [A] time = 0.493481, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3594, 3601, 3544, 205, 3599, 63, 217, 203}

$$-\frac{(-1)^{3/4}a^{3/2}(3B+2iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{(2+2i)a^{3/2}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{iaB\sqrt{\tan(c+dx)}\sqrt{d}}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] -((((-1)^(3/4)*a^(3/2)*((2*I)*A + 3*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]])/d - ((2 + 2*I)*a^(3/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]])/d + (I*a*B*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(m+n)), x] + Dist[1/(d*(m+n)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne

$Q[c^2 + d^2, 0]$

Rule 205

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^2}{a}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 3599

$\text{Int}[\frac{(a_.) + (b_.) \cdot \tan[(e_.) + (f_.) \cdot (x_.)]}{(c_.) + (d_.) \cdot \tan[(e_.) + (f_.) \cdot (x_.)]} \cdot ((A_.) + (B_.) \cdot \tan[(e_.) + (f_.) \cdot (x_.)])^m \cdot ((c_.) + (d_.) \cdot \tan[(e_.) + (f_.) \cdot (x_.)])^n, x_Symbol] \rightarrow \text{Dist}[\frac{(b \cdot B)/f}{\text{Subst}[\text{Int}[(a + b \cdot x)^{m-1} \cdot (c + d \cdot x)^n, x], x, \text{Tan}[e + f \cdot x]]}, x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n, x\} \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[A \cdot b + a \cdot B, 0]$

Rule 63

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^m}{(c_.) + (d_.) \cdot (x_.)^n}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[\frac{p}{b}, \text{Subst}[\text{Int}[x^{p \cdot (m+1) - 1} \cdot (c - (a \cdot d)/b + (d \cdot x^p)/b)^n, x], x, (a + b \cdot x)^{1/p}], x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.) \cdot (x_.)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{!GtQ}[a, 0]$

Rule 203

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^2}{a}, x_Symbol] \rightarrow \text{Simp}[\frac{(1 \cdot \text{ArcTan}[\frac{\text{Rt}[b, 2] \cdot x}{\text{Rt}[a, 2] + \text{Rt}[b, 2] \cdot x]}]}{\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]}], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ \|\ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{iaB \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} + \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} \left(\frac{1}{2} \right) dx \\ &= \frac{iaB \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} + (2a(A - iB)) \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx \\ &= \frac{iaB \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} - \frac{(a^2(2A - 3iB)) \text{Subst}\left(\int \frac{1}{\sqrt{\tan(c + dx)}} dx\right)}{2} \\ &= -\frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{iaB \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} \\ &= -\frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{iaB \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} \\ &= \frac{\sqrt{-1}a^{3/2}(2A - 3iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 3.24651, size = 221, normalized size = 1.42

$$\frac{ae^{-i(c+dx)} \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)} \left(2\sqrt{2}(A - iB) (1 + e^{2i(c+dx)}) \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1 + e^{2i(c+dx)}}}\right) + i(3B + 2iA) (1 + e^{2i(c+dx)}) \right)}{\sqrt{2}d \sqrt{-1 + e^{2i(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]
```

```
[Out] (a*(2*Sqrt[2]*(A - I*B)*(1 + E^((2*I)*(c + d*x)))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]] + I*(Sqrt[2]*B*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))] + ((2*I)*A + 3*B)*(1 + E^((2*I)*(c + d*x)))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x))]/Sqrt[-1 + E^((2*I)*(c + d*x))]))*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]/(Sqrt[2]*d*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])
```

Maple [B] time = 0.059, size = 484, normalized size = 3.1

$$\frac{a}{2d} \sqrt{a(1 + i \tan(dx + c))} \sqrt{\tan(dx + c)} \left(-iB \ln \left(\frac{1}{2} \left(2ia \tan(dx + c) + 2\sqrt{a \tan(dx + c)(1 + i \tan(dx + c))} \sqrt{ia + a} \right) \right) \frac{1}{\sqrt{ia}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)
```

```
[Out] 1/2/d*(a*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^(1/2)*a*(-I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*a+2*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))*(I*a)^(1/2)*a+2*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*a+2*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a*(-I*a)^(1/2)-(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+2*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a*(-I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [B] time = 1.94579, size = 2020, normalized size = 12.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{2} \cdot (2 \cdot I \cdot \sqrt{2}) \cdot B \cdot a \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot \sqrt{(-I \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I) / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)} \cdot e^{(I \cdot d \cdot x + I \cdot c)} - \sqrt{(-4 \cdot I \cdot A^2 - 12 \cdot A \cdot B + 9 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot \log((\sqrt{2}) \cdot ((2 \cdot I \cdot A + 3 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (2 \cdot I \cdot A + 3 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot \sqrt{(-I \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I) / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)} \cdot e^{(I \cdot d \cdot x + I \cdot c)} + 2 \cdot I \cdot \sqrt{(-4 \cdot I \cdot A^2 - 12 \cdot A \cdot B + 9 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((2 \cdot I \cdot A + 3 \cdot B) \cdot a)) + \sqrt{(-4 \cdot I \cdot A^2 - 12 \cdot A \cdot B + 9 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot \log((\sqrt{2}) \cdot ((2 \cdot I \cdot A + 3 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (2 \cdot I \cdot A + 3 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot \sqrt{(-I \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I) / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)} \cdot e^{(I \cdot d \cdot x + I \cdot c)} - 2 \cdot I \cdot \sqrt{(-4 \cdot I \cdot A^2 - 12 \cdot A \cdot B + 9 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((2 \cdot I \cdot A + 3 \cdot B) \cdot a)) + \sqrt{(-8 \cdot I \cdot A^2 - 16 \cdot A \cdot B + 8 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot \log((\sqrt{2}) \cdot ((2 \cdot I \cdot A + 2 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (2 \cdot I \cdot A + 2 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot \sqrt{(-I \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I) / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)} \cdot e^{(I \cdot d \cdot x + I \cdot c)} + I \cdot \sqrt{(-8 \cdot I \cdot A^2 - 16 \cdot A \cdot B + 8 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((2 \cdot I \cdot A + 2 \cdot B) \cdot a)) - \sqrt{(-8 \cdot I \cdot A^2 - 16 \cdot A \cdot B + 8 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot \log((\sqrt{2}) \cdot ((2 \cdot I \cdot A + 2 \cdot B) \cdot a \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + (2 \cdot I \cdot A + 2 \cdot B) \cdot a) \cdot \sqrt{a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)}) \cdot \sqrt{(-I \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I) / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1)} \cdot e^{(I \cdot d \cdot x + I \cdot c)} - I \cdot \sqrt{(-8 \cdot I \cdot A^2 - 16 \cdot A \cdot B + 8 \cdot I \cdot B^2) \cdot a^3 / d^2} \cdot d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} \cdot e^{(-2 \cdot I \cdot d \cdot x - 2 \cdot I \cdot c)} / ((2 \cdot I \cdot A + 2 \cdot B) \cdot a))) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Timed out

Giac [A] time = 1.52343, size = 209, normalized size = 1.34

$$\frac{-(i+1) \sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)^2a^2+(2i-2)(i a \tan(dx+c)+a)^2a-(2i-2)(i a \tan(dx+c)+a)a^2}}{2((i a \tan(dx+c)+a)^2a-3(i a \tan(dx+c)+a)a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (-I + 1) \cdot \sqrt{-2 \cdot (I \cdot a \cdot \tan(d \cdot x + c) + a) \cdot a + 2 \cdot a^2} \cdot (I \cdot a \cdot \tan(d \cdot x + c) + a)^2 \cdot a^2 + ((2 \cdot I - 2) \cdot (I \cdot a \cdot \tan(d \cdot x + c) + a)^2 \cdot a - (2 \cdot I - 2) \cdot (I \cdot a \cdot \tan(d \cdot x + c) + a) \cdot a^2) \cdot \sqrt{-2 \cdot (I \cdot a \cdot \tan(d \cdot x + c) + a) \cdot a + 2 \cdot a^2} \cdot \sqrt{I \cdot a \cdot \tan(d \cdot x + c) + a} \cdot B / (((I \cdot a \cdot \tan(d \cdot x + c) + a)^2 \cdot a - 3 \cdot (I \cdot a \cdot \tan(d \cdot x + c) + a) \cdot a^2 + 2 \cdot a^3) \cdot d)$

$$3.164 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=146

$$\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{2\sqrt[4]{-1}a^{3/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2aA\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

[Out] (2*(-1)^(1/4)*a^(3/2)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d + ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.483096, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3593, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{2\sqrt[4]{-1}a^{3/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2aA\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (2*(-1)^(1/4)*a^(3/2)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d + ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{\tan^3(c + dx)} dx &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(2iA + B)\right)}{\sqrt{\tan(c + dx)}} dx \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - B \int \frac{(a - ia \tan(c + dx))\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{(4a^3(A - iB)) \text{Subst}\left(\int \frac{1}{-ia - 2a^2x^2} dx, \frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} \\
 &= \frac{(2 + 2i)a^{3/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2aA\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} \\
 &= \frac{(2 + 2i)a^{3/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2aA\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} \\
 &= \frac{2\sqrt[4]{-1}a^{3/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(2 + 2i)a^{3/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}
 \end{aligned}$$

Mathematica [A] time = 3.89547, size = 234, normalized size = 1.6

$$ae^{-\frac{1}{2}i(4c+5dx)} (1 + e^{2i(c+dx)})^2 \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\tan(c+dx)} \sec(c+dx) \left(\cos\left(\frac{dx}{2}\right) + i \sin\left(\frac{dx}{2}\right) \right) \left(2(B+iA) \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) \right) - \sqrt{2d\sqrt{-1+e^{2i(c+dx)}}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (a*Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*(1 + E^((2*I)*(c + d*x)))^2*(2*(I*A + B)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]) - Sqrt[2]*B*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]] - A*Sqrt[-1 + E^((2*I)*(c + d*x))]*Csc[c + d*x]*Sec[c + d*x]*(Cos[(d*x)/2] + I*Sin[(d*x)/2])*Sqrt[Tan[c + d*x]])/(Sqrt[2]*d*E^((I/2)*(4*c + 5*d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])

Maple [B] time = 0.046, size = 521, normalized size = 3.6

$$\frac{a}{2d} \sqrt{a(1 + i \tan(dx + c))} \left(4iA \ln\left(\frac{1}{2} \left(2ia \tan(dx + c) + 2\sqrt{a \tan(dx + c)(1 + i \tan(dx + c))} \sqrt{ia} + a \right) \frac{1}{\sqrt{ia}} \right) \sqrt{-ia} \tan(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] 1/2/d*(a*(1+I*tan(d*x+c)))^(1/2)*a*(4*I*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)*a-I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a+2*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)*a+2*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)*a-I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-4*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)-2*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)*a)/tan(d*x+c)^(1/2)/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.85713, size = 2007, normalized size = 13.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out]
$$\frac{1}{2} \left(\sqrt{2} (-4IAa e^{2Ix+2Ic} - 4IAa) \sqrt{\frac{a}{e^{2Ix+2Ic} + 1}} \sqrt{\frac{-Ie^{2Ix+2Ic} + I}{e^{2Ix+2Ic} + 1}} e^{Ix+Ic} + \sqrt{(8IA^2 + 16AB - 8IB^2)a^3/d^2} (d e^{2Ix+2Ic} - d) \log\left(\sqrt{2} ((2IA + 2B)a e^{2Ix+2Ic} + (2IA + 2B)a) \sqrt{\frac{a}{e^{2Ix+2Ic} + 1}} \sqrt{\frac{-Ie^{2Ix+2Ic} + I}{e^{2Ix+2Ic} + 1}} e^{Ix+Ic} + \sqrt{(8IA^2 + 16AB - 8IB^2)a^3/d^2} d e^{2Ix+2Ic}\right) e^{-2Ix-2Ic} / ((2IA + 2B)a) - \sqrt{(8IA^2 + 16AB - 8IB^2)a^3/d^2} (d e^{2Ix+2Ic} - d) \log\left(\sqrt{2} ((2IA + 2B)a e^{2Ix+2Ic} + (2IA + 2B)a) \sqrt{\frac{a}{e^{2Ix+2Ic} + 1}} \sqrt{\frac{-Ie^{2Ix+2Ic} + I}{e^{2Ix+2Ic} + 1}} e^{Ix+Ic} - \sqrt{(8IA^2 + 16AB - 8IB^2)a^3/d^2} d e^{2Ix+2Ic}\right) e^{-2Ix-2Ic} / ((2IA + 2B)a) - \sqrt{-4IB^2 a^3/d^2} (d e^{2Ix+2Ic} - d) \log\left(\sqrt{2} (B a e^{2Ix+2Ic} + B a) \sqrt{\frac{a}{e^{2Ix+2Ic} + 1}} \sqrt{\frac{-Ie^{2Ix+2Ic} + I}{e^{2Ix+2Ic} + 1}} e^{Ix+Ic} + \sqrt{-4IB^2 a^3/d^2} d e^{2Ix+2Ic}\right) e^{-2Ix-2Ic} / (B a) + \sqrt{-4IB^2 a^3/d^2} (d e^{2Ix+2Ic} - d) \log\left(\sqrt{2} (B a e^{2Ix+2Ic} + B a) \sqrt{\frac{a}{e^{2Ix+2Ic} + 1}} \sqrt{\frac{-Ie^{2Ix+2Ic} + I}{e^{2Ix+2Ic} + 1}} e^{Ix+Ic} - \sqrt{-4IB^2 a^3/d^2} d e^{2Ix+2Ic}\right) e^{-2Ix-2Ic} / (B a) \right) / (d e^{2Ix+2Ic} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out] Timed out

Giac [A] time = 1.53931, size = 236, normalized size = 1.62

$$\frac{(i-1) \sqrt{-2(i a \tan(dx+c) + a) a + 2 a^2 (i a \tan(dx+c) + a)^2 a^3} + ((2i+2)(i a \tan(dx+c) + a)^2 a^2 - (2i+2)(i a \tan(dx+c) + a) a^3) \sqrt{-2(i a \tan(dx+c) + a) a + 2 a^2} \sqrt{i a \tan(dx+c) + a} B}{2((i a \tan(dx+c) + a)^3 a - 4(i a \tan(dx+c) + a)^2 a^2 + 5(i a \tan(dx+c) + a) a - 2 a^4) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out]
$$-1/2 \left((I-1) \sqrt{-2(I a \tan(dx+c) + a) a + 2 a^2} (I a \tan(dx+c) + a)^2 a^3 + ((2I+2)(I a \tan(dx+c) + a)^2 a^2 - (2I+2)(I a \tan(dx+c) + a) a^3) \sqrt{-2(I a \tan(dx+c) + a) a + 2 a^2} \sqrt{I a \tan(dx+c) + a} B \right) / (((I a \tan(dx+c) + a)^3 a - 4(I a \tan(dx+c) + a)^2 a^2 + 5(I a \tan(dx+c) + a) a - 2 a^4) d)$$

$$3.165 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=137

$$\frac{(2+2i)a^{3/2}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(3B+4iA)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} - \frac{2aA\sqrt{a+ia \tan(c+dx)}}{3d \tan^{3/2}(c+dx)}$$

[Out] ((2 + 2*I)*a^(3/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*a*((4*I)*A + 3*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.365525, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{(2+2i)a^{3/2}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(3B+4iA)\sqrt{a+ia \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} - \frac{2aA\sqrt{a+ia \tan(c+dx)}}{3d \tan^{3/2}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] ((2 + 2*I)*a^(3/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*a*((4*I)*A + 3*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^5(c + dx)} dx = -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{3d \tan^3(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(4iA + 3B) + \frac{1}{2}B \tan(c + dx) \right)}{\tan^3(c + dx)} dx$$

$$= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{3d \tan^3(c + dx)} - \frac{2a(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{3d \sqrt{\tan(c + dx)}} + \frac{2}{3} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(4iA + 3B) + \frac{1}{2}B \tan(c + dx) \right)}{\tan^3(c + dx)} dx$$

$$= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{3d \tan^3(c + dx)} - \frac{2a(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{3d \sqrt{\tan(c + dx)}} - \frac{2}{3} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(4iA + 3B) + \frac{1}{2}B \tan(c + dx) \right)}{\tan^3(c + dx)} dx$$

$$= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{3d \tan^3(c + dx)} - \frac{2a(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{3d \sqrt{\tan(c + dx)}} + \frac{2}{3} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(4iA + 3B) + \frac{1}{2}B \tan(c + dx) \right)}{\tan^3(c + dx)} dx$$

$$= \frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{2aA\sqrt{a + ia \tan(c + dx)}}{3d \tan^3(c + dx)}$$

Mathematica [A] time = 5.60928, size = 221, normalized size = 1.61

$$\frac{ae^{-3i(c+dx)} \sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} (1 + e^{2i(c+dx)})^2 (\tan(c + dx) - i) \sqrt{a + ia \tan(c + dx)} \left(e^{i(c+dx)} \sqrt{1 - e^{2i(c+dx)}} (iA(-3 + 5e^{2i(c+dx)})) \right)}{3d (1 - e^{2i(c+dx)})^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(
5/2), x]
```

```
[Out] (a*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))]*(1 + E
^((2*I)*(c + d*x)))^2*(E^(I*(c + d*x))*Sqrt[1 - E^((2*I)*(c + d*x))]*(3*B*(
-1 + E^((2*I)*(c + d*x)))) + I*A*(-3 + 5*E^((2*I)*(c + d*x)))) + 3*(I*A + B)
*(-1 + E^((2*I)*(c + d*x)))^2*ArcSin[E^(I*(c + d*x))]*(-I + Tan[c + d*x])*
Sqrt[a + I*a*Tan[c + d*x]])/(3*d*E^((3*I)*(c + d*x))*(1 - E^((2*I)*(c + d*x)
)))^(5/2))
```

Maple [B] time = 0.042, size = 618, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(dx+c))^{3/2}*(A+B*\tan(dx+c))/\tan(dx+c)^{5/2}, x)$

[Out]
$$-1/6/d*(a*(1+I*\tan(dx+c)))^{1/2}*a/\tan(dx+c)^{3/2}*(-12*I*B*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(dx+c)^{2*a+3*I*(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^{2*a+16*I*A*(I*a)^{1/2}*(-I*a)^{1/2}*\tan(dx+c)*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+12*A*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(dx+c)^{2*a+6*I*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(dx+c)^{2*a-3*(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^{2*a+12*B*(I*a)^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*\tan(dx+c)+6*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(dx+c)^{2*a+4*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2})/(I*a)^{1/2}/(-I*a)^{1/2}/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(dx+c))^{3/2}*(A+B*\tan(dx+c))/\tan(dx+c)^{5/2}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 1.7478, size = 1418, normalized size = 10.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(dx+c))^{3/2}*(A+B*\tan(dx+c))/\tan(dx+c)^{5/2}, x, \text{algorithm}="fricas")$

[Out]
$$1/6*(4*\sqrt{2}*((5*A - 3*I*B)*a*e^{(4*I*d*x + 4*I*c)} + 2*A*a*e^{(2*I*d*x + 2*I*c)} - 3*(A - I*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 3*\sqrt{((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((2*I*A + 2*B)*a*e^{(2*I*d*x + 2*I*c)} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + I*\sqrt{((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a)) + 3*\sqrt{((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)}*(d*e^{(4*I*d*x + 4*I*c)} - 2$$

$$\frac{d e^{(2 I d x + 2 I c)} + d \log(\sqrt{2}((2 I A + 2 B) a e^{(2 I d x + 2 I c)} + (2 I A + 2 B) a) \sqrt{a/(e^{(2 I d x + 2 I c)} + 1)} \sqrt{(-I e^{(2 I d x + 2 I c)} + I)/(e^{(2 I d x + 2 I c)} + 1)} e^{(I d x + I c)} - I \sqrt{(-8 I A^2 - 16 A B + 8 I B^2) a^3/d^2} d e^{(2 I d x + 2 I c)} e^{(-2 I d x - 2 I c)} / ((2 I A + 2 B) a)) / (d e^{(4 I d x + 4 I c)} - 2 d e^{(2 I d x + 2 I c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] Timed out

Giac [A] time = 1.52234, size = 261, normalized size = 1.91

$$\frac{-(i-1) \sqrt{-2(i a \tan(dx+c)+a) a+2 a^2(i a \tan(dx+c)+a)^2 a^4} + (-2i+2)(i a \tan(dx+c)+a)^2 a^3 + (2i+2)(i a \tan(dx+c)+a)^2 a^4}{(-2i(i a \tan(dx+c)+a)^4 a+10i(i a \tan(dx+c)+a)^3 a^2-18i(i a \tan(dx+c)+a)^2 a^3 + 14i(i a \tan(dx+c)+a) a^4 - 4i a^5) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] $(- (I - 1) \sqrt{-2 * (I * a * \tan(d * x + c) + a) * a + 2 * a^2} * (I * a * \tan(d * x + c) + a)^2 * a^4 + (- (2 * I + 2) * (I * a * \tan(d * x + c) + a)^2 * a^3 + (2 * I + 2) * (I * a * \tan(d * x + c) + a) * a^4) * \sqrt{-2 * (I * a * \tan(d * x + c) + a) * a + 2 * a^2} * \sqrt{I * a * \tan(d * x + c) + a} * B) / ((-2 * I * (I * a * \tan(d * x + c) + a)^4 * a + 10 * I * (I * a * \tan(d * x + c) + a)^3 * a^2 - 18 * I * (I * a * \tan(d * x + c) + a)^2 * a^3 + 14 * I * (I * a * \tan(d * x + c) + a) * a^4 - 4 * I * a^5) * d)$

$$3.166 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=181

$$\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(5B+6iA)\sqrt{a+ia \tan(c+dx)}}{15d \tan^{\frac{3}{2}}(c+dx)} + \frac{4a(9A-10iB)\sqrt{a+ia \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}}$$

[Out] $((-2 - 2*I)*a^{(3/2)}*(A - I*B)*\text{ArcTanh}[\frac{((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]}}])/d - (2*a*A*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(5*d*\text{Tan}[c + d*x]^{(5/2)}) - (2*a*((6*I)*A + 5*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(15*d*\text{Tan}[c + d*x]^{(3/2)}) + (4*a*(9*A - (10*I)*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(15*d*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rubi [A] time = 0.550267, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(5B+6iA)\sqrt{a+ia \tan(c+dx)}}{15d \tan^{\frac{3}{2}}(c+dx)} + \frac{4a(9A-10iB)\sqrt{a+ia \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[c + d*x])^{(3/2)}*(A + B*\text{Tan}[c + d*x])}{\text{Tan}[c + d*x]^{(7/2)}}, x]$

[Out] $((-2 - 2*I)*a^{(3/2)}*(A - I*B)*\text{ArcTanh}[\frac{((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]}}])/d - (2*a*A*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(5*d*\text{Tan}[c + d*x]^{(5/2)}) - (2*a*((6*I)*A + 5*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(15*d*\text{Tan}[c + d*x]^{(3/2)}) + (4*a*(9*A - (10*I)*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(15*d*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rule 3593

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])]^{(n_.)}, x_Symbol] :> -\text{Simp}[\frac{a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}}{(d*f*(b*c + a*d)*(n+1))}, x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3598

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])]^{(n_.)}, x_Symbol] :> \text{Simp}[\frac{(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}}{(f*(n+1)*(c^2 + d^2))}, x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m+n+1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^2(c + dx)} dx &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{5d \tan^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(6iA + 5B) \right)}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{5d \tan^2(c + dx)} - \frac{2a(6iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(6iA + 5B) \right)}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{5d \tan^2(c + dx)} - \frac{2a(6iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(6iA + 5B) \right)}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{5d \tan^2(c + dx)} - \frac{2a(6iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(6iA + 5B) \right)}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{5d \tan^2(c + dx)} - \frac{2a(6iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(6iA + 5B) \right)}{\tan^2(c + dx)} dx \\ &= -\frac{(2 + 2i)a^{3/2}(A - iB) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{2aA\sqrt{a + ia \tan(c + dx)}}{5d \tan^2(c + dx)} \end{aligned}$$

Mathematica [A] time = 8.64099, size = 237, normalized size = 1.31

$$\frac{a(A - iB)e^{-3i(c+dx)} \sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} (1 + e^{2i(c+dx)})^2 (\tan(c + dx) - i) \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}} \right) \sqrt{a + ia \tan(c + dx)}}{d\sqrt{-1 + e^{2i(c+dx)}}} - \frac{a \csc^2(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] -(a*Csc[c + d*x]^2*(-15*A + (20*I)*B + (21*A - (20*I)*B)*Cos[2*(c + d*x)] + ((6*I)*A + 5*B)*Sin[2*(c + d*x)])*Sqrt[a + I*a*Tan[c + d*x]]/(15*d*Sqrt[Tan[c + d*x]] + (a*(A - I*B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(1 + E^((2*I)*(c + d*x)))^2*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]]

$$)/(d * E^{((3 * I) * (c + d * x))} * \text{Sqrt}[-1 + E^{((2 * I) * (c + d * x))}])$$

Maple [B] time = 0.043, size = 707, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + I * a * \tan(d * x + c))^{3/2} * (A + B * \tan(d * x + c)) / \tan(d * x + c)^{7/2}, x)$

[Out]
$$\begin{aligned} & -1/30/d * (a * (1 + I * \tan(d * x + c)))^{1/2} * a / \tan(d * x + c)^{5/2} * (-72 * A * (I * a)^{1/2} * (-I * a)^{1/2} * \tan(d * x + c)^2 * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c)))^{1/2} + 60 * I * A * \ln(1/2 * (2 * I * a * \tan(d * x + c) + 2 * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c))))^{1/2} * (I * a)^{1/2} + a) / (I * a)^{1/2}) * (-I * a)^{1/2} * \tan(d * x + c)^3 * a - 15 * I * (I * a)^{1/2} * 2^{1/2} * \ln(-(-2 * 2^{1/2} * (-I * a)^{1/2} * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c))))^{1/2} + I * a - 3 * a * \tan(d * x + c)) / (\tan(d * x + c) + I) * \tan(d * x + c)^3 * a + 80 * I * B * (I * a)^{1/2} * (-I * a)^{1/2} * \tan(d * x + c)^2 * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c)))^{1/2} + 60 * B * \ln(1/2 * (2 * I * a * \tan(d * x + c) + 2 * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c))))^{1/2} * (I * a)^{1/2} + a) / (I * a)^{1/2}) * (-I * a)^{1/2} * \tan(d * x + c)^3 * a + 30 * I * \ln(1/2 * (2 * I * a * \tan(d * x + c) + 2 * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c))))^{1/2} * (I * a)^{1/2} + a) / (I * a)^{1/2}) * (-I * a)^{1/2} * \tan(d * x + c)^3 * a - 15 * (I * a)^{1/2} * 2^{1/2} * \ln(-(-2 * 2^{1/2} * (-I * a)^{1/2} * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c))))^{1/2} + I * a - 3 * a * \tan(d * x + c)) / (\tan(d * x + c) + I) * \tan(d * x + c)^3 * a + 24 * I * A * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c)))^{1/2} * (-I * a)^{1/2} * (I * a)^{1/2} * \tan(d * x + c) - 30 * \ln(1/2 * (2 * I * a * \tan(d * x + c) + 2 * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c))))^{1/2} * (I * a)^{1/2} + a) / (I * a)^{1/2}) * (-I * a)^{1/2} * \tan(d * x + c)^3 * a + 20 * B * (I * a)^{1/2} * (-I * a)^{1/2} * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c)))^{1/2} * \tan(d * x + c) + 12 * A * (a * \tan(d * x + c) * (1 + I * \tan(d * x + c)))^{1/2} * (-I * a)^{1/2} * (I * a)^{1/2}) / (I * a)^{1/2} / (-I * a)^{1/2} / (a * \tan(d * x + c) * (1 + I * \tan(d * x + c)))^{1/2} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a + I * a * \tan(d * x + c))^{3/2} * (A + B * \tan(d * x + c)) / \tan(d * x + c)^{7/2}, x, \text{algorithm} = \text{"maxima"})$

[Out] Timed out

Fricas [B] time = 1.77383, size = 1598, normalized size = 8.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a + I * a * \tan(d * x + c))^{3/2} * (A + B * \tan(d * x + c)) / \tan(d * x + c)^{7/2}, x, \text{algorithm} = \text{"fricas"})$

[Out]
$$\begin{aligned} & 1/30 * (\text{sqrt}(2) * ((108 * I * A + 100 * B) * a * e^{(6 * I * d * x + 6 * I * c)} + (-12 * I * A - 60 * B) * a * e^{(4 * I * d * x + 4 * I * c)} + (-60 * I * A - 100 * B) * a * e^{(2 * I * d * x + 2 * I * c)} + (60 * I * A + 60 * B) * a) * \text{sqrt}(a / (e^{(2 * I * d * x + 2 * I * c)} + 1)) * \text{sqrt}((-I * e^{(2 * I * d * x + 2 * I * c)} + I \end{aligned}$$

$$\begin{aligned} &)/(e^{(2I*d*x + 2I*c)} + 1)) * e^{(I*d*x + I*c)} - 15 * \sqrt{(8I*A^2 + 16A*B - 8I*B^2) * a^3/d^2} * (d * e^{(6I*d*x + 6I*c)} - 3 * d * e^{(4I*d*x + 4I*c)} + 3 * d * e^{(2I*d*x + 2I*c)} - d) * \log((\sqrt{2} * ((2I*A + 2B) * a * e^{(2I*d*x + 2I*c)} + (2I*A + 2B) * a) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}) * \sqrt{(-I * e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)}) * e^{(I*d*x + I*c)} + \sqrt{(8I*A^2 + 16A*B - 8I*B^2) * a^3/d^2} * d * e^{(2I*d*x + 2I*c)}) * e^{(-2I*d*x - 2I*c)} / ((2I*A + 2B) * a)) + 15 * \sqrt{(8I*A^2 + 16A*B - 8I*B^2) * a^3/d^2} * (d * e^{(6I*d*x + 6I*c)} - 3 * d * e^{(4I*d*x + 4I*c)} + 3 * d * e^{(2I*d*x + 2I*c)} - d) * \log((\sqrt{2} * ((2I*A + 2B) * a * e^{(2I*d*x + 2I*c)} + (2I*A + 2B) * a) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}) * \sqrt{(-I * e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)}) * e^{(I*d*x + I*c)} - \sqrt{(8I*A^2 + 16A*B - 8I*B^2) * a^3/d^2} * d * e^{(2I*d*x + 2I*c)}) * e^{(-2I*d*x - 2I*c)} / ((2I*A + 2B) * a))) / (d * e^{(6I*d*x + 6I*c)} - 3 * d * e^{(4I*d*x + 4I*c)} + 3 * d * e^{(2I*d*x + 2I*c)} - d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)

[Out] Timed out

Giac [A] time = 1.52655, size = 285, normalized size = 1.57

$$\frac{- (i - 1) \sqrt{-2 (i a \tan(dx + c) + a) a + 2 a^2 (i a \tan(dx + c) + a)^2} a^5 + (- (2i + 2) (i a \tan(dx + c) + a)^2 a^4 + (2i + 2) (i a \tan(dx + c) + a)^3 a^3 - 16 (i a \tan(dx + c) + a)^4 a^2 + 14 (i a \tan(dx + c) + a)^5 a - 6 (i a \tan(dx + c) + a)^4 a^2 + 14 (i a \tan(dx + c) + a)^3 a^3 - 16 (i a \tan(dx + c) + a)^2 a^4 + 9 (i a \tan(dx + c) + a)^5 a - 2 a^6) d}{2 \left((i a \tan(dx + c) + a)^5 a - 6 (i a \tan(dx + c) + a)^4 a^2 + 14 (i a \tan(dx + c) + a)^3 a^3 - 16 (i a \tan(dx + c) + a)^2 a^4 + 9 (i a \tan(dx + c) + a)^5 a - 2 a^6 \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] -1/2*(-(I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^2*a^5 + (-(2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^4 + (2*I + 2)*(I*a*tan(d*x + c) + a)*a^5)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^5*a - 6*(I*a*tan(d*x + c) + a)^4*a^2 + 14*(I*a*tan(d*x + c) + a)^3*a^3 - 16*(I*a*tan(d*x + c) + a)^2*a^4 + 9*(I*a*tan(d*x + c) + a)*a^5 - 2*a^6)*d)

$$3.167 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{9 \tan^2(c+dx)} dx$$

Optimal. Leaf size=225

$$\frac{(2-2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{4a(19A-21iB)\sqrt{a+ia \tan(c+dx)}}{105d \tan^2(c+dx)} - \frac{2a(7B+8iA)\sqrt{a+ia \tan(c+dx)}}{35d \tan^2(c+dx)}$$

```
[Out] ((2 - 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*a*((8*I)*A + 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (4*a*(19*A - (21*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (4*a*((67*I)*A + 63*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.735221, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{(2-2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{4a(19A-21iB)\sqrt{a+ia \tan(c+dx)}}{105d \tan^2(c+dx)} - \frac{2a(7B+8iA)\sqrt{a+ia \tan(c+dx)}}{35d \tan^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]
```

```
[Out] ((2 - 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*a*((8*I)*A + 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (4*a*(19*A - (21*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (4*a*((67*I)*A + 63*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Sqrt[Tan[c + d*x]])
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n+1))/(f*(n+1)*(c^2 + d^2)), x] - Dist[1/(a*(n+1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n+1)*Simp[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m+n+1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
```

] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^2(c + dx)} dx &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(8iA + 7B) + B \tan(c + dx) \right)}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} - \frac{2a(8iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2B}{7} \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} - \frac{2a(8iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2B}{7} \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} - \frac{2a(8iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2B}{7} \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} - \frac{2a(8iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2B}{7} \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} - \frac{2a(8iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2B}{7} \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^2(c + dx)} dx \\ &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} - \frac{2a(8iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2B}{7} \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^2(c + dx)} dx \\ &= -\frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{2aA\sqrt{a + ia \tan(c + dx)}}{7d \tan^2(c + dx)} \end{aligned}$$

Mathematica [A] time = 11.0162, size = 261, normalized size = 1.16

$$\frac{a(B + iA)e^{-3i(c+dx)} \sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} (1 + e^{2i(c+dx)})^2 (\tan(c + dx) - i) \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}} \right) \sqrt{a + ia \tan(c + dx)}}{d\sqrt{-1 + e^{2i(c+dx)}}} - \frac{a \csc^3(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

```
[Out] -(a*Csc[c + d*x]^3*(7*(A + (6*I)*B)*Cos[c + d*x] + (53*A - (42*I)*B)*Cos[3*(c + d*x)] + 2*((-110*I)*A - 105*B + ((158*I)*A + 147*B)*Cos[2*(c + d*x)])*Sin[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]]/(210*d*Sqrt[Tan[c + d*x]]) + (a*(I*A + B)*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(1 + E^((2*I)*(c + d*x)))^2*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]]/(d*E^((3*I)*(c + d*x)))*Sqrt[-1 + E^((2*I)*(c + d*x))]]
```

Maple [B] time = 0.044, size = 796, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x)
```

```
[Out] 1/210/d*(a*(1+I*tan(d*x+c)))^(1/2)*a/tan(d*x+c)^(7/2)*(504*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+536*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-420*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^4*a+152*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+105*I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+420*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^4*a-168*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-105*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-96*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+210*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^4*a+210*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^4*a-84*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)-60*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [B] time = 1.84498, size = 1774, normalized size = 7.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/210*(4*\sqrt{2})*((211*A - 189*I*B)*a*e^{(8*I*d*x + 8*I*c)} - 10*(16*A - 21*I*B)*a*e^{(6*I*d*x + 6*I*c)} + 14*(A + 6*I*B)*a*e^{(4*I*d*x + 4*I*c)} + 70*(4*A - 3*I*B)*a*e^{(2*I*d*x + 2*I*c)} - 105*(A - I*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 105*\sqrt{(-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2}*(d*e^{(8*I*d*x + 8*I*c)} - 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} - 4*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((2*I*A + 2*B)*a*e^{(2*I*d*x + 2*I*c)} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + I*\sqrt{(-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a)) + 105*\sqrt{(-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2}*(d*e^{(8*I*d*x + 8*I*c)} - 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} - 4*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((2*I*A + 2*B)*a*e^{(2*I*d*x + 2*I*c)} + (2*I*A + 2*B)*a)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - I*\sqrt{(-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a)))/(d*e^{(8*I*d*x + 8*I*c)} - 4*d*e^{(6*I*d*x + 6*I*c)} + 6*d*e^{(4*I*d*x + 4*I*c)} - 4*d*e^{(2*I*d*x + 2*I*c)} + d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)

[Out] Timed out

Giac [A] time = 1.48651, size = 309, normalized size = 1.37

$$\frac{(i-1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)^2a^6+\left((2i+2)(i a \tan(dx+c)+a)^2a^5-(2i+2)(i a \tan(dx+c)+a)^6\right)a+14i(i a \tan(dx+c)+a)^5a^2-40i(i a \tan(dx+c)+a)^4a^3+60i(i a \tan(dx+c)+a)^3a^2-50i(i a \tan(dx+c)+a)^2a^5+22i(i a \tan(dx+c)+a)a^6-4i a^7}{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & ((I - 1)*\sqrt{-2*(I*a*\tan(d*x + c) + a)*a + 2*a^2}*(I*a*\tan(d*x + c) + a)^2*a^6 + ((2*I + 2)*(I*a*\tan(d*x + c) + a)^2*a^5 - (2*I + 2)*(I*a*\tan(d*x + c) + a)*a^6)*\sqrt{-2*(I*a*\tan(d*x + c) + a)*a + 2*a^2}*\sqrt{I*a*\tan(d*x + c) + a}*B)/((-2*I*(I*a*\tan(d*x + c) + a)^6*a + 14*I*(I*a*\tan(d*x + c) + a)^5*a^2 - 40*I*(I*a*\tan(d*x + c) + a)^4*a^3 + 60*I*(I*a*\tan(d*x + c) + a)^3*a^4 - 50*I*(I*a*\tan(d*x + c) + a)^2*a^5 + 22*I*(I*a*\tan(d*x + c) + a)*a^6 - 4*I*a^7)*d) \end{aligned}$$

$$3.168 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=269

$$\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{4a(57B+61iA)\sqrt{a+ia \tan(c+dx)}}{315d \tan^3(c+dx)} + \frac{4a(11A-12iB)\sqrt{a+ia \tan(c+dx)}}{105d \tan^5(c+dx)}$$

```
[Out] ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(9*d*Tan[c + d*x]^(9/2)) - (2*a*((10*I)*A + 9*B)*Sqrt[a + I*a*Tan[c + d*x]])/(63*d*Tan[c + d*x]^(7/2)) + (4*a*(11*A - (12*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(5/2)) + (4*a*((61*I)*A + 57*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Tan[c + d*x]^(3/2)) - (4*a*(193*A - (201*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.936302, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{(2+2i)a^{3/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{4a(57B+61iA)\sqrt{a+ia \tan(c+dx)}}{315d \tan^3(c+dx)} + \frac{4a(11A-12iB)\sqrt{a+ia \tan(c+dx)}}{105d \tan^5(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(11/2), x]
```

```
[Out] ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + I*a*Tan[c + d*x]])/(9*d*Tan[c + d*x]^(9/2)) - (2*a*((10*I)*A + 9*B)*Sqrt[a + I*a*Tan[c + d*x]])/(63*d*Tan[c + d*x]^(7/2)) + (4*a*(11*A - (12*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(5/2)) + (4*a*((61*I)*A + 57*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Tan[c + d*x]^(3/2)) - (4*a*(193*A - (201*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Sqrt[Tan[c + d*x]])
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
```

+ a*d*(n + 1) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + ia \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^{\frac{11}{2}}(c + dx)} dx &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2}a(10iA + 9B) \right)}{\tan^{\frac{9}{2}}(c + dx)} dx \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= -\frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2a(10iA + 9B)\sqrt{a + ia \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \dots \\
 &= \frac{(2 + 2i)a^{3/2}(A - iB) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{2aA\sqrt{a + ia \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} + \dots
 \end{aligned}$$

Mathematica [A] time = 14.2096, size = 242, normalized size = 0.9

$$a\sqrt{a + ia \tan(c + dx)} \left(\frac{2520(A - iB)e^{-i(c+dx)}\sqrt{-1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} + \frac{\csc^4(c+dx)(12(117A-134iB)\cos(2(c+dx))+(-487A+474iB)\cos(4(c+dx)))}{1260d} \right)$$

1260d

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(11/2), x]

[Out] (a*((2520*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/(E^(I*(c + d*x))*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))]]) + (Csc[c + d*x]^4*(-1197*A + (113*4*I)*B + 12*(117*A - (134*I)*B)*Cos[2*(c + d*x)] + (-487*A + (474*I)*B)*Cos[4*(c + d*x)] + (144*I)*A*Sin[2*(c + d*x)] + 138*B*Sin[2*(c + d*x)] - (172*I)*A*Sin[4*(c + d*x)] - 159*B*Sin[4*(c + d*x)]))/Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]/(1260*d)

Maple [B] time = 0.048, size = 885, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2), x)

[Out] 1/630/d*(a*(1+I*tan(d*x+c)))^(1/2)*a/tan(d*x+c)^(9/2)*(-1544*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+1608*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+488*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+456*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+1260*I*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^5*a+1260*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^5*a-288*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-315*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a+264*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+630*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^5*a-630*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^5*a-315*I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a-200*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-180*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)-140*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.89244, size = 1971, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="fricas")

[Out]
$$\frac{1}{630}(\sqrt{2}) * ((-2636IA - 2532B) * a * e^{(10Ix + 10Ic)} + (3556IA + 4452B) * a * e^{(8Ix + 8Ic)} + (-3384IA - 2088B) * a * e^{(6Ix + 6Ic)} + (-4536IA - 3192B) * a * e^{(4Ix + 4Ic)} + (3780IA + 4620B) * a * e^{(2Ix + 2Ic)} + (-1260IA - 1260B) * a) * \sqrt{\frac{a}{(e^{(2Ix + 2Ic)} + 1)}} * \sqrt{\frac{(-I * e^{(2Ix + 2Ic)} + I)}{(e^{(2Ix + 2Ic)} + 1)}} * e^{(Ix + Ic)} + 315 * \sqrt{(8IA^2 + 16AB - 8IB^2) * a^3 / d^2} * (d * e^{(10Ix + 10Ic)} - 5 * d * e^{(8Ix + 8Ic)} + 10 * d * e^{(6Ix + 6Ic)} - 10 * d * e^{(4Ix + 4Ic)} + 5 * d * e^{(2Ix + 2Ic)} - d) * \log((\sqrt{2}) * ((2IA + 2B) * a * e^{(2Ix + 2Ic)} + (2IA + 2B) * a) * \sqrt{\frac{a}{(e^{(2Ix + 2Ic)} + 1)}} * \sqrt{\frac{(-I * e^{(2Ix + 2Ic)} + I)}{(e^{(2Ix + 2Ic)} + 1)}} * e^{(Ix + Ic)} + \sqrt{(8IA^2 + 16AB - 8IB^2) * a^3 / d^2} * d * e^{(2Ix + 2Ic)}) * e^{(-2Ix - 2Ic)} / ((2IA + 2B) * a)) - 315 * \sqrt{(8IA^2 + 16AB - 8IB^2) * a^3 / d^2} * (d * e^{(10Ix + 10Ic)} - 5 * d * e^{(8Ix + 8Ic)} + 10 * d * e^{(6Ix + 6Ic)} - 10 * d * e^{(4Ix + 4Ic)} + 5 * d * e^{(2Ix + 2Ic)} - d) * \log((\sqrt{2}) * ((2IA + 2B) * a * e^{(2Ix + 2Ic)} + (2IA + 2B) * a) * \sqrt{\frac{a}{(e^{(2Ix + 2Ic)} + 1)}} * \sqrt{\frac{(-I * e^{(2Ix + 2Ic)} + I)}{(e^{(2Ix + 2Ic)} + 1)}} * e^{(Ix + Ic)} - \sqrt{(8IA^2 + 16AB - 8IB^2) * a^3 / d^2} * d * e^{(2Ix + 2Ic)}) * e^{(-2Ix - 2Ic)} / ((2IA + 2B) * a)) / (d * e^{(10Ix + 10Ic)} - 5 * d * e^{(8Ix + 8Ic)} + 10 * d * e^{(6Ix + 6Ic)} - 10 * d * e^{(4Ix + 4Ic)} + 5 * d * e^{(2Ix + 2Ic)} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(11/2),x)

[Out] Timed out

Giac [A] time = 1.49962, size = 333, normalized size = 1.24

$$\frac{(i-1) \sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)^2a^7 + ((2i+2)(i a \tan(dx+c)+a)^2a^6 - (2i+2)(i a \tan(dx+c)+a)^7a - 8(i a \tan(dx+c)+a)^6a^2 + 27(i a \tan(dx+c)+a)^5a^3 - 50(i a \tan(dx+c)+a)^4a^4 + 50(i a \tan(dx+c)+a)^3a^5 - 27(i a \tan(dx+c)+a)^2a^6 + 10(i a \tan(dx+c)+a)a^7 - a^8}}{(i a \tan(dx+c)+a)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] -1/2*((I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^2*a^7 + ((2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^6 - (2*I + 2)*(I*a*tan(d*x + c) + a)*a^7)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^7*a - 8*(I*a*tan(d*x + c) + a)^6*a^2 + 27*(I*a*tan(d*x + c) + a)^5*a^3 - 50*(I*a*tan(d*x + c) + a)^4*a^4 + 55*(I*a*tan(d*x + c) + a)^3*a^5 - 36*(I*a*tan(d*x + c) + a)^2*a^6 + 13*(I*a*tan(d*x + c) + a)*a^7 - 2*a^8)*d)
```

$$3.169 \quad \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=298

$$\frac{3(-1)^{3/4}a^{5/2}(121B+120iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{64d} - \frac{a^2(8A-11iB) \tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{24d} + \frac{a^2(107B+120iA)}{24d}$$

[Out] (3*(-1)^(3/4)*a^(5/2)*((120*I)*A + 121*B)*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]/Sqrt[a + I*a*Tan[c + d*x]]]/(64*d) + ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]]/Sqrt[a + I*a*Tan[c + d*x]])]/d + (a^2*(152*A - (149*I)*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(64*d) + (a^2*((104*I)*A + 107*B)*Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(96*d) - (a^2*(8*A - (11*I)*B)*Tan[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(24*d) + ((I/4)*a*B*Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(3/2))/d

Rubi [A] time = 1.13219, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {3594, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{3(-1)^{3/4}a^{5/2}(121B+120iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{64d} - \frac{a^2(8A-11iB) \tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{24d} + \frac{a^2(107B+120iA)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (3*(-1)^(3/4)*a^(5/2)*((120*I)*A + 121*B)*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]/Sqrt[a + I*a*Tan[c + d*x]]]/(64*d) + ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]]/Sqrt[a + I*a*Tan[c + d*x]])]/d + (a^2*(152*A - (149*I)*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(64*d) + (a^2*((104*I)*A + 107*B)*Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(96*d) - (a^2*(8*A - (11*I)*B)*Tan[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(24*d) + ((I/4)*a*B*Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(3/2))/d

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp

$[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*\tan[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

$\text{Int}[\left(\frac{(a_.) + (b_.)\tan[(e_.) + (f_.)x]}{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}\right)^{m_.} \left(\frac{(A_.) + (B_.)\tan[(e_.) + (f_.)x]}{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}\right)^{n_.}, x_Symbol] := \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^n*(a - b*\tan[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

$\text{Int}[\frac{\sqrt{(a_.) + (b_.)\tan[(e_.) + (f_.)x]}}{\sqrt{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}}], x_Symbol] := \text{Dist}[\frac{-2*a*b}{f}, \text{Subst}[\text{Int}[\frac{1}{(a*c - b*d - 2*a^2*x^2)}, x], x, \frac{\sqrt{c + d*\tan[e + f*x]}}{\sqrt{a + b*\tan[e + f*x]}}], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

$\text{Int}[\left(\frac{(a_.) + (b_.)x^2}{b}\right)^{-1}, x_Symbol] := \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

$\text{Int}[\left(\frac{(a_.) + (b_.)\tan[(e_.) + (f_.)x]}{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}\right)^{m_.} \left(\frac{(A_.) + (B_.)\tan[(e_.) + (f_.)x]}{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}\right)^{n_.}, x_Symbol] := \text{Dist}[\frac{(b*B)}{f}, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^n, x], x, \tan[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

$\text{Int}[\left(\frac{(a_.) + (b_.)x^m}{(c_.) + (d_.)x^n}\right)^{p_.}, x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

$\text{Int}[\frac{1}{\sqrt{(a_.) + (b_.)x^2}}], x_Symbol] := \text{Subst}[\text{Int}[\frac{1}{(1 - b*x^2)}, x], x, x/\sqrt{a + b*x^2}] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

$\text{Int}[\left(\frac{(a_.) + (b_.)x^2}{b}\right)^{-1}, x_Symbol] := \text{Simp}[\frac{(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])}{\text{Rt}[a, 2]*\text{Rt}[b, 2]}, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \frac{iaB \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{4d} + \frac{1}{4} \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx \\
&= -\frac{a^2(8A-11iB) \tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{24d} + \frac{ia^2(8A-11iB) \tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{24d} \\
&= \frac{a^2(104iA+107B) \tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{96d} \\
&= \frac{a^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} + \frac{ia^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= \frac{a^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} + \frac{a^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= \frac{a^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} + \frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= \frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(152A-149iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{64d} \\
&= -\frac{3\sqrt[4]{-1}a^{5/2}(120A-121iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{64d}
\end{aligned}$$

Mathematica [A] time = 9.69973, size = 581, normalized size = 1.95

$$\cos^3(c+dx)\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left((8A-23iB) \left(-\frac{1}{24} \cos(2c) + \frac{1}{24} i \sin(2c) \right) \sec^2(c+dx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[E^(I*d*x)]*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(-2048*(A - I*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + 3*Sqrt[2]*(120*A - (121*I)*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(256*Sqrt[2]*d*E^((2*I)*c)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*((8*A - (23*I)*B)*Sec[c + d*x]^2*(-Cos[2*c]/24 + (I/24)*Sin[2*c]) + (56*A - (65*I)*B)*((13*Cos[2*c])/192 - ((13*I)/192)*Sin[2*c]) + (104*A - (131*I)*B)*Sec[c + d*x]*(-Cos[3*c + d*x]/96 + (I/96)*Sin[3*c + d*x]) + Sec[c + d*x]^3*((-I/4)*B*Cos[3*c + d*x] - (B*Sin[3*c + d*x])/4))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.041, size = 742, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{(3/2)}*(a+I*a*\tan(dx+c))^{(5/2)}*(A+B*\tan(dx+c)),x)$

[Out] $\frac{1}{384}d*\tan(dx+c)^{(1/2)}*(a*(1+I*\tan(dx+c)))^{(1/2)}*a^2*(-96*B*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^3*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}-128*A*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^2*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+272*I*B*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^2*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+416*I*A*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)+447*I*B*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*a-894*I*B*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+428*B*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)-384*I*(I*a)^{(1/2)}*2^{(1/2)}*\ln(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)*a-456*A*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*a+912*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*(I*a)^{(1/2)}-768*I*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*(-I*a)^{(1/2)}*a+384*2^{(1/2)}*\ln(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)*a*(I*a)^{(1/2)}-768*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)}*a*(-I*a)^{(1/2)}/(I*a)^{(1/2)}/(-I*a)^{(1/2)}/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(a+I*a*\tan(dx+c))^{(5/2)}*(A+B*\tan(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [B] time = 2.01838, size = 2928, normalized size = 9.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(a+I*a*\tan(dx+c))^{(5/2)}*(A+B*\tan(dx+c)),x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1}{384}*(2*\sqrt{2})*(13*(56*A - 65*I*B)*a^2*e^{(6*I*d*x + 6*I*c)} + 3*(504*A - 425*I*B)*a^2*e^{(4*I*d*x + 4*I*c)} + (1096*A - 1135*I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + 3*(104*A - 107*I*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 3*\sqrt{(-129600*I*A^2 - 261360*A*B + 131769*I*B^2)*a^5/d^2}*(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((360*I*A + 363*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (360*I*A + 363*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 2*I*\sqrt{(-129600*I*A^2 - 261360*A*B + 131769*I*B^2)*a^5/d^2}*(d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((360*I*A + 363*B$

```

)*a^2)) - 3*sqrt((-129600*I*A^2 - 261360*A*B + 131769*I*B^2)*a^5/d^2)*(d*e^
(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*
log((sqrt(2)*((360*I*A + 363*B)*a^2*e^(2*I*d*x + 2*I*c) + (360*I*A + 363*B)
*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(
e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*I*sqrt((-129600*I*A^2 - 26136
0*A*B + 131769*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/
((360*I*A + 363*B)*a^2)) - 192*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2
)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c
) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*
a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e
^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((-32*I*A^2 - 64*A*B + 32*
I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*
a^2)) + 192*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6
*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)
*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I
*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c)
+ 1))*e^(I*d*x + I*c) - I*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e
^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(6*I*d*
x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.59308, size = 416, normalized size = 1.4

$$\left(-2i(ia \tan(dx + c) + a)^4 + 4i(ia \tan(dx + c) + a)^3 a - 2i(ia \tan(dx + c) + a)^2 a^2\right) \sqrt{-2(ia \tan(dx + c) + a)a + 2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, alg
orithm="giac")
```

```
[Out] 1/2*((-2*I*(I*a*tan(d*x + c) + a)^4 + 4*I*(I*a*tan(d*x + c) + a)^3*a - 2*I*
(I*a*tan(d*x + c) + a)^2*a^2)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt
(I*a*tan(d*x + c) + a)*B*((-I*(I*a*tan(d*x + c) + a)*a + I*a^2)/sqrt((I*a*
tan(d*x + c) + a)^2*a^2 - 2*(I*a*tan(d*x + c) + a)*a^3 + a^4) + 1) + ((I*a*
tan(d*x + c) + a)^3*a - (I*a*tan(d*x + c) + a)^2*a^2)*sqrt(-2*(I*a*tan(d*x
+ c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*((-I*(I*a*tan(d*x + c) + a)*a +
I*a^2)/sqrt((I*a*tan(d*x + c) + a)^2*a^2 - 2*(I*a*tan(d*x + c) + a)*a^3 +
a^4) + 1))/(((I*a*tan(d*x + c) + a)*a^2 - 2*a^3)*d)

```

$$3.170 \quad \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=252

$$\frac{(-1)^{3/4}a^{5/2}(46A - 45iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d} - \frac{a^2(2A - 3iB) \tan^3(c+dx)\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{a^2(19B + 18iA)\sqrt{a+ia \tan(c+dx)}}{4d}$$

[Out] -((-1)^(3/4)*a^(5/2)*(46*A - (45*I)*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d + (a^2*((18*I)*A + 19*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - (a^2*(2*A - (3*I)*B)*Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) + ((I/3)*a*B*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2))/d

Rubi [A] time = 0.922251, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {3594, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{5/2}(46A - 45iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d} - \frac{a^2(2A - 3iB) \tan^3(c+dx)\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{a^2(19B + 18iA)\sqrt{a+ia \tan(c+dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] -((-1)^(3/4)*a^(5/2)*(46*A - (45*I)*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d + (a^2*((18*I)*A + 19*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(8*d) - (a^2*(2*A - (3*I)*B)*Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d) + ((I/3)*a*B*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2))/d

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \frac{iaB \tan^3(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} + \frac{1}{3} \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx \\
&= -\frac{a^2(2A-3iB) \tan^3(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} + \frac{iaB \tan^3(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= \frac{a^2(18iA+19B) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a^2(2A-3iB) \tan^3(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= \frac{a^2(18iA+19B) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a^2(2A-3iB) \tan^3(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= \frac{a^2(18iA+19B) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{8d} - \frac{a^2(2A-3iB) \tan^3(c+dx) \sqrt{a+ia \tan(c+dx)}}{4d} \\
&= -\frac{(4+4i)a^{5/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(18iA+19B) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{8d} \\
&= -\frac{(4+4i)a^{5/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(18iA+19B) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{8d} \\
&= -\frac{\sqrt[4]{-1}a^{5/2}(46iA+45B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d} - \frac{a^2(18iA+19B) \sqrt{\tan(c+dx)} \sqrt{a+ia \tan(c+dx)}}{8d}
\end{aligned}$$

Mathematica [B] time = 8.98103, size = 537, normalized size = 2.13

$$\frac{\cos^3(c+dx) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left((6A-13iB) \sec(c+dx) \left(-\frac{1}{12} \sin(3c+dx) - \frac{1}{12} i \cos(3c+dx) \right) \right)}{d(\cos(dx) + i \sin(dx))^2(A \cos(c+dx) + B \sin(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[E^(I*d*x)]*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*((-256*I)*(A - I*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + Sqrt[2]*((46*I)*A + 45*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(32*Sqrt[2]*d*E^((2*I)*c)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*((66*I)*A + 91*B)*(Cos[2*c]/24 - (I/24)*Sin[2*c]) + Sec[c + d*x]^2*(-B*Cos[2*c])/3 + (I/3)*B*Sin[2*c]) + (6*A - (13*I)*B)*Sec[c + d*x]*((-I/12)*Cos[3*c + d*x] - Sin[3*c + d*x]/12))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.042, size = 653, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{1/2}*(a+I*a*\tan(dx+c))^{5/2}*(A+B*\tan(dx+c)),x)$

[Out]
$$-1/48/d*\tan(dx+c)^{1/2}*(a*(1+I*\tan(dx+c)))^{1/2}*a^2*(16*B*(a*\tan(dx+c))^{1/2}*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2}*\tan(dx+c)^2-52*I*B*(I*a)^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*\tan(dx+c)+54*I*A*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*(-I*a)^{1/2}*a-108*I*A*(I*a)^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+24*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2}*\tan(dx+c)-48*I*(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)*a+57*B*(-I*a)^{1/2}*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*a-114*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2}+96*I*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*(-I*a)^{1/2}*a-48*2^{1/2}*\ln(-(-2*2^{1/2}*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)*a*(I*a)^{1/2}-96*\ln(1/2*(2*I*a*\tan(dx+c)+2*(a*\tan(dx+c)*(1+I*\tan(dx+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*a*(-I*a)^{1/2})/(I*a)^{1/2}/(-I*a)^{1/2}/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{1/2}*(a+I*a*\tan(dx+c))^{5/2}*(A+B*\tan(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [B] time = 1.93646, size = 2603, normalized size = 10.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{1/2}*(a+I*a*\tan(dx+c))^{5/2}*(A+B*\tan(dx+c)),x, \text{algorithm}=\text{"fricas"})$

[Out]
$$1/48*(2*\sqrt{2})*((66*I*A + 91*B)*a^2*e^{(4*I*d*x + 4*I*c)} + (108*I*A + 98*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (42*I*A + 39*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 3*\sqrt{(2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} + 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((46*I*A + 45*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (46*I*A + 45*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 2*\sqrt{(2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/((46*I*A + 45*B)*a^2) - 3*\sqrt{(2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} + 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((46*I*A + 45*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (46*I*A + 45*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} - 2*\sqrt{(2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2}*d*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/($$

$$\begin{aligned} & (46IA + 45B)a^2) - 24\sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2} * (d * \\ & e^{(4Id*x + 4I*c)} + 2d * e^{(2Id*x + 2I*c)} + d) * \log((\sqrt{2} * ((4IA + 4 \\ & B)a^2 * e^{(2Id*x + 2I*c)} + (4IA + 4B)a^2) * \sqrt{a/(e^{(2Id*x + 2I*c)} \\ &) + 1)}) * \sqrt{(-I * e^{(2Id*x + 2I*c)} + I)/(e^{(2Id*x + 2I*c)} + 1)}) * e^{(Id \\ & *x + I*c)} + \sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2} * d * e^{(2Id*x + 2I \\ & *c)}) * e^{(-2Id*x - 2I*c)/((4IA + 4B)a^2)} + 24\sqrt{(32IA^2 + 64AB \\ & - 32IB^2)a^5/d^2} * (d * e^{(4Id*x + 4I*c)} + 2d * e^{(2Id*x + 2I*c)} + d) \\ & * \log((\sqrt{2} * ((4IA + 4B)a^2 * e^{(2Id*x + 2I*c)} + (4IA + 4B)a^2) * \sqrt{a/(e^{(2Id*x + 2I*c)} \\ &) + 1)}) * \sqrt{(-I * e^{(2Id*x + 2I*c)} + I)/(e^{(2Id*x + 2I*c)} + 1)}) * e^{(Id *x + I*c)} - \sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2} * d * e^{(2Id*x + 2I*c)}) * e^{(-2Id*x - 2I*c)/((4IA + 4B)a^2)}) / (d * e^{(4Id*x + 4I*c)} + 2d * e^{(2Id*x + 2I*c)} + d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(a+I*a*tan(dx+c))**(5/2)*(A+B*tan(dx+c)), x)

[Out] Timed out

Giac [A] time = 1.49186, size = 347, normalized size = 1.38

$$-i\sqrt{-2(ia \tan(dx+c)+a)a+2a^2(ia \tan(dx+c)+a)^3} a \left(\frac{-i(ia \tan(dx+c)+a)a+ia^2}{\sqrt{(ia \tan(dx+c)+a)^2a^2-2(ia \tan(dx+c)+a)a^3+a^4}} + 1 \right) - 2((ia \tan(dx+c)+a)^3 \sqrt{-2(ia \tan(dx+c)+a)a+2a^2(ia \tan(dx+c)+a)^3} a) / ((ia \tan(dx+c)+a)^2a^2 - 2(ia \tan(dx+c)+a)a^3 + a^4) + 1$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)), x, algorithm="giac")

[Out]
$$-1/2 * (-I * \sqrt{-2 * (I * a * \tan(dx+c) + a) * a + 2 * a^2} * (I * a * \tan(dx+c) + a)^3 * a * ((-I * (I * a * \tan(dx+c) + a) * a + I * a^2) / \sqrt{((I * a * \tan(dx+c) + a)^2 * a^2 - 2 * (I * a * \tan(dx+c) + a) * a^3 + a^4) + 1} - 2 * ((I * a * \tan(dx+c) + a)^3 - (I * a * \tan(dx+c) + a)^2 * a) * \sqrt{-2 * (I * a * \tan(dx+c) + a) * a + 2 * a^2} * \sqrt{(I * a * \tan(dx+c) + a) * B * ((-I * (I * a * \tan(dx+c) + a) * a + I * a^2) / \sqrt{((I * a * \tan(dx+c) + a)^2 * a^2 - 2 * (I * a * \tan(dx+c) + a) * a^3 + a^4) + 1})} / (((I * a * \tan(dx+c) + a) * a - 2 * a^2) * d)$$

$$3.171 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=206

$$\frac{(-1)^{3/4}a^{5/2}(23B + 20iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{a^2(4A - 7iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{(4-4i)a^{5/2}}{4d}$$

[Out] $-\left((-1)^{3/4}a^{5/2}\left((20I)A + 23B\right)\text{ArcTan}\left[\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right]\right)/\sqrt{a+Ia \tan(c+dx)}}/(4d) + \left((4-4I)a^{5/2}(A-I B)\text{ArcTanh}\left[\frac{(1+I)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+Ia \tan(c+dx)}}\right]\right)/d - \left(a^2(4A-(7I)B)\sqrt{\tan(c+dx)}\sqrt{a+Ia \tan(c+dx)}\right)/(4d) + \left((I/2)aB\sqrt{\tan(c+dx)}(a+Ia \tan(c+dx))^{3/2}\right)/d$

Rubi [A] time = 0.711822, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3594, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{5/2}(23B + 20iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{a^2(4A - 7iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{4d} + \frac{(4-4i)a^{5/2}}{4d}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[\frac{(a+Ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}}\right], x]$

[Out] $-\left((-1)^{3/4}a^{5/2}\left((20I)A + 23B\right)\text{ArcTan}\left[\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right]\right)/\sqrt{a+Ia \tan(c+dx)}}/(4d) + \left((4-4I)a^{5/2}(A-I B)\text{ArcTanh}\left[\frac{(1+I)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+Ia \tan(c+dx)}}\right]\right)/d - \left(a^2(4A-(7I)B)\sqrt{\tan(c+dx)}\sqrt{a+Ia \tan(c+dx)}\right)/(4d) + \left((I/2)aB\sqrt{\tan(c+dx)}(a+Ia \tan(c+dx))^{3/2}\right)/d$

Rule 3594

$\text{Int}\left[\frac{(a_+ + (b_+)\tan[(e_+) + (f_+)(x_+)])^{(m_+)}((A_+) + (B_+)\tan[(e_+) + (f_+)(x_+)])(c_+ + (d_+)\tan[(e_+) + (f_+)(x_+)])^{(n_+)}}{(b_+B_+(a_+ + b_+\tan[e_+ + f_+x])^{(m_+ - 1)}(c_+ + d_+\tan[e_+ + f_+x])^{(n_+ + 1)})/(d_+f_+(m_+ + n_+))}, x\right] + \text{Dist}\left[1/(d_+(m_+ + n_+)), \text{Int}\left[\frac{(a_+ + b_+\tan[e_+ + f_+x])^{(m_+ - 1)}(c_+ + d_+\tan[e_+ + f_+x])^n}{a_+A_+d_+(m_+ + n_+) + B_+(a_+c_+(m_+ - 1) - b_+d_+(n_+ + 1)) - (B_+(b_+c_+ - a_+d_+)(m_+ - 1) - d_+(A_+b_+ + a_+B_+)(m_+ + n_+))\tan[e_+ + f_+x]}, x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b_+c_+ - a_+d_+, 0] \&\& \text{EqQ}[a_+^2 + b_+^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3601

$\text{Int}\left[\frac{(a_+ + (b_+)\tan[(e_+) + (f_+)(x_+)])^{(m_+)}((A_+) + (B_+)\tan[(e_+) + (f_+)(x_+)])(c_+ + (d_+)\tan[(e_+) + (f_+)(x_+)])^{(n_+)}}{(A_+b_+ + a_+B_+)/b_+, \text{Int}\left[\frac{(a_+ + b_+\tan[e_+ + f_+x])^m(c_+ + d_+\tan[e_+ + f_+x])^n}{(A_+b_+ + a_+B_+)/b_+}, x\right] - \text{Dist}\left[B_+/b_+, \text{Int}\left[\frac{(a_+ + b_+\tan[e_+ + f_+x])^m(c_+ + d_+\tan[e_+ + f_+x])^n}{(a_+ - b_+\tan[e_+ + f_+x])}, x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{NeQ}[b_+c_+ - a_+d_+, 0] \&\& \text{EqQ}[a_+^2 + b_+^2, 0] \&\& \text{NeQ}[A_+b_+ + a_+B_+, 0]$

Rule 3544

$\text{Int}\left[\frac{\sqrt{(a_+ + (b_+)\tan[(e_+) + (f_+)(x_+)]})}{\sqrt{(c_+ + (d_+)\tan[(e_+) + (f_+)(x_+)])}}, x\right] \text{Symbol} \Rightarrow \text{Dist}\left[\frac{-2a_+b_+}{f_+}, \text{Subst}\left[\text{Int}\left[\frac{1}{(a_+c_+ - b_+d_+ - 2a_+}$

$^2*x^2), x], x, \text{Sqrt}[c + d*\text{Tan}[e + f*x]]/\text{Sqrt}[a + b*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[\{(a_) + (b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 3599

$\text{Int}[\{(a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)]\}^{(m_)}*\{(A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)]\}^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[\{(a_) + (b_)*(x_)^m\}*\{(c_) + (d_)*(x_)^n\}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[\{(a_) + (b_)*(x_)^2\}], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 203

$\text{Int}[\{(a_) + (b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{iaB\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}}{2d} + \frac{1}{2} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\sqrt{\tan(c + dx)}} dx \\ &= -\frac{a^2(4A - 7iB)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{4d} + \frac{iaB\sqrt{\tan(c + dx)}}{4d} \\ &= -\frac{a^2(4A - 7iB)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{4d} + \frac{iaB\sqrt{\tan(c + dx)}}{4d} \\ &= -\frac{a^2(4A - 7iB)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{4d} + \frac{iaB\sqrt{\tan(c + dx)}}{4d} \\ &= -\frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{a^2(4A - 7iB)\sqrt{\tan(c + dx)}}{4d} \\ &= -\frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{a^2(4A - 7iB)\sqrt{\tan(c + dx)}}{4d} \\ &= \frac{\sqrt[4]{-1}a^{5/2}(20A - 23iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} \end{aligned}$$

Mathematica [B] time = 9.17287, size = 499, normalized size = 2.42

$$\frac{\cos^3(c + dx)\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx))\left((4A - 11iB)\left(-\frac{1}{4}\cos(2c) + \frac{1}{4}i\sin(2c)\right) + \sec(c + dx)\right)}{d(\cos(dx) + i\sin(dx))^2(A \cos(c + dx) + B \sin(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] (Sqrt[E^(I*d*x)]*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(128*(A - I*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] - Sqrt[2]*(20*A - (23*I)*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(16*Sqrt[2]*d*E^((2*I)*c)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*((4*A - (11*I)*B)*(-Cos[2*c]/4 + (I/4)*Sin[2*c]) + Sec[c + d*x]*((-I/2)*B*Cos[3*c + d*x] - (B*Sin[3*c + d*x])/2))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.058, size = 564, normalized size = 2.7

$$\frac{a^2}{8d}\sqrt{a(1+i\tan(dx+c))}\sqrt{\tan(dx+c)}\left(-9iB\ln\left(\frac{1}{2}\left(2ia\tan(dx+c)+2\sqrt{a\tan(dx+c)}(1+i\tan(dx+c))\sqrt{ia+a}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)

[Out] 1/8/d*(a*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^(1/2)*a^2*(-9*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*a+18*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-4*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)+8*I*(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+12*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*a-8*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)+16*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a*(-I*a)^(1/2)-8*(I*a)^(1/2)*2^(1/2)*ln((2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-I*a+3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+16*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a*(-I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [B] time = 2.01015, size = 2363, normalized size = 11.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/8*(2*sqrt(2)*((4*A - 11*I*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*A - 7*I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((20*I*A + 23*B)*a^2*e^(2*I*d*x + 2*I*c) + (20*I*A + 23*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + 2*I*sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((20*I*A + 23*B)*a^2)) - sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((20*I*A + 23*B)*a^2*e^(2*I*d*x + 2*I*c) + (20*I*A + 23*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 2*I*sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((20*I*A + 23*B)*a^2)) - 4*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 4*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.6426, size = 212, normalized size = 1.03

$$-\frac{(i-1)\sqrt{-2(ia \tan(dx+c)+a)a+2a^2}(ia \tan(dx+c)+a)^3 a^2 + (-2i+2)(ia \tan(dx+c)+a)^3 a + (2i+2)(ia \tan(dx+c)+a)^2 a^2 + (2i(i \tan(dx+c)+a)^2 a - 6i(i \tan(dx+c)+a)a^2 + \dots)}{(2i(i \tan(dx+c)+a)^2 a - 6i(i \tan(dx+c)+a)a^2 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] 
$$\frac{-(I - 1)\sqrt{-2(I*a*\tan(dx + c) + a)*a + 2*a^2}(I*a*\tan(dx + c) + a)^3*a^2 + (-(2*I + 2)*(I*a*\tan(dx + c) + a)^3*a + (2*I + 2)*(I*a*\tan(dx + c) + a)^2*a^2)\sqrt{-2(I*a*\tan(dx + c) + a)*a + 2*a^2}\sqrt{I*a*\tan(dx + c) + a}*B}{(2*I*(I*a*\tan(dx + c) + a)^2*a - 6*I*(I*a*\tan(dx + c) + a)*a^2 + 4*I*a^3)*d}$$

```

$$3.172 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=196

$$\frac{(-1)^{3/4}a^{5/2}(2A-5iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(-B+2iA)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} + \frac{(4+4i)a^{5/2}(A-iB)}{d}$$

[Out] $((-1)^{(3/4)}*a^{(5/2)}*(2*A - (5*I)*B)*\text{ArcTan}[\frac{((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/d + ((4 + 4*I)*a^{(5/2)}*(A - I*B)*\text{ArcTan}[\frac{((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/d + (a^2*((2*I)*A - B)*\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d - (2*a*A*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/(d*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rubi [A] time = 0.699569, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {3593, 3594, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{5/2}(2A-5iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(-B+2iA)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} + \frac{(4+4i)a^{5/2}(A-iB)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[c + d*x])^{(5/2)}*(A + B*\text{Tan}[c + d*x])}{\text{Tan}[c + d*x]^{(3/2)}}, x]$

[Out] $((-1)^{(3/4)}*a^{(5/2)}*(2*A - (5*I)*B)*\text{ArcTan}[\frac{((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/d + ((4 + 4*I)*a^{(5/2)}*(A - I*B)*\text{ArcTan}[\frac{((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/d + (a^2*((2*I)*A - B)*\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/d - (2*a*A*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/(d*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rule 3593

$\text{Int}[\frac{(a + b*\text{Tan}[e + f*x])^{(m)}*((A + B*\text{Tan}[e + f*x])^{(n)} + (C + D*\text{Tan}[e + f*x])^{(n)})}{(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}}, x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3594

$\text{Int}[\frac{(a + b*\text{Tan}[e + f*x])^{(m)}*((A + B*\text{Tan}[e + f*x])^{(n)} + (C + D*\text{Tan}[e + f*x])^{(n)})}{(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}}, x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{1}{2}a(4iA + \dots)\right)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{a^2(2iA - B)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{d} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{a^2(2iA - B)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{d} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{a^2(2iA - B)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{d} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{(4 + 4i)a^{5/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(2iA - B)\sqrt{\tan(c + dx)}}{d} \\
&= \frac{(4 + 4i)a^{5/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(2iA - B)\sqrt{\tan(c + dx)}}{d} \\
&= \frac{\sqrt[4]{-1}a^{5/2}(2iA + 5B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(4 + 4i)a^{5/2}(A - iB)\sqrt{\tan(c + dx)}}{d}
\end{aligned}$$

Mathematica [B] time = 9.36694, size = 493, normalized size = 2.52

$$\frac{\cos^3(c + dx)\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx))(\csc(c)(-\cos(2c) + i \sin(2c))(2A \cos(c) + B \sin(c)) + \dots)}{d(\cos(dx) + i \sin(dx))^2(A \cos(c + dx) + B \sin(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (Sqrt[E^(I*d*x)]*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))]*(32*(I*A + B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] - I*Sqrt[2]*(2*A - (5*I)*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(4*Sqrt[2]*d*E^((2*I)*c)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*(Csc[c]*(2*A*Cos[c] + B*Sin[c])*(-Cos[2*c] + I*Sin[2*c])) + A*Csc[c]*Csc[c + d*x]*(2*Cos[2*c] - (2*I)*Sin[2*c])*Sin[d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.042, size = 565, normalized size = 2.9

$$\frac{a^2}{2d} \sqrt{a(1 + i \tan(dx + c))} \left(6iA \ln \left(\frac{1}{2} \left(2ia \tan(dx + c) + 2\sqrt{a \tan(dx + c)}(1 + i \tan(dx + c))\sqrt{ia + a} \right) \frac{1}{\sqrt{ia}} \right) \sqrt{-ia} \tan(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x)

[Out] $\frac{1}{2}d(a(1+I\tan(dx+c)))^{1/2}a^2(6IA\ln(\frac{1}{2}(2Ia\tan(dx+c)+2(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}(Ia)^{1/2}+a)/(Ia)^{1/2})+(-Ia)^{1/2}\tan(dx+c)a-2I(Ia)^{1/2}2^{1/2}\ln(-(-22^{1/2})(-Ia)^{1/2}(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}+Ia-3a\tan(dx+c))/(\tan(dx+c)+I))\tan(dx+c)a+3B\ln(\frac{1}{2}(2Ia\tan(dx+c)+2(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}(Ia)^{1/2}+a)/(Ia)^{1/2})+(-Ia)^{1/2}\tan(dx+c)a-2B(Ia)^{1/2}(-Ia)^{1/2}(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}\tan(dx+c)+4I\ln(\frac{1}{2}(2Ia\tan(dx+c)+2(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}(Ia)^{1/2}+a)/(Ia)^{1/2})+(-Ia)^{1/2}\tan(dx+c)a-2(Ia)^{1/2}2^{1/2}\ln(-(-22^{1/2})(-Ia)^{1/2}(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}+Ia-3a\tan(dx+c))/(\tan(dx+c)+I))\tan(dx+c)a-4A(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}(-Ia)^{1/2}(Ia)^{1/2}-4\ln(\frac{1}{2}(2Ia\tan(dx+c)+2(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}(Ia)^{1/2}+a)/(Ia)^{1/2})+(-Ia)^{1/2}\tan(dx+c)a)/\tan(dx+c)^{1/2}/(a\tan(dx+c)(1+I\tan(dx+c)))^{1/2}/(Ia)^{1/2}/(-Ia)^{1/2}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.95954, size = 2295, normalized size = 11.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $\frac{1}{2}(\sqrt{2})((-4IA - 2B)a^2e^{(2Id*x + 2Ic)} + (-4IA + 2B)a^2)\sqrt{a/(e^{(2Id*x + 2Ic)} + 1)}\sqrt{(-Ie^{(2Id*x + 2Ic)} + I)/(e^{(2Id*x + 2Ic)} + 1)}e^{(Id*x + Ic)} + \sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2}(d e^{(2Id*x + 2Ic)} - d)\log((\sqrt{2})((4IA + 4B)a^2e^{(2Id*x + 2Ic)} + (4IA + 4B)a^2)\sqrt{a/(e^{(2Id*x + 2Ic)} + 1)}\sqrt{(-Ie^{(2Id*x + 2Ic)} + I)/(e^{(2Id*x + 2Ic)} + 1)}e^{(Id*x + Ic)} + \sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2}d e^{(2Id*x + 2Ic)})e^{(-2Id*x - 2Ic)}/((4IA + 4B)a^2)) - \sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2}(d e^{(2Id*x + 2Ic)} - d)\log((\sqrt{2})((4IA + 4B)a^2e^{(2Id*x + 2Ic)} + (4IA + 4B)a^2)\sqrt{a/(e^{(2Id*x + 2Ic)} + 1)}\sqrt{(-Ie^{(2Id*x + 2Ic)} + I)/(e^{(2Id*x + 2Ic)} + 1)}e^{(Id*x + Ic)} - \sqrt{(32IA^2 + 64AB - 32IB^2)a^5/d^2}d e^{(2Id*x + 2Ic)})e^{(-2Id*x - 2Ic)}/((4IA + 4B)a^2)) - \sqrt{(4IA^2 + 20AB - 25IB^2)a^5/d^2}(d e^{(2Id*x + 2Ic)} - d)\log((\sqrt{2})((2IA + 5B)a^2e^{(2Id*x + 2Ic)} + (2IA + 5B)a^2)\sqrt{a/(e^{(2Id*x + 2Ic)} + 1)}\sqrt{(-Ie^{(2Id*x + 2Ic)} + I)/(e^{(2Id*x + 2Ic)} + 1)}e^{(Id*x + Ic)} + 2\sqrt{(4IA^2 + 20AB - 25IB^2)a^5/d^2}d e^{(2Id*x + 2Ic)})e^{(-2Id*x - 2Ic)}$

$$\frac{c}{(2IA + 5B)a^2} + \sqrt{(4IA^2 + 20AB - 25IB^2)a^5/d^2} \cdot (d e^{(2Id*x + 2Ic) - d} \log(\sqrt{2} \cdot ((2IA + 5B)a^2 e^{(2Id*x + 2Ic)} + (2IA + 5B)a^2) \sqrt{a/(e^{(2Id*x + 2Ic)} + 1)} \sqrt{(-I e^{(2Id*x + 2Ic)} + 1)/(e^{(2Id*x + 2Ic)} + 1)} e^{(Id*x + Ic)} - 2 \sqrt{(4IA^2 + 20AB - 25IB^2)a^5/d^2} d e^{(2Id*x + 2Ic)}) e^{-(2Id*x - 2Ic)} / ((2IA + 5B)a^2)) / (d e^{(2Id*x + 2Ic)} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out] Timed out

Giac [A] time = 1.68088, size = 239, normalized size = 1.22

$$\frac{(i-1) \sqrt{-2(i a \tan(dx+c) + a)a + 2a^2(i a \tan(dx+c) + a)^3 a^3 + ((2i+2)(i a \tan(dx+c) + a)^3 a^2 - (2i+2)(i a \tan(dx+c) + a)^2 a^3)}{2((i a \tan(dx+c) + a)^3 a - 4(i a \tan(dx+c) + a)^2 a^2 + 5(i a \tan(dx+c) + a) a^3 - 2a^4) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] -1/2*((I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^3*a^3 + ((2*I + 2)*(I*a*tan(d*x + c) + a)^3*a^2 - (2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^3)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^3*a - 4*(I*a*tan(d*x + c) + a)^2*a^2 + 5*(I*a*tan(d*x + c) + a)*a^3 - 2*a^4)*d)

$$3.173 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=190

$$\frac{2a^2(B+2iA)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\tan(c+dx)}} + \frac{(4+4i)a^{5/2}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

[Out] (2*(-1)^(3/4)*a^(5/2)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d + ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((2*I)*A + B)*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(3*d*Tan[c + d*x]^(3/2))

Rubi [A] time = 0.664995, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3593, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{2a^2(B+2iA)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\tan(c+dx)}} + \frac{(4+4i)a^{5/2}(B+iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (2*(-1)^(3/4)*a^(5/2)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d + ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((2*I)*A + B)*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(3*d*Tan[c + d*x]^(3/2))

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{3}{2}a(2iA + B)\sqrt{a + ia \tan(c + dx)}\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a^2(2iA + B)\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{3}{2}a(2iA + B)\sqrt{a + ia \tan(c + dx)}\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a^2(2iA + B)\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{3}{2}a(2iA + B)\sqrt{a + ia \tan(c + dx)}\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a^2(2iA + B)\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{3}{2}a(2iA + B)\sqrt{a + ia \tan(c + dx)}\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a^2(2iA + B)\sqrt{a}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a^2(2iA + B)\sqrt{a}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [B] time = 9.91254, size = 618, normalized size = 3.25

$$\frac{\cos^3(c + dx)\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) \left(\csc(c) \left(\frac{2}{3} \cos(2c) - \frac{2}{3} i \sin(2c) \right) \csc(c + dx) (3B \sin(c + dx) + \cos(c + dx)) \right)}{d(\cos(dx) + i \sin(dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (Sqrt[E^(I*d*x)]*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(Sqrt[2]*B*Log[(2*E^(((7*I)/2)*c)*(Sqrt[2] - I*Sqrt[2]*E^(I*(c + d*x)) + (2*I)*Sqrt[-1 + E^((2*I)*(c + d*x))])]/(B*(-1 + E^(I*(c + d*x))))] + 8*(I*A + B)*Log[(E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))])/E^(I*c)] - Sqrt[2]*B*Log[(-2*I)*E^(((7*I)/2)*c)*((-I)*Sqrt[2] + Sqrt[2]*E^(I*(c + d*x)) + 2*Sqrt[-1 + E^((2*I)*(c + d*x))])]/(B*(I + E^(I*(c + d*x))))]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(Sqrt[2]*d*E^(I*(3*c + d*x))*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*(-I)*Csc[c]*(7*A*Cos[c] - (3*I)*B*Cos[c] + I*A*Sin[c])*((2*Cos[2*c])/3 - ((2*I)/3)*Sin[2*c]) + Csc[c + d*x]^2*(-2*A*Cos[2*c])/3 + ((2*I)/3)*A*Sin[2*c]) + Csc[c]*Csc[c + d*x]*((2*Cos[2*c])/3 - ((2*I)/3)*Sin[2*c])*((7*I)*A*Sin[d*x] + 3*B*Sin[d*x]))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*(Cos[d*x] + I*Sin[d*x]))^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.044, size = 620, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(d*x+c))^{5/2}*(A+B*\tan(d*x+c))/\tan(d*x+c)^{5/2},x)$

[Out]
$$-1/3/d*(a*(1+I*\tan(d*x+c)))^{1/2}*a^2/\tan(d*x+c)^{3/2}*(-9*I*B*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)^{2*a+3*I*(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2}*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a+14*I*A*(I*a)^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+12*A*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)^{2*a+6*I*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)^{2*a-3*(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2}*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a+6*B*(I*a)^{1/2}*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*\tan(d*x+c)+6*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)^{2*a+2*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(-I*a)^{1/2}*(I*a)^{1/2}}/(I*a)^{1/2}/(-I*a)^{1/2}/(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(d*x+c))^{5/2}*(A+B*\tan(d*x+c))/\tan(d*x+c)^{5/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 1.93953, size = 2317, normalized size = 12.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(d*x+c))^{5/2}*(A+B*\tan(d*x+c))/\tan(d*x+c)^{5/2},x, \text{algorithm}="fricas")$

[Out]
$$1/6*(4*\sqrt{2})*((8*A - 3*I*B)*a^2*e^{(4*I*d*x + 4*I*c)} + 2*A*a^2*e^{(2*I*d*x + 2*I*c)} - 3*(2*A - I*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - 3*\sqrt{(-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((4*I*A + 4*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (4*I*A + 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} + I*\sqrt{(-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2})*e^{(-2*I*d*x - 2*I*c)})/((4*I*A + 4*B)*a^2)} + 3*\sqrt{(-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2})*((4*I*A + 4*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (4*I*A + 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - I*\sqrt{(-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2})*d*e^{(2*I*d*x + 2*I*c)}$$

$$\begin{aligned} & *c)) * e^{(-2*I*d*x - 2*I*c) / ((4*I*A + 4*B)*a^2)} + 3*\sqrt{4*I*B^2*a^5/d^2} * (d \\ & * e^{(4*I*d*x + 4*I*c) - 2*d*e^{(2*I*d*x + 2*I*c) + d}} * \log((\sqrt{2}*(B*a^2*e^{(2*I*d*x + 2*I*c) + B*a^2)} * \sqrt{a/(e^{(2*I*d*x + 2*I*c) + 1)}} * \sqrt{(-I*e^{(2*I*d*x + 2*I*c) + I})/(e^{(2*I*d*x + 2*I*c) + 1)}} * e^{(I*d*x + I*c) + I} * \sqrt{4*I*B^2*a^5/d^2} * d * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c) / (B*a^2)} - 3*\sqrt{4*I*B^2*a^5/d^2} * (d * e^{(4*I*d*x + 4*I*c) - 2*d*e^{(2*I*d*x + 2*I*c) + d}} * \log((\sqrt{2}*(B*a^2*e^{(2*I*d*x + 2*I*c) + B*a^2)} * \sqrt{a/(e^{(2*I*d*x + 2*I*c) + 1)}} * \sqrt{(-I*e^{(2*I*d*x + 2*I*c) + I})/(e^{(2*I*d*x + 2*I*c) + 1)}} * e^{(I*d*x + I*c) - I} * \sqrt{4*I*B^2*a^5/d^2} * d * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c) / (B*a^2)})) / (d * e^{(4*I*d*x + 4*I*c) - 2*d*e^{(2*I*d*x + 2*I*c) + d}} \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] Timed out

Giac [A] time = 1.64862, size = 263, normalized size = 1.38

$$\frac{(i-1) \sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)^3} a^4 + ((2i+2)(i a \tan(dx+c)+a)^3 a^3 - (2i+2)(i a \tan(dx+c)+a)^2 (2i(i a \tan(dx+c)+a)^4 a - 10i(i a \tan(dx+c)+a)^3 a^2 + 18i(i a \tan(dx+c)+a)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] ((I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^3 *a^4 + ((2*I + 2)*(I*a*tan(d*x + c) + a)^3*a^3 - (2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^4)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/((2*I*(I*a*tan(d*x + c) + a)^4*a - 10*I*(I*a*tan(d*x + c) + a)^3 *a^2 + 18*I*(I*a*tan(d*x + c) + a)^2*a^3 - 14*I*(I*a*tan(d*x + c) + a)*a^4 + 4*I*a^5)*d)

$$3.174 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=185

$$\frac{2a^2(5B+8iA)\sqrt{a+ia \tan(c+dx)}}{15d \tan^{\frac{3}{2}}(c+dx)} + \frac{2a^2(38A-35iB)\sqrt{a+ia \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}} - \frac{(4+4i)a^{5/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

[Out] $((-4-4I)*a^{5/2}*(A-I*B)*\text{ArcTanh}[\frac{(1+I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])/d - (2*a^2*((8*I)*A+5*B)*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(15*d*\text{Tan}[c+d*x]^{3/2}) + (2*a^2*(38*A-(35*I)*B)*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(15*d*\text{Sqrt}[\text{Tan}[c+d*x]]) - (2*a*A*(a+I*a*\text{Tan}[c+d*x])^{3/2})/(5*d*\text{Tan}[c+d*x]^{5/2})$

Rubi [A] time = 0.574996, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{2a^2(5B+8iA)\sqrt{a+ia \tan(c+dx)}}{15d \tan^{\frac{3}{2}}(c+dx)} + \frac{2a^2(38A-35iB)\sqrt{a+ia \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}} - \frac{(4+4i)a^{5/2}(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a+I*a*\text{Tan}[c+d*x])^{5/2}*(A+B*\text{Tan}[c+d*x])}{\text{Tan}[c+d*x]^{7/2}}, x]$

[Out] $((-4-4I)*a^{5/2}*(A-I*B)*\text{ArcTanh}[\frac{(1+I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])/d - (2*a^2*((8*I)*A+5*B)*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(15*d*\text{Tan}[c+d*x]^{3/2}) + (2*a^2*(38*A-(35*I)*B)*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(15*d*\text{Sqrt}[\text{Tan}[c+d*x]]) - (2*a*A*(a+I*a*\text{Tan}[c+d*x])^{3/2})/(5*d*\text{Tan}[c+d*x]^{5/2})$

Rule 3593

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_)}]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_)}}, x_Symbol] :> -\text{Simp}[\frac{a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}}{(d*f*(b*c + a*d)*(n+1))}, x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3598

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_)}]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_)}}, x_Symbol] :> \text{Simp}[\frac{(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^{(m)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}}{(f*(n+1)*(c^2 + d^2))}, x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m+n+1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^2(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^{3/2}}{5d \tan^5(c + dx)} + \frac{2}{5} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{1}{2}a(8iA + 5B)\right)}{\tan^2(c + dx)} dx \\ &= -\frac{2a^2(8iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^3(c + dx)} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{5d \tan^5(c + dx)} \\ &= -\frac{2a^2(8iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^3(c + dx)} + \frac{2a^2(38A - 35iB)\sqrt{a + ia \tan(c + dx)}}{15d \sqrt{\tan(c + dx)}} \\ &= -\frac{2a^2(8iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^3(c + dx)} + \frac{2a^2(38A - 35iB)\sqrt{a + ia \tan(c + dx)}}{15d \sqrt{\tan(c + dx)}} \\ &= -\frac{2a^2(8iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^3(c + dx)} + \frac{2a^2(38A - 35iB)\sqrt{a + ia \tan(c + dx)}}{15d \sqrt{\tan(c + dx)}} \\ &= -\frac{(4 + 4i)a^{5/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a^2(8iA + 5B)\sqrt{a + ia \tan(c + dx)}}{15d \tan^3(c + dx)} \end{aligned}$$

Mathematica [A] time = 10.7001, size = 323, normalized size = 1.75

$$\frac{4\sqrt{2}e^{-2ic}\sqrt{e^{idx}}\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}(a + ia \tan(c + dx))^{5/2}\left(e^{i(c+dx)}\sqrt{1 - e^{2i(c+dx)}}\left(iA(-35e^{2i(c+dx)} + 26e^{4i(c+dx)} + 15) + 5B\right)\right)}{15d(1 - e^{2i(c+dx)})^{7/2}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sec^2(c + dx)(\cos(dx) + i \sin(dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (-4*Sqrt[2]*Sqrt[E^(I*d*x)]*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))]/(1 + E^((2*I)*(c + d*x))))*(E^(I*(c + d*x))*Sqrt[1 - E^((2*I)*(c + d*x))]*(5*B*(3 - 7*E^((2*I)*(c + d*x)) + 4*E^((4*I)*(c + d*x))) + I*A*(15 - 35*E^((2*I)*(c + d*x)) + 26*E^((4*I)*(c + d*x)))) + 15*(I*A + B)*(-1 + E^((2*I)*(c + d*x))))

$$\begin{aligned} &)^3 \text{ArcSin}[E^{(I*(c+d*x))}] * (a + I*a*\text{Tan}[c+d*x])^{(5/2)} * (A + B*\text{Tan}[c+d*x]) \\ &)/ (15*d*E^{((2*I)*c)} * (1 - E^{((2*I)*(c+d*x))})^{(7/2)} * \text{Sqrt}[E^{(I*(c+d*x))}] \\ &/ (1 + E^{((2*I)*(c+d*x))})] * \text{Sec}[c+d*x]^{(7/2)} * (\text{Cos}[d*x] + I*\text{Sin}[d*x])^{(5/2)} \\ &)*(A*\text{Cos}[c+d*x] + B*\text{Sin}[c+d*x]) \end{aligned}$$

Maple [B] time = 0.044, size = 709, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x)`

[Out]
$$\begin{aligned} &-1/15/d*(a*(1+I*\text{tan}(d*x+c)))^{(1/2)}*a^2/\text{tan}(d*x+c)^{(5/2)}*(-76*A*(I*a)^{(1/2)}* \\ &(-I*a)^{(1/2)}*\text{tan}(d*x+c)^2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+60*I*A*\ln(1 \\ &/2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a) \\ &/ (I*a)^{(1/2)})*(-I*a)^{(1/2)}*\text{tan}(d*x+c)^3*a-15*I*(I*a)^{(1/2)}*2^{(1/2)}*\ln(-(-2* \\ &2^{(1/2)}*(-I*a)^{(1/2)}*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+I*a-3*a*\text{tan}(d*x+ \\ &c))/(\text{tan}(d*x+c)+I))*\text{tan}(d*x+c)^3*a+70*I*B*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*\text{tan}(d*x+ \\ &c)^2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}+60*B*\ln(1/2*(2*I*a*\text{tan}(d*x+c)+2* \\ &(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)})*(-I*a)^{(1 \\ &/2)}*\text{tan}(d*x+c)^3*a+30*I*\ln(1/2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d \\ &*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a)/(I*a)^{(1/2)})*(-I*a)^{(1/2)}*\text{tan}(d*x+c)^3*a-15*(I \\ &*a)^{(1/2)}*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c) \\ &)))^{(1/2)}+I*a-3*a*\text{tan}(d*x+c))/(\text{tan}(d*x+c)+I))*\text{tan}(d*x+c)^3*a+22*I*A*(I*a)^{(\\ &1/2)}*(-I*a)^{(1/2)}*\text{tan}(d*x+c)*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}-30*\ln(1/ \\ &2*(2*I*a*\text{tan}(d*x+c)+2*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*(I*a)^{(1/2)}+a) \\ &/ (I*a)^{(1/2)})*(-I*a)^{(1/2)}*\text{tan}(d*x+c)^3*a+10*B*(I*a)^{(1/2)}*(-I*a)^{(1/2)}*(a*t \\ &an(d*x+c)*(1+I*\text{tan}(d*x+c)))^{(1/2)}*\text{tan}(d*x+c)+6*A*(a*\text{tan}(d*x+c)*(1+I*\text{tan}(d*x \\ &+c)))^{(1/2)}*(-I*a)^{(1/2)}*(I*a)^{(1/2)})/(I*a)^{(1/2)}/(-I*a)^{(1/2)}/(a*\text{tan}(d*x+c) \\ &)*(1+I*\text{tan}(d*x+c)))^{(1/2)} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [B] time = 1.76325, size = 1642, normalized size = 8.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")`

```
[Out] 1/30*(sqrt(2)*((208*I*A + 160*B)*a^2*e^(6*I*d*x + 6*I*c) + (-72*I*A - 120*B)
)*a^2*e^(4*I*d*x + 4*I*c) + (-160*I*A - 160*B)*a^2*e^(2*I*d*x + 2*I*c) + (1
20*I*A + 120*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x
+ 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 15*sqrt((32*I*A^
2 + 64*A*B - 32*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4
*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I
*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((
-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + sq
rt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d
*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 15*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a
^5/d^2)*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x +
2*I*c) - d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A +
4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) +
I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - sqrt((32*I*A^2 + 64*A*B -
32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*
B)*a^2)))/(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x
+ 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.60115, size = 288, normalized size = 1.56

$$\frac{-(i-1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2}(i a \tan(dx+c)+a)^3 a^5 + (-2i+2)(i a \tan(dx+c)+a)^3 a^4 + (2i+2)(i a \tan(dx+c)+a)^3 a^3}{2((i a \tan(dx+c)+a)^5 a - 6(i a \tan(dx+c)+a)^4 a^2 + 14(i a \tan(dx+c)+a)^3 a^3 - 16(i a \tan(dx+c)+a)^2 a^4 + 9(i a \tan(dx+c)+a) a^5 - 2a^6)d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, alg
orithm="giac")
```

```
[Out] -1/2*(-(I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c)
+ a)^3*a^5 + (-2*I + 2)*(I*a*tan(d*x + c) + a)^3*a^4 + (2*I + 2)*(I*a*tan(
d*x + c) + a)^2*a^5)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan
(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^5*a - 6*(I*a*tan(d*x + c) + a)^4
*a^2 + 14*(I*a*tan(d*x + c) + a)^3*a^3 - 16*(I*a*tan(d*x + c) + a)^2*a^4 +
9*(I*a*tan(d*x + c) + a)*a^5 - 2*a^6)*d)
```

$$3.175 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=231

$$\frac{2a^2(80A - 77iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^3(c + dx)} - \frac{2a^2(7B + 10iA)\sqrt{a + ia \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{4a^2(133B + 130iA)\sqrt{a + ia \tan(c + dx)}}{105d \sqrt{\tan(c + dx)}} +$$

[Out] ((4 - 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((10*I)*A + 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*a^2*(80*A - (77*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (4*a^2*((130*I)*A + 133*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(7*d*Tan[c + d*x]^(7/2))

Rubi [A] time = 0.75676, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{2a^2(80A - 77iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^3(c + dx)} - \frac{2a^2(7B + 10iA)\sqrt{a + ia \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{4a^2(133B + 130iA)\sqrt{a + ia \tan(c + dx)}}{105d \sqrt{\tan(c + dx)}} +$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] ((4 - 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((10*I)*A + 7*B)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*a^2*(80*A - (77*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (4*a^2*((130*I)*A + 133*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(7*d*Tan[c + d*x]^(7/2))

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]

] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^2(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^{3/2}}{7d \tan^2(c + dx)} + \frac{2}{7} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{1}{2}a(10iA + 7B) + ia \tan(c + dx)\right)}{\tan^2(c + dx)} dx \\ &= -\frac{2a^2(10iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{7d \tan^2(c + dx)} \\ &= -\frac{2a^2(10iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2a^2(80A - 77iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^2(c + dx)} \\ &= -\frac{2a^2(10iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2a^2(80A - 77iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^2(c + dx)} \\ &= -\frac{2a^2(10iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2a^2(80A - 77iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^2(c + dx)} \\ &= -\frac{2a^2(10iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} + \frac{2a^2(80A - 77iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^2(c + dx)} \\ &= -\frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a^2(10iA + 7B)\sqrt{a + ia \tan(c + dx)}}{35d \tan^2(c + dx)} \end{aligned}$$

Mathematica [A] time = 12.9675, size = 363, normalized size = 1.57

$$\frac{4\sqrt{2}e^{-2ic}\sqrt{e^{idx}}\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}(a + ia \tan(c + dx))^{5/2}\left(e^{i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}}\left(7iB\left(50e^{2i(c+dx)} - 61e^{4i(c+dx)} + 26e^{6i(c+dx)}\right) - 105d\left(-1 + e^{2i(c+dx)}\right)^{9/2}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sec^2(c + dx)\right)\right)}{105d\left(-1 + e^{2i(c+dx)}\right)^{9/2}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sec^2(c + dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

```
[Out] (4*Sqrt[2]*Sqrt[E^(I*d*x)]*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))]/(1 + E^((2*I)*(c + d*x))))*(E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*((7*I)*B*(-15 + 50*E^((2*I)*(c + d*x)) - 61*E^((4*I)*(c + d*x)) + 26*E^((6*I)*(c + d*x))) - 5*A*(-21 + 70*E^((2*I)*(c + d*x)) - 77*E^((4*I)*(c + d*x)) + 40*E^((6*I)*(c + d*x)))) + 105*(A - I*B)*(-1 + E^((2*I)*(c + d*x)))^4*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(105*d*E^((2*I)*c)*(-1 + E^((2*I)*(c + d*x)))^(9/2)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [B] time = 0.044, size = 798, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2), x)
```

```
[Out] 1/105/d*(a*(1+I*tan(d*x+c)))^(1/2)*a^2/tan(d*x+c)^(7/2)*(532*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-154*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+210*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*a+160*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+105*I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I)*tan(d*x+c)^4*a+420*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*a-90*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-105*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I)*tan(d*x+c)^4*a-420*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*a+210*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*a+520*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-42*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)-30*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [B] time = 1.82178, size = 1813, normalized size = 7.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] -1/210*(8*sqrt(2)*(2*(100*A - 91*I*B)*a^2*e^(8*I*d*x + 8*I*c) - 5*(37*A - 49*I*B)*a^2*e^(6*I*d*x + 6*I*c) - 7*(5*A - 11*I*B)*a^2*e^(4*I*d*x + 4*I*c) + 245*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) - 105*(A - I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 105*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + I*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 105*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (4*I*A + 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - I*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.63827, size = 312, normalized size = 1.35

$$\frac{-(i-1)\sqrt{-2(ia \tan(dx+c)+a)a+2a^2(ia \tan(dx+c)+a)^3a^6} + \left(- (2i+2)(ia \tan(dx+c)+a)^3a^5 + (2i+2)(ia \tan(dx+c)+a)^4a^4\right)}{(2i(ia \tan(dx+c)+a)^6a - 14i(ia \tan(dx+c)+a)^5a^2 + 40i(ia \tan(dx+c)+a)^4a^3 - 60i(ia \tan(dx+c)+a)^3a^2 + 50i(ia \tan(dx+c)+a)^2a^5 - 22i(ia \tan(dx+c)+a)a^6 + 4i a^7) * d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] (- (I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^3*a^6 + (- (2*I + 2)*(I*a*tan(d*x + c) + a)^3*a^5 + (2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^6)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/((2*I*(I*a*tan(d*x + c) + a)^6*a - 14*I*(I*a*tan(d*x + c) + a)^5*a^2 + 40*I*(I*a*tan(d*x + c) + a)^4*a^3 - 60*I*(I*a*tan(d*x + c) + a)^3*a^2 + 50*I*(I*a*tan(d*x + c) + a)^2*a^5 - 22*I*(I*a*tan(d*x + c) + a)*a^6 + 4*I*a^7)*d)
```

$$3.176 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=277

$$\frac{8a^2(60B + 59iA)\sqrt{a + ia \tan(c + dx)}}{315d \tan^{\frac{3}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a^2(3B + 4iA)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} - \frac{8a^2}{\dots}$$

[Out] ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((4*I)*A + 3*B)*Sqrt[a + I*a*Tan[c + d*x]])/(21*d*Tan[c + d*x]^(7/2)) + (2*a^2*(46*A - (45*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(5/2)) + (8*a^2*((59*I)*A + 60*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Tan[c + d*x]^(3/2)) - (8*a^2*(197*A - (195*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(9*d*Tan[c + d*x]^(9/2))

Rubi [A] time = 0.950501, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{8a^2(60B + 59iA)\sqrt{a + ia \tan(c + dx)}}{315d \tan^{\frac{3}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a^2(3B + 4iA)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} - \frac{8a^2}{\dots}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(11/2), x]

[Out] ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((4*I)*A + 3*B)*Sqrt[a + I*a*Tan[c + d*x]])/(21*d*Tan[c + d*x]^(7/2)) + (2*a^2*(46*A - (45*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(5/2)) + (8*a^2*((59*I)*A + 60*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Tan[c + d*x]^(3/2)) - (8*a^2*(197*A - (195*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(9*d*Tan[c + d*x]^(9/2))

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m

+ a*d*(n + 1) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{\frac{11}{2}}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^{3/2}}{9d \tan^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{3}{2}a(4iA + 3B)\right)}{\tan^{\frac{7}{2}}(c + dx)} dx \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{9d \tan^{\frac{9}{2}}(c + dx)} \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} \\
 &= -\frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)} + \frac{2a^2(46A - 45iB)\sqrt{a + ia \tan(c + dx)}}{105d \tan^{\frac{5}{2}}(c + dx)} \\
 &= \frac{(4 + 4i)a^{5/2}(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a^2(4iA + 3B)\sqrt{a + ia \tan(c + dx)}}{21d \tan^{\frac{7}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [A] time = 14.9964, size = 246, normalized size = 0.89

$$a^2 \sqrt{a + ia \tan(c + dx)} \left(\frac{1260(A-iB)e^{-i(c+dx)} \sqrt{-1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} \right) + \frac{\csc^2(2(c+dx))(12(251A-260iB) \cos(2(c+dx)) + (-961A+915iB) \cos(4(c+dx)))}{315d}$$

315d

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(11/2), x]

[Out] (a^2*((1260*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/(E^(I*(c + d*x))*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))] + (Csc[2*(c + d*x)]^2*(-2331*A + (2205*I)*B + 12*(251*A - (260*I)*B)*Cos[2*(c + d*x)] + (-961*A + (915*I)*B)*Cos[4*(c + d*x)] + (282*I)*A*Sin[2*(c + d*x)] + 390*B*Sin[2*(c + d*x)] - (331*I)*A*Sin[4*(c + d*x)] - 285*B*Sin[4*(c + d*x)]))/Tan[c + d*x]^(5/2))*Sqrt[a + I*a*Tan[c + d*x]])/(315*d)

Maple [B] time = 0.048, size = 887, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2), x)

[Out] 1/315/d*(a*(1+I*tan(d*x+c)))^(1/2)*a^2/tan(d*x+c)^(9/2)*(-1576*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+1560*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-270*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+480*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-190*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+1260*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5*a+1260*I*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5*a-315*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I)*tan(d*x+c)^5*a+276*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-315*I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I)*tan(d*x+c)^5*a-630*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5*a+630*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5*a+472*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-90*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)-70*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.87754, size = 2014, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="fricas")

[Out]
$$\frac{1}{630} \left(\sqrt{2} \left((-5168IA - 4800B) a^2 e^{(10Ix + 10Ic)} + (8008IA + 9240B) a^2 e^{(8Ix + 8Ic)} + (-5472IA - 3600B) a^2 e^{(6Ix + 6Ic)} + (-7728IA - 6720B) a^2 e^{(4Ix + 4Ic)} + (8400IA + 8400B) a^2 e^{(2Ix + 2Ic)} + (-2520IA - 2520B) a^2 \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \sqrt{\frac{-Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)} + 315 \sqrt{(32IA^2 + 64AB - 32IB^2) a^5/d^2} (d e^{(10Ix + 10Ic)} - 5d e^{(8Ix + 8Ic)} + 10d e^{(6Ix + 6Ic)} - 10d e^{(4Ix + 4Ic)} + 5d e^{(2Ix + 2Ic)} - d) \log\left(\sqrt{2} \left((4IA + 4B) a^2 e^{(2Ix + 2Ic)} + (4IA + 4B) a^2 \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \sqrt{\frac{-Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)} + \sqrt{(32IA^2 + 64AB - 32IB^2) a^5/d^2} d e^{(2Ix + 2Ic)} \right) e^{(-2Ix - 2Ic)} / ((4IA + 4B) a^2) - 315 \sqrt{(32IA^2 + 64AB - 32IB^2) a^5/d^2} (d e^{(10Ix + 10Ic)} - 5d e^{(8Ix + 8Ic)} + 10d e^{(6Ix + 6Ic)} - 10d e^{(4Ix + 4Ic)} + 5d e^{(2Ix + 2Ic)} - d) \log\left(\sqrt{2} \left((4IA + 4B) a^2 e^{(2Ix + 2Ic)} + (4IA + 4B) a^2 \right) \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \sqrt{\frac{-Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} + 1}} e^{(Ix + Ic)} - \sqrt{(32IA^2 + 64AB - 32IB^2) a^5/d^2} d e^{(2Ix + 2Ic)} \right) e^{(-2Ix - 2Ic)} / ((4IA + 4B) a^2) \right) / (d e^{(10Ix + 10Ic)} - 5d e^{(8Ix + 8Ic)} + 10d e^{(6Ix + 6Ic)} - 10d e^{(4Ix + 4Ic)} + 5d e^{(2Ix + 2Ic)} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(11/2),x)

[Out] Timed out

Giac [A] time = 1.71951, size = 336, normalized size = 1.21

$$\frac{(i-1) \sqrt{-2(i a \tan(dx+c)+a) a + 2 a^2 (i a \tan(dx+c)+a)^3 a^7 + ((2i+2)(i a \tan(dx+c)+a)^3 a^6 - (2i+2) \left((i a \tan(dx+c)+a)^7 a - 8(i a \tan(dx+c)+a)^6 a^2 + 27(i a \tan(dx+c)+a)^5 a^3 - 50(i a \tan(dx+c)+a)^4 a^4 + 50(i a \tan(dx+c)+a)^3 a^5 - 27(i a \tan(dx+c)+a)^2 a^6 + 10(i a \tan(dx+c)+a) a^7 - a^8 \right)}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] -1/2*((I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^3*a^7 + ((2*I + 2)*(I*a*tan(d*x + c) + a)^3*a^6 - (2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^7)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^7*a - 8*(I*a*tan(d*x + c) + a)^6*a^2 + 27*(I*a*tan(d*x + c) + a)^5*a^3 - 50*(I*a*tan(d*x + c) + a)^4*a^4 + 55*(I*a*tan(d*x + c) + a)^3*a^5 - 36*(I*a*tan(d*x + c) + a)^2*a^6 + 13*(I*a*tan(d*x + c) + a)*a^7 - 2*a^8)*d)
```

$$3.177 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=323

$$\frac{8a^2(655A - 649iB)\sqrt{a + ia \tan(c + dx)}}{3465d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2(253B + 250iA)\sqrt{a + ia \tan(c + dx)}}{1155d \tan^{\frac{5}{2}}(c + dx)} + \frac{2a^2(212A - 209iB)\sqrt{a + ia \tan(c + dx)}}{693d \tan^{\frac{7}{2}}(c + dx)}$$

```
[Out] ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((14*I)*A + 11*B)*Sqrt[a + I*a*Tan[c + d*x]])/(99*d*Tan[c + d*x]^(9/2)) + (2*a^2*(212*A - (209*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(693*d*Tan[c + d*x]^(7/2)) + (4*a^2*((250*I)*A + 253*B)*Sqrt[a + I*a*Tan[c + d*x]])/(1155*d*Tan[c + d*x]^(5/2)) - (8*a^2*(655*A - (649*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3465*d*Tan[c + d*x]^(3/2)) - (8*a^2*((2155*I)*A + 2167*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3465*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(11*d*Tan[c + d*x]^(11/2))
```

Rubi [A] time = 1.16084, antiderivative size = 323, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3593, 3598, 12, 3544, 205}

$$\frac{8a^2(655A - 649iB)\sqrt{a + ia \tan(c + dx)}}{3465d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2(253B + 250iA)\sqrt{a + ia \tan(c + dx)}}{1155d \tan^{\frac{5}{2}}(c + dx)} + \frac{2a^2(212A - 209iB)\sqrt{a + ia \tan(c + dx)}}{693d \tan^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(13/2), x]
```

```
[Out] ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a^2*((14*I)*A + 11*B)*Sqrt[a + I*a*Tan[c + d*x]])/(99*d*Tan[c + d*x]^(9/2)) + (2*a^2*(212*A - (209*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(693*d*Tan[c + d*x]^(7/2)) + (4*a^2*((250*I)*A + 253*B)*Sqrt[a + I*a*Tan[c + d*x]])/(1155*d*Tan[c + d*x]^(5/2)) - (8*a^2*(655*A - (649*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3465*d*Tan[c + d*x]^(3/2)) - (8*a^2*((2155*I)*A + 2167*B)*Sqrt[a + I*a*Tan[c + d*x]])/(3465*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + I*a*Tan[c + d*x])^(3/2))/(11*d*Tan[c + d*x]^(11/2))
```

Rule 3593

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3598

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)/(f*(n + 1))
```

1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{13}(c + dx)} dx &= -\frac{2aA(a + ia \tan(c + dx))^{3/2}}{11d \tan^{11}(c + dx)} + \frac{2}{11} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{1}{2}a(14iA + 11B)\right)}{\tan^{11}(c + dx)} dx \\
 &= -\frac{2a^2(14iA + 11B)\sqrt{a + ia \tan(c + dx)}}{99d \tan^9(c + dx)} - \frac{2aA(a + ia \tan(c + dx))^{3/2}}{11d \tan^{11}(c + dx)} + \frac{2}{11} \int \frac{(a + ia \tan(c + dx))^{1/2} \left(\frac{1}{2}a(14iA + 11B)\right)}{\tan^9(c + dx)} dx \\
 &= -\frac{2a^2(14iA + 11B)\sqrt{a + ia \tan(c + dx)}}{99d \tan^9(c + dx)} + \frac{2a^2(212A - 209iB)\sqrt{a + ia \tan(c + dx)}}{693d \tan^7(c + dx)} + \frac{2}{11} \int \frac{(a + ia \tan(c + dx))^{1/2} \left(\frac{1}{2}a(14iA + 11B)\right)}{\tan^7(c + dx)} dx \\
 &= -\frac{2a^2(14iA + 11B)\sqrt{a + ia \tan(c + dx)}}{99d \tan^9(c + dx)} + \frac{2a^2(212A - 209iB)\sqrt{a + ia \tan(c + dx)}}{693d \tan^7(c + dx)} + \frac{2}{11} \int \frac{(a + ia \tan(c + dx))^{1/2} \left(\frac{1}{2}a(14iA + 11B)\right)}{\tan^5(c + dx)} dx \\
 &= -\frac{2a^2(14iA + 11B)\sqrt{a + ia \tan(c + dx)}}{99d \tan^9(c + dx)} + \frac{2a^2(212A - 209iB)\sqrt{a + ia \tan(c + dx)}}{693d \tan^7(c + dx)} + \frac{2}{11} \int \frac{(a + ia \tan(c + dx))^{1/2} \left(\frac{1}{2}a(14iA + 11B)\right)}{\tan^3(c + dx)} dx \\
 &= -\frac{2a^2(14iA + 11B)\sqrt{a + ia \tan(c + dx)}}{99d \tan^9(c + dx)} + \frac{2a^2(212A - 209iB)\sqrt{a + ia \tan(c + dx)}}{693d \tan^7(c + dx)} + \frac{2}{11} \int \frac{(a + ia \tan(c + dx))^{1/2} \left(\frac{1}{2}a(14iA + 11B)\right)}{\tan(c + dx)} dx \\
 &= \frac{(4 + 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a^2(14iA + 11B)\sqrt{a + ia \tan(c + dx)}}{99d \tan^9(c + dx)}
 \end{aligned}$$

Mathematica [A] time = 19.3325, size = 328, normalized size = 1.02

$$\frac{4\sqrt{2}a^2(B + iA)e^{-i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}}\sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{d\sqrt{-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}} \frac{a^2 \csc^3(c + dx) \sec^2(c + dx) \sqrt{a + ia \tan(c + dx)}}{}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(13/2), x]

[Out] (4*Sqrt[2]*a^2*(I*A + B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]/(d*E^(I*(c + d*x))*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) - (a^2*Csc[c + d*x]^3*Sec[c + d*x]^2*(66*(95*A - (47*I)*B)*Cos[c + d*x] + (-5225*A + (6743*I)*B)*Cos[3*(c + d*x)] + 3995*A*Cos[5*(c + d*x)] - (3641*I)*B*Cos[5*(c + d*x)] + (84810*I)*A*Sin[c + d*x] + 84414*B*Sin[c + d*x] - (42185*I)*A*Sin[3*(c + d*x)] - 43703*B*Sin[3*(c + d*x)] + (10925*I)*A*Sin[5*(c + d*x)] + 10571*B*Sin[5*(c + d*x)])*Sqrt[a + I*a*Tan[c + d*x]])/(27720*d*Tan[c + d*x]^(5/2))

Maple [B] time = 0.046, size = 976, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2), x)

[Out] -1/3465/d*(a*(1+I*tan(d*x+c)))^(1/2)*a^2/tan(d*x+c)^(11/2)*(17336*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-5192*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-13860*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^6*a+5240*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+2090*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+13860*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^6*a-3000*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-3465*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^6*a-3036*B*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+17240*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+6930*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^6*a-2120*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+1610*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+3465*I*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^6*a+6930*I*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^6*a+770*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)+630*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2))/(I*a)^(1/2)/(-I*a)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.88638, size = 2203, normalized size = 6.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x, algorithm="fricas")

[Out]
$$\frac{1}{6930} \cdot (8 \sqrt{2}) \cdot (2 \cdot (3730A - 3553I \cdot B) \cdot a^2 \cdot e^{(12I \cdot dx + 12I \cdot c)} - 9 \cdot (1805A - 2013I \cdot B) \cdot a^2 \cdot e^{(10I \cdot dx + 10I \cdot c)} + 55 \cdot (397A - 337I \cdot B) \cdot a^2 \cdot e^{(8I \cdot dx + 8I \cdot c)} + 66 \cdot (95A - 47I \cdot B) \cdot a^2 \cdot e^{(6I \cdot dx + 6I \cdot c)} - 1386 \cdot (15A - 16I \cdot B) \cdot a^2 \cdot e^{(4I \cdot dx + 4I \cdot c)} + 15015 \cdot (A - I \cdot B) \cdot a^2 \cdot e^{(2I \cdot dx + 2I \cdot c)} - 3465 \cdot (A - I \cdot B) \cdot a^2) \cdot \sqrt{\frac{a}{(e^{(2I \cdot dx + 2I \cdot c)} + 1)}} \cdot \sqrt{(-I \cdot e^{(2I \cdot dx + 2I \cdot c)} + I) / (e^{(2I \cdot dx + 2I \cdot c)} + 1)} \cdot e^{(I \cdot dx + I \cdot c)} - 3465 \cdot \sqrt{(-32I \cdot A^2 - 64A \cdot B + 32I \cdot B^2) \cdot a^5 / d^2} \cdot (d \cdot e^{(12I \cdot dx + 12I \cdot c)} - 6 \cdot d \cdot e^{(10I \cdot dx + 10I \cdot c)} + 15 \cdot d \cdot e^{(8I \cdot dx + 8I \cdot c)} - 20 \cdot d \cdot e^{(6I \cdot dx + 6I \cdot c)} + 15 \cdot d \cdot e^{(4I \cdot dx + 4I \cdot c)} - 6 \cdot d \cdot e^{(2I \cdot dx + 2I \cdot c)} + d) \cdot \log((\sqrt{2}) \cdot ((4I \cdot A + 4B) \cdot a^2 \cdot e^{(2I \cdot dx + 2I \cdot c)} + (4I \cdot A + 4B) \cdot a^2) \cdot \sqrt{\frac{a}{(e^{(2I \cdot dx + 2I \cdot c)} + 1)}} \cdot \sqrt{(-I \cdot e^{(2I \cdot dx + 2I \cdot c)} + I) / (e^{(2I \cdot dx + 2I \cdot c)} + 1)} \cdot e^{(I \cdot dx + I \cdot c)} + I \cdot \sqrt{(-32I \cdot A^2 - 64A \cdot B + 32I \cdot B^2) \cdot a^5 / d^2} \cdot d \cdot e^{(2I \cdot dx + 2I \cdot c)}) \cdot e^{(-2I \cdot dx - 2I \cdot c)} / ((4I \cdot A + 4B) \cdot a^2)) + 3465 \cdot \sqrt{(-32I \cdot A^2 - 64A \cdot B + 32I \cdot B^2) \cdot a^5 / d^2} \cdot (d \cdot e^{(12I \cdot dx + 12I \cdot c)} - 6 \cdot d \cdot e^{(10I \cdot dx + 10I \cdot c)} + 15 \cdot d \cdot e^{(8I \cdot dx + 8I \cdot c)} - 20 \cdot d \cdot e^{(6I \cdot dx + 6I \cdot c)} + 15 \cdot d \cdot e^{(4I \cdot dx + 4I \cdot c)} - 6 \cdot d \cdot e^{(2I \cdot dx + 2I \cdot c)} + d) \cdot \log((\sqrt{2}) \cdot ((4I \cdot A + 4B) \cdot a^2 \cdot e^{(2I \cdot dx + 2I \cdot c)} + (4I \cdot A + 4B) \cdot a^2) \cdot \sqrt{\frac{a}{(e^{(2I \cdot dx + 2I \cdot c)} + 1)}} \cdot \sqrt{(-I \cdot e^{(2I \cdot dx + 2I \cdot c)} + I) / (e^{(2I \cdot dx + 2I \cdot c)} + 1)} \cdot e^{(I \cdot dx + I \cdot c)} - I \cdot \sqrt{(-32I \cdot A^2 - 64A \cdot B + 32I \cdot B^2) \cdot a^5 / d^2} \cdot d \cdot e^{(2I \cdot dx + 2I \cdot c)}) \cdot e^{(-2I \cdot dx - 2I \cdot c)} / ((4I \cdot A + 4B) \cdot a^2)) / (d \cdot e^{(12I \cdot dx + 12I \cdot c)} - 6 \cdot d \cdot e^{(10I \cdot dx + 10I \cdot c)} + 15 \cdot d \cdot e^{(8I \cdot dx + 8I \cdot c)} - 20 \cdot d \cdot e^{(6I \cdot dx + 6I \cdot c)} + 15 \cdot d \cdot e^{(4I \cdot dx + 4I \cdot c)} - 6 \cdot d \cdot e^{(2I \cdot dx + 2I \cdot c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(13/2),x)

[Out] Timed out

Giac [A] time = 1.71255, size = 360, normalized size = 1.11

$$\frac{(i-1) \sqrt{-2(i a \tan(dx+c) + a)a + 2a^2}(i a \tan(dx+c) + a)^3 a^8 + ((2i+2)(i a \tan(dx+c) + a)^2 a^8 - 18i(i a \tan(dx+c) + a)^7 a^2 + 70i(i a \tan(dx+c) + a)^6 a^3 - 154i(i a \tan(dx+c) + a)^5 a^4)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x, algorithm="giac")

[Out] ((I - 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)^3*a^8 + ((2*I + 2)*(I*a*tan(d*x + c) + a)^3*a^7 - (2*I + 2)*(I*a*tan(d*x + c) + a)^2*a^8)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/((2*I*(I*a*tan(d*x + c) + a)^8*a - 18*I*(I*a*tan(d*x + c) + a)^7*a^2 + 70*I*(I*a*tan(d*x + c) + a)^6*a^3 - 154*I*(I*a*tan(d*x + c) + a)^5*a^4 + 210*I*(I*a*tan(d*x + c) + a)^4*a^5 - 182*I*(I*a*tan(d*x + c) + a)^3*a^6 + 98*I*(I*a*tan(d*x + c) + a)^2*a^7 - 30*I*(I*a*tan(d*x + c) + a)*a^8 + 4*I*a^9)*d)

$$3.178 \quad \int \frac{(a+ia \tan(c+dx))^{5/2} \left(\frac{3bB}{2a} + B \tan(c+dx) \right)}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=190

$$\frac{(2+2i)a^{3/2}B(2a+3ib) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} + \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1} \left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{bB(a+ia \tan(c+dx))^{3/2}}{d \tan^2(c+dx)}$$

[Out] (2*(-1)^(3/4)*a^(5/2)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]]/Sqrt[a + I*a*Tan[c + d*x]]/d + ((2 + 2*I)*a^(3/2)*(2*a + (3*I)*b)*B*ArcTanh[(1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]]]/Sqrt[a + I*a*Tan[c + d*x]]/d - (2*a*(a + (3*I)*b)*B*Sqrt[a + I*a*Tan[c + d*x]]/(d*Sqrt[Tan[c + d*x]]) - (b*B*(a + I*a*Tan[c + d*x])^(3/2))/(d*Tan[c + d*x]^(3/2))

Rubi [A] time = 0.72894, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {3593, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(2+2i)a^{3/2}B(2a+3ib) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} + \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1} \left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{bB(a+ia \tan(c+dx))^{3/2}}{d \tan^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (2*(-1)^(3/4)*a^(5/2)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]]/Sqrt[a + I*a*Tan[c + d*x]]/d + ((2 + 2*I)*a^(3/2)*(2*a + (3*I)*b)*B*ArcTanh[(1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]]]/Sqrt[a + I*a*Tan[c + d*x]]/d - (2*a*(a + (3*I)*b)*B*Sqrt[a + I*a*Tan[c + d*x]]/(d*Sqrt[Tan[c + d*x]]) - (b*B*(a + I*a*Tan[c + d*x])^(3/2))/(d*Tan[c + d*x]^(3/2))

Rule 3593

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^{5/2} \left(\frac{3bB}{2a} + B \tan(c + dx) \right)}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{bB(a + ia \tan(c + dx))^{3/2}}{d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + ia \tan(c + dx))^{3/2} \left(\frac{3}{2}(a + 3ib) \right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a(a + 3ib)B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{bB(a + ia \tan(c + dx))^{3/2}}{d \tan^{\frac{3}{2}}(c + dx)} + \frac{4}{3} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a(a + 3ib)B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{bB(a + ia \tan(c + dx))^{3/2}}{d \tan^{\frac{3}{2}}(c + dx)} - (i) \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a(a + 3ib)B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{bB(a + ia \tan(c + dx))^{3/2}}{d \tan^{\frac{3}{2}}(c + dx)} - (i) \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{(2 + 2i)a^{3/2}(2a + 3ib)B \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{2a(a + 3ib)B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{(2 + 2i)a^{3/2}(2a + 3ib)B \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{2a(a + 3ib)B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1} \left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} + \frac{(2 + 2i)a^{3/2}(2a + 3ib)B \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d}
\end{aligned}$$

Mathematica [B] time = 10.2212, size = 485, normalized size = 2.55

$$\frac{\cos^3(c + dx)\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2} \left(\frac{3bB}{2a} + B \tan(c + dx) \right) \left(\csc(c)(2 \cos(2c) - 2i \sin(2c)) \csc(c + dx)(2a \sin(c + dx) + \cos(c + dx)) \right)}{d(\cos(dx) + i \sin(dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (-2*Sqrt[2]*Sqrt[E^(I*d*x)]*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(((-4*I)*a + 6*b)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]] + I*Sqrt[2]*a*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*(a + I*a*Tan[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Tan[c + d*x])/(d*E^((2*I)*c)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(3*b*Cos[c + d*x] + 2*a*Sin[c + d*x]) + (Cos[c + d*x]^3*(-I)*Csc[c]*(-2*I)*a*Cos[c] + 7*b*Cos[c] + I*b*Sin[c])*(2*Cos[2*c] - (2*I)*Sin[2*c]) + Csc[c + d*x]^2*(-2*b*Cos[2*c] + (2*I)*b*Sin[2*c]) + Csc[c]*Csc[c + d*x]*(2*Cos[2*c] - (2*I)*Sin[2*c])*(2*a*Sin[d*x] + (7*I)*b*Sin[d*x]))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^2*(3*b*Cos[c + d*x] + 2*a*Sin[c + d*x]))

Maple [B] time = 0.076, size = 551, normalized size = 2.9

$$\frac{aB}{2d} \left(-i\sqrt{ia}\sqrt{2} \ln \left(-\frac{1}{\tan(dx + c) + i} \left(-2\sqrt{2}\sqrt{-ia}\sqrt{a \tan(dx + c)(1 + i \tan(dx + c))} + ia - 3a \tan(dx + c) \right) \right) \right) (\tan(dx + c) + i)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+I*a*\tan(d*x+c))^{5/2}*(3/2*b*B/a+B*\tan(d*x+c))/\tan(d*x+c)^{5/2}),x$

[Out] $\frac{1}{2}d*B*a*(-I*(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a-2}*I*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(d*x+c)^{2*a+2}*I*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(d*x+c)^{2*a-14}*I*\tan(d*x+c)*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(I*a)^{1/2}*(-I*a)^{1/2}*b+(I*a)^{1/2}*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a-2}*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{1/2}*(I*a)^{1/2}+a)/(I*a)^{1/2})*(-I*a)^{1/2}*\tan(d*x+c)^{2*a-4}*(I*a)^{1/2}*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*\tan(d*x+c)*a-2*b*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(I*a)^{1/2}*(-I*a)^{1/2}*(a*(1+I*\tan(d*x+c)))^{1/2}/\tan(d*x+c)^{3/2}/(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}/(I*a)^{1/2}/(-I*a)^{1/2}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(d*x+c))^{5/2}*(3/2*b*B/a+B*\tan(d*x+c))/\tan(d*x+c)^{5/2}),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 1.96486, size = 2410, normalized size = 12.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(d*x+c))^{5/2}*(3/2*b*B/a+B*\tan(d*x+c))/\tan(d*x+c)^{5/2}),x, \text{algorithm}="fricas")$

[Out] $\frac{1}{2}*(\sqrt{2}*(4*B*a*b*e^{(2*I*d*x + 2*I*c)} + 4*I*B*a^2 - 12*B*a*b + (-4*I*B*a^2 + 16*B*a*b)*e^{(4*I*d*x + 4*I*c)})*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - (d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*\log((\sqrt{2}*(-4*I*B*a^2 + 6*B*a*b + (-4*I*B*a^2 + 6*B*a*b)*e^{(2*I*d*x + 2*I*c)})*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} + d*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(-4*I*B*a^2 + 6*B*a*b)) + (d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*\log((\sqrt{2}*(-4*I*B*a^2 + 6*B*a*b + (-4*I*B*a^2 + 6*B*a*b)*e^{(2*I*d*x + 2*I*c)})*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - d*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(-4*I*B*a^2 + 6*B*a*b)) + \sqrt{4*I*B^2*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*(B*a^2*e^{(2*I*d*x + 2*I*c)} + B*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - d*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(-4*I*B*a^2 + 6*B*a*b)) + \sqrt{4*I*B^2*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*(B*a^2*e^{(2*I*d*x + 2*I*c)} + B*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - d*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(-4*I*B*a^2 + 6*B*a*b)) + \sqrt{4*I*B^2*a^5/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*(B*a^2*e^{(2*I*d*x + 2*I*c)} + B*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} - d*\sqrt{(32*I*B^2*a^5 - 96*B^2*a^4*b - 72*I*B^2*a^3*b^2)/d^2}}*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(-4*I*B*a^2 + 6*B*a*b))$

$$\begin{aligned} & + 2I*c) + I)/(e^{(2I*d*x + 2I*c) + 1}))*e^{(I*d*x + I*c)} + I*\sqrt{4*I*B^2*a^5/d^2}*d*e^{(2I*d*x + 2I*c)})*e^{(-2I*d*x - 2I*c)/(B*a^2)} - \sqrt{4*I*B^2*a^5/d^2}*(d*e^{(4I*d*x + 4I*c)} - 2*d*e^{(2I*d*x + 2I*c)} + d)*\log((\sqrt{2}*(B*a^2*e^{(2I*d*x + 2I*c)} + B*a^2)*\sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)})*\sqrt{((-I*e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1))*e^{(I*d*x + I*c)} - I*\sqrt{4*I*B^2*a^5/d^2}*d*e^{(2I*d*x + 2I*c)})*e^{(-2I*d*x - 2I*c)/(B*a^2)}})/(d*e^{(4I*d*x + 4I*c)} - 2*d*e^{(2I*d*x + 2I*c)} + d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(3/2*b*B/a+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] Timed out

Giac [A] time = 1.63756, size = 258, normalized size = 1.36

$$\frac{-3i\sqrt{-2(i a \tan(dx + c) + a)a + 2a^2(i a \tan(dx + c) + a)^3a^2b - 2((i a \tan(dx + c) + a)^3a^2 - (i a \tan(dx + c) + a)^2a^3)}}{2((i + 1)(i a \tan(dx + c) + a)^4 - (5i + 5)(i a \tan(dx + c) + a)^3a + (9i + 9)(i a \tan(dx + c) + a)^2a^2 - (7i + 5)(i a \tan(dx + c) + a)a^3 + (2i + 2)a^4)*d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(3/2*b*B/a+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out]
$$-1/2*(-3*I*\sqrt{-2*(I*a*\tan(d*x + c) + a)*a + 2*a^2}*(I*a*\tan(d*x + c) + a)^3*a^2*b - 2*((I*a*\tan(d*x + c) + a)^3*a^2 - (I*a*\tan(d*x + c) + a)^2*a^3)*\sqrt{-2*(I*a*\tan(d*x + c) + a)*a + 2*a^2}*(I*a*\tan(d*x + c) + a))/(((I + 1)*(I*a*\tan(d*x + c) + a)^4 - (5*I + 5)*(I*a*\tan(d*x + c) + a)^3*a + (9*I + 9)*(I*a*\tan(d*x + c) + a)^2*a^2 - (7*I + 7)*(I*a*\tan(d*x + c) + a)*a^3 + (2*I + 2)*a^4)*d)$$

$$3.179 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=205

$$\frac{(-B + iA) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(-1)^{3/4}(-B + 2iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{(A + 2iB)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{ad}$$

[Out] $((-1)^{(3/4)*((2*I)*A - B)*ArcTan[((-1)^{(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]})/Sqrt[a + I*a*Tan[c + d*x]]])/(Sqrt[a]*d) - ((1/2 - I/2)*(A - I*B)*ArcTanh[(((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])]/(Sqrt[a]*d) + ((I*A - B)*Tan[c + d*x]^{(3/2)})/(d*Sqrt[a + I*a*Tan[c + d*x]]) - ((A + (2*I)*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(a*d)$

Rubi [A] time = 0.690517, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {3595, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-B + iA) \tan^3(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(-1)^{3/4}(-B + 2iA) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{(A + 2iB)\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] $((-1)^{(3/4)*((2*I)*A - B)*ArcTan[((-1)^{(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]})/Sqrt[a + I*a*Tan[c + d*x]]])/(Sqrt[a]*d) - ((1/2 - I/2)*(A - I*B)*ArcTanh[(((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])]/(Sqrt[a]*d) + ((I*A - B)*Tan[c + d*x]^{(3/2)})/(d*Sqrt[a + I*a*Tan[c + d*x]]) - ((A + (2*I)*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(a*d)$

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^(m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dis

```
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} - \frac{\int \sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)} \left(\frac{3}{2}a(iA-B) + \dots\right)}{a^2} \\
&= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A+2iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} - \frac{\int \dots}{\dots} \\
&= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A+2iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} - \frac{(A)}{\dots} \\
&= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A+2iB)\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} + \frac{(2A)}{\dots} \\
&= \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A)}{\dots} \\
&= \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(A)}{\dots} \\
&= -\frac{\sqrt[4]{-1}(2A+iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} + \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 4.77915, size = 277, normalized size = 1.35

$$\frac{(A+B \tan(c+dx)) \left(\frac{\sqrt{2}\sqrt{-1+e^{2i(c+dx)}} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \left((B+iA) \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) + \sqrt{2}(B-2iA) \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) \right)}{\sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}} \sqrt{\sec(c+dx)}} \right)}{2d\sqrt{a+ia \tan(c+dx)}(A \cos(c+dx) + B \sin(c+dx))} - 2\sqrt{\tan(c+dx)}(-$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] (((Sqrt[2]*Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(I*A + B)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]] + Sqrt[2]*((-2*I)*A + B)*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]]))/(Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[Sec[c + d*x]]) - 2*((A + (2*I)*B)*Cos[c + d*x] - B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x])/(2*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.101, size = 1141, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)

[Out] 1/4/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)*(8*I*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)*(-I*a)^(1/2)-4*I*B*(a*tan(d*x+c)*(1+I*tan(d

```

*x+c)))^(1/2)*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2-2*I*B*ln(1/2*(2*I*a*tan
(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))
*(-I*a)^(1/2)*a+I*A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan
(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x
+c)^2*a+B*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1
+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a-I*
A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d
*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+2*I*B*ln(1/2*(2*I*a*tan
(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))
*(-I*a)^(1/2)*tan(d*x+c)^2*a-8*I*A*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)
*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c
)*a+2*A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I
*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a+4*A*ln
(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+
a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^2*a+4*I*A*(a*tan(d*x+c)*(1+I*tan(d*
x+c))))^(1/2)*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)-2*I*B*(I*a)^(1/2)*2^(1/2)*
ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*
tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-B*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1
/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/
(tan(d*x+c)+I))*a+4*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x
+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)*a-12*B*(I*a
)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*tan(d*x+c)-4*A*ln
(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)
+a)/(I*a)^(1/2))*(-I*a)^(1/2)*a+4*A*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(
-I*a)^(1/2)*(I*a)^(1/2))/a/(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)/(-tan(d*x+
c)+I)^2/(I*a)^(1/2)/(-I*a)^(1/2)

```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, alg
orithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 3.03536, size = 2268, normalized size = 11.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, alg
orithm="fricas")
```

```
[Out] -1/4*(a*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c)*lo
g((I*a*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + s
qrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c)
+ 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d
*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - a*d*sqrt((-2*I*A^2 - 4*A*B + 2
*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c)*log((-I*a*d*sqrt((-2*I*A^2 - 4*A*B + 2
*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*
c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c)

```

$$\begin{aligned} &) + I)/(e^{(2I*d*x + 2I*c)} + 1)) * e^{(I*d*x + I*c)} * e^{(-I*d*x - I*c)} / (4I*A \\ & + 4*B)) + a*d*\sqrt{(-4I*A^2 + 4A*B + I*B^2)/(a*d^2)} * e^{(2I*d*x + 2I*c)} * \\ & \log((\sqrt{2} * ((-416I*A + 208*B) * e^{(2I*d*x + 2I*c)} - 416I*A + 208*B) * \sqrt{ \\ & t(a/(e^{(2I*d*x + 2I*c)} + 1)) * \sqrt{(-I * e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x \\ & x + 2I*c)} + 1)) * e^{(I*d*x + I*c)} + (312I*a*d * e^{(2I*d*x + 2I*c)} - 104I*a \\ & *d) * \sqrt{(-4I*A^2 + 4A*B + I*B^2)/(a*d^2)})) / ((-1210I*A + 605*B) * e^{(2I*d \\ & *x + 2I*c)} - 1210I*A + 605*B)) - a*d*\sqrt{(-4I*A^2 + 4A*B + I*B^2)/(a*d \\ & ^2)} * e^{(2I*d*x + 2I*c)} * \log((\sqrt{2} * ((-416I*A + 208*B) * e^{(2I*d*x + 2I* \\ & c)} - 416I*A + 208*B) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)) * \sqrt{(-I * e^{(2I*d*x \\ & + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)) * e^{(I*d*x + I*c)} + (-312I*a*d * e^{(\\ & 2I*d*x + 2I*c)} + 104I*a*d) * \sqrt{(-4I*A^2 + 4A*B + I*B^2)/(a*d^2)})) / ((- \\ & 1210I*A + 605*B) * e^{(2I*d*x + 2I*c)} - 1210I*A + 605*B)) + 2*\sqrt{2} * ((A \\ & + 3I*B) * e^{(2I*d*x + 2I*c)} + A + I*B) * \sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)) * \sqrt{ \\ & t(-I * e^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)) * e^{(I*d*x + I*c)} \\ &) * e^{(-2I*d*x - 2I*c)} / (a*d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.180 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=156

$$\frac{(-B+iA)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt[4]{-1}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] $(-2*(-1)^{(1/4)}*B*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]])/\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])]/(\text{Sqrt}[a]*d) - ((1/2 + I/2)*(A - I*B)*\text{ArcTanh}(((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]])/\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]))/(\text{Sqrt}[a]*d) + ((I*A - B)*\text{Sqrt}[\text{Tan}[c+d*x]])/(d*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])$

Rubi [A] time = 0.480029, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3595, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-B+iA)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt[4]{-1}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Tan}[c+d*x]]*(A+B*\text{Tan}[c+d*x]))/\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]],x]$

[Out] $(-2*(-1)^{(1/4)}*B*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]])/\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])]/(\text{Sqrt}[a]*d) - ((1/2 + I/2)*(A - I*B)*\text{ArcTanh}(((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]])/\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]))/(\text{Sqrt}[a]*d) + ((I*A - B)*\text{Sqrt}[\text{Tan}[c+d*x]])/(d*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])$

Rule 3595

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] :> -\text{Simp}[(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n]/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3601

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] :> \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n*(a - b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3544

$\text{Int}[\text{Sqrt}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)])]/\text{Sqrt}[(c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)])]), x_Symbol] :> \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a^2*x^2), x], x, \text{Sqrt}[c + d*\text{Tan}[e + f*x]]/\text{Sqrt}[a + b*\text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{\int \frac{\sqrt{a+ia \tan(c+dx)}\left(\frac{1}{2}a(iA-B)+iaB \tan(c+dx)\right)}{\sqrt{\tan(c+dx)}} dx}{a^2} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} + \frac{B \int \frac{(a-ia \tan(c+dx))\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx}{a^2} - \frac{(iA+B) \int \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} dx}{a^2} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(a(A-iB)) \operatorname{Subst}\left(\int \frac{1}{-ia-2a^2x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} \\ &= -\frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} + \frac{(iA+B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} \\ &= -\frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} + \frac{(iA+B)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} \\ &= -\frac{2\sqrt[4]{-1}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} \end{aligned}$$

Mathematica [A] time = 3.56046, size = 183, normalized size = 1.17

$$\frac{\sqrt{\tan(c+dx)}\left(i(A+iB)\sqrt{-1+e^{2i(c+dx)}} - i(A-iB)e^{i(c+dx)} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) + 2\sqrt{2}Be^{i(c+dx)} \tanh^{-1}\left(\frac{\sqrt{2}e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)\right)}{d\sqrt{-1+e^{2i(c+dx)}}\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]
```

```
[Out] ((I*(A + I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))] - I*(A - I*B)*E^(I*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]] + 2*Sqrt[2]*B*E^(I*(c + d*x))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Tan[c + d*x]]/(d*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.09, size = 900, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)
```

```
[Out] 1/4/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)/a*(I*B*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+2*I*A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a-I*B*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a-8*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)*a+4*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)+2*B*2^(1/2)*(I*a)^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a+4*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^2*a-4*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(I*a)^(1/2)*(-I*a)^(1/2)+A*2^(1/2)*(I*a)^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+4*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)*tan(d*x+c)-4*B*(-I*a)^(1/2)*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a+4*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2))/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*x+c)+I)^2/(I*a)^(1/2)/(-I*a)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.80482, size = 1989, normalized size = 12.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, alg
orithm="fricas")
```

```
[Out] -1/4*(a*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c)*log
((a*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(
2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) +
1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x +
I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - a*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^
2)/(a*d^2))*e^(2*I*d*x + 2*I*c)*log(-(a*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/
(a*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A
+ B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(
e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B))
- a*d*sqrt(-4*I*B^2/(a*d^2))*e^(2*I*d*x + 2*I*c)*log(52/605*(4*sqrt(2)*(B*e
^(2*I*d*x + 2*I*c) + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d
*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + (3*a*d*e^(2*I
*d*x + 2*I*c) - a*d)*sqrt(-4*I*B^2/(a*d^2)))/(B*e^(2*I*d*x + 2*I*c) + B)) +
a*d*sqrt(-4*I*B^2/(a*d^2))*e^(2*I*d*x + 2*I*c)*log(52/605*(4*sqrt(2)*(B*e^
(2*I*d*x + 2*I*c) + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*
x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - (3*a*d*e^(2*I
d*x + 2*I*c) - a*d)*sqrt(-4*I*B^2/(a*d^2)))/(B*e^(2*I*d*x + 2*I*c) + B)) -
sqrt(2)*((2*I*A - 2*B)*e^(2*I*d*x + 2*I*c) + 2*I*A - 2*B)*sqrt(a/(e^(2*I*d*
x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1
))*e^(I*d*x + I*c))*e^(-2*I*d*x - 2*I*c)/(a*d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/sqrt(a*(I*tan(c + d*x) + 1
)), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, alg
orithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.181 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=99

$$\frac{(A+iB)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] ((1/2 - I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.193384, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3596, 12, 3544, 205}

$$\frac{(A+iB)\sqrt{\tan(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]),x]

[Out] ((1/2 - I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)}} dx &= \frac{(A + iB) \sqrt{\tan(c + dx)}}{d \sqrt{a + ia \tan(c + dx)}} + \frac{\int \frac{a(A - iB) \sqrt{a + ia \tan(c + dx)}}{2 \sqrt{\tan(c + dx)}} dx}{a^2} \\
&= \frac{(A + iB) \sqrt{\tan(c + dx)}}{d \sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx}{2a} \\
&= \frac{(A + iB) \sqrt{\tan(c + dx)}}{d \sqrt{a + ia \tan(c + dx)}} - \frac{(a(iA + B)) \operatorname{Subst} \left(\int \frac{1}{-ia - 2a^2 x^2} dx, x, \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + ia \tan(c + dx)}} \right)}{d} \\
&= -\frac{\left(\frac{1}{2} + \frac{i}{2}\right) (iA + B) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c + dx)}}{\sqrt{a + ia \tan(c + dx)}} \right)}{\sqrt{ad}} + \frac{(A + iB) \sqrt{\tan(c + dx)}}{d \sqrt{a + ia \tan(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 3.06364, size = 123, normalized size = 1.24

$$\frac{\sqrt{\tan(c + dx)} \left((A + iB) \sqrt{-1 + e^{2i(c + dx)}} + (A - iB) e^{i(c + dx)} \tanh^{-1} \left(\frac{e^{i(c + dx)}}{\sqrt{-1 + e^{2i(c + dx)}}} \right) \right)}{d \sqrt{-1 + e^{2i(c + dx)}} \sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]), x]

[Out] (((A + I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))] + (A - I*B)*E^(I*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Tan[c + d*x]])/(d*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.094, size = 639, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2), x)

[Out]
$$\begin{aligned}
& -1/4/d*\tan(d*x+c)^{(1/2)}*(a*(1+I*\tan(d*x+c)))^{(1/2)}*(I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}+I*a-3*a*\tan(d*x+c)))/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a-2*I*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}+I*a-3*a*\tan(d*x+c)))/(\tan(d*x+c)+I))*\tan(d*x+c)*a+B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}+I*a-3*a*\tan(d*x+c)))/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a-I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}+I*a-3*a*\tan(d*x+c)))/(\tan(d*x+c)+I))*a+4*I*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)+2*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}+I*a-3*a*\tan(d*x+c)))/(\tan(d*x+c)+I))*\tan(d*x+c)*a+4*I*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}-B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}+I*a-3*a*\tan(d*x+c)))/(\tan(d*x+c)+I))*a-4*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)+4*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}/a/(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}/(-\tan(d*x+c)+I)^2/(-I*a)^{(1/2)}
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.04757, size = 1183, normalized size = 11.95

$$\left(ad \sqrt{\frac{-2iA^2 - 4AB + 2iB^2}{ad^2}} e^{(2i dx + 2i c)} \log \left(\frac{\left(i ad \sqrt{\frac{-2iA^2 - 4AB + 2iB^2}{ad^2}} e^{(2i dx + 2i c)} + \sqrt{2} (iA + B) e^{(2i dx + 2i c)} + iA + B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{-ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}} e^{(i dx + i c)} \right) e^{-i dx} \right)}{4iA + 4B}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{4} * (a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} * \log \left(\frac{(I * a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} + \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * \sqrt{(-I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * e^{(I * d * x + I * c)}} * e^{(-I * d * x - I * c)} / (4 * I * A + 4 * B) - a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)} * e^{(2 * I * d * x + 2 * I * c)} * \log \left(\frac{(-I * a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} + \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} + I * A + B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * \sqrt{(-I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * e^{(I * d * x + I * c)}} * e^{(-I * d * x - I * c)} / (4 * I * A + 4 * B) + 2 * \sqrt{2} * ((A + I * B) * e^{(2 * I * d * x + 2 * I * c)} + A + I * B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * \sqrt{(-I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * e^{(I * d * x + I * c)}} * e^{(-2 * I * d * x - 2 * I * c)} / (a * d) \right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)} \sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))/(sqrt(a*(I*tan(c + d*x) + 1))*sqrt(tan(c + d*x))), x)

Giac [B] time = 1.35289, size = 207, normalized size = 2.09

$$\frac{-(i+1) \sqrt{-2(i a \tan(dx+c) + a) a + 2 a^2 (i a \tan(dx+c) + a) a^2 + ((2i-2)(i a \tan(dx+c) + a) a - (2i-2) a^2) \sqrt{-2(i a \tan(dx+c) + a) a + 2 a^2 (i a \tan(dx+c) + a) a^2 + ((2i-2)(i a \tan(dx+c) + a) a - (2i-2) a^2)}}}{2((i a \tan(dx+c) + a)^3 a - 3(i a \tan(dx+c) + a)^2 a^2 + 2(i a \tan(dx+c) + a) a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 1/2*(-(I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^2 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a - (2*I - 2)*a^2)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^3*a - 3*(I*a*tan(d*x + c) + a)^2*a^2 + 2*(I*a*tan(d*x + c) + a)*a^3)*d)
```

$$3.182 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=143

$$\frac{A+iB}{d\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{a+ia \tan(c+dx)}}{ad\sqrt{\tan(c+dx)}} + \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] $((1/2 + I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + (A + I*B)/(d*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]) - ((3*A + I*B)*Sqrt[a + I*a*Tan[c + d*x]])/(a*d*Sqrt[Tan[c + d*x]])$

Rubi [A] time = 0.365383, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$\frac{A+iB}{d\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{a+ia \tan(c+dx)}}{ad\sqrt{\tan(c+dx)}} + \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])]/(\text{Tan}[c + d*x]^{(3/2)}*Sqrt[a + I*a*\text{Tan}[c + d*x]]), x]$

[Out] $((1/2 + I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + (A + I*B)/(d*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]) - ((3*A + I*B)*Sqrt[a + I*a*Tan[c + d*x]])/(a*d*Sqrt[Tan[c + d*x]])$

Rule 3596

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_)}], x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}]/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3598

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(m_)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_)}], x_Symbol] \rightarrow \text{Simp}[(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}]/(f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m + n + 1)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} dx &= \frac{A + iB}{d \sqrt{\tan(c + dx) \sqrt{a + ia \tan(c + dx)}}} + \frac{\int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2} a (3A + iB) - a(iA - B) \tan(c + dx) \right)}{\tan^{\frac{3}{2}}(c + dx) a^2} dx}{a^2} \\ &= \frac{A + iB}{d \sqrt{\tan(c + dx) \sqrt{a + ia \tan(c + dx)}}} - \frac{(3A + iB) \sqrt{a + ia \tan(c + dx)}}{ad \sqrt{\tan(c + dx)}} + \frac{2 \int}{ad \sqrt{\tan(c + dx)}} \\ &= \frac{A + iB}{d \sqrt{\tan(c + dx) \sqrt{a + ia \tan(c + dx)}}} - \frac{(3A + iB) \sqrt{a + ia \tan(c + dx)}}{ad \sqrt{\tan(c + dx)}} + \frac{(iA - B)}{ad \sqrt{\tan(c + dx)}} \\ &= \frac{A + iB}{d \sqrt{\tan(c + dx) \sqrt{a + ia \tan(c + dx)}}} - \frac{(3A + iB) \sqrt{a + ia \tan(c + dx)}}{ad \sqrt{\tan(c + dx)}} + \frac{(iA - B)}{ad \sqrt{\tan(c + dx)}} \\ &= \frac{\left(\frac{1}{2} + \frac{i}{2} \right) (A - iB) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c + dx)}}{\sqrt{a + ia \tan(c + dx)}} \right)}{\sqrt{ad}} + \frac{A + iB}{d \sqrt{\tan(c + dx) \sqrt{a + ia \tan(c + dx)}}} \end{aligned}$$

Mathematica [A] time = 3.19658, size = 181, normalized size = 1.27

$$\frac{(A + B \tan(c + dx)) \left(\frac{(A - iB) \sqrt{-1 + e^{2i(c + dx)}} \tanh^{-1} \left(\frac{e^{i(c + dx)}}{\sqrt{-1 + e^{2i(c + dx)}}} \right)}{\sqrt{\frac{i(-1 + e^{2i(c + dx)})}{1 + e^{2i(c + dx)}}}} + \frac{-4A \cos(c + dx) + 2(B - 3iA) \sin(c + dx)}{\sqrt{\tan(c + dx)}} \right)}{2d \sqrt{a + ia \tan(c + dx)} (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]]), x]

[Out] (((((A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))) + (-4*A*Cos[c + d*x] + 2*((-3*I)*A + B)*Sin[c + d*x])/Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(2*d*(A*Cos[c + d*x] + B*Sin[c + d*x]))*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.1, size = 701, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x)`

[Out]
$$\begin{aligned} & -1/4/d*(a*(1+I*\tan(d*x+c)))^{1/2}*(I*B*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}) \\ & *(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))* \\ & \tan(d*x+c)^3*a+2*I*A*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+ \\ & I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^2*a-A*2 \\ & ^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I \\ & *a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^3*a-I*B*2^{1/2}*\ln(-(-2*2^{1/2} \\ &)*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/ \\ & (\tan(d*x+c)+I))*\tan(d*x+c)*a+4*I*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(-I \\ & *a)^{1/2}*\tan(d*x+c)^2+2*B*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+ \\ & c)*(1+I*\tan(d*x+c)))^{1/2}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^2 \\ & *a-20*I*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)+A*2 \\ & ^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}+I \\ & *a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)*a+12*A*(a*\tan(d*x+c)*(1+I*\tan \\ & (d*x+c)))^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)^2+4*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c) \\ &))^{1/2}*(-I*a)^{1/2}*\tan(d*x+c)-8*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}* \\ & (-I*a)^{1/2})/a/\tan(d*x+c)^{1/2}/(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{1/2}/(-\tan \\ & (d*x+c)+I)^2/(-I*a)^{1/2} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.06693, size = 1330, normalized size = 9.3

$$\sqrt{2}((-10iA + 2B)e^{4idx+4ic} - 8iAe^{2idx+2ic} + 2iA - 2B)\sqrt{\frac{a}{e^{2idx+2ic}+1}}\sqrt{\frac{-ie^{2idx+2ic}+i}{e^{2idx+2ic}+1}}e^{(idx+ic)} + (ade^{4idx+4ic} - ade^{2idx+2ic})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & 1/4*(\sqrt{2}*((-10*I*A + 2*B)*e^{(4*I*d*x + 4*I*c)} - 8*I*A*e^{(2*I*d*x + 2*I*c)} \\ & + 2*I*A - 2*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)} + (a*d*e^{(4*I*d*x + 4*I*c)} - a*d*e^{(2*I*d*x + 2*I*c)})*\sqrt{((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))} \\ & * \log((a*d*\sqrt{((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))}*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*(I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1))*e^{(I*d*x + I*c)}))*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) - (a*d*e^{(4*I*d*x + 4*I*c)} - a*d* \end{aligned}$$

$$e^{(2I dx + 2I c)} \sqrt{(2IA^2 + 4AB - 2IB^2)/(a d^2)} \log(-a d \sqrt{(2IA^2 + 4AB - 2IB^2)/(a d^2)} e^{(2I dx + 2I c)} - \sqrt{2} ((IA + B) e^{(2I dx + 2I c)} + IA + B) \sqrt{a/(e^{(2I dx + 2I c)} + 1)}) \sqrt{((-I e^{(2I dx + 2I c)} + I)/(e^{(2I dx + 2I c)} + 1)) e^{(I dx + I c)} e^{(-I dx - I c)/(4IA + 4B)}}/(a d e^{(4I dx + 4I c)} - a d e^{(2I dx + 2I c)})$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)} \tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2)/tan(d*x+c)**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))/(sqrt(a*(I*tan(c + d*x) + 1))*tan(c + d*x)**(3/2)), x)

Giac [A] time = 1.45652, size = 234, normalized size = 1.64

$$\frac{-(i+1) \sqrt{-2(i a \tan(dx+c) + a)a + 2a^2(i a \tan(dx+c) + a)a^3 + ((2i-2)(i a \tan(dx+c) + a)a^2 - (2i-2)a^3)} \sqrt{-2i(i a \tan(dx+c) + a)^4 a + 8i(i a \tan(dx+c) + a)^3 a^2 - 10i(i a \tan(dx+c) + a)^2 a^3 + 4i a^4}}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] $(- (I + 1) \sqrt{-2(I a \tan(d x + c) + a) a + 2 a^2} (I a \tan(d x + c) + a) a^3 + ((2 I - 2) (I a \tan(d x + c) + a) a^2 - (2 I - 2) a^3) \sqrt{-2(I a \tan(d x + c) + a) a + 2 a^2} \sqrt{I a \tan(d x + c) + a} B) / ((-2 I (I a \tan(d x + c) + a)^4 a + 8 I (I a \tan(d x + c) + a)^3 a^2 - 10 I (I a \tan(d x + c) + a)^2 a^3 + 4 I (I a \tan(d x + c) + a) a^4) d$

$$3.183 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=191

$$-\frac{(5A+3iB)\sqrt{a+ia \tan(c+dx)}}{3ad \tan^{\frac{3}{2}}(c+dx)} + \frac{A+iB}{d \tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} + \frac{(-9B+7iA)\sqrt{a+ia \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} + \left(\frac{1}{2} + \frac{i}{2}\right)(B$$

[Out] $((1/2 + I/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + (A + I*B)/(d*\tan[c + d*x]^{(3/2)}*Sqrt[a + I*a*\tan[c + d*x]]) - ((5*A + (3*I)*B)*Sqrt[a + I*a*\tan[c + d*x]])/(3*a*d*\tan[c + d*x]^{(3/2)}) + (((7*I)*A - 9*B)*Sqrt[a + I*a*\tan[c + d*x]])/(3*a*d*Sqrt[\tan[c + d*x]])$

Rubi [A] time = 0.545859, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$-\frac{(5A+3iB)\sqrt{a+ia \tan(c+dx)}}{3ad \tan^{\frac{3}{2}}(c+dx)} + \frac{A+iB}{d \tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} + \frac{(-9B+7iA)\sqrt{a+ia \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} + \left(\frac{1}{2} + \frac{i}{2}\right)(B$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\tan[c + d*x])/(Tan[c + d*x]^{(5/2)}*Sqrt[a + I*a*Tan[c + d*x]]), x]$

[Out] $((1/2 + I/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + (A + I*B)/(d*\tan[c + d*x]^{(3/2)}*Sqrt[a + I*a*\tan[c + d*x]]) - ((5*A + (3*I)*B)*Sqrt[a + I*a*\tan[c + d*x]])/(3*a*d*\tan[c + d*x]^{(3/2)}) + (((7*I)*A - 9*B)*Sqrt[a + I*a*\tan[c + d*x]])/(3*a*d*Sqrt[\tan[c + d*x]])$

Rule 3596

$\text{Int}[(a + b*\tan[e + f*x])^m*((A + B)*\tan[e + f*x] + (C + D)*\tan[e + f*x])^n, x_Symbol] :> \text{Simp}[(a*A + b*B)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{(n+1)}/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\tan[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3598

$\text{Int}[(a + b*\tan[e + f*x])^m*((A + B)*\tan[e + f*x] + (C + D)*\tan[e + f*x])^n, x_Symbol] :> \text{Simp}[(A*d - B*c)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{(n+1)}/(f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{(n+1)}*\text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m + n + 1)*\tan[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} dx &= \frac{A + iB}{d \tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} + \frac{\int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2} a(5A + 3iB) - 2a(iA - B) \tan(c + dx) \right)}{\tan^{\frac{5}{2}}(c + dx) a^2} dx}{a^2} \\ &= \frac{A + iB}{d \tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 3iB) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{5}{2}}(c + dx)} dx}{a^2} \\ &= \frac{A + iB}{d \tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 3iB) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{(7iA - 3B) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} \\ &= \frac{A + iB}{d \tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 3iB) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{(7iA - 3B) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} \\ &= \frac{A + iB}{d \tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 3iB) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{(7iA - 3B) \sqrt{a + ia \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} \\ &= \frac{\left(\frac{1}{2} + \frac{i}{2} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{\sqrt{ad}} + \frac{A + iB}{d \tan^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} \end{aligned}$$

Mathematica [A] time = 3.80479, size = 221, normalized size = 1.16

$$\frac{e^{-i(c+dx)}(A + B \tan(c + dx)) \left(3(B + iA)e^{i(c+dx)} (-1 + e^{2i(c+dx)})^{3/2} \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{-1 + e^{2i(c+dx)}}} \right) + iA (-18e^{2i(c+dx)} + 7e^{4i(c+dx)} + 1) \right)}{6d(-1 + e^{2i(c+dx)}) \sqrt{\tan(c + dx)} \sqrt{a + ia \tan(c + dx)} (A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]]),x]

[Out] ((-3*B*(1 - 6*E^((2*I)*(c + d*x)) + 5*E^((4*I)*(c + d*x))) + I*A*(3 - 18*E^((2*I)*(c + d*x)) + 7*E^((4*I)*(c + d*x))) + 3*(I*A + B)*E^(I*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))^(3/2)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*(A + B*Tan[c + d*x]))/(6*d*E^(I*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

$\arcsin(c + dx)$

Maple [B] time = 0.103, size = 746, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{1/2}/\tan(dx+c)^{5/2}, x)$

[Out] $\frac{1}{12}d*(a*(1+I*\tan(dx+c)))^{1/2}/a/\tan(dx+c)^{3/2}*(-3*I*A*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))*\tan(dx+c)^{2*a-36*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*\tan(dx+c)^{3-6*I*B*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))*\tan(dx+c)^{3*a+3*B*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))*\tan(dx+c)^{4*a+36*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*\tan(dx+c)^{2+28*I*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*\tan(dx+c)^{3+3*I*A*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))*\tan(dx+c)^{4*a+6*A*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))*\tan(dx+c)^{3*a+60*I*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*\tan(dx+c)^{2-3*B*2^{1/2}*\ln(-(-2*2^{1/2})*(-I*a)^{1/2}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))*\tan(dx+c)^{2*a+24*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2}*\tan(dx+c)+8*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}*(-I*a)^{1/2})/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{1/2}/(-\tan(dx+c)+I)^2/(-I*a)^{1/2}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{1/2}/\tan(dx+c)^{5/2}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.08726, size = 1523, normalized size = 7.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{1/2}/\tan(dx+c)^{5/2}, x, \text{algorithm}="fricas")$

[Out] $-1/12*(2*\sqrt{2})*((7*A + 15*I*B)*e^{(6*I*d*x + 6*I*c)} - (11*A + 3*I*B)*e^{(4*I*d*x + 4*I*c)} - 15*(A + I*B)*e^{(2*I*d*x + 2*I*c)} + 3*A + 3*I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}$

```
*c) + 1))*e^(I*d*x + I*c) + 3*(a*d*e^(6*I*d*x + 6*I*c) - 2*a*d*e^(4*I*d*x +
4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))
*log((I*a*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c)
) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x +
2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e
^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*(a*d*e^(6*I*d*x + 6*I*c)
) - 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((-2*I*A^2 - 4
*A*B + 2*I*B^2)/(a*d^2))*log((-I*a*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d
^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B
)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2
*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)))/(a*
d*e^(6*I*d*x + 6*I*c) - 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c)
)
```

Sympy [F-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2)/tan(d*x+c)**(5/2),x)

[Out] Timed out

Giac [A] time = 1.4823, size = 258, normalized size = 1.35

$$\frac{(i+1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^4+(-2i-2)(i a \tan(dx+c)+a)a^3+(2i-2)a^4}\sqrt{-2((i a \tan(dx+c)+a)^5 a-5(i a \tan(dx+c)+a)^4 a^2+9(i a \tan(dx+c)+a)^3 a^3-7(i a \tan(dx+c)+a)^2 a^4+2(i a \tan(dx+c)+a)a^5)d}}{2((i a \tan(dx+c)+a)^5 a-5(i a \tan(dx+c)+a)^4 a^2+9(i a \tan(dx+c)+a)^3 a^3-7(i a \tan(dx+c)+a)^2 a^4+2(i a \tan(dx+c)+a)a^5)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] 1/2*((I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^4 + (-2*I - 2)*(I*a*tan(d*x + c) + a)*a^3 + (2*I - 2)*a^4)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^5*a - 5*(I*a*tan(d*x + c) + a)^4*a^2 + 9*(I*a*tan(d*x + c) + a)^3*a^3 - 7*(I*a*tan(d*x + c) + a)^2*a^4 + 2*(I*a*tan(d*x + c) + a)*a^5)*d)

$$3.184 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{7}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=237

$$\frac{(-25B + 23iA)\sqrt{a + ia \tan(c + dx)}}{15ad \tan^{\frac{3}{2}}(c + dx)} - \frac{(7A + 5iB)\sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}} + \frac{(61A + 35iB)}{15ad \tan^{\frac{3}{2}}(c + dx)}$$

[Out] $((-1/2 - I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + (A + I*B)/(d*Tan[c + d*x]^{(5/2)}*Sqrt[a + I*a*Tan[c + d*x]]) - ((7*A + (5*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(5*a*d*Tan[c + d*x]^{(5/2)}) + (((23*I)*A - 25*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*a*d*Tan[c + d*x]^{(3/2)}) + ((61*A + (35*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*a*d*Sqrt[Tan[c + d*x]])$

Rubi [A] time = 0.739402, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$\frac{(-25B + 23iA)\sqrt{a + ia \tan(c + dx)}}{15ad \tan^{\frac{3}{2}}(c + dx)} - \frac{(7A + 5iB)\sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}} + \frac{(61A + 35iB)}{15ad \tan^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x]]),x]

[Out] $((-1/2 - I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[a]*d) + (A + I*B)/(d*Tan[c + d*x]^{(5/2)}*Sqrt[a + I*a*Tan[c + d*x]]) - ((7*A + (5*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(5*a*d*Tan[c + d*x]^{(5/2)}) + (((23*I)*A - 25*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*a*d*Tan[c + d*x]^{(3/2)}) + ((61*A + (35*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(15*a*d*Sqrt[Tan[c + d*x]])$

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\tan^{\frac{7}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} dx = \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} + \frac{\int \frac{\sqrt{a + ia \tan(c + dx)} \left(\frac{1}{2} a (7A + 5iB) - 3a(iA - B) \tan(c + dx) \right)}{\tan^{\frac{7}{2}}(c + dx) a^2} dx}{a^2}$$

$$= \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(7A + 5iB) \sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{7}{2}}(c + dx)} dx}{5ad \tan^{\frac{5}{2}}(c + dx)}$$

$$= \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(7A + 5iB) \sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{7}{2}}(c + dx)} dx}{5ad \tan^{\frac{5}{2}}(c + dx)} \quad (23)$$

$$= \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(7A + 5iB) \sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{7}{2}}(c + dx)} dx}{5ad \tan^{\frac{5}{2}}(c + dx)} \quad (23)$$

$$= \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(7A + 5iB) \sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{7}{2}}(c + dx)} dx}{5ad \tan^{\frac{5}{2}}(c + dx)} \quad (23)$$

$$= \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(7A + 5iB) \sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{7}{2}}(c + dx)} dx}{5ad \tan^{\frac{5}{2}}(c + dx)} \quad (23)$$

$$= \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}} - \frac{(7A + 5iB) \sqrt{a + ia \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\sqrt{a + ia \tan(c + dx)}}{\tan^{\frac{7}{2}}(c + dx)} dx}{5ad \tan^{\frac{5}{2}}(c + dx)} \quad (23)$$

$$= -\frac{\left(\frac{1}{2} + \frac{i}{2}\right) (A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} + \frac{A + iB}{d \tan^{\frac{5}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)}}$$

Mathematica [A] time = 5.09103, size = 241, normalized size = 1.02

$$(A + B \tan(c + dx)) \left(-\frac{(A - iB) \sqrt{-1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1 + e^{2i(c+dx)}}}\right)}{\sqrt{\frac{i(-1 + e^{2i(c+dx)})}{1 + e^{2i(c+dx)}}}} - \frac{\csc^2(c + dx) (-5(2A + iB) \cos(c + dx) + (22A + 5iB) \cos(3(c + dx)) + \sin(c + dx)) (-2A + iB)}{15 \sqrt{\tan(c + dx)}} \right)$$

$$2d \sqrt{a + ia \tan(c + dx)} (A \cos(c + dx) + B \sin(c + dx))$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x
]])],x]
```

```
[Out] (((-(((A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[
-1 + E^((2*I)*(c + d*x))]])/Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^(
(2*I)*(c + d*x)))) - (Csc[c + d*x]^2*(-5*(2*A + I*B)*Cos[c + d*x] + (22*A
+ (5*I)*B)*Cos[3*(c + d*x)] + (9*((-7*I)*A + 5*B) + ((59*I)*A - 25*B)*Cos[2
*(c + d*x)])*Sin[c + d*x]))/(15*Sqrt[Tan[c + d*x]]))*(A + B*Tan[c + d*x]))/
(2*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.098, size = 821, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x)
```

```
[Out] 1/60/d*(a*(1+I*tan(d*x+c)))^(1/2)*(15*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1
/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I
))*tan(d*x+c)^5*a+30*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)
*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a
-15*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(
1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a-15*I*B*2^(1/2)*ln(
(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan
(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a+140*I*B*(a*tan(d*x+c)*(1+I*tan(d*x+
c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4+30*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1
/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I
))*tan(d*x+c)^4*a-396*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2
)*tan(d*x+c)^3+15*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I
*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a+244*
A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4+180*B*(a*
tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3+16*I*A*tan(d*x
+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)-144*A*(a*tan(d*x+c)*
(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2+40*B*(a*tan(d*x+c)*(1+I*t
an(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)+24*A*(a*tan(d*x+c)*(1+I*tan(d*x+c
)))^(1/2)*(-I*a)^(1/2)/a/tan(d*x+c)^(5/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(
1/2)/(-tan(d*x+c)+I)^2/(-I*a)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x, alg
orithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.15469, size = 1694, normalized size = 7.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] 1/60*(sqrt(2)*((206*I*A - 70*B)*e^(8*I*d*x + 8*I*c) + (-204*I*A + 180*B)*e^(6*I*d*x + 6*I*c) + (-80*I*A + 40*B)*e^(4*I*d*x + 4*I*c) + (300*I*A - 180*B)*e^(2*I*d*x + 2*I*c) - 30*I*A + 30*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - 15*(a*d*e^(8*I*d*x + 8*I*c) - 3*a*d*e^(6*I*d*x + 6*I*c) + 3*a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*log((a*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) + 15*(a*d*e^(8*I*d*x + 8*I*c) - 3*a*d*e^(6*I*d*x + 6*I*c) + 3*a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*log(-(a*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)))/(a*d*e^(8*I*d*x + 8*I*c) - 3*a*d*e^(6*I*d*x + 6*I*c) + 3*a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2)/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.45037, size = 282, normalized size = 1.19

$$\frac{(i+1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^5} + (-2i-2)(i a \tan(dx+c)+a)a^4 + (2i-2)a^5}{(-2i(i a \tan(dx+c)+a)^6 a + 12i(i a \tan(dx+c)+a)^5 a^2 - 28i(i a \tan(dx+c)+a)^4 a^3 + 32i(i a \tan(dx+c)+a)^3 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] ((I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^5 + (-2*I - 2)*(I*a*tan(d*x + c) + a)*a^4 + (2*I - 2)*a^5)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B/((-2*I*(I*a*tan(d*x + c) + a)^6*a + 12*I*(I*a*tan(d*x + c) + a)^5*a^2 - 28*I*(I*a*tan(d*x + c) + a)^4*a^3 + 32*I*(I*a*tan(d*x + c) + a)^3*a^4 - 18*I*(I*a*tan(d*x + c) + a)^2*a^5 + 4*I*(I*a*tan(d*x + c) + a)*a^6)*d)
```

$$3.185 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=203

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{2(-1)^{3/4}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(-B + iA) \tan^3(c + dx)}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(A + 3iB) \tan^2(c + dx)}{2ad\sqrt{a+ia \tan(c+dx)}}$$

[Out] (2*(-1)^(3/4)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) - ((1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) + ((I*A - B)*Tan[c + d*x]^(3/2))/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((A + (3*I)*B)*Sqrt[Tan[c + d*x]])/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.668543, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3595, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{2(-1)^{3/4}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(-B + iA) \tan^3(c + dx)}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(A + 3iB) \tan^2(c + dx)}{2ad\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] (2*(-1)^(3/4)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) - ((1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) + ((I*A - B)*Tan[c + d*x]^(3/2))/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((A + (3*I)*B)*Sqrt[Tan[c + d*x]])/(2*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^(m)*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^(m)*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a


```
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^m)*((c_.) + (d_.)*(x_)^n), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{(iA-B) \tan^3(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} - \frac{\int \frac{\sqrt{\tan(c+dx)} \left(\frac{3}{2} a(iA-B) + 3iaB \tan(c+dx) \right)}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\
&= \frac{(iA-B) \tan^3(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A+3iB)\sqrt{\tan(c+dx)}}{2ad\sqrt{a+ia \tan(c+dx)}} + \frac{\int \frac{\sqrt{a+ia \tan(c+dx)} \left(-\frac{3}{4} a^2(A+3iB) \right)}{\sqrt{\tan(c+dx)}} dx}{3a^4} \\
&= \frac{(iA-B) \tan^3(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A+3iB)\sqrt{\tan(c+dx)}}{2ad\sqrt{a+ia \tan(c+dx)}} - \frac{(A-iB) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx}{4a^2} \\
&= \frac{(iA-B) \tan^3(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A+3iB)\sqrt{\tan(c+dx)}}{2ad\sqrt{a+ia \tan(c+dx)}} - \frac{(iB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{x}\sqrt{a+iax}} dx \right)}{ad} \\
&= \frac{\left(\frac{1}{4} + \frac{i}{4} \right) (iA+B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{a^{3/2}d} + \frac{(iA-B) \tan^3(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A-iB) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx}{4a^2} \\
&= \frac{\left(\frac{1}{4} + \frac{i}{4} \right) (iA+B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{a^{3/2}d} + \frac{(iA-B) \tan^3(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A-iB) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx}{4a^2} \\
&= \frac{2(-1)^{3/4}B \tan^{-1} \left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{a^{3/2}d} + \frac{\left(\frac{1}{4} + \frac{i}{4} \right) (iA+B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 6.14975, size = 285, normalized size = 1.4

$$\frac{e^{-i(c+dx)} \sqrt{\tan(c+dx)} \sec^3(c+dx) \left(\sqrt{-1+e^{2i(c+dx)}} \left(-4iAe^{2i(c+dx)} + iA + 10Be^{2i(c+dx)} - B \right) + 3(B+iA)e^{3i(c+dx)} \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{1+e^{2i(c+dx)}}} (\tan(c+dx) - i) \sqrt{a+ia \tan(c+dx)} \right) \right)}{6\sqrt{2}ad\sqrt{-1+e^{2i(c+dx)}} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} (\tan(c+dx) - i) \sqrt{a+ia \tan(c+dx)}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] ((Sqrt[-1 + E^((2*I)*(c + d*x))])*(I*A - B - (4*I)*A*E^((2*I)*(c + d*x)) + 10*B*E^((2*I)*(c + d*x))) + 3*(I*A + B)*E^((3*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]) - 12*Sqrt[2]*B*E^((3*I)*(c + d*x))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sqrt[Tan[c + d*x]]/(6*Sqrt[2]*a*d*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.068, size = 1223, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] 1/24*I/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)/a^2*(-72*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^2*a+20*A*(I*a)^(1/2)*(-I*a)^(1/2)*tan(d*x+c)

$$c)^2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)+9*I*A*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a-3*A*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*\tan(d*x+c)^{3*a-36*I*B*(I*a)^{(1/2)*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)+3*I*B*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*\tan(d*x+c)^{3*a+44*I*B*(I*a)^{(1/2)*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)*\tan(d*x+c)^{2+9*B*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*\tan(d*x+c)^{2*a+24*B*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)*(I*a)^{(1/2)+a}}/(I*a)^{(1/2)*(-I*a)^{(1/2)*\tan(d*x+c)^{3*a+24*I*B*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)*(I*a)^{(1/2)+a}}/(I*a)^{(1/2)*(-I*a)^{(1/2)*a-3*I*A*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*a+9*A*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*\tan(d*x+c)^{a-32*I*A*(I*a)^{(1/2)*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)*\tan(d*x+c)-9*I*B*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*\tan(d*x+c)^{a-3*B*(I*a)^{(1/2)*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)+I*a-3*a*\tan(d*x+c))}/(\tan(d*x+c)+I))*a-72*B*\ln(1/2*(2*I*a*\tan(d*x+c)+2*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)*(I*a)^{(1/2)+a}}/(I*a)^{(1/2)*(-I*a)^{(1/2)*\tan(d*x+c)*a+80*B*(I*a)^{(1/2)*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)*\tan(d*x+c)-12*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)*(-I*a)^{(1/2)*(I*a)^{(1/2)}}/(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)/(-\tan(d*x+c)+I)^3/(I*a)^{(1/2)/(-I*a)^{(1/2)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.86375, size = 2169, normalized size = 10.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$-1/12*(3*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(4*I*d*x + 4*I*c)}*\log((2*I*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) - 3*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log((-2*I*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B))$$

$$\begin{aligned}
& x + 2*I*c) + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)}*e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 3*a^2*d*\sqrt{4*I*B^2/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/605*(208*\sqrt{2}*(B*e^{(2*I*d*x + 2*I*c)} + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (156*I*a^2*d*e^{(2*I*d*x + 2*I*c)} - 52*I*a^2*d)*\sqrt{4*I*B^2/(a^3*d^2)}))/(B*e^{(2*I*d*x + 2*I*c)} + B)) \\
& + 3*a^2*d*\sqrt{4*I*B^2/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/605*(208*\sqrt{2}*(B*e^{(2*I*d*x + 2*I*c)} + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + (-156*I*a^2*d*e^{(2*I*d*x + 2*I*c)} + 52*I*a^2*d)*\sqrt{4*I*B^2/(a^3*d^2)}))/(B*e^{(2*I*d*x + 2*I*c)} + B)) - \sqrt{2}*(2*(2*A + 5*I*B)*e^{(4*I*d*x + 4*I*c)} + 3*(A + 3*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-4*I*d*x - 4*I*c)/(a^2*d)}
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.186 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=150

$$-\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{3d(a + ia \tan(c+dx))^{3/2}} + \frac{(5B + iA)\sqrt{\tan(c+dx)}}{6ad\sqrt{a + ia \tan(c+dx)}}$$

[Out] $((-1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((I*A + 5*B)*Sqrt[Tan[c + d*x]])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.3793, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3595, 3596, 12, 3544, 205}

$$-\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{3d(a + ia \tan(c+dx))^{3/2}} + \frac{(5B + iA)\sqrt{\tan(c+dx)}}{6ad\sqrt{a + ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Tan}[c + d*x]])*(A + B*\text{Tan}[c + d*x])]/(a + I*a*\text{Tan}[c + d*x])^(3/2), x]$

[Out] $((-1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((I*A + 5*B)*Sqrt[Tan[c + d*x]])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 3595

$\text{Int}[(a + b*\tan(e + f*x))^m * ((A + B*\tan(e + f*x)) + (c + d*\tan(e + f*x))^n), x_Symbol] :> -\text{Simp}[(A*b - a*B)*(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^n / (2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * (c + d*\tan[e + f*x])^{n-1} * \text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3596

$\text{Int}[(a + b*\tan(e + f*x))^m * ((A + B*\tan(e + f*x)) + (c + d*\tan(e + f*x))^n), x_Symbol] :> \text{Simp}[(a*A + b*B)*(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n+1} / (2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * (c + d*\tan[e + f*x])^n * \text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 12

$\text{Int}[(a)*(u), x_Symbol] :> \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b)*(v) /; \text{FreeQ}[b, x]]$

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{3d(a+ia \tan(c+dx))^{3/2}} - \frac{\int \frac{\frac{1}{2}a(iA-B)-a(A-2iB) \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(iA+5B)\sqrt{\tan(c+dx)}}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{\int \frac{3a^2(iA+B)\sqrt{a+ia \tan(c+dx)}}{4\sqrt{\tan(c+dx)}}}{3a^4} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(iA+5B)\sqrt{\tan(c+dx)}}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(iA+B) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}}}{4a^2} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(iA+5B)\sqrt{\tan(c+dx)}}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(A-iB) \text{Subst}\left(\int \frac{1}{-ia-x}\right)}{4a^2} \\ &= -\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(iA+5B)\sqrt{\tan(c+dx)}}{6ad\sqrt{a+ia \tan(c+dx)}} \end{aligned}$$

Mathematica [A] time = 4.66369, size = 228, normalized size = 1.52

$$\frac{e^{-i(c+dx)}\sqrt{\tan(c+dx)}\sec^{\frac{3}{2}}(c+dx)\left(\sqrt{-1+e^{2i(c+dx)}}\left(2Ae^{2i(c+dx)}+A-iB(-1+4e^{2i(c+dx)})\right)-3(A-iB)e^{3i(c+dx)}\tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)\right)}{6\sqrt{2}ad\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}(\tan(c+dx)-i)\sqrt{a+ia \tan(c+dx)}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((Sqrt[-1 + E^((2*I)*(c + d*x))])*(A + 2*A*E^((2*I)*(c + d*x)) - I*B*(-1 + 4*E^((2*I)*(c + d*x)))) - 3*(A - I*B)*E^((3*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sqrt[Tan[c + d*x]]/(6*Sqrt[2]*a*d*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.049, size = 868, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{(1/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(3/2)}, x)$

[Out]
$$\begin{aligned} & -1/24/d*\tan(dx+c)^{(1/2)}*(a*(1+I*\tan(dx+c)))^{(1/2)}/a^2*(-20*I*B*(-I*a)^{(1/2)} \\ & *(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)^2+4*A*(a*\tan(dx+c)*(1+ \\ & I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^2-3*I*A^2^{(1/2)}*\ln(-(-2*2^{(1/2)} \\ &)*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\\ & \tan(dx+c)+I)) *a-3*A^2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I \\ & *\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)) * \tan(dx+c)^3*a-9*I* \\ & B^2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)} \\ &)+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)) * \tan(dx+c)*a+12*I*B*(-I*a)^{(1/2)}*(a* \\ & \tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+9*B^2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}* \\ & (a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)) * \\ & \tan(dx+c)^2*a+3*I*B^2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I \\ & *\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)) * \tan(dx+c)^3*a+9*I* \\ & A^2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)} \\ &)+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)) * \tan(dx+c)^2*a+9*A^2^{(1/2)}*\ln(-(-2*2^{(1/2)} \\ &)*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c) \\ &)/(\tan(dx+c)+I)) * \tan(dx+c)*a-16*I*A*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx \\ & *x+c)))^{(1/2)}*\tan(dx+c)-3*B^2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx \\ & *x+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I)) *a-32*B*(a* \\ & \tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)-12*A*(a*\tan(dx+c) \\ & *(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)} \\ &)/(-\tan(dx+c)+I)^3/(-I*a)^{(1/2)} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(1/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.03743, size = 1293, normalized size = 8.62

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{2 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} ((i A + B) e^{(2i dx + 2i c)} + i A + B) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}}}{4i A + 4B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(1/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(3/2)}, x, \text{algorithm}="fricas")$

[Out]
$$\begin{aligned} & -1/12*(3*\text{sqrt}(1/2)*a^2*d*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^{(4*I*d*x \\ & + 4*I*c)}*\log((2*\text{sqrt}(1/2)*a^2*d*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^{(2*I*d*x \\ & + 2*I*c)} + \text{sqrt}(2)*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\text{sqrt}(\\ & a/(e^{(2*I*d*x + 2*I*c)} + 1))*\text{sqrt}((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x \\ & + 2*I*c)} + 1))*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) - 3*\text{sqrt}(1/ \\ & 2)*a^2*d*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^{(4*I*d*x + 4*I*c)}*\log(- \\ & (2*\text{sqrt}(1/2)*a^2*d*\text{sqrt}((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^{(2*I*d*x + 2*I* \end{aligned}$$

c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*((2*I*A + 4*B)*e^(4*I*d*x + 4*I*c) + (3*I*A + 3*B)*e^(2*I*d*x + 2*I*c) + I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-4*I*d*x - 4*I*c)/(a^2*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{(a(i \tan(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2), x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/(a*(I*tan(c + d*x) + 1))**(3/2), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.187 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=148

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(A + iB)\sqrt{\tan(c+dx)}}{3d(a + ia \tan(c+dx))^{3/2}} + \frac{(7A + iB)\sqrt{\tan(c+dx)}}{6ad\sqrt{a + ia \tan(c+dx)}}$$

[Out] ((1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((7*A + I*B)*Sqrt[Tan[c + d*x]])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.379965, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3596, 12, 3544, 205}

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(A + iB)\sqrt{\tan(c+dx)}}{3d(a + ia \tan(c+dx))^{3/2}} + \frac{(7A + iB)\sqrt{\tan(c+dx)}}{6ad\sqrt{a + ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)), x]

[Out] ((1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(3/2)*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((7*A + I*B)*Sqrt[Tan[c + d*x]])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}} dx = \frac{(A + iB)\sqrt{\tan(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(5A-iB)-a(iA-B) \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx}{3a^2}$$

$$= \frac{(A + iB)\sqrt{\tan(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(7A + iB)\sqrt{\tan(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} + \frac{\int \frac{3a^2(A-iB)\sqrt{a+ia \tan(c+dx)}}{4\sqrt{\tan(c+dx)}}}{3a^4}$$

$$= \frac{(A + iB)\sqrt{\tan(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(7A + iB)\sqrt{\tan(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} + \frac{(A - iB) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}}}{4a^2}$$

$$= \frac{(A + iB)\sqrt{\tan(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(7A + iB)\sqrt{\tan(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} - \frac{(iA + B) \text{Subst}\left(\int \frac{-1}{\sqrt{\tan(c+dx)}}\right)}{4a^2}$$

$$= -\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{(A + iB)\sqrt{\tan(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} +$$

Mathematica [A] time = 5.03915, size = 230, normalized size = 1.55

$$\frac{e^{-i(c+dx)}\sqrt{\tan(c+dx)}\sec^{\frac{3}{2}}(c+dx)\left(\sqrt{-1+e^{2i(c+dx)}}(-iA(1+8e^{2i(c+dx)})+2Be^{2i(c+dx)}+B)-3i(A-iB)e^{3i(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)\right)}{6\sqrt{2}ad\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}(\tan(c+dx)-i)\sqrt{a+ia \tan(c+dx)}}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)),x]

[Out] ((Sqrt[-1 + E^((2*I)*(c + d*x))])*(B + 2*B*E^((2*I)*(c + d*x))) - I*A*(1 + 8*E^((2*I)*(c + d*x)))) - (3*I)*(A - I*B)*E^((3*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sqrt[Tan[c + d*x]])/(6*Sqrt[2]*a*d*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.079, size = 868, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2),x)

[Out] 1/24/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)*(3*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c)))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-9*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c)))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+3*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I

```
*tan(d*x+c))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-9*I*
A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)
)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a+28*I*A*(a*tan(d*x+c)*(1+
I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2+9*A*2^(1/2)*ln(-(-2*2^(1/2)*
(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan
(d*x+c)+I))*tan(d*x+c)^2*a+3*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*ta
n(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+16*I
*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)-9*B*2^(1/2)
)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*
a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-4*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(
1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2-36*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(
1/2)*(-I*a)^(1/2)-3*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(
1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+64*A*(-I*a)^(1
/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)+12*B*(a*tan(d*x+c)*(1+
I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2))/a^2/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)
)/(-tan(d*x+c)+I)^3/(-I*a)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2),x, alg
orithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.09351, size = 1303, normalized size = 8.8

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{\left(2i \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} \left((i A + B) e^{(2i dx + 2i c)} + i A + B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{-i e^{(2i dx + 2i c)} + 1}{e^{(2i dx + 2i c)} + 1}} \right)}{4i A + 4B} \right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2),x, alg
orithm="fricas")

[Out] 1/12*(3*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(4*I*d*x
+ 4*I*c)*log((2*I*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))
*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sq
rt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d
*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*sqrt
(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*lo
g((-2*I*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(2*I*d*x
+ 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*
I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c)
+ 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) + sqrt(2)*(2*(4*A +
I*B)*e^(4*I*d*x + 4*I*c) + 3*(3*A + I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*sq
rt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d
*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-4*I*d*x - 4*I*c)/(a^2*d)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**(3/2), x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.41423, size = 209, normalized size = 1.41

$$\frac{-(i+1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^2+\left((2i-2)(i a \tan(dx+c)+a)a-(2i-2)a^2\right)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2}}{2\left((i a \tan(dx+c)+a)^4a-3(i a \tan(dx+c)+a)^3a^2+2(i a \tan(dx+c)+a)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] 1/2*(-(I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^2 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a - (2*I - 2)*a^2)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^4*a - 3*(I*a*tan(d*x + c) + a)^3*a^2 + 2*(I*a*tan(d*x + c) + a)^2*a^3)*d)

$$3.188 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=194

$$-\frac{(25A+7iB)\sqrt{a+ia \tan(c+dx)}}{6a^2d\sqrt{\tan(c+dx)}} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{A+iB}{3d\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))}$$

[Out] $((1/4 + I/4)*(A - I*B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]) / (a^{(3/2)*d} + (A + I*B) / (3*d*\text{Sqrt}[\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}) + (11*A + (5*I)*B) / (6*a*d*\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) - ((25*A + (7*I)*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) / (6*a^{2*d}*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rubi [A] time = 0.577233, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$-\frac{(25A+7iB)\sqrt{a+ia \tan(c+dx)}}{6a^2d\sqrt{\tan(c+dx)}} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{A+iB}{3d\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x]) / (\text{Tan}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}), x]$

[Out] $((1/4 + I/4)*(A - I*B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]) / (a^{(3/2)*d} + (A + I*B) / (3*d*\text{Sqrt}[\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}) + (11*A + (5*I)*B) / (6*a*d*\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) - ((25*A + (7*I)*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) / (6*a^{2*d}*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rule 3596

$\text{Int}[\frac{(a + b*\text{tan}[e + f*x])^m * ((A + B*\text{tan}[e + f*x]) + (c + d*\text{tan}[e + f*x])^n)}{(2*f*m*(b*c - a*d) + \text{Dist}[1/(2*a*m*(b*c - a*d)], \text{Int}[(a + b*\text{tan}[e + f*x])^{m+1}*(c + d*\text{tan}[e + f*x])^n * \text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3598

$\text{Int}[\frac{(a + b*\text{tan}[e + f*x])^m * ((A + B*\text{tan}[e + f*x]) + (c + d*\text{tan}[e + f*x])^n)}{(f*(n + 1)*(c^2 + d^2) + \text{Dist}[1/(a*(n + 1)*(c^2 + d^2)], \text{Int}[(a + b*\text{tan}[e + f*x])^{m+1}*(c + d*\text{tan}[e + f*x])^n * \text{Simp}[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\tan^3(c + dx)(a + ia \tan(c + dx))^{3/2}} dx = \frac{A + iB}{3d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(7A+iB)-2a(iA-B) \tan(c+dx)}{\tan^3(c+dx)\sqrt{a+ia \tan(c+dx)}} dx}{3a^2}$$

$$= \frac{A + iB}{3d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{11A + 5iB}{6ad\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{11A + 5iB}{6ad\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{11A + 5iB}{6ad\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{11A + 5iB}{6ad\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{\left(\frac{1}{4} + \frac{i}{4}\right) (A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{A + iB}{3d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2}}$$

Mathematica [A] time = 4.80223, size = 237, normalized size = 1.22

$$\frac{ie^{-2i(c+dx)}\sqrt{\tan(c + dx)} \csc(c + dx) \sec(c + dx) \left(\sqrt{-1 + e^{2i(c+dx)}} (A (-13e^{2i(c+dx)} + 38e^{4i(c+dx)} - 1) + iB (-7e^{2i(c+dx)} + 8e^{4i(c+dx)} - 1))\right)}{12ad\sqrt{-1 + e^{2i(c+dx)}}(\tan(c + dx) - i)\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)),x]
```

```
[Out] ((I/12)*(Sqrt[-1 + E^((2*I)*(c + d*x))])*(I*B*(-1 - 7*E^((2*I)*(c + d*x)) + 8*E^((4*I)*(c + d*x))) + A*(-1 - 13*E^((2*I)*(c + d*x)) + 38*E^((4*I)*(c + d*x)))) - 3*(A - I*B)*E^((3*I)*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))*ArcTan h[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Csc[c + d*x]*Sec[c + d*x ]*Sqrt[Tan[c + d*x]]/(a*d*E^((2*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.069, size = 931, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)}/(a+I*a*\tan(dx+c))^{(3/2)}, x)$

[Out] $\frac{1}{24}d*(a*(1+I*\tan(dx+c)))^{(1/2)}*(3*I*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{4*a+9*I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{3*a-3*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{4*a-9*I*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{2*a+28*I*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^{3+9*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{3*a-3*I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{a-256*I*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^{2+9*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{2*a+100*A*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)^{3-36*I*B*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)-3*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c)))/(\tan(dx+c)+I))$
 $*\tan(dx+c)^{a+64*B*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)^{2+48*I*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}-204*A*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c))/a^2/\tan(dx+c)^{(1/2)}/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}/(-\tan(dx+c)+I)^3/(-I*a)^{(1/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)}/(a+I*a*\tan(dx+c))^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.05854, size = 1462, normalized size = 7.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)}/(a+I*a*\tan(dx+c))^{(3/2)}, x, \text{algorithm}="fricas")$

[Out] $\frac{1}{12}*(\text{sqrt}(2))*((-38*I*A + 8*B)*e^{(6*I*d*x + 6*I*c)} + (-25*I*A + B)*e^{(4*I*d*x + 4*I*c)} + (14*I*A - 8*B)*e^{(2*I*d*x + 2*I*c)} + I*A - B)*\text{sqrt}(a/(e^{(2*I*d*x + 2*I*c)}))$

```
d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) +
1))*e^(I*d*x + I*c) + 3*sqrt(1/2)*(a^2*d*e^(6*I*d*x + 6*I*c) - a^2*d*e^(4*
I*d*x + 4*I*c))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*log((2*sqrt(1/2)*a^
2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*(
(I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*
sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c
))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*sqrt(1/2)*(a^2*d*e^(6*I*d*x + 6*I*c)
- a^2*d*e^(4*I*d*x + 4*I*c))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*log(-
(2*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I
*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x
+ 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))
*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)))/(a^2*d*e^(6*I*d*x + 6*I*
c) - a^2*d*e^(4*I*d*x + 4*I*c))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**(3/2), x)
```

```
[Out] Exception raised: AttributeError
```

Giac [A] time = 1.46314, size = 236, normalized size = 1.22

$$\frac{-(i+1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^3+\left((2i-2)(i a \tan(dx+c)+a)a^2-(2i-2)a^3\right)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^3}}{\left(-2i(i a \tan(dx+c)+a)^5a+8i(i a \tan(dx+c)+a)^4a^2-10i(i a \tan(dx+c)+a)^3a^3+4i(i a \tan(dx+c)+a)^2a^4\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(3/2), x, alg
orithm="giac")
```

```
[Out] (-I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*
a^3 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a^2 - (2*I - 2)*a^3)*sqrt(-2*(I*a*t
an(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B/((-2*I*(I*a*tan(d
*x + c) + a)^5*a + 8*I*(I*a*tan(d*x + c) + a)^4*a^2 - 10*I*(I*a*tan(d*x + c
) + a)^3*a^3 + 4*I*(I*a*tan(d*x + c) + a)^2*a^4)*d)
```


$$3.189 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=240

$$\frac{(21A + 11iB)\sqrt{a + ia \tan(c + dx)}}{6a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{(-25B + 39iA)\sqrt{a + ia \tan(c + dx)}}{6a^2d\sqrt{\tan(c + dx)}} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(B + iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d}$$

[Out] $((1/4 + I/4)*(I*A + B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]/(a^{(3/2)*d} + (A + I*B)/(3*d*\text{Tan}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}) + (5*A + (3*I)*B)/(2*a*d*\text{Tan}[c + d*x]^{(3/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) - ((21*A + (11*I)*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(6*a^{2*d}*\text{Tan}[c + d*x]^{(3/2)}) + (((39*I)*A - 25*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(6*a^{2*d}*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rubi [A] time = 0.769485, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$\frac{(21A + 11iB)\sqrt{a + ia \tan(c + dx)}}{6a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{(-25B + 39iA)\sqrt{a + ia \tan(c + dx)}}{6a^2d\sqrt{\tan(c + dx)}} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(B + iA) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(\text{Tan}[c + d*x]^{(5/2)}*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}], x]$

[Out] $((1/4 + I/4)*(I*A + B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}]/(a^{(3/2)*d} + (A + I*B)/(3*d*\text{Tan}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}) + (5*A + (3*I)*B)/(2*a*d*\text{Tan}[c + d*x]^{(3/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]) - ((21*A + (11*I)*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(6*a^{2*d}*\text{Tan}[c + d*x]^{(3/2)}) + (((39*I)*A - 25*B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(6*a^{2*d}*\text{Sqrt}[\text{Tan}[c + d*x]])$

Rule 3596

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(m_.)} * \frac{(A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[\frac{(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n + 1)}}{(2*f*m*(b*c - a*d))}, x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*(c + d*\text{Tan}[e + f*x])^n * \text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 3598

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(m_.)} * \frac{(A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[\frac{(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n + 1)}}{(f*(n + 1)*(c^2 + d^2))}, x] - \text{Dist}[1/(a*(n + 1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n + 1)} * \text{Simp}[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} dx = \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{\int \frac{\frac{3}{2}a(3A+iB)-3a(iA-B) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx}{3a^2}$$

$$= \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{5A + 3iB}{2ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{5A + 3iB}{2ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{5A + 3iB}{2ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{5A + 3iB}{2ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{5A + 3iB}{2ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}$$

$$= \frac{\left(\frac{1}{4} + \frac{i}{4}\right) (iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{a^{3/2}d} + \frac{A + iB}{3d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}}$$

Mathematica [A] time = 6.64076, size = 244, normalized size = 1.02

$$\frac{ie^{-2i(c+dx)} \sec^2(c + dx) \left(-3i(A - iB)e^{3i(c+dx)} (-1 + e^{2i(c+dx)})^{3/2} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) - iA (18e^{2i(c+dx)} - 87e^{4i(c+dx)} + 52e^{6i(c+dx)})\right)}{12ad (-1 + e^{2i(c+dx)}) \sqrt{\tan(c + dx)}(\tan(c + dx) - i)\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(3/2)),x]
```

```
[Out] ((I/12)*(B*(1 + 12*E^((2*I)*(c + d*x)) - 51*E^((4*I)*(c + d*x)) + 38*E^((6*I)*(c + d*x))) - I*A*(1 + 18*E^((2*I)*(c + d*x)) - 87*E^((4*I)*(c + d*x)) + 52*E^((6*I)*(c + d*x))) - (3*I)*(A - I*B)*E^((3*I)*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))^(3/2)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^2/(a*d*E^((2*I)*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))*Sqrt[Tan[c + d*x]]*(-I + Tan[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.08, size = 1012, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(3/2),x)
```

```
[Out] -1/24/d*(a*(1+I*tan(d*x+c)))^(1/2)/a^2/tan(d*x+c)^(3/2)*(-48*I*B*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)-100*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^4-9*I*A*2^(1/2)*ln(-(-2*2^(1/2))*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a+3*B*2^(1/2)*ln(-(-2*2^(1/2))*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a+384*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^3+156*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4+3*I*B*2^(1/2)*ln(-(-2*2^(1/2))*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+9*A*2^(1/2)*ln(-(-2*2^(1/2))*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+204*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2-9*I*B*2^(1/2)*ln(-(-2*2^(1/2))*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-276*I*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2-9*B*2^(1/2)*ln(-(-2*2^(1/2))*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*x+c)+I)^3/(-I*a)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.22245, size = 1656, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$-1/12*(\sqrt{2}*(2*(26*A + 19*I*B)*e^{(8*I*d*x + 8*I*c)} - (35*A + 13*I*B)*e^{(6*I*d*x + 6*I*c)} - 3*(23*A + 13*I*B)*e^{(4*I*d*x + 4*I*c)} + (19*A + 13*I*B)*e^{(2*I*d*x + 2*I*c)} + A + I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 3*\sqrt{(1/2)*(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)}*\log((2*I*\sqrt{1/2})*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})))*e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 3*\sqrt{1/2}*(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)}*\log((-2*I*\sqrt{1/2})*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})))*e^{(-I*d*x - I*c)/(4*I*A + 4*B)})/(a^2*d*e^{(8*I*d*x + 8*I*c)} - 2*a^2*d*e^{(6*I*d*x + 6*I*c)} + a^2*d*e^{(4*I*d*x + 4*I*c)})$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**(3/2),x)

[Out] Timed out

Giac [A] time = 1.47054, size = 261, normalized size = 1.09

$$\frac{(i+1)\sqrt{-2(i a \tan(dx+c)+a)a+2a^2(i a \tan(dx+c)+a)a^4+(-2i-2)(i a \tan(dx+c)+a)a^3+(2i-2)a^4}\sqrt{-2(i a \tan(dx+c)+a)a^6-5(i a \tan(dx+c)+a)a^5a^2+9(i a \tan(dx+c)+a)a^4a^3-7(i a \tan(dx+c)+a)a^3a^2}}{2((i a \tan(dx+c)+a)a^6-5(i a \tan(dx+c)+a)a^5a^2+9(i a \tan(dx+c)+a)a^4a^3-7(i a \tan(dx+c)+a)a^3a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$1/2*((I + 1)*\sqrt{-2*(I*a*\tan(d*x + c) + a)*a + 2*a^2}*(I*a*\tan(d*x + c) + a)*a^4 + (-2*I - 2)*(I*a*\tan(d*x + c) + a)*a^3 + (2*I - 2)*a^4)*\sqrt{-2*(I*a*\tan(d*x + c) + a)*a + 2*a^2}*\sqrt{I*a*\tan(d*x + c) + a}*B)/(((I*a*\tan(d*x + c) + a)^6*a - 5*(I*a*\tan(d*x + c) + a)^5*a^2 + 9*(I*a*\tan(d*x + c) + a)^4*a^3 - 7*(I*a*\tan(d*x + c) + a)^3*a^2 + 2*(I*a*\tan(d*x + c) + a)^2*a^5)*d)$$

$$3.190 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=249

$$\frac{(-7B + iA)\sqrt{\tan(c + dx)}}{4a^2d\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{2\sqrt[4]{-1}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(-B}{5d(a$$

[Out] (2*(-1)^(1/4)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^(5/2))/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((A + (3*I)*B)*Tan[c + d*x]^(3/2))/(6*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - ((I*A - 7*B)*Sqrt[Tan[c + d*x]])/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.855009, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {3595, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-7B + iA)\sqrt{\tan(c + dx)}}{4a^2d\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{2\sqrt[4]{-1}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(-B}{5d(a$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] (2*(-1)^(1/4)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((I*A - B)*Tan[c + d*x]^(5/2))/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((A + (3*I)*B)*Tan[c + d*x]^(3/2))/(6*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - ((I*A - 7*B)*Sqrt[Tan[c + d*x]])/(4*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3595

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n]/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

```
Int[Sqrt[(a_) + (b_.)*tan[(e_) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*tan[(e_) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_) + (f_.)*(x_)])*((c_) + (d_.)*tan[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^2(c+dx)(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^{5/2}} dx &= \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} - \frac{\int \frac{\tan^3(c+dx)\left(\frac{5}{2}a(iA-B)+5iaB\tan(c+dx)\right)}{(a+ia\tan(c+dx))^{3/2}} dx}{5a^2} \\
&= \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} + \frac{\int \frac{\sqrt{\tan(c+dx)}\left(-\frac{15}{4}a^2\right)}{\sqrt{a+ia\tan(c+dx)}} dx}{5a^2} \\
&= \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} - \frac{(iA-7B)\sqrt{\tan(c+dx)}}{4a^2d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} - \frac{(iA-7B)\sqrt{\tan(c+dx)}}{4a^2d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} - \frac{(iA-7B)\sqrt{\tan(c+dx)}}{4a^2d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} - \frac{(iA-7B)\sqrt{\tan(c+dx)}}{4a^2d\sqrt{a+ia\tan(c+dx)}} \\
&= \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-iB)\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} \\
&= \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-iB)\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(iA-B)\tan^2(c+dx)}{5d(a+ia\tan(c+dx))^{5/2}} + \frac{(A+3iB)\tan^3(c+dx)}{6ad(a+ia\tan(c+dx))^{3/2}} \\
&= \frac{2\sqrt{-1}B\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{a^{5/2}d} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-iB)\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{a^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 7.55064, size = 275, normalized size = 1.1

$$\frac{e^{-2i(c+dx)}\sqrt{\tan(c+dx)}\sec^2(c+dx)\left(\sqrt{-1+e^{2i(c+dx)}}\left(iA\left(-11e^{2i(c+dx)}+23e^{4i(c+dx)}+3\right)-3B\left(-7e^{2i(c+dx)}+41e^{4i(c+dx)}+60a^2d\sqrt{-1+e^{2i(c+dx)}}(\tan(c+dx)-i)^2\sqrt{a+ia\tan(c+dx)}\right)\right)}{60a^2d\sqrt{-1+e^{2i(c+dx)}}(\tan(c+dx)-i)^2\sqrt{a+ia\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((Sqrt[-1 + E^((2*I)*(c + d*x))])*(I*A*(3 - 11*E^((2*I)*(c + d*x))) + 23*E^((4*I)*(c + d*x))) - 3*B*(1 - 7*E^((2*I)*(c + d*x))) + 41*E^((4*I)*(c + d*x))) - (15*I)*(A - I*B)*E^((5*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]) + 120*Sqrt[2]*B*E^((5*I)*(c + d*x))*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^2*Sqrt[Tan[c + d*x]]/(60*a^2*d*E^((2*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*(-I + Tan[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.073, size = 1542, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

```
[Out] -1/240/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)/a^3*(148*A*(I*a)^(1/2)
*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^3-220*A*(a*t
an(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)*tan(d*x+c)-15*A*
(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x
+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+1548*B*(a*ta
n(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*(I*a)^(1/2)*tan(d*x+c)^2+240*
B*(-I*a)^(1/2)*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(
1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*a-420*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1
/2)*(-I*a)^(1/2)*(I*a)^(1/2)+240*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)
*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c
)^4*a-1440*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/
2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/2)*tan(d*x+c)^2*a-15*A*2^(1/2)*(I*
a)^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)
+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+960*I*B*ln(1/2*(2*I*a*tan(d*x+c)+2*(
a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)^(1/
2)*tan(d*x+c)*a+60*B*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*ta
n(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*
x+c)^3*a+90*A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)
*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*
a-60*B*2^(1/2)*(I*a)^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*
tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a+60*I*A*
(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x
+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-90*I*B*(I*a)
^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))
^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+15*I*B*(I*a)^(1/2)
)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)
+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a+588*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a
*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^3+15*I*B*(I*a)^(1/2)*2^(1/2)
*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a
*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-960*I*B*ln(1/2*(2*I*a*tan(d*x+c)
)+2*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)*(I*a)^(1/2)+a)/(I*a)^(1/2))*(-I*a)
^(1/2)*tan(d*x+c)^3*a-60*I*A*(I*a)^(1/2)*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1
/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c))))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I
))*tan(d*x+c)*a-308*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x
+c))))^(1/2)*tan(d*x+c)^2+60*I*A*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I
*tan(d*x+c))))^(1/2)-1380*I*B*(I*a)^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*ta
n(d*x+c))))^(1/2)*tan(d*x+c)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*
x+c)+I)^4/(I*a)^(1/2)/(-I*a)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x, alg
orithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.9785, size = 2205, normalized size = 8.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] 1/120*(15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log(-(2*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 30*a^3*d*sqrt(-4*I*B^2/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log(52/605*(4*sqrt(2)*(B*e^(2*I*d*x + 2*I*c) + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) + (3*a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt(-4*I*B^2/(a^5*d^2)))/(B*e^(2*I*d*x + 2*I*c) + B)) + 30*a^3*d*sqrt(-4*I*B^2/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log(52/605*(4*sqrt(2)*(B*e^(2*I*d*x + 2*I*c) + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c) - (3*a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt(-4*I*B^2/(a^5*d^2)))/(B*e^(2*I*d*x + 2*I*c) + B)) + sqrt(2)*((-23*I*A + 123*B)*e^(6*I*d*x + 6*I*c) + (-12*I*A + 102*B)*e^(4*I*d*x + 4*I*c) + (8*I*A - 18*B)*e^(2*I*d*x + 2*I*c) - 3*I*A + 3*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.191 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=194

$$\frac{(13A - 37iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{8} - \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(-B + iA) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(A + 11iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{5/2}}$$

[Out] $((-1/8 + I/8)*(A - I*B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/(a^{(5/2)*d}) + ((I*A - B)*\text{Tan}[c + d*x]^{(3/2)})/(5*d*(a + I*a*\text{Tan}[c + d*x])^{(5/2)}) + ((A + (11*I)*B)*\text{Sqrt}[\text{Tan}[c + d*x]])/(30*a*d*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}) + ((13*A - (37*I)*B)*\text{Sqrt}[\text{Tan}[c + d*x]])/(60*a^{(5/2)*d}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])$

Rubi [A] time = 0.599792, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3595, 3596, 12, 3544, 205}

$$\frac{(13A - 37iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{8} - \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(-B + iA) \tan^3(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(A + 11iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + d*x]^{(3/2)}*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x])^{(5/2)}, x]$

[Out] $((-1/8 + I/8)*(A - I*B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/(a^{(5/2)*d}) + ((I*A - B)*\text{Tan}[c + d*x]^{(3/2)})/(5*d*(a + I*a*\text{Tan}[c + d*x])^{(5/2)}) + ((A + (11*I)*B)*\text{Sqrt}[\text{Tan}[c + d*x]])/(30*a*d*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}) + ((13*A - (37*I)*B)*\text{Sqrt}[\text{Tan}[c + d*x]])/(60*a^{(5/2)*d}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])$

Rule 3595

$\text{Int}[(a + b*\text{tan}[e + f*x])^m * ((A + B*\text{tan}[e + f*x]) + (C + D*\text{tan}[e + f*x])^n), x_Symbol] :> -\text{Simp}[(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n]/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*(c + d*\text{Tan}[e + f*x])^{n-1}*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3596

$\text{Int}[(a + b*\text{tan}[e + f*x])^m * ((A + B*\text{tan}[e + f*x]) + (C + D*\text{tan}[e + f*x])^n), x_Symbol] :> \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{n+1}]/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} - \frac{\int \frac{\sqrt{\tan(c+dx)} \left(\frac{3}{2}a(iA-B) - a(A-4iB) \tan(c+dx) \right)}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(A+11iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{-\frac{1}{4}a^2(A+11iB) - \frac{1}{2}a^2 \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{30ad} \\ &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(A+11iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(13A-37iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(A+11iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(13A-37iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(A+11iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(13A-37iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(iA-B) \tan^{\frac{3}{2}}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(13A-37iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \end{aligned}$$

Mathematica [A] time = 6.97963, size = 214, normalized size = 1.1

$$\frac{e^{-3i(c+dx)} \sec^3(c+dx) \left((-1 + e^{2i(c+dx)}) \left(iA \left(e^{2i(c+dx)} + 17e^{4i(c+dx)} - 3 \right) + B \left(-11e^{2i(c+dx)} + 23e^{4i(c+dx)} + 3 \right) \right) - 15i(A - iB) \right)}{120a^2d\sqrt{\tan(c+dx)}(\tan(c+dx) - i)^2\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] (((-1 + E^((2*I)*(c + d*x)))*(I*A*(-3 + E^((2*I)*(c + d*x)) + 17*E^((4*I)*(c + d*x))) + B*(3 - 11*E^((2*I)*(c + d*x)) + 23*E^((4*I)*(c + d*x)))) - (15*I)*(A - I*B)*E^((5*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sec[c + d*x]^3)/(120*a^2*d*E^((3*I)*(c + d*x))*Sqrt[Tan[c + d*x]]*(-I + Tan[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]]])

Maple [B] time = 0.062, size = 1096, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{(3/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(5/2)}, x)$

[Out] $\frac{1}{240}d*\tan(dx+c)^{(1/2)}*(a*(1+I*\tan(dx+c)))^{(1/2)}/a^3*(308*I*B*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)^2-148*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^3+15*I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^4*a+15*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^4*a-212*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)^2+60*I*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)*a+220*I*A*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)+60*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^3*a-90*I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^2*a+15*I*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^2*a-52*I*A*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*\tan(dx+c)^3-60*I*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)^3*a-60*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*\tan(dx+c)*a-60*I*B*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+15*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}+I*a-3*a*\tan(dx+c))/(\tan(dx+c)+I))*a+220*B*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(dx+c)+60*A*(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}*(-I*a)^{(1/2)})/(a*\tan(dx+c)*(1+I*\tan(dx+c)))^{(1/2)}/(-\tan(dx+c)+I)^4/(-I*a)^{(1/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.13225, size = 1368, normalized size = 7.05

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^5 d^2}} e^{(6i dx + 6i c)} \log \left(\frac{2i \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^5 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} ((i A + B) e^{(2i dx + 2i c)} + i A + B) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}} \right) \right) / (4i A + 4B)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] -1/120*(15*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*I*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((-2*I*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*((17*A - 23*I*B)*e^(6*I*d*x + 6*I*c) + 6*(3*A - 2*I*B)*e^(4*I*d*x + 4*I*c) - 2*(A - 4*I*B)*e^(2*I*d*x + 2*I*c) - 3*A - 3*I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.192 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=196

$$-\frac{(-13B + 3iA)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(7B + 3iA)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{3/2}}$$

[Out] $((-1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + (((3*I)*A + 7*B)*Sqrt[Tan[c + d*x]])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - (((3*I)*A - 13*B)*Sqrt[Tan[c + d*x]])/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.592109, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3595, 3596, 12, 3544, 205}

$$-\frac{(-13B + 3iA)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(7B + 3iA)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Tan}[c + d*x]]*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x])^(5/2), x]$

[Out] $((-1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((I*A - B)*Sqrt[Tan[c + d*x]])/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + (((3*I)*A + 7*B)*Sqrt[Tan[c + d*x]])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - (((3*I)*A - 13*B)*Sqrt[Tan[c + d*x]])/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 3595

$\text{Int}[(a + b*\tan(e + f*x))^(m)*((A + B*\tan(e + f*x)) + (C + D*\tan(e + f*x))^(n)), x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^n]/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\tan[e + f*x])^(m+1)*(c + d*\tan[e + f*x])^(n-1)*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 3596

$\text{Int}[(a + b*\tan(e + f*x))^(m)*((A + B*\tan(e + f*x)) + (C + D*\tan(e + f*x))^(n)), x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^(n+1)]/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\tan[e + f*x])^(m+1)*(c + d*\tan[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0] \&\& !\text{GtQ}[n, 0]$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} - \frac{\int \frac{\frac{1}{2}a(iA-B)-a(2A-3iB) \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(3iA+7B)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{\int \frac{\frac{1}{4}a^2(9iA+B)-\frac{1}{2}a^2}{\sqrt{\tan(c+dx)}} dx}{1} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(3iA+7B)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(3iA-13B)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(3iA+7B)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(3iA-13B)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{(iA-B)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(3iA+7B)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(3iA-13B)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(iA-B)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \end{aligned}$$

Mathematica [A] time = 5.70813, size = 215, normalized size = 1.1

$$\frac{e^{-2i(c+dx)}\sqrt{\tan(c+dx)}\sec^2(c+dx)\left(\sqrt{-1+e^{2i(c+dx)}}(-3iA(3e^{2i(c+dx)}+e^{4i(c+dx)}+1)-B(e^{2i(c+dx)}+17e^{4i(c+dx)}-3))\right)}{60a^2d\sqrt{-1+e^{2i(c+dx)}}(\tan(c+dx)-i)^2\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] ((Sqrt[-1 + E^((2*I)*(c + d*x))]*((-3*I)*A*(1 + 3*E^((2*I)*(c + d*x)) + E^((4*I)*(c + d*x))) - B*(-3 + E^((2*I)*(c + d*x)) + 17*E^((4*I)*(c + d*x)))) + 15*(I*A + B)*E^((5*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^2*Sqrt[Tan[c + d*x]]/(60*a^2*d*E^((2*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*(-I + Tan[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.052, size = 1096, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)
```

```
[Out] 1/240/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)/a^3*(220*I*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)-12*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^3-60*I*A^2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-15*A^2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-212*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2+60*I*A^2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-90*I*B*2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a+60*B*2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a-52*I*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^3+60*I*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)-60*B*2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a+15*I*B*2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a-15*A^2^(1/2)*ln((-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*a-60*A*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)+60*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2))/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*x+c)+I)^4/(-I*a)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.10997, size = 1357, normalized size = 6.92

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^5 d^2}} e^{(6i dx + 6i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^5 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} ((i A + B) e^{(2i dx + 2i c)} + i A + B) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}} e^{(i d x)} \right)}{4i A + 4 B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] -1/120*(15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log(-(2*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*((3*I*A + 17*B)*e^(6*I*d*x + 6*I*c) + (12*I*A + 18*B)*e^(4*I*d*x + 4*I*c) + (12*I*A - 2*B)*e^(2*I*d*x + 2*I*c) + 3*I*A - 3*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.193 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=194

$$\frac{(67A - 3iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} - \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(A + iB)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(13A + 3iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}}$$

[Out] ((1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((13*A + (3*I)*B)*Sqrt[Tan[c + d*x]])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((67*A - (3*I)*B)*Sqrt[Tan[c + d*x]])/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.596692, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3596, 12, 3544, 205}

$$\frac{(67A - 3iB)\sqrt{\tan(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} - \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(A + iB)\sqrt{\tan(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(13A + 3iB)\sqrt{\tan(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] ((1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^(5/2)*d) + ((A + I*B)*Sqrt[Tan[c + d*x]])/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((13*A + (3*I)*B)*Sqrt[Tan[c + d*x]])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((67*A - (3*I)*B)*Sqrt[Tan[c + d*x]])/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]])

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)(a + ia \tan(c + dx))}^{5/2}} dx &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(9A - iB) - 2a(iA - B) \tan(c + dx)}{\sqrt{\tan(c + dx)(a + ia \tan(c + dx))}^{3/2}} dx}{5a^2} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{(13A + 3iB)\sqrt{\tan(c + dx)}}{30ad(a + ia \tan(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{4}a^2(41A - 9iB) - \dots}{\sqrt{\tan(c + dx)}} dx}{60a^2d\sqrt{a + ia \tan(c + dx)}} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{(13A + 3iB)\sqrt{\tan(c + dx)}}{30ad(a + ia \tan(c + dx))^{3/2}} + \frac{(67A - 3iB)\sqrt{\tan(c + dx)}}{60a^2d\sqrt{a + ia \tan(c + dx)}} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{(13A + 3iB)\sqrt{\tan(c + dx)}}{30ad(a + ia \tan(c + dx))^{3/2}} + \frac{(67A - 3iB)\sqrt{\tan(c + dx)}}{60a^2d\sqrt{a + ia \tan(c + dx)}} \\ &= \frac{(A + iB)\sqrt{\tan(c + dx)}}{5d(a + ia \tan(c + dx))^{5/2}} + \frac{(13A + 3iB)\sqrt{\tan(c + dx)}}{30ad(a + ia \tan(c + dx))^{3/2}} + \frac{(67A - 3iB)\sqrt{\tan(c + dx)}}{60a^2d\sqrt{a + ia \tan(c + dx)}} \\ &= -\frac{\left(\frac{1}{8} + \frac{i}{8}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{(A + iB)\sqrt{\tan(c + dx)}}{5d(a + ia \tan(c + dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 6.1377, size = 216, normalized size = 1.11

$$\frac{e^{-2i(c+dx)}\sqrt{\tan(c+dx)}\sec^2(c+dx)\left(\sqrt{-1+e^{2i(c+dx)}}\left(A\left(19e^{2i(c+dx)}+83e^{4i(c+dx)}+3\right)+3iB\left(3e^{2i(c+dx)}+e^{4i(c+dx)}+1\right)\right)\right)}{60a^2d\sqrt{-1+e^{2i(c+dx)}}(\tan(c+dx)-i)^2\sqrt{a+ia\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] -((Sqrt[-1 + E^((2*I)*(c + d*x))])*((3*I)*B*(1 + 3*E^((2*I)*(c + d*x))) + E^((4*I)*(c + d*x)))) + A*(3 + 19*E^((2*I)*(c + d*x)) + 83*E^((4*I)*(c + d*x))) + 15*(A - I*B)*E^((5*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sec[c + d*x]^2*Sqrt[Tan[c + d*x]]/(60*a^2*d*E^((2*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*(-I + Tan[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.076, size = 1096, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] -1/240/d*tan(d*x+c)^(1/2)*(a*(1+I*tan(d*x+c)))^(1/2)*(-12*I*B*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*tan(d*x+c)^2+15*I*A*2^(1/2)*ln(-(-2*2

$$\begin{aligned} & \left(\frac{1}{2} \right) * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c) \\ & \left. \right) / (\tan(d*x+c) + I) * \tan(d*x+c)^4 * a + 15*B*2^{(1/2)} * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} \\ & * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c) + I) * \\ & \tan(d*x+c)^4 * a + 60*I*B*2^{(1/2)} * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1 \\ & + I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c) + I) * \tan(d*x+c) * a - 1060 \\ & * I*A * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * \tan(d*x+c) + 60*A*2^{(\\ & 1/2)} * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a \\ & - 3*a*\tan(d*x+c)) / (\tan(d*x+c) + I) * \tan(d*x+c)^3 * a - 90*I*A*2^{(1/2)} * \ln(-(-2*2^{(1 \\ & /2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / \\ & (\tan(d*x+c) + I) * \tan(d*x+c)^2 * a + 15*I*A*2^{(1/2)} * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} * \\ & (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c) + I) * a \\ & - 90*B*2^{(1/2)} * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(\\ & 1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c) + I) * \tan(d*x+c)^2 * a + 12*B * (a*\tan(d*x+c) \\ & * (1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * \tan(d*x+c)^3 + 268*I*A * (a*\tan(d*x+c) * (1 \\ & + I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * \tan(d*x+c)^3 - 60*I*B*2^{(1/2)} * \ln(-(-2*2^{(1 \\ & /2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / \\ & (\tan(d*x+c) + I) * \tan(d*x+c)^3 * a - 60*A*2^{(1/2)} * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} * (a \\ & * \tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a*\tan(d*x+c)) / (\tan(d*x+c) + I) * \tan \\ & (d*x+c) * a + 908*A * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(1/2)} * \tan(d*x+ \\ & c)^2 - 60*I*B * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + 15*B*2^{(1/2)} \\ & * \ln(-(-2*2^{(1/2)} * (-I*a)^{(1/2)} * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} + I*a - 3*a \\ & * \tan(d*x+c)) / (\tan(d*x+c) + I) * a + 60*B * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} * (\\ & -I*a)^{(1/2)} * \tan(d*x+c) - 420*A * (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} * (-I*a)^{(\\ & 1/2)} / a^3 / (a*\tan(d*x+c) * (1+I*\tan(d*x+c)))^{(1/2)} / (-\tan(d*x+c) + I)^4 / (-I*a)^{(1 \\ & /2)} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2), x, alg orithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.13174, size = 1370, normalized size = 7.06

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 AB + i B^2}{a^5 d^2}} e^{(6i dx + 6i c)} \log \left(\frac{2i \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 AB + i B^2}{a^5 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} (i A + B) e^{(2i dx + 2i c)} + i A + B}{4i A + 4B} \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}} \right) \right)^{(i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2), x, alg orithm="fricas")

[Out] 1/120*(15*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*I*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2)) * e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B) * sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*s

```

qrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)
*log((-2*I*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(2*I*
d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A + B)*sqrt(a/(e^
(2*I*d*x + 2*I*c) + 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I
*c) + 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) + sqrt(2)*((83*A
+ 3*I*B)*e^(6*I*d*x + 6*I*c) + 6*(17*A + 2*I*B)*e^(4*I*d*x + 4*I*c) + 2*(1
1*A + 6*I*B)*e^(2*I*d*x + 2*I*c) + 3*A + 3*I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c)
+ 1))*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*
x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.45931, size = 209, normalized size = 1.08

$$\frac{-(i+1)\sqrt{-2(ia \tan(dx+c)+a)a+2a^2(ia \tan(dx+c)+a)a^2+\left((2i-2)(ia \tan(dx+c)+a)a-(2i-2)a^2\right)\sqrt{-2}}{2\left((ia \tan(dx+c)+a)^5a-3(ia \tan(dx+c)+a)^4a^2+2(ia \tan(dx+c)+a)^3a^3\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2),x, alg
orithm="giac")
```

```
[Out] 1/2*(-(I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) +
a)*a^2 + ((2*I - 2)*(I*a*tan(d*x + c) + a)*a - (2*I - 2)*a^2)*sqrt(-2*(I*a
*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x
+ c) + a)^5*a - 3*(I*a*tan(d*x + c) + a)^4*a^2 + 2*(I*a*tan(d*x + c) + a)^3
*a^3)*d)
```

$$3.194 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=240

$$-\frac{(317A + 67iB)\sqrt{a + ia \tan(c + dx)}}{60a^3d\sqrt{\tan(c + dx)}} + \frac{151A + 41iB}{60a^2d\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d}$$

[Out] $((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^{(5/2)*d} + (A + I*B)/(5*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^{(5/2)}) + (17*A + (7*I)*B)/(30*a*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^{(3/2)}) + (151*A + (41*I)*B)/(60*a^2*d*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]) - ((317*A + (67*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*Sqrt[Tan[c + d*x]])$

Rubi [A] time = 0.802976, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$-\frac{(317A + 67iB)\sqrt{a + ia \tan(c + dx)}}{60a^3d\sqrt{\tan(c + dx)}} + \frac{151A + 41iB}{60a^2d\sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] $((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^{(5/2)*d} + (A + I*B)/(5*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^{(5/2)}) + (17*A + (7*I)*B)/(30*a*d*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^{(3/2)}) + (151*A + (41*I)*B)/(60*a^2*d*Sqrt[Tan[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]) - ((317*A + (67*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*Sqrt[Tan[c + d*x]])$

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]

] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} dx &= \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(11A+iB)-3a(iA-B)\tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\ &= \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{17A + 7iB}{30ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} \\ &= \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{17A + 7iB}{30ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} \\ &= \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{17A + 7iB}{30ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} \\ &= \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{17A + 7iB}{30ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} \\ &= \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{17A + 7iB}{30ad\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} \\ &= \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{A + iB}{5d\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 9.88676, size = 288, normalized size = 1.2

$$\frac{\sec^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx)) \left(\frac{\sqrt{2}(B+iA)e^{3i(c+dx)}\sqrt{\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}}}\tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}} + \frac{2((19B-149iA)\tan(c+dx)+\cos(2(c+dx)))(86B-149iA)}{15\sqrt{\tan(c+dx)}} \right)}{8d(a + ia \tan(c + dx))^{5/2}(A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)),x]

[Out] (Sec[c + d*x]^(3/2)*(A + B*Tan[c + d*x])*((Sqrt[2]*(I*A + B)*E^((3*I)*(c + d*x))*Sqrt[((-I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x)))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]]/(Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))] + (2*(340*A + (80*I)*B + ((-149*I)*A + 19*B)*Tan[c + d*x] + Cos[2*(c + d*x)]*(-20*(23*A + (4*I)*B) + ((-466*I)*A + 86*B)*Tan[c + d*x]))/(15*Sqrt[Sec[c + d*x]]*Sqrt[Tan[c + d*x]])))/(8*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(5/2))

Maple [B] time = 0.059, size = 1158, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x)

[Out] -1/240/d*(a*(1+I*tan(d*x+c)))^(1/2)/a^3*(-1060*I*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2+1268*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4+268*I*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4-15*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a+908*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3+60*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+15*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a+60*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-5660*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2+15*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+2940*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)+90*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-60*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-60*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a-4468*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^3-60*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^2*a-90*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^3*a-15*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)*a-420*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)+480*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)/tan(d*x+c)^(1/2)/(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)/(-tan(d*x+c)+I)^4/(-I*a)^(1/2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.189, size = 1534, normalized size = 6.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & \frac{1}{120}(\sqrt{2}*((-463IA + 83B)e^{(8I*d*x + 8I*c)} + (-269IA + 19B)e^{(6I*d*x + 6I*c)} \\ & + (220IA - 80B)e^{(4I*d*x + 4I*c)} + (29IA - 19B)e^{(2I*d*x + 2I*c)} + 3IA - 3B)\sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}\sqrt{(-Ie^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)}e^{(I*d*x + I*c)} + 15\sqrt{1/2}(a^3d^2e^{(8I*d*x + 8I*c)} - a^3de^{(6I*d*x + 6I*c)})\sqrt{((IA^2 + 2A*B - IB^2)/(a^5d^2))}\log((2\sqrt{1/2})a^3d\sqrt{(IA^2 + 2A*B - IB^2)/(a^5d^2)}e^{(2I*d*x + 2I*c)} + \sqrt{2}*((IA + B)e^{(2I*d*x + 2I*c)} + IA + B)\sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}\sqrt{(-Ie^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)}e^{(I*d*x + I*c)})e^{(-I*d*x - I*c)}/(4IA + 4B)) - 15\sqrt{1/2}(a^3de^{(8I*d*x + 8I*c)} - a^3de^{(6I*d*x + 6I*c)})\sqrt{(IA^2 + 2A*B - IB^2)/(a^5d^2)}\log(-2\sqrt{1/2})a^3d\sqrt{(IA^2 + 2A*B - IB^2)/(a^5d^2)}e^{(2I*d*x + 2I*c)} - \sqrt{2}*((IA + B)e^{(2I*d*x + 2I*c)} + IA + B)\sqrt{a/(e^{(2I*d*x + 2I*c)} + 1)}\sqrt{(-Ie^{(2I*d*x + 2I*c)} + I)/(e^{(2I*d*x + 2I*c)} + 1)}e^{(I*d*x + I*c)})e^{(-I*d*x - I*c)}/(4IA + 4B)))/(a^3de^{(8I*d*x + 8I*c)} - a^3de^{(6I*d*x + 6I*c)}) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [A] time = 1.52889, size = 236, normalized size = 0.98

$$\frac{-(i+1)\sqrt{-2(ia \tan(dx+c) + a)a + 2a^2(ia \tan(dx+c) + a)a^3 + ((2i-2)(ia \tan(dx+c) + a)a^2 - (2i-2)a^3)}\sqrt{-2i(ia \tan(dx+c) + a)^6a + 8i(ia \tan(dx+c) + a)^5a^2 - 10i(ia \tan(dx+c) + a)^4a^3 + 4i(ia \tan(dx+c) + a)^3a^2 - 2i(ia \tan(dx+c) + a)a^2 - 2i(ia \tan(dx+c) + a)a + 2a^2}}{(-2i(ia \tan(dx+c) + a)^6a + 8i(ia \tan(dx+c) + a)^5a^2 - 10i(ia \tan(dx+c) + a)^4a^3 + 4i(ia \tan(dx+c) + a)^3a^2 - 2i(ia \tan(dx+c) + a)a^2 - 2i(ia \tan(dx+c) + a)a + 2a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] 
$$\frac{(-I + 1)\sqrt{-2(Ia \tan(dx + c) + a)a + 2a^2}(Ia \tan(dx + c) + a)a^3 + ((2I - 2)(Ia \tan(dx + c) + a)a^2 - (2I - 2)a^3)\sqrt{-2(Ia \tan(dx + c) + a)a + 2a^2}\sqrt{Ia \tan(dx + c) + a}B}{((-2I(Ia \tan(dx + c) + a))^6a + 8I(Ia \tan(dx + c) + a)^5a^2 - 10I(Ia \tan(dx + c) + a)^4a^3 + 4I(Ia \tan(dx + c) + a)^3a^4)d}$$

```

$$3.195 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=286

$$\frac{(361A + 151iB)\sqrt{a + ia \tan(c + dx)}}{60a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{89A + 39iB}{20a^2d \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}} + \frac{(-317B + 707iA)\sqrt{a + ia \tan(c + dx)}}{60a^3d\sqrt{\tan(c + dx)}}$$

[Out] $((1/8 + I/8)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^{(5/2)*d} + (A + I*B)/(5*d*Tan[c + d*x]^{(3/2)}*(a + I*a*Tan[c + d*x])^{(5/2)}) + (21*A + (11*I)*B)/(30*a*d*Tan[c + d*x]^{(3/2)}*(a + I*a*Tan[c + d*x])^{(3/2)}) + (89*A + (39*I)*B)/(20*a^2*d*Tan[c + d*x]^{(3/2)}*Sqrt[a + I*a*Tan[c + d*x]]) - ((361*A + (151*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*Tan[c + d*x]^{(3/2)}) + (((707*I)*A - 317*B)*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*Sqrt[Tan[c + d*x]])$

Rubi [A] time = 1.00663, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {3596, 3598, 12, 3544, 205}

$$\frac{(361A + 151iB)\sqrt{a + ia \tan(c + dx)}}{60a^3d \tan^{\frac{3}{2}}(c + dx)} + \frac{89A + 39iB}{20a^2d \tan^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}} + \frac{(-317B + 707iA)\sqrt{a + ia \tan(c + dx)}}{60a^3d\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] $((1/8 + I/8)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])/(a^{(5/2)*d} + (A + I*B)/(5*d*Tan[c + d*x]^{(3/2)}*(a + I*a*Tan[c + d*x])^{(5/2)}) + (21*A + (11*I)*B)/(30*a*d*Tan[c + d*x]^{(3/2)}*(a + I*a*Tan[c + d*x])^{(3/2)}) + (89*A + (39*I)*B)/(20*a^2*d*Tan[c + d*x]^{(3/2)}*Sqrt[a + I*a*Tan[c + d*x]]) - ((361*A + (151*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*Tan[c + d*x]^{(3/2)}) + (((707*I)*A - 317*B)*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*Sqrt[Tan[c + d*x]])$

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m

+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} dx &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(13A+3iB)-4a(iA-B) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\
 &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{21A + 11iB}{30ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
 &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{21A + 11iB}{30ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
 &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{21A + 11iB}{30ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
 &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{21A + 11iB}{30ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
 &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{21A + 11iB}{30ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
 &= \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{21A + 11iB}{30ad \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
 &= \frac{\left(\frac{1}{8} + \frac{i}{8}\right) (iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{A + iB}{5d \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}}
 \end{aligned}$$

Mathematica [B] time = 9.45376, size = 701, normalized size = 2.45

$$\sqrt{\tan(c+dx)} \sec^2(c+dx) (\cos(dx) + i \sin(dx))^3 (A + B \tan(c+dx)) \left((21A + 16iB) \left(-\frac{\cos(c)}{60} + \frac{1}{60} i \sin(c) \right) \cos(4dx) + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] ((I*A + B)*Sqrt[E^(I*d*x)]*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A + B*Tan[c + d*x])/(4*Sqrt[2]*d*E^(I*(-2*c + d*x))*Sqrt[(-I)*(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x))))*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(5/2) + (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*((21*A + (16*I)*B)*Cos[4*d*x]*(-Cos[c]/60 + (I/60)*Sin[c]) + (11*A + (6*I)*B)*Cos[2*d*x]*((-7*Cos[c])/20 - ((7*I)/20)*Sin[c]) + I*Csc[c]*(640*A*Cos[c] + (240*I)*B*Cos[c] + (343*I)*A*Sin[c] - 223*B*Sin[c])*(Cos[3*c]/120 + (I/120)*Sin[3*c]) + (A + I*B)*Cos[6*d*x]*(-Cos[3*c]/40 + (I/40)*Sin[3*c]) + Csc[c + d*x]^2*((-2*A*Cos[3*c])/3 - ((2*I)/3)*A*Sin[3*c]) + (11*A + (6*I)*B)*(((7*I)/20)*Cos[c] - (7*Sin[c])/20)*Sin[2*d*x] + (21*A + (16*I)*B)*((I/60)*Cos[c] + Sin[c]/60)*Sin[4*d*x] + (A + I*B)*((I/40)*Cos[3*c] + Sin[3*c]/40)*Sin[6*d*x] + (2*Csc[c]*Csc[c + d*x]*(4*A*Cos[3*c - d*x] + ((3*I)/2)*B*Cos[3*c - d*x] - 4*A*Cos[3*c + d*x] - ((3*I)/2)*B*Cos[3*c + d*x] + (4*I)*A*Sin[3*c - d*x] - (3*B*Sin[3*c - d*x])/2 - (4*I)*A*Sin[3*c + d*x] + (3*B*Sin[3*c + d*x])/2))/3)*Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x])/(d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(5/2))

Maple [B] time = 0.058, size = 1239, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] 1/240/d*(a*(1+I*tan(d*x+c)))^(1/2)*(-2940*I*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^2+2828*I*A*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5+15*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^6*a+4468*I*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^4-90*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a+60*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a-60*I*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^5*a+15*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^6*a-90*B*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-3*a*tan(d*x+c))/(tan(d*x+c)+I))*tan(d*x+c)^4*a-1268*B*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)*tan(d*x+c)^5+640*I*A*tan(d*x+c)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)*(-I*a)^(1/2)+15*I*A*2^(1/2)*ln(-(-2*2^(1/2)*(-I*a)^(1/2)*(a*tan(d*x+c)*(1+I*tan(d*x+c)))^(1/2)+I*a-

$$3*a*\tan(d*x+c)/(\tan(d*x+c)+I))*\tan(d*x+c)^2*a-60*A*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^3*a+9868*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)^4-12260*I*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)^3+15*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^2*a+5660*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)^3+60*I*B*2^{(1/2)}*\ln(-(-2*2^{(1/2)}*(-I*a)^{(1/2)}*(a*\tan(d*x+c)*(1+I*\tan(d*x+c))))^{(1/2)}+I*a-3*a*\tan(d*x+c))/(\tan(d*x+c)+I))*\tan(d*x+c)^3*a-6020*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)^2-480*B*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)}*\tan(d*x+c)-160*A*(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}*(-I*a)^{(1/2)})/a^3/\tan(d*x+c)^{(3/2)}/(a*\tan(d*x+c)*(1+I*\tan(d*x+c)))^{(1/2)}/(-\tan(d*x+c)+I)^4/(-I*a)^{(1/2)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.4034, size = 1740, normalized size = 6.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/120*(\sqrt{2})*((983*A + 463*I*B)*e^{(10*I*d*x + 10*I*c)} - 2*(272*A + 97*I*B)*e^{(8*I*d*x + 8*I*c)} - 3*(393*A + 163*I*B)*e^{(6*I*d*x + 6*I*c)} + (381*A + 191*I*B)*e^{(4*I*d*x + 4*I*c)} + 2*(18*A + 13*I*B)*e^{(2*I*d*x + 2*I*c)} + 3*A + 3*I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)} + 15*\sqrt{1/2}*(a^3*d*e^{(10*I*d*x + 10*I*c)} - 2*a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*\log((2*I*\sqrt{1/2})*a^3*d*\sqrt{((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) - 15*\sqrt{1/2}*(a^3*d*e^{(10*I*d*x + 10*I*c)} - 2*a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)})*\sqrt{((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*\log((-2*I*\sqrt{1/2})*a^3*d*\sqrt{((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^{(2*I*d*x + 2*I*c)} + \sqrt{2})*((I*A + B)*e^{(2*I*d*x + 2*I*c)} + I*A + B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{((-I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} + 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)))/ (a^3*d*e^{(10*I*d*x + 10*I*c)} - 2*a^3*d*e^{(8*I*d*x + 8*I*c)} + a^3*d*e^{(6*I*d*x + 6*I*c)}) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [A] time = 1.56839, size = 261, normalized size = 0.91

$$\frac{(i+1)\sqrt{-2(ia \tan(dx+c)+a)a+2a^2(ia \tan(dx+c)+a)a^4 + (-2i-2)(ia \tan(dx+c)+a)a^3 + (2i-2)a^4}\sqrt{-2(ia \tan(dx+c)+a)a+2a^2(ia \tan(dx+c)+a)a^4 + (-2i-2)(ia \tan(dx+c)+a)a^3 + (2i-2)a^4}}{2((ia \tan(dx+c)+a)^7a - 5(ia \tan(dx+c)+a)^6a^2 + 9(ia \tan(dx+c)+a)^5a^3 - 7(ia \tan(dx+c)+a)^4a^4 + 2(ia \tan(dx+c)+a)^3a^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] 1/2*((I + 1)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*(I*a*tan(d*x + c) + a)*a^4 + (-2*I - 2)*(I*a*tan(d*x + c) + a)*a^3 + (2*I - 2)*a^4)*sqrt(-2*(I*a*tan(d*x + c) + a)*a + 2*a^2)*sqrt(I*a*tan(d*x + c) + a)*B)/(((I*a*tan(d*x + c) + a)^7*a - 5*(I*a*tan(d*x + c) + a)^6*a^2 + 9*(I*a*tan(d*x + c) + a)^5*a^3 - 7*(I*a*tan(d*x + c) + a)^4*a^4 + 2*(I*a*tan(d*x + c) + a)^3*a^5)*d)

3.196 $\int \sqrt[3]{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=201

$$-\frac{\sqrt{3}\sqrt[3]{a}(B + iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{2^{2/3}d} + \frac{3\sqrt[3]{a}(B + iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2 \cdot 2^{2/3}d} + \frac{\sqrt[3]{a}(B + iA) \log(\cos(c + dx))}{2 \cdot 2^{2/3}d}$$

[Out] $-(a^{1/3}(A - I*B)*x)/(2*2^{2/3}) - (\text{Sqrt}[3]*a^{1/3}(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/(2^{2/3}*d) + (a^{1/3}(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{2/3}*d) + (3*a^{1/3}(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*2^{2/3}*d) + (3*B*(a + I*a*\text{Tan}[c + d*x])^{1/3})/d$

Rubi [A] time = 0.165943, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3527, 3481, 57, 617, 204, 31}

$$-\frac{\sqrt{3}\sqrt[3]{a}(B + iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{2^{2/3}d} + \frac{3\sqrt[3]{a}(B + iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2 \cdot 2^{2/3}d} + \frac{\sqrt[3]{a}(B + iA) \log(\cos(c + dx))}{2 \cdot 2^{2/3}d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^{1/3}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a^{1/3}(A - I*B)*x)/(2*2^{2/3}) - (\text{Sqrt}[3]*a^{1/3}(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/(2^{2/3}*d) + (a^{1/3}(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{2/3}*d) + (3*a^{1/3}(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*2^{2/3}*d) + (3*B*(a + I*a*\text{Tan}[c + d*x])^{1/3})/d$

Rule 3527

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m, x] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3481

$\text{Int}[(a + b*\text{Tan}[c + d*x])^n, x] := -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{n-1}/(a - x), x], x, b*\text{Tan}[c + d*x]], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

Rule 57

$\text{Int}[1/((a + b*x)^m*(c + d*x)^{2/3}), x] := \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q^2), x] + (-\text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{1/3}], x] - \text{Dist}[3/(2*b*q^2), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{1/3}], x]) /;$ FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]

Rule 617

$\text{Int}[(a + b*x + c*x^2)^{-1}, x] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /;

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 31

$\text{Int}[(a_ + (b_.)*(x_))^{-1}, x_Symbol] \ :> \ \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \ /; \ \text{FreeQ}[\{a, b\}, x]$

Rubi steps

$$\begin{aligned} \int \sqrt[3]{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx &= \frac{3B\sqrt[3]{a + ia \tan(c + dx)}}{d} - (-A + iB) \int \sqrt[3]{a + ia \tan(c + dx)} dx \\ &= \frac{3B\sqrt[3]{a + ia \tan(c + dx)}}{d} - \frac{(a(iA + B)) \text{Subst}\left(\int \frac{1}{(a-x)(a+x)^{2/3}} dx, x, ia \tan(c + dx)\right)}{d} \\ &= -\frac{\sqrt[3]{a}(A - iB)x}{2 \cdot 2^{2/3}} + \frac{\sqrt[3]{a}(iA + B) \log(\cos(c + dx))}{2 \cdot 2^{2/3}d} + \frac{3B\sqrt[3]{a + ia \tan(c + dx)}}{d} \\ &= -\frac{\sqrt[3]{a}(A - iB)x}{2 \cdot 2^{2/3}} + \frac{\sqrt[3]{a}(iA + B) \log(\cos(c + dx))}{2 \cdot 2^{2/3}d} + \frac{3\sqrt[3]{a}(iA + B) \log\left(\sqrt[3]{\frac{1 + \frac{2^{2/3}\sqrt[3]{a + ia \tan(c + dx)}}{\sqrt[3]{a}}}{\sqrt{3}}}\right)}{2 \cdot 2^{2/3}d} \\ &= -\frac{\sqrt[3]{a}(A - iB)x}{2 \cdot 2^{2/3}} - \frac{\sqrt{3}\sqrt[3]{a}(iA + B) \tan^{-1}\left(\frac{1 + \frac{2^{2/3}\sqrt[3]{a + ia \tan(c + dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{2^{2/3}d} + \frac{\sqrt[3]{a}(iA + B) \log\left(\sqrt[3]{\frac{1 + \frac{2^{2/3}\sqrt[3]{a + ia \tan(c + dx)}}{\sqrt[3]{a}}}{\sqrt{3}}}\right)}{2 \cdot 2^{2/3}d} \end{aligned}$$

Mathematica [F] time = 180.004, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(a + I*a*Tan[c + d*x])^(1/3)*(A + B*Tan[c + d*x]), x]

[Out] \$Aborted

Maple [A] time = 0.019, size = 297, normalized size = 1.5

$$3 \frac{B\sqrt[3]{a + ia \tan(dx + c)}}{d} + \frac{\sqrt[3]{2}B}{2d} \sqrt[3]{a} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right) + \frac{i\sqrt[3]{2}A}{d} \sqrt[3]{a} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)), x)

[Out] $3*B*(a+I*a*\tan(d*x+c))^{1/3}/d+1/2/d*a^{1/3}*2^{1/3}*\ln((a+I*a*\tan(d*x+c))^{1/3}-2^{1/3}*a^{1/3})*B+1/2*I/d*a^{1/3}*2^{1/3}*\ln((a+I*a*\tan(d*x+c))^{1/3}-2^{1/3}*a^{1/3})*A-1/4/d*a^{1/3}*2^{1/3}*\ln((a+I*a*\tan(d*x+c))^{2/3}+2^{1/3}*(a+I*a*\tan(d*x+c))^{1/3})$

$$\begin{aligned} & /3) * a^{(1/3)} * (a + I * a * \tan(d * x + c))^{(1/3) + 2^{(2/3)} * a^{(2/3)}} * B - 1/4 * I / d * a^{(1/3)} * 2^{(1/3)} * \ln((a + I * a * \tan(d * x + c))^{(2/3) + 2^{(1/3)} * a^{(1/3)} * (a + I * a * \tan(d * x + c))^{(1/3) + 2^{(2/3)} * a^{(2/3)}} * A - 1/2 / d * a^{(1/3)} * 2^{(1/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2^{(2/3)} / a^{(1/3)} * (a + I * a * \tan(d * x + c))^{(1/3) + 1})) * B - 1/2 * I / d * a^{(1/3)} * 2^{(1/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2^{(2/3)} / a^{(1/3)} * (a + I * a * \tan(d * x + c))^{(1/3) + 1})) * A \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.76749, size = 1131, normalized size = 5.63

$$6 \cdot 2^{\frac{1}{3}} B \left(\frac{a}{e^{2i dx + 2ic} + 1} \right)^{\frac{1}{3}} e^{\left(\frac{2}{3} i dx + \frac{2}{3} ic\right)} + \left(\frac{1}{4}\right)^{\frac{1}{3}} (-i \sqrt{3} d - d) \left(\frac{(-i A^3 - 3 A^2 B + 3 I A B^2 + B^3) a}{d^3} \right)^{\frac{1}{3}} \log \left(\frac{2^{\frac{1}{3}} (i A + B) \left(\frac{a}{e^{2i dx + 2ic} + 1} \right)^{\frac{1}{3}} e^{\left(\frac{2}{3} i dx + \frac{2}{3} ic\right)} + \left(\frac{1}{4}\right)^{\frac{1}{3}}}{i A + B} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/2 * (6 * 2^{(1/3)} * B * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{(1/3)} * e^{(2/3 * I * d * x + 2/3 * I * c)} \\ & + (1/4)^{(1/3)} * (-I * \text{sqrt}(3) * d - d) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) * a / \\ & d^3)^{(1/3)} * \log((2^{(1/3)} * (I * A + B) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{(1/3)} * e^{(2/3 * I * d * x + 2/3 * I * c)} \\ & + (1/4)^{(1/3)} * (I * \text{sqrt}(3) * d + d) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) * a / d^3)^{(1/3)}) / (I * A + B) \\ & + (1/4)^{(1/3)} * (I * \text{sqrt}(3) * d - d) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) * a / d^3)^{(1/3)} * \log((2^{(1/3)} * (I * A + B) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{(1/3)} * e^{(2/3 * I * d * x + 2/3 * I * c)} \\ & + (1/4)^{(1/3)} * (-I * \text{sqrt}(3) * d + d) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) * a / d^3)^{(1/3)}) / (I * A + B) \\ & + 2 * (1/4)^{(1/3)} * d * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) * a / d^3)^{(1/3)} * \log((2^{(1/3)} * (I * A + B) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{(1/3)} * e^{(2/3 * I * d * x + 2/3 * I * c)} \\ & - 2 * (1/4)^{(1/3)} * d * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) * a / d^3)^{(1/3)}) / (I * A + B))) / d \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/3)*(A+B*tan(d*x+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))**(1/3)*(A + B*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(1/3), x)

3.197 $\int \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$

Optimal. Leaf size=270

$$\frac{\sqrt{3}a^{2/3}(B+iA)\tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}\sqrt[3]{a+ia\tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} - \frac{3a^{2/3}(B+iA)\log\left(\sqrt[3]{2}\sqrt[3]{a}-\sqrt[3]{a+ia\tan(c+dx)}\right)}{2\sqrt[3]{2}d} - \frac{a^{2/3}(B+iA)\log(\cos)}{2\sqrt[3]{2}d}$$

[Out] $(a^{(2/3)}*(A - I*B)*x)/(2*2^{(1/3)}) - (\text{Sqrt}[3]*a^{(2/3)}*(I*A + B)*\text{ArcTan}[(a^{(1/3)} + 2^{(2/3)}*(a + I*a*\text{Tan}[c + d*x])^{(1/3)})/(\text{Sqrt}[3]*a^{(1/3)})])/(2^{(1/3)}*d) - (a^{(2/3)}*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{(1/3)}*d) - (3*a^{(2/3)}*(I*A + B)*\text{Log}[2^{(1/3)}*a^{(1/3)} - (a + I*a*\text{Tan}[c + d*x])^{(1/3)}])/(2*2^{(1/3)}*d) - (9*B*(a + I*a*\text{Tan}[c + d*x])^{(2/3)})/(8*d) + (3*B*\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^{(2/3)})/(8*d) - (3*((4*I)*A + B)*(a + I*a*\text{Tan}[c + d*x])^{(5/3)})/(20*a*d)$

Rubi [A] time = 0.444395, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3597, 3592, 3527, 3481, 55, 617, 204, 31}

$$\frac{\sqrt{3}a^{2/3}(B+iA)\tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}\sqrt[3]{a+ia\tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} - \frac{3a^{2/3}(B+iA)\log\left(\sqrt[3]{2}\sqrt[3]{a}-\sqrt[3]{a+ia\tan(c+dx)}\right)}{2\sqrt[3]{2}d} - \frac{a^{2/3}(B+iA)\log(\cos)}{2\sqrt[3]{2}d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^{(2/3)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(a^{(2/3)}*(A - I*B)*x)/(2*2^{(1/3)}) - (\text{Sqrt}[3]*a^{(2/3)}*(I*A + B)*\text{ArcTan}[(a^{(1/3)} + 2^{(2/3)}*(a + I*a*\text{Tan}[c + d*x])^{(1/3)})/(\text{Sqrt}[3]*a^{(1/3)})])/(2^{(1/3)}*d) - (a^{(2/3)}*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{(1/3)}*d) - (3*a^{(2/3)}*(I*A + B)*\text{Log}[2^{(1/3)}*a^{(1/3)} - (a + I*a*\text{Tan}[c + d*x])^{(1/3)}])/(2*2^{(1/3)}*d) - (9*B*(a + I*a*\text{Tan}[c + d*x])^{(2/3)})/(8*d) + (3*B*\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^{(2/3)})/(8*d) - (3*((4*I)*A + B)*(a + I*a*\text{Tan}[c + d*x])^{(5/3)})/(20*a*d)$

Rule 3597

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] :> \text{Simp}[(B*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(a*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n - 1)}*\text{Simp}[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 3592

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] :> \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3527

```
Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*tan[(e_) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist
[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e,
f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]
```

Rule 3481

```
Int[((a_) + (b_.)*tan[(c_) + (d_.)*(x_)])^(n_), x_Symbol] := -Dist[b/d, Su
bst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b,
c, d, n}, x] && EqQ[a^2 + b^2, 0]
```

Rule 55

```
Int[1/(((a_) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(1/3)), x_Symbol] := With[
{q = Rt[(b*c - a*d)/b, 3]}, -Simp[Log[RemoveContent[a + b*x, x]]/(2*b*q), x
] + (Dist[3/(2*b), Subst[Int[1/(q^2 + q*x + x^2), x], x, (c + d*x)^(1/3)],
x] - Dist[3/(2*b*q), Subst[Int[1/(q - x), x], x, (c + d*x)^(1/3)], x])] /;
FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_ - 1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx &= \frac{3B \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}}{8d} + \frac{3 \int \tan(c+dx)}{8d} \\
&= \frac{3B \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}}{8d} - \frac{3(4iA+B)(a+ia \tan(c+dx))^{2/3}}{20d} \\
&= -\frac{9B(a+ia \tan(c+dx))^{2/3}}{8d} + \frac{3B \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}}{8d} \\
&= -\frac{9B(a+ia \tan(c+dx))^{2/3}}{8d} + \frac{3B \tan^2(c+dx)(a+ia \tan(c+dx))^{2/3}}{8d} \\
&= \frac{a^{2/3}(A-iB)x}{2\sqrt[3]{2}} - \frac{a^{2/3}(iA+B) \log(\cos(c+dx))}{2\sqrt[3]{2}d} - \frac{9B(a+ia \tan(c+dx))^{2/3}}{20d} \\
&= \frac{a^{2/3}(A-iB)x}{2\sqrt[3]{2}} - \frac{a^{2/3}(iA+B) \log(\cos(c+dx))}{2\sqrt[3]{2}d} - \frac{3a^{2/3}(iA+B)}{20d} \\
&= \frac{a^{2/3}(A-iB)x}{2\sqrt[3]{2}} - \frac{\sqrt{3}a^{2/3}(iA+B) \tan^{-1}\left(\frac{1+\frac{2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt[3]{2}d}
\end{aligned}$$

Mathematica [C] time = 2.64225, size = 104, normalized size = 0.39

$$\frac{3(a+ia \tan(c+dx))^{2/3} \left(10(B+iA) \operatorname{Hypergeometric2F1}\left(\frac{2}{3}, 1, \frac{5}{3}, \frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right) + (8A-2iB) \tan(c+dx) - 8iA + 5B \sec^2(c+dx)\right)}{40d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]

[Out] (3*(a + I*a*Tan[c + d*x])^(2/3)*((-8*I)*A - 22*B + 10*(I*A + B)*Hypergeometric2F1[2/3, 1, 5/3, E^((2*I)*(c + d*x))/(1 + E^((2*I)*(c + d*x)))] + 5*B*Sec[c + d*x]^2 + (8*A - (2*I)*B)*Tan[c + d*x]))/(40*d)

Maple [A] time = 0.027, size = 367, normalized size = 1.4

$$-\frac{3B}{8a^2d} (a+ia \tan(dx+c))^{\frac{8}{3}} + \frac{3B}{5ad} (a+ia \tan(dx+c))^{\frac{5}{3}} - \frac{3iA}{ad} (a+ia \tan(dx+c))^{\frac{5}{3}} - \frac{3B}{2d} (a+ia \tan(dx+c))^{\frac{2}{3}} - \frac{2\sqrt{3}B}{5d} (a+ia \tan(dx+c))^{\frac{2}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)), x)

[Out] -3/8/d/a^2*B*(a+I*a*tan(d*x+c))^(8/3)+3/5/d/a*B*(a+I*a*tan(d*x+c))^(5/3)-3/5*I/d/a*A*(a+I*a*tan(d*x+c))^(5/3)-3/2*B*(a+I*a*tan(d*x+c))^(2/3)/d-1/2/d*a^(2/3)*2^(2/3)*ln((a+I*a*tan(d*x+c))^(1/3)-2^(1/3)*a^(1/3))*B-1/2*I/d*a^(2/3)*2^(2/3)*ln((a+I*a*tan(d*x+c))^(1/3)-2^(1/3)*a^(1/3))*A+1/4/d*a^(2/3)*2^(2/3)*ln((a+I*a*tan(d*x+c))^(2/3)+2^(1/3)*a^(1/3))*(a+I*a*tan(d*x+c))^(1/3)+2^(2/3)*a^(2/3))*B+1/4*I/d*a^(2/3)*2^(2/3)*ln((a+I*a*tan(d*x+c))^(2/3)+2^(1/3)*a^(1/3))*(a+I*a*tan(d*x+c))^(1/3)+2^(2/3)*a^(2/3))*A-1/2/d*a^(2/3)*3^(1/2)

) $2^{2/3} \arctan(1/3 \cdot 3^{1/2} \cdot (2^{2/3}/a^{1/3} \cdot (a + I \cdot a \cdot \tan(dx+c))^{1/3} + 1)) \cdot B - 1/2 \cdot I/d \cdot a^{2/3} \cdot 3^{1/2} \cdot 2^{2/3} \arctan(1/3 \cdot 3^{1/2} \cdot (2^{2/3}/a^{1/3} \cdot (a + I \cdot a \cdot \tan(dx+c))^{1/3} + 1)) \cdot A$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(a+I*a*tan(dx+c))^(2/3)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.82168, size = 1762, normalized size = 6.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(a+I*a*tan(dx+c))^(2/3)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{10} \cdot 2^{2/3} \cdot ((-12 \cdot I \cdot A - 18 \cdot B) \cdot e^{(4 \cdot I \cdot dx + 4 \cdot I \cdot c)} + (-12 \cdot I \cdot A - 18 \cdot B) \cdot e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} - 15 \cdot B) \cdot (a / (e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + 1))^{2/3} \cdot e^{(4/3 \cdot I \cdot dx + 4/3 \cdot I \cdot c)} + 10 \cdot (1/2)^{1/3} \cdot (d \cdot e^{(4 \cdot I \cdot dx + 4 \cdot I \cdot c)} + 2 \cdot d \cdot e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + d) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^{2/d^3})^{1/3} \cdot \log((2^{1/3} \cdot (A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot dx + 2/3 \cdot I \cdot c)} + 2 \cdot (1/2)^{2/3} \cdot d^2 \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^{2/d^3})^{2/3}) / ((A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a)) - 5 \cdot (1/2)^{1/3} \cdot ((-I \cdot \sqrt{3} \cdot d + d) \cdot e^{(4 \cdot I \cdot dx + 4 \cdot I \cdot c)} + 2 \cdot (-I \cdot \sqrt{3} \cdot d + d) \cdot e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} - I \cdot \sqrt{3} \cdot d + d) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^{2/d^3})^{1/3} \cdot \log((2^{1/3} \cdot (A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot dx + 2/3 \cdot I \cdot c)} - (1/2)^{2/3} \cdot (I \cdot \sqrt{3} \cdot d^2 + d^2) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^{2/d^3})^{2/3}) / ((A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a)) - (1/2)^{1/3} \cdot (5 \cdot (I \cdot \sqrt{3} \cdot d + d) \cdot e^{(4 \cdot I \cdot dx + 4 \cdot I \cdot c)} + 10 \cdot (I \cdot \sqrt{3} \cdot d + d) \cdot e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + 5 \cdot I \cdot \sqrt{3} \cdot d + 5 \cdot d) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^{2/d^3})^{1/3} \cdot \log((2^{1/3} \cdot (A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot dx + 2/3 \cdot I \cdot c)} - (1/2)^{2/3} \cdot (-I \cdot \sqrt{3} \cdot d^2 + d^2) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^{2/d^3})^{2/3}) / ((A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a)) / (d \cdot e^{(4 \cdot I \cdot dx + 4 \cdot I \cdot c)} + 2 \cdot d \cdot e^{(2 \cdot I \cdot dx + 2 \cdot I \cdot c)} + d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^{\frac{2}{3}} (A + B \tan(c + dx)) \tan^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**2*(a+I*a*tan(dx+c))**(2/3)*(A+B*tan(dx+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))**(2/3)*(A + B*tan(c + d*x))*tan(c + d*x)*
*2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{2}{3}} \tan(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorit
hm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(2/3)*tan(d*x + c)^2,
x)

$$3.198 \quad \int \tan(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=232

$$\frac{\sqrt{3}a^{2/3}(A-iB) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} + \frac{3a^{2/3}(A-iB) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{2\sqrt[3]{2}d} + \frac{a^{2/3}(A-iB) \log(c)}{2\sqrt[3]{2}d}$$

```
[Out] (a^(2/3)*(I*A + B)*x)/(2*2^(1/3)) + (Sqrt[3]*a^(2/3)*(A - I*B)*ArcTan[(a^(1/3) + 2^(2/3)*(a + I*a*Tan[c + d*x])^(1/3))/(Sqrt[3]*a^(1/3))])/(2^(1/3)*d) + (a^(2/3)*(A - I*B)*Log[Cos[c + d*x]])/(2*2^(1/3)*d) + (3*a^(2/3)*(A - I*B)*Log[2^(1/3)*a^(1/3) - (a + I*a*Tan[c + d*x])^(1/3)])/(2*2^(1/3)*d) + (3*A*(a + I*a*Tan[c + d*x])^(2/3))/(2*d) - (((3*I)/5)*B*(a + I*a*Tan[c + d*x])^(5/3))/(a*d)
```

Rubi [A] time = 0.221381, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3592, 3527, 3481, 55, 617, 204, 31}

$$\frac{\sqrt{3}a^{2/3}(A-iB) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} + \frac{3a^{2/3}(A-iB) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{2\sqrt[3]{2}d} + \frac{a^{2/3}(A-iB) \log(c)}{2\sqrt[3]{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]
```

```
[Out] (a^(2/3)*(I*A + B)*x)/(2*2^(1/3)) + (Sqrt[3]*a^(2/3)*(A - I*B)*ArcTan[(a^(1/3) + 2^(2/3)*(a + I*a*Tan[c + d*x])^(1/3))/(Sqrt[3]*a^(1/3))])/(2^(1/3)*d) + (a^(2/3)*(A - I*B)*Log[Cos[c + d*x]])/(2*2^(1/3)*d) + (3*a^(2/3)*(A - I*B)*Log[2^(1/3)*a^(1/3) - (a + I*a*Tan[c + d*x])^(1/3)])/(2*2^(1/3)*d) + (3*A*(a + I*a*Tan[c + d*x])^(2/3))/(2*d) - (((3*I)/5)*B*(a + I*a*Tan[c + d*x])^(5/3))/(a*d)
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3527

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]
```

Rule 3481

```
Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]
```

Rule 55

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(1/3)), x_Symbol] := With[
{q = Rt[(b*c - a*d)/b, 3]}, -Simp[Log[RemoveContent[a + b*x, x]]/(2*b*q), x
] + (Dist[3/(2*b), Subst[Int[1/(q^2 + q*x + x^2), x], x, (c + d*x)^(1/3)],
x] - Dist[3/(2*b*q), Subst[Int[1/(q - x), x], x, (c + d*x)^(1/3)], x])] /;
FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int \tan(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx &= -\frac{3iB(a+ia \tan(c+dx))^{5/3}}{5ad} + \int (a+ia \tan(c+dx))^{2/3}(-B \\
&= \frac{3A(a+ia \tan(c+dx))^{2/3}}{2d} - \frac{3iB(a+ia \tan(c+dx))^{5/3}}{5ad} - (\\
&= \frac{3A(a+ia \tan(c+dx))^{2/3}}{2d} - \frac{3iB(a+ia \tan(c+dx))^{5/3}}{5ad} - (\\
&= \frac{a^{2/3}(iA+B)x}{2\sqrt[3]{2}} + \frac{a^{2/3}(A-iB) \log(\cos(c+dx))}{2\sqrt[3]{2}d} + \frac{3A(a+ia \tan(c+dx))^{2/3}}{2d} \\
&= \frac{a^{2/3}(iA+B)x}{2\sqrt[3]{2}} + \frac{a^{2/3}(A-iB) \log(\cos(c+dx))}{2\sqrt[3]{2}d} + \frac{3a^{2/3}(A-iB) \tan^{-1}\left(\frac{1+\frac{2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}a^{2/3}(A-iB) \tan^{-1}\left(\frac{1+\frac{2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)} \\
&= \frac{a^{2/3}(iA+B)x}{2\sqrt[3]{2}} + \frac{\sqrt{3}a^{2/3}(A-iB) \tan^{-1}\left(\frac{1+\frac{2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt[3]{2}d}
\end{aligned}$$

Mathematica [C] time = 1.47345, size = 115, normalized size = 0.5

$$\frac{3(e^{idx})^{2/3}(a+ia \tan(c+dx))^{2/3}\left(-5(A-iB)\text{Hypergeometric2F1}\left(\frac{2}{3}, 1, \frac{5}{3}, \frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right)+10A+4B \tan(c+dx)-4iB\right)}{20d(\cos(dx)+i \sin(dx))^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]
```

[Out] $(3*(E^{(I*d*x)})^{(2/3)}*(a + I*a*\text{Tan}[c + d*x])^{(2/3)}*(10*A - (4*I)*B - 5*(A - I*B)*\text{Hypergeometric2F1}[2/3, 1, 5/3, E^{((2*I)*(c + d*x))}/(1 + E^{((2*I)*(c + d*x))})] + 4*B*\text{Tan}[c + d*x]))/(20*d*(\text{Cos}[d*x] + I*\text{Sin}[d*x])^{(2/3)})$

Maple [A] time = 0.018, size = 321, normalized size = 1.4

$$\frac{-\frac{3i}{5}B}{ad} (a + ia \tan(dx + c))^{\frac{5}{3}} + \frac{3A}{2d} (a + ia \tan(dx + c))^{\frac{2}{3}} - \frac{i}{2} \frac{2^{\frac{2}{3}}B}{d} a^{\frac{2}{3}} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right) + \frac{2^{\frac{2}{3}}A}{2d} a^{\frac{2}{3}} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} + \sqrt[3]{2}\sqrt[3]{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x)`

[Out] $-3/5*I*B*(a+I*a*\text{tan}(d*x+c))^{(5/3)}/a/d+3/2*A*(a+I*a*\text{tan}(d*x+c))^{(2/3)}/d-1/2*I/d*a^{(2/3)}*2^{(2/3)}*\ln((a+I*a*\text{tan}(d*x+c))^{(1/3)}-2^{(1/3)}*a^{(1/3)})*B+1/2/d*a^{(2/3)}*2^{(2/3)}*\ln((a+I*a*\text{tan}(d*x+c))^{(1/3)}-2^{(1/3)}*a^{(1/3)})*A+1/4*I/d*a^{(2/3)}*2^{(2/3)}*\ln((a+I*a*\text{tan}(d*x+c))^{(2/3)}+2^{(1/3)}*a^{(1/3)}*(a+I*a*\text{tan}(d*x+c))^{(1/3)}+2^{(2/3)}*a^{(2/3)})*B-1/4/d*a^{(2/3)}*2^{(2/3)}*\ln((a+I*a*\text{tan}(d*x+c))^{(2/3)}+2^{(1/3)}*a^{(1/3)}*(a+I*a*\text{tan}(d*x+c))^{(1/3)}+2^{(2/3)}*a^{(2/3)})*A-1/2*I/d*a^{(2/3)}*3^{(1/2)}*2^{(2/3)}*\arctan(1/3*3^{(1/2)}*(2^{(2/3)}/a^{(1/3)}*(a+I*a*\text{tan}(d*x+c))^{(1/3)}+1))*B+1/2/d*a^{(2/3)}*3^{(1/2)}*2^{(2/3)}*\arctan(1/3*3^{(1/2)}*(2^{(2/3)}/a^{(1/3)}*(a+I*a*\text{tan}(d*x+c))^{(1/3)}+1))*A$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.77218, size = 1520, normalized size = 6.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $1/10*(3*2^{(2/3)}*((5*A - 4*I*B)*e^{(2*I*d*x + 2*I*c)} + 5*A)*(a/(e^{(2*I*d*x + 2*I*c)} + 1))^{(2/3)}*e^{(4/3*I*d*x + 4/3*I*c)} + 10*(1/2)^{(1/3)}*(d*e^{(2*I*d*x + 2*I*c)} + d)*((A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^{(1/3)}*\log((2^{(1/3)}*(A^2 - 2*I*A*B - B^2)*a*(a/(e^{(2*I*d*x + 2*I*c)} + 1))^{(1/3)}*e^{(2/3*I*d*x + 2/3*I*c)} - 2*(1/2)^{(2/3)}*d^2*((A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^{(2/3)})/((A^2 - 2*I*A*B - B^2)*a)) - (1/2)^{(1/3)}*(5*(I*\text{sqrt}(3)*d + d)*e^{(2*I*d*x + 2*I*c)} + 5*I*\text{sqrt}(3)*d + 5*d)*((A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^{(1/3)}*\log((2^{(1/3)}*(A^2 - 2*I*A*B - B^2)*a*(a/(e^{(2*I*d*x + 2*I*c)} + 1))^{(1/3)}*e^{(2/3*I*d*x + 2/3*I*c)} - 2*(1/2)^{(2/3)}*d^2*((A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^{(2/3)})/((A^2 - 2*I*A*B - B^2)*a))$

$$c) + 1))^{\frac{1}{3}} e^{\frac{2}{3} I d x + \frac{2}{3} I c} - \frac{(1/2)^{\frac{2}{3}} (I \sqrt{3} d^2 - d^2) ((A^3 - 3 I A^2 B - 3 A B^2 + I B^3) a^2/d^3)^{\frac{2}{3}}}{((A^2 - 2 I A B - B^2) a)} - \frac{5 (1/2)^{\frac{1}{3}} ((-I \sqrt{3} d + d) e^{\frac{2}{3} I d x + \frac{2}{3} I c} - I \sqrt{3} d + d) ((A^3 - 3 I A^2 B - 3 A B^2 + I B^3) a^2/d^3)^{\frac{1}{3}} \log((2^{\frac{1}{3}} (A^2 - 2 I A B - B^2) a (a/(e^{\frac{2}{3} I d x + \frac{2}{3} I c} + 1))^{\frac{1}{3}} e^{\frac{2}{3} I d x + \frac{2}{3} I c} - (1/2)^{\frac{2}{3}} (-I \sqrt{3} d^2 - d^2) ((A^3 - 3 I A^2 B - 3 A B^2 + I B^3) a^2/d^3)^{\frac{2}{3}}))}{((A^2 - 2 I A B - B^2) a)}}}{(d e^{\frac{2}{3} I d x + \frac{2}{3} I c} + d)}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^{\frac{2}{3}} (A + B \tan(c + dx)) \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))**(2/3)*(A+B*tan(d*x+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))**(2/3)*(A + B*tan(c + d*x))*tan(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{2}{3}} \tan(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(2/3)*tan(d*x + c), x)

3.199 $\int (a + ia \tan(c + dx))^{2/3} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=202

$$\frac{\sqrt{3}a^{2/3}(B + iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} + \frac{3a^{2/3}(B + iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2\sqrt[3]{2}d} + \frac{a^{2/3}(B + iA) \log(c)}{2\sqrt[3]{2}d}$$

[Out] $-(a^{2/3}*(A - I*B)*x)/(2*2^{1/3}) + (\text{Sqrt}[3]*a^{2/3}*(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/(2^{1/3}*d) + (a^{2/3}*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{1/3}*d) + (3*a^{2/3}*(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*2^{1/3}*d) + (3*B*(a + I*a*\text{Tan}[c + d*x])^{2/3})/(2*d)$

Rubi [A] time = 0.149228, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3527, 3481, 55, 617, 204, 31}

$$\frac{\sqrt{3}a^{2/3}(B + iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} + \frac{3a^{2/3}(B + iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2\sqrt[3]{2}d} + \frac{a^{2/3}(B + iA) \log(c)}{2\sqrt[3]{2}d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])^{2/3}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a^{2/3}*(A - I*B)*x)/(2*2^{1/3}) + (\text{Sqrt}[3]*a^{2/3}*(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/(2^{1/3}*d) + (a^{2/3}*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{1/3}*d) + (3*a^{2/3}*(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*2^{1/3}*d) + (3*B*(a + I*a*\text{Tan}[c + d*x])^{2/3})/(2*d)$

Rule 3527

$\text{Int}[(a + (b_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(m_*)}*((c_*) + (d_*)*\text{tan}[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3481

$\text{Int}[(a + (b_*)*\text{tan}[(c_*) + (d_*)*(x_*)])^{(n_*)}, x_Symbol] \rightarrow -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{(n-1)}/(a-x), x], x, b*\text{Tan}[c + d*x]], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

Rule 55

$\text{Int}[1/(((a_*) + (b_*)*(x_*))*((c_*) + (d_*)*(x_*))^{1/3}), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q), x] + (\text{Dist}[3/(2*b), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{1/3}], x] - \text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{1/3}], x])] /;$ FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]

Rule 617

$\text{Int}[(a + (b_*)*(x_*) + (c_*)*(x_*)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int (a + ia \tan(c + dx))^{2/3} (A + B \tan(c + dx)) dx &= \frac{3B(a + ia \tan(c + dx))^{2/3}}{2d} - (-A + iB) \int (a + ia \tan(c + dx))^{2/3} dx \\ &= \frac{3B(a + ia \tan(c + dx))^{2/3}}{2d} - \frac{(a(iA + B)) \text{Subst}\left(\int \frac{1}{(a-x)\sqrt[3]{a+x}} dx, x, ia \tan(c + dx)\right)}{d} \\ &= -\frac{a^{2/3}(A - iB)x}{2\sqrt[3]{2}} + \frac{a^{2/3}(iA + B) \log(\cos(c + dx))}{2\sqrt[3]{2}d} + \frac{3B(a + ia \tan(c + dx))^{2/3}}{2d} \\ &= -\frac{a^{2/3}(A - iB)x}{2\sqrt[3]{2}} + \frac{a^{2/3}(iA + B) \log(\cos(c + dx))}{2\sqrt[3]{2}d} + \frac{3a^{2/3}(iA + B) \log\left(\sqrt[3]{\frac{1 + \frac{2^{2/3} \sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}}{\sqrt[3]{3}}\right)}{2\sqrt[3]{2}d} \\ &= -\frac{a^{2/3}(A - iB)x}{2\sqrt[3]{2}} + \frac{\sqrt[3]{3}a^{2/3}(iA + B) \tan^{-1}\left(\frac{1 + \frac{2^{2/3} \sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt[3]{3}}\right)}{\sqrt[3]{2}d} + \frac{a^{2/3}(iA + B)}{2d} \end{aligned}$$

Mathematica [C] time = 1.05034, size = 91, normalized size = 0.45

$$\frac{3 \left(\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{2/3} \left(-2B + (B + iA) \text{Hypergeometric2F1} \left(\frac{2}{3}, 1, \frac{5}{3}, \frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right) \right)}{2\sqrt[3]{2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]
```

```
[Out] (-3*((a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(-2*B + (I*A + B)*Hypergeometric2F1[2/3, 1, 5/3, E^((2*I)*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]))/(2*2^(1/3)*d)
```

Maple [A] time = 0.015, size = 297, normalized size = 1.5

$$\frac{3B}{2d} (a + ia \tan(dx + c))^{2/3} + \frac{2^{2/3}B}{2d} a^{2/3} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right) + \frac{i2^{2/3}A}{d} a^{2/3} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right) - \frac{2}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x)`

[Out]
$$\frac{3}{2}B(a+Ia\tan(dx+c))^{2/3}/d + \frac{1}{2}d a^{2/3} 2^{2/3} \ln((a+Ia\tan(dx+c))^{1/3} - 2^{1/3} a^{1/3}) + B + \frac{1}{2}I/d a^{2/3} 2^{2/3} \ln((a+Ia\tan(dx+c))^{1/3} - 2^{1/3} a^{1/3}) + A - \frac{1}{4}d a^{2/3} 2^{2/3} \ln((a+Ia\tan(dx+c))^{2/3} + 2^{1/3} a^{1/3} (a+Ia\tan(dx+c))^{1/3} + 2^{2/3} a^{2/3}) + B - \frac{1}{4}I/d a^{2/3} 2^{2/3} \ln((a+Ia\tan(dx+c))^{2/3} + 2^{1/3} a^{1/3} (a+Ia\tan(dx+c))^{1/3} + 2^{2/3} a^{2/3}) + A + \frac{1}{2}d a^{2/3} 3^{1/2} 2^{2/3} \arctan(1/3 \cdot 3^{1/2} \cdot (2^{2/3}/a^{1/3} (a+Ia\tan(dx+c))^{1/3} + 1)) + B + \frac{1}{2}I/d a^{2/3} 3^{1/2} 2^{2/3} \arctan(1/3 \cdot 3^{1/2} \cdot (2^{2/3}/a^{1/3} (a+Ia\tan(dx+c))^{1/3} + 1)) + A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.77207, size = 1283, normalized size = 6.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out]
$$\frac{1}{2} \cdot (3 \cdot 2^{2/3}) \cdot B \cdot (a / (e^{(2I dx + 2I c)} + 1))^{2/3} \cdot e^{(4/3 I dx + 4/3 I c)} + 2 \cdot (1/2)^{1/3} \cdot d \cdot ((-I A^3 - 3A^2 B + 3I A B^2 + B^3) \cdot a^{2/d})^{1/3} \cdot \log((2^{1/3} (A^2 - 2I A B - B^2) \cdot a / (e^{(2I dx + 2I c)} + 1))^{1/3} \cdot e^{(2/3 I dx + 2/3 I c)} + 2 \cdot (1/2)^{2/3} \cdot d^2 \cdot ((-I A^3 - 3A^2 B + 3I A B^2 + B^3) \cdot a^{2/d})^{2/3}) / ((A^2 - 2I A B - B^2) \cdot a) + (1/2)^{1/3} \cdot (I \cdot \sqrt{3}) \cdot d - d \cdot ((-I A^3 - 3A^2 B + 3I A B^2 + B^3) \cdot a^{2/d})^{1/3} \cdot \log((2^{1/3} (A^2 - 2I A B - B^2) \cdot a / (e^{(2I dx + 2I c)} + 1))^{1/3} \cdot e^{(2/3 I dx + 2/3 I c)} - (1/2)^{2/3} \cdot (I \cdot \sqrt{3}) \cdot d^2 + d^2) \cdot ((-I A^3 - 3A^2 B + 3I A B^2 + B^3) \cdot a^{2/d})^{2/3}) / ((A^2 - 2I A B - B^2) \cdot a) + (1/2)^{1/3} \cdot (-I \cdot \sqrt{3}) \cdot d - d \cdot ((-I A^3 - 3A^2 B + 3I A B^2 + B^3) \cdot a^{2/d})^{1/3} \cdot \log((2^{1/3} (A^2 - 2I A B - B^2) \cdot a / (e^{(2I dx + 2I c)} + 1))^{1/3} \cdot e^{(2/3 I dx + 2/3 I c)} - (1/2)^{2/3} \cdot (-I \cdot \sqrt{3}) \cdot d^2 + d^2) \cdot ((-I A^3 - 3A^2 B + 3I A B^2 + B^3) \cdot a^{2/d})^{2/3}) / ((A^2 - 2I A B - B^2) \cdot a)) / d$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^{2/3} (A + B \tan(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))**(2/3)*(A+B*tan(d*x+c)),x)`

[Out] Integral((a*(I*tan(c + d*x) + 1))**(2/3)*(A + B*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(2/3), x)

3.200 $\int \cot(c + dx)(a + ia \tan(c + dx))^{2/3}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=289

$$\frac{\sqrt{3}a^{2/3}(A - iB) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2d}} - \frac{3a^{2/3}(A - iB) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2\sqrt[3]{2d}} - \frac{a^{2/3}(A - iB) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2\sqrt[3]{2d}}$$

[Out] $-(a^{2/3}(I*A + B)*x)/(2*2^{1/3}) + (\text{Sqrt}[3]*a^{2/3}*A*\text{ArcTan}[(a^{1/3} + 2*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/d - (\text{Sqrt}[3]*a^{2/3}*(A - I*B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/(2^{1/3}*d) - (a^{2/3}*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{1/3}*d) - (a^{2/3}*A*\text{Log}[\text{Tan}[c + d*x]])/(2*d) + (3*a^{2/3}*A*\text{Log}[a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*d) - (3*a^{2/3}*(A - I*B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*2^{1/3}*d)$

Rubi [A] time = 0.373065, antiderivative size = 289, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3600, 3481, 55, 617, 204, 31, 3599}

$$\frac{\sqrt{3}a^{2/3}(A - iB) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2d}} - \frac{3a^{2/3}(A - iB) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2\sqrt[3]{2d}} - \frac{a^{2/3}(A - iB) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{2\sqrt[3]{2d}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^{2/3}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-(a^{2/3}(I*A + B)*x)/(2*2^{1/3}) + (\text{Sqrt}[3]*a^{2/3}*A*\text{ArcTan}[(a^{1/3} + 2*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/d - (\text{Sqrt}[3]*a^{2/3}*(A - I*B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})])/(2^{1/3}*d) - (a^{2/3}*(A - I*B)*\text{Log}[\text{Cos}[c + d*x]])/(2*2^{1/3}*d) - (a^{2/3}*A*\text{Log}[\text{Tan}[c + d*x]])/(2*d) + (3*a^{2/3}*A*\text{Log}[a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*d) - (3*a^{2/3}*(A - I*B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}])/(2*2^{1/3}*d)$

Rule 3600

$\text{Int}[\frac{((a_) + (b_)*\text{tan}[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\text{tan}[(e_) + (f_)*(x_)])}{((c_) + (d_)*\text{tan}[(e_) + (f_)*(x_)])}, x_Symbol] := \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[\frac{((a + b*\text{Tan}[e + f*x])^m*(a - b*\text{Tan}[e + f*x]))}{(c + d*\text{Tan}[e + f*x])}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$

Rule 3481

$\text{Int}[\frac{((a_) + (b_)*\text{tan}[(c_) + (d_)*(x_)])^{(n_)}}{x_Symbol}, x_Symbol] := -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{(n-1)}/(a - x), x], x, b*\text{Tan}[c + d*x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 55

$\text{Int}[1/((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^{1/3}, x_Symbol] := \text{With}\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q), x]$

] + (Dist[3/(2*b), Subst[Int[1/(q^2 + q*x + x^2), x], x, (c + d*x)^(1/3)], x] - Dist[3/(2*b*q), Subst[Int[1/(q - x), x], x, (c + d*x)^(1/3)], x]) /; FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 31

Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3599

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))^{2/3}(A + B \tan(c + dx)) dx &= \frac{A \int \cot(c + dx)(a - ia \tan(c + dx))(a + ia \tan(c + dx))^{2/3} dx}{a} \\ &= \frac{(aA) \operatorname{Subst}\left(\int \frac{1}{x \sqrt[3]{a+iax}} dx, x, \tan(c + dx)\right)}{d} + \frac{(a(A - iB)) S}{d} \\ &= -\frac{a^{2/3}(iA + B)x}{2\sqrt[3]{2}} - \frac{a^{2/3}(A - iB) \log(\cos(c + dx))}{2\sqrt[3]{2}d} - \frac{a^{2/3} A \log}{2\sqrt[3]{2}d} \\ &= -\frac{a^{2/3}(iA + B)x}{2\sqrt[3]{2}} - \frac{a^{2/3}(A - iB) \log(\cos(c + dx))}{2\sqrt[3]{2}d} - \frac{a^{2/3} A \log}{2\sqrt[3]{2}d} \\ &= -\frac{a^{2/3}(iA + B)x}{2\sqrt[3]{2}} + \frac{\sqrt{3}a^{2/3} A \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{d} - \frac{\sqrt{3}a}{d} \end{aligned}$$

Mathematica [C] time = 1.50193, size = 127, normalized size = 0.44

$$\frac{3 \left(\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{2/3} \left((A - iB) \operatorname{Hypergeometric2F1}\left(\frac{2}{3}, 1, \frac{5}{3}, \frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right) - 2A \operatorname{Hypergeometric2F1}\left(\frac{2}{3}, 1, \frac{5}{3}, \frac{2e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right) \right)}{2\sqrt[3]{2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]),x]

[Out] (3*((a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*((A - I*B)*Hypergeometric2F1[2/3, 1, 5/3, E^((2*I)*(c + d*x))/(1 + E^((2*I)*(c + d*x)))] - 2*A*Hypergeometric2F1[2/3, 1, 5/3, (2*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]))/(2*2^(1/3)*d)

Maple [F] time = 0.167, size = 0, normalized size = 0.

$$\int \cot(dx + c) (a + ia \tan(dx + c))^{\frac{2}{3}} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x)

[Out] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.88981, size = 1848, normalized size = 6.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(1/2)^(1/3)*(-I*sqrt(3) - 1)*(-(A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^(1/3)*log((2^(1/3)*(A^2 - 2*I*A*B - B^2)*a*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c) - (1/2)^(2/3)*(I*sqrt(3)*d^2 - d^2)*(-(A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^(2/3))/((A^2 - 2*I*A*B - B^2)*a) + 1/2*(1/2)^(1/3)*(I*sqrt(3) - 1)*(-(A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^(1/3)*log((2^(1/3)*(A^2 - 2*I*A*B - B^2)*a*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c) - (1/2)^(2/3)*(-I*sqrt(3)*d^2 - d^2)*(-(A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^(2/3))/((A^2 - 2*I*A*B - B^2)*a) + 1/2*(A^3*a^2/d^3)^(1/3)*(I*sqrt(3) - 1)*log(1/2*(2*2^(1/3)*A^2*a*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c) + (I*sqrt(3)*d^2 + d^2)*(A^3*a^2/d^3)^(2/3))/(A^2*a) + 1/2*(A^3*a^2/d^3)^(1/3)*(-I*sqrt(3) - 1)*log(1/2*(2*2^(1/3)*A^2*a*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c) + (-I*sqrt(3)*d^2 + d^2)*(A^3*a^2/d^3)^(2/3))/(A^2*a) + (1/2)^(1/3)*(-(A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^(1/3)*log((2^(1/3)*(A^2

$$- 2*I*A*B - B^2)*a*(a/(e^{(2*I*d*x + 2*I*c)} + 1))^{(1/3)}*e^{(2/3*I*d*x + 2/3*I*c)} - 2*(1/2)^{(2/3)}*d^2*(-(A^3 - 3*I*A^2*B - 3*A*B^2 + I*B^3)*a^2/d^3)^{(2/3))/((A^2 - 2*I*A*B - B^2)*a)) + (A^3*a^2/d^3)^{(1/3)}*\log((2^{(1/3)}*A^2*a*(a/(e^{(2*I*d*x + 2*I*c)} + 1))^{(1/3)}*e^{(2/3*I*d*x + 2/3*I*c)} - (A^3*a^2/d^3)^{(2/3)}*d^2)/(A^2*a))$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))**(2/3)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{2}{3}} \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(2/3)*cot(d*x + c), x)

3.201 $\int \cot^2(c+dx)(a+ia \tan(c+dx))^{2/3}(A+B \tan(c+dx)) dx$

Optimal. Leaf size=342

$$\frac{a^{2/3}(3B + 2iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2\sqrt[3]{a+ia \tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}d} - \frac{\sqrt{3}a^{2/3}(B + iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} - \frac{a^{2/3}(3B + 2iA) \log(\tan(c+dx))}{6d}$$

[Out] $(a^{2/3}(A - I*B)*x)/(2*2^{1/3}) + (a^{2/3}((2*I)*A + 3*B)*\text{ArcTan}[(a^{1/3} + 2*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})]) / (\text{Sqrt}[3]*d) - (\text{Sqrt}[3]*a^{2/3}(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})]) / (2^{1/3}*d) - (a^{2/3}(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]) / (2*2^{1/3}*d) - (a^{2/3}((2*I)*A + 3*B)*\text{Log}[\text{Tan}[c + d*x]]) / (6*d) + (a^{2/3}((2*I)*A + 3*B)*\text{Log}[a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}]) / (2*d) - (3*a^{2/3}(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}]) / (2*2^{1/3}*d) - (A*\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^{2/3})/d$

Rubi [A] time = 0.590007, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3598, 3600, 3481, 55, 617, 204, 31, 3599}

$$\frac{a^{2/3}(3B + 2iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2\sqrt[3]{a+ia \tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}d} - \frac{\sqrt{3}a^{2/3}(B + iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{2}d} - \frac{a^{2/3}(3B + 2iA) \log(\tan(c+dx))}{6d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{2*(a + I*a*\text{Tan}[c + d*x])^{2/3}}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(a^{2/3}(A - I*B)*x)/(2*2^{1/3}) + (a^{2/3}((2*I)*A + 3*B)*\text{ArcTan}[(a^{1/3} + 2*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})]) / (\text{Sqrt}[3]*d) - (\text{Sqrt}[3]*a^{2/3}(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3})/(\text{Sqrt}[3]*a^{1/3})]) / (2^{1/3}*d) - (a^{2/3}(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]) / (2*2^{1/3}*d) - (a^{2/3}((2*I)*A + 3*B)*\text{Log}[\text{Tan}[c + d*x]]) / (6*d) + (a^{2/3}((2*I)*A + 3*B)*\text{Log}[a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}]) / (2*d) - (3*a^{2/3}(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}]) / (2*2^{1/3}*d) - (A*\text{Cot}[c + d*x]*(a + I*a*\text{Tan}[c + d*x])^{2/3})/d$

Rule 3598

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * ((A + B*\text{Tan}[e + f*x])^n * ((c + d*\text{Tan}[e + f*x])^{n+1}) / (f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^{n+1} * \text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m+n+1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 3600

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * ((A + B*\text{Tan}[e + f*x])^n * ((c + d*\text{Tan}[e + f*x])^n)), x] - \text{Dist}[(A*b + a*B)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/(b*c + a*d), \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (a - b*\text{Tan}[e + f*x])], (c + d*\text{Tan}[e + f*x])^n], x]$

$\int \frac{n[e + f*x], x, x]}{FreeQ[\{a, b, c, d, e, f, A, B, m\}, x] \&\& NeQ[b*c - a*d, 0] \&\& EqQ[a^2 + b^2, 0] \&\& NeQ[A*b + a*B, 0]}$

Rule 3481

$\text{Int}[\frac{(a_.) + (b_.)*\tan[(c_.) + (d_.)*(x_)]^{(n_.)}}{x_Symbol}] \rightarrow -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{(n - 1)}/(a - x), x], x, b*\text{Tan}[c + d*x]], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 55

$\text{Int}[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^{(1/3)}), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q), x] + (\text{Dist}[3/(2*b), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{(1/3)}], x] - \text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{(1/3)}], x])] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[(b*c - a*d)/b]$

Rule 617

$\text{Int}[\frac{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^{-1}}{x_Symbol}] \rightarrow \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^2)^{-1}}{x_Symbol}] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \|\ \text{LtQ}[b, 0])]$

Rule 31

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^{-1}}{x_Symbol}] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 3599

$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)])^{(n_.)}}{x_Symbol}] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m - 1)}*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A*b + a*B, 0]$

Rubi steps

$$\begin{aligned}
\int \cot^2(c + dx)(a + ia \tan(c + dx))^{2/3}(A + B \tan(c + dx)) dx &= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^{2/3}}{d} + \frac{\int \cot(c + dx)}{d} \\
&= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^{2/3}}{d} + (-A + iB) \int \cot(c + dx) \\
&= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^{2/3}}{d} + \frac{(a(iA + B)) \int \cot(c + dx)}{d} \\
&= \frac{a^{2/3}(A - iB)x}{2\sqrt[3]{2}} - \frac{a^{2/3}(iA + B) \log(\cos(c + dx))}{2\sqrt[3]{2}d} - \frac{a^{2/3}(2iA + 3B) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}d} \\
&= \frac{a^{2/3}(A - iB)x}{2\sqrt[3]{2}} - \frac{a^{2/3}(iA + B) \log(\cos(c + dx))}{2\sqrt[3]{2}d} - \frac{a^{2/3}(2iA + 3B) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}d} \\
&= \frac{a^{2/3}(A - iB)x}{2\sqrt[3]{2}} + \frac{a^{2/3}(2iA + 3B) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3}d}
\end{aligned}$$

Mathematica [F] time = 6.24911, size = 0, normalized size = 0.

$$\int \cot^2(c + dx)(a + ia \tan(c + dx))^{2/3}(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.211, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^2 (a + ia \tan(dx + c))^{2/3} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.00936, size = 2824, normalized size = 8.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{6} \cdot (3 \cdot 2^{2/3}) \cdot (-2 \cdot I \cdot A \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - 2 \cdot I \cdot A) \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{2/3} \cdot e^{(4/3 \cdot I \cdot d \cdot x + 4/3 \cdot I \cdot c)} + 6 \cdot (1/2)^{1/3} \cdot (d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^2 / d^3)^{1/3} \cdot \log((2^{1/3} \cdot (A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot d \cdot x + 2/3 \cdot I \cdot c)} + 2 \cdot (1/2)^{2/3} \cdot d^2 \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^2 / d^3)^{2/3})) / ((A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a) + 3 \cdot (1/2)^{1/3} \cdot ((I \cdot \sqrt{3}) \cdot d - d) \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - I \cdot \sqrt{3} \cdot d + d) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^2 / d^3)^{1/3} \cdot \log((2^{1/3} \cdot (A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot d \cdot x + 2/3 \cdot I \cdot c)} - (1/2)^{2/3} \cdot (I \cdot \sqrt{3}) \cdot d^2 + d^2) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^2 / d^3)^{2/3})) / ((A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a) + 3 \cdot (1/2)^{1/3} \cdot ((-I \cdot \sqrt{3}) \cdot d - d) \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I \cdot \sqrt{3} \cdot d + d) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^2 / d^3)^{1/3} \cdot \log((2^{1/3} \cdot (A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot d \cdot x + 2/3 \cdot I \cdot c)} - (1/2)^{2/3} \cdot (-I \cdot \sqrt{3}) \cdot d^2 + d^2) \cdot ((I \cdot A^3 + 3 \cdot A^2 \cdot B - 3 \cdot I \cdot A \cdot B^2 - B^3) \cdot a^2 / d^3)^{2/3})) / ((A^2 - 2 \cdot I \cdot A \cdot B - B^2) \cdot a) + ((-I \cdot \sqrt{3}) \cdot d - d) \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + I \cdot \sqrt{3} \cdot d + d) \cdot ((-8 \cdot I \cdot A^3 - 36 \cdot A^2 \cdot B + 54 \cdot I \cdot A \cdot B^2 + 27 \cdot B^3) \cdot a^2 / d^3)^{1/3} \cdot \log((2^{1/3} \cdot (8 \cdot A^2 - 24 \cdot I \cdot A \cdot B - 18 \cdot B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot d \cdot x + 2/3 \cdot I \cdot c)} + (I \cdot \sqrt{3}) \cdot d^2 - d^2) \cdot ((-8 \cdot I \cdot A^3 - 36 \cdot A^2 \cdot B + 54 \cdot I \cdot A \cdot B^2 + 27 \cdot B^3) \cdot a^2 / d^3)^{2/3})) / ((8 \cdot A^2 - 24 \cdot I \cdot A \cdot B - 18 \cdot B^2) \cdot a) + ((I \cdot \sqrt{3}) \cdot d - d) \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - I \cdot \sqrt{3} \cdot d + d) \cdot ((-8 \cdot I \cdot A^3 - 36 \cdot A^2 \cdot B + 54 \cdot I \cdot A \cdot B^2 + 27 \cdot B^3) \cdot a^2 / d^3)^{1/3} \cdot \log((2^{1/3} \cdot (8 \cdot A^2 - 24 \cdot I \cdot A \cdot B - 18 \cdot B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot d \cdot x + 2/3 \cdot I \cdot c)} + (-I \cdot \sqrt{3}) \cdot d^2 - d^2) \cdot ((-8 \cdot I \cdot A^3 - 36 \cdot A^2 \cdot B + 54 \cdot I \cdot A \cdot B^2 + 27 \cdot B^3) \cdot a^2 / d^3)^{2/3})) / ((8 \cdot A^2 - 24 \cdot I \cdot A \cdot B - 18 \cdot B^2) \cdot a) + 2 \cdot (d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d) \cdot ((-8 \cdot I \cdot A^3 - 36 \cdot A^2 \cdot B + 54 \cdot I \cdot A \cdot B^2 + 27 \cdot B^3) \cdot a^2 / d^3)^{1/3} \cdot \log((2^{1/3} \cdot (4 \cdot A^2 - 12 \cdot I \cdot A \cdot B - 9 \cdot B^2) \cdot a \cdot (a / (e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} + 1))^{1/3} \cdot e^{(2/3 \cdot I \cdot d \cdot x + 2/3 \cdot I \cdot c)} + d^2 \cdot ((-8 \cdot I \cdot A^3 - 36 \cdot A^2 \cdot B + 54 \cdot I \cdot A \cdot B^2 + 27 \cdot B^3) \cdot a^2 / d^3)^{2/3})) / ((4 \cdot A^2 - 12 \cdot I \cdot A \cdot B - 9 \cdot B^2) \cdot a)) / (d \cdot e^{(2 \cdot I \cdot d \cdot x + 2 \cdot I \cdot c)} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+I*a*tan(d*x+c))**(2/3)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{2}{3}} \cot(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorit  
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(2/3)*cot(d*x + c)^2,  
x)
```

$$3.202 \quad \int \frac{A+B \tan(c+dx)}{\sqrt[3]{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=213

$$\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt[3]{2}\sqrt[3]{ad}} + \frac{3(-B+iA)}{2d\sqrt[3]{a+ia \tan(c+dx)}} + \frac{3(B+iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{4\sqrt[3]{2}\sqrt[3]{ad}} + \frac{(B+iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{4\sqrt[3]{2}\sqrt[3]{ad}}$$

[Out] $-\left(\frac{(A - I*B)*x}{(4*2^{(1/3)}*a^{(1/3)})} + \frac{(\text{Sqrt}[3]*(I*A + B)*\text{ArcTan}[(a^{(1/3)} + 2^{(2/3)}*(a + I*a*\text{Tan}[c + d*x])^{(1/3)})]/(\text{Sqrt}[3]*a^{(1/3)})]}{(2*2^{(1/3)}*a^{(1/3)}*d)} + \frac{(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]}{(4*2^{(1/3)}*a^{(1/3)}*d)} + \frac{3*(I*A + B)*\text{Log}[2^{(1/3)}*a^{(1/3)} - (a + I*a*\text{Tan}[c + d*x])^{(1/3)}]}{(4*2^{(1/3)}*a^{(1/3)}*d)} + \frac{3*(I*A - B)}{(2*d*(a + I*a*\text{Tan}[c + d*x])^{(1/3)})}\right)$

Rubi [A] time = 0.158228, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3526, 3481, 55, 617, 204, 31}

$$\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt[3]{2}\sqrt[3]{ad}} + \frac{3(-B+iA)}{2d\sqrt[3]{a+ia \tan(c+dx)}} + \frac{3(B+iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{4\sqrt[3]{2}\sqrt[3]{ad}} + \frac{(B+iA) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{4\sqrt[3]{2}\sqrt[3]{ad}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(a + I*a*\text{Tan}[c + d*x])^{(1/3)}, x]$

[Out] $-\left(\frac{(A - I*B)*x}{(4*2^{(1/3)}*a^{(1/3)})} + \frac{(\text{Sqrt}[3]*(I*A + B)*\text{ArcTan}[(a^{(1/3)} + 2^{(2/3)}*(a + I*a*\text{Tan}[c + d*x])^{(1/3)})]/(\text{Sqrt}[3]*a^{(1/3)})]}{(2*2^{(1/3)}*a^{(1/3)}*d)} + \frac{(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]}{(4*2^{(1/3)}*a^{(1/3)}*d)} + \frac{3*(I*A + B)*\text{Log}[2^{(1/3)}*a^{(1/3)} - (a + I*a*\text{Tan}[c + d*x])^{(1/3)}]}{(4*2^{(1/3)}*a^{(1/3)}*d)} + \frac{3*(I*A - B)}{(2*d*(a + I*a*\text{Tan}[c + d*x])^{(1/3)})}\right)$

Rule 3526

$\text{Int}[(a + (b*\text{Tan}[e + f*x])^m)^n, x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^m/(2*a*f*m), x] + \text{Dist}[(b*c + a*d)/(2*a*b), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 3481

$\text{Int}[(a + (b*\text{Tan}[c + d*x])^n)^m, x_Symbol] \rightarrow -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{n-1}/(a - x), x], x, b*\text{Tan}[c + d*x]], x] /;$ $\text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 55

$\text{Int}[1/((a + (b*\text{Tan}[c + d*x])^n)^m), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q), x] + (\text{Dist}[3/(2*b), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{(1/3)}], x] - \text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{(1/3)}], x]) /;$ $\text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{PosQ}[(b*c - a*d)/b]$

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt[3]{a + ia \tan(c + dx)}} dx &= \frac{3(iA - B)}{2d\sqrt[3]{a + ia \tan(c + dx)}} + \frac{(A - iB) \int (a + ia \tan(c + dx))^{2/3} dx}{2a} \\ &= \frac{3(iA - B)}{2d\sqrt[3]{a + ia \tan(c + dx)}} - \frac{(iA + B) \operatorname{Subst}\left(\int \frac{1}{(a-x)\sqrt[3]{a+x}} dx, x, ia \tan(c + dx)\right)}{2d} \\ &= -\frac{(A - iB)x}{4\sqrt[3]{2}\sqrt[3]{a}} + \frac{(iA + B) \log(\cos(c + dx))}{4\sqrt[3]{2}\sqrt[3]{ad}} + \frac{3(iA - B)}{2d\sqrt[3]{a + ia \tan(c + dx)}} + \frac{(3(iA + B)) \operatorname{Subst}\left(\int \frac{1}{(a-x)\sqrt[3]{a+x}} dx, x, ia \tan(c + dx)\right)}{2d} \\ &= -\frac{(A - iB)x}{4\sqrt[3]{2}\sqrt[3]{a}} + \frac{(iA + B) \log(\cos(c + dx))}{4\sqrt[3]{2}\sqrt[3]{ad}} + \frac{3(iA + B) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{4\sqrt[3]{2}\sqrt[3]{ad}} \\ &= -\frac{(A - iB)x}{4\sqrt[3]{2}\sqrt[3]{a}} + \frac{\sqrt{3}(iA + B) \tan^{-1}\left(\frac{1 + \frac{2^{2/3}\sqrt[3]{a+ia \tan(c+dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{2\sqrt[3]{2}\sqrt[3]{ad}} + \frac{(iA + B) \log(\cos(c + dx))}{4\sqrt[3]{2}\sqrt[3]{ad}} + \frac{3(iA + B) \log\left(\sqrt[3]{2}\sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{4\sqrt[3]{2}\sqrt[3]{ad}} \end{aligned}$$

Mathematica [C] time = 1.07252, size = 137, normalized size = 0.64

$$\frac{3ie^{-2i(c+dx)} \left(\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right)^{2/3} \left((A - iB)e^{2i(c+dx)} \operatorname{Hypergeometric2F1}\left(\frac{2}{3}, 1, \frac{5}{3}, \frac{e^{2i(c+dx)}}{1+e^{2i(c+dx)}}\right) - 2(A + iB)(1 + e^{2i(c+dx)})\right)}{4\sqrt[3]{2}ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(1/3), x]
```

```
[Out] (((-3*I)/4)*((a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^(2/3)*(-2*(
A + I*B)*(1 + E^((2*I)*(c + d*x))) + (A - I*B)*E^((2*I)*(c + d*x))*Hypergeo
metric2F1[2/3, 1, 5/3, E^((2*I)*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]))/(2^
(1/3)*a*d*E^((2*I)*(c + d*x)))
```

Maple [A] time = 0.02, size = 318, normalized size = 1.5

$$\frac{2^{\frac{2}{3}}B}{4d} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right) \frac{1}{\sqrt[3]{a}} + \frac{i2^{\frac{2}{3}}A}{d} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2}\sqrt[3]{a}\right) \frac{1}{\sqrt[3]{a}} - \frac{2^{\frac{2}{3}}B}{8d} \ln\left((a + ia \tan(dx + c))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/3),x)`

[Out] $\frac{1}{4}d^{2/3}/a^{1/3} \ln((a+Ia \tan(dx+c))^{1/3} - 2^{1/3}a^{1/3}) * B + \frac{1}{4}I/d^{2/3}/a^{1/3} \ln((a+Ia \tan(dx+c))^{1/3} - 2^{1/3}a^{1/3}) * A - \frac{1}{8}d^{2/3}/a^{1/3} \ln((a+Ia \tan(dx+c))^{2/3} + 2^{1/3}a^{1/3} * (a+Ia \tan(dx+c))^{1/3} + 2^{2/3}a^{2/3}) * B - \frac{1}{8}I/d^{2/3}/a^{1/3} \ln((a+Ia \tan(dx+c))^{2/3} + 2^{1/3}a^{1/3} * (a+Ia \tan(dx+c))^{1/3} + 2^{2/3}a^{2/3}) * A + \frac{1}{4}d^{3^{1/2}} * 2^{2/3}/a^{1/3} * \arctan(1/3 * 3^{1/2} * (2^{2/3}/a^{1/3} * (a+Ia \tan(dx+c))^{1/3} + 1)) * B + \frac{1}{4}I/d^{3^{1/2}} * 2^{2/3}/a^{1/3} * \arctan(1/3 * 3^{1/2} * (2^{2/3}/a^{1/3} * (a+Ia \tan(dx+c))^{1/3} + 1)) * A - \frac{3}{2}d/(a+Ia \tan(dx+c))^{1/3} * B + \frac{3}{2}I/d/(a+Ia \tan(dx+c))^{1/3} * A$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.77855, size = 1503, normalized size = 7.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/3),x, algorithm="fricas")`

[Out] $\frac{1}{8} * (4^{1/2})^{1/3} * a * d * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) / (a * d^3))^{1/3} * e^{(2 * I * d * x + 2 * I * c)} * \log((2^{1/2})^{2/3} * a * d^2 * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) / (a * d^3))^{2/3} + 2^{1/3} * (A^2 - 2 * I * A * B - B^2) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{1/3} * e^{(2/3 * I * d * x + 2/3 * I * c)}) / (A^2 - 2 * I * A * B - B^2) + (1/2)^{1/3} * (2 * I * \sqrt{3} * a * d - 2 * a * d) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) / (a * d^3))^{1/3} * e^{(2 * I * d * x + 2 * I * c)} * \log(1/4 * (4 * 2^{1/3}) * (A^2 - 2 * I * A * B - B^2) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{1/3} * e^{(2/3 * I * d * x + 2/3 * I * c)} - (1/2)^{2/3} * (4 * I * \sqrt{3} * a * d^2 + 4 * a * d^2) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) / (a * d^3))^{2/3}) / (A^2 - 2 * I * A * B - B^2) + (1/2)^{1/3} * (-2 * I * \sqrt{3} * a * d - 2 * a * d) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) / (a * d^3))^{1/3} * e^{(2 * I * d * x + 2 * I * c)} * \log(1/4 * (4 * 2^{1/3}) * (A^2 - 2 * I * A * B - B^2) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{1/3} * e^{(2/3 * I * d * x + 2/3 * I * c)} - (1/2)^{2/3} * (-4 * I * \sqrt{3} * a * d^2 + 4 * a * d^2) * ((-I * A^3 - 3 * A^2 * B + 3 * I * A * B^2 + B^3) / (a * d^3))^{2/3}) / (A^2 - 2 * I * A * B - B^2) + 2 * 2^{2/3} * ((3 * I * A - 3 * B) * e^{(2 * I * d * x + 2 * I * c)} + 3 * I * A - 3 * B) * (a / (e^{(2 * I * d * x + 2 * I * c)} + 1))^{2/3} * e^{(4/3 * I * d * x + 4/3 * I * c)} * e^{(-2 * I * d * x - 2 * I * c)} / (a * d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt[3]{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/3),x)

[Out] Integral((A + B*tan(c + d*x))/(a*(I*tan(c + d*x) + 1))**(1/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/(I*a*tan(d*x + c) + a)^(1/3), x)

3.203 $\int \frac{A+B \tan(c+dx)}{(a+ia \tan(c+dx))^{2/3}} dx$

Optimal. Leaf size=213

$$-\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}} \sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3} \sqrt[3]{a}}\right)}{2 \cdot 2^{2/3} a^{2/3} d} + \frac{3(B+iA) \log\left(\sqrt[3]{2} \sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{4 \cdot 2^{2/3} a^{2/3} d} + \frac{(B+iA) \log(\cos(c+dx))}{4 \cdot 2^{2/3} a^{2/3} d}$$

[Out] $-\left(\frac{(A - I*B)*x}{4*2^{2/3}*a^{2/3}} - \frac{(\text{Sqrt}[3]*(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3}]/(\text{Sqrt}[3]*a^{1/3}))]}{2*2^{2/3}*a^{2/3}*d} + \frac{(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]}{4*2^{2/3}*a^{2/3}*d} + \frac{3*(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}]}{4*2^{2/3}*a^{2/3}*d} + \frac{3*(I*A - B)}{4*d*(a + I*a*\text{Tan}[c + d*x])^{2/3}}\right)$

Rubi [A] time = 0.159795, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3526, 3481, 57, 617, 204, 31}

$$-\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{\sqrt[3]{a+2^{2/3}} \sqrt[3]{a+ia \tan(c+dx)}}{\sqrt{3} \sqrt[3]{a}}\right)}{2 \cdot 2^{2/3} a^{2/3} d} + \frac{3(B+iA) \log\left(\sqrt[3]{2} \sqrt[3]{a} - \sqrt[3]{a+ia \tan(c+dx)}\right)}{4 \cdot 2^{2/3} a^{2/3} d} + \frac{(B+iA) \log(\cos(c+dx))}{4 \cdot 2^{2/3} a^{2/3} d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(a + I*a*\text{Tan}[c + d*x])^{2/3}, x]$

[Out] $-\left(\frac{(A - I*B)*x}{4*2^{2/3}*a^{2/3}} - \frac{(\text{Sqrt}[3]*(I*A + B)*\text{ArcTan}[(a^{1/3} + 2^{2/3}*(a + I*a*\text{Tan}[c + d*x])^{1/3}]/(\text{Sqrt}[3]*a^{1/3}))]}{2*2^{2/3}*a^{2/3}*d} + \frac{(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]}{4*2^{2/3}*a^{2/3}*d} + \frac{3*(I*A + B)*\text{Log}[2^{1/3}*a^{1/3} - (a + I*a*\text{Tan}[c + d*x])^{1/3}]}{4*2^{2/3}*a^{2/3}*d} + \frac{3*(I*A - B)}{4*d*(a + I*a*\text{Tan}[c + d*x])^{2/3}}\right)$

Rule 3526

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((c_ + (d_)*\text{tan}[(e_ + (f_)*(x_)])), x_Symbol] := -\text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^m]/(2*a*f*m), x] + \text{Dist}[(b*c + a*d)/(2*a*b), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, 0]$

Rule 3481

$\text{Int}[(a_ + (b_)*\text{tan}[(c_ + (d_)*(x_)]))^{(n_)}, x_Symbol] := -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{(n - 1)}/(a - x), x], x, b*\text{Tan}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 57

$\text{Int}[1/((a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{2/3}), x_Symbol] := \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q^2), x] + (-\text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{1/3}], x] - \text{Dist}[3/(2*b*q^2), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{1/3}], x])] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{PosQ}[(b*c - a*d)/b]$

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{(a + ia \tan(c + dx))^{2/3}} dx &= \frac{3(iA - B)}{4d(a + ia \tan(c + dx))^{2/3}} + \frac{(A - iB) \int \sqrt[3]{a + ia \tan(c + dx)} dx}{2a} \\ &= \frac{3(iA - B)}{4d(a + ia \tan(c + dx))^{2/3}} - \frac{(iA + B) \operatorname{Subst}\left(\int \frac{1}{(a-x)(a+x)^{2/3}} dx, x, ia \tan(c + dx)\right)}{2d} \\ &= -\frac{(A - iB)x}{4 \cdot 2^{2/3} a^{2/3}} + \frac{(iA + B) \log(\cos(c + dx))}{4 \cdot 2^{2/3} a^{2/3} d} + \frac{3(iA - B)}{4d(a + ia \tan(c + dx))^{2/3}} - \frac{(3(iA + B)) \operatorname{Subst}\left(\int \frac{1}{(a-x)(a+x)^{2/3}} dx, x, ia \tan(c + dx)\right)}{2d} \\ &= -\frac{(A - iB)x}{4 \cdot 2^{2/3} a^{2/3}} + \frac{(iA + B) \log(\cos(c + dx))}{4 \cdot 2^{2/3} a^{2/3} d} + \frac{3(iA + B) \log\left(\sqrt[3]{2} \sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{4 \cdot 2^{2/3} a^{2/3} d} \\ &= -\frac{(A - iB)x}{4 \cdot 2^{2/3} a^{2/3}} - \frac{\sqrt{3}(iA + B) \tan^{-1}\left(\frac{1 + \frac{2^{2/3} \sqrt[3]{a + ia \tan(c + dx)}}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{2 \cdot 2^{2/3} a^{2/3} d} + \frac{(iA + B) \log(\cos(c + dx))}{4 \cdot 2^{2/3} a^{2/3} d} + \frac{3(iA + B) \log\left(\sqrt[3]{2} \sqrt[3]{a} - \sqrt[3]{a + ia \tan(c + dx)}\right)}{4 \cdot 2^{2/3} a^{2/3} d} \end{aligned}$$

Mathematica [F] time = 0.628965, size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + ia \tan(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(2/3), x]
```

```
[Out] Integrate[(A + B*Tan[c + d*x])/(a + I*a*Tan[c + d*x])^(2/3), x]
```

Maple [A] time = 0.02, size = 318, normalized size = 1.5

$$\frac{\sqrt[3]{2}B}{4d} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2} \sqrt[3]{a}\right) a^{-\frac{2}{3}} + \frac{i \sqrt[3]{2}A}{4d} \ln\left(\sqrt[3]{a + ia \tan(dx + c)} - \sqrt[3]{2} \sqrt[3]{a}\right) a^{-\frac{2}{3}} - \frac{\sqrt[3]{2}B}{8d} \ln\left((a + ia \tan(dx + c))^{2/3} - \sqrt[3]{2} \sqrt[3]{a} (a + ia \tan(dx + c))^{1/3} + \sqrt[3]{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(2/3), x)
```

```
[Out] 1/4/d*2^(1/3)/a^(2/3)*ln((a+I*a*tan(d*x+c))^(1/3)-2^(1/3)*a^(1/3))*B+1/4*I/d*2^(1/3)/a^(2/3)*ln((a+I*a*tan(d*x+c))^(1/3)-2^(1/3)*a^(1/3))*A-1/8/d*2^(1/3)/a^(2/3)*ln((a+I*a*tan(d*x+c))^(2/3)+2^(1/3)*a^(1/3)*(a+I*a*tan(d*x+c))^(1/3)+2^(2/3)*a^(2/3))*B-1/8*I/d*2^(1/3)/a^(2/3)*ln((a+I*a*tan(d*x+c))^(2/3)+2^(1/3)*a^(1/3)*(a+I*a*tan(d*x+c))^(1/3)+2^(2/3)*a^(2/3))*A-1/4/d*2^(1/3)/a^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2^(2/3)/a^(1/3)*(a+I*a*tan(d*x+c))^(1/3)+1))*B-1/4*I/d*2^(1/3)/a^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2^(2/3)/a^(1/3)*(a+I*a*tan(d*x+c))^(1/3)+1))*A+3/4*I/d/(a+I*a*tan(d*x+c))^(2/3)*A-3/4/d/(a+I*a*tan(d*x+c))^(2/3)*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(2/3),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.73408, size = 1411, normalized size = 6.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(2/3),x, algorithm="fricas")
```

```
[Out] 1/16*(8*(1/4)^(1/3)*a*d*((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(a^2*d^3))^(1/3)*e^(2*I*d*x + 2*I*c)*log(-(2*(1/4)^(1/3)*a*d*((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(a^2*d^3))^(1/3) - 2^(1/3)*(I*A + B)*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c))/(I*A + B) + (1/4)^(1/3)*(-4*I*sqrt(3)*a*d - 4*a*d)*((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(a^2*d^3))^(1/3)*e^(2*I*d*x + 2*I*c)*log(1/2*(2*2^(1/3)*(I*A + B)*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c) + (1/4)^(1/3)*(2*I*sqrt(3)*a*d + 2*a*d)*((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(a^2*d^3))^(1/3))/(I*A + B) + (1/4)^(1/3)*(4*I*sqrt(3)*a*d - 4*a*d)*((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(a^2*d^3))^(1/3)*e^(2*I*d*x + 2*I*c)*log(1/2*(2*2^(1/3)*(I*A + B)*(a/(e^(2*I*d*x + 2*I*c) + 1)))^(1/3)*e^(2/3*I*d*x + 2/3*I*c) + (1/4)^(1/3)*(-2*I*sqrt(3)*a*d + 2*a*d)*((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(a^2*d^3))^(1/3))/(I*A + B) + 2*2^(1/3)*((3*I*A - 3*B)*e^(2*I*d*x + 2*I*c) + 3*I*A - 3*B)*(a/(e^(2*I*d*x + 2*I*c) + 1))^(1/3)*e^(2/3*I*d*x + 2/3*I*c))*e^(-2*I*d*x - 2*I*c)/(a*d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a(i \tan(c + dx) + 1))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(2/3),x)
```


[Out] Integral((A + B*tan(c + d*x))/(a*(I*tan(c + d*x) + 1))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/(I*a*tan(d*x + c) + a)^(2/3), x)

3.204 $\int \tan^m(c+dx)(a+ia \tan(c+dx))^4(A+B \tan(c+dx)) dx$

Optimal. Leaf size=290

$$\frac{8a^4(A-iB) \tan^{m+1}(c+dx) \text{Hypergeometric2F1}(1, m+1, m+2, i \tan(c+dx))}{d(m+1)} - \frac{2a^4(A(2m^3+19m^2+60m+64) - iB(2m^3+19m^2+60m+64))}{d(m+1)(m+2)(m+3)(m+4)}$$

[Out] $(-2a^4(A(64+60m+19m^2+2m^3) - IB(67+60m+19m^2+2m^3)) * \text{Tan}[c+dx]^{(1+m)}) / (d(1+m)(2+m)(3+m)(4+m)) + (8a^4(A - IB) * \text{Hypergeometric2F1}[1, 1+m, 2+m, I * \text{Tan}[c+dx]] * \text{Tan}[c+dx]^{(1+m)}) / (d(1+m)) + (I * a * B * \text{Tan}[c+dx]^{(1+m)} * (a + I * a * \text{Tan}[c+dx])^3) / (d(4+m)) - ((A(4+m) - IB(7+m)) * \text{Tan}[c+dx]^{(1+m)} * (a^2 + I * a^2 * \text{Tan}[c+dx])^2) / (d(3+m)(4+m)) - (2 * (A(4+m)^2 - IB(19+8m+m^2)) * \text{Tan}[c+dx]^{(1+m)} * (a^4 + I * a^4 * \text{Tan}[c+dx])) / (d(2+m)(3+m)(4+m))$

Rubi [A] time = 1.06804, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3594, 3592, 3537, 12, 64}

$$\frac{8a^4(A-iB) \tan^{m+1}(c+dx) {}_2F_1(1, m+1; m+2; i \tan(c+dx))}{d(m+1)} - \frac{2a^4(A(2m^3+19m^2+60m+64) - iB(2m^3+19m^2+60m+64))}{d(m+1)(m+2)(m+3)(m+4)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c+dx]^m * (a + I * a * \text{Tan}[c+dx])^4 * (A + B * \text{Tan}[c+dx]), x]$

[Out] $(-2a^4(A(64+60m+19m^2+2m^3) - IB(67+60m+19m^2+2m^3)) * \text{Tan}[c+dx]^{(1+m)}) / (d(1+m)(2+m)(3+m)(4+m)) + (8a^4(A - IB) * \text{Hypergeometric2F1}[1, 1+m, 2+m, I * \text{Tan}[c+dx]] * \text{Tan}[c+dx]^{(1+m)}) / (d(1+m)) + (I * a * B * \text{Tan}[c+dx]^{(1+m)} * (a + I * a * \text{Tan}[c+dx])^3) / (d(4+m)) - ((A(4+m) - IB(7+m)) * \text{Tan}[c+dx]^{(1+m)} * (a^2 + I * a^2 * \text{Tan}[c+dx])^2) / (d(3+m)(4+m)) - (2 * (A(4+m)^2 - IB(19+8m+m^2)) * \text{Tan}[c+dx]^{(1+m)} * (a^4 + I * a^4 * \text{Tan}[c+dx])) / (d(2+m)(3+m)(4+m))$

Rule 3594

$\text{Int}[(a_.) + (b_.) * \text{tan}[(e_.) + (f_.) * (x_.)]^{(m_.)} * ((A_.) + (B_.) * \text{tan}[(e_.) + (f_.) * (x_.)])^{(n_.)}], x_Symbol] :> \text{Simp}[(b * B * (a + b * \text{Tan}[e + f * x])^{(m-1)} * (c + d * \text{Tan}[e + f * x])^{(n+1)}) / (d * f * (m+n)), x] + \text{Dist}[1 / (d * (m+n)), \text{Int}[(a + b * \text{Tan}[e + f * x])^{(m-1)} * (c + d * \text{Tan}[e + f * x])^n * \text{Simp}[a * A * d * (m+n) + B * (a * c * (m-1) - b * d * (n+1)) - (B * (b * c - a * d) * (m-1) - d * (A * b + a * B) * (m+n)) * \text{Tan}[e + f * x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& !\text{LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_.) + (b_.) * \text{tan}[(e_.) + (f_.) * (x_.)]^{(m_.)} * ((A_.) + (B_.) * \text{tan}[(e_.) + (f_.) * (x_.)])^{(n_.)}], x_Symbol] :> \text{Simp}[(B * d * (a + b * \text{Tan}[e + f * x])^{(m+1)}) / (b * f * (m+1)), x] + \text{Int}[(a + b * \text{Tan}[e + f * x])^m * \text{Simp}[A * c - B * d + (B * c + A * d) * \text{Tan}[e + f * x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b * c - a * d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 64

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*x)/c])/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0])))
```

Rubi steps

$$\begin{aligned} \int \tan^m(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx &= \frac{iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^3}{d(4 + m)} + \frac{\int \tan^m(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx}{d(4 + m)} \\ &= \frac{iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^3}{d(4 + m)} - \frac{(A(4 + m) - iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^3)}{d(4 + m)} \\ &= \frac{iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^3}{d(4 + m)} - \frac{(A(4 + m) - iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^3)}{d(4 + m)} \\ &= -\frac{2a^4(A(64 + 60m + 19m^2 + 2m^3) - iB(67 + 60m + 19m^2 + 2m^3))}{d(1 + m)(24 + 26m + 9m^2 + 2m^3)} \\ &= -\frac{2a^4(A(64 + 60m + 19m^2 + 2m^3) - iB(67 + 60m + 19m^2 + 2m^3))}{d(1 + m)(24 + 26m + 9m^2 + 2m^3)} \\ &= -\frac{2a^4(A(64 + 60m + 19m^2 + 2m^3) - iB(67 + 60m + 19m^2 + 2m^3))}{d(1 + m)(24 + 26m + 9m^2 + 2m^3)} \\ &= -\frac{2a^4(A(64 + 60m + 19m^2 + 2m^3) - iB(67 + 60m + 19m^2 + 2m^3))}{d(1 + m)(24 + 26m + 9m^2 + 2m^3)} \end{aligned}$$

Mathematica [F] time = 19.6468, size = 0, normalized size = 0.

$$\int \tan^m(c + dx)(a + ia \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

```
[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

Maple [F] time = 0.532, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + ia \tan(dx + c))^4 (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^4 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^4*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{16 \left((A - iB)a^4 e^{(10i dx + 10i c)} + (A + iB)a^4 e^{(8i dx + 8i c)} \right) \left(\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1} \right)^m}{e^{(10i dx + 10i c)} + 5 e^{(8i dx + 8i c)} + 10 e^{(6i dx + 6i c)} + 10 e^{(4i dx + 4i c)} + 5 e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(16*((A - I*B)*a^4*e^(10*I*d*x + 10*I*c) + (A + I*B)*a^4*e^(8*I*d*x + 8*I*c))*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m/(e^(10*I*d*x + 10*I*c) + 5*e^(8*I*d*x + 8*I*c) + 10*e^(6*I*d*x + 6*I*c) + 10*e^(4*I*d*x + 4*I*c) + 5*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A \tan^m(c + dx) dx + \int -6A \tan^2(c + dx) \tan^m(c + dx) dx + \int A \tan^4(c + dx) \tan^m(c + dx) dx + \int B \tan(c + dx) \tan^m(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] a**4*(Integral(A*tan(c + d*x)**m, x) + Integral(-6*A*tan(c + d*x)**2*tan(c + d*x)**m, x) + Integral(A*tan(c + d*x)**4*tan(c + d*x)**m, x) + Integral(B*tan(c + d*x)*tan(c + d*x)**m, x) + Integral(-6*B*tan(c + d*x)**3*tan(c + d*x)**m, x) + Integral(B*tan(c + d*x)**5*tan(c + d*x)**m, x) + Integral(4*I*

$A \cdot \tan(c + d \cdot x) \cdot \tan(c + d \cdot x)^{m, x} + \text{Integral}(-4 \cdot I \cdot A \cdot \tan(c + d \cdot x)^{3 \cdot \tan(c + d \cdot x)^{m, x}} + \text{Integral}(4 \cdot I \cdot B \cdot \tan(c + d \cdot x)^{2 \cdot \tan(c + d \cdot x)^{m, x}} + \text{Integral}(-4 \cdot I \cdot B \cdot \tan(c + d \cdot x)^{4 \cdot \tan(c + d \cdot x)^{m, x}})$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^4 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^4*tan(d*x + c)^m, x)

3.205 $\int \tan^m(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$

Optimal. Leaf size=205

$$\frac{4a^3(A-iB) \tan^{m+1}(c+dx) \operatorname{Hypergeometric2F1}(1, m+1, m+2, i \tan(c+dx))}{d(m+1)} - \frac{a^3(A(2m^2+11m+15) - iB(2m^2 + d(m+1)(m+2)))}{d(m+1)(m+2)}$$

```
[Out] -((a^3*(A*(15 + 11*m + 2*m^2) - I*B*(17 + 11*m + 2*m^2))*Tan[c + d*x]^(1 + m))/(d*(1 + m)*(2 + m)*(3 + m))) + (4*a^3*(A - I*B)*Hypergeometric2F1[1, 1 + m, 2 + m, I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + (I*a*B*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^2)/(d*(3 + m)) - ((A*(3 + m) - I*B*(5 + m))*Tan[c + d*x]^(1 + m)*(a^3 + I*a^3*Tan[c + d*x]))/(d*(2 + m)*(3 + m))
```

Rubi [A] time = 0.642078, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3594, 3592, 3537, 12, 64}

$$\frac{4a^3(A-iB) \tan^{m+1}(c+dx) {}_2F_1(1, m+1; m+2; i \tan(c+dx))}{d(m+1)} - \frac{a^3(A(2m^2+11m+15) - iB(2m^2+11m+17)) \tan^{m+1}(c+dx)}{d(m+1)(m+2)(m+3)}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] -((a^3*(A*(15 + 11*m + 2*m^2) - I*B*(17 + 11*m + 2*m^2))*Tan[c + d*x]^(1 + m))/(d*(1 + m)*(2 + m)*(3 + m))) + (4*a^3*(A - I*B)*Hypergeometric2F1[1, 1 + m, 2 + m, I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + (I*a*B*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^2)/(d*(3 + m)) - ((A*(3 + m) - I*B*(5 + m))*Tan[c + d*x]^(1 + m)*(a^3 + I*a^3*Tan[c + d*x]))/(d*(2 + m)*(3 + m))
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3537

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
```

*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0])))

Rubi steps

$$\int \tan^m(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx = \frac{iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^2}{d(3 + m)} + \frac{\int \tan^m(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx}{d(3 + m)}$$

$$= \frac{iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^2}{d(3 + m)} - \frac{(A(3 + m) - iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^2)}{d(3 + m)}$$

$$= -\frac{a^3(A(15 + 11m + 2m^2) - iB(17 + 11m + 2m^2)) \tan^{1+m}(c + dx)}{d(1 + m)(6 + 5m + m^2)}$$

$$= -\frac{a^3(A(15 + 11m + 2m^2) - iB(17 + 11m + 2m^2)) \tan^{1+m}(c + dx)}{d(1 + m)(6 + 5m + m^2)}$$

$$= -\frac{a^3(A(15 + 11m + 2m^2) - iB(17 + 11m + 2m^2)) \tan^{1+m}(c + dx)}{d(1 + m)(6 + 5m + m^2)}$$

$$= -\frac{a^3(A(15 + 11m + 2m^2) - iB(17 + 11m + 2m^2)) \tan^{1+m}(c + dx)}{d(1 + m)(6 + 5m + m^2)}$$

Mathematica [A] time = 10.8678, size = 374, normalized size = 1.82

$$ie^{ic} \left(-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}} \right)^m \left(\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{-m} \cos^4(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) \left(2e^{-4ic}(m + 3)(A - iB) \right) (-1 + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] ((-I/2)*E^(I*c)*(((I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*Cos[c + d*x]^4*(((4*I)*B*(-1 + E^((2*I)*(c + d*x))))^(1 + m)*(1 + E^((2*I)*(c + d*x))))^(-3 - m)*(1 + 2*E^((2*I)*(c + d*x)))*(2 + m) + E^((4*I)*(c + d*x))*(7 + 8*m + 2*m^2))/E^((4*I)*c) + (2*(A - I*B)*(-1 + E^((2*I)*(c + d*x))))^(1 + m)*(3 + m)*((1 + E^((2*I)*(c + d*x))))^(-2 - m)*(-5 - 2*m - E^((2*I)*(c + d*x))*(7 + 4*m)) + 2^(1 - m)*(2 + m)*Hypergeometric2F1[1 + m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2]])/E^((4*I)*c)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x])/((d*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*(1 + m)*(2 + m)*(3 + m)*(Cos[d*x] + I*Sin[d*x])^3*(A*Cos[c + d*x] + I*B*Sin[c + d*x])^3

] + B*Sin[c + d*x]))

Maple [F] time = 0.383, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + ia \tan(dx + c))^3 (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^3 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{8 \left((A - iB)a^3 e^{(8i dx + 8i c)} + (A + iB)a^3 e^{(6i dx + 6i c)} \right) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c) + 1}} \right)^m}{e^{(8i dx + 8i c)} + 4 e^{(6i dx + 6i c)} + 6 e^{(4i dx + 4i c)} + 4 e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(8*((A - I*B)*a^3*e^(8*I*d*x + 8*I*c) + (A + I*B)*a^3*e^(6*I*d*x + 6*I*c))*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m/(e^(8*I*d*x + 8*I*c) + 4*e^(6*I*d*x + 6*I*c) + 6*e^(4*I*d*x + 4*I*c) + 4*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \tan^m(c + dx) dx + \int -3A \tan^2(c + dx) \tan^m(c + dx) dx + \int B \tan(c + dx) \tan^m(c + dx) dx + \int -3B \tan^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)


```
[Out] a**3*(Integral(A*tan(c + d*x)**m, x) + Integral(-3*A*tan(c + d*x)**2*tan(c
+ d*x)**m, x) + Integral(B*tan(c + d*x)*tan(c + d*x)**m, x) + Integral(-3*B
*tan(c + d*x)**3*tan(c + d*x)**m, x) + Integral(3*I*A*tan(c + d*x)*tan(c +
d*x)**m, x) + Integral(-I*A*tan(c + d*x)**3*tan(c + d*x)**m, x) + Integral(
3*I*B*tan(c + d*x)**2*tan(c + d*x)**m, x) + Integral(-I*B*tan(c + d*x)**4*t
an(c + d*x)**m, x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^3 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3*tan(d*x + c)^m, x)
```

3.206 $\int \tan^m(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$

Optimal. Leaf size=132

$$\frac{2a^2(A - iB) \tan^{m+1}(c + dx) \text{Hypergeometric2F1}(1, m + 1, m + 2, i \tan(c + dx))}{d(m + 1)} + \frac{ia^2(B + (m + 2)(B + iA)) \tan^{m+1}(c + dx)}{d(m + 1)(m + 2)}$$

```
[Out] (I*a^2*(B + (I*A + B)*(2 + m))*Tan[c + d*x]^(1 + m))/(d*(1 + m)*(2 + m)) +
(2*a^2*(A - I*B)*Hypergeometric2F1[1, 1 + m, 2 + m, I*Tan[c + d*x]]*Tan[c +
d*x]^(1 + m))/(d*(1 + m)) + (I*B*Tan[c + d*x]^(1 + m)*(a^2 + I*a^2*Tan[c +
d*x]))/(d*(2 + m))
```

Rubi [A] time = 0.359607, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3594, 3592, 3537, 12, 64}

$$\frac{2a^2(A - iB) \tan^{m+1}(c + dx) {}_2F_1(1, m + 1; m + 2; i \tan(c + dx))}{d(m + 1)} + \frac{ia^2(B + (m + 2)(B + iA)) \tan^{m+1}(c + dx)}{d(m + 1)(m + 2)} + \frac{iB(a^2 + ia^2)}{d(m + 1)(m + 2)}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] (I*a^2*(B + (I*A + B)*(2 + m))*Tan[c + d*x]^(1 + m))/(d*(1 + m)*(2 + m)) +
(2*a^2*(A - I*B)*Hypergeometric2F1[1, 1 + m, 2 + m, I*Tan[c + d*x]]*Tan[c +
d*x]^(1 + m))/(d*(1 + m)) + (I*B*Tan[c + d*x]^(1 + m)*(a^2 + I*a^2*Tan[c +
d*x]))/(d*(2 + m))
```

Rule 3594

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m +
n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[
e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c -
a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a,
b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && G
tQ[m, 1] && !LtQ[n, -1]
```

Rule 3592

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_)
+ (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(
B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*
x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3537

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\int \tan^m(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx = \frac{iB \tan^{1+m}(c + dx)(a^2 + ia^2 \tan(c + dx))}{d(2 + m)} + \frac{\int \tan^m(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx}{d(2 + m)}$$

$$= \frac{ia^2(B + (iA + B)(2 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{iB \tan^{1+m}(c + dx)}{d(2 + m)}$$

$$= \frac{ia^2(B + (iA + B)(2 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{iB \tan^{1+m}(c + dx)}{d(2 + m)}$$

$$= \frac{ia^2(B + (iA + B)(2 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{iB \tan^{1+m}(c + dx)}{d(2 + m)}$$

$$= \frac{ia^2(B + (iA + B)(2 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{2a^2(A - iB)}{d(1 + m)(2 + m)}$$

Mathematica [B] time = 5.58052, size = 323, normalized size = 2.45

$$\frac{2ie^{2ic} \left(\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}} \right)^m \left(\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}} \right)^{-m} \cos^3(c + dx)(a + ia \tan(c + dx))^2(A + B \tan(c + dx))}{d(\cos(dx) + i \sin(dx))^2(A + B \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] ((-2*I)*E^((2*I)*c)*((-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*Cos[c + d*x]^3*(((1 + E^((2*I)*(c + d*x))))^(1 + m)*(1 + E^((2*I)*(c + d*x))))^(-2 - m)*(-A*m) - I*B*(-1 + E^((2*I)*(c + d*x)))*(1 + m) + A*E^((2*I)*(c + d*x))*(4 + 3*m)))/(2*E^((4*I)*c)*(1 + m)*(2 + m)) + (2^(-3 - m)*(A - I*B)*(-1 + E^((2*I)*(c + d*x))))^(3 + m)*Hypergeometric2F1[3 + m, 3 + m, 4 + m, (1 - E^((2*I)*(c + d*x)))/2]]/(E^((4*I)*c)*(3 + m))*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/(d*((-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [F] time = 0.346, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + ia \tan(dx + c))^2 (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out] `int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^2 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^2*tan(d*x + c)^m, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{4 \left((A - iB)a^2 e^{(6i dx + 6i c)} + (A + iB)a^2 e^{(4i dx + 4i c)} \right) \left(\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1} \right)^m}{e^{(6i dx + 6i c)} + 3 e^{(4i dx + 4i c)} + 3 e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral(4*((A - I*B)*a^2*e^(6*I*d*x + 6*I*c) + (A + I*B)*a^2*e^(4*I*d*x + 4*I*c))*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m/(e^(6*I*d*x + 6*I*c) + 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) + 1), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \tan^m(c + dx) dx + \int -A \tan^2(c + dx) \tan^m(c + dx) dx + \int B \tan(c + dx) \tan^m(c + dx) dx + \int -B \tan^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] `a**2*(Integral(A*tan(c + d*x)**m, x) + Integral(-A*tan(c + d*x)**2*tan(c + d*x)**m, x) + Integral(B*tan(c + d*x)*tan(c + d*x)**m, x) + Integral(-B*tan(c + d*x)**3*tan(c + d*x)**m, x) + Integral(2*I*A*tan(c + d*x)*tan(c + d*x)**m, x) + Integral(2*I*B*tan(c + d*x)**2*tan(c + d*x)**m, x))`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^2 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^2*tan(d*x + c)^m, x)
```

3.207 $\int \tan^m(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=70

$$\frac{a(A - iB) \tan^{m+1}(c + dx) \text{Hypergeometric2F1}(1, m + 1, m + 2, i \tan(c + dx))}{d(m + 1)} + \frac{iaB \tan^{m+1}(c + dx)}{d(m + 1)}$$

[Out] (I*a*B*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + (a*(A - I*B)*Hypergeometric2F1[1, 1 + m, 2 + m, I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m))

Rubi [A] time = 0.116656, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {3592, 3537, 64}

$$\frac{a(A - iB) \tan^{m+1}(c + dx) {}_2F_1(1, m + 1; m + 2; i \tan(c + dx))}{d(m + 1)} + \frac{iaB \tan^{m+1}(c + dx)}{d(m + 1)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (I*a*B*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + (a*(A - I*B)*Hypergeometric2F1[1, 1 + m, 2 + m, I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m))

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 64

Int[((b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*x)/c])/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0])))

Rubi steps

$$\begin{aligned} \int \tan^m(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{iaB \tan^{1+m}(c+dx)}{d(1+m)} + \int \tan^m(c+dx)(a(A-iB) + a(iA \\ &= \frac{iaB \tan^{1+m}(c+dx)}{d(1+m)} + \frac{(ia^2(A-iB)^2) \text{Subst} \left(\int \frac{\left(\frac{x}{a(iA+B)}\right)}{a^2(iA+B)^2} \right)}{d(1+m)} \\ &= \frac{iaB \tan^{1+m}(c+dx)}{d(1+m)} + \frac{a(A-iB) {}_2F_1(1, 1+m; 2+m; i \tan(c+dx))}{d(1+m)} \end{aligned}$$

Mathematica [B] time = 2.20329, size = 190, normalized size = 2.71

$$\frac{iae^{-ic} 2^{-m-1} \left(-\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}} \right)^{m+1} \cos^2(c+dx)(1+i \tan(c+dx))(A+B \tan(c+dx)) \left(-B2^{m+1} + (B+iA)(1+e^{2i(c+dx)}) \right)}{d(m+1)(\cos(dx)+i \sin(dx))(A \cos(c+dx)+B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] $((-I)*2^{(-1-m)*a}*(((-I)*(-1+E^{((2*I)*(c+d*x))}))/((1+E^{((2*I)*(c+d*x))})^{(1+m)*\cos[c+d*x]}*(-(2^{(1+m)*B})+(I*A+B)*(1+E^{((2*I)*(c+d*x))})^{(1+m)*\text{Hypergeometric2F1}[1+m, 1+m, 2+m, (1-E^{((2*I)*(c+d*x)})/2])*(1+I*\tan[c+d*x])*(A+B*\tan[c+d*x]))/(d*E^{(I*c)}*(1+m)*(\cos[d*x]+I*\sin[d*x])*(A*\cos[c+d*x]+B*\sin[c+d*x]))$

Maple [F] time = 0.821, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (a+ia \tan(dx+c))(A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a) \tan(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x+c) + A)*(I*a*tan(d*x+c) + a)*tan(d*x+c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{2 \left((A - iB) a e^{(4i dx + 4i c)} + (A + iB) a e^{(2i dx + 2i c)} \right) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c) + 1}} \right)^m}{e^{(4i dx + 4i c)} + 2 e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(2*((A - I*B)*a*e^(4*I*d*x + 4*I*c) + (A + I*B)*a*e^(2*I*d*x + 2*I*c))*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m/(e^(4*I*d*x + 4*I*c) + 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \tan^m(c + dx) dx + \int B \tan(c + dx) \tan^m(c + dx) dx + \int iA \tan(c + dx) \tan^m(c + dx) dx + \int iB \tan^2(c + dx) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] a*(Integral(A*tan(c + d*x)**m, x) + Integral(B*tan(c + d*x)*tan(c + d*x)**m, x) + Integral(I*A*tan(c + d*x)*tan(c + d*x)**m, x) + Integral(I*B*tan(c + d*x)**2*tan(c + d*x)**m, x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a) \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)*tan(d*x + c)^m, x)

$$3.208 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=168

$$\frac{(A(1-m) - iB(m+1)) \tan^{m+1}(c+dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{2ad(m+1)} + \frac{m(-B+iA) \tan^{m+2}(c+dx)}{2ad(m+2)}$$

[Out] ((A*(1 - m) - I*B*(1 + m))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(2*a*d*(1 + m)) + ((I*A - B)*m*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(2*a*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(2*d*(a + I*a*Tan[c + d*x]))

Rubi [A] time = 0.220419, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3538, 3476, 364}

$$\frac{(A(1-m) - iB(m+1)) \tan^{m+1}(c+dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c+dx)\right)}{2ad(m+1)} + \frac{m(-B+iA) \tan^{m+2}(c+dx) {}_2F_1\left(1, \frac{m+2}{2}; \frac{m+4}{2}; -\tan^2(c+dx)\right)}{2ad(m+2)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]

[Out] ((A*(1 - m) - I*B*(1 + m))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(2*a*d*(1 + m)) + ((I*A - B)*m*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(2*a*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(2*d*(a + I*a*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3538

Int(((b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)), x_Symbol] := Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int(((b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
]])/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^m(c+dx)(A+B\tan(c+dx))}{a+ia\tan(c+dx)} dx &= \frac{(A+iB)\tan^{1+m}(c+dx)}{2d(a+ia\tan(c+dx))} + \frac{\int \tan^m(c+dx)(a(A(1-m)-iB(1+m))+a(iA-)}{2a^2} \\ &= \frac{(A+iB)\tan^{1+m}(c+dx)}{2d(a+ia\tan(c+dx))} + \frac{((iA-B)m)\int \tan^{1+m}(c+dx) dx}{2a} + \frac{(A-Am-iB)}{2a} \\ &= \frac{(A+iB)\tan^{1+m}(c+dx)}{2d(a+ia\tan(c+dx))} + \frac{((iA-B)m)\text{Subst}\left(\int \frac{x^{1+m}}{1+x^2} dx, x, \tan(c+dx)\right)}{2ad} + \frac{(A-Am-iB)}{2a} \\ &= \frac{(A-Am-iB(1+m)){}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c+dx)\right)\tan^{1+m}(c+dx)}{2ad(1+m)} + \frac{(A-Am-iB)}{2a} \end{aligned}$$

Mathematica [F] time = 7.2371, size = 0, normalized size = 0.

$$\int \frac{\tan^m(c+dx)(A+B\tan(c+dx))}{a+ia\tan(c+dx)} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]
```

```
[Out] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]
```

Maple [F] time = 1.348, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx+c))^m (A+B\tan(dx+c))}{a+ia\tan(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)
```

```
[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x, algorithm="ma
xima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c) + 1}} \right)^m e^{(-2i dx - 2i c)}}{2a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(1/2*((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*e^(-2*I*d*x - 2*I*c)/a, x)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{i a \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(I*a*tan(d*x + c) + a), x)

$$3.209 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=226

$$\frac{(1-m)(A(1-m) - iB(m+1)) \tan^{m+1}(c+dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{4a^2d(m+1)} + \frac{m(Bm + iA(2-m)) \tan^{m+2}(c+dx)}{4a^2d(m+1)}$$

[Out] ((1 - m)*(A*(1 - m) - I*B*(1 + m))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(4*a^2*d*(1 + m)) + ((A*(2 - m) - I*B*m)*Tan[c + d*x]^(1 + m))/(4*a^2*d*(1 + I*Tan[c + d*x])) + (m*(I*A*(2 - m) + B*m)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(4*a^2*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(4*d*(a + I*a*Tan[c + d*x])^2)

Rubi [A] time = 0.483971, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3538, 3476, 364}

$$\frac{(1-m)(A(1-m) - iB(m+1)) \tan^{m+1}(c+dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c+dx)\right)}{4a^2d(m+1)} + \frac{m(Bm + iA(2-m)) \tan^{m+2}(c+dx)}{4a^2d(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] ((1 - m)*(A*(1 - m) - I*B*(1 + m))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(4*a^2*d*(1 + m)) + ((A*(2 - m) - I*B*m)*Tan[c + d*x]^(1 + m))/(4*a^2*d*(1 + I*Tan[c + d*x])) + (m*(I*A*(2 - m) + B*m)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(4*a^2*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(4*d*(a + I*a*Tan[c + d*x])^2)

Rule 3596

Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)])^(m_)*((A_) + (B_.)*tan[(e_) + (f_.)*(x_)])*((c_) + (d_.)*tan[(e_) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3538

Int[((b_.)*tan[(e_) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*tan[(e_) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_) + (d_.)*(x_)])^(n_), x_Symbol] :> Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !

IntegerQ[n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^2} dx = \frac{(A + iB) \tan^{1+m}(c + dx)}{4d(a + ia \tan(c + dx))^2} + \frac{\int \frac{\tan^m(c+dx)(a(A(3-m)-iB(1+m))-a(iA-B)(1-m) \tan(c+dx)}{a+ia \tan(c+dx)} dx}{4a^2}$$

$$= \frac{(A(2 - m) - iBm) \tan^{1+m}(c + dx)}{4a^2 d(1 + i \tan(c + dx))} + \frac{(A + iB) \tan^{1+m}(c + dx)}{4d(a + ia \tan(c + dx))^2} + \frac{\int \tan^m(c + dx) dx}{4d(a + ia \tan(c + dx))^2}$$

$$= \frac{(A(2 - m) - iBm) \tan^{1+m}(c + dx)}{4a^2 d(1 + i \tan(c + dx))} + \frac{(A + iB) \tan^{1+m}(c + dx)}{4d(a + ia \tan(c + dx))^2} + \frac{(m(iA(2 - m) - iBm) \tan^{1+m}(c + dx))}{4d(a + ia \tan(c + dx))^2}$$

$$= \frac{(A(2 - m) - iBm) \tan^{1+m}(c + dx)}{4a^2 d(1 + i \tan(c + dx))} + \frac{(A + iB) \tan^{1+m}(c + dx)}{4d(a + ia \tan(c + dx))^2} + \frac{(m(iA(2 - m) - iBm) \tan^{1+m}(c + dx))}{4d(a + ia \tan(c + dx))^2}$$

$$= \frac{(1 - m)(A(1 - m) - iB(1 + m)) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c + dx)\right) \tan^{1+m}(c + dx)}{4a^2 d(1 + m)}$$

Mathematica [B] time = 8.27824, size = 565, normalized size = 2.5

$$ie^{-2ic} \left(\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}} \right)^m \left(\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{-m} \sec(c + dx)(\cos(dx) + i \sin(dx))^2 (A + B \tan(c + dx)) \left(\frac{e^{Aic} 2^{1-m} (A(2m^2 - 4m + 1) + iB(2m - 1))}{(a + ia \tan(c + dx))^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] ((-I/16)*(((I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*((A + I*B)*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(2 - m))/E^((4*I)*d*x) + E^((2*I)*(c - d*x))*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(2 - m)*(A*(3 - 2*m) - I*(B + 2*B*m)) + (2^(2 - m)*E^((4*I)*c))*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(A*(-3 + 2*m) + I*(B + 2*B*m))*Hypergeometric2F1[-1 + m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2])/(1 + m) + (2^(1 - m)*E^((4*I)*c))*((-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^m*(I*B*(-1 + 2*m^2) + A*(1 - 4*m + 2*m^2))*(-(2^m*(1 + m)*Hypergeometric2F1[1, m, 1 + m, (1 - E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))])) + (1 + E^((2*I)*(c + d*x)))^m*((1 + m)*Hypergeometric2F1[m, m, 1 + m, (1 - E^((2*I)*(c + d*x)))/2] + (-1 + E^((2*I)*(c + d*x)))*m*Hypergeometric2F1[m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2]))/(m*(1 + m))*Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(A + B*Tan[c + d*x]))/(d*E^((2*I)*c)*((-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^m*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)

Maple [F] time = 1.386, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx+c))^m (A+B \tan(dx+c))}{(a+ia \tan(dx+c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{4i dx + 4i c} + 2Ae^{2i dx + 2i c} + A + iB \right) \left(\frac{-ie^{2i dx + 2i c} + i}{e^{2i dx + 2i c} + 1} \right)^m e^{-4i dx - 4i c}}{4a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out] integral(1/4*((A - I*B)*e^(4*I*d*x + 4*I*c) + 2*A*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*e^(-4*I*d*x - 4*I*c)/a^2, x)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(a \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(I*a*tan(d*x + c) + a)^2, x)

$$3.210 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=308

$$\frac{(1-m)(-A(2m^2-7m+3)+iB(-2m^2+m+3))\tan^{m+1}(c+dx)\text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{24a^3d(m+1)}$$

[Out] -((1 - m)*(I*B*(3 + m - 2*m^2) - A*(3 - 7*m + 2*m^2))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(24*a^3*d*(1 + m)) + ((2 - m)*m*(B + I*A*(5 - 2*m) + 2*B*m)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(24*a^3*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((I*B*(1 - 2*m) + A*(7 - 2*m))*Tan[c + d*x]^(1 + m))/(24*a*d*(a + I*a*Tan[c + d*x])^2) + ((2 - m)*(A*(5 - 2*m) - I*(B + 2*B*m))*Tan[c + d*x]^(1 + m))/(24*d*(a^3 + I*a^3*Tan[c + d*x]))

Rubi [A] time = 0.832992, antiderivative size = 308, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3538, 3476, 364}

$$\frac{(1-m)(-A(2m^2-7m+3)+iB(-2m^2+m+3))\tan^{m+1}(c+dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c+dx)\right)}{24a^3d(m+1)} + \frac{(2-m)m(iA(5$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] -((1 - m)*(I*B*(3 + m - 2*m^2) - A*(3 - 7*m + 2*m^2))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(24*a^3*d*(1 + m)) + ((2 - m)*m*(B + I*A*(5 - 2*m) + 2*B*m)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(24*a^3*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(6*d*(a + I*a*Tan[c + d*x])^3) + ((I*B*(1 - 2*m) + A*(7 - 2*m))*Tan[c + d*x]^(1 + m))/(24*a*d*(a + I*a*Tan[c + d*x])^2) + ((2 - m)*(A*(5 - 2*m) - I*(B + 2*B*m))*Tan[c + d*x]^(1 + m))/(24*d*(a^3 + I*a^3*Tan[c + d*x]))

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3538

Int[((b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])], x_Symbol] :> Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && ! IntegerQ[n]

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^3} dx = \frac{(A + iB) \tan^{1+m}(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{\int \frac{\tan^{m(c+dx)}(a(A(5-m)-iB(1+m))-a(iA-B)(2-m) \tan(c+dx))}{(a+ia \tan(c+dx))^2}}{6a^2}$$

$$= \frac{(A + iB) \tan^{1+m}(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(iB(1 - 2m) + A(7 - 2m)) \tan^{1+m}(c + dx)}{24ad(a + ia \tan(c + dx))^2} + \frac{\int \dots}{\dots}$$

$$= \frac{(A + iB) \tan^{1+m}(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(iB(1 - 2m) + A(7 - 2m)) \tan^{1+m}(c + dx)}{24ad(a + ia \tan(c + dx))^2} + \frac{(2 \dots)}{\dots}$$

$$= \frac{(A + iB) \tan^{1+m}(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(iB(1 - 2m) + A(7 - 2m)) \tan^{1+m}(c + dx)}{24ad(a + ia \tan(c + dx))^2} + \frac{(2 \dots)}{\dots}$$

$$= \frac{(A + iB) \tan^{1+m}(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(iB(1 - 2m) + A(7 - 2m)) \tan^{1+m}(c + dx)}{24ad(a + ia \tan(c + dx))^2} + \frac{(2 \dots)}{\dots}$$

$$= \frac{(A + iB) \tan^{1+m}(c + dx)}{6d(a + ia \tan(c + dx))^3} + \frac{(iB(1 - 2m) + A(7 - 2m)) \tan^{1+m}(c + dx)}{24ad(a + ia \tan(c + dx))^2} + \frac{(2 \dots)}{\dots}$$

$$= -\frac{(1 - m)(iB(3 + m - 2m^2) - A(3 - 7m + 2m^2)) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2\right)}{24a^3d(1 + m)}$$

Mathematica [B] time = 113.738, size = 712, normalized size = 2.31

$$ie^{-3ic} \left(\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}} \right)^m \left(\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{-m} \sec^2(c + dx)(\cos(dx) + i \sin(dx))^3(A + B \tan(c + dx)) \left(\frac{3e^{6ic}2^{3-m}(A(-2m^2+7m-4)+i \dots)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]

[Out] ((-I/96)*(((I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*((2*(A + I*B)*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(3 - m))/E^((6*I)*d*x) + E^((2*I)*(c - 2*d*x))*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(3 - m)*(A*(5 - 2*m) - I*(B + 2*B*m)) - (2*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(3 - m)*(I*B*(2 + m - 2*m^2) + A*(-4 + 7*m - 2*m^2)))/E^((2*I)*(-2*c + d*x)) + (3*2^(3 - m))*E^((6*I)*c)*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(I*B*(2 + m - 2*m^2) + A*(-4 + 7*m - 2*m^2))*Hypergeometric2F1[-2 + m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2])/(1 + m) + (2^(1 - m)*E^((6*I)*c)*((-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*(A*(-3 + 20*m - 18*m^2 + 4*m^3) + I*B*(3 - 4*m - 6*m^2 + 4*m^3))*(2^m*(1 + m)*Hypergeometric2F1[1, m, 1 + m, (1 - E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))] - (1 + E^((2*I)*(c + d*x))))^m*(2*(

$$-1 + E^{((2*I)*(c + d*x))} * m * \text{Hypergeometric2F1}[-1 + m, 1 + m, 2 + m, (1 - E^{((2*I)*(c + d*x))})/2] + (1 + m) * \text{Hypergeometric2F1}[m, m, 1 + m, (1 - E^{((2*I)*(c + d*x))})/2] + (-1 + E^{((2*I)*(c + d*x))}) * m * \text{Hypergeometric2F1}[m, 1 + m, 2 + m, (1 - E^{((2*I)*(c + d*x))})/2] / (m * (1 + m)) * \text{Sec}[c + d*x]^2 * (\text{Cos}[d*x] + I * \text{Sin}[d*x])^3 * (A + B * \text{Tan}[c + d*x]) / (d * E^{((3*I)*c)} * ((-1 + E^{((2*I)*(c + d*x))}) / (1 + E^{((2*I)*(c + d*x))}))^m * (A * \text{Cos}[c + d*x] + B * \text{Sin}[c + d*x]) * (a + I * a * \text{Tan}[c + d*x])^3$$

Maple [F] time = 1.496, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx + c))^m (A + B \tan(dx + c))}{(a + ia \tan(dx + c))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{((A - iB)e^{(6i dx + 6i c)} + (3A - iB)e^{(4i dx + 4i c)} + (3A + iB)e^{(2i dx + 2i c)} + A + iB) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c)} + 1} \right)^m e^{(-6i dx - 6i c)}}{8a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out] integral(1/8*((A - I*B)*e^(6*I*d*x + 6*I*c) + (3*A - I*B)*e^(4*I*d*x + 4*I*c) + (3*A + I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*e^(-6*I*d*x - 6*I*c)/a^3, x)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(i a \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="
giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(I*a*tan(d*x + c) + a)^3, x)
```

$$3.211 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^4} dx$$

Optimal. Leaf size=386

$$\frac{(m^2 - 4m + 3)(-A(m^2 - 4m + 1) + iB(1 - m^2)) \tan^{m+1}(c + dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right)}{48a^4d(m+1)}$$

[Out] -((3 - 4*m + m^2)*(I*B*(1 - m^2) - A*(1 - 4*m + m^2))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(48*a^4*d*(1 + m)) - ((I*B*(1 + 3*m - m^2) - A*(13 - 7*m + m^2))*Tan[c + d*x]^(1 + m))/(48*a^4*d*(1 + I*Tan[c + d*x])^2) - ((2 - m)*(I*B*(2 + 2*m - m^2) - A*(8 - 6*m + m^2))*Tan[c + d*x]^(1 + m))/(48*a^4*d*(1 + I*Tan[c + d*x])) + ((2 - m)*m*(B*(2 + 2*m - m^2) + I*A*(8 - 6*m + m^2))*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(48*a^4*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(8*d*(a + I*a*Tan[c + d*x])^4) + ((I*B*(1 - m) + A*(5 - m))*Tan[c + d*x]^(1 + m))/(24*a*d*(a + I*a*Tan[c + d*x])^3)

Rubi [A] time = 1.20719, antiderivative size = 386, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3596, 3538, 3476, 364}

$$\frac{(m^2 - 4m + 3)(-A(m^2 - 4m + 1) + iB(1 - m^2)) \tan^{m+1}(c + dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c + dx)\right)}{48a^4d(m+1)} + \frac{(2-m)m(B(-m$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4,x]

[Out] -((3 - 4*m + m^2)*(I*B*(1 - m^2) - A*(1 - 4*m + m^2))*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(48*a^4*d*(1 + m)) - ((I*B*(1 + 3*m - m^2) - A*(13 - 7*m + m^2))*Tan[c + d*x]^(1 + m))/(48*a^4*d*(1 + I*Tan[c + d*x])^2) - ((2 - m)*(I*B*(2 + 2*m - m^2) - A*(8 - 6*m + m^2))*Tan[c + d*x]^(1 + m))/(48*a^4*d*(1 + I*Tan[c + d*x])) + ((2 - m)*m*(B*(2 + 2*m - m^2) + I*A*(8 - 6*m + m^2))*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(48*a^4*d*(2 + m)) + ((A + I*B)*Tan[c + d*x]^(1 + m))/(8*d*(a + I*a*Tan[c + d*x])^4) + ((I*B*(1 - m) + A*(5 - m))*Tan[c + d*x]^(1 + m))/(24*a*d*(a + I*a*Tan[c + d*x])^3)

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3538

Int[((b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2

+ d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^4} dx = \frac{(A + iB) \tan^{1+m}(c + dx)}{8d(a + ia \tan(c + dx))^4} + \frac{\int \frac{\tan^{m(c+dx)(a(A(7-m)-iB(1+m))-a(iA-B)(3-m) \tan(c+dx)}{(a+ia \tan(c+dx))^3}}{8a^2}}{\dots}$$

$$= \frac{(A + iB) \tan^{1+m}(c + dx)}{8d(a + ia \tan(c + dx))^4} + \frac{(iB(1 - m) + A(5 - m)) \tan^{1+m}(c + dx)}{24ad(a + ia \tan(c + dx))^3} + \dots$$

$$= -\frac{(iB(1 + 3m - m^2) - A(13 - 7m + m^2)) \tan^{1+m}(c + dx)}{48a^4d(1 + i \tan(c + dx))^2} + \frac{(A + iB) \tan^{1+m}(c + dx)}{8d(a + ia \tan(c + dx))}$$

$$= -\frac{(iB(1 + 3m - m^2) - A(13 - 7m + m^2)) \tan^{1+m}(c + dx)}{48a^4d(1 + i \tan(c + dx))^2} + \frac{(A + iB) \tan^{1+m}(c + dx)}{8d(a + ia \tan(c + dx))}$$

$$= -\frac{(iB(1 + 3m - m^2) - A(13 - 7m + m^2)) \tan^{1+m}(c + dx)}{48a^4d(1 + i \tan(c + dx))^2} + \frac{(A + iB) \tan^{1+m}(c + dx)}{8d(a + ia \tan(c + dx))}$$

$$= -\frac{(iB(1 + 3m - m^2) - A(13 - 7m + m^2)) \tan^{1+m}(c + dx)}{48a^4d(1 + i \tan(c + dx))^2} + \frac{(A + iB) \tan^{1+m}(c + dx)}{8d(a + ia \tan(c + dx))}$$

$$= -\frac{(3 - 4m + m^2)(iB(1 - m^2) - A(1 - 4m + m^2)) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c + dx)\right)}{48a^4d(1 + m)}$$

Mathematica [B] time = 115.997, size = 921, normalized size = 2.39

$$ie^{-4ic} \left(\frac{i(-1+e^{2i(c+dx)})}{1+e^{2i(c+dx)}} \right)^m \left(\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}} \right)^{-m} \left(3(A + iB)e^{-8idx} (-1 + e^{2i(c+dx)})^{m+1} (1 + e^{2i(c+dx)})^{4-m} + e^{2i(c-3dx)} (-1 + e^{2i(c+dx)})^{m+1} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^4, x]

[Out] ((-I/384)*(((I)*(-1 + E^((2*I)*(c + d*x))))/(1 + E^((2*I)*(c + d*x))))^m*(3*(A + I*B)*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(4 - m))/E^((8*I)*d*x) + E^((2*I)*(c - 3*d*x))*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(4 - m)*(A*(7 - 2*m) - I*(B + 2*B*m)) - E^((4*I)*(c - d*x))*(-1 + E^((2*I)*(c + d*x)))^(1 + m)*(1 + E^((2*I)*(c + d*x)))^(4 - m)*(I*B*(3 + 2*m - 2*m^2) + A*(-9 + 10*m - 2*m^2)) + (((-1 + E^((2*I)*(c + d*x))))^m*(1 + E^((2*I)*(c + d*x)))^(4 - m))))

$$I*(c + d*x)))^{(1 + m)*(1 + E^((2*I)*(c + d*x)))^{(4 - m)*m*(1 + m)*(A*(13 - 44*m + 26*m^2 - 4*m^3) - I*B*(7 - 4*m - 10*m^2 + 4*m^3)))/E^((2*I)*(-3*c + d*x)) - 2^{(5 - m)*E^((8*I)*c)*(-1 + E^((2*I)*(c + d*x)))^{(1 + m)*m*(A*(13 - 44*m + 26*m^2 - 4*m^3) - I*B*(7 - 4*m - 10*m^2 + 4*m^3))*Hypergeometric2F1[-3 + m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2]} + 2^{(2 - m)*E^((8*I)*c)*((-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^m*(A*(3 - 32*m + 40*m^2 - 16*m^3 + 2*m^4) + I*B*(-3 + 8*m + 4*m^2 - 8*m^3 + 2*m^4))*(-(2^m*(1 + m)*Hypergeometric2F1[1, m, 1 + m, (1 - E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))])) + (1 + E^((2*I)*(c + d*x)))^m*(4*(-1 + E^((2*I)*(c + d*x))))*m*Hypergeometric2F1[-2 + m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2]} + 2*(-1 + E^((2*I)*(c + d*x)))*m*Hypergeometric2F1[-1 + m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2]} + Hypergeometric2F1[m, m, 1 + m, (1 - E^((2*I)*(c + d*x)))/2]} + m*Hypergeometric2F1[m, m, 1 + m, (1 - E^((2*I)*(c + d*x)))/2]} - m*Hypergeometric2F1[m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2]} + E^((2*I)*(c + d*x))*m*Hypergeometric2F1[m, 1 + m, 2 + m, (1 - E^((2*I)*(c + d*x)))/2])))/(m*(1 + m))*Sec[c + d*x]^3*(Cos[d*x] + I*Sin[d*x])^4*(A + B*Tan[c + d*x]))/(d*E^((4*I)*c)*((-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))))^m*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^4)$$

Maple [F] time = 0.901, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx + c))^m (A + B \tan(dx + c))}{(a + ia \tan(dx + c))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(8i dx + 8i c)} + 2(2A - iB)e^{(6i dx + 6i c)} + 6Ae^{(4i dx + 4i c)} + 2(2A + iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{-ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1} \right)^n}{16a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="fricas")

```
[Out] integral(1/16*((A - I*B)*e^(8*I*d*x + 8*I*c) + 2*(2*A - I*B)*e^(6*I*d*x + 6
*I*c) + 6*A*e^(4*I*d*x + 4*I*c) + 2*(2*A + I*B)*e^(2*I*d*x + 2*I*c) + A + I
*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*e^(-8*I*d*x
- 8*I*c)/a^4, x)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**4,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(i a \tan(dx + c) + a)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^4,x, algorithm="
giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(I*a*tan(d*x + c) + a)^4, x)
```

$$3.212 \quad \int \tan^m(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=316

$$\frac{2a^2(2B(4m^2+17m+19)+iA(8m^2+34m+35))\sqrt{a+ia \tan(c+dx)}\tan^m(c+dx)(-i \tan(c+dx))^{-m}\text{Hypergeometric}}{d(2m+3)(2m+5)}$$

[Out] (4*a^3*(A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + (2*a^2*(2*B*(19 + 17*m + 4*m^2) + I*A*(35 + 34*m + 8*m^2))*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m)*(5 + 2*m)*((-I)*Tan[c + d*x])^m) + (2*a^2*((2*I)*B*(4 + m) - A*(5 + 2*m))*Tan[c + d*x]^(1 + m)*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m)*(5 + 2*m)) + ((2*I)*a*B*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^(3/2))/(d*(5 + 2*m))

Rubi [A] time = 0.986155, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3594, 3601, 3564, 135, 133, 3599, 67, 65}

$$\frac{4a^3(A - iB)\sqrt{1 + i \tan(c + dx)}\tan^{m+1}(c + dx)F_1\left(m + 1; \frac{1}{2}, 1; m + 2; -i \tan(c + dx), i \tan(c + dx)\right)}{d(m + 1)\sqrt{a + ia \tan(c + dx)}} + \frac{2a^2(2B(4m^2 + 17m + 19) + iA(8m^2 + 34m + 35))\sqrt{a + ia \tan(c + dx)}\tan^m(c + dx)(-i \tan(c + dx))^{-m}}{d(2m + 3)(2m + 5)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] (4*a^3*(A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + (2*a^2*(2*B*(19 + 17*m + 4*m^2) + I*A*(35 + 34*m + 8*m^2))*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m)*(5 + 2*m)*((-I)*Tan[c + d*x])^m) + (2*a^2*((2*I)*B*(4 + m) - A*(5 + 2*m))*Tan[c + d*x]^(1 + m)*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m)*(5 + 2*m)) + ((2*I)*a*B*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^(3/2))/(d*(5 + 2*m))

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e

+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)])/((b*(m + 1))), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 67

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[((-(b*c)/d))^IntPart[m]*(b*x)^FracPart[m]/(-(d*x)/c)^FracPart[m], Int[((-(d*x)/c))^m*(c + d*x)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0]

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned}
\int \tan^m(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= \frac{2iaB \tan^{1+m}(c + dx)(a + ia \tan(c + dx))^{3/2}}{d(5 + 2m)} + \frac{2 \int \tan^m(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx}{d(5 + 2m)} \\
&= \frac{2a^2(2iB(4 + m) - A(5 + 2m)) \tan^{1+m}(c + dx) \sqrt{a + ia \tan(c + dx)}}{d(3 + 2m)(5 + 2m)} \\
&= \frac{2a^2(2iB(4 + m) - A(5 + 2m)) \tan^{1+m}(c + dx) \sqrt{a + ia \tan(c + dx)}}{d(3 + 2m)(5 + 2m)} \\
&= \frac{2a^2(2iB(4 + m) - A(5 + 2m)) \tan^{1+m}(c + dx) \sqrt{a + ia \tan(c + dx)}}{d(3 + 2m)(5 + 2m)} \\
&= \frac{2a^2(2iB(4 + m) - A(5 + 2m)) \tan^{1+m}(c + dx) \sqrt{a + ia \tan(c + dx)}}{d(3 + 2m)(5 + 2m)} \\
&= \frac{4a^3(A - iB)F_1\left(1 + m; \frac{1}{2}, 1; 2 + m; -i \tan(c + dx), i \tan(c + dx)\right)}{d(1 + m)\sqrt{a + ia \tan(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 6.68153, size = 0, normalized size = 0.

$$\int \tan^m(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.51, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + ia \tan(dx + c))^{5/2} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^{5/2} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{4\sqrt{2} \left((A - iB)a^2 e^{(6i dx + 6i c)} + (A + iB)a^2 e^{(4i dx + 4i c)} \right) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c) + 1}} \right)^m \sqrt{\frac{a}{e^{(2i dx + 2i c) + 1}}} e^{(i dx + i c)}}{e^{(6i dx + 6i c)} + 3 e^{(4i dx + 4i c)} + 3 e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(4*sqrt(2)*((A - I*B)*a^2*e^(6*I*d*x + 6*I*c) + (A + I*B)*a^2*e^(4*I*d*x + 4*I*c))*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c)/(e^(6*I*d*x + 6*I*c) + 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*tan(d*x + c)^m, x)

3.213 $\int \tan^m(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$

Optimal. Leaf size=227

$$\frac{2a(B + (2m + 3)(B + iA))\sqrt{a + ia \tan(c + dx)} \tan^m(c + dx) (-i \tan(c + dx))^{-m} \text{Hypergeometric2F1}\left(\frac{1}{2}, -m, \frac{3}{2}, 1 + i \tan(c + dx)\right)}{d(2m + 3)}$$

[Out] (2*a^2*(A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + (2*a*(B + (I*A + B)*(3 + 2*m))*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m)*((-I)*Tan[c + d*x])^m) + ((2*I)*a*B*Tan[c + d*x]^(1 + m)*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m))

Rubi [A] time = 0.703497, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3594, 3601, 3564, 135, 133, 3599, 67, 65}

$$\frac{2a^2(A - iB)\sqrt{1 + i \tan(c + dx)} \tan^{m+1}(c + dx) F_1\left(m + 1; \frac{1}{2}, 1; m + 2; -i \tan(c + dx), i \tan(c + dx)\right)}{d(m + 1)\sqrt{a + ia \tan(c + dx)}} + \frac{2a(B + (2m + 3)(B + iA))\sqrt{a + ia \tan(c + dx)} \tan^m(c + dx) (-i \tan(c + dx))^{-m} \text{Hypergeometric2F1}\left(\frac{1}{2}, -m, \frac{3}{2}, 1 + i \tan(c + dx)\right)}{d(2m + 3)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] (2*a^2*(A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + (2*a*(B + (I*A + B)*(3 + 2*m))*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m)*((-I)*Tan[c + d*x])^m) + ((2*I)*a*B*Tan[c + d*x]^(1 + m)*Sqrt[a + I*a*Tan[c + d*x]])/(d*(3 + 2*m))

Rule 3594

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)])/((b*(m + 1))), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 67

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[((-(b*c)/d))^IntPart[m]*(b*x)^FracPart[m]/(-(d*x)/c)^FracPart[m], Int[((-(d*x)/c))^m*(c + d*x)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0]

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned}
\int \tan^m(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \frac{2iaB \tan^{1+m}(c+dx)\sqrt{a+ia \tan(c+dx)}}{d(3+2m)} + \frac{2 \int \tan^m(c+dx) dx}{d(3+2m)} \\
&= \frac{2iaB \tan^{1+m}(c+dx)\sqrt{a+ia \tan(c+dx)}}{d(3+2m)} + (2a(A-iB)) \\
&= \frac{2iaB \tan^{1+m}(c+dx)\sqrt{a+ia \tan(c+dx)}}{d(3+2m)} + \frac{(2a^3(iA+B))}{d(3+2m)} \\
&= \frac{2iaB \tan^{1+m}(c+dx)\sqrt{a+ia \tan(c+dx)}}{d(3+2m)} + \frac{(ia^2(B+(iA)))}{d(3+2m)} \\
&= \frac{2a^2(A-iB)F_1\left(1+m; \frac{1}{2}, 1; 2+m; -i \tan(c+dx), i \tan(c+dx)\right)}{d(1+m)\sqrt{a+ia \tan(c+dx)}}
\end{aligned}$$

Mathematica [F] time = 4.70488, size = 0, normalized size = 0.

$$\int \tan^m(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.488, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (a+ia \tan(dx+c))^{3/2} (A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^{3/2} \tan(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{2\sqrt{2}((A - iB)ae^{4idx+4ic}) + (A + iB)ae^{(2idx+2ic)}}{e^{(4idx+4ic)} + 2e^{(2idx+2ic)} + 1} \left(\frac{-ie^{(2idx+2ic)+i}}{e^{(2idx+2ic)+1}} \right)^m \sqrt{\frac{a}{e^{(2idx+2ic)+1}}} e^{(idx+ic)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(2*sqrt(2)*((A - I*B)*a*e^(4*I*d*x + 4*I*c) + (A + I*B)*a*e^(2*I*d*x + 2*I*c))*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c)/(e^(4*I*d*x + 4*I*c) + 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*tan(d*x + c)^m, x)

$$3.214 \quad \int \tan^m(c+dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=159

$$\frac{2B\sqrt{a + ia \tan(c + dx)} \tan^m(c + dx) (-i \tan(c + dx))^{-m} \text{Hypergeometric2F1}\left(\frac{1}{2}, -m, \frac{3}{2}, 1 + i \tan(c + dx)\right)}{d} + \frac{a(A - iB)\sqrt{a + ia \tan(c + dx)}}{d}$$

[Out] (a*(A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + (2*B*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(d*((-I)*Tan[c + d*x])^m)

Rubi [A] time = 0.365163, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3601, 3564, 135, 133, 3599, 67, 65}

$$\frac{a(A - iB)\sqrt{1 + i \tan(c + dx)} \tan^{m+1}(c + dx) F_1\left(m + 1; \frac{1}{2}, 1; m + 2; -i \tan(c + dx), i \tan(c + dx)\right)}{d(m + 1)\sqrt{a + ia \tan(c + dx)}} + \frac{2B\sqrt{a + ia \tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (a*(A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + (2*B*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(d*((-I)*Tan[c + d*x])^m)

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*b)/f, Subst[Int[((a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n]]/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133


```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_
Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*
x)/c), -((f*x)/e)])/((b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &
& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])
```

Rule 3599

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 67

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Dist[(-((b*c)
/d))^IntPart[m]*(b*x)^FracPart[m]/(-((d*x)/c))^FracPart[m], Int[(-((d*x)/c
))^m*(c + d*x)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] &&
!IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0]
```

Rule 65

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((c + d*x)
)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-d
/(b*c)))^m, x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[
m] || GtQ[-(d/(b*c)), 0])
```

Rubi steps

$$\int \tan^m(c + dx)\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx = -\left((-A + iB) \int \tan^m(c + dx)\sqrt{a + ia \tan(c + dx)} dx\right) +$$

$$= \frac{(iaB) \text{Subst}\left(\int \frac{x^m}{\sqrt{a+iax}} dx, x, \tan(c + dx)\right)}{d} + \frac{(a^2(iA + B))}{d}$$

$$= \frac{(iaB(-i \tan(c + dx))^{-m} \tan^m(c + dx)) \text{Subst}\left(\int \frac{(-ix)^m}{\sqrt{a+iax}} dx, x, \tan(c + dx)\right)}{d}$$

$$= \frac{a(A - iB)F_1\left(1 + m; \frac{1}{2}, 1; 2 + m; -i \tan(c + dx), i \tan(c + dx)\right)}{d(1 + m)\sqrt{a + ia \tan(c + dx)}}$$

Mathematica [F] time = 3.75752, size = 0, normalized size = 0.

$$\int \tan^m(c + dx)\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

```
[In] Integrate[Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]
```

```
[Out] Integrate[Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x
]
```

Maple [F] time = 0.57, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m \sqrt{a + ia \tan(dx + c)} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{ia \tan(dx + c) + a} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\sqrt{2} \left((A - iB) e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c) + 1}} \right)^m \sqrt{\frac{a}{e^{(2i dx + 2i c) + 1}}} e^{(i dx + i c)}}{e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(sqrt(2)*((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(I*d*x + I*c)/(e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx)) \tan^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))*tan(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{ia \tan(dx + c) + a} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorit
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*tan(d*x + c)^m, x
)
```

$$3.215 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=214

$$\frac{(2m+1)(-B+IA)\sqrt{a+ia \tan(c+dx)} \tan^m(c+dx)(-i \tan(c+dx))^{-m} \text{Hypergeometric2F1}\left(\frac{1}{2}, -m, \frac{3}{2}, 1+i \tan(c+dx)\right)}{ad}$$

[Out] ((A + I*B)*Tan[c + d*x]^(1 + m))/(d*Sqrt[a + I*a*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(2*d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + ((I*A - B)*(1 + 2*m)*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(a*d*((-I)*Tan[c + d*x])^m)

Rubi [A] time = 0.625167, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3601, 3564, 135, 133, 3599, 67, 65}

$$\frac{(A - iB)\sqrt{1 + i \tan(c + dx)} \tan^{m+1}(c + dx) F_1\left(m + 1; \frac{1}{2}, 1; m + 2; -i \tan(c + dx), i \tan(c + dx)\right)}{2d(m + 1)\sqrt{a + ia \tan(c + dx)}} + \frac{(2m + 1)(-B + iA)\sqrt{a + ia \tan(c + dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] ((A + I*B)*Tan[c + d*x]^(1 + m))/(d*Sqrt[a + I*a*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(2*d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + ((I*A - B)*(1 + 2*m)*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(a*d*((-I)*Tan[c + d*x])^m)

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)])/((b*(m + 1))), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 67

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[((-(b*c)/d))^IntPart[m]*(b*x)^FracPart[m]/(-(d*x)/c)^FracPart[m], Int[((-(d*x)/c))^m*(c + d*x)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0]

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned}
\int \frac{\tan^m(c+dx)(A+B\tan(c+dx))}{\sqrt{a+ia\tan(c+dx)}} dx &= \frac{(A+iB)\tan^{1+m}(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{\int \tan^m(c+dx)\sqrt{a+ia\tan(c+dx)}(-a(Am+iB))}{a^2} \\
&= \frac{(A+iB)\tan^{1+m}(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(A-iB)\int \tan^m(c+dx)\sqrt{a+ia\tan(c+dx)} dx}{2a} \\
&= \frac{(A+iB)\tan^{1+m}(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(a(iA+B))\text{Subst}\left(\int \frac{\left(\frac{-ix}{a}\right)^m}{\sqrt{a+x(-a^2+ax)}} dx, x, ia\tan(c+dx)\right)}{2d} \\
&= \frac{(A+iB)\tan^{1+m}(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} - \frac{((A+iB)(1+2m)(-i\tan(c+dx))^{-m}\tan^m(c+dx))}{2d} \\
&= \frac{(A+iB)\tan^{1+m}(c+dx)}{d\sqrt{a+ia\tan(c+dx)}} + \frac{(A-iB)F_1\left(1+m; \frac{1}{2}, 1; 2+m; -i\tan(c+dx), i\tan(c+dx)\right)}{2d(1+m)\sqrt{a+ia\tan(c+dx)}}
\end{aligned}$$

Mathematica [F] time = 180.003, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] \$Aborted

Maple [F] time = 0.582, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (A+B\tan(dx+c)) \frac{1}{\sqrt{a+ia\tan(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\sqrt{2} \left((A - iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{-i e^{(2i dx + 2i c) + i}}{e^{(2i dx + 2i c) + 1}} \right)^m \sqrt{\frac{a}{e^{(2i dx + 2i c) + 1}}} e^{(-i dx - i c)}}{2a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(1/2*sqrt(2)*((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(-I*d*x - I*c)/a, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^m(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**m/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{\sqrt{i a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/sqrt(I*a*tan(d*x + c) + a), x)

$$3.216 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=285

$$\frac{(2m+1)(iA(5-4m)+4Bm+B)\sqrt{a+ia \tan(c+dx)} \tan^m(c+dx)(-i \tan(c+dx))^{-m} \text{Hypergeometric2F1}\left(\frac{1}{2}, -m, \frac{3}{2}, 1 + i \tan(c+dx)\right)}{6a^2d}$$

```
[Out] ((A + I*B)*Tan[c + d*x]^(1 + m))/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((A*(5 - 4*m) - I*(B + 4*B*m))*Tan[c + d*x]^(1 + m))/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(4*a*d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + ((1 + 2*m)*(B + I*A*(5 - 4*m) + 4*B*m)*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(6*a^2*d*((-I)*Tan[c + d*x])^m)
```

Rubi [A] time = 0.97602, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3601, 3564, 135, 133, 3599, 67, 65}

$$\frac{(2m+1)(iA(5-4m)+4Bm+B)\sqrt{a+ia \tan(c+dx)} \tan^m(c+dx)(-i \tan(c+dx))^{-m} {}_2F_1\left(\frac{1}{2}, -m; \frac{3}{2}; i \tan(c+dx) + 1\right)}{6a^2d} +$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((A + I*B)*Tan[c + d*x]^(1 + m))/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((A*(5 - 4*m) - I*(B + 4*B*m))*Tan[c + d*x]^(1 + m))/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(4*a*d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + ((1 + 2*m)*(B + I*A*(5 - 4*m) + 4*B*m)*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(6*a^2*d*((-I)*Tan[c + d*x])^m)
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3601

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```


Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -(d*x)/c, -(f*x)/e])/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 67

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[((-(b*c)/d))^IntPart[m]*(b*x)^FracPart[m])/(-(d*x)/c)^FracPart[m], Int[((-(d*x)/c))^m*(c + d*x)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0]

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned}
\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \frac{(A+iB) \tan^{1+m}(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\tan^m(c+dx) \left(a(A(2-m)-iB(1+m)) - \frac{1}{2}a(iA-B)(1-2m) \tan(c+dx) \right)}{\sqrt{a+ia \tan(c+dx)}} dx}{3a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A(5-4m)-i(B+4Bm)) \tan^{1+m}(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{\int \tan^{m-1}(c+dx) dx}{3a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A(5-4m)-i(B+4Bm)) \tan^{1+m}(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{(A-iB) \tan^{m-1}(c+dx)}{3a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A(5-4m)-i(B+4Bm)) \tan^{1+m}(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{(iA+B) \tan^{m-1}(c+dx)}{3a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A(5-4m)-i(B+4Bm)) \tan^{1+m}(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} - \frac{(1+i) \tan^{m-1}(c+dx)}{3a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{3d(a+ia \tan(c+dx))^{3/2}} + \frac{(A(5-4m)-i(B+4Bm)) \tan^{1+m}(c+dx)}{6ad\sqrt{a+ia \tan(c+dx)}} + \frac{(A-iB) \tan^{m-1}(c+dx)}{3a^2}
\end{aligned}$$

Mathematica [F] time = 15.6552, size = 0, normalized size = 0.

$$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

Maple [F] time = 0.482, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (A+B \tan(dx+c)) (a+ia \tan(dx+c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\sqrt{2} \left((A - iB)e^{(4i dx + 4i c)} + 2Ae^{(2i dx + 2i c)} + A + iB \right) \left(\frac{-i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1} \right)^m \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} e^{(-3i dx - 3i c)}}{4a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(1/4*sqrt(2)*((A - I*B)*e^(4*I*d*x + 4*I*c) + 2*A*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(-3*I*d*x - 3*I*c)/a^2, x)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(i a \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(I*a*tan(d*x + c) + a)^(3/2), x)

3.217
$$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=363

$$\frac{(2m + 1) \left(B(-16m^2 + 12m + 13) + iA(16m^2 - 52m + 37) \right) \sqrt{a + ia \tan(c + dx)} \tan^m(c + dx) (-i \tan(c + dx))^{-m} \text{Hypergeometric2F1}\left[\frac{1}{2}, -m, \frac{3}{2}, 1 + i \tan(c + dx)\right]}{60a^3d}$$

```
[Out] ((A + I*B)*Tan[c + d*x]^(1 + m))/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((I*B*(1 - 4*m) + A*(11 - 4*m))*Tan[c + d*x]^(1 + m))/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - ((I*B*(13 + 12*m - 16*m^2) - A*(37 - 52*m + 16*m^2))*Tan[c + d*x]^(1 + m))/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(8*a^2*d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + ((1 + 2*m)*(B*(13 + 12*m - 16*m^2) + I*A*(37 - 52*m + 16*m^2))*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*((-I)*Tan[c + d*x])^m)
```

Rubi [A] time = 1.36868, antiderivative size = 363, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3596, 3601, 3564, 135, 133, 3599, 67, 65}

$$\frac{(A - iB)\sqrt{1 + i \tan(c + dx)} \tan^{m+1}(c + dx) F_1\left(m + 1; \frac{1}{2}, 1; m + 2; -i \tan(c + dx), i \tan(c + dx)\right)}{8a^2d(m + 1)\sqrt{a + ia \tan(c + dx)}} + \frac{(2m + 1) \left(B(-16m^2 + 12m + 13) + iA(16m^2 - 52m + 37) \right) \sqrt{a + ia \tan(c + dx)} \tan^m(c + dx) (-i \tan(c + dx))^{-m}}{60a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((A + I*B)*Tan[c + d*x]^(1 + m))/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((I*B*(1 - 4*m) + A*(11 - 4*m))*Tan[c + d*x]^(1 + m))/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) - ((I*B*(13 + 12*m - 16*m^2) - A*(37 - 52*m + 16*m^2))*Tan[c + d*x]^(1 + m))/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[1 + I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m))/(8*a^2*d*(1 + m)*Sqrt[a + I*a*Tan[c + d*x]]) + ((1 + 2*m)*(B*(13 + 12*m - 16*m^2) + I*A*(37 - 52*m + 16*m^2))*Hypergeometric2F1[1/2, -m, 3/2, 1 + I*Tan[c + d*x]]*Tan[c + d*x]^m*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d*((-I)*Tan[c + d*x])^m)
```

Rule 3596

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3601

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)])/((b*(m + 1))), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 67

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[((-(b*c)/d))^IntPart[m]*(b*x)^FracPart[m]/(-(d*x)/c)^FracPart[m], Int[((-(d*x)/c))^m*(c + d*x)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0]

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned}
\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{\int \frac{\tan^m(c+dx)(a(A(4-m)-iB(1+m))-\frac{1}{2}a(iA-B)(3-2m) \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{\int \frac{\tan^m(c+dx)(a(A(4-m)-iB(1+m))-\frac{1}{2}a(iA-B)(3-2m) \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx}{5a^2} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} \\
&= \frac{(A+iB) \tan^{1+m}(c+dx)}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}} - \frac{(iB(1-4m)+A(11-4m)) \tan^{1+m}(c+dx)}{30ad(a+ia \tan(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [F] time = 72.6787, size = 0, normalized size = 0.

$$\int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

Maple [F] time = 0.474, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (A+B \tan(dx+c)) (a+ia \tan(dx+c))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\sqrt{2} \left((A - iB)e^{(6i dx + 6ic)} + (3A - iB)e^{(4i dx + 4ic)} + (3A + iB)e^{(2i dx + 2ic)} + A + iB \right) \left(\frac{-i e^{(2i dx + 2ic)} + i}{e^{(2i dx + 2ic)} + 1} \right)^m \sqrt{\frac{a}{e^{(2i dx + 2ic)} + 1}}}{8a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral(1/8*sqrt(2)*((A - I*B)*e^(6*I*d*x + 6*I*c) + (3*A - I*B)*e^(4*I*d*x + 4*I*c) + (3*A + I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*e^(-5*I*d*x - 5*I*c)/a^3, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(I*a*tan(d*x + c) + a)^(5/2), x)
```

3.218 $\int \tan^m(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$

Optimal. Leaf size=167

$$\frac{iB \tan^{m+1}(c+dx)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}(m+1, 1-n, m+2, -i \tan(c+dx))}{d(m+1)}$$

[Out] ((A - I*B)*AppellF1[1 + m, 1 - n, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^n)/(d*(1 + m)*(1 + I*Tan[c + d*x])^n) + (I*B*Hypergeometric2F1[1 + m, 1 - n, 2 + m, (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^n)/(d*(1 + m)*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.30397, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {3601, 3564, 135, 133, 3599, 66, 64}

$$\frac{(A - iB) \tan^{m+1}(c+dx)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1(m+1; 1-n, 1; m+2; -i \tan(c+dx), i \tan(c+dx))}{d(m+1)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((A - I*B)*AppellF1[1 + m, 1 - n, 1, 2 + m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^n)/(d*(1 + m)*(1 + I*Tan[c + d*x])^n) + (I*B*Hypergeometric2F1[1 + m, 1 - n, 2 + m, (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + I*a*Tan[c + d*x])^n)/(d*(1 + m)*(1 + I*Tan[c + d*x])^n)

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*b)/f, Subst[Int[((a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n]]/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133


```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_
Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*
x)/c), -((f*x)/e)])/((b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &
& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])
```

Rule 3599

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 66

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Dist[(c^IntPar
t[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*
x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ
[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -
2^(-1)] && EqQ[c^2 - d^2, 0]))) || !RationalQ[n]
```

Rule 64

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)])/((b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\int \tan^m(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx = - \left((-A + iB) \int \tan^m(c + dx)(a + ia \tan(c + dx))^n dx \right) \\ = \frac{(iaB) \text{Subst} \left(\int x^m(a + iax)^{-1+n} dx, x, \tan(c + dx) \right)}{d} + \dots \\ = \frac{(iB(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n) \text{Subst} \left(\int \dots \right)}{d} \\ = \frac{(A - iB)F_1(1 + m; 1 - n, 1; 2 + m; -i \tan(c + dx), i \tan(c + dx))}{d}$$

Mathematica [F] time = 18.1913, size = 0, normalized size = 0.

$$\int \tan^m(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

```
[In] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

```
[Out] Integrate[Tan[c + d*x]^m*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

Maple [F] time = 184.135, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i dx + 2ic)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2ic)}}{e^{(2i dx + 2ic)} + 1} \right)^n \left(\frac{-ie^{(2i dx + 2ic)} + i}{e^{(2i dx + 2ic)} + 1} \right)^m}{e^{(2i dx + 2ic)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))^m/(e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^m, x)

$$3.219 \quad \int \tan^3(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=245

$$\frac{(A-iB)(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(1, n, n+1, \frac{1}{2}(1+i \tan(c+dx))\right)}{2dn} - \frac{(An(n+3)-iB(n^2+3n+6))}{ad(n+1)(n+2)}$$

[Out] (2*(I*B*n - A*(3 + n))*(a + I*a*Tan[c + d*x])^n)/(d*n*(2 + n)*(3 + n)) + ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - ((I*B*n - A*(3 + n))*Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^n)/(d*(2 + n)*(3 + n)) + (B*Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^n)/(d*(3 + n)) - ((A*n*(3 + n) - I*B*(6 + 3*n + n^2))*(a + I*a*Tan[c + d*x])^(1 + n))/(a*d*(1 + n)*(2 + n)*(3 + n))

Rubi [A] time = 0.649361, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3597, 3592, 3527, 3481, 68}

$$\frac{(A-iB)(a+ia \tan(c+dx))^n {}_2F_1\left(1, n; n+1; \frac{1}{2}(i \tan(c+dx)+1)\right)}{2dn} - \frac{(An(n+3)-iB(n^2+3n+6))(a+ia \tan(c+dx))}{ad(n+1)(n+2)(n+3)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (2*(I*B*n - A*(3 + n))*(a + I*a*Tan[c + d*x])^n)/(d*n*(2 + n)*(3 + n)) + ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - ((I*B*n - A*(3 + n))*Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^n)/(d*(2 + n)*(3 + n)) + (B*Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^n)/(d*(3 + n)) - ((A*n*(3 + n) - I*B*(6 + 3*n + n^2))*(a + I*a*Tan[c + d*x])^(1 + n))/(a*d*(1 + n)*(2 + n)*(3 + n))

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3592

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist

$[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& !\text{LtQ}[m, 0]$

Rule 3481

$\text{Int}[(a + b*\text{tan}[(c + d*x)])^n, x_Symbol] \rightarrow -\text{Dist}[b/d, \text{Subst}[\text{Int}[(a + x)^{n-1}/(a - x), x], x, b*\text{Tan}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 68

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)^n * (a + b*x)^{m+1} * \text{Hypergeometric2F1}[-n, m+1, m+2, -(d*(a + b*x)/(b*c - a*d))]/(b^{n+1} * (m+1)), x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned} \int \tan^3(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{B \tan^3(c + dx)(a + ia \tan(c + dx))^n}{d(3 + n)} + \frac{\int \tan^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{d(3 + n)} \\ &= -\frac{(iBn - A(3 + n)) \tan^2(c + dx)(a + ia \tan(c + dx))^n}{d(2 + n)(3 + n)} + \frac{\int \tan(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{d(2 + n)(3 + n)} \\ &= -\frac{(iBn - A(3 + n)) \tan^2(c + dx)(a + ia \tan(c + dx))^n}{d(2 + n)(3 + n)} + \frac{\int \tan(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{d(2 + n)(3 + n)} \\ &= \frac{2(iBn - A(3 + n))(a + ia \tan(c + dx))^n}{dn(2 + n)(3 + n)} - \frac{(iBn - A(3 + n)) \int \tan(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{dn(2 + n)(3 + n)} \\ &= \frac{2(iBn - A(3 + n))(a + ia \tan(c + dx))^n}{dn(2 + n)(3 + n)} - \frac{(iBn - A(3 + n)) \int \tan(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{dn(2 + n)(3 + n)} \\ &= \frac{2(iBn - A(3 + n))(a + ia \tan(c + dx))^n}{dn(2 + n)(3 + n)} + \frac{(A - iB) {}_2F_1[-n, 1, 2, -(d*(a + b*x)/(b*c - a*d))]}{dn(2 + n)(3 + n)} \end{aligned}$$

Mathematica [F] time = 21.1936, size = 0, normalized size = 0.

$$\int \tan^3(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^3*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.647, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^3 (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] $\text{int}(\tan(dx+c)^3(a+I*a*\tan(dx+c))^n*(A+B*\tan(dx+c)), x)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^3(a+I*a*\tan(dx+c))^n*(A+B*\tan(dx+c)), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{((iA + B)e^{(8i dx + 8ic)} + (-2iA - 4B)e^{(6i dx + 6ic)} + 6Be^{(4i dx + 4ic)} + (2iA - 4B)e^{(2i dx + 2ic)} - iA + B) \left(\frac{2ae^{(2i dx + 2ic)}}{e^{(2i dx + 2ic)} + 1} \right)^n}{e^{(8i dx + 8ic)} + 4e^{(6i dx + 6ic)} + 6e^{(4i dx + 4ic)} + 4e^{(2i dx + 2ic)} + 1} \right), x$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^3(a+I*a*\tan(dx+c))^n*(A+B*\tan(dx+c)), x, \text{algorithm}="fricas")$

[Out] $\text{integral}(((I*A + B)*e^{(8*I*d*x + 8*I*c)} + (-2*I*A - 4*B)*e^{(6*I*d*x + 6*I*c)} + 6*B*e^{(4*I*d*x + 4*I*c)} + (2*I*A - 4*B)*e^{(2*I*d*x + 2*I*c)} - I*A + B) * (2*a*e^{(2*I*d*x + 2*I*c)} / (e^{(2*I*d*x + 2*I*c)} + 1))^n / (e^{(8*I*d*x + 8*I*c)} + 4*e^{(6*I*d*x + 6*I*c)} + 6*e^{(4*I*d*x + 4*I*c)} + 4*e^{(2*I*d*x + 2*I*c)} + 1), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)**3*(a+I*a*\tan(dx+c))**n*(A+B*\tan(dx+c)), x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \tan(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^3(a+I*a*\tan(dx+c))^n*(A+B*\tan(dx+c)), x, \text{algorithm}="giac")$

[Out] $\text{integrate}((B*\tan(dx + c) + A)*(I*a*\tan(dx + c) + a)^n*\tan(dx + c)^3, x)$

$$3.220 \quad \int \tan^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=164

$$\frac{(B + iA)(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(1, n, n + 1, \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn} - \frac{(Bn + iA(n + 2))(a + ia \tan(c + dx))^{n+1}}{ad(n + 1)(n + 2)}$$

[Out] $(-2*B*(a + I*a*\text{Tan}[c + d*x])^n)/(d*n*(2 + n)) + ((I*A + B)*\text{Hypergeometric2F1}[1, n, 1 + n, (1 + I*\text{Tan}[c + d*x])/2]*(a + I*a*\text{Tan}[c + d*x])^n)/(2*d*n) + (B*\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^n)/(d*(2 + n)) - ((B*n + I*A*(2 + n))*(a + I*a*\text{Tan}[c + d*x])^{(1 + n)})/(a*d*(1 + n)*(2 + n))$

Rubi [A] time = 0.312751, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3597, 3592, 3527, 3481, 68}

$$\frac{(B + iA)(a + ia \tan(c + dx))^n {}_2F_1\left(1, n; n + 1; \frac{1}{2}(i \tan(c + dx) + 1)\right)}{2dn} - \frac{(Bn + iA(n + 2))(a + ia \tan(c + dx))^{n+1}}{ad(n + 1)(n + 2)} + \frac{B \tan(c + dx)}{a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^n*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*B*(a + I*a*\text{Tan}[c + d*x])^n)/(d*n*(2 + n)) + ((I*A + B)*\text{Hypergeometric2F1}[1, n, 1 + n, (1 + I*\text{Tan}[c + d*x])/2]*(a + I*a*\text{Tan}[c + d*x])^n)/(2*d*n) + (B*\text{Tan}[c + d*x]^2*(a + I*a*\text{Tan}[c + d*x])^n)/(d*(2 + n)) - ((B*n + I*A*(2 + n))*(a + I*a*\text{Tan}[c + d*x])^{(1 + n)})/(a*d*(1 + n)*(2 + n))$

Rule 3597

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m*((c + d*\text{Tan}[e + f*x])^n), x_Symbol] := \text{Simp}[(B*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(a*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n - 1)}*\text{Simp}[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3592

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m*((c + d*\text{Tan}[e + f*x])^n), x_Symbol] := \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m*((c + d*\text{Tan}[e + f*x])^n), x_Symbol] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3481

```
Int[((a_) + (b_.)*tan[(c_) + (d_.)*(x_)])^(n_), x_Symbol] := -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]
```

Rule 68

```
Int[((a_) + (b_.)*(x_)^(m_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{B \tan^2(c + dx)(a + ia \tan(c + dx))^n}{d(2 + n)} + \frac{\int \tan(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{d(2 + n)} \\ &= \frac{B \tan^2(c + dx)(a + ia \tan(c + dx))^n}{d(2 + n)} - \frac{(Bn + iA(2 + n))(a + ia \tan(c + dx))^n}{ad(1 + n)} \\ &= -\frac{2B(a + ia \tan(c + dx))^n}{dn(2 + n)} + \frac{B \tan^2(c + dx)(a + ia \tan(c + dx))^n}{d(2 + n)} \\ &= -\frac{2B(a + ia \tan(c + dx))^n}{dn(2 + n)} + \frac{B \tan^2(c + dx)(a + ia \tan(c + dx))^n}{d(2 + n)} \\ &= -\frac{2B(a + ia \tan(c + dx))^n}{dn(2 + n)} + \frac{(iA + B) {}_2F_1\left(1, n; 1 + n; \frac{1}{2}(1 + ia \tan(c + dx))\right)}{d(2 + n)} \end{aligned}$$

Mathematica [F] time = 38.8649, size = 0, normalized size = 0.

$$\int \tan^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^2*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 1.212, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^2 (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \tan(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\left((A - iB)e^{(6i dx + 6i c)} - (A - 3iB)e^{(4i dx + 4i c)} - (A + 3iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n}{e^{(6i dx + 6i c)} + 3e^{(4i dx + 4i c)} + 3e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(-((A - I*B)*e^(6*I*d*x + 6*I*c) - (A - 3*I*B)*e^(4*I*d*x + 4*I*c) - (A + 3*I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n/(e^(6*I*d*x + 6*I*c) + 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \tan(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^2, x)

3.221 $\int \tan(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$

Optimal. Leaf size=111

$$\frac{(A - iB)(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(1, n, n + 1, \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn} + \frac{A(a + ia \tan(c + dx))^n}{dn} - \frac{iB(a + ia \tan(c + dx))^{n+1}}{ad(n + 1)}$$

[Out] (A*(a + I*a*Tan[c + d*x])^n)/(d*n) - ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - (I*B*(a + I*a*Tan[c + d*x])^(1 + n))/(a*d*(1 + n))

Rubi [A] time = 0.120165, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3592, 3527, 3481, 68}

$$\frac{(A - iB)(a + ia \tan(c + dx))^n {}_2F_1\left(1, n; n + 1; \frac{1}{2}(i \tan(c + dx) + 1)\right)}{2dn} + \frac{A(a + ia \tan(c + dx))^n}{dn} - \frac{iB(a + ia \tan(c + dx))^{n+1}}{ad(n + 1)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (A*(a + I*a*Tan[c + d*x])^n)/(d*n) - ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - (I*B*(a + I*a*Tan[c + d*x])^(1 + n))/(a*d*(1 + n))

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3527

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3481

Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

Rule 68

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])/((b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \tan(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx &= -\frac{iB(a+ia \tan(c+dx))^{1+n}}{ad(1+n)} + \int (a+ia \tan(c+dx))^n(-B \\
&= \frac{A(a+ia \tan(c+dx))^n}{dn} - \frac{iB(a+ia \tan(c+dx))^{1+n}}{ad(1+n)} - (ia \\
&= \frac{A(a+ia \tan(c+dx))^n}{dn} - \frac{iB(a+ia \tan(c+dx))^{1+n}}{ad(1+n)} - (a \\
&= \frac{A(a+ia \tan(c+dx))^n}{dn} - \frac{(A-iB)_2F_1\left(1, n; 1+n; \frac{1}{2}(1+
\end{aligned}$$

Mathematica [B] time = 30.0093, size = 270, normalized size = 2.43

$$2^{n-1}e^{-2idnx} \left(e^{idx} \right)^n \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^n \sec^{-n}(c+dx)(\cos(dx)+i \sin(dx))^{-n}(a+ia \tan(c+dx))^n \left(\frac{(A+iB)e^{2idnx} (1+e^{2i(c+dx)}}{\right.$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (2^(-1 + n)*(E^(I*d*x))^n*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^n*(((A + I*B)*E^((2*I)*d*n*x)*(1 + E^((2*I)*(c + d*x)))^n*Hypergeometric2F1[n, 2 + n, 1 + n, -E^((2*I)*(c + d*x))])/(d*n) + (E^((2*I)*c)*(((2*I)*B*E^((2*I)*d*(1 + n)*x))/((1 + E^((2*I)*(c + d*x)))*(1 + n)) - ((A - I*B)*E^((2*I)*c + d*(2 + n)*x))*(1 + E^((2*I)*(c + d*x)))^n*Hypergeometric2F1[2 + n, 2 + n, 3 + n, -E^((2*I)*(c + d*x))])/(2 + n))/d)*(a + I*a*Tan[c + d*x])^n/(E^((2*I)*d*n*x)*Sec[c + d*x]^n*(Cos[d*x] + I*Sin[d*x])^n)

Maple [F] time = 0.998, size = 0, normalized size = 0.

$$\int \tan(dx+c)(a+ia \tan(dx+c))^n(A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^n \tan(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((-iA - B)e^{(4i dx + 4ic)} + 2Be^{(2i dx + 2ic)} + iA - B \right) \left(\frac{2ae^{(2i dx + 2ic)}}{e^{(2i dx + 2ic)} + 1} \right)^n}{e^{(4i dx + 4ic)} + 2e^{(2i dx + 2ic)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((-I*A - B)*e^(4*I*d*x + 4*I*c) + 2*B*e^(2*I*d*x + 2*I*c) + I*A - B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n/(e^(4*I*d*x + 4*I*c) + 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^n (A + B \tan(c + dx)) \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))^n*(A + B*tan(c + d*x))*tan(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \tan(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c), x)

3.222 $\int (a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$

Optimal. Leaf size=78

$$\frac{B(a + ia \tan(c + dx))^n}{dn} - \frac{(B + iA)(a + ia \tan(c + dx))^n \operatorname{Hypergeometric2F1}\left(1, n, n + 1, \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn}$$

[Out] (B*(a + I*a*Tan[c + d*x])^n)/(d*n) - ((I*A + B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n)

Rubi [A] time = 0.0656323, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3527, 3481, 68}

$$\frac{B(a + ia \tan(c + dx))^n}{dn} - \frac{(B + iA)(a + ia \tan(c + dx))^n {}_2F_1\left(1, n; n + 1; \frac{1}{2}(i \tan(c + dx) + 1)\right)}{2dn}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (B*(a + I*a*Tan[c + d*x])^n)/(d*n) - ((I*A + B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n)

Rule 3527

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Dist[(b*c + a*d)/b, Int[(a + b*Tan[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3481

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int (a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{B(a + ia \tan(c + dx))^n}{dn} - (-A + iB) \int (a + ia \tan(c + dx))^n dx \\ &= \frac{B(a + ia \tan(c + dx))^n}{dn} - \frac{(a(iA + B)) \operatorname{Subst}\left(\int \frac{(a+x)^{-1+n}}{a-x} dx, x, ia \tan(c + dx)\right)}{d} \\ &= \frac{B(a + ia \tan(c + dx))^n}{dn} - \frac{(iA + B) {}_2F_1\left(1, n; 1 + n; \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn} \end{aligned}$$

Mathematica [A] time = 7.15504, size = 152, normalized size = 1.95

$$\frac{2^{n-1} \left(e^{idx} \right)^n \left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}} \right)^n \sec^{-n}(c+dx) (\cos(dx) + i \sin(dx))^{-n} (a + ia \tan(c+dx))^n \left((n+1)(B - iA) - in(A - iB) e^{2i(c+dx)} \right)}{dn(n+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (2^(-1 + n)*(E^(I*d*x))^n*(E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))))^n*(((-I)*A + B)*(1 + n) - I*(A - I*B)*E^((2*I)*(c + d*x))*n*Hypergeometric2F1[1, 1, 2 + n, -E^((2*I)*(c + d*x))])*(a + I*a*Tan[c + d*x])^n)/(d*n*(1 + n)*Se c[c + d*x]^n*(Cos[d*x] + I*Sin[d*x])^n)

Maple [F] time = 0.787, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n}{e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c) / (e^(2*I*d*x + 2*I*c) + 1))^n / (e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(i \tan(c + dx) + 1))^n (A + B \tan(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Integral((a*(I*tan(c + d*x) + 1))**n*(A + B*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n, x)

3.223 $\int \cot(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$

Optimal. Leaf size=97

$$\frac{(A - iB)(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(1, n, n + 1, \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn} - \frac{A(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(1, n, n + 1, \frac{1}{2}(1 + i \tan(c + dx))\right)}{dn}$$

[Out] ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - (A*Hypergeometric2F1[1, n, 1 + n, 1 + I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*n)

Rubi [A] time = 0.178412, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3600, 3481, 68, 3599, 65}

$$\frac{(A - iB)(a + ia \tan(c + dx))^n {}_2F_1\left(1, n; n + 1; \frac{1}{2}(i \tan(c + dx) + 1)\right)}{2dn} - \frac{A(a + ia \tan(c + dx))^n {}_2F_1(1, n; n + 1; i \tan(c + dx))}{dn}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - (A*Hypergeometric2F1[1, n, 1 + n, 1 + I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*n)

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3481

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a

$\wedge 2 + b^2, 0]$ && EqQ[A*b + a*B, 0]

Rule 65

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{A \int \cot(c + dx)(a - ia \tan(c + dx))(a + ia \tan(c + dx))^n}{a} \\ &= \frac{(aA) \operatorname{Subst}\left(\int \frac{(a+iax)^{-1+n}}{x} dx, x, \tan(c + dx)\right)}{d} + \frac{(a(A - iB))}{d} \\ &= \frac{(A - iB) {}_2F_1\left(1, n; 1 + n; \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn} (a + ia \tan(c + dx))^n \end{aligned}$$

Mathematica [F] time = 23.956, size = 0, normalized size = 0.

$$\int \cot(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.745, size = 0, normalized size = 0.

$$\int \cot(dx + c)(a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((i A + B) e^{(2i dx + 2i c)} + i A - B \right) \left(\frac{2 a e^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n}{e^{(2i dx + 2i c)} - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A - B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n/(e^(2*I*d*x + 2*I*c) - 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c), x)

$$3.224 \quad \int \cot^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=131

$$\frac{(B + iA)(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(1, n, n + 1, \frac{1}{2}(1 + i \tan(c + dx))\right)}{2dn} - \frac{(B + iAn)(a + ia \tan(c + dx))}{dn}$$

[Out] -((A*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n)/d) + ((I*A + B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - ((B + I*A*n)*Hypergeometric2F1[1, n, 1 + n, 1 + I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*n)

Rubi [A] time = 0.326724, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3598, 3600, 3481, 68, 3599, 65}

$$\frac{(B + iA)(a + ia \tan(c + dx))^n {}_2F_1\left(1, n; n + 1; \frac{1}{2}(i \tan(c + dx) + 1)\right)}{2dn} - \frac{(B + iAn)(a + ia \tan(c + dx))^n {}_2F_1(1, n; n + 1; i \tan(c + dx))}{dn}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] -((A*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n)/d) + ((I*A + B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - ((B + I*A*n)*Hypergeometric2F1[1, n, 1 + n, 1 + I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*n)

Rule 3598

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_))*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int[(((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_))*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[(((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3481

Int[(((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 + b^2, 0]

Rule 68

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 65

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((c + d*x
)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d
/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[
m] || GtQ[-(d/(b*c)), 0])
```

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx &= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^n}{d} + \frac{\int \cot(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{d} \\ &= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^n}{d} + (-A + iB) \int (a + ia \tan(c + dx))^n dx \\ &= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^n}{d} + \frac{(a(iA + B)) \text{Subst}\left(\int (a + ia \tan(c + dx))^n dx, dx, \tan(c + dx)\right)}{d} \\ &= -\frac{A \cot(c + dx)(a + ia \tan(c + dx))^n}{d} + \frac{(iA + B) {}_2F_1\left(1, n; 1 + n; \frac{d(a + ia \tan(c + dx))}{c}\right)}{d} \end{aligned}$$

Mathematica [F] time = 44.2511, size = 0, normalized size = 0.

$$\int \cot^2(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.761, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^2 (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] $\int \cot(dx+c)^{2*(a+I*a*\tan(dx+c))^n*(A+B*\tan(dx+c)), x)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(i a \tan(dx+c) + a)^n \cot(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^2*(a+I*a*tan(dx+c))^n*(A+B*tan(dx+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(dx+c) + A)*(I*a*tan(dx+c) + a)^n*cot(dx+c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\left((A - iB)e^{4i dx+4i c} + 2Ae^{2i dx+2i c} + A + iB \right) \left(\frac{2ae^{2i dx+2i c}}{e^{2i dx+2i c}+1} \right)^n}{e^{4i dx+4i c} - 2e^{2i dx+2i c} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^2*(a+I*a*tan(dx+c))^n*(A+B*tan(dx+c)),x, algorithm="fricas")`

[Out] `integral(-((A - I*B)*e^(4*I*d*x + 4*I*c) + 2*A*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n/(e^(4*I*d*x + 4*I*c) - 2*e^(2*I*d*x + 2*I*c) + 1), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)**2*(a+I*a*tan(dx+c))**n*(A+B*tan(dx+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(i a \tan(dx+c) + a)^n \cot(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^2*(a+I*a*tan(dx+c))^n*(A+B*tan(dx+c)),x, algorithm="giac")`

[Out] `integrate((B*tan(dx+c) + A)*(I*a*tan(dx+c) + a)^n*cot(dx+c)^2, x)`

$$3.225 \quad \int \cot^3(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=185

$$\frac{(-A(n^2 - n + 2) + 2iBn)(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}(1, n, n + 1, 1 + i \tan(c + dx))}{2dn} - \frac{(A - iB)(a + ia \tan(c + dx))^n}{2dn}$$

[Out] -((2*B + I*A*n)*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n)/(2*d) - (A*Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^n)/(2*d) - ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - (((2*I)*B*n - A*(2 - n + n^2))*Hypergeometric2F1[1, n, 1 + n, 1 + I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(2*d*n)

Rubi [A] time = 0.582882, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3598, 3600, 3481, 68, 3599, 65}

$$\frac{(-A(n^2 - n + 2) + 2iBn)(a + ia \tan(c + dx))^n {}_2F_1(1, n; n + 1; i \tan(c + dx) + 1)}{2dn} - \frac{(A - iB)(a + ia \tan(c + dx))^n {}_2F_1(1, n; n + 1; i \tan(c + dx) + 1)}{2dn}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] -((2*B + I*A*n)*Cot[c + d*x]*(a + I*a*Tan[c + d*x])^n)/(2*d) - (A*Cot[c + d*x]^2*(a + I*a*Tan[c + d*x])^n)/(2*d) - ((A - I*B)*Hypergeometric2F1[1, n, 1 + n, (1 + I*Tan[c + d*x])/2]*(a + I*a*Tan[c + d*x])^n)/(2*d*n) - (((2*I)*B*n - A*(2 - n + n^2))*Hypergeometric2F1[1, n, 1 + n, 1 + I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(2*d*n)

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3600

Int((((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]))/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(A*b + a*B)/(b*c + a*d), Int[(a + b*Tan[e + f*x])^m, x], x] - Dist[(B*c - A*d)/(b*c + a*d), Int[((a + b*Tan[e + f*x])^m*(a - b*Tan[e + f*x]))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3481

Int(((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> -Dist[b/d, Subst[Int[(a + x)^(n - 1)/(a - x), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b,

$c, d, n\}, x] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 68

$\text{Int}[\{(a_)+(b_)*(x_)\}^{(m_)}*\{(c_)+(d_)*(x_)\}^{(n_)}, x_Symbol] \rightarrow \text{Simp}[\{(b*c - a*d)^n*(a + b*x)^{(m + 1)}*\text{Hypergeometric2F1}[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]\}/(b^{(n + 1)}*(m + 1)), x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3599

$\text{Int}[\{(a_)+(b_)*\tan[(e_)+(f_)*(x_)]\}^{(m_)}*\{(A_)+(B_)*\tan[(e_)+(f_)*(x_)]\}^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m - 1)}*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A*b + a*B, 0]$

Rule 65

$\text{Int}[\{(b_)*(x_)\}^{(m_)}*\{(c_)+(d_)*(x_)\}^{(n_)}, x_Symbol] \rightarrow \text{Simp}[\{(c + d*x)^{(n + 1)}*\text{Hypergeometric2F1}[-m, n + 1, n + 2, 1 + (d*x)/c]\}/(d*(n + 1)*(-(d/(b*c)))^m), x] /; \text{FreeQ}\{b, c, d, m, n\}, x] \&\& \text{!IntegerQ}[n] \&\& (\text{IntegerQ}[m] \mid\mid \text{GtQ}[-(d/(b*c)), 0])$

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx &= -\frac{A \cot^2(c + dx)(a + ia \tan(c + dx))^n}{2d} + \frac{\int \cot^2(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx}{2d} \\ &= -\frac{(2B + iAn) \cot(c + dx)(a + ia \tan(c + dx))^n}{2d} - \frac{A \cot^2(c + dx)(a + ia \tan(c + dx))^n}{2d} \\ &= -\frac{(2B + iAn) \cot(c + dx)(a + ia \tan(c + dx))^n}{2d} - \frac{A \cot^2(c + dx)(a + ia \tan(c + dx))^n}{2d} \\ &= -\frac{(2B + iAn) \cot(c + dx)(a + ia \tan(c + dx))^n}{2d} - \frac{A \cot^2(c + dx)(a + ia \tan(c + dx))^n}{2d} \\ &= -\frac{(2B + iAn) \cot(c + dx)(a + ia \tan(c + dx))^n}{2d} - \frac{A \cot^2(c + dx)(a + ia \tan(c + dx))^n}{2d} \end{aligned}$$

Mathematica [F] time = 64.7095, size = 0, normalized size = 0.

$$\int \cot^3(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^3*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.942, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^3 (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

[Out] `int(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \cot(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^3, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((-iA - B)e^{(6i dx + 6ic)} + (-3iA - B)e^{(4i dx + 4ic)} + (-3iA + B)e^{(2i dx + 2ic)} - iA + B \right) \left(\frac{2ae^{(2i dx + 2ic)}}{e^{(2i dx + 2ic)} + 1} \right)^n}{e^{(6i dx + 6ic)} - 3e^{(4i dx + 4ic)} + 3e^{(2i dx + 2ic)} - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral(((-I*A - B)*e^(6*I*d*x + 6*I*c) + (-3*I*A - B)*e^(4*I*d*x + 4*I*c) + (-3*I*A + B)*e^(2*I*d*x + 2*I*c) - I*A + B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n/(e^(6*I*d*x + 6*I*c) - 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) - 1), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**3*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \cot(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cot(d*x+c)^3*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^3, x)
```

$$3.226 \quad \int \tan^2(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=383

$$\frac{2(4Bn(2n^2+8n+9)+iA(8n^3+32n^2+36n+15))\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left[\frac{1}{2}, 1-n, 1, \frac{3}{2}, (-I)\tan(c+dx), I\tan(c+dx)\right]}{d(2n+1)(2n+3)(2n+5)}$$

[Out] $(-2*((2*I)*A*n*(5+2*n)+B*(15+10*n+4*n^2))*\text{Sqrt}[\text{Tan}[c+d*x]]*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(1+2*n)*(3+2*n)*(5+2*n))+ (2*(I*A+B)*\text{AppellF1}[1/2, 1-n, 1, 3/2, (-I)*\text{Tan}[c+d*x], I*\text{Tan}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(1+I*\text{Tan}[c+d*x])^n) - (2*(4*B*n*(9+8*n+2*n^2)+I*A*(15+36*n+32*n^2+8*n^3))*\text{Hypergeometric2F1}[1/2, 1-n, 3/2, (-I)*\text{Tan}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(1+2*n)*(3+2*n)*(5+2*n)*(1+I*\text{Tan}[c+d*x])^n) - (2*((2*I)*B*n-A*(5+2*n))*\text{Tan}[c+d*x]^{(3/2)}*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(3+2*n)*(5+2*n)) + (2*B*\text{Tan}[c+d*x]^{(5/2)}*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(5+2*n))$

Rubi [A] time = 1.13789, antiderivative size = 383, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3597, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(B+iA)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d} \quad 2(4Bn(2n^2+8n+9)+iA(8n^3+32n^2+36n+15))\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left[\frac{1}{2}, 1-n, 1, \frac{3}{2}, (-I)\tan(c+dx), I\tan(c+dx)\right]$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c+d*x]^{(5/2)}*(a+I*a*\text{Tan}[c+d*x])^n*(A+B*\text{Tan}[c+d*x]), x]$

[Out] $(-2*((2*I)*A*n*(5+2*n)+B*(15+10*n+4*n^2))*\text{Sqrt}[\text{Tan}[c+d*x]]*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(1+2*n)*(3+2*n)*(5+2*n))+ (2*(I*A+B)*\text{AppellF1}[1/2, 1-n, 1, 3/2, (-I)*\text{Tan}[c+d*x], I*\text{Tan}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(1+I*\text{Tan}[c+d*x])^n) - (2*(4*B*n*(9+8*n+2*n^2)+I*A*(15+36*n+32*n^2+8*n^3))*\text{Hypergeometric2F1}[1/2, 1-n, 3/2, (-I)*\text{Tan}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(1+2*n)*(3+2*n)*(5+2*n)*(1+I*\text{Tan}[c+d*x])^n) - (2*((2*I)*B*n-A*(5+2*n))*\text{Tan}[c+d*x]^{(3/2)}*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(3+2*n)*(5+2*n)) + (2*B*\text{Tan}[c+d*x]^{(5/2)}*(a+I*a*\text{Tan}[c+d*x])^n)/(d*(5+2*n))$

Rule 3597

$\text{Int}[(a_+ + (b_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] :> \text{Simp}[(B*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(a*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n-1)}*\text{Simp}[a*A*c*(m+n) - B*(b*c*m + a*d*n) + (a*A*d*(m+n) - B*(b*d*m - a*c*n))*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

$\text{Int}[(a_+ + (b_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] :> \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n, x], x]$

- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -(d*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0])) || !RationalQ[n])

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*x)/c])/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx &= \frac{2B \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n}{d(5+2n)} + \frac{2 \int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx}{d(5+2n)} \\
&= -\frac{2(2iBn-A(5+2n)) \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n}{d(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)} \\
&= -\frac{2(2iAn(5+2n)+B(15+10n+4n^2)) \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)(5+2n)}
\end{aligned}$$

Mathematica [F] time = 15.2754, size = 0, normalized size = 0.

$$\int \tan^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.336, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^{\frac{5}{2}} (a+ia \tan(dx+c))^n (A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^n \tan(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\left((A - iB)e^{(6i dx + 6i c)} - (A - 3iB)e^{(4i dx + 4i c)} - (A + 3iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n \sqrt{\frac{-ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}}}{e^{(6i dx + 6i c)} + 3e^{(4i dx + 4i c)} + 3e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(-((A - I*B)*e^(6*I*d*x + 6*I*c) - (A - 3*I*B)*e^(4*I*d*x + 4*I*c) - (A + 3*I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(e^(6*I*d*x + 6*I*c) + 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \tan(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^(5/2), x)

$$3.227 \quad \int \tan^2(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=291

$$\frac{2(2An(2n+3) - iB(4n^2 + 6n + 3)) \sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, 3/2, (-I)\tan[c+dx], I \tan[c+dx]\right) \sqrt{\tan[c+dx]}(a+Ia \tan[c+dx])^n}{d(2n+1)(2n+3)}$$

[Out] (-2*((2*I)*B*n - A*(3 + 2*n))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)) - (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n) + (2*(2*A*n*(3 + 2*n) - I*B*(3 + 6*n + 4*n^2))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*(1 + I*Tan[c + d*x])^n) + (2*B*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n)/(d*(3 + 2*n))

Rubi [A] time = 0.779276, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3597, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(A - iB)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d} + \frac{2(2A - iB)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (-2*((2*I)*B*n - A*(3 + 2*n))*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)) - (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n) + (2*(2*A*n*(3 + 2*n) - I*B*(3 + 6*n + 4*n^2))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*(1 + I*Tan[c + d*x])^n) + (2*B*Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n)/(d*(3 + 2*n))

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k), x]] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -(d*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0])) || !RationalQ[n])

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*x)/c])/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx &= \frac{2B \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n}{d(3+2n)} + \frac{2 \int \sqrt{\tan(c+dx)}^n}{d(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)} \\
&= -\frac{2(2iBn-A(3+2n))\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n}{d(1+2n)(3+2n)}
\end{aligned}$$

Mathematica [F] time = 16.5604, size = 0, normalized size = 0.

$$\int \tan^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.327, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^{\frac{3}{2}} (a+ia \tan(dx+c))^n (A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^n \tan(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((-iA - B)e^{(4i dx + 4i c)} + 2Be^{(2i dx + 2i c)} + iA - B \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n \sqrt{\frac{-ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}}}{e^{(4i dx + 4i c)} + 2e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((-I*A - B)*e^(4*I*d*x + 4*I*c) + 2*B*e^(2*I*d*x + 2*I*c) + I*A - B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(e^(4*I*d*x + 4*I*c) + 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \tan(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*tan(d*x + c)^(3/2), x)

$$3.228 \quad \int \sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=215

$$\frac{2(2Bn + iA(2n + 1))\sqrt{\tan(c+dx)}(1 + i \tan(c+dx))^{-n}(a + ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1 - n, \frac{3}{2}, -i \tan(c+dx)\right)}{d(2n + 1)}$$

[Out] (2*B*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)) - (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n) + (2*(2*B*n + I*A*(1 + 2*n))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.494958, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3597, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(B + iA)\sqrt{\tan(c+dx)}(1 + i \tan(c+dx))^{-n}(a + ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] (2*B*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)) - (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n) + (2*(2*B*n + I*A*(1 + 2*n))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(1 + I*Tan[c + d*x])^n)

Rule 3597

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[((a + x)^(m - 1)*(c
+ (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d
, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^
2, 0]
```

Rule 130

```
Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_
Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)
*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a,
b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]
```

Rule 430

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 66

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPar
t[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*
x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ
[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -
2^(-1)] && EqQ[c^2 - d^2, 0])) || !RationalQ[n])
```

Rule 64

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx &= \frac{2B\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n}{d(1 + 2n)} + \frac{2 \int \frac{(a+ia \tan(c+dx))}{\sqrt{\tan(c + dx)}}}{d(1 + 2n)} \\ &= \frac{2B\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n}{d(1 + 2n)} + (-iA - B) \int \frac{(a + ia \tan(c + dx))}{\sqrt{\tan(c + dx)}} \\ &= \frac{2B\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n}{d(1 + 2n)} + \frac{(a^2(A - iB)) \operatorname{Subst}(\int \frac{1}{\sqrt{t}} dt, t = \tan(c + dx))}{d(1 + 2n)} \\ &= \frac{2B\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n}{d(1 + 2n)} + \frac{(2a^3(iA + B)) \operatorname{Subst}(\int \frac{1}{\sqrt{t}} dt, t = \tan(c + dx))}{d(1 + 2n)} \\ &= \frac{2B\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n}{d(1 + 2n)} + \frac{2(2Bn + iA(1 + 2n)) \operatorname{Subst}(\int \frac{1}{\sqrt{t}} dt, t = \tan(c + dx))}{d(1 + 2n)} \\ &= \frac{2B\sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n}{d(1 + 2n)} - \frac{2(iA + B)F_1\left(\frac{1}{2}; 1, \tan(c + dx)\right)}{d(1 + 2n)} \end{aligned}$$

Mathematica [F] time = 20.2892, size = 0, normalized size = 0.

$$\int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.347, size = 0, normalized size = 0.

$$\int \sqrt{\tan(dx + c)}(a + ia \tan(dx + c))^n(A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*sqrt(tan(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n \sqrt{\frac{-ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} + 1}}}{e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*sqrt(tan(d*x + c)), x)

$$3.229 \quad \int \frac{(a+ia \tan(c+dx))^n (A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=158

$$\frac{2iB\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{d} + \frac{2(A-iB)}{d}$$

[Out] (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n/(d*(1 + I*Tan[c + d*x])^n) + ((2*I)*B*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.308457, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(A-iB)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d} + \frac{2iB\sqrt{\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]

[Out] (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x])*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n/(d*(1 + I*Tan[c + d*x])^n) + ((2*I)*B*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n)

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*b)/f, Subst[Int[((a + x)^(m-1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p+1)-1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],

Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_.)*(x_)^(m_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0]))) || !RationalQ[n]

Rule 64

Int[((b_.)*(x_)^(m_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)])/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0])))

Rubi steps

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx = - \left((-A + iB) \int \frac{(a + ia \tan(c + dx))^n}{\sqrt{\tan(c + dx)}} dx \right) + \frac{(iB) \int \frac{(a - ia \tan(c + dx))^{(a+i)}}{\sqrt{\tan(c + dx)}} dx}{a}$$

$$= \frac{(iaB) \text{Subst} \left(\int \frac{(a+iax)^{-1+n}}{\sqrt{x}} dx, x, \tan(c + dx) \right)}{d} + \frac{(a^2(iA + B)) \text{Subst} \left(\int \frac{(a+iax)^{-1+n}}{\sqrt{x}} dx, x, \tan(c + dx) \right)}{d}$$

$$= - \frac{(2a^3(A - iB)) \text{Subst} \left(\int \frac{(a+iax^2)^{-1+n}}{-a^2+ia^2x^2} dx, x, \sqrt{\tan(c + dx)} \right)}{d} + \frac{(iB(1 + \tan(c + dx))) \text{Subst} \left(\int \frac{(a+iax^2)^{-1+n}}{-a^2+ia^2x^2} dx, x, \sqrt{\tan(c + dx)} \right)}{d}$$

$$= \frac{2iB {}_2F_1 \left(\frac{1}{2}, 1 - n; \frac{3}{2}; -i \tan(c + dx) \right) (1 + i \tan(c + dx))^{-n} \sqrt{\tan(c + dx)}}{d}$$

$$= \frac{2(A - iB) F_1 \left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx), i \tan(c + dx) \right) (1 + i \tan(c + dx))^{-n} \sqrt{\tan(c + dx)}}{d}$$

Mathematica [F] time = 19.692, size = 0, normalized size = 0.

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]

[Out] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

Maple [F] time = 0.369, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) \frac{1}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)

[Out] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/sqrt(tan(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((iA + B)e^{2i dx + 2ic} + iA - B \right) \left(\frac{2ae^{2i dx + 2ic}}{e^{2i dx + 2ic} + 1} \right)^n \sqrt{\frac{-ie^{2i dx + 2ic} + i}{e^{2i dx + 2ic} + 1}}}{e^{2i dx + 2ic} - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A - B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(e^(2*I*d*x + 2*I*c) - 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/sqrt(tan(d*x + c)), x)

$$3.230 \quad \int \frac{(a+ia \tan(c+dx))^n (A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=194

$$\frac{2iA(1-2n)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{d}$$

[Out] (-2*A*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Tan[c + d*x]]) + (2*(I*A + B)*Appel1F1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]])*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n) - ((2*I)*A*(1 - 2*n)*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.489736, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3598, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(B + iA)\sqrt{\tan(c + dx)}(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx), i \tan(c + dx)\right)}{d} - \frac{2iA(1 - 2n)\sqrt{\tan(c + dx)}(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1 - n, \frac{3}{2}, -i \tan(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (-2*A*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Tan[c + d*x]]) + (2*(I*A + B)*Appel1F1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Sqrt[Tan[c + d*x]])*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n) - ((2*I)*A*(1 - 2*n)*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*Sqrt[Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + I*Tan[c + d*x])^n)

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c

+ (d*x)/b)^n)/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_.)*(x_))^(p_)*((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x]] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0])) || !RationalQ[n])

Rule 64

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2A(a + ia \tan(c + dx))^n}{d\sqrt{\tan(c + dx)}} + \frac{2 \int \frac{(a + ia \tan(c + dx))^n \left(\frac{1}{2}a(B + 2iAn) - \frac{1}{2}aA(1 - 2n) \tan(c + dx)\right)}{\sqrt{\tan(c + dx)}} dx}{a} \\
&= -\frac{2A(a + ia \tan(c + dx))^n}{d\sqrt{\tan(c + dx)}} + (iA + B) \int \frac{(a + ia \tan(c + dx))^n}{\sqrt{\tan(c + dx)}} dx - \frac{(iA + B) \int \frac{(a + ia \tan(c + dx))^n}{\sqrt{\tan(c + dx)}} dx}{a} \\
&= -\frac{2A(a + ia \tan(c + dx))^n}{d\sqrt{\tan(c + dx)}} - \frac{(a^2(A - iB)) \text{Subst}\left(\int \frac{(a+x)^{-1+n}}{\sqrt{\frac{-ix}{a}(-a^2+ax)}} dx, x, -i \tan(c + dx)\right)}{d} \\
&= -\frac{2A(a + ia \tan(c + dx))^n}{d\sqrt{\tan(c + dx)}} - \frac{(2a^3(iA + B)) \text{Subst}\left(\int \frac{(a+iax^2)^{-1+n}}{-a^2+ia^2x^2} dx, x, -i \tan(c + dx)\right)}{d} \\
&= -\frac{2A(a + ia \tan(c + dx))^n}{d\sqrt{\tan(c + dx)}} - \frac{2iA(1 - 2n) {}_2F_1\left(\frac{1}{2}, 1 - n; \frac{3}{2}; -i \tan(c + dx)\right)}{d} \\
&= -\frac{2A(a + ia \tan(c + dx))^n}{d\sqrt{\tan(c + dx)}} + \frac{2(iA + B)F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx)\right)}{d}
\end{aligned}$$

Mathematica [F] time = 9.51597, size = 0, normalized size = 0.

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

Maple [F] time = 0.327, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) (\tan(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\left((A - iB)e^{4i dx + 4i c} + 2Ae^{2i dx + 2i c} + A + iB \right) \left(\frac{2ae^{2i dx + 2i c}}{e^{2i dx + 2i c} + 1} \right)^n \sqrt{\frac{-ie^{2i dx + 2i c} + i}{e^{2i dx + 2i c} + 1}}}{e^{4i dx + 4i c} - 2e^{2i dx + 2i c} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(-((A - I*B)*e^(4*I*d*x + 4*I*c) + 2*A*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(e^(4*I*d*x + 4*I*c) - 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\tan(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/tan(d*x + c)^(3/2), x)

$$3.231 \quad \int \frac{(a+ia \tan(c+dx))^n (A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=247

$$\frac{2(1-2n)(-2An+3iB)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{3d}$$

[Out] $(-2*A*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d*\text{Tan}[c + d*x]^{(3/2)}) - (2*(3*B + (2*I)*A*n)*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d*\text{Sqrt}[\text{Tan}[c + d*x]]) - (2*(A - I*B)*\text{AppellF1}[1/2, 1 - n, 1, 3/2, (-I)*\text{Tan}[c + d*x], I*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])*(a + I*a*\text{Tan}[c + d*x])^n/(d*(1 + I*\text{Tan}[c + d*x])^n) - (2*(1 - 2*n)*((3*I)*B - 2*A*n)*\text{Hypergeometric2F1}[1/2, 1 - n, 3/2, (-I)*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])*(a + I*a*\text{Tan}[c + d*x])^n/(3*d*(1 + I*\text{Tan}[c + d*x])^n)$

Rubi [A] time = 0.722917, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3598, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(A-iB)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d} - \frac{2(1-2n)(-2An+3iB)\sqrt{\tan(c+dx)}(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] $(-2*A*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d*\text{Tan}[c + d*x]^{(3/2)}) - (2*(3*B + (2*I)*A*n)*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d*\text{Sqrt}[\text{Tan}[c + d*x]]) - (2*(A - I*B)*\text{AppellF1}[1/2, 1 - n, 1, 3/2, (-I)*\text{Tan}[c + d*x], I*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])*(a + I*a*\text{Tan}[c + d*x])^n/(d*(1 + I*\text{Tan}[c + d*x])^n) - (2*(1 - 2*n)*((3*I)*B - 2*A*n)*\text{Hypergeometric2F1}[1/2, 1 - n, 3/2, (-I)*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])*(a + I*a*\text{Tan}[c + d*x])^n/(3*d*(1 + I*\text{Tan}[c + d*x])^n)$

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[((a + x)^(m - 1)*(c
+ (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d
, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^
2, 0]
```

Rule 130

```
Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_
Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)
*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a,
b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]
```

Rule 430

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 66

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPar
t[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*
x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ
[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -
2^(-1)] && EqQ[c^2 - d^2, 0])) || !RationalQ[n])
```

Rule 64

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{(a + ia \tan(c + dx))^n \left(\frac{1}{2}a(3B + 2iAn) - \frac{1}{2}aA(3 - 2n) \tan(c + dx)\right)}{\tan^{\frac{3}{2}}(c + dx)} dx}{3a} \\
 &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(3B + 2iAn)(a + ia \tan(c + dx))^n}{3d \sqrt{\tan(c + dx)}} + \frac{4 \int (a + ia \tan(c + dx))^n dx}{3d} \\
 &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(3B + 2iAn)(a + ia \tan(c + dx))^n}{3d \sqrt{\tan(c + dx)}} + (-A) \frac{4 \int (a + ia \tan(c + dx))^n dx}{3d} \\
 &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(3B + 2iAn)(a + ia \tan(c + dx))^n}{3d \sqrt{\tan(c + dx)}} - \frac{4A \int (a + ia \tan(c + dx))^n dx}{3d} \\
 &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(3B + 2iAn)(a + ia \tan(c + dx))^n}{3d \sqrt{\tan(c + dx)}} + \frac{4A \int (a + ia \tan(c + dx))^n dx}{3d} \\
 &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(3B + 2iAn)(a + ia \tan(c + dx))^n}{3d \sqrt{\tan(c + dx)}} - \frac{4A \int (a + ia \tan(c + dx))^n dx}{3d} \\
 &= -\frac{2A(a + ia \tan(c + dx))^n}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(3B + 2iAn)(a + ia \tan(c + dx))^n}{3d \sqrt{\tan(c + dx)}} - \frac{4A \int (a + ia \tan(c + dx))^n dx}{3d}
 \end{aligned}$$

Mathematica [F] time = 12.6783, size = 0, normalized size = 0.

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

Maple [F] time = 0.326, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) (\tan(dx + c))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\tan(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/tan(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((-iA - B)e^{6idx+6ic} + (-3iA - B)e^{4idx+4ic} + (-3iA + B)e^{2idx+2ic} - iA + B \right) \left(\frac{2ae^{2idx+2ic}}{e^{2idx+2ic}+1} \right)^n \sqrt{\frac{-ie^{2idx+2ic}}{e^{2idx+2ic}+1}}}{e^{6idx+6ic} - 3e^{4idx+4ic} + 3e^{2idx+2ic} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral(((-I*A - B)*e^(6*I*d*x + 6*I*c) + (-3*I*A - B)*e^(4*I*d*x + 4*I*c) + (-3*I*A + B)*e^(2*I*d*x + 2*I*c) - I*A + B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((-I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) + 1))/(e^(6*I*d*x + 6*I*c) - 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) - 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\tan(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/tan(d*x + c)^(5/2), x)

3.232 $\int \tan^2(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=87

$$\frac{(aB + Ab) \tan^2(c + dx)}{2d} + \frac{(aA - bB) \tan(c + dx)}{d} + \frac{(aB + Ab) \log(\cos(c + dx))}{d} - x(aA - bB) + \frac{bB \tan^3(c + dx)}{3d}$$

[Out] $-\frac{(aA - bB)x}{d} + \frac{(A*b + a*B)*\text{Log}[\text{Cos}[c + d*x]]}{d} + \frac{(aA - bB)*\text{Tan}[c + d*x]}{d} + \frac{(A*b + a*B)*\text{Tan}[c + d*x]^2}{2d} + \frac{b*B*\text{Tan}[c + d*x]^3}{3d}$

Rubi [A] time = 0.117472, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3592, 3528, 3525, 3475}

$$\frac{(aB + Ab) \tan^2(c + dx)}{2d} + \frac{(aA - bB) \tan(c + dx)}{d} + \frac{(aB + Ab) \log(\cos(c + dx))}{d} - x(aA - bB) + \frac{bB \tan^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^2*(a + b*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-\frac{(aA - bB)x}{d} + \frac{(A*b + a*B)*\text{Log}[\text{Cos}[c + d*x]]}{d} + \frac{(aA - bB)*\text{Tan}[c + d*x]}{d} + \frac{(A*b + a*B)*\text{Tan}[c + d*x]^2}{2d} + \frac{b*B*\text{Tan}[c + d*x]^3}{3d}$

Rule 3592

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((c + d*\text{tan}[e + f*x]) + (A + B*\text{tan}[e + f*x]))], x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((c + d*\text{tan}[e + f*x]) + (A + B*\text{tan}[e + f*x]))], x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3525

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*((c + d*\text{tan}[e + f*x]) + (A + B*\text{tan}[e + f*x]))], x_Symbol] \rightarrow \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \tan^2(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= \frac{bB \tan^3(c + dx)}{3d} + \int \tan^2(c + dx)(aA - bB + (Ab + aB) \tan(c + dx)) dx \\
&= \frac{(Ab + aB) \tan^2(c + dx)}{2d} + \frac{bB \tan^3(c + dx)}{3d} + \int \tan(c + dx)(aA - bB + (Ab + aB) \tan(c + dx)) dx \\
&= -(aA - bB)x + \frac{(aA - bB) \tan(c + dx)}{d} + \frac{(Ab + aB) \tan^2(c + dx)}{2d} \\
&= -(aA - bB)x + \frac{(Ab + aB) \log(\cos(c + dx))}{d} + \frac{(aA - bB) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.546877, size = 86, normalized size = 0.99

$$\frac{3(aB + Ab) \tan^2(c + dx) + (6bB - 6aA) \tan^{-1}(\tan(c + dx)) + 6(aA - bB) \tan(c + dx) + 6(aB + Ab) \log(\cos(c + dx))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] ((-6*a*A + 6*b*B)*ArcTan[Tan[c + d*x]] + 6*(A*b + a*B)*Log[Cos[c + d*x]] + 6*(a*A - b*B)*Tan[c + d*x] + 3*(A*b + a*B)*Tan[c + d*x]^2 + 2*b*B*Tan[c + d*x]^3)/(6*d)

Maple [A] time = 0.012, size = 135, normalized size = 1.6

$$\frac{Bb(\tan(dx + c))^3}{3d} + \frac{A(\tan(dx + c))^2 b}{2d} + \frac{aB(\tan(dx + c))^2}{2d} + \frac{Aa \tan(dx + c)}{d} - \frac{bB \tan(dx + c)}{d} - \frac{\ln(1 + (\tan(dx + c))^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] 1/3*b*B*tan(d*x+c)^3/d+1/2/d*A*tan(d*x+c)^2*b+1/2/d*a*B*tan(d*x+c)^2+1/d*a*A*tan(d*x+c)-b*B*tan(d*x+c)/d-1/2/d*ln(1+tan(d*x+c)^2)*A*b-1/2/d*a*ln(1+tan(d*x+c)^2)*B-1/d*a*A*arctan(tan(d*x+c))+1/d*B*arctan(tan(d*x+c))*b

Maxima [A] time = 1.5071, size = 116, normalized size = 1.33

$$\frac{2Bb \tan(dx + c)^3 + 3(Ba + Ab) \tan(dx + c)^2 - 6(Aa - Bb)(dx + c) - 3(Ba + Ab) \log(\tan(dx + c)^2 + 1) + 6(Aa - Bb)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(2*B*b*tan(d*x + c)^3 + 3*(B*a + A*b)*tan(d*x + c)^2 - 6*(A*a - B*b)*(d*x + c) - 3*(B*a + A*b)*log(tan(d*x + c)^2 + 1) + 6*(A*a - B*b)*tan(d*x + c))/d

Fricas [A] time = 1.88914, size = 208, normalized size = 2.39

$$\frac{2Bb \tan(dx+c)^3 - 6(Aa - Bb)dx + 3(Ba + Ab) \tan(dx+c)^2 + 3(Ba + Ab) \log\left(\frac{1}{\tan(dx+c)^2+1}\right) + 6(Aa - Bb) \tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{6} * (2 * B * b * \tan(d * x + c)^3 - 6 * (A * a - B * b) * d * x + 3 * (B * a + A * b) * \tan(d * x + c)^2 + 3 * (B * a + A * b) * \log(1 / (\tan(d * x + c)^2 + 1)) + 6 * (A * a - B * b) * \tan(d * x + c)) / d$

Sympy [A] time = 0.456794, size = 136, normalized size = 1.56

$$\left\{ \begin{array}{l} -Aax + \frac{Aa \tan(c+dx)}{d} - \frac{Ab \log(\tan^2(c+dx)+1)}{2d} + \frac{Ab \tan^2(c+dx)}{2d} - \frac{Ba \log(\tan^2(c+dx)+1)}{2d} + \frac{Ba \tan^2(c+dx)}{2d} + Bbx + \frac{Bb \tan^3(c+dx)}{3d} - \frac{Bb \tan^2(c+dx)}{3d} \\ x(A + B \tan(c))(a + b \tan(c)) \tan^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((-A*a*x + A*a*tan(c + d*x)/d - A*b*log(tan(c + d*x)**2 + 1)/(2*d) + A*b*tan(c + d*x)**2/(2*d) - B*a*log(tan(c + d*x)**2 + 1)/(2*d) + B*a*tan(c + d*x)**2/(2*d) + B*b*x + B*b*tan(c + d*x)**3/(3*d) - B*b*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))*tan(c)**2, True))

Giac [B] time = 2.47706, size = 1373, normalized size = 15.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $-1/6 * (6 * A * a * d * x * \tan(d * x)^3 * \tan(c)^3 - 6 * B * b * d * x * \tan(d * x)^3 * \tan(c)^3 - 3 * B * a * \log(4 * (\tan(c)^2 + 1) / (\tan(d * x)^4 * \tan(c)^2 - 2 * \tan(d * x)^3 * \tan(c) + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 - 2 * \tan(d * x) * \tan(c) + 1)) * \tan(d * x)^3 * \tan(c)^3 - 3 * A * b * \log(4 * (\tan(c)^2 + 1) / (\tan(d * x)^4 * \tan(c)^2 - 2 * \tan(d * x)^3 * \tan(c) + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 - 2 * \tan(d * x) * \tan(c) + 1)) * \tan(d * x)^3 * \tan(c)^3 - 18 * A * a * d * x * \tan(d * x)^2 * \tan(c)^2 + 18 * B * b * d * x * \tan(d * x)^2 * \tan(c)^2 - 3 * B * a * \tan(d * x)^3 * \tan(c)^3 - 3 * A * b * \tan(d * x)^3 * \tan(c)^3 + 9 * B * a * \log(4 * (\tan(c)^2 + 1) / (\tan(d * x)^4 * \tan(c)^2 - 2 * \tan(d * x)^3 * \tan(c) + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 - 2 * \tan(d * x) * \tan(c) + 1)) * \tan(d * x)^2 * \tan(c)^2 + 9 * A * b * \log(4 * (\tan(c)^2 + 1) / (\tan(d * x)^4 * \tan(c)^2 - 2 * \tan(d * x)^3 * \tan(c) + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 * \tan(c)^2 + \tan(d * x)^2 - 2 * \tan(d * x) * \tan(c) + 1)) * \tan(d * x)^2 * \tan(c)^2 + 6 * A * a * \tan(d * x)^3 * \tan(c)^2 - 6 * B * b * \tan(d * x)^3 * \tan(c)^2 + 6 * A * a * \tan(d * x)^2 * \tan(c)^3 - 6 * B * b * \tan(d * x)^2 * \tan(c)^3 + 18 * A * a * d * x * \tan(d * x) * \tan(c) - 18 * B * b * d * x * \tan(d * x) * \tan(c) - 3 * B * a * \tan(d * x)^3 * \tan(c) - 3 * A * b * \tan(d * x)^3 * \tan(c) + 3 * B * a * \tan(d * x)^2 * \tan(c)^2 + 3 * A * b * \tan(d * x)^2 * \tan(c)^2 - 3 * B * a * \tan(d * x) * \tan(c)^3 - 3 * A * b * \tan(d * x) * \tan(c)^3 + 2 * B * b * \tan(d * x)^3 - 9 * B * a * \log(4 * (\tan(c)^2 + 1) / (\tan(d * x)^4 * \tan(c)^2$

$$\begin{aligned}
& - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan(c) - 9*A*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 \\
& - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan(c) - 12*A*a*\tan(d*x)^2*\tan(c) + 18*B*b*\tan(d*x)^2*\tan(c) \\
& - 12*A*a*\tan(d*x)*\tan(c)^2 + 18*B*b*\tan(d*x)*\tan(c)^2 + 2*B*b*\tan(c)^3 - 6*A*a*d*x + 6*B*b*d*x + 3*B*a*\tan(d*x)^2 + 3*A*b*\tan(d*x)^2 - 3*B*a*\tan(d*x)*\tan(c) - 3*A*b*\tan(d*x)*\tan(c) + 3*B*a*\tan(c)^2 + 3*A*b*\tan(c)^2 + 3*B*a*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1)) + 3*A*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1)) + 6*A*a*\tan(d*x) - 6*B*b*\tan(d*x) + 6*A*a*\tan(c) - 6*B*b*\tan(c) + 3*B*a + 3*A*b)/(d*\tan(d*x)^3*\tan(c)^3 - 3*d*\tan(d*x)^2*\tan(c)^2 + 3*d*\tan(d*x)*\tan(c) - d)
\end{aligned}$$

3.233 $\int \tan(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=65

$$\frac{(aB + Ab) \tan(c + dx)}{d} - \frac{(aA - bB) \log(\cos(c + dx))}{d} - x(aB + Ab) + \frac{bB \tan^2(c + dx)}{2d}$$

[Out] $-\frac{(A*b + a*B)*x}{d} - \frac{(a*A - b*B)*\text{Log}[\text{Cos}[c + d*x]]}{d} + \frac{(A*b + a*B)*\text{Tan}[c + d*x]}{d} + \frac{b*B*\text{Tan}[c + d*x]^2}{2*d}$

Rubi [A] time = 0.0585006, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3592, 3525, 3475}

$$\frac{(aB + Ab) \tan(c + dx)}{d} - \frac{(aA - bB) \log(\cos(c + dx))}{d} - x(aB + Ab) + \frac{bB \tan^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]*(a + b*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-\frac{(A*b + a*B)*x}{d} - \frac{(a*A - b*B)*\text{Log}[\text{Cos}[c + d*x]]}{d} + \frac{(A*b + a*B)*\text{Tan}[c + d*x]}{d} + \frac{b*B*\text{Tan}[c + d*x]^2}{2*d}$

Rule 3592

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \text{ :> } \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{!LeQ}[m, -1]$

Rule 3525

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \text{ :> } \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[b*c + a*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /;$ $\text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \tan(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= \frac{bB \tan^2(c + dx)}{2d} + \int \tan(c + dx)(aA - bB + (Ab + aB) \tan(c + dx)) dx \\ &= -(Ab + aB)x + \frac{(Ab + aB) \tan(c + dx)}{d} + \frac{bB \tan^2(c + dx)}{2d} + \int \tan(c + dx)(aA - bB) dx \\ &= -(Ab + aB)x - \frac{(aA - bB) \log(\cos(c + dx))}{d} + \frac{(Ab + aB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.271831, size = 67, normalized size = 1.03

$$\frac{-2(aB + Ab) \tan^{-1}(\tan(c + dx)) + 2(aB + Ab) \tan(c + dx) + 2(bB - aA) \log(\cos(c + dx)) + bB \tan^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (-2*(A*b + a*B)*ArcTan[Tan[c + d*x]] + 2*(-(a*A) + b*B)*Log[Cos[c + d*x]] + 2*(A*b + a*B)*Tan[c + d*x] + b*B*Tan[c + d*x]^2)/(2*d)

Maple [A] time = 0.013, size = 105, normalized size = 1.6

$$\frac{B(\tan(dx+c))^2 b}{2d} + \frac{A \tan(dx+c) b}{d} + \frac{B \tan(dx+c) a}{d} + \frac{a \ln(1 + (\tan(dx+c))^2) A}{2d} - \frac{\ln(1 + (\tan(dx+c))^2) B b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] 1/2*b*B*tan(d*x+c)^2/d+1/d*A*tan(d*x+c)*b+1/d*a*B*tan(d*x+c)+1/2/d*a*ln(1+tan(d*x+c)^2)*A-1/2/d*ln(1+tan(d*x+c)^2)*B*b-1/d*A*arctan(tan(d*x+c))*b-1/d*a*B*arctan(tan(d*x+c))

Maxima [A] time = 1.49162, size = 89, normalized size = 1.37

$$\frac{Bb \tan(dx+c)^2 - 2(Ba + Ab)(dx+c) + (Aa - Bb) \log(\tan(dx+c)^2 + 1) + 2(Ba + Ab) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(B*b*tan(d*x + c)^2 - 2*(B*a + A*b)*(d*x + c) + (A*a - B*b)*log(tan(d*x + c)^2 + 1) + 2*(B*a + A*b)*tan(d*x + c))/d

Fricas [A] time = 1.93071, size = 161, normalized size = 2.48

$$\frac{Bb \tan(dx+c)^2 - 2(Ba + Ab)dx - (Aa - Bb) \log\left(\frac{1}{\tan(dx+c)^2 + 1}\right) + 2(Ba + Ab) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(B*b*tan(d*x + c)^2 - 2*(B*a + A*b)*d*x - (A*a - B*b)*log(1/(tan(d*x + c)^2 + 1)) + 2*(B*a + A*b)*tan(d*x + c))/d

Sympy [A] time = 0.297419, size = 104, normalized size = 1.6

$$\begin{cases} \frac{Aa \log(\tan^2(c+dx)+1)}{2d} - Abx + \frac{Ab \tan(c+dx)}{d} - Bax + \frac{Ba \tan(c+dx)}{d} - \frac{Bb \log(\tan^2(c+dx)+1)}{2d} + \frac{Bb \tan^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x(A + B \tan(c))(a + b \tan(c)) \tan(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((A*a*log(tan(c + d*x)**2 + 1)/(2*d) - A*b*x + A*b*tan(c + d*x)/d - B*a*x + B*a*tan(c + d*x)/d - B*b*log(tan(c + d*x)**2 + 1)/(2*d) + B*b*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))*tan(c), True))

Giac [B] time = 1.6015, size = 832, normalized size = 12.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(2*B*a*d*x*\tan(d*x)^2*\tan(c)^2 + 2*A*b*d*x*\tan(d*x)^2*\tan(c)^2 + A*a*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^2*\tan(c)^2 - B*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^2*\tan(c)^2 - 4*B*a*d*x*\tan(d*x)*\tan(c) - 4*A*b*d*x*\tan(d*x)*\tan(c) - B*b*\tan(d*x)^2*\tan(c)^2 - 2*A*a*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan(c) \\ & + 2*B*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan(c) \\ & + 2*B*a*\tan(d*x)^2*\tan(c) + 2*A*b*\tan(d*x)^2*\tan(c) + 2*B*a*\tan(d*x)*\tan(c)^2 + 2*A*b*\tan(d*x)*\tan(c)^2 + 2*B*a*d*x + 2*A*b*d*x - B*b*\tan(d*x)^2 - B*b*\tan(c)^2 + A*a*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1)) - B*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1)) - 2*B*a*\tan(d*x) - 2*A*b*\tan(d*x) - 2*B*a*\tan(c) - 2*A*b*\tan(c) - B*b)/(d*\tan(d*x)^2*\tan(c)^2 - 2*d*\tan(d*x)*\tan(c) + d) \end{aligned}$$

3.234 $\int (a + b \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=42

$$-\frac{(aB + Ab) \log(\cos(c + dx))}{d} + x(aA - bB) + \frac{bB \tan(c + dx)}{d}$$

[Out] (a*A - b*B)*x - ((A*b + a*B)*Log[Cos[c + d*x]])/d + (b*B*Tan[c + d*x])/d

Rubi [A] time = 0.0251823, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {3525, 3475}

$$-\frac{(aB + Ab) \log(\cos(c + dx))}{d} + x(aA - bB) + \frac{bB \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (a*A - b*B)*x - ((A*b + a*B)*Log[Cos[c + d*x]])/d + (b*B*Tan[c + d*x])/d

Rule 3525

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= (aA - bB)x + \frac{bB \tan(c + dx)}{d} + (Ab + aB) \int \tan(c + dx) dx \\ &= (aA - bB)x - \frac{(Ab + aB) \log(\cos(c + dx))}{d} + \frac{bB \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0269696, size = 59, normalized size = 1.4

$$aAx - \frac{aB \log(\cos(c + dx))}{d} - \frac{Ab \log(\cos(c + dx))}{d} - \frac{bB \tan^{-1}(\tan(c + dx))}{d} + \frac{bB \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] a*A*x - (b*B*ArcTan[Tan[c + d*x]])/d - (A*b*Log[Cos[c + d*x]])/d - (a*B*Log[Cos[c + d*x]])/d + (b*B*Tan[c + d*x])/d

Maple [A] time = 0.012, size = 77, normalized size = 1.8

$$\frac{bB \tan(dx+c)}{d} + \frac{\ln(1+(\tan(dx+c))^2)Ab}{2d} + \frac{a \ln(1+(\tan(dx+c))^2)B}{2d} + \frac{Aa \arctan(\tan(dx+c))}{d} - \frac{B \arctan(\tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] b*B*tan(d*x+c)/d+1/2/d*ln(1+tan(d*x+c)^2)*A*b+1/2/d*a*ln(1+tan(d*x+c)^2)*B+1/d*a*A*arctan(tan(d*x+c))-1/d*B*arctan(tan(d*x+c))*b

Maxima [A] time = 1.47176, size = 68, normalized size = 1.62

$$\frac{2Bb \tan(dx+c) + 2(Aa - Bb)(dx+c) + (Ba + Ab) \log(\tan(dx+c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*B*b*tan(d*x + c) + 2*(A*a - B*b)*(d*x + c) + (B*a + A*b)*log(tan(d*x + c)^2 + 1))/d

Fricas [A] time = 1.97173, size = 122, normalized size = 2.9

$$\frac{2(Aa - Bb)dx + 2Bb \tan(dx+c) - (Ba + Ab) \log\left(\frac{1}{\tan(dx+c)^2 + 1}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*(A*a - B*b)*d*x + 2*B*b*tan(d*x + c) - (B*a + A*b)*log(1/(tan(d*x + c)^2 + 1)))/d

Sympy [A] time = 0.215695, size = 73, normalized size = 1.74

$$\begin{cases} Aax + \frac{Ab \log(\tan^2(c+dx)+1)}{2d} + \frac{Ba \log(\tan^2(c+dx)+1)}{2d} - Bbx + \frac{Bb \tan(c+dx)}{d} & \text{for } d \neq 0 \\ x(A + B \tan(c))(a + b \tan(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((A*a*x + A*b*log(tan(c + d*x)**2 + 1)/(2*d) + B*a*log(tan(c + d*x)**2 + 1)/(2*d) - B*b*x + B*b*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c)), True))

Giac [B] time = 1.32685, size = 444, normalized size = 10.57

$$\frac{2 A a d x \tan (d x) \tan (c) - 2 B b d x \tan (d x) \tan (c) - B a \log \left(\frac{4 (\tan (c)^2 + 1)}{\tan (d x)^4 \tan (c)^2 - 2 \tan (d x)^3 \tan (c) + \tan (d x)^2 \tan (c)^2 + \tan (d x)^2 - 2 \tan (d x) \tan (c) + 1} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*A*a*d*x*tan(d*x)*tan(c) - 2*B*b*d*x*tan(d*x)*tan(c) - B*a*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) - A*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) - 2*A*a*d*x + 2*B*b*d*x + B*a*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1)) + A*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1)) - 2*B*b*tan(d*x) - 2*B*b*tan(c))/(d*tan(d*x)*tan(c) - d)

$$3.235 \quad \int \cot(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=37

$$x(aB + Ab) + \frac{aA \log(\sin(c + dx))}{d} - \frac{bB \log(\cos(c + dx))}{d}$$

[Out] (A*b + a*B)*x - (b*B*Log[Cos[c + d*x]])/d + (a*A*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.0687638, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3589, 3475, 3531}

$$x(aB + Ab) + \frac{aA \log(\sin(c + dx))}{d} - \frac{bB \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (A*b + a*B)*x - (b*B*Log[Cos[c + d*x]])/d + (a*A*Log[Sin[c + d*x]])/d

Rule 3589

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(B*d)/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3531

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= (bB) \int \tan(c + dx) dx + \int \cot(c + dx)(aA + (Ab + aB) \tan(c + dx)) dx \\ &= (Ab + aB)x - \frac{bB \log(\cos(c + dx))}{d} + (aA) \int \cot(c + dx) dx \\ &= (Ab + aB)x - \frac{bB \log(\cos(c + dx))}{d} + \frac{aA \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0720034, size = 44, normalized size = 1.19

$$\frac{aA(\log(\tan(c + dx)) + \log(\cos(c + dx)))}{d} + aBx + Abx - \frac{bB \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] A*b*x + a*B*x - (b*B*Log[Cos[c + d*x]])/d + (a*A*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d

Maple [A] time = 0.056, size = 51, normalized size = 1.4

$$Axb + aBx + \frac{Aa \ln(\sin(dx + c))}{d} + \frac{Abc}{d} - \frac{Bb \ln(\cos(dx + c))}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] A*x*b+a*B*x+a*A*ln(sin(d*x+c))/d+1/d*A*b*c-b*B*ln(cos(d*x+c))/d+1/d*B*a*c

Maxima [A] time = 1.49574, size = 70, normalized size = 1.89

$$\frac{2Aa \log(\tan(dx + c)) + 2(Ba + Ab)(dx + c) - (Aa - Bb) \log(\tan(dx + c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*A*a*log(tan(d*x + c)) + 2*(B*a + A*b)*(d*x + c) - (A*a - B*b)*log(tan(d*x + c)^2 + 1))/d

Fricas [A] time = 2.02036, size = 146, normalized size = 3.95

$$\frac{2(Ba + Ab)dx + Aa \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) - Bb \log\left(\frac{1}{\tan(dx+c)^2+1}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*(B*a + A*b)*d*x + A*a*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1)) - B*b*log(1/(tan(d*x + c)^2 + 1)))/d

Sympy [A] time = 0.671062, size = 78, normalized size = 2.11

$$\begin{cases} -\frac{Aa \log(\tan^2(c+dx)+1)}{2d} + \frac{Aa \log(\tan(c+dx))}{d} + Abx + Bax + \frac{Bb \log(\tan^2(c+dx)+1)}{2d} & \text{for } d \neq 0 \\ x(A + B \tan(c))(a + b \tan(c)) \cot(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((-A*a*log(tan(c + d*x)**2 + 1)/(2*d) + A*a*log(tan(c + d*x))/d + A*b*x + B*a*x + B*b*log(tan(c + d*x)**2 + 1)/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))*cot(c), True))

Giac [A] time = 1.17955, size = 72, normalized size = 1.95

$$\frac{2 A a \log(|\tan(dx + c)|) + 2 (B a + A b)(dx + c) - (A a - B b) \log(\tan(dx + c)^2 + 1)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*A*a*log(abs(tan(d*x + c))) + 2*(B*a + A*b)*(d*x + c) - (A*a - B*b)*log(tan(d*x + c)^2 + 1))/d

$$3.236 \quad \int \cot^2(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=43

$$\frac{(aB + Ab) \log(\sin(c + dx))}{d} + x(-aA - bB) - \frac{aA \cot(c + dx)}{d}$$

[Out] $-(aA - bB)x - (aA \cot[c + dx])/d + ((A*b + a*B)*\text{Log}[\text{Sin}[c + dx]])/d$

Rubi [A] time = 0.082227, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {3591, 3531, 3475}

$$\frac{(aB + Ab) \log(\sin(c + dx))}{d} + x(-aA - bB) - \frac{aA \cot(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + dx]^2*(a + b*\text{Tan}[c + dx])*(A + B*\text{Tan}[c + dx]), x]$

[Out] $-(aA - bB)x - (aA \cot[c + dx])/d + ((A*b + a*B)*\text{Log}[\text{Sin}[c + dx]])/d$

Rule 3591

$\text{Int}[(a + b*\text{tan}[e + f*x])^m*(A + B*\text{tan}[e + f*x])*(c + d*\text{tan}[e + f*x]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{m+1}/(b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3531

$\text{Int}[(c + d*\text{tan}[e + f*x])/(a + b*\text{tan}[e + f*x])*(x), x_Symbol] \rightarrow \text{Simp}[(a*c + b*d)*x/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[c + d*x], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)}{d} + \int \cot(c + dx)(Ab + aB - (aA - bB) \tan(c + dx)) dx \\ &= -(aA - bB)x - \frac{aA \cot(c + dx)}{d} + (Ab + aB) \int \cot(c + dx) dx \\ &= -(aA - bB)x - \frac{aA \cot(c + dx)}{d} + \frac{(Ab + aB) \log(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [C] time = 0.174416, size = 78, normalized size = 1.81

$$\frac{aA \cot(c + dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c + dx)\right)}{d} + \frac{aB(\log(\tan(c + dx)) + \log(\cos(c + dx)))}{d} + \frac{Ab(\log(\tan(c + dx)) + \log(\cos(c + dx)))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] b*B*x - (a*A*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2])/d + (A*b*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d + (a*B*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d

Maple [A] time = 0.052, size = 65, normalized size = 1.5

$$-Axa + Bbx - \frac{Aa \cot(dx + c)}{d} + \frac{Ab \ln(\sin(dx + c))}{d} - \frac{Aac}{d} + \frac{aB \ln(\sin(dx + c))}{d} + \frac{Bbc}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] -A*x*a+B*b*x-a*A*cot(d*x+c)/d+1/d*A*b*ln(sin(d*x+c))-1/d*A*a*c+1/d*a*B*ln(sin(d*x+c))+1/d*B*b*c

Maxima [A] time = 1.45873, size = 92, normalized size = 2.14

$$\frac{2(Aa - Bb)(dx + c) + (Ba + Ab) \log(\tan(dx + c)^2 + 1) - 2(Ba + Ab) \log(\tan(dx + c)) + \frac{2Aa}{\tan(dx + c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(2*(A*a - B*b)*(d*x + c) + (B*a + A*b)*log(tan(d*x + c)^2 + 1) - 2*(B*a + A*b)*log(tan(d*x + c)) + 2*A*a/tan(d*x + c))/d

Fricas [A] time = 1.98403, size = 178, normalized size = 4.14

$$\frac{2(Aa - Bb)dx \tan(dx + c) - (Ba + Ab) \log\left(\frac{\tan(dx + c)^2}{\tan(dx + c)^2 + 1}\right) \tan(dx + c) + 2Aa}{2d \tan(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/2*(2*(A*a - B*b)*d*x*tan(d*x + c) - (B*a + A*b)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c) + 2*A*a)/(d*tan(d*x + c))

Sympy [A] time = 1.5604, size = 122, normalized size = 2.84

$$\begin{cases} \infty Aax & \text{for } (c = 0) \\ x(A + B \tan(c))(a + b \tan(c)) \cot^2(c) & \text{for } d = 0 \\ -Aax - \frac{Aa}{d \tan(c+dx)} - \frac{Ab \log(\tan^2(c+dx)+1)}{2d} + \frac{Ab \log(\tan(c+dx))}{d} - \frac{Ba \log(\tan^2(c+dx)+1)}{2d} + \frac{Ba \log(\tan(c+dx))}{d} + Bbx & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))*cot(c)**2, Eq(d, 0)), (-A*a*x - A*a/(d*tan(c + d*x)) - A*b*log(tan(c + d*x)**2 + 1)/(2*d) + A*b*log(tan(c + d*x))/d - B*a*log(tan(c + d*x)**2 + 1)/(2*d) + B*a*log(tan(c + d*x))/d + B*b*x, True))

Giac [B] time = 1.27816, size = 161, normalized size = 3.74

$$\frac{Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2(Aa - Bb)(dx + c) - 2(Ba + Ab) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right) + 2(Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(A*a*tan(1/2*d*x + 1/2*c) - 2*(A*a - B*b)*(d*x + c) - 2*(B*a + A*b)*log(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c)))) - (2*B*a*tan(1/2*d*x + 1/2*c) + 2*A*b*tan(1/2*d*x + 1/2*c) + A*a)/tan(1/2*d*x + 1/2*c)/d

3.237 $\int \cot^3(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$

Optimal. Leaf size=66

$$\frac{(aB + Ab) \cot(c + dx)}{d} - \frac{(aA - bB) \log(\sin(c + dx))}{d} - x(aB + Ab) - \frac{aA \cot^2(c + dx)}{2d}$$

[Out] $-\left(\left(A*b + a*B\right)*x\right) - \left(\left(A*b + a*B\right)*\text{Cot}\left[c + d*x\right]\right)/d - \left(a*A*\text{Cot}\left[c + d*x\right]^2\right)/\left(2*d\right) - \left(\left(a*A - b*B\right)*\text{Log}\left[\text{Sin}\left[c + d*x\right]\right]\right)/d$

Rubi [A] time = 0.119839, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3591, 3529, 3531, 3475}

$$\frac{(aB + Ab) \cot(c + dx)}{d} - \frac{(aA - bB) \log(\sin(c + dx))}{d} - x(aB + Ab) - \frac{aA \cot^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[\text{Cot}\left[c + d*x\right]^3*(a + b*\text{Tan}\left[c + d*x\right])*(A + B*\text{Tan}\left[c + d*x\right]), x\right]$

[Out] $-\left(\left(A*b + a*B\right)*x\right) - \left(\left(A*b + a*B\right)*\text{Cot}\left[c + d*x\right]\right)/d - \left(a*A*\text{Cot}\left[c + d*x\right]^2\right)/\left(2*d\right) - \left(\left(a*A - b*B\right)*\text{Log}\left[\text{Sin}\left[c + d*x\right]\right]\right)/d$

Rule 3591

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cot^3(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= -\frac{aA \cot^2(c+dx)}{2d} + \int \cot^2(c+dx)(Ab+aB-(aA-bB) \tan(c+dx)) dx \\
&= -\frac{(Ab+aB) \cot(c+dx)}{d} - \frac{aA \cot^2(c+dx)}{2d} + \int \cot(c+dx)(Ab+aB-(aA-bB) \tan(c+dx)) dx \\
&= -(Ab+aB)x - \frac{(Ab+aB) \cot(c+dx)}{d} - \frac{aA \cot^2(c+dx)}{2d} \\
&= -(Ab+aB)x - \frac{(Ab+aB) \cot(c+dx)}{d} - \frac{aA \cot^2(c+dx)}{2d}
\end{aligned}$$

Mathematica [C] time = 0.450458, size = 77, normalized size = 1.17

$$\frac{2(aB+Ab) \cot(c+dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c+dx)\right) + 2(aA-bB)(\log(\tan(c+dx)) + \log(\cos(c+dx)))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] -(a*A*Cot[c + d*x]^2 + 2*(A*b + a*B)*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2] + 2*(a*A - b*B)*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/(2*d)

Maple [A] time = 0.069, size = 96, normalized size = 1.5

$$-Axb - \frac{A \cot(dx+c) b}{d} - \frac{A b c}{d} + \frac{B b \ln(\sin(dx+c))}{d} - \frac{A (\cot(dx+c))^2 a}{2d} - \frac{A a \ln(\sin(dx+c))}{d} - aBx - \frac{B \cot(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -A*x*b-1/d*A*cot(d*x+c)*b-1/d*A*b*c+1/d*B*b*ln(sin(d*x+c))-1/2*a*A*cot(d*x+c)^2/d-a*A*ln(sin(d*x+c))/d-a*B*x-1/d*B*cot(d*x+c)*a-1/d*B*a*c

Maxima [A] time = 1.47187, size = 116, normalized size = 1.76

$$\frac{2(Ba+Ab)(dx+c) - (Aa-Bb) \log(\tan(dx+c)^2+1) + 2(Aa-Bb) \log(\tan(dx+c)) + \frac{Aa+2(Ba+Ab) \tan(dx+c)}{\tan(dx+c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] -1/2*(2*(B*a + A*b)*(d*x + c) - (A*a - B*b)*log(tan(d*x + c)^2 + 1) + 2*(A*a - B*b)*log(tan(d*x + c)) + (A*a + 2*(B*a + A*b)*tan(d*x + c))/tan(d*x + c)^2)/d

Fricas [A] time = 1.89189, size = 234, normalized size = 3.55

$$\frac{(Aa - Bb) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^2 + (2(Ba + Ab)dx + Aa) \tan(dx+c)^2 + Aa + 2(Ba + Ab) \tan(dx+c)}{2d \tan(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/2*((A*a - B*b)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^2 + (2*(B*a + A*b)*d*x + A*a)*tan(d*x + c)^2 + A*a + 2*(B*a + A*b)*tan(d*x + c))/(d*tan(d*x + c)^2)

Sympy [A] time = 2.81901, size = 150, normalized size = 2.27

$$\left\{ \begin{array}{l} \infty Aax \\ x(A + B \tan(c))(a + b \tan(c)) \cot^3(c) \\ \frac{Aa \log(\tan^2(c+dx)+1)}{2d} - \frac{Aa \log(\tan(c+dx))}{d} - \frac{Aa}{2d \tan^2(c+dx)} - Abx - \frac{Ab}{d \tan(c+dx)} - Bax - \frac{Ba}{d \tan(c+dx)} - \frac{Bb \log(\tan^2(c+dx)+1)}{2d} + \frac{Bb \log(\tan(c+dx))}{d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))*cot(c)**3, Eq(d, 0)), (A*a*log(tan(c + d*x)**2 + 1)/(2*d) - A*a*log(tan(c + d*x))/d - A*a/(2*d*tan(c + d*x)**2) - A*b*x - A*b/(d*tan(c + d*x)) - B*a*x - B*a/(d*tan(c + d*x)) - B*b*log(tan(c + d*x)**2 + 1)/(2*d) + B*b*log(tan(c + d*x))/d, True))

Giac [B] time = 1.27892, size = 242, normalized size = 3.67

$$Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 4Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 4Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 8(Ba + Ab)(dx + c) - 8(Aa - Bb) \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] -1/8*(A*a*tan(1/2*d*x + 1/2*c)^2 - 4*B*a*tan(1/2*d*x + 1/2*c) - 4*A*b*tan(1/2*d*x + 1/2*c) + 8*(B*a + A*b)*(d*x + c) - 8*(A*a - B*b)*log(tan(1/2*d*x + 1/2*c)^2 + 1) + 8*(A*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c)))) - (12*A*a*tan(1/2*d*x + 1/2*c)^2 - 12*B*b*tan(1/2*d*x + 1/2*c)^2 - 4*B*a*tan(1/2*d*x + 1/2*c) - 4*A*b*tan(1/2*d*x + 1/2*c) - A*a)/tan(1/2*d*x + 1/2*c)^2/d

$$3.238 \quad \int \cot^4(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=87

$$\frac{(aB + Ab) \cot^2(c + dx)}{2d} + \frac{(aA - bB) \cot(c + dx)}{d} - \frac{(aB + Ab) \log(\sin(c + dx))}{d} + x(aA - bB) - \frac{aA \cot^3(c + dx)}{3d}$$

[Out] (a*A - b*B)*x + ((a*A - b*B)*Cot[c + d*x])/d - ((A*b + a*B)*Cot[c + d*x]^2)/(2*d) - (a*A*Cot[c + d*x]^3)/(3*d) - ((A*b + a*B)*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.153354, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3591, 3529, 3531, 3475}

$$\frac{(aB + Ab) \cot^2(c + dx)}{2d} + \frac{(aA - bB) \cot(c + dx)}{d} - \frac{(aB + Ab) \log(\sin(c + dx))}{d} + x(aA - bB) - \frac{aA \cot^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (a*A - b*B)*x + ((a*A - b*B)*Cot[c + d*x])/d - ((A*b + a*B)*Cot[c + d*x]^2)/(2*d) - (a*A*Cot[c + d*x]^3)/(3*d) - ((A*b + a*B)*Log[Sin[c + d*x]])/d

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= -\frac{aA \cot^3(c + dx)}{3d} + \int \cot^3(c + dx)(Ab + aB - (aA - bB) \tan(c + dx)) dx \\ &= -\frac{(Ab + aB) \cot^2(c + dx)}{2d} - \frac{aA \cot^3(c + dx)}{3d} + \int \cot^2(c + dx)(aA - bB) dx \\ &= \frac{(aA - bB) \cot(c + dx)}{d} - \frac{(Ab + aB) \cot^2(c + dx)}{2d} - \frac{aA \cot^3(c + dx)}{3d} \\ &= (aA - bB)x + \frac{(aA - bB) \cot(c + dx)}{d} - \frac{(Ab + aB) \cot^2(c + dx)}{2d} \\ &= (aA - bB)x + \frac{(aA - bB) \cot(c + dx)}{d} - \frac{(Ab + aB) \cot^2(c + dx)}{2d} \end{aligned}$$

Mathematica [C] time = 1.02253, size = 101, normalized size = 1.16

$$\frac{2aA \cot^3(c + dx) \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, -\tan^2(c + dx)\right) + 6bB \cot(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c + dx)\right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^4*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(2*a*A*Cot[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, -Tan[c + d*x]^2] + 6*b*B*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2] + 3*(A*b + a*B)*(Cot[c + d*x]^2 + 2*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]])))/(6*d)
```

Maple [A] time = 0.069, size = 124, normalized size = 1.4

$$-\frac{Ab \cot(dx + c)^2}{2d} - \frac{Ab \ln(\sin(dx + c))}{d} - Bbx - \frac{B \cot(dx + c)b}{d} - \frac{Bbc}{d} - \frac{Aa \cot(dx + c)^3}{3d} + \frac{Aa \cot(dx + c)}{d} + Axa$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^4*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)
```

```
[Out] -1/2/d*A*b*cot(d*x+c)^2-1/d*A*b*ln(sin(d*x+c))-B*b*x-1/d*B*cot(d*x+c)*b-1/d*B*b*c-1/3*a*A*cot(d*x+c)^3/d+a*A*cot(d*x+c)/d+A*x*a+1/d*A*a*c-1/2/d*a*B*cot(d*x+c)^2-1/d*a*B*ln(sin(d*x+c))
```

Maxima [A] time = 1.49429, size = 140, normalized size = 1.61

$$\frac{6(Aa - Bb)(dx + c) + 3(Ba + Ab) \log(\tan(dx + c)^2 + 1) - 6(Ba + Ab) \log(\tan(dx + c)) + \frac{6(Aa - Bb) \tan(dx + c)^2 - 2Aa - 3(Ba + Ab)}{\tan(dx + c)^3}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

[Out] $\frac{1}{6}*(6*(A*a - B*b)*(d*x + c) + 3*(B*a + A*b)*\log(\tan(d*x + c)^2 + 1) - 6*(B*a + A*b)*\log(\tan(d*x + c)) + (6*(A*a - B*b)*\tan(d*x + c)^2 - 2*A*a - 3*(B*a + A*b)*\tan(d*x + c))/\tan(d*x + c)^3)/d$

Fricas [A] time = 1.97517, size = 292, normalized size = 3.36

$$\frac{3(Ba + Ab) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^3 - 3(2(Aa - Bb)dx - Ba - Ab) \tan(dx+c)^3 - 6(Aa - Bb) \tan(dx+c)^2}{6d \tan(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $-1/6*(3*(B*a + A*b)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1))*\tan(d*x + c)^3 - 3*(2*(A*a - B*b)*d*x - B*a - A*b)*\tan(d*x + c)^3 - 6*(A*a - B*b)*\tan(d*x + c)^2 + 2*A*a + 3*(B*a + A*b)*\tan(d*x + c))/(d*\tan(d*x + c)^3)$

Sympy [A] time = 4.91225, size = 180, normalized size = 2.07

$$\left\{ \begin{array}{l} \infty Aax \\ x(A + B \tan(c))(a + b \tan(c)) \cot^4(c) \\ Aax + \frac{Aa}{d \tan(c+dx)} - \frac{Aa}{3d \tan^3(c+dx)} + \frac{Ab \log(\tan^2(c+dx)+1)}{2d} - \frac{Ab \log(\tan(c+dx))}{d} - \frac{Ab}{2d \tan^2(c+dx)} + \frac{Ba \log(\tan^2(c+dx)+1)}{2d} - \frac{Ba \log(\tan(c+dx))}{d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))*cot(c)**4, Eq(d, 0)), (A*a*x + A*a/(d*tan(c + d*x)) - A*a/(3*d*tan(c + d*x)**3) + A*b*log(tan(c + d*x)**2 + 1)/(2*d) - A*b*log(tan(c + d*x))/d - A*b/(2*d*tan(c + d*x)**2) + B*a*log(tan(c + d*x)**2 + 1)/(2*d) - B*a*log(tan(c + d*x))/d - B*a/(2*d*tan(c + d*x)**2) - B*b*x - B*b/(d*tan(c + d*x)), True))

Giac [B] time = 1.2835, size = 320, normalized size = 3.68

$$Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3 Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 3 Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 15 Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 12 Bb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 3*B*a*\tan(1/2*d*x + 1/2*c)^2 - 3*A*b*\tan(1/2*d*x + 1/2*c)^2 - 15*A*a*\tan(1/2*d*x + 1/2*c) + 12*B*b*\tan(1/2*d*x + 1/2*c) + 24*(A*a - B*b)*(d*x + c) + 24*(B*a + A*b)*\log(\tan(1/2*d*x + 1/2*c)^2)$

$$\begin{aligned} &+ 1) - 24*(B*a + A*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) + (44*B*a*\tan(1/2*d*x \\ &+ 1/2*c)^3 + 44*A*b*\tan(1/2*d*x + 1/2*c)^3 + 15*A*a*\tan(1/2*d*x + 1/2*c)^2 \\ &- 12*B*b*\tan(1/2*d*x + 1/2*c)^2 - 3*B*a*\tan(1/2*d*x + 1/2*c) - 3*A*b*\tan(1 \\ &/2*d*x + 1/2*c) - A*a)/\tan(1/2*d*x + 1/2*c)^3)/d \end{aligned}$$

$$3.239 \quad \int \cot^5(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=108

$$\frac{(aB + Ab) \cot^3(c + dx)}{3d} + \frac{(aA - bB) \cot^2(c + dx)}{2d} + \frac{(aB + Ab) \cot(c + dx)}{d} + \frac{(aA - bB) \log(\sin(c + dx))}{d} + x(aB + Ab)$$

```
[Out] (A*b + a*B)*x + ((A*b + a*B)*Cot[c + d*x])/d + ((a*A - b*B)*Cot[c + d*x]^2)/(2*d) - ((A*b + a*B)*Cot[c + d*x]^3)/(3*d) - (a*A*Cot[c + d*x]^4)/(4*d) + ((a*A - b*B)*Log[Sin[c + d*x]])/d
```

Rubi [A] time = 0.18726, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3591, 3529, 3531, 3475}

$$\frac{(aB + Ab) \cot^3(c + dx)}{3d} + \frac{(aA - bB) \cot^2(c + dx)}{2d} + \frac{(aB + Ab) \cot(c + dx)}{d} + \frac{(aA - bB) \log(\sin(c + dx))}{d} + x(aB + Ab)$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^5*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] (A*b + a*B)*x + ((A*b + a*B)*Cot[c + d*x])/d + ((a*A - b*B)*Cot[c + d*x]^2)/(2*d) - ((A*b + a*B)*Cot[c + d*x]^3)/(3*d) - (a*A*Cot[c + d*x]^4)/(4*d) + ((a*A - b*B)*Log[Sin[c + d*x]])/d
```

Rule 3591

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)}{4d} + \int \cot^4(c + dx)(Ab + aB - (aA - bB) \tan(c + dx)) dx \\ &= -\frac{(Ab + aB) \cot^3(c + dx)}{3d} - \frac{aA \cot^4(c + dx)}{4d} + \int \cot^3(c + dx)(aA - bB) dx \\ &= \frac{(aA - bB) \cot^2(c + dx)}{2d} - \frac{(Ab + aB) \cot^3(c + dx)}{3d} - \frac{aA \cot^4(c + dx)}{4d} \\ &= \frac{(Ab + aB) \cot(c + dx)}{d} + \frac{(aA - bB) \cot^2(c + dx)}{2d} - \frac{(Ab + aB) \cot^3(c + dx)}{3d} \\ &= (Ab + aB)x + \frac{(Ab + aB) \cot(c + dx)}{d} + \frac{(aA - bB) \cot^2(c + dx)}{2d} \\ &= (Ab + aB)x + \frac{(Ab + aB) \cot(c + dx)}{d} + \frac{(aA - bB) \cot^2(c + dx)}{2d} \end{aligned}$$

Mathematica [C] time = 1.16954, size = 100, normalized size = 0.93

$$\frac{4(aB + Ab) \cot^3(c + dx) \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, -\tan^2(c + dx)\right) + 3((2bB - 2aA) \cot^2(c + dx) - 4(aA - bB))}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^5*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(4*(A*b + a*B)*Cot[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, -Tan[c + d*x]^2] + 3*((-2*a*A + 2*b*B)*Cot[c + d*x]^2 + a*A*Cot[c + d*x]^4 - 4*(a*A - b*B)*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]])))/(12*d)
```

Maple [A] time = 0.066, size = 150, normalized size = 1.4

$$-\frac{Ab (\cot(dx + c))^3}{3d} + \frac{A \cot(dx + c) b}{d} + Axb + \frac{Abc}{d} - \frac{Bb (\cot(dx + c))^2}{2d} - \frac{Bb \ln(\sin(dx + c))}{d} - \frac{Aa (\cot(dx + c))^4}{4d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^5*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)
```

```
[Out] -1/3/d*A*b*cot(d*x+c)^3+1/d*A*cot(d*x+c)*b+A*x*b+1/d*A*b*c-1/2/d*B*b*cot(d*x+c)^2-1/d*B*b*ln(sin(d*x+c))-1/4*a*A*cot(d*x+c)^4/d+1/2*a*A*cot(d*x+c)^2/d+a*A*ln(sin(d*x+c))/d-1/3/d*a*B*cot(d*x+c)^3+1/d*B*cot(d*x+c)*a+a*B*x+1/d*B*a*c
```

Maxima [A] time = 1.47806, size = 165, normalized size = 1.53

$$\frac{12(Ba + Ab)(dx + c) - 6(Aa - Bb) \log(\tan(dx + c)^2 + 1) + 12(Aa - Bb) \log(\tan(dx + c)) + \frac{12(Ba + Ab) \tan(dx + c)^3 + 6(Aa - Bb) \tan(dx + c)}{12d}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12} * (12 * (B * a + A * b) * (d * x + c) - 6 * (A * a - B * b) * \log(\tan(d * x + c)^2 + 1) + 12 * (A * a - B * b) * \log(\tan(d * x + c)) + (12 * (B * a + A * b) * \tan(d * x + c)^3 + 6 * (A * a - B * b) * \tan(d * x + c)^2 - 3 * A * a - 4 * (B * a + A * b) * \tan(d * x + c)) / \tan(d * x + c)^4) / d$

Fricas [A] time = 2.06044, size = 340, normalized size = 3.15

$$\frac{6(Aa - Bb) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^4 + 3(4(Ba + Ab)dx + 3Aa - 2Bb) \tan(dx+c)^4 + 12(Ba + Ab) \tan(dx+c)}{12d \tan(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12} * (6 * (A * a - B * b) * \log(\tan(d * x + c)^2 / (\tan(d * x + c)^2 + 1)) * \tan(d * x + c)^4 + 3 * (4 * (B * a + A * b) * d * x + 3 * A * a - 2 * B * b) * \tan(d * x + c)^4 + 12 * (B * a + A * b) * \tan(d * x + c)^3 + 6 * (A * a - B * b) * \tan(d * x + c)^2 - 3 * A * a - 4 * (B * a + A * b) * \tan(d * x + c)) / (d * \tan(d * x + c)^4)$

Sympy [A] time = 8.45852, size = 211, normalized size = 1.95

$$\left\{ \begin{array}{l} \infty Aax \\ x(A + B \tan(c))(a + b \tan(c)) \cot^5(c) \\ -\frac{Aa \log(\tan^2(c+dx)+1)}{2d} + \frac{Aa \log(\tan(c+dx))}{d} + \frac{Aa}{2d \tan^2(c+dx)} - \frac{Aa}{4d \tan^4(c+dx)} + Abx + \frac{Ab}{d \tan(c+dx)} - \frac{Ab}{3d \tan^3(c+dx)} + Bax + \frac{Ba}{d \tan(c)} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**5*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))*cot(c)**5, Eq(d, 0)), (-A*a*log(tan(c + d*x)**2 + 1)/(2*d) + A*a*log(tan(c + d*x))/d + A*a/(2*d*tan(c + d*x)**2) - A*a/(4*d*tan(c + d*x)**4) + A*b*x + A*b/(d*tan(c + d*x)) - A*b/(3*d*tan(c + d*x)**3) + B*a*x + B*a/(d*tan(c + d*x)) - B*a/(3*d*tan(c + d*x)**3) + B*b*log(tan(c + d*x)**2 + 1)/(2*d) - B*b*log(tan(c + d*x))/d - B*b/(2*d*tan(c + d*x)**2), True))

Giac [B] time = 1.36492, size = 404, normalized size = 3.74

$$3Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^4 - 8Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 8Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 36Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 24Bb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

```
[Out] -1/192*(3*A*a*tan(1/2*d*x + 1/2*c)^4 - 8*B*a*tan(1/2*d*x + 1/2*c)^3 - 8*A*b
*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*tan(1/2*d*x + 1/2*c)^2 + 24*B*b*tan(1/2*d*
x + 1/2*c)^2 + 120*B*a*tan(1/2*d*x + 1/2*c) + 120*A*b*tan(1/2*d*x + 1/2*c)
- 192*(B*a + A*b)*(d*x + c) + 192*(A*a - B*b)*log(tan(1/2*d*x + 1/2*c)^2 +
1) - 192*(A*a - B*b)*log(abs(tan(1/2*d*x + 1/2*c))) + (400*A*a*tan(1/2*d*x
+ 1/2*c)^4 - 400*B*b*tan(1/2*d*x + 1/2*c)^4 - 120*B*a*tan(1/2*d*x + 1/2*c)^
3 - 120*A*b*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*tan(1/2*d*x + 1/2*c)^2 + 24*B*b
*tan(1/2*d*x + 1/2*c)^2 + 8*B*a*tan(1/2*d*x + 1/2*c) + 8*A*b*tan(1/2*d*x +
1/2*c) + 3*A*a)/tan(1/2*d*x + 1/2*c)^4)/d
```

$$3.240 \quad \int \tan^2(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=148

$$\frac{(a^2B + 2aAb - b^2B) \log(\cos(c + dx))}{d} - x(a^2A - 2abB - Ab^2) + \frac{(4Ab - aB)(a + b \tan(c + dx))^3}{12b^2d} - \frac{b(aB + Ab) \tan(c + dx)}{d}$$

[Out] -((a^2*A - A*b^2 - 2*a*b*B)*x) + ((2*a*A*b + a^2*B - b^2*B)*Log[Cos[c + d*x]])/d - (b*(A*b + a*B)*Tan[c + d*x])/d - (B*(a + b*Tan[c + d*x])^2)/(2*d) + ((4*A*b - a*B)*(a + b*Tan[c + d*x])^3)/(12*b^2*d) + (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^3)/(4*b*d)

Rubi [A] time = 0.268616, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3607, 3630, 3528, 3525, 3475}

$$\frac{(a^2B + 2aAb - b^2B) \log(\cos(c + dx))}{d} - x(a^2A - 2abB - Ab^2) + \frac{(4Ab - aB)(a + b \tan(c + dx))^3}{12b^2d} - \frac{b(aB + Ab) \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] -((a^2*A - A*b^2 - 2*a*b*B)*x) + ((2*a*A*b + a^2*B - b^2*B)*Log[Cos[c + d*x]])/d - (b*(A*b + a*B)*Tan[c + d*x])/d - (B*(a + b*Tan[c + d*x])^2)/(2*d) + ((4*A*b - a*B)*(a + b*Tan[c + d*x])^3)/(12*b^2*d) + (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^3)/(4*b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,

0] && GtQ[m, 0]

Rule 3525

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{B \tan(c + dx)(a + b \tan(c + dx))^3}{4bd} + \frac{\int (a + b \tan(c + dx))^2}{4bd} \\ &= \frac{(4Ab - aB)(a + b \tan(c + dx))^3}{12b^2d} + \frac{B \tan(c + dx)(a + b \tan(c + dx))^3}{4bd} \\ &= -\frac{B(a + b \tan(c + dx))^2}{2d} + \frac{(4Ab - aB)(a + b \tan(c + dx))^3}{12b^2d} + \dots \\ &= -(a^2A - Ab^2 - 2abB)x - \frac{b(Ab + aB) \tan(c + dx)}{d} - \frac{B(a + b \tan(c + dx))^2}{2d} \\ &= -(a^2A - Ab^2 - 2abB)x + \frac{(2aAb + a^2B - b^2B) \log(\cos(c + dx))}{d} \end{aligned}$$

Mathematica [C] time = 6.19758, size = 221, normalized size = 1.49

$$\frac{B \tan(c + dx)(a + b \tan(c + dx))^3}{4bd} + \frac{(4Ab - aB)(a + b \tan(c + dx))^3}{3bd} + \frac{2((Ab - aB)(-i(a - ib)^2 \log(\tan(c + dx) + i) + i(a + ib)^2 \log(-\tan(c + dx) + i) - 2b^2 \tan(c + dx))}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^3)/(4*b*d) + (((4*A*b - a*B)*(a + b*Tan[c + d*x])^3)/(3*b*d) + (2*((A*b - a*B)*(I*(a + I*b)^2*Log[I - Tan[c + d*x]] - I*(a - I*b)^2*Log[I + Tan[c + d*x]] - 2*b^2*Tan[c + d*x]) - B*((I*a - b)^3*Log[I - Tan[c + d*x]] - (I*a + b)^3*Log[I + Tan[c + d*x]] + 6*a*b^2*Tan[c + d*x] + b^3*Tan[c + d*x]^2))/d)/(4*b)

Maple [A] time = 0.013, size = 249, normalized size = 1.7

$$\frac{b^2B(\tan(dx + c))^4}{4d} + \frac{A(\tan(dx + c))^3 b^2}{3d} + \frac{2B(\tan(dx + c))^3 ab}{3d} + \frac{A(\tan(dx + c))^2 ab}{d} + \frac{a^2B(\tan(dx + c))^2}{2d} - \frac{b^2B(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 1/4/d*b^2*B*tan(d*x+c)^4+1/3/d*A*tan(d*x+c)^3*b^2+2/3/d*B*tan(d*x+c)^3*a*b+1/d*A*tan(d*x+c)^2*a*b+1/2/d*a^2*B*tan(d*x+c)^2-1/2/d*b^2*B*tan(d*x+c)^2+1/d

$$d*a^2*A*\tan(d*x+c)-1/d*A*b^2*\tan(d*x+c)-2/d*B*a*b*\tan(d*x+c)-1/d*\ln(1+\tan(d*x+c)^2)*A*a*b-1/2/d*a^2*B*\ln(1+\tan(d*x+c)^2)+1/2/d*\ln(1+\tan(d*x+c)^2)*b^2*B-1/d*a^2*A*\arctan(\tan(d*x+c))+1/d*A*\arctan(\tan(d*x+c))*b^2+2/d*B*\arctan(\tan(d*x+c))*a*b$$

Maxima [A] time = 1.46813, size = 198, normalized size = 1.34

$$\frac{3 B b^2 \tan (d x+c)^4+4\left(2 B a b+A b^2\right) \tan (d x+c)^3+6\left(B a^2+2 A a b-B b^2\right) \tan (d x+c)^2-12\left(A a^2-2 B a b-A b^2\right)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/12*(3*B*b^2*tan(d*x + c)^4 + 4*(2*B*a*b + A*b^2)*tan(d*x + c)^3 + 6*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c)^2 - 12*(A*a^2 - 2*B*a*b - A*b^2)*(d*x + c) - 6*(B*a^2 + 2*A*a*b - B*b^2)*log(tan(d*x + c)^2 + 1) + 12*(A*a^2 - 2*B*a*b - A*b^2)*tan(d*x + c))/d
```

Fricas [A] time = 1.97992, size = 340, normalized size = 2.3

$$\frac{3 B b^2 \tan (d x+c)^4+4\left(2 B a b+A b^2\right) \tan (d x+c)^3-12\left(A a^2-2 B a b-A b^2\right) d x+6\left(B a^2+2 A a b-B b^2\right) \tan (d x+c)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/12*(3*B*b^2*tan(d*x + c)^4 + 4*(2*B*a*b + A*b^2)*tan(d*x + c)^3 - 12*(A*a^2 - 2*B*a*b - A*b^2)*d*x + 6*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c)^2 + 6*(B*a^2 + 2*A*a*b - B*b^2)*log(1/(tan(d*x + c)^2 + 1)) + 12*(A*a^2 - 2*B*a*b - A*b^2)*tan(d*x + c))/d
```

Sympy [A] time = 0.77296, size = 246, normalized size = 1.66

$$\left\{ \begin{array}{l} -A a^2 x + \frac{A a^2 \tan (c+d x)}{d} - \frac{A a b \log (\tan ^2(c+d x)+1)}{d} + \frac{A a b \tan ^2(c+d x)}{d} + A b^2 x + \frac{A b^2 \tan ^3(c+d x)}{3 d} - \frac{A b^2 \tan (c+d x)}{d} - \frac{B a^2 \log \left(\tan ^2(c+d x)\right)}{2 d} \\ x(A+B \tan (c))(a+b \tan (c))^2 \tan ^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((-A*a**2*x + A*a**2*tan(c + d*x)/d - A*a*b*log(tan(c + d*x)**2 + 1)/d + A*a*b*tan(c + d*x)**2/d + A*b**2*x + A*b**2*tan(c + d*x)**3/(3*d) - A*b**2*tan(c + d*x)/d - B*a**2*log(tan(c + d*x)**2 + 1)/(2*d) + B*a**2*tan(c + d*x)**2/(2*d) + 2*B*a*b*x + 2*B*a*b*tan(c + d*x)**3/(3*d) - 2*B*a*b*tan(c + d*x)/d + B*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**2*tan(c + d*x)**4/(4*d) - B*b**2*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b
```

*tan(c)**2*tan(c)**2, True)

Giac [B] time = 4.91977, size = 3008, normalized size = 20.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/12*(12*A*a^2*d*x*tan(d*x)^4*tan(c)^4 - 24*B*a*b*d*x*tan(d*x)^4*tan(c)^4 - 12*A*b^2*d*x*tan(d*x)^4*tan(c)^4 - 6*B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 12*A*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 6*B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 48*A*a^2*d*x*tan(d*x)^3*tan(c)^3 + 96*B*a*b*d*x*tan(d*x)^3*tan(c)^3 + 48*A*b^2*d*x*tan(d*x)^3*tan(c)^3 - 6*B*a^2*tan(d*x)^4*tan(c)^4 - 12*A*a*b*tan(d*x)^4*tan(c)^4 + 9*B*b^2*tan(d*x)^4*tan(c)^4 + 24*B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 48*A*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 24*B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 12*A*a^2*tan(d*x)^4*tan(c)^3 - 24*B*a*b*tan(d*x)^4*tan(c)^3 - 12*A*b^2*tan(d*x)^4*tan(c)^3 + 12*A*a^2*tan(d*x)^3*tan(c)^4 - 24*B*a*b*tan(d*x)^3*tan(c)^4 - 12*A*b^2*tan(d*x)^3*tan(c)^4 + 72*A*a^2*d*x*tan(d*x)^2*tan(c)^2 - 144*B*a*b*d*x*tan(d*x)^2*tan(c)^2 - 72*A*b^2*d*x*tan(d*x)^2*tan(c)^2 - 6*B*a^2*tan(d*x)^4*tan(c)^2 - 12*A*a*b*tan(d*x)^4*tan(c)^2 + 6*B*b^2*tan(d*x)^4*tan(c)^2 + 12*B*a^2*tan(d*x)^3*tan(c)^3 + 24*A*a*b*tan(d*x)^3*tan(c)^3 - 24*B*b^2*tan(d*x)^3*tan(c)^3 - 6*B*a^2*tan(d*x)^2*tan(c)^4 - 12*A*a*b*tan(d*x)^2*tan(c)^4 + 6*B*b^2*tan(d*x)^2*tan(c)^4 + 8*B*a*b*tan(d*x)^4*tan(c) + 4*A*b^2*tan(d*x)^4*tan(c) - 36*B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 + 36*B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 + 36*B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 - 36*A*a^2*tan(d*x)^3*tan(c)^2 + 96*B*a*b*tan(d*x)^3*tan(c)^2 + 48*A*b^2*tan(d*x)^3*tan(c)^2 - 36*A*a^2*tan(d*x)^2*tan(c)^3 + 96*B*a*b*tan(d*x)^2*tan(c)^3 + 48*A*b^2*tan(d*x)^2*tan(c)^3 + 8*B*a*b*tan(d*x)*tan(c)^4 + 4*A*b^2*tan(d*x)*tan(c)^4 - 3*B*b^2*tan(d*x)^4 - 48*A*a^2*d*x*tan(d*x)*tan(c) + 96*B*a*b*d*x*tan(d*x)*tan(c) + 48*A*b^2*d*x*tan(d*x)*tan(c) + 12*B*a^2*tan(d*x)^3*tan(c) + 24*A*a*b*tan(d*x)^3*tan(c) - 24*B*b^2*tan(d*x)^3*tan(c) - 12*B*a^2*tan(d*x)^2*tan(c)^2 - 24*A*a*b*tan(d*x)^2*tan(c)^2 + 12*B*b^2*tan(d*x)^2*tan(c)^2 + 12*B*a^2*tan(d*x)*tan(c)^3 + 24*A*a*b*tan(d*x)*tan(c)^3 - 24*B*b^2*tan(d*x)*tan(c)^3 - 3*B*b^2*tan(c)^4 - 8*B*a*b*tan(d*x)^3 - 4*A*b^2*tan(d*x)^3 + 24*B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) + 48*A*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) - 24*B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))
```


$$\begin{aligned}
& 1)) \tan(dx) \tan(c) + 36Aa^2 \tan(dx)^2 \tan(c) - 96Bab \tan(dx)^2 \tan(c) \\
& - 48Ab^2 \tan(dx)^2 \tan(c) + 36Aa^2 \tan(dx) \tan(c)^2 - 96Bab \tan(dx) \tan(c)^2 \\
& - 48Ab^2 \tan(dx) \tan(c)^2 - 8Bab \tan(c)^3 - 4Ab^2 \tan(c)^3 + 12Aa^2 dx - 24Bab dx \\
& - 12Ab^2 dx - 6Ba^2 \tan(dx)^2 - 12Aab \tan(dx)^2 + 6Bb^2 \tan(dx)^2 + 12Ba^2 \tan(dx) \tan(c) \\
& + 24Aab \tan(dx) \tan(c) - 24Bb^2 \tan(dx) \tan(c) - 6Ba^2 \tan(c)^2 - 12Aab \tan(c)^2 \\
& + 6Bb^2 \tan(c)^2 - 6Ba^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) \\
& + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) - 12Aab \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 \\
& - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \\
& + 6Bb^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 \\
& + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) - 12Aa^2 \tan(dx) + 24Bab \tan(dx) + 12Ab^2 \tan(dx) \\
& - 12Aa^2 \tan(c) + 24Bab \tan(c) + 12Ab^2 \tan(c) - 6Ba^2 - 12Aab + 9Bb^2)/(d \tan(dx)^4 \tan(c)^4 \\
& - 4d \tan(dx)^3 \tan(c)^3 + 6d \tan(dx)^2 \tan(c)^2 - 4d \tan(dx) \tan(c) + d)
\end{aligned}$$

3.241 $\int \tan(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=112

$$-\frac{(a^2A - 2abB - Ab^2) \log(\cos(c + dx))}{d} - x(a^2B + 2aAb - b^2B) + \frac{b(aA - bB) \tan(c + dx)}{d} + \frac{A(a + b \tan(c + dx))^2}{2d} + \frac{B(a + b \tan(c + dx))^3}{3bd}$$

```
[Out] -((2*a*A*b + a^2*B - b^2*B)*x) - ((a^2*A - A*b^2 - 2*a*b*B)*Log[Cos[c + d*x]])/d + (b*(a*A - b*B)*Tan[c + d*x])/d + (A*(a + b*Tan[c + d*x])^2)/(2*d) + (B*(a + b*Tan[c + d*x])^3)/(3*b*d)
```

Rubi [A] time = 0.124009, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3592, 3528, 3525, 3475}

$$-\frac{(a^2A - 2abB - Ab^2) \log(\cos(c + dx))}{d} - x(a^2B + 2aAb - b^2B) + \frac{b(aA - bB) \tan(c + dx)}{d} + \frac{A(a + b \tan(c + dx))^2}{2d} + \frac{B(a + b \tan(c + dx))^3}{3bd}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((2*a*A*b + a^2*B - b^2*B)*x) - ((a^2*A - A*b^2 - 2*a*b*B)*Log[Cos[c + d*x]])/d + (b*(a*A - b*B)*Tan[c + d*x])/d + (A*(a + b*Tan[c + d*x])^2)/(2*d) + (B*(a + b*Tan[c + d*x])^3)/(3*b*d)
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 3525

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \tan(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{B(a + b \tan(c + dx))^3}{3bd} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx)) dx \\
&= \frac{A(a + b \tan(c + dx))^2}{2d} + \frac{B(a + b \tan(c + dx))^3}{3bd} + \int (a + b \tan(c + dx)) dx \\
&= -(2aAb + a^2B - b^2B)x + \frac{b(aA - bB) \tan(c + dx)}{d} + \frac{A(a + b \tan(c + dx))^2}{2d} \\
&= -(2aAb + a^2B - b^2B)x - \frac{(a^2A - Ab^2 - 2abB) \log(\cos(c + dx))}{d}
\end{aligned}$$

Mathematica [C] time = 1.74485, size = 172, normalized size = 1.54

$$\frac{3(aA + bB) \left(-2b^2 \tan(c + dx) + i \left((a + ib)^2 \log(-\tan(c + dx) + i) - (a - ib)^2 \log(\tan(c + dx) + i) \right) \right) + 3A \left(6ab^2 \tan(c + dx) + 6b^3 \right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (2*B*(a + b*Tan[c + d*x])^3 + 3*(a*A + b*B)*(I*((a + I*b)^2*Log[I - Tan[c + d*x]] - (a - I*b)^2*Log[I + Tan[c + d*x]]) - 2*b^2*Tan[c + d*x]) + 3*A*((I*a - b)^3*Log[I - Tan[c + d*x]] - (I*a + b)^3*Log[I + Tan[c + d*x]] + 6*a*b^2*Tan[c + d*x] + b^3*Tan[c + d*x]^2))/(6*b*d)

Maple [A] time = 0.012, size = 199, normalized size = 1.8

$$\frac{b^2B (\tan(dx + c))^3}{3d} + \frac{A (\tan(dx + c))^2 b^2}{2d} + \frac{B (\tan(dx + c))^2 ab}{d} + 2 \frac{A \tan(dx + c) ab}{d} + \frac{a^2B \tan(dx + c)}{d} - \frac{b^2B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 1/3/d*b^2*B*tan(d*x+c)^3+1/2/d*A*tan(d*x+c)^2*b^2+1/d*B*tan(d*x+c)^2*a*b+2/d*A*tan(d*x+c)*a*b+1/d*a^2*B*tan(d*x+c)-b^2*B*tan(d*x+c)/d+1/2/d*a^2*A*ln(1+tan(d*x+c)^2)-1/2/d*ln(1+tan(d*x+c)^2)*A*b^2-1/d*ln(1+tan(d*x+c)^2)*B*a*b-2/d*A*arctan(tan(d*x+c))*a*b-1/d*a^2*B*arctan(tan(d*x+c))+1/d*B*arctan(tan(d*x+c))*b^2

Maxima [A] time = 1.46054, size = 162, normalized size = 1.45

$$\frac{2Bb^2 \tan(dx + c)^3 + 3(2Bab + Ab^2) \tan(dx + c)^2 - 6(Ba^2 + 2Aab - Bb^2)(dx + c) + 3(Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] 1/6*(2*B*b^2*tan(d*x + c)^3 + 3*(2*B*a*b + A*b^2)*tan(d*x + c)^2 - 6*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) + 3*(A*a^2 - 2*B*a*b - A*b^2)*log(tan(d*x + c))

$$)^2 + 1) + 6*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c))/d$$

Fricas [A] time = 2.01975, size = 275, normalized size = 2.46

$$\frac{2 B b^2 \tan (d x+c)^3-6\left(B a^2+2 A a b-B b^2\right) d x+3\left(2 B a b+A b^2\right) \tan (d x+c)^2-3\left(A a^2-2 B a b-A b^2\right) \log \left(\frac{1}{\tan (d x+c)^2+1}\right)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*B*b^2*tan(d*x + c)^3 - 6*(B*a^2 + 2*A*a*b - B*b^2)*d*x + 3*(2*B*a*b + A*b^2)*tan(d*x + c)^2 - 3*(A*a^2 - 2*B*a*b - A*b^2)*log(1/(tan(d*x + c)^2 + 1)) + 6*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c))/d
```

Sympy [A] time = 0.560071, size = 192, normalized size = 1.71

$$\left\{ \begin{array}{l} \frac{A a^2 \log (\tan ^2(c+d x)+1)}{2 d}-2 A a b x+\frac{2 A a b \tan (c+d x)}{d}-\frac{A b^2 \log (\tan ^2(c+d x)+1)}{2 d}+\frac{A b^2 \tan ^2(c+d x)}{2 d}-B a^2 x+\frac{B a^2 \tan (c+d x)}{d}-\frac{B a b \log (\tan ^2(c+d x)+1)}{d} \\ x(A+B \tan (c))(a+b \tan (c))^2 \tan (c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((A*a**2*log(tan(c + d*x)**2 + 1)/(2*d) - 2*A*a*b*x + 2*A*a*b*tan(c + d*x)/d - A*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + A*b**2*tan(c + d*x)**2/(2*d) - B*a**2*x + B*a**2*tan(c + d*x)/d - B*a*b*log(tan(c + d*x)**2 + 1)/d + B*a*b*tan(c + d*x)**2/d + B*b**2*x + B*b**2*tan(c + d*x)**3/(3*d) - B*b**2*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**2*tan(c), True))
```

Giac [B] time = 2.8668, size = 2037, normalized size = 18.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/6*(6*B*a^2*d*x*tan(d*x)^3*tan(c)^3 + 12*A*a*b*d*x*tan(d*x)^3*tan(c)^3 - 6*B*b^2*d*x*tan(d*x)^3*tan(c)^3 + 3*A*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 6*B*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 3*A*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 18*B*a^2*d*x*tan(d*x)^2*tan(c)^2 - 36*A*a*b*d*x*tan(d*x)^2*tan(c)^2 + 18*B*b^2*d*x*tan(d*x)^2*tan(c)^2 - 6*B*a*b*tan(d*x)^3*tan(c)^3 - 3*A*b^2*tan(d*x)^3*tan(c)^3 - 9*A*a^2*log
```

$$\begin{aligned}
& (4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^2*\tan(c)^2 + 18*B*a \\
& *b*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^2*\tan(c)^2 + \\
& 9*A*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^2*\tan(c) \\
& ^2 + 6*B*a^2*\tan(dx)^3*\tan(c)^2 + 12*A*a*b*\tan(dx)^3*\tan(c)^2 - 6*B*b^2*\tan(dx)^3*\tan(c)^2 + 6*B*a^2*\tan(dx)^2*\tan(c)^3 + 12*A*a*b*\tan(dx)^2*\tan(c) \\
& ^3 - 6*B*b^2*\tan(dx)^2*\tan(c)^3 + 18*B*a^2*d*x*\tan(dx)*\tan(c) + 36*A*a*b*d*x*\tan(dx)*\tan(c) - 18*B*b^2*d*x*\tan(dx)*\tan(c) - 6*B*a*b*\tan(dx)^3*\tan(c) \\
& - 3*A*b^2*\tan(dx)^3*\tan(c) + 6*B*a*b*\tan(dx)^2*\tan(c)^2 + 3*A*b^2*\tan(dx)^2*\tan(c)^2 - 6*B*a*b*\tan(dx)*\tan(c)^3 - 3*A*b^2*\tan(dx)*\tan(c)^3 \\
& + 2*B*b^2*\tan(dx)^3 + 9*A*a^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) \\
& + 1))*\tan(dx)*\tan(c) - 18*B*a*b*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) \\
&) + 1))*\tan(dx)*\tan(c) - 9*A*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) \\
& + 1))*\tan(dx)*\tan(c) - 12*B*a^2*\tan(dx)^2*\tan(c) - 24*A*a*b*\tan(dx)^2*\tan(c) + 18*B*b^2*\tan(dx)^2*\tan(c) - 12*B*a^2*\tan(dx)*\tan(c)^2 - 24*A*a*b*\tan(dx)*\tan(c)^2 \\
& + 18*B*b^2*\tan(dx)*\tan(c)^2 + 2*B*b^2*\tan(c)^3 - 6*B*a^2*d*x - 12*A*a*b*d*x + 6*B*b^2*d*x + 6*B*a*b*\tan(dx)^2 + 3*A*b^2*\tan(dx)^2 - 6*B*a*b*\tan(dx)*\tan(c) \\
& - 3*A*b^2*\tan(dx)*\tan(c) + 6*B*a*b*\tan(c)^2 + 3*A*b^2*\tan(c)^2 - 3*A*a^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1) \\
&)) + 6*B*a*b*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1)) + 3*A*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1) \\
&)) + 6*B*a^2*\tan(dx) + 12*A*a*b*\tan(dx) - 6*B*b^2*\tan(dx) + 6*B*a^2*\tan(c) + 12*A*a*b*\tan(c) - 6*B*b^2*\tan(c) + 6*B*a*b + 3*A*b^2)/(d*\tan(dx)^3*\tan(c)^3 - 3*d*\tan(dx)^2*\tan(c)^2 + 3*d*\tan(dx)*\tan(c) - d)
\end{aligned}$$

3.242 $\int (a + b \tan(c + dx))^2 (A + B \tan(c + dx)) dx$

Optimal. Leaf size=87

$$-\frac{(a^2B + 2aAb - b^2B) \log(\cos(c + dx))}{d} + x(a^2A - 2abB - Ab^2) + \frac{b(aB + Ab) \tan(c + dx)}{d} + \frac{B(a + b \tan(c + dx))^2}{2d}$$

[Out] (a^2*A - A*b^2 - 2*a*b*B)*x - ((2*a*A*b + a^2*B - b^2*B)*Log[Cos[c + d*x]])/d + (b*(A*b + a*B)*Tan[c + d*x])/d + (B*(a + b*Tan[c + d*x])^2)/(2*d)

Rubi [A] time = 0.0757501, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3528, 3525, 3475}

$$-\frac{(a^2B + 2aAb - b^2B) \log(\cos(c + dx))}{d} + x(a^2A - 2abB - Ab^2) + \frac{b(aB + Ab) \tan(c + dx)}{d} + \frac{B(a + b \tan(c + dx))^2}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (a^2*A - A*b^2 - 2*a*b*B)*x - ((2*a*A*b + a^2*B - b^2*B)*Log[Cos[c + d*x]])/d + (b*(A*b + a*B)*Tan[c + d*x])/d + (B*(a + b*Tan[c + d*x])^2)/(2*d)

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3525

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \tan(c + dx))^2 (A + B \tan(c + dx)) dx &= \frac{B(a + b \tan(c + dx))^2}{2d} + \int (a + b \tan(c + dx))(aA - bB + (Ab + aB) \tan(c + dx)) dx \\ &= (a^2A - Ab^2 - 2abB)x + \frac{b(Ab + aB) \tan(c + dx)}{d} + \frac{B(a + b \tan(c + dx))^2}{2d} \\ &= (a^2A - Ab^2 - 2abB)x - \frac{(2aAb + a^2B - b^2B) \log(\cos(c + dx))}{d} + \frac{b(Ab + aB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [C] time = 0.441482, size = 96, normalized size = 1.1

$$\frac{2b(2aB + Ab) \tan(c + dx) + (a - ib)^2(B + iA) \log(\tan(c + dx) + i) + (a + ib)^2(B - iA) \log(-\tan(c + dx) + i) + b^2B \tan(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] ((a + I*b)^2*((-I)*A + B)*Log[I - Tan[c + d*x]] + (a - I*b)^2*(I*A + B)*Log[I + Tan[c + d*x]] + 2*b*(A*b + 2*a*B)*Tan[c + d*x] + b^2*B*Tan[c + d*x]^2)/(2*d)

Maple [A] time = 0.013, size = 151, normalized size = 1.7

$$\frac{b^2B(\tan(dx + c))^2}{2d} + \frac{Ab^2 \tan(dx + c)}{d} + 2 \frac{Bab \tan(dx + c)}{d} + \frac{\ln(1 + (\tan(dx + c))^2) Aab}{d} + \frac{a^2B \ln(1 + (\tan(dx + c))^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 1/2/d*b^2*B*tan(d*x+c)^2+1/d*A*b^2*tan(d*x+c)+2/d*B*a*b*tan(d*x+c)+1/d*ln(1+tan(d*x+c)^2)*A*a*b+1/2/d*a^2*B*ln(1+tan(d*x+c)^2)-1/2/d*ln(1+tan(d*x+c)^2)*b^2*B+1/d*a^2*A*arctan(tan(d*x+c))-1/d*A*arctan(tan(d*x+c))*b^2-2/d*B*arctan(tan(d*x+c))*a*b

Maxima [A] time = 1.47194, size = 123, normalized size = 1.41

$$\frac{Bb^2 \tan(dx + c)^2 + 2(Aa^2 - 2Bab - Ab^2)(dx + c) + (Ba^2 + 2Aab - Bb^2) \log(\tan(dx + c)^2 + 1) + 2(2Bab + Ab^2) \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] 1/2*(B*b^2*tan(d*x + c)^2 + 2*(A*a^2 - 2*B*a*b - A*b^2)*(d*x + c) + (B*a^2 + 2*A*a*b - B*b^2)*log(tan(d*x + c)^2 + 1) + 2*(2*B*a*b + A*b^2)*tan(d*x + c))/d

Fricas [A] time = 2.03688, size = 209, normalized size = 2.4

$$\frac{Bb^2 \tan(dx + c)^2 + 2(Aa^2 - 2Bab - Ab^2)dx - (Ba^2 + 2Aab - Bb^2) \log\left(\frac{1}{\tan(dx+c)^2+1}\right) + 2(2Bab + Ab^2) \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="fricas")

[Out] 1/2*(B*b^2*tan(d*x + c)^2 + 2*(A*a^2 - 2*B*a*b - A*b^2)*d*x - (B*a^2 + 2*A*a*b - B*b^2)*log(1/(tan(d*x + c)^2 + 1)) + 2*(2*B*a*b + A*b^2)*tan(d*x + c)

)/d

Sympy [A] time = 0.371607, size = 143, normalized size = 1.64

$$\left\{ \begin{array}{l} Aa^2x + \frac{Aab \log(\tan^2(c+dx)+1)}{d} - Ab^2x + \frac{Ab^2 \tan(c+dx)}{d} + \frac{Ba^2 \log(\tan^2(c+dx)+1)}{2d} - 2Babx + \frac{2Bab \tan(c+dx)}{d} - \frac{Bb^2 \log(\tan^2(c+dx)+1)}{2d} \\ x(A + B \tan(c))(a + b \tan(c))^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Piecewise((A*a**2*x + A*a*b*log(tan(c + d*x)**2 + 1)/d - A*b**2*x + A*b**2*tan(c + d*x)/d + B*a**2*log(tan(c + d*x)**2 + 1)/(2*d) - 2*B*a*b*x + 2*B*a*b*tan(c + d*x)/d - B*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**2*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**2, True))

Giac [B] time = 1.93693, size = 1216, normalized size = 13.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*A*a^2*d*x*tan(d*x)^2*tan(c)^2 - 4*B*a*b*d*x*tan(d*x)^2*tan(c)^2 - 2*A*b^2*d*x*tan(d*x)^2*tan(c)^2 - B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 - 2*A*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 + B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 - 4*A*a^2*d*x*tan(d*x)*tan(c) + 8*B*a*b*d*x*tan(d*x)*tan(c) + 4*A*b^2*d*x*tan(d*x)*tan(c) + B*b^2*tan(d*x)^2*tan(c)^2 + 2*B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) + 4*A*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) - 2*B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)*tan(c) - 4*B*a*b*tan(d*x)^2*tan(c) - 2*A*b^2*tan(d*x)^2*tan(c) - 4*B*a*b*tan(d*x)*tan(c)^2 - 2*A*b^2*tan(d*x)*tan(c)^2 + 2*A*a^2*d*x - 4*B*a*b*d*x - 2*A*b^2*d*x + B*b^2*tan(d*x)^2 + B*b^2*tan(c)^2 - B*a^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1)) - 2*A*a*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1)) + B*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1)) + 4*B*a*b*tan(d*x) + 2*A*b^2*tan(d*x) + 4*B*a*b*tan(c) + 2*A*b^2*tan(c) + B*b^2)/(d*tan(d*x)^2*tan(c)^2 - 2*d*tan(d*x)*tan(c) + d)

3.243 $\int \cot(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=70

$$x(a^2B + 2aAb - b^2B) + \frac{a^2A \log(\sin(c + dx))}{d} - \frac{b(2aB + Ab) \log(\cos(c + dx))}{d} + \frac{b^2B \tan(c + dx)}{d}$$

[Out] (2*a*A*b + a^2*B - b^2*B)*x - (b*(A*b + 2*a*B)*Log[Cos[c + d*x]])/d + (a^2*A*Log[Sin[c + d*x]])/d + (b^2*B*Tan[c + d*x])/d

Rubi [A] time = 0.11392, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {3606, 3624, 3475}

$$x(a^2B + 2aAb - b^2B) + \frac{a^2A \log(\sin(c + dx))}{d} - \frac{b(2aB + Ab) \log(\cos(c + dx))}{d} + \frac{b^2B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (2*a*A*b + a^2*B - b^2*B)*x - (b*(A*b + 2*a*B)*Log[Cos[c + d*x]])/d + (a^2*A*Log[Sin[c + d*x]])/d + (b^2*B*Tan[c + d*x])/d

Rule 3606

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(b^2*B*Tan[e + f*x])/(d*f), x] + Dist[1/d, Int[(a^2*A*d - b^2*B*c + (2*a*A*b + B*(a^2 - b^2))*d*Tan[e + f*x] + (A*b^2*d - b*B*(b*c - 2*a*d))*Tan[e + f*x]^2)/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3624

Int[(((A_) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2)/tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[B*x, x] + (Dist[A, Int[1/Tan[e + f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C}, x] && NeQ[A, C]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{b^2B \tan(c + dx)}{d} + \int \cot(c + dx) (a^2A + (2aAb + (a^2 - b^2)B)) dx \\ &= (2aAb + a^2B - b^2B)x + \frac{b^2B \tan(c + dx)}{d} + (a^2A) \int \cot(c + dx) dx \\ &= (2aAb + a^2B - b^2B)x - \frac{b(Ab + 2aB) \log(\cos(c + dx))}{d} + \end{aligned}$$

Mathematica [C] time = 0.288218, size = 93, normalized size = 1.33

$$\frac{-2a^2 A \log(\tan(c + dx)) + (a + ib)^2 (A + iB) \log(-\tan(c + dx) + i) + (a - ib)^2 (A - iB) \log(\tan(c + dx) + i) - 2bB(a + b)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] -((a + I*b)^2*(A + I*B)*Log[I - Tan[c + d*x]] - 2*a^2*A*Log[Tan[c + d*x]] + (a - I*b)^2*(A - I*B)*Log[I + Tan[c + d*x]] - 2*b*B*(a + b*Tan[c + d*x]))/(2*d)

Maple [A] time = 0.062, size = 109, normalized size = 1.6

$$2Axab + a^2Bx - b^2Bx - \frac{Ab^2 \ln(\cos(dx + c))}{d} + \frac{a^2A \ln(\sin(dx + c))}{d} + 2\frac{Aabc}{d} + \frac{b^2B \tan(dx + c)}{d} - 2\frac{Bab \ln(\cos(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)

[Out] 2*A*x*a*b+a^2*B*x-b^2*B*x-1/d*A*b^2*ln(cos(d*x+c))+a^2*A*ln(sin(d*x+c))/d+2/d*A*a*b*c+b^2*B*tan(d*x+c)/d-2/d*B*a*b*ln(cos(d*x+c))+1/d*B*a^2*c-1/d*B*b^2*c

Maxima [A] time = 1.48323, size = 115, normalized size = 1.64

$$\frac{2Aa^2 \log(\tan(dx + c)) + 2Bb^2 \tan(dx + c) + 2(Ba^2 + 2Aab - Bb^2)(dx + c) - (Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*A*a^2*log(tan(d*x + c)) + 2*B*b^2*tan(d*x + c) + 2*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) - (A*a^2 - 2*B*a*b - A*b^2)*log(tan(d*x + c)^2 + 1))/d

Fricas [A] time = 2.06469, size = 217, normalized size = 3.1

$$\frac{Aa^2 \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) + 2Bb^2 \tan(dx + c) + 2(Ba^2 + 2Aab - Bb^2)dx - (2Bab + Ab^2) \log\left(\frac{1}{\tan(dx+c)^2+1}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(A*a^2*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1)) + 2*B*b^2*tan(d*x + c) + 2*(B*a^2 + 2*A*a*b - B*b^2)*d*x - (2*B*a*b + A*b^2)*log(1/(tan(d*x + c)^2 + 1)))/d

+ 1))/d

Sympy [A] time = 1.41, size = 129, normalized size = 1.84

$$\left\{ \begin{array}{l} -\frac{Aa^2 \log(\tan^2(c+dx)+1)}{2d} + \frac{Aa^2 \log(\tan(c+dx))}{d} + 2Aabx + \frac{Ab^2 \log(\tan^2(c+dx)+1)}{2d} + Ba^2x + \frac{Bab \log(\tan^2(c+dx)+1)}{d} - Bb^2x + \frac{Bb^2 \tan(c)}{d} \\ x(A + B \tan(c))(a + b \tan(c))^2 \cot(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Piecewise((-A*a**2*log(tan(c + d*x)**2 + 1)/(2*d) + A*a**2*log(tan(c + d*x))/d + 2*A*a*b*x + A*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + B*a**2*x + B*a*b*log(tan(c + d*x)**2 + 1)/d - B*b**2*x + B*b**2*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**2*cot(c), True))

Giac [A] time = 1.34912, size = 116, normalized size = 1.66

$$\frac{2Aa^2 \log(|\tan(dx + c)|) + 2Bb^2 \tan(dx + c) + 2(Ba^2 + 2Aab - Bb^2)(dx + c) - (Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*A*a^2*log(abs(tan(d*x + c))) + 2*B*b^2*tan(d*x + c) + 2*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) - (A*a^2 - 2*B*a*b - A*b^2)*log(tan(d*x + c)^2 + 1))/d

3.244 $\int \cot^2(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=72

$$-x(a^2A - 2abB - Ab^2) - \frac{a^2A \cot(c + dx)}{d} + \frac{a(aB + 2Ab) \log(\sin(c + dx))}{d} - \frac{b^2B \log(\cos(c + dx))}{d}$$

[Out] $-((a^2A - A*b^2 - 2*a*b*B)*x) - (a^2*A*Cot[c + d*x])/d - (b^2*B*Log[Cos[c + d*x]])/d + (a*(2*A*b + a*B)*Log[Sin[c + d*x]])/d$

Rubi [A] time = 0.133096, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {3604, 3624, 3475}

$$-x(a^2A - 2abB - Ab^2) - \frac{a^2A \cot(c + dx)}{d} + \frac{a(aB + 2Ab) \log(\sin(c + dx))}{d} - \frac{b^2B \log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^2*(a + b*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-((a^2A - A*b^2 - 2*a*b*B)*x) - (a^2*A*Cot[c + d*x])/d - (b^2*B*Log[Cos[c + d*x]])/d + (a*(2*A*b + a*B)*Log[Sin[c + d*x]])/d$

Rule 3604

$\text{Int}[(a + b*\text{tan}[e + f*x])^2*((A + B*\text{tan}[e + f*x])*(c + d*\text{tan}[e + f*x])^n), x_Symbol] \rightarrow -\text{Simp}[(B*c - A*d)*(b*c - a*d)^2*(c + d*\text{Tan}[e + f*x])^{n+1}/(f*d^2*(n+1)*(c^2 + d^2)), x] + \text{Dist}[1/(d*(c^2 + d^2)), \text{Int}[(c + d*\text{Tan}[e + f*x])^{n+1}*\text{Simp}[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*\text{Tan}[e + f*x] + b^2*B*(c^2 + d^2)*\text{Tan}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 3624

$\text{Int}[(A + B*\text{tan}[e + f*x] + C*\text{tan}[e + f*x])^2/\text{tan}[e + f*x], x_Symbol] \rightarrow \text{Simp}[B*x, x] + (\text{Dist}[A, \text{Int}[1/\text{Tan}[e + f*x], x], x] + \text{Dist}[C, \text{Int}[\text{Tan}[e + f*x], x], x]) /; \text{FreeQ}\{e, f, A, B, C\}, x] \&\& \text{NeQ}[A, C]$

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{a^2A \cot(c + dx)}{d} + \int \cot(c + dx)(a(2Ab + aB) - (a^2A - \\ &= -(a^2A - Ab^2 - 2abB)x - \frac{a^2A \cot(c + dx)}{d} + (b^2B) \int \tan(c + dx) \\ &= -(a^2A - Ab^2 - 2abB)x - \frac{a^2A \cot(c + dx)}{d} - \frac{b^2B \log(\cos(c + dx))}{d} \end{aligned}$$

Mathematica [C] time = 0.262046, size = 100, normalized size = 1.39

$$\frac{-2a^2 A \cot(c + dx) + 2a(aB + 2Ab) \log(\tan(c + dx)) + i(a + ib)^2(A + iB) \log(-\tan(c + dx) + i) - (a - ib)^2(B + iA) \log(\tan(c + dx) + i)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] $(-2*a^2*A*\cot[c + d*x] + I*(a + I*b)^2*(A + I*B)*\log[I - \tan[c + d*x]] + 2*a*(2*A*b + a*B)*\log[\tan[c + d*x]] - (a - I*b)^2*(I*A + B)*\log[I + \tan[c + d*x]])/(2*d)$

Maple [A] time = 0.066, size = 110, normalized size = 1.5

$$-a^2 Ax + Ab^2 x + 2 Babx - \frac{a^2 A \cot(dx + c)}{d} + 2 \frac{Aab \ln(\sin(dx + c))}{d} - \frac{Aa^2 c}{d} + \frac{Ab^2 c}{d} + \frac{a^2 B \ln(\sin(dx + c))}{d} - \frac{b^2 B \ln(\cos(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] $-a^2*A*x + A*b^2*x + 2*B*a*b*x - a^2*A*\cot(d*x+c)/d + 2/d*A*a*b*\ln(\sin(d*x+c)) - 1/d*A*a^2*c + 1/d*A*b^2*c + 1/d*a^2*B*\ln(\sin(d*x+c)) - b^2*B*\ln(\cos(d*x+c))/d + 2/d*B*a*b*c$

Maxima [A] time = 1.48542, size = 126, normalized size = 1.75

$$\frac{2(Aa^2 - 2Bab - Ab^2)(dx + c) + (Ba^2 + 2Aab - Bb^2) \log(\tan(dx + c)^2 + 1) - 2(Ba^2 + 2Aab) \log(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] $-1/2*(2*(A*a^2 - 2*B*a*b - A*b^2)*(d*x + c) + (B*a^2 + 2*A*a*b - B*b^2)*\log(\tan(d*x + c)^2 + 1) - 2*(B*a^2 + 2*A*a*b)*\log(\tan(d*x + c)) + 2*A*a^2/\tan(d*x + c))/d$

Fricas [A] time = 2.01527, size = 274, normalized size = 3.81

$$\frac{Bb^2 \log\left(\frac{1}{\tan(dx+c)^2+1}\right) \tan(dx+c) + 2(Aa^2 - 2Bab - Ab^2) dx \tan(dx+c) + 2Aa^2 - (Ba^2 + 2Aab) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right)}{2d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="fricas")

```
[Out] -1/2*(B*b^2*log(1/(tan(d*x + c)^2 + 1))*tan(d*x + c) + 2*(A*a^2 - 2*B*a*b -
A*b^2)*d*x*tan(d*x + c) + 2*A*a^2 - (B*a^2 + 2*A*a*b)*log(tan(d*x + c)^2/(
tan(d*x + c)^2 + 1))*tan(d*x + c))/(d*tan(d*x + c))
```

Sympy [A] time = 2.86773, size = 167, normalized size = 2.32

$$\left\{ \begin{array}{l} \infty Aa^2x \\ x(A + B \tan(c))(a + b \tan(c))^2 \cot^2(c) \\ -Aa^2x - \frac{Aa^2}{d \tan(c+dx)} - \frac{Aab \log(\tan^2(c+dx)+1)}{d} + \frac{2Aab \log(\tan(c+dx))}{d} + Ab^2x - \frac{Ba^2 \log(\tan^2(c+dx)+1)}{2d} + \frac{Ba^2 \log(\tan(c+dx))}{d} + 2Babx \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((zoo*A*a**2*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x)
)), (x*(A + B*tan(c))*(a + b*tan(c))**2*cot(c)**2, Eq(d, 0)), (-A*a**2*x -
A*a**2/(d*tan(c + d*x)) - A*a*b*log(tan(c + d*x)**2 + 1)/d + 2*A*a*b*log(ta
n(c + d*x))/d + A*b**2*x - B*a**2*log(tan(c + d*x)**2 + 1)/(2*d) + B*a**2*1
og(tan(c + d*x))/d + 2*B*a*b*x + B*b**2*log(tan(c + d*x)**2 + 1)/(2*d), Tru
e))
```

Giac [A] time = 1.41451, size = 159, normalized size = 2.21

$$\frac{2(Aa^2 - 2Bab - Ab^2)(dx + c) + (Ba^2 + 2Aab - Bb^2) \log(\tan(dx + c)^2 + 1) - 2(Ba^2 + 2Aab) \log(|\tan(dx + c)|) + \frac{2}{d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] -1/2*(2*(A*a^2 - 2*B*a*b - A*b^2)*(d*x + c) + (B*a^2 + 2*A*a*b - B*b^2)*log
(tan(d*x + c)^2 + 1) - 2*(B*a^2 + 2*A*a*b)*log(abs(tan(d*x + c)))) + 2*(B*a^
2*tan(d*x + c) + 2*A*a*b*tan(d*x + c) + A*a^2)/tan(d*x + c))/d
```

$$3.245 \quad \int \cot^3(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=88

$$\frac{(a^2A - 2abB - Ab^2) \log(\sin(c + dx))}{d} - \frac{a^2A \cot^2(c + dx)}{2d} + x(b^2B - a(aB + 2Ab)) - \frac{a(aB + 2Ab) \cot(c + dx)}{d}$$

[Out] (b^2*B - a*(2*A*b + a*B))*x - (a*(2*A*b + a*B)*Cot[c + d*x])/d - (a^2*A*Cot[c + d*x]^2)/(2*d) - ((a^2*A - A*b^2 - 2*a*b*B)*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.191368, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {3604, 3628, 3531, 3475}

$$\frac{(a^2A - 2abB - Ab^2) \log(\sin(c + dx))}{d} - \frac{a^2A \cot^2(c + dx)}{2d} + x(b^2B - a(aB + 2Ab)) - \frac{a(aB + 2Ab) \cot(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (b^2*B - a*(2*A*b + a*B))*x - (a*(2*A*b + a*B)*Cot[c + d*x])/d - (a^2*A*Cot[c + d*x]^2)/(2*d) - ((a^2*A - A*b^2 - 2*a*b*B)*Log[Sin[c + d*x]])/d

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \cot^3(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx = -\frac{a^2 A \cot^2(c + dx)}{2d} + \int \cot^2(c + dx) (a(2Ab + aB) - (a^2 A + b^2 B)) dx$$

$$= -\frac{a(2Ab + aB) \cot(c + dx)}{d} - \frac{a^2 A \cot^2(c + dx)}{2d} + \int \cot(c + dx) (a(2Ab + aB) - (a^2 A + b^2 B)) dx$$

$$= (b^2 B - a(2Ab + aB)) x - \frac{a(2Ab + aB) \cot(c + dx)}{d} - \frac{a^2 A \cot^2(c + dx)}{2d}$$

$$= (b^2 B - a(2Ab + aB)) x - \frac{a(2Ab + aB) \cot(c + dx)}{d} - \frac{a^2 A \cot^2(c + dx)}{2d}$$

Mathematica [C] time = 0.344597, size = 123, normalized size = 1.4

$$\frac{-2(a^2 A - 2abB - Ab^2) \log(\tan(c + dx)) - a^2 A \cot^2(c + dx) - 2a(aB + 2Ab) \cot(c + dx) + (a - ib)^2(A - iB) \log(\tan(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] (-2*a*(2*A*b + a*B)*Cot[c + d*x] - a^2*A*Cot[c + d*x]^2 + (a + I*b)^2*(A + I*B)*Log[I - Tan[c + d*x]] - 2*(a^2*A - A*b^2 - 2*a*b*B)*Log[Tan[c + d*x]] + (a - I*b)^2*(A - I*B)*Log[I + Tan[c + d*x]])/(2*d)
```

Maple [A] time = 0.081, size = 141, normalized size = 1.6

$$\frac{Ab^2 \ln(\sin(dx + c))}{d} + b^2 Bx + \frac{Bb^2 c}{d} - 2Axab - 2\frac{A \cot(dx + c) ab}{d} - 2\frac{Aabc}{d} + 2\frac{Bab \ln(\sin(dx + c))}{d} - \frac{a^2 A (\cot(dx + c))^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)
```

```
[Out] 1/d*A*b^2*ln(sin(d*x+c))+b^2*B*x+1/d*B*b^2*c-2*A*x*a*b-2/d*A*cot(d*x+c)*a*b-2/d*A*a*b*c+2/d*B*a*b*ln(sin(d*x+c))-1/2*a^2*A*cot(d*x+c)^2/d-a^2*A*ln(sin(d*x+c))/d-a^2*B*x-1/d*B*cot(d*x+c)*a^2-1/d*B*a^2*c
```

Maxima [A] time = 1.50988, size = 162, normalized size = 1.84

$$\frac{2(Ba^2 + 2Aab - Bb^2)(dx + c) - (Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c)^2 + 1) + 2(Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x, algorithm="maxima")
```


[Out] $-1/2*(2*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) - (A*a^2 - 2*B*a*b - A*b^2)*\log(\tan(d*x + c)^2 + 1) + 2*(A*a^2 - 2*B*a*b - A*b^2)*\log(\tan(d*x + c)) + (A*a^2 + 2*(B*a^2 + 2*A*a*b)*\tan(d*x + c))/\tan(d*x + c)^2)/d$

Fricas [A] time = 1.96709, size = 285, normalized size = 3.24

$$\frac{(Aa^2 - 2 Bab - Ab^2) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^2 + Aa^2 + (Aa^2 + 2(Ba^2 + 2 Aab - Bb^2)dx) \tan(dx+c)^2 + 2(Ba^2 + 2 Aab - Bb^2)dx}{2d \tan(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $-1/2*((A*a^2 - 2*B*a*b - A*b^2)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1))*\tan(d*x + c)^2 + A*a^2 + (A*a^2 + 2*(B*a^2 + 2*A*a*b - B*b^2)*d*x)*\tan(d*x + c)^2 + 2*(B*a^2 + 2*A*a*b)*\tan(d*x + c))/(d*\tan(d*x + c)^2)$

Sympy [A] time = 4.77574, size = 214, normalized size = 2.43

$$\left\{ \begin{array}{l} \infty Aa^2 x \\ x(A + B \tan(c))(a + b \tan(c))^2 \cot^3(c) \\ \frac{Aa^2 \log(\tan^2(c+dx)+1)}{2d} - \frac{Aa^2 \log(\tan(c+dx))}{d} - \frac{Aa^2}{2d \tan^2(c+dx)} - 2Aabx - \frac{2Aab}{d \tan(c+dx)} - \frac{Ab^2 \log(\tan^2(c+dx)+1)}{2d} + \frac{Ab^2 \log(\tan(c+dx))}{d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a**2*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))**2*cot(c)**3, Eq(d, 0)), (A*a**2*log(tan(c + d*x)**2 + 1)/(2*d) - A*a**2*log(tan(c + d*x))/d - A*a**2/(2*d*tan(c + d*x)**2) - 2*A*a*b*x - 2*A*a*b/(d*tan(c + d*x)) - A*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + A*b**2*log(tan(c + d*x))/d - B*a**2*x - B*a**2/(d*tan(c + d*x)) - B*a*b*log(tan(c + d*x)**2 + 1)/d + 2*B*a*b*log(tan(c + d*x))/d + B*b**2*x, True))

Giac [B] time = 1.47828, size = 320, normalized size = 3.64

$$Aa^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 4Ba^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 8Aab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 8(Ba^2 + 2Aab - Bb^2)(dx + c) - 8(Aa^2 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $-1/8*(A*a^2*\tan(1/2*d*x + 1/2*c)^2 - 4*B*a^2*\tan(1/2*d*x + 1/2*c) - 8*A*a*b*\tan(1/2*d*x + 1/2*c) + 8*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) - 8*(A*a^2 -$

$$\begin{aligned}
& 2*B*a*b - A*b^2) * \log(\tan(1/2*d*x + 1/2*c)^2 + 1) + 8*(A*a^2 - 2*B*a*b - A*b \\
& ^2) * \log(\text{abs}(\tan(1/2*d*x + 1/2*c))) - (12*A*a^2*\tan(1/2*d*x + 1/2*c)^2 - 24* \\
& B*a*b*\tan(1/2*d*x + 1/2*c)^2 - 12*A*b^2*\tan(1/2*d*x + 1/2*c)^2 - 4*B*a^2*ta \\
& n(1/2*d*x + 1/2*c) - 8*A*a*b*\tan(1/2*d*x + 1/2*c) - A*a^2)/\tan(1/2*d*x + 1/ \\
& 2*c)^2)/d
\end{aligned}$$

$$3.246 \quad \int \cot^4(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=118

$$\frac{(a^2A - 2abB - Ab^2) \cot(c + dx)}{d} + x(a^2A - 2abB - Ab^2) - \frac{a^2A \cot^3(c + dx)}{3d} + \frac{(b^2B - a(aB + 2Ab)) \log(\sin(c + dx))}{d}$$

[Out] (a^2*A - A*b^2 - 2*a*b*B)*x + ((a^2*A - A*b^2 - 2*a*b*B)*Cot[c + d*x])/d - (a*(2*A*b + a*B)*Cot[c + d*x]^2)/(2*d) - (a^2*A*Cot[c + d*x]^3)/(3*d) + ((b^2*B - a*(2*A*b + a*B))*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.242897, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3604, 3628, 3529, 3531, 3475}

$$\frac{(a^2A - 2abB - Ab^2) \cot(c + dx)}{d} + x(a^2A - 2abB - Ab^2) - \frac{a^2A \cot^3(c + dx)}{3d} + \frac{(b^2B - a(aB + 2Ab)) \log(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (a^2*A - A*b^2 - 2*a*b*B)*x + ((a^2*A - A*b^2 - 2*a*b*B)*Cot[c + d*x])/d - (a*(2*A*b + a*B)*Cot[c + d*x]^2)/(2*d) - (a^2*A*Cot[c + d*x]^3)/(3*d) + ((b^2*B - a*(2*A*b + a*B))*Log[Sin[c + d*x]])/d

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{a^2 A \cot^3(c + dx)}{3d} + \int \cot^3(c + dx) (a(2Ab + aB) - (a^2 A \\ &= -\frac{a(2Ab + aB) \cot^2(c + dx)}{2d} - \frac{a^2 A \cot^3(c + dx)}{3d} + \int \cot^2(c \\ &= \frac{(a^2 A - Ab^2 - 2abB) \cot(c + dx)}{d} - \frac{a(2Ab + aB) \cot^2(c + dx)}{2d} \\ &= (a^2 A - Ab^2 - 2abB)x + \frac{(a^2 A - Ab^2 - 2abB) \cot(c + dx)}{d} \\ &= (a^2 A - Ab^2 - 2abB)x + \frac{(a^2 A - Ab^2 - 2abB) \cot(c + dx)}{d} \end{aligned}$$

Mathematica [C] time = 1.38635, size = 152, normalized size = 1.29

$$\frac{6(a^2 A - 2abB - Ab^2) \cot(c + dx) - 6(a^2 B + 2aAb - b^2 B) \log(\tan(c + dx)) - 2a^2 A \cot^3(c + dx) - 3a(aB + 2Ab) \cot^2(c + dx)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] (6*(a^2*A - A*b^2 - 2*a*b*B)*Cot[c + d*x] - 3*a*(2*A*b + a*B)*Cot[c + d*x]^
2 - 2*a^2*A*Cot[c + d*x]^3 + 3*(a + I*b)^2*((-I)*A + B)*Log[I - Tan[c + d*x
]] - 6*(2*a*A*b + a^2*B - b^2*B)*Log[Tan[c + d*x]] + 3*(a - I*b)^2*(I*A + B
)*Log[I + Tan[c + d*x]])/(6*d)
```

Maple [A] time = 0.072, size = 188, normalized size = 1.6

$$-Ab^2x - \frac{A \cot(dx + c) b^2}{d} - \frac{Ab^2c}{d} + \frac{b^2B \ln(\sin(dx + c))}{d} - \frac{Aab(\cot(dx + c))^2}{d} - 2 \frac{Aab \ln(\sin(dx + c))}{d} - 2 Babx - 2 \frac{B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^4*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)
```

```
[Out] -A*b^2*x-1/d*A*cot(d*x+c)*b^2-1/d*A*b^2*c+1/d*b^2*B*ln(sin(d*x+c))-1/d*A*a*
b*cot(d*x+c)^2-2/d*A*a*b*ln(sin(d*x+c))-2*B*a*b*x-2/d*B*cot(d*x+c)*a*b-2/d*
B*a*b*c-1/3*a^2*A*cot(d*x+c)^3/d+a^2*A*cot(d*x+c)/d+a^2*A*x+1/d*A*a^2*c-1/2
/d*a^2*B*cot(d*x+c)^2-1/d*a^2*B*ln(sin(d*x+c))
```

Maxima [A] time = 1.46717, size = 201, normalized size = 1.7

$$\frac{6(Aa^2 - 2Bab - Ab^2)(dx + c) + 3(Ba^2 + 2Aab - Bb^2) \log(\tan(dx + c)^2 + 1) - 6(Ba^2 + 2Aab - Bb^2) \log(\tan(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(6*(A*a^2 - 2*B*a*b - A*b^2)*(d*x + c) + 3*(B*a^2 + 2*A*a*b - B*b^2)*log(tan(d*x + c)^2 + 1) - 6*(B*a^2 + 2*A*a*b - B*b^2)*log(tan(d*x + c)) - (2*A*a^2 - 6*(A*a^2 - 2*B*a*b - A*b^2)*tan(d*x + c)^2 + 3*(B*a^2 + 2*A*a*b)*tan(d*x + c))/tan(d*x + c)^3)/d

Fricas [A] time = 2.03331, size = 367, normalized size = 3.11

$$\frac{3(Ba^2 + 2Aab - Bb^2) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^3 + 3(Ba^2 + 2Aab - 2(Aa^2 - 2Bab - Ab^2)dx) \tan(dx+c)^3}{6d \tan(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/6*(3*(B*a^2 + 2*A*a*b - B*b^2)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^3 + 3*(B*a^2 + 2*A*a*b - 2*(A*a^2 - 2*B*a*b - A*b^2)*d*x)*tan(d*x + c)^3 + 2*A*a^2 - 6*(A*a^2 - 2*B*a*b - A*b^2)*tan(d*x + c)^2 + 3*(B*a^2 + 2*A*a*b)*tan(d*x + c))/(d*tan(d*x + c)^3)

Sympy [A] time = 7.87257, size = 260, normalized size = 2.2

$$\left\{ \begin{array}{l} \infty Aa^2 x \\ x(A + B \tan(c))(a + b \tan(c))^2 \cot^4(c) \\ Aa^2 x + \frac{Aa^2}{d \tan(c+dx)} - \frac{Aa^2}{3d \tan^3(c+dx)} + \frac{Aab \log(\tan^2(c+dx)+1)}{d} - \frac{2Aab \log(\tan(c+dx))}{d} - \frac{Aab}{d \tan^2(c+dx)} - Ab^2 x - \frac{Ab^2}{d \tan(c+dx)} + \frac{Ba^2 \log(\tan(c+dx))}{d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a**2*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))**2*cot(c)**4, Eq(d, 0)), (A*a**2*x + A*a**2/(d*tan(c + d*x)) - A*a**2/(3*d*tan(c + d*x)**3) + A*a*b*log(tan(c + d*x)**2 + 1)/d - 2*A*a*b*log(tan(c + d*x))/d - A*a*b/(d*tan(c + d*x)**2) - A*b**2*x - A*b**2/(d*tan(c + d*x)) + B*a**2*log(tan(c + d*x)**2 + 1)/(2*d) - B*a**2*log(tan(c + d*x))/d - B*a**2/(2*d*tan(c + d*x)**2) - 2*B*a*b*x - 2*B*a*b/(d*tan(c + d*x)) - B*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**2*log(tan(c + d*x))/d, True))

Giac [B] time = 1.49365, size = 451, normalized size = 3.82

$$Aa^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3Ba^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 6Aab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 15Aa^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 24Bab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/24*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^2*tan(1/2*d*x + 1/2*c)^2 - 6*A*a*b*tan(1/2*d*x + 1/2*c)^2 - 15*A*a^2*tan(1/2*d*x + 1/2*c) + 24*B*a*b*tan(1/2*d*x + 1/2*c) + 12*A*b^2*tan(1/2*d*x + 1/2*c) + 24*(A*a^2 - 2*B*a*b - A*b^2)*(d*x + c) + 24*(B*a^2 + 2*A*a*b - B*b^2)*log(tan(1/2*d*x + 1/2*c)^2 + 1) - 24*(B*a^2 + 2*A*a*b - B*b^2)*log(abs(tan(1/2*d*x + 1/2*c)))) + (44*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 88*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 44*B*b^2*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^2*tan(1/2*d*x + 1/2*c)^2 - 24*B*a*b*tan(1/2*d*x + 1/2*c)^2 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^2 - 3*B*a^2*tan(1/2*d*x + 1/2*c) - 6*A*a*b*tan(1/2*d*x + 1/2*c) - A*a^2)/tan(1/2*d*x + 1/2*c)^3)/d

$$3.247 \quad \int \cot^5(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=151

$$\frac{(a^2A - 2abB - Ab^2) \cot^2(c + dx)}{2d} + \frac{(a^2A - 2abB - Ab^2) \log(\sin(c + dx))}{d} + x(a^2B + 2aAb - b^2B) - \frac{a^2A \cot^4(c + dx)}{4d}$$

[Out] (2*a*A*b + a^2*B - b^2*B)*x - ((b^2*B - a*(2*A*b + a*B))*Cot[c + d*x])/d + ((a^2*A - A*b^2 - 2*a*b*B)*Cot[c + d*x]^2)/(2*d) - (a*(2*A*b + a*B)*Cot[c + d*x]^3)/(3*d) - (a^2*A*Cot[c + d*x]^4)/(4*d) + ((a^2*A - A*b^2 - 2*a*b*B)*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.300629, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3604, 3628, 3529, 3531, 3475}

$$\frac{(a^2A - 2abB - Ab^2) \cot^2(c + dx)}{2d} + \frac{(a^2A - 2abB - Ab^2) \log(\sin(c + dx))}{d} + x(a^2B + 2aAb - b^2B) - \frac{a^2A \cot^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (2*a*A*b + a^2*B - b^2*B)*x - ((b^2*B - a*(2*A*b + a*B))*Cot[c + d*x])/d + ((a^2*A - A*b^2 - 2*a*b*B)*Cot[c + d*x]^2)/(2*d) - (a*(2*A*b + a*B)*Cot[c + d*x]^3)/(3*d) - (a^2*A*Cot[c + d*x]^4)/(4*d) + ((a^2*A - A*b^2 - 2*a*b*B)*Log[Sin[c + d*x]])/d

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,

b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= -\frac{a^2 A \cot^4(c + dx)}{4d} + \int \cot^4(c + dx) (a(2Ab + aB) - (a^2 A - Ab^2 - 2abB) \cot^2(c + dx)) dx \\ &= -\frac{a(2Ab + aB) \cot^3(c + dx)}{3d} - \frac{a^2 A \cot^4(c + dx)}{4d} + \int \cot^3(c + dx) (a(2Ab + aB) - (a^2 A - Ab^2 - 2abB) \cot^2(c + dx)) dx \\ &= -\frac{(b^2 B - a(2Ab + aB)) \cot(c + dx)}{d} + \frac{(a^2 A - Ab^2 - 2abB) \cot^3(c + dx)}{3d} \\ &= (2aAb + a^2 B - b^2 B)x - \frac{(b^2 B - a(2Ab + aB)) \cot(c + dx)}{d} \\ &= (2aAb + a^2 B - b^2 B)x - \frac{(b^2 B - a(2Ab + aB)) \cot(c + dx)}{d} \end{aligned}$$

Mathematica [C] time = 3.03804, size = 180, normalized size = 1.19

$$\frac{6(a^2 A - 2abB - Ab^2) \cot^2(c + dx) + 12(a^2 B + 2aAb - b^2 B) \cot(c + dx) - 6((-2a^2 A + 4abB + 2Ab^2) \log(\tan(c + dx)))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (12*(2*a*A*b + a^2*B - b^2*B)*Cot[c + d*x] + 6*(a^2*A - A*b^2 - 2*a*b*B)*Cot[c + d*x]^2 - 4*a*(2*A*b + a*B)*Cot[c + d*x]^3 - 3*a^2*A*Cot[c + d*x]^4 - 6*((a + I*b)^2*(A + I*B)*Log[I - Tan[c + d*x]] + (-2*a^2*A + 2*A*b^2 + 4*a*b*B)*Log[Tan[c + d*x]] + (a - I*b)^2*(A - I*B)*Log[I + Tan[c + d*x]]))/(12*d)

Maple [A] time = 0.076, size = 238, normalized size = 1.6

$$-\frac{Ab^2 (\cot(dx + c))^2}{2d} - \frac{Ab^2 \ln(\sin(dx + c))}{d} - b^2 Bx - \frac{B \cot(dx + c) b^2}{d} - \frac{Bb^2 c}{d} - \frac{2 Aab (\cot(dx + c))^3}{3d} + 2 \frac{A \cot(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^5*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)


```
[Out] -1/2/d*A*b^2*cot(d*x+c)^2-1/d*A*b^2*ln(sin(d*x+c))-b^2*B*x-1/d*B*cot(d*x+c)
*b^2-1/d*B*b^2*c-2/3/d*A*a*b*cot(d*x+c)^3+2/d*A*cot(d*x+c)*a*b+2*A*x*a*b+2/
d*A*a*b*c-1/d*B*a*b*cot(d*x+c)^2-2/d*B*a*b*ln(sin(d*x+c))-1/4*a^2*A*cot(d*x
+c)^4/d+1/2*a^2*A*cot(d*x+c)^2/d+a^2*A*ln(sin(d*x+c))/d-1/3/d*a^2*B*cot(d*x
+c)^3+1/d*B*cot(d*x+c)*a^2+a^2*B*x+1/d*B*a^2*c
```

Maxima [A] time = 1.52148, size = 236, normalized size = 1.56

$$\frac{12(Ba^2 + 2Aab - Bb^2)(dx + c) - 6(Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c)^2 + 1) + 12(Aa^2 - 2Bab - Ab^2) \log(\tan(dx + c))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="ma
xima")
```

```
[Out] 1/12*(12*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) - 6*(A*a^2 - 2*B*a*b - A*b^2)*
log(tan(d*x + c)^2 + 1) + 12*(A*a^2 - 2*B*a*b - A*b^2)*log(tan(d*x + c)) +
(12*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c)^3 - 3*A*a^2 + 6*(A*a^2 - 2*B*a*b
- A*b^2)*tan(d*x + c)^2 - 4*(B*a^2 + 2*A*a*b)*tan(d*x + c))/tan(d*x + c)^4
)/d
```

Fricas [A] time = 2.00081, size = 446, normalized size = 2.95

$$\frac{6(Aa^2 - 2Bab - Ab^2) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^4 + 3(3Aa^2 - 4Bab - 2Ab^2 + 4(Ba^2 + 2Aab - Bb^2)dx) \tan(dx+c)}{12d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fr
icas")
```

```
[Out] 1/12*(6*(A*a^2 - 2*B*a*b - A*b^2)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*
tan(d*x + c)^4 + 3*(3*A*a^2 - 4*B*a*b - 2*A*b^2 + 4*(B*a^2 + 2*A*a*b - B*b^
2)*d*x)*tan(d*x + c)^4 + 12*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c)^3 - 3*A*
a^2 + 6*(A*a^2 - 2*B*a*b - A*b^2)*tan(d*x + c)^2 - 4*(B*a^2 + 2*A*a*b)*tan(
d*x + c))/(d*tan(d*x + c)^4)
```

Sympy [A] time = 14.483, size = 313, normalized size = 2.07

$$\left\{ \begin{array}{l} \infty Aa^2 x \\ x(A + B \tan(c))(a + b \tan(c))^2 \cot^5(c) \\ -\frac{Aa^2 \log(\tan^2(c+dx)+1)}{2d} + \frac{Aa^2 \log(\tan(c+dx))}{d} + \frac{Aa^2}{2d \tan^2(c+dx)} - \frac{Aa^2}{4d \tan^4(c+dx)} + 2Aabx + \frac{2Aab}{d \tan(c+dx)} - \frac{2Aab}{3d \tan^3(c+dx)} + \frac{Ab^2 \log(\tan^2(c+dx)+1)}{2d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**5*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((zoo*A*a**2*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x)
)), (x*(A + B*tan(c))*(a + b*tan(c))**2*cot(c)**5, Eq(d, 0)), (-A*a**2*log(
```

```
tan(c + d*x)**2 + 1)/(2*d) + A*a**2*log(tan(c + d*x))/d + A*a**2/(2*d*tan(c
+ d*x)**2) - A*a**2/(4*d*tan(c + d*x)**4) + 2*A*a*b*x + 2*A*a*b/(d*tan(c +
d*x)) - 2*A*a*b/(3*d*tan(c + d*x)**3) + A*b**2*log(tan(c + d*x)**2 + 1)/(2
*d) - A*b**2*log(tan(c + d*x))/d - A*b**2/(2*d*tan(c + d*x)**2) + B*a**2*x
+ B*a**2/(d*tan(c + d*x)) - B*a**2/(3*d*tan(c + d*x)**3) + B*a*b*log(tan(c
+ d*x)**2 + 1)/d - 2*B*a*b*log(tan(c + d*x))/d - B*a*b/(d*tan(c + d*x)**2)
- B*b**2*x - B*b**2/(d*tan(c + d*x)), True))
```

Giac [B] time = 1.53174, size = 587, normalized size = 3.89

$$3Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 8Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 16Aab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 36Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 48Bab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 24Aab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 120B^2a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 240A^2ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 96B^2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 192(B^2a^2 + 2A^2ab - B^2b^2)(dx + c) + 192(A^2a^2 - 2B^2ab - A^2b^2) \log(\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1) - 192(A^2a^2 - 2B^2ab - A^2b^2) \log(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)) + (400A^2a^2 \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 800B^2ab \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 400A^2b^2 \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 120B^2a^2 \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 240A^2ab \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 96B^2b^2 \tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 36A^2a^2 \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 48B^2ab \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24A^2b^2 \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 8B^2a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 16A^2ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3A^2a^2) / \tan^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/192*(3*A*a^2*tan(1/2*d*x + 1/2*c)^4 - 8*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 16*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 36*A*a^2*tan(1/2*d*x + 1/2*c)^2 + 48*B*a*b*tan(1/2*d*x + 1/2*c)^2 + 24*A*b^2*tan(1/2*d*x + 1/2*c)^2 + 120*B*a^2*tan(1/2*d*x + 1/2*c) + 240*A*a*b*tan(1/2*d*x + 1/2*c) - 96*B*b^2*tan(1/2*d*x + 1/2*c) - 192*(B*a^2 + 2*A*a*b - B*b^2)*(d*x + c) + 192*(A*a^2 - 2*B*a*b - A*b^2)*log(tan(1/2*d*x + 1/2*c)^2 + 1) - 192*(A*a^2 - 2*B*a*b - A*b^2)*log(abs(tan(1/2*d*x + 1/2*c))) + (400*A*a^2*tan(1/2*d*x + 1/2*c)^4 - 800*B*a*b*tan(1/2*d*x + 1/2*c)^4 - 400*A*b^2*tan(1/2*d*x + 1/2*c)^4 - 120*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 240*A*a*b*tan(1/2*d*x + 1/2*c)^3 + 96*B*b^2*tan(1/2*d*x + 1/2*c)^3 - 36*A*a^2*tan(1/2*d*x + 1/2*c)^2 + 48*B*a*b*tan(1/2*d*x + 1/2*c)^2 + 24*A*b^2*tan(1/2*d*x + 1/2*c)^2 + 8*B*a^2*tan(1/2*d*x + 1/2*c) + 16*A*a*b*tan(1/2*d*x + 1/2*c) + 3*A*a^2)/tan(1/2*d*x + 1/2*c)^4)/d
```

$$3.248 \quad \int \tan^2(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=201

$$\frac{b(a^2B + 2aAb - b^2B) \tan(c + dx)}{d} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\cos(c + dx))}{d} - x(a^3A - 3a^2bB - 3aAb^2 + b^3B)$$

```
[Out] -((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*x) + ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Cos[c + d*x]])/d - (b*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x])/d - ((A*b + a*B)*(a + b*Tan[c + d*x])^2)/(2*d) - (B*(a + b*Tan[c + d*x])^3)/(3*d) + ((5*A*b - a*B)*(a + b*Tan[c + d*x])^4)/(20*b^2*d) + (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^4)/(5*b*d)
```

Rubi [A] time = 0.369349, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3607, 3630, 3528, 3525, 3475}

$$\frac{b(a^2B + 2aAb - b^2B) \tan(c + dx)}{d} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\cos(c + dx))}{d} - x(a^3A - 3a^2bB - 3aAb^2 + b^3B)$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*x) + ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Cos[c + d*x]])/d - (b*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x])/d - ((A*b + a*B)*(a + b*Tan[c + d*x])^2)/(2*d) - (B*(a + b*Tan[c + d*x])^3)/(3*d) + ((5*A*b - a*B)*(a + b*Tan[c + d*x])^4)/(20*b^2*d) + (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^4)/(5*b*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
```

```
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3525

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)
*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e +
f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f},
x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{B \tan(c + dx)(a + b \tan(c + dx))^4}{5bd} + \frac{\int (a + b \tan(c + dx))^3}{5bd} \\ &= \frac{(5Ab - aB)(a + b \tan(c + dx))^4}{20b^2d} + \frac{B \tan(c + dx)(a + b \tan(c + dx))^4}{5bd} \\ &= -\frac{B(a + b \tan(c + dx))^3}{3d} + \frac{(5Ab - aB)(a + b \tan(c + dx))^4}{20b^2d} \\ &= -\frac{(Ab + aB)(a + b \tan(c + dx))^2}{2d} - \frac{B(a + b \tan(c + dx))^3}{3d} \\ &= -(a^3A - 3aAb^2 - 3a^2bB + b^3B)x - \frac{b(2aAb + a^2B - b^2B)}{d} \\ &= -(a^3A - 3aAb^2 - 3a^2bB + b^3B)x + \frac{(3a^2Ab - Ab^3 + a^3B - b^3B)}{d} \end{aligned}$$

Mathematica [C] time = 2.06747, size = 241, normalized size = 1.2

$$10B(6b^2(b^2 - 6a^2)\tan(c + dx) - 12ab^3 \tan^2(c + dx) - 3i(a - ib)^4 \log(\tan(c + dx) + i) + 3i(a + ib)^4 \log(-\tan(c + dx) + i))$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((3*(5*A*b - a*B)*(a + b*Tan[c + d*x])^4)/b + 12*B*Tan[c + d*x]*(a + b*Tan[
c + d*x])^4 - 30*(A*b - a*B)*((I*a - b)^3*Log[I - Tan[c + d*x]] - (I*a + b)
^3*Log[I + Tan[c + d*x]] + 6*a*b^2*Tan[c + d*x] + b^3*Tan[c + d*x]^2) + 10*
B*((3*I)*(a + I*b)^4*Log[I - Tan[c + d*x]] - (3*I)*(a - I*b)^4*Log[I + Tan[
c + d*x]] + 6*b^2*(-6*a^2 + b^2)*Tan[c + d*x] - 12*a*b^3*Tan[c + d*x]^2 - 2
*b^4*Tan[c + d*x]^3))/(60*b*d)
```

Maple [A] time = 0.014, size = 383, normalized size = 1.9

$$\frac{Bb^3(\tan(dx + c))^5}{5d} + \frac{A(\tan(dx + c))^4 b^3}{4d} + \frac{3B(\tan(dx + c))^4 ab^2}{4d} + \frac{A(\tan(dx + c))^3 ab^2}{d} + \frac{B(\tan(dx + c))^3 a^2 b}{d} - \frac{Bb^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] $\frac{1}{5}d^2B^3b^3\tan(d*x+c)^5 + \frac{1}{4}d^2A\tan(d*x+c)^4b^3 + \frac{3}{4}d^2B\tan(d*x+c)^4a^2b^2 + \frac{1}{d}A\tan(d*x+c)^3a^2b^2 + \frac{1}{d}B\tan(d*x+c)^3a^2b - \frac{1}{3}d^2B\tan(d*x+c)^3b^3 + \frac{3}{2}d^2A\tan(d*x+c)^2a^2b - \frac{1}{2}d^2A\tan(d*x+c)^2b^3 + \frac{1}{2}d^2a^3B\tan(d*x+c)^2 - \frac{3}{2}d^2B\tan(d*x+c)^2a^2b + \frac{1}{d}a^3A\tan(d*x+c) - \frac{3}{d}Aa^2b^2\tan(d*x+c) - \frac{3}{d}B^2a^2b\tan(d*x+c) + \frac{1}{d}B^2b^3\tan(d*x+c) - \frac{3}{2}d\ln(1+\tan(d*x+c)^2)Aa^2b + \frac{1}{2}d\ln(1+\tan(d*x+c)^2)A^2b^3 - \frac{1}{2}d^2a^3B\ln(1+\tan(d*x+c)^2) + \frac{3}{2}d\ln(1+\tan(d*x+c)^2)B^2a^2b - \frac{1}{d}a^3A\arctan(\tan(d*x+c)) + \frac{3}{d}A\arctan(\tan(d*x+c))a^2b^2 + \frac{3}{d}B\arctan(\tan(d*x+c))a^2b - \frac{1}{d}B\arctan(\tan(d*x+c))b^3$

Maxima [A] time = 1.5374, size = 289, normalized size = 1.44

$12Bb^3 \tan(dx+c)^5 + 15(3Bab^2 + Ab^3) \tan(dx+c)^4 + 20(3Ba^2b + 3Aab^2 - Bb^3) \tan(dx+c)^3 + 30(Ba^3 + 3Aa^2b$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{60}(12B^2b^3\tan(dx+c)^5 + 15(3B^2a^2b^2 + A^2b^3)\tan(dx+c)^4 + 20(3B^2a^2b + 3A^2a^2b^2 - B^2b^3)\tan(dx+c)^3 + 30(B^2a^3 + 3A^2a^2b - 3B^2a^2b^2 - A^2b^3)\tan(dx+c)^2 - 60(A^2a^3 - 3B^2a^2b - 3A^2a^2b^2 + B^2b^3)(dx+c) - 30(B^2a^3 + 3A^2a^2b - 3B^2a^2b^2 - A^2b^3)\log(\tan(dx+c)^2 + 1) + 60(A^2a^3 - 3B^2a^2b - 3A^2a^2b^2 + B^2b^3)\tan(dx+c))/d$

Fricas [A] time = 2.08538, size = 494, normalized size = 2.46

$12Bb^3 \tan(dx+c)^5 + 15(3Bab^2 + Ab^3) \tan(dx+c)^4 + 20(3Ba^2b + 3Aab^2 - Bb^3) \tan(dx+c)^3 - 60(Aa^3 - 3Ba^2b$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{60}(12B^2b^3\tan(dx+c)^5 + 15(3B^2a^2b^2 + A^2b^3)\tan(dx+c)^4 + 20(3B^2a^2b + 3A^2a^2b^2 - B^2b^3)\tan(dx+c)^3 - 60(A^2a^3 - 3B^2a^2b - 3A^2a^2b^2 + B^2b^3)d^2x + 30(B^2a^3 + 3A^2a^2b - 3B^2a^2b^2 - A^2b^3)\tan(dx+c)^2 + 30(B^2a^3 + 3A^2a^2b - 3B^2a^2b^2 - A^2b^3)\log(1/(\tan(dx+c)^2 + 1)) + 60(A^2a^3 - 3B^2a^2b - 3A^2a^2b^2 + B^2b^3)\tan(dx+c))/d$

Sympy [A] time = 1.09906, size = 384, normalized size = 1.91

$\left\{ \begin{array}{l} -Aa^3x + \frac{Aa^3 \tan(c+dx)}{d} - \frac{3Aa^2b \log(\tan^2(c+dx)+1)}{2d} + \frac{3Aa^2b \tan^2(c+dx)}{2d} + 3Aab^2x + \frac{Aab^2 \tan^3(c+dx)}{d} - \frac{3Aab^2 \tan(c+dx)}{d} + \frac{Ab^3 \log(\tan^2(c+dx)+1)}{2d} \\ x(A+B \tan(c))(a+b \tan(c))^3 \tan^2(c) \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

```
[Out] Piecewise((-A*a**3*x + A*a**3*tan(c + d*x)/d - 3*A*a**2*b*log(tan(c + d*x)*
*2 + 1)/(2*d) + 3*A*a**2*b*tan(c + d*x)**2/(2*d) + 3*A*a*b**2*x + A*a*b**2*
tan(c + d*x)**3/d - 3*A*a*b**2*tan(c + d*x)/d + A*b**3*log(tan(c + d*x)**2
+ 1)/(2*d) + A*b**3*tan(c + d*x)**4/(4*d) - A*b**3*tan(c + d*x)**2/(2*d) -
B*a**3*log(tan(c + d*x)**2 + 1)/(2*d) + B*a**3*tan(c + d*x)**2/(2*d) + 3*B*
a**2*b*x + B*a**2*b*tan(c + d*x)**3/d - 3*B*a**2*b*tan(c + d*x)/d + 3*B*a*b
**2*log(tan(c + d*x)**2 + 1)/(2*d) + 3*B*a*b**2*tan(c + d*x)**4/(4*d) - 3*B
*a*b**2*tan(c + d*x)**2/(2*d) - B*b**3*x + B*b**3*tan(c + d*x)**5/(5*d) - B
*b**3*tan(c + d*x)**3/(3*d) + B*b**3*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*t
an(c))*(a + b*tan(c))**3*tan(c)**2, True))
```

Giac [B] time = 9.77069, size = 5396, normalized size = 26.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] -1/60*(60*A*a^3*d*x*tan(d*x)^5*tan(c)^5 - 180*B*a^2*b*d*x*tan(d*x)^5*tan(c)
^5 - 180*A*a*b^2*d*x*tan(d*x)^5*tan(c)^5 + 60*B*b^3*d*x*tan(d*x)^5*tan(c)^5
- 30*B*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c)
+ tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^5*ta
n(c)^5 - 90*A*a^2*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^
3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d
*x)^5*tan(c)^5 + 90*B*a*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*t
an(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1
))*tan(d*x)^5*tan(c)^5 + 30*A*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2
- 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(
c) + 1))*tan(d*x)^5*tan(c)^5 - 300*A*a^3*d*x*tan(d*x)^4*tan(c)^4 + 900*B*a^
2*b*d*x*tan(d*x)^4*tan(c)^4 + 900*A*a*b^2*d*x*tan(d*x)^4*tan(c)^4 - 300*B*b
^3*d*x*tan(d*x)^4*tan(c)^4 - 30*B*a^3*tan(d*x)^5*tan(c)^5 - 90*A*a^2*b*tan(
d*x)^5*tan(c)^5 + 135*B*a*b^2*tan(d*x)^5*tan(c)^5 + 45*A*b^3*tan(d*x)^5*tan
(c)^5 + 150*B*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*
tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x
)^4*tan(c)^4 + 450*A*a^2*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*ta
n(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1)
)*tan(d*x)^4*tan(c)^4 - 450*B*a*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)
^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*ta
n(c) + 1))*tan(d*x)^4*tan(c)^4 - 150*A*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4
*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(
d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 60*A*a^3*tan(d*x)^5*tan(c)^4 - 180*
B*a^2*b*tan(d*x)^5*tan(c)^4 - 180*A*a*b^2*tan(d*x)^5*tan(c)^4 + 60*B*b^3*ta
n(d*x)^5*tan(c)^4 + 60*A*a^3*tan(d*x)^4*tan(c)^5 - 180*B*a^2*b*tan(d*x)^4*t
an(c)^5 - 180*A*a*b^2*tan(d*x)^4*tan(c)^5 + 60*B*b^3*tan(d*x)^4*tan(c)^5 +
600*A*a^3*d*x*tan(d*x)^3*tan(c)^3 - 1800*B*a^2*b*d*x*tan(d*x)^3*tan(c)^3 -
1800*A*a*b^2*d*x*tan(d*x)^3*tan(c)^3 + 600*B*b^3*d*x*tan(d*x)^3*tan(c)^3 -
30*B*a^3*tan(d*x)^5*tan(c)^3 - 90*A*a^2*b*tan(d*x)^5*tan(c)^3 + 90*B*a*b^2*
tan(d*x)^5*tan(c)^3 + 30*A*b^3*tan(d*x)^5*tan(c)^3 + 90*B*a^3*tan(d*x)^4*ta
n(c)^4 + 270*A*a^2*b*tan(d*x)^4*tan(c)^4 - 495*B*a*b^2*tan(d*x)^4*tan(c)^4
- 165*A*b^3*tan(d*x)^4*tan(c)^4 - 30*B*a^3*tan(d*x)^3*tan(c)^5 - 90*A*a^2*b
*tan(d*x)^3*tan(c)^5 + 90*B*a*b^2*tan(d*x)^3*tan(c)^5 + 30*A*b^3*tan(d*x)^3
*tan(c)^5 + 60*B*a^2*b*tan(d*x)^5*tan(c)^2 + 60*A*a*b^2*tan(d*x)^5*tan(c)^2
- 20*B*b^3*tan(d*x)^5*tan(c)^2 - 300*B*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^
4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan
(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 900*A*a^2*b*log(4*(tan(c)^2 + 1)/(
```

$$\begin{aligned}
& \tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 \\
& - 2 \tan(dx) \tan(c) + 1) \tan(dx)^3 \tan(c)^3 + 900 B^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 + 300 A^2 b^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 - 240 A^3 a^3 \tan(dx)^4 \tan(c)^3 + 900 B^2 a^2 b^2 \tan(dx)^4 \tan(c)^3 + 900 A^2 a^2 b^2 \tan(dx)^4 \tan(c)^3 - 300 B^2 b^3 \tan(dx)^4 \tan(c)^3 - 240 A^3 a^3 \tan(dx)^3 \tan(c)^4 + 900 B^2 a^2 b^2 \tan(dx)^3 \tan(c)^4 + 900 A^2 a^2 b^2 \tan(dx)^3 \tan(c)^4 - 300 B^2 b^3 \tan(dx)^3 \tan(c)^4 + 60 B^2 a^2 b^2 \tan(dx)^2 \tan(c)^5 + 60 A^2 a^2 b^2 \tan(dx)^2 \tan(c)^5 - 20 B^2 b^3 \tan(dx)^2 \tan(c)^5 - 45 B^2 a^2 b^2 \tan(dx)^5 \tan(c) - 15 A^2 b^3 \tan(dx)^5 \tan(c) - 600 A^3 a^3 dx \tan(dx)^2 \tan(c)^2 + 1800 B^2 a^2 b^2 dx \tan(dx)^2 \tan(c)^2 + 1800 A^2 a^2 b^2 dx \tan(dx)^2 \tan(c)^2 - 600 B^2 b^3 dx \tan(dx)^2 \tan(c)^2 + 90 B^2 a^3 \tan(dx)^4 \tan(c)^2 + 270 A^2 a^2 b^2 \tan(dx)^4 \tan(c)^2 - 450 B^2 a^2 b^2 \tan(dx)^4 \tan(c)^2 - 150 A^2 b^3 \tan(dx)^4 \tan(c)^2 - 120 B^2 a^3 \tan(dx)^3 \tan(c)^3 - 360 A^2 a^2 b^2 \tan(dx)^3 \tan(c)^3 + 540 B^2 a^2 b^2 \tan(dx)^3 \tan(c)^3 + 180 A^2 b^3 \tan(dx)^3 \tan(c)^3 + 90 B^2 a^3 \tan(dx)^2 \tan(c)^4 + 270 A^2 a^2 b^2 \tan(dx)^2 \tan(c)^4 - 450 B^2 a^2 b^2 \tan(dx)^2 \tan(c)^4 - 150 A^2 b^3 \tan(dx)^2 \tan(c)^4 - 45 B^2 a^2 b^2 \tan(dx) \tan(c)^5 - 15 A^2 b^3 \tan(dx) \tan(c)^5 + 12 B^2 b^3 \tan(dx)^5 - 120 B^2 a^2 b^2 \tan(dx)^4 \tan(c) - 120 A^2 a^2 b^2 \tan(dx)^4 \tan(c) + 100 B^2 b^3 \tan(dx)^4 \tan(c) + 300 B^2 a^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + 900 A^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 - 900 B^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 - 300 A^2 b^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + 360 A^2 a^3 \tan(dx)^3 \tan(c)^2 - 1440 B^2 a^2 b^2 \tan(dx)^3 \tan(c)^2 - 1440 A^2 a^2 b^2 \tan(dx)^3 \tan(c)^2 + 600 B^2 b^3 \tan(dx)^3 \tan(c)^2 + 360 A^2 a^3 \tan(dx)^2 \tan(c)^3 - 1440 B^2 a^2 b^2 \tan(dx)^2 \tan(c)^3 - 1440 A^2 a^2 b^2 \tan(dx)^2 \tan(c)^3 + 600 B^2 b^3 \tan(dx)^2 \tan(c)^3 - 120 B^2 a^2 b^2 \tan(dx) \tan(c)^4 - 120 A^2 a^2 b^2 \tan(dx) \tan(c)^4 + 100 B^2 b^3 \tan(dx) \tan(c)^4 + 12 B^2 b^3 \tan(c)^5 + 45 B^2 a^2 b^2 \tan(dx)^4 + 15 A^2 b^3 \tan(dx)^4 + 300 A^2 a^3 dx \tan(dx) \tan(c) - 900 B^2 a^2 b^2 dx \tan(dx) \tan(c) - 900 A^2 a^2 b^2 dx \tan(dx) \tan(c) + 300 B^2 b^3 dx \tan(dx) \tan(c) - 900 B^2 a^3 \tan(dx)^3 \tan(c) - 270 A^2 a^2 b^2 \tan(dx)^3 \tan(c) + 450 B^2 a^2 b^2 \tan(dx)^3 \tan(c) + 150 A^2 b^3 \tan(dx)^3 \tan(c) + 120 B^2 a^3 \tan(dx)^2 \tan(c)^2 + 360 A^2 a^2 b^2 \tan(dx)^2 \tan(c)^2 - 540 B^2 a^2 b^2 \tan(dx)^2 \tan(c)^2 - 180 A^2 b^3 \tan(dx)^2 \tan(c)^2 - 90 B^2 a^3 \tan(dx) \tan(c)^3 - 270 A^2 a^2 b^2 \tan(dx) \tan(c)^3 + 450 B^2 a^2 b^2 \tan(dx) \tan(c)^3 + 150 A^2 b^3 \tan(dx) \tan(c)^3 + 45 B^2 a^2 b^2 \tan(c)^4 + 15 A^2 b^3 \tan(c)^4 + 60 B^2 a^2 b^2 \tan(dx)^3 + 60 A^2 a^2 b^2 \tan(dx)^3 - 20 B^2 b^3 \tan(dx)^3 - 150 B^2 a^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) - 450 A^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 450 B^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 150 A^2 b^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) - 240 A^2 a^3 \tan(dx)^2 \tan(c) + 900 B^2 a^2 b^2 \tan(dx)^2 \tan(c) + 900 A^2 a^2 b^2 \tan(dx)^2 \tan(c) - 300 B^2 b^3 \tan(dx)^2 \tan(c) - 240 A^2 a^3 \tan(dx) \tan(c)^2 + 900 B^2 a^2 b^2 \tan(dx) \tan(c)^2 + 900 A^2 a^2 b^2 \tan(dx) \tan(c)^2 - 300 B^2 b^3 \tan(dx) \tan(c)^2 + 60 B^2 a^2 b^2 \tan(c)^3 + 60 A^2 a^2 b^2 \tan(c)^3 - 20 B^2 b^3 \tan(c)^3 - 60 A^2 a^3 dx + 180 B^2 a^2 b^2 dx + 180 A^2 a^2 b^2 dx - 60 B^2 b^3 dx + 30 B^2 a^3 \tan(dx)^2 + 90 A^2 a^2 b^2 \tan(dx)^2 - 90 B^2 a^2 b^2 \tan(dx)^2 - 30 A^2 b^3 \tan(dx)^2 - 90 B^2 a^3 \tan(dx) \tan(c) - 270 A^2 a^2 b^2 \tan(dx) \tan(c) + 495 B^2 a^2 b^2 \tan(dx)
\end{aligned}$$

$$\begin{aligned}
& x) \tan(c) + 165A^3b^3 \tan(dx) \tan(c) + 30B^3a^3 \tan(c)^2 + 90A^2a^2b \tan(c)^2 \\
& - 90B^2a^2b^2 \tan(c)^2 - 30A^3b^3 \tan(c)^2 + 30B^3a^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 \\
& - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \\
& + 90A^2a^2b \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 \\
& + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) - 90B^2a^2b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 \\
& - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \\
& - 30A^3b^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 \\
& + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) + 60A^3a^3 \tan(dx) - 180B^2a^2b \tan(dx) \\
& - 180A^2a^2b^2 \tan(dx) + 60B^3b^3 \tan(dx) + 60A^3a^3 \tan(c) - 180B^2a^2b \tan(c) \\
& - 180A^2a^2b^2 \tan(c) + 60B^3b^3 \tan(c) + 30B^3a^3 + 90A^2a^2b - 135B^2a^2b^2 - 45A^3b^3) / (d \tan(dx)^5 \tan(c)^5 \\
& - 5d \tan(dx)^4 \tan(c)^4 + 10d \tan(dx)^3 \tan(c)^3 - 10d \tan(dx)^2 \tan(c)^2 + 5d \tan(dx) \tan(c) - d)
\end{aligned}$$

$$3.249 \quad \int \tan(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=165

$$\frac{b(a^2A - 2abB - Ab^2) \tan(c + dx)}{d} - \frac{(a^3A - 3a^2bB - 3aAb^2 + b^3B) \log(\cos(c + dx))}{d} - x(3a^2Ab + a^3B - 3ab^2B - Ab^3)$$

[Out] -((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x) - ((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Log[Cos[c + d*x]])/d + (b*(a^2*A - A*b^2 - 2*a*b*B)*Tan[c + d*x])/d + ((a*A - b*B)*(a + b*Tan[c + d*x])^2)/(2*d) + (A*(a + b*Tan[c + d*x])^3)/(3*d) + (B*(a + b*Tan[c + d*x])^4)/(4*b*d)

Rubi [A] time = 0.193966, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3592, 3528, 3525, 3475}

$$\frac{b(a^2A - 2abB - Ab^2) \tan(c + dx)}{d} - \frac{(a^3A - 3a^2bB - 3aAb^2 + b^3B) \log(\cos(c + dx))}{d} - x(3a^2Ab + a^3B - 3ab^2B - Ab^3)$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] -((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x) - ((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Log[Cos[c + d*x]])/d + (b*(a^2*A - A*b^2 - 2*a*b*B)*Tan[c + d*x])/d + ((a*A - b*B)*(a + b*Tan[c + d*x])^2)/(2*d) + (A*(a + b*Tan[c + d*x])^3)/(3*d) + (B*(a + b*Tan[c + d*x])^4)/(4*b*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3525

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \tan(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx &= \frac{B(a+b \tan(c+dx))^4}{4bd} + \int (-B+A \tan(c+dx))(a+b \tan(c+dx))^3 dx \\
&= \frac{A(a+b \tan(c+dx))^3}{3d} + \frac{B(a+b \tan(c+dx))^4}{4bd} + \int (a+b \tan(c+dx))^3 dx \\
&= \frac{(aA-bB)(a+b \tan(c+dx))^2}{2d} + \frac{A(a+b \tan(c+dx))^3}{3d} + \frac{B(a+b \tan(c+dx))^4}{4bd} \\
&= -(3a^2Ab - Ab^3 + a^3B - 3ab^2B)x + \frac{b(a^2A - Ab^2 - 2abB)}{d} \tan(c+dx) \\
&= -(3a^2Ab - Ab^3 + a^3B - 3ab^2B)x - \frac{(a^3A - 3aAb^2 - 3a^2bB)}{d} \log(\tan(c+dx))
\end{aligned}$$

Mathematica [C] time = 1.43618, size = 209, normalized size = 1.27

$$-12Ab^2(b^2 - 6a^2) \tan(c+dx) - 6(aA + bB)(6ab^2 \tan(c+dx) + (-b + ia)^3 \log(-\tan(c+dx) + i) - (b + ia)^3 \log(\tan(c+dx)))$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] ((-6*I)*A*(a + I*b)^4*Log[I - Tan[c + d*x]] + (6*I)*A*(a - I*b)^4*Log[I + Tan[c + d*x]] - 12*A*b^2*(-6*a^2 + b^2)*Tan[c + d*x] + 24*a*A*b^3*Tan[c + d*x]^2 + 4*A*b^4*Tan[c + d*x]^3 + 3*B*(a + b*Tan[c + d*x])^4 - 6*(a*A + b*B)*((I*a - b)^3*Log[I - Tan[c + d*x]] - (I*a + b)^3*Log[I + Tan[c + d*x]] + 6*a*b^2*Tan[c + d*x] + b^3*Tan[c + d*x]^2))/(12*b*d)

Maple [A] time = 0.011, size = 314, normalized size = 1.9

$$\frac{Bb^3(\tan(dx+c))^4}{4d} + \frac{A(\tan(dx+c))^3b^3}{3d} + \frac{B(\tan(dx+c))^3ab^2}{d} + \frac{3A(\tan(dx+c))^2ab^2}{2d} + \frac{3B(\tan(dx+c))^2a^2b}{2d} - \frac{3Aa^3b^2}{2d} - \frac{3Bb^3}{2d} \log(\tan(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] 1/4/d*B*b^3*tan(d*x+c)^4+1/3/d*A*tan(d*x+c)^3*b^3+1/d*B*tan(d*x+c)^3*a*b^2+3/2/d*A*tan(d*x+c)^2*a*b^2+3/2/d*B*tan(d*x+c)^2*a^2*b-1/2/d*B*b^3*tan(d*x+c)^2+3/d*A*tan(d*x+c)*a^2*b-1/d*A*b^3*tan(d*x+c)+1/d*a^3*B*tan(d*x+c)-3/d*B*a*b^2*tan(d*x+c)+1/2/d*a^3*A*ln(1+tan(d*x+c)^2)-3/2/d*ln(1+tan(d*x+c)^2)*A*a*b^2-3/2/d*ln(1+tan(d*x+c)^2)*B*a^2*b+1/2/d*ln(1+tan(d*x+c)^2)*B*b^3-3/d*A*arctan(tan(d*x+c))*a^2*b+1/d*A*arctan(tan(d*x+c))*b^3-1/d*a^3*B*arctan(tan(d*x+c))+3/d*B*arctan(tan(d*x+c))*a*b^2

Maxima [A] time = 1.45606, size = 242, normalized size = 1.47

$$3Bb^3 \tan(dx+c)^4 + 4(3Bab^2 + Ab^3) \tan(dx+c)^3 + 6(3Ba^2b + 3Aab^2 - Bb^3) \tan(dx+c)^2 - 12(Ba^3 + 3Aa^2b - 3Bb^3) \tan(dx+c) - 12(Ba^3 + 3Aa^2b - 3Bb^3) \log(\tan(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12}*(3*B*b^3*\tan(d*x + c)^4 + 4*(3*B*a*b^2 + A*b^3)*\tan(d*x + c)^3 + 6*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)*\tan(d*x + c)^2 - 12*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*(d*x + c) + 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)^2 + 1) + 12*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\tan(d*x + c))/d$

Fricas [A] time = 1.94001, size = 408, normalized size = 2.47

$3 B b^3 \tan(dx + c)^4 + 4 (3 B a b^2 + A b^3) \tan(dx + c)^3 - 12 (B a^3 + 3 A a^2 b - 3 B a b^2 - A b^3) dx + 6 (3 B a^2 b + 3 A a b^2 - B b^3) \tan(dx + c)^2 - 6 (A a^3 - 3 B a^2 b - 3 A a b^2 + B b^3) \log(\tan(dx + c)^2 + 1) + 12 (B a^3 + 3 A a^2 b - 3 B a b^2 - A b^3) \tan(dx + c) / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*B*b^3*\tan(d*x + c)^4 + 4*(3*B*a*b^2 + A*b^3)*\tan(d*x + c)^3 - 12*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*d*x + 6*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)*\tan(d*x + c)^2 - 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(1/(\tan(d*x + c)^2 + 1)) + 12*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\tan(d*x + c))/d$

Sympy [A] time = 0.819067, size = 311, normalized size = 1.88

$$\left\{ \begin{array}{l} \frac{A a^3 \log(\tan^2(c+dx)+1)}{2d} - 3 A a^2 b x + \frac{3 A a^2 b \tan(c+dx)}{d} - \frac{3 A a b^2 \log(\tan^2(c+dx)+1)}{2d} + \frac{3 A a b^2 \tan^2(c+dx)}{2d} + A b^3 x + \frac{A b^3 \tan^3(c+dx)}{3d} - \frac{A b^3 \tan^3(c+dx)}{3d} \\ x (A + B \tan(c)) (a + b \tan(c))^3 \tan(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Piecewise((A*a**3*log(tan(c + d*x)**2 + 1)/(2*d) - 3*A*a**2*b*x + 3*A*a**2*b*tan(c + d*x)/d - 3*A*a*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + 3*A*a*b**2*tan(c + d*x)**2/(2*d) + A*b**3*x + A*b**3*tan(c + d*x)**3/(3*d) - A*b**3*tan(c + d*x)/d - B*a**3*x + B*a**3*tan(c + d*x)/d - 3*B*a**2*b*log(tan(c + d*x)**2 + 1)/(2*d) + 3*B*a**2*b*tan(c + d*x)**2/(2*d) + 3*B*a*b**2*x + B*a*b**2*tan(c + d*x)**3/d - 3*B*a*b**2*tan(c + d*x)/d + B*b**3*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**3*tan(c + d*x)**4/(4*d) - B*b**3*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**3*tan(c), True))

Giac [B] time = 5.83873, size = 3875, normalized size = 23.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

```

[Out] -1/12*(12*B*a^3*d*x*tan(d*x)^4*tan(c)^4 + 36*A*a^2*b*d*x*tan(d*x)^4*tan(c)^
4 - 36*B*a*b^2*d*x*tan(d*x)^4*tan(c)^4 - 12*A*b^3*d*x*tan(d*x)^4*tan(c)^4 +
6*A*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) +
tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)
^4 - 18*B*a^2*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*t
an(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)
^4*tan(c)^4 - 18*A*a*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(
d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*
tan(d*x)^4*tan(c)^4 + 6*B*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2
*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) +
1))*tan(d*x)^4*tan(c)^4 - 48*B*a^3*d*x*tan(d*x)^3*tan(c)^3 - 144*A*a^2*b*d
*x*tan(d*x)^3*tan(c)^3 + 144*B*a*b^2*d*x*tan(d*x)^3*tan(c)^3 + 48*A*b^3*d*x
*tan(d*x)^3*tan(c)^3 - 18*B*a^2*b*tan(d*x)^4*tan(c)^4 - 18*A*a*b^2*tan(d*x)
^4*tan(c)^4 + 9*B*b^3*tan(d*x)^4*tan(c)^4 - 24*A*a^3*log(4*(tan(c)^2 + 1)/(
tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^
2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 72*B*a^2*b*log(4*(tan(c)^
2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + t
an(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 72*A*a*b^2*log(4*
(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(
c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 24*B*b^3*
log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^
2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 12*
B*a^3*tan(d*x)^4*tan(c)^3 + 36*A*a^2*b*tan(d*x)^4*tan(c)^3 - 36*B*a*b^2*tan
(d*x)^4*tan(c)^3 - 12*A*b^3*tan(d*x)^4*tan(c)^3 + 12*B*a^3*tan(d*x)^3*tan(c)
^4 + 36*A*a^2*b*tan(d*x)^3*tan(c)^4 - 36*B*a*b^2*tan(d*x)^3*tan(c)^4 - 12*
A*b^3*tan(d*x)^3*tan(c)^4 + 72*B*a^3*d*x*tan(d*x)^2*tan(c)^2 + 216*A*a^2*b*
d*x*tan(d*x)^2*tan(c)^2 - 216*B*a*b^2*d*x*tan(d*x)^2*tan(c)^2 - 72*A*b^3*d*
x*tan(d*x)^2*tan(c)^2 - 18*B*a^2*b*tan(d*x)^4*tan(c)^2 - 18*A*a*b^2*tan(d*x)
^4*tan(c)^2 + 6*B*b^3*tan(d*x)^4*tan(c)^2 + 36*B*a^2*b*tan(d*x)^3*tan(c)^3
+ 36*A*a*b^2*tan(d*x)^3*tan(c)^3 - 24*B*b^3*tan(d*x)^3*tan(c)^3 - 18*B*a^2
*b*tan(d*x)^2*tan(c)^4 - 18*A*a*b^2*tan(d*x)^2*tan(c)^4 + 6*B*b^3*tan(d*x)^
2*tan(c)^4 + 12*B*a*b^2*tan(d*x)^4*tan(c) + 4*A*b^3*tan(d*x)^4*tan(c) + 36*
A*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan
(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2
- 108*B*a^2*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan
(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2
*tan(c)^2 - 108*A*a*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d
*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*t
an(d*x)^2*tan(c)^2 + 36*B*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2
*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) +
1))*tan(d*x)^2*tan(c)^2 - 36*B*a^3*tan(d*x)^3*tan(c)^2 - 108*A*a^2*b*tan(d
*x)^3*tan(c)^2 + 144*B*a*b^2*tan(d*x)^3*tan(c)^2 + 48*A*b^3*tan(d*x)^3*tan(
c)^2 - 36*B*a^3*tan(d*x)^2*tan(c)^3 - 108*A*a^2*b*tan(d*x)^2*tan(c)^3 + 144
*B*a*b^2*tan(d*x)^2*tan(c)^3 + 48*A*b^3*tan(d*x)^2*tan(c)^3 + 12*B*a*b^2*ta
n(d*x)*tan(c)^4 + 4*A*b^3*tan(d*x)*tan(c)^4 - 3*B*b^3*tan(d*x)^4 - 48*B*a^3
*d*x*tan(d*x)*tan(c) - 144*A*a^2*b*d*x*tan(d*x)*tan(c) + 144*B*a*b^2*d*x*ta
n(d*x)*tan(c) + 48*A*b^3*d*x*tan(d*x)*tan(c) + 36*B*a^2*b*tan(d*x)^3*tan(c)
+ 36*A*a*b^2*tan(d*x)^3*tan(c) - 24*B*b^3*tan(d*x)^3*tan(c) - 36*B*a^2*b*t
an(d*x)^2*tan(c)^2 - 36*A*a*b^2*tan(d*x)^2*tan(c)^2 + 12*B*b^3*tan(d*x)^2*t
an(c)^2 + 36*B*a^2*b*tan(d*x)*tan(c)^3 + 36*A*a*b^2*tan(d*x)*tan(c)^3 - 24*
B*b^3*tan(d*x)*tan(c)^3 - 3*B*b^3*tan(c)^4 - 12*B*a*b^2*tan(d*x)^3 - 4*A*b^
3*tan(d*x)^3 - 24*A*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d
*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*t
an(d*x)*tan(c) + 72*B*a^2*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*t
an(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1
))*tan(d*x)*tan(c) + 72*A*a*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 -
2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c)
+ 1))*tan(d*x)*tan(c) - 24*B*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2
- 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(

```

$$\begin{aligned}
& c) + 1)) \cdot \tan(dx) \cdot \tan(c) + 36B^3 a^3 \tan(dx)^2 \tan(c) + 108A^2 a^2 b \tan(dx)^2 \tan(c) - 144B^2 a^2 b^2 \tan(dx)^2 \tan(c) - 48A^3 b^3 \tan(dx)^2 \tan(c) + 36B^3 a^3 \tan(dx) \tan(c)^2 + 108A^2 a^2 b \tan(dx) \tan(c)^2 - 144B^2 a^2 b^2 \tan(dx) \tan(c)^2 - 48A^3 b^3 \tan(dx) \tan(c)^2 - 12B^2 a^2 b^2 \tan(c)^3 - 4A^3 b^3 \tan(c)^3 + 12B^3 a^3 dx + 36A^2 a^2 b dx - 36B^2 a^2 b^2 dx - 12A^3 b^3 dx - 18B^2 a^2 b \tan(dx)^2 - 18A^2 a^2 b^2 \tan(dx)^2 + 6B^3 b^3 \tan(dx)^2 + 36B^2 a^2 b \tan(dx) \tan(c) + 36A^2 a^2 b^2 \tan(dx) \tan(c) - 24B^2 b^3 \tan(dx) \tan(c) - 18B^2 a^2 b \tan(c)^2 - 18A^2 a^2 b^2 \tan(c)^2 + 6B^3 b^3 \tan(c)^2 + 6A^2 a^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) - 18B^2 a^2 b \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) - 18A^2 a^2 b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) + 6B^3 b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) - 12B^2 a^3 \tan(dx) - 36A^2 a^2 b \tan(dx) + 36B^2 a^2 b^2 \tan(dx) + 12A^3 b^3 \tan(dx) - 12B^2 a^3 \tan(c) - 36A^2 a^2 b \tan(c) + 36B^2 a^2 b^2 \tan(c) + 12A^3 b^3 \tan(c) - 18B^2 a^2 b - 18A^2 a^2 b^2 + 9B^3 b^3)/(d \tan(dx)^4 \tan(c)^4 - 4d \tan(dx)^3 \tan(c)^3 + 6d \tan(dx)^2 \tan(c)^2 - 4d \tan(dx) \tan(c) + d)
\end{aligned}$$

3.250 $\int (a + b \tan(c + dx))^3 (A + B \tan(c + dx)) dx$

Optimal. Leaf size=140

$$\frac{b(a^2B + 2aAb - b^2B) \tan(c + dx)}{d} - \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\cos(c + dx))}{d} + x(a^3A - 3a^2bB - 3aAb^2 + b^3B)$$

[Out] (a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*x - ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Cos[c + d*x]])/d + (b*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x])/d + ((A*b + a*B)*(a + b*Tan[c + d*x])^2)/(2*d) + (B*(a + b*Tan[c + d*x])^3)/(3*d)

Rubi [A] time = 0.153958, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3528, 3525, 3475}

$$\frac{b(a^2B + 2aAb - b^2B) \tan(c + dx)}{d} - \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\cos(c + dx))}{d} + x(a^3A - 3a^2bB - 3aAb^2 + b^3B)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*x - ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Cos[c + d*x]])/d + (b*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x])/d + ((A*b + a*B)*(a + b*Tan[c + d*x])^2)/(2*d) + (B*(a + b*Tan[c + d*x])^3)/(3*d)

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3525

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e + f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \tan(c + dx))^3 (A + B \tan(c + dx)) dx &= \frac{B(a + b \tan(c + dx))^3}{3d} + \int (a + b \tan(c + dx))^2 (aA - bB + (Ab + aB) \tan(c + dx)) dx \\
&= \frac{(Ab + aB)(a + b \tan(c + dx))^2}{2d} + \frac{B(a + b \tan(c + dx))^3}{3d} + \int (a + b \tan(c + dx)) (a^2A - 2abB + b^2B \tan(c + dx)) dx \\
&= (a^3A - 3aAb^2 - 3a^2bB + b^3B)x + \frac{b(2aAb + a^2B - b^2B) \tan(c + dx)}{d} \\
&= (a^3A - 3aAb^2 - 3a^2bB + b^3B)x - \frac{(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \log(\tan(c + dx) + 1)}{d}
\end{aligned}$$

Mathematica [C] time = 0.966437, size = 130, normalized size = 0.93

$$\frac{6b(3a^2B + 3aAb - b^2B) \tan(c + dx) + 3b^2(3aB + Ab) \tan^2(c + dx) + 3(a - ib)^3(B + iA) \log(\tan(c + dx) + i) + 3(a + ib)^3(B - iA) \log(\tan(c + dx) - i)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (3*(a + I*b)^3*((-I)*A + B)*Log[I - Tan[c + d*x]] + 3*(a - I*b)^3*(I*A + B)*Log[I + Tan[c + d*x]] + 6*b*(3*a*A*b + 3*a^2*B - b^2*B)*Tan[c + d*x] + 3*b^2*(A*b + 3*a*B)*Tan[c + d*x]^2 + 2*b^3*B*Tan[c + d*x]^3)/(6*d)

Maple [A] time = 0.013, size = 247, normalized size = 1.8

$$\frac{B(\tan(dx + c))^3 b^3}{3d} + \frac{A(\tan(dx + c))^2 b^3}{2d} + \frac{3B(\tan(dx + c))^2 ab^2}{2d} + 3 \frac{Aab^2 \tan(dx + c)}{d} + 3 \frac{Ba^2b \tan(dx + c)}{d} - \frac{B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] 1/3/d*B*tan(d*x+c)^3*b^3+1/2/d*A*tan(d*x+c)^2*b^3+3/2/d*B*tan(d*x+c)^2*a*b^2+3/d*A*a*b^2*tan(d*x+c)+3/d*B*a^2*b*tan(d*x+c)-1/d*B*b^3*tan(d*x+c)+3/2/d*ln(1+tan(d*x+c)^2)*A*a^2*b-1/2/d*ln(1+tan(d*x+c)^2)*A*b^3+1/2/d*a^3*B*ln(1+tan(d*x+c)^2)-3/2/d*ln(1+tan(d*x+c)^2)*B*a*b^2+1/d*a^3*A*arctan(tan(d*x+c))-3/d*A*arctan(tan(d*x+c))*a*b^2-3/d*B*arctan(tan(d*x+c))*a^2*b+1/d*B*arctan(tan(d*x+c))*b^3

Maxima [A] time = 1.48257, size = 193, normalized size = 1.38

$$\frac{2Bb^3 \tan(dx + c)^3 + 3(3Bab^2 + Ab^3) \tan(dx + c)^2 + 6(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)(dx + c) + 3(Ba^3 + 3Aa^2b - 3Aab^2 - Bb^3) \log(\tan(dx + c)^2 + 1)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] 1/6*(2*B*b^3*tan(d*x + c)^3 + 3*(3*B*a*b^2 + A*b^3)*tan(d*x + c)^2 + 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*(d*x + c) + 3*(B*a^3 + 3*A*a^2*b - 3*A*a*b^2 - A*b^3)*log(tan(d*x + c)^2 + 1) + 6*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)*

$\tan(dx + c)/d$

Fricas [A] time = 2.00174, size = 324, normalized size = 2.31

$$\frac{2Bb^3 \tan(dx + c)^3 + 6(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)dx + 3(3Bab^2 + Ab^3) \tan(dx + c)^2 - 3(Ba^3 + 3Aa^2b - 3Bab^2 - Aab^3) \log(1/(\tan(dx + c)^2 + 1)) + 6(3B^2a^2b + 3A^2ab^2 - B^2b^3) \tan(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(2*B*b^3*tan(d*x + c)^3 + 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*d*x + 3*(3*B*a*b^2 + A*b^3)*tan(d*x + c)^2 - 3*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(1/(tan(d*x + c)^2 + 1)) + 6*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)*tan(d*x + c))/d

Sympy [A] time = 0.571095, size = 240, normalized size = 1.71

$$\left\{ \begin{array}{l} Aa^3x + \frac{3Aa^2b \log(\tan^2(c+dx)+1)}{2d} - 3Aab^2x + \frac{3Aab^2 \tan(c+dx)}{d} - \frac{Ab^3 \log(\tan^2(c+dx)+1)}{2d} + \frac{Ab^3 \tan^2(c+dx)}{2d} + \frac{Ba^3 \log(\tan^2(c+dx)+1)}{2d} - 3 \\ x(A + B \tan(c))(a + b \tan(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Piecewise((A*a**3*x + 3*A*a**2*b*log(tan(c + d*x)**2 + 1)/(2*d) - 3*A*a*b**2*x + 3*A*a*b**2*tan(c + d*x)/d - A*b**3*log(tan(c + d*x)**2 + 1)/(2*d) + A*b**3*tan(c + d*x)**2/(2*d) + B*a**3*log(tan(c + d*x)**2 + 1)/(2*d) - 3*B*a**2*b*x + 3*B*a**2*b*tan(c + d*x)/d - 3*B*a*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + 3*B*a*b**2*tan(c + d*x)**2/(2*d) + B*b**3*x + B*b**3*tan(c + d*x)**3/(3*d) - B*b**3*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**3, True))

Giac [B] time = 3.8642, size = 2580, normalized size = 18.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/6*(6*A*a^3*d*x*tan(d*x)^3*tan(c)^3 - 18*B*a^2*b*d*x*tan(d*x)^3*tan(c)^3 - 18*A*a*b^2*d*x*tan(d*x)^3*tan(c)^3 + 6*B*b^3*d*x*tan(d*x)^3*tan(c)^3 - 3*B*a^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 9*A*a^2*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 9*B*a*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 3*A*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*t

$$\begin{aligned}
& \tan(dx)^3 \tan(c)^3 - 18Aa^3 dx \tan(dx)^2 \tan(c)^2 + 54B^2 a^2 b dx \tan(dx)^2 \tan(c)^2 + 54Aa^2 b^2 dx \tan(dx)^2 \tan(c)^2 - 18B^3 b^3 dx \tan(dx)^2 \tan(c)^2 + 9B^2 a^2 b^2 \tan(dx)^3 \tan(c)^3 + 3A^2 b^3 \tan(dx)^3 \tan(c)^3 \\
& + 9B^2 a^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + 27A^2 a^2 b \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 \\
& - 27B^2 a^2 b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 - 9A^2 b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 \\
& - 18B^2 a^2 b^2 \tan(dx)^3 \tan(c)^2 - 18A^2 a^2 b^2 \tan(dx)^3 \tan(c)^2 + 6B^3 b^3 \tan(dx)^3 \tan(c)^2 - 18B^2 a^2 b^2 \tan(dx)^2 \tan(c)^3 - 18A^2 a^2 b^2 \tan(dx)^2 \tan(c)^3 - 18A^2 a^2 b^2 \tan(dx)^2 \tan(c)^3 \\
& + 6B^3 b^3 \tan(dx)^2 \tan(c)^3 + 18A^2 a^3 dx \tan(dx) \tan(c) - 54B^2 a^2 b dx \tan(dx) \tan(c) - 54A^2 a^2 b^2 dx \tan(dx) \tan(c) + 18B^3 b^3 dx \tan(dx) \tan(c) + 9B^2 a^2 b^2 \tan(dx)^3 \tan(c) + 3A^2 b^3 \tan(dx)^3 \tan(c) \\
& - 9B^2 a^2 b^2 \tan(dx)^2 \tan(c)^2 - 3A^2 b^3 \tan(dx)^2 \tan(c)^2 + 9B^2 a^2 b^2 \tan(dx) \tan(c)^3 + 3A^2 b^3 \tan(dx) \tan(c)^3 - 2B^3 b^3 \tan(dx)^3 - 9B^2 a^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) \\
& - 27A^2 a^2 b \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 27B^2 a^2 b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) \\
& + 9A^2 b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 36B^2 a^2 b^2 \tan(dx)^2 \tan(c) + 36A^2 a^2 b^2 \tan(dx)^2 \tan(c) - 18B^3 b^3 \tan(dx)^2 \tan(c) + 36B^2 a^2 b^2 \tan(dx) \tan(c)^2 \\
& + 36A^2 a^2 b^2 \tan(dx) \tan(c)^2 - 18B^3 b^3 \tan(dx) \tan(c)^2 - 2B^3 b^3 \tan(c)^3 - 6A^2 a^3 dx + 18B^2 a^2 b dx + 18A^2 a^2 b^2 dx - 6B^3 b^3 dx - 9B^2 a^2 b^2 \tan(dx)^2 - 3A^2 b^3 \tan(dx)^2 + 9B^2 a^2 b^2 \tan(dx) \tan(c) + 3A^2 b^3 \tan(dx) \tan(c) \\
& - 9B^2 a^2 b^2 \tan(c)^2 - 3A^2 b^3 \tan(c)^2 + 3B^2 a^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) + 9A^2 a^2 b \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \\
& - 9B^2 a^2 b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) - 3A^2 b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \\
& - 18B^2 a^2 b^2 \tan(dx) - 18A^2 a^2 b^2 \tan(dx) + 6B^3 b^3 \tan(dx) - 18B^2 a^2 b^2 \tan(c) - 18A^2 a^2 b^2 \tan(c) + 6B^3 b^3 \tan(c) - 9B^2 a^2 b^2 - 3A^2 b^3)/(d \tan(dx)^3 \tan(c)^3 - 3d \tan(dx)^2 \tan(c)^2 + 3d \tan(dx) \tan(c) - d)
\end{aligned}$$

3.251 $\int \cot(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=117

$$\frac{b(3a^2B + 3aAb - b^2B) \log(\cos(c + dx))}{d} + x(3a^2Ab + a^3B - 3ab^2B - Ab^3) + \frac{a^3A \log(\sin(c + dx))}{d} + \frac{b^2(2aB + Ab) \tan(c + dx)}{d}$$

[Out] (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x - (b*(3*a*A*b + 3*a^2*B - b^2*B)*Log[Cos[c + d*x]])/d + (a^3*A*Log[Sin[c + d*x]])/d + (b^2*(A*b + 2*a*B)*Tan[c + d*x])/d + (b*B*(a + b*Tan[c + d*x])^2)/(2*d)

Rubi [A] time = 0.27013, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3607, 3637, 3624, 3475}

$$\frac{b(3a^2B + 3aAb - b^2B) \log(\cos(c + dx))}{d} + x(3a^2Ab + a^3B - 3ab^2B - Ab^3) + \frac{a^3A \log(\sin(c + dx))}{d} + \frac{b^2(2aB + Ab) \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x - (b*(3*a*A*b + 3*a^2*B - b^2*B)*Log[Cos[c + d*x]])/d + (a^3*A*Log[Sin[c + d*x]])/d + (b^2*(A*b + 2*a*B)*Tan[c + d*x])/d + (b*B*(a + b*Tan[c + d*x])^2)/(2*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3637

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]

Rule 3624

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[B*x, x] + (Dist[A, Int[1/Tan[e + f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C

`}, x] && NeQ[A, C]`

Rule 3475

`Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{bB(a + b \tan(c + dx))^2}{2d} + \frac{1}{2} \int \cot(c + dx)(a + b \tan(c + dx))^2 dx \\ &= \frac{b^2(Ab + 2aB) \tan(c + dx)}{d} + \frac{bB(a + b \tan(c + dx))^2}{2d} - \frac{1}{2} \int \cot(c + dx) dx \\ &= (3a^2Ab - Ab^3 + a^3B - 3ab^2B)x + \frac{b^2(Ab + 2aB) \tan(c + dx)}{d} \\ &= (3a^2Ab - Ab^3 + a^3B - 3ab^2B)x - \frac{b(3aAb + 3a^2B - b^2B)}{d} \end{aligned}$$

Mathematica [C] time = 0.573259, size = 115, normalized size = 0.98

$$\frac{2a^3 A \log(\tan(c + dx)) + 2b^2(2aB + Ab) \tan(c + dx) - (a + ib)^3(A + iB) \log(-\tan(c + dx) + i) - (a - ib)^3(A - iB) \log(-\tan(c + dx) - i)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] $-\frac{(a + I*b)^3*(A + I*B)*\text{Log}[I - \text{Tan}[c + d*x]]}{2d} + \frac{2*a^3*A*\text{Log}[\text{Tan}[c + d*x]]}{2d} - \frac{(a - I*b)^3*(A - I*B)*\text{Log}[I + \text{Tan}[c + d*x]]}{2d} + \frac{2*b^2*(A*b + 2*a*B)*\text{Tan}[c + d*x]}{2d} + \frac{b*B*(a + b*\text{Tan}[c + d*x])^2}{2d}$

Maple [A] time = 0.08, size = 183, normalized size = 1.6

$$-Ab^3x + \frac{Ab^3 \tan(dx + c)}{d} - \frac{Ab^3c}{d} + \frac{Bb^3 (\tan(dx + c))^2}{2d} + \frac{Bb^3 \ln(\cos(dx + c))}{d} - 3 \frac{Aab^2 \ln(\cos(dx + c))}{d} - 3 Bab^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] $-A*b^3*x + \frac{1}{d}*A*b^3*\tan(d*x+c) - \frac{1}{d}*A*b^3*c + \frac{1}{2}*B*b^3*\tan(d*x+c)^2 + b^3*B*\ln(\cos(d*x+c)) - \frac{3}{d}*A*a*b^2*\ln(\cos(d*x+c)) - 3*B*a*b^2*x + \frac{3}{d}*B*a*b^2*\tan(d*x+c) - \frac{3}{d}*B*a*b^2*c + 3*A*x*a^2*b + \frac{3}{d}*A*a^2*b*c - \frac{3}{d}*B*a^2*b*\ln(\cos(d*x+c)) + a^3*A*\ln(\sin(d*x+c)) + \frac{1}{d}*B*a^3*x + \frac{1}{d}*B*a^3*c$

Maxima [A] time = 1.51568, size = 167, normalized size = 1.43

$$\frac{Bb^3 \tan(dx + c)^2 + 2Aa^3 \log(\tan(dx + c)) + 2(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)(dx + c) - (Aa^3 - 3Ba^2b - 3Aab^2 + Bab^3)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2}*(B*b^3*\tan(d*x + c)^2 + 2*A*a^3*\log(\tan(d*x + c)) + 2*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*(d*x + c) - (A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)^2 + 1) + 2*(3*B*a*b^2 + A*b^3)*\tan(d*x + c))/d$

Fricas [A] time = 2.14395, size = 305, normalized size = 2.61

$$\frac{Bb^3 \tan(dx + c)^2 + Aa^3 \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) + 2(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)dx - (3Ba^2b + 3Aab^2 - Bb^3) \log\left(\frac{1}{\tan(dx+c)}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(B*b^3*\tan(d*x + c)^2 + A*a^3*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1)) + 2*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*d*x - (3*B*a^2*b + 3*A*a*b^2 - B*b^3)*\log(1/(\tan(d*x + c)^2 + 1)) + 2*(3*B*a*b^2 + A*b^3)*\tan(d*x + c))/d$

Sympy [A] time = 2.698, size = 204, normalized size = 1.74

$$\left\{ \begin{array}{l} -\frac{Aa^3 \log(\tan^2(c+dx)+1)}{2d} + \frac{Aa^3 \log(\tan(c+dx))}{d} + 3Aa^2bx + \frac{3Aab^2 \log(\tan^2(c+dx)+1)}{2d} - Ab^3x + \frac{Ab^3 \tan(c+dx)}{d} + Ba^3x + \frac{3Ba^2b \log(\tan^2(c+dx)+1)}{2d} \\ x(A + B \tan(c))(a + b \tan(c))^3 \cot(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] Piecewise((-A*a**3*log(tan(c + d*x)**2 + 1)/(2*d) + A*a**3*log(tan(c + d*x)))/d + 3*A*a**2*b*x + 3*A*a*b**2*log(tan(c + d*x)**2 + 1)/(2*d) - A*b**3*x + A*b**3*tan(c + d*x)/d + B*a**3*x + 3*B*a**2*b*log(tan(c + d*x)**2 + 1)/(2*d) - 3*B*a*b**2*x + 3*B*a*b**2*tan(c + d*x)/d - B*b**3*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**3*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**3*cot(c), True))

Giac [A] time = 1.8813, size = 174, normalized size = 1.49

$$\frac{Bb^3 \tan(dx + c)^2 + 2Aa^3 \log(|\tan(dx + c)|) + 6Bab^2 \tan(dx + c) + 2Ab^3 \tan(dx + c) + 2(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2}*(B*b^3*\tan(d*x + c)^2 + 2*A*a^3*\log(\text{abs}(\tan(d*x + c))) + 6*B*a*b^2*\tan(d*x + c) + 2*A*b^3*\tan(d*x + c) + 2*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*(d*x + c) - (A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)^2 + 1))/d$

$$3.252 \quad \int \cot^2(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=119

$$-x(a^3A - 3a^2bB - 3aAb^2 + b^3B) + \frac{a^2(aB + 3Ab)\log(\sin(c + dx))}{d} + \frac{b^2(aA + bB)\tan(c + dx)}{d} - \frac{b^2(3aB + Ab)\log(\cos(c + dx))}{d}$$

[Out] $-(a^3A - 3a^2bB - 3aAb^2 + b^3B)x - (b^2(Ab + 3aB)\text{Log}[\text{Cos}[c + dx]])/d + (a^2(3Ab + aB)\text{Log}[\text{Sin}[c + dx]])/d + (b^2(aA + bB)\text{Tan}[c + dx])/d - (aA\text{Cot}[c + dx](a + b\text{Tan}[c + dx])^2)/d$

Rubi [A] time = 0.262912, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {3605, 3637, 3624, 3475}

$$-x(a^3A - 3a^2bB - 3aAb^2 + b^3B) + \frac{a^2(aB + 3Ab)\log(\sin(c + dx))}{d} + \frac{b^2(aA + bB)\tan(c + dx)}{d} - \frac{b^2(3aB + Ab)\log(\cos(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + dx]^2(a + b\text{Tan}[c + dx])^3(A + B\text{Tan}[c + dx]), x]$

[Out] $-(a^3A - 3a^2bB - 3aAb^2 + b^3B)x - (b^2(Ab + 3aB)\text{Log}[\text{Cos}[c + dx]])/d + (a^2(3Ab + aB)\text{Log}[\text{Sin}[c + dx]])/d + (b^2(aA + bB)\text{Tan}[c + dx])/d - (aA\text{Cot}[c + dx](a + b\text{Tan}[c + dx])^2)/d$

Rule 3605

$\text{Int}[(a + b \tan(e + f x))^m ((A + B \tan(e + f x)) + (C + D \tan(e + f x)))^n, x_Symbol] \rightarrow \text{Simp}[(b c - a d)(B c - A d)(a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^{n+1} / (d f (n+1)(c^2 + d^2)), x] - \text{Dist}[1 / (d(n+1)(c^2 + d^2)), \text{Int}[(a + b \tan[e + f x])^{m-2} (c + d \tan[e + f x])^{n+1} \text{Simp}[a A d (b d (m-1) - a c (n+1)) + (b B c - (A b + a B) d)(b c (m-1) + a d (n+1)) - d((a A - b B)(b c - a d) + (A b + a B)(a c + b d))(n+1) \text{Tan}[e + f x] - b(d(A b c + a B c - a A d)(m+n) - b B(c^2(m-1) - d^2(n+1))) \text{Tan}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2 m, 2 n])$

Rule 3637

$\text{Int}[(a + b \tan(e + f x))^m ((c + d \tan(e + f x)) + (C + D \tan(e + f x)))^n, x_Symbol] \rightarrow \text{Simp}[(b C \text{Tan}[e + f x] (c + d \text{Tan}[e + f x])^{n+1}) / (d f (n+2)), x] - \text{Dist}[1 / (d(n+2)), \text{Int}[(c + d \text{Tan}[e + f x])^n \text{Simp}[b c C - a A d (n+2) - (A b + a B - b C) d (n+2) \text{Tan}[e + f x] - (a C d (n+2) - b(c C - B d (n+2))) \text{Tan}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{LtQ}[n, -1]$

Rule 3624

$\text{Int}[(A + B \tan(e + f x)) + (C + D \tan(e + f x))^2 / \tan(e + f x), x_Symbol] \rightarrow \text{Simp}[B x, x] + (\text{Dist}[A, \text{Int}[1 / \text{Tan}[e + f x], x], x])$

+ f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C}, x] && NeQ[A, C]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)(a + b \tan(c + dx))^2}{d} + \int \cot(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx \\ &= \frac{b^2(aA + bB) \tan(c + dx)}{d} - \frac{aA \cot(c + dx)(a + b \tan(c + dx))^2}{d} \\ &= -(a^3A - 3aAb^2 - 3a^2bB + b^3B)x + \frac{b^2(aA + bB) \tan(c + dx)}{d} \\ &= -(a^3A - 3aAb^2 - 3a^2bB + b^3B)x - \frac{b^2(Ab + 3aB) \log(\cos(c + dx))}{d} \end{aligned}$$

Mathematica [C] time = 0.506833, size = 113, normalized size = 0.95

$$\frac{2a^2(aB + 3Ab) \log(\tan(c + dx)) - 2a^3A \cot(c + dx) + i(a + ib)^3(A + iB) \log(-\tan(c + dx) + i) + (b + ia)^3(A - iB) \log(\tan(c + dx) + i)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (-2*a^3*A*Cot[c + d*x] + I*(a + I*b)^3*(A + I*B)*Log[I - Tan[c + d*x]] + 2*a^2*(3*A*b + a*B)*Log[Tan[c + d*x]] + (I*a + b)^3*(A - I*B)*Log[I + Tan[c + d*x]] + 2*b^3*B*Tan[c + d*x])/(2*d)

Maple [A] time = 0.067, size = 168, normalized size = 1.4

$$-Aa^3x + 3Aab^2x + 3Ba^2bx - Bb^3x - \frac{A \cot(dx + c) a^3}{d} + 3 \frac{Aa^2b \ln(\sin(dx + c))}{d} - \frac{Ab^3 \ln(\cos(dx + c))}{d} - \frac{Aa^3c}{d} + 3 \frac{Aa^2b \ln(\sin(dx + c))}{d} - \frac{Ab^3 \ln(\cos(dx + c))}{d} - \frac{Aa^3c}{d} + 3 \frac{Aa^2b \ln(\sin(dx + c))}{d} - \frac{Ab^3 \ln(\cos(dx + c))}{d} - \frac{Aa^3c}{d} + 3 \frac{Aa^2b \ln(\sin(dx + c))}{d} - \frac{Ab^3 \ln(\cos(dx + c))}{d} - \frac{Aa^3c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] -A*a^3*x+3*A*a*b^2*x+3*B*a^2*b*x-B*b^3*x-1/d*A*cot(d*x+c)*a^3+3/d*A*a^2*b*ln(sin(d*x+c))-1/d*A*b^3*ln(cos(d*x+c))-1/d*A*a^3*c+3/d*A*a*b^2*c+1/d*B*b^3*tan(d*x+c)+1/d*B*a^3*ln(sin(d*x+c))-3/d*B*a*b^2*ln(cos(d*x+c))+3/d*B*a^2*b*c-1/d*B*b^3*c

Maxima [A] time = 1.47403, size = 169, normalized size = 1.42

$$\frac{2Bb^3 \tan(dx + c) - \frac{2Aa^3}{\tan(dx + c)} - 2(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)(dx + c) - (Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \log(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2}*(2*B*b^3*\tan(dx+c) - 2*A*a^3/\tan(dx+c) - 2*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*(dx+c) - (B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\log(\tan(dx+c)^2 + 1) + 2*(B*a^3 + 3*A*a^2*b)*\log(\tan(dx+c)))/d$

Fricas [A] time = 2.16643, size = 347, normalized size = 2.92

$$\frac{2 B b^3 \tan(dx+c)^2 - 2 A a^3 - 2 (A a^3 - 3 B a^2 b - 3 A a b^2 + B b^3) dx \tan(dx+c) + (B a^3 + 3 A a^2 b) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)}{2 d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*B*b^3*\tan(dx+c)^2 - 2*A*a^3 - 2*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*d*x*\tan(dx+c) + (B*a^3 + 3*A*a^2*b)*\log(\tan(dx+c)^2/(\tan(dx+c)^2 + 1))*\tan(dx+c) - (3*B*a*b^2 + A*b^3)*\log(1/(\tan(dx+c)^2 + 1))*\tan(dx+c))/(d*\tan(dx+c))$

Sympy [A] time = 4.89423, size = 223, normalized size = 1.87

$$\left\{ \begin{array}{l} \infty A a^3 x \\ x (A + B \tan(c)) (a + b \tan(c))^3 \cot^2(c) \\ -A a^3 x - \frac{A a^3}{d \tan(c+dx)} - \frac{3 A a^2 b \log(\tan^2(c+dx)+1)}{2 d} + \frac{3 A a^2 b \log(\tan(c+dx))}{d} + 3 A a b^2 x + \frac{A b^3 \log(\tan^2(c+dx)+1)}{2 d} - \frac{B a^3 \log(\tan^2(c+dx)+1)}{2 d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a**3*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))**3*cot(c)**2, Eq(d, 0)), (-A*a**3*x - A*a**3/(d*tan(c + d*x)) - 3*A*a**2*b*log(tan(c + d*x)**2 + 1)/(2*d) + 3*A*a**2*b*log(tan(c + d*x))/d + 3*A*a*b**2*x + A*b**3*log(tan(c + d*x)**2 + 1)/(2*d) - B*a**3*log(tan(c + d*x)**2 + 1)/(2*d) + B*a**3*log(tan(c + d*x))/d + 3*B*a**2*b*x + 3*B*a*b**2*log(tan(c + d*x)**2 + 1)/(2*d) - B*b**3*x + B*b**3*tan(c + d*x)/d, True))

Giac [A] time = 1.90259, size = 205, normalized size = 1.72

$$\frac{2 B b^3 \tan(dx+c) - 2 (A a^3 - 3 B a^2 b - 3 A a b^2 + B b^3) (dx+c) - (B a^3 + 3 A a^2 b - 3 B a b^2 - A b^3) \log(\tan(dx+c)^2 + 1)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

```
[Out] 1/2*(2*B*b^3*tan(d*x + c) - 2*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*(d*x + c) - (B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(tan(d*x + c)^2 + 1) + 2*(B*a^3 + 3*A*a^2*b)*log(abs(tan(d*x + c)))) - 2*(B*a^3*tan(d*x + c) + 3*A*a^2*b*tan(d*x + c) + A*a^3)/tan(d*x + c))/d
```


$$3.253 \quad \int \cot^3(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=127

$$\frac{a(a^2A - 3abB - 3Ab^2)\log(\sin(c + dx))}{d} - x(3a^2Ab + a^3B - 3ab^2B - Ab^3) - \frac{a^2(aB + 2Ab)\cot(c + dx)}{d} - \frac{aA\cot^2(c + dx)}{d}$$

[Out] -((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x) - (a^2*(2*A*b + a*B)*Cot[c + d*x])/d - (b^3*B*Log[Cos[c + d*x]])/d - (a*(a^2*A - 3*A*b^2 - 3*a*b*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^2)/(2*d)

Rubi [A] time = 0.289626, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {3605, 3635, 3624, 3475}

$$\frac{a(a^2A - 3abB - 3Ab^2)\log(\sin(c + dx))}{d} - x(3a^2Ab + a^3B - 3ab^2B - Ab^3) - \frac{a^2(aB + 2Ab)\cot(c + dx)}{d} - \frac{aA\cot^2(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] -((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x) - (a^2*(2*A*b + a*B)*Cot[c + d*x])/d - (b^3*B*Log[Cos[c + d*x]])/d - (a*(a^2*A - 3*A*b^2 - 3*a*b*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^2)/(2*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3624

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2/tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[B*x, x] + (Dist[A, Int[1/Tan[e

+ f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C}, x] && NeQ[A, C]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)(a + b \tan(c + dx))^2}{2d} + \frac{1}{2} \int \cot^2(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx \\ &= -\frac{a^2(2Ab + aB) \cot(c + dx)}{d} - \frac{aA \cot^2(c + dx)(a + b \tan(c + dx))^2}{2d} \\ &= -(3a^2Ab - Ab^3 + a^3B - 3ab^2B)x - \frac{a^2(2Ab + aB) \cot(c + dx)}{d} \\ &= -(3a^2Ab - Ab^3 + a^3B - 3ab^2B)x - \frac{a^2(2Ab + aB) \cot(c + dx)}{d} \end{aligned}$$

Mathematica [C] time = 0.425828, size = 126, normalized size = 0.99

$$\frac{-2a(a^2A - 3abB - 3Ab^2) \log(\tan(c + dx)) - 2a^2(aB + 3Ab) \cot(c + dx) + a^3(-A) \cot^2(c + dx) + (a + ib)^3(A + iB) \log(-\tan(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (-2*a^2*(3*A*b + a*B)*Cot[c + d*x] - a^3*A*Cot[c + d*x]^2 + (a + I*b)^3*(A + I*B)*Log[I - Tan[c + d*x]] - 2*a*(a^2*A - 3*A*b^2 - 3*a*b*B)*Log[Tan[c + d*x]] + (a - I*b)^3*(A - I*B)*Log[I + Tan[c + d*x]])/(2*d)

Maple [A] time = 0.092, size = 186, normalized size = 1.5

$$Ab^3x + \frac{Ab^3c}{d} - \frac{Bb^3 \ln(\cos(dx + c))}{d} + 3 \frac{Aab^2 \ln(\sin(dx + c))}{d} + 3Bab^2x + 3 \frac{Bab^2c}{d} - 3Axa^2b - 3 \frac{A \cot(dx + c) a^2b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

[Out] A*b^3*x+1/d*A*b^3*c-b^3*B*ln(cos(d*x+c))/d+3/d*A*a*b^2*ln(sin(d*x+c))+3*B*a*b^2*x+3/d*B*a*b^2*c-3*A*x*a^2*b-3/d*A*cot(d*x+c)*a^2*b-3/d*A*a^2*b*c+3/d*B*a^2*b*ln(sin(d*x+c))-1/2/d*A*a^3*cot(d*x+c)^2-a^3*A*ln(sin(d*x+c))/d-B*a^3*x-1/d*B*cot(d*x+c)*a^3-1/d*B*a^3*c

Maxima [A] time = 1.47555, size = 192, normalized size = 1.51

$$\frac{2(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)(dx + c) - (Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3) \log(\tan(dx + c)^2 + 1) + 2(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/2*(2*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*(d*x + c) - (A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*log(tan(d*x + c)^2 + 1) + 2*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*log(tan(d*x + c)) + (A*a^3 + 2*(B*a^3 + 3*A*a^2*b)*tan(d*x + c))/tan(d*x + c)^2)/d
```

Fricas [A] time = 2.12356, size = 383, normalized size = 3.02

$$\frac{Bb^3 \log\left(\frac{1}{\tan(dx+c)^2+1}\right) \tan(dx+c)^2 + Aa^3 + (Aa^3 - 3Ba^2b - 3Aab^2) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^2 + (Aa^3 + 2(Ba^3 + 3Aa^2b)) \tan(dx+c)}{2d \tan(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/2*(B*b^3*log(1/(tan(d*x + c)^2 + 1))*tan(d*x + c)^2 + A*a^3 + (A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^2 + (A*a^3 + 2*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*d*x)*tan(d*x + c)^2 + 2*(B*a^3 + 3*A*a^2*b)*tan(d*x + c))/(d*tan(d*x + c)^2)
```

Sympy [A] time = 7.83668, size = 262, normalized size = 2.06

$$\left\{ \begin{array}{l} \infty Aa^3 x \\ x(A + B \tan(c))(a + b \tan(c))^3 \cot^3(c) \\ \frac{Aa^3 \log(\tan^2(c+dx)+1)}{2d} - \frac{Aa^3 \log(\tan(c+dx))}{d} - \frac{Aa^3}{2d \tan^2(c+dx)} - 3Aa^2bx - \frac{3Aa^2b}{d \tan(c+dx)} - \frac{3Aab^2 \log(\tan^2(c+dx)+1)}{2d} + \frac{3Aab^2 \log(\tan(c+dx))}{d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((zoo*A*a**3*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))**3*cot(c)**3, Eq(d, 0)), (A*a**3*log(tan(c + d*x)**2 + 1)/(2*d) - A*a**3*log(tan(c + d*x))/d - A*a**3/(2*d*tan(c + d*x)**2) - 3*A*a**2*b*x - 3*A*a**2*b/(d*tan(c + d*x)) - 3*A*a*b**2*log(tan(c + d*x)**2 + 1)/(2*d) + 3*A*a*b**2*log(tan(c + d*x))/d + A*b**3*x - B*a**3*x - B*a**3/(d*tan(c + d*x)) - 3*B*a**2*b*log(tan(c + d*x)**2 + 1)/(2*d) + 3*B*a**2*b*log(tan(c + d*x))/d + 3*B*a*b**2*x + B*b**3*log(tan(c + d*x)**2 + 1)/(2*d), True))
```

Giac [A] time = 1.97813, size = 261, normalized size = 2.06

$$\frac{2(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)(dx+c) - (Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3) \log(\tan(dx+c)^2 + 1) + 2(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-1/2*(2*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*(d*x + c) - (A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)^2 + 1) + 2*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*\log(\text{abs}(\tan(d*x + c))) - (3*A*a^3*\tan(d*x + c)^2 - 9*B*a^2*b*\tan(d*x + c)^2 - 9*A*a*b^2*\tan(d*x + c)^2 - 2*B*a^3*\tan(d*x + c) - 6*A*a^2*b*\tan(d*x + c) - A*a^3)/\tan(d*x + c)^2)/d$$

$$3.254 \quad \int \cot^4(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=154

$$\frac{a(3a^2A - 9abB - 8Ab^2) \cot(c + dx)}{3d} - \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\sin(c + dx))}{d} + x(a^3A - 3a^2bB - 3aAb^2 + b^3B)$$

[Out] (a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*x + (a*(3*a^2*A - 8*A*b^2 - 9*a*b*B)*Cot[c + d*x])/(3*d) - (a^2*(5*A*b + 3*a*B)*Cot[c + d*x]^2)/(6*d) - ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^3*(a + b*Tan[c + d*x])^2)/(3*d)

Rubi [A] time = 0.364792, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3605, 3635, 3628, 3531, 3475}

$$\frac{a(3a^2A - 9abB - 8Ab^2) \cot(c + dx)}{3d} - \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\sin(c + dx))}{d} + x(a^3A - 3a^2bB - 3aAb^2 + b^3B)$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*x + (a*(3*a^2*A - 8*A*b^2 - 9*a*b*B)*Cot[c + d*x])/(3*d) - (a^2*(5*A*b + 3*a*B)*Cot[c + d*x]^2)/(6*d) - ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^3*(a + b*Tan[c + d*x])^2)/(3*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^3(c + dx)(a + b \tan(c + dx))^2}{3d} + \frac{1}{3} \int \cot^3(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx \\ &= -\frac{a^2(5Ab + 3aB) \cot^2(c + dx)}{6d} - \frac{aA \cot^3(c + dx)(a + b \tan(c + dx))^2}{3d} \\ &= \frac{a(3a^2A - 8Ab^2 - 9abB) \cot(c + dx)}{3d} - \frac{a^2(5Ab + 3aB) \cot^2(c + dx)}{6d} \\ &= (a^3A - 3aAb^2 - 3a^2bB + b^3B)x + \frac{a(3a^2A - 8Ab^2 - 9abB)}{3d} \\ &= (a^3A - 3aAb^2 - 3a^2bB + b^3B)x + \frac{a(3a^2A - 8Ab^2 - 9abB)}{3d} \end{aligned}$$

Mathematica [C] time = 1.2189, size = 164, normalized size = 1.06

$$\frac{6a(a^2A - 3abB - 3Ab^2) \cot(c + dx) - 6(3a^2Ab + a^3B - 3ab^2B - Ab^3) \log(\tan(c + dx)) - 3a^2(aB + 3Ab) \cot^2(c + dx) - 3a^2(5Ab + 3aB) \cot^3(c + dx)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] (6*a*(a^2*A - 3*A*b^2 - 3*a*b*B)*Cot[c + d*x] - 3*a^2*(3*A*b + a*B)*Cot[c +
d*x]^2 - 2*a^3*A*Cot[c + d*x]^3 + 3*(a + I*b)^3*((-I)*A + B)*Log[I - Tan[c
+ d*x]] - 6*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Log[Tan[c + d*x]] + 3*
(a - I*b)^3*(I*A + B)*Log[I + Tan[c + d*x]])/(6*d)
```

Maple [A] time = 0.081, size = 233, normalized size = 1.5

$$\frac{Ab^3 \ln(\sin(dx + c))}{d} + Bb^3x + \frac{Bb^3c}{d} - 3Aab^2x - 3\frac{A \cot(dx + c) ab^2}{d} - 3\frac{Aab^2c}{d} + 3\frac{Bab^2 \ln(\sin(dx + c))}{d} - \frac{3Aa^2b(\cot^2(dx + c) - \cot(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] 1/d*A*b^3*ln(sin(d*x+c))+B*b^3*x+1/d*B*b^3*c-3*A*a*b^2*x-3/d*A*cot(d*x+c)*a*b^2-3/d*A*a*b^2*c+3/d*B*a*b^2*ln(sin(d*x+c))-3/2/d*A*a^2*b*cot(d*x+c)^2-3/d*A*a^2*b*ln(sin(d*x+c))-3*B*a^2*b*x-3/d*B*cot(d*x+c)*a^2*b-3/d*B*a^2*b*c-1/3/d*A*a^3*cot(d*x+c)^3+1/d*A*cot(d*x+c)*a^3+A*a^3*x+1/d*A*a^3*c-1/2/d*B*a^3*cot(d*x+c)^2-1/d*B*a^3*ln(sin(d*x+c))

Maxima [A] time = 1.67277, size = 243, normalized size = 1.58

$$\frac{6(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)(dx + c) + 3(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \log(\tan(dx + c)^2 + 1) - 6(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*(d*x + c) + 3*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(tan(d*x + c)^2 + 1) - 6*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(tan(d*x + c)) - (2*A*a^3 - 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*tan(d*x + c)^2 + 3*(B*a^3 + 3*A*a^2*b)*tan(d*x + c))/tan(d*x + c)^3)/d

Fricas [A] time = 1.9678, size = 419, normalized size = 2.72

$$\frac{3(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^3 + 2Aa^3 + 3(Ba^3 + 3Aa^2b - 2(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)) \tan(dx+c)}{6d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/6*(3*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^3 + 2*A*a^3 + 3*(B*a^3 + 3*A*a^2*b - 2*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*d*x)*tan(d*x + c)^3 - 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*tan(d*x + c)^2 + 3*(B*a^3 + 3*A*a^2*b)*tan(d*x + c))/(d*tan(d*x + c)^3)

Sympy [A] time = 14.8186, size = 332, normalized size = 2.16

$$\left\{ \begin{array}{l} \infty Aa^3x \\ x(A + B \tan(c))(a + b \tan(c))^3 \cot^4(c) \\ Aa^3x + \frac{Aa^3}{d \tan(c+dx)} - \frac{Aa^3}{3d \tan^3(c+dx)} + \frac{3Aa^2b \log(\tan^2(c+dx)+1)}{2d} - \frac{3Aa^2b \log(\tan(c+dx))}{d} - \frac{3Aa^2b}{2d \tan^2(c+dx)} - 3Aab^2x - \frac{3Aab^2}{d \tan(c+dx)} - \dots \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

```
[Out] Piecewise((zoo*A*a**3*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x)
)), (x*(A + B*tan(c))*(a + b*tan(c))**3*cot(c)**4, Eq(d, 0)), (A*a**3*x + A
*a**3/(d*tan(c + d*x)) - A*a**3/(3*d*tan(c + d*x)**3) + 3*A*a**2*b*log(tan(
c + d*x)**2 + 1)/(2*d) - 3*A*a**2*b*log(tan(c + d*x))/d - 3*A*a**2*b/(2*d*t
an(c + d*x)**2) - 3*A*a*b**2*x - 3*A*a*b**2/(d*tan(c + d*x)) - A*b**3*log(t
an(c + d*x)**2 + 1)/(2*d) + A*b**3*log(tan(c + d*x))/d + B*a**3*log(tan(c +
d*x)**2 + 1)/(2*d) - B*a**3*log(tan(c + d*x))/d - B*a**3/(2*d*tan(c + d*x)
**2) - 3*B*a**2*b*x - 3*B*a**2*b/(d*tan(c + d*x)) - 3*B*a*b**2*log(tan(c +
d*x)**2 + 1)/(2*d) + 3*B*a*b**2*log(tan(c + d*x))/d + B*b**3*x, True))
```

Giac [B] time = 2.04711, size = 527, normalized size = 3.42

$$Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 9Aa^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 15Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 36Ba^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] 1/24*(A*a^3*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^3*tan(1/2*d*x + 1/2*c)^2 - 9*A*a
^2*b*tan(1/2*d*x + 1/2*c)^2 - 15*A*a^3*tan(1/2*d*x + 1/2*c) + 36*B*a^2*b*ta
n(1/2*d*x + 1/2*c) + 36*A*a*b^2*tan(1/2*d*x + 1/2*c) + 24*(A*a^3 - 3*B*a^2*
b - 3*A*a*b^2 + B*b^3)*(d*x + c) + 24*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b
^3)*log(tan(1/2*d*x + 1/2*c)^2 + 1) - 24*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*
b^3)*log(abs(tan(1/2*d*x + 1/2*c))) + (44*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 13
2*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 132*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 44*
A*b^3*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^3*tan(1/2*d*x + 1/2*c)^2 - 36*B*a^2*b
*tan(1/2*d*x + 1/2*c)^2 - 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^2 - 3*B*a^3*tan(1
/2*d*x + 1/2*c) - 9*A*a^2*b*tan(1/2*d*x + 1/2*c) - A*a^3)/tan(1/2*d*x + 1/2
*c)^3)/d
```


$$3.255 \quad \int \cot^5(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=191

$$\frac{a(2a^2A - 6abB - 5Ab^2) \cot^2(c + dx)}{4d} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot(c + dx)}{d} + \frac{(a^3A - 3a^2bB - 3aAb^2 + b^3B)}{d}$$

[Out] (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x + ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Cot[c + d*x])/d + (a*(2*a^2*A - 5*A*b^2 - 6*a*b*B)*Cot[c + d*x]^2)/(4*d) - (a^2*(3*A*b + 2*a*B)*Cot[c + d*x]^3)/(6*d) + ((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^4*(a + b*Tan[c + d*x])^2)/(4*d)

Rubi [A] time = 0.452533, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3605, 3635, 3628, 3529, 3531, 3475}

$$\frac{a(2a^2A - 6abB - 5Ab^2) \cot^2(c + dx)}{4d} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot(c + dx)}{d} + \frac{(a^3A - 3a^2bB - 3aAb^2 + b^3B)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*x + ((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Cot[c + d*x])/d + (a*(2*a^2*A - 5*A*b^2 - 6*a*b*B)*Cot[c + d*x]^2)/(4*d) - (a^2*(3*A*b + 2*a*B)*Cot[c + d*x]^3)/(6*d) + ((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Log[Sin[c + d*x]])/d - (a*A*Cot[c + d*x]^4*(a + b*Tan[c + d*x])^2)/(4*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -

1]

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a,
b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cot^5(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)(a + b \tan(c + dx))^2}{4d} + \frac{1}{4} \int \cot^4(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx \\
&= -\frac{a^2(3Ab + 2aB) \cot^3(c + dx)}{6d} - \frac{aA \cot^4(c + dx)(a + b \tan(c + dx))^2}{4d} \\
&= \frac{a(2a^2A - 5Ab^2 - 6abB) \cot^2(c + dx)}{4d} - \frac{a^2(3Ab + 2aB) \cot^3(c + dx)}{6d} \\
&= \frac{(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \cot(c + dx)}{d} + \frac{a(2a^2A - 5Ab^2 - 6abB) \cot^2(c + dx)}{4d} \\
&= (3a^2Ab - Ab^3 + a^3B - 3ab^2B)x + \frac{(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \cot(c + dx)}{d} \\
&= (3a^2Ab - Ab^3 + a^3B - 3ab^2B)x + \frac{(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \cot(c + dx)}{d}
\end{aligned}$$

Mathematica [C] time = 0.703405, size = 199, normalized size = 1.04

$$\frac{6a(a^2A - 3abB - 3Ab^2) \cot^2(c + dx) + 12(3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot(c + dx) + 12(a^3A - 3a^2bB - 3aAb^2 + b^3B)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

[Out] $(12*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{Cot}[c + d*x] + 6*a*(a^2*A - 3*A*b^2 - 3*a*b*B)*\text{Cot}[c + d*x]^2 - 4*a^2*(3*A*b + a*B)*\text{Cot}[c + d*x]^3 - 3*a^3*A*\text{Cot}[c + d*x]^4 - 6*(a + I*b)^3*(A + I*B)*\text{Log}[I - \text{Tan}[c + d*x]] + 12*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*\text{Log}[\text{Tan}[c + d*x]] - 6*(a - I*b)^3*(A - I*B)*\text{Log}[I + \text{Tan}[c + d*x]])/(12*d)$

Maple [A] time = 0.093, size = 302, normalized size = 1.6

$$-Ab^3x - \frac{A \cot(dx + c)b^3}{d} - \frac{Ab^3c}{d} + \frac{Bb^3 \ln(\sin(dx + c))}{d} - \frac{3Aab^2(\cot(dx + c))^2}{2d} - 3\frac{Aab^2 \ln(\sin(dx + c))}{d} - 3Bab^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(dx+c)^5*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x)`

[Out] $-A*b^3*x-1/d*A*\cot(dx+c)*b^3-1/d*A*b^3*c+1/d*B*b^3*\ln(\sin(dx+c))-3/2/d*A*a*b^2*\cot(dx+c)^2-3/d*A*a*b^2*\ln(\sin(dx+c))-3*B*a*b^2*x-3/d*B*\cot(dx+c)*a*b^2-3/d*B*a*b^2*c-1/d*A*a^2*b*\cot(dx+c)^3+3*A*x*a^2*b+3/d*A*\cot(dx+c)*a^2*b+3/d*A*a^2*b*c-3/2/d*B*a^2*b*\cot(dx+c)^2-3/d*B*a^2*b*\ln(\sin(dx+c))-1/4/d*A*a^3*\cot(dx+c)^4+1/2/d*A*a^3*\cot(dx+c)^2+a^3*A*\ln(\sin(dx+c))/d-1/3/d*B*a^3*\cot(dx+c)^3+1/d*B*\cot(dx+c)*a^3+B*a^3*x+1/d*B*a^3*c$

Maxima [A] time = 1.4885, size = 290, normalized size = 1.52

$$12(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)(dx + c) - 6(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3) \log(\tan(dx + c)^2 + 1) + 12(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^5*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="maxima")`

[Out] $1/12*(12*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*(d*x + c) - 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)^2 + 1) + 12*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)) - (3*A*a^3 - 12*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\tan(d*x + c)^3 - 6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*\tan(d*x + c)^2 + 4*(B*a^3 + 3*A*a^2*b)*\tan(d*x + c))/\tan(d*x + c)^4/d$

Fricas [A] time = 2.00943, size = 518, normalized size = 2.71

$$6(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^4 + 3(3Aa^3 - 6Ba^2b - 6Aab^2 + 4(Ba^3 + 3Aa^2b - 3Aab^2 + Bb^3))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(dx+c)^5*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")`

[Out] $1/12*(6*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1))*\tan(d*x + c)^4 + 3*(3*A*a^3 - 6*B*a^2*b - 6*A*a*b^2 + 4*(B*a^3$

$$3 + 3Aa^2b - 3Bab^2 - Ab^3)dx) \tan(dx + c)^4 - 3Aa^3 + 12(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \tan(dx + c)^3 + 6(Aa^3 - 3Bab^2 - 3Aa^2b) \tan(dx + c)^2 - 4(Ba^3 + 3Aa^2b) \tan(dx + c) / (d \tan(dx + c)^4)$$

Sympy [A] time = 41.5826, size = 400, normalized size = 2.09

$$\left\{ \begin{array}{l} \infty Aa^3x \\ x(A + B \tan(c))(a + b \tan(c))^3 \cot^5(c) \\ -\frac{Aa^3 \log(\tan^2(c+dx)+1)}{2d} + \frac{Aa^3 \log(\tan(c+dx))}{d} + \frac{Aa^3}{2d \tan^2(c+dx)} - \frac{Aa^3}{4d \tan^4(c+dx)} + 3Aa^2bx + \frac{3Aa^2b}{d \tan(c+dx)} - \frac{Aa^2b}{d \tan^3(c+dx)} + \frac{3Aab^2 \log(\tan(c+dx))}{2d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**5*(a+b*tan(dx+c))**3*(A+B*tan(dx+c)),x)

[Out] Piecewise((zoo*Aa**3*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))**3*cot(c)**5, Eq(d, 0)), (-Aa**3*log(tan(c + d*x)**2 + 1)/(2*d) + Aa**3*log(tan(c + d*x))/d + Aa**3/(2*d*tan(c + d*x)**2) - Aa**3/(4*d*tan(c + d*x)**4) + 3Aa**2*b*x + 3Aa**2*b/(d*tan(c + d*x)) - Aa**2*b/(d*tan(c + d*x)**3) + 3Aa*b**2*log(tan(c + d*x)**2 + 1)/(2*d) - 3Aa*b**2*log(tan(c + d*x))/d - 3Aa*b**2/(2*d*tan(c + d*x)**2) - Ab**3*x - Ab**3/(d*tan(c + d*x)) + Ba**3*x + Ba**3/(d*tan(c + d*x)) - Ba**3/(3*d*tan(c + d*x)**3) + 3Ba**2*b*log(tan(c + d*x)**2 + 1)/(2*d) - 3Ba**2*b*log(tan(c + d*x))/d - 3Ba**2*b/(2*d*tan(c + d*x)**2) - 3Ba*b**2*x - 3Ba*b**2/(d*tan(c + d*x)) - Bb**3*log(tan(c + d*x)**2 + 1)/(2*d) + Bb**3*log(tan(c + d*x))/d, True))

Giac [B] time = 2.10846, size = 713, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^5*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] $-1/192*(3Aa^3 \tan(1/2dx + 1/2c)^4 - 8Ba^3 \tan(1/2dx + 1/2c)^3 - 24Aa^2b \tan(1/2dx + 1/2c)^3 - 36Aa^3 \tan(1/2dx + 1/2c)^2 + 72Ba^2b \tan(1/2dx + 1/2c)^2 + 72Aa^2b \tan(1/2dx + 1/2c)^2 + 120Ba^3 \tan(1/2dx + 1/2c) + 360Aa^2b \tan(1/2dx + 1/2c) - 288Ba^2b \tan(1/2dx + 1/2c) - 96Ab^3 \tan(1/2dx + 1/2c) - 192(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)(dx + c) + 192(Aa^3 - 3Ba^2b - 3Aa^2b^2 + Bb^3) \log(\tan(1/2dx + 1/2c)^2 + 1) - 192(Aa^3 - 3Ba^2b - 3Aa^2b^2 + Bb^3) \log(\tan(1/2dx + 1/2c)) + (400Aa^3 \tan(1/2dx + 1/2c)^4 - 1200Ba^2b \tan(1/2dx + 1/2c)^4 - 1200Aa^2b^2 \tan(1/2dx + 1/2c)^4 + 400Bb^3 \tan(1/2dx + 1/2c)^4 - 120Ba^3 \tan(1/2dx + 1/2c)^3 - 360Aa^2b \tan(1/2dx + 1/2c)^3 + 288Ba^2b \tan(1/2dx + 1/2c)^3 + 96Ab^3 \tan(1/2dx + 1/2c)^3 - 36Aa^3 \tan(1/2dx + 1/2c)^2 + 72Ba^2b \tan(1/2dx + 1/2c)^2 + 72Aa^2b^2 \tan(1/2dx + 1/2c)^2 + 8Ba^3 \tan(1/2dx + 1/2c) + 24Aa^2b \tan(1/2dx + 1/2c) + 3Aa^3) / \tan(1/2dx + 1/2c)^4 / d$

$$3.256 \quad \int \cot^6(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=233

$$\frac{a(5a^2A - 15abB - 12Ab^2) \cot^3(c + dx)}{15d} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx)}{2d} - \frac{(a^3A - 3a^2bB - 3aAb^2 + b^3)}{d}$$

[Out] $-\frac{(a^3A - 3a^2Ab + a^3B - 3ab^2B - Ab^3)x - ((a^3A - 3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx))}{d} + \frac{((3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx) - (a^3A - 3a^2bB - 3aAb^2 + b^3)) \cot(c + dx)}{2d} + \frac{a(5a^2A - 12a^2Ab - 15a^2b^2B) \cot^3(c + dx)}{15d} - \frac{a^2(7Ab + 5aB) \cot^4(c + dx)}{20d} + \frac{((3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx) - (a^3A - 3a^2bB - 3aAb^2 + b^3)) \log(\sin(c + dx))}{d} - \frac{(a^2A \cot^5(c + dx) - (a + b \tan(c + dx))^2)}{5d}$

Rubi [A] time = 0.495875, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3605, 3635, 3628, 3529, 3531, 3475}

$$\frac{a(5a^2A - 15abB - 12Ab^2) \cot^3(c + dx)}{15d} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx)}{2d} - \frac{(a^3A - 3a^2bB - 3aAb^2 + b^3)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^6*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] $-\frac{(a^3A - 3a^2Ab + a^3B - 3ab^2B - Ab^3)x - ((a^3A - 3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx))}{d} + \frac{((3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx) - (a^3A - 3a^2bB - 3aAb^2 + b^3)) \cot(c + dx)}{2d} + \frac{a(5a^2A - 12a^2Ab - 15a^2b^2B) \cot^3(c + dx)}{15d} - \frac{a^2(7Ab + 5aB) \cot^4(c + dx)}{20d} + \frac{((3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx) - (a^3A - 3a^2bB - 3aAb^2 + b^3)) \log(\sin(c + dx))}{d} - \frac{(a^2A \cot^5(c + dx) - (a + b \tan(c + dx))^2)}{5d}$

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c,

d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cot^6(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= -\frac{aA \cot^5(c + dx)(a + b \tan(c + dx))^2}{5d} + \frac{1}{5} \int \cot^5(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx \\
 &= -\frac{a^2(7Ab + 5aB) \cot^4(c + dx)}{20d} - \frac{aA \cot^5(c + dx)(a + b \tan(c + dx))^2}{5d} \\
 &= \frac{a(5a^2A - 12Ab^2 - 15abB) \cot^3(c + dx)}{15d} - \frac{a^2(7Ab + 5aB) \cot^4(c + dx)}{20d} \\
 &= \frac{(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \cot^2(c + dx)}{2d} + \frac{a(5a^2A - 12Ab^2 - 15abB) \cot^3(c + dx)}{15d} \\
 &= -\frac{(a^3A - 3aAb^2 - 3a^2bB + b^3B) \cot(c + dx)}{d} + \frac{(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \cot^2(c + dx)}{2d} \\
 &= -\frac{(a^3A - 3aAb^2 - 3a^2bB + b^3B) \cot(c + dx)}{d} - \frac{(a^3A - 3aAb^2 - 3a^2bB + b^3B) \cot^2(c + dx)}{2d} \\
 &= -\frac{(a^3A - 3aAb^2 - 3a^2bB + b^3B) \cot(c + dx)}{d} - \frac{(a^3A - 3aAb^2 - 3a^2bB + b^3B) \cot^2(c + dx)}{2d}
 \end{aligned}$$

Mathematica [C] time = 1.15635, size = 237, normalized size = 1.02

$$20a(a^2A - 3abB - 3Ab^2) \cot^3(c + dx) + 30(3a^2Ab + a^3B - 3ab^2B - Ab^3) \cot^2(c + dx) - 60(a^3A - 3a^2bB - 3aAb^2 + b^3B) \cot(c + dx) - \frac{(a^3A - 3aAb^2 - 3a^2bB + b^3B) \cot^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^6*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] $(-60*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*\text{Cot}[c + d*x] + 30*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{Cot}[c + d*x]^2 + 20*a*(a^2*A - 3*A*b^2 - 3*a*b*B)*\text{Cot}[c + d*x]^3 - 15*a^2*(3*A*b + a*B)*\text{Cot}[c + d*x]^4 - 12*a^3*A*\text{Cot}[c + d*x]^5 + (30*I)*(a + I*b)^3*(A + I*B)*\text{Log}[I - \text{Tan}[c + d*x]] + 60*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{Log}[\text{Tan}[c + d*x]] + 30*(I*a + b)^3*(A - I*B)*\text{Log}[I + \text{Tan}[c + d*x]])/(60*d)$

Maple [A] time = 0.087, size = 376, normalized size = 1.6

$$-\frac{A \cot(dx+c) a^3}{d} - Aa^3x - \frac{Bb^3c}{d} - Bb^3x - \frac{Aa^3c}{d} + \frac{Ba^3 \ln(\sin(dx+c))}{d} - \frac{Ab^3 \ln(\sin(dx+c))}{d} + 3 \frac{Aab^2c}{d} + 3 \frac{Ba^2b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^6*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] $-1/d*A*\cot(d*x+c)*a^3 - A*a^3*x - 1/d*B*b^3*c - B*b^3*x - 1/d*A*a^3*c + 1/d*B*a^3*\ln(\sin(d*x+c)) - 1/d*A*b^3*\ln(\sin(d*x+c)) + 3/d*A*a*b^2*c + 3/d*B*a^2*b*c + 3/d*A*a^2*b*\ln(\sin(d*x+c)) - 3/d*B*a*b^2*\ln(\sin(d*x+c)) + 3/2/d*A*a^2*b*\cot(d*x+c)^2 + 3/d*B*\cot(d*x+c)*a^2*b + 3/d*A*\cot(d*x+c)*a*b^2 - 1/d*A*a*b^2*\cot(d*x+c)^3 - 3/2/d*B*a*b^2*\cot(d*x+c)^2 - 3/4/d*A*a^2*b*\cot(d*x+c)^4 - 1/d*B*a^2*b*\cot(d*x+c)^3 - 1/5/d*A*a^3*\cot(d*x+c)^5 - 1/4/d*B*a^3*\cot(d*x+c)^4 + 1/3/d*A*a^3*\cot(d*x+c)^3 + 1/2/d*B*a^3*\cot(d*x+c)^2 - 1/2/d*A*b^3*\cot(d*x+c)^2 - 1/d*B*\cot(d*x+c)*b^3 + 3*A*a*b^2*x + 3*B*a^2*b*x$

Maxima [A] time = 1.48341, size = 338, normalized size = 1.45

$$60(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)(dx+c) + 30(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \log(\tan(dx+c)^2 + 1) - 60(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \log(\tan(dx+c)) + (60(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)*\tan(dx+c)^4 + 12Aa^3 - 30(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)*\tan(dx+c)^3 - 20(Aa^3 - 3Ba^2b - 3Aab^2)*\tan(dx+c)^2 + 15(Ba^3 + 3Aa^2b)*\tan(dx+c))/\tan(dx+c)^5/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/60*(60*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*(d*x + c) + 30*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\log(\tan(d*x + c)^2 + 1) - 60*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\log(\tan(d*x + c)) + (60*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*\tan(d*x + c)^4 + 12*A*a^3 - 30*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*\tan(d*x + c)^3 - 20*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*\tan(d*x + c)^2 + 15*(B*a^3 + 3*A*a^2*b)*\tan(d*x + c))/\tan(d*x + c)^5/d$

Fricas [A] time = 2.00985, size = 620, normalized size = 2.66

$$30(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^5 + 15(3Ba^3 + 9Aa^2b - 6Bab^2 - 2Ab^3 - 4(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)) \tan(dx+c)^4 + 15(3Ba^3 + 9Aa^2b - 6Bab^2 - 2Ab^3 - 4(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)) \tan(dx+c)^3 + 15(3Ba^3 + 9Aa^2b - 6Bab^2 - 2Ab^3 - 4(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)) \tan(dx+c)^2 + 15(3Ba^3 + 9Aa^2b - 6Bab^2 - 2Ab^3 - 4(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3)) \tan(dx+c) + 15(3Ba^3 + 9Aa^2b - 6Bab^2 - 2Ab^3 - 4(Aa^3 - 3Ba^2b - 3Aab^2 + Bb^3))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^6*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/60*(30*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^5 + 15*(3*B*a^3 + 9*A*a^2*b - 6*B*a*b^2 - 2*A*b^3 - 4*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*d*x)*tan(d*x + c)^5 - 60*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*tan(d*x + c)^4 - 12*A*a^3 + 30*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*tan(d*x + c)^3 + 20*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)*tan(d*x + c)^2 - 15*(B*a^3 + 3*A*a^2*b)*tan(d*x + c))/(d*tan(d*x + c)^5)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**6*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 2.10664, size = 905, normalized size = 3.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^6*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/960*(6*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 15*B*a^3*tan(1/2*d*x + 1/2*c)^4 - 45*A*a^2*b*tan(1/2*d*x + 1/2*c)^4 - 70*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 120*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 120*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 180*B*a^3*tan(1/2*d*x + 1/2*c)^2 + 540*A*a^2*b*tan(1/2*d*x + 1/2*c)^2 - 360*B*a*b^2*tan(1/2*d*x + 1/2*c)^2 - 120*A*b^3*tan(1/2*d*x + 1/2*c)^2 + 660*A*a^3*tan(1/2*d*x + 1/2*c) - 1800*B*a^2*b*tan(1/2*d*x + 1/2*c) - 1800*A*a*b^2*tan(1/2*d*x + 1/2*c) + 480*B*b^3*tan(1/2*d*x + 1/2*c) - 960*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2 + B*b^3)*(d*x + c) - 960*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(tan(1/2*d*x + 1/2*c)^2 + 1) + 960*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)*log(abs(tan(1/2*d*x + 1/2*c))) - (2192*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 6576*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 6576*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 2192*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 660*A*a^3*tan(1/2*d*x + 1/2*c)^4 - 1800*B*a^2*b*tan(1/2*d*x + 1/2*c)^4 - 1800*A*a*b^2*tan(1/2*d*x + 1/2*c)^4 + 480*B*b^3*tan(1/2*d*x + 1/2*c)^4 - 180*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 540*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 360*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 120*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 70*A*a^3*tan(1/2*d*x + 1/2*c)^2 + 120*B*a^2*b*tan(1/2*d*x + 1/2*c)^2 + 120*A*a*b^2*tan(1/2*d*x + 1/2*c)^2 + 15*B*a^3*tan(1/2*d*x + 1/2*c) + 45*A*a^2*b*tan(1/2*d*x + 1/2*c) + 6*A*a^3)/tan(1/2*d*x + 1/2*c)^5/d
```


$$3.257 \quad \int \tan^2(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=263

$$\frac{(a^2B + 2aAb - b^2B)(a + b \tan(c + dx))^2}{2d} - \frac{b(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan(c + dx)}{d} + \frac{(4a^3Ab - 6a^2b^2B + a^4B)}{d}$$

[Out] $-\left((a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x\right) + \left((4a^3Ab - 4a^2Ab^3 + a^4B - 6a^2b^2B + b^4B)\text{Log}[\text{Cos}[c + dx]]\right)/d - (b(3a^2Ab - Ab^3 + a^3B - 3ab^2B)\text{Tan}[c + dx])/d - ((2aAb + a^2B - b^2B)(a + b\text{Tan}[c + dx])^2)/(2d) - ((Ab + aB)(a + b\text{Tan}[c + dx])^3)/(3d) - (B(a + b\text{Tan}[c + dx])^4)/(4d) + ((6Ab - aB)(a + b\text{Tan}[c + dx])^5)/(30b^2d) + (B\text{Tan}[c + dx](a + b\text{Tan}[c + dx])^5)/(6bd)$

Rubi [A] time = 0.431918, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3607, 3630, 3528, 3525, 3475}

$$\frac{(a^2B + 2aAb - b^2B)(a + b \tan(c + dx))^2}{2d} - \frac{b(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan(c + dx)}{d} + \frac{(4a^3Ab - 6a^2b^2B + a^4B)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + dx]^2(a + b\text{Tan}[c + dx])^4(A + B\text{Tan}[c + dx]), x]$

[Out] $-\left((a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x\right) + \left((4a^3Ab - 4a^2Ab^3 + a^4B - 6a^2b^2B + b^4B)\text{Log}[\text{Cos}[c + dx]]\right)/d - (b(3a^2Ab - Ab^3 + a^3B - 3ab^2B)\text{Tan}[c + dx])/d - ((2aAb + a^2B - b^2B)(a + b\text{Tan}[c + dx])^2)/(2d) - ((Ab + aB)(a + b\text{Tan}[c + dx])^3)/(3d) - (B(a + b\text{Tan}[c + dx])^4)/(4d) + ((6Ab - aB)(a + b\text{Tan}[c + dx])^5)/(30b^2d) + (B\text{Tan}[c + dx](a + b\text{Tan}[c + dx])^5)/(6bd)$

Rule 3607

$\text{Int}[(a_. + (b_.)\text{tan}[(e_.) + (f_.)(x_.)])^{(m_.)}((A_.) + (B_.)\text{tan}[(e_.) + (f_.)(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(bB(a + b\text{Tan}[e + fx])^{(m-1)}(c + d\text{Tan}[e + fx])^{(n+1)})/(df(m+n)), x] + \text{Dist}[1/(d(m+n)), \text{Int}[(a + b\text{Tan}[e + fx])^{(m-2)}(c + d\text{Tan}[e + fx])^n \text{Simp}[a^2Ad(m+n) - bB(bc(m-1) + ad(n+1)) + d(m+n)(2aAb + B(a^2 - b^2))\text{Tan}[e + fx] - (bB(bc - ad)(m-1) - b(Ab + aB)d(m+n))\text{Tan}[e + fx]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[bc - ad, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 1] \&\& (\text{IntegerQ}[m] \|\ \text{IntegersQ}[2m, 2n]) \&\& !(\text{IGtQ}[n, 1] \& \& (!\text{IntegerQ}[m] \|\ (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3630

$\text{Int}[(a_. + (b_.)\text{tan}[(e_.) + (f_.)(x_.)])^{(m_.)}((A_.) + (B_.)\text{tan}[(e_.) + (f_.)(x_.)] + (C_.)\text{tan}[(e_.) + (f_.)(x_.)]^2), x_Symbol] \rightarrow \text{Simp}[(C(a + b\text{Tan}[e + fx])^{(m+1)})/(b f(m+1)), x] + \text{Int}[(a + b\text{Tan}[e + fx])^m \text{Simp}[A - C + B\text{Tan}[e + fx], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[A b^2 - a b B + a^2 C, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3525

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)
*(x_)]), x_Symbol] :> Simp[(a*c - b*d)*x, x] + (Dist[b*c + a*d, Int[Tan[e +
f*x], x], x] + Simp[(b*d*Tan[e + f*x])/f, x]) /; FreeQ[{a, b, c, d, e, f},
x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \tan^2(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= \frac{B \tan(c + dx)(a + b \tan(c + dx))^5}{6bd} + \frac{\int (a + b \tan(c + dx))^4}{6bd} \\
&= \frac{(6Ab - aB)(a + b \tan(c + dx))^5}{30b^2d} + \frac{B \tan(c + dx)(a + b \tan(c + dx))^5}{6bd} \\
&= -\frac{B(a + b \tan(c + dx))^4}{4d} + \frac{(6Ab - aB)(a + b \tan(c + dx))^5}{30b^2d} \\
&= -\frac{(Ab + aB)(a + b \tan(c + dx))^3}{3d} - \frac{B(a + b \tan(c + dx))^4}{4d} \\
&= -\frac{(2aAb + a^2B - b^2B)(a + b \tan(c + dx))^2}{2d} - \frac{(Ab + aB)(a + b \tan(c + dx))^3}{6bd} \\
&= -(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - \frac{b(3a^2Ab - 4a^3bB - 4ab^3B)}{6bd} \\
&= -(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x + \frac{(4a^3Ab - 4a^2b^2B - 4ab^3B)}{6bd}
\end{aligned}$$

Mathematica [C] time = 5.60784, size = 290, normalized size = 1.1

$$\frac{10(Ab - aB)(6b^2(b^2 - 6a^2)\tan(c + dx) - 12ab^3\tan^2(c + dx) - 3i(a - ib)^4\log(\tan(c + dx) + i) + 3i(a + ib)^4\log(-\tan(c + dx) + i))}{60b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((2*(6*A*b - a*B)*(a + b*Tan[c + d*x])^5)/b + 10*B*Tan[c + d*x]*(a + b*Tan[
c + d*x])^5 + 10*(A*b - a*B)*((3*I)*(a + I*b)^4*Log[I - Tan[c + d*x]] - (3*
I)*(a - I*b)^4*Log[I + Tan[c + d*x]] + 6*b^2*(-6*a^2 + b^2)*Tan[c + d*x] -
12*a*b^3*Tan[c + d*x]^2 - 2*b^4*Tan[c + d*x]^3) + 5*B*((6*I)*(a + I*b)^5*Lo
g[I - Tan[c + d*x]] - 6*(I*a + b)^5*Log[I + Tan[c + d*x]] - 60*a*b^2*(2*a^2
- b^2)*Tan[c + d*x] + 6*b^3*(-10*a^2 + b^2)*Tan[c + d*x]^2 - 20*a*b^4*Tan[
c + d*x]^3 - 3*b^5*Tan[c + d*x]^4))/(60*b*d)
```

Maple [B] time = 0.014, size = 539, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)`

[Out] $\frac{1}{2}d^4a^4B\tan(d*x+c)^2 + \frac{1}{d^4a^4A\tan(d*x+c)} - \frac{1}{2}d^4B\ln(1+\tan(d*x+c)^2) - \frac{1}{d^4a^4A\arctan(\tan(d*x+c))} + \frac{2}{d^4A\tan(d*x+c)^2}a^3b^2 + \frac{2}{d^4A\tan(d*x+c)^3}a^2b^2 - \frac{4}{d^4B\arctan(\tan(d*x+c))}a^3b - \frac{6}{d^4Aa^2b^2}\tan(d*x+c) - \frac{4}{d^4Ba^3b}\tan(d*x+c) - \frac{3}{d^4B\tan(d*x+c)^2}a^2b^2 - \frac{2}{d^4A\tan(d*x+c)^2}a^2b^3 + \frac{2}{d^4\ln(1+\tan(d*x+c)^2)}Aa^3b + \frac{3}{2d^4B\tan(d*x+c)^4}a^2b^2 + \frac{4}{d^4Ba^3b^3}\tan(d*x+c) - \frac{2}{d^4\ln(1+\tan(d*x+c)^2)}Aa^3b + \frac{4}{3d^4B\tan(d*x+c)^3}a^3b - \frac{4}{3d^4B\tan(d*x+c)^3}a^3b + \frac{3}{d^4\ln(1+\tan(d*x+c)^2)}B^2a^2b^2 + \frac{6}{d^4A\arctan(\tan(d*x+c))}a^2b^2 + \frac{4}{d^4B\arctan(\tan(d*x+c))}a^3b + \frac{1}{d^4A\tan(d*x+c)^4}a^3b + \frac{1}{d^4Ab^4}\tan(d*x+c) + \frac{1}{2d^4B\tan(d*x+c)^2}b^4 - \frac{1}{3d^4A\tan(d*x+c)^3}b^4 - \frac{1}{4d^4Bb^4}\tan(d*x+c)^4 + \frac{1}{6d^4Bb^4}\tan(d*x+c)^6 + \frac{1}{5d^4A\tan(d*x+c)^5}b^4 - \frac{1}{d^4A\arctan(\tan(d*x+c))}b^4 - \frac{1}{2d^4\ln(1+\tan(d*x+c)^2)}B^2b^4 + \frac{4}{5d^4B\tan(d*x+c)^5}a^2b^3$

Maxima [A] time = 1.49655, size = 392, normalized size = 1.49

$10Bb^4 \tan(dx+c)^6 + 12(4Bab^3 + Ab^4) \tan(dx+c)^5 + 15(6Ba^2b^2 + 4Aab^3 - Bb^4) \tan(dx+c)^4 + 20(4Ba^3b + 6Aa^2b^2 - 4B^2a^2b^2 + 4A^2a^2b^3 - B^2b^4) \tan(dx+c)^3 + 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4) \tan(dx+c)^2 - 60(A^2a^4 - 4B^2a^3b - 6A^2a^2b^2 + 4B^2a^2b^3 + A^2b^4) (dx+c) - 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4) \log(\tan(dx+c)^2 + 1) + 60(A^2a^4 - 4B^2a^3b - 6A^2a^2b^2 + 4B^2a^2b^3 + A^2b^4) \tan(dx+c) / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{60}(10B^2b^4\tan(dx+c)^6 + 12(4B^2a^2b^3 + A^2b^4)\tan(dx+c)^5 + 15(6B^2a^2b^2 + 4A^2a^2b^3 - B^2b^4)\tan(dx+c)^4 + 20(4B^2a^3b + 6A^2a^2b^2 - 4B^2a^2b^3 - A^2b^4)\tan(dx+c)^3 + 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4)\tan(dx+c)^2 - 60(A^2a^4 - 4B^2a^3b - 6A^2a^2b^2 + 4B^2a^2b^3 + A^2b^4)(dx+c) - 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4)\log(\tan(dx+c)^2 + 1) + 60(A^2a^4 - 4B^2a^3b - 6A^2a^2b^2 + 4B^2a^2b^3 + A^2b^4)\tan(dx+c)) / d$

Fricas [A] time = 2.16914, size = 662, normalized size = 2.52

$10Bb^4 \tan(dx+c)^6 + 12(4Bab^3 + Ab^4) \tan(dx+c)^5 + 15(6Ba^2b^2 + 4Aab^3 - Bb^4) \tan(dx+c)^4 + 20(4Ba^3b + 6Aa^2b^2 - 4B^2a^2b^2 + 4A^2a^2b^3 - B^2b^4) \tan(dx+c)^3 + 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4) \tan(dx+c)^2 + 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4) \tan(dx+c) / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{60}(10B^2b^4\tan(dx+c)^6 + 12(4B^2a^2b^3 + A^2b^4)\tan(dx+c)^5 + 15(6B^2a^2b^2 + 4A^2a^2b^3 - B^2b^4)\tan(dx+c)^4 + 20(4B^2a^3b + 6A^2a^2b^2 - 4B^2a^2b^3 - A^2b^4)\tan(dx+c)^3 - 60(A^2a^4 - 4B^2a^3b - 6A^2a^2b^2 + 4B^2a^2b^3 + A^2b^4)dx + 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4)\tan(dx+c)^2 + 30(B^2a^4 + 4A^2a^3b - 6B^2a^2b^2 - 4A^2a^2b^3 + B^2b^4)\tan(dx+c) / d$

$$\frac{3 + B*b^4*\log(1/(\tan(d*x + c)^2 + 1)) + 60*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\tan(d*x + c)}{d}$$

Sympy [A] time = 1.62484, size = 536, normalized size = 2.04

$$\left\{ \begin{array}{l} -Aa^4x + \frac{Aa^4 \tan(c+dx)}{d} - \frac{2Aa^3b \log(\tan^2(c+dx)+1)}{d} + \frac{2Aa^3b \tan^2(c+dx)}{d} + 6Aa^2b^2x + \frac{2Aa^2b^2 \tan^3(c+dx)}{d} - \frac{6Aa^2b^2 \tan(c+dx)}{d} + \frac{2Aab^3 \log(\tan^2(c+dx)+1)}{d} \\ x(A + B \tan(c))(a + b \tan(c))^4 \tan^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Piecewise((-A*a**4*x + A*a**4*tan(c + d*x)/d - 2*A*a**3*b*log(tan(c + d*x)**2 + 1)/d + 2*A*a**3*b*tan(c + d*x)**2/d + 6*A*a**2*b**2*x + 2*A*a**2*b**2*tan(c + d*x)**3/d - 6*A*a**2*b**2*tan(c + d*x)/d + 2*A*a*b**3*log(tan(c + d*x)**2 + 1)/d + A*a*b**3*tan(c + d*x)**4/d - 2*A*a*b**3*tan(c + d*x)**2/d - A*b**4*x + A*b**4*tan(c + d*x)**5/(5*d) - A*b**4*tan(c + d*x)**3/(3*d) + A*b**4*tan(c + d*x)/d - B*a**4*log(tan(c + d*x)**2 + 1)/(2*d) + B*a**4*tan(c + d*x)**2/(2*d) + 4*B*a**3*b*x + 4*B*a**3*b*tan(c + d*x)**3/(3*d) - 4*B*a**3*b*tan(c + d*x)/d + 3*B*a**2*b**2*log(tan(c + d*x)**2 + 1)/d + 3*B*a**2*b**2*tan(c + d*x)**4/(2*d) - 3*B*a**2*b**2*tan(c + d*x)**2/d - 4*B*a*b**3*x + 4*B*a*b**3*tan(c + d*x)**5/(5*d) - 4*B*a*b**3*tan(c + d*x)**3/(3*d) + 4*B*a*b**3*tan(c + d*x)/d - B*b**4*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**4*tan(c + d*x)**6/(6*d) - B*b**4*tan(c + d*x)**4/(4*d) + B*b**4*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**4*tan(c)**2, True))

Giac [B] time = 18.4574, size = 8629, normalized size = 32.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $-1/60*(60*A*a^4*d*x*\tan(d*x)^6*\tan(c)^6 - 240*B*a^3*b*d*x*\tan(d*x)^6*\tan(c)^6 - 360*A*a^2*b^2*d*x*\tan(d*x)^6*\tan(c)^6 + 240*B*a*b^3*d*x*\tan(d*x)^6*\tan(c)^6 + 60*A*b^4*d*x*\tan(d*x)^6*\tan(c)^6 - 30*B*a^4*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^6*\tan(c)^6 - 120*A*a^3*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^6*\tan(c)^6 + 180*B*a^2*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^6*\tan(c)^6 + 120*A*a*b^3*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^6*\tan(c)^6 - 30*B*b^4*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^6*\tan(c)^6 - 360*A*a^4*d*x*\tan(d*x)^5*\tan(c)^5 + 1440*B*a^3*b*d*x*\tan(d*x)^5*\tan(c)^5 + 2160*A*a^2*b^2*d*x*\tan(d*x)^5*\tan(c)^5 - 1440*B*a*b^3*d*x*\tan(d*x)^5*\tan(c)^5 - 360*A*b^4*d*x*\tan(d*x)^5*\tan(c)^5 - 30*B*a^4*\tan(d*x)^6*\tan(c)^6 - 120*A*a^3*b*\tan(d*x)^6*\tan(c)^6 + 270*B*a^2*b^2*\tan(d*x)^6*\tan(c)^6 + 180*A*a*b^3*\tan(d*x)^6*\tan(c)^6 - 55*B*b^4*\tan(d*x)^6*\tan(c)^6 + 180*B*a^4*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)^6*\tan(c)^6$

$$\begin{aligned}
& ^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^5*\tan(c)^5 + 72 \\
& 0*A*a^3*b*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \\
& \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^5*\tan(c) \\
& ^5 - 1080*B*a^2*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx) \\
&)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan \\
& (dx)^5*\tan(c)^5 - 720*A*a*b^3*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - \\
& 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) \\
& + 1))*\tan(dx)^5*\tan(c)^5 + 180*B*b^4*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c) \\
& ^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)* \\
& \tan(c) + 1))*\tan(dx)^5*\tan(c)^5 + 60*A*a^4*\tan(dx)^6*\tan(c)^5 - 240*B*a^3 \\
& *b*\tan(dx)^6*\tan(c)^5 - 360*A*a^2*b^2*\tan(dx)^6*\tan(c)^5 + 240*B*a*b^3*\tan \\
& (dx)^6*\tan(c)^5 + 60*A*b^4*\tan(dx)^6*\tan(c)^5 + 60*A*a^4*\tan(dx)^5*\tan(c) \\
& ^6 - 240*B*a^3*b*\tan(dx)^5*\tan(c)^6 - 360*A*a^2*b^2*\tan(dx)^5*\tan(c)^6 \\
& + 240*B*a*b^3*\tan(dx)^5*\tan(c)^6 + 60*A*b^4*\tan(dx)^5*\tan(c)^6 + 900*A*a^4 \\
& *d*x*\tan(dx)^4*\tan(c)^4 - 3600*B*a^3*b*d*x*\tan(dx)^4*\tan(c)^4 - 5400*A*a^2 \\
& *b^2*d*x*\tan(dx)^4*\tan(c)^4 + 3600*B*a*b^3*d*x*\tan(dx)^4*\tan(c)^4 + 900 \\
& *A*b^4*d*x*\tan(dx)^4*\tan(c)^4 - 30*B*a^4*\tan(dx)^6*\tan(c)^4 - 120*A*a^3*b \\
& *\tan(dx)^6*\tan(c)^4 + 180*B*a^2*b^2*\tan(dx)^6*\tan(c)^4 + 120*A*a*b^3*\tan(dx) \\
& ^6*\tan(c)^4 - 30*B*b^4*\tan(dx)^6*\tan(c)^4 + 120*B*a^4*\tan(dx)^5*\tan(c) \\
& ^5 + 480*A*a^3*b*\tan(dx)^5*\tan(c)^5 - 1260*B*a^2*b^2*\tan(dx)^5*\tan(c)^5 \\
& - 840*A*a*b^3*\tan(dx)^5*\tan(c)^5 + 270*B*b^4*\tan(dx)^5*\tan(c)^5 - 30*B*a^4 \\
& *4*\tan(dx)^4*\tan(c)^6 - 120*A*a^3*b*\tan(dx)^4*\tan(c)^6 + 180*B*a^2*b^2*\tan \\
& (dx)^4*\tan(c)^6 + 120*A*a*b^3*\tan(dx)^4*\tan(c)^6 - 30*B*b^4*\tan(dx)^4*\tan \\
& (c)^6 + 80*B*a^3*b*\tan(dx)^6*\tan(c)^3 + 120*A*a^2*b^2*\tan(dx)^6*\tan(c)^3 \\
& - 80*B*a*b^3*\tan(dx)^6*\tan(c)^3 - 20*A*b^4*\tan(dx)^6*\tan(c)^3 - 450*B*a^4 \\
& *4*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx) \\
&)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^4*\tan(c)^4 - 1 \\
& 800*A*a^3*b*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx)^3*\tan(c) \\
& + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan(dx)^4*\tan \\
& (c)^4 + 2700*B*a^2*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 - 2*\tan(dx) \\
&)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) + 1))*\tan \\
& (dx)^4*\tan(c)^4 + 1800*A*a*b^3*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan(c)^2 \\
& - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx)*\tan(c) \\
& + 1))*\tan(dx)^4*\tan(c)^4 - 450*B*b^4*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4*\tan \\
& (c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx) \\
&)*\tan(c) + 1))*\tan(dx)^4*\tan(c)^4 - 300*A*a^4*\tan(dx)^5*\tan(c)^4 + 1440* \\
& B*a^3*b*\tan(dx)^5*\tan(c)^4 + 2160*A*a^2*b^2*\tan(dx)^5*\tan(c)^4 - 1440*B*a \\
& *b^3*\tan(dx)^5*\tan(c)^4 - 360*A*b^4*\tan(dx)^5*\tan(c)^4 - 300*A*a^4*\tan(dx) \\
& ^4*\tan(c)^5 + 1440*B*a^3*b*\tan(dx)^4*\tan(c)^5 + 2160*A*a^2*b^2*\tan(dx)^4 \\
& *\tan(c)^5 - 1440*B*a*b^3*\tan(dx)^4*\tan(c)^5 - 360*A*b^4*\tan(dx)^4*\tan(c) \\
& ^5 + 80*B*a^3*b*\tan(dx)^3*\tan(c)^6 + 120*A*a^2*b^2*\tan(dx)^3*\tan(c)^6 - 8 \\
& 0*B*a*b^3*\tan(dx)^3*\tan(c)^6 - 20*A*b^4*\tan(dx)^3*\tan(c)^6 - 90*B*a^2*b^2 \\
& *\tan(dx)^6*\tan(c)^2 - 60*A*a*b^3*\tan(dx)^6*\tan(c)^2 + 15*B*b^4*\tan(dx)^6 \\
& *\tan(c)^2 - 1200*A*a^4*d*x*\tan(dx)^3*\tan(c)^3 + 4800*B*a^3*b*d*x*\tan(dx) \\
& ^3*\tan(c)^3 + 7200*A*a^2*b^2*d*x*\tan(dx)^3*\tan(c)^3 - 4800*B*a*b^3*d*x*\tan(dx) \\
& ^3*\tan(c)^3 - 1200*A*b^4*d*x*\tan(dx)^3*\tan(c)^3 + 120*B*a^4*\tan(dx)^5 \\
& *\tan(c)^3 + 480*A*a^3*b*\tan(dx)^5*\tan(c)^3 - 1080*B*a^2*b^2*\tan(dx)^5*\tan \\
& (c)^3 - 720*A*a*b^3*\tan(dx)^5*\tan(c)^3 + 180*B*b^4*\tan(dx)^5*\tan(c)^3 - 2 \\
& 10*B*a^4*\tan(dx)^4*\tan(c)^4 - 840*A*a^3*b*\tan(dx)^4*\tan(c)^4 + 2070*B*a^2 \\
& *b^2*\tan(dx)^4*\tan(c)^4 + 1380*A*a*b^3*\tan(dx)^4*\tan(c)^4 - 495*B*b^4*\tan(dx) \\
& ^4*\tan(c)^4 + 120*B*a^4*\tan(dx)^3*\tan(c)^5 + 480*A*a^3*b*\tan(dx)^3*\tan(c) \\
& ^5 - 1080*B*a^2*b^2*\tan(dx)^3*\tan(c)^5 - 720*A*a*b^3*\tan(dx)^3*\tan(c) \\
& ^5 + 180*B*b^4*\tan(dx)^3*\tan(c)^5 - 90*B*a^2*b^2*\tan(dx)^2*\tan(c)^6 - 60 \\
& *A*a*b^3*\tan(dx)^2*\tan(c)^6 + 15*B*b^4*\tan(dx)^2*\tan(c)^6 + 48*B*a*b^3*\tan \\
& (dx)^6*\tan(c) + 12*A*b^4*\tan(dx)^6*\tan(c) - 240*B*a^3*b*\tan(dx)^5*\tan(c) \\
& ^2 - 360*A*a^2*b^2*\tan(dx)^5*\tan(c)^2 + 480*B*a*b^3*\tan(dx)^5*\tan(c)^2 + \\
& 120*A*b^4*\tan(dx)^5*\tan(c)^2 + 600*B*a^4*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4 \\
& *\tan(c)^2 - 2*\tan(dx)^3*\tan(c) + \tan(dx)^2*\tan(c)^2 + \tan(dx)^2 - 2*\tan(dx) \\
&)*\tan(c) + 1))*\tan(dx)^3*\tan(c)^3 + 2400*A*a^3*b*\log(4*(\tan(c)^2 + 1)/(\tan(dx)^4
\end{aligned}$$

$$\begin{aligned}
& \tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 \\
& - 2 \tan(dx) \tan(c) + 1) \tan(dx)^3 \tan(c)^3 - 3600 B^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 \\
& + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 - 2400 A^2 a^2 b^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 \\
& - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 + 600 B^2 b^4 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 \\
& + 600 A^2 a^4 \tan(dx)^4 \tan(c)^3 - 3120 B^2 a^3 b \tan(dx)^4 \tan(c)^3 - 4680 A^2 a^2 b^2 \tan(dx)^4 \tan(c)^3 + 3600 B^2 a^2 b^3 \tan(dx)^4 \tan(c)^3 + 900 A^2 b^4 \tan(dx)^4 \tan(c)^3 \\
& + 600 A^2 a^4 \tan(dx)^3 \tan(c)^4 - 3120 B^2 a^3 b \tan(dx)^3 \tan(c)^4 - 4680 A^2 a^2 b^2 \tan(dx)^3 \tan(c)^4 + 3600 B^2 a^2 b^3 \tan(dx)^3 \tan(c)^4 + 900 A^2 b^4 \tan(dx)^3 \tan(c)^4 \\
& - 240 B^2 a^3 b \tan(dx)^2 \tan(c)^5 - 360 A^2 a^2 b^2 \tan(dx)^2 \tan(c)^5 + 480 B^2 a^2 b^3 \tan(dx)^2 \tan(c)^5 + 120 A^2 b^4 \tan(dx)^2 \tan(c)^5 + 48 B^2 a^2 b^3 \tan(dx) \tan(c)^6 \\
& + 12 A^2 b^4 \tan(dx) \tan(c)^6 - 10 B^2 b^4 \tan(dx)^6 + 180 B^2 a^2 b^2 \tan(dx)^5 \tan(c) + 120 A^2 a^2 b^3 \tan(dx)^5 \tan(c) - 90 B^2 b^4 \tan(dx)^5 \tan(c) + 900 A^2 a^4 dx \tan(dx)^2 \tan(c)^2 \\
& - 3600 B^2 a^3 b dx \tan(dx)^2 \tan(c)^2 - 5400 A^2 a^2 b^2 dx \tan(dx)^2 \tan(c)^2 + 3600 B^2 a^2 b^3 dx \tan(dx)^2 \tan(c)^2 + 900 A^2 b^4 dx \tan(dx)^2 \tan(c)^2 - 180 B^2 a^4 \tan(dx)^4 \tan(c)^2 \\
& - 720 A^2 a^3 b \tan(dx)^4 \tan(c)^2 + 1800 B^2 a^2 b^2 \tan(dx)^4 \tan(c)^2 + 1200 A^2 a^2 b^3 \tan(dx)^4 \tan(c)^2 - 450 B^2 b^4 \tan(dx)^4 \tan(c)^2 + 240 B^2 a^4 \tan(dx)^3 \tan(c)^3 \\
& + 960 A^2 a^3 b \tan(dx)^3 \tan(c)^3 - 2160 B^2 a^2 b^2 \tan(dx)^3 \tan(c)^3 - 1440 A^2 a^2 b^3 \tan(dx)^3 \tan(c)^3 + 360 B^2 b^4 \tan(dx)^3 \tan(c)^3 - 180 B^2 a^4 \tan(dx)^2 \tan(c)^4 \\
& - 720 A^2 a^3 b \tan(dx)^2 \tan(c)^4 + 1800 B^2 a^2 b^2 \tan(dx)^2 \tan(c)^4 + 1200 A^2 a^2 b^3 \tan(dx)^2 \tan(c)^4 - 450 B^2 b^4 \tan(dx)^2 \tan(c)^4 + 180 B^2 a^2 b^2 \tan(dx) \tan(c)^5 \\
& + 120 A^2 a^2 b^3 \tan(dx) \tan(c)^5 - 90 B^2 b^4 \tan(dx) \tan(c)^5 - 10 B^2 b^4 \tan(c)^6 - 48 B^2 a^2 b^3 \tan(dx)^5 - 12 A^2 b^4 \tan(dx)^5 + 240 B^2 a^3 b \tan(dx)^4 \tan(c) \\
& + 360 A^2 a^2 b^2 \tan(dx)^4 \tan(c) - 480 B^2 a^2 b^3 \tan(dx)^4 \tan(c) - 120 A^2 b^4 \tan(dx)^4 \tan(c) - 450 B^2 a^4 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 \\
& - 1800 A^2 a^3 b \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + 2700 B^2 a^2 b^2 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 \\
& + 1800 A^2 a^2 b^3 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 - 450 B^2 b^4 \log(4(\tan(c)^2 + 1) / (\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 \\
& - 600 A^2 a^4 \tan(dx)^3 \tan(c)^2 + 3120 B^2 a^3 b \tan(dx)^3 \tan(c)^2 + 4680 A^2 a^2 b^2 \tan(dx)^3 \tan(c)^2 - 3600 B^2 a^2 b^3 \tan(dx)^3 \tan(c)^2 - 900 A^2 b^4 \tan(dx)^3 \tan(c)^2 - 600 A^2 a^4 \tan(dx)^2 \tan(c)^3 \\
& + 3120 B^2 a^3 b \tan(dx)^2 \tan(c)^3 + 4680 A^2 a^2 b^2 \tan(dx)^2 \tan(c)^3 - 3600 B^2 a^2 b^3 \tan(dx)^2 \tan(c)^3 - 900 A^2 b^4 \tan(dx)^2 \tan(c)^3 + 240 B^2 a^3 b \tan(dx) \tan(c)^4 + 360 A^2 a^2 b^2 \tan(dx) \tan(c)^4 \\
& - 480 B^2 a^2 b^3 \tan(dx) \tan(c)^4 - 120 A^2 b^4 \tan(dx) \tan(c)^4 - 48 B^2 a^2 b^3 \tan(c)^5 - 12 A^2 b^4 \tan(c)^5 - 90 B^2 a^2 b^2 \tan(dx)^4 - 60 A^2 a^2 b^3 \tan(dx)^4 \\
& + 15 B^2 b^4 \tan(dx)^4 - 360 A^2 a^4 dx \tan(dx) \tan(c) + 1440 B^2 a^3 b dx \tan(dx) \tan(c) + 2160 A^2 a^2 b^2 dx \tan(dx) \tan(c) - 1440 B^2 a^2 b^3 dx \tan(dx) \tan(c) - 360 A^2 b^4 dx \tan(dx) \tan(c) \\
& + 120 B^2 a^4 \tan(dx)^3 \tan(c) + 480 A^2 a^3 b \tan(dx)^3 \tan(c) - 1080 B^2 a^2 b^2 \tan(dx)^3 \tan(c) - 720 A^2 a^2 b^3 \tan(dx)^3 \tan(c) + 180 B^2 b^4 \tan(dx)^3 \tan(c) - 210 B^2 a^4 \tan(dx)^2 \tan(c)^2 \\
& - 840 A^2 a^3 b \tan(dx)^2 \tan(c)^2 + 2070 B^2 a^2 b^2 \tan(dx)^2 \tan(c)^2 + 1380 A^2 a^2 b^3 \tan(dx)^2 \tan(c)^2 - 495 B^2 b^4 \tan(dx)^2 \tan(c)^2 + 120 B^2 a^4 \tan(dx) \tan(c)^3 + 480 A^2 a^3 b \tan(dx) \tan(c)^3 \\
& - 1080 B^2 a^2 b^2 \tan(dx) \tan(c)^3 - 720 A^2 a^2 b^3 \tan(dx) \tan(c)^3 + 180 B^2 b^4 \tan(dx) \tan(c)^3 - 90 B^2 a^2 b^2 \tan(c)^4 - 60 A^2 a^2 b^3 \tan(c)^4 + 15 B^2 b^4 \tan(c)^4 \\
& - 80 B^2 a^3 b \tan(dx)^3 - 120 A^2 a^2 b^2 \tan(dx)^3 + 80 B^2 a^2 b^3 \tan(dx)^3
\end{aligned}$$

$$\begin{aligned}
& 3 + 20A^4b^4 \tan(dx)^3 + 180B^4a^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 720A^3a^3b^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) - 1080B^2a^2b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) - 720A^2a^2b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 180B^4b^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) + 300A^4a^4 \tan(dx)^2 \tan(c) - 1440B^3a^3b^2 \tan(dx)^2 \tan(c) - 2160A^2a^2b^2 \tan(dx)^2 \tan(c) + 1440B^4a^4b^3 \tan(dx)^2 \tan(c) + 360A^4b^4 \tan(dx)^2 \tan(c) + 300A^4a^4 \tan(dx) \tan(c)^2 - 1440B^3a^3b^2 \tan(dx) \tan(c)^2 - 2160A^2a^2b^2 \tan(dx) \tan(c)^2 + 1440B^4a^4b^3 \tan(dx) \tan(c)^2 + 360A^4b^4 \tan(dx) \tan(c)^2 - 80B^3a^3b^2 \tan(c)^3 - 120A^2a^2b^2 \tan(c)^3 + 80B^4a^4b^3 \tan(c)^3 + 20A^4b^4 \tan(c)^3 + 60A^4a^4 dx - 240B^3a^3b^2 dx - 360A^2a^2b^2 dx + 240B^4a^4b^3 dx + 60A^4b^4 dx - 30B^4a^4 \tan(dx)^2 - 120A^2a^2b^2 \tan(dx)^2 + 180B^4a^4b^3 \tan(dx)^2 + 120A^4a^4b^3 \tan(dx)^2 - 30B^4b^4 \tan(dx)^2 + 120B^4a^4 \tan(dx) \tan(c) + 480A^3a^3b^2 \tan(dx) \tan(c) - 1260B^2a^2b^2 \tan(dx) \tan(c) - 840A^2a^2b^3 \tan(dx) \tan(c) + 270B^4b^4 \tan(dx) \tan(c) - 30B^4a^4 \tan(c)^2 - 120A^3a^3b^2 \tan(c)^2 + 180B^2a^2b^2 \tan(c)^2 + 120A^4a^4b^3 \tan(c)^2 - 30B^4b^4 \tan(c)^2 - 30B^4a^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) - 120A^3a^3b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) + 180B^2a^2b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) + 120A^4a^4b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) - 30B^4b^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) - 60A^4a^4 \tan(dx) + 240B^3a^3b^2 \tan(dx) + 360A^2a^2b^2 \tan(dx) - 240B^4a^4b^3 \tan(dx) - 60A^4b^4 \tan(dx) - 60A^4a^4 \tan(c) + 240B^3a^3b^2 \tan(c) + 360A^2a^2b^2 \tan(c) - 240B^4a^4b^3 \tan(c) - 60A^4b^4 \tan(c) - 30B^4a^4 - 120A^2a^2b^2 + 270B^2a^2b^2 + 180A^4a^4b^3 - 55B^4b^4)/(d \tan(dx)^6 \tan(c)^6 - 6d \tan(dx)^5 \tan(c)^5 + 15d \tan(dx)^4 \tan(c)^4 - 20d \tan(dx)^3 \tan(c)^3 + 15d \tan(dx)^2 \tan(c)^2 - 6d \tan(dx) \tan(c) + d)
\end{aligned}$$

3.258 $\int \tan(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=226

$$\frac{(a^2A - 2abB - Ab^2)(a + b \tan(c + dx))^2}{2d} + \frac{b(a^3A - 3a^2bB - 3aAb^2 + b^3B) \tan(c + dx)}{d} - \frac{(-6a^2Ab^2 + a^4A - 4a^3bB + 4a^2b^2B - 4a^2b^2B + a^4A - 4a^3bB + 4a^2b^2B)}{d}$$

[Out] $-\left(\left(4a^3Ab - 4a^2Ab^2 + a^4B - 6a^2b^2B + b^4B\right)x - \left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4a^2b^3B\right)\text{Log}[\text{Cos}[c + dx]]\right)/d + \left(b\left(a^3A - 3a^2Ab^2 - 3a^2b^2B + b^3B\right)\text{Tan}[c + dx]\right)/d + \left(\left(a^2A - Ab^2 - 2a^2bB\right)\left(a + b\text{Tan}[c + dx]\right)^2\right)/(2d) + \left(\left(aA - bB\right)\left(a + b\text{Tan}[c + dx]\right)^3\right)/(3d) + \left(A\left(a + b\text{Tan}[c + dx]\right)^4\right)/(4d) + \left(B\left(a + b\text{Tan}[c + dx]\right)^5\right)/(5bd)$

Rubi [A] time = 0.273254, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3592, 3528, 3525, 3475}

$$\frac{(a^2A - 2abB - Ab^2)(a + b \tan(c + dx))^2}{2d} + \frac{b(a^3A - 3a^2bB - 3aAb^2 + b^3B) \tan(c + dx)}{d} - \frac{(-6a^2Ab^2 + a^4A - 4a^3bB + 4a^2b^2B - 4a^2b^2B + a^4A - 4a^3bB + 4a^2b^2B)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + dx](a + b \text{Tan}[c + dx])^4(A + B \text{Tan}[c + dx]), x]$

[Out] $-\left(\left(4a^3Ab - 4a^2Ab^2 + a^4B - 6a^2b^2B + b^4B\right)x - \left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4a^2b^3B\right)\text{Log}[\text{Cos}[c + dx]]\right)/d + \left(b\left(a^3A - 3a^2Ab^2 - 3a^2b^2B + b^3B\right)\text{Tan}[c + dx]\right)/d + \left(\left(a^2A - Ab^2 - 2a^2bB\right)\left(a + b\text{Tan}[c + dx]\right)^2\right)/(2d) + \left(\left(aA - bB\right)\left(a + b\text{Tan}[c + dx]\right)^3\right)/(3d) + \left(A\left(a + b\text{Tan}[c + dx]\right)^4\right)/(4d) + \left(B\left(a + b\text{Tan}[c + dx]\right)^5\right)/(5bd)$

Rule 3592

$\text{Int}[\left((a_.) + (b_.)\text{tan}[(e_.) + (f_.)(x_.)]\right)^{(m_.)}\left((A_.) + (B_.)\text{tan}[(e_.) + (f_.)(x_.)]\right)\left((c_.) + (d_.)\text{tan}[(e_.) + (f_.)(x_.)]\right), x_Symbol] \rightarrow \text{Simp}[\left(Bd*(a + b\text{Tan}[e + f*x])^{(m + 1)}\right)/(b*f*(m + 1)), x] + \text{Int}[\left(a + b\text{Tan}[e + f*x]\right)^m \text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3528

$\text{Int}[\left((a_.) + (b_.)\text{tan}[(e_.) + (f_.)(x_.)]\right)^{(m_.)}\left((c_.) + (d_.)\text{tan}[(e_.) + (f_.)(x_.)]\right), x_Symbol] \rightarrow \text{Simp}[\left(d*(a + b\text{Tan}[e + f*x])^m\right)/(f*m), x] + \text{Int}[\left(a + b\text{Tan}[e + f*x]\right)^{(m - 1)} \text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3525

$\text{Int}[\left((a_.) + (b_.)\text{tan}[(e_.) + (f_.)(x_.)]\right)\left((c_.) + (d_.)\text{tan}[(e_.) + (f_.)(x_.)]\right), x_Symbol] \rightarrow \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[b*c + a*d, 0]$

Rule 3475


```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \tan(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= \frac{B(a + b \tan(c + dx))^5}{5bd} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx))^4 dx \\ &= \frac{A(a + b \tan(c + dx))^4}{4d} + \frac{B(a + b \tan(c + dx))^5}{5bd} + \int (a + b \tan(c + dx))^4 dx \\ &= \frac{(aA - bB)(a + b \tan(c + dx))^3}{3d} + \frac{A(a + b \tan(c + dx))^4}{4d} + \int (a + b \tan(c + dx))^2 dx \\ &= \frac{(a^2A - Ab^2 - 2abB)(a + b \tan(c + dx))^2}{2d} + \frac{(aA - bB)(a + b \tan(c + dx))^3}{3d} + \int (a + b \tan(c + dx)) dx \\ &= -\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)x + \frac{b(a^3A - 6a^2Ab + 3aAb^2 - b^3B)}{3d} \\ &= -\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)x - \frac{(a^4A - 6a^3Ab + 3a^2Ab^2 - b^3B)}{3d} \end{aligned}$$

Mathematica [C] time = 3.52856, size = 257, normalized size = 1.14

$$10(aA + bB) \left(6b^2 (b^2 - 6a^2) \tan(c + dx) - 12ab^3 \tan^2(c + dx) - 3i(a - ib)^4 \log(\tan(c + dx) + i) + 3i(a + ib)^4 \log(-\tan(c + dx) + i)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] (12*B*(a + b*Tan[c + d*x])^5 + 10*(a*A + b*B)*((3*I)*(a + I*b)^4*Log[I - Tan[c + d*x]] - (3*I)*(a - I*b)^4*Log[I + Tan[c + d*x]] + 6*b^2*(-6*a^2 + b^2)*Tan[c + d*x] - 12*a*b^3*Tan[c + d*x]^2 - 2*b^4*Tan[c + d*x]^3) - 5*A*((6*I)*(a + I*b)^5*Log[I - Tan[c + d*x]] - 6*(I*a + b)^5*Log[I + Tan[c + d*x]] - 60*a*b^2*(2*a^2 - b^2)*Tan[c + d*x] + 6*b^3*(-10*a^2 + b^2)*Tan[c + d*x]^2 - 20*a*b^4*Tan[c + d*x]^3 - 3*b^5*Tan[c + d*x]^4))/(60*b*d)
```

Maple [B] time = 0.014, size = 449, normalized size = 2.

$$\frac{Ba^4 \tan(dx + c)}{d} + \frac{Aa^4 \ln(1 + (\tan(dx + c))^2)}{2d} - \frac{Ba^4 \arctan(\tan(dx + c))}{d} + \frac{4A(\tan(dx + c))^3 ab^3}{3d} + 6 \frac{B \arctan(\tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)
```

```
[Out] 1/d*a^4*B*tan(d*x+c)+1/2/d*a^4*A*ln(1+tan(d*x+c)^2)-1/d*a^4*B*arctan(tan(d*x+c))+4/3/d*A*tan(d*x+c)^3*a*b^3+6/d*B*arctan(tan(d*x+c))*a^2*b^2+4/d*A*tan(d*x+c)*a^3*b-4/d*A*a*b^3*tan(d*x+c)+2/d*B*tan(d*x+c)^2*a^3*b-2/d*B*a*b^3*tan(d*x+c)^2-2/d*ln(1+tan(d*x+c)^2)*B*a^3*b+2/d*ln(1+tan(d*x+c)^2)*B*a*b^3-4/d*A*arctan(tan(d*x+c))*a^3*b+4/d*A*arctan(tan(d*x+c))*a*b^3+1/d*B*tan(d*x+c)^4*a*b^3-3/d*ln(1+tan(d*x+c)^2)*A*a^2*b^2+2/d*B*tan(d*x+c)^3*a^2*b^2+3/d*A*tan(d*x+c)^2*a^2*b^2-1/2/d*A*b^4*tan(d*x+c)^2-1/3/d*B*tan(d*x+c)^3*b^4+1/4/d*A*tan(d*x+c)^4*b^4+1/5/d*B*b^4*tan(d*x+c)^5+1/d*B*b^4*tan(d*x+c)+1/2/d*ln(1+tan(d*x+c)^2)*A*b^4-1/d*B*arctan(tan(d*x+c))*b^4-6/d*B*a^2*b^2*tan(d*x+c)
```

+c)

Maxima [A] time = 1.49841, size = 332, normalized size = 1.47

$$12 B b^4 \tan(dx + c)^5 + 15 (4 B a b^3 + A b^4) \tan(dx + c)^4 + 20 (6 B a^2 b^2 + 4 A a b^3 - B b^4) \tan(dx + c)^3 + 30 (4 B a^3 b + 6 A a^2 b^2 - 4 B a a b^3 - A b^4) \tan(dx + c)^2 - 60 (B a^4 + 4 A a^3 b - 6 B a^2 b^2 - 4 A a a b^3 + B b^4) (dx + c) + 30 (A a^4 - 4 B a^3 b - 6 A a^2 b^2 + 4 B a a b^3 + A b^4) \log(\tan(dx + c)^2 + 1) + 60 (B a^4 + 4 A a^3 b - 6 B a^2 b^2 - 4 A a a b^3 + B b^4) \tan(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/60*(12*B*b^4*tan(d*x + c)^5 + 15*(4*B*a*b^3 + A*b^4)*tan(d*x + c)^4 + 20*(6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*tan(d*x + c)^3 + 30*(4*B*a^3*b + 6*A*a^2*b^2 - 4*B*a*a*b^3 - A*b^4)*tan(d*x + c)^2 - 60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*a*b^3 + B*b^4)*(d*x + c) + 30*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1) + 60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*a*b^3 + B*b^4)*tan(d*x + c))/d
```

Fricas [A] time = 1.96229, size = 562, normalized size = 2.49

$$12 B b^4 \tan(dx + c)^5 + 15 (4 B a b^3 + A b^4) \tan(dx + c)^4 + 20 (6 B a^2 b^2 + 4 A a b^3 - B b^4) \tan(dx + c)^3 - 60 (B a^4 + 4 A a^3 b - 6 B a^2 b^2 - 4 A a a b^3 + B b^4) \tan(dx + c)^2 + 30 (A a^4 - 4 B a^3 b - 6 A a^2 b^2 + 4 B a a b^3 + A b^4) \log(1/(\tan(dx + c)^2 + 1)) + 60 (B a^4 + 4 A a^3 b - 6 B a^2 b^2 - 4 A a a b^3 + B b^4) \tan(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/60*(12*B*b^4*tan(d*x + c)^5 + 15*(4*B*a*b^3 + A*b^4)*tan(d*x + c)^4 + 20*(6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*tan(d*x + c)^3 - 60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*a*b^3 + B*b^4)*d*x + 30*(4*B*a^3*b + 6*A*a^2*b^2 - 4*B*a*b^3 - A*b^4)*tan(d*x + c)^2 - 30*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*a*b^3 + A*b^4)*log(1/(tan(d*x + c)^2 + 1)) + 60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*a*b^3 + B*b^4)*tan(d*x + c))/d
```

Sympy [A] time = 1.1846, size = 437, normalized size = 1.93

$$\left\{ \begin{array}{l} \frac{A a^4 \log(\tan^2(c+dx)+1)}{2d} - 4 A a^3 b x + \frac{4 A a^3 b \tan(c+dx)}{d} - \frac{3 A a^2 b^2 \log(\tan^2(c+dx)+1)}{d} + \frac{3 A a^2 b^2 \tan^2(c+dx)}{d} + 4 A a b^3 x + \frac{4 A a b^3 \tan^3(c+dx)}{3d} \\ x (A + B \tan(c)) (a + b \tan(c))^4 \tan(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((A*a**4*log(tan(c + d*x)**2 + 1)/(2*d) - 4*A*a**3*b*x + 4*A*a**3*b*tan(c + d*x)/d - 3*A*a**2*b**2*log(tan(c + d*x)**2 + 1)/d + 3*A*a**2*b**2*tan(c + d*x)**2/d + 4*A*a*b**3*x + 4*A*a*b**3*tan(c + d*x)**3/(3*d) - 4*A*a*b**3*tan(c + d*x)/d + A*b**4*log(tan(c + d*x)**2 + 1)/(2*d) + A*b**4*tan(c + d*x)**4/(4*d) - A*b**4*tan(c + d*x)**2/(2*d) - B*a**4*x + B*a**4*tan(c + d*x)/d - 2*B*a**3*b*log(tan(c + d*x)**2 + 1)/d + 2*B*a**3*b*tan(c + d*x)*
```

```
*2/d + 6*B*a**2*b**2*x + 2*B*a**2*b**2*tan(c + d*x)**3/d - 6*B*a**2*b**2*tan(c + d*x)/d + 2*B*a*b**3*log(tan(c + d*x)**2 + 1)/d + B*a*b**3*tan(c + d*x)**4/d - 2*B*a*b**3*tan(c + d*x)**2/d - B*b**4*x + B*b**4*tan(c + d*x)**5/(5*d) - B*b**4*tan(c + d*x)**3/(3*d) + B*b**4*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**4*tan(c), True))
```

Giac [B] time = 11.4444, size = 6465, normalized size = 28.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/60*(60*B*a^4*d*x*tan(d*x)^5*tan(c)^5 + 240*A*a^3*b*d*x*tan(d*x)^5*tan(c)^5 - 360*B*a^2*b^2*d*x*tan(d*x)^5*tan(c)^5 - 240*A*a*b^3*d*x*tan(d*x)^5*tan(c)^5 + 60*B*b^4*d*x*tan(d*x)^5*tan(c)^5 + 30*A*a^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^5*tan(c)^5 - 120*B*a^3*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^5*tan(c)^5 - 180*A*a^2*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^5*tan(c)^5 + 120*B*a*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^5*tan(c)^5 + 30*A*b^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^5*tan(c)^5 - 300*B*a^4*d*x*tan(d*x)^4*tan(c)^4 - 1200*A*a^3*b*d*x*tan(d*x)^4*tan(c)^4 + 1800*B*a^2*b^2*d*x*tan(d*x)^4*tan(c)^4 + 1200*A*a*b^3*d*x*tan(d*x)^4*tan(c)^4 - 300*B*b^4*d*x*tan(d*x)^4*tan(c)^4 - 120*B*a^3*b*tan(d*x)^5*tan(c)^5 - 180*A*a^2*b^2*tan(d*x)^5*tan(c)^5 + 180*B*a*b^3*tan(d*x)^5*tan(c)^5 + 45*A*b^4*tan(d*x)^5*tan(c)^5 - 150*A*a^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 600*B*a^3*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 900*A*a^2*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 600*B*a*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 150*A*b^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 60*B*a^4*tan(d*x)^5*tan(c)^4 + 240*A*a^3*b*tan(d*x)^5*tan(c)^4 - 360*B*a^2*b^2*tan(d*x)^5*tan(c)^4 - 240*A*a*b^3*tan(d*x)^5*tan(c)^4 + 60*B*b^4*tan(d*x)^5*tan(c)^4 + 60*B*a^4*tan(d*x)^4*tan(c)^5 + 240*A*a^3*b*tan(d*x)^4*tan(c)^5 - 360*B*a^2*b^2*tan(d*x)^4*tan(c)^5 - 240*A*a*b^3*tan(d*x)^4*tan(c)^5 + 60*B*b^4*tan(d*x)^4*tan(c)^5 + 600*B*a^4*d*x*tan(d*x)^3*tan(c)^3 + 2400*A*a^3*b*d*x*tan(d*x)^3*tan(c)^3 - 3600*B*a^2*b^2*d*x*tan(d*x)^3*tan(c)^3 - 2400*A*a*b^3*d*x*tan(d*x)^3*tan(c)^3 + 600*B*b^4*d*x*tan(d*x)^3*tan(c)^3 - 120*B*a^3*b*tan(d*x)^5*tan(c)^3 - 180*A*a^2*b^2*tan(d*x)^5*tan(c)^3 + 120*B*a*b^3*tan(d*x)^5*tan(c)^3 + 30*A*b^4*tan(d*x)^5*tan(c)^3 + 360*B*a^3*b*tan(d*x)^4*tan(c)^4 + 540*A*a^2*b^2*tan(d*x)^4*tan(c)^4 - 660*B*a*b^3*tan(d*x)^4*tan(c)^4 - 165*A*b^4*tan(d*x)^4*tan(c)^4 - 120*B*a^3*b*tan(d*x)^3*tan(c)^5 - 180*A*a^2*b^2*tan(d*x)^3*tan(c)^5 + 120*B*a*b^3*tan(d*x)^3*tan(c)^5 + 30*A*b^4*tan(d*x)^3*tan(c)^5 + 120*B*a^2*b^2*tan(d*x)^5*tan(c)^2 + 80*A*a*b^3*tan(d*x)^5*tan(c)^2 - 20*B*b^4*tan(d*x)^5*tan(c)^2 + 300*A*a^4*log(4*(t
```

$$\begin{aligned}
& \text{an}(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c) \\
& ^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 - 1200 B a^3 b \\
& \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx) \\
&)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \tan(c)^3 - 1 \\
& 800 A a^2 b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) \\
&) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^3 \\
& \tan(c)^3 + 1200 B a b^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx) \\
&)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan \\
& \text{an}(dx)^3 \tan(c)^3 + 300 A b^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - \\
& 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) \\
& + 1)) \tan(dx)^3 \tan(c)^3 - 240 B a^4 \tan(dx)^4 \tan(c)^3 - 960 A a^3 b \tan \\
& (dx)^4 \tan(c)^3 + 1800 B a^2 b^2 \tan(dx)^4 \tan(c)^3 + 1200 A a b^3 \tan(dx) \\
&)^4 \tan(c)^3 - 300 B b^4 \tan(dx)^4 \tan(c)^3 - 240 B a^4 \tan(dx)^3 \tan(c) \\
& ^4 - 960 A a^3 b \tan(dx)^3 \tan(c)^4 + 1800 B a^2 b^2 \tan(dx)^3 \tan(c)^4 + \\
& 1200 A a b^3 \tan(dx)^3 \tan(c)^4 - 300 B b^4 \tan(dx)^3 \tan(c)^4 + 120 B a \\
& ^2 b^2 \tan(dx)^2 \tan(c)^5 + 80 A a b^3 \tan(dx)^2 \tan(c)^5 - 20 B b^4 \tan(dx) \\
&)^2 \tan(c)^5 - 60 B a b^3 \tan(dx)^5 \tan(c) - 15 A b^4 \tan(dx)^5 \tan(c) \\
& - 600 B a^4 dx \tan(dx)^2 \tan(c)^2 - 2400 A a^3 b dx \tan(dx)^2 \tan(c)^2 \\
& + 3600 B a^2 b^2 dx \tan(dx)^2 \tan(c)^2 + 2400 A a b^3 dx \tan(dx)^2 \tan \\
& (c)^2 - 600 B b^4 dx \tan(dx)^2 \tan(c)^2 + 360 B a^3 b \tan(dx)^4 \tan(c)^2 \\
& + 540 A a^2 b^2 \tan(dx)^4 \tan(c)^2 - 600 B a b^3 \tan(dx)^4 \tan(c)^2 - 15 \\
& 0 A b^4 \tan(dx)^4 \tan(c)^2 - 480 B a^3 b \tan(dx)^3 \tan(c)^3 - 720 A a^2 b \\
& ^2 \tan(dx)^3 \tan(c)^3 + 720 B a b^3 \tan(dx)^3 \tan(c)^3 + 180 A b^4 \tan(dx) \\
&)^3 \tan(c)^3 + 360 B a^3 b \tan(dx)^2 \tan(c)^4 + 540 A a^2 b^2 \tan(dx)^2 \\
& \tan(c)^4 - 600 B a b^3 \tan(dx)^2 \tan(c)^4 - 150 A b^4 \tan(dx)^2 \tan(c)^4 \\
& - 60 B a b^3 \tan(dx) \tan(c)^5 - 15 A b^4 \tan(dx) \tan(c)^5 + 12 B b^4 \tan(dx) \\
&)^5 - 240 B a^2 b^2 \tan(dx)^4 \tan(c) - 160 A a b^3 \tan(dx)^4 \tan(c) + \\
& 100 B b^4 \tan(dx)^4 \tan(c) - 300 A a^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan \\
& (c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \\
&) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + 1200 B a^3 b \log(4(\tan(c)^2 + 1)/(\tan \\
& (dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - \\
& 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + 1800 A a^2 b^2 \log(4(\tan(c) \\
&)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \\
& \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 - 1200 B a b^3 \log \\
& (4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \\
& \text{an}(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 - 300 A \\
& b^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx) \\
&)^2 \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx)^2 \tan(c)^2 + \\
& 360 B a^4 \tan(dx)^3 \tan(c)^2 + 1440 A a^3 b \tan(dx)^3 \tan(c)^2 - 2880 B \\
& a^2 b^2 \tan(dx)^3 \tan(c)^2 - 1920 A a b^3 \tan(dx)^3 \tan(c)^2 + 600 B b^4 \\
& \tan(dx)^3 \tan(c)^2 + 360 B a^4 \tan(dx)^2 \tan(c)^3 + 1440 A a^3 b \tan(dx) \\
&)^2 \tan(c)^3 - 2880 B a^2 b^2 \tan(dx)^2 \tan(c)^3 - 1920 A a b^3 \tan(dx)^2 \\
& \tan(c)^3 + 600 B b^4 \tan(dx)^2 \tan(c)^3 - 240 B a^2 b^2 \tan(dx) \tan(c)^4 \\
& - 160 A a b^3 \tan(dx) \tan(c)^4 + 100 B b^4 \tan(dx) \tan(c)^4 + 12 B b^4 \tan \\
& (c)^5 + 60 B a b^3 \tan(dx)^4 + 15 A b^4 \tan(dx)^4 + 300 B a^4 dx \tan(dx) \\
&) \tan(c) + 1200 A a^3 b dx \tan(dx) \tan(c) - 1800 B a^2 b^2 dx \tan(dx) \\
& \tan(c) - 1200 A a b^3 dx \tan(dx) \tan(c) + 300 B b^4 dx \tan(dx) \tan(c) - \\
& 360 B a^3 b \tan(dx)^3 \tan(c) - 540 A a^2 b^2 \tan(dx)^3 \tan(c) + 600 B a b \\
& ^3 \tan(dx)^3 \tan(c) + 150 A b^4 \tan(dx)^3 \tan(c) + 480 B a^3 b \tan(dx)^2 \\
& \tan(c)^2 + 720 A a^2 b^2 \tan(dx)^2 \tan(c)^2 - 720 B a b^3 \tan(dx)^2 \tan \\
& (c)^2 - 180 A b^4 \tan(dx)^2 \tan(c)^2 - 360 B a^3 b \tan(dx) \tan(c)^3 - 540 \\
& A a^2 b^2 \tan(dx) \tan(c)^3 + 600 B a b^3 \tan(dx) \tan(c)^3 + 150 A b^4 \tan \\
& (dx) \tan(c)^3 + 60 B a b^3 \tan(c)^4 + 15 A b^4 \tan(c)^4 + 120 B a^2 b^2 \tan \\
& (dx)^3 + 80 A a b^3 \tan(dx)^3 - 20 B b^4 \tan(dx)^3 + 150 A a^4 \log(4(\tan \\
& (c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c) \\
&)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) - 600 B a^3 b \log \\
& (4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(dx)^2 \\
& \tan(c)^2 + \tan(dx)^2 - 2 \tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) - 900 A a^2 \\
& b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2 \tan(dx)^3 \tan(c) + \tan(
\end{aligned}$$

$$\begin{aligned}
& d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan(c) + 60 \\
& 0*B*a*b^3*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \\
& \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan(c) \\
& + 150*A*b^4*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) \\
&) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1))*\tan(d*x)*\tan \\
& (c) - 240*B*a^4*\tan(d*x)^2*\tan(c) - 960*A*a^3*b*\tan(d*x)^2*\tan(c) + 1800*B* \\
& a^2*b^2*\tan(d*x)^2*\tan(c) + 1200*A*a*b^3*\tan(d*x)^2*\tan(c) - 300*B*b^4*\tan(\\
& d*x)^2*\tan(c) - 240*B*a^4*\tan(d*x)*\tan(c)^2 - 960*A*a^3*b*\tan(d*x)*\tan(c)^2 \\
& + 1800*B*a^2*b^2*\tan(d*x)*\tan(c)^2 + 1200*A*a*b^3*\tan(d*x)*\tan(c)^2 - 300* \\
& B*b^4*\tan(d*x)*\tan(c)^2 + 120*B*a^2*b^2*\tan(c)^3 + 80*A*a*b^3*\tan(c)^3 - 20 \\
& *B*b^4*\tan(c)^3 - 60*B*a^4*d*x - 240*A*a^3*b*d*x + 360*B*a^2*b^2*d*x + 240* \\
& A*a*b^3*d*x - 60*B*b^4*d*x + 120*B*a^3*b*\tan(d*x)^2 + 180*A*a^2*b^2*\tan(d*x) \\
&)^2 - 120*B*a*b^3*\tan(d*x)^2 - 30*A*b^4*\tan(d*x)^2 - 360*B*a^3*b*\tan(d*x)*\tan \\
& (c) - 540*A*a^2*b^2*\tan(d*x)*\tan(c) + 660*B*a*b^3*\tan(d*x)*\tan(c) + 165*A \\
& *b^4*\tan(d*x)*\tan(c) + 120*B*a^3*b*\tan(c)^2 + 180*A*a^2*b^2*\tan(c)^2 - 120* \\
& B*a*b^3*\tan(c)^2 - 30*A*b^4*\tan(c)^2 - 30*A*a^4*\log(4*(\tan(c)^2 + 1)/(\tan(d \\
& *x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2 \\
& *\tan(d*x)*\tan(c) + 1)) + 120*B*a^3*b*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c) \\
&)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan \\
& (c) + 1)) + 180*A*a^2*b^2*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan \\
& (d*x)^3*\tan(c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1) \\
&)) - 120*B*a*b^3*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan \\
& (c) + \tan(d*x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1)) - 30*A*b \\
& ^4*\log(4*(\tan(c)^2 + 1)/(\tan(d*x)^4*\tan(c)^2 - 2*\tan(d*x)^3*\tan(c) + \tan(d \\
& *x)^2*\tan(c)^2 + \tan(d*x)^2 - 2*\tan(d*x)*\tan(c) + 1)) + 60*B*a^4*\tan(d*x) + \\
& 240*A*a^3*b*\tan(d*x) - 360*B*a^2*b^2*\tan(d*x) - 240*A*a*b^3*\tan(d*x) + 60*B \\
& *b^4*\tan(d*x) + 60*B*a^4*\tan(c) + 240*A*a^3*b*\tan(c) - 360*B*a^2*b^2*\tan(c) \\
& - 240*A*a*b^3*\tan(c) + 60*B*b^4*\tan(c) + 120*B*a^3*b + 180*A*a^2*b^2 - 180 \\
& *B*a*b^3 - 45*A*b^4)/(d*\tan(d*x)^5*\tan(c)^5 - 5*d*\tan(d*x)^4*\tan(c)^4 + 10* \\
& d*\tan(d*x)^3*\tan(c)^3 - 10*d*\tan(d*x)^2*\tan(c)^2 + 5*d*\tan(d*x)*\tan(c) - d)
\end{aligned}$$

3.259 $\int (a + b \tan(c + dx))^4 (A + B \tan(c + dx)) dx$

Optimal. Leaf size=202

$$\frac{(a^2B + 2aAb - b^2B)(a + b \tan(c + dx))^2}{2d} + \frac{b(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan(c + dx)}{d} - \frac{(4a^3Ab - 6a^2b^2B + a^4B - 4a^3b^2B + 4a^2b^3B - Ab^4)}{d}$$

[Out] $(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - ((4a^3Ab - 4a^2b^2B + a^4B - 6a^2b^2B + b^4B) \operatorname{Log}[\operatorname{Cos}[c + dx]])/d + (b(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \operatorname{Tan}[c + dx])/d + ((2aAb + a^2B - b^2B)(a + b \operatorname{Tan}[c + dx])^2)/(2d) + ((Ab + aB)(a + b \operatorname{Tan}[c + dx])^3)/(3d) + (B(a + b \operatorname{Tan}[c + dx])^4)/(4d)$

Rubi [A] time = 0.230063, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3528, 3525, 3475}

$$\frac{(a^2B + 2aAb - b^2B)(a + b \tan(c + dx))^2}{2d} + \frac{b(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan(c + dx)}{d} - \frac{(4a^3Ab - 6a^2b^2B + a^4B - 4a^3b^2B + 4a^2b^3B - Ab^4)}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \operatorname{Tan}[c + dx])^4 (A + B \operatorname{Tan}[c + dx]), x]$

[Out] $(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - ((4a^3Ab - 4a^2b^2B + a^4B - 6a^2b^2B + b^4B) \operatorname{Log}[\operatorname{Cos}[c + dx]])/d + (b(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \operatorname{Tan}[c + dx])/d + ((2aAb + a^2B - b^2B)(a + b \operatorname{Tan}[c + dx])^2)/(2d) + ((Ab + aB)(a + b \operatorname{Tan}[c + dx])^3)/(3d) + (B(a + b \operatorname{Tan}[c + dx])^4)/(4d)$

Rule 3528

$\operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^m ((c + d \operatorname{Tan}[e + f x]) + (f x))], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(d(a + b \operatorname{Tan}[e + f x])^m)/(f m), x] + \operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^{m-1} \operatorname{Simp}[a c - b d + (b c + a d) \operatorname{Tan}[e + f x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x$ && $\operatorname{NeQ}[b c - a d, 0]$ && $\operatorname{NeQ}[a^2 + b^2, 0]$ && $\operatorname{GtQ}[m, 0]$

Rule 3525

$\operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^m ((c + d \operatorname{Tan}[e + f x]) + (f x))], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(a c - b d) x, x] + (\operatorname{Dist}[b c + a d, \operatorname{Int}[\operatorname{Tan}[e + f x], x], x] + \operatorname{Simp}[b d \operatorname{Tan}[e + f x]/f, x]) /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x$ && $\operatorname{NeQ}[b c - a d, 0]$ && $\operatorname{NeQ}[b c + a d, 0]$

Rule 3475

$\operatorname{Int}[\operatorname{Tan}[(c + d \operatorname{Tan}[e + f x])], x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[\operatorname{Cos}[c + d \operatorname{Tan}[e + f x]], x]], x] /;$ $\operatorname{FreeQ}\{c, d\}, x$

Rubi steps

$$\begin{aligned}
\int (a + b \tan(c + dx))^4 (A + B \tan(c + dx)) dx &= \frac{B(a + b \tan(c + dx))^4}{4d} + \int (a + b \tan(c + dx))^3 (aA - bB + (Ab + aB) \tan(c + dx)) dx \\
&= \frac{(Ab + aB)(a + b \tan(c + dx))^3}{3d} + \frac{B(a + b \tan(c + dx))^4}{4d} + \int (a + b \tan(c + dx))^2 (2aAb + a^2B - b^2B) dx \\
&= \frac{(2aAb + a^2B - b^2B)(a + b \tan(c + dx))^2}{2d} + \frac{(Ab + aB)(a + b \tan(c + dx))^3}{3d} \\
&= (a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x + \frac{b(3a^2Ab - Ab^3 + a^3B - Ab^2B)}{d} \\
&= (a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - \frac{(4a^3Ab - 4aAb^3 + a^4B - Ab^2B)}{d}
\end{aligned}$$

Mathematica [C] time = 3.45446, size = 240, normalized size = 1.19

$$B(-6b^3(b^2 - 10a^2)\tan^2(c + dx) + 60ab^2(2a^2 - b^2)\tan(c + dx) + 20ab^4\tan^3(c + dx) + 6(b - ia)^5\log(-\tan(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (-2*(A*b - a*B)*((3*I)*(a + I*b)^4*Log[I - Tan[c + d*x]] - (3*I)*(a - I*b)^4*Log[I + Tan[c + d*x]] + 6*b^2*(-6*a^2 + b^2)*Tan[c + d*x] - 12*a*b^3*Tan[c + d*x]^2 - 2*b^4*Tan[c + d*x]^3) + B*(6*((-I)*a + b)^5*Log[I - Tan[c + d*x]] + 6*(I*a + b)^5*Log[I + Tan[c + d*x]] + 60*a*b^2*(2*a^2 - b^2)*Tan[c + d*x] - 6*b^3*(-10*a^2 + b^2)*Tan[c + d*x]^2 + 20*a*b^4*Tan[c + d*x]^3 + 3*b^5*Tan[c + d*x]^4))/(12*b*d)

Maple [A] time = 0.011, size = 362, normalized size = 1.8

$$\frac{Bb^4(\tan(dx + c))^4}{4d} + \frac{A(\tan(dx + c))^3 b^4}{3d} + \frac{4B(\tan(dx + c))^3 ab^3}{3d} + 2\frac{A(\tan(dx + c))^2 ab^3}{d} + 3\frac{B(\tan(dx + c))^2 a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)

[Out] 1/4/d*B*b^4*tan(d*x+c)^4+1/3/d*A*tan(d*x+c)^3*b^4+4/3/d*B*tan(d*x+c)^3*a*b^3+2/d*A*tan(d*x+c)^2*a*b^3+3/d*B*tan(d*x+c)^2*a^2*b^2-1/2/d*B*tan(d*x+c)^2*b^4+6/d*A*a^2*b^2*tan(d*x+c)-1/d*A*b^4*tan(d*x+c)+4/d*B*a^3*b*tan(d*x+c)-4/d*B*a*b^3*tan(d*x+c)+2/d*ln(1+tan(d*x+c)^2)*A*a^3*b-2/d*ln(1+tan(d*x+c)^2)*A*a*b^3+1/2/d*a^4*B*ln(1+tan(d*x+c)^2)-3/d*ln(1+tan(d*x+c)^2)*B*a^2*b^2+1/2/d*ln(1+tan(d*x+c)^2)*B*b^4+1/d*a^4*A*arctan(tan(d*x+c))-6/d*A*arctan(tan(d*x+c))*a^2*b^2+1/d*A*arctan(tan(d*x+c))*b^4-4/d*B*arctan(tan(d*x+c))*a^3*b+4/d*B*arctan(tan(d*x+c))*a*b^3

Maxima [A] time = 1.47115, size = 273, normalized size = 1.35

$$3Bb^4 \tan(dx + c)^4 + 4(4Bab^3 + Ab^4) \tan(dx + c)^3 + 6(6Ba^2b^2 + 4Aab^3 - Bb^4) \tan(dx + c)^2 + 12(Aa^4 - 4Ba^3b - 4Ab^2B) \tan(dx + c) + 6Bb^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12}*(3*B*b^4*\tan(dx + c)^4 + 4*(4*B*a*b^3 + A*b^4)*\tan(dx + c)^3 + 6*(6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*\tan(dx + c)^2 + 12*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(dx + c) + 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\log(\tan(dx + c)^2 + 1) + 12*(4*B*a^3*b + 6*A*a^2*b^2 - 4*B*a*b^3 - A*b^4)*\tan(dx + c))/d$

Fricas [A] time = 2.08274, size = 456, normalized size = 2.26

$3Bb^4 \tan(dx + c)^4 + 4(4Bab^3 + Ab^4) \tan(dx + c)^3 + 12(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4)dx + 6(6Ba^2b^2 + 4Aa^3b - 4Aa^2b^2 - 4Aab^3 + Bb^4) \log(\tan(dx + c)^2 + 1) + 12(4Baa^3b + 6Aaa^2b^2 - 4Baa^2b^2 - 4Aab^3 - Ab^4) \tan(dx + c)/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*B*b^4*\tan(dx + c)^4 + 4*(4*B*a*b^3 + A*b^4)*\tan(dx + c)^3 + 12*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*dx + 6*(6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*\tan(dx + c)^2 - 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\log(1/(\tan(dx + c)^2 + 1)) + 12*(4*B*a^3*b + 6*A*a^2*b^2 - 4*B*a*b^3 - A*b^4)*\tan(dx + c))/d$

Sympy [A] time = 0.885045, size = 347, normalized size = 1.72

$\left\{ \begin{array}{l} Aa^4x + \frac{2Aa^3b \log(\tan^2(c+dx)+1)}{d} - 6Aa^2b^2x + \frac{6Aa^2b^2 \tan(c+dx)}{d} - \frac{2Aab^3 \log(\tan^2(c+dx)+1)}{d} + \frac{2Aab^3 \tan^2(c+dx)}{d} + Ab^4x + \frac{Ab^4 \tan^3(c+dx)}{3d} \\ x(A + B \tan(c))(a + b \tan(c))^4 \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Piecewise((A*a**4*x + 2*A*a**3*b*log(tan(c + d*x)**2 + 1)/d - 6*A*a**2*b**2*x + 6*A*a**2*b**2*tan(c + d*x)/d - 2*A*a*b**3*log(tan(c + d*x)**2 + 1)/d + 2*A*a*b**3*tan(c + d*x)**2/d + A*b**4*x + A*b**4*tan(c + d*x)**3/(3*d) - A*b**4*tan(c + d*x)/d + B*a**4*log(tan(c + d*x)**2 + 1)/(2*d) - 4*B*a**3*b*x + 4*B*a**3*b*tan(c + d*x)/d - 3*B*a**2*b**2*log(tan(c + d*x)**2 + 1)/d + 3*B*a**2*b**2*tan(c + d*x)**2/d + 4*B*a*b**3*x + 4*B*a*b**3*tan(c + d*x)**3/(3*d) - 4*B*a*b**3*tan(c + d*x)/d + B*b**4*log(tan(c + d*x)**2 + 1)/(2*d) + B*b**4*tan(c + d*x)**4/(4*d) - B*b**4*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(A + B*tan(c))*(a + b*tan(c))**4, True))

Giac [B] time = 7.05837, size = 4567, normalized size = 22.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")


```
[Out] 1/12*(12*A*a^4*d*x*tan(d*x)^4*tan(c)^4 - 48*B*a^3*b*d*x*tan(d*x)^4*tan(c)^4
- 72*A*a^2*b^2*d*x*tan(d*x)^4*tan(c)^4 + 48*B*a*b^3*d*x*tan(d*x)^4*tan(c)^4
+ 12*A*b^4*d*x*tan(d*x)^4*tan(c)^4 - 6*B*a^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 24*A*a^3*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 36*B*a^2*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 + 24*A*a*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 6*B*b^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^4*tan(c)^4 - 48*A*a^4*d*x*tan(d*x)^3*tan(c)^3 + 192*B*a^3*b*d*x*tan(d*x)^3*tan(c)^3 + 288*A*a^2*b^2*d*x*tan(d*x)^3*tan(c)^3 - 192*B*a*b^3*d*x*tan(d*x)^3*tan(c)^3 - 48*A*b^4*d*x*tan(d*x)^3*tan(c)^3 + 36*B*a^2*b^2*tan(d*x)^4*tan(c)^4 + 24*A*a*b^3*tan(d*x)^4*tan(c)^4 - 9*B*b^4*tan(d*x)^4*tan(c)^4 + 24*B*a^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 96*A*a^3*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 144*B*a^2*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 96*A*a*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 + 24*B*b^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^3*tan(c)^3 - 48*B*a^3*b*tan(d*x)^4*tan(c)^3 - 72*A*a^2*b^2*tan(d*x)^4*tan(c)^3 + 48*B*a*b^3*tan(d*x)^4*tan(c)^3 + 12*A*b^4*tan(d*x)^4*tan(c)^3 - 48*B*a^3*b*tan(d*x)^3*tan(c)^4 - 72*A*a^2*b^2*tan(d*x)^3*tan(c)^4 + 48*B*a*b^3*tan(d*x)^3*tan(c)^4 + 12*A*b^4*tan(d*x)^3*tan(c)^4 + 72*A*a^4*d*x*tan(d*x)^2*tan(c)^2 - 288*B*a^3*b*d*x*tan(d*x)^2*tan(c)^2 - 432*A*a^2*b^2*d*x*tan(d*x)^2*tan(c)^2 + 288*B*a*b^3*d*x*tan(d*x)^2*tan(c)^2 + 72*A*b^4*d*x*tan(d*x)^2*tan(c)^2 + 36*B*a^2*b^2*tan(d*x)^4*tan(c)^2 + 24*A*a*b^3*tan(d*x)^4*tan(c)^2 - 6*B*b^4*tan(d*x)^4*tan(c)^2 - 72*B*a^2*b^2*tan(d*x)^3*tan(c)^3 - 48*A*a*b^3*tan(d*x)^3*tan(c)^3 + 24*B*b^4*tan(d*x)^3*tan(c)^3 + 36*B*a^2*b^2*tan(d*x)^2*tan(c)^4 + 24*A*a*b^3*tan(d*x)^2*tan(c)^4 - 6*B*b^4*tan(d*x)^2*tan(c)^4 - 16*B*a*b^3*tan(d*x)^4*tan(c) - 4*A*b^4*tan(d*x)^4*tan(c) - 36*B*a^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 - 144*A*a^3*b*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 + 216*B*a^2*b^2*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 + 144*A*a*b^3*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 - 36*B*b^4*log(4*(tan(c)^2 + 1)/(tan(d*x)^4*tan(c)^2 - 2*tan(d*x)^3*tan(c) + tan(d*x)^2*tan(c)^2 + tan(d*x)^2 - 2*tan(d*x)*tan(c) + 1))*tan(d*x)^2*tan(c)^2 + 144*B*a^3*b*tan(d*x)^3*tan(c)^2 + 216*A*a^2*b^2*tan(d*x)^3*tan(c)^2 - 192*B*a*b^3*tan(d*x)^3*tan(c)^2 - 48*A*b^4*tan(d*x)^3*tan(c)^2 + 144*B*a^3*b*tan(d*x)^2*tan(c)^3 + 216*A*a^2*b^2*tan(d*x)^2*tan(c)^3 - 192*B*a*b^3*tan(d*x)^2*tan(c)^3 - 48*A*b^4*tan(d*x)^2*tan(c)^3 - 16*B*a*b^3*tan(d*x)*tan(c)^4 - 4*A*b^4*tan(d*x)*tan(c)^4 + 3*B*b^4*tan(d*x)^4 - 48*A*a^4*d*x*tan(d*x)*tan(c) + 192*B*a^3*b*d*x*tan(d*x)*tan(c) + 288*A*a^2*b^2*d*x*tan(d*x)*tan(c) - 192*B*a*b^3*d*x*tan(d*x)*tan(c) - 48*A*b^4*d*x*tan(d*x)*tan(c) - 72*B*a^2*b^2*tan(d*x)^3*tan(c) - 48*A*a*b^3*tan(d*x)^3*tan(c) + 24*B*b^4*tan(d*x)^3*tan(c) + 72*B*a^2*b^2*tan(d*x)^2*tan(c)^2 + 48*A*a*b^3*tan(d*x)^2*tan(c)^2 - 12*B*b^4*tan(d*x)^2*tan(c)^2 - 72*B*a^2*b^2*tan(d*x)*tan(c)^3 - 48*A*a*b^3*tan(d*x)*tan(c)^3 + 24*B*b^4*t
```

$$\begin{aligned}
& \tan(dx) \tan(c)^3 + 3Bb^4 \tan(c)^4 + 16B^2ab^3 \tan(dx)^3 + 4A^2b^4 \tan(dx)^3 \\
& + 24B^2a^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) \\
& + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \\
& \tan(c) + 96A^2a^3b \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) \\
& + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) \\
& - 144B^2a^2b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) \\
& + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) \\
& - 96A^2ab^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) \\
& + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) \\
& + 24Bb^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) \\
& + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \tan(dx) \tan(c) \\
& - 144B^2a^3b \tan(dx)^2 \tan(c) - 216A^2a^2b^2 \tan(dx)^2 \tan(c) + 192B^2ab^3 \tan(dx)^2 \tan(c) \\
& + 48A^2b^4 \tan(dx)^2 \tan(c) - 144B^2a^3b \tan(dx) \tan(c)^2 - 216A^2a^2b^2 \tan(dx) \tan(c)^2 \\
& + 192B^2ab^3 \tan(dx) \tan(c)^2 + 48A^2b^4 \tan(dx) \tan(c)^2 + 16B^2ab^3 \tan(c)^3 \\
& + 4A^2b^4 \tan(c)^3 + 12A^2a^4 dx - 48B^2a^3b dx - 72A^2a^2b^2 dx + 48B^2ab^3 dx \\
& + 12A^2b^4 dx + 36B^2a^2b^2 \tan(dx)^2 + 24A^2ab^3 \tan(dx)^2 - 6Bb^4 \tan(dx)^2 \\
& - 72B^2a^2b^2 \tan(dx) \tan(c) - 48A^2ab^3 \tan(dx) \tan(c) + 24Bb^4 \tan(dx) \tan(c) \\
& + 36B^2a^2b^2 \tan(c)^2 + 24A^2ab^3 \tan(c)^2 - 6Bb^4 \tan(c)^2 - 6B^2a^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 \\
& - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \\
& - 24A^2a^3b \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 \\
& + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) + 36B^2a^2b^2 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 \\
& - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \\
& + 24A^2ab^3 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 \\
& + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) - 6Bb^4 \log(4(\tan(c)^2 + 1)/(\tan(dx)^4 \tan(c)^2 \\
& - 2\tan(dx)^3 \tan(c) + \tan(dx)^2 \tan(c)^2 + \tan(dx)^2 - 2\tan(dx) \tan(c) + 1)) \\
& + 48B^2a^3b \tan(dx) + 72A^2a^2b^2 \tan(dx) - 48B^2ab^3 \tan(dx) - 12A^2b^4 \tan(dx) \\
& + 48B^2a^3b \tan(c) + 72A^2a^2b^2 \tan(c) - 48B^2ab^3 \tan(c) - 12A^2b^4 \tan(c) \\
& + 36B^2a^2b^2 + 24A^2ab^3 - 9Bb^4)/(d \tan(dx)^4 \tan(c)^4 - 4d \tan(dx)^3 \tan(c)^3 \\
& + 6d \tan(dx)^2 \tan(c)^2 - 4d \tan(dx) \tan(c) + d)
\end{aligned}$$

$$3.260 \quad \int \cot(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=172

$$\frac{b^2(3a^2B + 3aAb - b^2B) \tan(c + dx)}{d} - \frac{b(6a^2Ab + 4a^3B - 4ab^2B - Ab^3) \log(\cos(c + dx))}{d} + x(4a^3Ab - 6a^2b^2B + a^4B)$$

[Out] (4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*x - (b*(6*a^2*A*b - A*b^3 + 4*a^3*B - 4*a*b^2*B)*Log[Cos[c + d*x]])/d + (a^4*A*Log[Sin[c + d*x]])/d + (b^2*(3*a*A*b + 3*a^2*B - b^2*B)*Tan[c + d*x])/d + (b*(A*b + 2*a*B)*(a + b*Tan[c + d*x])^2)/(2*d) + (b*B*(a + b*Tan[c + d*x])^3)/(3*d)

Rubi [A] time = 0.47066, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3607, 3647, 3637, 3624, 3475}

$$\frac{b^2(3a^2B + 3aAb - b^2B) \tan(c + dx)}{d} - \frac{b(6a^2Ab + 4a^3B - 4ab^2B - Ab^3) \log(\cos(c + dx))}{d} + x(4a^3Ab - 6a^2b^2B + a^4B)$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]

[Out] (4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*x - (b*(6*a^2*A*b - A*b^3 + 4*a^3*B - 4*a*b^2*B)*Log[Cos[c + d*x]])/d + (a^4*A*Log[Sin[c + d*x]])/d + (b^2*(3*a*A*b + 3*a^2*B - b^2*B)*Tan[c + d*x])/d + (b*(A*b + 2*a*B)*(a + b*Tan[c + d*x])^2)/(2*d) + (b*B*(a + b*Tan[c + d*x])^3)/(3*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3637

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*
(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_) + (C_)*tan[(e_) + (f_)*
(x_)])^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp
[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d
*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] &&
!LtQ[n, -1]
```

Rule 3624

```
Int[((A_) + (B_)*tan[(e_) + (f_)*(x_) + (C_)*tan[(e_) + (f_)*(x_)])^2
)/tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[B*x, x] + (Dist[A, Int[1/Tan[e
+ f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C
}, x] && NeQ[A, C]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= \frac{bB(a + b \tan(c + dx))^3}{3d} + \frac{1}{3} \int \cot(c + dx)(a + b \tan(c + dx))^4 dx \\ &= \frac{b(Ab + 2aB)(a + b \tan(c + dx))^2}{2d} + \frac{bB(a + b \tan(c + dx))^3}{3d} + \frac{1}{3} \int \cot(c + dx)(a + b \tan(c + dx))^4 dx \\ &= \frac{b^2(3aAb + 3a^2B - b^2B) \tan(c + dx)}{d} + \frac{b(Ab + 2aB)(a + b \tan(c + dx))^3}{2d} + \frac{1}{3} \int \cot(c + dx)(a + b \tan(c + dx))^4 dx \\ &= (4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B)x + \frac{b^2(3aAb + 3a^2B - b^2B) \tan(c + dx)}{d} + \frac{b(Ab + 2aB)(a + b \tan(c + dx))^3}{2d} + \frac{1}{3} \int \cot(c + dx)(a + b \tan(c + dx))^4 dx \\ &= (4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B)x - \frac{b(6a^2Ab - Ab^3)}{6d} \end{aligned}$$

Mathematica [C] time = 1.39383, size = 149, normalized size = 0.87

$$\frac{6b^2(3a^2B + 3aAb - b^2B) \tan(c + dx) + 6a^4A \log(\tan(c + dx)) + 3b(2aB + Ab)(a + b \tan(c + dx))^2 - 3(a + ib)^4(A + iB)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] (-3*(a + I*b)^4*(A + I*B)*Log[I - Tan[c + d*x]] + 6*a^4*A*Log[Tan[c + d*x]]
- 3*(a - I*b)^4*(A - I*B)*Log[I + Tan[c + d*x]] + 6*b^2*(3*a*A*b + 3*a^2*B
- b^2*B)*Tan[c + d*x] + 3*b*(A*b + 2*a*B)*(a + b*Tan[c + d*x])^2 + 2*b*B*(
a + b*Tan[c + d*x])^3)/(6*d)
```

Maple [A] time = 0.089, size = 277, normalized size = 1.6

$$\frac{Ab^4(\tan(dx + c))^2}{2d} + \frac{Ab^4 \ln(\cos(dx + c))}{d} + \frac{B(\tan(dx + c))^3 b^4}{3d} - \frac{Bb^4 \tan(dx + c)}{d} + Bb^4x + \frac{Bb^4c}{d} - 4Aab^3x + 4 \frac{Aab^3c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] 1/2/d*A*b^4*tan(d*x+c)^2+1/d*A*b^4*ln(cos(d*x+c))+1/3/d*B*tan(d*x+c)^3*b^4-1/d*B*b^4*tan(d*x+c)+B*b^4*x+1/d*B*b^4*c-4*A*a*b^3*x+4/d*A*a*b^3*tan(d*x+c)-4/d*A*a*b^3*c+2/d*B*a*b^3*tan(d*x+c)^2+4/d*B*a*b^3*ln(cos(d*x+c))-6/d*A*a^2*b^2*ln(cos(d*x+c))-6*B*a^2*b^2*x+6/d*B*a^2*b^2*tan(d*x+c)-6/d*B*a^2*b^2*c+4*A*x*a^3*b+4/d*A*a^3*b*c-4/d*B*a^3*b*ln(cos(d*x+c))+a^4*A*ln(sin(d*x+c))/d+B*a^4*x+1/d*B*a^4*c

Maxima [A] time = 1.48472, size = 236, normalized size = 1.37

$$2 B b^4 \tan(dx + c)^3 + 6 A a^4 \log(\tan(dx + c)) + 3 (4 B a b^3 + A b^4) \tan(dx + c)^2 + 6 (B a^4 + 4 A a^3 b - 6 B a^2 b^2 - 4 A a b^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(2*B*b^4*tan(d*x + c)^3 + 6*A*a^4*log(tan(d*x + c)) + 3*(4*B*a*b^3 + A*b^4)*tan(d*x + c)^2 + 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*(d*x + c) - 3*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1) + 6*(6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*tan(d*x + c))/d

Fricas [A] time = 2.36052, size = 423, normalized size = 2.46

$$2 B b^4 \tan(dx + c)^3 + 3 A a^4 \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) + 6 (B a^4 + 4 A a^3 b - 6 B a^2 b^2 - 4 A a b^3 + B b^4) dx + 3 (4 B a b^3 + A b^4) \tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(2*B*b^4*tan(d*x + c)^3 + 3*A*a^4*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1)) + 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*d*x + 3*(4*B*a*b^3 + A*b^4)*tan(d*x + c)^2 - 3*(4*B*a^3*b + 6*A*a^2*b^2 - 4*B*a*b^3 - A*b^4)*log(1/(tan(d*x + c)^2 + 1)) + 6*(6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*tan(d*x + c))/d

Sympy [A] time = 4.89496, size = 291, normalized size = 1.69

$$\left\{ \begin{array}{l} -\frac{A a^4 \log(\tan^2(c+dx)+1)}{2d} + \frac{A a^4 \log(\tan(c+dx))}{d} + 4 A a^3 b x + \frac{3 A a^2 b^2 \log(\tan^2(c+dx)+1)}{d} - 4 A a b^3 x + \frac{4 A a b^3 \tan(c+dx)}{d} - \frac{A b^4 \log(\tan^2(c+dx)+1)}{2d} \\ x (A + B \tan(c)) (a + b \tan(c))^4 \cot(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Piecewise((-A*a**4*log(tan(c + d*x)**2 + 1)/(2*d) + A*a**4*log(tan(c + d*x)))/d + 4*A*a**3*b*x + 3*A*a**2*b**2*log(tan(c + d*x)**2 + 1)/d - 4*A*a*b**3*

```
x + 4*A*a*b**3*tan(c + d*x)/d - A*b**4*log(tan(c + d*x)**2 + 1)/(2*d) + A*b
**4*tan(c + d*x)**2/(2*d) + B*a**4*x + 2*B*a**3*b*log(tan(c + d*x)**2 + 1)/
d - 6*B*a**2*b**2*x + 6*B*a**2*b**2*tan(c + d*x)/d - 2*B*a*b**3*log(tan(c +
d*x)**2 + 1)/d + 2*B*a*b**3*tan(c + d*x)**2/d + B*b**4*x + B*b**4*tan(c +
d*x)**3/(3*d) - B*b**4*tan(c + d*x)/d, Ne(d, 0)), (x*(A + B*tan(c))*(a + b*
tan(c))**4*cot(c), True))
```

Giac [A] time = 2.6021, size = 258, normalized size = 1.5

$$2Bb^4 \tan(dx + c)^3 + 12Bab^3 \tan(dx + c)^2 + 3Ab^4 \tan(dx + c)^2 + 6Aa^4 \log(|\tan(dx + c)|) + 36Ba^2b^2 \tan(dx + c) + 2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac
")
```

```
[Out] 1/6*(2*B*b^4*tan(d*x + c)^3 + 12*B*a*b^3*tan(d*x + c)^2 + 3*A*b^4*tan(d*x +
c)^2 + 6*A*a^4*log(abs(tan(d*x + c))) + 36*B*a^2*b^2*tan(d*x + c) + 24*A*a
*b^3*tan(d*x + c) - 6*B*b^4*tan(d*x + c) + 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b
^2 - 4*A*a*b^3 + B*b^4)*(d*x + c) - 3*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*
B*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1))/d
```

3.261 $\int \cot^2(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=175

$$\frac{b^2(a^2A + 3abB + Ab^2)\tan(c + dx)}{d} - \frac{b^2(6a^2B + 4aAb - b^2B)\log(\cos(c + dx))}{d} - x(-6a^2Ab^2 + a^4A - 4a^3bB + 4ab^3)$$

[Out] $-\left((a^4A - 6a^2Ab^2 + A^2b^4 - 4a^3b^2B + 4a^2b^3B)x - (b^2(4a^2Ab + 6a^2B - b^2B)\log(\cos(c + dx)))/d + (a^3(4Ab + aB)\log(\sin(c + dx)))/d + (b^2(a^2A + Ab^2 + 3abB)\tan(c + dx))/d + (b(2a^2A + bB)(a + b\tan(c + dx))^2)/(2d) - (a^2A\cot(c + dx)(a + b\tan(c + dx))^3)/d\right)$

Rubi [A] time = 0.482152, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3605, 3647, 3637, 3624, 3475}

$$\frac{b^2(a^2A + 3abB + Ab^2)\tan(c + dx)}{d} - \frac{b^2(6a^2B + 4aAb - b^2B)\log(\cos(c + dx))}{d} - x(-6a^2Ab^2 + a^4A - 4a^3bB + 4ab^3)$$

Antiderivative was successfully verified.

[In] $\text{Int}[\cot(c + dx)^2(a + b\tan(c + dx))^4(A + B\tan(c + dx)), x]$

[Out] $-\left((a^4A - 6a^2Ab^2 + A^2b^4 - 4a^3b^2B + 4a^2b^3B)x - (b^2(4a^2Ab + 6a^2B - b^2B)\log(\cos(c + dx)))/d + (a^3(4Ab + aB)\log(\sin(c + dx)))/d + (b^2(a^2A + Ab^2 + 3abB)\tan(c + dx))/d + (b(2a^2A + bB)(a + b\tan(c + dx))^2)/(2d) - (a^2A\cot(c + dx)(a + b\tan(c + dx))^3)/d\right)$

Rule 3605

$\text{Int}[(a + b\tan(e + f*x))^m((c + d\tan(e + f*x))^n), x_Symbol] := \text{Simp}[(b*c - a*d)*(B*c - A*d)*(a + b\tan[e + f*x])^{m-1}(c + d\tan[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(d*(n+1)*(c^2 + d^2)), \text{Int}[(a + b\tan[e + f*x])^{m-2}(c + d\tan[e + f*x])^{n+1}*\text{Simp}[a*A*d*(b*d*(m-1) - a*c*(n+1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m-1) + a*d*(n+1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n+1)*\tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m+n) - b*B*(c^2*(m-1) - d^2*(n+1)))*\tan[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2*m, 2*n])$

Rule 3647

$\text{Int}[(a + b\tan(e + f*x))^m((c + d\tan(e + f*x))^n), x_Symbol] := \text{Simp}[(C*(a + b\tan[e + f*x])^m*(c + d\tan[e + f*x])^{n+1}]/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b\tan[e + f*x])^{m-1}(c + d\tan[e + f*x])^n*\text{Simp}[a*A*d*(m+n+1) - C*(b*c*m + a*d*(n+1)) + d*(A*b + a*B - b*C)*(m+n+1)*\tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m+n+1))*\tan[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 0] \&\& (!\text{IGtQ}[n, 0] \&\& (!\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3637

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*
(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_) + (C_)*tan[(e_) + (f
_)*(x_)])^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp
[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d
*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] &&
!LtQ[n, -1]
```

Rule 3624

```
Int[((A_) + (B_)*tan[(e_) + (f_)*(x_) + (C_)*tan[(e_) + (f_)*(x_)])^2
)/tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[B*x, x] + (Dist[A, Int[1/Tan[e
+ f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C
}, x] && NeQ[A, C]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)(a + b \tan(c + dx))^3}{d} + \int \cot(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= \frac{b(2aA + bB)(a + b \tan(c + dx))^2}{2d} - \frac{aA \cot(c + dx)(a + b \tan(c + dx))^3}{d} \\ &= \frac{b^2(a^2A + Ab^2 + 3abB) \tan(c + dx)}{d} + \frac{b(2aA + bB)(a + b \tan(c + dx))^2}{2d} \\ &= -(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x + \frac{b^2(a^2A + Ab^2 + 3abB) \tan(c + dx)}{d} \\ &= -(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - \frac{b^2(4aAb + 6Ab^2)}{2d} \end{aligned}$$

Mathematica [C] time = 1.01646, size = 134, normalized size = 0.77

$$\frac{2a^3(aB + 4Ab) \log(\tan(c + dx)) - 2a^4A \cot(c + dx) + 2b^3(4aB + Ab) \tan(c + dx) + i(a + ib)^4(A + iB) \log(-\tan(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (-2*a^4*A*Cot[c + d*x] + I*(a + I*b)^4*(A + I*B)*Log[I - Tan[c + d*x]] + 2*a^3*(4*A*b + a*B)*Log[Tan[c + d*x]] - (a - I*b)^4*(I*A + B)*Log[I + Tan[c + d*x]] + 2*b^3*(A*b + 4*a*B)*Tan[c + d*x] + b^4*B*Tan[c + d*x]^2)/(2*d)

Maple [A] time = 0.081, size = 242, normalized size = 1.4

$$-Ab^4x + \frac{Ab^4 \tan(dx + c)}{d} - \frac{Ab^4c}{d} + \frac{B(\tan(dx + c))^2 b^4}{2d} + \frac{Bb^4 \ln(\cos(dx + c))}{d} - 4 \frac{Aab^3 \ln(\cos(dx + c))}{d} - 4Bab^3x +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] $-A*b^4*x+1/d*A*b^4*tan(d*x+c)-1/d*A*b^4*c+1/2/d*B*tan(d*x+c)^2*b^4+b^4*B*\ln(\cos(d*x+c))/d-4/d*A*a*b^3*\ln(\cos(d*x+c))-4*B*a*b^3*x+4/d*B*a*b^3*tan(d*x+c)-4/d*B*a*b^3*c+6*A*a^2*b^2*x+6/d*A*a^2*b^2*c-6/d*B*a^2*b^2*\ln(\cos(d*x+c))+4/d*A*a^3*b*\ln(\sin(d*x+c))+4*B*a^3*b*x+4/d*B*a^3*b*c-A*a^4*x-1/d*A*cot(d*x+c)*a^4-1/d*A*a^4*c+1/d*B*a^4*\ln(\sin(d*x+c))$

Maxima [A] time = 1.47129, size = 221, normalized size = 1.26

$$\frac{Bb^4 \tan(dx+c)^2 - \frac{2Aa^4}{\tan(dx+c)} - 2(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4)(dx+c) - (Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 - Bb^4) \log(\tan(dx+c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $1/2*(B*b^4*tan(d*x+c)^2 - 2*A*a^4/tan(d*x+c) - 2*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(d*x+c) - (B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\log(\tan(d*x+c)^2 + 1) + 2*(B*a^4 + 4*A*a^3*b)*\log(\tan(d*x+c)) + 2*(4*B*a*b^3 + A*b^4)*\tan(d*x+c))/d$

Fricas [A] time = 2.21388, size = 448, normalized size = 2.56

$$\frac{Bb^4 \tan(dx+c)^3 - 2Aa^4 + (Ba^4 + 4Aa^3b) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c) - (6Ba^2b^2 + 4Aab^3 - Bb^4) \log\left(\frac{1}{\tan(dx+c)^2+1}\right)}{2d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $1/2*(B*b^4*tan(d*x+c)^3 - 2*A*a^4 + (B*a^4 + 4*A*a^3*b)*\log(\tan(d*x+c)^2/(tan(d*x+c)^2+1))*tan(d*x+c) - (6*B*a^2*b^2 + 4*A*a*b^3 - B*b^4)*\log(1/(tan(d*x+c)^2+1))*tan(d*x+c) + 2*(4*B*a*b^3 + A*b^4)*\tan(d*x+c)^2 + (B*b^4 - 2*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*d*x)*\tan(d*x+c))/(d*\tan(d*x+c))$

Sympy [A] time = 8.1065, size = 289, normalized size = 1.65

$$\begin{cases} \infty Aa^4 x \\ x(A+B \tan(c))(a+b \tan(c))^4 \cot^2(c) \\ -Aa^4 x - \frac{Aa^4}{d \tan(c+dx)} - \frac{2Aa^3 b \log(\tan^2(c+dx)+1)}{d} + \frac{4Aa^3 b \log(\tan(c+dx))}{d} + 6Aa^2 b^2 x + \frac{2Aab^3 \log(\tan^2(c+dx)+1)}{d} - Ab^4 x + \frac{Ab^4 \tan(c)}{d} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

```
[Out] Piecewise((zoo*A*a**4*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x)
)), (x*(A + B*tan(c))*(a + b*tan(c))**4*cot(c)**2, Eq(d, 0)), (-A*a**4*x -
A*a**4/(d*tan(c + d*x)) - 2*A*a**3*b*log(tan(c + d*x)**2 + 1)/d + 4*A*a**3*
b*log(tan(c + d*x))/d + 6*A*a**2*b**2*x + 2*A*a*b**3*log(tan(c + d*x)**2 +
1)/d - A*b**4*x + A*b**4*tan(c + d*x)/d - B*a**4*log(tan(c + d*x)**2 + 1)/(
2*d) + B*a**4*log(tan(c + d*x))/d + 4*B*a**3*b*x + 3*B*a**2*b**2*log(tan(c
+ d*x)**2 + 1)/d - 4*B*a*b**3*x + 4*B*a*b**3*tan(c + d*x)/d - B*b**4*log(ta
n(c + d*x)**2 + 1)/(2*d) + B*b**4*tan(c + d*x)**2/(2*d), True))
```

Giac [A] time = 2.69749, size = 263, normalized size = 1.5

$$Bb^4 \tan(dx + c)^2 + 8 Bab^3 \tan(dx + c) + 2 Ab^4 \tan(dx + c) - 2(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4)(dx + c) - (Ba$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] 1/2*(B*b^4*tan(d*x + c)^2 + 8*B*a*b^3*tan(d*x + c) + 2*A*b^4*tan(d*x + c) -
2*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(d*x + c) - (B*a^4
+ 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*log(tan(d*x + c)^2 + 1) + 2
*(B*a^4 + 4*A*a^3*b)*log(abs(tan(d*x + c))) - 2*(B*a^4*tan(d*x + c) + 4*A*a
^3*b*tan(d*x + c) + A*a^4)/tan(d*x + c))/d
```

$$3.262 \quad \int \cot^3(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=186

$$\frac{b^2(a^2B + 3aAb + b^2B)\tan(c + dx)}{d} - \frac{a^2(a^2A - 4abB - 6Ab^2)\log(\sin(c + dx))}{d} - x(4a^3Ab - 6a^2b^2B + a^4B - 4aAb^3)$$

```
[Out] -((4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*x) - (b^3*(A*b + 4*a*B)*Log[Cos[c + d*x]])/d - (a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*Log[Sin[c + d*x]])/d + (b^2*(3*a*A*b + a^2*B + b^2*B)*Tan[c + d*x])/d - (a*(5*A*b + 2*a*B)*Cot[c + d*x]*(a + b*Tan[c + d*x])^2)/(2*d) - (a*A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^3)/(2*d)
```

Rubi [A] time = 0.505494, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3605, 3645, 3637, 3624, 3475}

$$\frac{b^2(a^2B + 3aAb + b^2B)\tan(c + dx)}{d} - \frac{a^2(a^2A - 4abB - 6Ab^2)\log(\sin(c + dx))}{d} - x(4a^3Ab - 6a^2b^2B + a^4B - 4aAb^3)$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*x) - (b^3*(A*b + 4*a*B)*Log[Cos[c + d*x]])/d - (a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*Log[Sin[c + d*x]])/d + (b^2*(3*a*A*b + a^2*B + b^2*B)*Tan[c + d*x])/d - (a*(5*A*b + 2*a*B)*Cot[c + d*x]*(a + b*Tan[c + d*x])^2)/(2*d) - (a*A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^3)/(2*d)
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
```

$a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3637

$\text{Int}[(a_ + (b_ \cdot \tan[e_ + (f_ \cdot x_)]) \cdot (c_ + (d_ \cdot \tan[e_ + (f_ \cdot x_)] \cdot (x_)))^{(n_)} \cdot ((A_ + (B_ \cdot \tan[e_ + (f_ \cdot x_)] + (C_ \cdot \tan[e_ + (f_ \cdot x_)] \cdot (x_)))^2), x_Symbol] \rightarrow \text{Simp}[(b \cdot C \cdot \tan[e + f \cdot x] \cdot (c + d \cdot \tan[e + f \cdot x])^{(n + 1)}) / (d \cdot f \cdot (n + 2)), x] - \text{Dist}[1 / (d \cdot (n + 2)), \text{Int}[(c + d \cdot \tan[e + f \cdot x])^n \cdot \text{Simp}[b \cdot c \cdot C - a \cdot A \cdot d \cdot (n + 2) - (A \cdot b + a \cdot B - b \cdot C) \cdot d \cdot (n + 2) \cdot \tan[e + f \cdot x] - (a \cdot C \cdot d \cdot (n + 2) - b \cdot (c \cdot C - B \cdot d \cdot (n + 2))) \cdot \tan[e + f \cdot x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0] \ \&\& \ !\text{LtQ}[n, -1]$

Rule 3624

$\text{Int}[(A_ + (B_ \cdot \tan[e_ + (f_ \cdot x_)] + (C_ \cdot \tan[e_ + (f_ \cdot x_)] \cdot (x_))) / \tan[e_ + (f_ \cdot x_)] \cdot (x_)], x_Symbol] \rightarrow \text{Simp}[B \cdot x, x] + (\text{Dist}[A, \text{Int}[1 / \tan[e + f \cdot x], x], x] + \text{Dist}[C, \text{Int}[\tan[e + f \cdot x], x], x]) /; \text{FreeQ}\{e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[A, C]$

Rule 3475

$\text{Int}[\tan[(c_ + (d_ \cdot x_)]), x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d \cdot x], x]] / d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \cot^3(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)(a + b \tan(c + dx))^3}{2d} + \frac{1}{2} \int \cot^2(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= -\frac{a(5Ab + 2aB) \cot(c + dx)(a + b \tan(c + dx))^2}{2d} - \frac{aA \cot^2(c + dx)(a + b \tan(c + dx))^3}{2d} \\ &= \frac{b^2(3aAb + a^2B + b^2B) \tan(c + dx)}{d} - \frac{a(5Ab + 2aB) \cot(c + dx)(a + b \tan(c + dx))^2}{2d} \\ &= -\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)x + \frac{b^2(3aAb + a^2B + b^2B)}{d} \\ &= -\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)x - \frac{b^3(Ab + 4aB)}{d} \end{aligned}$$

Mathematica [C] time = 0.673258, size = 140, normalized size = 0.75

$$\frac{-2a^2(a^2A - 4abB - 6Ab^2) \log(\tan(c + dx)) - 2a^3(aB + 4Ab) \cot(c + dx) + a^4(-A) \cot^2(c + dx) + (a + ib)^4(A + iB) \log(\tan(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (-2*a^3*(4*A*b + a*B)*Cot[c + d*x] - a^4*A*Cot[c + d*x]^2 + (a + I*b)^4*(A + I*B)*Log[I - Tan[c + d*x]] - 2*a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*Log[Tan[c + d*x]] + (a - I*b)^4*(A - I*B)*Log[I + Tan[c + d*x]] + 2*b^4*B*Tan[c + d*x])/ (2*d)

Maple [A] time = 0.094, size = 244, normalized size = 1.3

$$-\frac{Ab^4 \ln(\cos(dx+c))}{d} - Bb^4x + \frac{Bb^4 \tan(dx+c)}{d} - \frac{Bb^4c}{d} + 4Aab^3x + 4\frac{Aab^3c}{d} - 4\frac{Bab^3 \ln(\cos(dx+c))}{d} + 6\frac{Aa^2b^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)
```

```
[Out] -1/d*A*b^4*ln(cos(d*x+c))-B*b^4*x+1/d*B*b^4*tan(d*x+c)-1/d*B*b^4*c+4*A*a*b^3*x+4/d*A*a*b^3*c-4/d*B*a*b^3*ln(cos(d*x+c))+6/d*A*a^2*b^2*ln(sin(d*x+c))+6*B*a^2*b^2*x+6/d*B*a^2*b^2*c-4*A*x*a^3*b-4/d*A*cot(d*x+c)*a^3*b-4/d*A*a^3*b*c+4/d*B*a^3*b*ln(sin(d*x+c))-1/2/d*A*a^4*cot(d*x+c)^2-a^4*A*ln(sin(d*x+c))/d-B*a^4*x-1/d*B*cot(d*x+c)*a^4-1/d*B*a^4*c
```

Maxima [A] time = 1.46268, size = 234, normalized size = 1.26

$$\frac{2Bb^4 \tan(dx+c) - 2(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4)(dx+c) + (Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4) \log(\tan(dx+c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/2*(2*B*b^4*tan(d*x+c) - 2*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*(d*x+c) + (A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(tan(d*x+c)^2 + 1) - 2*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*log(tan(d*x+c)) - (A*a^4 + 2*(B*a^4 + 4*A*a^3*b)*tan(d*x+c))/tan(d*x+c)^2)/d
```

Fricas [A] time = 2.14768, size = 456, normalized size = 2.45

$$\frac{2Bb^4 \tan(dx+c)^3 - Aa^4 - (Aa^4 - 4Ba^3b - 6Aa^2b^2) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^2 - (4Bab^3 + Ab^4) \log\left(\frac{1}{\tan(dx+c)^2}\right)}{2d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(2*B*b^4*tan(d*x+c)^3 - A*a^4 - (A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*log(tan(d*x+c)^2/(tan(d*x+c)^2 + 1))*tan(d*x+c)^2 - (4*B*a*b^3 + A*b^4)*log(1/(tan(d*x+c)^2 + 1))*tan(d*x+c)^2 - (A*a^4 + 2*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*d*x)*tan(d*x+c)^2 - 2*(B*a^4 + 4*A*a^3*b)*tan(d*x+c))/(d*tan(d*x+c)^2)
```

Sympy [A] time = 14.3322, size = 309, normalized size = 1.66

$$\left\{ \begin{array}{l} \infty Aa^4x \\ x(A+B \tan(c))(a+b \tan(c))^4 \cot^3(c) \\ \frac{Aa^4 \log(\tan^2(c+dx)+1)}{2d} - \frac{Aa^4 \log(\tan(c+dx))}{d} - \frac{Aa^4}{2d \tan^2(c+dx)} - 4Aa^3bx - \frac{4Aa^3b}{d \tan(c+dx)} - \frac{3Aa^2b^2 \log(\tan^2(c+dx)+1)}{d} + \frac{6Aa^2b^2 \log(\tan(c+dx))}{d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)
```

```
[Out] Piecewise((zoo*A**4*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x)
)), (x*(A + B*tan(c))*(a + b*tan(c))**4*cot(c)**3, Eq(d, 0)), (A**4*log(t
an(c + d*x)**2 + 1)/(2*d) - A**4*log(tan(c + d*x))/d - A**4/(2*d*tan(c
+ d*x)**2) - 4*A**3*b*x - 4*A**3*b/(d*tan(c + d*x)) - 3*A**2*b**2*log
(tan(c + d*x)**2 + 1)/d + 6*A**2*b**2*log(tan(c + d*x))/d + 4*A*b**3*x
+ A*b**4*log(tan(c + d*x)**2 + 1)/(2*d) - B**4*x - B**4/(d*tan(c + d*x)
) - 2*B**3*b*log(tan(c + d*x)**2 + 1)/d + 4*B**3*b*log(tan(c + d*x))/d
+ 6*B**2*b**2*x + 2*B*a*b**3*log(tan(c + d*x)**2 + 1)/d - B*b**4*x + B*b
**4*tan(c + d*x)/d, True))
```

Giac [A] time = 2.79531, size = 302, normalized size = 1.62

$$2Bb^4 \tan(dx + c) - 2(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4)(dx + c) + (Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4) \log$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] 1/2*(2*B*b^4*tan(d*x + c) - 2*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3
+ B*b^4)*(d*x + c) + (A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*
log(tan(d*x + c)^2 + 1) - 2*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*log(abs(tan(d
*x + c))) + (3*A*a^4*tan(d*x + c)^2 - 12*B*a^3*b*tan(d*x + c)^2 - 18*A*a^2*
b^2*tan(d*x + c)^2 - 2*B*a^4*tan(d*x + c) - 8*A*a^3*b*tan(d*x + c) - A*a^4)
/tan(d*x + c)^2)/d
```

3.263 $\int \cot^4(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=187

$$\frac{a^2(a^2A - 3abB - 3Ab^2) \cot(c + dx)}{d} - \frac{a(4a^2Ab + a^3B - 6ab^2B - 4Ab^3) \log(\sin(c + dx))}{d} + x(-6a^2Ab^2 + a^4A - 4a^3B)$$

[Out] (a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*x + (a^2*(a^2*A - 3*A*b^2 - 3*a*b*B)*Cot[c + d*x])/d - (b^4*B*Log[Cos[c + d*x]])/d - (a*(4*a^2*A*b - 4*A*b^3 + a^3*B - 6*a*b^2*B)*Log[Sin[c + d*x]])/d - (a*(2*A*b + a*B)*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^2)/(2*d) - (a*A*Cot[c + d*x]^3*(a + b*Tan[c + d*x])^3)/(3*d)

Rubi [A] time = 0.530705, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3605, 3645, 3635, 3624, 3475}

$$\frac{a^2(a^2A - 3abB - 3Ab^2) \cot(c + dx)}{d} - \frac{a(4a^2Ab + a^3B - 6ab^2B - 4Ab^3) \log(\sin(c + dx))}{d} + x(-6a^2Ab^2 + a^4A - 4a^3B)$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]

[Out] (a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*x + (a^2*(a^2*A - 3*A*b^2 - 3*a*b*B)*Cot[c + d*x])/d - (b^4*B*Log[Cos[c + d*x]])/d - (a*(4*a^2*A*b - 4*A*b^3 + a^3*B - 6*a*b^2*B)*Log[Sin[c + d*x]])/d - (a*(2*A*b + a*B)*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^2)/(2*d) - (a*A*Cot[c + d*x]^3*(a + b*Tan[c + d*x])^3)/(3*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[

$a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3635

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_) + (C_.)*tan[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]
```

Rule 3624

```
Int[((A_) + (B_.)*tan[(e_.) + (f_.)*(x_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2
)/tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[B*x, x] + (Dist[A, Int[1/Tan[e
+ f*x], x], x] + Dist[C, Int[Tan[e + f*x], x], x]) /; FreeQ[{e, f, A, B, C
}, x] && NeQ[A, C]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^4(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^3(c + dx)(a + b \tan(c + dx))^3}{3d} + \frac{1}{3} \int \cot^3(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= -\frac{a(2Ab + aB) \cot^2(c + dx)(a + b \tan(c + dx))^2}{2d} - \frac{aA \cot^3(c + dx)(a + b \tan(c + dx))^3}{3d} \\ &= \frac{a^2(a^2A - 3Ab^2 - 3abB) \cot(c + dx)}{d} - \frac{a(2Ab + aB) \cot^2(c + dx)(a + b \tan(c + dx))^2}{2d} \\ &= (a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x + \frac{a^2(a^2A - 3Ab^2 - 3abB) \cot(c + dx)}{d} \\ &= (a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x + \frac{a^2(a^2A - 3Ab^2 - 3abB) \cot(c + dx)}{d} \end{aligned}$$

Mathematica [C] time = 1.09511, size = 167, normalized size = 0.89

$$\frac{6a^2(a^2A - 4abB - 6Ab^2) \cot(c + dx) - 6a(4a^2Ab + a^3B - 6ab^2B - 4Ab^3) \log(\tan(c + dx)) - 3a^3(aB + 4Ab) \cot^2(c + dx)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]
```

```
[Out] (6*a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*Cot[c + d*x] - 3*a^3*(4*A*b + a*B)*Cot[c
+ d*x]^2 - 2*a^4*A*Cot[c + d*x]^3 + 3*(a + I*b)^4*((-I)*A + B)*Log[I - Tan
[c + d*x]] - 6*a*(4*a^2*A*b - 4*A*b^3 + a^3*B - 6*a*b^2*B)*Log[Tan[c + d*x]
] + 3*(a - I*b)^4*(I*A + B)*Log[I + Tan[c + d*x]])/(6*d)
```


Maple [A] time = 0.089, size = 278, normalized size = 1.5

$$Ab^4x + \frac{Ab^4c}{d} - \frac{Bb^4 \ln(\cos(dx+c))}{d} + 4 \frac{Aab^3 \ln(\sin(dx+c))}{d} + 4Bab^3x + 4 \frac{Bab^3c}{d} - 6Aa^2b^2x - 6 \frac{A \cot(dx+c) a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^4*(a+b*tan(dx+c))^4*(A+B*tan(dx+c)), x)

[Out] A*b^4*x+1/d*A*b^4*c-b^4*B*ln(cos(dx+c))/d+4/d*A*a*b^3*ln(sin(dx+c))+4*B*a*b^3*x+4/d*B*a*b^3*c-6*A*a^2*b^2*x-6/d*A*cot(dx+c)*a^2*b^2-6/d*A*a^2*b^2*c+6/d*B*a^2*b^2*ln(sin(dx+c))-2/d*A*a^3*b*cot(dx+c)^2-4/d*A*a^3*b*ln(sin(dx+c))-4*B*a^3*b*x-4/d*B*cot(dx+c)*a^3*b-4/d*B*a^3*b*c-1/3/d*A*a^4*cot(dx+c)^3+1/d*A*cot(dx+c)*a^4+A*a^4*x+1/d*A*a^4*c-1/2/d*B*a^4*cot(dx+c)^2-1/d*B*a^4*ln(sin(dx+c))

Maxima [A] time = 1.49889, size = 273, normalized size = 1.46

$$6(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4)(dx+c) + 3(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4) \log(\tan(dx+c)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(a+b*tan(dx+c))^4*(A+B*tan(dx+c)), x, algorithm="maxima")

[Out] 1/6*(6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(dx+c) + 3*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*log(tan(dx+c)^2 + 1) - 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*log(tan(dx+c)) - (2*A*a^4 - 6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*tan(dx+c)^2 + 3*(B*a^4 + 4*A*a^3*b)*tan(dx+c))/tan(dx+c)^3)/d

Fricas [A] time = 2.28901, size = 520, normalized size = 2.78

$$3Bb^4 \log\left(\frac{1}{\tan(dx+c)^2+1}\right) \tan(dx+c)^3 + 2Aa^4 + 3(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(a+b*tan(dx+c))^4*(A+B*tan(dx+c)), x, algorithm="fricas")

[Out] -1/6*(3*B*b^4*log(1/(tan(dx+c)^2 + 1))*tan(dx+c)^3 + 2*A*a^4 + 3*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*log(tan(dx+c)^2/(tan(dx+c)^2 + 1))*tan(dx+c)^3 + 3*(B*a^4 + 4*A*a^3*b - 2*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*dx)*tan(dx+c)^3 - 6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*tan(dx+c)^2 + 3*(B*a^4 + 4*A*a^3*b)*tan(dx+c))/(d*tan(dx+c)^3)

Sympy [A] time = 41.3728, size = 369, normalized size = 1.97

$$\left\{ \begin{array}{l} \infty Aa^4 x \\ x(A + B \tan(c))(a + b \tan(c))^4 \cot^4(c) \\ Aa^4 x + \frac{Aa^4}{d \tan(c+dx)} - \frac{Aa^4}{3d \tan^3(c+dx)} + \frac{2Aa^3 b \log(\tan^2(c+dx)+1)}{d} - \frac{4Aa^3 b \log(\tan(c+dx))}{d} - \frac{2Aa^3 b}{d \tan^2(c+dx)} - 6Aa^2 b^2 x - \frac{6Aa^2 b^2}{d \tan(c+dx)} - \frac{2Aa^2 b^2}{d \tan^3(c+dx)} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Piecewise((zoo*A*a**4*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(A + B*tan(c))*(a + b*tan(c))**4*cot(c)**4, Eq(d, 0)), (A*a**4*x + A*a**4/(d*tan(c + d*x)) - A*a**4/(3*d*tan(c + d*x)**3) + 2*A*a**3*b*log(tan(c + d*x)**2 + 1)/d - 4*A*a**3*b*log(tan(c + d*x))/d - 2*A*a**3*b/(d*tan(c + d*x)**2) - 6*A*a**2*b**2*x - 6*A*a**2*b**2/(d*tan(c + d*x)) - 2*A*a*b**3*log(tan(c + d*x)**2 + 1)/d + 4*A*a*b**3*log(tan(c + d*x))/d + A*b**4*x + B*a**4*log(tan(c + d*x)**2 + 1)/(2*d) - B*a**4*log(tan(c + d*x))/d - B*a**4/(2*d*tan(c + d*x)**2) - 4*B*a**3*b*x - 4*B*a**3*b/(d*tan(c + d*x)) - 3*B*a**2*b**2*log(tan(c + d*x)**2 + 1)/d + 6*B*a**2*b**2*log(tan(c + d*x))/d + 4*B*a*b**3*x + B*b**4*log(tan(c + d*x)**2 + 1)/(2*d), True))

Giac [A] time = 2.80737, size = 379, normalized size = 2.03

$$6(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4)(dx + c) + 3(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4) \log(\tan(dx + c)^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] 1/6*(6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(d*x + c) + 3*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*log(tan(d*x + c)^2 + 1) - 6*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*log(abs(tan(d*x + c)))) + (11*B*a^4*tan(d*x + c)^3 + 44*A*a^3*b*tan(d*x + c)^3 - 66*B*a^2*b^2*tan(d*x + c)^3 - 44*A*a*b^3*tan(d*x + c)^3 + 6*A*a^4*tan(d*x + c)^2 - 24*B*a^3*b*tan(d*x + c)^2 - 36*A*a^2*b^2*tan(d*x + c)^2 - 3*B*a^4*tan(d*x + c) - 12*A*a^3*b*tan(d*x + c) - 2*A*a^4)/tan(d*x + c)^3/d

$$3.264 \quad \int \cot^5(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=225

$$\frac{a^2(6a^2A - 16abB - 13Ab^2) \cot^2(c + dx)}{12d} + \frac{a(24a^2Ab + 6a^3B - 34ab^2B - 19Ab^3) \cot(c + dx)}{6d} + \frac{(-6a^2Ab^2 + a^4A - 4a^3bB + 4a^2b^2B - 4ab^3B) \cot^3(c + dx)}{4d}$$

[Out] (4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*x + (a*(24*a^2*A*b - 19*A*b^3 + 6*a^3*B - 34*a*b^2*B)*Cot[c + d*x])/(6*d) + (a^2*(6*a^2*A - 13*A*b^2 - 16*a*b*B)*Cot[c + d*x]^2)/(12*d) + ((a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*Log[Sin[c + d*x]])/d - (a*(7*A*b + 4*a*B)*Cot[c + d*x]^3*(a + b*Tan[c + d*x]^2)/(12*d) - (a*A*Cot[c + d*x]^4*(a + b*Tan[c + d*x]^3)/(4*d)

Rubi [A] time = 0.644813, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3605, 3645, 3635, 3628, 3531, 3475}

$$\frac{a^2(6a^2A - 16abB - 13Ab^2) \cot^2(c + dx)}{12d} + \frac{a(24a^2Ab + 6a^3B - 34ab^2B - 19Ab^3) \cot(c + dx)}{6d} + \frac{(-6a^2Ab^2 + a^4A - 4a^3bB + 4a^2b^2B - 4ab^3B) \cot^3(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*x + (a*(24*a^2*A*b - 19*A*b^3 + 6*a^3*B - 34*a*b^2*B)*Cot[c + d*x])/(6*d) + (a^2*(6*a^2*A - 13*A*b^2 - 16*a*b*B)*Cot[c + d*x]^2)/(12*d) + ((a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*Log[Sin[c + d*x]])/d - (a*(7*A*b + 4*a*B)*Cot[c + d*x]^3*(a + b*Tan[c + d*x]^2)/(12*d) - (a*A*Cot[c + d*x]^4*(a + b*Tan[c + d*x]^3)/(4*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(p_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*

```
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3635

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)(a + b \tan(c + dx))^3}{4d} + \frac{1}{4} \int \cot^4(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx \\ &= -\frac{a(7Ab + 4aB) \cot^3(c + dx)(a + b \tan(c + dx))^2}{12d} - \frac{aA \cot^4(c + dx)(a + b \tan(c + dx))^3}{4d} \\ &= \frac{a^2(6a^2A - 13Ab^2 - 16abB) \cot^2(c + dx)}{12d} - \frac{a(7Ab + 4aB) \cot^3(c + dx)(a + b \tan(c + dx))^2}{12d} \\ &= \frac{a(24a^2Ab - 19Ab^3 + 6a^3B - 34ab^2B) \cot(c + dx)}{6d} + \frac{a^2(6a^2A - 13Ab^2 - 16abB) \cot^2(c + dx)}{12d} \\ &= (4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B)x + \frac{a(24a^2Ab - 19Ab^3 + 6a^3B - 34ab^2B) \cot(c + dx)}{6d} \\ &= (4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B)x + \frac{a(24a^2Ab - 19Ab^3 + 6a^3B - 34ab^2B) \cot(c + dx)}{6d} \end{aligned}$$

Mathematica [C] time = 0.919856, size = 211, normalized size = 0.94

$$6a^2(a^2A - 4abB - 6Ab^2) \cot^2(c + dx) + 12a(4a^2Ab + a^3B - 6ab^2B - 4Ab^3) \cot(c + dx) + 12(-6a^2Ab^2 + a^4A - 4a^3bB)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]

[Out] (12*a*(4*a^2*A*b - 4*A*b^3 + a^3*B - 6*a*b^2*B)*Cot[c + d*x] + 6*a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*Cot[c + d*x]^2 - 4*a^3*(4*A*b + a*B)*Cot[c + d*x]^3 - 3*a^4*A*Cot[c + d*x]^4 - 6*(a + I*b)^4*(A + I*B)*Log[I - Tan[c + d*x]] + 12*(a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*Log[Tan[c + d*x]] - 6*(a - I*b)^4*(A - I*B)*Log[I + Tan[c + d*x]])/(12*d)

Maple [A] time = 0.094, size = 347, normalized size = 1.5

$$-4 Aab^3x - 6 Ba^2b^2x + 4 Axa^3b - 4 \frac{Aab^3c}{d} + \frac{Ab^4 \ln(\sin(dx + c))}{d} - \frac{Aa^4 (\cot(dx + c))^4}{4d} - \frac{Ba^4 (\cot(dx + c))^3}{3d} + Ba^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^5*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] -4*A*a*b^3*x-6*B*a^2*b^2*x+4*A*x*a^3*b-4/d*A*a*b^3*c+1/d*A*b^4*ln(sin(d*x+c))-1/4/d*A*a^4*cot(d*x+c)^4-1/3/d*B*a^4*cot(d*x+c)^3+B*a^4*x+B*b^4*x+a^4*A*ln(sin(d*x+c))/d+1/2/d*A*a^4*cot(d*x+c)^2+1/d*B*cot(d*x+c)*a^4+1/d*B*a^4*c-6/d*A*a^2*b^2*ln(sin(d*x+c))+4/d*A*cot(d*x+c)*a^3*b-4/d*B*a^3*b*ln(sin(d*x+c))+1/d*B*b^4*c-6/d*B*a^2*b^2*c+4/d*A*a^3*b*c-2/d*B*a^3*b*cot(d*x+c)^2-4/d*A*cot(d*x+c)*a*b^3+4/d*B*a*b^3*ln(sin(d*x+c))-3/d*A*a^2*b^2*cot(d*x+c)^2-6/d*B*cot(d*x+c)*a^2*b^2-4/3/d*A*a^3*b*cot(d*x+c)^3

Maxima [A] time = 1.5022, size = 332, normalized size = 1.48

$$12(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4)(dx + c) - 6(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4) \log(\tan(dx + c))^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(12*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*(d*x + c) - 6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(tan(d*x + c))^2 + 1) + 12*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)) - (3*A*a^4 - 12*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*tan(d*x + c))^3 - 6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*tan(d*x + c)^2 + 4*(B*a^4 + 4*A*a^3*b)*tan(d*x + c))/tan(d*x + c)^4/d

Fricas [A] time = 1.92654, size = 571, normalized size = 2.54

$$6(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^4 - 3Aa^4 + 3(3Aa^4 - 8Ba^3b - 12Aa^2b^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/12*(6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^4 - 3*A*a^4 + 3*(3*A*a^4 - 8*B*a^3*b - 12*A*a^2*b^2 + 4*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*d*x)*tan(d*x + c)^4 + 12*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*tan(d*x + c)^3 + 6*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*tan(d*x + c)^2 - 4*(B*a^4 + 4*A*a^3*b)*tan(d*x + c))/(d*tan(d*x + c)^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**5*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 2.90367, size = 788, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/192*(3*A*a^4*tan(1/2*d*x + 1/2*c)^4 - 8*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 3*2*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 36*A*a^4*tan(1/2*d*x + 1/2*c)^2 + 96*B*a^3*b*tan(1/2*d*x + 1/2*c)^2 + 144*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^2 + 120*B*a^4*tan(1/2*d*x + 1/2*c) + 480*A*a^3*b*tan(1/2*d*x + 1/2*c) - 576*B*a^2*b^2*tan(1/2*d*x + 1/2*c) - 384*A*a*b^3*tan(1/2*d*x + 1/2*c) - 192*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*(d*x + c) + 192*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(tan(1/2*d*x + 1/2*c)^2 + 1) - 192*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(abs(tan(1/2*d*x + 1/2*c)))) + (400*A*a^4*tan(1/2*d*x + 1/2*c)^4 - 1600*B*a^3*b*tan(1/2*d*x + 1/2*c)^4 - 2400*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^4 + 1600*B*a*b^3*tan(1/2*d*x + 1/2*c)^4 + 400*A*b^4*tan(1/2*d*x + 1/2*c)^4 - 120*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 480*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 576*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 384*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 - 36*A*a^4*tan(1/2*d*x + 1/2*c)^2 + 96*B*a^3*b*tan(1/2*d*x + 1/2*c)^2 + 144*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^2 + 8*B*a^4*tan(1/2*d*x + 1/2*c) + 32*A*a^3*b*tan(1/2*d*x + 1/2*c) + 3*A*a^4)/tan(1/2*d*x + 1/2*c)^4)/d
```

$$3.265 \quad \int \cot^6(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=273

$$\frac{a^2(10a^2A - 25abB - 18Ab^2) \cot^3(c + dx)}{30d} + \frac{a(40a^2Ab + 10a^3B - 55ab^2B - 28Ab^3) \cot^2(c + dx)}{20d} - \frac{(-6a^2Ab^2 + a^4A)}{20d}$$

[Out] $-\left((a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - ((a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B) \cot[c + dx])\right)/d + (a(40a^2Ab - 28Ab^3 + 10a^3B - 55ab^2B) \cot[c + dx]^2)/(20d) + (a^2(10a^2A - 18Ab^2 - 25abB) \cot[c + dx]^3)/(30d) + ((4a^3Ab - 4a^2Ab^3 + a^4B - 6a^2b^2B + b^4B) \log[\sin[c + dx]])/d - (a(8Ab + 5aB) \cot[c + dx]^4(a + b \tan[c + dx])^2)/(20d) - (a \cot[c + dx]^5(a + b \tan[c + dx])^3)/(5d)$

Rubi [A] time = 0.732761, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3605, 3645, 3635, 3628, 3529, 3531, 3475}

$$\frac{a^2(10a^2A - 25abB - 18Ab^2) \cot^3(c + dx)}{30d} + \frac{a(40a^2Ab + 10a^3B - 55ab^2B - 28Ab^3) \cot^2(c + dx)}{20d} - \frac{(-6a^2Ab^2 + a^4A)}{20d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + dx]^6*(a + b*Tan[c + dx])^4*(A + B*Tan[c + dx]), x]

[Out] $-\left((a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B)x - ((a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B) \cot[c + dx])\right)/d + (a(40a^2Ab - 28Ab^3 + 10a^3B - 55ab^2B) \cot[c + dx]^2)/(20d) + (a^2(10a^2A - 18Ab^2 - 25abB) \cot[c + dx]^3)/(30d) + ((4a^3Ab - 4a^2Ab^3 + a^4B - 6a^2b^2B + b^4B) \log[\sin[c + dx]])/d - (a(8Ab + 5aB) \cot[c + dx]^4(a + b \tan[c + dx])^2)/(20d) - (a \cot[c + dx]^5(a + b \tan[c + dx])^3)/(5d)$

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e

```
+ f*x]]^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3635

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cot^6(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx &= -\frac{aA \cot^5(c + dx)(a + b \tan(c + dx))^3}{5d} + \frac{1}{5} \int \cot^5(c + dx) \dots \\ &= -\frac{a(8Ab + 5aB) \cot^4(c + dx)(a + b \tan(c + dx))^2}{20d} - \frac{aA \cot^3(c + dx)}{30d} \\ &= \frac{a^2(10a^2A - 18Ab^2 - 25abB) \cot^3(c + dx)}{30d} - \frac{a(8Ab + 5aB) \cot^2(c + dx)}{20d} + \frac{a^2(40a^2Ab - 28Ab^3 + 10a^3B - 55ab^2B) \cot^2(c + dx)}{20d} \\ &= -\frac{(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B) \cot(c + dx)}{d} + \frac{a^2(10a^2A - 18Ab^2 - 25abB) \cot^3(c + dx)}{30d} \\ &= -\frac{(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B) \cot(c + dx)}{d} + \frac{a^2(10a^2A - 18Ab^2 - 25abB) \cot^3(c + dx)}{30d} \\ &= -\frac{(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B) \cot(c + dx)}{d} + \frac{a^2(10a^2A - 18Ab^2 - 25abB) \cot^3(c + dx)}{30d} \end{aligned}$$

Mathematica [C] time = 1.56371, size = 257, normalized size = 0.94

$$20a^2(a^2A - 4abB - 6Ab^2) \cot^3(c + dx) + 30a(4a^2Ab + a^3B - 6ab^2B - 4Ab^3) \cot^2(c + dx) - 60(-6a^2Ab^2 + a^4A - 4a^3bB + 4ab^3B) \cot(c + dx) - \frac{(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B) \cot(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^6*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]),x]

[Out] (-60*(a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*Cot[c + d*x] + 30*a*(4*a^2*A*b - 4*A*b^3 + a^3*B - 6*a*b^2*B)*Cot[c + d*x]^2 + 20*a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*Cot[c + d*x]^3 - 15*a^3*(4*A*b + a*B)*Cot[c + d*x]^4 - 12*a^4*A*Cot[c + d*x]^5 + (30*I)*(a + I*b)^4*(A + I*B)*Log[I - Tan[c + d*x]] + 60*(4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*Log[Tan[c + d*x]] - 30*(a - I*b)^4*(I*A + B)*Log[I + Tan[c + d*x]])/(60*d)
```

Maple [A] time = 0.098, size = 440, normalized size = 1.6

$$-\frac{A \cot(dx + c) b^4}{d} + \frac{B b^4 \ln(\sin(dx + c))}{d} - A a^4 x + 4 \frac{A a^3 b \ln(\sin(dx + c))}{d} - 4 \frac{B a b^3 c}{d} - A b^4 x + 6 \frac{A a^2 b^2 c}{d} + 4 \frac{B a^3 b c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^6*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] -1/d*A*cot(d*x+c)*b^4+1/d*B*b^4*ln(sin(d*x+c))-A*a^4*x+4/d*A*a^3*b*ln(sin(d*x+c))-4/d*B*a*b^3*c-A*b^4*x+6/d*A*a^2*b^2*c+4/d*B*a^3*b*c-4/d*A*a*b^3*ln(sin(d*x+c))-2/d*A*a*b^3*cot(d*x+c)^2-4/d*B*cot(d*x+c)*a*b^3-2/d*A*a^2*b^2*cot(d*x+c)^3-3/d*B*a^2*b^2*cot(d*x+c)^2-1/d*A*a^3*b*cot(d*x+c)^4-4/3/d*B*a^3*b*cot(d*x+c)^3-1/5/d*A*a^4*cot(d*x+c)^5-1/4/d*B*a^4*cot(d*x+c)^4-1/d*A*cot(d*x+c)*a^4+1/d*B*a^4*ln(sin(d*x+c))+1/3/d*A*a^4*cot(d*x+c)^3+1/2/d*B*a^4*cot(d*x+c)^2-1/d*A*b^4*c-4*B*a*b^3*x+6*A*a^2*b^2*x+4*B*a^3*b*x+6/d*A*cot(d*x+c)*a^2*b^2-6/d*B*a^2*b^2*ln(sin(d*x+c))+2/d*A*a^3*b*cot(d*x+c)^2+4/d*B*cot(d*x+c)*a^3*b-1/d*A*a^4*c
```

Maxima [A] time = 1.46627, size = 390, normalized size = 1.43

$$60(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4)(dx + c) + 30(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4) \log(\tan(dx + c))^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/60*(60*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(d*x + c) + 30*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\log(\tan(d*x + c)^2 + 1) - 60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\log(\tan(d*x + c)) + (12*A*a^4 + 60*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\tan(d*x + c)^4 - 30*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*\tan(d*x + c)^3 - 20*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*\tan(d*x + c)^2 + 15*(B*a^4 + 4*A*a^3*b)*\tan(d*x + c))/\tan(d*x + c)^5)/d$

Fricas [A] time = 1.83649, size = 695, normalized size = 2.55

$$30(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^5 + 15(3Ba^4 + 12Aa^3b - 12Ba^2b^2 - 8Aab^3 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $1/60*(30*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1))*\tan(d*x + c)^5 + 15*(3*B*a^4 + 12*A*a^3*b - 12*B*a^2*b^2 - 8*A*a*b^3 - 4*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*d*x)*\tan(d*x + c)^5 - 12*A*a^4 - 60*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\tan(d*x + c)^4 + 30*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*\tan(d*x + c)^3 + 20*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*\tan(d*x + c)^2 - 15*(B*a^4 + 4*A*a^3*b)*\tan(d*x + c))/(\tan(d*x + c)^5)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**6*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [B] time = 2.92577, size = 1030, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^6*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{960} (6A^4 \tan^5(\frac{1}{2}dx + \frac{1}{2}c) - 15B^4 \tan^4(\frac{1}{2}dx + \frac{1}{2}c) - 60A^3 b \tan^4(\frac{1}{2}dx + \frac{1}{2}c) - 70A^4 \tan^3(\frac{1}{2}dx + \frac{1}{2}c) + 160B^3 a \tan^3(\frac{1}{2}dx + \frac{1}{2}c) + 240A^2 b^2 \tan^3(\frac{1}{2}dx + \frac{1}{2}c) + 180B^4 a^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 720A^3 b \tan^2(\frac{1}{2}dx + \frac{1}{2}c) - 720B^2 a^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) - 480A^2 a b^3 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 660A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 2400B^3 a^3 b \tan(\frac{1}{2}dx + \frac{1}{2}c) - 3600A^2 b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 1920B^2 a b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 480A^3 b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 960(A^4 - 4B^3 a - 6A^2 b^2 + 4B^2 a b^3 + A^3 b^4) (dx + c) - 960(B^4 + 4A^3 b - 6B^2 a b^2 - 4A^2 a b^3 + B^3 b^4) \log(\tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 1) + 960(B^4 + 4A^3 b - 6B^2 a b^2 - 4A^2 a b^3 + B^3 b^4) \log(\text{abs}(\tan(\frac{1}{2}dx + \frac{1}{2}c))) - (2192B^4 \tan^5(\frac{1}{2}dx + \frac{1}{2}c) + 8768A^3 b \tan^5(\frac{1}{2}dx + \frac{1}{2}c) - 13152B^2 a b^2 \tan^5(\frac{1}{2}dx + \frac{1}{2}c) - 8768A^2 a b^3 \tan^5(\frac{1}{2}dx + \frac{1}{2}c) + 2192B^3 b^4 \tan^5(\frac{1}{2}dx + \frac{1}{2}c) + 660A^4 \tan^4(\frac{1}{2}dx + \frac{1}{2}c) - 2400B^3 a^3 b \tan^4(\frac{1}{2}dx + \frac{1}{2}c) - 3600A^2 b^2 \tan^4(\frac{1}{2}dx + \frac{1}{2}c) + 1920B^2 a b^3 \tan^4(\frac{1}{2}dx + \frac{1}{2}c) + 480A^3 b^4 \tan^4(\frac{1}{2}dx + \frac{1}{2}c) - 180B^4 \tan^3(\frac{1}{2}dx + \frac{1}{2}c) - 720A^3 b \tan^3(\frac{1}{2}dx + \frac{1}{2}c) + 720B^2 a^2 b^2 \tan^3(\frac{1}{2}dx + \frac{1}{2}c) + 480A^2 a b^3 \tan^3(\frac{1}{2}dx + \frac{1}{2}c) - 70A^4 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 160B^3 a^3 b \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 240A^2 a^2 b^2 \tan^2(\frac{1}{2}dx + \frac{1}{2}c) + 15B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 60A^3 b \tan(\frac{1}{2}dx + \frac{1}{2}c) + 6A^4) / \tan^5(\frac{1}{2}dx + \frac{1}{2}c) / d$

3.266 $\int \cot^7(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$

Optimal. Leaf size=323

$$\frac{a^2(5a^2A - 12abB - 8Ab^2) \cot^4(c + dx)}{20d} + \frac{a(20a^2Ab + 5a^3B - 27ab^2B - 13Ab^3) \cot^3(c + dx)}{15d} - \frac{(-6a^2Ab^2 + a^4A - 4a^3b^2)}{15d}$$

[Out] $-\left(\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)x - \left(\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)\cot[c + dx]\right)\right)/d - \left(\left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B\right)\cot[c + dx]^2\right)/(2d) + \left(a(20a^2Ab - 13Ab^3 + 5a^3B - 27ab^2B)\cot[c + dx]^3\right)/(15d) + \left(a^2(5a^2A - 8Ab^2 - 12abB)\cot[c + dx]^4\right)/(20d) - \left(\left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B\right)\log[\sin[c + dx]]\right)/d - \left(a(3Ab + 2aB)\cot[c + dx]^5(a + b\tan[c + dx])^2\right)/(10d) - \left(aA\cot[c + dx]^6(a + b\tan[c + dx])^3\right)/(6d)$

Rubi [A] time = 0.858379, antiderivative size = 323, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3605, 3645, 3635, 3628, 3529, 3531, 3475}

$$\frac{a^2(5a^2A - 12abB - 8Ab^2) \cot^4(c + dx)}{20d} + \frac{a(20a^2Ab + 5a^3B - 27ab^2B - 13Ab^3) \cot^3(c + dx)}{15d} - \frac{(-6a^2Ab^2 + a^4A - 4a^3b^2)}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\cot[c + dx]^7(a + b \tan[c + dx])^4(A + B \tan[c + dx]), x]$

[Out] $-\left(\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)x - \left(\left(4a^3Ab - 4aAb^3 + a^4B - 6a^2b^2B + b^4B\right)\cot[c + dx]\right)\right)/d - \left(\left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B\right)\cot[c + dx]^2\right)/(2d) + \left(a(20a^2Ab - 13Ab^3 + 5a^3B - 27ab^2B)\cot[c + dx]^3\right)/(15d) + \left(a^2(5a^2A - 8Ab^2 - 12abB)\cot[c + dx]^4\right)/(20d) - \left(\left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B\right)\log[\sin[c + dx]]\right)/d - \left(a(3Ab + 2aB)\cot[c + dx]^5(a + b\tan[c + dx])^2\right)/(10d) - \left(aA\cot[c + dx]^6(a + b\tan[c + dx])^3\right)/(6d)$

Rule 3605

$\text{Int}[\left((a_.) + (b_.)\tan[(e_.) + (f_.)(x_.)]\right)^{(m_.)}\left((A_.) + (B_.)\tan[(e_.) + (f_.)(x_.)]\right)^{(n_.)}, x_Symbol] := \text{Simp}[\left((b*c - a*d)\right)\left((B*c - A*d)\right)\left(a + b\tan[e + f*x]\right)^{(m - 1)}\left(c + d\tan[e + f*x]\right)^{(n + 1)}\left(d*f*(n + 1)\right)\left(c^2 + d^2\right), x] - \text{Dist}\left[1/\left(d*(n + 1)\right)\left(c^2 + d^2\right)\right], \text{Int}[\left(a + b\tan[e + f*x]\right)^{(m - 2)}\left(c + d\tan[e + f*x]\right)^{(n + 1)}\text{Simp}[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*\tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*\tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])$

Rule 3645

$\text{Int}[\left((a_.) + (b_.)\tan[(e_.) + (f_.)(x_.)]\right)^{(m_.)}\left((c_.) + (d_.)\tan[(e_.) + (f_.)(x_.)]\right)^{(n_.)}\left((A_.) + (B_.)\tan[(e_.) + (f_.)(x_.)] + (C_.)\tan[(e_.) + (f_.)(x_.)]^2\right), x_Symbol] := \text{Simp}[\left((A*d^2 + c*(c*C - B*d)\right)\left(a + b\tan[e + f*x]\right)^{(m - 1)}\left(c + d\tan[e + f*x]\right)^{(n + 1)}\left(d*f*(n + 1)\right)\left(c^2 + d^2\right), x]$

```

+ f*x]]^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3635

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]

```

Rule 3628

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

```

Rule 3529

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a,
b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

```

Rule 3531

```

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a
*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && Ne
Q[a*c + b*d, 0]

```

Rule 3475

```

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cot^7(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx &= -\frac{aA \cot^6(c+dx)(a+b \tan(c+dx))^3}{6d} + \frac{1}{6} \int \cot^6(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx \\
&= -\frac{a(3Ab+2aB) \cot^5(c+dx)(a+b \tan(c+dx))^2}{10d} - \frac{aA \cot^6(c+dx)(a+b \tan(c+dx))^3}{6d} \\
&= \frac{a^2(5a^2A-8Ab^2-12abB) \cot^4(c+dx)}{20d} - \frac{a(3Ab+2aB) \cot^5(c+dx)(a+b \tan(c+dx))^2}{10d} \\
&= \frac{a(20a^2Ab-13Ab^3+5a^3B-27ab^2B) \cot^3(c+dx)}{15d} + \frac{a^2(5a^2A-8Ab^2-12abB) \cot^4(c+dx)}{20d} \\
&= -\frac{(a^4A-6a^2Ab^2+Ab^4-4a^3bB+4ab^3B) \cot^2(c+dx)}{2d} + \frac{a(20a^2Ab-13Ab^3+5a^3B-27ab^2B) \cot^3(c+dx)}{15d} \\
&= -\frac{(4a^3Ab-4aAb^3+a^4B-6a^2b^2B+b^4B) \cot(c+dx)}{d} - \frac{(a^4A-6a^2Ab^2+Ab^4-4a^3bB+4ab^3B) \cot^2(c+dx)}{2d} \\
&= -\left(4a^3Ab-4aAb^3+a^4B-6a^2b^2B+b^4B\right)x - \frac{(4a^3Ab-4aAb^3+a^4B-6a^2b^2B+b^4B) \cot(c+dx)}{d} \\
&= -\left(4a^3Ab-4aAb^3+a^4B-6a^2b^2B+b^4B\right)x - \frac{(4a^3Ab-4aAb^3+a^4B-6a^2b^2B+b^4B) \cot(c+dx)}{d}
\end{aligned}$$

Mathematica [C] time = 1.26809, size = 299, normalized size = 0.93

$$15a^2(a^2A-4abB-6Ab^2) \cot^4(c+dx) + 20a(4a^2Ab+a^3B-6ab^2B-4Ab^3) \cot^3(c+dx) - 30(-6a^2Ab^2+a^4A-4a^3bB) \cot^2(c+dx) - \frac{(4a^3Ab-4aAb^3+a^4B-6a^2b^2B+b^4B) \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c+d*x]^7*(a+b*Tan[c+d*x])^4*(A+B*Tan[c+d*x]),x]

[Out] $(-60*(4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*\text{Cot}[c+d*x] - 30*(a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*\text{Cot}[c+d*x]^2 + 20*a*(4*a^2*A*b - 4*A*b^3 + a^3*B - 6*a*b^2*B)*\text{Cot}[c+d*x]^3 + 15*a^2*(a^2*A - 6*A*b^2 - 4*a*b*B)*\text{Cot}[c+d*x]^4 - 12*a^3*(4*A*b + a*B)*\text{Cot}[c+d*x]^5 - 10*a^4*A*\text{Cot}[c+d*x]^6 + 30*(a+I*b)^4*(A+I*B)*\text{Log}[I-\text{Tan}[c+d*x]] - 60*(a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*\text{Log}[\text{Tan}[c+d*x]] + 30*(a-I*b)^4*(A-I*B)*\text{Log}[I+\text{Tan}[c+d*x]])/(60*d)$

Maple [A] time = 0.106, size = 532, normalized size = 1.7

$$4Aab^3x + 6Ba^2b^2x - 4Axa^3b - \frac{Ab^4(\cot(dx+c))^2}{2d} - \frac{B \cot(dx+c)b^4}{d} + 4\frac{Aab^3c}{d} - \frac{Ab^4 \ln(\sin(dx+c))}{d} - \frac{4Aab^3(\cot(dx+c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^7*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x)

[Out] $4*A*a*b^3*x + 6*B*a^2*b^2*x - 4*A*x*a^3*b - 1/2/d*A*b^4*\cot(d*x+c)^2 - 1/d*B*\cot(d*x+c)*b^4 + 4/d*A*a*b^3*c - 1/d*A*b^4*\ln(\sin(d*x+c)) - 4/3/d*A*a*b^3*\cot(d*x+c)^3 - 2/d*B*a*b^3*\cot(d*x+c)^2 - 3/2/d*A*a^2*b^2*\cot(d*x+c)^4 + 1/4/d*A*a^4*\cot(d*x+c)^4 + 1/3/d*B*a^4*\cot(d*x+c)^3 - B*a^4*x - B*b^4*x - a^4*A*\ln(\sin(d*x+c))/d - 1/6/d*A*a^4*\cot(d*x+c)^6 - 1/2/d*A*a^4*\cot(d*x+c)^2 - 1/d*B*\cot(d*x+c)*a^4 - 1/d*B*a^4*c + 6/d*A*a^2*b^2*\ln(\sin(d*x+c)) - 4/d*A*\cot(d*x+c)*a^3*b + 4/d*B*a^3*b*\ln(\sin(d*x+c)) - 1/d*B*b^4*c + 6/d*B*a^2*b^2*c - 4/d*A*a^3*b*c - 2/d*B*a^2*b^2*\cot(d*x+c)^3 - 4/5/d*A*a^3*b*\cot(d*x+c)^5 - 1/d*B*a^3*b*\cot(d*x+c)^4 + 2/d*B*a^3*b*\cot(d*x+c)^2 + 4/d*A*\cot(d*x+c)*a*b^3 - 4/d*B*a*b^3*\ln(\sin(d*x+c)) + 3/d*A*a^2*b^2*\cot(d*x+c)$

$$\frac{d^2+6/d*B*cot(d*x+c)*a^2*b^2+4/3/d*A*a^3*b*cot(d*x+c)^3-1/5/d*B*a^4*cot(d*x+c)^5}{d}$$

Maxima [A] time = 1.50254, size = 450, normalized size = 1.39

$$60(Ba^4 + 4Aa^3b - 6Ba^2b^2 - 4Aab^3 + Bb^4)(dx + c) - 30(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4) \log(\tan(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^7*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/60*(60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*(d*x + c) - 30*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\log(\tan(d*x + c))^2 + 1) + 60*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\log(\tan(d*x + c)) + (60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\tan(d*x + c)^5 + 10*A*a^4 + 30*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\tan(d*x + c)^4 - 20*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*\tan(d*x + c)^3 - 15*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*\tan(d*x + c)^2 + 12*(B*a^4 + 4*A*a^3*b)*\tan(d*x + c))/\tan(d*x + c)^6)/d$$

Fricas [A] time = 1.80574, size = 813, normalized size = 2.52

$$30(Aa^4 - 4Ba^3b - 6Aa^2b^2 + 4Bab^3 + Ab^4) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^6 + 5(11Aa^4 - 36Ba^3b - 54Aa^2b^2 + 24Bab^3 + Ab^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^7*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/60*(30*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1))*\tan(d*x + c)^6 + 5*(11*A*a^4 - 36*B*a^3*b - 54*A*a^2*b^2 + 24*B*a*b^3 + A*b^4)*\tan(d*x + c)^6 + 60*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*\tan(d*x + c)^5 + 10*A*a^4 + 30*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\tan(d*x + c)^4 - 20*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3)*\tan(d*x + c)^3 - 15*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2)*\tan(d*x + c)^2 + 12*(B*a^4 + 4*A*a^3*b)*\tan(d*x + c))/((d*\tan(d*x + c))^6)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**7*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [B] time = 3.02937, size = 1273, normalized size = 3.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^7*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-1/1920*(5*A*a^4*\tan(1/2*d*x + 1/2*c)^6 - 12*B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 48*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 60*A*a^4*\tan(1/2*d*x + 1/2*c)^4 + 120*B*a^3*b*\tan(1/2*d*x + 1/2*c)^4 + 180*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^4 + 140*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 560*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 480*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 320*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 435*A*a^4*\tan(1/2*d*x + 1/2*c)^2 - 1440*B*a^3*b*\tan(1/2*d*x + 1/2*c)^2 - 2160*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^2 + 960*B*a*b^3*\tan(1/2*d*x + 1/2*c)^2 + 240*A*b^4*\tan(1/2*d*x + 1/2*c)^2 - 1320*B*a^4*\tan(1/2*d*x + 1/2*c) - 5280*A*a^3*b*\tan(1/2*d*x + 1/2*c) + 7200*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 4800*A*a*b^3*\tan(1/2*d*x + 1/2*c) - 960*B*b^4*\tan(1/2*d*x + 1/2*c) + 1920*(B*a^4 + 4*A*a^3*b - 6*B*a^2*b^2 - 4*A*a*b^3 + B*b^4)*(d*x + c) - 1920*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\log(\tan(1/2*d*x + 1/2*c)^2 + 1) + 1920*(A*a^4 - 4*B*a^3*b - 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))) - (4704*A*a^4*\tan(1/2*d*x + 1/2*c)^6 - 18816*B*a^3*b*\tan(1/2*d*x + 1/2*c)^6 - 28224*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^6 + 18816*B*a*b^3*\tan(1/2*d*x + 1/2*c)^6 + 4704*A*b^4*\tan(1/2*d*x + 1/2*c)^6 - 1320*B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 5280*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 7200*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 4800*A*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 960*B*b^4*\tan(1/2*d*x + 1/2*c)^5 - 435*A*a^4*\tan(1/2*d*x + 1/2*c)^4 + 1440*B*a^3*b*\tan(1/2*d*x + 1/2*c)^4 + 2160*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^4 - 960*B*a*b^3*\tan(1/2*d*x + 1/2*c)^4 - 240*A*b^4*\tan(1/2*d*x + 1/2*c)^4 + 140*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 560*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 480*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 320*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 60*A*a^4*\tan(1/2*d*x + 1/2*c)^2 - 120*B*a^3*b*\tan(1/2*d*x + 1/2*c)^2 - 180*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^2 - 12*B*a^4*\tan(1/2*d*x + 1/2*c) - 48*A*a^3*b*\tan(1/2*d*x + 1/2*c) - 5*A*a^4)/\tan(1/2*d*x + 1/2*c)^6)/d$$

$$3.267 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=127

$$-\frac{a^3(Ab - aB) \log(a + b \tan(c + dx))}{b^3 d (a^2 + b^2)} + \frac{(aA + bB) \log(\cos(c + dx))}{d (a^2 + b^2)} - \frac{x(Ab - aB)}{a^2 + b^2} + \frac{(Ab - aB) \tan(c + dx)}{b^2 d} + \frac{B \tan^2(c + dx)}{2b^2 d}$$

[Out] -(((A*b - a*B)*x)/(a^2 + b^2)) + ((a*A + b*B)*Log[Cos[c + d*x]])/((a^2 + b^2)*d) - (a^3*(A*b - a*B)*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)*d) + ((A*b - a*B)*Tan[c + d*x])/(b^2*d) + (B*Tan[c + d*x]^2)/(2*b*d)

Rubi [A] time = 0.396986, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3607, 3647, 3626, 3617, 31, 3475}

$$-\frac{a^3(Ab - aB) \log(a + b \tan(c + dx))}{b^3 d (a^2 + b^2)} + \frac{(aA + bB) \log(\cos(c + dx))}{d (a^2 + b^2)} - \frac{x(Ab - aB)}{a^2 + b^2} + \frac{(Ab - aB) \tan(c + dx)}{b^2 d} + \frac{B \tan^2(c + dx)}{2b^2 d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(((A*b - a*B)*x)/(a^2 + b^2)) + ((a*A + b*B)*Log[Cos[c + d*x]])/((a^2 + b^2)*d) - (a^3*(A*b - a*B)*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)*d) + ((A*b - a*B)*Tan[c + d*x])/(b^2*d) + (B*Tan[c + d*x]^2)/(2*b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3626

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*A + b*B -

```
a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1
+ Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a
^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C,
0]
```

Rule 3617

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*tan[(e_.) +
(f_.)*(x_.)]^2), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*T
an[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx = \frac{B \tan^2(c + dx)}{2bd} + \frac{\int \frac{\tan(c+dx)(-2aB-2bB \tan(c+dx)+2(Ab-aB) \tan^2(c+dx))}{a+b \tan(c+dx)} dx}{2b}$$

$$= \frac{(Ab - aB) \tan(c + dx)}{b^2d} + \frac{B \tan^2(c + dx)}{2bd} + \frac{\int \frac{-2a(Ab-aB)-2Ab^2 \tan(c+dx)-2(aAb-a^2B)}{a+b \tan(c+dx)} dx}{2b^2}$$

$$= -\frac{(Ab - aB)x}{a^2 + b^2} + \frac{(Ab - aB) \tan(c + dx)}{b^2d} + \frac{B \tan^2(c + dx)}{2bd} - \frac{(a^3(Ab - aB)) \int \frac{1+}{a+}}{b^2(a^2 + b^2)}$$

$$= -\frac{(Ab - aB)x}{a^2 + b^2} + \frac{(aA + bB) \log(\cos(c + dx))}{(a^2 + b^2)d} + \frac{(Ab - aB) \tan(c + dx)}{b^2d} + \frac{B \tan^2}{2}$$

$$= -\frac{(Ab - aB)x}{a^2 + b^2} + \frac{(aA + bB) \log(\cos(c + dx))}{(a^2 + b^2)d} - \frac{a^3(Ab - aB) \log(a + b \tan(c + d))}{b^3(a^2 + b^2)d}$$

Mathematica [C] time = 1.37736, size = 138, normalized size = 1.09

$$\frac{\frac{2a^3(aB - Ab) \log(a + b \tan(c + dx))}{b^2(a^2 + b^2)} + \frac{2(Ab - aB) \tan(c + dx)}{b} - \frac{b(A + iB) \log(-\tan(c + dx) + i)}{a + ib} - \frac{b(A - iB) \log(\tan(c + dx) + i)}{a - ib} + B \tan^2(c + dx)}{2bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]
```

```
[Out] (-((b*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)) - (b*(A - I*B)*Log[I + Ta
n[c + d*x]])/(a - I*b) + (2*a^3*(-(A*b) + a*B)*Log[a + b*Tan[c + d*x]])/(b^
2*(a^2 + b^2)) + (2*(A*b - a*B)*Tan[c + d*x])/b + B*Tan[c + d*x]^2)/(2*b*d)
```

Maple [A] time = 0.033, size = 211, normalized size = 1.7

$$\frac{B(\tan(dx+c))^2}{2bd} + \frac{A \tan(dx+c)}{bd} - \frac{B \tan(dx+c)a}{b^2d} - \frac{\ln(1+(\tan(dx+c))^2)Aa}{2d(a^2+b^2)} - \frac{\ln(1+(\tan(dx+c))^2)Bb}{2d(a^2+b^2)} - \frac{A}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] 1/2*B*tan(d*x+c)^2/b/d+1/d/b*A*tan(d*x+c)-a*B*tan(d*x+c)/b^2/d-1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*a-1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*B*b-1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*b+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*a-1/d/b^2*a^3/(a^2+b^2)*ln(a+b*tan(d*x+c))*A+a^4*B*ln(a+b*tan(d*x+c))/b^3/(a^2+b^2)/d

Maxima [A] time = 1.51221, size = 176, normalized size = 1.39

$$\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} + \frac{2(Ba^4-Aa^3b)\log(b\tan(dx+c)+a)}{a^2b^3+b^5} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{Bb\tan(dx+c)^2-2(Ba-Ab)\tan(dx+c)}{b^2}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*(B*a - A*b)*(d*x + c)/(a^2 + b^2) + 2*(B*a^4 - A*a^3*b)*log(b*tan(d*x + c) + a)/(a^2*b^3 + b^5) - (A*a + B*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) + (B*b*tan(d*x + c)^2 - 2*(B*a - A*b)*tan(d*x + c))/b^2)/d

Fricas [A] time = 2.03641, size = 412, normalized size = 3.24

$$\frac{2(Bab^3 - Ab^4)dx + (Ba^2b^2 + Bb^4)\tan(dx+c)^2 + (Ba^4 - Aa^3b)\log\left(\frac{b^2\tan(dx+c)^2+2ab\tan(dx+c)+a^2}{\tan(dx+c)^2+1}\right) - (Ba^4 - Aa^3b - Ab^4)}{2(a^2b^3 + b^5)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*(B*a*b^3 - A*b^4)*d*x + (B*a^2*b^2 + B*b^4)*tan(d*x + c)^2 + (B*a^4 - A*a^3*b)*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - (B*a^4 - A*a^3*b - A*a*b^3 - B*b^4)*log(1/(tan(d*x + c)^2 + 1)) - 2*(B*a^3*b - A*a^2*b^2 + B*a*b^3 - A*b^4)*tan(d*x + c))/((a^2*b^3 + b^5)*d)

Sympy [A] time = 48.5366, size = 1297, normalized size = 10.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((zoo*x*(A + B*tan(c))*tan(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)),
 ((-A*log(tan(c + d*x)**2 + 1)/(2*d) + A*tan(c + d*x)**2/(2*d) + B*x + B*tan(c + d*x)**3/(3*d) - B*tan(c + d*x)/d)/a, Eq(b, 0)), (3*A*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 3*I*A*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - A*log(tan(c + d*x)**2 + 1)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 2*A*tan(c + d*x)**2/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 3*A/(-2*b*d*tan(c + d*x) + 2*I*b*d) + 3*I*B*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + 3*B*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) + 2*B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 2*I*B*log(tan(c + d*x)**2 + 1)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - B*tan(c + d*x)**3/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*tan(c + d*x)**2/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 3*I*B/(-2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, -I*b)), (-3*A*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) - 3*I*A*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + A*log(tan(c + d*x)**2 + 1)/(2*b*d*tan(c + d*x) + 2*I*b*d) + 2*A*tan(c + d*x)**2/(2*b*d*tan(c + d*x) + 2*I*b*d) + 3*A/(2*b*d*tan(c + d*x) + 2*I*b*d) + 3*I*B*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) - 3*B*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - 2*B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) - 2*I*B*log(tan(c + d*x)**2 + 1)/(2*b*d*tan(c + d*x) + 2*I*b*d) + B*tan(c + d*x)**3/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*tan(c + d*x)**2/(2*b*d*tan(c + d*x) + 2*I*b*d) - 3*I*B/(2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, I*b)), (x*(A + B*tan(c))*tan(c)**3/(a + b*tan(c)), Eq(d, 0)), (-2*A*a**3*b*log(a/b + tan(c + d*x))/(2*a**2*b**3*d + 2*b**5*d) + 2*A*a**2*b**2*tan(c + d*x)/(2*a**2*b**3*d + 2*b**5*d) - A*a*b**3*log(tan(c + d*x)**2 + 1)/(2*a**2*b**3*d + 2*b**5*d) - 2*A*b**4*d*x/(2*a**2*b**3*d + 2*b**5*d) + 2*A*b**4*tan(c + d*x)/(2*a**2*b**3*d + 2*b**5*d) + 2*B*a**4*log(a/b + tan(c + d*x))/(2*a**2*b**3*d + 2*b**5*d) - 2*B*a**3*b*tan(c + d*x)/(2*a**2*b**3*d + 2*b**5*d) + B*a**2*b**2*tan(c + d*x)**2/(2*a**2*b**3*d + 2*b**5*d) + 2*B*a*b**3*d*x/(2*a**2*b**3*d + 2*b**5*d) - 2*B*a*b**3*tan(c + d*x)/(2*a**2*b**3*d + 2*b**5*d) - B*b**4*log(tan(c + d*x)**2 + 1)/(2*a**2*b**3*d + 2*b**5*d) + B*b**4*tan(c + d*x)**2/(2*a**2*b**3*d + 2*b**5*d), True))

Giac [A] time = 1.76828, size = 182, normalized size = 1.43

$$\frac{\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2(Ba^4-Aa^3b)\log(b\tan(dx+c)+a)}{a^2b^3+b^5} + \frac{Bb\tan(dx+c)^2-2Ba\tan(dx+c)+2Ab\tan(dx+c)}{b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*(B*a - A*b)*(d*x + c)/(a^2 + b^2) - (A*a + B*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) + 2*(B*a^4 - A*a^3*b)*log(abs(b*tan(d*x + c) + a))/(a^2*b^3 + b^5) + (B*b*tan(d*x + c)^2 - 2*B*a*tan(d*x + c) + 2*A*b*tan(d*x + c))/b^2)/d

$$3.268 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=101

$$\frac{a^2(Ab - aB) \log(a + b \tan(c + dx))}{b^2 d (a^2 + b^2)} - \frac{(Ab - aB) \log(\cos(c + dx))}{d (a^2 + b^2)} - \frac{x(aA + bB)}{a^2 + b^2} + \frac{B \tan(c + dx)}{bd}$$

[Out] -(((a*A + b*B)*x)/(a^2 + b^2)) - ((A*b - a*B)*Log[Cos[c + d*x]])/((a^2 + b^2)*d) + (a^2*(A*b - a*B)*Log[a + b*Tan[c + d*x]])/(b^2*(a^2 + b^2)*d) + (B*Tan[c + d*x])/(b*d)

Rubi [A] time = 0.197371, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3606, 3626, 3617, 31, 3475}

$$\frac{a^2(Ab - aB) \log(a + b \tan(c + dx))}{b^2 d (a^2 + b^2)} - \frac{(Ab - aB) \log(\cos(c + dx))}{d (a^2 + b^2)} - \frac{x(aA + bB)}{a^2 + b^2} + \frac{B \tan(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(((a*A + b*B)*x)/(a^2 + b^2)) - ((A*b - a*B)*Log[Cos[c + d*x]])/((a^2 + b^2)*d) + (a^2*(A*b - a*B)*Log[a + b*Tan[c + d*x]])/(b^2*(a^2 + b^2)*d) + (B*Tan[c + d*x])/(b*d)

Rule 3606

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b^2*B*Tan[e + f*x])/(d*f), x] + Dist[1/d, Int[(a^2*A*d - b^2*B*c + (2*a*A*b + B*(a^2 - b^2))*d*Tan[e + f*x] + (A*b^2*d - b*B*(b*c - 2*a*d))*Tan[e + f*x]^2)/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3626

Int[((A_) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*A + b*B - a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C, 0]

Rule 3617

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3475

`Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(A+B\tan(c+dx))}{a+b\tan(c+dx)} dx &= \frac{B\tan(c+dx)}{bd} + \frac{\int \frac{-aB-bB\tan(c+dx)+(Ab-aB)\tan^2(c+dx)}{a+b\tan(c+dx)} dx}{b} \\ &= -\frac{(aA+bB)x}{a^2+b^2} + \frac{B\tan(c+dx)}{bd} + \frac{(Ab-aB)\int \tan(c+dx) dx}{a^2+b^2} + \frac{(a^2(Ab-aB))}{b(a^2+b^2)} \\ &= -\frac{(aA+bB)x}{a^2+b^2} - \frac{(Ab-aB)\log(\cos(c+dx))}{(a^2+b^2)d} + \frac{B\tan(c+dx)}{bd} + \frac{(a^2(Ab-aB))}{b(a^2+b^2)} \\ &= -\frac{(aA+bB)x}{a^2+b^2} - \frac{(Ab-aB)\log(\cos(c+dx))}{(a^2+b^2)d} + \frac{a^2(Ab-aB)\log(a+b\tan(c+dx))}{b^2(a^2+b^2)d} \end{aligned}$$

Mathematica [C] time = 0.555355, size = 118, normalized size = 1.17

$$\frac{\frac{2a^2(Ab-aB)\log(a+b\tan(c+dx))}{b^2(a^2+b^2)} + \frac{i(A+ib)\log(-\tan(c+dx)+i)}{a+ib} - \frac{(B+ia)\log(\tan(c+dx)+i)}{a-ib} + \frac{2B\tan(c+dx)}{b}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] ((I*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b) - ((I*A + B)*Log[I + Tan[c + d*x]])/(a - I*b) + (2*a^2*(A*b - a*B)*Log[a + b*Tan[c + d*x]]/(b^2*(a^2 + b^2)) + (2*B*Tan[c + d*x])/b)/(2*d)

Maple [A] time = 0.035, size = 179, normalized size = 1.8

$$\frac{B\tan(dx+c)}{bd} + \frac{\ln(1+(\tan(dx+c))^2)Ab}{2d(a^2+b^2)} - \frac{\ln(1+(\tan(dx+c))^2)aB}{2d(a^2+b^2)} - \frac{A\arctan(\tan(dx+c))a}{d(a^2+b^2)} - \frac{B\arctan(\tan(dx+c))b}{d(a^2+b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] B*tan(d*x+c)/b/d+1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*b-1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B-1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*a-1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b+1/d/b*a^2/(a^2+b^2)*ln(a+b*tan(d*x+c))*A-a^3*B*ln(a+b*tan(d*x+c))/b^2/(a^2+b^2)/d

Maxima [A] time = 1.49143, size = 147, normalized size = 1.46

$$\frac{\frac{2(Aa+Bb)(dx+c)}{a^2+b^2} + \frac{2(Ba^3-Aa^2b)\log(b\tan(dx+c)+a)}{a^2b^2+b^4} + \frac{(Ba-Ab)\log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2B\tan(dx+c)}{b}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/2*(2*(A*a + B*b)*(d*x + c)/(a^2 + b^2) + 2*(B*a^3 - A*a^2*b)*\log(b*\tan(d*x + c) + a)/(a^2*b^2 + b^4) + (B*a - A*b)*\log(\tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*B*\tan(d*x + c)/b)/d$

Fricas [A] time = 1.97233, size = 333, normalized size = 3.3

$$\frac{2(Aab^2 + Bb^3)dx + (Ba^3 - Aa^2b) \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) - (Ba^3 - Aa^2b + Bab^2 - Ab^3) \log\left(\frac{1}{\tan(dx+c)^2 + 1}\right)}{2(a^2b^2 + b^4)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] $-1/2*(2*(A*a*b^2 + B*b^3)*d*x + (B*a^3 - A*a^2*b)*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - (B*a^3 - A*a^2*b + B*a*b^2 - A*b^3)*\log(1/(\tan(d*x + c)^2 + 1)) - 2*(B*a^2*b + B*b^3)*\tan(d*x + c))/((a^2*b^2 + b^4)*d)$

Sympy [A] time = 8.95012, size = 1015, normalized size = 10.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((zoo*x*(A + B*tan(c))*tan(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (-I*A*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - A*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) + 2*I*b*d) - A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*log(tan(c + d*x)**2 + 1)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*A/(-2*b*d*tan(c + d*x) + 2*I*b*d) + 3*B*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 3*I*B*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - B*log(tan(c + d*x)**2 + 1)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 2*B*tan(c + d*x)**2/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 3*B/(-2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, -I*b)), (-I*A*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + A*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) + A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*log(tan(c + d*x)**2 + 1)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*A/(2*b*d*tan(c + d*x) + 2*I*b*d) - 3*B*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) - 3*I*B*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + B*log(tan(c + d*x)**2 + 1)/(2*b*d*tan(c + d*x) + 2*I*b*d) + 2*B*tan(c + d*x)**2/(2*b*d*tan(c + d*x) + 2*I*b*d) + 3*B/(2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, I*b)), ((-A*x + A*tan(c + d*x)/d - B*log(tan(c + d*x)**2 + 1)/(2*d) + B*tan(c + d*x)**2/(2*d))/a, Eq(b, 0)), (x*(A + B*tan(c))*tan(c)**2/(a + b*tan(c)), Eq(d, 0)), (2*A*a**2*b*log(a/b + tan(c + d*x))/(2*a**2*b**2*d + 2*b**4*d) - 2*A*a*b**2*d*x/(2*a**2*b**2*d + 2*b**4*d) + A*b**3*log(tan(c + d*x

```
)**2 + 1)/(2*a**2*b**2*d + 2*b**4*d) - 2*B*a**3*log(a/b + tan(c + d*x))/(2*
a**2*b**2*d + 2*b**4*d) + 2*B*a**2*b*tan(c + d*x)/(2*a**2*b**2*d + 2*b**4*d
) - B*a*b**2*log(tan(c + d*x)**2 + 1)/(2*a**2*b**2*d + 2*b**4*d) - 2*B*b**3
*d*x/(2*a**2*b**2*d + 2*b**4*d) + 2*B*b**3*tan(c + d*x)/(2*a**2*b**2*d + 2*
b**4*d), True))
```

Giac [A] time = 1.44274, size = 149, normalized size = 1.48

$$-\frac{\frac{2(Aa+Bb)(dx+c)}{a^2+b^2} + \frac{(Ba-Ab)\log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2(Ba^3-Aa^2b)\log(|b\tan(dx+c)+a|)}{a^2b^2+b^4} - \frac{2B\tan(dx+c)}{b}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac
")
```

```
[Out] -1/2*(2*(A*a + B*b)*(d*x + c)/(a^2 + b^2) + (B*a - A*b)*log(tan(d*x + c)^2
+ 1)/(a^2 + b^2) + 2*(B*a^3 - A*a^2*b)*log(abs(b*tan(d*x + c) + a))/(a^2*b^
2 + b^4) - 2*B*tan(d*x + c)/b)/d
```


$$3.269 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=80

$$-\frac{a(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{bd(a^2 + b^2)} + \frac{x(Ab - aB)}{a^2 + b^2} - \frac{B \log(\cos(c + dx))}{bd}$$

[Out] ((A*b - a*B)*x)/(a^2 + b^2) - (B*Log[Cos[c + d*x]])/(b*d) - (a*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(b*(a^2 + b^2)*d)

Rubi [A] time = 0.126949, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3589, 3475, 12, 3531, 3530}

$$-\frac{a(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{bd(a^2 + b^2)} + \frac{x(Ab - aB)}{a^2 + b^2} - \frac{B \log(\cos(c + dx))}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] ((A*b - a*B)*x)/(a^2 + b^2) - (B*Log[Cos[c + d*x]])/(b*d) - (a*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(b*(a^2 + b^2)*d)

Rule 3589

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(B*d)/b, Int[Tan[e + f*x], x], x] + Dist[1/b, Int[Simp[A*b*c + (A*b*d + B*(b*c - a*d))*Tan[e + f*x], x]/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3531

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]]/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&

NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\tan(c+dx)(A+B\tan(c+dx))}{a+b\tan(c+dx)} dx &= \frac{\int \frac{(Ab-aB)\tan(c+dx)}{a+b\tan(c+dx)} dx}{b} + \frac{B \int \tan(c+dx) dx}{b} \\ &= -\frac{B \log(\cos(c+dx))}{bd} + \frac{(Ab-aB) \int \frac{\tan(c+dx)}{a+b\tan(c+dx)} dx}{b} \\ &= \frac{(Ab-aB)x}{a^2+b^2} - \frac{B \log(\cos(c+dx))}{bd} - \frac{(a(Ab-aB)) \int \frac{b-a\tan(c+dx)}{a+b\tan(c+dx)} dx}{b(a^2+b^2)} \\ &= \frac{(Ab-aB)x}{a^2+b^2} - \frac{B \log(\cos(c+dx))}{bd} - \frac{a(Ab-aB) \log(a \cos(c+dx) + b \sin(c+dx))}{b(a^2+b^2)d} \end{aligned}$$

Mathematica [C] time = 0.155029, size = 98, normalized size = 1.22

$$\frac{b(a-ib)(A+iB)\log(-\tan(c+dx)+i) + b(a+ib)(A-iB)\log(\tan(c+dx)+i) + 2a(aB-Ab)\log(a+b\tan(c+dx))}{2bd(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] ((a - I*b)*b*(A + I*B)*Log[I - Tan[c + d*x]] + (a + I*b)*b*(A - I*B)*Log[I + Tan[c + d*x]] + 2*a*(-(A*b) + a*B)*Log[a + b*Tan[c + d*x]])/(2*b*(a^2 + b^2)*d)

Maple [A] time = 0.032, size = 159, normalized size = 2.

$$\frac{\ln(1 + (\tan(dx+c))^2) Aa}{2d(a^2+b^2)} + \frac{\ln(1 + (\tan(dx+c))^2) Bb}{2d(a^2+b^2)} + \frac{A \arctan(\tan(dx+c)) b}{d(a^2+b^2)} - \frac{B \arctan(\tan(dx+c)) a}{d(a^2+b^2)} - \frac{a \ln(1 + \tan^2(dx+c))}{2d(a^2+b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*a+1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*B*b+1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*b-1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*a-1/d*a/(a^2+b^2)*ln(a+b*tan(d*x+c))*A+1/d*a^2/(a^2+b^2)/b*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.52825, size = 127, normalized size = 1.59

$$\frac{\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} - \frac{2(Ba^2-Aab)\log(b\tan(dx+c)+a)}{a^2b+b^3} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/2*(2*(B*a - A*b)*(d*x + c)/(a^2 + b^2) - 2*(B*a^2 - A*a*b)*\log(b*\tan(d*x + c) + a)/(a^2*b + b^3) - (A*a + B*b)*\log(\tan(d*x + c)^2 + 1)/(a^2 + b^2))$$

/d

Fricas [A] time = 1.86233, size = 251, normalized size = 3.14

$$\frac{2(Bab - Ab^2)dx - (Ba^2 - Aab)\log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) + (Ba^2 + Bb^2)\log\left(\frac{1}{\tan(dx+c)^2 + 1}\right)}{2(a^2b + b^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/2*(2*(B*a*b - A*b^2)*d*x - (B*a^2 - A*a*b)*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) + (B*a^2 + B*b^2)*\log(1/(\tan(d*x + c)^2 + 1)))/((a^2*b + b^3)*d)$$

Sympy [A] time = 4.40048, size = 700, normalized size = 8.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((zoo*x*(A + B*tan(c)), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((A*log(tan(c + d*x)**2 + 1)/(2*d) - B*x + B*tan(c + d*x)/d)/a, Eq(b, 0)), (-A*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) + A/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - B*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) - B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*B*log(tan(c + d*x)**2 + 1)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*B/(-2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, -I*b)), (A*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - A/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + B*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) + B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*B*log(tan(c + d*x)**2 + 1)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*B/(2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, I*b)), (x*(A + B*tan(c))*tan(c)/(a + b*tan(c)), Eq(d, 0)), (-2*A*a*b*log(a/b + tan(c + d*x))/(2*a**2*b*d + 2*b**3*d) + A*a*b*log(tan(c + d*x)**2 + 1)/(2*a**2*b*d + 2*b**3*d) + 2*A*b**2*d*x/(2*a**2*b*d + 2*b**3*d) + 2*B*a**2*log(a/b + tan(c + d*x))/(2*a**2*b*d + 2*b**3*d) - 2*B*a*b*d*x/(2*a**2*b*d + 2*b**3*d) + B*b**2*log(tan(c + d*x)**2 + 1)/(2*a**2*b*d + 2*b**3*d), True))

Giac [A] time = 1.21786, size = 128, normalized size = 1.6

$$\frac{\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2(Ba^2-Aab)\log(|b \tan(dx+c)+a|)}{a^2b+b^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/2*(2*(B*a - A*b)*(d*x + c)/(a^2 + b^2) - (A*a + B*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*(B*a^2 - A*a*b)*log(abs(b*tan(d*x + c) + a))/(a^2*b + b^3))/d
```

$$3.270 \quad \int \frac{A+B \tan(c+dx)}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=58

$$\frac{(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)} + \frac{x(aA + bB)}{a^2 + b^2}$$

[Out] ((a*A + b*B)*x)/(a^2 + b^2) + ((A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rubi [A] time = 0.0678102, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {3531, 3530}

$$\frac{(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)} + \frac{x(aA + bB)}{a^2 + b^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x]),x]

[Out] ((a*A + b*B)*x)/(a^2 + b^2) + ((A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A+B \tan(c+dx)}{a+b \tan(c+dx)} dx &= \frac{(aA + bB)x}{a^2 + b^2} + \frac{(Ab - aB) \int \frac{b-a \tan(c+dx)}{a+b \tan(c+dx)} dx}{a^2 + b^2} \\ &= \frac{(aA + bB)x}{a^2 + b^2} + \frac{(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{(a^2 + b^2)d} \end{aligned}$$

Mathematica [A] time = 0.103249, size = 66, normalized size = 1.14

$$\frac{2(aA + bB) \tan^{-1}(\tan(c + dx)) - (Ab - aB) \left(\log(\sec^2(c + dx)) - 2 \log(a + b \tan(c + dx)) \right)}{2d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x]),x]

[Out] (2*(a*A + b*B)*ArcTan[Tan[c + d*x]] - (A*b - a*B)*(Log[Sec[c + d*x]^2] - 2*Log[a + b*Tan[c + d*x]]))/(2*(a^2 + b^2)*d)

Maple [B] time = 0.031, size = 153, normalized size = 2.6

$$\frac{\ln(1 + (\tan(dx + c))^2) Ab}{2d(a^2 + b^2)} + \frac{\ln(1 + (\tan(dx + c))^2) aB}{2d(a^2 + b^2)} + \frac{A \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} + \frac{B \arctan(\tan(dx + c)) b}{d(a^2 + b^2)} + \frac{\ln(a + b \tan(dx + c))}{d(a^2 + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] -1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*b+1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B+1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*a+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b+1/d/(a^2+b^2)*ln(a+b*tan(d*x+c))*A*b-1/d/(a^2+b^2)*ln(a+b*tan(d*x+c))*a*B

Maxima [A] time = 1.48983, size = 119, normalized size = 2.05

$$\frac{\frac{2(Aa+Bb)(dx+c)}{a^2+b^2} - \frac{2(Ba-Ab)\log(b\tan(dx+c)+a)}{a^2+b^2} + \frac{(Ba-Ab)\log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*(A*a + B*b)*(d*x + c)/(a^2 + b^2) - 2*(B*a - A*b)*log(b*tan(d*x + c) + a)/(a^2 + b^2) + (B*a - A*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2))/d

Fricas [A] time = 1.64692, size = 174, normalized size = 3.

$$\frac{2(Aa + Bb)dx - (Ba - Ab)\log\left(\frac{b^2\tan(dx+c)^2+2ab\tan(dx+c)+a^2}{\tan(dx+c)^2+1}\right)}{2(a^2 + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*(A*a + B*b)*d*x - (B*a - A*b)*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)))/((a^2 + b^2)*d)

Sympy [A] time = 2.56906, size = 524, normalized size = 9.03

$$\frac{\int \frac{\tan(c) \log(\tan^2(c+dx)+1)}{Ax + \frac{a}{2d}} dx}{\frac{iAdx \tan(c+dx)}{-2bd \tan(c+dx)+2ibd} - \frac{Adx}{2bd \tan(c+dx)+2ibd} - \frac{iA}{2bd \tan(c+dx)+2ibd} - \frac{Bdx \tan(c+dx)}{2bd \tan(c+dx)+2ibd} + \frac{iBdx}{2bd \tan(c+dx)+2ibd} + \frac{B}{2bd \tan(c+dx)+2ibd}}$$

$$+ \frac{2bd \tan(c+dx)+2ibd}{2bd \tan(c+dx)+2ibd} + \frac{2bd \tan(c+dx)+2ibd}{2bd \tan(c+dx)+2ibd} - \frac{2bd \tan(c+dx)+2ibd}{2bd \tan(c+dx)+2ibd} + \frac{2bd \tan(c+dx)+2ibd}{2bd \tan(c+dx)+2ibd} - \frac{2bd \tan(c+dx)+2ibd}{2bd \tan(c+dx)+2ibd}$$

$$\frac{a+b \tan(c)}{2a^2d+2b^2d} + \frac{2Ab \log\left(\frac{a}{b} + \tan(c+dx)\right)}{2a^2d+2b^2d} - \frac{Ab \log(\tan^2(c+dx)+1)}{2a^2d+2b^2d} - \frac{2Ba \log\left(\frac{a}{b} + \tan(c+dx)\right)}{2a^2d+2b^2d} + \frac{Ba \log(\tan^2(c+dx)+1)}{2a^2d+2b^2d} + \frac{2Bbdx}{2a^2d+2b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((zoo*x*(A + B*tan(c))/tan(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((A*x + B*log(tan(c + d*x)**2 + 1)/(2*d))/a, Eq(b, 0)), (-I*A*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - A*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*A/(-2*b*d*tan(c + d*x) + 2*I*b*d) - B*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*B*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) + B/(-2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, -I*b)), (-I*A*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + A*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*A/(2*b*d*tan(c + d*x) + 2*I*b*d) + B*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*B*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - B/(2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, I*b)), (x*(A + B*tan(c))/(a + b*tan(c)), Eq(d, 0)), (2*A*a*d*x/(2*a**2*d + 2*b**2*d) + 2*A*b*log(a/b + tan(c + d*x))/(2*a**2*d + 2*b**2*d) - A*b*log(tan(c + d*x)**2 + 1)/(2*a**2*d + 2*b**2*d) - 2*B*a*log(a/b + tan(c + d*x))/(2*a**2*d + 2*b**2*d) + B*a*log(tan(c + d*x)**2 + 1)/(2*a**2*d + 2*b**2*d) + 2*B*b*d*x/(2*a**2*d + 2*b**2*d), True))
```

Giac [A] time = 1.22887, size = 127, normalized size = 2.19

$$\frac{\frac{2(Aa+Bb)(dx+c)}{a^2+b^2} + \frac{(Ba-Ab) \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2(Bab-Ab^2) \log(|b \tan(dx+c)+a|)}{a^2b+b^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*(A*a + B*b)*(d*x + c)/(a^2 + b^2) + (B*a - A*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*(B*a*b - A*b^2)*log(abs(b*tan(d*x + c) + a))/(a^2*b + b^3))/d
```

$$3.271 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=80

$$-\frac{b(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{ad(a^2 + b^2)} - \frac{x(Ab - aB)}{a^2 + b^2} + \frac{A \log(\sin(c + dx))}{ad}$$

[Out] -(((A*b - a*B)*x)/(a^2 + b^2)) + (A*Log[Sin[c + d*x]])/(a*d) - (b*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a*(a^2 + b^2)*d)

Rubi [A] time = 0.108994, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {3611, 3530, 3475}

$$-\frac{b(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{ad(a^2 + b^2)} - \frac{x(Ab - aB)}{a^2 + b^2} + \frac{A \log(\sin(c + dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] -(((A*b - a*B)*x)/(a^2 + b^2)) + (A*Log[Sin[c + d*x]])/(a*d) - (b*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a*(a^2 + b^2)*d)

Rule 3611

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(B*(b*c + a*d) + A*(a*c - b*d)*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(b*(A*b - a*B))/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] + Dist[(d*(B*c - A*d))/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx &= -\frac{(Ab - aB)x}{a^2 + b^2} + \frac{A \int \cot(c + dx) dx}{a} - \frac{(b(Ab - aB)) \int \frac{b - a \tan(c + dx)}{a + b \tan(c + dx)} dx}{a(a^2 + b^2)} \\ &= -\frac{(Ab - aB)x}{a^2 + b^2} + \frac{A \log(\sin(c + dx))}{ad} - \frac{b(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a(a^2 + b^2)d} \end{aligned}$$

Mathematica [C] time = 0.334887, size = 113, normalized size = 1.41

$$\frac{\frac{2b(Ab-aB)\log(a+b\tan(c+dx))}{a(a^2+b^2)} + \frac{(A+iB)\log(-\tan(c+dx)+i)}{a+ib} + \frac{(A-iB)\log(\tan(c+dx)+i)}{a-ib} - \frac{2A\log(\tan(c+dx))}{a}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(((A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b) - (2*A*Log[Tan[c + d*x]])/a + ((A - I*B)*Log[I + Tan[c + d*x]])/(a - I*b) + (2*b*(A*b - a*B)*Log[a + b*Tan[c + d*x]])/(a*(a^2 + b^2)))/(2*d)

Maple [B] time = 0.1, size = 174, normalized size = 2.2

$$\frac{\ln(1 + (\tan(dx + c))^2) Aa}{2d(a^2 + b^2)} - \frac{\ln(1 + (\tan(dx + c))^2) Bb}{2d(a^2 + b^2)} - \frac{A \arctan(\tan(dx + c)) b}{d(a^2 + b^2)} + \frac{B \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] -1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*a-1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*B*b-1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*b+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*a+1/a/d*A*ln(tan(d*x+c))-1/d*b^2/a/(a^2+b^2)*ln(a+b*tan(d*x+c))*A+1/d*b/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.4947, size = 144, normalized size = 1.8

$$\frac{\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} + \frac{2(Bab-Ab^2)\log(b\tan(dx+c)+a)}{a^3+ab^2} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2A\log(\tan(dx+c))}{a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*(B*a - A*b)*(d*x + c)/(a^2 + b^2) + 2*(B*a*b - A*b^2)*log(b*tan(d*x + c) + a)/(a^3 + a*b^2) - (A*a + B*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) + 2*A*log(tan(d*x + c))/a)/d

Fricas [A] time = 1.82097, size = 267, normalized size = 3.34

$$\frac{2(Ba^2 - Aab)dx + (Aa^2 + Ab^2)\log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) + (Bab - Ab^2)\log\left(\frac{b^2\tan(dx+c)^2+2ab\tan(dx+c)+a^2}{\tan(dx+c)^2+1}\right)}{2(a^3 + ab^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2} * (2 * (B * a^2 - A * a * b) * d * x + (A * a^2 + A * b^2) * \log(\tan(d * x + c)^2 / (\tan(d * x + c)^2 + 1))) + (B * a * b - A * b^2) * \log((b^2 * \tan(d * x + c)^2 + 2 * a * b * \tan(d * x + c) + a^2) / (\tan(d * x + c)^2 + 1)) / ((a^3 + a * b^2) * d)$

Sympy [A] time = 21.1286, size = 952, normalized size = 11.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] Piecewise((zoo*x*(A + B*tan(c))*cot(c)/tan(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((-A*log(tan(c + d*x)**2 + 1)/(2*d) + A*log(tan(c + d*x))/d + B*x)/a, Eq(b, 0)), ((-A*x - A/(d*tan(c + d*x)) - B*log(tan(c + d*x)**2 + 1)/(2*d) + B*log(tan(c + d*x))/d)/b, Eq(a, 0)), (-A*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) + A*log(tan(c + d*x)**2 + 1)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 2*I*A*log(tan(c + d*x))*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - 2*A*log(tan(c + d*x))/(-2*b*d*tan(c + d*x) + 2*I*b*d) - A/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x) + 2*I*b*d) - B*d*x/(-2*b*d*tan(c + d*x) + 2*I*b*d) - I*B/(-2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, -I*b)), (A*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) + I*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) - A*log(tan(c + d*x)**2 + 1)/(2*b*d*tan(c + d*x) + 2*I*b*d) - 2*I*A*log(tan(c + d*x))*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + 2*A*log(tan(c + d*x))/(2*b*d*tan(c + d*x) + 2*I*b*d) + A/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*B*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x) + 2*I*b*d) + B*d*x/(2*b*d*tan(c + d*x) + 2*I*b*d) - I*B/(2*b*d*tan(c + d*x) + 2*I*b*d), Eq(a, I*b)), (x*(A + B*tan(c))*cot(c)/(a + b*tan(c)), Eq(d, 0)), (-A*a**2*log(tan(c + d*x)**2 + 1)/(2*a**3*d + 2*a*b**2*d) + 2*A*a**2*log(tan(c + d*x))/(2*a**3*d + 2*a*b**2*d) - 2*A*a*b*d*x/(2*a**3*d + 2*a*b**2*d) - 2*A*b**2*log(a/b + tan(c + d*x))/(2*a**3*d + 2*a*b**2*d) + 2*A*b**2*log(tan(c + d*x))/(2*a**3*d + 2*a*b**2*d) + 2*B*a**2*d*x/(2*a**3*d + 2*a*b**2*d) + 2*B*a*b*log(a/b + tan(c + d*x))/(2*a**3*d + 2*a*b**2*d) - B*a*b*log(tan(c + d*x)**2 + 1)/(2*a**3*d + 2*a*b**2*d), True))

Giac [A] time = 1.29314, size = 153, normalized size = 1.91

$$\frac{\frac{2(Ba - Ab)(dx + c)}{a^2 + b^2} - \frac{(Aa + Bb) \log(\tan(dx + c)^2 + 1)}{a^2 + b^2}}{2d} + \frac{2(Bab^2 - Ab^3) \log(|b \tan(dx + c) + a|)}{a^3 b + ab^3} + \frac{2A \log(|\tan(dx + c)|)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")`

[Out] $\frac{1}{2} * (2 * (B * a - A * b) * (d * x + c) / (a^2 + b^2) - (A * a + B * b) * \log(\tan(d * x + c)^2 + 1) / (a^2 + b^2) + 2 * (B * a * b^2 - A * b^3) * \log(\text{abs}(b * \tan(d * x + c) + a)) / (a^3 * b + a * b^3) + 2 * A * \log(\text{abs}(\tan(d * x + c))) / a) / d$

$$3.272 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=103

$$\frac{b^2(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a^2 d (a^2 + b^2)} - \frac{x(aA + bB)}{a^2 + b^2} - \frac{(Ab - aB) \log(\sin(c + dx))}{a^2 d} - \frac{A \cot(c + dx)}{ad}$$

[Out] -(((a*A + b*B)*x)/(a^2 + b^2)) - (A*Cot[c + d*x])/(a*d) - ((A*b - a*B)*Log[Sin[c + d*x]])/(a^2*d) + (b^2*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^2*(a^2 + b^2)*d)

Rubi [A] time = 0.251384, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {3609, 3651, 3530, 3475}

$$\frac{b^2(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a^2 d (a^2 + b^2)} - \frac{x(aA + bB)}{a^2 + b^2} - \frac{(Ab - aB) \log(\sin(c + dx))}{a^2 d} - \frac{A \cot(c + dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(((a*A + b*B)*x)/(a^2 + b^2)) - (A*Cot[c + d*x])/(a*d) - ((A*b - a*B)*Log[Sin[c + d*x]])/(a^2*d) + (b^2*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^2*(a^2 + b^2)*d)

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3651

```
Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], a^2 + b^2]])/(a^2 + b^2), x]
```

*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cot^2(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx = -\frac{A \cot(c + dx)}{ad} - \frac{\int \frac{\cot(c+dx)(Ab-aB+aA \tan(c+dx)+Ab \tan^2(c+dx))}{a+b \tan(c+dx)} dx}{a}$$

$$= -\frac{(aA + bB)x}{a^2 + b^2} - \frac{A \cot(c + dx)}{ad} - \frac{(Ab - aB) \int \cot(c + dx) dx}{a^2} + \frac{(b^2(Ab - aB)) \int \cot^2(c + dx) dx}{a^2(a^2 + b^2)}$$

$$= -\frac{(aA + bB)x}{a^2 + b^2} - \frac{A \cot(c + dx)}{ad} - \frac{(Ab - aB) \log(\sin(c + dx))}{a^2 d} + \frac{b^2(Ab - aB) \log(\tan(c + dx))}{a^2(a^2 + b^2)}$$

Mathematica [C] time = 0.830609, size = 138, normalized size = 1.34

$$\frac{2b^2(Ab-aB) \log(a+b \tan(c+dx))}{a^2(a^2+b^2)} + \frac{2(aB-Ab) \log(\tan(c+dx))}{a^2} + \frac{i(A+iB) \log(-\tan(c+dx)+i)}{a+ib} - \frac{(B+iA) \log(\tan(c+dx)+i)}{a-ib} - \frac{2A \cot(c+dx)}{a}$$

2d

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] ((-2*A*Cot[c + d*x])/a + (I*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b) + (2*(-(A*b) + a*B)*Log[Tan[c + d*x]])/a^2 - ((I*A + B)*Log[I + Tan[c + d*x]])/(a - I*b) + (2*b^2*(A*b - a*B)*Log[a + b*Tan[c + d*x]])/(a^2*(a^2 + b^2)))/(2*d)

Maple [B] time = 0.1, size = 214, normalized size = 2.1

$$\frac{\ln(1 + (\tan(dx + c))^2) Ab}{2d(a^2 + b^2)} - \frac{\ln(1 + (\tan(dx + c))^2) aB}{2d(a^2 + b^2)} - \frac{A \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} - \frac{B \arctan(\tan(dx + c)) b}{d(a^2 + b^2)} - \frac{ad \tan(dx + c)}{a^2 + b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*b-1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B-1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*a-1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b-1/d/a*A/tan(d*x+c)-1/d/a^2*ln(tan(d*x+c))*A*b+1/d/a*B*ln(tan(d*x+c))+1/d*b^3/a^2/(a^2+b^2)*ln(a+b*tan(d*x+c))*A-1/d*b^2/a/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.48319, size = 177, normalized size = 1.72

$$\frac{2(Aa+Bb)(dx+c)}{a^2+b^2} + \frac{2(Bab^2-Ab^3) \log(b \tan(dx+c)+a)}{a^4+a^2b^2} + \frac{(Ba-Ab) \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2(Ba-Ab) \log(\tan(dx+c))}{a^2} + \frac{2A}{a \tan(dx+c)}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out]
$$-1/2*(2*(A*a + B*b)*(d*x + c)/(a^2 + b^2) + 2*(B*a*b^2 - A*b^3)*\log(b*\tan(dx + c) + a)/(a^4 + a^2*b^2) + (B*a - A*b)*\log(\tan(dx + c)^2 + 1)/(a^2 + b^2) - 2*(B*a - A*b)*\log(\tan(dx + c))/a^2 + 2*A/(a*\tan(dx + c)))/d$$

Fricas [A] time = 1.90485, size = 404, normalized size = 3.92

$$\frac{2Aa^3 + 2Aab^2 + 2(Aa^3 + Ba^2b)dx \tan(dx + c) - (Ba^3 - Aa^2b + Bab^2 - Ab^3) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx + c) + (Ba^3 - Aa^2b + Bab^2 - Ab^3) \log(\tan(dx + c)^2 + 1) \tan(dx + c)}{2(a^4 + a^2b^2)d \tan(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="fricas")

[Out]
$$-1/2*(2*A*a^3 + 2*A*a*b^2 + 2*(A*a^3 + B*a^2*b)*d*x*\tan(dx + c) - (B*a^3 - A*a^2*b + B*a*b^2 - A*b^3)*\log(\tan(dx + c)^2/(\tan(dx + c)^2 + 1))*\tan(dx + c) + (B*a*b^2 - A*b^3)*\log((b^2*\tan(dx + c)^2 + 2*a*b*\tan(dx + c) + a^2)/(\tan(dx + c)^2 + 1))*\tan(dx + c))/((a^4 + a^2*b^2)*d*\tan(dx + c))$$

Sympy [A] time = 151.578, size = 2066, normalized size = 20.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**2*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x)

[Out] Piecewise((zoo*x, Eq(a, 0) & Eq(b, 0) & Eq(c, 0) & Eq(d, 0)), ((-A*x - A/(d*tan(c + d*x)) - B*log(tan(c + d*x)**2 + 1)/(2*d) + B*log(tan(c + d*x))/d)/a, Eq(b, 0)), ((A*log(tan(c + d*x)**2 + 1)/(2*d) - A*log(tan(c + d*x))/d - A/(2*d*tan(c + d*x)**2) - B*x - B/(d*tan(c + d*x)))/b, Eq(a, 0)), (3*I*A*d*x*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 3*A*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - I*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - 2*A*log(tan(c + d*x))*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 2*I*A*log(tan(c + d*x))*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 3*I*A*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 2*A/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - B*d*x*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + I*B*d*x*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + I*B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - 2*I*B*log(tan(c + d*x))*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - 2*B*log(tan(c + d*x))*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - B*tan(c + d*x)/(-2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)), Eq(a, -I*b)), (3*I*A*d*x*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x))

```
) - 3*A*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - A
*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*
tan(c + d*x)) - I*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*b*d*tan(c + d*
x)**2 + 2*I*b*d*tan(c + d*x)) + 2*A*log(tan(c + d*x))*tan(c + d*x)**2/(2*b*
d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 2*I*A*log(tan(c + d*x))*tan(c +
d*x)/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 3*I*A*tan(c + d*x)/(
2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - 2*A/(2*b*d*tan(c + d*x)**2
+ 2*I*b*d*tan(c + d*x)) + B*d*x*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**2 + 2*
I*b*d*tan(c + d*x)) + I*B*d*x*tan(c + d*x)/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*
*tan(c + d*x)) + I*B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(2*b*d*tan(c
+ d*x)**2 + 2*I*b*d*tan(c + d*x)) - B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)
/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) - 2*I*B*log(tan(c + d*x))*t
an(c + d*x)**2/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + 2*B*log(tan
(c + d*x))*tan(c + d*x)/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)) + B*
tan(c + d*x)/(2*b*d*tan(c + d*x)**2 + 2*I*b*d*tan(c + d*x)), Eq(a, I*b)), (
zoo*A*x/a, Eq(c, -d*x)), (x*(A + B*tan(c))*cot(c)**2/(a + b*tan(c)), Eq(d,
0)), (-2*A*a**3*d*x*tan(c + d*x)/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan
(c + d*x)) - 2*A*a**3/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan(c + d*x))
+ A*a**2*b*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*a**4*d*tan(c + d*x) + 2
*a**2*b**2*d*tan(c + d*x)) - 2*A*a**2*b*log(tan(c + d*x))*tan(c + d*x)/(2*a
**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan(c + d*x)) - 2*A*a*b**2/(2*a**4*d*tan
(c + d*x) + 2*a**2*b**2*d*tan(c + d*x)) + 2*A*b**3*log(a/b + tan(c + d*x))*
tan(c + d*x)/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan(c + d*x)) - 2*A*b**
3*log(tan(c + d*x))*tan(c + d*x)/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan
(c + d*x)) - B*a**3*log(tan(c + d*x)**2 + 1)*tan(c + d*x)/(2*a**4*d*tan(c +
d*x) + 2*a**2*b**2*d*tan(c + d*x)) + 2*B*a**3*log(tan(c + d*x))*tan(c + d*
x)/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan(c + d*x)) - 2*B*a**2*b*d*x*ta
n(c + d*x)/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2*d*tan(c + d*x)) - 2*B*a*b**
2*log(a/b + tan(c + d*x))*tan(c + d*x)/(2*a**4*d*tan(c + d*x) + 2*a**2*b**2
*d*tan(c + d*x)) + 2*B*a*b**2*log(tan(c + d*x))*tan(c + d*x)/(2*a**4*d*tan(
c + d*x) + 2*a**2*b**2*d*tan(c + d*x)), True))
```

Giac [A] time = 1.32016, size = 212, normalized size = 2.06

$$\frac{\frac{2(Aa+Bb)(dx+c)}{a^2+b^2} + \frac{(Ba-Ab)\log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2(Bab^3-Ab^4)\log(|b\tan(dx+c)+a|)}{a^4b+a^2b^3} - \frac{2(Ba-Ab)\log(|\tan(dx+c)|)}{a^2} + \frac{2(Ba\tan(dx+c)-Ab\tan(dx+c)+1)}{a^2\tan(dx+c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/2*(2*(A*a + B*b)*(d*x + c)/(a^2 + b^2) + (B*a - A*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) + 2*(B*a*b^3 - A*b^4)*log(abs(b*tan(d*x + c) + a))/(a^4*b + a^2*b^3) - 2*(B*a - A*b)*log(abs(tan(d*x + c)))/a^2 + 2*(B*a*tan(d*x + c) - A*b*tan(d*x + c) + A*a)/(a^2*tan(d*x + c)))/d
```

$$3.273 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=137

$$\frac{(a^2A + abB - Ab^2) \log(\sin(c + dx))}{a^3d} - \frac{b^3(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a^3d(a^2 + b^2)} + \frac{x(Ab - aB)}{a^2 + b^2} + \frac{(Ab - aB) \cos(c + dx)}{a^2d}$$

[Out] ((A*b - a*B)*x)/(a^2 + b^2) + ((A*b - a*B)*Cot[c + d*x])/(a^2*d) - (A*Cot[c + d*x]^2)/(2*a*d) - ((a^2*A - A*b^2 + a*b*B)*Log[Sin[c + d*x]])/(a^3*d) - (b^3*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^3*(a^2 + b^2)*d)

Rubi [A] time = 0.550286, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{(a^2A + abB - Ab^2) \log(\sin(c + dx))}{a^3d} - \frac{b^3(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a^3d(a^2 + b^2)} + \frac{x(Ab - aB)}{a^2 + b^2} + \frac{(Ab - aB) \cos(c + dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] ((A*b - a*B)*x)/(a^2 + b^2) + ((A*b - a*B)*Cot[c + d*x])/(a^2*d) - (A*Cot[c + d*x]^2)/(2*a*d) - ((a^2*A - A*b^2 + a*b*B)*Log[Sin[c + d*x]])/(a^3*d) - (b^3*(A*b - a*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^3*(a^2 + b^2)*d)

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

```
Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{\cot^3(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx = -\frac{A \cot^2(c + dx)}{2ad} - \frac{\int \frac{\cot^2(c+dx)(2(Ab-ab)+2aA \tan(c+dx)+2Ab \tan^2(c+dx))}{a+b \tan(c+dx)} dx}{2a}$$

$$= \frac{(Ab - aB) \cot(c + dx)}{a^2d} - \frac{A \cot^2(c + dx)}{2ad} + \frac{\int \frac{\cot(c+dx)(-2(a^2A - Ab^2 + abB) - 2a^2B \tan(c+dx))}{a+b \tan(c+dx)} dx}{2a^2}$$

$$= \frac{(Ab - aB)x}{a^2 + b^2} + \frac{(Ab - aB) \cot(c + dx)}{a^2d} - \frac{A \cot^2(c + dx)}{2ad} - \frac{(b^3(Ab - aB) \int \frac{b-a \tan(c+dx)}{a+b \tan(c+dx)} dx)}{a^3(a^2 + b^2)}$$

$$= \frac{(Ab - aB)x}{a^2 + b^2} + \frac{(Ab - aB) \cot(c + dx)}{a^2d} - \frac{A \cot^2(c + dx)}{2ad} - \frac{(a^2A - Ab^2 + abB) \log(\tan(c + dx))}{a^3d}$$

Mathematica [C] time = 1.35034, size = 163, normalized size = 1.19

$$\frac{2b^3(aB - Ab) \log(a + b \tan(c + dx))}{a^3(a^2 + b^2)} - \frac{2(a^2A + abB - Ab^2) \log(\tan(c + dx))}{a^3} + \frac{2(Ab - aB) \cot(c + dx)}{a^2} + \frac{(A + iB) \log(-\tan(c + dx) + i)}{a + ib} + \frac{(A - iB) \log(\tan(c + dx) + i)}{a - ib}$$

2d

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]
```

```
[Out] ((2*(A*b - a*B)*Cot[c + d*x])/a^2 - (A*Cot[c + d*x]^2)/a + ((A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b) - (2*(a^2*A - A*b^2 + a*b*B)*Log[Tan[c + d*x]])/a^3 + ((A - I*B)*Log[I + Tan[c + d*x]])/(a - I*b) + (2*b^3*(-(A*b) + a*B)*Log[a + b*Tan[c + d*x]])/(a^3*(a^2 + b^2)))/(2*d)
```

Maple [A] time = 0.114, size = 266, normalized size = 1.9

$$\frac{\ln(1 + (\tan(dx + c))^2) Aa}{2d(a^2 + b^2)} + \frac{\ln(1 + (\tan(dx + c))^2) Bb}{2d(a^2 + b^2)} + \frac{A \arctan(\tan(dx + c)) b}{d(a^2 + b^2)} - \frac{B \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} - \frac{1}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] $\frac{1}{2} \frac{d}{d} \frac{1}{(a^2+b^2)} \ln(1+\tan(d*x+c)^2) * A * a + \frac{1}{2} \frac{d}{d} \frac{1}{(a^2+b^2)} \ln(1+\tan(d*x+c)^2) * B * b + \frac{1}{d} \frac{1}{(a^2+b^2)} * A * \arctan(\tan(d*x+c)) * b - \frac{1}{d} \frac{1}{(a^2+b^2)} * B * \arctan(\tan(d*x+c)) * a - \frac{1}{2} \frac{d}{d} \frac{1}{a} * A / \tan(d*x+c)^2 + \frac{1}{d} \frac{1}{a^2} / \tan(d*x+c) * A * b - \frac{1}{d} \frac{1}{a} / \tan(d*x+c) * B - \frac{1}{a} \frac{d}{d} * A * \ln(\tan(d*x+c)) + \frac{1}{d} \frac{1}{a^3} * \ln(\tan(d*x+c)) * A * b^2 - \frac{1}{d} \frac{1}{a^2} * \ln(\tan(d*x+c)) * B * b - \frac{1}{d} * b^4 / a^3 / (a^2+b^2) * \ln(a+b*tan(d*x+c)) * A + \frac{1}{d} * b^3 / a^2 / (a^2+b^2) * \ln(a+b*tan(d*x+c)) * B$

Maxima [A] time = 1.47878, size = 213, normalized size = 1.55

$$\frac{\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} - \frac{2(Bab^3-Ab^4)\log(b\tan(dx+c)+a)}{a^5+a^3b^2} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2(Aa^2+Bab-Ab^2)\log(\tan(dx+c))}{a^3} + \frac{Aa+2(Ba-Ab)\tan(dx+c)}{a^2\tan(dx+c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")`

[Out] $-\frac{1}{2} * (2 * (B * a - A * b) * (d * x + c) / (a^2 + b^2) - 2 * (B * a * b^3 - A * b^4) * \log(b * \tan(d * x + c) + a) / (a^5 + a^3 * b^2) - (A * a + B * b) * \log(\tan(d * x + c)^2 + 1) / (a^2 + b^2) + 2 * (A * a^2 + B * a * b - A * b^2) * \log(\tan(d * x + c)) / a^3 + (A * a + 2 * (B * a - A * b) * \tan(d * x + c)) / (a^2 * \tan(d * x + c)^2)) / d$

Fricas [A] time = 2.03542, size = 518, normalized size = 3.78

$$\frac{Aa^4 + Aa^2b^2 + (Aa^4 + Ba^3b + Bab^3 - Ab^4) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right) \tan(dx+c)^2 - (Bab^3 - Ab^4) \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c)}{\tan(dx+c)^2+1}\right)}{2(a^5 + a^3b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")`

[Out] $-\frac{1}{2} * (A * a^4 + A * a^2 * b^2 + (A * a^4 + B * a^3 * b + B * a * b^3 - A * b^4) * \log(\tan(d * x + c)^2 / (\tan(d * x + c)^2 + 1)) * \tan(d * x + c)^2 - (B * a * b^3 - A * b^4) * \log((b^2 * \tan(d * x + c)^2 + 2 * a * b * \tan(d * x + c) + a^2) / (\tan(d * x + c)^2 + 1)) * \tan(d * x + c)^2 + (A * a^4 + A * a^2 * b^2 + 2 * (B * a^4 - A * a^3 * b) * d * x) * \tan(d * x + c)^2 + 2 * (B * a^4 - A * a^3 * b + B * a^2 * b^2 - A * a * b^3) * \tan(d * x + c)) / ((a^5 + a^3 * b^2) * d * \tan(d * x + c)^2)$

Sympy [A] time = 159.793, size = 2594, normalized size = 18.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

```
[Out] Piecewise((zoo*x, Eq(a, 0) & Eq(b, 0) & Eq(c, 0) & Eq(d, 0)), ((A*log(tan(c
+ d*x)**2 + 1)/(2*d) - A*log(tan(c + d*x))/d - A/(2*d*tan(c + d*x)**2) - B
*x - B/(d*tan(c + d*x)))/a, Eq(b, 0)), ((A*x + A/(d*tan(c + d*x)) - A/(3*d*
tan(c + d*x)**3) + B*log(tan(c + d*x)**2 + 1)/(2*d) - B*log(tan(c + d*x))/d
- B/(2*d*tan(c + d*x)**2))/b, Eq(a, 0)), (3*A*d*x*tan(c + d*x)**3/(-2*b*d*
tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 3*I*A*d*x*tan(c + d*x)**2/(-2*
b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 2*I*A*log(tan(c + d*x)**2
+ 1)*tan(c + d*x)**3/(-2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 2
*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**3 + 2*I*b
*d*tan(c + d*x)**2) + 4*I*A*log(tan(c + d*x))*tan(c + d*x)**3/(-2*b*d*tan(c
+ d*x)**3 + 2*I*b*d*tan(c + d*x)**2) + 4*A*log(tan(c + d*x))*tan(c + d*x)*
**2/(-2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 3*I*A*tan(c + d*x)*
**3/(-2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - I*A*tan(c + d*x)/(-
2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) + A/(-2*b*d*tan(c + d*x)**
3 + 2*I*b*d*tan(c + d*x)**2) + 3*I*B*d*x*tan(c + d*x)**3/(-2*b*d*tan(c + d*
x)**3 + 2*I*b*d*tan(c + d*x)**2) + 3*B*d*x*tan(c + d*x)**2/(-2*b*d*tan(c +
d*x)**3 + 2*I*b*d*tan(c + d*x)**2) + B*log(tan(c + d*x)**2 + 1)*tan(c + d*x
)**3/(-2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - I*B*log(tan(c + d
*x)**2 + 1)*tan(c + d*x)**2/(-2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)*
**2) - 2*B*log(tan(c + d*x))*tan(c + d*x)**3/(-2*b*d*tan(c + d*x)**3 + 2*I*b
*d*tan(c + d*x)**2) + 2*I*B*log(tan(c + d*x))*tan(c + d*x)**2/(-2*b*d*tan(c
+ d*x)**3 + 2*I*b*d*tan(c + d*x)**2) + 3*B*tan(c + d*x)**3/(-2*b*d*tan(c +
d*x)**3 + 2*I*b*d*tan(c + d*x)**2) + 2*B*tan(c + d*x)/(-2*b*d*tan(c + d*x)
**3 + 2*I*b*d*tan(c + d*x)**2), Eq(a, -I*b)), (-3*A*d*x*tan(c + d*x)**3/(2*
b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 3*I*A*d*x*tan(c + d*x)**2/
(2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 2*I*A*log(tan(c + d*x)*
**2 + 1)*tan(c + d*x)**3/(2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) +
2*A*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**3 + 2*I*
b*d*tan(c + d*x)**2) + 4*I*A*log(tan(c + d*x))*tan(c + d*x)**3/(2*b*d*tan(c
+ d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 4*A*log(tan(c + d*x))*tan(c + d*x)*
**2/(2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - 3*I*A*tan(c + d*x)*
**3/(2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - I*A*tan(c + d*x)/(2*b
*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - A/(2*b*d*tan(c + d*x)**3 +
2*I*b*d*tan(c + d*x)**2) + 3*I*B*d*x*tan(c + d*x)**3/(2*b*d*tan(c + d*x)**3
+ 2*I*b*d*tan(c + d*x)**2) - 3*B*d*x*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**
3 + 2*I*b*d*tan(c + d*x)**2) - B*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**3/(
2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) - I*B*log(tan(c + d*x)**2
+ 1)*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c + d*x)**2) + 2*
B*log(tan(c + d*x))*tan(c + d*x)**3/(2*b*d*tan(c + d*x)**3 + 2*I*b*d*tan(c
+ d*x)**2) + 2*I*B*log(tan(c + d*x))*tan(c + d*x)**2/(2*b*d*tan(c + d*x)**3
+ 2*I*b*d*tan(c + d*x)**2) - 3*B*tan(c + d*x)**3/(2*b*d*tan(c + d*x)**3 +
2*I*b*d*tan(c + d*x)**2) - 2*B*tan(c + d*x)/(2*b*d*tan(c + d*x)**3 + 2*I*b*
d*tan(c + d*x)**2), Eq(a, I*b)), (zoo*A*x/a, Eq(c, -d*x)), (x*(A + B*tan(c)
)*cot(c)**3/(a + b*tan(c)), Eq(d, 0)), (A*a**4*log(tan(c + d*x)**2 + 1)*tan
(c + d*x)**2/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - 2
*A*a**4*log(tan(c + d*x))*tan(c + d*x)**2/(2*a**5*d*tan(c + d*x)**2 + 2*a**
3*b**2*d*tan(c + d*x)**2) - A*a**4/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*
d*tan(c + d*x)**2) + 2*A*a**3*b*d*x*tan(c + d*x)**2/(2*a**5*d*tan(c + d*x)*
**2 + 2*a**3*b**2*d*tan(c + d*x)**2) + 2*A*a**3*b*tan(c + d*x)/(2*a**5*d*tan
(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - A*a**2*b**2/(2*a**5*d*tan(c
+ d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) + 2*A*a*b**3*tan(c + d*x)/(2*a**
5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - 2*A*b**4*log(a/b +
tan(c + d*x))*tan(c + d*x)**2/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan
(c + d*x)**2) + 2*A*b**4*log(tan(c + d*x))*tan(c + d*x)**2/(2*a**5*d*tan(c
+ d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - 2*B*a**4*d*x*tan(c + d*x)**2/(
2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - 2*B*a**4*tan(c
+ d*x)/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) + B*a**3*
b*log(tan(c + d*x)**2 + 1)*tan(c + d*x)**2/(2*a**5*d*tan(c + d*x)**2 + 2*a**
3*b**2*d*tan(c + d*x)**2) - 2*B*a**3*b*log(tan(c + d*x))*tan(c + d*x)**2/(
```

```
2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - 2*B*a**2*b**2*tan(c + d*x)/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) + 2*B*a*b**3*log(a/b + tan(c + d*x))*tan(c + d*x)**2/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2) - 2*B*a*b**3*log(tan(c + d*x))*tan(c + d*x)**2/(2*a**5*d*tan(c + d*x)**2 + 2*a**3*b**2*d*tan(c + d*x)**2), True))
```

Giac [A] time = 1.29315, size = 289, normalized size = 2.11

$$\frac{\frac{2(Ba-Ab)(dx+c)}{a^2+b^2} - \frac{(Aa+Bb)\log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2(Bab^4-Ab^5)\log(|b\tan(dx+c)+a|)}{a^5b+a^3b^3} + \frac{2(Aa^2+Bab-Ab^2)\log(|\tan(dx+c)|)}{a^3} - \frac{3Aa^2\tan(dx+c)^2+3}{2d}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/2*(2*(B*a - A*b)*(d*x + c)/(a^2 + b^2) - (A*a + B*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*(B*a*b^4 - A*b^5)*log(abs(b*tan(d*x + c) + a))/(a^5*b + a^3*b^3) + 2*(A*a^2 + B*a*b - A*b^2)*log(abs(tan(d*x + c)))/a^3 - (3*A*a^2*tan(d*x + c)^2 + 3*B*a*b*tan(d*x + c)^2 - 3*A*b^2*tan(d*x + c)^2 - 2*B*a^2*tan(d*x + c) + 2*A*a*b*tan(d*x + c) - A*a^2)/(a^3*tan(d*x + c)^2))/d
```

3.274 $\int \frac{\cot^4(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$

Optimal. Leaf size=169

$$\frac{(a^2A + abB - Ab^2) \cot(c + dx)}{a^3d} + \frac{(a^2 - b^2)(Ab - aB) \log(\sin(c + dx))}{a^4d} + \frac{b^4(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a^4d(a^2 + b^2)}$$

[Out] $((aA + bB)x)/(a^2 + b^2) + ((a^2A - Ab^2 + aBb) \cot[c + dx])/(a^3d) + ((Ab - aB) \cot[c + dx]^2)/(2a^2d) - (A \cot[c + dx]^3)/(3ad) + ((a^2 - b^2)(Ab - aB) \log[\sin[c + dx]])/(a^4d) + (b^4(Ab - aB) \log[a \cos[c + dx] + b \sin[c + dx]])/(a^4(a^2 + b^2)d)$

Rubi [A] time = 0.832577, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{(a^2A + abB - Ab^2) \cot(c + dx)}{a^3d} + \frac{(a^2 - b^2)(Ab - aB) \log(\sin(c + dx))}{a^4d} + \frac{b^4(Ab - aB) \log(a \cos(c + dx) + b \sin(c + dx))}{a^4d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cot[c + dx]^4(A + B \tan[c + dx]))/(a + b \tan[c + dx]), x]$

[Out] $((aA + bB)x)/(a^2 + b^2) + ((a^2A - Ab^2 + aBb) \cot[c + dx])/(a^3d) + ((Ab - aB) \cot[c + dx]^2)/(2a^2d) - (A \cot[c + dx]^3)/(3ad) + ((a^2 - b^2)(Ab - aB) \log[\sin[c + dx]])/(a^4d) + (b^4(Ab - aB) \log[a \cos[c + dx] + b \sin[c + dx]])/(a^4(a^2 + b^2)d)$

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
```

(IntegerQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])), x_Symbol] :> Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cot^4(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx = -\frac{A \cot^3(c+dx)}{3ad} - \frac{\int \frac{\cot^3(c+dx)(3(Ab-aB)+3aA \tan(c+dx)+3Ab \tan^2(c+dx))}{a+b \tan(c+dx)} dx}{3a}$$

$$= \frac{(Ab-aB) \cot^2(c+dx)}{2a^2d} - \frac{A \cot^3(c+dx)}{3ad} + \frac{\int \frac{\cot^2(c+dx)(-6(a^2A-Ab^2+abB)-6a^2B)}{a+b \tan(c+dx)} dx}{6a}$$

$$= \frac{(a^2A-Ab^2+abB) \cot(c+dx)}{a^3d} + \frac{(Ab-aB) \cot^2(c+dx)}{2a^2d} - \frac{A \cot^3(c+dx)}{3ad}$$

$$= \frac{(aA+bB)x}{a^2+b^2} + \frac{(a^2A-Ab^2+abB) \cot(c+dx)}{a^3d} + \frac{(Ab-aB) \cot^2(c+dx)}{2a^2d} - \frac{A \cot^3(c+dx)}{3ad}$$

$$= \frac{(aA+bB)x}{a^2+b^2} + \frac{(a^2A-Ab^2+abB) \cot(c+dx)}{a^3d} + \frac{(Ab-aB) \cot^2(c+dx)}{2a^2d} - \frac{A \cot^3(c+dx)}{3ad}$$

Mathematica [C] time = 2.48529, size = 194, normalized size = 1.15

$$\frac{6(a^2A+abB-Ab^2) \cot(c+dx)}{a^3} + \frac{6b^4(Ab-aB) \log(a+b \tan(c+dx))}{a^4(a^2+b^2)} + \frac{3(Ab-aB) \cot^2(c+dx)}{a^2} + \frac{6(a-b)(a+b)(Ab-aB) \log(\tan(c+dx))}{a^4} + \frac{3(B-iA) \log(-\tan(c+dx))}{a+ib}$$

6d

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] ((6*(a^2*A - A*b^2 + a*b*B)*Cot[c + d*x])/a^3 + (3*(A*b - a*B)*Cot[c + d*x]^2)/a^2 - (2*A*Cot[c + d*x]^3)/a + (3*((-I)*A + B)*Log[I - Tan[c + d*x]])/(a + I*b) + (6*(a - b)*(a + b)*(A*b - a*B)*Log[Tan[c + d*x]])/a^4 + (3*(I*A + B)*Log[I + Tan[c + d*x]])/(a - I*b) + (6*b^4*(A*b - a*B)*Log[a + b*Tan[c

+ d*x]])/(a^4*(a^2 + b^2))/(6*d)

Maple [B] time = 0.11, size = 337, normalized size = 2.

$$-\frac{\ln\left(1 + (\tan(dx+c))^2\right)Ab}{2d(a^2+b^2)} + \frac{\ln\left(1 + (\tan(dx+c))^2\right)aB}{2d(a^2+b^2)} + \frac{A \arctan(\tan(dx+c))a}{d(a^2+b^2)} + \frac{B \arctan(\tan(dx+c))b}{d(a^2+b^2)} - \frac{3a}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] -1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*A*b+1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B+1/d/(a^2+b^2)*A*arctan(tan(d*x+c))*a+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b-1/3/d/a*A/tan(d*x+c)^3+1/2/d/a^2/tan(d*x+c)^2*A*b-1/2/d/a/tan(d*x+c)^2*B+1/d/a*A/tan(d*x+c)-1/d/a^3/tan(d*x+c)*A*b^2+1/d/a^2/tan(d*x+c)*B*b+1/d/a^2*ln(tan(d*x+c))*A*b-1/d/a^4*ln(tan(d*x+c))*A*b^3-1/d/a*B*ln(tan(d*x+c))+1/d/a^3*ln(tan(d*x+c))*B*b^2+1/d*b^5/a^4/(a^2+b^2)*ln(a+b*tan(d*x+c))*A-1/d*b^4/a^3/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.48449, size = 270, normalized size = 1.6

$$\frac{6(Aa+Bb)(dx+c)}{a^2+b^2} - \frac{6(Bab^4-Ab^5)\log(b\tan(dx+c)+a)}{a^6+a^4b^2} + \frac{3(Ba-Ab)\log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{6(Ba^3-Aa^2b-Bab^2+Ab^3)\log(\tan(dx+c))}{a^4} - \frac{2Aa^2-6(Aa^2+Bab^2)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(6*(A*a + B*b)*(d*x + c)/(a^2 + b^2) - 6*(B*a*b^4 - A*b^5)*log(b*tan(d*x + c) + a)/(a^6 + a^4*b^2) + 3*(B*a - A*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 6*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*log(tan(d*x + c))/a^4 - (2*A*a^2 - 6*(A*a^2 + B*a*b - A*b^2)*tan(d*x + c)^2 + 3*(B*a^2 - A*a*b)*tan(d*x + c))/(a^3*tan(d*x + c)^3))/d

Fricas [A] time = 2.0828, size = 644, normalized size = 3.81

$$2Aa^5 + 2Aa^3b^2 + 3(Ba^5 - Aa^4b - Bab^4 + Ab^5)\log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2+1}\right)\tan(dx+c)^3 + 3(Bab^4 - Ab^5)\log\left(\frac{b^2\tan(dx+c)^2+2ab\tan(dx+c)}{\tan(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/6*(2*A*a^5 + 2*A*a^3*b^2 + 3*(B*a^5 - A*a^4*b - B*a*b^4 + A*b^5)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^3 + 3*(B*a*b^4 - A*b^5)*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1))*tan(d*x + c)^3 + 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*(A*a^5 + B*a^4*b)*d*x)*tan(d*x + c)^3 - 6*(A*a^5 + B*a^4*b + B*a^2*b^3 - A*a*b^4)*tan(d*x +

$$c)^2 + 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3)*\tan(dx + c)/((a^6 + a^4*b^2)*d*\tan(dx + c)^3)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**4*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x)

[Out] Timed out

Giac [A] time = 1.27118, size = 385, normalized size = 2.28

$$\frac{6(Aa+Bb)(dx+c)}{a^2+b^2} + \frac{3(Ba-Ab)\log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{6(Bab^5-Ab^6)\log(|b\tan(dx+c)+a|)}{a^6b+a^4b^3} - \frac{6(Ba^3-Aa^2b-Bab^2+Ab^3)\log(|\tan(dx+c)|)}{a^4} + \frac{11Ba^3\tan(dx+c)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^4*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="giac")

[Out] 1/6*(6*(A*a + B*b)*(d*x + c)/(a^2 + b^2) + 3*(B*a - A*b)*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 6*(B*a*b^5 - A*b^6)*log(abs(b*tan(d*x + c) + a))/(a^6*b + a^4*b^3) - 6*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*log(abs(tan(d*x + c)))/a^4 + (11*B*a^3*tan(d*x + c)^3 - 11*A*a^2*b*tan(d*x + c)^3 - 11*B*a*b^2*tan(d*x + c)^3 + 11*A*b^3*tan(d*x + c)^3 + 6*A*a^3*tan(d*x + c)^2 + 6*B*a^2*b*tan(d*x + c)^2 - 6*A*a*b^2*tan(d*x + c)^2 - 3*B*a^3*tan(d*x + c) + 3*A*a^2*b*tan(d*x + c) - 2*A*a^3)/(a^4*tan(d*x + c)^3))/d

$$3.275 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=208

$$\frac{a(Ab - aB) \tan^2(c + dx)}{bd(a^2 + b^2)(a + b \tan(c + dx))} - \frac{(-2a^2B + aAb - b^2B) \tan(c + dx)}{b^2d(a^2 + b^2)} + \frac{a^2(a^2Ab - 2a^3B - 4ab^2B + 3Ab^3) \log(a + b \tan(c + dx))}{b^3d(a^2 + b^2)^2}$$

[Out] -(((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2) + ((a^2*A - A*b^2 + 2*a*b*B)*Log[Cos[c + d*x]])/((a^2 + b^2)^2*d) + (a^2*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)^2*d) - ((a*A*b - 2*a^2*B - b^2*B)*Tan[c + d*x])/(b^2*(a^2 + b^2)*d) + (a*(A*b - a*B)*Tan[c + d*x]^2)/(b*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.454827, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3605, 3647, 3626, 3617, 31, 3475}

$$\frac{a(Ab - aB) \tan^2(c + dx)}{bd(a^2 + b^2)(a + b \tan(c + dx))} - \frac{(-2a^2B + aAb - b^2B) \tan(c + dx)}{b^2d(a^2 + b^2)} + \frac{a^2(a^2Ab - 2a^3B - 4ab^2B + 3Ab^3) \log(a + b \tan(c + dx))}{b^3d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] -(((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2) + ((a^2*A - A*b^2 + 2*a*b*B)*Log[Cos[c + d*x]])/((a^2 + b^2)^2*d) + (a^2*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)^2*d) - ((a*A*b - 2*a^2*B - b^2*B)*Tan[c + d*x])/(b^2*(a^2 + b^2)*d) + (a*(A*b - a*B)*Tan[c + d*x]^2)/(b*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&

NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3626

Int[((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)]^2)/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((a*A + b*B - a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C, 0]

Rule 3617

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)]^(m_))*((A_) + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^2} dx = \frac{a(Ab - aB) \tan^2(c + dx)}{b(a^2 + b^2) d(a + b \tan(c + dx))} + \frac{\int \frac{\tan(c + dx)(-2a(Ab - aB) + b(Ab - aB) \tan(c + dx) - (aA - Ab^2 + 2abB) \log(\cos(c + dx)) - (aAb - a^2A - Ab^2 + 2abB))}{a + b \tan(c + dx)} dx}{b(a^2 + b^2)}$$

$$= -\frac{(aAb - 2a^2B - b^2B) \tan(c + dx)}{b^2(a^2 + b^2) d} + \frac{a(Ab - aB) \tan^2(c + dx)}{b(a^2 + b^2) d(a + b \tan(c + dx))} + \int \frac{a(Ab - aB) \tan(c + dx)}{a + b \tan(c + dx)} dx$$

$$= -\frac{(2aAb - a^2B + b^2B) x}{(a^2 + b^2)^2} - \frac{(aAb - 2a^2B - b^2B) \tan(c + dx)}{b^2(a^2 + b^2) d} + \frac{a(Ab - aB) \log(\cos(c + dx))}{b(a^2 + b^2) d}$$

$$= -\frac{(2aAb - a^2B + b^2B) x}{(a^2 + b^2)^2} + \frac{(a^2A - Ab^2 + 2abB) \log(\cos(c + dx))}{(a^2 + b^2)^2 d} - \frac{(aAb - a^2A - Ab^2 + 2abB)}{b(a^2 + b^2) d}$$

$$= -\frac{(2aAb - a^2B + b^2B) x}{(a^2 + b^2)^2} + \frac{(a^2A - Ab^2 + 2abB) \log(\cos(c + dx))}{(a^2 + b^2)^2 d} + \frac{a^2(a^2A - Ab^2 + 2abB)}{b(a^2 + b^2)^2 d}$$

Mathematica [C] time = 3.7792, size = 444, normalized size = 2.13

$$2ia^2(-a^2Ab + 2a^3B + 4ab^2B - 3Ab^3) \tan^{-1}(\tan(c + dx))(a + b \tan(c + dx)) + a(2(a + ib)^2(c + dx)(ia^2b(A + 4iB) -$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] (a*(2*(a + I*b)^2*(2*a*b^2*(A + I*B) + I*a^2*b*(A + (4*I)*B) - (2*I)*a^3*B + b^3*B)*(c + d*x) + 2*(a^2 + b^2)^2*(-(A*b) + 2*a*B)*Log[Cos[c + d*x]] + a^2*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*Log[(a*cos[c + d*x] + b*sin[c + d*x])^2]) + b*(2*(a^3*b^2*B*(3 - (4*I)*c - (4*I)*d*x) - b^5*B*(c + d*x) + I*a^4*A*b*(I + c + d*x) - (2*I)*a^5*B*(I + c + d*x) + a*b^4*(B - 2*A*(c + d*x)) + a^2*b^3*(B*(c + d*x) + I*A*(I + 3*c + 3*d*x))) + 2*(a^2 + b^2)^2*(-(A*b) + 2*a*B)*Log[Cos[c + d*x]] + a^2*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*Log[(a*cos[c + d*x] + b*sin[c + d*x])^2])*Tan[c + d*x] + 2*b^2*(a^2 + b^2)^2*B*Tan[c + d*x]^2 + (2*I)*a^2*(-(a^2*A*b) - 3*A*b^3 + 2*a^3*B + 4*a*b^2*B)*ArcTan[Tan[c + d*x]]*(a + b*Tan[c + d*x]))/(2*b^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Maple [A] time = 0.044, size = 364, normalized size = 1.8

$$\frac{B \tan(dx+c)}{b^2 d} - \frac{\ln(1+(\tan(dx+c))^2) a^2 A}{2 d (a^2+b^2)^2} + \frac{\ln(1+(\tan(dx+c))^2) A b^2}{2 d (a^2+b^2)^2} - \frac{\ln(1+(\tan(dx+c))^2) B a b}{d (a^2+b^2)^2} - 2 \frac{A \arctan(\tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] 1/d*B/b^2*tan(d*x+c)-1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*a^2*A+1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*A*b^2-1/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*B*a*b-2/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*a*b+1/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*a^2-1/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*b^2+1/d/b^2*a^4/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A+3/d*a^2/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A-2/d/b^3*a^5/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*B-4/d/b*a^3/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*B+1/d/b^2*a^3/(a^2+b^2)/(a+b*tan(d*x+c))*A-1/d/b^3*a^4/(a^2+b^2)/(a+b*tan(d*x+c))*B

Maxima [A] time = 1.49544, size = 297, normalized size = 1.43

$$\frac{2(Ba^2-2Aab-Bb^2)(dx+c)}{a^4+2a^2b^2+b^4} - \frac{2(2Ba^5-Aa^4b+4Ba^3b^2-3Aa^2b^3)\log(b\tan(dx+c)+a)}{a^4b^3+2a^2b^5+b^7} - \frac{(Aa^2+2Bab-Ab^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} - \frac{2(Ba^4-Aa^3b)}{a^3b^3+ab^5+(a^2b^4+b^6)\tan(dx+c)}$$

2 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] 1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - 2*(2*B*a^5 - A*a^4*b + 4*B*a^3*b^2 - 3*A*a^2*b^3)*log(b*tan(d*x + c) + a)/(a^4*b^3 + 2*a^2*b^5 + b^7) - (A*a^2 + 2*B*a*b - A*b^2)*log(tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(B*a^4 - A*a^3*b)/(a^3*b^3 + a*b^5 + (a^2*b^4 + b^6)*tan(d*x + c)) + 2*B*tan(d*x + c)/b^2)/d

Fricas [B] time = 2.37061, size = 936, normalized size = 4.5

$$2Ba^4b^2 - 2Aa^3b^3 - 2(Ba^3b^3 - 2Aa^2b^4 - Bab^5)dx - 2(Ba^4b^2 + 2Ba^2b^4 + Bb^6)\tan(dx+c)^2 + (2Ba^6 - Aa^5b + 4B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(2*B*a^4*b^2 - 2*A*a^3*b^3 - 2*(B*a^3*b^3 - 2*A*a^2*b^4 - B*a*b^5)*d*x \\ & - 2*(B*a^4*b^2 + 2*B*a^2*b^4 + B*b^6)*\tan(d*x + c)^2 + (2*B*a^6 - A*a^5*b \\ & + 4*B*a^4*b^2 - 3*A*a^3*b^3 + (2*B*a^5*b - A*a^4*b^2 + 4*B*a^3*b^3 - 3*A*a^2*b^4) \\ & * \tan(d*x + c)) * \log((b^2 * \tan(d*x + c)^2 + 2*a*b * \tan(d*x + c) + a^2) / (\tan(d*x + c)^2 + 1)) \\ & - (2*B*a^6 - A*a^5*b + 4*B*a^4*b^2 - 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5 + (2*B*a^5*b - A*a^4*b^2 + 4*B*a^3*b^3 - 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6) * \tan(d*x + c)) * \log(1 / (\tan(d*x + c)^2 + 1)) \\ & - 2*(2*B*a^5*b - A*a^4*b^2 + 2*B*a^3*b^3 + B*a*b^5 + (B*a^2*b^4 - 2*A*a*b^5 - B*b^6)*d*x) * \tan(d*x + c) \\ & / ((a^4*b^4 + 2*a^2*b^6 + b^8)*d * \tan(d*x + c) + (a^5*b^3 + 2*a^3*b^5 + a*b^7)*d) \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.83639, size = 392, normalized size = 1.88

$$\frac{2(Ba^2 - 2Aab - Bb^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} - \frac{(Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} - \frac{2(2Ba^5 - Aa^4b + 4Ba^3b^2 - 3Aa^2b^3)\log(|b \tan(dx+c) + a|)}{a^4b^3 + 2a^2b^5 + b^7} + \frac{2B \tan(dx+c)}{b^2} + \frac{2(2Ba^6 - Aa^5b + 4Ba^4b^2 - 3Aa^3b^3 + 2Ba^2b^4 - Aa^2b^5 + 4Ba^2b^4 + Bb^6)\tan(dx+c)^2 + (2Ba^6 - Aa^5b + 4Ba^4b^2 - 3Aa^3b^3 + 2Ba^2b^4 - Aa^2b^5 + 4Ba^2b^4 + Bb^6)\tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - (A*a^2 \\ & + 2*B*a*b - A*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(2*B*a^5 \\ & - A*a^4*b + 4*B*a^3*b^2 - 3*A*a^2*b^3)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^4*b^3 \\ & + 2*a^2*b^5 + b^7) + 2*B*\tan(d*x + c)/b^2 + 2*(2*B*a^5*b*\tan(d*x + c) \\ & - A*a^4*b^2*\tan(d*x + c) + 4*B*a^3*b^3*\tan(d*x + c) - 3*A*a^2*b^4*\tan(d*x + c) \\ & + B*a^6 + 3*B*a^4*b^2 - 2*A*a^3*b^3)/((a^4*b^3 + 2*a^2*b^5 + b^7)*(b*\tan(d*x + c) + a))/d \end{aligned}$$

$$3.276 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=157

$$\frac{a^2(Ab - aB)}{b^2d(a^2 + b^2)(a + b \tan(c + dx))} - \frac{a(2Ab^3 - aB(a^2 + 3b^2)) \log(a + b \tan(c + dx))}{b^2d(a^2 + b^2)^2} - \frac{(a^2(-B) + 2aAb + b^2B) \log(\cos(c + dx))}{d(a^2 + b^2)^2}$$

[Out] -(((a^2*A - A*b^2 + 2*a*b*B)*x)/(a^2 + b^2)^2) - ((2*a*A*b - a^2*B + b^2*B)*Log[Cos[c + d*x]])/((a^2 + b^2)^2*d) - (a*(2*A*b^3 - a*(a^2 + 3*b^2)*B)*Log[a + b*Tan[c + d*x]])/(b^2*(a^2 + b^2)^2*d) - (a^2*(A*b - a*B))/(b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.273318, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3604, 3626, 3617, 31, 3475}

$$\frac{a^2(Ab - aB)}{b^2d(a^2 + b^2)(a + b \tan(c + dx))} - \frac{a(2Ab^3 - aB(a^2 + 3b^2)) \log(a + b \tan(c + dx))}{b^2d(a^2 + b^2)^2} - \frac{(a^2(-B) + 2aAb + b^2B) \log(\cos(c + dx))}{d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] -(((a^2*A - A*b^2 + 2*a*b*B)*x)/(a^2 + b^2)^2) - ((2*a*A*b - a^2*B + b^2*B)*Log[Cos[c + d*x]])/((a^2 + b^2)^2*d) - (a*(2*A*b^3 - a*(a^2 + 3*b^2)*B)*Log[a + b*Tan[c + d*x]])/(b^2*(a^2 + b^2)^2*d) - (a^2*(A*b - a*B))/(b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3626

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(a*A + b*B - a*C)*x/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C, 0]

Rule 3617

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_.)])^2, x_Symbol] :> Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

Rule 31

$\text{Int}[(a + b \cdot x)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 3475

$\text{Int}[\tan[(c + d \cdot x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d \cdot x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^2} dx &= -\frac{a^2(Ab - aB)}{b^2(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{\int \frac{-a(Ab - aB) + b(Ab - aB) \tan(c + dx) + (a^2 + b^2)B \tan(c + dx)}{a + b \tan(c + dx)} dx}{b(a^2 + b^2)} \\ &= -\frac{(a^2 A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} - \frac{a^2(Ab - aB)}{b^2(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{(2aAb - a^2B)}{b^2(a^2 + b^2)} \\ &= -\frac{(a^2 A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} - \frac{(2aAb - a^2B + b^2B) \log(\cos(c + dx))}{(a^2 + b^2)^2 d} - \frac{a(2Ab^3)}{b^2(a^2 + b^2)} \\ &= -\frac{(a^2 A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} - \frac{(2aAb - a^2B + b^2B) \log(\cos(c + dx))}{(a^2 + b^2)^2 d} - \frac{a(2Ab^3)}{b^2(a^2 + b^2)} \end{aligned}$$

Mathematica [C] time = 1.99352, size = 323, normalized size = 2.06

$$-2ia(aB(a^2 + 3b^2) - 2Ab^3) \tan^{-1}(\tan(c + dx))(a + b \tan(c + dx)) + a(aB(a^2 + 3b^2) - 2Ab^3) \log((a \cos(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (a*(2*(a + I*b)^2*(-(A*b^2) + a*(I*a + 2*b)*B)*(c + d*x) - 2*(a^2 + b^2)^2*B*Log[Cos[c + d*x]] + a*(-2*A*b^3 + a*(a^2 + 3*b^2)*B)*Log[(a*Cos[c + d*x] + b*Sin[c + d*x])^2]) + b*(2*(a + I*b)*((-I)*A*b^3*(c + d*x) + I*a^3*B*(I + c + d*x) - a*b^2*((-2*I)*B*(c + d*x) + A*(I + c + d*x)) + a^2*b*(A + B*(I + c + d*x))) - 2*(a^2 + b^2)^2*B*Log[Cos[c + d*x]] + a*(-2*A*b^3 + a*(a^2 + 3*b^2)*B)*Log[(a*Cos[c + d*x] + b*Sin[c + d*x])^2])*Tan[c + d*x] - (2*I)*a*(-2*A*b^3 + a*(a^2 + 3*b^2)*B)*ArcTan[Tan[c + d*x]]*(a + b*Tan[c + d*x]))/(2*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Maple [A] time = 0.042, size = 313, normalized size = 2.

$$\frac{\ln(1 + (\tan(dx + c))^2) Aab}{d(a^2 + b^2)^2} - \frac{\ln(1 + (\tan(dx + c))^2) a^2 B}{2d(a^2 + b^2)^2} + \frac{\ln(1 + (\tan(dx + c))^2) b^2 B}{2d(a^2 + b^2)^2} - \frac{A \arctan(\tan(dx + c)) a}{d(a^2 + b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)

```
[Out] 1/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*A*a*b-1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*a^2*B+1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*b^2*B-1/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*a^2+1/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*b^2-2/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*a*b-1/d*a^2/b/(a^2+b^2)/(a+b*tan(d*x+c))*A+1/d*a^3/b^2/(a^2+b^2)/(a+b*tan(d*x+c))*B-2/d*a/(a^2+b^2)^2*b*ln(a+b*tan(d*x+c))*A+1/d*a^4/(a^2+b^2)^2/b^2*ln(a+b*tan(d*x+c))*B+3/d*a^2/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*B
```

Maxima [A] time = 1.5503, size = 266, normalized size = 1.69

$$\frac{2(Aa^2+2Bab-Ab^2)(dx+c)}{a^4+2a^2b^2+b^4} - \frac{2(Ba^4+3Ba^2b^2-2Aab^3)\log(b\tan(dx+c)+a)}{a^4b^2+2a^2b^4+b^6} + \frac{(Ba^2-2Aab-Bb^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} - \frac{2(Ba^3-Aa^2b)}{a^3b^2+ab^4+(a^2b^3+b^5)\tan(dx+c)}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] -1/2*(2*(A*a^2 + 2*B*a*b - A*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - 2*(B*a^4 + 3*B*a^2*b^2 - 2*A*a*b^3)*log(b*tan(d*x + c) + a)/(a^4*b^2 + 2*a^2*b^4 + b^6) + (B*a^2 - 2*A*a*b - B*b^2)*log(tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(B*a^3 - A*a^2*b)/(a^3*b^2 + a*b^4 + (a^2*b^3 + b^5)*tan(d*x + c)))/d
```

Fricas [B] time = 2.09051, size = 682, normalized size = 4.34

$$2Ba^3b^2 - 2Aa^2b^3 - 2(Aa^3b^2 + 2Ba^2b^3 - Aab^4)dx + (Ba^5 + 3Ba^3b^2 - 2Aa^2b^3 + (Ba^4b + 3Ba^2b^3 - 2Aab^4)\tan(dx + c))$$

2

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] 1/2*(2*B*a^3*b^2 - 2*A*a^2*b^3 - 2*(A*a^3*b^2 + 2*B*a^2*b^3 - A*a*b^4)*d*x + (B*a^5 + 3*B*a^3*b^2 - 2*A*a^2*b^3 + (B*a^4*b + 3*B*a^2*b^3 - 2*A*a*b^4)*tan(d*x + c))*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - (B*a^5 + 2*B*a^3*b^2 + B*a*b^4 + (B*a^4*b + 2*B*a^2*b^3 + B*b^5)*tan(d*x + c))*log(1/(tan(d*x + c)^2 + 1)) - 2*(B*a^4*b - A*a^3*b^2 + (A*a^2*b^3 + 2*B*a*b^4 - A*b^5)*d*x)*tan(d*x + c))/((a^4*b^3 + 2*a^2*b^5 + b^7)*d*tan(d*x + c) + (a^5*b^2 + 2*a^3*b^4 + a*b^6)*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)
```

[Out] Exception raised: AttributeError

Giac [A] time = 1.44776, size = 329, normalized size = 2.1

$$\frac{2(Aa^2+2Bab-Ab^2)(dx+c)}{a^4+2a^2b^2+b^4} + \frac{(Ba^2-2Aab-Bb^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} - \frac{2(Ba^4+3Ba^2b^2-2Aab^3)\log(|b\tan(dx+c)+a|)}{a^4b^2+2a^2b^4+b^6} + \frac{2(Ba^4\tan(dx+c)+3Ba^2b^2\tan(dx+c))}{(a^4b^2+2a^2b^4+b^6)}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(2*(A*a^2 + 2*B*a*b - A*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) + (B*a^2 - 2*A*a*b - B*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(B*a^4 + 3*B*a^2*b^2 - 2*A*a*b^3)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^4*b^2 + 2*a^2*b^4 + b^6) + 2*(B*a^4*\tan(d*x + c) + 3*B*a^2*b^2*\tan(d*x + c) - 2*A*a*b^3*\tan(d*x + c) + A*a^4 + 2*B*a^3*b - A*a^2*b^2)/((a^4*b + 2*a^2*b^3 + b^5)*(b*\tan(d*x + c) + a)))/d \end{aligned}$$

$$3.277 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=115

$$\frac{a(Ab - aB)}{bd(a^2 + b^2)(a + b \tan(c + dx))} - \frac{(a^2A + 2abB - Ab^2) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)^2} + \frac{x(a^2(-B) + 2aAb + b^2B)}{(a^2 + b^2)^2}$$

[Out] ((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2 - ((a^2*A - A*b^2 + 2*a*b*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^2*d) + (a*(A*b - a*B))/(b*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.159216, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {3591, 3531, 3530}

$$\frac{a(Ab - aB)}{bd(a^2 + b^2)(a + b \tan(c + dx))} - \frac{(a^2A + 2abB - Ab^2) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)^2} + \frac{x(a^2(-B) + 2aAb + b^2B)}{(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] ((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2 - ((a^2*A - A*b^2 + 2*a*b*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^2*d) + (a*(A*b - a*B))/(b*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\int \frac{\tan(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^2} dx = \frac{a(Ab-aB)}{b(a^2+b^2)d(a+b\tan(c+dx))} + \frac{\int \frac{Ab-aB+(aA+bB)\tan(c+dx)}{a+b\tan(c+dx)} dx}{a^2+b^2}$$

$$= \frac{(2aAb-a^2B+b^2B)x}{(a^2+b^2)^2} + \frac{a(Ab-aB)}{b(a^2+b^2)d(a+b\tan(c+dx))} - \frac{(a^2A-Ab^2+2abB)\log(a\cos(c+dx)+b\sin(c+dx))}{(a^2+b^2)^2 d}$$

$$= \frac{(2aAb-a^2B+b^2B)x}{(a^2+b^2)^2} - \frac{(a^2A-Ab^2+2abB)\log(a\cos(c+dx)+b\sin(c+dx))}{(a^2+b^2)^2 d}$$

Mathematica [C] time = 1.96514, size = 140, normalized size = 1.22

$$\frac{2\left(\frac{(a^2(-A)-2abB+Ab^2)\log(a+b\tan(c+dx))-\frac{a(a^2+b^2)(aB-Ab)}{b(a+b\tan(c+dx))}}{(a^2+b^2)^2}\right) + \frac{(A+iB)\log(-\tan(c+dx)+i)}{(a+ib)^2} + \frac{(A-iB)\log(\tan(c+dx)+i)}{(a-ib)^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (((A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)^2 + ((A - I*B)*Log[I + Tan[c + d*x]])/(a - I*b)^2 + (2*((-a^2*A) + A*b^2 - 2*a*b*B)*Log[a + b*Tan[c + d*x]] - (a*(a^2 + b^2)*(-(A*b) + a*B))/(b*(a + b*Tan[c + d*x])))/(a^2 + b^2)^2)/(2*d)

Maple [B] time = 0.04, size = 305, normalized size = 2.7

$$\frac{\ln(1 + (\tan(dx+c))^2) a^2 A}{2d(a^2+b^2)^2} - \frac{\ln(1 + (\tan(dx+c))^2) Ab^2}{2d(a^2+b^2)^2} + \frac{\ln(1 + (\tan(dx+c))^2) Bab}{d(a^2+b^2)^2} + 2 \frac{A \arctan(\tan(dx+c))}{d(a^2+b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)

[Out] 1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*a^2*A-1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*A*b^2+1/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*B*a*b+2/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*a*b-1/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*a^2+1/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*b^2+1/d*a/(a^2+b^2)/(a+b*tan(d*x+c))*A-1/d*a^2/(a^2+b^2)/b/(a+b*tan(d*x+c))*B-1/d*a^2/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A+1/d/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A*b^2-2/d/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*B*a*b

Maxima [A] time = 1.47768, size = 250, normalized size = 2.17

$$\frac{2(Ba^2-2Aab-Bb^2)(dx+c)}{a^4+2a^2b^2+b^4} + \frac{2(Aa^2+2Bab-Ab^2)\log(b\tan(dx+c)+a)}{a^4+2a^2b^2+b^4} - \frac{(Aa^2+2Bab-Ab^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} + \frac{2(Ba^2-Aab)}{a^3b+ab^3+(a^2b^2+b^4)\tan(dx+c)}$$

$$\frac{\hspace{10em}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x, algorithm="maxima")

[Out]
$$-1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) + 2*(A*a^2 + 2*B*a*b - A*b^2)*\log(b*\tan(d*x + c) + a)/(a^4 + 2*a^2*b^2 + b^4) - (A*a^2 + 2*B*a*b - A*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(B*a^2 - A*a*b)/(a^3*b + a*b^3 + (a^2*b^2 + b^4)*\tan(d*x + c)))/d$$

Fricas [A] time = 1.74224, size = 490, normalized size = 4.26

$$\frac{2Ba^2b - 2Aab^2 + 2(Ba^3 - 2Aa^2b - Bab^2)dx + (Aa^3 + 2Ba^2b - Aab^2 + (Aa^2b + 2Bab^2 - Ab^3)\tan(dx + c))\log\left(\frac{b^2\tan(dx + c) + a}{a^4 + 2a^2b^2 + b^4}\right) - (Aa^2 + 2Bab - Ab^2)\log(\tan(dx + c)^2 + 1) + 2(Ba^2 - Aab)/(a^3b + ab^3 + (a^2b^2 + b^4)\tan(dx + c))}{2((a^4b + 2a^2b^3 + b^5)d\tan(dx + c) + (a^5 + 2a^3b^2 + ab^4)d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/2*(2*B*a^2*b - 2*A*a*b^2 + 2*(B*a^3 - 2*A*a^2*b - B*a*b^2)*d*x + (A*a^3 + 2*B*a^2*b - A*a*b^2 + (A*a^2*b + 2*B*a*b^2 - A*b^3)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - 2*(B*a^3 - A*a^2*b - (B*a^2*b - 2*A*a*b^2 - B*b^3)*d*x)*\tan(d*x + c)/((a^4*b + 2*a^2*b^3 + b^5)*d*\tan(d*x + c) + (a^5 + 2*a^3*b^2 + a*b^4)*d)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.236, size = 325, normalized size = 2.83

$$\frac{2(Ba^2 - 2Aab - Bb^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} - \frac{(Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} + \frac{2(Aa^2b + 2Bab^2 - Ab^3)\log(|b\tan(dx+c) + a|)}{a^4b + 2a^2b^3 + b^5} - \frac{2(Aa^2b^2\tan(dx+c) + 2Bab^3\tan(dx+c))}{(a^4b + 2a^2b^3 + b^5)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - (A*a^2 + 2*B*a*b - A*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(A*a^2*b + 2*B*a*b^2 - A*b^3)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^4*b + 2*a^2*b^3 + b^5) - 2*(A*a^2*b^2*\tan(d*x + c) + 2*B*a*b^3*\tan(d*x + c) - A*b^4*\tan(d*x + c) - B*a^4 + 2*A*a^3*b + B*a^2*b^2)/((a^4*b + 2*a^2*b^3 + b^5)*(b*\tan(d*x + c) + a)))/d$$

$$3.278 \quad \int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=111

$$-\frac{Ab - aB}{d(a^2 + b^2)(a + b \tan(c + dx))} + \frac{(a^2(-B) + 2aAb + b^2B) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)^2} + \frac{x(a^2A + 2abB - Ab^2)}{(a^2 + b^2)^2}$$

[Out] ((a^2*A - A*b^2 + 2*a*b*B)*x)/(a^2 + b^2)^2 + ((2*a*A*b - a^2*B + b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^2*d) - (A*b - a*B)/((a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.136639, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3529, 3531, 3530}

$$-\frac{Ab - aB}{d(a^2 + b^2)(a + b \tan(c + dx))} + \frac{(a^2(-B) + 2aAb + b^2B) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)^2} + \frac{x(a^2A + 2abB - Ab^2)}{(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^2, x]

[Out] ((a^2*A - A*b^2 + 2*a*b*B)*x)/(a^2 + b^2)^2 + ((2*a*A*b - a^2*B + b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^2*d) - (A*b - a*B)/((a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^2} dx &= -\frac{Ab - aB}{(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{\int \frac{aA + bB - (Ab - aB) \tan(c + dx)}{a + b \tan(c + dx)} dx}{a^2 + b^2} \\ &= \frac{(a^2 A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} - \frac{Ab - aB}{(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{(2aAb - a^2 B + b^2 B) \int \frac{b - a \tan(c + dx)}{a + b \tan(c + dx)} dx}{(a^2 + b^2)^2} \\ &= \frac{(a^2 A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} + \frac{(2aAb - a^2 B + b^2 B) \log(a \cos(c + dx) + b \sin(c + dx))}{(a^2 + b^2)^2 d} - \frac{b - a \tan(c + dx)}{(a^2 + b^2)^2} \end{aligned}$$

Mathematica [C] time = 1.84137, size = 190, normalized size = 1.71

$$\frac{B((-b-ia) \log(-\tan(c+dx)+i)+i(a+ib) \log(\tan(c+dx)+i)+2b \log(a+b \tan(c+dx)))}{a^2+b^2} - (Ab - aB) \left(\frac{2b \left(\frac{a^2+b^2}{a+b \tan(c+dx)} - 2a \log(a+b \tan(c+dx)) \right)}{(a^2+b^2)^2} + \frac{i \log(-\tan(c+dx)+i)}{(a+ib)} \right)$$

2bd

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^2, x]

[Out] ((B*(((-I)*a - b)*Log[I - Tan[c + d*x]] + I*(a + I*b)*Log[I + Tan[c + d*x]] + 2*b*Log[a + b*Tan[c + d*x]]))/(a^2 + b^2) - (A*b - a*B)*((I*Log[I - Tan[c + d*x]])/(a + I*b)^2 - (I*Log[I + Tan[c + d*x]])/(a - I*b)^2 + (2*b*(-2*a*Log[a + b*Tan[c + d*x]] + (a^2 + b^2)/(a + b*Tan[c + d*x])))/(a^2 + b^2)^2))/(2*b*d)

Maple [B] time = 0.04, size = 301, normalized size = 2.7

$$-\frac{\ln(1 + (\tan(dx + c))^2) Aab}{d(a^2 + b^2)^2} + \frac{\ln(1 + (\tan(dx + c))^2) a^2 B}{2d(a^2 + b^2)^2} - \frac{\ln(1 + (\tan(dx + c))^2) b^2 B}{2d(a^2 + b^2)^2} + \frac{A \arctan(\tan(dx + c)) a^2}{d(a^2 + b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)

[Out] -1/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*A*a*b+1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*a^2*B-1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*b^2*B+1/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*a^2-1/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*b^2+2/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*a*b-1/d/(a^2+b^2)/(a+b*tan(d*x+c))*A*b+1/d/(a^2+b^2)/(a+b*tan(d*x+c))*a*B+2/d*a/(a^2+b^2)^2*b*ln(a+b*tan(d*x+c))*A-1/d*a^2/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*B+1/d/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*b^2*B

Maxima [A] time = 1.52135, size = 239, normalized size = 2.15

$$\frac{2(Aa^2+2Aab-Ab^2)(dx+c)}{a^4+2a^2b^2+b^4} - \frac{2(Ba^2-2Aab-Bb^2) \log(b \tan(dx+c)+a)}{a^4+2a^2b^2+b^4} + \frac{(Ba^2-2Aab-Bb^2) \log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} + \frac{2(Ba-Ab)}{a^3+ab^2+(a^2b+b^3) \tan(dx+c)}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{2}*(2*(A*a^2 + 2*B*a*b - A*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - 2*(B*a^2 - 2*A*a*b - B*b^2)*\log(b*\tan(d*x + c) + a)/(a^4 + 2*a^2*b^2 + b^4) + (B*a^2 - 2*A*a*b - B*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(B*a - A*b)/(a^3 + a*b^2 + (a^2*b + b^3)*\tan(d*x + c)))/d$

Fricas [A] time = 1.70246, size = 489, normalized size = 4.41

$$\frac{2 Bab^2 - 2 Ab^3 + 2 (Aa^3 + 2 Ba^2b - Aab^2)dx - (Ba^3 - 2 Aa^2b - Bab^2 + (Ba^2b - 2 Aab^2 - Bb^3) \tan(dx + c)) \log\left(\frac{b^2 \tan(dx + c) + a}{\tan(dx + c)^2 + 1}\right) + 2 \left((a^4b + 2 a^2b^3 + b^5) d \tan(dx + c) + (a^5 + 2 a^4b + 2 a^3b^2 + a^2b^3) \right)}{2 \left((a^4b + 2 a^2b^3 + b^5) d \tan(dx + c) + (a^5 + 2 a^4b + 2 a^3b^2 + a^2b^3) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*B*a*b^2 - 2*A*b^3 + 2*(A*a^3 + 2*B*a^2*b - A*a*b^2)*d*x - (B*a^3 - 2*A*a^2*b - B*a*b^2 + (B*a^2*b - 2*A*a*b^2 - B*b^3)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - 2*(B*a^2*b - A*a*b^2 - (A*a^2*b + 2*B*a*b^2 - A*b^3)*d*x)*\tan(d*x + c))/((a^4*b + 2*a^2*b^3 + b^5)*d*\tan(d*x + c) + (a^5 + 2*a^3*b^2 + a*b^4)*d)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.27155, size = 316, normalized size = 2.85

$$\frac{2(Aa^2+2Bab-Ab^2)(dx+c)}{a^4+2a^2b^2+b^4} + \frac{(Ba^2-2Aab-Bb^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} - \frac{2(Ba^2b-2Aab^2-Bb^3)\log(|b\tan(dx+c)+a|)}{a^4b+2a^2b^3+b^5} + \frac{2(Ba^2b\tan(dx+c)-2Aab^2\tan(dx+c)-Bb^3\tan(dx+c))}{(a^4+2a^2b^2+b^4)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{2}*(2*(A*a^2 + 2*B*a*b - A*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) + (B*a^2 - 2*A*a*b - B*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(B*a^2*b - 2*A*a*b^2 - B*b^3)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^4*b + 2*a^2*b^3 + b^5) + 2*(B*a^2*b*\tan(d*x + c) - 2*A*a*b^2*\tan(d*x + c) - B*b^3*\tan(d*x + c) + 2*B*a^3 - 3*A*a^2*b - A*b^3)/((a^4 + 2*a^2*b^2 + b^4)*(b*\tan(d*x + c) + a))/d$

$$3.279 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=137

$$\frac{b(Ab - aB)}{ad(a^2 + b^2)(a + b \tan(c + dx))} - \frac{b(3a^2Ab - 2a^3B + Ab^3) \log(a \cos(c + dx) + b \sin(c + dx))}{a^2d(a^2 + b^2)^2} - \frac{x(a^2(-B) + 2aAb + b^2B)}{(a^2 + b^2)^2}$$

[Out] -(((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2) + (A*Log[Sin[c + d*x]])/(a^2*d) - (b*(3*a^2*A*b + A*b^3 - 2*a^3*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^2*(a^2 + b^2)^2*d) + (b*(A*b - a*B))/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.31891, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3609, 3651, 3530, 3475}

$$\frac{b(Ab - aB)}{ad(a^2 + b^2)(a + b \tan(c + dx))} - \frac{b(3a^2Ab - 2a^3B + Ab^3) \log(a \cos(c + dx) + b \sin(c + dx))}{a^2d(a^2 + b^2)^2} - \frac{x(a^2(-B) + 2aAb + b^2B)}{(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] -(((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2) + (A*Log[Sin[c + d*x]])/(a^2*d) - (b*(3*a^2*A*b + A*b^3 - 2*a^3*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^2*(a^2 + b^2)^2*d) + (b*(A*b - a*B))/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])), x_Symbol] :> Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/(a^2 + b^2)*(c^2 + d^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*
(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f
*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx &= \frac{b(Ab-aB)}{a(a^2+b^2)d(a+b \tan(c+dx))} + \frac{\int \frac{\cot(c+dx)(A(a^2+b^2)-a(Ab-aB) \tan(c+dx)+b(Ab-aB))}{a+b \tan(c+dx)} dx}{a(a^2+b^2)} \\ &= -\frac{(2aAb-a^2B+b^2B)x}{(a^2+b^2)^2} + \frac{b(Ab-aB)}{a(a^2+b^2)d(a+b \tan(c+dx))} + \frac{A \int \cot(c+dx) dx}{a^2} \\ &= -\frac{(2aAb-a^2B+b^2B)x}{(a^2+b^2)^2} + \frac{A \log(\sin(c+dx))}{a^2d} - \frac{b(3a^2Ab+Ab^3-2a^3B) \log(\tan(c+dx))}{a^2(a^2+b^2)} \end{aligned}$$

Mathematica [C] time = 0.788527, size = 183, normalized size = 1.34

$$\frac{\frac{b(-3a^2Ab+2a^3B-Ab^3) \log(a+b \tan(c+dx))}{a(a^2+b^2)} + \frac{A(a^2+b^2) \log(\tan(c+dx))}{a} + \frac{b(Ab-aB)}{a+b \tan(c+dx)} - \frac{a(a-ib)(A+iB) \log(-\tan(c+dx)+i)}{2(a+ib)} - \frac{a(a+ib)(A-iB) \log(\tan(c+dx))}{2(a-ib)}}{ad(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]
```

```
[Out] -(a*(a - I*b)*(A + I*B)*Log[I - Tan[c + d*x]])/(2*(a + I*b)) + (A*(a^2 + b
^2)*Log[Tan[c + d*x]])/a - (a*(a + I*b)*(A - I*B)*Log[I + Tan[c + d*x]])/(2
*(a - I*b)) + (b*(-3*a^2*A*b - A*b^3 + 2*a^3*B)*Log[a + b*Tan[c + d*x]])/(a
*(a^2 + b^2)) + (b*(A*b - a*B))/(a + b*Tan[c + d*x])/(a*(a^2 + b^2)*d)
```

Maple [B] time = 0.126, size = 325, normalized size = 2.4

$$\frac{\ln(1 + (\tan(dx+c))^2) a^2 A}{2d(a^2+b^2)^2} + \frac{\ln(1 + (\tan(dx+c))^2) Ab^2}{2d(a^2+b^2)^2} - \frac{\ln(1 + (\tan(dx+c))^2) Bab}{d(a^2+b^2)^2} - 2 \frac{A \arctan(\tan(dx+c))}{d(a^2+b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)
```

```
[Out] -1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*a^2*A+1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+
c)^2)*A*b^2-1/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*B*a*b-2/d/(a^2+b^2)^2*A*arct
an(tan(d*x+c))*a*b+1/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*a^2-1/d/(a^2+b^2)^2
*B*arctan(tan(d*x+c))*b^2+1/d/a^2*A*ln(tan(d*x+c))-3/d/(a^2+b^2)^2*ln(a+b*t
an(d*x+c))*A*b^2-1/d*b^4/a^2/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A+2/d/(a^2+b^2)
^2*ln(a+b*tan(d*x+c))*B*a*b+1/d*b^2/a/(a^2+b^2)/(a+b*tan(d*x+c))*A-1/d*b/(a
```

$$\frac{1}{(a+b\tan(dx+c))^2} B$$

Maxima [A] time = 1.49221, size = 281, normalized size = 2.05

$$\frac{\frac{2(Ba^2 - 2Aab - Bb^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} + \frac{2(2Ba^3b - 3Aa^2b^2 - Ab^4)\log(b\tan(dx+c)+a)}{a^6 + 2a^4b^2 + a^2b^4} - \frac{(Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} - \frac{2(Bab - Ab^2)}{a^4 + a^2b^2 + (a^3b + ab^3)\tan(dx+c)} + 2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(A+B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{2} * (2 * (B * a^2 - 2 * A * a * b - B * b^2) * (d * x + c) / (a^4 + 2 * a^2 * b^2 + b^4) + 2 * (2 * B * a^3 * b - 3 * A * a^2 * b^2 - A * b^4) * \log(b * \tan(d * x + c) + a) / (a^6 + 2 * a^4 * b^2 + a^2 * b^4) - (A * a^2 + 2 * B * a * b - A * b^2) * \log(\tan(d * x + c)^2 + 1) / (a^4 + 2 * a^2 * b^2 + b^4) - 2 * (B * a * b - A * b^2) / (a^4 + a^2 * b^2 + (a^3 * b + a * b^3) * \tan(d * x + c)) + 2 * A * \log(\tan(d * x + c)) / a^2) / d$

Fricas [B] time = 2.07281, size = 701, normalized size = 5.12

$$\frac{2Ba^2b^3 - 2Aab^4 - 2(Ba^5 - 2Aa^4b - Ba^3b^2)dx - (Aa^5 + 2Aa^3b^2 + Aab^4 + (Aa^4b + 2Aa^2b^3 + Ab^5)\tan(dx+c))\log}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(A+B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="fricas")

[Out] $-1/2 * (2 * B * a^2 * b^3 - 2 * A * a * b^4 - 2 * (B * a^5 - 2 * A * a^4 * b - B * a^3 * b^2) * dx - (A * a^5 + 2 * A * a^3 * b^2 + A * a * b^4 + (A * a^4 * b + 2 * A * a^2 * b^3 + A * b^5) * \tan(d * x + c)) * \log(\tan(d * x + c)^2 / (\tan(d * x + c)^2 + 1)) - (2 * B * a^4 * b - 3 * A * a^3 * b^2 - A * a * b^4 + (2 * B * a^3 * b^2 - 3 * A * a^2 * b^3 - A * b^5) * \tan(d * x + c)) * \log((b^2 * \tan(d * x + c)^2 + 2 * a * b * \tan(d * x + c) + a^2) / (\tan(d * x + c)^2 + 1)) - 2 * (B * a^3 * b^2 - A * a^2 * b^3 + (B * a^4 * b - 2 * A * a^3 * b^2 - B * a^2 * b^3) * dx) * \tan(d * x + c)) / ((a^6 * b + 2 * a^4 * b^3 + a^2 * b^5) * d * \tan(d * x + c) + (a^7 + 2 * a^5 * b^2 + a^3 * b^4) * d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)*(A+B*tan(dx+c))/(a+b*tan(dx+c))**2,x)

[Out] Timed out

Giac [B] time = 1.26438, size = 377, normalized size = 2.75

$$\frac{\frac{2(Ba^2 - 2Aab - Bb^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} - \frac{(Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} + \frac{2(2Ba^3b^2 - 3Aa^2b^3 - Ab^5)\log(|b\tan(dx+c)+a|)}{a^6b + 2a^4b^3 + a^2b^5} + \frac{2A\log(|\tan(dx+c)|)}{a^2} - \frac{2(2Bb^3 - 3Aab^2 - Ab^3)}{a^4 + 2a^2b^2 + b^4}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] 1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - (A*a^2 + 2*B*a*b - A*b^2)*log(tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(2*B*a^3*b^2 - 3*A*a^2*b^3 - A*b^5)*log(abs(b*tan(d*x + c) + a))/(a^6*b + 2*a^4*b^3 + a^2*b^5) + 2*A*log(abs(tan(d*x + c)))/a^2 - 2*(2*B*a^3*b^2*tan(d*x + c) - 3*A*a^2*b^3*tan(d*x + c) - A*b^5*tan(d*x + c) + 3*B*a^4*b - 4*A*a^3*b^2 + B*a^2*b^3 - 2*A*a*b^4)/((a^6 + 2*a^4*b^2 + a^2*b^4)*(b*tan(d*x + c) + a)))/d

$$3.280 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=192

$$-\frac{b(a^2A - abB + 2Ab^2)}{a^2d(a^2 + b^2)(a + b \tan(c + dx))} + \frac{b^2(4a^2Ab - 3a^3B - ab^2B + 2Ab^3) \log(a \cos(c + dx) + b \sin(c + dx))}{a^3d(a^2 + b^2)^2} - \frac{x(a^2A + 2abB + b^2B)}{(a^2 + b^2)}$$

[Out] -(((a^2*A - A*b^2 + 2*a*b*B)*x)/(a^2 + b^2)^2) - ((2*A*b - a*B)*Log[Sin[c + d*x]])/(a^3*d) + (b^2*(4*a^2*A*b + 2*A*b^3 - 3*a^3*B - a*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^3*(a^2 + b^2)^2*d) - (b*(a^2*A + 2*A*b^2 - a*b*B))/(a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.541117, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$-\frac{b(a^2A - abB + 2Ab^2)}{a^2d(a^2 + b^2)(a + b \tan(c + dx))} + \frac{b^2(4a^2Ab - 3a^3B - ab^2B + 2Ab^3) \log(a \cos(c + dx) + b \sin(c + dx))}{a^3d(a^2 + b^2)^2} - \frac{x(a^2A + 2abB + b^2B)}{(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] -(((a^2*A - A*b^2 + 2*a*b*B)*x)/(a^2 + b^2)^2) - ((2*A*b - a*B)*Log[Sin[c + d*x]])/(a^3*d) + (b^2*(4*a^2*A*b + 2*A*b^3 - 3*a^3*B - a*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^3*(a^2 + b^2)^2*d) - (b*(a^2*A + 2*A*b^2 - a*b*B))/(a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x]))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^(2), x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan

$[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ !(\text{ILtQ}[n, -1] \ \&\& \ (!\text{IntegerQ}[m] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{NeQ}[a, 0])))$

Rule 3651

$\text{Int}[\frac{((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)] + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]))}{x_Symbol}] \ :> \ \text{Simp}[\frac{(a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x}{((a^2 + b^2)*(c^2 + d^2))}, x] + (\text{Dist}[\frac{(A*b^2 - a*b*B + a^2*C)}{(b*c - a*d)*(a^2 + b^2)}, \text{Int}[(b - a*\tan[e + f*x])/(a + b*\tan[e + f*x]), x], x] - \text{Dist}[\frac{(c^2*C - B*c*d + A*d^2)}{(b*c - a*d)*(c^2 + d^2)}, \text{Int}[(d - c*\tan[e + f*x])/(c + d*\tan[e + f*x]), x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0]$

Rule 3530

$\text{Int}[\frac{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]}{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]}, x_Symbol] \ :> \ \text{Simp}[\frac{(c*\text{Log}[\text{RemoveContent}[a*\text{Cos}[e + f*x] + b*\text{Sin}[e + f*x], x]])}{(b*f)}, x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] \ :> \ -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^2} dx &= -\frac{A \cot(c + dx)}{ad(a + b \tan(c + dx))} - \frac{\int \frac{\cot(c+dx)(2Ab - aB + aA \tan(c+dx) + 2Ab \tan^2(c+dx))}{(a+b \tan(c+dx))^2} dx}{a} \\ &= -\frac{b(a^2A + 2Ab^2 - abB)}{a^2(a^2 + b^2)d(a + b \tan(c + dx))} - \frac{A \cot(c + dx)}{ad(a + b \tan(c + dx))} - \frac{\int \frac{\cot(c+dx)((a^2 + b^2) \cot^2(c+dx) + 2Ab \cot(c+dx) + a^2A + 2Ab^2 - abB)}{(a+b \tan(c+dx))^2} dx}{a} \\ &= -\frac{(a^2A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} - \frac{b(a^2A + 2Ab^2 - abB)}{a^2(a^2 + b^2)d(a + b \tan(c + dx))} - \frac{A \cot(c + dx)}{ad(a + b \tan(c + dx))} \\ &= -\frac{(a^2A - Ab^2 + 2abB)x}{(a^2 + b^2)^2} - \frac{(2Ab - aB) \log(\sin(c + dx))}{a^3d} + \frac{b^2(4a^2Ab + 2Ab^3)}{a^3d} \end{aligned}$$

Mathematica [C] time = 3.27862, size = 193, normalized size = 1.01

$$\frac{2b^2(aB - Ab)}{a^2(a^2 + b^2)(a + b \tan(c + dx))} - \frac{2b^2(-4a^2Ab + 3a^3B + ab^2B - 2Ab^3) \log(a + b \tan(c + dx))}{a^3(a^2 + b^2)^2} + \frac{2(aB - 2Ab) \log(\tan(c + dx))}{a^3} - \frac{2A \cot(c + dx)}{a^2} + \frac{i(A + iB) \log(-\tan(c + dx))}{(a + ib)^2}$$

2d

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] ((-2*A*Cot[c + d*x])/a^2 + (I*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)^2 + (2*(-2*A*b + a*B)*Log[Tan[c + d*x]])/a^3 - ((I*A + B)*Log[I + Tan[c + d*x]])/(a - I*b)^2 - (2*b^2*(-4*a^2*A*b - 2*A*b^3 + 3*a^3*B + a*b^2*B)*Log[a + b*Tan[c + d*x]])/(a^3*(a^2 + b^2)^2) + (2*b^2*(-(A*b) + a*B))/(a^2*(a^2 + b^2))

$$b^2*(a + b*\text{Tan}[c + d*x])))/(2*d)$$

Maple [B] time = 0.124, size = 399, normalized size = 2.1

$$\frac{\ln(1 + (\tan(dx + c))^2) Aab}{d(a^2 + b^2)^2} - \frac{\ln(1 + (\tan(dx + c))^2) a^2 B}{2d(a^2 + b^2)^2} + \frac{\ln(1 + (\tan(dx + c))^2) b^2 B}{2d(a^2 + b^2)^2} - \frac{A \arctan(\tan(dx + c)) a^2}{d(a^2 + b^2)^2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] 1/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*A*a*b-1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*a^2*B+1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*b^2*B-1/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*a^2+1/d/(a^2+b^2)^2*A*arctan(tan(d*x+c))*b^2-2/d/(a^2+b^2)^2*B*arctan(tan(d*x+c))*a*b-1/d/a^2*A/tan(d*x+c)-2/d/a^3*ln(tan(d*x+c))*A*b+1/d/a^2*B*ln(tan(d*x+c))+4/d*b^3/a/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A+2/d*b^5/a^3/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*A-3/d/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*b^2*B-1/d*b^4/a^2/(a^2+b^2)^2*ln(a+b*tan(d*x+c))*B-1/d*b^3/a^2/(a^2+b^2)/(a+b*tan(d*x+c))*A+1/d*b^2/a/(a^2+b^2)/(a+b*tan(d*x+c))*B

Maxima [A] time = 1.6046, size = 354, normalized size = 1.84

$$\frac{2(Aa^2+2Bab-Ab^2)(dx+c)}{a^4+2a^2b^2+b^4} + \frac{2(3Ba^3b^2-4Aa^2b^3+Bab^4-2Ab^5)\log(b\tan(dx+c)+a)}{a^7+2a^5b^2+a^3b^4} + \frac{(Ba^2-2Aab-Bb^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} + \frac{2(Aa^3+Aab^2+(Aa^2b-Bab^2)\tan(dx+c)^2)}{(a^4b+a^2b^3)\tan(dx+c)^2+}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] -1/2*(2*(A*a^2 + 2*B*a*b - A*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) + 2*(3*B*a^3*b^2 - 4*A*a^2*b^3 + B*a*b^4 - 2*A*b^5)*log(b*tan(d*x + c) + a)/(a^7 + 2*a^5*b^2 + a^3*b^4) + (B*a^2 - 2*A*a*b - B*b^2)*log(tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(A*a^3 + A*a*b^2 + (A*a^2*b - B*a*b^2 + 2*A*b^3)*tan(d*x + c))/((a^4*b + a^2*b^3)*tan(d*x + c)^2 + (a^5 + a^3*b^2)*tan(d*x + c)) - 2*(B*a - 2*A*b)*log(tan(d*x + c))/a^3)/d

Fricas [B] time = 2.39417, size = 1017, normalized size = 5.3

$$2Aa^6 + 4Aa^4b^2 + 2Aa^2b^4 + 2(Ba^3b^3 - Aa^2b^4 + (Aa^5b + 2Ba^4b^2 - Aa^3b^3)dx)\tan(dx + c)^2 - ((Ba^5b - 2Aa^4b^2 + 2B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] -1/2*(2*A*a^6 + 4*A*a^4*b^2 + 2*A*a^2*b^4 + 2*(B*a^3*b^3 - A*a^2*b^4 + (A*a^5*b + 2*B*a^4*b^2 - A*a^3*b^3)*d*x)*tan(d*x + c)^2 - ((B*a^5*b - 2*A*a^4*b^2 + 2

$$\begin{aligned} &^2 + 2*B*a^3*b^3 - 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*\tan(dx + c)^2 + (B*a^6 \\ &- 2*A*a^5*b + 2*B*a^4*b^2 - 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*\tan(dx + \\ &c))*\log(\tan(dx + c)^2/(\tan(dx + c)^2 + 1)) + ((3*B*a^3*b^3 - 4*A*a^2*b^4 \\ &+ B*a*b^5 - 2*A*b^6)*\tan(dx + c)^2 + (3*B*a^4*b^2 - 4*A*a^3*b^3 + B*a^2*b \\ &^4 - 2*A*a*b^5)*\tan(dx + c))*\log((b^2*\tan(dx + c)^2 + 2*a*b*\tan(dx + c) \\ &+ a^2)/(\tan(dx + c)^2 + 1)) + 2*(A*a^5*b + 2*A*a^3*b^3 - B*a^2*b^4 + 2*A*a \\ &*b^5 + (A*a^6 + 2*B*a^5*b - A*a^4*b^2)*dx)*\tan(dx + c))/((a^7*b + 2*a^5*b \\ &^3 + a^3*b^5)*d*\tan(dx + c)^2 + (a^8 + 2*a^6*b^2 + a^4*b^4)*d*\tan(dx + c) \\ &) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**2*(A+B*tan(dx+c))/(a+b*tan(dx+c))**2,x)

[Out] Timed out

Giac [A] time = 1.28134, size = 489, normalized size = 2.55

$$\frac{2(Aa^2+2Bab-Ab^2)(dx+c)}{a^4+2a^2b^2+b^4} + \frac{(Ba^2-2Aab-Bb^2)\log(\tan(dx+c)^2+1)}{a^4+2a^2b^2+b^4} + \frac{2(3Ba^3b^3-4Aa^2b^4+Bab^5-2Ab^6)\log(|b\tan(dx+c)+a|)}{a^7b+2a^5b^3+a^3b^5} + \frac{Ba^4b\tan(dx+c)^2-2Aa^3b^2\tan(dx+c)}{a^7b+2a^5b^3+a^3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^2*(A+B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} &-1/2*(2*(A*a^2 + 2*B*a*b - A*b^2)*(dx + c)/(a^4 + 2*a^2*b^2 + b^4) + (B*a^2 \\ &- 2*A*a*b - B*b^2)*\log(\tan(dx + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(3 \\ &*B*a^3*b^3 - 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*\log(\text{abs}(b*\tan(dx + c) + a))/ \\ &(a^7*b + 2*a^5*b^3 + a^3*b^5) + (B*a^4*b*\tan(dx + c)^2 - 2*A*a^3*b^2*\tan(dx \\ &*x + c)^2 - B*a^2*b^3*\tan(dx + c)^2 + B*a^5*\tan(dx + c) - 3*B*a^3*b^2*\tan \\ &(dx + c) + 6*A*a^2*b^3*\tan(dx + c) - 2*B*a*b^4*\tan(dx + c) + 4*A*b^5*\tan \\ &(dx + c) + 2*A*a^5 + 4*A*a^3*b^2 + 2*A*a*b^4)/((a^6 + 2*a^4*b^2 + a^2*b^4) \\ &*(b*\tan(dx + c)^2 + a*\tan(dx + c))) - 2*(B*a - 2*A*b)*\log(\text{abs}(\tan(dx + c) \\ &)))/a^3)/d \end{aligned}$$

$$3.281 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=250

$$\frac{b(2a^2Ab + a^3(-B) - 2ab^2B + 3Ab^3)}{a^3d(a^2 + b^2)(a + b \tan(c + dx))} - \frac{(a^2A + 2abB - 3Ab^2) \log(\sin(c + dx))}{a^4d} - \frac{b^3(5a^2Ab - 4a^3B - 2ab^2B + 3Ab^3) \log(\sin(c + dx))}{a^4d(a^2 + b^2)}$$

```
[Out] ((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2 - ((a^2*A - 3*A*b^2 + 2*a*b*B)*
Log[Sin[c + d*x]])/(a^4*d) - (b^3*(5*a^2*A*b + 3*A*b^3 - 4*a^3*B - 2*a*b^2*
B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^4*(a^2 + b^2)^2*d) + (b*(2*a^2*
A*b + 3*A*b^3 - a^3*B - 2*a*b^2*B))/(a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])
) + ((3*A*b - 2*a*B)*Cot[c + d*x])/(2*a^2*d*(a + b*Tan[c + d*x])) - (A*Cot[
c + d*x]^2)/(2*a*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 0.859716, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(2a^2Ab + a^3(-B) - 2ab^2B + 3Ab^3)}{a^3d(a^2 + b^2)(a + b \tan(c + dx))} - \frac{(a^2A + 2abB - 3Ab^2) \log(\sin(c + dx))}{a^4d} - \frac{b^3(5a^2Ab - 4a^3B - 2ab^2B + 3Ab^3) \log(\sin(c + dx))}{a^4d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]
```

```
[Out] ((2*a*A*b - a^2*B + b^2*B)*x)/(a^2 + b^2)^2 - ((a^2*A - 3*A*b^2 + 2*a*b*B)*
Log[Sin[c + d*x]])/(a^4*d) - (b^3*(5*a^2*A*b + 3*A*b^3 - 4*a^3*B - 2*a*b^2*
B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^4*(a^2 + b^2)^2*d) + (b*(2*a^2*
A*b + 3*A*b^3 - a^3*B - 2*a*b^2*B))/(a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])
) + ((3*A*b - 2*a*B)*Cot[c + d*x])/(2*a^2*d*(a + b*Tan[c + d*x])) - (A*Cot[
c + d*x]^2)/(2*a*d*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
```

```
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3651

```
Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)
*(x_.)])), x_Symbol] :> Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x
/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)
*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist
[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x]
)/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*
(x_.)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f
*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{\cot^3(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^2} dx = -\frac{A \cot^2(c + dx)}{2ad(a + b \tan(c + dx))} - \frac{\int \frac{\cot^2(c + dx)(3Ab - 2aB + 2aA \tan(c + dx) + 3Ab \tan^2(c + dx))}{(a + b \tan(c + dx))^2} dx}{2a}$$

$$= \frac{(3Ab - 2aB) \cot(c + dx)}{2a^2d(a + b \tan(c + dx))} - \frac{A \cot^2(c + dx)}{2ad(a + b \tan(c + dx))} + \frac{\int \frac{\cot(c + dx)(-2(a^2A - 3Ab^2 - a^2B))}{(a + b \tan(c + dx))^2} dx}{a^3(a^2 + b^2)}$$

$$= \frac{b(2a^2Ab + 3Ab^3 - a^3B - 2ab^2B)}{a^3(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{(3Ab - 2aB) \cot(c + dx)}{2a^2d(a + b \tan(c + dx))} - \frac{A \cot^2(c + dx)}{2ad(a + b \tan(c + dx))}$$

$$= \frac{(2aAb - a^2B + b^2B)x}{(a^2 + b^2)^2} + \frac{b(2a^2Ab + 3Ab^3 - a^3B - 2ab^2B)}{a^3(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{(3Ab - 2aB) \cot(c + dx)}{2a^2d(a + b \tan(c + dx))}$$

$$= \frac{(2aAb - a^2B + b^2B)x}{(a^2 + b^2)^2} - \frac{(a^2A - 3Ab^2 + 2abB) \log(\sin(c + dx))}{a^4d} - \frac{b^3(5a^2A - 3Ab^2)}{a^4d}$$

Mathematica [C] time = 4.33774, size = 220, normalized size = 0.88

$$\frac{2b^3(Ab - aB)}{a^3(a^2 + b^2)(a + b \tan(c + dx))} + \frac{2b^3(-5a^2Ab + 4a^3B + 2ab^2B - 3Ab^3) \log(a + b \tan(c + dx))}{a^4(a^2 + b^2)^2} - \frac{2(a^2A + 2abB - 3Ab^2) \log(\tan(c + dx))}{a^4} - \frac{2(aB - 2Ab) \cot(c + dx)}{a^3} - \frac{b^3(5a^2A - 3Ab^2)}{a^4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]
```

[Out] $((-2*(-2*A*b + a*B)*\text{Cot}[c + d*x])/a^3 - (A*\text{Cot}[c + d*x]^2)/a^2 + ((A + I*B)*\text{Log}[I - \text{Tan}[c + d*x]])/(a + I*b)^2 - (2*(a^2*A - 3*A*b^2 + 2*a*b*B)*\text{Log}[\text{Tan}[c + d*x]])/a^4 + ((A - I*B)*\text{Log}[I + \text{Tan}[c + d*x]])/(a - I*b)^2 + (2*b^3*(-5*a^2*A*b - 3*A*b^3 + 4*a^3*B + 2*a*b^2*B)*\text{Log}[a + b*\text{Tan}[c + d*x]])/(a^4*(a^2 + b^2)^2) + (2*b^3*(A*b - a*B))/(a^3*(a^2 + b^2)*(a + b*\text{Tan}[c + d*x])))/(2*d)$

Maple [A] time = 0.15, size = 457, normalized size = 1.8

$$\frac{\ln(1 + (\tan(dx + c))^2) a^2 A}{2d(a^2 + b^2)^2} - \frac{\ln(1 + (\tan(dx + c))^2) Ab^2}{2d(a^2 + b^2)^2} + \frac{\ln(1 + (\tan(dx + c))^2) Bab}{d(a^2 + b^2)^2} + 2 \frac{A \arctan(\tan(dx + c)) ab}{d(a^2 + b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)`

[Out] $1/2/d/(a^2+b^2)^2*\ln(1+\tan(d*x+c)^2)*a^2*A-1/2/d/(a^2+b^2)^2*\ln(1+\tan(d*x+c)^2)*A*b^2+1/d/(a^2+b^2)^2*\ln(1+\tan(d*x+c)^2)*B*a*b+2/d/(a^2+b^2)^2*A*\arctan(\tan(d*x+c))*a*b-1/d/(a^2+b^2)^2*B*\arctan(\tan(d*x+c))*a^2+1/d/(a^2+b^2)^2*B*\arctan(\tan(d*x+c))*b^2-1/2/d/a^2*A/\tan(d*x+c)^2+2/d/a^3/\tan(d*x+c)*A*b-1/d/a^2/\tan(d*x+c)*B-1/d/a^2*A*\ln(\tan(d*x+c))+3/d/a^4*\ln(\tan(d*x+c))*A*b^2-2/d/a^3*\ln(\tan(d*x+c))*B*b-5/d*b^4/a^2/(a^2+b^2)^2*\ln(a+b*\tan(d*x+c))*A-3/d*b^6/a^4/(a^2+b^2)^2*\ln(a+b*\tan(d*x+c))*A+4/d*b^3/a/(a^2+b^2)^2*\ln(a+b*\tan(d*x+c))*B+2/d*b^5/a^3/(a^2+b^2)^2*\ln(a+b*\tan(d*x+c))*B+1/d*b^4/a^3/(a^2+b^2)/(a+b*\tan(d*x+c))*A-1/d*b^3/a^2/(a^2+b^2)/(a+b*\tan(d*x+c))*B$

Maxima [A] time = 1.57438, size = 439, normalized size = 1.76

$$\frac{2(Ba^2 - 2Aab - Bb^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} - \frac{2(4Ba^3b^3 - 5Aa^2b^4 + 2Bab^5 - 3Ab^6)\log(b\tan(dx+c)+a)}{a^8 + 2a^6b^2 + a^4b^4} - \frac{(Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} + \frac{Aa^4 + Aa^2b^2 + 2(Ba^3b - 2Aa^2b^2 + 2Bab^3 - 3Aa^2b^3 - 3Aa^2b^4)*\tan(dx+c)^2 + (2Ba^4 - 3Aa^3b + 2Ba^2b^2 - 3Aa^2b^3)*\tan(dx+c)}{((a^5b + a^3b^3)*\tan(dx+c))^3 + (a^6 + a^4b^2)*\tan(dx+c)^2} + 2*(Aa^2 + 2Bab - 3Ab^2)*\log(\tan(dx+c))/a^4/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")`

[Out] $-1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - 2*(4*B*a^3*b^3 - 5*A*a^2*b^4 + 2*B*a*b^5 - 3*A*b^6)*\log(b*\text{tan}(d*x + c) + a)/(a^8 + 2*a^6*b^2 + a^4*b^4) - (A*a^2 + 2*B*a*b - A*b^2)*\log(\text{tan}(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + (A*a^4 + A*a^2*b^2 + 2*(B*a^3*b - 2*A*a^2*b^2 + 2*B*a*b^3 - 3*A*b^4)*\text{tan}(d*x + c)^2 + (2*B*a^4 - 3*A*a^3*b + 2*B*a^2*b^2 - 3*A*a^2*b^3)*\text{tan}(d*x + c))/((a^5*b + a^3*b^3)*\text{tan}(d*x + c)^3 + (a^6 + a^4*b^2)*\text{tan}(d*x + c)^2) + 2*(A*a^2 + 2*B*a*b - 3*A*b^2)*\log(\text{tan}(d*x + c))/a^4)/d$

Fricas [B] time = 2.51781, size = 1283, normalized size = 5.13

$$Aa^7 + 2Aa^5b^2 + Aa^3b^4 + (Aa^6b + 2Aa^4b^3 - 2Ba^3b^4 + 3Aa^2b^5 + 2(Ba^6b - 2Aa^5b^2 - Ba^4b^3)dx)\tan(dx+c)^3 + (Aa^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/2*(A*a^7 + 2*A*a^5*b^2 + A*a^3*b^4 + (A*a^6*b + 2*A*a^4*b^3 - 2*B*a^3*b^4 + 3*A*a^2*b^5 + 2*(B*a^6*b - 2*A*a^5*b^2 - B*a^4*b^3)*d*x)*\tan(d*x + c)^3 + (A*a^7 + 2*B*a^6*b - 2*A*a^5*b^2 + 4*B*a^4*b^3 - 7*A*a^3*b^4 + 4*B*a^2*b^5 - 6*A*a*b^6 + 2*(B*a^7 - 2*A*a^6*b - B*a^5*b^2)*d*x)*\tan(d*x + c)^2 + ((A*a^6*b + 2*B*a^5*b^2 - A*a^4*b^3 + 4*B*a^3*b^4 - 5*A*a^2*b^5 + 2*B*a*b^6 - 3*A*b^7)*\tan(d*x + c)^3 + (A*a^7 + 2*B*a^6*b - A*a^5*b^2 + 4*B*a^4*b^3 - 5*A*a^3*b^4 + 2*B*a^2*b^5 - 3*A*a*b^6)*\tan(d*x + c)^2)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1)) - ((4*B*a^3*b^4 - 5*A*a^2*b^5 + 2*B*a*b^6 - 3*A*b^7)*\tan(d*x + c)^3 + (4*B*a^4*b^3 - 5*A*a^3*b^4 + 2*B*a^2*b^5 - 3*A*a*b^6)*\tan(d*x + c)^2)*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) + (2*B*a^7 - 3*A*a^6*b + 4*B*a^5*b^2 - 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*\tan(d*x + c))/((a^8*b + 2*a^6*b^3 + a^4*b^5)*d*\tan(d*x + c)^3 + (a^9 + 2*a^7*b^2 + a^5*b^4)*d*\tan(d*x + c)^2)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.33389, size = 543, normalized size = 2.17

$$\frac{2(Ba^2 - 2Aab - Bb^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} - \frac{(Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} - \frac{2(4Ba^3b^4 - 5Aa^2b^5 + 2Bab^6 - 3Ab^7)\log(|b\tan(dx+c)+a|)}{a^8b + 2a^6b^3 + a^4b^5} + \frac{2(4Ba^3b^4\tan(dx+c) + (Aa^2 + 2Bab - Ab^2)\log(\tan(dx+c)^2 + 1))}{a^4 + 2a^2b^2 + b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/2*(2*(B*a^2 - 2*A*a*b - B*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - (A*a^2 + 2*B*a*b - A*b^2)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(4*B*a^3*b^4 - 5*A*a^2*b^5 + 2*B*a*b^6 - 3*A*b^7)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^8*b + 2*a^6*b^3 + a^4*b^5) + 2*(4*B*a^3*b^4*\tan(d*x + c) - 5*A*a^2*b^5*\tan(d*x + c) + 2*B*a*b^6*\tan(d*x + c) - 3*A*b^7*\tan(d*x + c) + 5*B*a^4*b^3 - 6*A*a^3*b^4 + 3*B*a^2*b^5 - 4*A*a*b^6)/((a^8 + 2*a^6*b^2 + a^4*b^4)*(b*\tan(d*x + c) + a)) + 2*(A*a^2 + 2*B*a*b - 3*A*b^2)*\log(\text{abs}(\tan(d*x + c)))/a^4 - (3*A*a^2*\tan(d*x + c)^2 + 6*B*a*b*\tan(d*x + c)^2 - 9*A*b^2*\tan(d*x + c)^2 - 2*B*a^2*\tan(d*x + c) + 4*A*a*b*\tan(d*x + c) - A*a^2)/(a^4*\tan(d*x + c)^2))/d$$

$$3.282 \quad \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=331

$$\frac{a(Ab - aB) \tan^3(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a(a^2Ab - 3a^3B - 7ab^2B + 5Ab^3) \tan^2(c + dx)}{2b^2d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{(a^3Ab - 6a^2b^2B - 3a^4B + 3aAb^3 - b^3d(a^2 + b^2)^2)}{b^3d(a^2 + b^2)^2}$$

[Out] ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*x)/(a^2 + b^2)^3 + ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Log[Cos[c + d*x]])/(a^2 + b^2)^3*d + (a^2*(a^4*A*b + 3*a^2*A*b^3 + 6*A*b^5 - 3*a^5*B - 9*a^3*b^2*B - 10*a*b^4*B)*Log[a + b*Tan[c + d*x]])/(b^4*(a^2 + b^2)^3*d - ((a^3*A*b + 3*a*A*b^3 - 3*a^4*B - 6*a^2*b^2*B - b^4*B)*Tan[c + d*x])/(b^3*(a^2 + b^2)^2*d) + (a*(A*b - a*B)*Tan[c + d*x]^3)/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (a*(a^2*A*b + 5*A*b^3 - 3*a^3*B - 7*a*b^2*B)*Tan[c + d*x]^2)/(2*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.798083, antiderivative size = 331, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3605, 3645, 3647, 3626, 3617, 31, 3475}

$$\frac{a(Ab - aB) \tan^3(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a(a^2Ab - 3a^3B - 7ab^2B + 5Ab^3) \tan^2(c + dx)}{2b^2d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{(a^3Ab - 6a^2b^2B - 3a^4B + 3aAb^3 - b^3d(a^2 + b^2)^2)}{b^3d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

[Out] ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*x)/(a^2 + b^2)^3 + ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Log[Cos[c + d*x]])/(a^2 + b^2)^3*d + (a^2*(a^4*A*b + 3*a^2*A*b^3 + 6*A*b^5 - 3*a^5*B - 9*a^3*b^2*B - 10*a*b^4*B)*Log[a + b*Tan[c + d*x]])/(b^4*(a^2 + b^2)^3*d - ((a^3*A*b + 3*a*A*b^3 - 3*a^4*B - 6*a^2*b^2*B - b^4*B)*Tan[c + d*x])/(b^3*(a^2 + b^2)^2*d) + (a*(A*b - a*B)*Tan[c + d*x]^3)/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (a*(a^2*A*b + 5*A*b^3 - 3*a^3*B - 7*a*b^2*B)*Tan[c + d*x]^2)/(2*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])

```

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3647

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))

```

Rule 3626

```

Int[((A_) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2
)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*A + b*B -
a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1
+ Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a
^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C,
0]

```

Rule 3617

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_) + (C_.)*tan[(e_.) +
(f_.)*(x_)])^2), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*T
an[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

```

Rule 31

```

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]

```

Rule 3475

```

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\int \frac{\tan^4(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx = \frac{a(Ab - aB) \tan^3(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{\tan^2(c+dx)(-3a(Ab-aB)+2b(Ab-aB)\tan(c+dx)-(a^2+b^2)\tan^2(c+dx))}{(a+b \tan(c+dx))^2} dx}{2b(a^2 + b^2)}$$

$$= \frac{a(Ab - aB) \tan^3(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{a(a^2Ab + 5Ab^3 - 3a^3B - 7ab^2B) \tan^2(c + dx)}{2b^2(a^2 + b^2)^2d(a + b \tan(c + dx))}$$

$$= -\frac{(a^3Ab + 3aAb^3 - 3a^4B - 6a^2b^2B - b^4B) \tan(c + dx)}{b^3(a^2 + b^2)^2d} + \frac{a(Ab - aB) \tan^3(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))}$$

$$= \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} - \frac{(a^3Ab + 3aAb^3 - 3a^4B - 6a^2b^2B - b^4B) \tan(c + dx)}{b^3(a^2 + b^2)^2d}$$

$$= \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} + \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \log(\cos(c + dx))}{(a^2 + b^2)^3d}$$

$$= \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} + \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \log(\cos(c + dx))}{(a^2 + b^2)^3d}$$

Mathematica [C] time = 6.67341, size = 1146, normalized size = 3.46

$$\frac{(aB - Ab) \sec^2(c + dx)(a \cos(c + dx) + b \sin(c + dx))(A + B \tan(c + dx))a^4}{2(a - ib)^2(a + ib)^2b^2d(A \cos(c + dx) + B \sin(c + dx))(a + b \tan(c + dx))^3} + \frac{\sec^2(c + dx)(a \cos(c + dx) + b \sin(c + dx))}{(a - ib)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]
```

```
[Out] (a^4*(-(A*b) + a*B)*Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])*(A + B*Tan[c + d*x]))/(2*(a - I*b)^2*(a + I*b)^2*b^2*d*(A*Cos[c + d*x] + B*Sin[c + d*x]))*(a + b*Tan[c + d*x])^3 + ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*(c + d*x)*Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])^3*(A + B*Tan[c + d*x]))/(a - I*b)^3*(a + I*b)^3*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^3 + ((I*a^11*A*b^4 + a^10*A*b^5 + (5*I)*a^9*A*b^6 + 5*a^8*A*b^7 + (13*I)*a^7*A*b^8 + 13*a^6*A*b^9 + (15*I)*a^5*A*b^10 + 15*a^4*A*b^11 + (6*I)*a^3*A*b^12 + 6*a^2*A*b^13 - (3*I)*a^12*b^3*B - 3*a^11*b^4*B - (15*I)*a^10*b^5*B - 15*a^9*b^6*B - (31*I)*a^8*b^7*B - 31*a^7*b^8*B - (29*I)*a^6*b^9*B - 29*a^5*b^10*B - (10*I)*a^4*b^11*B - 10*a^3*b^12*B)*(c + d*x)*Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])^3*(A + B*Tan[c + d*x]))/((a - I*b)^6*(a + I*b)^5*b^7*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x]))^3 - (I*(a^6*A*b + 3*a^4*A*b^3 + 6*a^2*A*b^5 - 3*a^7*B - 9*a^5*b^2*B - 10*a^3*b^4*B)*ArcTan[Tan[c + d*x]]*Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])^3*(A + B*Tan[c + d*x]))/(b^4*(a^2 + b^2)^3*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^3 + ((-(A*b) + 3*a*B)*Log[Cos[c + d*x]]*Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])^3*(A + B*Tan[c + d*x]))/(b^4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^3 + ((a^6*A*b + 3*a^4*A*b^3 + 6*a^2*A*b^5 - 3*a^7*B - 9*a^5*b^2*B - 10*a^3*b^4*B)*Log[(a*Cos[c + d*x] + b*Sin[c + d*x])^2]*Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])^3*(A + B*Tan[c + d*x]))/(2*b^4*(a^2 + b^2)^3*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^3 + (Sec[c + d*x]^2*(a*Cos[c + d*x] + b*Sin[c + d*x])^2*(-(a^4*A*b*Sin[c + d*x]) - 4*a^2*A*b^3*Sin[c + d*x] + 2*a^5*B*Sin[c + d*x] + 5*a^3*b^2*B*Sin[c + d*x]))*(A + B*Tan[c + d*x]))/((a - I*b)^2*(a + I*b)^2*b^3*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])
```

)^3) + (B*Sec[c + d*x]^2*(a*cos[c + d*x] + b*sin[c + d*x])^3*tan[c + d*x]*(A + B*tan[c + d*x]))/(b^3*d*(A*cos[c + d*x] + B*sin[c + d*x])*(a + b*tan[c + d*x])^3)

Maple [A] time = 0.05, size = 619, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)

[Out] $\frac{1}{d} \frac{B}{b^3} \tan(d*x+c) - \frac{3}{2} \frac{d}{(a^2+b^2)^3} \ln(1+\tan(d*x+c)^2) * A * a^{2*b+1/2} \frac{d}{(a^2+b^2)^3} \ln(1+\tan(d*x+c)^2) * A * b^{3+1/2} \frac{d}{(a^2+b^2)^3} \ln(1+\tan(d*x+c)^2) * B * a^{3-3/2} \frac{d}{(a^2+b^2)^3} \ln(1+\tan(d*x+c)^2) * B * a * b^{2+1} \frac{d}{(a^2+b^2)^3} * A * \arctan(\tan(d*x+c)) * a^{3-3} \frac{d}{(a^2+b^2)^3} * A * \arctan(\tan(d*x+c)) * a * b^{2+3} \frac{d}{(a^2+b^2)^3} * B * a * \arctan(\tan(d*x+c)) * a^{2*b-1} \frac{d}{(a^2+b^2)^3} * B * \arctan(\tan(d*x+c)) * b^{3+1} \frac{d}{b^3} * a^6 \frac{d}{(a^2+b^2)^3} \ln(a+b*tan(d*x+c)) * A + \frac{3}{d} \frac{b * a^4}{(a^2+b^2)^3} \ln(a+b*tan(d*x+c)) * A + \frac{6}{d} \frac{b * a^2}{(a^2+b^2)^3} \ln(a+b*tan(d*x+c)) * A - \frac{3}{d} \frac{b^4 * a^7}{(a^2+b^2)^3} \ln(a+b*tan(d*x+c)) * B - \frac{9}{d} \frac{b^2 * a^5}{(a^2+b^2)^3} \ln(a+b*tan(d*x+c)) * B - \frac{10}{d} \frac{a^3}{(a^2+b^2)^3} \ln(a+b*tan(d*x+c)) * B - \frac{1}{2} \frac{d}{b^3} * a^4 \frac{d}{(a^2+b^2)} \frac{d}{(a+b*tan(d*x+c))^2} * A + \frac{1}{2} \frac{d}{b^4} * a^5 \frac{d}{(a^2+b^2)} \frac{d}{(a+b*tan(d*x+c))^2} * B + \frac{2}{d} \frac{b^3 * a^5}{(a^2+b^2)^2} \frac{d}{(a+b*tan(d*x+c))} * A + \frac{4}{d} \frac{b * a^3}{(a^2+b^2)^2} \frac{d}{(a+b*tan(d*x+c))} * A - \frac{3}{d} \frac{b^4 * a^6}{(a^2+b^2)^2} \frac{d}{(a+b*tan(d*x+c))} * B - \frac{5}{d} \frac{b^2 * a^4}{(a^2+b^2)^2} \frac{d}{(a+b*tan(d*x+c))} * B$

Maxima [A] time = 1.556, size = 525, normalized size = 1.59

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{2(3Ba^7-Aa^6b+9Ba^5b^2-3Aa^4b^3+10Ba^3b^4-6Aa^2b^5)\log(b\tan(dx+c)+a)}{a^6b^4+3a^4b^6+3a^2b^8+b^{10}} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c))}{a^6+3a^4b^2+3a^2b^4+b^6}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] $\frac{1}{2} * (2 * (A * a^3 + 3 * B * a^2 * b - 3 * A * a * b^2 - B * b^3) * (d * x + c) / (a^6 + 3 * a^4 * b^2 + 3 * a^2 * b^4 + b^6) - 2 * (3 * B * a^7 - A * a^6 * b + 9 * B * a^5 * b^2 - 3 * A * a^4 * b^3 + 10 * B * a^3 * b^4 - 6 * A * a^2 * b^5) * \log(b * \tan(d * x + c) + a) / (a^6 * b^4 + 3 * a^4 * b^6 + 3 * a^2 * b^8 + b^{10}) + (B * a^3 - 3 * A * a^2 * b - 3 * B * a * b^2 + A * b^3) * \log(\tan(d * x + c))^2 + 1) / (a^6 + 3 * a^4 * b^2 + 3 * a^2 * b^4 + b^6) - (5 * B * a^7 - 3 * A * a^6 * b + 9 * B * a^5 * b^2 - 7 * A * a^4 * b^3 + 2 * (3 * B * a^6 * b - 2 * A * a^5 * b^2 + 5 * B * a^4 * b^3 - 4 * A * a^3 * b^4) * \tan(d * x + c)) / (a^6 * b^4 + 2 * a^4 * b^6 + a^2 * b^8 + (a^4 * b^6 + 2 * a^2 * b^8 + b^{10}) * \tan(d * x + c))^2 + 2 * (a^5 * b^5 + 2 * a^3 * b^7 + a * b^9) * \tan(d * x + c) + 2 * B * \tan(d * x + c) / b^3) / d$

Fricas [B] time = 2.91801, size = 1895, normalized size = 5.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out]
$$-1/2*(3*B*a^7*b^2 - A*a^6*b^3 + 9*B*a^5*b^4 - 7*A*a^4*b^5 - 2*(B*a^6*b^3 + 3*B*a^4*b^5 + 3*B*a^2*b^7 + B*b^9)*\tan(d*x + c)^3 - 2*(A*a^5*b^4 + 3*B*a^4*b^5 - 3*A*a^3*b^6 - B*a^2*b^7)*d*x - (9*B*a^7*b^2 - 3*A*a^6*b^3 + 23*B*a^5*b^4 - 9*A*a^4*b^5 + 12*B*a^3*b^6 + 4*B*a*b^8 + 2*(A*a^3*b^6 + 3*B*a^2*b^7 - 3*A*a*b^8 - B*b^9)*d*x)*\tan(d*x + c)^2 + (3*B*a^9 - A*a^8*b + 9*B*a^7*b^2 - 3*A*a^6*b^3 + 10*B*a^5*b^4 - 6*A*a^4*b^5 + (3*B*a^7*b^2 - A*a^6*b^3 + 9*B*a^5*b^4 - 3*A*a^4*b^5 + 10*B*a^3*b^6 - 6*A*a^2*b^7)*\tan(d*x + c)^2 + 2*(3*B*a^8*b - A*a^7*b^2 + 9*B*a^6*b^3 - 3*A*a^5*b^4 + 10*B*a^4*b^5 - 6*A*a^3*b^6)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - (3*B*a^9 - A*a^8*b + 9*B*a^7*b^2 - 3*A*a^6*b^3 + 9*B*a^5*b^4 - 3*A*a^4*b^5 + 3*B*a^3*b^6 - A*a^2*b^7 + (3*B*a^7*b^2 - A*a^6*b^3 + 9*B*a^5*b^4 - 3*A*a^4*b^5 + 9*B*a^3*b^6 - 3*A*a^2*b^7 + 3*B*a*b^8 - A*b^9)*\tan(d*x + c)^2 + 2*(3*B*a^8*b - A*a^7*b^2 + 9*B*a^6*b^3 - 3*A*a^5*b^4 + 9*B*a^4*b^5 - 3*A*a^3*b^6 + 3*B*a^2*b^7 - A*a*b^8)*\tan(d*x + c))*\log(1/(\tan(d*x + c)^2 + 1)) - 2*(3*B*a^8*b - A*a^7*b^2 + 6*B*a^6*b^3 - 3*A*a^5*b^4 - 2*B*a^4*b^5 + 4*A*a^3*b^6 + B*a^2*b^7 + 2*(A*a^4*b^5 + 3*B*a^3*b^6 - 3*A*a^2*b^7 - B*a*b^8)*d*x)*\tan(d*x + c))/((a^6*b^6 + 3*a^4*b^8 + 3*a^2*b^10 + b^12)*d*\tan(d*x + c)^2 + 2*(a^7*b^5 + 3*a^5*b^7 + 3*a^3*b^9 + a*b^11)*d*\tan(d*x + c) + (a^8*b^4 + 3*a^6*b^6 + 3*a^4*b^8 + a^2*b^10)*d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 2.45969, size = 682, normalized size = 2.06

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{2(3Ba^7-Aa^6b+9Ba^5b^2-3Aa^4b^3+10Ba^3b^4-6Aa^2b^5)\log(|b\tan(dx+c)|)}{a^6b^4+3a^4b^6+3a^2b^8+b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$1/2*(2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*\log(\tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - 2*(3*B*a^7 - A*a^6*b + 9*B*a^5*b^2 - 3*A*a^4*b^3 + 10*B*a^3*b^4 - 6*A*a^2*b^5)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^6*b^4 + 3*a^4*b^6 + 3*a^2*b^8 + b^{10}) + 2*B*\tan(d*x + c)/b^3 + (9*B*a^7*b^2*\tan(d*x + c)^2 - 3*A*a^6*b^3*\tan(d*x + c)^2 + 27*B*a^5*b^4*\tan(d*x + c)^2 - 9*A*a^4*b^5*\tan(d*x + c)^2 + 30*B*a^3*b^6*\tan(d*x + c)^2 - 18*A*a^2*b^7*\tan(d*x + c)^2 + 12*B*a^8*b*\tan(d*x + c) - 2*A*a^7*b^2*\tan(d*x + c) + 38*B*a^6*b^3*\tan(d*x + c) - 6*A*a^5*b^4*\tan(d*x + c) + 50*B*a^4*b^5*\tan(d*x + c) - 28*A*a^3*b^6*\tan(d*x + c) + 4*B*a^9 + 13*B*a^7*b^2 + A*a^6*b^3 +$$

$$\frac{21Ba^5b^4 - 11Aa^4b^5}{(a^6b^4 + 3a^4b^6 + 3a^2b^8 + b^{10})(b \tan(dx + c) + a^2)} \cdot \frac{1}{d}$$

$$3.283 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=250

$$\frac{a(Ab - aB) \tan^2(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} - \frac{a^2(2Ab^3 - aB(a^2 + 3b^2))}{b^3d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{a(a^2Ab^3 + 3a^3b^2B + a^5B + 6ab^4B - 3Ab^5) \log}{b^3d(a^2 + b^2)^3}$$

[Out] -(((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*x)/(a^2 + b^2)^3) + ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*Log[Cos[c + d*x]])/((a^2 + b^2)^3*d) + (a*(a^2*A*b^3 - 3*A*b^5 + a^5*B + 3*a^3*b^2*B + 6*a*b^4*B)*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Tan[c + d*x]^2)/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (a^2*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.492649, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3605, 3635, 3626, 3617, 31, 3475}

$$\frac{a(Ab - aB) \tan^2(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} - \frac{a^2(2Ab^3 - aB(a^2 + 3b^2))}{b^3d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{a(a^2Ab^3 + 3a^3b^2B + a^5B + 6ab^4B - 3Ab^5) \log}{b^3d(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

[Out] -(((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*x)/(a^2 + b^2)^3) + ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*Log[Cos[c + d*x]])/((a^2 + b^2)^3*d) + (a*(a^2*A*b^3 - 3*A*b^5 + a^5*B + 3*a^3*b^2*B + 6*a*b^4*B)*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Tan[c + d*x]^2)/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (a^2*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta

$n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3626

$Int[((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)]^2)/((a_) + (b_)*tan[(e_) + (f_)*(x_)])$, x_Symbol] $:> Simp[((a*A + b*B - a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a^2 + b^2), Int[Tan[e + f*x], x], x]) /;$ FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C, 0]

Rule 3617

$Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)]^2)$, x_Symbol] $:> Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*Tan[e + f*x]], x] /;$ FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

Rule 31

$Int[((a_) + (b_)*(x_))^{-1}$, x_Symbol] $:> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /;$ FreeQ[{a, b}, x]

Rule 3475

$Int[tan[(c_) + (d_)*(x_)]$, x_Symbol] $:> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx &= \frac{a(Ab - aB) \tan^2(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{\tan(c + dx)(-2a(Ab - aB) + 2b(Ab - aB) \tan(c + dx))}{(a + b \tan(c + dx))^2} dx}{2b(a^2 + b^2)} \\ &= \frac{a(Ab - aB) \tan^2(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{a^2(2Ab^3 - a(a^2 + 3b^2)B)}{b^3(a^2 + b^2)^2 d(a + b \tan(c + dx))} + \int \frac{a^2(2Ab^3 - a(a^2 + 3b^2)B)}{b^3(a^2 + b^2)^2 d(a + b \tan(c + dx))} dx \\ &= -\frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} + \frac{a(Ab - aB) \tan^2(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{a^2(2Ab^3 - a(a^2 + 3b^2)B)}{b^3(a^2 + b^2)^2 d(a + b \tan(c + dx))} \\ &= -\frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} + \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B) \log(\cos(c + dx))}{(a^2 + b^2)^3 d} \\ &= -\frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} + \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B) \log(\cos(c + dx))}{(a^2 + b^2)^3 d} \end{aligned}$$

Mathematica [C] time = 4.49186, size = 462, normalized size = 1.85

$$\frac{\sec^2(c + dx)(A + B \tan(c + dx))(a \cos(c + dx) + b \sin(c + dx)) \left(2ia(c + dx) (a^2Ab^3 + 3a^3b^2B + a^5B + 6ab^4B - 3Ab^5) \right)}{(a^2 + b^2)^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] (Sec[c + d*x]^2*(a*cos[c + d*x] + b*sin[c + d*x])*(a^3*b^2*(a^2 + b^2)*(A*b - a*B) - 2*a*b*(a^2 + b^2)*(-3*A*b^3 + a*(a^2 + 4*b^2)*B)*sin[c + d*x]*(a*cos[c + d*x] + b*sin[c + d*x]) + 2*b^3*(-3*a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*(c + d*x)*(a*cos[c + d*x] + b*sin[c + d*x])^2 + (2*I)*a*(a^2*A*b^3 - 3*A*b^5 + a^5*B + 3*a^3*b^2*B + 6*a*b^4*B)*(c + d*x)*(a*cos[c + d*x] + b*sin[c + d*x])^2 - (2*I)*a*(a^2*A*b^3 - 3*A*b^5 + a^5*B + 3*a^3*b^2*B + 6*a*b^4*B)*ArcTan[Tan[c + d*x]]*(a*cos[c + d*x] + b*sin[c + d*x])^2 - 2*(a^2 + b^2)^3*B*Log[Cos[c + d*x]]*(a*cos[c + d*x] + b*sin[c + d*x])^2 + a*(a^2*A*b^3 - 3*A*b^5 + a^5*B + 3*a^3*b^2*B + 6*a*b^4*B)*Log[(a*cos[c + d*x] + b*sin[c + d*x])^2]*(a*cos[c + d*x] + b*sin[c + d*x])^2*(A + B*Tan[c + d*x]))/(2*b^3*(a^2 + b^2)^3*d*(A*cos[c + d*x] + B*sin[c + d*x])*(a + b*Tan[c + d*x])^3)

Maple [B] time = 0.054, size = 566, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)

[Out] -1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a^3+3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a*b^2-3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a^2*b+1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*b^3-3/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a^2*b+1/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*b^3+1/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a^3-3/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a*b^2+1/d*a^3/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A-3/d*a/(a^2+b^2)^3*b^2*ln(a+b*tan(d*x+c))*A+1/d*a^6/(a^2+b^2)^3/b^3*ln(a+b*tan(d*x+c))*B+3/d*a^4/(a^2+b^2)^3/b*ln(a+b*tan(d*x+c))*B+6/d*a^2/(a^2+b^2)^3*b*ln(a+b*tan(d*x+c))*B-1/d*a^4/b^2/(a^2+b^2)^2/(a+b*tan(d*x+c))*A-3/d*a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))*A+2/d*a^5/b^3/(a^2+b^2)^2/(a+b*tan(d*x+c))*B+4/d*a^3/b/(a^2+b^2)^2/(a+b*tan(d*x+c))*B+1/2/d*a^3/b^2/(a^2+b^2)/(a+b*tan(d*x+c))^2*A-1/2/d*a^4/b^3/(a^2+b^2)/(a+b*tan(d*x+c))^2*B

Maxima [A] time = 1.62286, size = 494, normalized size = 1.98

$$\frac{2(Ba^3-3Aa^2b-3Bab^2+Ab^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(Ba^6+3Ba^4b^2+3Aa^3b^3+6Ba^2b^4-3Aab^5)\log(b\tan(dx+c)+a)}{a^6b^3+3a^4b^5+3a^2b^7+b^9} - \frac{(Aa^3+3Ba^2b-3Aab^2-Bb^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{1}{a^6}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] 1/2*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(B*a^6 + 3*B*a^4*b^2 + A*a^3*b^3 + 6*B*a^2*b^4 - 3*A*a*b^5)*log(b*tan(d*x + c) + a)/(a^6*b^3 + 3*a^4*b^5 + 3*a^2*b^7 + b^9) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*log(tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (3*B*a^6 - A*a^5*b + 7*B*a^4*b^2 - 5*A*a^3*b^3 + 2*(2*B*a^5*b - A*a^4*b^2 + 4*B*a^3*b^3 - 3*A*a^2*b^4)*tan(d*x + c))/(a^6*b^3 + 2*a^4*b^5 + a^2*b^7 + (a^4*b^5 + 2*a^2*b^7 + b^9)*tan(d*x + c)^2 + 2*(a^5*b^4 + 2*a^3*b^6 + a*b^8)*tan(d*x + c)))/d

Fricas [B] time = 2.54733, size = 1432, normalized size = 5.73

$$Ba^6b^2 + Aa^5b^3 + 7Ba^4b^4 - 5Aa^3b^5 + 2(Ba^5b^3 - 3Aa^4b^4 - 3Ba^3b^5 + Aa^2b^6)dx - (3Ba^6b^2 - Aa^5b^3 + 9Ba^4b^4 - 7Aa^3b^5 + 2Ba^2b^6)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{2}*(B*a^6*b^2 + A*a^5*b^3 + 7*B*a^4*b^4 - 5*A*a^3*b^5 + 2*(B*a^5*b^3 - 3*A*a^4*b^4 - 3*B*a^3*b^5 + A*a^2*b^6)*d*x - (3*B*a^6*b^2 - A*a^5*b^3 + 9*B*a^4*b^4 - 7*A*a^3*b^5 - 2*(B*a^3*b^5 - 3*A*a^2*b^6 - 3*B*a*b^7 + A*b^8)*d*x)*\tan(d*x + c)^2 + (B*a^8 + 3*B*a^6*b^2 + A*a^5*b^3 + 6*B*a^4*b^4 - 3*A*a^3*b^5 + (B*a^6*b^2 + 3*B*a^4*b^4 + A*a^3*b^5 + 6*B*a^2*b^6 - 3*A*a*b^7)*\tan(d*x + c))^2 + 2*(B*a^7*b + 3*B*a^5*b^3 + A*a^4*b^4 + 6*B*a^3*b^5 - 3*A*a^2*b^6)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - (B*a^8 + 3*B*a^6*b^2 + 3*B*a^4*b^4 + B*a^2*b^6 + (B*a^6*b^2 + 3*B*a^4*b^4 + 3*B*a^2*b^6 + B*b^8)*\tan(d*x + c))^2 + 2*(B*a^7*b + 3*B*a^5*b^3 + 3*B*a^3*b^5 + B*a*b^7)*\tan(d*x + c))*\log(1/(\tan(d*x + c)^2 + 1)) - 2*(B*a^7*b + 3*B*a^5*b^3 - 3*A*a^4*b^4 - 4*B*a^3*b^5 + 3*A*a^2*b^6 - 2*(B*a^4*b^4 - 3*A*a^3*b^5 - 3*B*a^2*b^6 + A*a*b^7)*d*x)*\tan(d*x + c))/((a^6*b^5 + 3*a^4*b^7 + 3*a^2*b^9 + b^11)*d*\tan(d*x + c)^2 + 2*(a^7*b^4 + 3*a^5*b^6 + 3*a^3*b^8 + a*b^10)*d*\tan(d*x + c) + (a^8*b^3 + 3*a^6*b^5 + 3*a^4*b^7 + a^2*b^9)*d)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.74616, size = 618, normalized size = 2.47

$$\frac{2(Ba^3-3Aa^2b-3Bab^2+Ab^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{(Aa^3+3Ba^2b-3Aab^2-Bb^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(Ba^6+3Ba^4b^2+Aa^3b^3+6Ba^2b^4-3Aab^5)\log(|b\tan(dx+c)+a|)}{a^6b^3+3a^4b^5+3a^2b^7+b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{2}*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*\log(\tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(B*a^6 + 3*B*a^4*b^2 + A*a^3*b^3 + 6*B*a^2*b^4 - 3*A*a*b^5)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^6*b^3 + 3*a^4*b^5 + 3*a^2*b^7 + b^9))$

$$\begin{aligned} & *a^4*b^5 + 3*a^2*b^7 + b^9) - (3*B*a^6*b*\tan(dx + c)^2 + 9*B*a^4*b^3*\tan(dx + c)^2 + 3*A*a^3*b^4*\tan(dx + c)^2 + 18*B*a^2*b^5*\tan(dx + c)^2 - 9*A*a*b^6*\tan(dx + c)^2 + 2*B*a^7*\tan(dx + c) + 2*A*a^6*b*\tan(dx + c) + 6*B*a^5*b^2*\tan(dx + c) + 14*A*a^4*b^3*\tan(dx + c) + 28*B*a^3*b^4*\tan(dx + c) \\ &) - 12*A*a^2*b^5*\tan(dx + c) + A*a^7 - B*a^6*b + 9*A*a^5*b^2 + 11*B*a^4*b^3 - 4*A*a^3*b^4)/((a^6*b^2 + 3*a^4*b^4 + 3*a^2*b^6 + b^8)*(b*\tan(dx + c) + a)^2))/d \end{aligned}$$

$$3.284 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=189

$$-\frac{a^2(Ab - aB)}{2b^2d(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a(2Ab^3 - aB(a^2 + 3b^2))}{b^2d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{(3a^2Ab + a^3(-B) + 3ab^2B - Ab^3) \log(a + b \tan(c + dx))}{d(a^2 + b^2)^3}$$

[Out] -(((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*x)/(a^2 + b^2)^3) - ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^3*d) - (a^2*(A*b - a*B))/(2*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.371693, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {3604, 3628, 3531, 3530}

$$-\frac{a^2(Ab - aB)}{2b^2d(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a(2Ab^3 - aB(a^2 + 3b^2))}{b^2d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{(3a^2Ab + a^3(-B) + 3ab^2B - Ab^3) \log(a + b \tan(c + dx))}{d(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] -(((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*x)/(a^2 + b^2)^3) - ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^3*d) - (a^2*(A*b - a*B))/(2*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a

*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx &= -\frac{a^2(Ab - aB)}{2b^2(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{-a(Ab - aB) + b(Ab - aB) \tan(c + dx) + (a^2 + b^2)B \tan(c + dx)}{(a + b \tan(c + dx))^2}}{b(a^2 + b^2)} \\ &= -\frac{a^2(Ab - aB)}{2b^2(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{a(2Ab^3 - a(a^2 + 3b^2)B)}{b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))} + \int \frac{b \tan^2(c + dx)}{(a + b \tan(c + dx))^3} dx \\ &= -\frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} - \frac{a^2(Ab - aB)}{2b^2(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{a^2(Ab - aB)}{b^2(a^2 + b^2)^2 d} \\ &= -\frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} - \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \log(a \cos(c + dx))}{(a^2 + b^2)^3 d} \end{aligned}$$

Mathematica [C] time = 4.60584, size = 288, normalized size = 1.52

$$\frac{(Ab - aB) \left(\frac{b \left(\frac{(a^2 + b^2)(5a^2 + 4ab \tan(c + dx) + b^2)}{(a + b \tan(c + dx))^2} + (2b^2 - 6a^2) \log(a + b \tan(c + dx)) \right)}{(a^2 + b^2)^3} + \frac{i \log(-\tan(c + dx) + i)}{(a + ib)^3} - \frac{\log(\tan(c + dx) + i)}{(b + ia)^3} \right) + B \left(\frac{2b \left(\frac{a^2 + b^2}{a + b \tan(c + dx)} - 2a \log(a + b \tan(c + dx)) \right)}{(a^2 + b^2)^3} \right)}{2bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

[Out] (-((A*b + a*B)/(b*(a + b*Tan[c + d*x])^2)) - (2*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^2 + B*((I*Log[I - Tan[c + d*x]])/(a + I*b)^2 - (I*Log[I + Tan[c + d*x]])/(a - I*b)^2 + (2*b*(-2*a*Log[a + b*Tan[c + d*x]] + (a^2 + b^2)/(a + b*Tan[c + d*x])))/(a^2 + b^2)^2) + (A*b - a*B)*((I*Log[I - Tan[c + d*x]])/(a + I*b)^3 - Log[I + Tan[c + d*x]]/(I*a + b)^3 + (b*((-6*a^2 + 2*b^2)*Log[a + b*Tan[c + d*x]] + ((a^2 + b^2)*(5*a^2 + b^2 + 4*a*b*Tan[c + d*x])))/(a + b*Tan[c + d*x])^2))/(a^2 + b^2)^3)/(2*b*d)

Maple [B] time = 0.051, size = 495, normalized size = 2.6

$$\frac{3 \ln(1 + (\tan(dx + c))^2) Aa^2b}{2d(a^2 + b^2)^3} - \frac{\ln(1 + (\tan(dx + c))^2) Ab^3}{2d(a^2 + b^2)^3} - \frac{\ln(1 + (\tan(dx + c))^2) Ba^3}{2d(a^2 + b^2)^3} + \frac{3 \ln(1 + (\tan(dx + c))^2)}{2d(a^2 + b^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

b^4 + a^2*b^6)*d)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.42936, size = 554, normalized size = 2.93

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{2(Ba^3b-3Aa^2b^2-3Bab^3+Ab^4)\log(|b\tan(dx+c)+a|)}{a^6b+3a^4b^3+3a^2b^5+b^7} + \frac{3Ba^3b^4}{a^6b+3a^4b^3+3a^2b^5+b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$-1/2*(2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*\log(\tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - 2*(B*a^3*b - 3*A*a^2*b^2 - 3*B*a*b^3 + A*b^4)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^6*b + 3*a^4*b^3 + 3*a^2*b^5 + b^7) + (3*B*a^3*b^4*\tan(d*x + c)^2 - 9*A*a^2*b^5*\tan(d*x + c)^2 - 9*B*a*b^6*\tan(d*x + c)^2 + 3*A*b^7*\tan(d*x + c)^2 + 2*B*a^6*b*\tan(d*x + c) + 14*B*a^4*b^3*\tan(d*x + c) - 22*A*a^3*b^4*\tan(d*x + c) - 12*B*a^2*b^5*\tan(d*x + c) + 2*A*a*b^6*\tan(d*x + c) + B*a^7 + A*a^6*b + 9*B*a^5*b^2 - 11*A*a^4*b^3 - 4*B*a^3*b^4)/((a^6*b^2 + 3*a^4*b^4 + 3*a^2*b^6 + b^8)*(b*\tan(d*x + c) + a)^2))/d$$

$$3.285 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=179

$$\frac{a(Ab - aB)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a^2A + 2abB - Ab^2}{d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{(a^3A + 3a^2bB - 3aAb^2 - b^3B) \log(a \cos(c + dx))}{d(a^2 + b^2)^3}$$

[Out] $((3a^2Ab - Ab^3 - a^3B + 3a^2bB)x)/(a^2 + b^2)^3 - ((a^3A - 3a^2Ab + 3a^2bB - b^3B) \log[a \cos[c + dx] + b \sin[c + dx]])/(a^2 + b^2)^3d + (a(Ab - aB))/(2b(a^2 + b^2)d(a + b \tan[c + dx])^2) + (a^2A - Ab^2 + 2a^2bB)/(a^2 + b^2)^2d(a + b \tan[c + dx])$

Rubi [A] time = 0.274716, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3591, 3529, 3531, 3530}

$$\frac{a(Ab - aB)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a^2A + 2abB - Ab^2}{d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{(a^3A + 3a^2bB - 3aAb^2 - b^3B) \log(a \cos(c + dx))}{d(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] $((3a^2Ab - Ab^3 - a^3B + 3a^2bB)x)/(a^2 + b^2)^3 - ((a^3A - 3a^2Ab + 3a^2bB - b^3B) \log[a \cos[c + dx] + b \sin[c + dx]])/(a^2 + b^2)^3d + (a(Ab - aB))/(2b(a^2 + b^2)d(a + b \tan[c + dx])^2) + (a^2A - Ab^2 + 2a^2bB)/(a^2 + b^2)^2d(a + b \tan[c + dx])$

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*c + b*d)*x/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*
(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*cos[e + f*x] + b*sin[e + f
*x], x]]/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rubi steps

$$\int \frac{\tan(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx = \frac{a(Ab - aB)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{Ab - aB + (aA + bB)\tan(c + dx)}{(a + b \tan(c + dx))^2} dx}{a^2 + b^2}$$

$$= \frac{a(Ab - aB)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{a^2A - Ab^2 + 2abB}{(a^2 + b^2)^2 d(a + b \tan(c + dx))} + \frac{\int \frac{2aAb - a^2A - b^2B}{(a + b \tan(c + dx))^2} dx}{(a^2 + b^2)^2}$$

$$= \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} + \frac{a(Ab - aB)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{a}{(a^2 + b^2)^2}$$

$$= \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} - \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B) \log(a \cos(c + dx))}{(a^2 + b^2)^3 d}$$

Mathematica [C] time = 3.56999, size = 188, normalized size = 1.05

$$\frac{a(Ab - aB)}{b(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{2(a^2A + 2abB - Ab^2)}{(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{2(a^3A + 3a^2bB - 3aAb^2 - b^3B) \log(a + b \tan(c + dx))}{(a^2 + b^2)^3} + \frac{(A + iB) \log(-\tan(c + dx) + i)}{(a + ib)^3} + \frac{(A - iB) \log(\tan(c + dx) + i)}{(a - ib)^3}$$

2d

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]
```

```
[Out] (((A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)^3 + ((A - I*B)*Log[I + Tan[c +
d*x]])/(a - I*b)^3 - (2*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*Log[a + b*
Tan[c + d*x]])/(a^2 + b^2)^3 + (a*(A*b - a*B))/(b*(a^2 + b^2)*(a + b*Tan[c
+ d*x])^2) + (2*(a^2*A - A*b^2 + 2*a*b*B))/((a^2 + b^2)^2*(a + b*Tan[c + d*
x])))/(2*d)
```

Maple [B] time = 0.045, size = 488, normalized size = 2.7

$$\frac{\ln(1 + (\tan(dx + c))^2) Aa^3}{2d(a^2 + b^2)^3} - \frac{3 \ln(1 + (\tan(dx + c))^2) Aab^2}{2d(a^2 + b^2)^3} + \frac{3 \ln(1 + (\tan(dx + c))^2) Ba^2b}{2d(a^2 + b^2)^3} - \frac{\ln(1 + (\tan(dx + c))^2) Bb^3}{2d(a^2 + b^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3, x)
```

```
[Out] 1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a^3-3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c
)^2)*A*a*b^2+3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a^2*b-1/2/d/(a^2+b^2)^3
*ln(1+tan(d*x+c)^2)*B*b^3+3/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a^2*b-1/d/(a
^2+b^2)^3*A*arctan(tan(d*x+c))*b^3-1/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a^3
+3/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a*b^2+1/2/d*a/(a^2+b^2)/(a+b*tan(d*x+
c))^2*A-1/2/d*a^2/(a^2+b^2)/b/(a+b*tan(d*x+c))^2*B+1/d*a^2/(a^2+b^2)^2/(a+b
```

*tan(d*x+c))*A-1/d/(a^2+b^2)^2/(a+b*tan(d*x+c))*A*b^2+2/d/(a^2+b^2)^2/(a+b*tan(d*x+c))*B*a*b-1/d*a^3/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A+3/d*a/(a^2+b^2)^3*b^2*ln(a+b*tan(d*x+c))*A-3/d*a^2/(a^2+b^2)^3*b*ln(a+b*tan(d*x+c))*B+1/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B*b^3

Maxima [A] time = 1.55077, size = 446, normalized size = 2.49

$$\frac{2(Ba^3-3Aa^2b-3Bab^2+Ab^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)\log(b\tan(dx+c)+a)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{(Aa^3+3Ba^2b-3Aab^2-Bb^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{1}{a^6b+2a^5}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] -1/2*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*log(b*tan(d*x + c) + a)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*log(tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (B*a^4 - 3*A*a^3*b - 3*B*a^2*b^2 + A*a*b^3 - 2*(A*a^2*b^2 + 2*B*a*b^3 - A*b^4)*tan(d*x + c))/(a^6*b + 2*a^4*b^3 + a^2*b^5 + (a^4*b^3 + 2*a^2*b^5 + b^7)*tan(d*x + c)^2 + 2*(a^5*b^2 + 2*a^3*b^4 + a*b^6)*tan(d*x + c)))/d

Fricas [B] time = 1.90427, size = 1058, normalized size = 5.91

$$3Ba^4b - 5Aa^3b^2 - 3Ba^2b^3 + Aab^4 + 2(Ba^5 - 3Aa^4b - 3Ba^3b^2 + Aa^2b^3)dx - (Ba^4b - 3Aa^3b^2 - 5Ba^2b^3 + 3Aab^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] -1/2*(3*B*a^4*b - 5*A*a^3*b^2 - 3*B*a^2*b^3 + A*a*b^4 + 2*(B*a^5 - 3*A*a^4*b - 3*B*a^3*b^2 + A*a^2*b^3)*d*x - (B*a^4*b - 3*A*a^3*b^2 - 5*B*a^2*b^3 + 3*A*a*b^4 - 2*(B*a^3*b^2 - 3*A*a^2*b^3 - 3*B*a*b^4 + A*b^5)*d*x)*tan(d*x + c)^2 + (A*a^5 + 3*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + (A*a^3*b^2 + 3*B*a^2*b^3 - 3*A*a*b^4 - B*b^5)*tan(d*x + c)^2 + 2*(A*a^4*b + 3*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4)*tan(d*x + c))*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - 2*(B*a^5 - 2*A*a^4*b - 3*B*a^3*b^2 + 3*A*a^2*b^3 + 2*B*a*b^4 - A*b^5 - 2*(B*a^4*b - 3*A*a^3*b^2 - 3*B*a^2*b^3 + A*a*b^4)*d*x)*tan(d*x + c))/((a^6*b^2 + 3*a^4*b^4 + 3*a^2*b^6 + b^8)*d*tan(d*x + c)^2 + 2*(a^7*b + 3*a^5*b^3 + 3*a^3*b^5 + a*b^7)*d*tan(d*x + c) + (a^8 + 3*a^6*b^2 + 3*a^4*b^4 + a^2*b^6)*d)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.24453, size = 554, normalized size = 3.09

$$\frac{2(Ba^3-3Aa^2b-3Bab^2+Ab^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{(Aa^3+3Ba^2b-3Aab^2-Bb^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(Aa^3b+3Ba^2b^2-3Aab^3-Bb^4)\log(|b\tan(dx+c)+a|)}{a^6b+3a^4b^3+3a^2b^5+b^7} - \frac{3Aa^3b^3}{a^6+3a^4b^2+3a^2b^4+b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*\log(\tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(A*a^3*b + 3*B*a^2*b^2 - 3*A*a*b^3 - B*b^4)*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^6*b + 3*a^4*b^3 + 3*a^2*b^5 + b^7) - (3*A*a^3*b^3*\tan(d*x + c)^2 + 9*B*a^2*b^4*\tan(d*x + c)^2 - 9*A*a*b^5*\tan(d*x + c)^2 - 3*B*b^6*\tan(d*x + c)^2 + 8*A*a^4*b^2*\tan(d*x + c) + 22*B*a^3*b^3*\tan(d*x + c) - 18*A*a^2*b^4*\tan(d*x + c) - 2*B*a*b^5*\tan(d*x + c) - 2*A*b^6*\tan(d*x + c) - B*a^6 + 6*A*a^5*b + 11*B*a^4*b^2 - 7*A*a^3*b^3 - A*a*b^5)/((a^6*b + 3*a^4*b^3 + 3*a^2*b^5 + b^7)*(b*\tan(d*x + c) + a)^2))/d \end{aligned}$$

$$3.286 \quad \int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=175

$$\frac{Ab - aB}{2d(a^2 + b^2)(a + b \tan(c + dx))^2} - \frac{a^2(-B) + 2aAb + b^2B}{d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{(3a^2Ab + a^3(-B) + 3ab^2B - Ab^3) \log(a \cos(c + dx))}{d(a^2 + b^2)^3}$$

[Out] $((a^3A - 3aAb^2 + 3a^2bB - b^3B)x)/(a^2 + b^2)^3 + ((3a^2Ab - Ab^3 - a^3B + 3ab^2B) \cdot \text{Log}[a \cos[c + dx] + b \sin[c + dx]])/(a^2 + b^2)^3 d - (Ab - aB)/(2(a^2 + b^2)d(a + b \tan[c + dx])^2) - (2aAb + b^2B - a^2B + b^2B)/(a^2 + b^2)^2 d(a + b \tan[c + dx])$

Rubi [A] time = 0.266202, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3529, 3531, 3530}

$$\frac{Ab - aB}{2d(a^2 + b^2)(a + b \tan(c + dx))^2} - \frac{a^2(-B) + 2aAb + b^2B}{d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{(3a^2Ab + a^3(-B) + 3ab^2B - Ab^3) \log(a \cos(c + dx))}{d(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^3, x]

[Out] $((a^3A - 3aAb^2 + 3a^2bB - b^3B)x)/(a^2 + b^2)^3 + ((3a^2Ab - Ab^3 - a^3B + 3ab^2B) \cdot \text{Log}[a \cos[c + dx] + b \sin[c + dx]])/(a^2 + b^2)^3 d - (Ab - aB)/(2(a^2 + b^2)d(a + b \tan[c + dx])^2) - (2aAb + b^2B - a^2B + b^2B)/(a^2 + b^2)^2 d(a + b \tan[c + dx])$

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(a*c + b*d)*x/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*cos[e + f*x] + b*sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^3} dx = -\frac{Ab - aB}{2(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{aA + bB - (Ab - aB) \tan(c + dx)}{(a + b \tan(c + dx))^2} dx}{a^2 + b^2}$$

$$= -\frac{Ab - aB}{2(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{2aAb - a^2B + b^2B}{(a^2 + b^2)^2 d(a + b \tan(c + dx))} + \frac{\int \frac{a^2A - Ab^2 + 2abB - (2aAb - a^2B + b^2B) \tan(c + dx)}{(a + b \tan(c + dx))^2} dx}{(a^2 + b^2)^2 d(a + b \tan(c + dx))}$$

$$= \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} - \frac{Ab - aB}{2(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{2aAb - a^2B + b^2B}{(a^2 + b^2)^2 d(a + b \tan(c + dx))}$$

$$= \frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} + \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \log(a \cos(c + dx) + b \sin(c + dx))}{(a^2 + b^2)^3 d}$$

Mathematica [C] time = 3.70861, size = 243, normalized size = 1.39

$$(Ab - aB) \left(\frac{b \left(\frac{(a^2 + b^2)(5a^2 + 4ab \tan(c + dx) + b^2)}{(a + b \tan(c + dx))^2} + (2b^2 - 6a^2) \log(a + b \tan(c + dx)) \right)}{(a^2 + b^2)^3} + \frac{i \log(-\tan(c + dx) + i)}{(a + ib)^3} - \frac{\log(\tan(c + dx) + i)}{(b + ia)^3} \right) + B \left(\frac{2b \left(\frac{a^2 + b^2}{a + b \tan(c + dx)} - 2a \tan(c + dx) \right)}{(a^2 + b^2)^2} \right)$$

2bd

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^3, x]

[Out] -(B*((I*Log[I - Tan[c + d*x]])/(a + I*b)^2 - (I*Log[I + Tan[c + d*x]])/(a - I*b)^2 + (2*b*(-2*a*Log[a + b*Tan[c + d*x]] + (a^2 + b^2)/(a + b*Tan[c + d*x])))/(a^2 + b^2)^2) + (A*b - a*B)*((I*Log[I - Tan[c + d*x]])/(a + I*b)^3 - Log[I + Tan[c + d*x]]/(I*a + b)^3 + (b*((-6*a^2 + 2*b^2)*Log[a + b*Tan[c + d*x]] + ((a^2 + b^2)*(5*a^2 + b^2 + 4*a*b*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2))/(a^2 + b^2)^3))/(2*b*d)

Maple [B] time = 0.046, size = 483, normalized size = 2.8

$$-\frac{3 \ln(1 + (\tan(dx + c))^2) Aa^2b}{2d(a^2 + b^2)^3} + \frac{\ln(1 + (\tan(dx + c))^2) Ab^3}{2d(a^2 + b^2)^3} + \frac{\ln(1 + (\tan(dx + c))^2) Ba^3}{2d(a^2 + b^2)^3} - \frac{3 \ln(1 + (\tan(dx + c))^2)}{2d(a^2 + b^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3, x)

[Out] -3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a^2*b+1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*b^3+1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a^3-3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a*b^2+1/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a^3-3/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a*b^2+3/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a^2*b-1/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*b^3+3/d*b*a^2/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A-1/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A*b^3-1/d*a^3/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B+3/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B*a*b^2-1/2/d/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A*b+1/2/d/(a^2+b^2)/(a+b*tan(d*x+c))^2*a*B-2/d*a/(a^2+b^2)^2*b/(a+b*tan(d*x+c))*A+1/d*a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))*B-1/d/(a^2+b^2)^2/(a+b*tan(d*x+c))*b^2*B

Maxima [A] time = 1.61633, size = 433, normalized size = 2.47

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{2(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(b\tan(dx+c)+a)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2d}{a^6+2a^4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] 1/2*(2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - 2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*log(b*tan(d*x + c) + a)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*log(tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (3*B*a^3 - 5*A*a^2*b - B*a*b^2 - A*b^3 + 2*(B*a^2*b - 2*A*a*b^2 - B*b^3)*tan(d*x + c))/(a^6 + 2*a^4*b^2 + a^2*b^4 + (a^4*b^2 + 2*a^2*b^4 + b^6)*tan(d*x + c)^2 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*tan(d*x + c)))/d

Fricas [B] time = 1.86545, size = 1038, normalized size = 5.93

$$5Ba^3b^2 - 7Aa^2b^3 - Bab^4 - Ab^5 + 2(Aa^5 + 3Ba^4b - 3Aa^3b^2 - Ba^2b^3)dx - (3Ba^3b^2 - 5Aa^2b^3 - 3Bab^4 + Ab^5 - 2(Aa^5 + 3Ba^4b - 3Aa^3b^2 - Ba^2b^3))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] 1/2*(5*B*a^3*b^2 - 7*A*a^2*b^3 - B*a*b^4 - A*b^5 + 2*(A*a^5 + 3*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3)*d*x - (3*B*a^3*b^2 - 5*A*a^2*b^3 - 3*B*a*b^4 + A*b^5 - 2*(A*a^3*b^2 + 3*B*a^2*b^3 - 3*A*a*b^4 - B*b^5)*d*x)*tan(d*x + c)^2 - (B*a^5 - 3*A*a^4*b - 3*B*a^3*b^2 + A*a^2*b^3 + (B*a^3*b^2 - 3*A*a^2*b^3 - 3*B*a*b^4 + A*b^5)*tan(d*x + c)^2 + 2*(B*a^4*b - 3*A*a^3*b^2 - 3*B*a^2*b^3 + A*a*b^4)*tan(d*x + c))*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - 2*(2*B*a^4*b - 3*A*a^3*b^2 - 3*B*a^2*b^3 + 3*A*a*b^4 + B*b^5 - 2*(A*a^4*b + 3*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4)*d*x)*tan(d*x + c))/((a^6*b^2 + 3*a^4*b^4 + 3*a^2*b^6 + b^8)*d*tan(d*x + c)^2 + 2*(a^7*b + 3*a^5*b^3 + 3*a^3*b^5 + a*b^7)*d*tan(d*x + c) + (a^8 + 3*a^6*b^2 + 3*a^4*b^4 + a^2*b^6)*d)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))*3,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.26612, size = 552, normalized size = 3.15

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} - \frac{2(Ba^3b-3Aa^2b^2-3Bab^3+Ab^4)\log(|b\tan(dx+c)+a|)}{a^6b+3a^4b^3+3a^2b^5+b^7} + \frac{3Ba^3b^2\tan(dx+c)}{a^6b+3a^4b^3+3a^2b^5+b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{2} \cdot \frac{2 \cdot (A \cdot a^3 + 3 \cdot B \cdot a^2 \cdot b - 3 \cdot A \cdot a \cdot b^2 - B \cdot b^3) \cdot (d \cdot x + c)}{(a^6 + 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 + b^6)} + \frac{(B \cdot a^3 - 3 \cdot A \cdot a^2 \cdot b - 3 \cdot B \cdot a \cdot b^2 + A \cdot b^3) \cdot \log(\tan(d \cdot x + c)^2 + 1)}{(a^6 + 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 + b^6)} - \frac{2 \cdot (B \cdot a^3 \cdot b - 3 \cdot A \cdot a^2 \cdot b^2 - 3 \cdot B \cdot a \cdot b^3 + A \cdot b^4) \cdot \log(\text{abs}(b \cdot \tan(d \cdot x + c) + a))}{(a^6 \cdot b + 3 \cdot a^4 \cdot b^3 + 3 \cdot a^2 \cdot b^5 + b^7)} + \frac{(3 \cdot B \cdot a^3 \cdot b^2 \cdot \tan(d \cdot x + c)^2 - 9 \cdot A \cdot a^2 \cdot b^3 \cdot \tan(d \cdot x + c)^2 - 9 \cdot B \cdot a \cdot b^4 \cdot \tan(d \cdot x + c)^2 + 3 \cdot A \cdot b^5 \cdot \tan(d \cdot x + c)^2 + 8 \cdot B \cdot a^4 \cdot b \cdot \tan(d \cdot x + c) - 22 \cdot A \cdot a^3 \cdot b^2 \cdot \tan(d \cdot x + c) - 18 \cdot B \cdot a^2 \cdot b^3 \cdot \tan(d \cdot x + c) + 2 \cdot A \cdot a \cdot b^4 \cdot \tan(d \cdot x + c) - 2 \cdot B \cdot b^5 \cdot \tan(d \cdot x + c) + 6 \cdot B \cdot a^5 - 14 \cdot A \cdot a^4 \cdot b - 7 \cdot B \cdot a^3 \cdot b^2 - 3 \cdot A \cdot a^2 \cdot b^3 - B \cdot a \cdot b^4 - A \cdot b^5)}{(a^6 + 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 + b^6) \cdot (b \cdot \tan(d \cdot x + c) + a)^2} / d$

$$3.287 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=215

$$\frac{b(Ab - aB)}{2ad(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{b(3a^2Ab - 2a^3B + Ab^3)}{a^2d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{b(3a^2Ab^3 + 6a^4Ab + a^3b^2B - 3a^5B + Ab^5)}{a^3d(a^2 + b^2)}$$

[Out] -(((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*x)/(a^2 + b^2)^3) + (A*Log[Sin[c + d*x]]/(a^3*d) - (b*(6*a^4*A*b + 3*a^2*A*b^3 + A*b^5 - 3*a^5*B + a^3*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]]/(a^3*(a^2 + b^2)^3*d) + (b*(A*b - a*B))/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(a^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])))

Rubi [A] time = 0.62136, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(Ab - aB)}{2ad(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{b(3a^2Ab - 2a^3B + Ab^3)}{a^2d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{b(3a^2Ab^3 + 6a^4Ab + a^3b^2B - 3a^5B + Ab^5)}{a^3d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] -(((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*x)/(a^2 + b^2)^3) + (A*Log[Sin[c + d*x]]/(a^3*d) - (b*(6*a^4*A*b + 3*a^2*A*b^3 + A*b^5 - 3*a^5*B + a^3*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]]/(a^3*(a^2 + b^2)^3*d) + (b*(A*b - a*B))/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(a^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[

b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cot(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx = \frac{b(Ab - aB)}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{\cot(c+dx)(2A(a^2+b^2)-2a(Ab-aB)\tan(c+dx)+2b(Ab-aB))}{(a+b \tan(c+dx))^2} dx}{2a(a^2 + b^2)}$$

$$= \frac{b(Ab - aB)}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{b(3a^2Ab + Ab^3 - 2a^3B)}{a^2(a^2 + b^2)^2d(a + b \tan(c + dx))} + \frac{\int \frac{\cot(c+dx)}{a^2(a^2 + b^2)} dx}{a^2(a^2 + b^2)}$$

$$= -\frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{b}{a^2(a^2 + b^2)}$$

$$= -\frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B)x}{(a^2 + b^2)^3} + \frac{A \log(\sin(c + dx))}{a^3d} - \frac{b(6a^4Ab + 3a^2Ab^3 + 3a^3B)}{a^2(a^2 + b^2)}$$

Mathematica [C] time = 3.34972, size = 254, normalized size = 1.18

$$\frac{4ab(Ab-aB)}{(a^2+b^2)(a+b \tan(c+dx))} - \frac{2b(3a^2Ab^3+6a^4Ab+a^3b^2B-3a^5B+Ab^5) \log(a+b \tan(c+dx))}{a^2(a^2+b^2)^2} + \frac{2Ab^2}{a^2+ab \tan(c+dx)} + \frac{2A(a^2+b^2) \log(\tan(c+dx))}{a^2} + \frac{b(Ab-aB)}{(a+b \tan(c+dx))} \Big/ 2ad(a^2 + b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] (-((a*(a - I*b)*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)^2) + (2*A*(a^2 + b^2)*Log[Tan[c + d*x]])/a^2 - (a*(a + I*b)*(A - I*B)*Log[I + Tan[c + d*x]])/(a - I*b)^2 - (2*b*(6*a^4*A*b + 3*a^2*A*b^3 + A*b^5 - 3*a^5*B + a^3*b^2*B)*Log[a + b*Tan[c + d*x]])/(a^2*(a^2 + b^2)^2) + (b*(A*b - a*B))/(a + b*Tan

$$[c + dx]^2 + (4*a*b*(A*b - a*B))/((a^2 + b^2)*(a + b*Tan[c + dx])) + (2*A*b^2)/(a^2 + a*b*Tan[c + dx])/(2*a*(a^2 + b^2)*d)$$

Maple [B] time = 0.181, size = 540, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)
```

```
[Out] -1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a^3+3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a*b^2-3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a^2*b+1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*b^3-3/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a^2*b+1/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*b^3+1/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a^3-3/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a*b^2+1/d/a^3*A*ln(tan(d*x+c))+3/d/(a^2+b^2)^2/(a+b*tan(d*x+c))*A*b^2+1/d*b^4/a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))*A-2/d/(a^2+b^2)^2/(a+b*tan(d*x+c))*B*a*b-6/d*a/(a^2+b^2)^3*b^2*ln(a+b*tan(d*x+c))*A-3/d*b^4/a/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A-1/d*b^6/a^3/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A+3/d*a^2/(a^2+b^2)^3*b*ln(a+b*tan(d*x+c))*B-1/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B*b^3+1/2/d*b^2/a/(a^2+b^2)/(a+b*tan(d*x+c))^2*A-1/2/d*b/(a^2+b^2)/(a+b*tan(d*x+c))^2*B
```

Maxima [A] time = 1.59958, size = 502, normalized size = 2.33

$$\frac{2(Ba^3-3Aa^2b-3Bab^2+Ab^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(3Ba^5b-6Aa^4b^2-Ba^3b^3-3Aa^2b^4-Ab^6)\log(b\tan(dx+c)+a)}{a^9+3a^7b^2+3a^5b^4+a^3b^6} - \frac{(Aa^3+3Ba^2b-3Aab^2-Bb^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] 1/2*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(3*B*a^5*b - 6*A*a^4*b^2 - B*a^3*b^3 - 3*A*a^2*b^4 - A*b^6)*log(b*tan(d*x + c) + a)/(a^9 + 3*a^7*b^2 + 3*a^5*b^4 + a^3*b^6) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*log(tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - (5*B*a^4*b - 7*A*a^3*b^2 + B*a^2*b^3 - 3*A*a*b^4 + 2*(2*B*a^3*b^2 - 3*A*a^2*b^3 - A*b^5))*tan(d*x + c))/(a^8 + 2*a^6*b^2 + a^4*b^4 + (a^6*b^2 + 2*a^4*b^4 + a^2*b^6)*tan(d*x + c)^2 + 2*(a^7*b + 2*a^5*b^3 + a^3*b^5)*tan(d*x + c)) + 2*A*log(tan(d*x + c))/a^3)/d
```

Fricas [B] time = 2.56288, size = 1451, normalized size = 6.75

$$7Ba^5b^3 - 9Aa^4b^4 + Ba^3b^5 - 3Aa^2b^6 - 2(Ba^8 - 3Aa^7b - 3Ba^6b^2 + Aa^5b^3)dx - (5Ba^5b^3 - 7Aa^4b^4 - Ba^3b^5 - Aa^2b^6)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] -1/2*(7*B*a^5*b^3 - 9*A*a^4*b^4 + B*a^3*b^5 - 3*A*a^2*b^6 - 2*(B*a^8 - 3*A*a^7*b - 3*B*a^6*b^2 + A*a^5*b^3)*d*x - (5*B*a^5*b^3 - 7*A*a^4*b^4 - B*a^3*b^5 - A*a^2*b^6 + 2*(B*a^6*b^2 - 3*A*a^5*b^3 - 3*B*a^4*b^4 + A*a^3*b^5)*d*x)*tan(d*x + c)^2 - (A*a^8 + 3*A*a^6*b^2 + 3*A*a^4*b^4 + A*a^2*b^6 + (A*a^6*b^2 + 3*A*a^4*b^4 + 3*A*a^2*b^6 + A*b^8)*tan(d*x + c)^2 + 2*(A*a^7*b + 3*A*a^5*b^3 + 3*A*a^3*b^5 + A*a*b^7)*tan(d*x + c))*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1)) - (3*B*a^7*b - 6*A*a^6*b^2 - B*a^5*b^3 - 3*A*a^4*b^4 - A*a^2*b^6 + (3*B*a^5*b^3 - 6*A*a^4*b^4 - B*a^3*b^5 - 3*A*a^2*b^6 - A*b^8)*tan(d*x + c)^2 + 2*(3*B*a^6*b^2 - 6*A*a^5*b^3 - B*a^4*b^4 - 3*A*a^3*b^5 - A*a*b^7)*tan(d*x + c))*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - 2*(3*B*a^6*b^2 - 4*A*a^5*b^3 - 3*B*a^4*b^4 + 3*A*a^3*b^5 + A*a*b^7 + 2*(B*a^7*b - 3*A*a^6*b^2 - 3*B*a^5*b^3 + A*a^4*b^4)*d*x)*tan(d*x + c))/((a^9*b^2 + 3*a^7*b^4 + 3*a^5*b^6 + a^3*b^8)*d*tan(d*x + c)^2 + 2*(a^10*b + 3*a^8*b^3 + 3*a^6*b^5 + a^4*b^7)*d*tan(d*x + c) + (a^11 + 3*a^9*b^2 + 3*a^7*b^4 + a^5*b^6)*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [B] time = 1.3471, size = 647, normalized size = 3.01

$$\frac{2(Ba^3 - 3Aa^2b - 3Bab^2 + Ab^3)(dx+c)}{a^6 + 3a^4b^2 + 3a^2b^4 + b^6} - \frac{(Aa^3 + 3Ba^2b - 3Aab^2 - Bb^3) \log(\tan(dx+c)^2 + 1)}{a^6 + 3a^4b^2 + 3a^2b^4 + b^6} + \frac{2(3Ba^5b^2 - 6Aa^4b^3 - Ba^3b^4 - 3Aa^2b^5 - Ab^7) \log(|b \tan(dx+c) + a|)}{a^9b + 3a^7b^3 + 3a^5b^5 + a^3b^7} +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/2*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*log(tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(3*B*a^5*b^2 - 6*A*a^4*b^3 - B*a^3*b^4 - 3*A*a^2*b^5 - A*b^7)*log(abs(b*tan(d*x + c) + a))/(a^9*b + 3*a^7*b^3 + 3*a^5*b^5 + a^3*b^7) + 2*A*log(abs(tan(d*x + c)))/a^3 - (9*B*a^5*b^3*tan(d*x + c)^2 - 18*A*a^4*b^4*tan(d*x + c)^2 - 3*B*a^3*b^5*tan(d*x + c)^2 - 9*A*a^2*b^6*tan(d*x + c)^2 - 3*A*b^8*tan(d*x + c)^2 + 22*B*a^6*b^2*tan(d*x + c) - 42*A*a^5*b^3*tan(d*x + c) - 2*B*a^4*b^4*tan(d*x + c) - 26*A*a^3*b^5*tan(d*x + c) - 8*A*a*b^7*tan(d*x + c) + 14*B*a^7*b - 25*A*a^6*b^2 + 3*B*a^5*b^3 - 19*A*a^4*b^4 + B*a^3*b^5 - 6*A*a^2*b^6)/((a^9 + 3*a^7*b^2 + 3*a^5*b^4 + a^3*b^6)*(b*tan(d*x + c) + a)^2))/d
```

$$3.288 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=287

$$\frac{b(6a^2Ab^2 + a^4A - 3a^3bB - ab^3B + 3Ab^4)}{a^3d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{b(2a^2A - abB + 3Ab^2)}{2a^2d(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{b^2(9a^2Ab^3 + 10a^4Ab - 3a^3b^2B - 6a^5B - 3a^3b^2B - a^2b^4B) \operatorname{Log}[a \operatorname{Cos}[c + dx] + b \operatorname{Sin}[c + dx]]}{(a^2 + b^2)^3d} - \frac{(b(2a^2A + 3Ab^2 - abB)) \operatorname{Log}[a \operatorname{Cos}[c + dx] + b \operatorname{Sin}[c + dx]]}{2a^2(a^2 + b^2)d(a + b \operatorname{Tan}[c + dx])^2} - \frac{(A \operatorname{Cot}[c + dx])}{a d (a + b \operatorname{Tan}[c + dx])^2} - \frac{(b(a^4A + 6a^2Ab^2 + 3Ab^4 - 3a^3bB - ab^3B))}{(a^3(a^2 + b^2)^2 d (a + b \operatorname{Tan}[c + dx]))}$$

[Out] -(((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*x)/(a^2 + b^2)^3) - ((3*A*b - a*B)*Log[Sin[c + d*x]])/(a^4*d) + (b^2*(10*a^4*A*b + 9*a^2*A*b^3 + 3*A*b^5 - 6*a^5*B - 3*a^3*b^2*B - a*b^4*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^4*(a^2 + b^2)^3*d) - (b*(2*a^2*A + 3*A*b^2 - a*b*B))/(2*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x])^2) - (b*(a^4*A + 6*a^2*A*b^2 + 3*A*b^4 - 3*a^3*b*B - a*b^3*B))/(a^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.882367, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(6a^2Ab^2 + a^4A - 3a^3bB - ab^3B + 3Ab^4)}{a^3d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{b(2a^2A - abB + 3Ab^2)}{2a^2d(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{b^2(9a^2Ab^3 + 10a^4Ab - 3a^3b^2B - 6a^5B - 3a^3b^2B - a^2b^4B) \operatorname{Log}[a \operatorname{Cos}[c + dx] + b \operatorname{Sin}[c + dx]]}{(a^2 + b^2)^3d} - \frac{(b(2a^2A + 3Ab^2 - abB)) \operatorname{Log}[a \operatorname{Cos}[c + dx] + b \operatorname{Sin}[c + dx]]}{2a^2(a^2 + b^2)d(a + b \operatorname{Tan}[c + dx])^2} - \frac{(A \operatorname{Cot}[c + dx])}{a d (a + b \operatorname{Tan}[c + dx])^2} - \frac{(b(a^4A + 6a^2Ab^2 + 3Ab^4 - 3a^3bB - ab^3B))}{(a^3(a^2 + b^2)^2 d (a + b \operatorname{Tan}[c + dx]))}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] -(((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*x)/(a^2 + b^2)^3) - ((3*A*b - a*B)*Log[Sin[c + d*x]])/(a^4*d) + (b^2*(10*a^4*A*b + 9*a^2*A*b^3 + 3*A*b^5 - 6*a^5*B - 3*a^3*b^2*B - a*b^4*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^4*(a^2 + b^2)^3*d) - (b*(2*a^2*A + 3*A*b^2 - a*b*B))/(2*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x])^2) - (b*(a^4*A + 6*a^2*A*b^2 + 3*A*b^4 - 3*a^3*b*B - a*b^3*B))/(a^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(p_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)) + (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3651

```

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)
*(x_.)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)
/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)
*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist
[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x]
)/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

```

Rule 3530

```

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*tan[(e_.) + (f_.)
*(x_.)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f
*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

```

Rule 3475

```

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx &= -\frac{A \cot(c + dx)}{ad(a + b \tan(c + dx))^2} - \frac{\int \frac{\cot(c+dx)(3Ab - aB + aA \tan(c+dx) + 3Ab \tan^2(c+dx))}{(a+b \tan(c+dx))^3} dx}{a} \\
 &= -\frac{b(2a^2A + 3Ab^2 - abB)}{2a^2(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{A \cot(c + dx)}{ad(a + b \tan(c + dx))^2} - \frac{\int \frac{\cot(c+dx)(2(a^2 + b^2)A + 2abB)}{(a+b \tan(c+dx))^3} dx}{a} \\
 &= -\frac{b(2a^2A + 3Ab^2 - abB)}{2a^2(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{A \cot(c + dx)}{ad(a + b \tan(c + dx))^2} - \frac{b(a^4A + 6a^2Ab^2 + 3a^2b^2B)}{a^3(a^2 + b^2)} \\
 &= -\frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} - \frac{b(2a^2A + 3Ab^2 - abB)}{2a^2(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{b^2(a^4A + 6a^2Ab^2 + 3a^2b^2B)}{a^3(a^2 + b^2)} \\
 &= -\frac{(a^3A - 3aAb^2 + 3a^2bB - b^3B)x}{(a^2 + b^2)^3} - \frac{(3Ab - aB) \log(\sin(c + dx))}{a^4d} + \frac{b^2(10a^4Ab^2 + 3a^2b^2B - 6a^5B - ab^3)}{a^4d(a^2 + b^2)}
 \end{aligned}$$

Mathematica [C] time = 6.40057, size = 288, normalized size = 1.

$$\frac{b^2(4a^2Ab - 3a^3B - ab^2B + 2Ab^3)}{a^3d(a^2 + b^2)^2(a + b \tan(c + dx))} - \frac{b^2(Ab - aB)}{2a^2d(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{b^2(9a^2Ab^3 + 10a^4Ab - 3a^3b^2B - 6a^5B - ab^3)}{a^4d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] -((A*Cot[c + d*x])/(a^3*d)) + ((A + I*B)*Log[I - Tan[c + d*x]])/(2*(I*a - b)^3*d) - ((3*A*b - a*B)*Log[Tan[c + d*x]])/(a^4*d) - ((I*A + B)*Log[I + Tan[c + d*x]])/(2*(a - I*b)^3*d) + (b^2*(10*a^4*A*b + 9*a^2*A*b^3 + 3*A*b^5 - 6*a^5*B - 3*a^3*b^2*B - a*b^4*B)*Log[a + b*Tan[c + d*x]])/(a^4*(a^2 + b^2)^3*d) - (b^2*(A*b - a*B))/(2*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (b^2*(4*a^2*A*b + 2*A*b^3 - 3*a^3*B - a*b^2*B))/(a^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Maple [B] time = 0.145, size = 651, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)

[Out] 3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a^2*b-1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*b^3-1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a^3+3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a*b^2-1/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a^3+3/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a*b^2-3/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a^2*b+1/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*b^3-1/d/a^3*A/tan(d*x+c)-3/d/a^4*ln(tan(d*x+c))*A*b+1/d/a^3*B*ln(tan(d*x+c))-4/d*b^3/a/(a^2+b^2)^2/(a+b*tan(d*x+c))*A-2/d*b^5/a^3/(a^2+b^2)^2/(a+b*tan(d*x+c))*A+3/d/(a^2+b^2)^2/(a+b*tan(d*x+c))*b^2*B+1/d*b^4/a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))*B+10/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A*b^3+9/d*b^5/a^2/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A+3/d*b^7/a^4/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A-6/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B*a*b^2-3/d*b^4/a/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B-1/d*b^6/a^3/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B-1/2/d*b^3/a^2/(a^2+b^2)/(a+b*tan(d*x+c))^2*A+1/2/d*b^2/a/(a^2+b^2)/(a+b*tan(d*x+c))^2*B

Maxima [A] time = 1.55867, size = 613, normalized size = 2.14

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(6Ba^5b^2-10Aa^4b^3+3Ba^3b^4-9Aa^2b^5+Bab^6-3Ab^7)\log(b\tan(dx+c)+a)}{a^{10}+3a^8b^2+3a^6b^4+a^4b^6} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c)+a)}{a^6+3a^4b^2+3a^2b^4+b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] -1/2*(2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + 2*(6*B*a^5*b^2 - 10*A*a^4*b^3 + 3*B*a^3*b^4 - 9*A*a^2*b^5 + B*a*b^6 - 3*A*b^7)*log(b*tan(d*x + c) + a)/(a^10 + 3*a^8*b^2 + 3*a^6*b^4 + a^4*b^6) + (B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*log(tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (2*A*a^6 + 4*A*a^4*b^2 + 2*A*a^2*b^4 + 2*(A*a^4*b^2 - 3*B*a^3*b^3 + 6*A*a^2*b^4 - B*a*b^5 + 3*A*b^6)*tan(d*x + c)^2 + (4*A*a^5*b - 7*B*a^4*b^2 + 17*A*a^3*b^3 - 3*B*a^2*b^4 + 9*A*a*b^5)*tan(d*x + c))/(a^7*b^2 + 2*a^5*b^4 + a^3*b^6)*tan(d*x + c)^3 + 2*(a^8*b + 2*a^6*b^3 + a^4*b^5)*tan(d*x + c)^2 + (a^9 + 2*a^7*b^2 + a^5*b^4)*tan(d*x + c) - 2*(B*a - 3*A*b)*log(tan(d*x + c))/a^4)/d

Fricas [B] time = 2.98528, size = 1982, normalized size = 6.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out]
$$-1/2*(2*A*a^9 + 6*A*a^7*b^2 + 6*A*a^5*b^4 + 2*A*a^3*b^6 + (7*B*a^5*b^4 - 9*A*a^4*b^5 + B*a^3*b^6 - 3*A*a^2*b^7 + 2*(A*a^7*b^2 + 3*B*a^6*b^3 - 3*A*a^5*b^4 - B*a^4*b^5)*d*x)*\tan(d*x + c)^3 + 2*(A*a^7*b^2 + 4*B*a^6*b^3 - 2*A*a^5*b^4 - 3*B*a^4*b^5 + 6*A*a^3*b^6 - B*a^2*b^7 + 3*A*a*b^8 + 2*(A*a^8*b + 3*B*a^7*b^2 - 3*A*a^6*b^3 - B*a^5*b^4)*d*x)*\tan(d*x + c)^2 - ((B*a^7*b^2 - 3*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 + B*a*b^8 - 3*A*b^9)*\tan(d*x + c)^3 + 2*(B*a^8*b - 3*A*a^7*b^2 + 3*B*a^6*b^3 - 9*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 + B*a^2*b^7 - 3*A*a*b^8)*\tan(d*x + c)^2 + (B*a^9 - 3*A*a^8*b + 3*B*a^7*b^2 - 9*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 + B*a^3*b^6 - 3*A*a^2*b^7)*\tan(d*x + c))*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1)) + ((6*B*a^5*b^4 - 10*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 + B*a*b^8 - 3*A*b^9)*\tan(d*x + c)^3 + 2*(6*B*a^6*b^3 - 10*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 + B*a^2*b^7 - 3*A*a*b^8)*\tan(d*x + c)^2 + (6*B*a^7*b^2 - 10*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 + B*a^3*b^6 - 3*A*a^2*b^7)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) + (4*A*a^8*b + 12*A*a^6*b^3 - 9*B*a^5*b^4 + 23*A*a^4*b^5 - 3*B*a^3*b^6 + 9*A*a^2*b^7 + 2*(A*a^9 + 3*B*a^8*b - 3*A*a^7*b^2 - B*a^6*b^3)*d*x)*\tan(d*x + c))/((a^10*b^2 + 3*a^8*b^4 + 3*a^6*b^6 + a^4*b^8)*d*\tan(d*x + c)^3 + 2*(a^11*b + 3*a^9*b^3 + 3*a^7*b^5 + a^5*b^7)*d*\tan(d*x + c)^2 + (a^12 + 3*a^10*b^2 + 3*a^8*b^4 + a^6*b^6)*d*\tan(d*x + c))$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.31213, size = 756, normalized size = 2.63

$$\frac{2(Aa^3+3Ba^2b-3Aab^2-Bb^3)(dx+c)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{(Ba^3-3Aa^2b-3Bab^2+Ab^3)\log(\tan(dx+c)^2+1)}{a^6+3a^4b^2+3a^2b^4+b^6} + \frac{2(6Ba^5b^3-10Aa^4b^4+3Ba^3b^5-9Aa^2b^6+Bab^7-3Ab^8)\log(|b\tan(dx+c)|)}{a^{10}b+3a^8b^3+3a^6b^5+a^4b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$-1/2*(2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*\log(\tan(d*x +$$

$$\begin{aligned}
& c)^2 + 1)/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6) + 2*(6Ba^5b^3 - 10Aa^4b^4 + 3Ba^3b^5 - 9Aa^2b^6 + Ba*b^7 - 3A*b^8)*\log(\text{abs}(b*\tan(dx + c) + a))/(a^{10}b + 3a^8b^3 + 3a^6b^5 + a^4b^7) - (18Ba^5b^4*\tan(dx + c)^2 - 30Aa^4b^5*\tan(dx + c)^2 + 9Ba^3b^6*\tan(dx + c)^2 - 27Aa^2b^7*\tan(dx + c)^2 + 3Ba*b^8*\tan(dx + c)^2 - 9A*b^9*\tan(dx + c)^2 + 42Ba^6b^3*\tan(dx + c) - 68Aa^5b^4*\tan(dx + c) + 26Ba^4b^5*\tan(dx + c) - 66Aa^3b^6*\tan(dx + c) + 8Ba^2b^7*\tan(dx + c) - 22Aa*b^8*\tan(dx + c) + 25Ba^7b^2 - 39Aa^6b^3 + 19Ba^5b^4 - 41Aa^4b^5 + 6Ba^3b^6 - 14Aa^2b^7)/((a^{10} + 3a^8b^2 + 3a^6b^4 + a^4b^6)*(b*\tan(dx + c) + a)^2) - 2*(Ba - 3A*b)*\log(\text{abs}(\tan(dx + c)))/a^4 + 2*(Ba*\tan(dx + c) - 3A*b*\tan(dx + c) + A*a)/(a^4*\tan(dx + c))/d
\end{aligned}$$

$$3.289 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=352

$$\frac{b(11a^2Ab^3 + 3a^4Ab - 6a^3b^2B + a^5(-B) - 3ab^4B + 6Ab^5)}{a^4d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{b(5a^2Ab - 2a^3B - 3ab^2B + 6Ab^3)}{2a^3d(a^2 + b^2)(a + b \tan(c + dx))^2} - \frac{(a^2A + 3abB - 6Ab^2)}{a^5d}$$

[Out] $((3a^2Ab - Ab^3 - a^3B + 3ab^2B)x)/(a^2 + b^2)^3 - ((a^2A - 6Ab^2 + 3abB) \cdot \text{Log}[\text{Sin}[c + dx]])/(a^5d) - (b^3(15a^4Ab + 17a^2Ab^3 + 6Ab^5 - 10a^5B - 9a^3b^2B - 3ab^4B) \cdot \text{Log}[a \cdot \text{Cos}[c + dx] + b \cdot \text{Sin}[c + dx]])/(a^5(a^2 + b^2)^3d) + (b(5a^2Ab + 6Ab^3 - 2a^3B - 3ab^2B))/(2a^3(a^2 + b^2)d(a + b \cdot \text{Tan}[c + dx])^2) + ((2Ab - aB) \cdot \text{Cot}[c + dx])/(a^2d(a + b \cdot \text{Tan}[c + dx])^2) - (A \cdot \text{Cot}[c + dx]^2)/(2ad(a + b \cdot \text{Tan}[c + dx])^2) + (b(3a^4Ab + 11a^2Ab^3 + 6Ab^5 - a^5B - 6a^3b^2B - 3ab^4B))/(a^4(a^2 + b^2)^2d(a + b \cdot \text{Tan}[c + dx]))$

Rubi [A] time = 1.24866, antiderivative size = 352, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(11a^2Ab^3 + 3a^4Ab - 6a^3b^2B + a^5(-B) - 3ab^4B + 6Ab^5)}{a^4d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{b(5a^2Ab - 2a^3B - 3ab^2B + 6Ab^3)}{2a^3d(a^2 + b^2)(a + b \tan(c + dx))^2} - \frac{(a^2A + 3abB - 6Ab^2)}{a^5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + dx]^3(A + B \cdot \text{Tan}[c + dx]))/(a + b \cdot \text{Tan}[c + dx])^3, x]$

[Out] $((3a^2Ab - Ab^3 - a^3B + 3ab^2B)x)/(a^2 + b^2)^3 - ((a^2A - 6Ab^2 + 3abB) \cdot \text{Log}[\text{Sin}[c + dx]])/(a^5d) - (b^3(15a^4Ab + 17a^2Ab^3 + 6Ab^5 - 10a^5B - 9a^3b^2B - 3ab^4B) \cdot \text{Log}[a \cdot \text{Cos}[c + dx] + b \cdot \text{Sin}[c + dx]])/(a^5(a^2 + b^2)^3d) + (b(5a^2Ab + 6Ab^3 - 2a^3B - 3ab^2B))/(2a^3(a^2 + b^2)d(a + b \cdot \text{Tan}[c + dx])^2) + ((2Ab - aB) \cdot \text{Cot}[c + dx])/(a^2d(a + b \cdot \text{Tan}[c + dx])^2) - (A \cdot \text{Cot}[c + dx]^2)/(2ad(a + b \cdot \text{Tan}[c + dx])^2) + (b(3a^4Ab + 11a^2Ab^3 + 6Ab^5 - a^5B - 6a^3b^2B - 3ab^4B))/(a^4(a^2 + b^2)^2d(a + b \cdot \text{Tan}[c + dx]))$

Rule 3609

$\text{Int}[(a + b \cdot \text{tan}[e + f \cdot x])^m \cdot ((c + d \cdot \text{tan}[e + f \cdot x])^n \cdot \text{Symbol})] := \text{Simp}[(b(Ab - aB) \cdot (a + b \cdot \text{Tan}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Tan}[e + f \cdot x])^{n+1}) / (f(m+1)(bc - ad)(a^2 + b^2)), x] + \text{Dist}[1 / ((m+1)(bc - ad)(a^2 + b^2)), \text{Int}[(a + b \cdot \text{Tan}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Tan}[e + f \cdot x])^n \cdot \text{Simp}[bB \cdot (bc(m+1) + ad(n+1)) + A \cdot (a(bc - ad)(m+1) - b^2d(m+n+2)) - (Ab - aB) \cdot (bc - ad)(m+1) \cdot \text{Tan}[e + f \cdot x] - b \cdot d \cdot (Ab - aB) \cdot (m+n+2) \cdot \text{Tan}[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[bc - ad, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

$\text{Int}[(a + b \cdot \text{tan}[e + f \cdot x])^m \cdot ((c + d \cdot \text{tan}[e + f \cdot x])^n \cdot \text{Symbol}) + (C + D \cdot \text{tan}[e + f \cdot x])^p] := \text{Simp}[(b(Ab - aB) \cdot (a + b \cdot \text{Tan}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Tan}[e + f \cdot x])^{n+1}) / (f(m+1)(bc - ad)(a^2 + b^2)), x] + \text{Dist}[1 / ((m+1)(bc - ad)(a^2 + b^2)), \text{Int}[(a + b \cdot \text{Tan}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Tan}[e + f \cdot x])^n \cdot \text{Simp}[bB \cdot (bc(m+1) + ad(n+1)) + A \cdot (a(bc - ad)(m+1) - b^2d(m+n+2)) - (Ab - aB) \cdot (bc - ad)(m+1) \cdot \text{Tan}[e + f \cdot x] - b \cdot d \cdot (Ab - aB) \cdot (m+n+2) \cdot \text{Tan}[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[bc - ad, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*cos[e + f*x] + b*sin[e + f*x], x]]/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx &= -\frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^2} - \frac{\int \frac{\cot^2(c+dx)(2(2Ab-aB)+2aA \tan(c+dx)+4Ab \tan^2(c+dx))}{(a+b \tan(c+dx))^3} dx}{2a} \\ &= \frac{(2Ab-aB) \cot(c+dx)}{a^2d(a+b \tan(c+dx))^2} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^2} + \frac{\int \frac{\cot(c+dx)(-2(a^2A-6Ab^2-3a^2B+3ab^2))}{(a+b \tan(c+dx))^3} dx}{2a} \\ &= \frac{b(5a^2Ab+6Ab^3-2a^3B-3ab^2B)}{2a^3(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(2Ab-aB) \cot(c+dx)}{a^2d(a+b \tan(c+dx))^2} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^2} \\ &= \frac{b(5a^2Ab+6Ab^3-2a^3B-3ab^2B)}{2a^3(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(2Ab-aB) \cot(c+dx)}{a^2d(a+b \tan(c+dx))^2} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^2} \\ &= \frac{(3a^2Ab-Ab^3-a^3B+3ab^2B)x}{(a^2+b^2)^3} + \frac{b(5a^2Ab+6Ab^3-2a^3B-3ab^2B)}{2a^3(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(2Ab-aB) \cot(c+dx)}{a^2d(a+b \tan(c+dx))^2} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^2} \\ &= \frac{(3a^2Ab-Ab^3-a^3B+3ab^2B)x}{(a^2+b^2)^3} - \frac{(a^2A-6Ab^2+3abB) \log(\sin(c+dx))}{a^5d} \end{aligned}$$

Mathematica [C] time = 6.46483, size = 320, normalized size = 0.91

$$\frac{b^3 (5a^2 Ab - 4a^3 B - 2ab^2 B + 3Ab^3)}{a^4 d (a^2 + b^2)^2 (a + b \tan(c + dx))} + \frac{b^3 (Ab - aB)}{2a^3 d (a^2 + b^2) (a + b \tan(c + dx))^2} - \frac{b^3 (17a^2 Ab^3 + 15a^4 Ab - 9a^3 b^2 B - 10a^5 B - 3a^6 B)}{a^5 d (a^2 + b^2)^3 (a + b \tan(c + dx))^3}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]
```

```
[Out] ((3*A*b - a*B)*Cot[c + d*x])/(a^4*d) - (A*Cot[c + d*x]^2)/(2*a^3*d) + ((A + I*B)*Log[I - Tan[c + d*x]])/(2*(a + I*b)^3*d) - ((a^2*A - 6*A*b^2 + 3*a*b*B)*Log[Tan[c + d*x]])/(a^5*d) + ((A - I*B)*Log[I + Tan[c + d*x]])/(2*(a - I*b)^3*d) - (b^3*(15*a^4*A*b + 17*a^2*A*b^3 + 6*A*b^5 - 10*a^5*B - 9*a^3*b^2*B - 3*a*b^4*B)*Log[a + b*Tan[c + d*x]])/(a^5*(a^2 + b^2)^3*d) + (b^3*(A*b - a*B))/(2*a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b^3*(5*a^2*A*b + 3*A*b^3 - 4*a^3*B - 2*a*b^2*B))/(a^4*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Maple [B] time = 0.177, size = 713, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)
```

```
[Out] 3/d/a^4/tan(d*x+c)*A*b+6/d/a^5*ln(tan(d*x+c))*A*b^2-3/d/a^4*ln(tan(d*x+c))*B*b-1/2/d/a^3*A/tan(d*x+c)^2-1/d/a^3/tan(d*x+c)*B-1/d/a^3*A*ln(tan(d*x+c))+5/d*b^4/a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))*A-1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*b^3-1/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*b^3-1/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a^3+1/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a^3+10/d/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B*b^3-3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*A*a*b^2+3/2/d/(a^2+b^2)^3*ln(1+tan(d*x+c)^2)*B*a^2*b+3/d/(a^2+b^2)^3*A*arctan(tan(d*x+c))*a^2*b+3/d/(a^2+b^2)^3*B*arctan(tan(d*x+c))*a*b^2-6/d*b^8/a^5/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A+9/d*b^5/a^2/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B+3/d*b^7/a^4/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*B+1/2/d*b^4/a^3/(a^2+b^2)/(a+b*tan(d*x+c))^2*A-1/2/d*b^3/a^2/(a^2+b^2)/(a+b*tan(d*x+c))^2*B+3/d*b^6/a^4/(a^2+b^2)^2/(a+b*tan(d*x+c))*A-4/d*b^3/a/(a^2+b^2)^2/(a+b*tan(d*x+c))*B-2/d*b^5/a^3/(a^2+b^2)^2/(a+b*tan(d*x+c))*B-15/d*b^4/a/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A-17/d*b^6/a^3/(a^2+b^2)^3*ln(a+b*tan(d*x+c))*A
```

Maxima [A] time = 1.75714, size = 730, normalized size = 2.07

$$\frac{2(Ba^3 - 3Aa^2b - 3Bab^2 + Ab^3)(dx+c)}{a^6 + 3a^4b^2 + 3a^2b^4 + b^6} - \frac{2(10Ba^5b^3 - 15Aa^4b^4 + 9Ba^3b^5 - 17Aa^2b^6 + 3Bab^7 - 6Ab^8) \log(b \tan(dx+c)+a)}{a^{11} + 3a^9b^2 + 3a^7b^4 + a^5b^6} - \frac{(Aa^3 + 3Ba^2b - 3Aab^2 - Bb^3) \log(\tan(dx+c))}{a^6 + 3a^4b^2 + 3a^2b^4 + b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] -1/2*(2*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - 2*(10*B*a^5*b^3 - 15*A*a^4*b^4 + 9*B*a^3*b^5 - 17*A*a^
```

$$2*b^6 + 3*B*a*b^7 - 6*A*b^8)*\log(b*\tan(d*x + c) + a)/(a^{11} + 3*a^9*b^2 + 3*a^7*b^4 + a^5*b^6) - (A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*\log(\tan(d*x + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) + (A*a^7 + 2*A*a^5*b^2 + A*a^3*b^4 + 2*(B*a^5*b^2 - 3*A*a^4*b^3 + 6*B*a^3*b^4 - 11*A*a^2*b^5 + 3*B*a*b^6 - 6*A*b^7)*\tan(d*x + c)^3 + (4*B*a^6*b - 11*A*a^5*b^2 + 17*B*a^4*b^3 - 33*A*a^3*b^4 + 9*B*a^2*b^5 - 18*A*a*b^6)*\tan(d*x + c)^2 + 2*(B*a^7 - 2*A*a^6*b + 2*B*a^5*b^2 - 4*A*a^4*b^3 + B*a^3*b^4 - 2*A*a^2*b^5)*\tan(d*x + c))/((a^8*b^2 + 2*a^6*b^4 + a^4*b^6)*\tan(d*x + c)^4 + 2*(a^9*b + 2*a^7*b^3 + a^5*b^5)*\tan(d*x + c)^3 + (a^{10} + 2*a^8*b^2 + a^6*b^4)*\tan(d*x + c)^2) + 2*(A*a^2 + 3*B*a*b - 6*A*b^2)*\log(\tan(d*x + c))/a^5/d$$

Fricas [B] time = 3.23821, size = 2338, normalized size = 6.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out]
$$-1/2*(A*a^{10} + 3*A*a^8*b^2 + 3*A*a^6*b^4 + A*a^4*b^6 + (A*a^8*b^2 + 3*A*a^6*b^4 - 9*B*a^5*b^5 + 14*A*a^4*b^6 - 3*B*a^3*b^7 + 6*A*a^2*b^8 + 2*(B*a^8*b^2 - 3*A*a^7*b^3 - 3*B*a^6*b^4 + A*a^5*b^5)*d*x)*\tan(d*x + c)^4 + 2*(A*a^9*b + B*a^8*b^2 - 2*B*a^6*b^4 + 6*B*a^4*b^6 - 11*A*a^3*b^7 + 3*B*a^2*b^8 - 6*A*a*b^9 + 2*(B*a^9*b - 3*A*a^8*b^2 - 3*B*a^7*b^3 + A*a^6*b^4)*d*x)*\tan(d*x + c)^3 + (A*a^{10} + 4*B*a^9*b - 8*A*a^8*b^2 + 12*B*a^7*b^3 - 30*A*a^6*b^4 + 2*3*B*a^5*b^5 - 45*A*a^4*b^6 + 9*B*a^3*b^7 - 18*A*a^2*b^8 + 2*(B*a^{10} - 3*A*a^9*b - 3*B*a^8*b^2 + A*a^7*b^3)*d*x)*\tan(d*x + c)^2 + ((A*a^8*b^2 + 3*B*a^7*b^3 - 3*A*a^6*b^4 + 9*B*a^5*b^5 - 15*A*a^4*b^6 + 9*B*a^3*b^7 - 17*A*a^2*b^8 + 3*B*a*b^9 - 6*A*b^{10})*\tan(d*x + c)^4 + 2*(A*a^9*b + 3*B*a^8*b^2 - 3*A*a^7*b^3 + 9*B*a^6*b^4 - 15*A*a^5*b^5 + 9*B*a^4*b^6 - 17*A*a^3*b^7 + 3*B*a^2*b^8 - 6*A*a*b^9)*\tan(d*x + c)^3 + (A*a^{10} + 3*B*a^9*b - 3*A*a^8*b^2 + 9*B*a^7*b^3 - 15*A*a^6*b^4 + 9*B*a^5*b^5 - 17*A*a^4*b^6 + 3*B*a^3*b^7 - 6*A*a^2*b^8)*\tan(d*x + c)^2)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1)) - ((10*B*a^5*b^5 - 15*A*a^4*b^6 + 9*B*a^3*b^7 - 17*A*a^2*b^8 + 3*B*a*b^9 - 6*A*b^{10})*\tan(d*x + c)^4 + 2*(10*B*a^6*b^4 - 15*A*a^5*b^5 + 9*B*a^4*b^6 - 17*A*a^3*b^7 + 3*B*a^2*b^8 - 6*A*a*b^9)*\tan(d*x + c)^3 + (10*B*a^7*b^3 - 15*A*a^6*b^4 + 9*B*a^5*b^5 - 17*A*a^4*b^6 + 3*B*a^3*b^7 - 6*A*a^2*b^8)*\tan(d*x + c)^2)*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) + 2*(B*a^{10} - 2*A*a^9*b + 3*B*a^8*b^2 - 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 + B*a^4*b^6 - 2*A*a^3*b^7)*\tan(d*x + c))/((a^{11}*b^2 + 3*a^9*b^4 + 3*a^7*b^6 + a^5*b^8)*d*\tan(d*x + c)^4 + 2*(a^{12}*b + 3*a^{10}*b^3 + 3*a^8*b^5 + a^6*b^7)*d*\tan(d*x + c)^3 + (a^{13} + 3*a^{11}*b^2 + 3*a^9*b^4 + a^7*b^6)*d*\tan(d*x + c)^2)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [B] time = 1.37698, size = 1096, normalized size = 3.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*(4*(B*a^3 - 3*A*a^2*b - 3*B*a*b^2 + A*b^3)*(d*x + c)/(a^6 + 3*a^4*b^2 \\ & + 3*a^2*b^4 + b^6) - 2*(A*a^3 + 3*B*a^2*b - 3*A*a*b^2 - B*b^3)*\log(\tan(d*x \\ & + c)^2 + 1)/(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) - 4*(10*B*a^5*b^4 - 15*A*a^4*b^5 \\ & + 9*B*a^3*b^6 - 17*A*a^2*b^7 + 3*B*a*b^8 - 6*A*b^9)*\log(\text{abs}(b*\tan(d*x \\ & + c) + a))/(a^{11}*b + 3*a^9*b^3 + 3*a^7*b^5 + a^5*b^7) - (3*A*a^7*b^2*\tan(d \\ & *x + c)^4 + 9*B*a^6*b^3*\tan(d*x + c)^4 - 9*A*a^5*b^4*\tan(d*x + c)^4 - 3*B*a \\ & ^4*b^5*\tan(d*x + c)^4 + 6*A*a^8*b*\tan(d*x + c)^3 + 14*B*a^7*b^2*\tan(d*x + c \\ &)^3 - 6*A*a^6*b^3*\tan(d*x + c)^3 - 34*B*a^5*b^4*\tan(d*x + c)^3 + 56*A*a^4*b \\ & ^5*\tan(d*x + c)^3 - 36*B*a^3*b^6*\tan(d*x + c)^3 + 68*A*a^2*b^7*\tan(d*x + c \\ &)^3 - 12*B*a*b^8*\tan(d*x + c)^3 + 24*A*b^9*\tan(d*x + c)^3 + 3*A*a^9*\tan(d*x \\ & + c)^2 + B*a^8*b*\tan(d*x + c)^2 + 13*A*a^7*b^2*\tan(d*x + c)^2 - 45*B*a^6*b^ \\ & 3*\tan(d*x + c)^2 + 88*A*a^5*b^4*\tan(d*x + c)^2 - 52*B*a^4*b^5*\tan(d*x + c)^ \\ & 2 + 102*A*a^3*b^6*\tan(d*x + c)^2 - 18*B*a^2*b^7*\tan(d*x + c)^2 + 36*A*a*b^8 \\ & *\tan(d*x + c)^2 - 4*B*a^9*\tan(d*x + c) + 8*A*a^8*b*\tan(d*x + c) - 12*B*a^7* \\ & b^2*\tan(d*x + c) + 24*A*a^6*b^3*\tan(d*x + c) - 12*B*a^5*b^4*\tan(d*x + c) + \\ & 24*A*a^4*b^5*\tan(d*x + c) - 4*B*a^3*b^6*\tan(d*x + c) + 8*A*a^2*b^7*\tan(d*x \\ & + c) - 2*A*a^9 - 6*A*a^7*b^2 - 6*A*a^5*b^4 - 2*A*a^3*b^6)/((a^{10} + 3*a^8*b^ \\ & 2 + 3*a^6*b^4 + a^4*b^6)*(b*\tan(d*x + c)^2 + a*\tan(d*x + c))^2) + 4*(A*a^2 \\ & + 3*B*a*b - 6*A*b^2)*\log(\text{abs}(\tan(d*x + c)))/a^5/d \end{aligned}$$

$$3.290 \quad \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=351

$$\frac{a(Ab - aB) \tan^3(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - aB(a^2 + 3b^2)) \tan^2(c + dx)}{2b^2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} + \frac{a^2(a^2Ab^3 + 3a^3b^2B + a^5B + 6ab^4B - 3b^4d(a^2 + b^2)^3(a + b \tan(c + dx)))}{b^4d(a^2 + b^2)^3(a + b \tan(c + dx))}$$

[Out] $((a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x)/(a^2 + b^2)^4 + ((4a^3Ab - 4a^2Ab^3 - a^4B + 6a^2b^2B - b^4B) \cdot \text{Log}[\text{Cos}[c + dx]])/((a^2 + b^2)^4d) + (a(4a^2Ab^5 - 4Ab^7 + a^7B + 4a^5b^2B + 5a^3b^4B + 10ab^6B) \cdot \text{Log}[a + b \cdot \text{Tan}[c + dx]])/(b^4(a^2 + b^2)^4d) + (a(Ab - aB) \cdot \text{Tan}[c + dx]^3)/(3b(a^2 + b^2)d(a + b \cdot \text{Tan}[c + dx])^3) + (a(2Ab^3 - a(a^2 + 3b^2)B) \cdot \text{Tan}[c + dx]^2)/(2b^2(a^2 + b^2)^2d(a + b \cdot \text{Tan}[c + dx])^2) + (a^2(a^2Ab^3 - 3Ab^5 + a^5B + 3a^3b^2B + 6ab^4B))/(b^4(a^2 + b^2)^3d(a + b \cdot \text{Tan}[c + dx]))$

Rubi [A] time = 0.823886, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3605, 3645, 3635, 3626, 3617, 31, 3475}

$$\frac{a(Ab - aB) \tan^3(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - aB(a^2 + 3b^2)) \tan^2(c + dx)}{2b^2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} + \frac{a^2(a^2Ab^3 + 3a^3b^2B + a^5B + 6ab^4B - 3b^4d(a^2 + b^2)^3(a + b \tan(c + dx)))}{b^4d(a^2 + b^2)^3(a + b \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + dx]^4(A + B \cdot \text{Tan}[c + dx]))/(a + b \cdot \text{Tan}[c + dx])^4, x]$

[Out] $((a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x)/(a^2 + b^2)^4 + ((4a^3Ab - 4a^2Ab^3 - a^4B + 6a^2b^2B - b^4B) \cdot \text{Log}[\text{Cos}[c + dx]])/((a^2 + b^2)^4d) + (a(4a^2Ab^5 - 4Ab^7 + a^7B + 4a^5b^2B + 5a^3b^4B + 10ab^6B) \cdot \text{Log}[a + b \cdot \text{Tan}[c + dx]])/(b^4(a^2 + b^2)^4d) + (a(Ab - aB) \cdot \text{Tan}[c + dx]^3)/(3b(a^2 + b^2)d(a + b \cdot \text{Tan}[c + dx])^3) + (a(2Ab^3 - a(a^2 + 3b^2)B) \cdot \text{Tan}[c + dx]^2)/(2b^2(a^2 + b^2)^2d(a + b \cdot \text{Tan}[c + dx])^2) + (a^2(a^2Ab^3 - 3Ab^5 + a^5B + 3a^3b^2B + 6ab^4B))/(b^4(a^2 + b^2)^3d(a + b \cdot \text{Tan}[c + dx]))$

Rule 3605

$\text{Int}[(a + b \cdot \text{tan}[(e + f \cdot x)])^m \cdot ((A + B \cdot \text{tan}[(e + f \cdot x)])^n \cdot (c + d \cdot \text{tan}[(e + f \cdot x)])^n) / (d \cdot f \cdot (n + 1) \cdot (c^2 + d^2)), x] - \text{Dist}[1/(d \cdot (n + 1) \cdot (c^2 + d^2)), \text{Int}[(a + b \cdot \text{tan}[(e + f \cdot x)])^{m-2} \cdot (c + d \cdot \text{tan}[(e + f \cdot x)])^{n+1} \cdot \text{Simp}[a \cdot A \cdot d \cdot (b \cdot d \cdot (m-1) - a \cdot c \cdot (n+1)) + (b \cdot B \cdot c - (A \cdot b + a \cdot B) \cdot d) \cdot (b \cdot c \cdot (m-1) + a \cdot d \cdot (n+1)) - d \cdot ((A \cdot A - b \cdot B) \cdot (b \cdot c - a \cdot d) + (A \cdot b + a \cdot B) \cdot (a \cdot c + b \cdot d)) \cdot (n+1) \cdot \text{Tan}[e + f \cdot x] - b \cdot (d \cdot (A \cdot b \cdot c + a \cdot B \cdot c - a \cdot A \cdot d) \cdot (m+n) - b \cdot B \cdot (c^2 \cdot (m-1) - d^2 \cdot (n+1))) \cdot \text{Tan}[e + f \cdot x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] \mid \mid \text{IntegersQ}[2 \cdot m, 2 \cdot n])$

Rule 3645

$\text{Int}[(a + b \cdot \text{tan}[(e + f \cdot x)])^m \cdot ((c + d \cdot \text{tan}[(e + f \cdot x)])^n \cdot (A + B \cdot \text{tan}[(e + f \cdot x)]) + (C \cdot \text{tan}[(e + f \cdot x)]$

```

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3635

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f
_.)*(x_)^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]

```

Rule 3626

```

Int[((A_) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2
)/(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((a*A + b*B -
a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1
+ Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a
^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C,
0]

```

Rule 3617

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_) + (C_.)*tan[(e_.) +
(f_.)*(x_)]^2), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*T
an[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

```

Rule 31

```

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]

```

Rule 3475

```

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\int \frac{\tan^4(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^4} dx = \frac{a(Ab - aB) \tan^3(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{\int \frac{\tan^2(c+dx)(-3a(Ab-aB)+3b(Ab-aB) \tan(c+dx)}{(a+b \tan(c+dx))^3}}{3b(a^2 + b^2)}$$

$$= \frac{a(Ab - aB) \tan^3(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - a(a^2 + 3b^2)B) \tan^2(c + dx)}{2b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2}$$

$$= \frac{a(Ab - aB) \tan^3(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - a(a^2 + 3b^2)B) \tan^2(c + dx)}{2b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2}$$

$$= \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x}{(a^2 + b^2)^4} + \frac{a(Ab - aB) \tan^3(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3}$$

$$= \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x}{(a^2 + b^2)^4} + \frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B)}{(a^2 + b^2)^4}$$

$$= \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x}{(a^2 + b^2)^4} + \frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B)}{(a^2 + b^2)^4}$$

Mathematica [C] time = 6.69205, size = 1812, normalized size = 5.16

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]

[Out] (((4*I)*a^10*A*b^8 + 4*a^9*A*b^9 + (8*I)*a^8*A*b^10 + 8*a^7*A*b^11 - (8*I)*a^4*A*b^14 - 8*a^3*A*b^15 - (4*I)*a^2*A*b^16 - 4*a*A*b^17 + I*a^15*b^3*B + a^14*b^4*B + (7*I)*a^13*b^5*B + 7*a^12*b^6*B + (20*I)*a^11*b^7*B + 20*a^10*b^8*B + (38*I)*a^9*b^9*B + 38*a^8*b^10*B + (49*I)*a^7*b^11*B + 49*a^6*b^12*B + (35*I)*a^5*b^13*B + 35*a^4*b^14*B + (10*I)*a^3*b^15*B + 10*a^2*b^16*B)*(c + d*x)*Sec[c + d*x]^3*(a*Cos[c + d*x] + b*Sin[c + d*x])^4*(A + B*Tan[c + d*x]))/((a - I*b)^8*(a + I*b)^7*b^7*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^4) - (I*(4*a^3*A*b^5 - 4*a*A*b^7 + a^8*B + 4*a^6*b^2*B + 5*a^4*b^4*B + 10*a^2*b^6*B)*ArcTan[Tan[c + d*x]]*Sec[c + d*x]^3*(a*Cos[c + d*x] + b*Sin[c + d*x])^4*(A + B*Tan[c + d*x]))/(b^4*(a^2 + b^2)^4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^4) - (B*Log[Cos[c + d*x]]*Sec[c + d*x]^3*(a*Cos[c + d*x] + b*Sin[c + d*x])^4*(A + B*Tan[c + d*x]))/(b^4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^4) + ((4*a^3*A*b^5 - 4*a*A*b^7 + a^8*B + 4*a^6*b^2*B + 5*a^4*b^4*B + 10*a^2*b^6*B)*Log[(a*Cos[c + d*x] + b*Sin[c + d*x])^2]*Sec[c + d*x]^3*(a*Cos[c + d*x] + b*Sin[c + d*x])^4*(A + B*Tan[c + d*x]))/(2*b^4*(a^2 + b^2)^4*d*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + b*Tan[c + d*x])^4) + (Sec[c + d*x]^3*(a*Cos[c + d*x] + b*Sin[c + d*x])*(12*a^6*A*b^4*Cos[c + d*x] + 48*a^4*A*b^6*Cos[c + d*x] + 36*a^2*A*b^8*Cos[c + d*x] - 12*a^9*b*B*Cos[c + d*x] - 60*a^7*b^3*B*Cos[c + d*x] - 108*a^5*b^5*B*Cos[c + d*x] - 60*a^3*b^7*B*Cos[c + d*x] + 9*a^7*A*b^3*(c + d*x)*Cos[c + d*x] - 45*a^5*A*b^5*(c + d*x)*Cos[c + d*x] - 45*a^3*A*b^7*(c + d*x)*Cos[c + d*x] + 9*a*A*b^9*(c + d*x)*Cos[c + d*x] + 36*a^6*b^4*B*(c + d*x)*Cos[c + d*x] - 36*a^2*b^8*B*(c + d*x)*Cos[c + d*x] + 8*a^6*A*b^4*Cos[3*(c + d*x)] - 28*a^4*A*b^6*Cos[3*(c + d*x)] - 36*a^2*A*b^8*Cos[3*(c + d*x)] + 6*a^9*b*B*Cos[3*(c + d*x)] + 28*a^7*b^3*B*Cos[3*(c + d*x)] + 82*a^5*b^5*B*Cos[3*(c + d*x)] + 60*a^3*b^7*B*Cos[3*(c + d*x)] + 3*a^7*A*b^3*(c + d*x)*Cos[3*(c + d*x)] - 27*a^5*A*b^5*(c + d*x)*Cos[3*(c + d*x)] + 57*a^3*A*b^7

$$\begin{aligned} &*(c + d*x)*\text{Cos}[3*(c + d*x)] - 9*a*A*b^9*(c + d*x)*\text{Cos}[3*(c + d*x)] + 12*a^6 \\ &*b^4*B*(c + d*x)*\text{Cos}[3*(c + d*x)] - 48*a^4*b^6*B*(c + d*x)*\text{Cos}[3*(c + d*x)] \\ &+ 36*a^2*b^8*B*(c + d*x)*\text{Cos}[3*(c + d*x)] + 30*a^5*A*b^5*\text{Sin}[c + d*x] + 84 \\ &*a^3*A*b^7*\text{Sin}[c + d*x] + 54*a*A*b^9*\text{Sin}[c + d*x] - 3*a^{10}*B*\text{Sin}[c + d*x] - \\ &33*a^8*b^2*B*\text{Sin}[c + d*x] - 123*a^6*b^4*B*\text{Sin}[c + d*x] - 183*a^4*b^6*B*\text{Sin} \\ &[c + d*x] - 90*a^2*b^8*B*\text{Sin}[c + d*x] + 9*a^6*A*b^4*(c + d*x)*\text{Sin}[c + d*x] \\ &- 45*a^4*A*b^6*(c + d*x)*\text{Sin}[c + d*x] - 45*a^2*A*b^8*(c + d*x)*\text{Sin}[c + d*x] \\ &+ 9*A*b^{10}*(c + d*x)*\text{Sin}[c + d*x] + 36*a^5*b^5*B*(c + d*x)*\text{Sin}[c + d*x] - \\ &36*a*b^9*B*(c + d*x)*\text{Sin}[c + d*x] - 4*a^7*A*b^3*\text{Sin}[3*(c + d*x)] + 18*a^5*A \\ &*b^5*\text{Sin}[3*(c + d*x)] + 4*a^3*A*b^7*\text{Sin}[3*(c + d*x)] - 18*a*A*b^9*\text{Sin}[3*(c \\ &+ d*x)] - 3*a^{10}*B*\text{Sin}[3*(c + d*x)] - 11*a^8*b^2*B*\text{Sin}[3*(c + d*x)] - 27*a^ \\ &6*b^4*B*\text{Sin}[3*(c + d*x)] + 11*a^4*b^6*B*\text{Sin}[3*(c + d*x)] + 30*a^2*b^8*B*\text{Sin} \\ &[3*(c + d*x)] + 9*a^6*A*b^4*(c + d*x)*\text{Sin}[3*(c + d*x)] - 57*a^4*A*b^6*(c + \\ &d*x)*\text{Sin}[3*(c + d*x)] + 27*a^2*A*b^8*(c + d*x)*\text{Sin}[3*(c + d*x)] - 3*A*b^{10} \\ &(c + d*x)*\text{Sin}[3*(c + d*x)] + 36*a^5*b^5*B*(c + d*x)*\text{Sin}[3*(c + d*x)] - 48*a \\ &^3*b^7*B*(c + d*x)*\text{Sin}[3*(c + d*x)] + 12*a*b^9*B*(c + d*x)*\text{Sin}[3*(c + d*x)] \\ &)*(A + B*\text{Tan}[c + d*x]))/(12*(a - I*b)^4*(a + I*b)^4*b^3*d*(A*\text{Cos}[c + d*x] + \\ &B*\text{Sin}[c + d*x])*(a + b*\text{Tan}[c + d*x])^4) \end{aligned}$$

Maple [B] time = 0.059, size = 854, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x)`

[Out] $\frac{1}{d*a^8/(a^2+b^2)^4/b^4*\ln(a+b*\text{tan}(d*x+c))*B-6/d*a^2*b/(a^2+b^2)^3/(a+b*\text{tan}(d*x+c))*A+3/d*a^7/b^4/(a^2+b^2)^3/(a+b*\text{tan}(d*x+c))*B+9/d*a^5/b^2/(a^2+b^2)^3/(a+b*\text{tan}(d*x+c))*B-4/d*a/(a^2+b^2)^4*b^3*\ln(a+b*\text{tan}(d*x+c))*A+4/d/(a^2+b^2)^4*B*\arctan(\text{tan}(d*x+c))*a^3*b+4/d*a^6/(a^2+b^2)^4/b^2*\ln(a+b*\text{tan}(d*x+c))*B-4/d/(a^2+b^2)^4*B*\arctan(\text{tan}(d*x+c))*a*b^3-2/d/(a^2+b^2)^4*\ln(1+\text{tan}(d*x+c)^2)*A*a^3*b+10/d*a^2/(a^2+b^2)^4*b^2*\ln(a+b*\text{tan}(d*x+c))*B-3/d/(a^2+b^2)^4*\ln(1+\text{tan}(d*x+c)^2)*B*a^2*b^2-6/d/(a^2+b^2)^4*A*\arctan(\text{tan}(d*x+c))*a^2*b^2-1/d*a^6/b^3/(a^2+b^2)^3/(a+b*\text{tan}(d*x+c))*A-3/d*a^4/b/(a^2+b^2)^3/(a+b*\text{tan}(d*x+c))*A+2/d/(a^2+b^2)^4*\ln(1+\text{tan}(d*x+c)^2)*A*a*b^3-3/2/d*a^6/b^4/(a^2+b^2)^2/(a+b*\text{tan}(d*x+c))^2*B-5/2/d*a^4/b^2/(a^2+b^2)^2/(a+b*\text{tan}(d*x+c))^2*B-1/3/d*a^4/b^3/(a^2+b^2)/(a+b*\text{tan}(d*x+c))^3*A+1/3/d*a^5/b^4/(a^2+b^2)/(a+b*\text{tan}(d*x+c))^3*B+4/d*a^3/(a^2+b^2)^4*b*\ln(a+b*\text{tan}(d*x+c))*A+1/d*a^5/b^3/(a^2+b^2)^2/(a+b*\text{tan}(d*x+c))^2*A+2/d*a^3/b/(a^2+b^2)^2/(a+b*\text{tan}(d*x+c))^2*A+1/2/d/(a^2+b^2)^4*\ln(1+\text{tan}(d*x+c)^2)*B*a^4+1/2/d/(a^2+b^2)^4*\ln(1+\text{tan}(d*x+c)^2)*B*b^4+1/d/(a^2+b^2)^4*A*\arctan(\text{tan}(d*x+c))*a^4+1/d/(a^2+b^2)^4*A*\arctan(\text{tan}(d*x+c))*b^4+5/d*a^4/(a^2+b^2)^4*\ln(a+b*\text{tan}(d*x+c))*B+10/d*a^3/(a^2+b^2)^3/(a+b*\text{tan}(d*x+c))*B$

Maxima [A] time = 1.58703, size = 787, normalized size = 2.24

$$\frac{6(Aa^4+4Ba^3b-6Aa^2b^2-4Bab^3+Ab^4)(dx+c)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} + \frac{6(Ba^8+4Ba^6b^2+5Ba^4b^4+4Aa^3b^5+10Ba^2b^6-4Aab^7)\log(b\tan(dx+c)+a)}{a^8b^4+4a^6b^6+6a^4b^8+4a^2b^{10}+b^{12}} + \frac{3(Ba^4-4Aa^3b-6Ba^2b^2+4Aab^3)}{a^8+4a^6b^2+6a^4b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")`

```
[Out] 1/6*(6*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*(d*x + c)/(a^8
+ 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 6*(B*a^8 + 4*B*a^6*b^2 + 5*B*
a^4*b^4 + 4*A*a^3*b^5 + 10*B*a^2*b^6 - 4*A*a*b^7)*log(b*tan(d*x + c) + a)/(
a^8*b^4 + 4*a^6*b^6 + 6*a^4*b^8 + 4*a^2*b^10 + b^12) + 3*(B*a^4 - 4*A*a^3*b
- 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*log(tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^
2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + (11*B*a^9 - 2*A*a^8*b + 34*B*a^7*b^2 - 4
*A*a^6*b^3 + 47*B*a^5*b^4 - 26*A*a^4*b^5 + 6*(3*B*a^7*b^2 - A*a^6*b^3 + 9*B
*a^5*b^4 - 3*A*a^4*b^5 + 10*B*a^3*b^6 - 6*A*a^2*b^7)*tan(d*x + c)^2 + 3*(9*
B*a^8*b - 2*A*a^7*b^2 + 28*B*a^6*b^3 - 6*A*a^5*b^4 + 35*B*a^4*b^5 - 20*A*a^
3*b^6)*tan(d*x + c))/(a^9*b^4 + 3*a^7*b^6 + 3*a^5*b^8 + a^3*b^10 + (a^6*b^7
+ 3*a^4*b^9 + 3*a^2*b^11 + b^13)*tan(d*x + c)^3 + 3*(a^7*b^6 + 3*a^5*b^8 +
3*a^3*b^10 + a*b^12)*tan(d*x + c)^2 + 3*(a^8*b^5 + 3*a^6*b^7 + 3*a^4*b^9 +
a^2*b^11)*tan(d*x + c))/d
```

Fricas [B] time = 3.05606, size = 2438, normalized size = 6.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fr
icas")
```

```
[Out] 1/6*(3*B*a^9*b^2 + 6*B*a^7*b^4 + 18*A*a^6*b^5 + 47*B*a^5*b^6 - 26*A*a^4*b^7
- (11*B*a^8*b^3 - 2*A*a^7*b^4 + 42*B*a^6*b^5 - 6*A*a^5*b^6 + 75*B*a^4*b^7
- 48*A*a^3*b^8 - 6*(A*a^4*b^7 + 4*B*a^3*b^8 - 6*A*a^2*b^9 - 4*B*a*b^10 + A*
b^11)*d*x)*tan(d*x + c)^3 + 6*(A*a^7*b^4 + 4*B*a^6*b^5 - 6*A*a^5*b^6 - 4*B*
a^4*b^7 + A*a^3*b^8)*d*x - 3*(5*B*a^9*b^2 + 18*B*a^7*b^4 + 2*A*a^6*b^5 + 37
*B*a^5*b^6 - 30*A*a^4*b^7 - 20*B*a^3*b^8 + 12*A*a^2*b^9 - 6*(A*a^5*b^6 + 4*
B*a^4*b^7 - 6*A*a^3*b^8 - 4*B*a^2*b^9 + A*a*b^10)*d*x)*tan(d*x + c)^2 + 3*(
B*a^11 + 4*B*a^9*b^2 + 5*B*a^7*b^4 + 4*A*a^6*b^5 + 10*B*a^5*b^6 - 4*A*a^4*b
^7 + (B*a^8*b^3 + 4*B*a^6*b^5 + 5*B*a^4*b^7 + 4*A*a^3*b^8 + 10*B*a^2*b^9 -
4*A*a*b^10)*tan(d*x + c)^3 + 3*(B*a^9*b^2 + 4*B*a^7*b^4 + 5*B*a^5*b^6 + 4*A
*a^4*b^7 + 10*B*a^3*b^8 - 4*A*a^2*b^9)*tan(d*x + c)^2 + 3*(B*a^10*b + 4*B*a
^8*b^3 + 5*B*a^6*b^5 + 4*A*a^5*b^6 + 10*B*a^4*b^7 - 4*A*a^3*b^8)*tan(d*x +
c))*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1
)) - 3*(B*a^11 + 4*B*a^9*b^2 + 6*B*a^7*b^4 + 4*B*a^5*b^6 + B*a^3*b^8 + (B*a
^8*b^3 + 4*B*a^6*b^5 + 6*B*a^4*b^7 + 4*B*a^2*b^9 + B*b^11)*tan(d*x + c)^3 +
3*(B*a^9*b^2 + 4*B*a^7*b^4 + 6*B*a^5*b^6 + 4*B*a^3*b^8 + B*a*b^10)*tan(d*x
+ c)^2 + 3*(B*a^10*b + 4*B*a^8*b^3 + 6*B*a^6*b^5 + 4*B*a^4*b^7 + B*a^2*b^9
)*tan(d*x + c))*log(1/(tan(d*x + c)^2 + 1)) - 3*(2*B*a^10*b + 5*B*a^8*b^3 +
2*A*a^7*b^4 + 12*B*a^6*b^5 - 22*A*a^5*b^6 - 35*B*a^4*b^7 + 20*A*a^3*b^8 -
6*(A*a^6*b^5 + 4*B*a^5*b^6 - 6*A*a^4*b^7 - 4*B*a^3*b^8 + A*a^2*b^9)*d*x)*ta
n(d*x + c))/((a^8*b^7 + 4*a^6*b^9 + 6*a^4*b^11 + 4*a^2*b^13 + b^15)*d*tan(d
*x + c)^3 + 3*(a^9*b^6 + 4*a^7*b^8 + 6*a^5*b^10 + 4*a^3*b^12 + a*b^14)*d*ta
n(d*x + c)^2 + 3*(a^10*b^5 + 4*a^8*b^7 + 6*a^6*b^9 + 4*a^4*b^11 + a^2*b^13)
*d*tan(d*x + c) + (a^11*b^4 + 4*a^9*b^6 + 6*a^7*b^8 + 4*a^5*b^10 + a^3*b^12
)*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Timed out

Giac [B] time = 2.34722, size = 971, normalized size = 2.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{6} \cdot \frac{(6(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4)(dx + c) + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8) + 3(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4) \log(\tan(dx + c)^2 + 1) + 6(Ba^8 + 4Ba^6b^2 + 5Ba^4b^4 + 4Aa^3b^5 + 10Ba^2b^6 - 4Aab^7) \log(\text{abs}(b \tan(dx + c) + a)) + 6(a^8b^4 + 4a^6b^6 + 6a^4b^8 + 4a^2b^{10} + b^{12}) - (11Ba^8b^2 \tan(dx + c)^3 + 44Ba^6b^4 \tan(dx + c)^3 + 55Ba^4b^6 \tan(dx + c)^3 + 44Aa^3b^7 \tan(dx + c)^3 + 110Ba^2b^8 \tan(dx + c)^3 - 44Aab^9 \tan(dx + c)^3 + 15Ba^9b \tan(dx + c)^2 + 6Aa^8b^2 \tan(dx + c)^2 + 60Ba^7b^3 \tan(dx + c)^2 + 24Aa^6b^4 \tan(dx + c)^2 + 51Ba^5b^5 \tan(dx + c)^2 + 186Aa^4b^6 \tan(dx + c)^2 + 270Ba^3b^7 \tan(dx + c)^2 - 96Aa^2b^8 \tan(dx + c)^2 + 6Ba^{10} \tan(dx + c) + 6Aa^9b \tan(dx + c) + 21Ba^8b^2 \tan(dx + c) + 24Aa^7b^3 \tan(dx + c) - 24Ba^6b^4 \tan(dx + c) + 210Aa^5b^5 \tan(dx + c) + 225Ba^4b^6 \tan(dx + c) - 72Aa^3b^7 \tan(dx + c) + 2Aa^{10} - Ba^9b + 6Aa^8b^2 - 26Ba^7b^3 + 74Aa^6b^4 + 63Ba^5b^5 - 18Aa^4b^6) / ((a^8b^3 + 4a^6b^5 + 6a^4b^7 + 4a^2b^9 + b^{11}) \cdot (b \tan(dx + c) + a)^3) / dx$$

3.291
$$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=298

$$\frac{a(Ab - aB) \tan^2(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a^2(a^2Ab + 2a^3B + 8ab^2B - 5Ab^3)}{6b^3d(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{a(5a^2Ab^3 + a^4Ab + 7a^3b^2B + 2a^5B + 17a^2b^3)}{3b^3d(a^2 + b^2)^3(a + b \tan(c + dx))}$$

```
[Out] -(((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*x)/(a^2 + b^2)^4)
+ ((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*Log[a*Cos[c + d*x]
+ b*Sin[c + d*x]])/((a^2 + b^2)^4*d) + (a*(A*b - a*B)*Tan[c + d*x]^2)/(3*b
*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (a^2*(a^2*A*b - 5*A*b^3 + 2*a^3*B
+ 8*a*b^2*B))/(6*b^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) - (a*(a^4*A*b
+ 5*a^2*A*b^3 - 8*A*b^5 + 2*a^5*B + 7*a^3*b^2*B + 17*a*b^4*B))/(3*b^3*(a^2
+ b^2)^3*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 0.572276, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3605, 3635, 3628, 3531, 3530}

$$\frac{a(Ab - aB) \tan^2(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a^2(a^2Ab + 2a^3B + 8ab^2B - 5Ab^3)}{6b^3d(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{a(5a^2Ab^3 + a^4Ab + 7a^3b^2B + 2a^5B + 17a^2b^3)}{3b^3d(a^2 + b^2)^3(a + b \tan(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4,x]
```

```
[Out] -(((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*x)/(a^2 + b^2)^4)
+ ((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*Log[a*Cos[c + d*x]
+ b*Sin[c + d*x]])/((a^2 + b^2)^4*d) + (a*(A*b - a*B)*Tan[c + d*x]^2)/(3*b
*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (a^2*(a^2*A*b - 5*A*b^3 + 2*a^3*B
+ 8*a*b^2*B))/(6*b^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) - (a*(a^4*A*b
+ 5*a^2*A*b^3 - 8*A*b^5 + 2*a^5*B + 7*a^3*b^2*B + 17*a*b^4*B))/(3*b^3*(a^2
+ b^2)^3*d*(a + b*Tan[c + d*x]))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3635

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
```

d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^4} dx = \frac{a(Ab - aB) \tan^2(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{\int \frac{\tan(c+dx)(-2a(Ab-aB)+3b(Ab-aB) \tan(c+dx)+(a^2+ab \tan(c+dx))^3}{3b(a^2 + b^2)} dx}{3b(a^2 + b^2)}$$

$$= \frac{a(Ab - aB) \tan^2(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a^2(a^2Ab - 5Ab^3 + 2a^3B + 8ab^2B)}{6b^3(a^2 + b^2)^2d(a + b \tan(c + dx))^2} + \frac{\int \frac{(-2aB - Ab) \tan(c+dx)}{2bd(a+b \tan(c+dx))^3} - \frac{2a^2B+aAb-2b^2B}{3bd(a+b \tan(c+dx))^3} + \frac{ab}{(a^2+b^2)^2(a+b \tan(c+dx))^2} - \frac{ab}{3(a^2+b^2)(a+b \tan(c+dx))} dx}{3b(a^2 + b^2)}$$

$$= \frac{a(Ab - aB) \tan^2(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a^2(a^2Ab - 5Ab^3 + 2a^3B + 8ab^2B)}{6b^3(a^2 + b^2)^2d(a + b \tan(c + dx))^2} - \frac{a(Ab - aB) \tan^2(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))}$$

$$= -\frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B)x}{(a^2 + b^2)^4} + \frac{a(Ab - aB) \tan^2(c + dx)}{3b(a^2 + b^2)d(a + b \tan(c + dx))}$$

$$= -\frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B)x}{(a^2 + b^2)^4} + \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B - a^4B + 6a^2b^2B - b^4B)}{3b(a^2 + b^2)d(a + b \tan(c + dx))}$$

Mathematica [C] time = 6.30685, size = 465, normalized size = 1.56

$$\frac{B \tan^2(c + dx)}{bd(a + b \tan(c + dx))^3} - \frac{(-2aB - Ab) \tan(c+dx)}{2bd(a+b \tan(c+dx))^3} - \frac{2a^2B+aAb-2b^2B}{3bd(a+b \tan(c+dx))^3} + \frac{(6aAb^3+6b^4B) \left(-\frac{b(3a^2-b^2)}{(a^2+b^2)^3(a+b \tan(c+dx))} - \frac{ab}{(a^2+b^2)^2(a+b \tan(c+dx))^2} - \frac{ab}{3(a^2+b^2)(a+b \tan(c+dx))} \right)}{3b(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4,x]
```

```
[Out] -((B*Tan[c + d*x]^2)/(b*d*(a + b*Tan[c + d*x])^3)) - (((-A*b) - 2*a*B)*Tan[c + d*x])/(2*b*d*(a + b*Tan[c + d*x])^3) - ((-a*A*b + 2*a^2*B - 2*b^2*B)/(3*b*d*(a + b*Tan[c + d*x])^3) + (((6*a*A*b^3 + 6*b^4*B)*((-I/2)*Log[I - Tan[c + d*x]])/(a + I*b)^4 + ((I/2)*Log[I + Tan[c + d*x]])/(a - I*b)^4 + (4*a*(a - b)*b*(a + b)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^4 - b/(3*(a^2 + b^2)*(a + b*Tan[c + d*x])^3) - (a*b)/((a^2 + b^2)^2*(a + b*Tan[c + d*x])^2) - (b*(3*a^2 - b^2))/((a^2 + b^2)^3*(a + b*Tan[c + d*x])))/b - 6*A*b^2*(-Log[I - Tan[c + d*x]])/(2*(I*a - b)^3) + Log[I + Tan[c + d*x]])/(2*(I*a + b)^3) + (b*(3*a^2 - b^2)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^3 - b/(2*(a^2 + b^2)*(a + b*Tan[c + d*x])^2) - (2*a*b)/((a^2 + b^2)^2*(a + b*Tan[c + d*x])))/(3*b*d)/(2*b))/b
```

Maple [B] time = 0.059, size = 780, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x)
```

```
[Out] 3/d*a/(a^2+b^2)^3*b^2/(a+b*tan(d*x+c))*A-1/d*a^6/(a^2+b^2)^3/b^3/(a+b*tan(d*x+c))*B-3/d*a^4/(a^2+b^2)^3/b/(a+b*tan(d*x+c))*B-6/d*a^2/(a^2+b^2)^3*b/(a+b*tan(d*x+c))*B-1/3/d*a^4/b^3/(a^2+b^2)/(a+b*tan(d*x+c))^3*B+1/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*a^4-1/d*a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+1/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*b^4-3/2/d*a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^4-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*b^4+1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^4+1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*b^4+4/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a^3*b+3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^2*b^2-2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^3*b+2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a*b^3-4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^3*b-4/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a*b^3+1/d*a^5/b^3/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B-6/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*a^2*b^2-6/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^2*b^2+4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a*b^3-1/2/d*a^4/b^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A+2/d*a^3/b/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B+1/3/d*a^3/b^2/(a^2+b^2)/(a+b*tan(d*x+c))^3*A
```

Maxima [A] time = 1.6824, size = 743, normalized size = 2.49

$$\frac{6(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4)(dx+c)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{6(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4) \log(b \tan(dx+c) + a)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} - \frac{3(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4) \log(b \tan(dx+c) + a)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] 1/6*(6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 6*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*log(b*tan(d*x + c) + a)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8))
```

$*b^4 + 4*a^2*b^6 + b^8) - 3*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*\log(\tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - (2*B*a^8 + A*a^7*b + 4*B*a^6*b^2 + 14*A*a^5*b^3 + 26*B*a^4*b^4 - 11*A*a^3*b^5 + 6*(B*a^6*b^2 + 3*B*a^4*b^4 + A*a^3*b^5 + 6*B*a^2*b^6 - 3*A*a*b^7)*\tan(d*x + c)^2 + 3*(2*B*a^7*b + A*a^6*b^2 + 6*B*a^5*b^3 + 8*A*a^4*b^4 + 20*B*a^3*b^5 - 9*A*a^2*b^6)*\tan(d*x + c))/(a^9*b^3 + 3*a^7*b^5 + 3*a^5*b^7 + a^3*b^9 + (a^6*b^6 + 3*a^4*b^8 + 3*a^2*b^{10} + b^{12})*\tan(d*x + c)^3 + 3*(a^7*b^5 + 3*a^5*b^7 + 3*a^3*b^9 + a*b^{11})*\tan(d*x + c)^2 + 3*(a^8*b^4 + 3*a^6*b^6 + 3*a^4*b^8 + a^2*b^{10})*\tan(d*x + c)))/d$

Fricas [B] time = 2.10378, size = 1777, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")

[Out] $1/6*(3*A*a^7 + 18*B*a^6*b - 30*A*a^5*b^2 - 26*B*a^4*b^3 + 11*A*a^3*b^4 + (2*B*a^7 + A*a^6*b + 6*B*a^5*b^2 + 18*A*a^4*b^3 + 48*B*a^3*b^4 - 27*A*a^2*b^5 + 6*(B*a^4*b^3 - 4*A*a^3*b^4 - 6*B*a^2*b^5 + 4*A*a*b^6 + B*b^7)*d*x)*\tan(d*x + c)^3 + 6*(B*a^7 - 4*A*a^6*b - 6*B*a^5*b^2 + 4*A*a^4*b^3 + B*a^3*b^4)*d*x + 3*(A*a^7 - 2*B*a^6*b + 16*A*a^5*b^2 + 30*B*a^4*b^3 - 23*A*a^3*b^4 - 12*B*a^2*b^5 + 6*A*a*b^6 + 6*(B*a^5*b^2 - 4*A*a^4*b^3 - 6*B*a^3*b^4 + 4*A*a^2*b^5 + B*a*b^6)*d*x)*\tan(d*x + c)^2 + 3*(A*a^7 + 4*B*a^6*b - 6*A*a^5*b^2 - 4*B*a^4*b^3 + A*a^3*b^4 + (A*a^4*b^3 + 4*B*a^3*b^4 - 6*A*a^2*b^5 - 4*B*a*b^6 + A*b^7)*\tan(d*x + c)^3 + 3*(A*a^5*b^2 + 4*B*a^4*b^3 - 6*A*a^3*b^4 - 4*B*a^2*b^5 + A*a*b^6)*\tan(d*x + c)^2 + 3*(A*a^6*b + 4*B*a^5*b^2 - 6*A*a^4*b^3 - 4*B*a^3*b^4 + A*a^2*b^5)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - 3*(2*B*a^7 - 9*A*a^6*b - 22*B*a^5*b^2 + 26*A*a^4*b^3 + 20*B*a^3*b^4 - 9*A*a^2*b^5 - 6*(B*a^6*b - 4*A*a^5*b^2 - 6*B*a^4*b^3 + 4*A*a^3*b^4 + B*a^2*b^5)*d*x)*\tan(d*x + c))/((a^8*b^3 + 4*a^6*b^5 + 6*a^4*b^7 + 4*a^2*b^9 + b^{11})*d*\tan(d*x + c)^3 + 3*(a^9*b^2 + 4*a^7*b^4 + 6*a^5*b^6 + 4*a^3*b^8 + a*b^{10})*d*\tan(d*x + c)^2 + 3*(a^{10}*b + 4*a^8*b^3 + 6*a^6*b^5 + 4*a^4*b^7 + a^2*b^9)*d*\tan(d*x + c) + (a^{11} + 4*a^9*b^2 + 6*a^7*b^4 + 4*a^5*b^6 + a^3*b^8)*d)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.79057, size = 905, normalized size = 3.04

$$\frac{6(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4)(dx+c)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} - \frac{3(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4)\log(\tan(dx+c)^2 + 1)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{6(Aa^4b + 4Ba^3b^2 - 6Aa^2b^3 - 4Bab^4 + Ab^5)\log(b\tan(dx+c) + a)}{a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7 + b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{6} \cdot \frac{(6(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4)(dx + c) / (a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8) - 3(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4) \log(\tan(dx + c)^2 + 1) / (a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8) + 6(Aa^4b + 4Ba^3b^2 - 6Aa^2b^3 - 4Bab^4 + Ab^5) \log(\text{abs}(b \tan(dx + c) + a)) / (a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7 + b^9) - (11Aa^4b^6 \tan(dx + c)^3 + 44Ba^3b^7 \tan(dx + c)^3 - 66Aa^2b^8 \tan(dx + c)^3 - 44Bab^9 \tan(dx + c)^3 + 11Ab^{10} \tan(dx + c)^3 + 6Ba^8b^2 \tan(dx + c)^2 + 24Ba^6b^4 \tan(dx + c)^2 + 39Aa^5b^5 \tan(dx + c)^2 + 186Ba^4b^6 \tan(dx + c)^2 - 210Aa^3b^7 \tan(dx + c)^2 - 96Ba^2b^8 \tan(dx + c)^2 + 15Aab^9 \tan(dx + c)^2 + 6Ba^9b \tan(dx + c) + 3Aa^8b^2 \tan(dx + c) + 24Ba^7b^3 \tan(dx + c) + 60Aa^6b^4 \tan(dx + c) + 210Ba^5b^5 \tan(dx + c) - 201Aa^4b^6 \tan(dx + c) - 72Ba^3b^7 \tan(dx + c) + 6Aa^2b^8 \tan(dx + c) + 2Ba^{10} + Aa^9b + 6Ba^8b^2 + 26Aa^7b^3 + 74Ba^6b^4 - 63Aa^5b^5 - 18Ba^4b^6) / ((a^8b^3 + 4a^6b^5 + 6a^4b^7 + 4a^2b^9 + b^{11}) \cdot (b \tan(dx + c) + a)^3)}{d}$$

$$3.292 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=261

$$-\frac{a^2(Ab - aB)}{3b^2d(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - aB(a^2 + 3b^2))}{2b^2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} + \frac{3a^2Ab + a^3(-B) + 3ab^2B - Ab^3}{d(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{(4a^3Ab}{$$

[Out] -(((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*x)/(a^2 + b^2)^4) - ((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^4*d) - (a^2*(A*b - a*B))/(3*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(2*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) + (3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)/((a^2 + b^2)^3*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.482599, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3604, 3628, 3529, 3531, 3530}

$$-\frac{a^2(Ab - aB)}{3b^2d(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - aB(a^2 + 3b^2))}{2b^2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} + \frac{3a^2Ab + a^3(-B) + 3ab^2B - Ab^3}{d(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{(4a^3Ab}{$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]

[Out] -(((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*x)/(a^2 + b^2)^4) - ((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)^4*d) - (a^2*(A*b - a*B))/(3*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(2*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) + (3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)/((a^2 + b^2)^3*d*(a + b*Tan[c + d*x]))

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[(A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1)/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rubi steps

$$\int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^4} dx = -\frac{a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{\int \frac{-a(Ab - aB) + b(Ab - aB) \tan(c + dx) + (a^2 + b^2)B}{(a + b \tan(c + dx))^3} dx}{b(a^2 + b^2)}$$

$$= -\frac{a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - a(a^2 + 3b^2)B)}{2b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2}$$

$$= -\frac{a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a(2Ab^3 - a(a^2 + 3b^2)B)}{2b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2}$$

$$= -\frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x}{(a^2 + b^2)^4} - \frac{a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^3}$$

$$= -\frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x}{(a^2 + b^2)^4} - \frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2bB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^3}$$

Mathematica [C] time = 6.26573, size = 411, normalized size = 1.57

$$\frac{B \tan(c + dx)}{2bd(a + b \tan(c + dx))^3} - \frac{aB + 2Ab}{3bd(a + b \tan(c + dx))^3} + \frac{(6Ab^3 - 6ab^2B) \left(\frac{b(3a^2 - b^2)}{(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{ab}{(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{b}{3(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{4ab}{b} \right)}{3bd(a + b \tan(c + dx))^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]
```

```
[Out] -(B*Tan[c + d*x])/(2*b*d*(a + b*Tan[c + d*x])^3) - ((2*A*b + a*B)/(3*b*d*(a + b*Tan[c + d*x])^3) + (((6*A*b^3 - 6*a*b^2*B)*((-I/2)*Log[I - Tan[c + d*x]])/(a + I*b)^4 + ((I/2)*Log[I + Tan[c + d*x]])/(a - I*b)^4 + (4*a*(a - b)*b*(a + b)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^4 - b/(3*(a^2 + b^2)*(a + b
```

*Tan[c + d*x])^3) - (a*b)/((a^2 + b^2)^2*(a + b*Tan[c + d*x])^2) - (b*(3*a^2 - b^2))/((a^2 + b^2)^3*(a + b*Tan[c + d*x])))/b + 6*b*B*(-Log[I - Tan[c + d*x]]/(2*(I*a - b)^3) + Log[I + Tan[c + d*x]]/(2*(I*a + b)^3) + (b*(3*a^2 - b^2)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^3 - b/(2*(a^2 + b^2)*(a + b*Tan[c + d*x])^2) - (2*a*b)/((a^2 + b^2)^2*(a + b*Tan[c + d*x])))/(3*b*d))/(2*b)

Maple [B] time = 0.059, size = 709, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x)

[Out] 2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^3*b-2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a*b^3-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^4+3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^2*b^2-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*b^4-1/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^4+6/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^2*b^2-1/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*b^4-4/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^3*b+4/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a*b^3-1/3/d*a^2/b/(a^2+b^2)/(a+b*tan(d*x+c))^3*A+1/3/d*a^3/b^2/(a^2+b^2)/(a+b*tan(d*x+c))^3*B+3/d*a^2*b/(a^2+b^2)^3/(a+b*tan(d*x+c))*A-1/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*A*b^3-1/d*a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*B+3/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*B*a*b^2-4/d*a^3/(a^2+b^2)^4*b*ln(a+b*tan(d*x+c))*A+4/d*a/(a^2+b^2)^4*b^3*ln(a+b*tan(d*x+c))*A+1/d*a^4/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B-6/d*a^2/(a^2+b^2)^4*b^2*ln(a+b*tan(d*x+c))*B+1/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*b^4+1/d*a/(a^2+b^2)^2*b/(a+b*tan(d*x+c))^2*A-1/2/d*a^4/b^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B-3/2/d*a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B

Maxima [B] time = 1.61439, size = 710, normalized size = 2.72

$$\frac{6(Aa^4+4Ba^3b-6Aa^2b^2-4Bab^3+Ab^4)(dx+c)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} - \frac{6(Ba^4-4Aa^3b-6Ba^2b^2+4Aab^3+Bb^4)\log(b\tan(dx+c)+a)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} + \frac{3(Ba^4-4Aa^3b-6Ba^2b^2+4Aab^3+Bb^4)\log(\tan(dx+c))}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")

[Out] -1/6*(6*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*log(b*tan(d*x + c) + a)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 3*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*log(tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + (B*a^7 + 2*A*a^6*b + 14*B*a^5*b^2 - 20*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5 + 6*(B*a^3*b^4 - 3*A*a^2*b^5 - 3*B*a*b^6 + A*b^7)*tan(d*x + c)^2 + 3*(B*a^6*b + 8*B*a^4*b^3 - 14*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*tan(d*x + c))/(a^9*b^2 + 3*a^7*b^4 + 3*a^5*b^6 + a^3*b^8 + (a^6*b^5 + 3*a^4*b^7 + 3*a^2*b^9 + b^11)*tan(d*x + c)^3 + 3*(a^7*b^4 + 3*a^5*b^6 + 3*a^3*b^8 + a*b^10)*tan(d*x + c)^2 + 3*(a^8*b^3 + 3*a^6*b^5 + 3*a^4*b^7 + a^2*b^9)*tan(d*x + c))/d

Fricas [B] time = 2.12452, size = 1829, normalized size = 7.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\frac{1}{6} \cdot (3B^3a^7 - 12A^2a^6b - 30B^2a^5b^2 + 30A^2a^4b^3 + 11B^2a^3b^4 - 2A^2a^2b^5 + (B^2a^6b + 2A^2a^5b^2 + 18B^2a^4b^3 - 30A^2a^3b^4 - 27B^2a^2b^5 + 12A^2ab^6 - 6(A^2a^4b^3 + 4B^2a^3b^4 - 6A^2a^2b^5 - 4B^2ab^6 + Ab^7) \cdot dx) \cdot \tan(d*x + c)^3 - 6(A^2a^7 + 4B^2a^6b - 6A^2a^5b^2 - 4B^2a^4b^3 + A^2a^3b^4) \cdot dx + 3(B^2a^7 + 2A^2a^6b + 16B^2a^5b^2 - 24A^2a^4b^3 - 23B^2a^3b^4 + 16A^2a^2b^5 + 6B^2ab^6 - 2A^2b^7 - 6(A^2a^5b^2 + 4B^2a^4b^3 - 6A^2a^3b^4 - 4B^2a^2b^5 + A^2ab^6) \cdot dx) \cdot \tan(d*x + c)^2 + 3(B^2a^7 - 4A^2a^6b - 6B^2a^5b^2 + 4A^2a^4b^3 + B^2a^3b^4 + (B^2a^4b^3 - 4A^2a^3b^4 - 6B^2a^2b^5 + 4A^2ab^6 + B^2b^7) \cdot \tan(d*x + c)^3 + 3(B^2a^5b^2 - 4A^2a^4b^3 - 6B^2a^3b^4 + 4A^2a^2b^5 + B^2ab^6) \cdot \tan(d*x + c)^2 + 3(B^2a^6b - 4A^2a^5b^2 - 6B^2a^4b^3 + 4A^2a^3b^4 + B^2a^2b^5) \cdot \tan(d*x + c)) \cdot \log\left(\frac{b^2 \tan(d*x + c)^2 + 2ab \tan(d*x + c) + a^2}{\tan(d*x + c)^2 + 1}\right) + 3(2A^2a^7 + 9B^2a^6b - 16A^2a^5b^2 - 26B^2a^4b^3 + 24A^2a^3b^4 + 9B^2a^2b^5 - 2A^2ab^6 - 6(A^2a^6b + 4B^2a^5b^2 - 6A^2a^4b^3 - 4B^2a^3b^4 + A^2a^2b^5) \cdot dx) \cdot \tan(d*x + c)) / ((a^8b^3 + 4a^6b^5 + 6a^4b^7 + 4a^2b^9 + b^{11}) \cdot dx \cdot \tan(d*x + c)^3 + 3(a^9b^2 + 4a^7b^4 + 6a^5b^6 + 4a^3b^8 + ab^{10}) \cdot dx \cdot \tan(d*x + c)^2 + 3(a^{10}b + 4a^8b^3 + 6a^6b^5 + 4a^4b^7 + a^2b^9) \cdot dx \cdot \tan(d*x + c) + (a^{11} + 4a^9b^2 + 6a^7b^4 + 4a^5b^6 + a^3b^8) \cdot dx)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.4937, size = 853, normalized size = 3.27

$$\frac{6(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4)(dx+c)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{3(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4) \log(\tan(dx+c)^2 + 1)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} - \frac{6(Ba^4b - 4Aa^3b^2 - 6Ba^2b^3 + 4Aab^4 + Bb^5)}{a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$-1/6 \cdot (6(A^2a^4 + 4B^2a^3b - 6A^2a^2b^2 - 4B^2ab^3 + Ab^4) \cdot (d*x + c) / (a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8) + 3(B^2a^4 - 4A^2a^3b - 6B^2a^2b^2 + 4A^2ab^3 + B^2b^4) \cdot \tan(d*x + c) / (a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8))$$

$$\begin{aligned}
& ^2*b^2 + 4*A*a*b^3 + B*b^4)*\log(\tan(dx + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 6*(B*a^4*b - 4*A*a^3*b^2 - 6*B*a^2*b^3 + 4*A*a*b^4 + B*b^5)*\log(\text{abs}(b*\tan(dx + c) + a))/(a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9) + (11*B*a^4*b^5*\tan(dx + c)^3 - 44*A*a^3*b^6*\tan(dx + c)^3 - 66*B*a^2*b^7*\tan(dx + c)^3 + 44*A*a*b^8*\tan(dx + c)^3 + 11*B*b^9*\tan(dx + c)^3 + 39*B*a^5*b^4*\tan(dx + c)^2 - 150*A*a^4*b^5*\tan(dx + c)^2 - 210*B*a^3*b^6*\tan(dx + c)^2 + 120*A*a^2*b^7*\tan(dx + c)^2 + 15*B*a*b^8*\tan(dx + c)^2 + 6*A*b^9*\tan(dx + c)^2 + 3*B*a^8*b*\tan(dx + c) + 60*B*a^6*b^3*\tan(dx + c) - 174*A*a^5*b^4*\tan(dx + c) - 201*B*a^4*b^5*\tan(dx + c) + 96*A*a^3*b^6*\tan(dx + c) + 6*B*a^2*b^7*\tan(dx + c) + 6*A*a*b^8*\tan(dx + c) + B*a^9 + 2*A*a^8*b + 26*B*a^7*b^2 - 62*A*a^6*b^3 - 63*B*a^5*b^4 + 26*A*a^4*b^5 + 2*A*a^2*b^7)/((a^8*b^2 + 4*a^6*b^4 + 6*a^4*b^6 + 4*a^2*b^8 + b^10)*(b*\tan(dx + c) + a)^3)/d
\end{aligned}$$

$$3.293 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=250

$$\frac{a(Ab - aB)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a^3A + 3a^2bB - 3aAb^2 - b^3B}{d(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{a^2A + 2abB - Ab^2}{2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{(-6a^2Ab^2)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3}$$

[Out] $((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*x)/(a^2 + b^2)^4 - ((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*\text{Log}[a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x]])/((a^2 + b^2)^4*d) + (a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*(a + b*\text{Tan}[c + d*x])^3) + (a^2*A - A*b^2 + 2*a*b*B)/(2*(a^2 + b^2)^2*d*(a + b*\text{Tan}[c + d*x])^2) + (a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)/((a^2 + b^2)^3*d*(a + b*\text{Tan}[c + d*x]))$

Rubi [A] time = 0.427556, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3591, 3529, 3531, 3530}

$$\frac{a(Ab - aB)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{a^3A + 3a^2bB - 3aAb^2 - b^3B}{d(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{a^2A + 2abB - Ab^2}{2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{(-6a^2Ab^2)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + d*x]*(A + B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x])^4, x]$

[Out] $((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*x)/(a^2 + b^2)^4 - ((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*\text{Log}[a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x]])/((a^2 + b^2)^4*d) + (a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*(a + b*\text{Tan}[c + d*x])^3) + (a^2*A - A*b^2 + 2*a*b*B)/(2*(a^2 + b^2)^2*d*(a + b*\text{Tan}[c + d*x])^2) + (a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)/((a^2 + b^2)^3*d*(a + b*\text{Tan}[c + d*x]))$

Rule 3591

$\text{Int}(((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol) :> \text{Simp}(((b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}(((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol) :> \text{Simp}(((b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3531

$\text{Int}(((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol) :> \text{Simp}(((a*c + b*d)*x)/(a^2 + b^2), x] + \text{Dist}[(b*c - a*d)/(a^2 + b^2), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\int \frac{\tan(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^4} dx = \frac{a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{\int \frac{Ab - aB + (aA + bB)\tan(c + dx)}{(a + b \tan(c + dx))^3} dx}{a^2 + b^2}$$

$$= \frac{a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a^2A - Ab^2 + 2abB}{2(a^2 + b^2)^2d(a + b \tan(c + dx))^2} + \int \frac{2aAb}{(a^2 + b^2)^2d(a + b \tan(c + dx))^2} dx$$

$$= \frac{a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{a^2A - Ab^2 + 2abB}{2(a^2 + b^2)^2d(a + b \tan(c + dx))^2} + \frac{a^3A}{(a^2 + b^2)^2d(a + b \tan(c + dx))^2}$$

$$= \frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B)x}{(a^2 + b^2)^4} + \frac{a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^3}$$

$$= \frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B)x}{(a^2 + b^2)^4} - \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4a^2b^2B)}{(a^2 + b^2)^4}$$

Mathematica [C] time = 1.13117, size = 248, normalized size = 0.99

$$\frac{2a(Ab - aB)}{b(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{6(a^3A + 3a^2bB - 3aAb^2 - b^3B)}{(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{3(a^2A + 2abB - Ab^2)}{(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{6(-6a^2Ab^2 + a^4A + 4a^3bB - 4ab^3B + Ab^4)\log(a + b \tan(c + dx))}{(a^2 + b^2)^4} + \frac{3(a^2A - Ab^2 + 2abB)}{(a^2 + b^2)^2d(a + b \tan(c + dx))^2}$$

6d

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]

[Out] ((3*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)^4 + (3*(A - I*B)*Log[I + Tan[c + d*x]])/(a - I*b)^4 - (6*(a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^4 + (2*a*(A*b - a*B))/(b*(a^2 + b^2)*(a + b*Tan[c + d*x])^3) + (3*(a^2*A - A*b^2 + 2*a*b*B))/((a^2 + b^2)^2*(a + b*Tan[c + d*x])^2) + (6*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B))/((a^2 + b^2)^3*(a + b*Tan[c + d*x])))/(6*d)

Maple [B] time = 0.052, size = 702, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4, x)


```
[Out] 1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^4-3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^2*b^2+1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*b^4+2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^3*b-2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a*b^3+4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^3*b-4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a*b^3-1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^4+6/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^2*b^2-1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*b^4+1/3/d*a/(a^2+b^2)/(a+b*tan(d*x+c))^3*A-1/3/d*a^2/(a^2+b^2)/b/(a+b*tan(d*x+c))^3*B+1/2/d*a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A-1/2/d/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A*b^2+1/d/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B*a*b+1/d*a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*A-3/d*a/(a^2+b^2)^3*b^2/(a+b*tan(d*x+c))*A+3/d*a^2/(a^2+b^2)^3*b/(a+b*tan(d*x+c))*B-1/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*B*b^3-1/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*a^4+6/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*a^2*b^2-1/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*b^4-4/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a^3*b+4/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a*b^3
```

Maxima [B] time = 1.59517, size = 706, normalized size = 2.82

$$\frac{6(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4)(dx+c)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{6(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4) \log(b \tan(dx+c)+a)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} - \frac{3(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4) \log(b \tan(dx+c)+a)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] -1/6*(6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 6*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*log(b*tan(d*x + c) + a)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 3*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + (2*B*a^6 - 11*A*a^5*b - 20*B*a^4*b^2 + 14*A*a^3*b^3 + 2*B*a^2*b^4 + A*a*b^5 - 6*(A*a^3*b^3 + 3*B*a^2*b^4 - 3*A*a*b^5 - B*b^6))*tan(d*x + c)^2 - 3*(5*A*a^4*b^2 + 14*B*a^3*b^3 - 12*A*a^2*b^4 - 2*B*a*b^5 - A*b^6))*tan(d*x + c))/(a^9*b + 3*a^7*b^3 + 3*a^5*b^5 + a^3*b^7 + (a^6*b^4 + 3*a^4*b^6 + 3*a^2*b^8 + b^10))*tan(d*x + c)^3 + 3*(a^7*b^3 + 3*a^5*b^5 + 3*a^3*b^7 + a*b^9))*tan(d*x + c)^2 + 3*(a^8*b^2 + 3*a^6*b^4 + 3*a^4*b^6 + a^2*b^8))*tan(d*x + c))/d
```

Fricas [B] time = 2.10397, size = 1831, normalized size = 7.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] -1/6*(12*B*a^6*b - 27*A*a^5*b^2 - 30*B*a^4*b^3 + 18*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6 - (2*B*a^5*b^2 - 11*A*a^4*b^3 - 30*B*a^3*b^4 + 30*A*a^2*b^5 + 12*B*a*b^6 - 3*A*b^7 - 6*(B*a^4*b^3 - 4*A*a^3*b^4 - 6*B*a^2*b^5 + 4*A*a*b^6 + B*b^7))*d*x)*tan(d*x + c)^3 + 6*(B*a^7 - 4*A*a^6*b - 6*B*a^5*b^2 + 4*A*a^4*b^3 + B*a^3*b^4)*d*x - 3*(2*B*a^6*b - 9*A*a^5*b^2 - 24*B*a^4*b^3 + 26*A*a^3*b^4 + 16*B*a^2*b^5 - 9*A*a*b^6 - 2*B*b^7 - 6*(B*a^5*b^2 - 4*A*a^4*b^3 - 6*B*a^3*b^4 + 4*A*a^2*b^5 + B*a*b^6))*d*x)*tan(d*x + c)^2 + 3*(A*a^7 + 4*B*a^6
```

```
*b - 6*A*a^5*b^2 - 4*B*a^4*b^3 + A*a^3*b^4 + (A*a^4*b^3 + 4*B*a^3*b^4 - 6*A
*a^2*b^5 - 4*B*a*b^6 + A*b^7)*tan(d*x + c)^3 + 3*(A*a^5*b^2 + 4*B*a^4*b^3 -
6*A*a^3*b^4 - 4*B*a^2*b^5 + A*a*b^6)*tan(d*x + c)^2 + 3*(A*a^6*b + 4*B*a^5
*b^2 - 6*A*a^4*b^3 - 4*B*a^3*b^4 + A*a^2*b^5)*tan(d*x + c))*log((b^2*tan(d*
x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - 3*(2*B*a^7 - 6
*A*a^6*b - 16*B*a^5*b^2 + 23*A*a^4*b^3 + 24*B*a^3*b^4 - 16*A*a^2*b^5 - 2*B*
a*b^6 - A*b^7 - 6*(B*a^6*b - 4*A*a^5*b^2 - 6*B*a^4*b^3 + 4*A*a^3*b^4 + B*a^
2*b^5)*d*x)*tan(d*x + c))/((a^8*b^3 + 4*a^6*b^5 + 6*a^4*b^7 + 4*a^2*b^9 + b
^11)*d*tan(d*x + c)^3 + 3*(a^9*b^2 + 4*a^7*b^4 + 6*a^5*b^6 + 4*a^3*b^8 + a
b^10)*d*tan(d*x + c)^2 + 3*(a^10*b + 4*a^8*b^3 + 6*a^6*b^5 + 4*a^4*b^7 + a^
2*b^9)*d*tan(d*x + c) + (a^11 + 4*a^9*b^2 + 6*a^7*b^4 + 4*a^5*b^6 + a^3*b^8
)*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [B] time = 1.2896, size = 861, normalized size = 3.44

$$\frac{6(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4)(dx+c)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} - \frac{3(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Bab^3 + Ab^4)\log(\tan(dx+c)^2+1)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{6(Aa^4b + 4Ba^3b^2 - 6Aa^2b^3 - 4Bab^4 + Ab^5)\log(\tan(dx+c)^2+1)}{a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7 + b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/6*(6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*(d*x + c)/(a^
8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 3*(A*a^4 + 4*B*a^3*b - 6*A*a
^2*b^2 - 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^
4*b^4 + 4*a^2*b^6 + b^8) + 6*(A*a^4*b + 4*B*a^3*b^2 - 6*A*a^2*b^3 - 4*B*a*b
^4 + A*b^5)*log(abs(b*tan(d*x + c) + a))/(a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4
*a^2*b^7 + b^9) - (11*A*a^4*b^4*tan(d*x + c)^3 + 44*B*a^3*b^5*tan(d*x + c)^
3 - 66*A*a^2*b^6*tan(d*x + c)^3 - 44*B*a*b^7*tan(d*x + c)^3 + 11*A*b^8*tan(
d*x + c)^3 + 39*A*a^5*b^3*tan(d*x + c)^2 + 150*B*a^4*b^4*tan(d*x + c)^2 - 2
10*A*a^3*b^5*tan(d*x + c)^2 - 120*B*a^2*b^6*tan(d*x + c)^2 + 15*A*a*b^7*tan
(d*x + c)^2 - 6*B*b^8*tan(d*x + c)^2 + 48*A*a^6*b^2*tan(d*x + c) + 174*B*a^
5*b^3*tan(d*x + c) - 219*A*a^4*b^4*tan(d*x + c) - 96*B*a^3*b^5*tan(d*x + c)
- 6*A*a^2*b^6*tan(d*x + c) - 6*B*a*b^7*tan(d*x + c) - 3*A*b^8*tan(d*x + c)
- 2*B*a^8 + 22*A*a^7*b + 62*B*a^6*b^2 - 69*A*a^5*b^3 - 26*B*a^4*b^4 - 4*A*
a^3*b^5 - 2*B*a^2*b^6 - A*a*b^7)/((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^
7 + b^9)*(b*tan(d*x + c) + a)^3))/d
```

$$3.294 \quad \int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=247

$$\frac{Ab - aB}{3d(a^2 + b^2)(a + b \tan(c + dx))^3} - \frac{3a^2Ab + a^3(-B) + 3ab^2B - Ab^3}{d(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{a^2(-B) + 2aAb + b^2B}{2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} + \frac{(4a^3Ab - a^4B - b^4B)}{d(a^2 + b^2)(a + b \tan(c + dx))}$$

[Out] $((a^4A - 6a^2Ab^2 + A^2b^4 + 4a^3b^2B - 4a^2b^3B)x)/(a^2 + b^2)^4 + (4a^3Ab - 4a^2b^3 - a^4B + 6a^2b^2B - b^4B) \cdot \text{Log}[a \cdot \text{Cos}[c + dx] + b \cdot \text{Sin}[c + dx]] / ((a^2 + b^2)^4 d) - (Ab - aB) / (3(a^2 + b^2)d(a + b \tan(c + dx))^3) - (2a^2Ab - a^2B + b^2B) / (2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2) - (3a^2Ab - A^2b^3 - a^3B + 3a^2b^2B) / ((a^2 + b^2)^3 d(a + b \tan(c + dx)))$

Rubi [A] time = 0.408388, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3529, 3531, 3530}

$$\frac{Ab - aB}{3d(a^2 + b^2)(a + b \tan(c + dx))^3} - \frac{3a^2Ab + a^3(-B) + 3ab^2B - Ab^3}{d(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{a^2(-B) + 2aAb + b^2B}{2d(a^2 + b^2)^2(a + b \tan(c + dx))^2} + \frac{(4a^3Ab - a^4B - b^4B)}{d(a^2 + b^2)(a + b \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^4, x]

[Out] $((a^4A - 6a^2Ab^2 + A^2b^4 + 4a^3b^2B - 4a^2b^3B)x)/(a^2 + b^2)^4 + (4a^3Ab - 4a^2b^3 - a^4B + 6a^2b^2B - b^4B) \cdot \text{Log}[a \cdot \text{Cos}[c + dx] + b \cdot \text{Sin}[c + dx]] / ((a^2 + b^2)^4 d) - (Ab - aB) / (3(a^2 + b^2)d(a + b \tan(c + dx))^3) - (2a^2Ab - a^2B + b^2B) / (2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2) - (3a^2Ab - A^2b^3 - a^3B + 3a^2b^2B) / ((a^2 + b^2)^3 d(a + b \tan(c + dx)))$

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^4} dx = -\frac{Ab - aB}{3(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{\int \frac{aA + bB - (Ab - aB) \tan(c + dx)}{(a + b \tan(c + dx))^3} dx}{a^2 + b^2}$$

$$= -\frac{Ab - aB}{3(a^2 + b^2)d(a + b \tan(c + dx))^3} - \frac{2aAb - a^2B + b^2B}{2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2} + \frac{\int \frac{a^2A - Ab^2 + 2abB - (2a^2B - Ab^2)}{(a + b \tan(c + dx))^3} dx}{(a^2 + b^2)^2}$$

$$= -\frac{Ab - aB}{3(a^2 + b^2)d(a + b \tan(c + dx))^3} - \frac{2aAb - a^2B + b^2B}{2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2} - \frac{3a^2Ab - Ab^3 - a^2B^2}{(a^2 + b^2)^3 d(a + b \tan(c + dx))} + \frac{\int \frac{a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B}{(a^2 + b^2)^4} dx}{(a^2 + b^2)^4}$$

$$= \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B)x}{(a^2 + b^2)^4} - \frac{Ab - aB}{3(a^2 + b^2)d(a + b \tan(c + dx))^3} - \frac{2aAb - a^2B + b^2B}{2(a^2 + b^2)^2 d(a + b \tan(c + dx))^2} + \frac{(4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B) \log(a + b \tan(c + dx))}{(a^2 + b^2)^4 d}$$

Mathematica [C] time = 6.23327, size = 327, normalized size = 1.32

$$\frac{(Ab - aB) \left(\frac{6b(3a^2 - b^2)}{(a^2 + b^2)^3 (a + b \tan(c + dx))} + \frac{6ab}{(a^2 + b^2)^2 (a + b \tan(c + dx))^2} + \frac{2b}{(a^2 + b^2)(a + b \tan(c + dx))^3} - \frac{24ab(a - b)(a + b) \log(a + b \tan(c + dx))}{(a^2 + b^2)^4} + \frac{3i \log(-\tan(c + dx))}{(a + b \tan(c + dx))} \right)}{6bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^4, x]
```

```
[Out] -((A*b - a*B)*(((3*I)*Log[I - Tan[c + d*x]])/(a + I*b)^4 - ((3*I)*Log[I + Tan[c + d*x]])/(a - I*b)^4 - (24*a*(a - b)*b*(a + b)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^4 + (2*b)/((a^2 + b^2)*(a + b*Tan[c + d*x])^3) + (6*a*b)/((a^2 + b^2)^2*(a + b*Tan[c + d*x])^2) + (6*b*(3*a^2 - b^2))/((a^2 + b^2)^3*(a + b*Tan[c + d*x]))) / (6*b*d) - (B*(Log[I - Tan[c + d*x]])/(I*a - b)^3 - Log[I + Tan[c + d*x]])/(I*a + b)^3 - (2*b*(3*a^2 - b^2)*Log[a + b*Tan[c + d*x]])/(a^2 + b^2)^3 + b/((a^2 + b^2)*(a + b*Tan[c + d*x])^2) + (4*a*b)/((a^2 + b^2)^2*(a + b*Tan[c + d*x])) / (2*b*d)
```

Maple [B] time = 0.053, size = 695, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4, x)
```

```
[Out] -2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^3*b+2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a*b^3+1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^4-3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^2*b^2+1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*b^4+1/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^4-6/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^2*b^2+1/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*b^4+4/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^3*b-4/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a*b^3-3/d*a^2*b/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+1/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*A*b^3+1/d*a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*B-3/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*B*a*b^2+4/d*a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*B
```

$$a^2+b^2)^4*b*\ln(a+b*\tan(dx+c))*A-4/d*a/(a^2+b^2)^4*b^3*\ln(a+b*\tan(dx+c))*A-1/d*a^4/(a^2+b^2)^4*\ln(a+b*\tan(dx+c))*B+6/d*a^2/(a^2+b^2)^4*b^2*\ln(a+b*\tan(dx+c))*B-1/d/(a^2+b^2)^4*\ln(a+b*\tan(dx+c))*B*b^4-1/3/d/(a^2+b^2)/(a+b*\tan(dx+c))^3*A*b+1/3/d/(a^2+b^2)/(a+b*\tan(dx+c))^3*a*B-1/d*a/(a^2+b^2)^2*b/(a+b*\tan(dx+c))^2*A+1/2/d*a^2/(a^2+b^2)^2/(a+b*\tan(dx+c))^2*B-1/2/d/(a^2+b^2)^2/(a+b*\tan(dx+c))^2*b^2*B$$

Maxima [B] time = 1.53686, size = 694, normalized size = 2.81

$$\frac{6(Aa^4+4Ba^3b-6Aa^2b^2-4Bab^3+Ab^4)(dx+c)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} - \frac{6(Ba^4-4Aa^3b-6Ba^2b^2+4Aab^3+Bb^4)\log(b\tan(dx+c)+a)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} + \frac{3(Ba^4-4Aa^3b-6Ba^2b^2+4Aab^3+Bb^4)\log(b\tan(dx+c)+a)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/(a+b*tan(dx+c))^4,x, algorithm="maxima")

[Out] $\frac{1}{6} * (6 * (A * a^4 + 4 * B * a^3 * b - 6 * A * a^2 * b^2 - 4 * B * a * b^3 + A * b^4) * (d * x + c) / (a^8 + 4 * a^6 * b^2 + 6 * a^4 * b^4 + 4 * a^2 * b^6 + b^8) - 6 * (B * a^4 - 4 * A * a^3 * b - 6 * B * a^2 * b^2 + 4 * A * a * b^3 + B * b^4) * \log(b * \tan(d * x + c) + a) / (a^8 + 4 * a^6 * b^2 + 6 * a^4 * b^4 + 4 * a^2 * b^6 + b^8) + 3 * (B * a^4 - 4 * A * a^3 * b - 6 * B * a^2 * b^2 + 4 * A * a * b^3 + B * b^4) * \log(\tan(d * x + c)^2 + 1) / (a^8 + 4 * a^6 * b^2 + 6 * a^4 * b^4 + 4 * a^2 * b^6 + b^8) + (11 * B * a^5 - 26 * A * a^4 * b - 14 * B * a^3 * b^2 - 4 * A * a^2 * b^3 - B * a * b^4 - 2 * A * b^5 + 6 * (B * a^3 * b^2 - 3 * A * a^2 * b^3 - 3 * B * a * b^4 + A * b^5) * \tan(d * x + c)^2 + 3 * (5 * B * a^4 * b - 14 * A * a^3 * b^2 - 12 * B * a^2 * b^3 + 2 * A * a * b^4 - B * b^5) * \tan(d * x + c)) / (a^9 + 3 * a^7 * b^2 + 3 * a^5 * b^4 + a^3 * b^6 + (a^6 * b^3 + 3 * a^4 * b^5 + 3 * a^2 * b^7 + b^9) * \tan(d * x + c)^3 + 3 * (a^7 * b^2 + 3 * a^5 * b^4 + 3 * a^3 * b^6 + a * b^8) * \tan(d * x + c)^2 + 3 * (a^8 * b + 3 * a^6 * b^3 + 3 * a^4 * b^5 + a^2 * b^7) * \tan(d * x + c)) / d$

Fricas [B] time = 2.06781, size = 1777, normalized size = 7.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/(a+b*tan(dx+c))^4,x, algorithm="fricas")

[Out] $\frac{1}{6} * (27 * B * a^5 * b^2 - 48 * A * a^4 * b^3 - 18 * B * a^3 * b^4 - 6 * A * a^2 * b^5 - B * a * b^6 - 2 * A * b^7 - (11 * B * a^4 * b^3 - 26 * A * a^3 * b^4 - 30 * B * a^2 * b^5 + 18 * A * a * b^6 + 3 * B * b^7 - 6 * (A * a^4 * b^3 + 4 * B * a^3 * b^4 - 6 * A * a^2 * b^5 - 4 * B * a * b^6 + A * b^7) * d * x) * \tan(d * x + c)^3 + 6 * (A * a^7 + 4 * B * a^6 * b - 6 * A * a^5 * b^2 - 4 * B * a^4 * b^3 + A * a^3 * b^4) * d * x - 3 * (9 * B * a^5 * b^2 - 20 * A * a^4 * b^3 - 26 * B * a^3 * b^4 + 22 * A * a^2 * b^5 + 9 * B * a * b^6 - 2 * A * b^7 - 6 * (A * a^5 * b^2 + 4 * B * a^4 * b^3 - 6 * A * a^3 * b^4 - 4 * B * a^2 * b^5 + A * a * b^6) * d * x) * \tan(d * x + c)^2 - 3 * (B * a^7 - 4 * A * a^6 * b - 6 * B * a^5 * b^2 + 4 * A * a^4 * b^3 + B * a^3 * b^4 + (B * a^4 * b^3 - 4 * A * a^3 * b^4 - 6 * B * a^2 * b^5 + 4 * A * a * b^6 + B * b^7) * \tan(d * x + c)^3 + 3 * (B * a^5 * b^2 - 4 * A * a^4 * b^3 - 6 * B * a^3 * b^4 + 4 * A * a^2 * b^5 + B * a * b^6) * \tan(d * x + c)^2 + 3 * (B * a^6 * b - 4 * A * a^5 * b^2 - 6 * B * a^4 * b^3 + 4 * A * a^3 * b^4 + B * a^2 * b^5) * \tan(d * x + c)) * \log((b^2 * \tan(d * x + c)^2 + 2 * a * b * \tan(d * x + c) + a^2) / (\tan(d * x + c)^2 + 1)) - 3 * (6 * B * a^6 * b - 12 * A * a^5 * b^2 - 23 * B * a^4 * b^3 + 30 * A * a^3 * b^4 + 16 * B * a^2 * b^5 - 2 * A * a * b^6 + B * b^7 - 6 * (A * a^6 * b + 4 * B * a^5 * b^2 - 6 * A * a^4 * b^3 - 4 * B * a^3 * b^4 + A * a^2 * b^5) * d * x) * \tan(d * x + c)) / ((a^8 * b^3 + 4 * a^6 * b^5 + 6 * a^4 * b^7 + 4 * a^2 * b^9 + b^11) * d * \tan(d * x + c)^3 + 3 * (a^9 * b^2 + 4 * a^7 * b^4 + 6 * a^5 * b^6 + 4 * a^3 * b^8 + a * b^10) * d * \tan(d * x + c)^2 + 3 * (a^10 * b + 4 * a^8 * b^3 + 6 * a^6 * b^5 + 4 * a^4 * b^7 + a^2 * b^9) * d * \tan(d * x + c) + (a^11 + 4 * a^9 * b^3$

$2 + 6*a^7*b^4 + 4*a^5*b^6 + a^3*b^8)*d)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Exception raised: AttributeError

Giac [B] time = 1.2606, size = 851, normalized size = 3.45

$$\frac{6(Aa^4+4Ba^3b-6Aa^2b^2-4Bab^3+Ab^4)(dx+c)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} + \frac{3(Ba^4-4Aa^3b-6Ba^2b^2+4Aab^3+Bb^4)\log(\tan(dx+c)^2+1)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} - \frac{6(Ba^4b-4Aa^3b^2-6Ba^2b^3+4Aab^4+Bb^5)\log(|b\tan(dx+c)+a|)}{a^8b+4a^6b^3+6a^4b^5+4a^2b^7+b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out] $\frac{1}{6} * (6 * (A * a^4 + 4 * B * a^3 * b - 6 * A * a^2 * b^2 - 4 * B * a * b^3 + A * b^4) * (d * x + c) / (a^8 + 4 * a^6 * b^2 + 6 * a^4 * b^4 + 4 * a^2 * b^6 + b^8) + 3 * (B * a^4 - 4 * A * a^3 * b - 6 * B * a^2 * b^2 + 4 * A * a * b^3 + B * b^4) * \log(\tan(d * x + c)^2 + 1) / (a^8 + 4 * a^6 * b^2 + 6 * a^4 * b^4 + 4 * a^2 * b^6 + b^8) - 6 * (B * a^4 * b - 4 * A * a^3 * b^2 - 6 * B * a^2 * b^3 + 4 * A * a * b^4 + B * b^5) * \log(\text{abs}(b * \tan(d * x + c) + a)) / (a^8 * b + 4 * a^6 * b^3 + 6 * a^4 * b^5 + 4 * a^2 * b^7 + b^9) + (11 * B * a^4 * b^3 * \tan(d * x + c)^3 - 44 * A * a^3 * b^4 * \tan(d * x + c)^3 - 66 * B * a^2 * b^5 * \tan(d * x + c)^3 + 44 * A * a * b^6 * \tan(d * x + c)^3 + 11 * B * b^7 * \tan(d * x + c)^3 + 39 * B * a^5 * b^2 * \tan(d * x + c)^2 - 150 * A * a^4 * b^3 * \tan(d * x + c)^2 - 210 * B * a^3 * b^4 * \tan(d * x + c)^2 + 120 * A * a^2 * b^5 * \tan(d * x + c)^2 + 15 * B * a * b^6 * \tan(d * x + c)^2 + 6 * A * b^7 * \tan(d * x + c)^2 + 48 * B * a^6 * b * \tan(d * x + c) - 174 * A * a^5 * b^2 * \tan(d * x + c) - 219 * B * a^4 * b^3 * \tan(d * x + c) + 96 * A * a^3 * b^4 * \tan(d * x + c) - 6 * B * a^2 * b^5 * \tan(d * x + c) + 6 * A * a * b^6 * \tan(d * x + c) - 3 * B * b^7 * \tan(d * x + c) + 22 * B * a^7 - 70 * A * a^6 * b - 69 * B * a^5 * b^2 + 14 * A * a^4 * b^3 - 4 * B * a^3 * b^4 - 6 * A * a^2 * b^5 - B * a * b^6 - 2 * A * b^7) / ((a^8 + 4 * a^6 * b^2 + 6 * a^4 * b^4 + 4 * a^2 * b^6 + b^8) * (b * \tan(d * x + c) + a)^3) / d$

$$3.295 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=302

$$\frac{b(Ab - aB)}{3ad(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{b(3a^2Ab^3 + 6a^4Ab + a^3b^2B - 3a^5B + Ab^5)}{a^3d(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{b(3a^2Ab - 2a^3B + Ab^3)}{2a^2d(a^2 + b^2)^2(a + b \tan(c + dx))}$$

```
[Out] -(((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*x)/(a^2 + b^2)^4)
+ (A*Log[Sin[c + d*x]])/(a^4*d) - (b*(10*a^6*A*b + 5*a^4*A*b^3 + 4*a^2*A*b^5
+ A*b^7 - 4*a^7*B + 4*a^5*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a
^4*(a^2 + b^2)^4*d) + (b*(A*b - a*B))/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x
])^3) + (b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(2*a^2*(a^2 + b^2)^2*d*(a + b*Tan
[c + d*x])^2) + (b*(6*a^4*A*b + 3*a^2*A*b^3 + A*b^5 - 3*a^5*B + a^3*b^2*B))
/(a^3*(a^2 + b^2)^3*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 0.898587, antiderivative size = 302, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(Ab - aB)}{3ad(a^2 + b^2)(a + b \tan(c + dx))^3} + \frac{b(3a^2Ab^3 + 6a^4Ab + a^3b^2B - 3a^5B + Ab^5)}{a^3d(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{b(3a^2Ab - 2a^3B + Ab^3)}{2a^2d(a^2 + b^2)^2(a + b \tan(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4,x]
```

```
[Out] -(((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*x)/(a^2 + b^2)^4)
+ (A*Log[Sin[c + d*x]])/(a^4*d) - (b*(10*a^6*A*b + 5*a^4*A*b^3 + 4*a^2*A*b^5
+ A*b^7 - 4*a^7*B + 4*a^5*b^2*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a
^4*(a^2 + b^2)^4*d) + (b*(A*b - a*B))/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x
])^3) + (b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(2*a^2*(a^2 + b^2)^2*d*(a + b*Tan
[c + d*x])^2) + (b*(6*a^4*A*b + 3*a^2*A*b^3 + A*b^5 - 3*a^5*B + a^3*b^2*B))
/(a^3*(a^2 + b^2)^3*d*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
```

```
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3651

```
Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx = \frac{b(Ab-aB)}{3a(a^2+b^2)d(a+b \tan(c+dx))^3} + \frac{\int \frac{\cot(c+dx)(3A(a^2+b^2)-3a(Ab-aB) \tan(c+dx)+3b(Ab-aB))}{(a+b \tan(c+dx))^3} dx}{3a(a^2+b^2)}$$

$$= \frac{b(Ab-aB)}{3a(a^2+b^2)d(a+b \tan(c+dx))^3} + \frac{b(3a^2Ab+Ab^3-2a^3B)}{2a^2(a^2+b^2)^2d(a+b \tan(c+dx))^2} + \frac{\int \frac{\cot(c+dx)(3a^2Ab+Ab^3-2a^3B)}{(a+b \tan(c+dx))^2} dx}{2a^2(a^2+b^2)^2}$$

$$= \frac{b(Ab-aB)}{3a(a^2+b^2)d(a+b \tan(c+dx))^3} + \frac{b(3a^2Ab+Ab^3-2a^3B)}{2a^2(a^2+b^2)^2d(a+b \tan(c+dx))^2} + \frac{b(6a^3Ab-4aAb^3-a^4B+6a^2b^2B-b^4B)}{(a^2+b^2)^4} + \frac{b(Ab-aB)}{3a(a^2+b^2)d(a+b \tan(c+dx))^3}$$

$$= -\frac{(4a^3Ab-4aAb^3-a^4B+6a^2b^2B-b^4B)x}{(a^2+b^2)^4} + \frac{A \log(\sin(c+dx))}{a^4d} - \frac{b(10a^6Ab+6a^5Ab^2+3a^4Ab^3-3a^3Ab^4-3a^2Ab^5-3aAb^6-b^7)}{6a^2d(a^2+b^2)^2}$$

Mathematica [C] time = 3.04072, size = 308, normalized size = 1.02

$$\frac{2ab(a^2+b^2)(Ab-aB)}{(a+b \tan(c+dx))^3} + \frac{6b(3a^2Ab^3+6a^4Ab+a^3b^2B-3a^5B+Ab^5)}{a(a^2+b^2)(a+b \tan(c+dx))} + \frac{3b(3a^2Ab-2a^3B+Ab^3)}{(a+b \tan(c+dx))^2} + \frac{3(-2b(5a^4Ab^3+4a^2Ab^5+10a^6Ab+4a^5b^2B-4a^7B+Ab^7)) \log(a+b \tan(c+dx))}{6a^2d(a^2+b^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4,x]

[Out] ((3*(-(a^4*(a - I*b)^4*(A + I*B)*Log[I - Tan[c + d*x]]) + 2*A*(a^2 + b^2)^4*Log[Tan[c + d*x]] - a^4*(a + I*b)^4*(A - I*B)*Log[I + Tan[c + d*x]] - 2*b*(10*a^6*A*b + 5*a^4*A*b^3 + 4*a^2*A*b^5 + A*b^7 - 4*a^7*B + 4*a^5*b^2*B)*Log[a + b*Tan[c + d*x]]))/(a^2*(a^2 + b^2)^2) + (2*a*b*(a^2 + b^2)*(A*b - a*B))/(a + b*Tan[c + d*x])^3 + (3*b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(a + b*Tan[c + d*x])^2 + (6*b*(6*a^4*A*b + 3*a^2*A*b^3 + A*b^5 - 3*a^5*B + a^3*b^2*B))/(a*(a^2 + b^2)*(a + b*Tan[c + d*x]))/(6*a^2*(a^2 + b^2)^2*d)

Maple [B] time = 0.189, size = 789, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x)

[Out] 6/d*a/(a^2+b^2)^3*b^2/(a+b*tan(d*x+c))*A-3/d*a^2/(a^2+b^2)^3*b/(a+b*tan(d*x+c))*B-5/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*b^4+3/2/d/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A*b^2+1/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*B*b^3-1/d/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B*a*b-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^4-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*b^4+1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^4+1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*b^4+4/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a^3*b+3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^2*b^2-2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^3*b+2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a*b^3-4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^3*b-4/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a*b^3-10/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*a^2*b^2-6/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^2*b^2+4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a*b^3+1/3/d*b^2/a/(a^2+b^2)/(a+b*tan(d*x+c))^3*A-4/d*b^6/a^2/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A-1/d*b^8/a^4/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A+1/2/d*b^4/a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A+1/d*b^6/a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+3/d*b^4/a/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+1/d/a^4*A*ln(tan(d*x+c))-1/3/d*b/(a^2+b^2)/(a+b*tan(d*x+c))^3*B

Maxima [A] time = 1.58947, size = 783, normalized size = 2.59

$$\frac{6(Ba^4 - 4Aa^3b - 6Ba^2b^2 + 4Aab^3 + Bb^4)(dx+c)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8} + \frac{6(4Ba^7b - 10Aa^6b^2 - 4Ba^5b^3 - 5Aa^4b^4 - 4Aa^2b^6 - Ab^8)\log(b\tan(dx+c)+a)}{a^{12} + 4a^{10}b^2 + 6a^8b^4 + 4a^6b^6 + a^4b^8} - \frac{3(Aa^4 + 4Ba^3b - 6Aa^2b^2 - 4Ba^2b^3 + 4Aab^3 + Bb^4)}{a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")

[Out] 1/6*(6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 6*(4*B*a^7*b - 10*A*a^6*b^2 - 4*B*a^5*b^3 - 5*A*a^4*b^4 - 4*A*a^2*b^6 - A*b^8)*log(b*tan(d*x + c) + a)/(a^12 + 4*a^10*b^2 + 6*a^8*b^4 + 4*a^6*b^6 + a^4*b^8) - 3*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - (26*B*a^7*b - 47*A*a^6*b^2 + 4*B*a^5*b^3

$$- 34*A*a^4*b^4 + 2*B*a^3*b^5 - 11*A*a^2*b^6 + 6*(3*B*a^5*b^3 - 6*A*a^4*b^4 - B*a^3*b^5 - 3*A*a^2*b^6 - A*b^8)*\tan(d*x + c)^2 + 3*(14*B*a^6*b^2 - 27*A*a^5*b^3 - 2*B*a^4*b^4 - 16*A*a^3*b^5 - 5*A*a*b^7)*\tan(d*x + c))/ (a^{12} + 3*a^{10}*b^2 + 3*a^8*b^4 + a^6*b^6 + (a^9*b^3 + 3*a^7*b^5 + 3*a^5*b^7 + a^3*b^9)*\tan(d*x + c)^3 + 3*(a^{10}*b^2 + 3*a^8*b^4 + 3*a^6*b^6 + a^4*b^8)*\tan(d*x + c)^2 + 3*(a^{11}*b + 3*a^9*b^3 + 3*a^7*b^5 + a^5*b^7)*\tan(d*x + c)) + 6*A*\log(\tan(d*x + c))/a^4)/d$$

Fricas [B] time = 3.56422, size = 2457, normalized size = 8.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")

[Out]
$$-1/6*(48*B*a^8*b^3 - 75*A*a^7*b^4 + 6*B*a^6*b^5 - 42*A*a^5*b^6 + 2*B*a^4*b^7 - 11*A*a^3*b^8 - (26*B*a^7*b^4 - 47*A*a^6*b^5 - 18*B*a^5*b^6 - 6*A*a^4*b^7 - 3*A*a^2*b^9 + 6*(B*a^8*b^3 - 4*A*a^7*b^4 - 6*B*a^6*b^5 + 4*A*a^5*b^6 + B*a^4*b^7)*d*x)*\tan(d*x + c)^3 - 6*(B*a^{11} - 4*A*a^{10}*b - 6*B*a^9*b^2 + 4*A*a^8*b^3 + B*a^7*b^4)*d*x - 3*(20*B*a^8*b^3 - 35*A*a^7*b^4 - 22*B*a^6*b^5 + 12*A*a^5*b^6 + 2*B*a^4*b^7 + 5*A*a^3*b^8 + 2*A*a*b^{10} + 6*(B*a^9*b^2 - 4*A*a^8*b^3 - 6*B*a^7*b^4 + 4*A*a^6*b^5 + B*a^5*b^6)*d*x)*\tan(d*x + c)^2 - 3*(A*a^{11} + 4*A*a^9*b^2 + 6*A*a^7*b^4 + 4*A*a^5*b^6 + A*a^3*b^8 + (A*a^8*b^3 + 4*A*a^6*b^5 + 6*A*a^4*b^7 + 4*A*a^2*b^9 + A*b^{11})*\tan(d*x + c)^3 + 3*(A*a^9*b^2 + 4*A*a^7*b^4 + 6*A*a^5*b^6 + 4*A*a^3*b^8 + A*a*b^{10})*\tan(d*x + c)^2 + 3*(A*a^{10}*b + 4*A*a^8*b^3 + 6*A*a^6*b^5 + 4*A*a^4*b^7 + A*a^2*b^9)*\tan(d*x + c))*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1)) - 3*(4*B*a^{10}*b - 10*A*a^9*b^2 - 4*B*a^8*b^3 - 5*A*a^7*b^4 - 4*A*a^5*b^6 - A*a^3*b^8 + (4*B*a^7*b^4 - 10*A*a^6*b^5 - 4*B*a^5*b^6 - 5*A*a^4*b^7 - 4*A*a^2*b^9 - A*b^{11})*\tan(d*x + c)^3 + 3*(4*B*a^8*b^3 - 10*A*a^7*b^4 - 4*B*a^6*b^5 - 5*A*a^5*b^6 - 4*A*a^3*b^8 - A*a*b^{10})*\tan(d*x + c)^2 + 3*(4*B*a^9*b^2 - 10*A*a^8*b^3 - 4*B*a^7*b^4 - 5*A*a^6*b^5 - 4*A*a^4*b^7 - A*a^2*b^9)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) - 3*(12*B*a^9*b^2 - 20*A*a^8*b^3 - 30*B*a^7*b^4 + 37*A*a^6*b^5 + 2*B*a^5*b^6 + 18*A*a^4*b^7 + 5*A*a^2*b^9 + 6*(B*a^{10}*b - 4*A*a^9*b^2 - 6*B*a^8*b^3 + 4*A*a^7*b^4 + B*a^6*b^5)*d*x)*\tan(d*x + c))/((a^{12}*b^3 + 4*a^{10}*b^5 + 6*a^8*b^7 + 4*a^6*b^9 + a^4*b^{11})*d*\tan(d*x + c)^3 + 3*(a^{13}*b^2 + 4*a^{11}*b^4 + 6*a^9*b^6 + 4*a^7*b^8 + a^5*b^{10})*d*\tan(d*x + c)^2 + 3*(a^{14}*b + 4*a^{12}*b^3 + 6*a^{10}*b^5 + 4*a^8*b^7 + a^6*b^9)*d*\tan(d*x + c) + (a^{15} + 4*a^{13}*b^2 + 6*a^{11}*b^4 + 4*a^9*b^6 + a^7*b^8)*d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Timed out

Giac [B] time = 1.29046, size = 975, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{6} \cdot (6 \cdot (B \cdot a^4 - 4 \cdot A \cdot a^3 \cdot b - 6 \cdot B \cdot a^2 \cdot b^2 + 4 \cdot A \cdot a \cdot b^3 + B \cdot b^4) \cdot (d \cdot x + c) / (a^8 + 4 \cdot a^6 \cdot b^2 + 6 \cdot a^4 \cdot b^4 + 4 \cdot a^2 \cdot b^6 + b^8) - 3 \cdot (A \cdot a^4 + 4 \cdot B \cdot a^3 \cdot b - 6 \cdot A \cdot a^2 \cdot b^2 - 4 \cdot B \cdot a \cdot b^3 + A \cdot b^4) \cdot \log(\tan(d \cdot x + c)^2 + 1) / (a^8 + 4 \cdot a^6 \cdot b^2 + 6 \cdot a^4 \cdot b^4 + 4 \cdot a^2 \cdot b^6 + b^8) + 6 \cdot (4 \cdot B \cdot a^7 \cdot b^2 - 10 \cdot A \cdot a^6 \cdot b^3 - 4 \cdot B \cdot a^5 \cdot b^4 - 5 \cdot A \cdot a^4 \cdot b^5 - 4 \cdot A \cdot a^2 \cdot b^7 - A \cdot b^9) \cdot \log(\text{abs}(b \cdot \tan(d \cdot x + c) + a)) / (a^{12} \cdot b + 4 \cdot a^{10} \cdot b^3 + 6 \cdot a^8 \cdot b^5 + 4 \cdot a^6 \cdot b^7 + a^4 \cdot b^9) + 6 \cdot A \cdot \log(\text{abs}(\tan(d \cdot x + c))) / a^4 - (44 \cdot B \cdot a^7 \cdot b^4 \cdot \tan(d \cdot x + c)^3 - 110 \cdot A \cdot a^6 \cdot b^5 \cdot \tan(d \cdot x + c)^3 - 44 \cdot B \cdot a^5 \cdot b^6 \cdot \tan(d \cdot x + c)^3 - 55 \cdot A \cdot a^4 \cdot b^7 \cdot \tan(d \cdot x + c)^3 - 44 \cdot A \cdot a^2 \cdot b^9 \cdot \tan(d \cdot x + c)^3 - 11 \cdot A \cdot b^{11} \cdot \tan(d \cdot x + c)^3 + 150 \cdot B \cdot a^8 \cdot b^3 \cdot \tan(d \cdot x + c)^2 - 366 \cdot A \cdot a^7 \cdot b^4 \cdot \tan(d \cdot x + c)^2 - 120 \cdot B \cdot a^6 \cdot b^5 \cdot \tan(d \cdot x + c)^2 - 219 \cdot A \cdot a^5 \cdot b^6 \cdot \tan(d \cdot x + c)^2 - 6 \cdot B \cdot a^4 \cdot b^7 \cdot \tan(d \cdot x + c)^2 - 156 \cdot A \cdot a^3 \cdot b^8 \cdot \tan(d \cdot x + c)^2 - 39 \cdot A \cdot a \cdot b^{10} \cdot \tan(d \cdot x + c)^2 + 174 \cdot B \cdot a^9 \cdot b^2 \cdot \tan(d \cdot x + c) - 411 \cdot A \cdot a^8 \cdot b^3 \cdot \tan(d \cdot x + c) - 96 \cdot B \cdot a^7 \cdot b^4 \cdot \tan(d \cdot x + c) - 294 \cdot A \cdot a^6 \cdot b^5 \cdot \tan(d \cdot x + c) - 6 \cdot B \cdot a^5 \cdot b^6 \cdot \tan(d \cdot x + c) - 195 \cdot A \cdot a^4 \cdot b^7 \cdot \tan(d \cdot x + c) - 48 \cdot A \cdot a^2 \cdot b^9 \cdot \tan(d \cdot x + c) + 70 \cdot B \cdot a^{10} \cdot b - 157 \cdot A \cdot a^9 \cdot b^2 - 14 \cdot B \cdot a^8 \cdot b^3 - 136 \cdot A \cdot a^7 \cdot b^4 + 6 \cdot B \cdot a^6 \cdot b^5 - 89 \cdot A \cdot a^5 \cdot b^6 + 2 \cdot B \cdot a^4 \cdot b^7 - 22 \cdot A \cdot a^3 \cdot b^8) / ((a^{12} + 4 \cdot a^{10} \cdot b^2 + 6 \cdot a^8 \cdot b^4 + 4 \cdot a^6 \cdot b^6 + a^4 \cdot b^8) \cdot (b \cdot \tan(d \cdot x + c) + a)^3) / d$$

$$3.296 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=399

$$\frac{b(13a^4Ab^2 + 12a^2Ab^4 + a^6A - 3a^3b^3B - 6a^5bB - ab^5B + 4Ab^6)}{a^4d(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{b(8a^2Ab^2 + 2a^4A - 3a^3bB - ab^3B + 4Ab^4)}{2a^3d(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{3a^2d}{3a^2d}$$

[Out] -(((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*x)/(a^2 + b^2)^4) - ((4*A*b - a*B)*Log[Sin[c + d*x]]/(a^5*d) + (b^2*(20*a^6*A*b + 24*a^4*A*b^3 + 16*a^2*A*b^5 + 4*A*b^7 - 10*a^7*B - 5*a^5*b^2*B - 4*a^3*b^4*B - a*b^6*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]]/(a^5*(a^2 + b^2)^4*d) - (b*(3*a^2*A + 4*A*b^2 - a*b*B))/(3*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x])^3) - (b*(2*a^4*A + 8*a^2*A*b^2 + 4*A*b^4 - 3*a^3*b*B - a*b^3*B))/(2*a^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) - (b*(a^6*A + 13*a^4*A*b^2 + 12*a^2*A*b^4 + 4*A*b^6 - 6*a^5*b*B - 3*a^3*b^3*B - a*b^5*B))/(a^4*(a^2 + b^2)^3*d*(a + b*Tan[c + d*x])))

Rubi [A] time = 1.32076, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(13a^4Ab^2 + 12a^2Ab^4 + a^6A - 3a^3b^3B - 6a^5bB - ab^5B + 4Ab^6)}{a^4d(a^2 + b^2)^3(a + b \tan(c + dx))} - \frac{b(8a^2Ab^2 + 2a^4A - 3a^3bB - ab^3B + 4Ab^4)}{2a^3d(a^2 + b^2)^2(a + b \tan(c + dx))^2} - \frac{3a^2d}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4,x]

[Out] -(((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*x)/(a^2 + b^2)^4) - ((4*A*b - a*B)*Log[Sin[c + d*x]]/(a^5*d) + (b^2*(20*a^6*A*b + 24*a^4*A*b^3 + 16*a^2*A*b^5 + 4*A*b^7 - 10*a^7*B - 5*a^5*b^2*B - 4*a^3*b^4*B - a*b^6*B)*Log[a*Cos[c + d*x] + b*Sin[c + d*x]]/(a^5*(a^2 + b^2)^4*d) - (b*(3*a^2*A + 4*A*b^2 - a*b*B))/(3*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x])^3) - (b*(2*a^4*A + 8*a^2*A*b^2 + 4*A*b^4 - 3*a^3*b*B - a*b^3*B))/(2*a^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) - (b*(a^6*A + 13*a^4*A*b^2 + 12*a^2*A*b^4 + 4*A*b^6 - 6*a^5*b*B - 3*a^3*b^3*B - a*b^5*B))/(a^4*(a^2 + b^2)^3*d*(a + b*Tan[c + d*x])))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x]/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx &= -\frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^3} - \frac{\int \frac{\cot(c+dx)(4Ab-ab+aA \tan(c+dx)+4Ab \tan^2(c+dx))}{(a+b \tan(c+dx))^4} dx}{a} \\
 &= -\frac{b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^3} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^3} - \frac{\int \frac{\cot(c+dx)}{(a+b \tan(c+dx))^4} dx}{2a^3} \\
 &= -\frac{b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^3} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^3} - \frac{b(2a^4A+b^4)}{2a^3(a^2+b^2)} \\
 &= -\frac{b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^3} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^3} - \frac{b(2a^4A+b^4)}{2a^3(a^2+b^2)} \\
 &= -\frac{(a^4A-6a^2Ab^2+Ab^4+4a^3bB-4ab^3B)x}{(a^2+b^2)^4} - \frac{b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^3} \\
 &= -\frac{(a^4A-6a^2Ab^2+Ab^4+4a^3bB-4ab^3B)x}{(a^2+b^2)^4} - \frac{(4Ab-ab) \log(\sin(c+dx))}{a^5d}
 \end{aligned}$$

Mathematica [C] time = 5.87198, size = 357, normalized size = 0.89

$$\frac{6b^2(-9a^2Ab^3-10a^4Ab+3a^3b^2B+6a^5B+ab^4B-3Ab^5)}{a^4(a^2+b^2)^3(a+b\tan(c+dx))} + \frac{3b^2(-4a^2Ab+3a^3B+ab^2B-2Ab^3)}{a^3(a^2+b^2)^2(a+b\tan(c+dx))^2} + \frac{2b^2(aB-Ab)}{a^2(a^2+b^2)(a+b\tan(c+dx))^3} - \frac{6b^2(-24a^4Ab^3-16a^2Ab^5-20a^6Ab^7)}{a^4(a^2+b^2)^3(a+b\tan(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]

[Out] ((-6*A*Cot[c + d*x])/a^4 + ((3*I)*(A + I*B)*Log[I - Tan[c + d*x]])/(a + I*b)^4 + (6*(-4*A*b + a*B)*Log[Tan[c + d*x]])/a^5 - (3*(I*A + B)*Log[I + Tan[c + d*x]])/(a - I*b)^4 - (6*b^2*(-20*a^6*A*b - 24*a^4*A*b^3 - 16*a^2*A*b^5 - 4*A*b^7 + 10*a^7*B + 5*a^5*b^2*B + 4*a^3*b^4*B + a*b^6*B)*Log[a + b*Tan[c + d*x]])/(a^5*(a^2 + b^2)^4) + (2*b^2*(-(A*b) + a*B))/(a^2*(a^2 + b^2)*(a + b*Tan[c + d*x])^3) + (3*b^2*(-4*a^2*A*b - 2*A*b^3 + 3*a^3*B + a*b^2*B))/(a^3*(a^2 + b^2)^2*(a + b*Tan[c + d*x])^2) + (6*b^2*(-10*a^4*A*b - 9*a^2*A*b^3 - 3*A*b^5 + 6*a^5*B + 3*a^3*b^2*B + a*b^4*B))/(a^4*(a^2 + b^2)^3*(a + b*Tan[c + d*x])))/(6*d)

Maple [B] time = 0.165, size = 969, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4, x)

[Out] 20/d*a/(a^2+b^2)^4*b^3*ln(a+b*tan(d*x+c))*A-2/d*b^3/a/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A-1/d*b^5/a^3/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A+1/2/d*b^4/a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B-9/d*b^5/a^2/(a^2+b^2)^3/(a+b*tan(d*x+c))*A-3/d*b^7/a^4/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+3/d*b^4/a/(a^2+b^2)^3/(a+b*tan(d*x+c))*B+1/d*b^6/a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*B+24/d*b^5/a/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A+16/d*b^7/a^3/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A+4/d*b^9/a^5/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A-4/d*b^6/a^2/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B-1/d*b^8/a^4/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B+6/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*B*a*b^2-4/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^3*b+4/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a*b^3+2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^3*b-10/d*a^2/(a^2+b^2)^4*b^2*ln(a+b*tan(d*x+c))*B+3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^2*b^2+6/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^2*b^2-10/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*A*b^3-5/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*b^4+3/2/d/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*b^2*B-1/d/a^4*A/tan(d*x+c)+1/d/a^4*B*ln(tan(d*x+c))-2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a*b^3-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^4-1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*b^4-1/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^4-1/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*b^4-1/3/d*b^3/a^2/(a^2+b^2)/(a+b*tan(d*x+c))^3*A+1/3/d*b^2/a/(a^2+b^2)/(a+b*tan(d*x+c))^3*B-4/d/a^5*ln(tan(d*x+c))*A*b

Maxima [A] time = 1.59373, size = 942, normalized size = 2.36

$$\frac{6(Aa^4+4Ba^3b-6Aa^2b^2-4Bab^3+Ab^4)(dx+c)}{a^8+4a^6b^2+6a^4b^4+4a^2b^6+b^8} + \frac{6(10Ba^7b^2-20Aa^6b^3+5Ba^5b^4-24Aa^4b^5+4Ba^3b^6-16Aa^2b^7+Bab^8-4Ab^9)\log(b\tan(dx+c)+a)}{a^{13}+4a^{11}b^2+6a^9b^4+4a^7b^6+a^5b^8} + \frac{3(Ba^4-4Aa^3b+6Aa^2b^2-4Bab^3+Ab^4)}{a^4(a^2+b^2)^3(a+b\tan(dx+c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")

[Out]
$$-1/6*(6*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 6*(10*B*a^7*b^2 - 20*A*a^6*b^3 + 5*B*a^5*b^4 - 24*A*a^4*b^5 + 4*B*a^3*b^6 - 16*A*a^2*b^7 + B*a*b^8 - 4*A*b^9)*\log(b*\tan(d*x + c) + a)/(a^{13} + 4*a^{11}*b^2 + 6*a^9*b^4 + 4*a^7*b^6 + a^5*b^8) + 3*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*\log(\tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + (6*A*a^9 + 18*A*a^7*b^2 + 18*A*a^5*b^4 + 6*A*a^3*b^6 + 6*(A*a^6*b^3 - 6*B*a^5*b^4 + 13*A*a^4*b^5 - 3*B*a^3*b^6 + 12*A*a^2*b^7 - B*a*b^8 + 4*A*b^9)*\tan(d*x + c)^3 + 3*(6*A*a^7*b^2 - 27*B*a^6*b^3 + 62*A*a^5*b^4 - 16*B*a^4*b^5 + 60*A*a^3*b^6 - 5*B*a^2*b^7 + 20*A*a*b^8)*\tan(d*x + c)^2 + (18*A*a^8*b - 47*B*a^7*b^2 + 128*A*a^6*b^3 - 34*B*a^5*b^4 + 130*A*a^4*b^5 - 11*B*a^3*b^6 + 44*A*a^2*b^7)*\tan(d*x + c))/(a^{10}*b^3 + 3*a^8*b^5 + 3*a^6*b^7 + a^4*b^9)*\tan(d*x + c)^4 + 3*(a^{11}*b^2 + 3*a^9*b^4 + 3*a^7*b^6 + a^5*b^8)*\tan(d*x + c)^3 + 3*(a^{12}*b + 3*a^{10}*b^3 + 3*a^8*b^5 + a^6*b^7)*\tan(d*x + c)^2 + (a^{13} + 3*a^{11}*b^2 + 3*a^9*b^4 + a^7*b^6)*\tan(d*x + c)) - 6*(B*a - 4*A*b)*\log(\tan(d*x + c))/a^5)/d$$

Fricas [B] time = 4.27353, size = 3368, normalized size = 8.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")

[Out]
$$-1/6*(6*A*a^{12} + 24*A*a^{10}*b^2 + 36*A*a^8*b^4 + 24*A*a^6*b^6 + 6*A*a^4*b^8 + (47*B*a^7*b^5 - 74*A*a^6*b^6 + 6*B*a^5*b^7 - 42*A*a^4*b^8 + 3*B*a^3*b^9 - 12*A*a^2*b^{10} + 6*(A*a^9*b^3 + 4*B*a^8*b^4 - 6*A*a^7*b^5 - 4*B*a^6*b^6 + A*a^5*b^7)*d*x)*\tan(d*x + c)^4 + 3*(2*A*a^9*b^3 + 35*B*a^8*b^4 - 46*A*a^7*b^5 - 12*B*a^6*b^6 + 8*A*a^5*b^7 - 5*B*a^4*b^8 + 20*A*a^3*b^9 - 2*B*a^2*b^{10} + 8*A*a*b^{11} + 6*(A*a^{10}*b^2 + 4*B*a^9*b^3 - 6*A*a^8*b^4 - 4*B*a^7*b^5 + A*a^6*b^6)*d*x)*\tan(d*x + c)^3 + 3*(6*A*a^{10}*b^2 + 20*B*a^9*b^3 - 6*A*a^8*b^4 - 37*B*a^7*b^5 + 80*A*a^6*b^6 - 18*B*a^5*b^7 + 68*A*a^4*b^8 - 5*B*a^3*b^9 + 20*A*a^2*b^{10} + 6*(A*a^{11}*b + 4*B*a^{10}*b^2 - 6*A*a^9*b^3 - 4*B*a^8*b^4 + A*a^7*b^5)*d*x)*\tan(d*x + c)^2 - 3*((B*a^9*b^3 - 4*A*a^8*b^4 + 4*B*a^7*b^5 - 16*A*a^6*b^6 + 6*B*a^5*b^7 - 24*A*a^4*b^8 + 4*B*a^3*b^9 - 16*A*a^2*b^{10} + B*a*b^{11} - 4*A*b^{12})*\tan(d*x + c)^4 + 3*(B*a^{10}*b^2 - 4*A*a^9*b^3 + 4*B*a^8*b^4 - 16*A*a^7*b^5 + 6*B*a^6*b^6 - 24*A*a^5*b^7 + 4*B*a^4*b^8 - 16*A*a^3*b^9 + B*a^2*b^{10} - 4*A*a*b^{11})*\tan(d*x + c)^3 + 3*(B*a^{11}*b - 4*A*a^{10}*b^2 + 4*B*a^9*b^3 - 16*A*a^8*b^4 + 6*B*a^7*b^5 - 24*A*a^6*b^6 + 4*B*a^5*b^7 - 16*A*a^4*b^8 + B*a^3*b^9 - 4*A*a^2*b^{10})*\tan(d*x + c)^2 + (B*a^{12} - 4*A*a^{11}*b + 4*B*a^{10}*b^2 - 16*A*a^9*b^3 + 6*B*a^8*b^4 - 24*A*a^7*b^5 + 4*B*a^6*b^6 - 16*A*a^5*b^7 + B*a^4*b^8 - 4*A*a^3*b^9)*\tan(d*x + c))*\log(\tan(d*x + c)^2 / (\tan(d*x + c)^2 + 1)) + 3*((10*B*a^7*b^5 - 20*A*a^6*b^6 + 5*B*a^5*b^7 - 24*A*a^4*b^8 + 4*B*a^3*b^9 - 16*A*a^2*b^{10} + B*a*b^{11} - 4*A*b^{12})*\tan(d*x + c)^4 + 3*(10*B*a^8*b^4 - 20*A*a^7*b^5 + 5*B*a^6*b^6 - 24*A*a^5*b^7 + 4*B*a^4*b^8 - 16*A*a^3*b^9 + B*a^2*b^{10} - 4*A*a*b^{11})*\tan(d*x + c)^3 + 3*(10*B*a^9*b^3 - 20*A*a^8*b^4 + 5*B*a^7*b^5 - 24*A*a^6*b^6 + 4*B*a^5*b^7 - 16*A*a^4*b^8 + B*a^3*b^9 - 4*A*a^2*b^{10})*\tan(d*x + c)^2 + (10*B*a^{10}*b^2 - 20*A*a^9*b^3 + 5*B*a^8*b^4 - 24*A*a^7*b^5 + 4*B*a^6*b^6 - 16*A*a^5*b^7 + B*a^4*b^8 - 4*A*a^3*b^9)*\tan(d*x + c))*\log((b^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + a^2) / (\tan(d*x + c)^2 + 1)) + (18*A*a^{11}*b + 72*A*a^9*b^3 - 75*B*a^8*b^4 + 216*A*a^7*b^5 - 42*B*a^6*b^6 + 162*A*a^5*b^7 - 11*B*a^4*b^8 + 44*A*a^3*b^9 +$$

$$6*(A*a^{12} + 4*B*a^{11}*b - 6*A*a^{10}*b^2 - 4*B*a^9*b^3 + A*a^8*b^4)*d*x)*\tan(d*x + c))/((a^{13}*b^3 + 4*a^{11}*b^5 + 6*a^9*b^7 + 4*a^7*b^9 + a^5*b^{11})*d*\tan(d*x + c)^4 + 3*(a^{14}*b^2 + 4*a^{12}*b^4 + 6*a^{10}*b^6 + 4*a^8*b^8 + a^6*b^{10})*d*\tan(d*x + c)^3 + 3*(a^{15}*b + 4*a^{13}*b^3 + 6*a^{11}*b^5 + 4*a^9*b^7 + a^7*b^9)*d*\tan(d*x + c)^2 + (a^{16} + 4*a^{14}*b^2 + 6*a^{12}*b^4 + 4*a^{10}*b^6 + a^8*b^8)*d*\tan(d*x + c))$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Timed out

Giac [B] time = 1.33929, size = 1142, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$-1/6*(6*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 3*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*\log(\tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + 6*(10*B*a^7*b^3 - 20*A*a^6*b^4 + 5*B*a^5*b^5 - 2*4*A*a^4*b^6 + 4*B*a^3*b^7 - 16*A*a^2*b^8 + B*a*b^9 - 4*A*b^{10})*\log(\tan(d*x + c) + a))/(a^{13}*b + 4*a^{11}*b^3 + 6*a^9*b^5 + 4*a^7*b^7 + a^5*b^9) - (110*B*a^7*b^5*\tan(d*x + c)^3 - 220*A*a^6*b^6*\tan(d*x + c)^3 + 55*B*a^5*b^7*\tan(d*x + c)^3 - 264*A*a^4*b^8*\tan(d*x + c)^3 + 44*B*a^3*b^9*\tan(d*x + c)^3 - 176*A*a^2*b^{10}*\tan(d*x + c)^3 + 11*B*a*b^{11}*\tan(d*x + c)^3 - 44*A*b^{12}*\tan(d*x + c)^3 + 366*B*a^8*b^4*\tan(d*x + c)^2 - 720*A*a^7*b^5*\tan(d*x + c)^2 + 219*B*a^6*b^6*\tan(d*x + c)^2 - 906*A*a^5*b^7*\tan(d*x + c)^2 + 156*B*a^4*b^8*\tan(d*x + c)^2 - 600*A*a^3*b^9*\tan(d*x + c)^2 + 39*B*a^2*b^{10}*\tan(d*x + c)^2 - 150*A*a*b^{11}*\tan(d*x + c)^2 + 411*B*a^9*b^3*\tan(d*x + c) - 792*A*a^8*b^4*\tan(d*x + c) + 294*B*a^7*b^5*\tan(d*x + c) - 1050*A*a^6*b^6*\tan(d*x + c) + 195*B*a^5*b^7*\tan(d*x + c) - 696*A*a^4*b^8*\tan(d*x + c) + 48*B*a^3*b^9*\tan(d*x + c) - 174*A*a^2*b^{10}*\tan(d*x + c) + 157*B*a^{10}*b^2 - 294*A*a^9*b^3 + 136*B*a^8*b^4 - 414*A*a^7*b^5 + 89*B*a^6*b^6 - 278*A*a^5*b^7 + 22*B*a^4*b^8 - 70*A*a^3*b^9)/((a^{13} + 4*a^{11}*b^2 + 6*a^9*b^4 + 4*a^7*b^6 + a^5*b^8)*(b*\tan(d*x + c) + a)^3) - 6*(B*a - 4*A*b)*\log(\tan(d*x + c))/a^5 + 6*(B*a*\tan(d*x + c) - 4*A*b*\tan(d*x + c) + A*a)/(a^5*\tan(d*x + c))/d$$

$$3.297 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=477

$$\frac{b(27a^4Ab^3 + 29a^2Ab^5 + 4a^6Ab - 13a^5b^2B - 12a^3b^4B + a^7(-B) - 4ab^6B + 10Ab^7)}{a^5d(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{b(19a^2Ab^3 + 7a^4Ab - 8a^3b^2B - 12a^5b^4B - 4a^6b^6B + 10Ab^7)}{2a^4d(a^2 + b^2)^2(a + b \tan(c + dx))}$$

[Out] $((4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B)x)/(a^2 + b^2)^4 - ((a^2A - 10Ab^2 + 4aAbB) \cdot \text{Log}[\text{Sin}[c + dx]])/(a^6d) - (b^3(35a^6Ab + 56a^4Ab^3 + 39a^2Ab^5 + 10Ab^7 - 20a^7B - 24a^5b^2B - 16a^3b^4B - 4aAb^6B) \cdot \text{Log}[a \cdot \text{Cos}[c + dx] + b \cdot \text{Sin}[c + dx]])/(a^6(a^2 + b^2)^4d) + (b(9a^2Ab + 10Ab^3 - 3a^3B - 4aAb^2B))/(3a^3(a^2 + b^2)d(a + b \cdot \text{Tan}[c + dx])^3) + ((5Ab - 2aB) \cdot \text{Cot}[c + dx])/(2a^2d(a + b \cdot \text{Tan}[c + dx])^3) - (A \cdot \text{Cot}[c + dx]^2)/(2ad(a + b \cdot \text{Tan}[c + dx])^3) + (b(7a^4Ab + 19a^2Ab^3 + 10Ab^5 - 2a^5B - 8a^3b^2B - 4aAb^4B))/(2a^4(a^2 + b^2)^2d(a + b \cdot \text{Tan}[c + dx])^2) + (b(4a^6Ab + 27a^4Ab^3 + 29a^2Ab^5 + 10Ab^7 - a^7B - 13a^5b^2B - 12a^3b^4B - 4aAb^6B))/(a^5(a^2 + b^2)^3d(a + b \cdot \text{Tan}[c + dx]))$

Rubi [A] time = 1.73836, antiderivative size = 477, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3609, 3649, 3651, 3530, 3475}

$$\frac{b(27a^4Ab^3 + 29a^2Ab^5 + 4a^6Ab - 13a^5b^2B - 12a^3b^4B + a^7(-B) - 4ab^6B + 10Ab^7)}{a^5d(a^2 + b^2)^3(a + b \tan(c + dx))} + \frac{b(19a^2Ab^3 + 7a^4Ab - 8a^3b^2B - 12a^5b^4B - 4a^6b^6B + 10Ab^7)}{2a^4d(a^2 + b^2)^2(a + b \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + dx]^3(A + B \cdot \text{Tan}[c + dx]))/(a + b \cdot \text{Tan}[c + dx])^4, x]$

[Out] $((4a^3Ab - 4aAb^3 - a^4B + 6a^2b^2B - b^4B)x)/(a^2 + b^2)^4 - ((a^2A - 10Ab^2 + 4aAbB) \cdot \text{Log}[\text{Sin}[c + dx]])/(a^6d) - (b^3(35a^6Ab + 56a^4Ab^3 + 39a^2Ab^5 + 10Ab^7 - 20a^7B - 24a^5b^2B - 16a^3b^4B - 4aAb^6B) \cdot \text{Log}[a \cdot \text{Cos}[c + dx] + b \cdot \text{Sin}[c + dx]])/(a^6(a^2 + b^2)^4d) + (b(9a^2Ab + 10Ab^3 - 3a^3B - 4aAb^2B))/(3a^3(a^2 + b^2)d(a + b \cdot \text{Tan}[c + dx])^3) + ((5Ab - 2aB) \cdot \text{Cot}[c + dx])/(2a^2d(a + b \cdot \text{Tan}[c + dx])^3) - (A \cdot \text{Cot}[c + dx]^2)/(2ad(a + b \cdot \text{Tan}[c + dx])^3) + (b(7a^4Ab + 19a^2Ab^3 + 10Ab^5 - 2a^5B - 8a^3b^2B - 4aAb^4B))/(2a^4(a^2 + b^2)^2d(a + b \cdot \text{Tan}[c + dx])^2) + (b(4a^6Ab + 27a^4Ab^3 + 29a^2Ab^5 + 10Ab^7 - a^7B - 13a^5b^2B - 12a^3b^4B - 4aAb^6B))/(a^5(a^2 + b^2)^3d(a + b \cdot \text{Tan}[c + dx]))$

Rule 3609

$\text{Int}[(a + b \cdot \tan(e + f \cdot x))^m \cdot ((A + B \cdot \tan(e + f \cdot x)) + (f \cdot x)) \cdot ((c + d \cdot \tan(e + f \cdot x))^n, x_Symbol] := \text{Simp}[(b(Ab - aB) \cdot (a + b \cdot \text{Tan}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Tan}[e + f \cdot x])^{n+1}) / (f \cdot (m+1) \cdot (bc - ad) \cdot (a^2 + b^2)), x] + \text{Dist}[1 / ((m+1) \cdot (bc - ad) \cdot (a^2 + b^2)), \text{Int}[(a + b \cdot \text{Tan}[e + f \cdot x])^{m+1} \cdot (c + d \cdot \text{Tan}[e + f \cdot x])^n \cdot \text{Simp}[bB \cdot (bc \cdot (m+1) + ad \cdot (n+1)) + A \cdot (a \cdot (bc - ad) \cdot (m+1) - b^2 \cdot d \cdot (m+n+2)) - (Ab - aB) \cdot (bc - ad) \cdot (m+1) \cdot \text{Tan}[e + f \cdot x] - b \cdot d \cdot (Ab - aB) \cdot (m+n+2) \cdot \text{Tan}[e + f \cdot x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[bc - ad, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2 \cdot m, 2 \cdot n]) \&\& !(\text{ILtQ}[n, -1] \&\& (! \text{IntegerQ}[m]$

|| (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[((a*(A*c - c*C + B*d) + b*(B*c - A*d + C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/((b*c - a*d)*(a^2 + b^2)), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/((b*c - a*d)*(c^2 + d^2)), Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/(a_. + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx &= -\frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^3} - \frac{\int \frac{\cot^2(c+dx)(5Ab-2aB+2A \tan(c+dx)+5Ab \tan^2(c+dx))}{(a+b \tan(c+dx))^4} dx}{2a} \\
&= \frac{(5Ab-2aB) \cot(c+dx)}{2a^2d(a+b \tan(c+dx))^3} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^3} + \frac{\int \frac{\cot(c+dx)(-2(a^2A-10Ab^2+4ab^2B))}{(a+b \tan(c+dx))^4} dx}{2a} \\
&= \frac{b(9a^2Ab+10Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d(a+b \tan(c+dx))^3} + \frac{(5Ab-2aB) \cot(c+dx)}{2a^2d(a+b \tan(c+dx))^3} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^3} \\
&= \frac{b(9a^2Ab+10Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d(a+b \tan(c+dx))^3} + \frac{(5Ab-2aB) \cot(c+dx)}{2a^2d(a+b \tan(c+dx))^3} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^3} \\
&= \frac{b(9a^2Ab+10Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d(a+b \tan(c+dx))^3} + \frac{(5Ab-2aB) \cot(c+dx)}{2a^2d(a+b \tan(c+dx))^3} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^3} \\
&= \frac{(4a^3Ab-4aAb^3-a^4B+6a^2b^2B-b^4B)x}{(a^2+b^2)^4} + \frac{b(9a^2Ab+10Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d(a+b \tan(c+dx))^3} \\
&= \frac{(4a^3Ab-4aAb^3-a^4B+6a^2b^2B-b^4B)x}{(a^2+b^2)^4} - \frac{(a^2A-10Ab^2+4abB) \log(\sin(c+dx))}{a^6d}
\end{aligned}$$

Mathematica [C] time = 6.62844, size = 417, normalized size = 0.87

$$\frac{b^3(17a^2Ab^3+15a^4Ab-9a^3b^2B-10a^5B-3ab^4B+6Ab^5)}{a^5d(a^2+b^2)^3(a+b \tan(c+dx))} + \frac{b^3(5a^2Ab-4a^3B-2ab^2B+3Ab^3)}{2a^4d(a^2+b^2)^2(a+b \tan(c+dx))^2} + \frac{b^3(A-10Ab^2+4abB)}{3a^3d(a^2+b^2)(a+b \tan(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]

[Out] ((4*A*b - a*B)*Cot[c + d*x])/(a^5*d) - (A*Cot[c + d*x]^2)/(2*a^4*d) + ((A + I*B)*Log[I - Tan[c + d*x]])/(2*(a + I*b)^4*d) - ((a^2*A - 10*A*b^2 + 4*a*b*B)*Log[Tan[c + d*x]])/(a^6*d) + ((A - I*B)*Log[I + Tan[c + d*x]])/(2*(a - I*b)^4*d) - (b^3*(35*a^6*A*b + 56*a^4*A*b^3 + 39*a^2*A*b^5 + 10*A*b^7 - 20*a^7*B - 24*a^5*b^2*B - 16*a^3*b^4*B - 4*a*b^6*B)*Log[a + b*Tan[c + d*x]])/(a^6*(a^2 + b^2)^4*d) + (b^3*(A*b - a*B))/(3*a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (b^3*(5*a^2*A*b + 3*A*b^3 - 4*a^3*B - 2*a*b^2*B))/(2*a^4*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])^2) + (b^3*(15*a^4*A*b + 17*a^2*A*b^3 + 6*A*b^5 - 10*a^5*B - 9*a^3*b^2*B - 3*a*b^4*B))/(a^5*(a^2 + b^2)^3*d*(a + b*Tan[c + d*x]))

Maple [B] time = 0.173, size = 1030, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4, x)

```
[Out] -1/2/d/a^4*A/tan(d*x+c)^2-1/d/a^4/tan(d*x+c)*B-35/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A*b^4-10/d/(a^2+b^2)^3/(a+b*tan(d*x+c))*B*b^3+1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^4+1/2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*b^4-1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^4-1/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*b^4-3/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*A*a^2*b^2+2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a^3*b-10/d*b^10/a^6/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A-9/d*b^5/a^2/(a^2+b^2)^3/(a+b*tan(d*x+c))*B-3/d*b^7/a^4/(a^2+b^2)^3/(a+b*tan(d*x+c))*B+24/d*b^5/a/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B-2/d/(a^2+b^2)^4*ln(1+tan(d*x+c)^2)*B*a*b^3+4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a^3*b+20/d/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B*a*b^3+6/d/(a^2+b^2)^4*B*arctan(tan(d*x+c))*a^2*b^2-4/d/(a^2+b^2)^4*A*arctan(tan(d*x+c))*a*b^3+6/d*b^8/a^5/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+1/3/d*b^4/a^3/(a^2+b^2)/(a+b*tan(d*x+c))^3*A-1/3/d*b^3/a^2/(a^2+b^2)/(a+b*tan(d*x+c))^3*B+3/2/d*b^6/a^4/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A-2/d*b^3/a/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B-1/d*b^5/a^3/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*B+16/d*b^7/a^3/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B+4/d*b^9/a^5/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*B-56/d*b^6/a^2/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A-39/d*b^8/a^4/(a^2+b^2)^4*ln(a+b*tan(d*x+c))*A+5/2/d*b^4/a^2/(a^2+b^2)^2/(a+b*tan(d*x+c))^2*A+17/d*b^6/a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+15/d*b^4/a/(a^2+b^2)^3/(a+b*tan(d*x+c))*A+10/d/a^6*ln(tan(d*x+c))*A*b^2-4/d/a^5*ln(tan(d*x+c))*B*b+4/d/a^5/tan(d*x+c)*A*b-1/d/a^4*A*ln(tan(d*x+c))
```

Maxima [A] time = 1.6436, size = 1100, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] -1/6*(6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 6*(20*B*a^7*b^3 - 35*A*a^6*b^4 + 24*B*a^5*b^5 - 56*A*a^4*b^6 + 16*B*a^3*b^7 - 39*A*a^2*b^8 + 4*B*a*b^9 - 10*A*b^10)*log(b*tan(d*x + c) + a)/(a^14 + 4*a^12*b^2 + 6*a^10*b^4 + 4*a^8*b^6 + a^6*b^8) - 3*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*log(tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) + (3*A*a^10 + 9*A*a^8*b^2 + 9*A*a^6*b^4 + 3*A*a^4*b^6 + 6*(B*a^7*b^3 - 4*A*a^6*b^4 + 13*B*a^5*b^5 - 27*A*a^4*b^6 + 12*B*a^3*b^7 - 29*A*a^2*b^8 + 4*B*a*b^9 - 10*A*b^10)*tan(d*x + c)^4 + 3*(6*B*a^8*b^2 - 23*A*a^7*b^3 + 62*B*a^6*b^4 - 134*A*a^5*b^5 + 60*B*a^4*b^6 - 145*A*a^3*b^7 + 20*B*a^2*b^8 - 50*A*a*b^9)*tan(d*x + c)^3 + (18*B*a^9*b - 63*A*a^8*b^2 + 128*B*a^7*b^3 - 296*A*a^6*b^4 + 130*B*a^5*b^5 - 319*A*a^4*b^6 + 44*B*a^3*b^7 - 110*A*a^2*b^8)*tan(d*x + c)^2 + 3*(2*B*a^10 - 5*A*a^9*b + 6*B*a^8*b^2 - 15*A*a^7*b^3 + 6*B*a^6*b^4 - 15*A*a^5*b^5 + 2*B*a^4*b^6 - 5*A*a^3*b^7)*tan(d*x + c))/((a^11*b^3 + 3*a^9*b^5 + 3*a^7*b^7 + a^5*b^9)*tan(d*x + c)^5 + 3*(a^12*b^2 + 3*a^10*b^4 + 3*a^8*b^6 + a^6*b^8)*tan(d*x + c)^4 + 3*(a^13*b + 3*a^11*b^3 + 3*a^9*b^5 + a^7*b^7)*tan(d*x + c)^3 + (a^14 + 3*a^12*b^2 + 3*a^10*b^4 + a^8*b^6)*tan(d*x + c)^2) + 6*(A*a^2 + 4*B*a*b - 10*A*b^2)*log(tan(d*x + c))/a^6)/d
```

Fricas [B] time = 4.68492, size = 3954, normalized size = 8.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")

[Out]
$$-1/6*(3*A*a^{13} + 12*A*a^{11}*b^2 + 18*A*a^9*b^4 + 12*A*a^7*b^6 + 3*A*a^5*b^8 + (3*A*a^{10}*b^3 + 12*A*a^8*b^5 - 74*B*a^7*b^6 + 125*A*a^6*b^7 - 42*B*a^5*b^8 + 102*A*a^4*b^9 - 12*B*a^3*b^{10} + 30*A*a^2*b^{11} + 6*(B*a^{10}*b^3 - 4*A*a^9*b^4 - 6*B*a^8*b^5 + 4*A*a^7*b^6 + B*a^6*b^7)*d*x)*\tan(d*x + c)^5 + 3*(3*A*a^{11}*b^2 + 2*B*a^{10}*b^3 + 4*A*a^9*b^4 - 46*B*a^8*b^5 + 63*A*a^7*b^6 + 8*B*a^6*b^7 - 10*A*a^5*b^8 + 20*B*a^4*b^9 - 48*A*a^3*b^{10} + 8*B*a^2*b^{11} - 20*A*a*b^{12} + 6*(B*a^{11}*b^2 - 4*A*a^{10}*b^3 - 6*B*a^9*b^4 + 4*A*a^8*b^5 + B*a^7*b^6)*d*x)*\tan(d*x + c)^4 + 3*(3*A*a^{12}*b + 6*B*a^{11}*b^2 - 11*A*a^{10}*b^3 - 6*B*a^9*b^4 - 32*A*a^8*b^5 + 80*B*a^7*b^6 - 177*A*a^6*b^7 + 68*B*a^5*b^8 - 165*A*a^4*b^9 + 20*B*a^3*b^{10} - 50*A*a^2*b^{11} + 6*(B*a^{12}*b - 4*A*a^{11}*b^2 - 6*B*a^{10}*b^3 + 4*A*a^9*b^4 + B*a^8*b^5)*d*x)*\tan(d*x + c)^3 + (3*A*a^{13} + 18*B*a^{12}*b - 51*A*a^{11}*b^2 + 72*B*a^{10}*b^3 - 234*A*a^9*b^4 + 216*B*a^8*b^5 - 513*A*a^7*b^6 + 162*B*a^6*b^7 - 399*A*a^5*b^8 + 44*B*a^4*b^9 - 110*A*a^3*b^{10} + 6*(B*a^{13} - 4*A*a^{12}*b - 6*B*a^{11}*b^2 + 4*A*a^{10}*b^3 + B*a^9*b^4)*d*x)*\tan(d*x + c)^2 + 3*((A*a^{10}*b^3 + 4*B*a^9*b^4 - 6*A*a^8*b^5 + 16*B*a^7*b^6 - 34*A*a^6*b^7 + 24*B*a^5*b^8 - 56*A*a^4*b^9 + 16*B*a^3*b^{10} - 39*A*a^2*b^{11} + 4*B*a*b^{12} - 10*A*b^{13})*\tan(d*x + c)^5 + 3*(A*a^{11}*b^2 + 4*B*a^{10}*b^3 - 6*A*a^9*b^4 + 16*B*a^8*b^5 - 34*A*a^7*b^6 + 24*B*a^6*b^7 - 56*A*a^5*b^8 + 16*B*a^4*b^9 - 39*A*a^3*b^{10} + 4*B*a^2*b^{11} - 10*A*a*b^{12})*\tan(d*x + c)^4 + 3*(A*a^{12}*b + 4*B*a^{11}*b^2 - 6*A*a^{10}*b^3 + 16*B*a^9*b^4 - 34*A*a^8*b^5 + 24*B*a^7*b^6 - 56*A*a^6*b^7 + 16*B*a^5*b^8 - 39*A*a^4*b^9 + 4*B*a^3*b^{10} - 10*A*a^2*b^{11})*\tan(d*x + c)^3 + (A*a^{13} + 4*B*a^{12}*b - 6*A*a^{11}*b^2 + 16*B*a^{10}*b^3 - 34*A*a^9*b^4 + 24*B*a^8*b^5 - 56*A*a^7*b^6 + 16*B*a^6*b^7 - 39*A*a^5*b^8 + 4*B*a^4*b^9 - 10*A*a^3*b^{10})*\tan(d*x + c)^2)*\log(\tan(d*x + c)^2/(\tan(d*x + c)^2 + 1)) - 3*((20*B*a^7*b^6 - 35*A*a^6*b^7 + 24*B*a^5*b^8 - 56*A*a^4*b^9 + 16*B*a^3*b^{10} - 39*A*a^2*b^{11} + 4*B*a*b^{12} - 10*A*b^{13})*\tan(d*x + c)^5 + 3*(20*B*a^8*b^5 - 35*A*a^7*b^6 + 24*B*a^6*b^7 - 56*A*a^5*b^8 + 16*B*a^4*b^9 - 39*A*a^3*b^{10} + 4*B*a^2*b^{11} - 10*A*a*b^{12})*\tan(d*x + c)^4 + 3*(20*B*a^9*b^4 - 35*A*a^8*b^5 + 24*B*a^7*b^6 - 56*A*a^6*b^7 + 16*B*a^5*b^8 - 39*A*a^4*b^9 + 4*B*a^3*b^{10} - 10*A*a^2*b^{11})*\tan(d*x + c)^3 + (20*B*a^{10}*b^3 - 35*A*a^9*b^4 + 24*B*a^8*b^5 - 56*A*a^7*b^6 + 16*B*a^6*b^7 - 39*A*a^5*b^8 + 4*B*a^4*b^9 - 10*A*a^3*b^{10})*\tan(d*x + c)^2)*\log((b^2*\tan(d*x + c))^2 + 2*a*b*\tan(d*x + c) + a^2)/(\tan(d*x + c)^2 + 1)) + 3*(2*B*a^{13} - 5*A*a^{12}*b + 8*B*a^{11}*b^2 - 20*A*a^{10}*b^3 + 12*B*a^9*b^4 - 30*A*a^8*b^5 + 8*B*a^7*b^6 - 20*A*a^6*b^7 + 2*B*a^5*b^8 - 5*A*a^4*b^9)*\tan(d*x + c))/((a^{14}*b^3 + 4*a^{12}*b^5 + 6*a^{10}*b^7 + 4*a^8*b^9 + a^6*b^{11})*d*\tan(d*x + c)^5 + 3*(a^{15}*b^2 + 4*a^{13}*b^4 + 6*a^{11}*b^6 + 4*a^9*b^8 + a^7*b^{10})*d*\tan(d*x + c)^4 + 3*(a^{16}*b + 4*a^{14}*b^3 + 6*a^{12}*b^5 + 4*a^{10}*b^7 + a^8*b^9)*d*\tan(d*x + c)^3 + (a^{17} + 4*a^{15}*b^2 + 6*a^{13}*b^4 + 4*a^{11}*b^6 + a^9*b^8)*d*\tan(d*x + c)^2)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Timed out

Giac [A] time = 1.3566, size = 1219, normalized size = 2.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(6*(B*a^4 - 4*A*a^3*b - 6*B*a^2*b^2 + 4*A*a*b^3 + B*b^4)*(d*x + c)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 3*(A*a^4 + 4*B*a^3*b - 6*A*a^2*b^2 - 4*B*a*b^3 + A*b^4)*\log(\tan(d*x + c)^2 + 1)/(a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) - 6*(20*B*a^7*b^4 - 35*A*a^6*b^5 + 24*B*a^5*b^6 - 56*A*a^4*b^7 + 16*B*a^3*b^8 - 39*A*a^2*b^9 + 4*B*a*b^{10} - 10*A*b^{11})*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^{14}*b + 4*a^{12}*b^3 + 6*a^{10}*b^5 + 4*a^8*b^7 + a^6*b^9) + (220*B*a^7*b^6*\tan(d*x + c)^3 - 385*A*a^6*b^7*\tan(d*x + c)^3 + 264*B*a^5*b^8*\tan(d*x + c)^3 - 616*A*a^4*b^9*\tan(d*x + c)^3 + 176*B*a^3*b^{10}*\tan(d*x + c)^3 - 429*A*a^2*b^{11}*\tan(d*x + c)^3 + 44*B*a*b^{12}*\tan(d*x + c)^3 - 110*A*b^{13}*\tan(d*x + c)^3 + 720*B*a^8*b^5*\tan(d*x + c)^2 - 1245*A*a^7*b^6*\tan(d*x + c)^2 + 906*B*a^6*b^7*\tan(d*x + c)^2 - 2040*A*a^5*b^8*\tan(d*x + c)^2 + 600*B*a^4*b^9*\tan(d*x + c)^2 - 1425*A*a^3*b^{10}*\tan(d*x + c)^2 + 150*B*a^2*b^{11}*\tan(d*x + c)^2 - 366*A*a*b^{12}*\tan(d*x + c)^2 + 792*B*a^9*b^4*\tan(d*x + c) - 1350*A*a^8*b^5*\tan(d*x + c) + 1050*B*a^7*b^6*\tan(d*x + c) - 2271*A*a^6*b^7*\tan(d*x + c) + 696*B*a^5*b^8*\tan(d*x + c) - 1596*A*a^4*b^9*\tan(d*x + c) + 174*B*a^3*b^{10}*\tan(d*x + c) - 411*A*a^2*b^{11}*\tan(d*x + c) + 294*B*a^{10}*b^3 - 492*A*a^9*b^4 + 414*B*a^8*b^5 - 853*A*a^7*b^6 + 278*B*a^6*b^7 - 606*A*a^5*b^8 + 70*B*a^4*b^9 - 157*A*a^3*b^{10})/((a^{14} + 4*a^{12}*b^2 + 6*a^{10}*b^4 + 4*a^8*b^6 + a^6*b^8)*(b*\tan(d*x + c) + a)^3) + 6*(A*a^2 + 4*B*a*b - 10*A*b^2)*\log(\text{abs}(\tan(d*x + c)))/a^6 - 3*(3*A*a^2*\tan(d*x + c)^2 + 12*B*a*b*\tan(d*x + c)^2 - 30*A*b^2*\tan(d*x + c)^2 - 2*B*a^2*\tan(d*x + c) + 8*A*a*b*\tan(d*x + c) - A*a^2)/(a^6*\tan(d*x + c)^2))/d \end{aligned}$$

$$3.298 \quad \int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=29

$$\frac{B \tan^2(c+dx)}{2d} + \frac{B \log(\cos(c+dx))}{d}$$

[Out] (B*Log[Cos[c + d*x]])/d + (B*Tan[c + d*x]^2)/(2*d)

Rubi [A] time = 0.0175713, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3473, 3475}

$$\frac{B \tan^2(c+dx)}{2d} + \frac{B \log(\cos(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] (B*Log[Cos[c + d*x]])/d + (B*Tan[c + d*x]^2)/(2*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])

Rule 3473

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx &= B \int \tan^3(c+dx) dx \\ &= \frac{B \tan^2(c+dx)}{2d} - B \int \tan(c+dx) dx \\ &= \frac{B \log(\cos(c+dx))}{d} + \frac{B \tan^2(c+dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.028094, size = 26, normalized size = 0.9

$$\frac{B \left(\tan^2(c+dx) + 2 \log(\cos(c+dx)) \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] (B*(2*Log[Cos[c + d*x]] + Tan[c + d*x]^2))/(2*d)

Maple [A] time = 0.022, size = 33, normalized size = 1.1

$$\frac{B(\tan(dx+c))^2}{2d} - \frac{B \ln(1+(\tan(dx+c))^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] 1/2*B*tan(d*x+c)^2/d-1/2/d*B*ln(1+tan(d*x+c)^2)

Maxima [A] time = 1.48099, size = 41, normalized size = 1.41

$$\frac{B \tan(dx+c)^2 - B \log(\tan(dx+c)^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(B*tan(d*x + c)^2 - B*log(tan(d*x + c)^2 + 1))/d

Fricas [A] time = 1.71534, size = 78, normalized size = 2.69

$$\frac{B \tan(dx+c)^2 + B \log\left(\frac{1}{\tan(dx+c)^2+1}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(B*tan(d*x + c)^2 + B*log(1/(tan(d*x + c)^2 + 1)))/d

Sympy [A] time = 14.0065, size = 53, normalized size = 1.83

$$\begin{cases} -\frac{B \log(\tan^2(c+dx)+1)}{2d} + \frac{B \tan^2(c+dx)}{2d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \tan(c)) \tan^3(c)}{a+b \tan(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((-B*log(tan(c + d*x)**2 + 1)/(2*d) + B*tan(c + d*x)**2/(2*d), Ne(d, 0)), (x*(B*a + B*b*tan(c))*tan(c)**3/(a + b*tan(c)), True))

Giac [B] time = 1.83875, size = 252, normalized size = 8.69

$$\frac{B \log\left(\left|-\frac{\cos(dx+c)+1}{\cos(dx+c)-1} - \frac{\cos(dx+c)-1}{\cos(dx+c)+1} + 2\right|\right) - B \log\left(\left|-\frac{\cos(dx+c)+1}{\cos(dx+c)-1} - \frac{\cos(dx+c)-1}{\cos(dx+c)+1} - 2\right|\right) + \frac{B\left(\frac{\cos(dx+c)+1}{\cos(dx+c)-1} + \frac{\cos(dx+c)-1}{\cos(dx+c)+1}\right) + 6B}{\frac{\cos(dx+c)+1}{\cos(dx+c)-1} + \frac{\cos(dx+c)-1}{\cos(dx+c)+1} + 2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-1/2*(B*\log(\text{abs}(-(\cos(d*x + c) + 1)/(\cos(d*x + c) - 1) - (\cos(d*x + c) - 1)/(\cos(d*x + c) + 1) + 2)) - B*\log(\text{abs}(-(\cos(d*x + c) + 1)/(\cos(d*x + c) - 1) - (\cos(d*x + c) - 1)/(\cos(d*x + c) + 1) - 2)) + (B*((\cos(d*x + c) + 1)/(\cos(d*x + c) - 1) + (\cos(d*x + c) - 1)/(\cos(d*x + c) + 1)) + 6*B)/((\cos(d*x + c) + 1)/(\cos(d*x + c) - 1) + (\cos(d*x + c) - 1)/(\cos(d*x + c) + 1) + 2))/d$$

$$3.299 \quad \int \frac{\tan^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=16

$$\frac{B \tan(c+dx)}{d} - Bx$$

[Out] $-(B*x) + (B*\text{Tan}[c + d*x])/d$

Rubi [A] time = 0.0116281, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3473, 8}

$$\frac{B \tan(c+dx)}{d} - Bx$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + d*x]^2*(a*B + b*B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x]), x]$

[Out] $-(B*x) + (B*\text{Tan}[c + d*x])/d$

Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_))^{(m_*)}*((c_*) + (d_*)*(v_))^{(n_*)}, x_Symbol] :>$
 $\text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /;$ $\text{FreeQ}[\{a, b, c, d, n\}, x]$
 $\&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x,$
 $a + b*x])$

Rule 3473

$\text{Int}[(b_*)*\text{tan}[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] :> \text{Simp}[(b*(b*\text{Tan}[c + d$
 $*x])^{(n-1)})/(d*(n-1)), x] - \text{Dist}[b^2, \text{Int}[(b*\text{Tan}[c + d*x])^{(n-2)}, x],$
 $x] /;$ $\text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /;$ $\text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx &= B \int \tan^2(c+dx) dx \\ &= \frac{B \tan(c+dx)}{d} - B \int 1 dx \\ &= -Bx + \frac{B \tan(c+dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0096435, size = 25, normalized size = 1.56

$$B \left(\frac{\tan(c+dx)}{d} - \frac{\tan^{-1}(\tan(c+dx))}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] B*(-(ArcTan[Tan[c + d*x]]/d) + Tan[c + d*x]/d)

Maple [A] time = 0.022, size = 26, normalized size = 1.6

$$\frac{B \tan(dx + c)}{d} - \frac{B \arctan(\tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] B*tan(d*x+c)/d-1/d*B*arctan(tan(d*x+c))

Maxima [A] time = 1.66764, size = 30, normalized size = 1.88

$$-\frac{(dx + c)B - B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] -((d*x + c)*B - B*tan(d*x + c))/d

Fricas [A] time = 1.73815, size = 39, normalized size = 2.44

$$-\frac{Bdx - B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] -(B*d*x - B*tan(d*x + c))/d

Sympy [A] time = 0.82752, size = 36, normalized size = 2.25

$$\begin{cases} -Bx + \frac{B \tan(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \tan(c)) \tan^2(c)}{a+b \tan(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((-B*x + B*tan(c + d*x)/d, Ne(d, 0)), (x*(B*a + B*b*tan(c))*tan(c)**2/(a + b*tan(c)), True))

Giac [A] time = 1.48349, size = 30, normalized size = 1.88

$$\frac{(dx + c)B - B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] -((d*x + c)*B - B*tan(d*x + c))/d

$$3.300 \quad \int \frac{\tan(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=13

$$-\frac{B \log(\cos(c+dx))}{d}$$

[Out] -((B*Log[Cos[c + d*x]])/d)

Rubi [A] time = 0.0066428, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {21, 3475}

$$-\frac{B \log(\cos(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -((B*Log[Cos[c + d*x]])/d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :>
 Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
 && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
 a + b*x])

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
 *x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\tan(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx = B \int \tan(c+dx) dx = -\frac{B \log(\cos(c+dx))}{d}$$

Mathematica [A] time = 0.0068276, size = 13, normalized size = 1.

$$-\frac{B \log(\cos(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -((B*Log[Cos[c + d*x]])/d)

Maple [A] time = 0.017, size = 18, normalized size = 1.4

$$\frac{B \ln \left(1 + (\tan(dx + c))^2 \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] 1/2/d*B*ln(1+tan(d*x+c)^2)

Maxima [A] time = 1.67684, size = 23, normalized size = 1.77

$$\frac{B \log \left(\tan(dx + c)^2 + 1 \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*B*log(tan(d*x + c)^2 + 1)/d

Fricas [A] time = 1.93919, size = 51, normalized size = 3.92

$$-\frac{B \log \left(\frac{1}{\tan(dx+c)^2+1} \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/2*B*log(1/(tan(d*x + c)^2 + 1))/d

Sympy [A] time = 0.688866, size = 37, normalized size = 2.85

$$\begin{cases} \frac{B \log(\tan^2(c+dx)+1)}{2d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \tan(c)) \tan(c)}{a+b \tan(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((B*log(tan(c + d*x)**2 + 1)/(2*d), Ne(d, 0)), (x*(B*a + B*b*tan(c))*tan(c)/(a + b*tan(c)), True))

Giac [B] time = 1.22798, size = 134, normalized size = 10.31

$$\frac{B \log\left(\left|-\frac{\cos(dx+c)+1}{\cos(dx+c)-1} - \frac{\cos(dx+c)-1}{\cos(dx+c)+1} + 2\right|\right) - B \log\left(\left|-\frac{\cos(dx+c)+1}{\cos(dx+c)-1} - \frac{\cos(dx+c)-1}{\cos(dx+c)+1} - 2\right|\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(B*log(abs(-(cos(d*x + c) + 1)/(cos(d*x + c) - 1) - (cos(d*x + c) - 1)/(cos(d*x + c) + 1) + 2)) - B*log(abs(-(cos(d*x + c) + 1)/(cos(d*x + c) - 1) - (cos(d*x + c) - 1)/(cos(d*x + c) + 1) - 2)))/d

$$3.301 \quad \int \frac{aB + bB \tan(c + dx)}{a + b \tan(c + dx)} dx$$

Optimal. Leaf size=3

Bx

[Out] $B*x$

Rubi [A] time = 0.0009798, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {21, 8}

Bx

Antiderivative was successfully verified.

[In] `Int[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x]),x]`

[Out] $B*x$

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\int \frac{aB + bB \tan(c + dx)}{a + b \tan(c + dx)} dx = B \int 1 dx = Bx$$

Mathematica [A] time = 0.0002505, size = 3, normalized size = 1.

Bx

Antiderivative was successfully verified.

[In] `Integrate[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x]),x]`

[Out] $B*x$

Maple [A] time = 0.006, size = 4, normalized size = 1.3

Bx

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] $B*x$

Maxima [C] time = 1.67687, size = 14, normalized size = 4.67

$$\frac{(dx + c)B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")`

[Out] $(d*x + c)*B/d$

Fricas [A] time = 1.72428, size = 7, normalized size = 2.33

$$Bx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")`

[Out] $B*x$

Sympy [A] time = 0.172329, size = 2, normalized size = 0.67

$$Bx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] $B*x$

Giac [C] time = 1.19308, size = 14, normalized size = 4.67

$$\frac{(dx + c)B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")`

[Out] $(d*x + c)*B/d$

$$3.302 \quad \int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=12

$$\frac{B \log(\sin(c + dx))}{d}$$

[Out] (B*Log[Sin[c + d*x]])/d

Rubi [A] time = 0.0066853, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {21, 3475}

$$\frac{B \log(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[((Cot[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (B*Log[Sin[c + d*x]])/d

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{\cot(c + dx)(aB + bB \tan(c + dx))}{a + b \tan(c + dx)} dx = B \int \cot(c + dx) dx = \frac{B \log(\sin(c + dx))}{d}$$

Mathematica [A] time = 0.0106897, size = 20, normalized size = 1.67

$$\frac{B(\log(\tan(c + dx)) + \log(\cos(c + dx)))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (B*(Log[Cos[c + d*x]] + Log[Tan[c + d*x]]))/d

Maple [A] time = 0.044, size = 13, normalized size = 1.1

$$\frac{B \ln(\sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] B*ln(sin(d*x+c))/d

Maxima [B] time = 1.69498, size = 39, normalized size = 3.25

$$\frac{B \log(\tan(dx + c)^2 + 1) - 2 B \log(\tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(B*log(tan(d*x + c)^2 + 1) - 2*B*log(tan(d*x + c)))/d

Fricas [A] time = 2.05819, size = 57, normalized size = 4.75

$$\frac{B \log\left(-\frac{1}{2} \cos(2dx + 2c) + \frac{1}{2}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*B*log(-1/2*cos(2*d*x + 2*c) + 1/2)/d

Sympy [A] time = 1.18723, size = 49, normalized size = 4.08

$$\begin{cases} -\frac{B \log(\tan^2(c+dx)+1)}{2d} + \frac{B \log(\tan(c+dx))}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \tan(c)) \cot(c)}{a+b \tan(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((-B*log(tan(c + d*x)**2 + 1)/(2*d) + B*log(tan(c + d*x))/d, Ne(d, 0)), (x*(B*a + B*b*tan(c))*cot(c)/(a + b*tan(c)), True))

Giac [B] time = 1.27845, size = 80, normalized size = 6.67

$$\frac{B \log\left(\frac{|-\cos(dx+c)+1|}{|\cos(dx+c)+1|}\right) - 2 B \log\left(\left|-\frac{\cos(dx+c)-1}{\cos(dx+c)+1} + 1\right|\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(B*log(abs(-cos(d*x + c) + 1)/abs(cos(d*x + c) + 1)) - 2*B*log(abs(-(cos(d*x + c) - 1)/(cos(d*x + c) + 1) + 1)))/d

$$3.303 \quad \int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=17

$$-\frac{B \cot(c+dx)}{d} - Bx$$

[Out] $-(B*x) - (B*\text{Cot}[c + d*x])/d$

Rubi [A] time = 0.0114034, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3473, 8}

$$-\frac{B \cot(c+dx)}{d} - Bx$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]^2*(a*B + b*B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x]), x]$

[Out] $-(B*x) - (B*\text{Cot}[c + d*x])/d$

Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_*)^m)*((c_*) + (d_*)*(v_*)^n), x_Symbol] :>$
 $\text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{m+n}, x], x] /;$ $\text{FreeQ}\{a, b, c, d, n\}, x]$
 $\&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x,$
 $a + b*x])$

Rule 3473

$\text{Int}[(b_*)*\text{tan}[(c_*) + (d_*)*(x_*)]^n, x_Symbol] :> \text{Simp}[(b*(b*\text{Tan}[c + d$
 $*x])^{n-1})/(d*(n-1)), x] - \text{Dist}[b^2, \text{Int}[(b*\text{Tan}[c + d*x])^{n-2}, x],$
 $x] /;$ $\text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /;$ $\text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx &= B \int \cot^2(c+dx) dx \\ &= -\frac{B \cot(c+dx)}{d} - B \int 1 dx \\ &= -Bx - \frac{B \cot(c+dx)}{d} \end{aligned}$$

Mathematica [C] time = 0.0143815, size = 30, normalized size = 1.76

$$-\frac{B \cot(c+dx) \text{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, -\tan^2(c+dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -((B*Cot[c + d*x]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[c + d*x]^2])/d)

Maple [A] time = 0.041, size = 22, normalized size = 1.3

$$\frac{B(-\cot(dx+c) - dx - c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] 1/d*B*(-cot(d*x+c)-d*x-c)

Maxima [A] time = 1.77949, size = 31, normalized size = 1.82

$$-\frac{(dx+c)B + \frac{B}{\tan(dx+c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] -((d*x + c)*B + B/tan(d*x + c))/d

Fricas [B] time = 1.89937, size = 99, normalized size = 5.82

$$-\frac{Bdx \sin(2dx + 2c) + B \cos(2dx + 2c) + B}{d \sin(2dx + 2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] -(B*d*x*sin(2*d*x + 2*c) + B*cos(2*d*x + 2*c) + B)/(d*sin(2*d*x + 2*c))

Sympy [A] time = 33.2055, size = 37, normalized size = 2.18

$$\begin{cases} -Bx - \frac{B \cot(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \tan(c)) \cot^2(c)}{a+b \tan(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((-B*x - B*cot(c + d*x)/d, Ne(d, 0)), (x*(B*a + B*b*tan(c))*cot(c)
**2/(a + b*tan(c)), True))

Giac [B] time = 1.25318, size = 53, normalized size = 3.12

$$\frac{2(dx+c)B - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{B}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] -1/2*(2*(d*x + c)*B - B*tan(1/2*d*x + 1/2*c) + B/tan(1/2*d*x + 1/2*c))/d

$$3.304 \quad \int \frac{\cot^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=30

$$-\frac{B \cot^2(c+dx)}{2d} - \frac{B \log(\sin(c+dx))}{d}$$

[Out] $-(B \cot[c + d*x]^2)/(2*d) - (B \log[\sin[c + d*x]])/d$

Rubi [A] time = 0.0162874, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3473, 3475}

$$-\frac{B \cot^2(c+dx)}{2d} - \frac{B \log(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cot[c + d*x]^3*(a*B + b*B*\tan[c + d*x]))/(a + b*\tan[c + d*x]),x]$

[Out] $-(B \cot[c + d*x]^2)/(2*d) - (B \log[\sin[c + d*x]])/d$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

Rule 3473

$\text{Int}[(b_.)*\tan[(c_.) + (d_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*(b*\tan[c + d*x])^{(n-1)})/(d*(n-1)), x] - \text{Dist}[b^2, \text{Int}[(b*\tan[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1]$

Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx &= B \int \cot^3(c+dx) dx \\ &= -\frac{B \cot^2(c+dx)}{2d} - B \int \cot(c+dx) dx \\ &= -\frac{B \cot^2(c+dx)}{2d} - \frac{B \log(\sin(c+dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.0746224, size = 35, normalized size = 1.17

$$\frac{B(\cot^2(c+dx) + 2 \log(\tan(c+dx)) + 2 \log(\cos(c+dx)))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] -(B*(Cot[c + d*x]^2 + 2*Log[Cos[c + d*x]] + 2*Log[Tan[c + d*x]]))/(2*d)
```

Maple [A] time = 0.048, size = 29, normalized size = 1.

$$-\frac{B(\cot(dx+c))^2}{2d} - \frac{B \ln(\sin(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] -1/2*B*cot(d*x+c)^2/d-B*ln(sin(d*x+c))/d
```

Maxima [A] time = 1.8192, size = 54, normalized size = 1.8

$$\frac{B \log(\tan(dx+c)^2 + 1) - 2B \log(\tan(dx+c)) - \frac{B}{\tan(dx+c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/2*(B*log(tan(d*x + c)^2 + 1) - 2*B*log(tan(d*x + c)) - B/tan(d*x + c)^2)/d
```

Fricas [A] time = 1.73243, size = 131, normalized size = 4.37

$$-\frac{(B \cos(2dx + 2c) - B) \log\left(-\frac{1}{2} \cos(2dx + 2c) + \frac{1}{2}\right) - 2B}{2(d \cos(2dx + 2c) - d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/2*((B*cos(2*d*x + 2*c) - B)*log(-1/2*cos(2*d*x + 2*c) + 1/2) - 2*B)/(d*cos(2*d*x + 2*c) - d)
```

Sympy [A] time = 27.3717, size = 80, normalized size = 2.67

$$\begin{cases} \infty Bx & \text{for } (c = 0 \vee c = -dx) \wedge (c = -dx \vee d = 0) \\ \frac{x(Ba+Bb \tan(c)) \cot^3(c)}{a+b \tan(c)} & \text{for } d = 0 \\ \frac{B \log(\tan^2(c+dx)+1)}{2d} - \frac{B \log(\tan(c+dx))}{d} - \frac{B}{2d \tan^2(c+dx)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Piecewise((zoo*B*x, (Eq(c, 0) | Eq(c, -d*x)) & (Eq(d, 0) | Eq(c, -d*x))), (x*(B*a + B*b*tan(c))*cot(c)**3/(a + b*tan(c)), Eq(d, 0)), (B*log(tan(c + d*x)**2 + 1)/(2*d) - B*log(tan(c + d*x))/d - B/(2*d*tan(c + d*x)**2), True))

Giac [B] time = 1.40382, size = 167, normalized size = 5.57

$$\frac{4B \log\left(\frac{|-\cos(dx+c)+1|}{|\cos(dx+c)+1|}\right) - 8B \log\left(\left|-\frac{\cos(dx+c)-1}{\cos(dx+c)+1} + 1\right|\right) - \left(B + \frac{4B(\cos(dx+c)-1)}{\cos(dx+c)+1}\right) \frac{(\cos(dx+c)+1)}{\cos(dx+c)-1} - \frac{B(\cos(dx+c)-1)}{\cos(dx+c)+1}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] -1/8*(4*B*log(abs(-cos(d*x + c) + 1)/abs(cos(d*x + c) + 1)) - 8*B*log(abs(-(cos(d*x + c) - 1)/(cos(d*x + c) + 1) + 1)) - (B + 4*B*(cos(d*x + c) - 1)/(cos(d*x + c) + 1))*(cos(d*x + c) + 1)/(cos(d*x + c) - 1) - B*(cos(d*x + c) - 1)/(cos(d*x + c) + 1))/d

$$3.305 \quad \int \frac{\cot^4(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=31

$$-\frac{B \cot^3(c+dx)}{3d} + \frac{B \cot(c+dx)}{d} + Bx$$

[Out] B*x + (B*Cot[c + d*x])/d - (B*Cot[c + d*x]^3)/(3*d)

Rubi [A] time = 0.0257432, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3473, 8}

$$-\frac{B \cot^3(c+dx)}{3d} + \frac{B \cot(c+dx)}{d} + Bx$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^4*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] B*x + (B*Cot[c + d*x])/d - (B*Cot[c + d*x]^3)/(3*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3473

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^4(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx &= B \int \cot^4(c+dx) dx \\ &= -\frac{B \cot^3(c+dx)}{3d} - B \int \cot^2(c+dx) dx \\ &= \frac{B \cot(c+dx)}{d} - \frac{B \cot^3(c+dx)}{3d} + B \int 1 dx \\ &= Bx + \frac{B \cot(c+dx)}{d} - \frac{B \cot^3(c+dx)}{3d} \end{aligned}$$

Mathematica [C] time = 0.0152082, size = 34, normalized size = 1.1

$$-\frac{B \cot^3(c+dx) \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, -\tan^2(c+dx)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^4*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(B*Cot[c + d*x]^3*Hypergeometric2F1[-3/2, 1, -1/2, -Tan[c + d*x]^2])/(3*d)

Maple [A] time = 0.044, size = 27, normalized size = 0.9

$$\frac{B}{d} \left(-\frac{(\cot(dx+c))^3}{3} + \cot(dx+c) + dx+c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] 1/d*B*(-1/3*cot(d*x+c)^3+cot(d*x+c)+d*x+c)

Maxima [A] time = 1.80508, size = 51, normalized size = 1.65

$$\frac{3(dx+c)B + \frac{3B \tan(dx+c)^2 - B}{\tan(dx+c)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/3*(3*(d*x + c)*B + (3*B*tan(d*x + c)^2 - B)/tan(d*x + c)^3)/d

Fricas [B] time = 1.67942, size = 212, normalized size = 6.84

$$\frac{4B \cos(2dx+2c)^2 + 2B \cos(2dx+2c) + 3(Bdx \cos(2dx+2c) - Bdx) \sin(2dx+2c) - 2B}{3(d \cos(2dx+2c) - d) \sin(2dx+2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/3*(4*B*cos(2*d*x + 2*c)^2 + 2*B*cos(2*d*x + 2*c) + 3*(B*d*x*cos(2*d*x + 2*c) - B*d*x)*sin(2*d*x + 2*c) - 2*B)/((d*cos(2*d*x + 2*c) - d)*sin(2*d*x + 2*c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.32903, size = 93, normalized size = 3.

$$\frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 24(dx + c)B - 15B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{15B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - B}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] 1/24*(B*tan(1/2*d*x + 1/2*c)^3 + 24*(d*x + c)*B - 15*B*tan(1/2*d*x + 1/2*c) + (15*B*tan(1/2*d*x + 1/2*c)^2 - B)/tan(1/2*d*x + 1/2*c)^3)/d

$$3.306 \quad \int \frac{\tan^4(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=102

$$\frac{a^4 B \log(a + b \tan(c + dx))}{b^3 d (a^2 + b^2)} + \frac{b B \log(\cos(c + dx))}{d (a^2 + b^2)} + \frac{a B x}{a^2 + b^2} - \frac{a B \tan(c + dx)}{b^2 d} + \frac{B \tan^2(c + dx)}{2 b d}$$

[Out] (a*B*x)/(a^2 + b^2) + (b*B*Log[Cos[c + d*x]])/((a^2 + b^2)*d) + (a^4*B*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)*d) - (a*B*Tan[c + d*x])/(b^2*d) + (B*Tan[c + d*x]^2)/(2*b*d)

Rubi [A] time = 0.290616, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {21, 3566, 3647, 3627, 3617, 31, 3475}

$$\frac{a^4 B \log(a + b \tan(c + dx))}{b^3 d (a^2 + b^2)} + \frac{b B \log(\cos(c + dx))}{d (a^2 + b^2)} + \frac{a B x}{a^2 + b^2} - \frac{a B \tan(c + dx)}{b^2 d} + \frac{B \tan^2(c + dx)}{2 b d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^4*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] (a*B*x)/(a^2 + b^2) + (b*B*Log[Cos[c + d*x]])/((a^2 + b^2)*d) + (a^4*B*Log[a + b*Tan[c + d*x]])/(b^3*(a^2 + b^2)*d) - (a*B*Tan[c + d*x])/(b^2*d) + (B*Tan[c + d*x]^2)/(2*b*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3566

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b^2*(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n - 1)), x] + Dist[1/(d*(m + n - 1)), Int[(a + b*Tan[e + f*x])^(m - 3)*(c + d*Tan[e + f*x])^n*Simp[a^3*d*(m + n - 1) - b^2*(b*c*(m - 2) + a*d*(1 + n)) + b*d*(m + n - 1)*(3*a^2 - b^2)*Tan[e + f*x] - b^2*(b*c*(m - 2) - a*d*(3*m + 2*n - 4))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && GtQ[m, 2] && (GeQ[n, -1] || IntegerQ[m]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&

NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3627

Int[((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]/((a_) + (b_)*tan[(e_) + (f_)*(x_)])*(x_)]), x_Symbol] := Simp[(a*(A - C)*x)/(a^2 + b^2), x] + (Dist[(a^2*C + A*b^2)/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(b*(A - C))/(a^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2*C + A*b^2, 0] && NeQ[a^2 + b^2, 0] && NeQ[A, C]

Rule 3617

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\tan^4(c + dx)(aB + bB \tan(c + dx))}{(a + b \tan(c + dx))^2} dx &= B \int \frac{\tan^4(c + dx)}{a + b \tan(c + dx)} dx \\ &= \frac{B \tan^2(c + dx)}{2bd} + \frac{B \int \frac{\tan(c+dx)(-2a-2b \tan(c+dx)-2a \tan^2(c+dx))}{a+b \tan(c+dx)} dx}{2b} \\ &= -\frac{aB \tan(c + dx)}{b^2d} + \frac{B \tan^2(c + dx)}{2bd} + \frac{B \int \frac{2a^2+2(a^2-b^2)\tan^2(c+dx)}{a+b \tan(c+dx)} dx}{2b^2} \\ &= \frac{aBx}{a^2 + b^2} - \frac{aB \tan(c + dx)}{b^2d} + \frac{B \tan^2(c + dx)}{2bd} + \frac{(a^4B) \int \frac{1+\tan^2(c+dx)}{a+b \tan(c+dx)} dx}{b^2(a^2 + b^2)} \\ &= \frac{aBx}{a^2 + b^2} + \frac{bB \log(\cos(c + dx))}{(a^2 + b^2)d} - \frac{aB \tan(c + dx)}{b^2d} + \frac{B \tan^2(c + dx)}{2bd} + \frac{(a^4B)}{b^2(a^2 + b^2)} \\ &= \frac{aBx}{a^2 + b^2} + \frac{bB \log(\cos(c + dx))}{(a^2 + b^2)d} + \frac{a^4B \log(a + b \tan(c + dx))}{b^3(a^2 + b^2)d} - \frac{aB \tan(c + dx)}{b^2d} \end{aligned}$$

Mathematica [C] time = 0.412395, size = 108, normalized size = 1.06

$$\frac{B \left(\frac{2a^4 \log(a+b \tan(c+dx))}{b^3(a^2+b^2)} - \frac{2a \tan(c+dx)}{b^2} + \frac{\log(-\tan(c+dx)+i)}{-b+ia} - \frac{\log(\tan(c+dx)+i)}{b+ia} + \frac{\tan^2(c+dx)}{b} \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^4*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] $(B \cdot (\text{Log}[I - \text{Tan}[c + d \cdot x]] / (I \cdot a - b) - \text{Log}[I + \text{Tan}[c + d \cdot x]] / (I \cdot a + b) + (2 \cdot a^4 \cdot \text{Log}[a + b \cdot \text{Tan}[c + d \cdot x]]) / (b^3 \cdot (a^2 + b^2)) - (2 \cdot a \cdot \text{Tan}[c + d \cdot x]) / b^2 + \text{Tan}[c + d \cdot x]^2 / b) / (2 \cdot d)$

Maple [A] time = 0.034, size = 115, normalized size = 1.1

$$\frac{B (\tan(dx + c))^2}{2bd} - \frac{aB \tan(dx + c)}{b^2d} - \frac{\ln(1 + (\tan(dx + c))^2) Bb}{2d(a^2 + b^2)} + \frac{B \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} + \frac{a^4 B \ln(a + b \tan(dx + c))}{b^3(a^2 + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)`

[Out] $1/2 \cdot B \cdot \tan(dx + c)^2 / b / d - a \cdot B \cdot \tan(dx + c) / b^2 / d - 1/2 / d / (a^2 + b^2) \cdot \ln(1 + \tan(dx + c)^2) \cdot B \cdot b + 1/d / (a^2 + b^2) \cdot B \cdot \arctan(\tan(dx + c)) \cdot a + a^4 \cdot B \cdot \ln(a + b \cdot \tan(dx + c)) / b^3 / (a^2 + b^2) / d$

Maxima [A] time = 1.75869, size = 140, normalized size = 1.37

$$\frac{\frac{2Ba^4 \log(b \tan(dx+c)+a)}{a^2b^3+b^5} + \frac{2(dx+c)Ba}{a^2+b^2} - \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{Bb \tan(dx+c)^2 - 2Ba \tan(dx+c)}{b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")`

[Out] $1/2 \cdot (2 \cdot B \cdot a^4 \cdot \log(b \cdot \tan(dx + c) + a) / (a^2 \cdot b^3 + b^5) + 2 \cdot (dx + c) \cdot B \cdot a / (a^2 + b^2) - B \cdot b \cdot \log(\tan(dx + c)^2 + 1) / (a^2 + b^2) + (B \cdot b \cdot \tan(dx + c)^2 - 2 \cdot B \cdot a \cdot \tan(dx + c)) / b^2) / d$

Fricas [A] time = 1.90752, size = 328, normalized size = 3.22

$$\frac{2Bab^3dx + Ba^4 \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) + (Ba^2b^2 + Bb^4) \tan(dx + c)^2 - (Ba^4 - Bb^4) \log\left(\frac{1}{\tan(dx+c)^2 + 1}\right) - 2(Ba^3 + Bb^3) \tan(dx + c)}{2(a^2b^3 + b^5)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")`

[Out] $1/2 \cdot (2 \cdot B \cdot a \cdot b^3 \cdot dx + B \cdot a^4 \cdot \log((b^2 \cdot \tan(dx + c)^2 + 2 \cdot a \cdot b \cdot \tan(dx + c) + a^2) / (\tan(dx + c)^2 + 1)) + (B \cdot a^2 \cdot b^2 + B \cdot b^4) \cdot \tan(dx + c)^2 - (B \cdot a^4 - B \cdot b^4) \cdot \log(1 / (\tan(dx + c)^2 + 1)) - 2 \cdot (B \cdot a^3 \cdot b + B \cdot a \cdot b^3) \cdot \tan(dx + c)) / ((a^2 \cdot b^3 + b^5) \cdot d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 2.39502, size = 142, normalized size = 1.39

$$\frac{\frac{2Ba^4 \log(|b \tan(dx+c)+a|)}{a^2b^3+b^5} + \frac{2(dx+c)Ba}{a^2+b^2} - \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{Bb \tan(dx+c)^2 - 2Ba \tan(dx+c)}{b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] 1/2*(2*B*a^4*log(abs(b*tan(d*x + c) + a))/(a^2*b^3 + b^5) + 2*(d*x + c)*B*a/(a^2 + b^2) - B*b*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) + (B*b*tan(d*x + c))^2 - 2*B*a*tan(d*x + c))/b^2/d

$$3.307 \quad \int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=83

$$-\frac{a^3B \log(a+b \tan(c+dx))}{b^2d(a^2+b^2)} + \frac{aB \log(\cos(c+dx))}{d(a^2+b^2)} - \frac{bBx}{a^2+b^2} + \frac{B \tan(c+dx)}{bd}$$

[Out] $-\frac{(bBx)/(a^2+b^2)}{b^2d(a^2+b^2)} + \frac{(aB \cdot \text{Log}[\text{Cos}[c+d*x]])/((a^2+b^2)*d)}{d(a^2+b^2)} - \frac{(a^3B \cdot \text{Log}[a+b \cdot \text{Tan}[c+d*x]])/(b^2*(a^2+b^2)*d)}{a^2+b^2} + \frac{(B \cdot \text{Tan}[c+d*x])/(b*d)}{bd}$

Rubi [A] time = 0.174478, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {21, 3566, 3626, 3617, 31, 3475}

$$-\frac{a^3B \log(a+b \tan(c+dx))}{b^2d(a^2+b^2)} + \frac{aB \log(\cos(c+dx))}{d(a^2+b^2)} - \frac{bBx}{a^2+b^2} + \frac{B \tan(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] $-\frac{(bBx)/(a^2+b^2)}{b^2d(a^2+b^2)} + \frac{(aB \cdot \text{Log}[\text{Cos}[c+d*x]])/((a^2+b^2)*d)}{d(a^2+b^2)} - \frac{(a^3B \cdot \text{Log}[a+b \cdot \text{Tan}[c+d*x]])/(b^2*(a^2+b^2)*d)}{a^2+b^2} + \frac{(B \cdot \text{Tan}[c+d*x])/(b*d)}{bd}$

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3566

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
  (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b^2*(a + b*Tan[e + f*x])^(m - 2)*(c
  + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n - 1)), x] + Dist[1/(d*(m + n - 1)),
  Int[(a + b*Tan[e + f*x])^(m - 3)*(c + d*Tan[e + f*x])^n*Simp[a^3*d*(m + n -
  1) - b^2*(b*c*(m - 2) + a*d*(1 + n)) + b*d*(m + n - 1)*(3*a^2 - b^2)*Tan[e
  + f*x] - b^2*(b*c*(m - 2) - a*d*(3*m + 2*n - 4))*Tan[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
  0] && NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && GtQ[m, 2] && (GeQ[n, -1] || In
  tegerQ[m]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3626

```
Int[((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2
  ]/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*A + b*B -
  a*C)*x)/(a^2 + b^2), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(1
  + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] - Dist[(A*b - a*B - b*C)/(a
  ^2 + b^2), Int[Tan[e + f*x], x], x]) /; FreeQ[{a, b, e, f, A, B, C}, x] &&
  NeQ[A*b^2 - a*b*B + a^2*C, 0] && NeQ[a^2 + b^2, 0] && NeQ[A*b - a*B - b*C,
  0]
```

Rule 3617

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (C_.)*tan[(e_.) +
(f_.)*(x_)]^2), x_Symbol] := Dist[A/(b*f), Subst[Int[(a + x)^m, x], x, b*T
an[e + f*x]], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && EqQ[A, C]
```

Rule 31

```
Int[((a_.) + (b_.)*(x_))^(n_.), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c+dx)(aB+bB\tan(c+dx))}{(a+b\tan(c+dx))^2} dx &= B \int \frac{\tan^3(c+dx)}{a+b\tan(c+dx)} dx \\ &= \frac{B\tan(c+dx)}{bd} + \frac{B \int \frac{-a-b\tan(c+dx)-a\tan^2(c+dx)}{a+b\tan(c+dx)} dx}{b} \\ &= -\frac{bBx}{a^2+b^2} + \frac{B\tan(c+dx)}{bd} - \frac{(aB) \int \tan(c+dx) dx}{a^2+b^2} - \frac{(a^3B) \int \frac{1+\tan^2(c+dx)}{a+b\tan(c+dx)} dx}{b(a^2+b^2)} \\ &= -\frac{bBx}{a^2+b^2} + \frac{aB \log(\cos(c+dx))}{(a^2+b^2)d} + \frac{B\tan(c+dx)}{bd} - \frac{(a^3B) \operatorname{Subst}\left(\int \frac{1}{a+x} dx\right)}{b^2(a^2+b^2)} \\ &= -\frac{bBx}{a^2+b^2} + \frac{aB \log(\cos(c+dx))}{(a^2+b^2)d} - \frac{a^3B \log(a+b\tan(c+dx))}{b^2(a^2+b^2)d} + \frac{B\tan(c+dx)}{bd} \end{aligned}$$

Mathematica [C] time = 0.381524, size = 92, normalized size = 1.11

$$\frac{B \left(\frac{2a^3 \log(a+b \tan(c+dx))}{b^2(a^2+b^2)} + \frac{\log(-\tan(c+dx)+i)}{a+ib} + \frac{\log(\tan(c+dx)+i)}{a-ib} - \frac{2 \tan(c+dx)}{b} \right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,
x]
```

```
[Out] -(B*(Log[I - Tan[c + d*x]]/(a + I*b) + Log[I + Tan[c + d*x]]/(a - I*b) + (2
*a^3*Log[a + b*Tan[c + d*x]]/(b^2*(a^2 + b^2)) - (2*Tan[c + d*x])/b))/(2*d
)
```

Maple [A] time = 0.033, size = 98, normalized size = 1.2

$$\frac{B \tan(dx+c)}{bd} - \frac{\ln\left(1 + (\tan(dx+c))^2\right) aB}{2d(a^2+b^2)} - \frac{B \arctan(\tan(dx+c)) b}{d(a^2+b^2)} - \frac{a^3 B \ln(a+b \tan(dx+c))}{(a^2+b^2)b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)
```

[Out] $B \cdot \tan(dx+c)/b/d - 1/2/d/(a^2+b^2) \cdot \ln(1+\tan(dx+c)^2) \cdot a \cdot B - 1/d/(a^2+b^2) \cdot B \cdot \arctan(\tan(dx+c)) \cdot b - a^3 \cdot B \cdot \ln(a+b \cdot \tan(dx+c))/b^2/(a^2+b^2)/d$

Maxima [A] time = 1.72996, size = 120, normalized size = 1.45

$$\frac{\frac{2Ba^3 \log(b \tan(dx+c)+a)}{a^2b^2+b^4} + \frac{2(dx+c)Bb}{a^2+b^2} + \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2B \tan(dx+c)}{b}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^3*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="maxima")

[Out] $-1/2*(2*B*a^3*\log(b*\tan(dx+c)+a)/(a^2*b^2+b^4)+2*(dx+c)*B*b/(a^2+b^2)+B*a*\log(\tan(dx+c)^2+1)/(a^2+b^2)-2*B*\tan(dx+c)/b)/d$

Fricas [A] time = 1.87438, size = 277, normalized size = 3.34

$$\frac{2Bb^3dx + Ba^3 \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) - (Ba^3 + Bab^2) \log\left(\frac{1}{\tan(dx+c)^2 + 1}\right) - 2(Ba^2b + Bb^3) \tan(dx+c)}{2(a^2b^2 + b^4)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^3*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="fricas")

[Out] $-1/2*(2*B*b^3*d*x + B*a^3*\log((b^2*\tan(dx+c)^2 + 2*a*b*\tan(dx+c) + a^2)/(\tan(dx+c)^2 + 1)) - (B*a^3 + B*a*b^2)*\log(1/(\tan(dx+c)^2 + 1)) - 2*(B*a^2*b + B*b^3)*\tan(dx+c))/((a^2*b^2 + b^4)*d)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**3*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))**2,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.78158, size = 122, normalized size = 1.47

$$\frac{\frac{2Ba^3 \log(|b \tan(dx+c)+a)}{a^2b^2+b^4} + \frac{2(dx+c)Bb}{a^2+b^2} + \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2B \tan(dx+c)}{b}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] -1/2*(2*B*a^3*log(abs(b*tan(d*x + c) + a))/(a^2*b^2 + b^4) + 2*(d*x + c)*B*b/(a^2 + b^2) + B*a*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*B*tan(d*x + c)/b)/d
```

$$3.308 \quad \int \frac{\tan^2(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=81

$$\frac{a^2 B \log(a \cos(c+dx) + b \sin(c+dx))}{bd(a^2 + b^2)} + \frac{a^3 B x}{b^2(a^2 + b^2)} - \frac{a B x}{b^2} - \frac{B \log(\cos(c+dx))}{bd}$$

[Out] $-\left(\frac{a B x}{b^2}\right) + \frac{a^3 B x}{b^2(a^2 + b^2)} - \frac{B \log[\cos[c + d x]]}{(b d)}$
 $+ \frac{a^2 B \log[a \cos[c + d x] + b \sin[c + d x]]}{(b(a^2 + b^2)) d}$

Rubi [A] time = 0.115725, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {21, 3541, 3475, 3484, 3530}

$$\frac{a^2 B \log(a \cos(c+dx) + b \sin(c+dx))}{bd(a^2 + b^2)} + \frac{a^3 B x}{b^2(a^2 + b^2)} - \frac{a B x}{b^2} - \frac{B \log(\cos(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In] `Int[(Tan[c + d*x]^2*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]`

[Out] $-\left(\frac{a B x}{b^2}\right) + \frac{a^3 B x}{b^2(a^2 + b^2)} - \frac{B \log[\cos[c + d x]]}{(b d)}$
 $+ \frac{a^2 B \log[a \cos[c + d x] + b \sin[c + d x]]}{(b(a^2 + b^2)) d}$

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3541

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^2/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :>
  Simp[(d*(2*b*c - a*d)*x)/b^2, x] + (Dist[d^2/b, Int[Tan[e + f*x], x], x] + Dist[(b*c - a*d)^2/b^2, Int[1/(a + b*Tan[e + f*x]), x], x]) /;
  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3484

```
Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> Simp[(a*x)/(a^2 + b^2), x] + Dist[b/(a^2 + b^2), Int[(b - a*Tan[c + d*x])/(a + b*Tan[c + d*x]), x], x] /;
  FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :>
  Simp[(c*Log[RemoveContent[a*cos[e + f*x] + b*sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
```

$\text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[a*c + b*d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c + dx)(aB + bB \tan(c + dx))}{(a + b \tan(c + dx))^2} dx &= B \int \frac{\tan^2(c + dx)}{a + b \tan(c + dx)} dx \\ &= -\frac{aBx}{b^2} + \frac{(a^2B) \int \frac{1}{a+b \tan(c+dx)} dx}{b^2} + \frac{B \int \tan(c + dx) dx}{b} \\ &= -\frac{aBx}{b^2} + \frac{a^3Bx}{b^2(a^2 + b^2)} - \frac{B \log(\cos(c + dx))}{bd} + \frac{(a^2B) \int \frac{b-a \tan(c+dx)}{a+b \tan(c+dx)} dx}{b(a^2 + b^2)} \\ &= -\frac{aBx}{b^2} + \frac{a^3Bx}{b^2(a^2 + b^2)} - \frac{B \log(\cos(c + dx))}{bd} + \frac{a^2B \log(a \cos(c + dx) + b \sin(c + dx))}{b(a^2 + b^2)d} \end{aligned}$$

Mathematica [C] time = 0.082385, size = 79, normalized size = 0.98

$$\frac{B(2a^2 \log(a + b \tan(c + dx)) + b(b + ia) \log(-\tan(c + dx) + i) + b(b - ia) \log(\tan(c + dx) + i))}{2bd(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (B*(b*(I*a + b)*Log[I - Tan[c + d*x]] + b*((-I)*a + b)*Log[I + Tan[c + d*x]] + 2*a^2*Log[a + b*Tan[c + d*x]]))/(2*b*(a^2 + b^2)*d)

Maple [A] time = 0.032, size = 83, normalized size = 1.

$$\frac{\ln(1 + (\tan(dx + c))^2) Bb}{2d(a^2 + b^2)} - \frac{B \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} + \frac{a^2 B \ln(a + b \tan(dx + c))}{d(a^2 + b^2) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*B*b-1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*a+1/d*B*a^2/(a^2+b^2)/b*ln(a+b*tan(d*x+c))

Maxima [A] time = 1.7828, size = 101, normalized size = 1.25

$$\frac{\frac{2Ba^2 \log(b \tan(dx+c)+a)}{a^2b+b^3} - \frac{2(dx+c)Ba}{a^2+b^2} + \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{2} \cdot (2 \cdot B \cdot a^2 \cdot \log(b \cdot \tan(dx + c) + a) / (a^2 \cdot b + b^3) - 2 \cdot (dx + c) \cdot B \cdot a / (a^2 + b^2) + B \cdot b \cdot \log(\tan(dx + c)^2 + 1) / (a^2 + b^2)) / d$

Fricas [A] time = 1.76961, size = 224, normalized size = 2.77

$$\frac{2 Babdx - Ba^2 \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) + (Ba^2 + Bb^2) \log\left(\frac{1}{\tan(dx+c)^2 + 1}\right)}{2(a^2b + b^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="fricas")

[Out] $-1/2 \cdot (2 \cdot B \cdot a \cdot b \cdot dx - B \cdot a^2 \cdot \log((b^2 \cdot \tan(dx + c)^2 + 2 \cdot a \cdot b \cdot \tan(dx + c) + a^2) / (\tan(dx + c)^2 + 1)) + (B \cdot a^2 + B \cdot b^2) \cdot \log(1 / (\tan(dx + c)^2 + 1))) / ((a^2 \cdot b + b^3) \cdot d)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**2*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))**2,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.47351, size = 103, normalized size = 1.27

$$\frac{\frac{2Ba^2 \log(|b \tan(dx+c)+a|)}{a^2b+b^3} - \frac{2(dx+c)Ba}{a^2+b^2} + \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (2 \cdot B \cdot a^2 \cdot \log(\text{abs}(b \cdot \tan(dx + c) + a)) / (a^2 \cdot b + b^3) - 2 \cdot (dx + c) \cdot B \cdot a / (a^2 + b^2) + B \cdot b \cdot \log(\tan(dx + c)^2 + 1) / (a^2 + b^2)) / d$

$$3.309 \quad \int \frac{\tan(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=48

$$\frac{bBx}{a^2 + b^2} - \frac{aB \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)}$$

[Out] (b*B*x)/(a^2 + b^2) - (a*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rubi [A] time = 0.0666127, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {21, 3531, 3530}

$$\frac{bBx}{a^2 + b^2} - \frac{aB \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] (b*B*x)/(a^2 + b^2) - (a*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\tan(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx &= B \int \frac{\tan(c+dx)}{a+b \tan(c+dx)} dx \\ &= \frac{bBx}{a^2 + b^2} - \frac{(aB) \int \frac{b-a \tan(c+dx)}{a+b \tan(c+dx)} dx}{a^2 + b^2} \\ &= \frac{bBx}{a^2 + b^2} - \frac{aB \log(a \cos(c + dx) + b \sin(c + dx))}{(a^2 + b^2) d} \end{aligned}$$

Mathematica [C] time = 0.107548, size = 67, normalized size = 1.4

$$\frac{B(2(b-ia)(c+dx) - a \log((a \cos(c+dx) + b \sin(c+dx))^2) + 2ia \tan^{-1}(\tan(c+dx)))}{2d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] (B*(2*((-I)*a + b)*(c + d*x) + (2*I)*a*ArcTan[Tan[c + d*x]] - a*Log[(a*Cos[c + d*x] + b*Sin[c + d*x])^2]))/(2*(a^2 + b^2)*d)

Maple [A] time = 0.029, size = 78, normalized size = 1.6

$$\frac{\ln(1 + (\tan(dx+c))^2) aB}{2d(a^2 + b^2)} + \frac{B \arctan(\tan(dx+c)) b}{d(a^2 + b^2)} - \frac{\ln(a + b \tan(dx+c)) aB}{d(a^2 + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b-1/d/(a^2+b^2)*ln(a+b*tan(d*x+c))*a*B

Maxima [A] time = 1.72114, size = 96, normalized size = 2.

$$\frac{\frac{2(dx+c)Bb}{a^2+b^2} - \frac{2Ba \log(b \tan(dx+c)+a)}{a^2+b^2} + \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*B*b/(a^2 + b^2) - 2*B*a*log(b*tan(d*x + c) + a)/(a^2 + b^2) + B*a*log(tan(d*x + c)^2 + 1)/(a^2 + b^2))/d

Fricas [A] time = 1.63656, size = 153, normalized size = 3.19

$$\frac{2Bbdx - Ba \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right)}{2(a^2 + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] 1/2*(2*B*b*d*x - B*a*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)))/((a^2 + b^2)*d)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.23563, size = 103, normalized size = 2.15

$$-\frac{\frac{2Bab \log(|b \tan(dx+c)+a|)}{a^2b+b^3} - \frac{2(dx+c)Bb}{a^2+b^2} - \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] $-\frac{1}{2} \frac{2Bab \log(\tan(dx+c)^2+1) + (a+b \tan(dx+c))^2}{(a^2+b^2)^2} - \frac{2(dx+c)Bb}{(a^2+b^2)^2} - \frac{Ba \log(\tan(dx+c)^2+1)}{(a^2+b^2)^2} / d$

$$3.310 \quad \int \frac{aB + bB \tan(c + dx)}{(a + b \tan(c + dx))^2} dx$$

Optimal. Leaf size=47

$$\frac{bB \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)} + \frac{aBx}{a^2 + b^2}$$

[Out] (a*B*x)/(a^2 + b^2) + (b*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rubi [A] time = 0.0540156, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {21, 3484, 3530}

$$\frac{bB \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)} + \frac{aBx}{a^2 + b^2}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^2,x]

[Out] (a*B*x)/(a^2 + b^2) + (b*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3484

Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := Simp[(a*x)/(a^2 + b^2), x] + Dist[b/(a^2 + b^2), Int[(b - a*Tan[c + d*x])/(a + b*Tan[c + d*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \tan(c + dx)}{(a + b \tan(c + dx))^2} dx &= B \int \frac{1}{a + b \tan(c + dx)} dx \\ &= \frac{aBx}{a^2 + b^2} + \frac{(bB) \int \frac{b - a \tan(c + dx)}{a + b \tan(c + dx)} dx}{a^2 + b^2} \\ &= \frac{aBx}{a^2 + b^2} + \frac{bB \log(a \cos(c + dx) + b \sin(c + dx))}{(a^2 + b^2) d} \end{aligned}$$

Mathematica [C] time = 0.0630232, size = 77, normalized size = 1.64

$$\frac{B((-b - ia) \log(-\tan(c + dx) + i) + i(a + ib) \log(\tan(c + dx) + i) + 2b \log(a + b \tan(c + dx)))}{2d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^2, x]

[Out] (B*(((-I)*a - b)*Log[I - Tan[c + d*x]] + I*(a + I*b)*Log[I + Tan[c + d*x]] + 2*b*Log[a + b*Tan[c + d*x]]))/(2*(a^2 + b^2)*d)

Maple [A] time = 0.029, size = 77, normalized size = 1.6

$$-\frac{\ln(1 + (\tan(dx + c))^2) Bb}{2d(a^2 + b^2)} + \frac{B \arctan(\tan(dx + c)) a}{d(a^2 + b^2)} + \frac{b \ln(a + b \tan(dx + c)) B}{d(a^2 + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)

[Out] -1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*B*b+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*a+1/d*b/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.73875, size = 97, normalized size = 2.06

$$\frac{\frac{2(dx+c)Ba}{a^2+b^2} + \frac{2Bb \log(b \tan(dx+c)+a)}{a^2+b^2} - \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x, algorithm="maxima")

[Out] 1/2*(2*(d*x + c)*B*a/(a^2 + b^2) + 2*B*b*log(b*tan(d*x + c) + a)/(a^2 + b^2) - B*b*log(tan(d*x + c)^2 + 1)/(a^2 + b^2))/d

Fricas [A] time = 1.75063, size = 153, normalized size = 3.26

$$\frac{2Badx + Bb \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right)}{2(a^2 + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x, algorithm="fricas")

[Out] 1/2*(2*B*a*d*x + B*b*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)))/((a^2 + b^2)*d)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.2621, size = 104, normalized size = 2.21

$$\frac{\frac{2Bb^2 \log(|b \tan(dx+c)+a|)}{a^2b+b^3} + \frac{2(dx+c)Ba}{a^2+b^2} - \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] 1/2*(2*B*b^2*log(abs(b*tan(d*x + c) + a))/(a^2*b + b^3) + 2*(d*x + c)*B*a/(a^2 + b^2) - B*b*log(tan(d*x + c)^2 + 1)/(a^2 + b^2))/d

$$3.311 \quad \int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=69

$$-\frac{b^2 B \log(a \cos(c+dx) + b \sin(c+dx))}{ad(a^2 + b^2)} - \frac{bBx}{a^2 + b^2} + \frac{B \log(\sin(c+dx))}{ad}$$

[Out] $-\frac{(b*B*x)/(a^2 + b^2)}{ad} + \frac{(B*\text{Log}[\text{Sin}[c + d*x]])/(a*d)}{ad} - \frac{(b^2*B*\text{Log}[a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x]])/(a*(a^2 + b^2)*d)}{ad}$

Rubi [A] time = 0.0854284, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {21, 3571, 3530, 3475}

$$-\frac{b^2 B \log(a \cos(c+dx) + b \sin(c+dx))}{ad(a^2 + b^2)} - \frac{bBx}{a^2 + b^2} + \frac{B \log(\sin(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(a*B + b*B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x])^2, x]$

[Out] $-\frac{(b*B*x)/(a^2 + b^2)}{ad} + \frac{(B*\text{Log}[\text{Sin}[c + d*x]])/(a*d)}{ad} - \frac{(b^2*B*\text{Log}[a*\text{Cos}[c + d*x] + b*\text{Sin}[c + d*x]])/(a*(a^2 + b^2)*d)}{ad}$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

Rule 3571

$\text{Int}[1/(((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]))*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)])), x_Symbol] \rightarrow \text{Simp}[(a*c - b*d)*x/((a^2 + b^2)*(c^2 + d^2)), x] + (\text{Dist}[b^2/((b*c - a*d)*(a^2 + b^2)), \text{Int}[(b - a*\text{Tan}[e + f*x])/(a + b*\text{Tan}[e + f*x]), x], x] - \text{Dist}[d^2/((b*c - a*d)*(c^2 + d^2)), \text{Int}[(d - c*\text{Tan}[e + f*x])/(c + d*\text{Tan}[e + f*x]), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 3530

$\text{Int}[(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Simp}[(c*\text{Log}[\text{RemoveContent}[a*\text{Cos}[e + f*x] + b*\text{Sin}[e + f*x], x]])/(b*f), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cot(c+dx)(aB+bB\tan(c+dx))}{(a+b\tan(c+dx))^2} dx &= B \int \frac{\cot(c+dx)}{a+b\tan(c+dx)} dx \\ &= -\frac{bBx}{a^2+b^2} + \frac{B \int \cot(c+dx) dx}{a} - \frac{(b^2B) \int \frac{b-a\tan(c+dx)}{a+b\tan(c+dx)} dx}{a(a^2+b^2)} \\ &= -\frac{bBx}{a^2+b^2} + \frac{B \log(\sin(c+dx))}{ad} - \frac{b^2B \log(a \cos(c+dx) + b \sin(c+dx))}{a(a^2+b^2)d} \end{aligned}$$

Mathematica [C] time = 0.113865, size = 79, normalized size = 1.14

$$\frac{B(2b^2 \log(a \cot(c+dx) + b) + a(a+ib) \log(-\cot(c+dx) + i) + a(a-ib) \log(\cot(c+dx) + i))}{2ad(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] -(B*(a*(a + I*b)*Log[I - Cot[c + d*x]] + a*(a - I*b)*Log[I + Cot[c + d*x]] + 2*b^2*Log[b + a*Cot[c + d*x]]))/(2*a*(a^2 + b^2)*d)

Maple [A] time = 0.089, size = 99, normalized size = 1.4

$$\frac{\ln(1 + (\tan(dx+c))^2) aB}{2d(a^2+b^2)} - \frac{B \arctan(\tan(dx+c)) b}{d(a^2+b^2)} + \frac{B \ln(\tan(dx+c))}{ad} - \frac{b^2 \ln(a+b \tan(dx+c)) B}{ad(a^2+b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] -1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B-1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b+1/d/a*B*ln(tan(d*x+c))-1/d*b^2/a/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.52219, size = 119, normalized size = 1.72

$$\frac{\frac{2Bb^2 \log(b \tan(dx+c)+a)}{a^3+ab^2} + \frac{2(dx+c)Bb}{a^2+b^2} + \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2B \log(\tan(dx+c))}{a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] -1/2*(2*B*b^2*log(b*tan(d*x + c) + a)/(a^3 + a*b^2) + 2*(d*x + c)*B*b/(a^2 + b^2) + B*a*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*B*log(tan(d*x + c))/a)/d

Fricas [A] time = 1.78834, size = 242, normalized size = 3.51

$$\frac{2Babd x + Bb^2 \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) - (Ba^2 + Bb^2) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2 + 1}\right)}{2(a^3 + ab^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] -1/2*(2*B*a*b*d*x + B*b^2*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)) - (B*a^2 + B*b^2)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1)))/(a^3 + a*b^2)*d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] Timed out

Giac [A] time = 1.24427, size = 124, normalized size = 1.8

$$\frac{\frac{2Bb^3 \log(|b \tan(dx+c)+a|)}{a^3b+ab^3} + \frac{2(dx+c)Bb}{a^2+b^2} + \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2B \log(|\tan(dx+c)|)}{a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] -1/2*(2*B*b^3*log(abs(b*tan(d*x + c) + a))/(a^3*b + a*b^3) + 2*(d*x + c)*B*b/(a^2 + b^2) + B*a*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*B*log(abs(tan(d*x + c)))/a)/d

$$3.312 \quad \int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=85

$$\frac{b^3 B \log(a \cos(c+dx) + b \sin(c+dx))}{a^2 d (a^2 + b^2)} - \frac{a B x}{a^2 + b^2} - \frac{b B \log(\sin(c+dx))}{a^2 d} - \frac{B \cot(c+dx)}{a d}$$

[Out] $-\left(\frac{a B x}{a^2 + b^2}\right) - \frac{B \cot[c + d x]}{a d} - \frac{b B \log[\sin[c + d x]]}{a^2 d} + \frac{b^3 B \log[a \cos[c + d x] + b \sin[c + d x]]}{a^2 (a^2 + b^2) d}$

Rubi [A] time = 0.182393, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {21, 3569, 3651, 3530, 3475}

$$\frac{b^3 B \log(a \cos(c+dx) + b \sin(c+dx))}{a^2 d (a^2 + b^2)} - \frac{a B x}{a^2 + b^2} - \frac{b B \log(\sin(c+dx))}{a^2 d} - \frac{B \cot(c+dx)}{a d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cot[c + d x])^2 (a B + b B \tan[c + d x]) / (a + b \tan[c + d x])^2, x]$

[Out] $-\left(\frac{a B x}{a^2 + b^2}\right) - \frac{B \cot[c + d x]}{a d} - \frac{b B \log[\sin[c + d x]]}{a^2 d} + \frac{b^3 B \log[a \cos[c + d x] + b \sin[c + d x]]}{a^2 (a^2 + b^2) d}$

Rule 21

$\text{Int}[(u_.) * ((a_.) + (b_.) * (v_.))^{(m_.)} * ((c_.) + (d_.) * (v_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u * (c + d*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3569

$\text{Int}[(a_.) + (b_.) * \tan[(e_.) + (f_.) * (x_.)]^{(m_.)} * ((c_.) + (d_.) * \tan[(e_.) + (f_.) * (x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b^2 * (a + b * \tan[e + f*x])^{(m+1)} * (c + d * \tan[e + f*x])^{(n+1)}) / (f * (m+1) * (a^2 + b^2) * (b*c - a*d)), x] + \text{Dist}[1 / ((m+1) * (a^2 + b^2) * (b*c - a*d)), \text{Int}[(a + b * \tan[e + f*x])^{(m+1)} * (c + d * \tan[e + f*x])^n * \text{Simp}[a * (b*c - a*d) * (m+1) - b^2 * d * (m+n+2) - b * (b*c - a*d) * (m+1) * \tan[e + f*x] - b^2 * d * (m+n+2) * \tan[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && LtQ[m, -1] && (LtQ[n, 0] || IntegerQ[m]) && !(LtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3651

$\text{Int}[(A_.) + (B_.) * \tan[(e_.) + (f_.) * (x_.)] + (C_.) * \tan[(e_.) + (f_.) * (x_.)]^2 / (((a_.) + (b_.) * \tan[(e_.) + (f_.) * (x_.)] * ((c_.) + (d_.) * \tan[(e_.) + (f_.) * (x_.)])), x_Symbol] \rightarrow \text{Simp}[(a * (A*c - c*C + B*d) + b * (B*c - A*d + C*d)) * x / ((a^2 + b^2) * (c^2 + d^2)), x] + (\text{Dist}[(A*b^2 - a*b*B + a^2*C) / ((b*c - a*d) * (a^2 + b^2)), \text{Int}[(b - a * \tan[e + f*x]) / (a + b * \tan[e + f*x]), x], x] - \text{Dist}[(c^2 * C - B*c*d + A*d^2) / ((b*c - a*d) * (c^2 + d^2)), \text{Int}[(d - c * \tan[e + f*x]) / (c + d * \tan[e + f*x]), x], x]) /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3530

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*
(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f
*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rule 3475

```
Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c+dx)(aB+bB\tan(c+dx))}{(a+b\tan(c+dx))^2} dx &= B \int \frac{\cot^2(c+dx)}{a+b\tan(c+dx)} dx \\ &= -\frac{B \cot(c+dx)}{ad} - \frac{B \int \frac{\cot(c+dx)(b+a\tan(c+dx)+b\tan^2(c+dx))}{a+b\tan(c+dx)} dx}{a} \\ &= -\frac{aBx}{a^2+b^2} - \frac{B \cot(c+dx)}{ad} - \frac{(bB) \int \cot(c+dx) dx}{a^2} + \frac{(b^3B) \int \frac{b-a\tan(c+dx)}{a+b\tan(c+dx)} dx}{a^2(a^2+b^2)} \\ &= -\frac{aBx}{a^2+b^2} - \frac{B \cot(c+dx)}{ad} - \frac{bB \log(\sin(c+dx))}{a^2d} + \frac{b^3B \log(a \cos(c+dx))}{a^2(a^2+b^2)} \end{aligned}$$

Mathematica [C] time = 0.387123, size = 97, normalized size = 1.14

$$\frac{B \left(-\frac{b^3 \log(a \cot(c+dx)+b)}{a^2(a^2+b^2)} - \frac{\log(-\cot(c+dx)+i)}{2(b+ia)} + \frac{\log(\cot(c+dx)+i)}{2(-b+ia)} + \frac{\cot(c+dx)}{a} \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^2*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,
x]
```

```
[Out] -((B*(Cot[c + d*x]/a - Log[I - Cot[c + d*x]]/(2*(I*a + b)) + Log[I + Cot[c
+ d*x]]/(2*(I*a - b)) - (b^3*Log[b + a*Cot[c + d*x]]/(a^2*(a^2 + b^2))))/d
)
```

Maple [A] time = 0.081, size = 117, normalized size = 1.4

$$\frac{\ln(1 + (\tan(dx+c))^2) Bb}{2d(a^2+b^2)} - \frac{B \arctan(\tan(dx+c)) a}{d(a^2+b^2)} - \frac{B}{ad \tan(dx+c)} - \frac{\ln(\tan(dx+c)) Bb}{a^2d} + \frac{b^3 \ln(a+b \tan(dx+c))}{a^2d(a^2+b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)
```

```
[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*B*b-1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*a
-1/d/a/tan(d*x+c)*B-1/d/a^2*ln(tan(d*x+c))*B*b+1/d*b^3/a^2/(a^2+b^2)*ln(a+b
*tan(d*x+c))*B
```

Maxima [A] time = 1.75692, size = 142, normalized size = 1.67

$$\frac{\frac{2Bb^3 \log(b \tan(dx+c)+a)}{a^4+a^2b^2} - \frac{2(dx+c)Ba}{a^2+b^2} + \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2Bb \log(\tan(dx+c))}{a^2} - \frac{2B}{a \tan(dx+c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] 1/2*(2*B*b^3*log(b*tan(d*x + c) + a)/(a^4 + a^2*b^2) - 2*(d*x + c)*B*a/(a^2 + b^2) + B*b*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*B*b*log(tan(d*x + c))/a^2 - 2*B/(a*tan(d*x + c)))/d

Fricas [A] time = 1.84326, size = 347, normalized size = 4.08

$$\frac{2Ba^3 dx \tan(dx+c) - Bb^3 \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) \tan(dx+c) + 2Ba^3 + 2Bab^2 + (Ba^2b + Bb^3) \log\left(\frac{\tan(dx+c)}{\tan(dx+c)}\right)}{2(a^4 + a^2b^2)d \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] -1/2*(2*B*a^3*d*x*tan(d*x + c) - B*b^3*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1))*tan(d*x + c) + 2*B*a^3 + 2*B*a*b^2 + (B*a^2*b + B*b^3)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c))/((a^4 + a^2*b^2)*d*tan(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.28116, size = 165, normalized size = 1.94

$$\frac{\frac{2Bb^4 \log(b \tan(dx+c)+a)}{a^4b+a^2b^3} - \frac{2(dx+c)Ba}{a^2+b^2} + \frac{Bb \log(\tan(dx+c)^2+1)}{a^2+b^2} - \frac{2Bb \log(|\tan(dx+c)|)}{a^2} + \frac{2(Bb \tan(dx+c)-Ba)}{a^2 \tan(dx+c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

```
[Out] 1/2*(2*B*b^4*log(abs(b*tan(d*x + c) + a))/(a^4*b + a^2*b^3) - 2*(d*x + c)*B  
*a/(a^2 + b^2) + B*b*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) - 2*B*b*log(abs(ta  
n(d*x + c)))/a^2 + 2*(B*b*tan(d*x + c) - B*a)/(a^2*tan(d*x + c)))/d
```

$$3.313 \quad \int \frac{\cot^3(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=112

$$\frac{B(a^2 - b^2) \log(\sin(c + dx))}{a^3 d} - \frac{b^4 B \log(a \cos(c + dx) + b \sin(c + dx))}{a^3 d (a^2 + b^2)} + \frac{b B x}{a^2 + b^2} + \frac{b B \cot(c + dx)}{a^2 d} - \frac{B \cot^2(c + dx)}{2 a d}$$

[Out] (b*B*x)/(a^2 + b^2) + (b*B*Cot[c + d*x])/(a^2*d) - (B*Cot[c + d*x]^2)/(2*a*d) - ((a^2 - b^2)*B*Log[Sin[c + d*x]])/(a^3*d) - (b^4*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^3*(a^2 + b^2)*d)

Rubi [A] time = 0.324771, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {21, 3569, 3649, 3652, 3530, 3475}

$$\frac{B(a^2 - b^2) \log(\sin(c + dx))}{a^3 d} - \frac{b^4 B \log(a \cos(c + dx) + b \sin(c + dx))}{a^3 d (a^2 + b^2)} + \frac{b B x}{a^2 + b^2} + \frac{b B \cot(c + dx)}{a^2 d} - \frac{B \cot^2(c + dx)}{2 a d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] (b*B*x)/(a^2 + b^2) + (b*B*Cot[c + d*x])/(a^2*d) - (B*Cot[c + d*x]^2)/(2*a*d) - ((a^2 - b^2)*B*Log[Sin[c + d*x]])/(a^3*d) - (b^4*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/(a^3*(a^2 + b^2)*d)

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3569

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b^2*(a + b*Tan[e + f*x])^(m + 1)*(c
+ d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(a^2 + b^2)*(b*c - a*d)), x] + Dist[1
/((m + 1)*(a^2 + b^2)*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c +
d*Tan[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2) - b*(b*c -
a*d)*(m + 1)*Tan[e + f*x] - b^2*d*(m + n + 2)*Tan[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0]
&& NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && LtQ[m, -1] && (LtQ[n, 0] || Integer
rQ[m]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
```

$[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[n, -1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3652

$\text{Int}(((A_.) + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Simp}(((A*(A*c - c*C) - b*(A*d - C*d))*x)/((a^2 + b^2)*(c^2 + d^2)), x) + (\text{Dist}[(A*b^2 + a^2*C)/((b*c - a*d)*(a^2 + b^2)), \text{Int}[(b - a*\tan[e + f*x])/(a + b*\tan[e + f*x]), x], x] - \text{Dist}[(c^2*C + A*d^2)/((b*c - a*d)*(c^2 + d^2)), \text{Int}[(d - c*\tan[e + f*x])/(c + d*\tan[e + f*x]), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, A, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 3530

$\text{Int}(((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Simp}[(c*\text{Log}[\text{RemoveContent}[a*\cos[e + f*x] + b*\sin[e + f*x], x]])/(b*f), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[a*c + b*d, 0]$

Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -\text{Simp}[\text{Log}[\text{RemoveContent}[\cos[c + d*x], x]]/d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rubi steps

$$\begin{aligned} \int \frac{\cot^3(c + dx)(aB + bB \tan(c + dx))}{(a + b \tan(c + dx))^2} dx &= B \int \frac{\cot^3(c + dx)}{a + b \tan(c + dx)} dx \\ &= -\frac{B \cot^2(c + dx)}{2ad} - \frac{B \int \frac{\cot^2(c + dx)(2b + 2a \tan(c + dx) + 2b \tan^2(c + dx))}{a + b \tan(c + dx)} dx}{2a} \\ &= \frac{bB \cot(c + dx)}{a^2d} - \frac{B \cot^2(c + dx)}{2ad} + \frac{B \int \frac{\cot(c + dx)(-2(a^2 - b^2) + 2b^2 \tan^2(c + dx))}{a + b \tan(c + dx)} dx}{2a^2} \\ &= \frac{bBx}{a^2 + b^2} + \frac{bB \cot(c + dx)}{a^2d} - \frac{B \cot^2(c + dx)}{2ad} - \frac{((a^2 - b^2)B) \int \cot(c + dx) dx}{a^3} \\ &= \frac{bBx}{a^2 + b^2} + \frac{bB \cot(c + dx)}{a^2d} - \frac{B \cot^2(c + dx)}{2ad} - \frac{(a^2 - b^2)B \log(\sin(c + dx))}{a^3d} \end{aligned}$$

Mathematica [C] time = 0.621862, size = 107, normalized size = 0.96

$$\frac{B \left(\frac{2b^4 \log(a \cot(c + dx) + b)}{a^3(a^2 + b^2)} - \frac{2b \cot(c + dx)}{a^2} - \frac{\log(-\cot(c + dx) + i)}{a - ib} - \frac{\log(\cot(c + dx) + i)}{a + ib} + \frac{\cot^2(c + dx)}{a} \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] -(B*((-2*b*Cot[c + d*x])/a^2 + Cot[c + d*x]^2/a - Log[I - Cot[c + d*x]]/(a - I*b) - Log[I + Cot[c + d*x]]/(a + I*b) + (2*b^4*Log[b + a*Cot[c + d*x]])/

$$(a^3(a^2 + b^2))/2d$$

Maple [A] time = 0.095, size = 151, normalized size = 1.4

$$\frac{\ln(1 + (\tan(dx + c))^2) aB}{2d(a^2 + b^2)} + \frac{B \arctan(\tan(dx + c))b}{d(a^2 + b^2)} - \frac{B}{2ad(\tan(dx + c))^2} - \frac{B \ln(\tan(dx + c))}{ad} + \frac{B \ln(\tan(dx + c))}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B+1/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b-1/2/d/a/tan(d*x+c)^2*B-1/d/a*B*ln(tan(d*x+c))+1/d/a^3*ln(tan(d*x+c))*B*b^2+1/d/a^2/tan(d*x+c)*B*b-1/d*b^4/a^3/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.59219, size = 176, normalized size = 1.57

$$\frac{\frac{2Bb^4 \log(b \tan(dx+c)+a)}{a^5+a^3b^2} - \frac{2(dx+c)Bb}{a^2+b^2} - \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2(Ba^2-Bb^2) \log(\tan(dx+c))}{a^3} - \frac{2Bb \tan(dx+c)-Ba}{a^2 \tan(dx+c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] -1/2*(2*B*b^4*log(b*tan(d*x + c) + a)/(a^5 + a^3*b^2) - 2*(d*x + c)*B*b/(a^2 + b^2) - B*a*log(tan(d*x + c)^2 + 1)/(a^2 + b^2) + 2*(B*a^2 - B*b^2)*log(tan(d*x + c))/a^3 - (2*B*b*tan(d*x + c) - B*a)/(a^2*tan(d*x + c)^2))/d

Fricas [A] time = 1.90301, size = 435, normalized size = 3.88

$$\frac{Bb^4 \log\left(\frac{b^2 \tan(dx+c)^2 + 2ab \tan(dx+c) + a^2}{\tan(dx+c)^2 + 1}\right) \tan(dx + c)^2 + Ba^4 + Ba^2b^2 + (Ba^4 - Bb^4) \log\left(\frac{\tan(dx+c)^2}{\tan(dx+c)^2 + 1}\right) \tan(dx + c)^2 - (2Ba^2 - Bb^4) \log(\tan(dx+c))}{2(a^5 + a^3b^2)d \tan(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] -1/2*(B*b^4*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1))*tan(d*x + c)^2 + B*a^4 + B*a^2*b^2 + (B*a^4 - B*b^4)*log(tan(d*x + c)^2/(tan(d*x + c)^2 + 1))*tan(d*x + c)^2 - (2*B*a^3*b*d*x - B*a^4 - B*a^2*b^2)*tan(d*x + c)^2 - 2*(B*a^3*b + B*a*b^3)*tan(d*x + c))/((a^5 + a^3*b^2)*d*tan(d*x + c)^2)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.32287, size = 223, normalized size = 1.99

$$\frac{\frac{2 B b^5 \log(|b \tan(dx+c)+a|)}{a^5 b+a^3 b^3} - \frac{2(dx+c)Bb}{a^2+b^2} - \frac{Ba \log(\tan(dx+c)^2+1)}{a^2+b^2} + \frac{2(Ba^2-Bb^2) \log(|\tan(dx+c)|)}{a^3} - \frac{3Ba^2 \tan(dx+c)^2-3Bb^2 \tan(dx+c)^2+2Bab \tan(dx+c)}{a^3 \tan(dx+c)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$\frac{-1/2*(2*B*b^5*\log(\text{abs}(b*\tan(d*x + c) + a))/(a^5*b + a^3*b^3) - 2*(d*x + c)*B*b/(a^2 + b^2) - B*a*\log(\tan(d*x + c)^2 + 1)/(a^2 + b^2) + 2*(B*a^2 - B*b^2)*\log(\text{abs}(\tan(d*x + c)))/a^3 - (3*B*a^2*\tan(d*x + c)^2 - 3*B*b^2*\tan(d*x + c)^2 + 2*B*a*b*\tan(d*x + c) - B*a^2)/(a^3*\tan(d*x + c)^2))/d}$$

$$3.314 \quad \int \frac{3+\tan(c+dx)}{2-\tan(c+dx)} dx$$

Optimal. Leaf size=25

$$x - \frac{\log(2 \cos(c + dx) - \sin(c + dx))}{d}$$

[Out] x - Log[2*Cos[c + d*x] - Sin[c + d*x]]/d

Rubi [A] time = 0.0483056, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {3531, 3530}

$$x - \frac{\log(2 \cos(c + dx) - \sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(3 + Tan[c + d*x])/(2 - Tan[c + d*x]),x]

[Out] x - Log[2*Cos[c + d*x] - Sin[c + d*x]]/d

Rule 3531

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{3 + \tan(c + dx)}{2 - \tan(c + dx)} dx &= x - \int \frac{-1 - 2 \tan(c + dx)}{2 - \tan(c + dx)} dx \\ &= x - \frac{\log(2 \cos(c + dx) - \sin(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 0.0416813, size = 62, normalized size = 2.48

$$\frac{\tan^{-1}(\tan(c + dx))}{d} + \frac{\log\left(\frac{(2 - \tan(c + dx))^2 - 4(2 - \tan(c + dx)) + 5}{2d}\right)}{2d} - \frac{\log(2 - \tan(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(3 + Tan[c + d*x])/(2 - Tan[c + d*x]),x]

[Out] ArcTan[Tan[c + d*x]]/d + Log[5 - 4*(2 - Tan[c + d*x]) + (2 - Tan[c + d*x])^2]/(2*d) - Log[2 - Tan[c + d*x]]/d

Maple [A] time = 0.024, size = 41, normalized size = 1.6

$$\frac{\ln\left(1 + (\tan(dx + c))^2\right)}{2d} - \frac{\ln(-2 + \tan(dx + c))}{d} + \frac{dx + c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3+tan(d*x+c))/(2-tan(d*x+c)),x)

[Out] 1/2/d*ln(1+tan(d*x+c)^2)-1/d*ln(-2+tan(d*x+c))+1/d*(d*x+c)

Maxima [A] time = 1.80106, size = 47, normalized size = 1.88

$$\frac{2dx + 2c + \log(\tan(dx + c)^2 + 1) - 2 \log(\tan(dx + c) - 2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+tan(d*x+c))/(2-tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(2*d*x + 2*c + log(tan(d*x + c)^2 + 1) - 2*log(tan(d*x + c) - 2))/d

Fricas [A] time = 1.64685, size = 109, normalized size = 4.36

$$\frac{2dx - \log\left(\frac{\tan(dx+c)^2 - 4 \tan(dx+c) + 4}{\tan(dx+c)^2 + 1}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+tan(d*x+c))/(2-tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*d*x - log((tan(d*x + c)^2 - 4*tan(d*x + c) + 4)/(tan(d*x + c)^2 + 1)))/d

Sympy [A] time = 0.406301, size = 39, normalized size = 1.56

$$\begin{cases} x - \frac{\log(\tan(c+dx)-2)}{d} + \frac{\log(\tan^2(c+dx)+1)}{2d} & \text{for } d \neq 0 \\ \frac{x(\tan(c)+3)}{2-\tan(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+tan(d*x+c))/(2-tan(d*x+c)),x)

[Out] Piecewise((x - log(tan(c + d*x) - 2)/d + log(tan(c + d*x)**2 + 1)/(2*d), Ne
(d, 0)), (x*(tan(c) + 3)/(2 - tan(c)), True))

Giac [A] time = 1.20173, size = 49, normalized size = 1.96

$$\frac{2dx + 2c + \log(\tan(dx + c)^2 + 1) - 2 \log(|\tan(dx + c) - 2|)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+tan(d*x+c))/(2-tan(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*d*x + 2*c + log(tan(d*x + c)^2 + 1) - 2*log(abs(tan(d*x + c) - 2)))/
d

$$3.315 \quad \int \frac{\frac{bB}{a} + B \tan(c+dx)}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=58

$$\frac{2bBx}{a^2 + b^2} - \frac{B \left(a - \frac{b^2}{a} \right) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)}$$

[Out] (2*b*B*x)/(a^2 + b^2) - ((a - b^2/a)*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rubi [A] time = 0.0776258, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {3531, 3530}

$$\frac{2bBx}{a^2 + b^2} - \frac{B \left(a - \frac{b^2}{a} \right) \log(a \cos(c + dx) + b \sin(c + dx))}{d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[((b*B)/a + B*Tan[c + d*x])/(a + b*Tan[c + d*x]),x]

[Out] (2*b*B*x)/(a^2 + b^2) - ((a - b^2/a)*B*Log[a*Cos[c + d*x] + b*Sin[c + d*x]])/((a^2 + b^2)*d)

Rule 3531

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]

Rule 3530

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]])/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\frac{bB}{a} + B \tan(c + dx)}{a + b \tan(c + dx)} dx &= \frac{2bBx}{a^2 + b^2} - \frac{\left(\left(a - \frac{b^2}{a} \right) B \int \frac{b-a \tan(c+dx)}{a+b \tan(c+dx)} dx \right)}{a^2 + b^2} \\ &= \frac{2bBx}{a^2 + b^2} - \frac{\left(a - \frac{b^2}{a} \right) B \log(a \cos(c + dx) + b \sin(c + dx))}{(a^2 + b^2)d} \end{aligned}$$

Mathematica [A] time = 0.0969963, size = 65, normalized size = 1.12

$$\frac{B \left((a^2 - b^2) \left(\log(\sec^2(c + dx)) - 2 \log(a + b \tan(c + dx)) \right) + 4ab \tan^{-1}(\tan(c + dx)) \right)}{2ad(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[((b*B)/a + B*Tan[c + d*x])/(a + b*Tan[c + d*x]),x]

[Out] (B*(4*a*b*ArcTan[Tan[c + d*x]] + (a^2 - b^2)*(Log[Sec[c + d*x]^2] - 2*Log[a + b*Tan[c + d*x]])))/(2*a*(a^2 + b^2)*d)

Maple [B] time = 0.033, size = 142, normalized size = 2.5

$$\frac{\ln(1 + (\tan(dx + c))^2) aB}{2d(a^2 + b^2)} - \frac{B \ln(1 + (\tan(dx + c))^2) b^2}{2ad(a^2 + b^2)} + 2 \frac{B \arctan(\tan(dx + c)) b}{d(a^2 + b^2)} - \frac{\ln(a + b \tan(dx + c)) aB}{d(a^2 + b^2)} + \frac{b^2}{d(a^2 + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*B/a+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] 1/2/d/(a^2+b^2)*ln(1+tan(d*x+c)^2)*a*B-1/2/d*B/a/(a^2+b^2)*ln(1+tan(d*x+c)^2)*b^2+2/d/(a^2+b^2)*B*arctan(tan(d*x+c))*b-1/d/(a^2+b^2)*ln(a+b*tan(d*x+c))*a*B+1/d*b^2/a/(a^2+b^2)*ln(a+b*tan(d*x+c))*B

Maxima [A] time = 1.71733, size = 128, normalized size = 2.21

$$\frac{\frac{4(dx+c)Bb}{a^2+b^2} - \frac{2(Ba^2-Bb^2)\log(b\tan(dx+c)+a)}{a^3+ab^2} + \frac{(Ba^2-Bb^2)\log(\tan(dx+c)^2+1)}{a^3+ab^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*B/a+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(4*(d*x + c)*B*b/(a^2 + b^2) - 2*(B*a^2 - B*b^2)*log(b*tan(d*x + c) + a)/(a^3 + a*b^2) + (B*a^2 - B*b^2)*log(tan(d*x + c)^2 + 1)/(a^3 + a*b^2))/d

Fricas [A] time = 1.73846, size = 174, normalized size = 3.

$$\frac{4Babdx - (Ba^2 - Bb^2)\log\left(\frac{b^2\tan(dx+c)^2+2ab\tan(dx+c)+a^2}{\tan(dx+c)^2+1}\right)}{2(a^3 + ab^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*B/a+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(4*B*a*b*d*x - (B*a^2 - B*b^2)*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(tan(d*x + c)^2 + 1)))/((a^3 + a*b^2)*d)

Sympy [A] time = 2.40913, size = 233, normalized size = 4.02

$$\begin{cases} \text{NaN} & \text{for } a = 0 \wedge b \neq 0 \\ \frac{B \log(\tan^2(c+dx)+1)}{2ad} & \text{for } b = 0 \\ \frac{-bd \tan(c+dx)+ibd}{B} & \text{for } a = -ib \\ \frac{bd \tan(c+dx)+ibd}{x(B \tan(c)+\frac{Bb}{a})} & \text{for } a = ib \\ -\frac{a+b \tan(c)}{2Ba^2 \log(\frac{a}{b}+\tan(c+dx))} + \frac{Ba^2 \log(\tan^2(c+dx)+1)}{2a^3d+2ab^2d} + \frac{4Babdx}{2a^3d+2ab^2d} + \frac{2Bb^2 \log(\frac{a}{b}+\tan(c+dx))}{2a^3d+2ab^2d} - \frac{Bb^2 \log(\tan^2(c+dx)+1)}{2a^3d+2ab^2d} & \text{for } d = 0 \\ \text{otherwise} & \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*B/a+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] Piecewise((nan, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (B*log(tan(c + d*x)**2 + 1)/(2*a*d), Eq(b, 0)), (B/(-b*d*tan(c + d*x) + I*b*d), Eq(a, -I*b)), (-B/(b*d*tan(c + d*x) + I*b*d), Eq(a, I*b)), (x*(B*tan(c) + B*b/a)/(a + b*tan(c)), Eq(d, 0)), (-2*B*a**2*log(a/b + tan(c + d*x))/(2*a**3*d + 2*a*b**2*d) + B*a**2*log(tan(c + d*x)**2 + 1)/(2*a**3*d + 2*a*b**2*d) + 4*B*a*b*d*x/(2*a**3*d + 2*a*b**2*d) + 2*B*b**2*log(a/b + tan(c + d*x))/(2*a**3*d + 2*a*b**2*d) - B*b**2*log(tan(c + d*x)**2 + 1)/(2*a**3*d + 2*a*b**2*d), True))
```

Giac [A] time = 1.16534, size = 134, normalized size = 2.31

$$\frac{\frac{4(dx+c)Bb}{a^2+b^2} + \frac{(Ba^2-Bb^2) \log(\tan(dx+c)^2+1)}{a^3+ab^2} - \frac{2(Ba^2b-Bb^3) \log(|b \tan(dx+c)+a|)}{a^3b+ab^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*B/a+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*(4*(d*x + c)*B*b/(a^2 + b^2) + (B*a^2 - B*b^2)*log(tan(d*x + c)^2 + 1)/(a^3 + a*b^2) - 2*(B*a^2*b - B*b^3)*log(abs(b*tan(d*x + c) + a))/(a^3*b + a*b^3))/d
```

$$3.316 \quad \int \frac{a+b \tan(c+dx)}{(b+a \tan(c+dx))^2} dx$$

Optimal. Leaf size=101

$$-\frac{a^2 - b^2}{d(a^2 + b^2)(a \tan(c + dx) + b)} + \frac{b(3a^2 - b^2) \log(a \sin(c + dx) + b \cos(c + dx))}{d(a^2 + b^2)^2} - \frac{ax(a^2 - 3b^2)}{(a^2 + b^2)^2}$$

[Out] -((a*(a^2 - 3*b^2)*x)/(a^2 + b^2)^2) + (b*(3*a^2 - b^2)*Log[b*Cos[c + d*x] + a*Sin[c + d*x]])/((a^2 + b^2)^2*d) - (a^2 - b^2)/((a^2 + b^2)*d*(b + a*Tan[c + d*x]))

Rubi [A] time = 0.127962, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3529, 3531, 3530}

$$-\frac{a^2 - b^2}{d(a^2 + b^2)(a \tan(c + dx) + b)} + \frac{b(3a^2 - b^2) \log(a \sin(c + dx) + b \cos(c + dx))}{d(a^2 + b^2)^2} - \frac{ax(a^2 - 3b^2)}{(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Tan[c + d*x])/(b + a*Tan[c + d*x])^2,x]

[Out] -((a*(a^2 - 3*b^2)*x)/(a^2 + b^2)^2) + (b*(3*a^2 - b^2)*Log[b*Cos[c + d*x] + a*Sin[c + d*x]])/((a^2 + b^2)^2*d) - (a^2 - b^2)/((a^2 + b^2)*d*(b + a*Tan[c + d*x]))

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3531

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((a*c + b*d)*x)/(a^2 + b^2), x] + Dist[(b*c - a*d)/(a^2 + b^2), Int[(b - a*Tan[e + f*x])/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[a*c + b*d, 0]
```

Rule 3530

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(c*Log[RemoveContent[a*Cos[e + f*x] + b*Sin[e + f*x], x]]/(b*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[a*c + b*d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \tan(c + dx)}{(b + a \tan(c + dx))^2} dx &= -\frac{a^2 - b^2}{(a^2 + b^2)d(b + a \tan(c + dx))} + \frac{\int \frac{2ab - (a^2 - b^2) \tan(c + dx)}{b + a \tan(c + dx)} dx}{a^2 + b^2} \\ &= -\frac{a(a^2 - 3b^2)x}{(a^2 + b^2)^2} - \frac{a^2 - b^2}{(a^2 + b^2)d(b + a \tan(c + dx))} + \frac{(b(3a^2 - b^2)) \int \frac{a - b \tan(c + dx)}{b + a \tan(c + dx)} dx}{(a^2 + b^2)^2} \\ &= -\frac{a(a^2 - 3b^2)x}{(a^2 + b^2)^2} + \frac{b(3a^2 - b^2) \log(b \cos(c + dx) + a \sin(c + dx))}{(a^2 + b^2)^2 d} - \frac{a^2 - b^2}{(a^2 + b^2)d(b + a \tan(c + dx))} \end{aligned}$$

Mathematica [C] time = 1.94609, size = 187, normalized size = 1.85

$$\frac{b(-i \log(-\tan(c+dx)+i) - (a-ib) \log(\tan(c+dx)+i) + 2a \log(a \tan(c+dx)+b))}{a^2+b^2} + (a-b)(a+b) \left(\frac{2a \left(2b \log(a \tan(c+dx)+b) - \frac{a^2+b^2}{a \tan(c+dx)+b} \right)}{(a^2+b^2)^2} + \frac{i \log(-\tan(c+dx)+i)}{2ad} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])/(b + a*Tan[c + d*x])^2, x]

[Out] ((b*(-((a + I*b)*Log[I - Tan[c + d*x]]) - (a - I*b)*Log[I + Tan[c + d*x]] + 2*a*Log[b + a*Tan[c + d*x]]))/(a^2 + b^2) + (a - b)*(a + b)*((I*Log[I - Tan[c + d*x]])/(a - I*b)^2 - (I*Log[I + Tan[c + d*x]])/(a + I*b)^2 + (2*a*(2*b*Log[b + a*Tan[c + d*x]] - (a^2 + b^2)/(b + a*Tan[c + d*x])))/(a^2 + b^2)^2))/(2*a*d)

Maple [B] time = 0.039, size = 222, normalized size = 2.2

$$-\frac{3 \ln(1 + (\tan(dx + c))^2) ba^2}{2d(a^2 + b^2)^2} + \frac{\ln(1 + (\tan(dx + c))^2) b^3}{2d(a^2 + b^2)^2} - \frac{\arctan(\tan(dx + c)) a^3}{d(a^2 + b^2)^2} + 3 \frac{\arctan(\tan(dx + c)) ab^2}{d(a^2 + b^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))/(b+a*tan(d*x+c))^2, x)

[Out] -3/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*b*a^2+1/2/d/(a^2+b^2)^2*ln(1+tan(d*x+c)^2)*b^3-1/d/(a^2+b^2)^2*arctan(tan(d*x+c))*a^3+3/d/(a^2+b^2)^2*arctan(tan(d*x+c))*a*b^2-1/d/(a^2+b^2)/(b+a*tan(d*x+c))*a^2+1/d/(a^2+b^2)/(b+a*tan(d*x+c))*b^2+3/d*b/(a^2+b^2)^2*ln(b+a*tan(d*x+c))*a^2-1/d*b^3/(a^2+b^2)^2*ln(b+a*tan(d*x+c))

Maxima [A] time = 1.7985, size = 217, normalized size = 2.15

$$\frac{2(a^3 - 3ab^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} - \frac{2(3a^2b - b^3) \log(a \tan(dx+c)+b)}{a^4 + 2a^2b^2 + b^4} + \frac{(3a^2b - b^3) \log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} + \frac{2(a^2 - b^2)}{a^2b + b^3 + (a^3 + ab^2) \tan(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))/(b+a*tan(d*x+c))^2, x, algorithm="maxima")

[Out]
$$-1/2*(2*(a^3 - 3*a*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) - 2*(3*a^2*b - b^3)*\log(a*\tan(d*x + c) + b)/(a^4 + 2*a^2*b^2 + b^4) + (3*a^2*b - b^3)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) + 2*(a^2 - b^2)/(a^2*b + b^3 + (a^3 + a*b^2)*\tan(d*x + c)))/d$$

Fricas [A] time = 1.71119, size = 417, normalized size = 4.13

$$\frac{2a^4 - 2a^2b^2 + 2(a^3b - 3ab^3)dx - (3a^2b^2 - b^4 + (3a^3b - ab^3)\tan(dx + c))\log\left(\frac{a^2\tan(dx+c)^2 + 2ab\tan(dx+c) + b^2}{\tan(dx+c)^2 + 1}\right) - 2(a^3b - b^3)\log(\tan(dx+c)^2 + 1)}{2((a^5 + 2a^3b^2 + ab^4)d\tan(dx + c) + (a^4b + 2a^2b^3 + b^5)d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))/(b+a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/2*(2*a^4 - 2*a^2*b^2 + 2*(a^3*b - 3*a*b^3)*d*x - (3*a^2*b^2 - b^4 + (3*a^3*b - a*b^3)*\tan(d*x + c))*\log((a^2*\tan(d*x + c)^2 + 2*a*b*\tan(d*x + c) + b^2)/(\tan(d*x + c)^2 + 1)) - 2*(a^3*b - a*b^3 - (a^4 - 3*a^2*b^2)*d*x)*\tan(d*x + c)/((a^5 + 2*a^3*b^2 + a*b^4)*d*\tan(d*x + c) + (a^4*b + 2*a^2*b^3 + b^5)*d)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))/(b+a*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [A] time = 1.23514, size = 269, normalized size = 2.66

$$\frac{\frac{2(a^3 - 3ab^2)(dx+c)}{a^4 + 2a^2b^2 + b^4} + \frac{(3a^2b - b^3)\log(\tan(dx+c)^2 + 1)}{a^4 + 2a^2b^2 + b^4} - \frac{2(3a^3b - ab^3)\log(|a\tan(dx+c) + b|)}{a^5 + 2a^3b^2 + ab^4} + \frac{2(3a^3b\tan(dx+c) - ab^3\tan(dx+c) + a^4 + 3a^2b^2 - 2b^4)}{(a^4 + 2a^2b^2 + b^4)(a\tan(dx+c) + b)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))/(b+a*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/2*(2*(a^3 - 3*a*b^2)*(d*x + c)/(a^4 + 2*a^2*b^2 + b^4) + (3*a^2*b - b^3)*\log(\tan(d*x + c)^2 + 1)/(a^4 + 2*a^2*b^2 + b^4) - 2*(3*a^3*b - a*b^3)*\log(\text{abs}(a*\tan(d*x + c) + b))/(a^5 + 2*a^3*b^2 + a*b^4) + 2*(3*a^3*b*\tan(d*x + c) - a*b^3*\tan(d*x + c) + a^4 + 3*a^2*b^2 - 2*b^4)/((a^4 + 2*a^2*b^2 + b^4)*(a*\tan(d*x + c) + b)))/d$$

$$3.317 \quad \int \tan^3(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=233

$$\frac{2(-8a^2B + 14aAb + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} + \frac{2(7Ab - 4aB) \tan(c + dx)(a + b \tan(c + dx))^{3/2}}{35b^2d} + \frac{\sqrt{a - ib}(A - B \tan(c + dx))^{3/2}}{b^2d}$$

```
[Out] (Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d
+ (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d
- (2*A*Sqrt[a + b*Tan[c + d*x]])/d - (2*(14*a*A*b - 8*a^2*B + 35*b^2*B)
*(a + b*Tan[c + d*x])^(3/2))/(105*b^3*d) + (2*(7*A*b - 4*a*B)*Tan[c + d*x]*
(a + b*Tan[c + d*x])^(3/2))/(35*b^2*d) + (2*B*Tan[c + d*x]^2*(a + b*Tan[c +
d*x])^(3/2))/(7*b*d)
```

Rubi [A] time = 0.629595, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3607, 3647, 3630, 3528, 3539, 3537, 63, 208}

$$\frac{2(-8a^2B + 14aAb + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} + \frac{2(7Ab - 4aB) \tan(c + dx)(a + b \tan(c + dx))^{3/2}}{35b^2d} + \frac{\sqrt{a - ib}(A - B \tan(c + dx))^{3/2}}{b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] (Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d
+ (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d
- (2*A*Sqrt[a + b*Tan[c + d*x]])/d - (2*(14*a*A*b - 8*a^2*B + 35*b^2*B)
*(a + b*Tan[c + d*x])^(3/2))/(105*b^3*d) + (2*(7*A*b - 4*a*B)*Tan[c + d*x]*
(a + b*Tan[c + d*x])^(3/2))/(35*b^2*d) + (2*B*Tan[c + d*x]^2*(a + b*Tan[c +
d*x])^(3/2))/(7*b*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
```

, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \tan^3(c + dx)\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx &= \frac{2B \tan^2(c + dx)(a + b \tan(c + dx))^{3/2}}{7bd} + \frac{2 \int \tan(c + dx) \sqrt{a + b \tan(c + dx)} dx}{7bd} \\
 &= \frac{2(7Ab - 4aB) \tan(c + dx)(a + b \tan(c + dx))^{3/2}}{35b^2d} + \frac{2B \tan(c + dx) \sqrt{a + b \tan(c + dx)}}{7bd} \\
 &= -\frac{2(14aAb - 8a^2B + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} + \frac{2(7Ab - 4aB) \tan(c + dx) \sqrt{a + b \tan(c + dx)}}{7bd} \\
 &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d} - \frac{2(14aAb - 8a^2B + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} \\
 &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d} - \frac{2(14aAb - 8a^2B + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} \\
 &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d} - \frac{2(14aAb - 8a^2B + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} \\
 &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d} - \frac{2(14aAb - 8a^2B + 35b^2B)(a + b \tan(c + dx))^{3/2}}{105b^3d} \\
 &= \frac{\sqrt{a - ib}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} + \frac{\sqrt{a + ib}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{d}
 \end{aligned}$$

Mathematica [A] time = 2.66653, size = 212, normalized size = 0.91

$$\frac{2\sqrt{a + b \tan(c + dx)}(-b(4a^2B - 7aAb + 35b^2B) \tan(c + dx) - 14a^2Ab + 8a^3B + 3b^2(aB + 7Ab) \tan^2(c + dx) - 35ab^2B)}{105b^3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]
```

```
[Out] (Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*Sqrt[a + b*Tan[c + d*x]]*(-14*a^2*A*b - 105*A*b^3 + 8*a^3*B - 35*a*b^2*B - b*(-7*a*A*b + 4*a^2*B + 35*b^2*B)*Tan[c + d*x] + 3*b^2*(7*A*b + a*B)*Tan[c + d*x]^2 + 15*b^3*B*Tan[c + d*x]^3))/(105*b^3*d)
```

Maple [B] time = 0.121, size = 1099, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)), x)
```

```
[Out] 2/7/d/b^3*B*(a+b*tan(d*x+c))^(7/2)+2/5/d/b^2*A*(a+b*tan(d*x+c))^(5/2)-4/5/d/b^3*B*(a+b*tan(d*x+c))^(5/2)*a-2/3/d/b^2*A*(a+b*tan(d*x+c))^(3/2)*a+2/3/d/b^3*a^2*B*(a+b*tan(d*x+c))^(3/2)-2/3*B*(a+b*tan(d*x+c))^(3/2)/b/d-2*A*(a+b*tan(d*x+c))^(1/2)/d+1/4/d*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+
```

$$\begin{aligned}
& (a^2+b^2)^{(1/2)} * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * (a^2+b^2)^{(1/2)} + 1/4/d/b * \ln \\
& (b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} + (a^2+b \\
& ^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a + 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1 \\
& /2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2 \\
& +b^2)^{(1/2)}-2*a)^{(1/2)}) * A * (a^2+b^2)^{(1/2)} - 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} \\
& * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^ \\
& 2)^{(1/2)}-2*a)^{(1/2)}) * A * a + 1/d * b / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan((2*(a+b \\
& * \tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(\\
& 1/2)}) * B - 1/4/d * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan \\
& (d*x+c) - a - (a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} + 1/4/d/b * \ln((a+b* \\
& \tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1 \\
& /2)}) * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * (a^2+b^2)^{(1/2)} - 1/4/d/b * \ln((a+b*\tan(d* \\
& x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) * B \\
& * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a - 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan((\\
& (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}- \\
& 2*a)^{(1/2)}) * A * (a^2+b^2)^{(1/2)} + 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2* \\
& (a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a \\
&)^{(1/2)}) * A * a - 1/d * b / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} \\
& +2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * B
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 72.8826, size = 18625, normalized size = 79.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $1/420*(420*\sqrt{2}) * b^3 * d^5 * \sqrt{((2*A*B*b - (A^2 - B^2)*a) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)} * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4) * (((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4)^{(3/4)} * \arctan(((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^3) * d^4 * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4) * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 + (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3) * d^2 * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4} + \sqrt{2}) * (($

$$\begin{aligned}
& 2*(A^4*B + A^2*B^3)*a + (A^5 - A*B^4)*b*d^7*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (2*(A^6*B + 2*A^4*B^3 + A^2*B^5)*a^2 + (A^7 - A^5*B^2 - 5*A^3*B^4 - 3*A*B^6)*a*b - (A^6*B + A^4*B^3 - A^2*B^5 - B^7)*b^2)*d^5*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{((a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{3/4} + \sqrt{2}*(A*d^7*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + ((A^3 + A*B^2)*a - (A^2*B + B^3)*b)*d^5*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}*\cos(dx + c) + \sqrt{2}*((4*A^3*B^2*a^3 + 4*(A^4*B - 2*A^2*B^3)*a^2*b + (A^5 - 6*A^3*B^2 + 5*A*B^4)*a*b^2 - (A^4*B - 2*A^2*B^3 + B^5)*b^3)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}*\cos(dx + c) + (4*(A^5*B^2 + A^3*B^4)*a^4 + 4*(A^6*B - A^2*B^5)*a^3*b + (A^7 + 3*A^5*B^2 + 3*A^3*B^4 + A*B^6)*a^2*b^2 + 4*(A^6*B - A^2*B^5)*a*b^3 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^4)*d*\cos(dx + c))*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{1/4} + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^4*b + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*\cos(dx + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^2*b^3 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + B^8)*b^5)*\sin(dx + c))/((a^2 + b^2)*\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{3/4})/(4*(A^{10}*B^2 + 4*A^8*B^4 + 6*A^6*B^6 + 4*A^4*B^8 + A^2*B^{10})*a^4*b + 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^3*b^2 + (A^{12} + 6*A^{10}*B^2 + 15*A^8*B^4 + 20*A^6*B^6 + 15*A^4*B^8 + 6*A^2*B^{10} + B^{12})*a^2*b^3 + 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a*b^4 + (A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*b^5))*\cos(dx + c)^3 + 420*\sqrt{2}*b^3*d^5*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{3/4}*\arctan(-((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^3)*d^4*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 + (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3)*d^2*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} - \sqrt{2}*((2*
\end{aligned}$$

$$\begin{aligned}
& (A^4B + A^2B^3)a + (A^5 - AB^4)b \cdot d^7 \sqrt{(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/d^4} \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (2(A^6B + 2A^4B^3 + A^2B^5)a^2 + (A^7 - A^5B^2 - 5A^3B^4 - 3AB^6)ab - (A^6B + A^4B^3 - A^2B^5 - B^7)b^2) \cdot d^5 \sqrt{(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/d^4} \sqrt{((2ABb - (A^2 - B^2)a) \cdot d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)} \cdot (((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4)^{3/4} - \sqrt{2} \cdot (A \cdot d^7 \sqrt{(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/d^4} \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + ((A^3 + AB^2)a - (A^2B + B^3)b) \cdot d^5 \sqrt{(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/d^4} \sqrt{((2ABb - (A^2 - B^2)a) \cdot d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \sqrt{((4(A^4B^2 + A^2B^4)a^4 + 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 + 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4) \cdot d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} \cos(dx + c) - \sqrt{2} \cdot ((4A^3B^2a^3 + 4(A^4B - 2A^2B^3)a^2b + (A^5 - 6A^3B^2 + 5AB^4)ab^2 - (A^4B - 2A^2B^3 + B^5)b^3) \cdot d^3 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^4 + 4(A^6B - A^2B^5)a^3b + (A^7 + 3A^5B^2 + 3A^3B^4 + AB^6)a^2b^2 + 4(A^6B - A^2B^5)ab^3 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^4) \cdot d \cos(dx + c)} \sqrt{((2ABb - (A^2 - B^2)a) \cdot d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)} \cdot (((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4)^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^5 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^4b + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)a^3b^2 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b^3 + (A^8 - 2A^4B^4 + B^8)ab^4) \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^4b + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^2 + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)a^2b^3 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^4 + (A^8 - 2A^4B^4 + B^8)b^5) \sin(dx + c))/((a^2 + b^2) \cos(dx + c)) \cdot (((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4)^{3/4} / (4(A^{10}B^2 + 4A^8B^4 + 6A^6B^6 + 4A^4B^8 + A^2B^{10})a^4b + 4(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^3b^2 + (A^{12} + 6A^{10}B^2 + 15A^8B^4 + 20A^6B^6 + 15A^4B^8 + 6A^2B^{10} + B^{12})a^2b^3 + 4(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})ab^4 + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^5) \cos(dx + c)^3 - 105 \sqrt{2} \cdot ((2ABb^4 - (A^2 - B^2)ab^3) \cdot d^3 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} \cos(dx + c)^3 - ((A^4 + 2A^2B^2 + B^4)a^2b^3 + (A^4 + 2A^2B^2 + B^4)b^5) \cdot d \cos(dx + c)^3) \sqrt{((2ABb - (A^2 - B^2)a) \cdot d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \cdot (((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4)^{1/4} \log(((4(A^4B^2 + A^2B^4)a^4 + 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 + 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4) \cdot d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} \cos(dx + c) + \sqrt{2} \cdot ((4A^3B^2a^3 + 4(A^4B - 2A^2B^3)a^2b + (A^5 - 6A^3B^2 + 5AB^4)ab^2 - (A^4B - 2A^2B^3 + B^5)b^3) \cdot d^3 \sqrt{((A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/d^4} \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^4 + 4(A^6B - A^2B^5)a^3b + (A^7 + 3A^5B^2 + 3A^3B^4 + AB^6)a^2b^2 + 4(A^6B - A^2B^5) \cdot
\end{aligned}$$

$$\begin{aligned}
& a*b^3 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^4*d*\cos(d*x + c)*\sqrt{((2*A*B \\
& *b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 \\
& + B^4)*b^2)/d^4)} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)* \\
& b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)) \\
& *\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + \\
& B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(1/4)} + (4*(A^6*B^2 + 2*A^4*B^4 \\
& + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^4*b + (A^8 + 4*A^6 \\
& *B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B + A^5*B^3 - A^3*B^5 \\
& - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*\cos(d*x + c) + (4*(A^6*B^2 \\
& + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3 \\
& *b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^2*b^3 + 4*(A^7*B \\
& + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + B^8)*b^5)*\sin(d*x + \\
& c))/((a^2 + b^2)*\cos(d*x + c))) + 105*\sqrt{2}*((2*A*B*b^4 - (A^2 - B^2)*a* \\
& b^3)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} \\
& *\cos(d*x + c)^3 - ((A^4 + 2*A^2*B^2 + B^4)*a^2*b^3 + (A^4 + 2*A^2*B^2 + \\
& B^4)*b^5)*d*\cos(d*x + c)^3)*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 \\
& + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)} + (A^4 + 2*A^2*B^2 \\
& + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A* \\
& B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A \\
& ^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(1/4)}*\log(((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(\\
& A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5 \\
& *B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2 \\
& *A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}*\cos(d*x + c) - \sqrt{ \\
& (2)*((4*A^3*B^2*a^3 + 4*(A^4*B - 2*A^2*B^3)*a^2*b + (A^5 - 6*A^3*B^2 + 5*A* \\
& B^4)*a*b^2 - (A^4*B - 2*A^2*B^3 + B^5)*b^3)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^ \\
& 4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}*\cos(d*x + c) + (4*(A^5*B^2 + A^3 \\
& *B^4)*a^4 + 4*(A^6*B - A^2*B^5)*a^3*b + (A^7 + 3*A^5*B^2 + 3*A^3*B^4 + A*B^ \\
& 6)*a^2*b^2 + 4*(A^6*B - A^2*B^5)*a*b^3 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)* \\
& b^4)*d*\cos(d*x + c)*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2 \\
& *B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)} + (A^4 + 2*A^2*B^2 + B^ \\
& 4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a* \\
& b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\co \\
& s(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^ \\
& 4)^{(1/4)} + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^ \\
& 3*B^5 - A*B^7)*a^4*b + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3* \\
& b^2 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^ \\
& 8)*a*b^4)*\cos(d*x + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7* \\
& B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A \\
& ^2*B^6 + B^8)*a^2*b^3 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 \\
& - 2*A^4*B^4 + B^8)*b^5)*\sin(d*x + c))/((a^2 + b^2)*\cos(d*x + c))) + 8*(2*(4 \\
& *(A^4*B + 2*A^2*B^3 + B^5)*a^5 - 7*(A^5 + 2*A^3*B^2 + A*B^4)*a^4*b - 15*(A^ \\
& 4*B + 2*A^2*B^3 + B^5)*a^3*b^2 - 70*(A^5 + 2*A^3*B^2 + A*B^4)*a^2*b^3 - 19* \\
& (A^4*B + 2*A^2*B^3 + B^5)*a*b^4 - 63*(A^5 + 2*A^3*B^2 + A*B^4)*b^5)*\cos(d*x \\
& + c)^3 + 3*((A^4*B + 2*A^2*B^3 + B^5)*a^3*b^2 + 7*(A^5 + 2*A^3*B^2 + A*B^4 \\
&)*a^2*b^3 + (A^4*B + 2*A^2*B^3 + B^5)*a*b^4 + 7*(A^5 + 2*A^3*B^2 + A*B^4)*b \\
& ^5)*\cos(d*x + c) + (15*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 + 15*(A^4*B + 2*A^ \\
& 2*B^3 + B^5)*b^5 - (4*(A^4*B + 2*A^2*B^3 + B^5)*a^4*b - 7*(A^5 + 2*A^3*B^2 \\
& + A*B^4)*a^3*b^2 + 54*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 - 7*(A^5 + 2*A^3*B^ \\
& 2 + A*B^4)*a*b^4 + 50*(A^4*B + 2*A^2*B^3 + B^5)*b^5)*\cos(d*x + c)^2)*\sin(d* \\
& x + c))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)))/(((A^4 + 2*A^ \\
& 2*B^2 + B^4)*a^2*b^3 + (A^4 + 2*A^2*B^2 + B^4)*b^5)*d*\cos(d*x + c)^3)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \tan^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(1/2)*tan(d*x+c)**3*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*tan(c + d*x)**3, x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^3*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.318 \quad \int \tan^2(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=186

$$\frac{2(5Ab - 2aB)(a + b \tan(c + dx))^{3/2}}{15b^2d} + \frac{\sqrt{a - ib}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a + ib}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

[Out] (Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (2*B*Sqrt[a + b*Tan[c + d*x]])/d + (2*(5*A*b - 2*a*B)*(a + b*Tan[c + d*x])^(3/2))/(15*b^2*d) + (2*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(3/2))/(5*b*d)

Rubi [A] time = 0.455403, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3607, 3630, 3528, 3539, 3537, 63, 208}

$$\frac{2(5Ab - 2aB)(a + b \tan(c + dx))^{3/2}}{15b^2d} + \frac{\sqrt{a - ib}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a + ib}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (2*B*Sqrt[a + b*Tan[c + d*x]])/d + (2*(5*A*b - 2*a*B)*(a + b*Tan[c + d*x])^(3/2))/(15*b^2*d) + (2*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(3/2))/(5*b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int

$[(a + b \cdot \tan[e + f \cdot x])^{(m - 1)} \cdot \text{Simp}[a \cdot c - b \cdot d + (b \cdot c + a \cdot d) \cdot \tan[e + f \cdot x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx &= \frac{2B \tan(c + dx) (a + b \tan(c + dx))^{3/2}}{5bd} + \frac{2 \int \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx}{5bd} \\ &= \frac{2(5Ab - 2aB) (a + b \tan(c + dx))^{3/2}}{15b^2d} + \frac{2B \tan(c + dx) (a + b \tan(c + dx))^{3/2}}{5bd} \\ &= -\frac{2B \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(5Ab - 2aB) (a + b \tan(c + dx))^{3/2}}{15b^2d} \\ &= -\frac{2B \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(5Ab - 2aB) (a + b \tan(c + dx))^{5/2}}{15b^2d} \\ &= -\frac{2B \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(5Ab - 2aB) (a + b \tan(c + dx))^{7/2}}{15b^2d} \\ &= -\frac{2B \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(5Ab - 2aB) (a + b \tan(c + dx))^{9/2}}{15b^2d} \\ &= \frac{\sqrt{a - ib} (iA + B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right)}{d} - \frac{\sqrt{a + ib} (iA - B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right)}{d} \end{aligned}$$

Mathematica [A] time = 1.84079, size = 169, normalized size = 0.91

$$\frac{2\sqrt{a+b\tan(c+dx)}(-2a^2B+b(aB+5Ab)\tan(c+dx)+5aAb+3b^2B\tan^2(c+dx)-15b^2B)}{b^2} + 15\sqrt{a-ib}(B+iA)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right) + 15\sqrt{a+ib}(B-iA)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)$$

$$15d$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (15*Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + 15*Sqrt[a + I*b]*((-I)*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + (2*Sqrt[a + b*Tan[c + d*x]]*(5*a*A*b - 2*a^2*B - 15*b^2*B + b*(5*A*b + a*B)*Tan[c + d*x] + 3*b^2*B*Tan[c + d*x]^2))/b^2)/(15*d)

Maple [B] time = 0.125, size = 1032, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x)

[Out] 2/5/d/b^2*B*(a+b*tan(d*x+c))^(5/2)+2/3/d/b*A*(a+b*tan(d*x+c))^(3/2)-2/3/d/b^2*B*(a+b*tan(d*x+c))^(3/2)*a-2*B*(a+b*tan(d*x+c))^(1/2)/d+1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*(a^2+b^2)^(1/2)-1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a+1/4/d*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-1/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A+1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*(a^2+b^2)^(1/2)-1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*a-1/4/d/b*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*(a^2+b^2)^(1/2)+1/4/d/b*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+1/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A-1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*(a^2+b^2)^(1/2)+1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*a

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)\sqrt{b \tan(dx + c) + a \tan(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^2, x)
```

Fricas [B] time = 76.0758, size = 18297, normalized size = 98.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] -1/60*(60*sqrt(2)*b^2*d^5*sqrt(-((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 +
2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^
2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B
^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*
B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*(((A^4 + 2*A^2*B^2 + B^4)*a^2
+ (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^(3/4)*arctan(((2*(A^7*B + 3*A^5*B^3 + 3
*A^3*B^5 + A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*
B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B
^8)*b^3)*d^4*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2
+ B^4)*b^2)/d^4)*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^
4)*b^2)/d^4) + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 +
(A^10 + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a^3*b + 2*(A
^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^10 + 3*A^8*B
^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a*b^3)*d^2*sqrt((4*A^2*B^2*a
^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4) + sqrt(2)*((
2*(A^3*B^2 + A*B^4)*a + (A^4*B - B^5)*b)*d^7*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B
- A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*sqrt(((A^4 + 2*A^2*B^2 +
B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) + (2*(A^5*B^2 + 2*A^3*B^4 + A*
B^6)*a^2 + (3*A^6*B + 5*A^4*B^3 + A^2*B^5 - B^7)*a*b + (A^7 + A^5*B^2 - A^3
*B^4 - A*B^6)*b^2)*d^5*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 -
2*A^2*B^2 + B^4)*b^2)/d^4)*sqrt(-((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^
4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2
*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B -
A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*sqrt((a*cos(d*x + c) + b*sin(d*x
+ c))/cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4
)*b^2)/d^4)^(3/4) + sqrt(2)*(B*d^7*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*
a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 +
(A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) + ((A^2*B + B^3)*a + (A^3 + A*B^2)*b)*d^
5*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2
)/d^4))*sqrt(-((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*
a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^
4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2
*A^2*B^2 + B^4)*b^2))*sqrt(((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5)*
a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a*b
^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)
*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) + sqrt(2)*((4*A^2*B^3
*a^3 + 4*(2*A^3*B^2 - A*B^4)*a^2*b + (5*A^4*B - 6*A^2*B^3 + B^5)*a*b^2 + (A
^5 - 2*A^3*B^2 + A*B^4)*b^3)*d^3*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 +
2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) + (4*(A^4*B^3 + A^2*B^5)*a^4 + 4*(
A^5*B^2 - A*B^6)*a^3*b + (A^6*B + 3*A^4*B^3 + 3*A^2*B^5 + B^7)*a^2*b^2 + 4*
(A^5*B^2 - A*B^6)*a*b^3 + (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^4)*d*cos(d*x
+ c))*sqrt(-((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^
2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4
```

$$\begin{aligned}
& + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A \\
& ^2*B^2 + B^4)*b^2))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*((\\
& (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(1/4)} + (4* \\
& (A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) \\
& *a^4*b + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B \\
& + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*cos(\\
& d*x + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - \\
& A^3*B^5 - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)* \\
& a^2*b^3 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + \\
& B^8)*b^5)*sin(d*x + c))/((a^2 + b^2)*cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^ \\
& 4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(3/4)})/(4*(A^10*B^2 + 4*A^8*B^4 \\
& + 6*A^6*B^6 + 4*A^4*B^8 + A^2*B^10)*a^4*b + 4*(A^11*B + 3*A^9*B^3 + 2*A^7*B \\
& ^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^2 + (A^12 + 6*A^10*B^2 + 15*A^8* \\
& B^4 + 20*A^6*B^6 + 15*A^4*B^8 + 6*A^2*B^10 + B^12)*a^2*b^3 + 4*(A^11*B + 3* \\
& A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^4 + (A^12 + 2*A^1 \\
& 0*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*b^5))*cos(d*x + \\
& c)^2 + 60*sqrt(2)*b^2*d^5*sqrt(-(2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + \\
& 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^ \\
& 2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B \\
& ^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(3/4)}*arctan(-((2*(A^7*B + 3*A^5*B^3 + \\
& 3*A^3*B^5 + A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7 \\
& *B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - \\
& B^8)*b^3)*d^4*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^ \\
& 2 + B^4)*b^2)/d^4)*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B \\
& ^4)*b^2)/d^4) + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 \\
& + (A^10 + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a^3*b + 2*(\\
& A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^10 + 3*A^8* \\
& B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a*b^3)*d^2*sqrt((4*A^2*B^2* \\
& a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4) - sqrt(2)* \\
& (2*(A^3*B^2 + A*B^4)*a + (A^4*B - B^5)*b)*d^7*sqrt((4*A^2*B^2*a^2 + 4*(A^3* \\
& B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*sqrt(((A^4 + 2*A^2*B^2 + \\
& B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) + (2*(A^5*B^2 + 2*A^3*B^4 + A \\
& *B^6)*a^2 + (3*A^6*B + 5*A^4*B^3 + A^2*B^5 - B^7)*a*b + (A^7 + A^5*B^2 - A^ \\
& 3*B^4 - A*B^6)*b^2)*d^5*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 \\
& - 2*A^2*B^2 + B^4)*b^2)/d^4))*sqrt(-(2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A \\
& ^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^ \\
& 2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - \\
& A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*sqrt((a*cos(d*x + c) + b*sin(d* \\
& x + c))/cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^ \\
& 4)*b^2)/d^4)^{(3/4)} - sqrt(2)*(B*d^7*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3) \\
& *a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) + ((A^2*B + B^3)*a + (A^3 + A*B^2)*b)*d \\
& ^5*sqrt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^ \\
& 2)/d^4))*sqrt(-(2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4) \\
& *a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A \\
& ^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - \\
& 2*A^2*B^2 + B^4)*b^2))*sqrt(((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5) \\
& *a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a* \\
& b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4) \\
&)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) - sqrt(2)*((4*A^2*B^ \\
& 3*a^3 + 4*(2*A^3*B^2 - A*B^4)*a^2*b + (5*A^4*B - 6*A^2*B^3 + B^5)*a*b^2 + (\\
& A^5 - 2*A^3*B^2 + A*B^4)*b^3)*d^3*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 \\
& + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) + (4*(A^4*B^3 + A^2*B^5)*a^4 + 4* \\
& (A^5*B^2 - A*B^6)*a^3*b + (A^6*B + 3*A^4*B^3 + 3*A^2*B^5 + B^7)*a^2*b^2 + 4 \\
& *(A^5*B^2 - A*B^6)*a*b^3 + (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^4)*d*cos(d*x \\
& + c))*sqrt(-(2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a \\
& ^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4
\end{aligned}$$

$$\begin{aligned}
& + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2* \\
& A^2*B^2 + B^4)*b^2))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(\\
& ((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^(1/4) + (4 \\
& *(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7 \\
&)*a^4*b + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B \\
& + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*cos \\
& (d*x + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - \\
& A^3*B^5 - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8) \\
& *a^2*b^3 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + \\
& B^8)*b^5)*sin(d*x + c))/((a^2 + b^2)*cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B \\
& ^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^(3/4))/(4*(A^10*B^2 + 4*A^8*B^4 \\
& + 6*A^6*B^6 + 4*A^4*B^8 + A^2*B^10)*a^4*b + 4*(A^11*B + 3*A^9*B^3 + 2*A^7*B \\
& ^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^2 + (A^12 + 6*A^10*B^2 + 15*A^8 \\
& *B^4 + 20*A^6*B^6 + 15*A^4*B^8 + 6*A^2*B^10 + B^12)*a^2*b^3 + 4*(A^11*B + 3 \\
& *A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^4 + (A^12 + 2*A^ \\
& 10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*b^5))*cos(d*x + \\
& c)^2 - 15*sqrt(2)*((2*A*B*b^3 - (A^2 - B^2)*a*b^2)*d^3*sqrt(((A^4 + 2*A^2*B \\
& ^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c)^2 + ((A^4 + \\
& 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*cos(d*x + c)^2)* \\
& sqrt(-((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A \\
& ^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^ \\
& 2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 \\
& + B^4)*b^2))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/ \\
& d^4)^(1/4)*log(((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5)*a^3*b + (A^6 \\
& + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - \\
& A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 \\
& + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) + sqrt(2)*((4*A^2*B^3*a^3 + 4*(2* \\
& A^3*B^2 - A*B^4)*a^2*b + (5*A^4*B - 6*A^2*B^3 + B^5)*a*b^2 + (A^5 - 2*A^3*B \\
& ^2 + A*B^4)*b^3)*d^3*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + \\
& B^4)*b^2)/d^4)*cos(d*x + c) + (4*(A^4*B^3 + A^2*B^5)*a^4 + 4*(A^5*B^2 - A* \\
& B^6)*a^3*b + (A^6*B + 3*A^4*B^3 + 3*A^2*B^5 + B^7)*a^2*b^2 + 4*(A^5*B^2 - A \\
& *B^6)*a*b^3 + (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^4)*d*cos(d*x + c))*sqrt(- \\
& ((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2 \\
& *A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 \\
& + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4 \\
&)*b^2))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(((A^4 + 2*A^2 \\
& *B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^(1/4) + (4*(A^6*B^2 + 2 \\
& *A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^4*b + (A^ \\
& 8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B + A^5*B^3 - \\
& A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*cos(d*x + c) + (\\
& 4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A* \\
& B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^2*b^3 + 4* \\
& (A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + B^8)*b^5)*si \\
& n(d*x + c))/((a^2 + b^2)*cos(d*x + c))) + 15*sqrt(2)*((2*A*B*b^3 - (A^2 - B \\
& ^2)*a*b^2)*d^3*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)* \\
& b^2)/d^4)*cos(d*x + c)^2 + ((A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2* \\
& B^2 + B^4)*b^4)*d*cos(d*x + c)^2)*sqrt(-((2*A*B*b - (A^2 - B^2)*a)*d^2*sqrt \\
& (((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + \\
& 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3 \\
& *B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*(((A^4 + 2*A^2*B^2 + B^4)*a \\
& ^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^(1/4)*log(((4*(A^4*B^2 + A^2*B^4)*a^ \\
& 4 + 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + \\
& 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*sqrt(((\\
& A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) \\
& - sqrt(2)*((4*A^2*B^3*a^3 + 4*(2*A^3*B^2 - A*B^4)*a^2*b + (5*A^4*B - 6*A^2 \\
& *B^3 + B^5)*a*b^2 + (A^5 - 2*A^3*B^2 + A*B^4)*b^3)*d^3*sqrt(((A^4 + 2*A^2*B \\
& ^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)*cos(d*x + c) + (4*(A^4*B^ \\
& 3 + A^2*B^5)*a^4 + 4*(A^5*B^2 - A*B^6)*a^3*b + (A^6*B + 3*A^4*B^3 + 3*A^2*B \\
& ^5 + B^7)*a^2*b^2 + 4*(A^5*B^2 - A*B^6)*a*b^3 + (A^6*B - A^4*B^3 - A^2*B^5
\end{aligned}$$

$$\begin{aligned}
& + B^7 * b^4 * d * \cos(dx + c) * \sqrt{-((2 * A * B * b - (A^2 - B^2) * a) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / d^4} - (A^4 + 2 * A^2 * B^2 + B^4) * a^2 - (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / (4 * A^2 * B^2 * a^2 + 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2)} * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * (((A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / d^4)^{(1/4)} + (4 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^5 + 4 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^4 * b + (A^8 + 4 * A^6 * B^2 + 6 * A^4 * B^4 + 4 * A^2 * B^6 + B^8) * a^3 * b^2 + 4 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^2 * b^3 + (A^8 - 2 * A^4 * B^4 + B^8) * a * b^4) * \cos(dx + c) + (4 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^4 * b + 4 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^3 * b^2 + (A^8 + 4 * A^6 * B^2 + 6 * A^4 * B^4 + 4 * A^2 * B^6 + B^8) * a^2 * b^3 + 4 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a * b^4 + (A^8 - 2 * A^4 * B^4 + B^8) * b^5) * \sin(dx + c)) / ((a^2 + b^2) * \cos(dx + c)) - 8 * (3 * (A^4 * B + 2 * A^2 * B^3 + B^5) * a^2 * b^2 + 3 * (A^4 * B + 2 * A^2 * B^3 + B^5) * b^4 - (2 * (A^4 * B + 2 * A^2 * B^3 + B^5) * a^4 - 5 * (A^5 + 2 * A^3 * B^2 + A * B^4) * a^3 * b + 20 * (A^4 * B + 2 * A^2 * B^3 + B^5) * a^2 * b^2 - 5 * (A^5 + 2 * A^3 * B^2 + A * B^4) * a * b^3 + 18 * (A^4 * B + 2 * A^2 * B^3 + B^5) * b^4) * \cos(dx + c)^2 + ((A^4 * B + 2 * A^2 * B^3 + B^5) * a^3 * b + 5 * (A^5 + 2 * A^3 * B^2 + A * B^4) * a^2 * b^2 + (A^4 * B + 2 * A^2 * B^3 + B^5) * a * b^3 + 5 * (A^5 + 2 * A^3 * B^2 + A * B^4) * b^4) * \cos(dx + c) * \sin(dx + c)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c))} / (((A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) * d * \cos(dx + c)^2)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \tan^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*tan(d*x+c)**2*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*tan(c + d*x)**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.319 $\int \tan(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=146

$$\frac{\sqrt{a-ib}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a+ib}(A+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d} + \frac{2A\sqrt{a+b \tan(c+dx)}}{d} + \frac{2B(a+b \tan(c+dx))^{3/2}}{3bd}$$

[Out] -((Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d) - (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*A*Sqrt[a + b*Tan[c + d*x]])/d + (2*B*(a + b*Tan[c + d*x])^(3/2))/(3*b*d)

Rubi [A] time = 0.27856, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3592, 3528, 3539, 3537, 63, 208}

$$\frac{\sqrt{a-ib}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a+ib}(A+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d} + \frac{2A\sqrt{a+b \tan(c+dx)}}{d} + \frac{2B(a+b \tan(c+dx))^{3/2}}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -((Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d) - (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*A*Sqrt[a + b*Tan[c + d*x]])/d + (2*B*(a + b*Tan[c + d*x])^(3/2))/(3*b*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \tan(c + dx)\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx = \frac{2B(a + b \tan(c + dx))^{3/2}}{3bd} + \int (-B + A \tan(c + dx))\sqrt{a + b \tan(c + dx)} dx$$

$$= \frac{2A\sqrt{a + b \tan(c + dx)}}{d} + \frac{2B(a + b \tan(c + dx))^{3/2}}{3bd} + \int -B\sqrt{a + b \tan(c + dx)} dx$$

$$= \frac{2A\sqrt{a + b \tan(c + dx)}}{d} + \frac{2B(a + b \tan(c + dx))^{3/2}}{3bd} + \frac{1}{2}((a - b) \operatorname{arctanh}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right) - \sqrt{a + ib}(A + iB) \operatorname{arctanh}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right) - \sqrt{a + ib}(A + iB) \operatorname{arctanh}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right) + \dots)$$

Mathematica [A] time = 0.45248, size = 140, normalized size = 0.96

$$\frac{2\sqrt{a + b \tan(c + dx)}(aB + 3Ab + bB \tan(c + dx)) - 3b\sqrt{a - ib}(A - iB) \operatorname{tanh}^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right) - 3b\sqrt{a + ib}(A + iB) \operatorname{tanh}^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{3bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (-3*Sqrt[a - I*b]*b*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] - 3*Sqrt[a + I*b]*b*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + 2*Sqrt[a + b*Tan[c + d*x]]*(3*A*b + a*B + b*B*Tan[c + d*x]))/(3*b*d)
```

Maple [B] time = 0.105, size = 989, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x)`

[Out]
$$\begin{aligned} & \frac{2}{3} B (a+b \tan(dx+c))^{3/2} / b/d + 2 A (a+b \tan(dx+c))^{1/2} / d - 1/4/d * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \\ & * A * (2(a^2+b^2)^{1/2} + 2a)^{1/2} + 1/4/d/b * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \\ & * B * (2(a^2+b^2)^{1/2} + 2a)^{1/2} * (a^2+b^2)^{1/2} - 1/4/d/b * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \\ & * B * (2(a^2+b^2)^{1/2} + 2a)^{1/2} * a - 1/d / (2(a^2+b^2)^{1/2} - 2a)^{1/2} * \arctan((2(a+b \tan(dx+c))^{1/2} + (2(a^2+b^2)^{1/2} + 2a)^{1/2}) / (2(a^2+b^2)^{1/2} - 2a)^{1/2}) \\ & * A * (a^2+b^2)^{1/2} + 1/d / (2(a^2+b^2)^{1/2} - 2a)^{1/2} * \arctan((2(a+b \tan(dx+c))^{1/2} + (2(a^2+b^2)^{1/2} + 2a)^{1/2}) / (2(a^2+b^2)^{1/2} - 2a)^{1/2}) \\ & * A * a - 1/d * b / (2(a^2+b^2)^{1/2} - 2a)^{1/2} * \arctan((2(a+b \tan(dx+c))^{1/2} + (2(a^2+b^2)^{1/2} + 2a)^{1/2}) / (2(a^2+b^2)^{1/2} - 2a)^{1/2}) \\ & * B + 1/4/d * \ln((a+b \tan(dx+c))^{1/2} * (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * A * (2(a^2+b^2)^{1/2} + 2a)^{1/2} \\ & - 1/4/d/b * \ln((a+b \tan(dx+c))^{1/2} * (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2(a^2+b^2)^{1/2} + 2a)^{1/2} \\ & * a + 1/d / (2(a^2+b^2)^{1/2} - 2a)^{1/2} * \arctan(((2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}) / (2(a^2+b^2)^{1/2} - 2a)^{1/2}) \\ & * A * (a^2+b^2)^{1/2} - 1/d / (2(a^2+b^2)^{1/2} - 2a)^{1/2} * \arctan(((2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}) / (2(a^2+b^2)^{1/2} - 2a)^{1/2}) \\ & * A * a + 1/d * b / (2(a^2+b^2)^{1/2} - 2a)^{1/2} * \arctan(((2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}) / (2(a^2+b^2)^{1/2} - 2a)^{1/2}) \\ & * B \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A) \sqrt{b \tan(dx+c) + a} \tan(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c), x)`

Fricas [B] time = 62.5664, size = 17963, normalized size = 123.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & -1/12 * (12 * \sqrt{2} * b * d^5 * \sqrt{((2 * A * B * b - (A^2 - B^2) * a) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / d^4} + (A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / (4 * A^2 * B^2 * a^2 + 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2)} * \sqrt{((4 * A^2 * B^2 * a^2 + 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2) / d^4) * ((A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / d^4} \\ & ^{(3/4)} * \arctan(((2 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / d^4) / ((A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / d^4) \end{aligned}$$

$$\begin{aligned}
& 3*B^5 + A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*B + \\
& 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8) \\
& *b^3)*d^4*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + \\
& B^4)*b^2)/d^4)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)* \\
& b^2)/d^4} + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 + (A \\
& ^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B \\
& B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^{10} + 3*A^8*B^2 \\
& + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3)*d^2*\sqrt{(4*A^2*B^2*a^2 \\
& + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} + \sqrt{2}*((2*(\\
& A^4*B + A^2*B^3)*a + (A^5 - A*B^4)*b)*d^7*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - \\
& A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*\sqrt{((A^4 + 2*A^2*B^2 + B^4) \\
&)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (2*(A^6*B + 2*A^4*B^3 + A^2*B^5 \\
&)*a^2 + (A^7 - A^5*B^2 - 5*A^3*B^4 - 3*A*B^6)*a*b - (A^6*B + A^4*B^3 - A^2* \\
& B^5 - B^7)*b^2)*d^5*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2* \\
& A^2*B^2 + B^4)*b^2)/d^4})*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + \\
& 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 \\
& + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^ \\
& 3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c \\
&))/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^ \\
& 2)/d^4)^{(3/4)} + \sqrt{2}*(A*d^7*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b \\
& + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^ \\
& 4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + ((A^3 + A*B^2)*a - (A^2*B + B^3)*b)*d^5*\sqrt{ \\
& rt((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^ \\
& 4)}*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + \\
& (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2 \\
& *A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2* \\
& B^2 + B^4)*b^2)}*\sqrt{((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5)*a^3*b \\
& + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a*b^3 + \\
& (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}*\cos(d*x + c) + \sqrt{2}*((4*A^3*B^2*a^3 \\
& + 4*(A^4*B - 2*A^2*B^3)*a^2*b + (A^5 - 6*A^3*B^2 + 5*A*B^4)*a*b^2 - (A^4*B \\
& - 2*A^2*B^3 + B^5)*b^3)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^ \\
& 2*B^2 + B^4)*b^2)/d^4}*\cos(d*x + c) + (4*(A^5*B^2 + A^3*B^4)*a^4 + 4*(A^6*B \\
& - A^2*B^5)*a^3*b + (A^7 + 3*A^5*B^2 + 3*A^3*B^4 + A*B^6)*a^2*b^2 + 4*(A^6*B \\
& B - A^2*B^5)*a*b^3 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^4)*d*\cos(d*x + c)) \\
& *\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A \\
& ^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^ \\
& 2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 \\
& + B^4)*b^2)}*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*(((A^4 + \\
& 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(1/4)} + (4*(A^6*B \\
& ^2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^4*b \\
& + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B + A^5 \\
& *B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*\cos(d*x + \\
& c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - A^3*B^ \\
& 5 - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^2*b^ \\
& 3 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + B^8)*b \\
& ^5)*\sin(d*x + c))/((a^2 + b^2)*\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(3/4)})/(4*(A^{10}*B^2 + 4*A^8*B^4 + 6*A^ \\
& 6*B^6 + 4*A^4*B^8 + A^2*B^{10})*a^4*b + 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2 \\
& *A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^3*b^2 + (A^{12} + 6*A^{10}*B^2 + 15*A^8*B^4 + \\
& 20*A^6*B^6 + 15*A^4*B^8 + 6*A^2*B^{10} + B^{12})*a^2*b^3 + 4*(A^{11}*B + 3*A^9*B^ \\
& 3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a*b^4 + (A^{12} + 2*A^{10}*B^2 \\
& - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*b^5))*\cos(d*x + c) + 1 \\
& 2*\sqrt{2}*b*d^5*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 \\
& + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^ \\
& 2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (\\
& A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + \\
& (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2* \\
& A^2*B^2 + B^4)*b^2)/d^4)^{(3/4)}*\arctan(-((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 +
\end{aligned}$$

$$\begin{aligned}
& A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*B + 3*A^5* \\
& B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^3)*d \\
& ^4*\sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4)}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} \\
& + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 + (A^{10} + 3 \\
& *A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B + 4*A \\
& ^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^{10} + 3*A^8*B^2 + 2*A^6 \\
& *B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3)*d^2*\sqrt{((4*A^2*B^2*a^2 + 4*(A^3 \\
& *B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4)} - \sqrt{2}*((2*(A^4*B + \\
& A^2*B^3)*a + (A^5 - A*B^4)*b)*d^7*\sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)* \\
& a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4)}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + \\
& (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + (2*(A^6*B + 2*A^4*B^3 + A^2*B^5)*a^2 + \\
& (A^7 - A^5*B^2 - 5*A^3*B^4 - 3*A*B^6)*a*b - (A^6*B + A^4*B^3 - A^2*B^5 - B \\
& ^7)*b^2)*d^5*\sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 \\
& + B^4)*b^2) / d^4)}*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 \\
& + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + (A^4 + 2*A^2*B^2 + B^4) \\
& *a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b \\
& + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c)) / \cos(dx + c)} \\
& *(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4)^{3/4} - \sqrt{2}*(A*d^7*\sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - \\
& 2*A^2*B^2 + B^4)*b^2) / d^4)}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + ((A^3 + A*B^2)*a - (A^2*B + B^3)*b)*d^5*\sqrt{((4*A \\
& ^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) / d^4)}*\sqrt{ \\
& ((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4}*\cos(dx + c) - \sqrt{2}*((4*A^3*B^2*a^3 + 4*(A^4*B - 2*A^2*B^3)*a^2*b + (A^5 - 6*A^3*B^2 + 5*A*B^4)*a*b^2 - (A^4*B - 2*A^2*B^3 + B^5)*b^3)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4}*\cos(dx + c) + (4*(A^5*B^2 + A^3*B^4)*a^4 + 4*(A^6*B - A^2*B^5)*a^3*b + (A^7 + 3*A^5*B^2 + 3*A^3*B^4 + A*B^6)*a^2*b^2 + 4*(A^6*B - A^2*B^5)*a*b^3 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^4)*d*\cos(dx + c)}*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c)) / \cos(dx + c)}*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4)^{1/4} + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^4*b + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*\cos(dx + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^2*b^3 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + B^8)*b^5)*\sin(dx + c) / ((a^2 + b^2)*\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4)^{3/4} / (4*(A^{10}*B^2 + 4*A^8*B^4 + 6*A^6*B^6 + 4*A^4*B^8 + A^2*B^{10})*a^4*b + 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^3*b^2 + (A^{12} + 6*A^{10}*B^2 + 15*A^8*B^4 + 20*A^6*B^6 + 15*A^4*B^8 + 6*A^2*B^{10} + B^{12})*a^2*b^3 + 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a*b^4 + (A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*b^5))*\cos(dx + c) - 3*\sqrt{2})*((2*A*B*b^2 - (A^2 - B^2)*a*b)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4}*\cos(dx + c) - ((A^4 + 2*A^2*B^2 + B^4)*a^2*b + (A^4 + 2*A^2*B^2 + B^4)*b^3)*d*\cos(dx + c))*\sqrt{((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / d^4} + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2) / (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*(((A^4 + 2*A
\end{aligned}$$

$$\begin{aligned}
& ^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2/d^4)^{1/4} \log\left(\left(4(A^4B^2 + A^2B^4)a^4 + 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 + 4(A^5B - AB^5)a^2b^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4\right)d^2\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) \cos(dx + c) + \sqrt{2} \left(\left(4A^3B^2a^3 + 4(A^4B - 2A^2B^3)a^2b + (A^5 - 6A^3B^2 + 5AB^4)a^2b^2 - (A^4B - 2A^2B^3 + B^5)b^3\right)d^3\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^4 + 4(A^6B - A^2B^5)a^3b + (A^7 + 3A^5B^2 + 3A^3B^4 + AB^6)a^2b^2 + 4(A^6B - A^2B^5)a^2b^3 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^4)d^2\cos(dx + c)\right) \sqrt{\left(\left(2ABb - (A^2 - B^2)a\right)d^2\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) + \left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right) / \left(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2\right)} \sqrt{\left(a\cos(dx + c) + b\sin(dx + c)\right) / \cos(dx + c)} \left(\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4\right)^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^5 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^4b + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)a^3b^2 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b^3 + (A^8 - 2A^4B^4 + B^8)ab^4)\cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^4b + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^2 + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)a^2b^3 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^4 + (A^8 - 2A^4B^4 + B^8)b^5)\sin(dx + c) / \left((a^2 + b^2)\cos(dx + c)\right) + 3\sqrt{2} \left(\left(2ABb^2 - (A^2 - B^2)ab\right)d^3\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) \cos(dx + c) - \left(\left(A^4 + 2A^2B^2 + B^4\right)a^2b + \left(A^4 + 2A^2B^2 + B^4\right)b^3\right)d^2\cos(dx + c)\right) \sqrt{\left(\left(2ABb - (A^2 - B^2)a\right)d^2\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) + \left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right) / \left(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2\right)} \left(\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4\right)^{1/4} \log\left(\left(4(A^4B^2 + A^2B^4)a^4 + 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 + 4(A^5B - AB^5)a^2b^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4\right)d^2\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) \cos(dx + c) - \sqrt{2} \left(\left(4A^3B^2a^3 + 4(A^4B - 2A^2B^3)a^2b + (A^5 - 6A^3B^2 + 5AB^4)a^2b^2 - (A^4B - 2A^2B^3 + B^5)b^3\right)d^3\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^4 + 4(A^6B - A^2B^5)a^3b + (A^7 + 3A^5B^2 + 3A^3B^4 + AB^6)a^2b^2 + 4(A^6B - A^2B^5)a^2b^3 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^4)d^2\cos(dx + c)\right) \sqrt{\left(\left(2ABb - (A^2 - B^2)a\right)d^2\sqrt{\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4}\right) + \left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right) / \left(4A^2B^2a^2 + 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2\right)} \sqrt{\left(a\cos(dx + c) + b\sin(dx + c)\right) / \cos(dx + c)} \left(\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2 + \left(A^4 + 2A^2B^2 + B^4\right)b^2\right)/d^4\right)^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^5 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^4b + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)a^3b^2 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b^3 + (A^8 - 2A^4B^4 + B^8)ab^4)\cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^4b + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^2 + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)a^2b^3 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^4 + (A^8 - 2A^4B^4 + B^8)b^5)\sin(dx + c) / \left((a^2 + b^2)\cos(dx + c)\right) - 8 \left(\left(\left(A^4B + 2A^2B^3 + B^5\right)a^3 + 3(A^5 + 2A^3B^2 + AB^4)a^2b + (A^4B + 2A^2B^3 + B^5)ab^2 + 3(A^5 + 2A^3B^2 + AB^4)b^3\right)\cos(dx + c) + \left(\left(A^4B + 2A^2B^3 + B^5\right)a^2b + (A^4B + 2A^2B^3 + B^5)b^3\right)\sin(dx + c)\right) \sqrt{\left(a\cos(dx + c) + b\sin(dx + c)\right) / \cos(dx + c)} / \left(\left(\left(A^4 + 2A^2B^2 + B^4\right)a^2b + \left(A^4 + 2A^2B^2 + B^4\right)b^3\right)d^2\cos(dx + c)\right)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*tan(c + d*x), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.320 $\int \sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=122

$$\frac{\sqrt{a - ib}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} + \frac{\sqrt{a + ib}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{d} + \frac{2B\sqrt{a + b \tan(c + dx)}}{d}$$

[Out] -((Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d) + (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*B*Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 0.212357, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3528, 3539, 3537, 63, 208}

$$\frac{\sqrt{a - ib}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} + \frac{\sqrt{a + ib}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{d} + \frac{2B\sqrt{a + b \tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -((Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d) + (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*B*Sqrt[a + b*Tan[c + d*x]])/d

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx &= \frac{2B\sqrt{a + b \tan(c + dx)}}{d} + \int \frac{aA - bB + (Ab + aB) \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \tan(c + dx)}}{d} + \frac{1}{2}((a - ib)(A - iB)) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \\ &= \frac{2B\sqrt{a + b \tan(c + dx)}}{d} + \frac{(i(a - ib)(A - iB)) \text{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i\sqrt{a + b \tan(c + dx)}\right)}{2d} \\ &= \frac{2B\sqrt{a + b \tan(c + dx)}}{d} - \frac{((a - ib)(A - iB)) \text{Subst}\left(\int \frac{1}{-1-\frac{ia}{b}+\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} \\ &= -\frac{\sqrt{a - ib}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{\sqrt{a + ib}(iA - B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.120205, size = 120, normalized size = 0.98

$$\frac{-i\sqrt{a - ib}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) + i\sqrt{a + ib}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right) + 2B\sqrt{a + b \tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] ((-I)*Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + I*Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + 2*B*Sqrt[a + b*Tan[c + d*x]])/d

Maple [B] time = 0.084, size = 968, normalized size = 7.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)

[Out] 2*B*(a+b*tan(d*x+c))^(1/2)/d-1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2))*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*(a^2+b^2)^(1/2)+1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2))*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a-1/4/d*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2))*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+1/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2)))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A-1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arct

$$\begin{aligned} & \text{an}((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * B * (a^2+b^2)^{(1/2)} + 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(\\ & (2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * B * a + 1/4/d/b * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - \\ & b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * (a^2+b^2)^{(1/2)} - 1/4/d/b * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - \\ & b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a + 1/4/d * \ln(\\ & (a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - 1/d * b / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \\ & \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * A + 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * B * (a^2+b^2)^{(1/2)} - 1/d / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * B * a \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 60.8192, size = 17595, normalized size = 144.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/4*(4*\sqrt{2}*d^5*\sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} * \arctan(((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^3) * d^4 * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 + (A^10 + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^10 + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a*b^3) * d^2 * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} + \sqrt{2} * ((2*(A^3*B^2 + A*B^4)*a + (A^4*B - B^5)*b) * d^7 * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (2*(A^5*B^2 + 2*A^3*B^4 + A*B^6)*a^2 + (3*A^6*B + 5*A^4*B^3 + A^2*B^5 - B^7)*a*b + (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^2) * d^5 * \sqrt{((4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} * \sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} * \sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}} \end{aligned}$$

$$\begin{aligned}
& ^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4) - (A^4 + 2*A^2*B^2 + \\
& B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)* \\
& a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/ \\
& \cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/ \\
& d^4)^{(3/4)} + \sqrt{2}*(B*d^7*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (\\
& A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + \\
& 2*A^2*B^2 + B^4)*b^2)/d^4} + ((A^2*B + B^3)*a + (A^3 + A*B^2)*b)*d^5*\sqrt{ \\
& (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4)} \\
& *\sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (\\
& A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A \\
& ^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^ \\
& 2 + B^4)*b^2))*\sqrt{((4*(A^4*B^2 + A^2*B^4)*a^4 + 4*(A^5*B - A*B^5)*a^3*b + \\
& (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 + 4*(A^5*B - A*B^5)*a*b^3 + (A \\
& ^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + \\
& (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4}*\cos(dx + c) + \sqrt{2}*((4*A^2*B^3*a^3 + \\
& 4*(2*A^3*B^2 - A*B^4)*a^2*b + (5*A^4*B - 6*A^2*B^3 + B^5)*a*b^2 + (A^5 - 2* \\
& A^3*B^2 + A*B^4)*b^3)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2* \\
& B^2 + B^4)*b^2)/d^4}*\cos(dx + c) + (4*(A^4*B^3 + A^2*B^5)*a^4 + 4*(A^5*B^2 \\
& - A*B^6)*a^3*b + (A^6*B + 3*A^4*B^3 + 3*A^2*B^5 + B^7)*a^2*b^2 + 4*(A^5*B^ \\
& 2 - A*B^6)*a*b^3 + (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^4)*d*\cos(dx + c))*s \\
& \sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^ \\
& 4 + 2*A^2*B^2 + B^4)*b^2)/d^4} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2 \\
& *B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 \\
& + B^4)*b^2))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*(((A^4 + \\
& 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(1/4)} + (4*(A^6*B^ \\
& 2 + 2*A^4*B^4 + A^2*B^6)*a^5 + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^4*b \\
& + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^3*b^2 + 4*(A^7*B + A^5* \\
& B^3 - A^3*B^5 - A*B^7)*a^2*b^3 + (A^8 - 2*A^4*B^4 + B^8)*a*b^4)*\cos(dx + c \\
&) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^4*b + 4*(A^7*B + A^5*B^3 - A^3*B^5 \\
& - A*B^7)*a^3*b^2 + (A^8 + 4*A^6*B^2 + 6*A^4*B^4 + 4*A^2*B^6 + B^8)*a^2*b^3 \\
& + 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^4 + (A^8 - 2*A^4*B^4 + B^8)*b^ \\
& 5)*\sin(dx + c))/((a^2 + b^2)*\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4)^{(3/4)}/(4*(A^10*B^2 + 4*A^8*B^4 + 6*A^6 \\
& *B^6 + 4*A^4*B^8 + A^2*B^10)*a^4*b + 4*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2* \\
& A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^2 + (A^12 + 6*A^10*B^2 + 15*A^8*B^4 + 2 \\
& 0*A^6*B^6 + 15*A^4*B^8 + 6*A^2*B^10 + B^12)*a^2*b^3 + 4*(A^11*B + 3*A^9*B^3 \\
& + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^4 + (A^12 + 2*A^10*B^2 - \\
& A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*b^5)) + 4*\sqrt{2}*d^5*s \\
& \sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^ \\
& 4 + 2*A^2*B^2 + B^4)*b^2)/d^4} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2 \\
& *B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 \\
& + B^4)*b^2))*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 \\
& + B^4)*b^2)/d^4}*((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b \\
& ^2)/d^4)^{(3/4)}*\arctan(-((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3 + (A \\
& ^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b + 2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 \\
& + A*B^7)*a*b^2 + (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^3)*d^4*\sqrt{(4*A^2*B \\
& ^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((A \\
& ^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/d^4} + (2*(A^9*B + \\
& 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 + (A^10 + 3*A^8*B^2 + 2*A^6 \\
& *B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A^5*B \\
& ^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 + (A^10 + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 \\
& - 3*A^2*B^8 - B^10)*a*b^3)*d^2*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b \\
& + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} - \sqrt{2}*((2*(A^3*B^2 + A*B^4)*a + (A \\
& ^4*B - B^5)*b)*d^7*\sqrt{(4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A \\
& ^2*B^2 + B^4)*b^2)/d^4}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^ \\
& 2 + B^4)*b^2)/d^4} + (2*(A^5*B^2 + 2*A^3*B^4 + A*B^6)*a^2 + (3*A^6*B + 5*A^ \\
& 4*B^3 + A^2*B^5 - B^7)*a*b + (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^2)*d^5*\sqrt{ \\
& (4*A^2*B^2*a^2 + 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/d^4} \\
&))*\sqrt{-((2*A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^2 +
\end{aligned}$$

$$\begin{aligned}
& (A^4 + 2A^2B^2 + B^4)*b^2/d^4) - (A^4 + 2A^2B^2 + B^4)*a^2 - (A^4 + 2 \\
& *A^2B^2 + B^4)*b^2)/(4A^2B^2a^2 + 4(A^3B - AB^3)*ab + (A^4 - 2A^2* \\
& B^2 + B^4)*b^2))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*((A^4 \\
& + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2)/d^4)^{(3/4)} - \sqrt{2} \\
&)*(B*d^7*\sqrt{(4A^2B^2a^2 + 4(A^3B - AB^3)*ab + (A^4 - 2A^2B^2 + B \\
& ^4)*b^2)/d^4)*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b \\
& ^2)/d^4} + ((A^2B + B^3)*a + (A^3 + AB^2)*b)*d^5*\sqrt{(4A^2B^2a^2 + 4* \\
& (A^3B - AB^3)*ab + (A^4 - 2A^2B^2 + B^4)*b^2)/d^4))*\sqrt{-((2A*B*b - \\
& (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B \\
& ^4)*b^2)/d^4} - (A^4 + 2A^2B^2 + B^4)*a^2 - (A^4 + 2A^2B^2 + B^4)*b^2)/ \\
& (4A^2B^2a^2 + 4(A^3B - AB^3)*ab + (A^4 - 2A^2B^2 + B^4)*b^2))*\sqrt{ \\
& (((4(A^4B^2 + A^2B^4)*a^4 + 4(A^5B - AB^5)*a^3*b + (A^6 + 3A^4B^2 + \\
& 3A^2B^4 + B^6)*a^2*b^2 + 4(A^5B - AB^5)*a*b^3 + (A^6 - A^4B^2 - A^2* \\
& B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + \\
& B^4)*b^2)/d^4}*\cos(dx + c) - \sqrt{2}*(((4A^2B^3a^3 + 4(2A^3B^2 - AB^ \\
& 4)*a^2*b + (5A^4B - 6A^2B^3 + B^5)*a*b^2 + (A^5 - 2A^3B^2 + AB^4)*b^ \\
& 3)*d^3*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2)/d^4} \\
&)*\cos(dx + c) + (4(A^4B^3 + A^2B^5)*a^4 + 4(A^5B^2 - AB^6)*a^3*b + (\\
& A^6B + 3A^4B^3 + 3A^2B^5 + B^7)*a^2*b^2 + 4(A^5B^2 - AB^6)*a*b^3 + \\
& (A^6B - A^4B^3 - A^2B^5 + B^7)*b^4)*d*\cos(dx + c))*\sqrt{-((2A*B*b - (A \\
& ^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4) \\
&)*b^2)/d^4} - (A^4 + 2A^2B^2 + B^4)*a^2 - (A^4 + 2A^2B^2 + B^4)*b^2)/(4 \\
& *A^2B^2a^2 + 4(A^3B - AB^3)*ab + (A^4 - 2A^2B^2 + B^4)*b^2))*\sqrt{((\\
& a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*((A^4 + 2A^2B^2 + B^4)*a^ \\
& 2 + (A^4 + 2A^2B^2 + B^4)*b^2)/d^4)^{(1/4)} + (4(A^6B^2 + 2A^4B^4 + A^2 \\
& *B^6)*a^5 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)*a^4*b + (A^8 + 4A^6B^2 \\
& + 6A^4B^4 + 4A^2B^6 + B^8)*a^3*b^2 + 4(A^7B + A^5B^3 - A^3B^5 - AB \\
& ^7)*a^2*b^3 + (A^8 - 2A^4B^4 + B^8)*a*b^4)*\cos(dx + c) + (4(A^6B^2 + 2 \\
& *A^4B^4 + A^2B^6)*a^4*b + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)*a^3*b^2 + \\
& (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8)*a^2*b^3 + 4(A^7B + A^5B \\
& ^3 - A^3B^5 - AB^7)*a*b^4 + (A^8 - 2A^4B^4 + B^8)*b^5)*\sin(dx + c))/((\\
& a^2 + b^2)*\cos(dx + c))*((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 \\
& + B^4)*b^2)/d^4)^{(3/4)}/(4(A^10B^2 + 4A^8B^4 + 6A^6B^6 + 4A^4B^8 + \\
& A^2B^10)*a^4*b + 4(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 \\
& - AB^11)*a^3*b^2 + (A^12 + 6A^10B^2 + 15A^8B^4 + 20A^6B^6 + 15A^4* \\
& B^8 + 6A^2B^10 + B^12)*a^2*b^3 + 4(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^ \\
& 5B^7 - 3A^3B^9 - AB^11)*a*b^4 + (A^12 + 2A^10B^2 - A^8B^4 - 4A^6B^ \\
& 6 - A^4B^8 + 2A^2B^10 + B^12)*b^5)) - \sqrt{2}*((2A*B*b - (A^2 - B^2)*a) \\
&)*d^3*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2)/d^4} \\
& + ((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2)*d)*\sqrt{-((2* \\
& A*B*b - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2 \\
& *B^2 + B^4)*b^2)/d^4} - (A^4 + 2A^2B^2 + B^4)*a^2 - (A^4 + 2A^2B^2 + B^ \\
& 4)*b^2)/(4A^2B^2a^2 + 4(A^3B - AB^3)*ab + (A^4 - 2A^2B^2 + B^4)*b^ \\
& 2))*((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2)/d^4)^{(1/4)} \\
& *\log(((4(A^4B^2 + A^2B^4)*a^4 + 4(A^5B - AB^5)*a^3*b + (A^6 + 3A^4B \\
& ^2 + 3A^2B^4 + B^6)*a^2*b^2 + 4(A^5B - AB^5)*a*b^3 + (A^6 - A^4B^2 - \\
& A^2B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^ \\
& 2 + B^4)*b^2)/d^4}*\cos(dx + c) + \sqrt{2}*(((4A^2B^3a^3 + 4(2A^3B^2 - \\
& AB^4)*a^2*b + (5A^4B - 6A^2B^3 + B^5)*a*b^2 + (A^5 - 2A^3B^2 + AB^4) \\
&)*b^3)*d^3*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2) \\
& /d^4}*\cos(dx + c) + (4(A^4B^3 + A^2B^5)*a^4 + 4(A^5B^2 - AB^6)*a^3*b \\
& + (A^6B + 3A^4B^3 + 3A^2B^5 + B^7)*a^2*b^2 + 4(A^5B^2 - AB^6)*a*b^ \\
& 3 + (A^6B - A^4B^3 - A^2B^5 + B^7)*b^4)*d*\cos(dx + c))*\sqrt{-((2A*B*b \\
& - (A^2 - B^2)*a)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)*a^2 + (A^4 + 2A^2B^2 + \\
& B^4)*b^2)/d^4} - (A^4 + 2A^2B^2 + B^4)*a^2 - (A^4 + 2A^2B^2 + B^4)*b^2 \\
&)/(4A^2B^2a^2 + 4(A^3B - AB^3)*ab + (A^4 - 2A^2B^2 + B^4)*b^2))*\sq \\
& rt((a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*((A^4 + 2A^2B^2 + B^4) \\
&)*a^2 + (A^4 + 2A^2B^2 + B^4)*b^2)/d^4)^{(1/4)} + (4(A^6B^2 + 2A^4B^4 + \\
& A^2B^6)*a^5 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7)*a^4*b + (A^8 + 4A^6*
\end{aligned}$$

$$\begin{aligned}
& B^2 + 6A^4B^4 + 4A^2B^6 + B^8) a^3 b^2 + 4(A^7B + A^5B^3 - A^3B^5 - \\
& A^7B) a^2 b^3 + (A^8 - 2A^4B^4 + B^8) a b^4) \cos(dx + c) + (4(A^6B^2 \\
& + 2A^4B^4 + A^2B^6) a^4 b + 4(A^7B + A^5B^3 - A^3B^5 - A^7B) a^3 b \\
& ^2 + (A^8 + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8) a^2 b^3 + 4(A^7B + A \\
& ^5B^3 - A^3B^5 - A^7B) a b^4 + (A^8 - 2A^4B^4 + B^8) b^5) \sin(dx + c) \\
&) / ((a^2 + b^2) \cos(dx + c)) + \sqrt{2} * ((2ABb - (A^2 - B^2)a) d^3 \sqrt{ \\
& ((A^4 + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) b^2) / d^4) + ((A^4 + \\
& 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) b^2) * d) \sqrt{-((2ABb - (\\
& A^2 - B^2)a) d^2 \sqrt{((A^4 + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) \\
& b^2) / d^4} - (A^4 + 2A^2B^2 + B^4) a^2 - (A^4 + 2A^2B^2 + B^4) b^2) / (\\
& 4A^2B^2 a^2 + 4(A^3B - AB^3) a b + (A^4 - 2A^2B^2 + B^4) b^2)) * (((A^4 \\
& + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) b^2) / d^4)^{1/4} * \log(((4 * \\
& (A^4B^2 + A^2B^4) a^4 + 4(A^5B - AB^5) a^3 b + (A^6 + 3A^4B^2 + 3A^2 \\
& B^4 + B^6) a^2 b^2 + 4(A^5B - AB^5) a b^3 + (A^6 - A^4B^2 - A^2B^4 + \\
& B^6) b^4) d^2 \sqrt{((A^4 + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) * \\
& b^2) / d^4} * \cos(dx + c) - \sqrt{2} * ((4A^2B^3 a^3 + 4(2A^3B^2 - AB^4) a^2 \\
& 2b + (5A^4B - 6A^2B^3 + B^5) a b^2 + (A^5 - 2A^3B^2 + AB^4) b^3) d^3 \\
& 3 \sqrt{((A^4 + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) b^2) / d^4} * \cos \\
& (dx + c) + (4(A^4B^3 + A^2B^5) a^4 + 4(A^5B^2 - AB^6) a^3 b + (A^6B \\
& + 3A^4B^3 + 3A^2B^5 + B^7) a^2 b^2 + 4(A^5B^2 - AB^6) a b^3 + (A^6B \\
& - A^4B^3 - A^2B^5 + B^7) b^4) d * \cos(dx + c)) * \sqrt{-((2ABb - (A^2 - \\
& B^2)a) d^2 \sqrt{((A^4 + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) b^2) \\
&) / d^4} - (A^4 + 2A^2B^2 + B^4) a^2 - (A^4 + 2A^2B^2 + B^4) b^2) / (4A^2 * \\
& B^2 a^2 + 4(A^3B - AB^3) a b + (A^4 - 2A^2B^2 + B^4) b^2)) * \sqrt{(a \cos \\
& (dx + c) + b \sin(dx + c)) / \cos(dx + c)} * (((A^4 + 2A^2B^2 + B^4) a^2 + (\\
& A^4 + 2A^2B^2 + B^4) b^2) / d^4)^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6) \\
& * a^5 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7) a^4 b + (A^8 + 4A^6B^2 + 6A^4 \\
& ^4B^4 + 4A^2B^6 + B^8) a^3 b^2 + 4(A^7B + A^5B^3 - A^3B^5 - AB^7) a^2 b^3 + \\
& (A^8 - 2A^4B^4 + B^8) a b^4) \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 \\
& B^4 + A^2B^6) a^4 b + 4(A^7B + A^5B^3 - A^3B^5 - AB^7) a^3 b^2 + (A^8 \\
& + 4A^6B^2 + 6A^4B^4 + 4A^2B^6 + B^8) a^2 b^3 + 4(A^7B + A^5B^3 - \\
& A^3B^5 - AB^7) a b^4 + (A^8 - 2A^4B^4 + B^8) b^5) \sin(dx + c)) / ((a^2 + \\
& b^2) \cos(dx + c)) + 8 * ((A^4B + 2A^2B^3 + B^5) a^2 + (A^4B + 2A^2B^3 \\
& + B^5) b^2) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c))} / (((A^4 \\
& + 2A^2B^2 + B^4) a^2 + (A^4 + 2A^2B^2 + B^4) b^2) * d)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.321 $\int \cot(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=131

$$\frac{\sqrt{a - ib}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{\sqrt{a + ib}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d} - \frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d}$$

[Out] $(-2*\text{Sqrt}[a]*A*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a]])/d + (\text{Sqrt}[a - I*b]*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b]])/d + (\text{Sqrt}[a + I*b]*(A + I*B)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]])/d$

Rubi [A] time = 0.360248, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3612, 3539, 3537, 63, 208, 3634}

$$\frac{\sqrt{a - ib}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{\sqrt{a + ib}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d} - \frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]*\text{Sqrt}[a + b*\text{Tan}[c + d*x]]*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*\text{Sqrt}[a]*A*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a]])/d + (\text{Sqrt}[a - I*b]*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b]])/d + (\text{Sqrt}[a + I*b]*(A + I*B)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]])/d$

Rule 3612

$\text{Int}[\frac{((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}{((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Dist}[1/(a^2 + b^2), \text{Int}[\text{Simp}[A*(a*c + b*d) + B*(b*c - a*d) - (A*(b*c - a*d) - B*(a*c + b*d))*\text{Tan}[e + f*x], x]/\text{Sqrt}[c + d*\text{Tan}[e + f*x]], x], x] - \text{Dist}[\frac{(b*c - a*d)*(B*a - A*b)}{(a^2 + b^2)}, \text{Int}[(1 + \text{Tan}[e + f*x]^2)/((a + b*\text{Tan}[e + f*x])*\text{Sqrt}[c + d*\text{Tan}[e + f*x]])], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 3539

$\text{Int}[\frac{((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}{(a + b*\text{Tan}[e + f*x])^{(1 - I*\text{Tan}[e + f*x])}}, x], x] + \text{Dist}[\frac{(c - I*d)}{2}, \text{Int}[(a + b*\text{Tan}[e + f*x])^{(1 + I*\text{Tan}[e + f*x])}], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{IntegerQ}[m]$

Rule 3537

$\text{Int}[\frac{((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}{(c*d)/f}, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 63

$\text{Int}[\frac{((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}}{p}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b +$


```
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\int \cot(c + dx)\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx = (aA) \int \frac{\cot(c + dx)(1 + \tan^2(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx + \int \frac{Ab + aB - \dots}{\sqrt{a + b \tan(c + dx)}} dx$$

$$= \frac{1}{2}(Ab + aB - i(-aA + bB)) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2} \dots$$

$$(2aA) \text{Subst} \left(\int \frac{1}{\frac{-a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)} \right) \dots$$

$$= \frac{2\sqrt{a}A \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}} \right)}{d} - \frac{((ia + b)(A - iB)) \text{Subst} \dots}{d}$$

$$= -\frac{2\sqrt{a}A \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}} \right)}{d} + \frac{\sqrt{a - ib}(A - iB) \tanh^{-1} \dots}{d}$$

Mathematica [A] time = 0.556041, size = 219, normalized size = 1.67

$$\frac{\left(A(a\sqrt{-b^2+b^2})+bB(a-\sqrt{-b^2}) \right) \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}} \right)}{\sqrt{-b^2}\sqrt{a-\sqrt{-b^2}}} + \frac{\left(A(b^2-a\sqrt{-b^2})+bB(a+\sqrt{-b^2}) \right) \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+\sqrt{-b^2}}} \right)}{\sqrt{-b^2}\sqrt{a+\sqrt{-b^2}}} + 2\sqrt{a}A \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((2*Sqrt[a]*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]] - ((A*(b^2 + a*Sqr
t[-b^2]) + b*(a - Sqrt[-b^2]))*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a -
Sqrt[-b^2]]])/(Sqrt[-b^2]*Sqrt[a - Sqrt[-b^2]]) + ((A*(b^2 - a*Sqrt[-b^2])
+ b*(a + Sqrt[-b^2]))*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + Sqrt[-b^2
]]])/(Sqrt[-b^2]*Sqrt[a + Sqrt[-b^2]]))/d
```

Maple [C] time = 1.433, size = 29038, normalized size = 221.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \cot(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*cot(c + d*x), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.322 \quad \int \cot^2(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=167

$$-\frac{(2aB + Ab) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{\sqrt{a-ib}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a+ib}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

[Out] -(((A*b + 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*d)) + (Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (A*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 0.51638, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3608, 3653, 3539, 3537, 63, 208, 3634}

$$-\frac{(2aB + Ab) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{\sqrt{a-ib}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a+ib}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -(((A*b + 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*d)) + (Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (A*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/d

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3653

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\begin{aligned}
\int \cot^2(c + dx)\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx &= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} - \int \frac{\cot(c + dx) \left(\frac{1}{2}(-Ab + 2aB) + \frac{1}{2}(-Ab - 2aB) \cot(c + dx)\right)}{d} dx \\
&= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} - \frac{1}{2}(-Ab - 2aB) \int \frac{\cot(c + dx)}{d} dx \\
&= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} - \frac{1}{2}((a - ib)(A - iB)) \int \frac{\cot(c + dx)}{d} dx \\
&= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} - \frac{(i(a - ib)(A - iB)) \operatorname{Subst}\left[\int \frac{\cot(x)}{d} dx, \frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a}}\right]}{d} \\
&= -\frac{(Ab + 2aB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} - \frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} \\
&= -\frac{(Ab + 2aB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{\sqrt{a - ib}(iA + B) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 2.33061, size = 235, normalized size = 1.41

$$\frac{\left(A\sqrt{-b^2+b^2}\right)+bB\left(a-\sqrt{-b^2}\right)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}}\right)}{\sqrt{a-\sqrt{-b^2}}} + \frac{\left(A\left(b^2-a\sqrt{-b^2}\right)+bB\left(a+\sqrt{-b^2}\right)\right)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+\sqrt{-b^2}}}\right)}{\sqrt{a+\sqrt{-b^2}}} - \frac{Ab\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{b} - \frac{(2aB+Ab)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (-(((A*b + 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/Sqrt[a]) + (((A*(b^2 + a*Sqrt[-b^2]) + b*(a - Sqrt[-b^2])*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/Sqrt[a - Sqrt[-b^2]] + ((A*(b^2 - a*Sqrt[-b^2]) + b*(a + Sqrt[-b^2])*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + Sqrt[-b^2]]])/Sqrt[a + Sqrt[-b^2]] - A*b*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/b)/d

Maple [C] time = 1.578, size = 50548, normalized size = 302.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \cot^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)`

[Out] `Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*cot(c + d*x)**2, x)`

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.323 \quad \int \cot^3(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=219

$$\frac{(8a^2A - 4abB + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}d} - \frac{\sqrt{a-ib}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a+ib}(A+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

[Out] ((8*a^2*A + A*b^2 - 4*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*a^(3/2)*d) - (Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - ((A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*a*d) - (A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(2*d)

Rubi [A] time = 0.861336, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3608, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(8a^2A - 4abB + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}d} - \frac{\sqrt{a-ib}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a+ib}(A+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] ((8*a^2*A + A*b^2 - 4*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*a^(3/2)*d) - (Sqrt[a - I*b]*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - (Sqrt[a + I*b]*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - ((A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*a*d) - (A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(2*d)

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[

$b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& !$
 $(\text{ILtQ}[n, -1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3653

$\text{Int}[(((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{tan}[(e_.) + (f_.)*(x_.)]^2))/((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n * \text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\text{Tan}[e + f*x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n*(1 + \text{Tan}[e + f*x]^2))/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{GtQ}[n, 0] \&\& !\text{LeQ}[n, -1]$

Rule 3539

$\text{Int}[((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Dist}[(c + I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(1 - I*\text{Tan}[e + f*x]), x], x] + \text{Dist}[(c - I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(1 + I*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{IntegerQ}[m]$

Rule 3537

$\text{Int}[((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 63

$\text{Int}[((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[((a_.) + (b_.)*(x_.)^2)^{(-1)}, x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 3634

$\text{Int}[((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (C_.)*\text{tan}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, C, m, n\}, x] \&\& \text{EqQ}[A, C]$

Rubi steps

$$\begin{aligned}
\int \cot^3(c+dx)\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= -\frac{A\cot^2(c+dx)\sqrt{a+b\tan(c+dx)}}{2d} - \frac{1}{2}\int \frac{\cot^2(c+dx)}{\sqrt{a+b\tan(c+dx)}}dx \\
&= -\frac{(Ab+4aB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{4ad} - \frac{A\cot^2(c+dx)}{2d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{(Ab+4aB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{4ad} - \frac{A\cot^2(c+dx)}{2d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{(Ab+4aB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{4ad} - \frac{A\cot^2(c+dx)}{2d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{(Ab+4aB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{4ad} - \frac{A\cot^2(c+dx)}{2d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{(8a^2A+Ab^2-4abB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}d} - \frac{(Ab+4aB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{4ad} \\
&= \frac{(8a^2A+Ab^2-4abB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}d} - \frac{\sqrt{a-b^2}\cot(c+dx)}{4ad}
\end{aligned}$$

Mathematica [A] time = 4.6523, size = 271, normalized size = 1.24

$$\frac{(8a^2A-4abB+Ab^2)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{4(-aAb+a\sqrt{-b^2}B+A\sqrt{-b^2}b+b^2B)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}}\right)}{\sqrt{a-\sqrt{-b^2}}} - \frac{4(aAb+a\sqrt{-b^2}B+A\sqrt{-b^2}b+b^2(-B))\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+\sqrt{-b^2}}}\right)}{\sqrt{a+\sqrt{-b^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (((8*a^2*A + A*b^2 - 4*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/a^(3/2) + ((4*(-(a*A*b) + A*b*Sqrt[-b^2] + b^2*B + a*Sqrt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/Sqrt[a - Sqrt[-b^2]] - (4*(a*A*b + A*b*Sqrt[-b^2] - b^2*B + a*Sqrt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + Sqrt[-b^2]]])/Sqrt[a + Sqrt[-b^2]] - (b*Cot[c + d*x]*(A*b + 4*a*B + 2*a*A*Cot[c + d*x])*Sqrt[a + b*Tan[c + d*x]])/a)/b)/(4*d)

Maple [C] time = 1.935, size = 81276, normalized size = 371.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \cot^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*cot(c + d*x)**3, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.324 \quad \int \cot^4(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=279

$$\frac{(8a^2Ab + 16a^3B + 2ab^2B - Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8a^{5/2}d} + \frac{(8a^2A - 2abB + Ab^2) \cot(c + dx) \sqrt{a + b \tan(c + dx)}}{8a^2d}$$

```
[Out] ((8*a^2*A*b - A*b^3 + 16*a^3*B + 2*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*a^(5/2)*d) - (Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((8*a^2*A + A*b^2 - 2*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(8*a^2*d) - ((A*b + 6*a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(12*a*d) - (A*Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]])/(3*d)
```

Rubi [A] time = 1.16793, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3608, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(8a^2Ab + 16a^3B + 2ab^2B - Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8a^{5/2}d} + \frac{(8a^2A - 2abB + Ab^2) \cot(c + dx) \sqrt{a + b \tan(c + dx)}}{8a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^4*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((8*a^2*A*b - A*b^3 + 16*a^3*B + 2*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*a^(5/2)*d) - (Sqrt[a - I*b]*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + (Sqrt[a + I*b]*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((8*a^2*A + A*b^2 - 2*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(8*a^2*d) - ((A*b + 6*a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(12*a*d) - (A*Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]])/(3*d)
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
```

```
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)], x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)^2]), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\begin{aligned}
\int \cot^4(c+dx)\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= -\frac{A\cot^3(c+dx)\sqrt{a+b\tan(c+dx)}}{3d} - \frac{1}{3}\int \frac{\cot^3(c+dx)}{\sqrt{a+b\tan(c+dx)}}dx \\
&= -\frac{(Ab+6aB)\cot^2(c+dx)\sqrt{a+b\tan(c+dx)}}{12ad} - \frac{A\cot^3(c+dx)}{3d} \\
&= \frac{(8a^2A+Ab^2-2abB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{8a^2d} - \frac{A\cot^3(c+dx)}{3d} \\
&= \frac{(8a^2A+Ab^2-2abB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{8a^2d} - \frac{A\cot^3(c+dx)}{3d} \\
&= \frac{(8a^2A+Ab^2-2abB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{8a^2d} - \frac{A\cot^3(c+dx)}{3d} \\
&= \frac{(8a^2A+Ab^2-2abB)\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{8a^2d} - \frac{A\cot^3(c+dx)}{3d} \\
&= \frac{(8a^2Ab-Ab^3+16a^3B+2ab^2B)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{8a^{5/2}d} \\
&= \frac{(8a^2Ab-Ab^3+16a^3B+2ab^2B)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{8a^{5/2}d}
\end{aligned}$$

Mathematica [B] time = 6.39186, size = 564, normalized size = 2.02

$$2b^4 \left(\frac{(aA-bB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{2a^{3/2}b^3} - \frac{3(aB+Ab)\left(\frac{\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} - \frac{\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{ab}\right)}{8ab^2} \right) + \frac{5A\left(\frac{\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} - \frac{\cot(c+dx)\sqrt{a+b\tan(c+dx)}}{ab}\right)}{48b^4}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^4*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (2*b^4*((A*b + a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*b^4) - ((a*A - b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(2*a^(3/2)*b^3) + ((a*A*b - A*b*Sqrt[-b^2] - b^2*B - a*Sqrt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/(2*b^4*Sqrt[-b^2]*Sqrt[a - Sqrt[-b^2]]) - ((a*A*b + A*b*Sqrt[-b^2] - b^2*B + a*Sqrt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + Sqrt[-b^2]]])/(2*(-b^2)^(5/2)*Sqrt[a + Sqrt[-b^2]]) + ((a*A - b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(2*a*b^4) - ((A*b + a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(4*a*b^4) - (A*Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]])/(6*b^4) - (3*(A*b + a*B)*(ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/a^(3/2) - (Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]]/(a*b))))/(8*a*b^2) + (5*A*((2*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(a*b^2) + (3*(ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/a^(3/2) - (Cot[c + d*x]*Sqrt[a +

$$b \cdot \tan[c + d \cdot x] / (a \cdot b) / a / (48 \cdot b) / d$$

Maple [C] time = 2.46, size = 118304, normalized size = 424.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^4*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \cot^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)`

[Out] `Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*cot(c + d*x)**4, x)`

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

3.325 $\int \tan^2(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$

Optimal. Leaf size=214

$$\frac{2(7Ab - 2aB)(a + b \tan(c + dx))^{5/2}}{35b^2d} - \frac{2(aB + Ab)\sqrt{a + b \tan(c + dx)}}{d} + \frac{(a - ib)^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{d}$$

[Out] $((a - I*b)^{(3/2)}*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^{(3/2)}*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (2*(A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/d - (2*B*(a + b*Tan[c + d*x])^{(3/2)})/(3*d) + (2*(7*A*b - 2*a*B)*(a + b*Tan[c + d*x])^{(5/2)})/(35*b^2*d) + (2*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^{(5/2)})/(7*b*d)$

Rubi [A] time = 0.623399, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3607, 3630, 3528, 3539, 3537, 63, 208}

$$\frac{2(7Ab - 2aB)(a + b \tan(c + dx))^{5/2}}{35b^2d} - \frac{2(aB + Ab)\sqrt{a + b \tan(c + dx)}}{d} + \frac{(a - ib)^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Tan}[c + d*x]^2*(a + b*\text{Tan}[c + d*x])^{(3/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $((a - I*b)^{(3/2)}*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^{(3/2)}*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (2*(A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/d - (2*B*(a + b*Tan[c + d*x])^{(3/2)})/(3*d) + (2*(7*A*b - 2*a*B)*(a + b*Tan[c + d*x])^{(5/2)})/(35*b^2*d) + (2*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^{(5/2)})/(7*b*d)$

Rule 3607

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m*((A + B*\text{Tan}[e + f*x]) + (C + D*\text{Tan}[e + f*x])^n), x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{m-1}*(c + d*\text{Tan}[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-2}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a^2*A*d*(m+n) - b*B*(b*c*(m-1) + a*d*(n+1)) + d*(m+n)*(2*a*A*b + B*(a^2 - b^2))*\text{Tan}[e + f*x] - (b*B*(b*c - a*d)*(m-1) - b*(A*b + a*B)*d*(m+n))*\text{Tan}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 1] \&\& (\text{IntegerQ}[m] \|\| \text{IntegersQ}[2*m, 2*n]) \&\& !(\text{IGtQ}[n, 1] \& \& (!\text{IntegerQ}[m] \|\| (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3630

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m*((A + B*\text{Tan}[e + f*x]) + (C + D*\text{Tan}[e + f*x])^2), x_Symbol] \rightarrow \text{Simp}[(C*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A - C + B*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[A*b^2 - a*b*B + a^2*C, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3528

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m*((c + d*\text{Tan}[e + f*x]) + (f*x)), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}$

$[(a + b \cdot \tan[e + f \cdot x])^{(m - 1)} \cdot \text{Simp}[a \cdot c - b \cdot d + (b \cdot c + a \cdot d) \cdot \tan[e + f \cdot x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

$\text{Int}[(a + b \cdot \tan[e + f \cdot x])^{(m)} \cdot ((c + d \cdot \tan[e + f \cdot x]) + (f \cdot x))], x_Symbol] := \text{Dist}[(c + I \cdot d)/2, \text{Int}[(a + b \cdot \tan[e + f \cdot x])^{(m)} \cdot (1 - I \cdot \tan[e + f \cdot x]), x], x] + \text{Dist}[(c - I \cdot d)/2, \text{Int}[(a + b \cdot \tan[e + f \cdot x])^{(m)} \cdot (1 + I \cdot \tan[e + f \cdot x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

$\text{Int}[(a + b \cdot \tan[e + f \cdot x])^{(m)} \cdot ((c + d \cdot \tan[e + f \cdot x]) + (f \cdot x)^n)], x_Symbol] := \text{Dist}[(c \cdot d)/f, \text{Subst}[\text{Int}[(a + (b \cdot x)/d)^m / (d^2 + c \cdot x), x], x, d \cdot \tan[e + f \cdot x]], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

$\text{Int}[(a + b \cdot x)^{(m)} \cdot ((c + d \cdot x)^n)], x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p \cdot (m + 1) - 1)} \cdot (c - (a \cdot d)/b + (d \cdot x^p)/b)^n, x], x, (a + b \cdot x)^{(1/p)}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

$\text{Int}[(a + b \cdot x^2)^{-1}], x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= \frac{2B \tan(c + dx)(a + b \tan(c + dx))^{5/2}}{7bd} + \frac{2 \int (a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx}{35b^2d} \\ &= \frac{2(7Ab - 2aB)(a + b \tan(c + dx))^{5/2}}{35b^2d} + \frac{2B \tan(c + dx)(a + b \tan(c + dx))^{3/2}}{35b^2d} \\ &= -\frac{2B(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2(7Ab - 2aB)(a + b \tan(c + dx))^{5/2}}{35b^2d} \\ &= -\frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} \\ &= -\frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} \\ &= -\frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} \\ &= -\frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} \\ &= \frac{(a - ib)^{3/2}(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + ib)^{3/2}}{3d} \end{aligned}$$

Mathematica [A] time = 2.38791, size = 252, normalized size = 1.18

$$\frac{2(7Ab-2aB)(a+b\tan(c+dx))^{5/2}}{b} + \frac{35}{3}b(A-iB)\left(3\sqrt{a-ib}(b+ia)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right) - i\sqrt{a+b\tan(c+dx)}(4a+b\tan(c+dx))\right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((2*(7*A*b - 2*a*B)*(a + b*Tan[c + d*x])^(5/2))/b + 10*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(5/2) + (35*b*(A - I*B)*(3*Sqrt[a - I*b]*(I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] - I*Sqrt[a + b*Tan[c + d*x]]*(4*a - (3*I)*b + b*Tan[c + d*x])))/3 + (35*b*(A + I*B)*(3*Sqrt[a + I*b]*((-I)*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + I*Sqrt[a + b*Tan[c + d*x]]*(4*a + (3*I)*b + b*Tan[c + d*x])))/3)/(35*b*d)

Maple [B] time = 0.111, size = 1729, normalized size = 8.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] -1/4/d/b*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*(a^2+b^2)^(1/2)*a-1/4/d*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*(a^2+b^2)^(1/2)+1/2/d*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a-1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*a^2+1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*a^2+1/4/d*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a-2/5/d/b^2*B*(a+b*tan(d*x+c))^(5/2)*a-1/4/d*b*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+1/4/d*b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+1/d*b^2/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B-1/d*b^2/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B+2/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*a-1/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*(a^2+b^2)^(1/2)-1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*(a^2+b^2)^(1/2)*a+1/4/d/b*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a^2+1/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B*(a^2+b^2)^(1/2)*a-1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a^2+1/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)

```
)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*(a^2+b^2)^(1/2)-2/d*b/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*a+2/7/d/b^2*B*(a+b*tan(d*x+c))^(7/2)-2/d*B*a*(a+b*tan(d*x+c))^(1/2)+2/5/d/b*A*(a+b*tan(d*x+c))^(5/2)-2/d*b*A*(a+b*tan(d*x+c))^(1/2)+1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*(a^2+b^2)^(1/2)*a-2/3*B*(a+b*tan(d*x+c))^(3/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{\frac{3}{2}} \tan^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(3/2)*tan(c + d*x)**2, x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

[Out] Timed out

$$3.326 \quad \int \tan(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=175

$$\frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{(a - ib)^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + ib)^{3/2}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{d}$$

[Out] -(((a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])/d) - ((a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b])/d + (2*(a*A - b*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*A*(a + b*Tan[c + d*x])^(3/2))/(3*d) + (2*B*(a + b*Tan[c + d*x])^(5/2))/(5*b*d)

Rubi [A] time = 0.377947, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3592, 3528, 3539, 3537, 63, 208}

$$\frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{(a - ib)^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + ib)^{3/2}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] -(((a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])/d) - ((a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b])/d + (2*(a*A - b*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*A*(a + b*Tan[c + d*x])^(3/2))/(3*d) + (2*B*(a + b*Tan[c + d*x])^(5/2))/(5*b*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \tan(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= \frac{2B(a + b \tan(c + dx))^{5/2}}{5bd} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx))^{3/2} dx \\
&= \frac{2A(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2B(a + b \tan(c + dx))^{5/2}}{5bd} + \int \sqrt{a + b \tan(c + dx)} dx \\
&= \frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2A(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2A(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2A(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2A(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(aA - bB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2A(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{(a - ib)^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right) + 5(A + iB)\sqrt{a + b \tan(c + dx)}}{15d}
\end{aligned}$$

Mathematica [A] time = 1.28854, size = 192, normalized size = 1.1

$$\frac{5(A - iB)\left(\sqrt{a + b \tan(c + dx)}(4a + b \tan(c + dx) - 3ib) - 3(a - ib)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)\right) + 5(A + iB)\sqrt{a + b \tan(c + dx)}}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((6*B*(a + b*Tan[c + d*x])^(5/2))/b + 5*(A - I*B)*(-3*(a - I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a - (3*I)*b + b*Tan[c + d*x])) + 5*(A + I*B)*(-3*(a + I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a + (3*I)*b + b*Tan[c + d*x])))/(15*d)
```

Maple [B] time = 0.107, size = 1686, normalized size = 9.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\tan(dx+c) \cdot (a+b \cdot \tan(dx+c))^{3/2} \cdot (A+B \cdot \tan(dx+c))) dx$

[Out]
$$\frac{2}{5} B (a+b \tan(dx+c))^{5/2} / b/d + \frac{2}{3} A (a+b \tan(dx+c))^{3/2} / d + \frac{2}{d} A (a+b \tan(dx+c))^{1/2} \cdot a - 2 B (a+b \tan(dx+c))^{1/2} / d + \frac{1}{4} b/d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \cdot B \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} - \frac{1}{4} d \ln((a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) \cdot A \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot (a^2+b^2)^{1/2} + \frac{1}{2} d \ln((a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) \cdot A \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot a + \frac{1}{4} b/d \ln((a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) \cdot B \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot a^2 - \frac{1}{d} (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{(2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot A \cdot a^2 - b/d \cdot (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{(2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot B \cdot a - b^2/d \cdot (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{2(a+b \tan(dx+c))^{1/2} + (2(a^2+b^2)^{1/2} + 2a)^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot A + b^2/d \cdot (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{(2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot A - \frac{1}{4} b/d \ln((a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) \cdot B \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} + \frac{1}{4} b/d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \cdot B \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot (a^2+b^2)^{1/2} \cdot a - \frac{1}{d} (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{2(a+b \tan(dx+c))^{1/2} + (2(a^2+b^2)^{1/2} + 2a)^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot A \cdot (a^2+b^2)^{1/2} \cdot a + \frac{1}{d} (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{2(a+b \tan(dx+c))^{1/2} + (2(a^2+b^2)^{1/2} + 2a)^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot B \cdot a + \frac{1}{4} d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \cdot A \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot (a^2+b^2)^{1/2} - \frac{1}{2} d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \cdot A \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot a - \frac{1}{4} b/d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} + (a^2+b^2)^{1/2}) \cdot B \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot a^2 - \frac{1}{4} b/d \ln((a+b \tan(dx+c))^{1/2} \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) \cdot B \cdot (2(a^2+b^2)^{1/2} + 2a)^{1/2} \cdot a + \frac{1}{d} (2(a^2+b^2)^{1/2} - 2a)^{1/2} \cdot \arctan\left(\frac{(2(a^2+b^2)^{1/2} + 2a)^{1/2} - 2(a+b \tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2} - 2a)^{1/2}}\right) \cdot A \cdot (a^2+b^2)^{1/2} \cdot a$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a)^2 \tan(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c) \cdot (a+b \cdot \tan(dx+c))^{3/2} \cdot (A+B \cdot \tan(dx+c)), x, \text{algorithm}="maxima")$

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*tan(d*x + c), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{\frac{3}{2}} \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(3/2)*tan(c + d*x), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.327 $\int (a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=150

$$\frac{2(aB + Ab)\sqrt{a + b \tan(c + dx)}}{d} - \frac{(a - ib)^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{(a + ib)^{3/2}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

```
[Out] -(((a - I*b)^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/d) + ((a + I*b)^(3/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*(A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*B*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rubi [A] time = 0.312391, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3528, 3539, 3537, 63, 208}

$$\frac{2(aB + Ab)\sqrt{a + b \tan(c + dx)}}{d} - \frac{(a - ib)^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{(a + ib)^{3/2}(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((a - I*b)^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/d) + ((a + I*b)^(3/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*(A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*B*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
```

[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int (a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx)) dx &= \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} + \int \sqrt{a + b \tan(c + dx)} (aA - bB + (Ab + aB) \tan(c + dx)) dx \\ &= \frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} + \int \frac{a^2 A - 2abA \tan(c + dx) + b^2 A \tan^2(c + dx) - bB + (Ab + aB) \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} + \frac{1}{2} \left((a - ib)^2 \operatorname{arctan} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right) + (a + ib)^2 \operatorname{arctan} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right) \right) \\ &= \frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(a - ib)^2 \operatorname{arctan} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right) + (a + ib)^2 \operatorname{arctan} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right)}{d} \\ &= \frac{2(Ab + aB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2B(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(a - ib)^2 \operatorname{arctan} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right) + (a + ib)^2 \operatorname{arctan} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right)}{d} \\ &= -\frac{(a - ib)^{3/2} (iA + B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right) + (a + ib)^{3/2} (iA - B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right)}{d} + \frac{(a + ib)^{3/2} (iA - B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right) + (a - ib)^{3/2} (iA + B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right)}{d} \end{aligned}$$

Mathematica [A] time = 0.482307, size = 140, normalized size = 0.93

$$\frac{2\sqrt{a + b \tan(c + dx)}(4aB + 3Ab + bB \tan(c + dx)) - 3i(a - ib)^{3/2}(A - iB) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right) + 3i(a + ib)^{3/2}(A + iB) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] ((-3*I)*(a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + (3*I)*(a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + 2*Sqrt[a + b*Tan[c + d*x]]*(3*A*b + 4*a*B + b*B*Tan[c + d*x]))/(3*d)

Maple [B] time = 0.088, size = 1665, normalized size = 11.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)

[Out] 2/d*b*A*(a+b*tan(d*x+c))^(1/2)+2/d*B*a*(a+b*tan(d*x+c))^(1/2)-1/d*b^2/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B+1/d*b^2/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))

$$\begin{aligned}
& 2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B+1/d*b/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(\\
& ((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)} \\
& -2*a)^{(1/2)})*A*(a^2+b^2)^{(1/2)}-2/d*b/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((\\
& (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}- \\
& 2*a)^{(1/2)})*A*a-1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)} \\
&)+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2 \\
& +1/4/d*b*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+ \\
& c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-1/4/d*b*\ln(b*\tan(d*x+ \\
& c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})* \\
& A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-1/4/d/b*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b \\
& ^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2 \\
& *a)^{(1/2)}*a^2-1/4/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} \\
& -b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)} \\
& +1/2/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d \\
& *x+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a+2/d*b/(2*(a^2+b^ \\
& 2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a \\
&)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a+1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/ \\
& 2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+ \\
& b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2+1/4/d/b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/ \\
& 2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a) \\
& ^{(1/2)}*a^2+1/4/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)} \\
&)+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/ \\
& 2)}-1/2/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(\\
& 1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a-1/d*b/(2*(a^2+b^2)^{(\\
& 1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(\\
& 1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*(a^2+b^2)^{(1/2)}+1/4/d/b*\ln((a+b*\tan(\\
& d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) \\
& *A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*a+1/d/(2*(a^2+b^2)^{(1/2)}-2 \\
& *a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(\\
& 2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*(a^2+b^2)^{(1/2)}*a-1/4/d/b*\ln(b*\tan(d*x+c)+a \\
& +(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*A*(2 \\
& *(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*a-1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(\\
& 1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^ \\
& 2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*(a^2+b^2)^{(1/2)}*a+2/3*B*(a+b*\tan(d*x+c))^{(3/2)}/d
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(3/2), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.328 \quad \int \cot(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=152

$$-\frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{(a-ib)^{3/2}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{(a+ib)^{3/2}(A+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

[Out] $(-2*a^{(3/2)}*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/d + ((a - I*b)^{(3/2)}*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^{(3/2)}*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*b*B*Sqrt[a + b*Tan[c + d*x]])/d$

Rubi [A] time = 0.639844, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3607, 3653, 3539, 3537, 63, 208, 3634}

$$-\frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{(a-ib)^{3/2}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \frac{(a+ib)^{3/2}(A+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] $(-2*a^{(3/2)}*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/d + ((a - I*b)^{(3/2)}*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^{(3/2)}*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*b*B*Sqrt[a + b*Tan[c + d*x]])/d$

Rule 3607

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x])), x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
 \int \cot(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= \frac{2bB\sqrt{a + b \tan(c + dx)}}{d} + 2 \int \frac{\cot(c + dx) \left(\frac{a^2 A}{2} + \frac{1}{2} (2aAb) \right)}{\sqrt{a + b \tan(c + dx)}} dx \\
 &= \frac{2bB\sqrt{a + b \tan(c + dx)}}{d} + 2 \int \frac{\frac{1}{2} (2aAb + a^2 B - b^2 B) - \frac{1}{2} (a^2 A)}{\sqrt{a + b \tan(c + dx)}} dx \\
 &= \frac{2bB\sqrt{a + b \tan(c + dx)}}{d} - \frac{1}{2} ((a + ib)^2 (iA - B)) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\
 &= \frac{2bB\sqrt{a + b \tan(c + dx)}}{d} + \frac{(2a^2 A) \operatorname{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{bd} \\
 &= -\frac{2a^{3/2} A \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a}} \right)}{d} + \frac{2bB\sqrt{a + b \tan(c + dx)}}{d} \\
 &= -\frac{2a^{3/2} A \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a}} \right)}{d} + \frac{(a - ib)^{3/2} (A - iB) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a}} \right)}{d}
 \end{aligned}$$

Mathematica [A] time = 0.334605, size = 144, normalized size = 0.95

$$\frac{-2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right) + (a-ib)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) + (a+ib)^{3/2}(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] $(-2*a^{(3/2)}*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]] + (a - I*b)^{(3/2)}*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + (a + I*b)^{(3/2)}*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + 2*b*B*Sqrt[a + b*Tan[c + d*x]])/d$

Maple [C] time = 1.837, size = 41721, normalized size = 274.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{\frac{3}{2}} \cot(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(3/2)*cot(c + d*x), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```


$$3.329 \quad \int \cot^2(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=169

$$\frac{(a-ib)^{3/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a}(2aB+3Ab) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} - \frac{(a+ib)^{3/2}(-B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

```
[Out] -((Sqrt[a]*(3*A*b + 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/d) +
((a - I*b)^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])
/d - ((a + I*b)^(3/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I
*b]])/d - (a*A*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/d
```

Rubi [A] time = 0.634864, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3605, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(a-ib)^{3/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{\sqrt{a}(2aB+3Ab) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} - \frac{(a+ib)^{3/2}(-B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((Sqrt[a]*(3*A*b + 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/d) +
((a - I*b)^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])
/d - ((a + I*b)^(3/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I
*b]])/d - (a*A*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/d
```

Rule 3605

```
Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\begin{aligned}
\int \cot^2(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} + \int \frac{\cot(c + dx) \left(\frac{1}{2}a\right)}{\dots} \\
&= -\frac{aA \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} + \frac{1}{2}(a(3Ab + 2aB)) \int \dots \\
&= -\frac{aA \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} - \frac{1}{2}((a - ib)^2(A - iB)) \int \dots \\
&= -\frac{aA \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} + \frac{((a + ib)^2(iA - B))}{\dots} \\
&= -\frac{\sqrt{a}(3Ab + 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} - \frac{aA \cot(c + dx)}{\dots} \\
&= -\frac{\sqrt{a}(3Ab + 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{(a - ib)^{3/2}(iA)}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.551515, size = 282, normalized size = 1.67

$$(a - ib)^{3/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right) - \sqrt{a}(2aB + 3Ab) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right) + Ab\sqrt{a+ib} \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] $(-\text{Sqrt}[a]*(3*A*b + 2*a*B)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a]]) + (a - I*b)^{3/2}*(I*A + B)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b]] - I*a*A*\text{Sqrt}[a + I*b]*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]] + A*\text{Sqrt}[a + I*b]*b*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]] + a*\text{Sqrt}[a + I*b]*B*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]] + I*\text{Sqrt}[a + I*b]*b*B*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]] - a*A*\text{Cot}[c + d*x]*\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/d$

Maple [C] time = 1.714, size = 69532, normalized size = 411.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.330 \quad \int \cot^3(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=219

$$\frac{(8a^2A - 12abB - 3Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(a-ib)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a+ib)^{3/2}(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

[Out] $((8*a^2*A - 3*A*b^2 - 12*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*Sqrt[a]*d) - ((a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - ((5*A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(2*d)$

Rubi [A] time = 0.963541, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3605, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(8a^2A - 12abB - 3Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(a-ib)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a+ib)^{3/2}(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] $((8*a^2*A - 3*A*b^2 - 12*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*Sqrt[a]*d) - ((a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - ((5*A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(2*d)$

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)

$(A*b - a*B - b*C)*\text{Tan}[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*\text{Tan}[e + f*x]^2, x, x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \cot^3(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot^2(c + dx)\sqrt{a + b \tan(c + dx)}}{2d} + \frac{1}{2} \int \frac{\cot^2(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\
&= -\frac{(5Ab + 4aB) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{(5Ab + 4aB) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{(5Ab + 4aB) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{(5Ab + 4aB) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{4d} - \frac{aA \cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} \\
&= \frac{(8a^2A - 3Ab^2 - 12abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(5Ab + 4aB) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{4d} \\
&= \frac{(8a^2A - 3Ab^2 - 12abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}} - \frac{(5Ab + 4aB) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 2.42674, size = 195, normalized size = 0.89

$$\frac{(8a^2A - 12abB - 3Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right) - \sqrt{a} \left(4(a - ib)^{3/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) + 4(a + ib)^{3/2}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)\right)}{4\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((8*a^2*A - 3*A*b^2 - 12*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]] - Sqrt[a]*(4*(a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + 4*(a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + Cot[c + d*x]*(5*A*b + 4*a*B + 2*a*A*Cot[c + d*x])*Sqrt[a + b*Tan[c + d*x]]))/(4*Sqrt[a]*d)

Maple [C] time = 2.227, size = 102706, normalized size = 469.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] Timed out
```


$$3.331 \quad \int \cot^4(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=278

$$\frac{(24a^2Ab + 16a^3B - 6ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8a^{3/2}d} + \frac{(8a^2A - 10abB - Ab^2) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad}$$

[Out] $((24*a^2*A*b + A*b^3 + 16*a^3*B - 6*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*a^(3/2)*d) - ((a - I*b)^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^(3/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((8*a^2*A - A*b^2 - 10*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(8*a*d) - ((7*A*b + 6*a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(12*d) - (a*A*Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]])/(3*d)$

Rubi [A] time = 1.31489, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3605, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(24a^2Ab + 16a^3B - 6ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8a^{3/2}d} + \frac{(8a^2A - 10abB - Ab^2) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] $((24*a^2*A*b + A*b^3 + 16*a^3*B - 6*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*a^(3/2)*d) - ((a - I*b)^(3/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^(3/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((8*a^2*A - A*b^2 - 10*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(8*a*d) - ((7*A*b + 6*a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(12*d) - (a*A*Cot[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]])/(3*d)$

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +

b^2), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x, x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \cot^4(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= -\frac{aA \cot^3(c+dx)\sqrt{a+b \tan(c+dx)}}{3d} + \frac{1}{3} \int \frac{\cot^3(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx \\
&= -\frac{(7Ab+6aB) \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}}{12d} - \frac{aA \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad} \\
&= \frac{(8a^2A - Ab^2 - 10abB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad} \\
&= \frac{(8a^2A - Ab^2 - 10abB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad} \\
&= \frac{(8a^2A - Ab^2 - 10abB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad} \\
&= \frac{(8a^2A - Ab^2 - 10abB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{8ad} \\
&= \frac{(24a^2Ab + Ab^3 + 16a^3B - 6ab^2B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8a^{3/2}d} \\
&= \frac{(24a^2Ab + Ab^3 + 16a^3B - 6ab^2B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 5.47373, size = 241, normalized size = 0.87

$$3(24a^2Ab + 16a^3B - 6ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right) + \sqrt{a} \left(-\cot(c+dx)\sqrt{a+b \tan(c+dx)}\right) (8a^2A \cot^2(c+dx) + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (3*(24*a^2*A*b + A*b^3 + 16*a^3*B - 6*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]] + Sqrt[a]*((-24*I)*a*(a - I*b)^(3/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + (24*I)*a*(a + I*b)^(3/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] - Cot[c + d*x]*(-24*a^2*A + 3*A*b^2 + 30*a*b*B + 2*a*(7*A*b + 6*a*B))*Cot[c + d*x] + 8*a^2*A*Cot[c + d*x]^2)*Sqrt[a + b*Tan[c + d*x]])/(24*a^(3/2)*d)

Maple [C] time = 2.825, size = 145176, normalized size = 522.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^4*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.332 \quad \int \tan^2(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=252

$$\frac{2(a^2B + 2aAb - b^2B)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(9Ab - 2aB)(a + b \tan(c + dx))^{7/2}}{63b^2d} - \frac{2(aB + Ab)(a + b \tan(c + dx))^{3/2}}{3d}$$

```
[Out] ((a - I*b)^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^(5/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (2*(2*a*A*b + a^2*B - b^2*B)*Sqrt[a + b*Tan[c + d*x]])/d - (2*(A*b + a*B)*(a + b*Tan[c + d*x])^(3/2))/(3*d) - (2*B*(a + b*Tan[c + d*x])^(5/2))/(5*d) + (2*(9*A*b - 2*a*B)*(a + b*Tan[c + d*x])^(7/2))/(63*b^2*d) + (2*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(7/2))/(9*b*d)
```

Rubi [A] time = 0.769154, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3607, 3630, 3528, 3539, 3537, 63, 208}

$$\frac{2(a^2B + 2aAb - b^2B)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(9Ab - 2aB)(a + b \tan(c + dx))^{7/2}}{63b^2d} - \frac{2(aB + Ab)(a + b \tan(c + dx))^{3/2}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a - I*b)^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^(5/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (2*(2*a*A*b + a^2*B - b^2*B)*Sqrt[a + b*Tan[c + d*x]])/d - (2*(A*b + a*B)*(a + b*Tan[c + d*x])^(3/2))/(3*d) - (2*B*(a + b*Tan[c + d*x])^(5/2))/(5*d) + (2*(9*A*b - 2*a*B)*(a + b*Tan[c + d*x])^(7/2))/(63*b^2*d) + (2*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(7/2))/(9*b*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \tan^2(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \frac{2B \tan(c+dx)(a+b \tan(c+dx))^{7/2}}{9bd} + \frac{2 \int (a+b \tan(c+dx))^{5/2} dx}{63b^2d} \\
&= \frac{2(9Ab-2aB)(a+b \tan(c+dx))^{7/2}}{63b^2d} + \frac{2B \tan(c+dx)(a+b \tan(c+dx))^{5/2}}{63b^2d} \\
&= -\frac{2B(a+b \tan(c+dx))^{5/2}}{5d} + \frac{2(9Ab-2aB)(a+b \tan(c+dx))^{7/2}}{63b^2d} \\
&= -\frac{2(Ab+aB)(a+b \tan(c+dx))^{3/2}}{3d} - \frac{2B(a+b \tan(c+dx))^{5/2}}{5d} \\
&= -\frac{2(2aAb+a^2B-b^2B)\sqrt{a+b \tan(c+dx)}}{d} - \frac{2(Ab+aB)(a+b \tan(c+dx))^{3/2}}{3d} \\
&= -\frac{2(2aAb+a^2B-b^2B)\sqrt{a+b \tan(c+dx)}}{d} - \frac{2(Ab+aB)(a+b \tan(c+dx))^{3/2}}{3d} \\
&= -\frac{2(2aAb+a^2B-b^2B)\sqrt{a+b \tan(c+dx)}}{d} - \frac{2(Ab+aB)(a+b \tan(c+dx))^{3/2}}{3d} \\
&= -\frac{2(2aAb+a^2B-b^2B)\sqrt{a+b \tan(c+dx)}}{d} - \frac{2(Ab+aB)(a+b \tan(c+dx))^{3/2}}{3d} \\
&= \frac{(a-ib)^{5/2}(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a+ib)^{5/2}(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 4.45579, size = 296, normalized size = 1.17

$$\frac{2(9Ab-2aB)(a+b \tan(c+dx))^{7/2}}{b} - \frac{63}{2}ib(A-ib)\left(\frac{2}{5}(a+b \tan(c+dx))^{5/2} + \frac{2}{3}(a-ib)\left(\sqrt{a+b \tan(c+dx)}(4a+b \tan(c+dx)) - \sqrt{a-ib}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] ((2*(9*A*b - 2*a*B)*(a + b*Tan[c + d*x])^(7/2))/b + 14*B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(7/2) - ((63*I)/2)*b*(A - I*B)*((2*(a + b*Tan[c + d*x])^(5/2))/5 + (2*(a - I*b)*(-3*(a - I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a - (3*I)*b + b*Tan[c + d*x])))/3) + ((63*I)/2)*b*(A + I*B)*((2*(a + b*Tan[c + d*x])^(5/2))/5 + (2*(a + I*b)*(-3*(a + I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a + (3*I)*b + b*Tan[c + d*x])))/3))/(63*b*d)

Maple [B] time = 0.12, size = 2469, normalized size = 9.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out] -2/3/d*B*(a+b*tan(d*x+c))^(3/2)*a-2/d*B*a^2*(a+b*tan(d*x+c))^(1/2)+2/d*b^2*B*(a+b*tan(d*x+c))^(1/2)+2/7/d/b*A*(a+b*tan(d*x+c))^(7/2)-2/3/d*b*A*(a+b*tan(d*x+c))^(5/2)

$$\begin{aligned}
& n(dx+c)^{3/2} - 1/4/d/b \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2} * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^3 + 3/4/d*b \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} \\
& + (a^2+b^2)^{1/2} * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a + 1/d / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * (a^2+b^2)^{1/2} * a^2 + 1/4/d/b \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * \\
& A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^3 + 2/9/d/b^2 * B * (a+b \tan(dx+c))^{9/2} - 2/d * b / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A * (a^2+b^2)^{1/2} * a + 1/4/d/b \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} \\
& + (a^2+b^2)^{1/2} * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} * a^2 + 2/d * b / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A * (a^2+b^2)^{1/2} * a - 1/4/d/b \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} * a^2 + 1/d / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * a^3 + 3/4/d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2} * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^2 - 2/7/d/b^2 * B * (a+b \tan(dx+c))^{7/2} * a - 4/d * b * A * a * (a+b \tan(dx+c))^{1/2} - 1/4/d * b^2 \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2} * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + 1/d * b^3 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A + 1/4/d * b^2 \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 1/d * b^3 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A - 1/d / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * a^3 - 3/4/d \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^2 + 1/4/d * b \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} + 3/d * b / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A * a^2 + 1/d * b^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * (a^2+b^2)^{1/2} - 3/d * b^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * a + 1/2/d \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} * a - 1/d / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * (a^2+b^2)^{1/2} * a^2 - 1/4/d * b \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2} * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} - 3/d * b / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A * a^2 - 3/4/d * b \ln((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a - 1/2/d \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2}) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2} * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} * a - 1/d * b^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * (a^2+b^2)^{1/2} + 3/d * b^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * B * a - 2/5 * B * (a+b \tan(dx+c))^{5/2} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{\frac{5}{2}} \tan^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(5/2)*tan(c + d*x)**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.333 $\int \tan(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=213

$$\frac{2(a^2A - 2abB - Ab^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(a - ib)^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d}$$

```
[Out] -(((a - I*b)^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])
)/d) - ((a + I*b)^(5/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a
+ I*b]))/d + (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*
(a*A - b*B)*(a + b*Tan[c + d*x])^(3/2))/(3*d) + (2*A*(a + b*Tan[c + d*x])^(
5/2))/(5*d) + (2*B*(a + b*Tan[c + d*x])^(7/2))/(7*b*d)
```

Rubi [A] time = 0.530812, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3592, 3528, 3539, 3537, 63, 208}

$$\frac{2(a^2A - 2abB - Ab^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(a - ib)^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((a - I*b)^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])
)/d) - ((a + I*b)^(5/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a
+ I*b]))/d + (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*
(a*A - b*B)*(a + b*Tan[c + d*x])^(3/2))/(3*d) + (2*A*(a + b*Tan[c + d*x])^(
5/2))/(5*d) + (2*B*(a + b*Tan[c + d*x])^(7/2))/(7*b*d)
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(
B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*
x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \tan(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= \frac{2B(a + b \tan(c + dx))^{7/2}}{7bd} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx))^{5/2} dx \\
 &= \frac{2A(a + b \tan(c + dx))^{5/2}}{5d} + \frac{2B(a + b \tan(c + dx))^{7/2}}{7bd} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx))^{3/2} dx \\
 &= \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2A(a + b \tan(c + dx))^{5/2}}{5d} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx))^{1/2} dx \\
 &= \frac{2(a^2A - Ab^2 - 2abB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} + \int (-B + A \tan(c + dx)) dx \\
 &= \frac{2(a^2A - Ab^2 - 2abB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{5/2}}{5d} \\
 &= \frac{2(a^2A - Ab^2 - 2abB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{5/2}}{5d} \\
 &= \frac{2(a^2A - Ab^2 - 2abB)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2(aA - bB)(a + b \tan(c + dx))^{5/2}}{5d} \\
 &= -\frac{(a - ib)^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + ib)^{5/2}(A + iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{d}
 \end{aligned}$$

Mathematica [A] time = 1.58262, size = 258, normalized size = 1.21

$$\frac{-7i(B + iA)\left(\frac{2}{5}(a + b \tan(c + dx))^{5/2} + \frac{2}{3}(a - ib)\left(\sqrt{a + b \tan(c + dx)}(4a + b \tan(c + dx) - 3ib) - 3(a - ib)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] ((4*B*(a + b*Tan[c + d*x])^(7/2))/b - (7*I)*(I*A + B)*((2*(a + b*Tan[c + d*x])^(5/2))/5 + (2*(a - I*b)*(-3*(a - I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a - (3*I)*b + b*Tan[c + d*x])))/3) - (7*I)*(I*A - B)*((2*(a + b*Tan[c + d*x])^(5/2))/5 + (2*(a + I*b)*(-3*(a + I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a - (3*I)*b + b*Tan[c + d*x])))/3)

$b)*(-3*(a + I*b)^{(3/2)}*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a + (3*I)*b + b*Tan[c + d*x]))/(3))/(14*d)$

Maple [B] time = 0.108, size = 2426, normalized size = 11.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(d*x+c)*(a+b*\tan(d*x+c))^{(5/2)}*(A+B*\tan(d*x+c)), x)$

[Out]
$$-4*b/d*B*a*(a+b*\tan(d*x+c))^{(1/2)}+b^3/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B-1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a^3+3/4/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c))-a-(a^2+b^2)^{(1/2)}*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2-3/4/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2+1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a^3-1/4*b^2/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c))-a-(a^2+b^2)^{(1/2)}*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+1/4*b^2/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b^3/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B+2/d*A*(a+b*\tan(d*x+c))^{(1/2)}*a^2-2*b^2/d*A*(a+b*\tan(d*x+c))^{(1/2)}+2/3/d*A*(a+b*\tan(d*x+c))^{(3/2)}*a+2/7*B*(a+b*\tan(d*x+c))^{(7/2)}/b/d-2/3*b*B*(a+b*\tan(d*x+c))^{(3/2)}/d-2*b/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*(a^2+b^2)^{(1/2)}*a-1/4/b/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c))-a-(a^2+b^2)^{(1/2)}*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*a^2+2*b/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*(a^2+b^2)^{(1/2)}*a+1/4/b/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*a^2+1/4/b/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c))-a-(a^2+b^2)^{(1/2)}*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^3-1/4*b/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}+3/4*b/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a-1/4/b/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^3+3*b/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2-3*b^2/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a-3*b/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2+b^2/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*(a^2+b^2)^{(1/2)}-1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*(a^2+b^2)^{(1/2)}*a^2+1/2/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*a+1/d/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*(a^2+b^2)^{(1/2)}*a^2-1/2/d*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*$$

$$a^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2} * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} * a - b^2/d / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b*\tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A * (a^2+b^2)^{1/2} + 3*b^2/d / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b*\tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) * A * a + 1/4*b/d * \ln((a+b*\tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b*\tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} - 3/4*b/d * \ln((a+b*\tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b*\tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a + 2/5 * A * (a+b*\tan(dx+c))^{5/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(dx+c)*(a+b*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(dx+c)*(a+b*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{5/2} \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(dx+c)*(a+b*tan(dx+c))**(5/2)*(A+B*tan(dx+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(5/2)*tan(c + d*x), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

3.334 $\int (a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=188

$$\frac{2(a^2B + 2aAb - b^2B)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aB + Ab)(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(a - ib)^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c + dx)}}{\sqrt{a-ib}}\right)}{d}$$

[Out] -(((a - I*b)^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])/d) + ((a + I*b)^(5/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*(2*a*A*b + a^2*B - b^2*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*(A*b + a*B)*(a + b*Tan[c + d*x])^(3/2))/(3*d) + (2*B*(a + b*Tan[c + d*x])^(5/2))/(5*d)

Rubi [A] time = 0.424974, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3528, 3539, 3537, 63, 208}

$$\frac{2(a^2B + 2aAb - b^2B)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2(aB + Ab)(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(a - ib)^{5/2}(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c + dx)}}{\sqrt{a-ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] -(((a - I*b)^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])/d) + ((a + I*b)^(5/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*(2*a*A*b + a^2*B - b^2*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*(A*b + a*B)*(a + b*Tan[c + d*x])^(3/2))/(3*d) + (2*B*(a + b*Tan[c + d*x])^(5/2))/(5*d)

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx)) dx &= \frac{2B(a + b \tan(c + dx))^{5/2}}{5d} + \int (a + b \tan(c + dx))^{3/2} (aA - bB + (Ab + aB) \tan(c + dx)) dx \\
&= \frac{2(Ab + aB)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{2B(a + b \tan(c + dx))^{5/2}}{5d} + \int \sqrt{a + b \tan(c + dx)} (2aAb + a^2B - b^2B) dx \\
&= \frac{2(2aAb + a^2B - b^2B) \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(Ab + aB)(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(2aAb + a^2B - b^2B) \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(Ab + aB)(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(2aAb + a^2B - b^2B) \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(Ab + aB)(a + b \tan(c + dx))^{3/2}}{3d} \\
&= \frac{2(2aAb + a^2B - b^2B) \sqrt{a + b \tan(c + dx)}}{d} + \frac{2(Ab + aB)(a + b \tan(c + dx))^{3/2}}{3d} \\
&= -\frac{(a - ib)^{5/2} (iA + B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right)}{d} + \frac{(a + ib)^{5/2} (iA - B) \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}} \right)}{d}
\end{aligned}$$

Mathematica [A] time = 1.05411, size = 233, normalized size = 1.24

$$i \left((A - iB) \left(\frac{2}{5} (a + b \tan(c + dx))^{5/2} + \frac{2}{3} (a - ib) \left(\sqrt{a + b \tan(c + dx)} (4a + b \tan(c + dx) - 3ib) - 3(a - ib)^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}} \right) \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((I/2)*((A - I*B)*((2*(a + b*Tan[c + d*x])^(5/2))/5 + (2*(a - I*b)*(-3*(a - I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a - (3*I)*b + b*Tan[c + d*x])))/3) - (A + I*B)*((2*(a + b*Tan[c + d*x])^(5/2))/5 + (2*(a + I*b)*(-3*(a + I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + Sqrt[a + b*Tan[c + d*x]]*(4*a + (3*I)*b + b*Tan[c + d*x])))/3))/d
```

Maple [B] time = 0.08, size = 2405, normalized size = 12.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\tan(d*x+c))^{5/2}*(A+B*\tan(d*x+c)), x)$

[Out] $\frac{2}{3}d*B*(a+b*\tan(d*x+c))^{3/2}*a+2/d*B*a^2*(a+b*\tan(d*x+c))^{1/2}-2/d*b^2*B*(a+b*\tan(d*x+c))^{1/2}+2/3/d*b*A*(a+b*\tan(d*x+c))^{3/2}+1/4/d/b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^3-3/4/d*b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a-1/d/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2})*B*(a^2+b^2)^{1/2}*a^2-1/4/d/b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^3+2/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*(a^2+b^2)^{1/2}*a-1/4/d/b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}*a^2-2/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*(a^2+b^2)^{1/2}*a+1/4/d/b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}*a^2-1/d/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2})*B*a^3-3/4/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^2+4/d*b*A*a*(a+b*\tan(d*x+c))^{1/2}+1/4/d*b^2*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-1/d*b^3/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A-1/4/d*b^2*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+1/d*b^3/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*A+1/d/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2})*B*a^3+3/4/d*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^2-1/4/d*b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}-3/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*A*a^2-1/d*b^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*B*(a^2+b^2)^{1/2}+3/d*b^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*B*a-1/2/d*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}*a+1/d/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*B*(a^2+b^2)^{1/2}*a^2+1/4/d*b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}+3/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*A*a^2+3/4/d*b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2}))*A*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a+1/2/d*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}))*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}*a+1/d*b^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*B*(a^2+b^2)^{1/2}-3/d*b^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2}))/((2*(a^2+b^2)^{1/2}-2*a)^{1/2}))*B*a+2/5*B*(a+b*\tan(d*x+c))^{5/2}/d$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(5/2), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.335 \quad \int \cot(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=182

$$-\frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2b(2aB + Ab)\sqrt{a + b \tan(c + dx)}}{d} + \frac{(a - ib)^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \dots$$

[Out] $(-2*a^{(5/2)}*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/d + ((a - I*b)^{(5/2)}*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^{(5/2)}*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*b*(A*b + 2*a*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*b*B*(a + b*Tan[c + d*x])^{(3/2)})/(3*d)$

Rubi [A] time = 0.84733, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3607, 3647, 3653, 3539, 3537, 63, 208, 3634}

$$-\frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2b(2aB + Ab)\sqrt{a + b \tan(c + dx)}}{d} + \frac{(a - ib)^{5/2}(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] $(-2*a^{(5/2)}*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/d + ((a - I*b)^{(5/2)}*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^{(5/2)}*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + (2*b*(A*b + 2*a*B)*Sqrt[a + b*Tan[c + d*x]])/d + (2*b*B*(a + b*Tan[c + d*x])^{(3/2)})/(3*d)$

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c

, 0] && NeQ[a, 0]))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :=> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :=> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :=> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] :=> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \cot(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \frac{2bB(a+b \tan(c+dx))^{3/2}}{3d} + \frac{2}{3} \int \cot(c+dx)\sqrt{a+b \tan(c+dx)} dx \\
&= \frac{2b(Ab+2aB)\sqrt{a+b \tan(c+dx)}}{d} + \frac{2bB(a+b \tan(c+dx))^{3/2}}{3d} \\
&= \frac{2b(Ab+2aB)\sqrt{a+b \tan(c+dx)}}{d} + \frac{2bB(a+b \tan(c+dx))^{3/2}}{3d} \\
&= \frac{2b(Ab+2aB)\sqrt{a+b \tan(c+dx)}}{d} + \frac{2bB(a+b \tan(c+dx))^{3/2}}{3d} \\
&= \frac{2b(Ab+2aB)\sqrt{a+b \tan(c+dx)}}{d} + \frac{2bB(a+b \tan(c+dx))^{3/2}}{3d} \\
&= -\frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{2b(Ab+2aB)\sqrt{a+b \tan(c+dx)}}{d} \\
&= -\frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{(a-ib)^{5/2}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{3d}
\end{aligned}$$

Mathematica [A] time = 1.10937, size = 177, normalized size = 0.97

$$\frac{2\left(-3a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right) + 3b(2aB+Ab)\sqrt{a+b \tan(c+dx)} + \frac{3}{2}(a-ib)^{5/2}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (2*(-3*a^(5/2)*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]] + (3*(a - I*b)^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/2 + (3*(a + I*b)^(5/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/2 + 3*b*(A*b + 2*a*B)*Sqrt[a + b*Tan[c + d*x]] + b*B*(a + b*Tan[c + d*x])^(3/2))/ (3*d)

Maple [C] time = 3.712, size = 55566, normalized size = 305.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.336 \quad \int \cot^2(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=196

$$\frac{a^{3/2}(2aB + 5Ab) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{b(aA + 2bB)\sqrt{a+b \tan(c+dx)}}{d} + \frac{(a-ib)^{5/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d}$$

[Out] $-\left(\frac{a^{3/2}(5Ab + 2aB) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right]}{d}\right) + \left(\frac{(a-ib)^{5/2}(B+iA) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right]}{d}\right) - \left(\frac{(a+ib)^{5/2}(B-iA) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right]}{d}\right) + \frac{b(aA + 2bB)\sqrt{a+b \tan(c+dx)}}{d} - \frac{(aA \cot(c+dx) (a+b \tan(c+dx))^{3/2})}{d}$

Rubi [A] time = 0.882202, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3605, 3647, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{a^{3/2}(2aB + 5Ab) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{b(aA + 2bB)\sqrt{a+b \tan(c+dx)}}{d} + \frac{(a-ib)^{5/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]`

[Out] $-\left(\frac{a^{3/2}(5Ab + 2aB) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right]}{d}\right) + \left(\frac{(a-ib)^{5/2}(B+iA) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right]}{d}\right) - \left(\frac{(a+ib)^{5/2}(B-iA) \operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right]}{d}\right) + \frac{b(aA + 2bB)\sqrt{a+b \tan(c+dx)}}{d} - \frac{(aA \cot(c+dx) (a+b \tan(c+dx))^{3/2})}{d}$

Rule 3605

`Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])`

Rule 3647

`Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&`

NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\int \cot^2(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx = -\frac{aA \cot(c + dx)(a + b \tan(c + dx))^{3/2}}{d} + \int \cot(c + dx) dx$$

$$= \frac{b(aA + 2bB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + b \tan(c + dx))^{3/2}}{d}$$

$$= \frac{b(aA + 2bB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + b \tan(c + dx))^{3/2}}{d}$$

$$= \frac{b(aA + 2bB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + b \tan(c + dx))^{3/2}}{d}$$

$$= \frac{b(aA + 2bB)\sqrt{a + b \tan(c + dx)}}{d} - \frac{aA \cot(c + dx)(a + b \tan(c + dx))^{3/2}}{d}$$

$$= -\frac{a^{3/2}(5Ab + 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{b(aA + 2bB)\sqrt{a + b \tan(c + dx)}}{d}$$

$$= -\frac{a^{3/2}(5Ab + 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d} + \frac{(a - ib)^{5/2}}{d}$$

Mathematica [B] time = 1.01344, size = 400, normalized size = 2.04

$$\frac{2bB \cot(c + dx)(a + b \tan(c + dx))^{3/2}}{d} + 2 \left(-\frac{b(4aB + Ab) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{d} - 2 \left(\frac{(a^2A - 6abB - 2Ab^2)c}{d} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (2*b*B*Cot[c + d*x]*(a + b*Tan[c + d*x])^(3/2))/d + 2*(-((b*(A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/d) - 2*(-((-a^(5/2)*(5*A*b + 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*d) + (I*Sqrt[a - I*b]*((I/4)*a*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B) - (a*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B))/4)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((-a + I*b)*d) - (I*Sqrt[a + I*b]*((-I/4)*a*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B) - (a*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B))/4)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((-a - I*b)*d))/a) + ((a^2*A - 2*A*b^2 - 6*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*d))
```

Maple [C] time = 2.879, size = 88645, normalized size = 452.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.337 \quad \int \cot^3(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=220

$$\frac{\sqrt{a}(8a^2A - 20abB - 15Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{(a-ib)^{5/2}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a+ib)^{5/2}(A+ib)}{d}$$

[Out] (Sqrt[a]*(8*a^2*A - 15*A*b^2 - 20*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*d) - ((a - I*b)^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^(5/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (a*(7*A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(3/2))/(2*d)

Rubi [A] time = 0.927036, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3605, 3645, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{\sqrt{a}(8a^2A - 20abB - 15Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4d} - \frac{(a-ib)^{5/2}(A-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d} - \frac{(a+ib)^{5/2}(A+ib)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[a]*(8*a^2*A - 15*A*b^2 - 20*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*d) - ((a - I*b)^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d - ((a + I*b)^(5/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d - (a*(7*A*b + 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(3/2))/(2*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x]

], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)^2]), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \cot^3(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= -\frac{aA \cot^2(c+dx)(a+b \tan(c+dx))^{3/2}}{2d} + \frac{1}{2} \int \cot^2(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx \\
&= -\frac{a(7Ab+4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4d} - \frac{aA \cot(c+dx)(a+b \tan(c+dx))^{3/2}}{2d} \\
&= -\frac{a(7Ab+4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4d} - \frac{aA \cot(c+dx)(a+b \tan(c+dx))^{3/2}}{2d} \\
&= -\frac{a(7Ab+4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4d} - \frac{aA \cot(c+dx)(a+b \tan(c+dx))^{3/2}}{2d} \\
&= -\frac{a(7Ab+4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4d} - \frac{aA \cot(c+dx)(a+b \tan(c+dx))^{3/2}}{2d} \\
&= \frac{\sqrt{a}(8a^2A-15Ab^2-20abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4d} \\
&= \frac{\sqrt{a}(8a^2A-15Ab^2-20abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4d}
\end{aligned}$$

Mathematica [B] time = 2.34958, size = 448, normalized size = 2.04

$$-\frac{\sqrt{a}(8a^2A-20abB-15Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right) + 4a^2A\sqrt{a+ib} \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right) + 2a^2A \cot^2(c+dx) \sqrt{a+b \tan(c+dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out]
$$\begin{aligned}
& -\left(-\left(\sqrt{a}\left(8a^2A-15Ab^2-20abB\right)\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right]\right)/\sqrt{a}\right) + 4\left(a-Ib\right)^{5/2}\left(A-IB\right)\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-Ib}}\right] + 4a^2A\sqrt{a+Ib}\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+Ib}}\right] + \left(8I\right)aA\sqrt{a+Ib}b\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+Ib}}\right] - 4A\sqrt{a+Ib}b^2\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+Ib}}\right] + \left(4I\right)a^2\sqrt{a+Ib}B\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+Ib}}\right] - 8a\sqrt{a+Ib}bB\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+Ib}}\right] - \left(4I\right)\sqrt{a+Ib}b^2B\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+Ib}}\right] + 9aAb\cot(c+dx)\sqrt{a+b \tan(c+dx)} + 4a^2B\cot(c+dx)\sqrt{a+b \tan(c+dx)} + 2a^2A\cot(c+dx)^2\sqrt{a+b \tan(c+dx)}\right)/(4d)
\end{aligned}$$

Maple [C] time = 2.441, size = 128221, normalized size = 582.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.338 \quad \int \cot^4(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=277

$$\frac{(40a^2Ab + 16a^3B - 30ab^2B - 5Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8\sqrt{ad}} + \frac{(8a^2A - 18abB - 11Ab^2) \cot(c+dx) \sqrt{a+b \tan(c+dx)}}{8d}$$

```
[Out] ((40*a^2*A*b - 5*A*b^3 + 16*a^3*B - 30*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*Sqrt[a]*d) - ((a - I*b)^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^(5/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((8*a^2*A - 11*A*b^2 - 18*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(8*d) - (a*(3*A*b + 2*a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^3*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rubi [A] time = 1.3298, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3605, 3645, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(40a^2Ab + 16a^3B - 30ab^2B - 5Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8\sqrt{ad}} + \frac{(8a^2A - 18abB - 11Ab^2) \cot(c+dx) \sqrt{a+b \tan(c+dx)}}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((40*a^2*A*b - 5*A*b^3 + 16*a^3*B - 30*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*Sqrt[a]*d) - ((a - I*b)^(5/2)*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^(5/2)*(I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((8*a^2*A - 11*A*b^2 - 18*a*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(8*d) - (a*(3*A*b + 2*a*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(4*d) - (a*A*Cot[c + d*x]^3*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
```

+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/

Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :>
 Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
 \int \cot^4(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot^3(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{1}{3} \int \cot^3(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\
 &= -\frac{a(3Ab + 2aB) \cot^2(c + dx) \sqrt{a + b \tan(c + dx)}}{4d} - \frac{aA \cot^3(c + dx) \sqrt{a + b \tan(c + dx)}}{3d} \\
 &= \frac{(8a^2 A - 11Ab^2 - 18abB) \cot(c + dx) \sqrt{a + b \tan(c + dx)}}{8d} \\
 &= \frac{(8a^2 A - 11Ab^2 - 18abB) \cot(c + dx) \sqrt{a + b \tan(c + dx)}}{8d} \\
 &= \frac{(8a^2 A - 11Ab^2 - 18abB) \cot(c + dx) \sqrt{a + b \tan(c + dx)}}{8d} \\
 &= \frac{(8a^2 A - 11Ab^2 - 18abB) \cot(c + dx) \sqrt{a + b \tan(c + dx)}}{8d} \\
 &= \frac{(40a^2 Ab - 5Ab^3 + 16a^3 B - 30ab^2 B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8\sqrt{ad}} \\
 &= \frac{(40a^2 Ab - 5Ab^3 + 16a^3 B - 30ab^2 B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{8\sqrt{ad}}
 \end{aligned}$$

Mathematica [A] time = 6.35253, size = 240, normalized size = 0.87

$$\frac{3(40a^2 Ab + 16a^3 B - 30ab^2 B - 5Ab^3) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right) + \sqrt{a} \left(-\cot(c + dx) \sqrt{a + b \tan(c + dx)} (8a^2 A \cot^2(c + dx) + \dots)\right)}{24\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (3*(40*a^2*A*b - 5*A*b^3 + 16*a^3*B - 30*a*b^2*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]] + Sqrt[a]*((-24*I)*(a - I*b)^(5/2)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] + (24*I)*(a + I*b)^(5/2)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] - Cot[c + d*x]*(-24*a^2*A + 33*A*b^2 + 54*a*b*B + 2*a*(13*A*b + 6*a*B)*Cot[c + d*x] + 8*a^2*A*Cot[c + d*x]^2)*Sqrt[a + b*Tan[c + d*x]])/(24*Sqrt[a]*d)

Maple [C] time = 3.369, size = 171974, normalized size = 620.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^4*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**4*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^4*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.339 \quad \int \cot^5(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=342

$$\frac{(-240a^2Ab^2 + 128a^4A - 320a^3bB + 40ab^3B - 5Ab^4) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{64a^{3/2}d} + \frac{(48a^2A - 104abB - 59Ab^2) \cot^2(c+dx)}{96d}$$

```
[Out] -((128*a^4*A - 240*a^2*A*b^2 - 5*A*b^4 - 320*a^3*b*B + 40*a*b^3*B)*ArcTanh[
Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(64*a^(3/2)*d) + ((a - I*b)^(5/2)*(A - I
*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^(5/2)*(
A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((144*a^2*A*b
- 5*A*b^3 + 64*a^3*B - 88*a*b^2*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/
(64*a*d) + ((48*a^2*A - 59*A*b^2 - 104*a*b*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan
[c + d*x]])/(96*d) - (a*(11*A*b + 8*a*B)*Cot[c + d*x]^3*Sqrt[a + b*Tan[c +
d*x]])/(24*d) - (a*A*Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(3/2))/(4*d)
```

Rubi [A] time = 1.66868, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3605, 3645, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(-240a^2Ab^2 + 128a^4A - 320a^3bB + 40ab^3B - 5Ab^4) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{64a^{3/2}d} + \frac{(48a^2A - 104abB - 59Ab^2) \cot^2(c+dx)}{96d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -((128*a^4*A - 240*a^2*A*b^2 - 5*A*b^4 - 320*a^3*b*B + 40*a*b^3*B)*ArcTanh[
Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(64*a^(3/2)*d) + ((a - I*b)^(5/2)*(A - I
*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/d + ((a + I*b)^(5/2)*(
A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/d + ((144*a^2*A*b
- 5*A*b^3 + 64*a^3*B - 88*a*b^2*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/
(64*a*d) + ((48*a^2*A - 59*A*b^2 - 104*a*b*B)*Cot[c + d*x]^2*Sqrt[a + b*Tan
[c + d*x]])/(96*d) - (a*(11*A*b + 8*a*B)*Cot[c + d*x]^3*Sqrt[a + b*Tan[c +
d*x]])/(24*d) - (a*A*Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(3/2))/(4*d)
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
```

```

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)])^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3539

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

```

Rule 3537

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned} \int \cot^5(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= -\frac{aA \cot^4(c + dx)(a + b \tan(c + dx))^{3/2}}{4d} + \frac{1}{4} \int \cot^4(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx \\ &= -\frac{a(11Ab + 8aB) \cot^3(c + dx)\sqrt{a + b \tan(c + dx)}}{24d} - \frac{aA \cot^2(c + dx)\sqrt{a + b \tan(c + dx)}}{96d} \\ &= \frac{(48a^2A - 59Ab^2 - 104abB) \cot^2(c + dx)\sqrt{a + b \tan(c + dx)}}{96d} \\ &= \frac{(144a^2Ab - 5Ab^3 + 64a^3B - 88ab^2B) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{64ad} \\ &= \frac{(144a^2Ab - 5Ab^3 + 64a^3B - 88ab^2B) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{64ad} \\ &= \frac{(144a^2Ab - 5Ab^3 + 64a^3B - 88ab^2B) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{64ad} \\ &= \frac{(144a^2Ab - 5Ab^3 + 64a^3B - 88ab^2B) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{64ad} \\ &= \frac{(128a^4A - 240a^2Ab^2 - 5Ab^4 - 320a^3bB + 40ab^3B) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{64a^{3/2}d} \\ &= \frac{(128a^4A - 240a^2Ab^2 - 5Ab^4 - 320a^3bB + 40ab^3B) \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{64a^{3/2}d} \end{aligned}$$

Mathematica [A] time = 6.45776, size = 622, normalized size = 1.82

$$\frac{2bB \cot^4(c + dx)(a + b \tan(c + dx))^{3/2}}{5d} - \frac{2}{5} \left(\frac{b(2aB + 5Ab) \cot^4(c + dx)\sqrt{a + b \tan(c + dx)}}{7d} - \frac{2}{7} \left(\frac{(35a^2A - 72abB) \cot^3(c + dx)\sqrt{a + b \tan(c + dx)}}{7d} - \dots \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^5*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (-2*b*B*Cot[c + d*x]^4*(a + b*Tan[c + d*x])^(3/2))/(5*d) - (2*((b*(5*A*b + 2*a*B)*Cot[c + d*x]^4*Sqrt[a + b*Tan[c + d*x]])/(7*d) - (2*(-((35*a^2*A - 4

$$0 \cdot A \cdot b^2 - 72 \cdot a \cdot b \cdot B) \cdot \cot[c + d \cdot x]^4 \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]} / (16 \cdot d) - ((7 \cdot a \cdot (85 \cdot a \cdot A \cdot b + 40 \cdot a^2 \cdot B - 48 \cdot b^2 \cdot B) \cdot \cot[c + d \cdot x]^3 \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]}) / (24 \cdot d) - ((35 \cdot a^2 \cdot (48 \cdot a^2 \cdot A - 59 \cdot A \cdot b^2 - 104 \cdot a \cdot b \cdot B) \cdot \cot[c + d \cdot x]^2 \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]}) / (32 \cdot d) - (-(((-105 \cdot a^{(5/2)} \cdot (128 \cdot a^4 \cdot A - 240 \cdot a^2 \cdot A \cdot b^2 - 5 \cdot A \cdot b^4 - 320 \cdot a^3 \cdot b \cdot B + 40 \cdot a \cdot b^3 \cdot B) \cdot \operatorname{ArcTanh}[\sqrt{a + b \cdot \tan[c + d \cdot x]}] / \sqrt{a}]) / (32 \cdot d) + (I \cdot \sqrt{a - I \cdot b}) \cdot (210 \cdot a^4 \cdot (3 \cdot a^2 \cdot A \cdot b - A \cdot b^3 + a^3 \cdot B - 3 \cdot a \cdot b^2 \cdot B) + (210 \cdot I) \cdot a^4 \cdot (a^3 \cdot A - 3 \cdot a \cdot A \cdot b^2 - 3 \cdot a^2 \cdot b \cdot B + b^3 \cdot B)) \cdot \operatorname{ArcTanh}[\sqrt{a + b \cdot \tan[c + d \cdot x]}] / \sqrt{a - I \cdot b}]) / ((-a + I \cdot b) \cdot d) - (I \cdot \sqrt{a + I \cdot b}) \cdot (210 \cdot a^4 \cdot (3 \cdot a^2 \cdot A \cdot b - A \cdot b^3 + a^3 \cdot B - 3 \cdot a \cdot b^2 \cdot B) - (210 \cdot I) \cdot a^4 \cdot (a^3 \cdot A - 3 \cdot a \cdot A \cdot b^2 - 3 \cdot a^2 \cdot b \cdot B + b^3 \cdot B)) \cdot \operatorname{ArcTanh}[\sqrt{a + b \cdot \tan[c + d \cdot x]}] / \sqrt{a + I \cdot b})) / ((-a - I \cdot b) \cdot d)) / a - (105 \cdot a^2 \cdot (144 \cdot a^2 \cdot A \cdot b - 5 \cdot A \cdot b^3 + 64 \cdot a^3 \cdot B - 88 \cdot a \cdot b^2 \cdot B) \cdot \cot[c + d \cdot x] \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]}) / (32 \cdot d)) / (2 \cdot a)) / (3 \cdot a)) / (4 \cdot a)) / 7)) / 5$$

Maple [C] time = 4.294, size = 227162, normalized size = 664.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^5*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**5*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^5*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm  
="giac")
```

```
[Out] Timed out
```

3.340 $\int(-a + b \tan(c + dx))(a + b \tan(c + dx))^{5/2} dx$

Optimal. Leaf size=151

$$-\frac{2b(a^2 + b^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + \frac{(-b + ia)(a - ib)^{5/2} \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + ib)^{5/2}(b \tan(c + dx) + a)^{5/2}}{5d}$$

```
[Out] ((I*a - b)*(a - I*b)^(5/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])
/d - ((a + I*b)^(5/2)*(I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I
*b]])/d - (2*b*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]])/d + (2*b*(a + b*Tan[c
+ d*x])^(5/2))/(5*d)
```

Rubi [A] time = 0.25285, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {3528, 12, 3482, 3539, 3537, 63, 208}

$$-\frac{2b(a^2 + b^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + \frac{(-b + ia)(a - ib)^{5/2} \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + ib)^{5/2}(b \tan(c + dx) + a)^{5/2}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[(-a + b*Tan[c + d*x])*(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((I*a - b)*(a - I*b)^(5/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])
/d - ((a + I*b)^(5/2)*(I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I
*b]])/d - (2*b*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]])/d + (2*b*(a + b*Tan[c
+ d*x])^(5/2))/(5*d)
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3482

```
Int[((a_) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(a +
b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] + Int[(a^2 - b^2 + 2*a*b*Tan[c + d
*x])*(a + b*Tan[c + d*x])^(n - 2), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2
+ b^2, 0] && GtQ[n, 1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```


Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int (-a + b \tan(c + dx))(a + b \tan(c + dx))^{5/2} dx &= \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + \int (-a^2 - b^2)(a + b \tan(c + dx))^{3/2} dx \\
 &= \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + (-a^2 - b^2) \int (a + b \tan(c + dx))^{3/2} dx \\
 &= -\frac{2b(a^2 + b^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + (-a^2 - b^2) \int (a + b \tan(c + dx))^{1/2} dx \\
 &= -\frac{2b(a^2 + b^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} - \frac{1}{2} \int (a + b \tan(c + dx))^{-1/2} dx \\
 &= -\frac{2b(a^2 + b^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + \frac{(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2b(a^2 + b^2)\sqrt{a + b \tan(c + dx)}}{d} + \frac{2b(a + b \tan(c + dx))^{5/2}}{5d} + \frac{(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= \frac{(ia - b)(a - ib)^{5/2} \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right) - (a + ib)^{5/2}(ia + b) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{d} - \frac{(a + b \tan(c + dx))^{3/2}}{3d}
 \end{aligned}$$

Mathematica [A] time = 1.25652, size = 193, normalized size = 1.28

$$\frac{\cos(c + dx)(a - b \tan(c + dx)) \left(2b\sqrt{a + b \tan(c + dx)} \left(-4a^2 + 2ab \tan(c + dx) + b^2 \tan^2(c + dx) - 5b^2 \right) + 5i(a + ib)(a + b \tan(c + dx)) \right)}{5d(a \cos(c + dx) - b \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(-a + b*Tan[c + d*x])*(a + b*Tan[c + d*x])^(5/2), x]

[Out] (Cos[c + d*x]*(a - b*Tan[c + d*x])*((5*I)*(a - I*b)^(5/2)*(a + I*b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] - (5*I)*(a - I*b)*(a + I*b)^(5/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + 2*b*Sqrt[a + b*Tan[c + d*x]]*(-4*a^2 - 5*b^2 + 2*a*b*Tan[c + d*x] + b^2*Tan[c + d*x]^2)))/(5*d*(a*Cos[c + d*x] - b*Sin[c + d*x]))

Maple [B] time = 0.104, size = 1375, normalized size = 9.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((-a+b*\tan(d*x+c))*(a+b*\tan(d*x+c))^{5/2}, x)$

[Out] $2/5*b*(a+b*\tan(d*x+c))^{5/2}/d-2/d*b*a^2*(a+b*\tan(d*x+c))^{1/2}-2/d*b^3*(a+b*\tan(d*x+c))^{1/2}+1/4/d/b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}*a^3+1/4/d*b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2}*a-1/4/d/b*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^4+1/4/d*b^3*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*a^3-2/d*b^3/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*a+1/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*(a^2+b^2)^{1/2}*a^2+1/d*b^3/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*(a^2+b^2)^{1/2}-1/4/d/b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2})*a^3-1/4/d*b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*(a^2+b^2)^{1/2})*a+1/4/d/b*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2})*a^4-1/4/d*b^3*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+2/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*a^3+2/d*b^3/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*a-1/d*b/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*(a^2+b^2)^{1/2}*a^2-1/d*b^3/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*(a^2+b^2)^{1/2}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((-a+b*\tan(d*x+c))*(a+b*\tan(d*x+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 22.9883, size = 17797, normalized size = 117.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$-1/20*(20*\sqrt{2}*d^5*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^3 - 3*a*b^2)*d^2*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4)}})/(9*a^8*b^2 + 12*a^6*b^4 - 2*a^4*b^6 - 4*a^2*b^8 + b^{10}))*((a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4)^{(3/4)}*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4}*\arctan(((3*a^{22} + 29*a^{20}*b^2 + 125*a^{18}*b^4 + 315*a^{16}*b^6 + 510*a^{14}*b^8 + 546*a^{12}*b^{10} + 378*a^{10}*b^{12} + 150*a^8*b^{14} + 15*a^6*b^{16} - 15*a^4*b^{18} - 7*a^2*b^{20} - b^{22})*d^4*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4}*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4} + (3*a^{29} + 38*a^{27}*b^2 + 221*a^{25}*b^4 + 780*a^{23}*b^6 + 1859*a^{21}*b^8 + 3146*a^{19}*b^{10} + 3861*a^{17}*b^{12} + 3432*a^{15}*b^{14} + 2145*a^{13}*b^{16} + 858*a^{11}*b^{18} + 143*a^9*b^{20} - 52*a^7*b^{22} - 39*a^5*b^{24} - 10*a^3*b^{26} - a*b^{28})*d^2*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4} + \sqrt{2}*(d^7*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4}*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4} + 2*(a^7 + 3*a^5*b^2 + 3*a^3*b^4 + a*b^6)*d^5*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4})*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^3 - 3*a*b^2)*d^2*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4}})/(9*a^8*b^2 + 12*a^6*b^4 - 2*a^4*b^6 - 4*a^2*b^8 + b^{10}))*\sqrt{((9*a^{14}*b^2 + 39*a^{12}*b^4 + 61*a^{10}*b^6 + 35*a^8*b^8 - 5*a^6*b^{10} - 11*a^4*b^{12} - a^2*b^{14} + b^{16})*d^2*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4})*\cos(d*x + c) + \sqrt{2}*(2*(9*a^9*b^3 + 12*a^7*b^5 - 2*a^5*b^7 - 4*a^3*b^9 + a*b^{11})*d^3*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4})*\cos(d*x + c) + (9*a^{16}*b^3 + 48*a^{14}*b^5 + 100*a^{12}*b^7 + 96*a^{10}*b^9 + 30*a^8*b^{11} - 16*a^6*b^{13} - 12*a^4*b^{15} + b^{19})*d*\cos(d*x + c))*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^3 - 3*a*b^2)*d^2*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4}})/(9*a^8*b^2 + 12*a^6*b^4 - 2*a^4*b^6 - 4*a^2*b^8 + b^{10}))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*((a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4)^{(1/4)} + (9*a^{21}*b^2 + 66*a^{19}*b^4 + 205*a^{17}*b^6 + 344*a^{15}*b^8 + 322*a^{13}*b^{10} + 140*a^{11}*b^{12} - 14*a^9*b^{14} - 40*a^7*b^{16} - 11*a^5*b^{18} + 2*a^3*b^{20} + a*b^{22})*\cos(d*x + c) + (9*a^{20}*b^3 + 66*a^{18}*b^5 + 205*a^{16}*b^7 + 344*a^{14}*b^9 + 322*a^{12}*b^{11} + 140*a^{10}*b^{13} - 14*a^8*b^{15} - 40*a^6*b^{17} - 11*a^4*b^{19} + 2*a^2*b^{21} + b^{23})*\sin(d*x + c))/\cos(d*x + c))*((a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4)^{(3/4)} + \sqrt{2}*((3*a^{10}*b + 11*a^8*b^3 + 14*a^6*b^5 + 6*a^4*b^7 - a^2*b^9 - b^{11})*d^7*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4}*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4} + 2*(3*a^{17}*b + 20*a^{15}*b^3 + 56*a^{13}*b^5 + 84*a^{11}*b^7 + 70*a^9*b^9 + 28*a^7*b^{11} - 4*a^3*b^{15} - a*b^{17})*d^5*\sqrt{(9*a^{12}*b^2 + 30*a^{10}*b^4 + 31*a^8*b^6 + 4*a^6*b^8 - 9*a^4*b^{10} - 2*a^2*b^{12} + b^{14})/d^4})*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^3 - 3*a*b^2)*d^2*\sqrt{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4}})/(9*a^8*b^2 + 12*a^6*b^4 - 2*a^4*b^6 - 4*a^2*b^8 + b^{10}))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*((a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})/d^4)^{(3/4}})/(9*a^{34}*b^2 + 129*a^{32}*b^4 + 856*a^{30}*b^6 +$$

$$\begin{aligned}
& 3480a^{28}b^8 + 9660a^{26}b^{10} + 19292a^{24}b^{12} + 28392a^{22}b^{14} + 30888 \\
& a^{20}b^{16} + 24310a^{18}b^{18} + 12870a^{16}b^{20} + 3432a^{14}b^{22} - 728a^{12}b^{24} \\
& - 1092a^{10}b^{26} - 420a^8b^{28} - 40a^6b^{30} + 24a^4b^{32} + 9a^2b^{34} + b^{36}) \\
& \cdot \cos(dx + c)^2 + 20\sqrt{2}d^5\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3ab^2)d^2\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4})/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10}))} \\
& \cdot ((a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4)^{3/4} \sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4} \arctan(-((3a^{22} + 29a^{20}b^2 + 125a^{18}b^4 + 315a^{16}b^6 + 510a^{14}b^8 + 546a^{12}b^{10} + 378a^{10}b^{12} + 150a^8b^{14} + 15a^6b^{16} - 15a^4b^{18} - 7a^2b^{20} - b^{22})d^4\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \\
& \sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4} + (3a^{29} + 38a^{27}b^2 + 221a^{25}b^4 + 780a^{23}b^6 + 1859a^{21}b^8 + 3146a^{19}b^{10} + 3861a^{17}b^{12} + 3432a^{15}b^{14} + 2145a^{13}b^{16} + 858a^{11}b^{18} + 143a^9b^{20} - 52a^7b^{22} - 39a^5b^{24} - 10a^3b^{26} - ab^{28})d^2\sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4} - \sqrt{2} \\
&) \cdot (d^7\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4} + 2(a^7 + 3a^5b^2 + 3a^3b^4 + ab^6)d^5\sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4}) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3ab^2)d^2\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4})/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10}))} \\
& \sqrt{((9a^{14}b^2 + 39a^{12}b^4 + 61a^{10}b^6 + 35a^8b^8 - 5a^6b^{10} - 11a^4b^{12} - a^2b^{14} + b^{16})d^2\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \cos(dx + c) - \sqrt{2} \cdot (2(9a^9b^3 + 12a^7b^5 - 2a^5b^7 - 4a^3b^9 + ab^{11})d^3\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \cos(dx + c) + (9a^{16}b^3 + 48a^{14}b^5 + 100a^{12}b^7 + 96a^{10}b^9 + 30a^8b^{11} - 16a^6b^{13} - 12a^4b^{15} + b^{19})d \cos(dx + c) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3ab^2)d^2\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4})/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10}))} \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)} \cdot ((a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4)^{1/4} + (9a^{21}b^2 + 66a^{19}b^4 + 205a^{17}b^6 + 344a^{15}b^8 + 322a^{13}b^{10} + 140a^{11}b^{12} - 14a^9b^{14} - 40a^7b^{16} - 11a^5b^{18} + 2a^3b^{20} + ab^{22}) \cos(dx + c) + (9a^{20}b^3 + 66a^{18}b^5 + 205a^{16}b^7 + 344a^{14}b^9 + 322a^{12}b^{11} + 140a^{10}b^{13} - 14a^8b^{15} - 40a^6b^{17} - 11a^4b^{19} + 2a^2b^{21} + b^{23}) \sin(dx + c) \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4} \\
& - \sqrt{2} \cdot ((3a^{10}b + 11a^8b^3 + 14a^6b^5 + 6a^4b^7 - a^2b^9 - b^{11})d^7\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4} + 2(3a^{17}b + 20a^{15}b^3 + 56a^{13}b^5 + 84a^{11}b^7 + 70a^9b^9 + 28a^7b^{11} - 4a^3b^{15} - ab^{17})d^5\sqrt{(9a^{12}b^2 + 30a^{10}b^4 + 31a^8b^6 + 4a^6b^8 - 9a^4b^{10} - 2a^2b^{12} + b^{14})/d^4}) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3ab^2)d^2\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4})/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10}))} \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)} \cdot ((a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4)^{3/4})/(9a^{34}b^2 + 129a^{32}b^4 + 856a^{30}b^6 + 3480a^{28}b^8 + 9660a^{26}b^{10} + 19292a^{24}b^{12} +
\end{aligned}$$

$$\begin{aligned}
& 28392a^{22}b^{14} + 30888a^{20}b^{16} + 24310a^{18}b^{18} + 12870a^{16}b^{20} + 343 \\
& 2a^{14}b^{22} - 728a^{12}b^{24} - 1092a^{10}b^{26} - 420a^8b^{28} - 40a^6b^{30} + \\
& 24a^4b^{32} + 9a^2b^{34} + b^{36}) \cdot \cos(dx + c)^2 + 5\sqrt{2} \cdot ((a^7 - a^5b^2 \\
& ^2 - 5a^3b^4 - 3a^*b^6) \cdot d^3 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8 \\
& 8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \cdot \cos(dx + c)^2 - \\
& (a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + \\
& 7a^2b^{12} + b^{14}) \cdot d \cdot \cos(dx + c)^2 \cdot \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + \\
& 10a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3a^*b^2) \cdot d^2 \cdot \sqrt{(a^{14} + 7a^{12}b^2 \\
& 2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} \\
&)/d^4)))/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})) \cdot ((a^{14} + 7 \\
& a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} \\
& 2 + b^{14})/d^4)^{1/4} \cdot \log(((9a^{14}b^2 + 39a^{12}b^4 + 61a^{10}b^6 + 35a^8b^8 \\
& b^8 - 5a^6b^{10} - 11a^4b^{12} - a^2b^{14} + b^{16}) \cdot d^2 \cdot \sqrt{(a^{14} + 7a^{12}b^2 \\
& ^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} \\
& 4)/d^4}) \cdot \cos(dx + c) + \sqrt{2} \cdot (2 \cdot (9a^9b^3 + 12a^7b^5 - 2a^5b^7 - 4a^3 \\
& ^3b^9 + a^*b^{11}) \cdot d^3 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 3 \\
& 5a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \cdot \cos(dx + c) + (9a^{16}b^3 \\
& 3 + 48a^{14}b^5 + 100a^{12}b^7 + 96a^{10}b^9 + 30a^8b^{11} - 16a^6b^{13} - \\
& 12a^4b^{15} + b^{19}) \cdot d \cdot \cos(dx + c)) \cdot \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 1 \\
& 0a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3a^*b^2) \cdot d^2 \cdot \sqrt{(a^{14} + 7a^{12}b^2 \\
& + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/ \\
& d^4)))/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})) \cdot \sqrt{(a \cdot \cos(dx \\
& + c) + b \cdot \sin(dx + c))/\cos(dx + c)) \cdot ((a^{14} + 7a^{12}b^2 + 21a^{10}b^4 \\
& + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4)^{1/4} + (\\
& 9a^{21}b^2 + 66a^{19}b^4 + 205a^{17}b^6 + 344a^{15}b^8 + 322a^{13}b^{10} + 14 \\
& 0a^{11}b^{12} - 14a^9b^{14} - 40a^7b^{16} - 11a^5b^{18} + 2a^3b^{20} + a^*b^{22} \\
&) \cdot \cos(dx + c) + (9a^{20}b^3 + 66a^{18}b^5 + 205a^{16}b^7 + 344a^{14}b^9 + \\
& 322a^{12}b^{11} + 140a^{10}b^{13} - 14a^8b^{15} - 40a^6b^{17} - 11a^4b^{19} + 2 \\
& a^2b^{21} + b^{23}) \cdot \sin(dx + c))/\cos(dx + c)) - 5\sqrt{2} \cdot ((a^7 - a^5b^2 - \\
& 5a^3b^4 - 3a^*b^6) \cdot d^3 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 \\
& 6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \cdot \cos(dx + c)^2 - (a^ \\
& 14 + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^ \\
& ^2b^{12} + b^{14}) \cdot d \cdot \cos(dx + c)^2 \cdot \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10 \\
& a^4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3a^*b^2) \cdot d^2 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + \\
& 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^ \\
& 4)))/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})) \cdot ((a^{14} + 7a^{12} \\
& 2b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + \\
& b^{14})/d^4)^{1/4} \cdot \log(((9a^{14}b^2 + 39a^{12}b^4 + 61a^{10}b^6 + 35a^8b^8 \\
& - 5a^6b^{10} - 11a^4b^{12} - a^2b^{14} + b^{16}) \cdot d^2 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + \\
& 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d \\
& ^4}) \cdot \cos(dx + c) - \sqrt{2} \cdot (2 \cdot (9a^9b^3 + 12a^7b^5 - 2a^5b^7 - 4a^3b^ \\
& ^9 + a^*b^{11}) \cdot d^3 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^ \\
& 6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4}) \cdot \cos(dx + c) + (9a^{16}b^3 + \\
& 48a^{14}b^5 + 100a^{12}b^7 + 96a^{10}b^9 + 30a^8b^{11} - 16a^6b^{13} - 12a^ \\
& ^4b^{15} + b^{19}) \cdot d \cdot \cos(dx + c)) \cdot \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^ \\
& 4b^6 + 5a^2b^8 + b^{10} + (a^3 - 3a^*b^2) \cdot d^2 \cdot \sqrt{(a^{14} + 7a^{12}b^2 + 21 \\
& a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4} \\
&))/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})) \cdot \sqrt{(a \cdot \cos(dx \\
& + c) + b \cdot \sin(dx + c))/\cos(dx + c)) \cdot ((a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35 \\
& a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14})/d^4)^{1/4} + (9a^ \\
& 21b^2 + 66a^{19}b^4 + 205a^{17}b^6 + 344a^{15}b^8 + 322a^{13}b^{10} + 140a^ \\
& 11b^{12} - 14a^9b^{14} - 40a^7b^{16} - 11a^5b^{18} + 2a^3b^{20} + a^*b^{22}) \cdot \co \\
& s(dx + c) + (9a^{20}b^3 + 66a^{18}b^5 + 205a^{16}b^7 + 344a^{14}b^9 + 322 \\
& a^{12}b^{11} + 140a^{10}b^{13} - 14a^8b^{15} - 40a^6b^{17} - 11a^4b^{19} + 2a^2 \\
& ^2b^{21} + b^{23}) \cdot \sin(dx + c))/\cos(dx + c)) - 8 \cdot (a^{14}b^3 + 7a^{12}b^5 + 21a \\
& ^{10}b^7 + 35a^8b^9 + 35a^6b^{11} + 21a^4b^{13} + 7a^2b^{15} + b^{17} - 2 \cdot (2 \\
& a^{16}b + 17a^{14}b^3 + 63a^{12}b^5 + 133a^{10}b^7 + 175a^8b^9 + 147a^6b \\
& ^{11} + 77a^4b^{13} + 23a^2b^{15} + 3b^{17}) \cdot \cos(dx + c)^2 + 2 \cdot (a^{15}b^2 + 7 \\
& a^{13}b^4 + 21a^{11}b^6 + 35a^9b^8 + 35a^7b^{10} + 21a^5b^{12} + 7a^3b^
\end{aligned}$$

$$\frac{(14 + a*b^{16})*\cos(d*x + c)*\sin(d*x + c)*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}}{(a^{14} + 7*a^{12}*b^2 + 21*a^{10}*b^4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^{10} + 7*a^2*b^{12} + b^{14})*d*\cos(d*x + c)^2}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int a^3\sqrt{a + b\tan(c + dx)}dx - \int -b^3\sqrt{a + b\tan(c + dx)}\tan^3(c + dx)dx - \int -ab^2\sqrt{a + b\tan(c + dx)}\tan^2(c + dx)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))**(5/2),x)

[Out] -Integral(a**3*sqrt(a + b*tan(c + d*x)), x) - Integral(-b**3*sqrt(a + b*tan(c + d*x))*tan(c + d*x)**3, x) - Integral(-a*b**2*sqrt(a + b*tan(c + d*x))*tan(c + d*x)**2, x) - Integral(a**2*b*sqrt(a + b*tan(c + d*x))*tan(c + d*x), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

3.341 $\int (-a + b \tan(c + dx))(a + b \tan(c + dx))^{3/2} dx$

Optimal. Leaf size=408

$$\frac{b(a^2 + b^2) \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}} + \frac{b(a^2 + b^2) \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}}$$

```
[Out] -((b*(a^2 + b^2)*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*(a^2 + b^2)*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*(a^2 + b^2)*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (b*(a^2 + b^2)*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (2*b*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rubi [A] time = 0.473074, antiderivative size = 408, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3528, 12, 3485, 700, 1129, 634, 618, 206, 628}

$$\frac{b(a^2 + b^2) \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}} + \frac{b(a^2 + b^2) \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}}$$

Antiderivative was successfully verified.

```
[In] Int[(-a + b*Tan[c + d*x])*(a + b*Tan[c + d*x])^(3/2), x]
```

```
[Out] -((b*(a^2 + b^2)*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*(a^2 + b^2)*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*(a^2 + b^2)*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (b*(a^2 + b^2)*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (2*b*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3485

```
Int[((a_) + (b_.)*tan[(c_) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[(a + x)^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 + b^2, 0]
```

Rule 700

```
Int[Sqrt[(d_) + (e_.)*(x_)]/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[2*e, Subst[Int[x^2/(c*d^2 + a*e^2 - 2*c*d*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1129

```
Int[(x_)^(m_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*r), Int[x^(m - 1)/(q - r*x + x^2), x], x] - Dist[1/(2*c*r), Int[x^(m - 1)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GeQ[m, 1] && LtQ[m, 3] && NegQ[b^2 - 4*a*c]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int (-a + b \tan(c + dx))(a + b \tan(c + dx))^{3/2} dx &= \frac{2b(a + b \tan(c + dx))^{3/2}}{3d} + \int (-a^2 - b^2) \sqrt{a + b \tan(c + dx)} dx \\
&= \frac{2b(a + b \tan(c + dx))^{3/2}}{3d} + (-a^2 - b^2) \int \sqrt{a + b \tan(c + dx)} dx \\
&= \frac{2b(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(b(a^2 + b^2)) \operatorname{Subst}\left(\int \frac{\sqrt{a+x}}{b^2+x^2} dx, x, b \tan(c + dx)\right)}{d} \\
&= \frac{2b(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(2b(a^2 + b^2)) \operatorname{Subst}\left(\int \frac{x^2}{a^2+b^2-2ax^2+x^4} dx, x, b \tan(c + dx)\right)}{d} \\
&= \frac{2b(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(b(a^2 + b^2)) \operatorname{Subst}\left(\int \frac{x}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}}\right)}{\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}} \\
&= \frac{2b(a + b \tan(c + dx))^{3/2}}{3d} - \frac{(b(a^2 + b^2)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}}\right)}{2d} \\
&= -\frac{b(a^2 + b^2) \log\left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) - \sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}\right)}{2\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}d} \\
&= -\frac{b(a^2 + b^2) \tanh^{-1}\left(\frac{\sqrt{a+\sqrt{a^2+b^2}}-\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}}\right)}{\sqrt{2}\sqrt{a - \sqrt{a^2 + b^2}}d} + \frac{b(a^2 + b^2) \tanh^{-1}\left(\frac{\sqrt{a+\sqrt{a^2+b^2}}+\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}}\right)}{\sqrt{2}\sqrt{a - \sqrt{a^2 + b^2}}d}
\end{aligned}$$

Mathematica [C] time = 0.454474, size = 183, normalized size = 0.45

$$\frac{(a - b \tan(c + dx)) \left(3i\sqrt{a - ib} (a^2 + b^2) \cos(c + dx) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) - 3i\sqrt{a + ib} (a^2 + b^2) \cos(c + dx) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right) \right)}{3d(a \cos(c + dx) - b \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(-a + b*Tan[c + d*x])*(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((a - b*Tan[c + d*x])*((3*I)*Sqrt[a - I*b]*(a^2 + b^2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]*Cos[c + d*x] - (3*I)*Sqrt[a + I*b]*(a^2 + b^2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]*Cos[c + d*x] + 2*b*(a*Cos[c + d*x] + b*Sin[c + d*x])*Sqrt[a + b*Tan[c + d*x]]))/(3*d*(a*Cos[c + d*x] - b*Sin[c + d*x]))

Maple [B] time = 0.089, size = 986, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(3/2), x)

[Out] 2/3*b*(a+b*tan(d*x+c))^(3/2)/d-1/4/d/b*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a^3*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b

$$\begin{aligned} & ^2)^{(1/2)} - 1/4/d*b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}) - 1/d*b*a^2/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) + 1/4/d/b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}) * a^2 + 1/4/d*b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}) - 1/d*b^3/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) + 1/4/d/b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^3*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) + 1/4/d*b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) + 1/d*b*a^2/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) - 1/4/d/b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) * a^2 - 1/4/d*b*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*(a^2+b^2)^{(1/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) + 1/d*b^3/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 5.17914, size = 9535, normalized size = 23.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out]
$$\frac{1}{12} * (12 * \sqrt{2} * d^5 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2*\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})}) / (a^4b^2 + 2a^2b^4 + b^6) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{(3/4)} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} * \arctan(-(\sqrt{2}) * (a^6b + 3a^4b^3 + 3a^2b^5 + b^7) * d^5 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2*\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})}) / (a^4b^2 + 2a^2b^4 + b^6) * \sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)} * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{(3/4)} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} - \sqrt{2} * d^5 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2*\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})}) / (a^4b^2 + 2a^2b^4 + b^6) * \sqrt{((\sqrt{2}) * (a^4b^3 + 2a^2b^5 + b^7) * d^3 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2*\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})}) / (a^4b^2 + 2a^2b^4 + b^6) * \sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx$$

$$\begin{aligned}
& + c)) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \cos(dx + c) + (a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10}) \\
& * d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \cos(dx + c) + (a^{13}b^2 + 6a^{11}b^4 + 15a^9b^6 + 20a^7b^8 + 15a^5 \\
& * b^{10} + 6a^3b^{12} + a*b^{14}) * \cos(dx + c) + (a^{12}b^3 + 6a^{10}b^5 + 15a^8b^7 + 20a^6b^9 + 15a^4b^{11} + 6a^2b^{13} + b^{15}) * \sin(dx + c) / \cos(dx \\
& + c)) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} + (a \\
& ^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10}) * d^4 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} + (a^{15} + 7a^{13}b^2 + \\
& 21a^{11}b^4 + 35a^9b^6 + 35a^7b^8 + 21a^5b^{10} + 7a^3b^{12} + a*b^{14}) \\
& * d^2 * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} / (a^{18}b^2 + 9a^{16}b^4 + 36a^{14}b^6 + 84a^{12}b^8 + 126a^{10}b^{10} + 126a^8b^{12} \\
& + 84a^6b^{14} + 36a^4b^{16} + 9a^2b^{18} + b^{20}) * \cos(dx + c) + 12 * \sqrt{2} \\
& * d^5 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})} / (a^4b^2 + 2a^2b^4 \\
& + b^6)) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} * \arctan \\
& (-\sqrt{2} * (a^6b + 3a^4b^3 + 3a^2b^5 + b^7) * d^5 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})} / (a^4b^2 + 2a^2b^4 + b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} - \sqrt{2} * d^5 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})} / (a^4b^2 + 2a^2b^4 + b^6)) * \sqrt{-(\sqrt{2} * (a^4b^3 + 2a^2b^5 + b^7) * d^3 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})} / (a^4b^2 + 2a^2b^4 + b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \cos(dx + c) - (a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10}) * d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \cos(dx + c) - (a^{13}b^2 + 6a^{11}b^4 + 15a^9b^6 + 20a^7b^8 + 15a^5b^{10} + 6a^3b^{12} + a*b^{14}) * \cos(dx + c) - (a^{12}b^3 + 6a^{10}b^5 + 15a^8b^7 + 20a^6b^9 + 15a^4b^{11} + 6a^2b^{13} + b^{15}) * \sin(dx + c) / \cos(dx + c)) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} - (a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10}) * d^4 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} - (a^{15} + 7a^{13}b^2 + 21a^{11}b^4 + 35a^9b^6 + 35a^7b^8 + 21a^5b^{10} + 7a^3b^{12} + a*b^{14}) * d^2 * \sqrt{(a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})/d^4} / (a^{18}b^2 + 9a^{16}b^4 + 36a^{14}b^6 + 84a^{12}b^8 + 126a^{10}b^{10} + 126a^8b^{12} + 84a^6b^{14} + 36a^4b^{16} + 9a^2b^{18} + b^{20}) * \cos(dx + c) - 3 * \sqrt{2} * ((a^5 + 2a^3b^2 + a*b^4) * d^3 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \cos(dx + c) - (a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10}) * d * \cos(dx + c)) * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})} / (a^4b^2 + 2a^2b^4 + b^6)) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{1/4} * \log((\sqrt{2} * (a^4b^3 + 2a^2b^5 + b^7) * d^3 * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})} / (a^4b^2 + 2a^2b^4 + b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \cos(dx + c) + (a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10}) * d^2 * \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \cos(dx + c) + (a^{13}b^2 + 6a^{11}b^4 + 15a^9b^6 + 20a^7b^8 + 15a^5b^{10} + 6a^3b^{12} + a*b^{14}) * \cos(dx + c) + (a^{12}b^3 + 6a^{10}b^5 + 15a^8b^7 + 20a^6b^9
\end{aligned}$$

$$9 + 15a^4b^{11} + 6a^2b^{13} + b^{15})\sin(dx + c))/\cos(dx + c)) + 3\sqrt{2} * ((a^5 + 2a^3b^2 + ab^4)d^3\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \cos(dx + c) - (a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})d * \cos(dx + c)) * \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})/(a^4b^2 + 2a^2b^4 + b^6)) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{1/4} * \log(-(\sqrt{2} * (a^4b^3 + 2a^2b^5 + b^7) * d^3\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + a*d^2\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4})/(a^4b^2 + 2a^2b^4 + b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c))/\cos(dx + c)}) * ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4)^{3/4} * \cos(dx + c) - (a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10}) * d^2\sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10})/d^4} * \cos(dx + c) - (a^{13}b^2 + 6a^{11}b^4 + 15a^9b^6 + 20a^7b^8 + 15a^5b^10 + 6a^3b^{12} + ab^{14}) * \cos(dx + c) - (a^{12}b^3 + 6a^{10}b^5 + 15a^8b^7 + 20a^6b^9 + 15a^4b^{11} + 6a^2b^{13} + b^{15}) * \sin(dx + c))/\cos(dx + c)) + 8 * ((a^{11}b + 5a^9b^3 + 10a^7b^5 + 10a^5b^7 + 5a^3b^9 + ab^{11}) * \cos(dx + c) + (a^{10}b^2 + 5a^8b^4 + 10a^6b^6 + 10a^4b^8 + 5a^2b^{10} + b^{12}) * \sin(dx + c)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c))/\cos(dx + c)}) / ((a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10}) * d * \cos(dx + c))$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int a^2\sqrt{a + b \tan(c + dx)} dx - \int -b^2\sqrt{a + b \tan(c + dx)} \tan^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))**(3/2), x)

[Out] -Integral(a**2*sqrt(a + b*tan(c + d*x)), x) - Integral(-b**2*sqrt(a + b*tan(c + d*x))*tan(c + d*x)**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] Timed out

3.342 $\int (-a + b \tan(c + dx)) \sqrt{a + b \tan(c + dx)} dx$

Optimal. Leaf size=422

$$\frac{b\sqrt{a^2 + b^2} \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}} - \frac{b\sqrt{a^2 + b^2} \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)}\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}}$$

```
[Out] -((b*Sqrt[a^2 + b^2]*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*Sqrt[a^2 + b^2]*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*Sqrt[a^2 + b^2]*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) - (b*Sqrt[a^2 + b^2]*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (2*b*Sqrt[a + b*Tan[c + d*x]])/d
```

Rubi [A] time = 0.394519, antiderivative size = 422, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3528, 12, 3485, 708, 1094, 634, 618, 206, 628}

$$\frac{b\sqrt{a^2 + b^2} \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}} - \frac{b\sqrt{a^2 + b^2} \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)}\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}}$$

Antiderivative was successfully verified.

```
[In] Int[(-a + b*Tan[c + d*x])*Sqrt[a + b*Tan[c + d*x]],x]
```

```
[Out] -((b*Sqrt[a^2 + b^2]*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*Sqrt[a^2 + b^2]*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]])/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*Sqrt[a^2 + b^2]*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) - (b*Sqrt[a^2 + b^2]*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (2*b*Sqrt[a + b*Tan[c + d*x]])/d
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]) , x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 12

```
Int[(a_.)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_) /; FreeQ[b, x]]
```

Rule 3485

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[(a + x)^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 + b^2, 0]

Rule 708

Int[1/(Sqrt[(d_) + (e_)*(x_)]*((a_) + (c_)*(x_)^2)), x_Symbol] := Dist[2*e, Subst[Int[1/(c*d^2 + a*e^2 - 2*c*d*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rule 1094

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int (-a + b \tan(c + dx)) \sqrt{a + b \tan(c + dx)} dx &= \frac{2b\sqrt{a + b \tan(c + dx)}}{d} + \int \frac{-a^2 - b^2}{\sqrt{a + b \tan(c + dx)}} dx \\
&= \frac{2b\sqrt{a + b \tan(c + dx)}}{d} + (-a^2 - b^2) \int \frac{1}{\sqrt{a + b \tan(c + dx)}} dx \\
&= \frac{2b\sqrt{a + b \tan(c + dx)}}{d} - \frac{(b(a^2 + b^2)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+x}(b^2+x^2)} dx, x, b \tan(c + dx)\right)}{d} \\
&= \frac{2b\sqrt{a + b \tan(c + dx)}}{d} - \frac{(2b(a^2 + b^2)) \operatorname{Subst}\left(\int \frac{1}{a^2+b^2-2ax^2+x^4} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{d} \\
&= \frac{2b\sqrt{a + b \tan(c + dx)}}{d} - \frac{(b\sqrt{a^2 + b^2}) \operatorname{Subst}\left(\int \frac{\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}-x}}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}+x}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}d} \\
&= \frac{2b\sqrt{a + b \tan(c + dx)}}{d} - \frac{(b\sqrt{a^2 + b^2}) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}+x}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{2d} \\
&= \frac{b\sqrt{a^2 + b^2} \log\left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) - \sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}\sqrt{a + b \tan(c + dx)}\right)}{2\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}d} \\
&= -\frac{b\sqrt{a^2 + b^2} \tanh^{-1}\left(\frac{\sqrt{a+\sqrt{a^2+b^2}}-\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}}\right)}{\sqrt{2}\sqrt{a - \sqrt{a^2 + b^2}}d} + \frac{b\sqrt{a^2 + b^2} \tanh^{-1}\left(\frac{\sqrt{a+\sqrt{a^2+b^2}}+\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}}\right)}{\sqrt{2}\sqrt{a - \sqrt{a^2 + b^2}}d}
\end{aligned}$$

Mathematica [C] time = 0.23306, size = 157, normalized size = 0.37

$$\frac{\cos(c + dx)(a - b \tan(c + dx)) \left(2b\sqrt{a + b \tan(c + dx)} + i\sqrt{a - ib}(a + ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) - i(a - ib)\sqrt{a + ib} \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) \right)}{d(a \cos(c + dx) - b \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(-a + b*Tan[c + d*x])*Sqrt[a + b*Tan[c + d*x]], x]

[Out] (Cos[c + d*x]*(a - b*Tan[c + d*x])*(I*Sqrt[a - I*b]*(a + I*b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] - I*(a - I*b)*Sqrt[a + I*b]*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]] + 2*b*Sqrt[a + b*Tan[c + d*x]]))/(d*(a * Cos[c + d*x] - b * Sin[c + d*x]))

Maple [B] time = 0.093, size = 2285, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(1/2), x)

[Out] -5/d*b^3/(a^2+b^2)^(3/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*

$$\begin{aligned}
& a^2+1/2/d*b/(a^2+b^2)^{(3/2)}*\ln(b*\tan(d*x+c))+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^3- \\
& 1/4/d/b/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^5-1/2/ \\
& d*b/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^3+1/d/b/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^4+2/d*b/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^2+2*b*(a+b*\tan(d*x+c))^{(1/2)}/d-4/d*b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^4-1/2/d*b/(a^2+b^2)*\ln(b*\tan(d*x+c))+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2+1/4/d/b/(a^2+b^2)^{(3/2)}*\ln(b*\tan(d*x+c))+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^5+1/d/b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^6+1/4/d*b^3/(a^2+b^2)^{(3/2)}*\ln(b*\tan(d*x+c))+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a-1/4/d*b^3/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})*a-1/d/b/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^4-1/4/d/b/(a^2+b^2)*\ln(b*\tan(d*x+c))+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^4-1/d/b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^6-2/d*b/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^2+1/4/d/b/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^4+1/2/d*b/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2+4/d*b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^4+5/d*b^3/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^2-2/d*b^5/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}))+1/4/d*b^3/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-1/d*b^3/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}))+2/d*b^5/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}))-1/4/d*b^3/(a^2+b^2)*\ln(b*\tan(d*x+c))+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+1/d*b^3/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.29561, size = 6637, normalized size = 15.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\frac{1}{4} \cdot (4 \cdot \sqrt{2} \cdot d^5 \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{3/4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} \cdot \arctan(-(\sqrt{2} \cdot (a^4b + 2a^2b^3 + b^5) \cdot d^7 \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot \sqrt{(a \cdot \cos(dx + c) + b \cdot \sin(dx + c)) / \cos(dx + c)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{5/4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} - \sqrt{2} \cdot d^7 \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot \sqrt{(\sqrt{2} \cdot (a^6b^3 + 3a^4b^5 + 3a^2b^7 + b^9) \cdot d \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot \sqrt{(a \cdot \cos(dx + c) + b \cdot \sin(dx + c)) / \cos(dx + c)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{1/4} \cdot \cos(dx + c) + (a^6b^2 + 3a^4b^4 + 3a^2b^6 + b^8) \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4} \cdot \cos(dx + c) + (a^9b^2 + 4a^7b^4 + 6a^5b^6 + 4a^3b^8 + ab^{10}) \cdot \cos(dx + c) + (a^8b^3 + 4a^6b^5 + 6a^4b^7 + 4a^2b^9 + b^{11}) \cdot \sin(dx + c)) / \cos(dx + c) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{5/4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} + (a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10}) \cdot d^4 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} + (a^{13} + 6a^{11}b^2 + 15a^9b^4 + 20a^7b^6 + 15a^5b^8 + 6a^3b^{10} + ab^{12}) \cdot d^2 \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4}) / (a^{14}b^2 + 7a^{12}b^4 + 21a^{10}b^6 + 35a^8b^8 + 35a^6b^{10} + 21a^4b^{12} + 7a^2b^{14} + b^{16})) + 4 \cdot \sqrt{2} \cdot d^5 \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{3/4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} \cdot \arctan(-(\sqrt{2} \cdot (a^4b + 2a^2b^3 + b^5) \cdot d^7 \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot \sqrt{(a \cdot \cos(dx + c) + b \cdot \sin(dx + c)) / \cos(dx + c)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{5/4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} - \sqrt{2} \cdot d^7 \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot \sqrt{-(\sqrt{2} \cdot (a^6b^3 + 3a^4b^5 + 3a^2b^7 + b^9) \cdot d \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot \sqrt{(a \cdot \cos(dx + c) + b \cdot \sin(dx + c)) / \cos(dx + c)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{1/4} \cdot \cos(dx + c) - (a^6b^2 + 3a^4b^4 + 3a^2b^6 + b^8) \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4} \cdot \cos(dx + c) - (a^9b^2 + 4a^7b^4 + 6a^5b^6 + 4a^3b^8 + ab^{10}) \cdot \cos(dx + c) - (a^8b^3 + 4a^6b^5 + 6a^4b^7 + 4a^2b^9 + b^{11}) \cdot \sin(dx + c)) / \cos(dx + c) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4)^{5/4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} - (a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10}) \cdot d^4 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4} \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4} - (a^{13} + 6a^{11}b^2 + 15a^9b^4 + 20a^7b^6 + 15a^5b^8 + 6a^3b^{10} + ab^{12}) \cdot d^2 \cdot \sqrt{(a^4b^2 + 2a^2b^4 + b^6)/d^4}) / (a^{14}b^2 + 7a^{12}b^4 + 21a^{10}b^6 + 35a^8b^8 + 35a^6b^{10} + 21a^4b^{12} + 7a^2b^{14} + b^{16})) + \sqrt{2} \cdot ((a^3 + ab^2) \cdot d^3 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4} - (a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d) \cdot \sqrt{(a^4 + 2a^2b^2 + b^4 + a \cdot d^2 \cdot \sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d^4}) / (a^2b^2 + b^4)}) \cdot ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)/d$$

$$\begin{aligned} &^4)^{(1/4)} \cdot \log\left(\frac{\sqrt{2} \cdot (a^6 b^3 + 3a^4 b^5 + 3a^2 b^7 + b^9) \cdot d \cdot \sqrt{(a^4 + 2a^2 b^2 + b^4 + a d^2 \sqrt{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6)/d^4})}}{(a^2 b^2 + b^4)} \cdot \sqrt{\frac{(a \cos(dx + c) + b \sin(dx + c))}{\cos(dx + c)}} \cdot \left(\frac{a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6}{d^4}\right)^{(1/4)} \cdot \cos(dx + c) + (a^6 b^2 + 3a^4 b^4 + 3a^2 b^6 + b^8) \cdot d^2 \cdot \sqrt{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6)/d^4} \cdot \cos(dx + c) + (a^9 b^2 + 4a^7 b^4 + 6a^5 b^6 + 4a^3 b^8 + a b^{10}) \cdot \cos(dx + c) + (a^8 b^3 + 4a^6 b^5 + 6a^4 b^7 + 4a^2 b^9 + b^{11}) \cdot \sin(dx + c)}{\cos(dx + c)}\right) - \sqrt{2} \cdot \left(\frac{a^3 + a b^2}{d^3} \cdot \sqrt{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6)/d^4} - (a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6) \cdot d\right) \cdot \sqrt{(a^4 + 2a^2 b^2 + b^4 + a d^2 \sqrt{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6)/d^4})}}{(a^2 b^2 + b^4)} \cdot \left(\frac{a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6}{d^4}\right)^{(1/4)} \cdot \log\left(\frac{\sqrt{2} \cdot (a^6 b^3 + 3a^4 b^5 + 3a^2 b^7 + b^9) \cdot d \cdot \sqrt{(a^4 + 2a^2 b^2 + b^4 + a d^2 \sqrt{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6)/d^4})}}{(a^2 b^2 + b^4)} \cdot \sqrt{\frac{(a \cos(dx + c) + b \sin(dx + c))}{\cos(dx + c)}} \cdot \left(\frac{a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6}{d^4}\right)^{(1/4)} \cdot \cos(dx + c) - (a^6 b^2 + 3a^4 b^4 + 3a^2 b^6 + b^8) \cdot d^2 \cdot \sqrt{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6)/d^4} \cdot \cos(dx + c) - (a^9 b^2 + 4a^7 b^4 + 6a^5 b^6 + 4a^3 b^8 + a b^{10}) \cdot \cos(dx + c) - (a^8 b^3 + 4a^6 b^5 + 6a^4 b^7 + 4a^2 b^9 + b^{11}) \cdot \sin(dx + c)}{\cos(dx + c)}\right) + 8 \cdot \frac{(a^6 b + 3a^4 b^3 + 3a^2 b^5 + b^7) \cdot \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c))}}{(a^6 + 3a^4 b^2 + 3a^2 b^4 + b^6) \cdot d} \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int a \sqrt{a + b \tan(c + dx)} dx - \int -b \sqrt{a + b \tan(c + dx)} \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))**(1/2), x)

[Out] -Integral(a*sqrt(a + b*tan(c + d*x)), x) - Integral(-b*sqrt(a + b*tan(c + d*x))*tan(c + d*x), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))*(a+b*tan(d*x+c))^(1/2), x, algorithm="giac")

[Out] Timed out

$$3.343 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=213

$$\frac{2(-8a^2B + 10aAb + 15b^2B) \sqrt{a+b \tan(c+dx)}}{15b^3d} + \frac{2(5Ab - 4aB) \tan(c+dx) \sqrt{a+b \tan(c+dx)}}{15b^2d} + \frac{(A-iB) \tanh^{-1}}{d\sqrt{a}}$$

[Out] ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d) - (2*(10*a*A*b - 8*a^2*B + 15*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(15*b^3*d) + (2*(5*A*b - 4*a*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(15*b^2*d) + (2*B*Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(5*b*d)

Rubi [A] time = 0.522332, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3607, 3647, 3630, 3539, 3537, 63, 208}

$$\frac{2(-8a^2B + 10aAb + 15b^2B) \sqrt{a+b \tan(c+dx)}}{15b^3d} + \frac{2(5Ab - 4aB) \tan(c+dx) \sqrt{a+b \tan(c+dx)}}{15b^2d} + \frac{(A-iB) \tanh^{-1}}{d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d) - (2*(10*a*A*b - 8*a^2*B + 15*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(15*b^3*d) + (2*(5*A*b - 4*a*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(15*b^2*d) + (2*B*Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(5*b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c

, 0] && NeQ[a, 0]))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{\sqrt{a+b\tan(c+dx)}} dx &= \frac{2B\tan^2(c+dx)\sqrt{a+b\tan(c+dx)}}{5bd} + \frac{2\int \frac{\tan(c+dx)\left(-2aB-\frac{5}{2}bB\tan(c+dx)+\frac{1}{2}(5Ab-4aB)\right)}{\sqrt{a+b\tan(c+dx)}} dx}{5b} \\
&= \frac{2(5Ab-4aB)\tan(c+dx)\sqrt{a+b\tan(c+dx)}}{15b^2d} + \frac{2B\tan^2(c+dx)\sqrt{a+b\tan(c+dx)}}{5bd} \\
&= -\frac{2(10aAb-8a^2B+15b^2B)\sqrt{a+b\tan(c+dx)}}{15b^3d} + \frac{2(5Ab-4aB)\tan(c+dx)\sqrt{a+b\tan(c+dx)}}{15b^2d} \\
&= -\frac{2(10aAb-8a^2B+15b^2B)\sqrt{a+b\tan(c+dx)}}{15b^3d} + \frac{2(5Ab-4aB)\tan(c+dx)\sqrt{a+b\tan(c+dx)}}{15b^2d} \\
&= -\frac{2(10aAb-8a^2B+15b^2B)\sqrt{a+b\tan(c+dx)}}{15b^3d} + \frac{2(5Ab-4aB)\tan(c+dx)\sqrt{a+b\tan(c+dx)}}{15b^2d} \\
&= -\frac{2(10aAb-8a^2B+15b^2B)\sqrt{a+b\tan(c+dx)}}{15b^3d} + \frac{2(5Ab-4aB)\tan(c+dx)\sqrt{a+b\tan(c+dx)}}{15b^2d} \\
&= \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{(A+iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}} - \frac{2(10aAb-8a^2B+15b^2B)\sqrt{a+b\tan(c+dx)}}{15b^3d}
\end{aligned}$$

Mathematica [A] time = 4.08083, size = 170, normalized size = 0.8

$$\frac{2\sqrt{a+b\tan(c+dx)}(8a^2B+b(5Ab-4aB)\tan(c+dx)-10aAb+3b^2B\tan^2(c+dx)-15b^2B)}{b^3} + \frac{15(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{15(A+iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}}$$

15d

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((15*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] + (15*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b] + (2*Sqrt[a + b*Tan[c + d*x]]*(-10*a*A*b + 8*a^2*B - 15*b^2*B + b*(5*A*b - 4*a*B)*Tan[c + d*x] + 3*b^2*B*Tan[c + d*x]^2))/b^3)/(15*d)

Maple [B] time = 0.148, size = 4107, normalized size = 19.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] 1/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*a-1/4/d/(a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a+2/d/(a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*a^2+1/d*b/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*B-1/4/d*b^2/(a^2+b^2)

$$\begin{aligned}
& \left(\frac{3}{2} \right) \ln \left((a+b \tan(dx+c))^{1/2} \right) * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) \\
& - a - (a^2+b^2)^{1/2} * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2/d*b^3 / (a^2+b^2)^{3/2} \\
& / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * B + 2/d*b^3 / (a^2+b^2)^{3/2} \\
& / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * B - 1/d*b / (a^2+b^2)^{1/2} \\
& / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * B + 1/4/d*b^2 / (a^2+b^2)^{3/2} \\
& * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + 1/d/b^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} \\
& * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a^2 - 1/d*b^2 / (a^2+b^2) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} \\
& * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A + 1/4/d*b / (a^2+b^2) * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 1/4/d/b^2 * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a + 1/d*b^2 / (a^2+b^2) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A - 1/d/b^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a^2 + 1/4/d/b^2 * \ln \left((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2} \right) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a - 1/4/d*b / (a^2+b^2) * \ln \left((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2} \right) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + 1/4/d / (a^2+b^2)^{3/2} * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^2 + 1/d / (a^2+b^2)^{3/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a^3 + 1/4/d / (a^2+b^2) * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a - 2/d / (a^2+b^2) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a^2 - 1/4/d / (a^2+b^2)^{3/2} * \ln \left((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2} \right) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^2 - 1/d / (a^2+b^2)^{1/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a - 1/d/b^2 / (a^2+b^2) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a^4 + 1/4/d/b / (a^2+b^2) * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^2 + 1/4/d/b^2 / (a^2+b^2) * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^3 - 1/d/b / (a^2+b^2)^{3/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * B * a^4 + 2/3/d / b^2 * A * (a+b \tan(dx+c))^{3/2} + 2/5/d/b^3 * B * (a+b \tan(dx+c))^{5/2} - 2/d/b^2 * A * (a+b \tan(dx+c))^{1/2} * a - 4/3/d/b^3 * B * (a+b \tan(dx+c))^{3/2} * a + 2/d/b^3 * a^2 * B * (a+b \tan(dx+c))^{1/2} - 1/d/b / (a^2+b^2)^{1/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a+b \tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2})}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * B * a^2 + 1/d/b^2 / (a^2+b^2) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a^4 - 1/4/d/b^2 / (a^2+b^2) * \ln \left((a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b \tan(dx+c) - a - (a^2+b^2)^{1/2} \right) * A * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^3 - 1/d*b^2 / (a^2+b^2)^{3/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * A * a - 3/d*b / (a^2+b^2)^{3/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan \left(\frac{(2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b \tan(dx+c))^{1/2}}{(2*(a^2+b^2)^{1/2} - 2*a)^{1/2}} \right) * B * a^2 - 1/4/d/b / (a^2+b^2)^{3/2} * \ln(b \tan(dx+c) + a + (a+b \tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a^3 + 1/d/b / (a^2+b^2)^{1/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}
\end{aligned}$$

$$\begin{aligned} & * \arctan\left(\frac{(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right)*B*a^2-1/d/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} \\ &) * \arctan\left(\frac{(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) * A*a^3-1/4/d*b/(a^2+b^2)^{(3/2)} * \ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)} \\ &) * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} + (a^2+b^2)^{(1/2)} * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a-1/4/d/b/(a^2+b^2) * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} \\ & - b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^2+1/d/b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) \\ &) * B*a^4+1/4/d/b/(a^2+b^2)^{(3/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^3-1/d/b^2*(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) \\ &) * A*a+1/d/b^2/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) * A*a^3+1/4/d*b/(a^2+b^2)^{(3/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a+1/d/b^2*(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) \\ &) * A*a-1/d/b^2/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) * A*a^3+1/d*b^2/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) * A*a+3/d*b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan\left(\frac{(2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})}{(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}\right) * B*a^2-2*B*(a+b*\tan(d*x+c))^{(1/2)}/b/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 20.3939, size = 17573, normalized size = 82.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$-1/60*(60*\sqrt{2}*(a^2*b^3 + b^5)*d^5*\sqrt{-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}*\sqrt{(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{3/4} * \arctan(-((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^4*b + 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^2$$

$$\begin{aligned}
& - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^3 + 2*(A^7*B + 3*A^5*B^3 + 3* \\
& *A^3*B^5 + A*B^7)*a*b^4 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^5)*d^4*\sqrt{ \\
& ((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)} \\
& * \sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} \\
& + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 - (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 - (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3)*d^2*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4))} \\
& - \sqrt{2}*((A*a^5 + B*a^4*b + 2*A*a^3*b^2 + 2*B*a^2*b^3 + A*a*b^4 + B*b^5) \\
& *d^7*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}* \sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} + ((A^3 + A*B^2)*a^4 + 2*(A^3 + A*B^2)*a^2*b^2 + (A^3 + A*B^2)*b^4)*d^5*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4))}* \sqrt{-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}* \sqrt{((4*(A^4*B^2 + A^2*B^4)*a^4 - 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 - 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))}*\cos(d*x + c) + \sqrt{2}*((4*A^3*B^2*a^4 - 4*(A^4*B - A^2*B^3)*a^3*b + (A^5 + 2*A^3*B^2 + A*B^4)*b^4)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))}*\cos(d*x + c) + (4*(A^5*B^2 + A^3*B^4)*a^3 - 4*(A^6*B - A^4*B^3 - 2*A^2*B^5)*a^2*b + (A^7 - 5*A^5*B^2 - A^3*B^4 + 5*A*B^6)*a*b^2 + (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^3)*d*\cos(d*x + c))* \sqrt{-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}* \sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{1/4} + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^3 - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b + (A^8 - 2*A^4*B^4 + B^8)*a*b^2)*\cos(d*x + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^2 + (A^8 - 2*A^4*B^4 + B^8)*b^3)*\sin(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{3/4} + \sqrt{2}*((2*(A^4*B + A^2*B^3)*a^6 - (A^5 - 2*A^3*B^2 - 3*A*B^4)*a^5*b + (3*A^4*B + 4*A^2*B^3 + B^5)*a^4*b^2 - 2*(A^5 - 2*A^3*B^2 - 3*A*B^4)*a^3*b^3 + 2*(A^2*B^3 + B^5)*a^2*b^4 - (A^5 - 2*A^3*B^2 - 3*A*B^4)*a*b^5 - (A^4*B - B^5)*b^6)*d^7*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}* \sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} + (2*(A^6*B + 2*A^4*B^3 + A^2*B^5)*a^5 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^4*b + 4*(A^6*B + 2*A^4*B^3 + A^2*B^5)*a^3*b^2 - 2*(A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^2*b^3 + 2*(A^6*B + 2*A^4*B^3 + A^2*B^5)*a*b^4 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^5)*d^5*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4))}* \sqrt{-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}* \sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{3/4}}/(4*(A^{10}*B^2 + 4*A^8*B^4 + 6*A^6*B^6 + 4*A^4*B^8 + A^2*B^{10})*a^2*b - 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a*b^2 + (A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*b^3))*\cos(d*x + c)^2 + 60*\sqrt{2}*(a^2*b^3 + b^5)*d^5*\sqrt{-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)}* \sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4))}*((A^4 + 2*A^2*B^2 + B^4)/
\end{aligned}$$

$$\begin{aligned}
& ((a^2 + b^2)d^4)^{3/4} \arctan\left(\frac{(2(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^5 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^4b + 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^3b^2 - 2(A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^2b^3 + 2(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)ab^4 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)b^5)d^4 \sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}}{(a^4 + 2a^2b^2 + b^4)d^4} \sqrt{(A^4 + 2A^2B^2 + B^4)}\right) \\
& + \frac{(2(A^9B + 4A^7B^3 + 6A^5B^5 + 4A^3B^7 + AB^9)a^4 - (A^{10} + 3A^8B^2 + 2A^6B^4 - 2A^4B^6 - 3A^2B^8 - B^{10})a^3b + 2(A^9B + 4A^7B^3 + 6A^5B^5 + 4A^3B^7 + AB^9)a^2b^2 - (A^{10} + 3A^8B^2 + 2A^6B^4 - 2A^4B^6 - 3A^2B^8 - B^{10})ab^3)d^2 \sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}}{(a^4 + 2a^2b^2 + b^4)d^4} + \sqrt{2} \frac{(Aa^5 + Ba^4b + 2Aa^3b^2 + 2Ba^2b^3 + Aab^4 + Bb^5)d^7 \sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}}{(a^4 + 2a^2b^2 + b^4)d^4} \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} + ((A^3 + AB^2)a^4 + 2(A^3 + AB^2)a^2b^2 + (A^3 + AB^2)b^4)d^5 \sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}}{(a^4 + 2a^2b^2 + b^4)d^4} \sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2) / (4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \sqrt{((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)d^2 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4)} \cos(dx + c) - \sqrt{2} \frac{(4A^3B^2a^4 - 4(A^4B - A^2B^3)a^3b + (A^5 + 2A^3B^2 + AB^4)a^2b^2 - 4(A^4B - A^2B^3)ab^3 + (A^5 - 2A^3B^2 + AB^4)b^4)d^3 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^3 - 4(A^6B - A^4B^3 - 2A^2B^5)a^2b + (A^7 - 5A^5B^2 - A^3B^4 + 5AB^6)ab^2 + (A^6B - A^4B^3 - A^2B^5 + B^7)b^3)d \cos(dx + c) \sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2) / (4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \sqrt{((a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)) \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4)}^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2) \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3) \sin(dx + c) / \cos(dx + c) \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4)}^{3/4} - \sqrt{2} \frac{(2(A^4B + A^2B^3)a^6 - (A^5 - 2A^3B^2 - 3AB^4)a^5b + (3A^4B + 4A^2B^3 + B^5)a^4b^2 - 2(A^5 - 2A^3B^2 - 3AB^4)a^3b^3 + 2(A^2B^3 + B^5)a^2b^4 - (A^5 - 2A^3B^2 - 3AB^4)ab^5 - (A^4B - B^5)b^6)d^7 \sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}}{(a^4 + 2a^2b^2 + b^4)d^4} \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} + (2(A^6B + 2A^4B^3 + A^2B^5)a^5 - (A^7 + A^5B^2 - A^3B^4 - AB^6)a^4b + 4(A^6B + 2A^4B^3 + A^2B^5)a^3b^2 - 2(A^7 + A^5B^2 - A^3B^4 - AB^6)a^2b^3 + 2(A^6B + 2A^4B^3 + A^2B^5)ab^4 - (A^7 + A^5B^2 - A^3B^4 - AB^6)b^5)d^5 \sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}}{(a^4 + 2a^2b^2 + b^4)d^4} \sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2) / (4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2) \sqrt{((a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)) \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4)}^{3/4} / (4(A^{10}B^2 + 4A^8B^4 + 6A^6B^6 + 4A^4B^8 + A^2B^{10})a^2b - 4(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})ab^2 + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^3) \cos(dx + c)^2 - 15 \sqrt{2} \frac{(A^4 + 2A^2B^2 + B^4)b^3 d \cos(dx + c)^2 + (2ABb^4 + (A^2 - B^2)ab^3) d^3 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4} \cos(dx + c)^2 \sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2 \sqrt{(A^4 + 2A^2B^2 + B^4)}}{(a^2 + b^2)d^4)}
\end{aligned}$$

$$\begin{aligned}
& 4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4) - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)) * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} * \log \\
& (((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4) * d^2 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) + \sqrt{2} * ((4A^3B^2a^4 - 4(A^4B - A^2B^3)a^3b + (A^5 + 2A^3B^2 + AB^4)a^2b^2 - 4(A^4B - A^2B^3)ab^3 + (A^5 - 2A^3B^2 + AB^4)b^4) * d^3 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^3 - 4(A^6B - A^4B^3 - 2A^2B^5)a^2b + (A^7 - 5A^5B^2 - A^3B^4 + 5AB^6)ab^2 + (A^6B - A^4B^3 - A^2B^5 + B^7)b^3) * d * \cos(dx + c)) * \sqrt{-((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2) * d^2 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)) * \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)} * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4}) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2) * \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3) * \sin(dx + c))/\cos(dx + c)) + 15 * \sqrt{2} * ((A^4 + 2A^2B^2 + B^4)b^3 * d * \cos(dx + c)^2 + (2ABb^4 + (A^2 - B^2)ab^3) * d^3 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c)^2) * \sqrt{-((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2) * d^2 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)) * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} * \log(((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4) * d^2 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) - \sqrt{2} * ((4A^3B^2a^4 - 4(A^4B - A^2B^3)a^3b + (A^5 + 2A^3B^2 + AB^4)a^2b^2 - 4(A^4B - A^2B^3)ab^3 + (A^5 - 2A^3B^2 + AB^4)b^4) * d^3 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) + (4(A^5B^2 + A^3B^4)a^3 - 4(A^6B - A^4B^3 - 2A^2B^5)a^2b + (A^7 - 5A^5B^2 - A^3B^4 + 5AB^6)ab^2 + (A^6B - A^4B^3 - A^2B^5 + B^7)b^3) * d * \cos(dx + c)) * \sqrt{-((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2) * d^2 * \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)) * \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)} * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4}) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2) * \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3) * \sin(dx + c))/\cos(dx + c)) - 8 * (3(A^4B + 2A^2B^3 + B^5)b^2 + 2 * (4(A^4B + 2A^2B^3 + B^5)a^2 - 5(A^5 + 2A^3B^2 + AB^4)ab - 9(A^4B + 2A^2B^3 + B^5)b^2) * \cos(dx + c)^2 - (4(A^4B + 2A^2B^3 + B^5)ab - 5(A^5 + 2A^3B^2 + AB^4)b^2) * \cos(dx + c) * \sin(dx + c)) * \sqrt{(a \cos(dx + c) + b \sin(dx + c))/\cos(dx + c)))/((A^4 + 2A^2B^2 + B^4)b^3 * d * \cos(dx + c)^2)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^3(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**3/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^3}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^3/sqrt(b*tan(d*x + c) + a), x)

$$3.344 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=166

$$\frac{2(3Ab - 2aB)\sqrt{a + b \tan(c + dx)}}{3b^2d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} + \frac{2B \tan(c + dx)}{d}$$

[Out] ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d) + (2*(3*A*b - 2*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^2*d) + (2*B*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*b*d)

Rubi [A] time = 0.357055, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3607, 3630, 3539, 3537, 63, 208}

$$\frac{2(3Ab - 2aB)\sqrt{a + b \tan(c + dx)}}{3b^2d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} + \frac{2B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d) + (2*(3*A*b - 2*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^2*d) + (2*B*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x]

1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx = \frac{2B \tan(c + dx)\sqrt{a + b \tan(c + dx)}}{3bd} + \frac{2 \int \frac{-aB - \frac{3}{2}bB \tan(c+dx) + \frac{1}{2}(3Ab - 2aB) \tan^2(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{3b}$$

$$= \frac{2(3Ab - 2aB)\sqrt{a + b \tan(c + dx)}}{3b^2d} + \frac{2B \tan(c + dx)\sqrt{a + b \tan(c + dx)}}{3bd} + \dots$$

$$= \frac{2(3Ab - 2aB)\sqrt{a + b \tan(c + dx)}}{3b^2d} + \frac{2B \tan(c + dx)\sqrt{a + b \tan(c + dx)}}{3bd} + \frac{1}{2} \dots$$

$$= \frac{2(3Ab - 2aB)\sqrt{a + b \tan(c + dx)}}{3b^2d} + \frac{2B \tan(c + dx)\sqrt{a + b \tan(c + dx)}}{3bd} + \dots$$

$$= \frac{2(3Ab - 2aB)\sqrt{a + b \tan(c + dx)}}{3b^2d} + \frac{2B \tan(c + dx)\sqrt{a + b \tan(c + dx)}}{3bd} + \dots$$

$$= \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ibd}} - \frac{(iA - B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ibd}} + \frac{2(3A}{3d}$$

Mathematica [A] time = 1.51772, size = 139, normalized size = 0.84

$$\frac{2\sqrt{a+b \tan(c+dx)}(-2aB+3Ab+bB \tan(c+dx))}{b^2} + \frac{3(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{3(B-iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((3*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/Sqrt[a - I*b] + (3*((-I)*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/Sqrt[a

$$\begin{aligned} & /2+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A-1/d*b/(a^2+b^2)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*tan(dx+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A-1/4/d*b^2/(a^2+b^2)^{(3/2)}*ln((a+b*tan(dx+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*tan(dx+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+2/d*b^3/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*tan(dx+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A+1/d*b^2/(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*tan(dx+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B-1/d/b^2/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*tan(dx+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2+1/d/b^2/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2+1/4/d/(a^2+b^2)^{(1/2)}*ln(b*tan(dx+c)+a+(a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a-2/d/(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^2+1/d/(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*tan(dx+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a-1/d/(a^2+b^2)^{(3/2)}-2*a)^{(1/2)})*arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*tan(dx+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^3-1/d*b^2/(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B+1/4/d*b^2/(a^2+b^2)^{(3/2)}*ln(b*tan(dx+c)+a+(a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2/d*b^3/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A-1/4/d/b^2*ln(b*tan(dx+c)+a+(a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a+1/4/d*b/(a^2+b^2)*ln((a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*tan(dx+c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+1/4/d/b^2*ln((a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*tan(dx+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2-1/d/b^2/(a^2+b^2)^{(3/2)}*ln(b*tan(dx+c)+a+(a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a-1/4/d/(a^2+b^2)^{(3/2)}*ln((a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*tan(dx+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2-1/d/b^2/(a^2+b^2)^{(3/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^4-3/d*b/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a^2+1/d*b^2/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*arctan(((2*(a+b*tan(dx+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a+1/4/d/b/(a^2+b^2)*ln((a+b*tan(dx+c))^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*tan(dx+c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^2-2/d/b^2*a*B*(a+b*tan(dx+c))^{(1/2)}))$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A) \tan(dx+c)^2}{\sqrt{b \tan(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+b*tan(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^2/sqrt(b*tan(d*x + c) + a), x)

Fricas [B] time = 19.4768, size = 17361, normalized size = 104.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$-1/12*(12*\sqrt{2}*(a^2*b^2 + b^4)*d^5*\sqrt{((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{3/4}*\arctan(((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^4*b + 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^2 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^3 + 2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^4 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^5)*d^4*\sqrt{(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}) + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 - (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 - (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3)*d^2*\sqrt{(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)} - \sqrt{2}*((B*a^5 - A*a^4*b + 2*B*a^3*b^2 - 2*A*a^2*b^3 + B*a*b^4 - A*b^5)*d^7*\sqrt{(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}) + ((A^2*B + B^3)*a^4 + 2*(A^2*B + B^3)*a^2*b^2 + (A^2*B + B^3)*b^4)*d^5*\sqrt{(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{((4*(A^4*B^2 + A^2*B^4)*a^4 - 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 - 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}*\cos(d*x + c) + \sqrt{2}*((4*A^2*B^3*a^4 - 4*(A^3*B^2 - A*B^4)*a^3*b + (A^4*B + 2*A^2*B^3 + B^5)*a^2*b^2 - 4*(A^3*B^2 - A*B^4)*a*b^3 + (A^4*B - 2*A^2*B^3 + B^5)*b^4)*d^3*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}*\cos(d*x + c) + (4*(A^4*B^3 + A^2*B^5)*a^3 - 4*(2*A^5*B^2 + A^3*B^4 - A*B^6)*a^2*b + (5*A^6*B - A^4*B^3 - 5*A^2*B^5 + B^7)*a*b^2 - (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^3)*d*\cos(d*x + c))*\sqrt{((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{(A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)}) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{1/4} + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^3 - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b + (A^8 - 2*A^4*B^4 + B^8)*a*b^2)*\cos(d*x + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^2 + (A^8 - 2*A^4*B^4 + B^8)*b^3)*\sin(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{3/4} + \sqrt{2}*((2*(A^3*B^2 + A*B^4)*a^6 - (3*A^4*B + 2*A^2*B^3 - B^5)*a^5*b + (A^5 + 4*A^3*B^2 + 3*A*B^4)*a^4*b^2 - 2*(3*A^4*B + 2*A^2*B^3 - B^5)*a^3*b^3 + 2*(A^5 + A^3*B^2)*a^2*b^4 - (3*A^4*B + 2*A^2*B^3 - B^5)*a*b^4 - (A^5 + A^3*B^2)*a*b^4 - (3*A^4*B + 2*A^2*B^3 - B^5)*b^5)$$

$$\begin{aligned}
& 3 - B^5) * a * b^5 + (A^5 - A * B^4) * b^6) * d^7 * \sqrt{(4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2) / ((a^4 + 2 * a^2 * b^2 + b^4) * d^4)} * \sqrt{ \\
& ((A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) * d^4)) + (2 * (A^5 * B^2 + 2 * A^3 * B^4 + A * B^6) * a^5 - (A^6 * B + A^4 * B^3 - A^2 * B^5 - B^7) * a^4 * b + 4 * (A^5 * B^2 + 2 * A^3 * B^4 \\
& + A * B^6) * a^3 * b^2 - 2 * (A^6 * B + A^4 * B^3 - A^2 * B^5 - B^7) * a^2 * b^3 + 2 * (A^5 * B^2 + 2 * A^3 * B^4 + A * B^6) * a * b^4 - (A^6 * B + A^4 * B^3 - A^2 * B^5 - B^7) * b^5) * d^5 * \sqrt{ \\
& (4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2) / ((a^4 + 2 * a^2 * b^2 + b^4) * d^4)} * \sqrt{((2 * A * B * a^2 * b + 2 * A * B * b^3 + (A^2 - B^2) * \\
& a^3 + (A^2 - B^2) * a * b^2) * d^2 * \sqrt{(A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) * d^4)} + (A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / (4 * A^2 * B^2 * a \\
& ^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2)} * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * ((A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) * \\
& d^4))^{(3/4)} / (4 * (A^{10} * B^2 + 4 * A^8 * B^4 + 6 * A^6 * B^6 + 4 * A^4 * B^8 + A^2 * B^{10}) * a \\
& ^2 * b - 4 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * \\
& a * b^2 + (A^{12} + 2 * A^{10} * B^2 - A^8 * B^4 - 4 * A^6 * B^6 - A^4 * B^8 + 2 * A^2 * B^{10} + B \\
& ^{12}) * b^3) * \cos(dx + c) + 12 * \sqrt{2} * (a^2 * b^2 + b^4) * d^5 * \sqrt{((2 * A * B * a^2 * b \\
& + 2 * A * B * b^3 + (A^2 - B^2) * a^3 + (A^2 - B^2) * a * b^2) * d^2 * \sqrt{(A^4 + 2 * A^2 * B \\
& ^2 + B^4) / ((a^2 + b^2) * d^4)) + (A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B \\
& ^2 + B^4) * b^2) / (4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + \\
& B^4) * b^2)} * \sqrt{(4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + \\
& B^4) * b^2) / ((a^4 + 2 * a^2 * b^2 + b^4) * d^4)} * ((A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + \\
& b^2) * d^4))^{(3/4)} * \arctan(-((2 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^5 - \\
& (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^4 * b + 4 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 \\
& + A * B^7) * a^3 * b^2 - 2 * (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^2 * b^3 + 2 * (A^7 \\
& * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a * b^4 - (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - \\
& B^8) * b^5) * d^4 * \sqrt{(4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 \\
& + B^4) * b^2) / ((a^4 + 2 * a^2 * b^2 + b^4) * d^4)} * \sqrt{(A^4 + 2 * A^2 * B^2 + B^4) / ((\\
& a^2 + b^2) * d^4)} + (2 * (A^9 * B + 4 * A^7 * B^3 + 6 * A^5 * B^5 + 4 * A^3 * B^7 + A * B^9) * \\
& a^4 - (A^{10} + 3 * A^8 * B^2 + 2 * A^6 * B^4 - 2 * A^4 * B^6 - 3 * A^2 * B^8 - B^{10}) * a^3 * b + \\
& 2 * (A^9 * B + 4 * A^7 * B^3 + 6 * A^5 * B^5 + 4 * A^3 * B^7 + A * B^9) * a^2 * b^2 - (A^{10} + 3 * \\
& A^8 * B^2 + 2 * A^6 * B^4 - 2 * A^4 * B^6 - 3 * A^2 * B^8 - B^{10}) * a * b^3) * d^2 * \sqrt{(4 * A^2 * \\
& B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2) / ((a^4 + 2 * a^2 \\
& * b^2 + b^4) * d^4)} + \sqrt{2} * ((B * a^5 - A * a^4 * b + 2 * B * a^3 * b^2 - 2 * A * a^2 * b^3 \\
& + B * a * b^4 - A * b^5) * d^7 * \sqrt{(4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - \\
& 2 * A^2 * B^2 + B^4) * b^2) / ((a^4 + 2 * a^2 * b^2 + b^4) * d^4)} * \sqrt{(A^4 + 2 * A^2 * B^2 \\
& + B^4) / ((a^2 + b^2) * d^4)} + ((A^2 * B + B^3) * a^4 + 2 * (A^2 * B + B^3) * a^2 * b^2 + \\
& (A^2 * B + B^3) * b^4) * d^5 * \sqrt{(4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 \\
& - 2 * A^2 * B^2 + B^4) * b^2) / ((a^4 + 2 * a^2 * b^2 + b^4) * d^4)} * \sqrt{((2 * A * B * a^2 * b \\
& + 2 * A * B * b^3 + (A^2 - B^2) * a^3 + (A^2 - B^2) * a * b^2) * d^2 * \sqrt{(A^4 + 2 * A^2 * B^2 \\
& + B^4) / ((a^2 + b^2) * d^4)} + (A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 \\
& + B^4) * b^2) / (4 * A^2 * B^2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B \\
& ^4) * b^2)} * \sqrt{((4 * (A^4 * B^2 + A^2 * B^4) * a^4 - 4 * (A^5 * B - A * B^5) * a^3 * b + (A^6 \\
& + 3 * A^4 * B^2 + 3 * A^2 * B^4 + B^6) * a^2 * b^2 - 4 * (A^5 * B - A * B^5) * a * b^3 + (A^6 - \\
& A^4 * B^2 - A^2 * B^4 + B^6) * b^4) * d^2 * \sqrt{(A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) \\
& * d^4)} * \cos(dx + c) - \sqrt{2} * ((4 * A^2 * B^3 * a^4 - 4 * (A^3 * B^2 - A * B^4) * a^3 * b + \\
& (A^4 * B + 2 * A^2 * B^3 + B^5) * a^2 * b^2 - 4 * (A^3 * B^2 - A * B^4) * a * b^3 + (A^4 * B - 2 \\
& * A^2 * B^3 + B^5) * b^4) * d^3 * \sqrt{(A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) * d^4)} * \cos \\
& (dx + c) + (4 * (A^4 * B^3 + A^2 * B^5) * a^3 - 4 * (2 * A^5 * B^2 + A^3 * B^4 - A * B^6) * a \\
& ^2 * b + (5 * A^6 * B - A^4 * B^3 - 5 * A^2 * B^5 + B^7) * a * b^2 - (A^7 - A^5 * B^2 - A^3 * B \\
& ^4 + A * B^6) * b^3) * d * \cos(dx + c) * \sqrt{((2 * A * B * a^2 * b + 2 * A * B * b^3 + (A^2 - B^ \\
& 2) * a^3 + (A^2 - B^2) * a * b^2) * d^2 * \sqrt{(A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) * d \\
& ^4)} + (A^4 + 2 * A^2 * B^2 + B^4) * a^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^2) / (4 * A^2 * B^ \\
& 2 * a^2 - 4 * (A^3 * B - A * B^3) * a * b + (A^4 - 2 * A^2 * B^2 + B^4) * b^2)} * \sqrt{(a * \cos(d \\
& * x + c) + b * \sin(dx + c)) / \cos(dx + c)} * ((A^4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^ \\
& 2) * d^4))^{(1/4)} + (4 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^3 - 4 * (A^7 * B + A^5 * B^ \\
& 3 - A^3 * B^5 - A * B^7) * a^2 * b + (A^8 - 2 * A^4 * B^4 + B^8) * a * b^2) * \cos(dx + c) + \\
& (4 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^2 * b - 4 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A \\
& * B^7) * a * b^2 + (A^8 - 2 * A^4 * B^4 + B^8) * b^3) * \sin(dx + c) / \cos(dx + c) * ((A^ \\
& 4 + 2 * A^2 * B^2 + B^4) / ((a^2 + b^2) * d^4))^{(3/4)} - \sqrt{2} * ((2 * (A^3 * B^2 + A * B^
\end{aligned}$$

$$\begin{aligned}
& 4)a^6 - (3A^4B + 2A^2B^3 - B^5)a^5b + (A^5 + 4A^3B^2 + 3AB^4)a^4b^2 - 2(3A^4B + 2A^2B^3 - B^5)a^3b^3 + 2(A^5 + A^3B^2)a^2b^4 - \\
& (3A^4B + 2A^2B^3 - B^5)ab^5 + (A^5 - AB^4)b^6)d^7\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)} \\
& \sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (2(A^5B^2 + 2A^3B^4 + AB^6)a^5 - (A^6B + A^4B^3 - A^2B^5 - B^7)a^4b + 4(A^5B^2 + 2A^3B^4 + AB^6)a^3b^2 - 2(A^6B + A^4B^3 - A^2B^5 - B^7)a^2b^3 + 2(A^5B^2 + 2A^3B^4 + AB^6)ab^4 - (A^6B + A^4B^3 - A^2B^5 - B^7)b^5)d^5\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)} \\
& \sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)} \\
& \sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)} * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4} / (4(A^{10}B^2 + 4A^8B^4 + 6A^6B^6 + 4A^4B^8 + A^2B^{10})a^2b - 4(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})ab^2 + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^3) * \cos(dx + c) + 3\sqrt{2} * ((2ABb^3 + (A^2 - B^2)ab^2)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) - (A^4 + 2A^2B^2 + B^4)b^2d * \cos(dx + c)) * \sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)} * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} * \log(((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) + \sqrt{2} * ((4A^2B^3a^4 - 4(A^3B^2 - AB^4)a^3b + (A^4B + 2A^2B^3 + B^5)a^2b^2 - 4(A^3B^2 - AB^4)ab^3 + (A^4B - 2A^2B^3 + B^5)b^4)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) + (4(A^4B^3 + A^2B^5)a^3 - 4(2A^5B^2 + A^3B^4 - AB^6)a^2b + (5A^6B - A^4B^3 - 5A^2B^5 + B^7)ab^2 - (A^7 - A^5B^2 - A^3B^4 + AB^6)b^3)d * \cos(dx + c)) * \sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)} * \sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)} * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2) * \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3) * \sin(dx + c) / \cos(dx + c) - 3\sqrt{2} * ((2ABb^3 + (A^2 - B^2)ab^2)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) - (A^4 + 2A^2B^2 + B^4)b^2d * \cos(dx + c)) * \sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)} * ((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} * \log(((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) - \sqrt{2} * ((4A^2B^3a^4 - 4(A^3B^2 - AB^4)a^3b + (A^4B + 2A^2B^3 + B^5)a^2b^2 - 4(A^3B^2 - AB^4)ab^3 + (A^4B - 2A^2B^3 + B^5)b^4)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} * \cos(dx + c) + (4(A^4B^3 + A^2B^5)a^3 - 4(2A^5B^2 + A^3B^4 - AB^6)a^2b + (5A^6B - A^4B^3 - 5A^2B^5 + B^7)ab^2 - (A^7 - A^5B^2 - A^3B^4 + AB^6)b^3)d * \cos(dx + c)) * \sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)} * \sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}
\end{aligned}$$

$$\left. \right) \cdot \left((A^4 + 2A^2B^2 + B^4) / ((a^2 + b^2)d^4) \right)^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)a^2b) \cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)a^2b) \sin(dx + c) / \cos(dx + c) - 8((A^4B + 2A^2B^3 + B^5)b \sin(dx + c) - (2(A^4B + 2A^2B^3 + B^5)a - 3(A^5 + 2A^3B^2 + AB^4)b) \cos(dx + c)) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} / ((A^4 + 2A^2B^2 + B^4)b^2d \cos(dx + c))$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^2(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**2*(A+B*tan(dx+c))/(a+b*tan(dx+c))**(1/2),x)

[Out] Integral((A + B*tan(c + dx))*tan(c + dx)**2/sqrt(a + b*tan(c + dx)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^2}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^2*(A+B*tan(dx+c))/(a+b*tan(dx+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*tan(dx + c)^2/sqrt(b*tan(dx + c) + a), x)

$$3.345 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=124

$$-\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} + \frac{2B\sqrt{a+b \tan(c+dx)}}{bd}$$

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d)) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d)) + (2*B*Sqrt[a + b*Tan[c + d*x]])/(b*d)

Rubi [A] time = 0.222946, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3592, 3539, 3537, 63, 208}

$$-\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} + \frac{2B\sqrt{a+b \tan(c+dx)}}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d)) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d)) + (2*B*Sqrt[a + b*Tan[c + d*x]])/(b*d)

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\tan(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx &= \frac{2B\sqrt{a + b \tan(c + dx)}}{bd} + \int \frac{-B + A \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \tan(c + dx)}}{bd} + \frac{1}{2}(-iA - B) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}(iA - B) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \tan(c + dx)}}{bd} + \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c + dx)\right)}{2d} \\ &= \frac{2B\sqrt{a + b \tan(c + dx)}}{bd} - \frac{(iA - B) \operatorname{Subst}\left(\int \frac{1}{-1+\frac{ia}{b}-\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} \\ &= -\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a - ibd}} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a + ibd}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{bd} \end{aligned}$$

Mathematica [A] time = 0.504041, size = 118, normalized size = 0.95

$$-\frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) + (A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right) - \frac{2B\sqrt{a+b \tan(c+dx)}}{b}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] -((((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/Sqrt[a - I*b] + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/Sqrt[a + I*b] - (2*B*Sqrt[a + b*Tan[c + d*x]]/b)/d)

Maple [B] time = 0.106, size = 3997, normalized size = 32.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] -1/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*a+1/4/d/(a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*A*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a-2/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*A*a^2-1/d*b/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*

$$\begin{aligned} & /d/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2} \\ & +2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*a^3+ \\ & 1/4*d*b/(a^2+b^2)^{3/2}*ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2})*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a+1/4/ \\ & d/b/(a^2+b^2)*ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan \\ & (d*x+c)-a-(a^2+b^2)^{1/2})*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^2-1/d/b/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2 \\ & *(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*B*a^4-1/4/d/b/(\\ & a^2+b^2)^{3/2}*ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan \\ & (d*x+c)-a-(a^2+b^2)^{1/2})*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^3+1/d/b^2*(a^2+b^2)^{1/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*a-1/d/b^2/ \\ & (a^2+b^2)^{1/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*a^3-1/4 \\ & /d*b/(a^2+b^2)^{3/2}*ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2} \\ &)-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*B*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a-1/d/b^2 \\ & *(a^2+b^2)^{1/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2} \\ & +(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*a+1/d/ \\ & b^2/(a^2+b^2)^{1/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c) \\ &)^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})*A*a^3 \\ & -1/d*b^2/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d \\ & *x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2})* \\ & A*a-3/d*b/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(\\ & d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2} \\ &)*B*a^2+2*B*(a+b*\tan(d*x+c))^{1/2}/b/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)/sqrt(b*tan(d*x + c) + a), x)

Fricas [B] time = 20.9122, size = 17095, normalized size = 137.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(4*\sqrt{2}*(a^2*b + b^3)*d^5*\sqrt{-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2}/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{3/4}*\arctan(-((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^4*b + 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^2 - 2*$

$$\begin{aligned}
& (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^2b^3 + 2(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^2b^4 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)b^5)d^4\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (2(A^9B + 4A^7B^3 + 6A^5B^5 + 4A^3B^7 + AB^9)a^4 - (A^{10} + 3A^8B^2 + 2A^6B^4 - 2A^4B^6 - 3A^2B^8 - B^{10})a^3b + 2(A^9B + 4A^7B^3 + 6A^5B^5 + 4A^3B^7 + AB^9)a^2b^2 - (A^{10} + 3A^8B^2 + 2A^6B^4 - 2A^4B^6 - 3A^2B^8 - B^{10})ab^3)d^2\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + ((A^3 + AB^2)a^4 + 2(A^3 + AB^2)a^2b^2 + (A^3 + AB^2)b^4)d^5\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)\sqrt{(4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}}\cos(dx + c) + \sqrt{2}((4A^3B^2a^4 - 4(A^4B - A^2B^3)a^3b + (A^5 + 2A^3B^2 + AB^4)a^2b^2 - 4(A^4B - A^2B^3)ab^3 + (A^5 - 2A^3B^2 + AB^4)b^4)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}}\cos(dx + c) + (4(A^5B^2 + A^3B^4)a^3 - 4(A^6B - A^4B^3 - 2A^2B^5)a^2b + (A^7 - 5A^5B^2 - A^3B^4 + 5AB^6)ab^2 + (A^6B - A^4B^3 - A^2B^5 + B^7)b^3)d\cos(dx + c)\sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2)\cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3)\sin(dx + c))/\cos(dx + c)((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4} + \sqrt{2}((2(A^4B + A^2B^3)a^6 - (A^5 - 2A^3B^2 - 3AB^4)a^5b + (3A^4B + 4A^2B^3 + B^5)a^4b^2 - 2(A^5 - 2A^3B^2 - 3AB^4)a^3b^3 + 2(A^2B^3 + B^5)a^2b^4 - (A^5 - 2A^3B^2 - 3AB^4)ab^5 - (A^4B - B^5)b^6)d^7\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (2(A^6B + 2A^4B^3 + A^2B^5)a^5 - (A^7 + A^5B^2 - A^3B^4 - AB^6)a^4b + 4(A^6B + 2A^4B^3 + A^2B^5)a^3b^2 - 2(A^7 + A^5B^2 - A^3B^4 - AB^6)a^2b^3 + 2(A^6B + 2A^4B^3 + A^2B^5)ab^4 - (A^7 + A^5B^2 - A^3B^4 - AB^6)b^5)d^5\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4})/(4(A^{10}B^2 + 4A^8B^4 + 6A^6B^6 + 4A^4B^8 + A^2B^{10})a^2b - 4(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})ab^2 + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^3)) + 4\sqrt{2}(a^2b + b^3)d^5\sqrt{-(2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4}
\end{aligned}$$

$$\begin{aligned}
&)*\arctan(((2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5 - (A^8 + 2*A^6*B^2 \\
& - 2*A^2*B^6 - B^8)*a^4*b + 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^2 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^3 + 2*(A^7*B + 3*A^5*B^3 + \\
& 3*A^3*B^5 + A*B^7)*a*b^4 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^5)*d^4*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((\\
& a^4 + 2*a^2*b^2 + b^4)*d^4))*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4) \\
&) + (2*(A^9*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 - (A^{10} + 3* \\
& A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a^3*b + 2*(A^9*B + 4*A^7* \\
& B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 - (A^{10} + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^{10})*a*b^3)*d^2*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3 \\
& *B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4 \\
&)) + \text{sqrt}(2)*((A*a^5 + B*a^4*b + 2*A*a^3*b^2 + 2*B*a^2*b^3 + A*a*b^4 + B*b^5) \\
& *d^7*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4) \\
&)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4))*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + \\
& b^2)*d^4)) + ((A^3 + A*B^2)*a^4 + 2*(A^3 + A*B^2)*a^2*b^2 + (A^3 + A*B^2)*b^4) \\
& *d^5*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4) \\
&)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4))*\text{sqrt}(-((2*A*B*a^2*b + 2*A*B*b^3 + (\\
& A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 \\
& + b^2)*d^4)) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(\\
& 4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\text{sqrt}(\\
& ((4*(A^4*B^2 + A^2*B^4)*a^4 - 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + \\
& 3*A^2*B^4 + B^6)*a^2*b^2 - 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6) \\
&)*b^4)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))*\cos(d*x \\
& + c) - \text{sqrt}(2)*((4*A^3*B^2*a^4 - 4*(A^4*B - A^2*B^3)*a^3*b + (A^5 + 2*A^3*B^2 + A*B^4) \\
&)*a^2*b^2 - 4*(A^4*B - A^2*B^3)*a*b^3 + (A^5 - 2*A^3*B^2 + A*B^4) \\
&)*b^4)*d^3*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))*\cos(d*x + c) + (4 \\
& *(A^5*B^2 + A^3*B^4)*a^3 - 4*(A^6*B - A^4*B^3 - 2*A^2*B^5)*a^2*b + (A^7 - 5 \\
& *A^5*B^2 - A^3*B^4 + 5*A*B^6)*a*b^2 + (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^3 \\
&)*d*\cos(d*x + c))*\text{sqrt}(-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 \\
& - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) - (A^4 + \\
& 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3 \\
& *B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\text{sqrt}((a*\cos(d*x + c) + b*\text{si} \\
& n(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{(1/4)} \\
& + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^3 - 4*(A^7*B + A^5*B^3 - A^3*B^5 - \\
& A*B^7)*a^2*b + (A^8 - 2*A^4*B^4 + B^8)*a*b^2)*\cos(d*x + c) + (4*(A^6*B^2 + \\
& 2*A^4*B^4 + A^2*B^6)*a^2*b - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^2 + \\
& (A^8 - 2*A^4*B^4 + B^8)*b^3)*\sin(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 \\
& + B^4)/((a^2 + b^2)*d^4))^{(3/4)} - \text{sqrt}(2)*((2*(A^4*B + A^2*B^3)*a^6 - (A^5 \\
& - 2*A^3*B^2 - 3*A*B^4)*a^5*b + (3*A^4*B + 4*A^2*B^3 + B^5)*a^4*b^2 - 2*(A^5 \\
& - 2*A^3*B^2 - 3*A*B^4)*a^3*b^3 + 2*(A^2*B^3 + B^5)*a^2*b^4 - (A^5 - 2*A^3* \\
& B^2 - 3*A*B^4)*a*b^5 - (A^4*B - B^5)*b^6)*d^7*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3* \\
& B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4) \\
&)*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (2*(A^6*B + 2*A^4*B^3 + \\
& A^2*B^5)*a^5 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^4*b + 4*(A^6*B + 2*A^4* \\
& B^3 + A^2*B^5)*a^3*b^2 - 2*(A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^2*b^3 + 2*(A^6*B \\
& + 2*A^4*B^3 + A^2*B^5)*a*b^4 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^5)* \\
& d^5*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2) \\
&)/((a^4 + 2*a^2*b^2 + b^4)*d^4))*\text{sqrt}(-((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 \\
& - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2) \\
&)*d^4)) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2 \\
& *B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\text{sqrt}((a*\cos(d*x + c) + b*\text{sin}(d*x + c))/\cos(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 \\
& + b^2)*d^4))^{(3/4)})/(4*(A^{10}*B^2 + 4*A^8*B^4 + 6*A^6*B^6 + 4*A^4*B^8 + A^2* \\
& B^{10})*a^2*b - 4*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A \\
& *B^{11})*a*b^2 + (A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} \\
& + B^{12})*b^3)) - \text{sqrt}(2)*((2*A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\text{sqrt}((A^4 + \\
& 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (A^4 + 2*A^2*B^2 + B^4)*b*d)*\text{sqrt}(-((\\
& 2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 \\
& + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) - (A^4 + 2*A^2*B^2 + B^4)*a^2 - (A^
\end{aligned}$$

$$\begin{aligned}
& 4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2 \\
& *A^2B^2 + B^4)b^2))*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} \log \\
& (((4*(A^4B^2 + A^2B^4)a^4 - 4*(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + \\
& 3A^2B^4 + B^6)a^2b^2 - 4*(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2* \\
& B^4 + B^6)b^4)*d^2*\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}*\cos(dx \\
& + c) + \sqrt{2}*((4A^3B^2a^4 - 4*(A^4B - A^2B^3)a^3b + (A^5 + 2A^3* \\
& B^2 + AB^4)a^2b^2 - 4*(A^4B - A^2B^3)ab^3 + (A^5 - 2A^3B^2 + AB^4) \\
&)b^4)*d^3*\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}*\cos(dx + c) + (\\
& 4*(A^5B^2 + A^3B^4)a^3 - 4*(A^6B - A^4B^3 - 2A^2B^5)a^2b + (A^7 - \\
& 5A^5B^2 - A^3B^4 + 5AB^6)ab^2 + (A^6B - A^4B^3 - A^2B^5 + B^7)b^3 \\
&)d*\cos(dx + c))*\sqrt{-((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 \\
& - B^2)ab^2)*d^2*\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} - (A^4 + \\
& 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4*(A^3B \\
& - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2))*\sqrt{(a*\cos(dx + c) + b*\sin \\
& (dx + c))/\cos(dx + c))*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} \\
&) + (4*(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4*(A^7B + A^5B^3 - A^3B^5 - \\
& AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2)*\cos(dx + c) + (4*(A^6B^2 + \\
& 2A^4B^4 + A^2B^6)a^2b - 4*(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + \\
& (A^8 - 2A^4B^4 + B^8)b^3)*\sin(dx + c))/\cos(dx + c) + \sqrt{2}*((2AB \\
& *b^2 + (A^2 - B^2)ab)*d^3*\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} \\
& + (A^4 + 2A^2B^2 + B^4)b*d)*\sqrt{-((2ABa^2b + 2ABb^3 + (A^2 - B^2) \\
&)a^3 + (A^2 - B^2)ab^2)*d^2*\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} \\
&) - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2 \\
& 2a^2 - 4*(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2))*((A^4 + 2A^2 \\
& *B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} \log(((4*(A^4B^2 + A^2B^4)a^4 - 4*(A \\
& ^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4*(A^5* \\
& B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)*d^2*\sqrt{(A^4 + 2A \\
& ^2B^2 + B^4)/((a^2 + b^2)d^4)}*\cos(dx + c) - \sqrt{2}*((4A^3B^2a^4 - 4 \\
& *(A^4B - A^2B^3)a^3b + (A^5 + 2A^3B^2 + AB^4)a^2b^2 - 4*(A^4B - A \\
& ^2B^3)ab^3 + (A^5 - 2A^3B^2 + AB^4)b^4)*d^3*\sqrt{(A^4 + 2A^2B^2 + \\
& B^4)/((a^2 + b^2)d^4)}*\cos(dx + c) + (4*(A^5B^2 + A^3B^4)a^3 - 4*(A^6* \\
& B - A^4B^3 - 2A^2B^5)a^2b + (A^7 - 5A^5B^2 - A^3B^4 + 5AB^6)ab^2 \\
& + (A^6B - A^4B^3 - A^2B^5 + B^7)b^3)*d*\cos(dx + c))*\sqrt{-((2ABa^2 \\
& b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)*d^2*\sqrt{(A^4 + 2A^2 \\
& *B^2 + B^4)/((a^2 + b^2)d^4)} - (A^4 + 2A^2B^2 + B^4)a^2 - (A^4 + 2A^2 \\
& *B^2 + B^4)b^2)/(4A^2B^2a^2 - 4*(A^3B - AB^3)ab + (A^4 - 2A^2B^2 \\
& + B^4)b^2))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c))*((A^4 + \\
& 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} + (4*(A^6B^2 + 2A^4B^4 + A^2B^6 \\
&)a^3 - 4*(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + \\
& B^8)ab^2)*\cos(dx + c) + (4*(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4*(A^ \\
& 7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3)*\sin(dx \\
& + c))/\cos(dx + c) + 8*(A^4B + 2A^2B^3 + B^5)*\sqrt{(a*\cos(dx + c) + \\
& b*\sin(dx + c))/\cos(dx + c)))/((A^4 + 2A^2B^2 + B^4)b*d)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)*(A+B*tan(dx+c))/(a+b*tan(dx+c))*(1/2), x)

[Out] Integral((A + B*tan(c + dx))*tan(c + dx)/sqrt(a + b*tan(c + dx)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)/sqrt(b*tan(d*x + c) + a), x)
```

$$3.346 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=102

$$\frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}}$$

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)

Rubi [A] time = 0.150711, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {3539, 3537, 63, 208}

$$\frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]], x]

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx &= \frac{1}{2}(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}(A + iB) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\
&= -\frac{(iA - B) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, -i \tan(c + dx)\right)}{2d} + \frac{(iA + B) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c + dx)\right)}{2d} \\
&= -\frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{-1-\frac{ia}{b}+\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} - \frac{(A + iB) \operatorname{Subst}\left(\int \frac{1}{-1+\frac{ia}{b}-\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} \\
&= -\frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ibd}} + \frac{(iA - B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ibd}}
\end{aligned}$$

Mathematica [A] time = 0.0993477, size = 101, normalized size = 0.99

$$\frac{i \left(\frac{(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]],x]

[Out] (I*(-((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/Sqrt[a - I*b]) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/Sqrt[a + I*b])/d

Maple [B] time = 0.108, size = 3976, normalized size = 39.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out]
$$\begin{aligned}
& -1/4/d*b/(a^2+b^2)^{(3/2)}*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+a^{1/4} \\
& /d/b/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^{3+1/4}/d \\
& *b/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^{-3}/d*b/(a^2+b^2)^{(3/2)} \\
& /((2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a^{-1/4}/d/b^2/(a^2+b^2) \\
& *ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}*a^{3-1}/d/b^2/(a^2+b^2) \\
& /((2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*B*a^4+1/d/b/(a^2+b^2)^{(1/2)} \\
& /((2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a^{-1}/d/b/(a^2+b^2)^{(3/2)} \\
& /((2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*A*a^4+1/d/b^2 \\
& *(a^2+b^2)^{(1/2)}/((2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2
\end{aligned}$$

$$\begin{aligned}
& *a^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B*a - 1/d/ \\
& b^2 / (a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} \\
&) + 2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B*a^3 \\
& - 1/d/b / (a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x \\
& +c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * A* \\
& a^2 + 1/d*b^2 / (a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2+b \\
& ^2)^{(1/2)} + 2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} \\
&)) * B*a - 1/4/d/b / (a^2+b^2)^{(3/2)} * \ln(b*\tan(d*x+c) + a + (a+b*\tan(d*x+c))^{(1/2)} * (2* \\
& (a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} + (a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} \\
& * a^3 + 1/d/b / (a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan \\
& (d*x+c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} \\
&) * A * a^4 - 1/d/b^2 * (a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+ \\
& b*\tan(d*x+c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(\\
& 1/2)}) * B*a + 1/4/d/b^2 / (a^2+b^2) * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} \\
& + 2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} \\
& * a^3 + 1/4/d/b / (a^2+b^2) * \ln(b*\tan(d*x+c) + a + (a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2 \\
&)^{(1/2)} + 2*a)^{(1/2)} + (a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} * a^2 + 1/d \\
& / b^2 / (a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c \\
&))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B*a^ \\
& 3 - 2/d / (a^2+b^2) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} + 2* \\
& a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B*a^2 + 1/d \\
& / (a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(\\
& 1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B*a - 1/d/ \\
& (a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1 \\
& /2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B*a^3 + 1/4 \\
& / d * b / (a^2+b^2) * \ln(b*\tan(d*x+c) + a + (a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} + \\
& 2*a)^{(1/2)} + (a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 1/d * b / (a^2+b^2) \\
& ^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)} + (2*(a \\
& ^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * A + 1/d * b / (a^2+b^2) \\
& ^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 2 \\
& *(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * A + 1/4/d * b^2 / (a^2+b^ \\
& 2)^{(3/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - b*\tan(d*x+ \\
& c) - a - (a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 2/d * b^3 / (a^2+b^2)^{(3/ \\
& 2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 2*(a \\
& +b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * A - 1/d * b^2 / (a^2+b^2) / (2 \\
& * (a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 2*(a+b*\tan \\
& (d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B + 1/d / b^2 / (2*(a^2+b^2)^{(1/2)} \\
&) - 2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)} \\
&) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * B * a^2 - 1/d / b^2 / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} \\
&) * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b \\
& ^2)^{(1/2)} - 2*a)^{(1/2)} * B * a^2 - 1/4/d / (a^2+b^2) * \ln(b*\tan(d*x+c) + a + (a+b*\tan(d*x+ \\
& c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} + (a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/ \\
& 2)} + 2*a)^{(1/2)} * a + 2/d / (a^2+b^2) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b* \\
& \tan(d*x+c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1 \\
& /2)}) * B * a^2 - 1/d / (a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^ \\
& 2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(\\
& 1/2)}) * B * a + 1/d / (a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan(((2*(a^2 \\
& +b^2)^{(1/2)} + 2*a)^{(1/2)} - 2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1 \\
& /2)}) * B * a^3 + 1/d * b^2 / (a^2+b^2) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan \\
& (d*x+c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/ \\
& 2)}) * B - 1/4/d * b^2 / (a^2+b^2)^{(3/2)} * \ln(b*\tan(d*x+c) + a + (a+b*\tan(d*x+c))^{(1/2)} * (2 \\
& *(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} + (a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} \\
& + 2/d * b^3 / (a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)} * \arctan((2*(a+b*\tan(\\
& d*x+c))^{(1/2)} + (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)} - 2*a)^{(1/2)}) \\
& * A + 1/4/d / b^2 * \ln(b*\tan(d*x+c) + a + (a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} + 2* \\
& a)^{(1/2)} + (a^2+b^2)^{(1/2)}) * B * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} * a - 1/4/d * b / (a^2+b^ \\
& 2) * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - b*\tan(d*x+c) - a - (\\
& a^2+b^2)^{(1/2)}) * A * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - 1/4/d / b^2 * \ln((a+b*\tan(d*x+c \\
&))^{(1/2)} * (2*(a^2+b^2)^{(1/2)} + 2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) * B * (2
\end{aligned}$$

$$\begin{aligned} &*(a^2+b^2)^{(1/2)+2*a}^{(1/2)*a-1/4/d/(a^2+b^2)^{(3/2)}*\ln(b*\tan(d*x+c))+a+(a+b* \\ &\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}+(a^2+b^2)^{(1/2)})*B*(2*(a^2+ \\ &b^2)^{(1/2)+2*a}^{(1/2)}*a^2+1/4/d/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2 \\ &+b^2)^{(1/2)+2*a}^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)} \\ &+2*a)^{(1/2)}*a+1/4/d/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)} \\ &+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*B*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)} \\ &+2*a)^{(1/2)}*a^2+1/d/b^2/(a^2+b^2)/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b* \\ &\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} \\ &))*B*a^4+3/d*b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2*(a+b* \\ &*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} \\ &))*A*a^2-1/d*b^2/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan((2 \\ &*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2 \\ &*a)^{(1/2))*B*a-1/4/d/b/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)} \\ &+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*A*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)} \\ &+2*a)^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 20.5547, size = 16926, normalized size = 165.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} &1/4*(4*\sqrt{2}*(a^2 + b^2)*d^4*\sqrt{((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2) \\ &*a^3 + (A^2 - B^2)*a*b^2)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4 \\ &)) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2* \\ &a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\sqrt{((4*A^2*B^2 \\ &*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b \\ &^2 + b^4)*d^4))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^{(3/4)}*\arctan(((\\ &2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 \\ &- B^8)*a^4*b + 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^2 - 2*(A^8 \\ &+ 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^3 + 2*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 \\ &+ A*B^7)*a*b^4 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^5)*d^4*\sqrt{((4*A^2*B \\ &^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2 \\ &*b^2 + b^4)*d^4))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (2*(A^9 \\ &*B + 4*A^7*B^3 + 6*A^5*B^5 + 4*A^3*B^7 + A*B^9)*a^4 - (A^10 + 3*A^8*B^2 + 2 \\ &*A^6*B^4 - 2*A^4*B^6 - 3*A^2*B^8 - B^10)*a^3*b + 2*(A^9*B + 4*A^7*B^3 + 6*A \\ &^5*B^5 + 4*A^3*B^7 + A*B^9)*a^2*b^2 - (A^10 + 3*A^8*B^2 + 2*A^6*B^4 - 2*A^4 \\ &*B^6 - 3*A^2*B^8 - B^10)*a*b^3)*d^2*\sqrt{((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3) \\ &*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)) - \sqrt{2} \\ &)*((B*a^5 - A*a^4*b + 2*B*a^3*b^2 - 2*A*a^2*b^3 + B*a*b^4 - A*b^5)*d^7*\sqrt{ \\ &((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 \\ &+ 2*a^2*b^2 + b^4)*d^4))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))} \\ &+ ((A^2*B + B^3)*a^4 + 2*(A^2*B + B^3)*a^2*b^2 + (A^2*B + B^3)*b^4)*d^5*\sqrt{ \end{aligned}$$

$$\begin{aligned}
& t((4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4))\sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}\sqrt{((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}\cos(dx + c) + \sqrt{2}((4A^2B^3a^4 - 4(A^3B^2 - AB^4)a^3b + (A^4B + 2A^2B^3 + B^5)a^2b^2 - 4(A^3B^2 - AB^4)ab^3 + (A^4B - 2A^2B^3 + B^5)b^4)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}\cos(dx + c) + (4(A^4B^3 + A^2B^5)a^3 - 4(2A^5B^2 + A^3B^4 - AB^6)a^2b + (5A^6B - A^4B^3 - 5A^2B^5 + B^7)ab^2 - (A^7 - A^5B^2 - A^3B^4 + AB^6)b^3)d\cos(dx + c))\sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2)\cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3)\sin(dx + c))/\cos(dx + c)}*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4} + \sqrt{2}((2(A^3B^2 + AB^4)a^6 - (3A^4B + 2A^2B^3 - B^5)a^5b + (A^5 + 4A^3B^2 + 3AB^4)a^4b^2 - 2(3A^4B + 2A^2B^3 - B^5)ab^5 + (A^5 - AB^4)b^6)d^7\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (2(A^5B^2 + 2A^3B^4 + AB^6)a^5 - (A^6B + A^4B^3 - A^2B^5 - B^7)a^4b + 4(A^5B^2 + 2A^3B^4 + AB^6)a^3b^2 - 2(A^6B + A^4B^3 - A^2B^5 - B^7)a^2b^3 + 2(A^5B^2 + 2A^3B^4 + AB^6)ab^4 - (A^6B + A^4B^3 - A^2B^5 - B^7)b^5)d^5\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4})/(4(A^{10}B^2 + 4A^8B^4 + 6A^6B^6 + 4A^4B^8 + A^2B^{10})a^2b - 4(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})ab^2 + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^3) + 4\sqrt{2}(a^2 + b^2)d^4\sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)}\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{3/4}\arctan(-((2(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^5 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^4b + 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^3b^2 - 2(A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^2b^3 + 2(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)ab^4 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)b^5)d^4\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)} + (2(A^9B + 4A^7B^3 + 6A^5B^5 + 4A^3B^7 + AB^9)a^4 - (A^{10} + 3A^8B^2 + 2A^6B^4 - 2A^4B^6 - 3A^2B^8 - B^{10})a^3b + 2(A^9B + 4A^7B^3 + 6A^5B^5 + 4A^3B^7 + AB^9)a^2b^2 - (A^{10} + 3A^8B^2 + 2A^6B^4 - 2A^4B^6 - 3A^2B^8 - B^{10})ab^3)d^2\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((a^4 + 2a^2b^2 + b^4)d^4)} + \sqrt{2}((B^5a^5 - A^4ab + 2B^3a^3b^2 - 2A^2a^2b^3 + B^4ab^4 - Ab^5)d^7\sqrt{(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2)/((
\end{aligned}$$

$$\begin{aligned}
& a^4 + 2*a^2*b^2 + b^4)*d^4))*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) \\
&) + ((A^2*B + B^3)*a^4 + 2*(A^2*B + B^3)*a^2*b^2 + (A^2*B + B^3)*b^4)*d^5*\text{sqrt} \\
& \text{qrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\text{sqrt}(((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2) \\
& *a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2* \\
& a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\text{sqrt}(((4*(A^4*B^2 + A^2*B^4)*a^4 - 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 - 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)))*\text{cos}(d*x + c) - \text{sqrt} \\
& \text{t}(2)*((4*A^2*B^3*a^4 - 4*(A^3*B^2 - A*B^4)*a^3*b + (A^4*B + 2*A^2*B^3 + B^5)*a^2*b^2 - 4*(A^3*B^2 - A*B^4)*a*b^3 + (A^4*B - 2*A^2*B^3 + B^5)*b^4)*d^3*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)))*\text{cos}(d*x + c) + (4*(A^4*B^3 + A^2*B^5)*a^3 - 4*(2*A^5*B^2 + A^3*B^4 - A*B^6)*a^2*b + (5*A^6*B - A^4*B^3 - 5*A^2*B^5 + B^7)*a*b^2 - (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^3)*d*\text{cos}(d*x + c))*\text{sqrt}(((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\text{sqrt}((a*\text{cos}(d*x + c) + b*\text{sin}(d*x + c))/\text{cos}(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^(1/4) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^3 - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^2*b + (A^8 - 2*A^4*B^4 + B^8)*a*b^2)*\text{cos}(d*x + c) + (4*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b - 4*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^2 + (A^8 - 2*A^4*B^4 + B^8)*b^3)*\text{sin}(d*x + c))/\text{cos}(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^(3/4) - \text{sqrt}(2)*((2*(A^3*B^2 + A*B^4)*a^6 - (3*A^4*B + 2*A^2*B^3 - B^5)*a^5*b + (A^5 + 4*A^3*B^2 + 3*A*B^4)*a^4*b^2 - 2*(3*A^4*B + 2*A^2*B^3 - B^5)*a^3*b^3 + 2*(A^5 + A^3*B^2)*a^2*b^4 - (3*A^4*B + 2*A^2*B^3 - B^5)*a*b^5 + (A^5 - A*B^4)*b^6)*d^7*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (2*(A^5*B^2 + 2*A^3*B^4 + A*B^6)*a^5 - (A^6*B + A^4*B^3 - A^2*B^5 - B^7)*a^4*b + 4*(A^5*B^2 + 2*A^3*B^4 + A*B^6)*a^3*b^2 - 2*(A^6*B + A^4*B^3 - A^2*B^5 - B^7)*a^2*b^3 + 2*(A^5*B^2 + 2*A^3*B^4 + A*B^6)*a*b^4 - (A^6*B + A^4*B^3 - A^2*B^5 - B^7)*b^5)*d^5*\text{sqrt}((4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2)/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\text{sqrt}(((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*\text{sqrt}((a*\text{cos}(d*x + c) + b*\text{sin}(d*x + c))/\text{cos}(d*x + c))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^(3/4))/(4*(A^10*B^2 + 4*A^8*B^4 + 6*A^6*B^6 + 4*A^4*B^8 + A^2*B^10)*a^2*b - 4*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^2 + (A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*b^3)) - \text{sqrt}(2)*(A^4 + 2*A^2*B^2 + B^4 - (2*A*B*b + (A^2 - B^2)*a)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)))*\text{sqrt}(((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))*((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4))^(1/4)*\text{log}(((4*(A^4*B^2 + A^2*B^4)*a^4 - 4*(A^5*B - A*B^5)*a^3*b + (A^6 + 3*A^4*B^2 + 3*A^2*B^4 + B^6)*a^2*b^2 - 4*(A^5*B - A*B^5)*a*b^3 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^4)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)))*\text{cos}(d*x + c) + \text{sqrt}(2)*((4*A^2*B^3*a^4 - 4*(A^3*B^2 - A*B^4)*a^3*b + (A^4*B + 2*A^2*B^3 + B^5)*a^2*b^2 - 4*(A^3*B^2 - A*B^4)*a*b^3 + (A^4*B - 2*A^2*B^3 + B^5)*b^4)*d^3*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)))*\text{cos}(d*x + c) + (4*(A^4*B^3 + A^2*B^5)*a^3 - 4*(2*A^5*B^2 + A^3*B^4 - A*B^6)*a^2*b + (5*A^6*B - A^4*B^3 - 5*A^2*B^5 + B^7)*a*b^2 - (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^3)*d*\text{cos}(d*x + c))*\text{sqrt}(((2*A*B*a^2*b + 2*A*B*b^3 + (A^2 - B^2)*a^3 + (A^2 - B^2)*a*b^2)*d^2*\text{sqrt}((A^4 + 2*A^2*B^2 + B^4)/((a^2 + b^2)*d^4)) + (A^4 + 2*A^2*B^2 + B^4)*a^2 + (A^4 + 2*A^2*B^2 + B^4)*b^2)/(4*A^2*B^2*a^2 - 4*(A^3*B - A*B^3)*a*b + (A^4 - 2*A^2*B^2 + B^4)*b^2))
\end{aligned}$$

$$\begin{aligned}
& - 2A^2B^2 + B^4)b^2))\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)} \\
&)*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)a^2b^2)\cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b^2 + (A^8 - 2A^4B^4 + B^8)b^3)\sin(dx + c))/\cos(dx + c) + \sqrt{2}(A^4 + 2A^2B^2 + B^4 - (2ABb + (A^2 - B^2)a)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)})\sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}) + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2))*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4})\log(((4(A^4B^2 + A^2B^4)a^4 - 4(A^5B - AB^5)a^3b + (A^6 + 3A^4B^2 + 3A^2B^4 + B^6)a^2b^2 - 4(A^5B - AB^5)ab^3 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^4)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)})\cos(dx + c) - \sqrt{2}((4A^2B^3a^4 - 4(A^3B^2 - AB^4)a^3b + (A^4B + 2A^2B^3 + B^5)a^2b^2 - 4(A^3B^2 - AB^4)ab^3 + (A^4B - 2A^2B^3 + B^5)b^4)d^3\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)})\cos(dx + c) + (4(A^4B^3 + A^2B^5)a^3 - 4(2A^5B^2 + A^3B^4 - AB^6)a^2b + (5A^6B - A^4B^3 - 5A^2B^5 + B^7)ab^2 - (A^7 - A^5B^2 - A^3B^4 + AB^6)b^3)d\cos(dx + c))\sqrt{((2ABa^2b + 2ABb^3 + (A^2 - B^2)a^3 + (A^2 - B^2)ab^2)d^2\sqrt{(A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4)}) + (A^4 + 2A^2B^2 + B^4)a^2 + (A^4 + 2A^2B^2 + B^4)b^2)/(4A^2B^2a^2 - 4(A^3B - AB^3)ab + (A^4 - 2A^2B^2 + B^4)b^2))\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c))*((A^4 + 2A^2B^2 + B^4)/((a^2 + b^2)d^4))^{1/4} + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^3 - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b + (A^8 - 2A^4B^4 + B^8)ab^2)\cos(dx + c) + (4(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b - 4(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^2 + (A^8 - 2A^4B^4 + B^8)b^3)\sin(dx + c))/\cos(dx + c)))/(A^4 + 2A^2B^2 + B^4)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/sqrt(b*tan(d*x + c) + a), x)

$$3.347 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=131

$$\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} + \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

[Out] $(-2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*d) + ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)$

Rubi [A] time = 0.339725, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3613, 3539, 3537, 63, 208, 3634}

$$\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} + \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(A + B*\text{Tan}[c + d*x]))/\text{Sqrt}[a + b*\text{Tan}[c + d*x]], x]$

[Out] $(-2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*d) + ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)$

Rule 3613

$\text{Int}[(\text{Cot}[e + f*x]*(a + b*\text{Tan}[e + f*x]))/\text{Sqrt}[a + b*\text{Tan}[e + f*x]], x] \rightarrow \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n * \text{Simp}[a*A + b*B - (A*b - a*B)*\text{Tan}[e + f*x], x], x] + \text{Dist}[(b*(A*b - a*B))/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n * (1 + \text{Tan}[e + f*x]^2)/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 3539

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * (\text{Cot}[e + f*x]), x] \rightarrow \text{Dist}[(c + I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (1 - I*\text{Tan}[e + f*x]), x], x] + \text{Dist}[(c - I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (1 + I*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{IntegerQ}[m]$

Rule 3537

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * (\text{Cot}[e + f*x]), x] \rightarrow \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m / (d^2 + c*x), x], x, d*\text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 63

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p*(m+1)-1} * (c - (a*d)/b +$

```
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] :>
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\int \frac{\cot(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx = A \int \frac{\cot(c + dx)(1 + \tan^2(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx + \int \frac{B - A \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

$$= \frac{1}{2}(-iA + B) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}(iA + B) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \dots$$

$$= \frac{(2A) \operatorname{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} - \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ib}}\right)}{2d}$$

$$= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(iA - B) \operatorname{Subst}\left(\int \frac{1}{-1+\frac{ia}{b}-\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd}$$

$$= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a - ibd}} + \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a + ibd}}$$

Mathematica [A] time = 0.707593, size = 170, normalized size = 1.3

$$\frac{\frac{(\sqrt{-b^2B-Ab}) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}}\right)}{\sqrt{a-\sqrt{-b^2}}} - \frac{(Ab+\sqrt{-b^2}B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+\sqrt{-b^2}}}\right)}{\sqrt{a+\sqrt{-b^2}}}}{b} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}}}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]
```

```
[Out] -(((2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/Sqrt[a] + (((-(A*b) + Sqr
rt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/Sqrt[a
- Sqrt[-b^2]] - ((A*b + Sqrt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt
[a + Sqrt[-b^2]]])/Sqrt[a + Sqrt[-b^2]]))/b)/d)
```

Maple [C] time = 1.214, size = 33052, normalized size = 252.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)/sqrt(a + b*tan(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)/sqrt(b*tan(d*x + c) + a), x)
```

$$3.348 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=169

$$\frac{(Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} - \frac{A \cot(c+dx)}{d}$$

[Out] ((A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(3/2)*d) + ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d) - (A*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]]/(a*d)

Rubi [A] time = 0.512888, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3609, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}} - \frac{A \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(3/2)*d) + ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d) - (A*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]]/(a*d)

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^2(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx &= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{ad} - \frac{\int \frac{\cot(c + dx)\left(\frac{1}{2}(Ab - 2aB) + aA \tan(c + dx) + \frac{1}{2}Ab \tan^2(c + dx)\right)}{\sqrt{a + b \tan(c + dx)}} dx}{a} \\ &= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{ad} - \frac{\int \frac{aA + aB \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{a} - \frac{(Ab - 2aB) \int \frac{\cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{a} \\ &= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{ad} - \frac{1}{2}(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx - \frac{(Ab - 2aB) \int \frac{\cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{a} \\ &= -\frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{ad} + \frac{(iA - B) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, -\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{2d} - \frac{(Ab - 2aB) \operatorname{tanh}^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{A \cot(c + dx)\sqrt{a + b \tan(c + dx)}}{ad} + \frac{(iA + B) \operatorname{tanh}^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a - ibd}} - \frac{(Ab - 2aB) \operatorname{tanh}^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} \end{aligned}$$

Mathematica [A] time = 2.80508, size = 201, normalized size = 1.19

$$\frac{b(Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{(A\sqrt{-b^2}+bB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}}\right)}{\sqrt{a-\sqrt{-b^2}}} - \frac{(A\sqrt{-b^2}-bB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+\sqrt{-b^2}}}\right)}{\sqrt{a+\sqrt{-b^2}}} - \frac{Ab \cot(c+dx) \sqrt{a+b \tan(c+dx)}}{a}$$

bd

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((b*(A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/a^(3/2) + ((A*Sqrt[-b^2] + b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/Sqrt[a - Sqrt[-b^2]] - ((A*Sqrt[-b^2] - b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + Sqrt[-b^2]]])/Sqrt[a + Sqrt[-b^2]] - (A*b*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/a)/(b*d)

Maple [C] time = 1.607, size = 69579, normalized size = 411.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot^2(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)**2/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^2}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^2/sqrt(b*tan(d*x + c) + a), x)

$$3.349 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=224

$$\frac{(8a^2A + 4abB - 3Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} + \frac{(3Ab - 4aB) \cot(c+dx) \sqrt{a+b \tan(c+dx)}}{4a^2d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d\sqrt{a-ib}}$$

[Out] $((8*a^2*A - 3*A*b^2 + 4*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*a^{(5/2)*d} - ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d) + ((3*A*b - 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*a^2*d) - (A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(2*a*d)$

Rubi [A] time = 0.80705, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3609, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{(8a^2A + 4abB - 3Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} + \frac{(3Ab - 4aB) \cot(c+dx) \sqrt{a+b \tan(c+dx)}}{4a^2d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d\sqrt{a-ib}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] $((8*a^2*A - 3*A*b^2 + 4*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*a^{(5/2)*d} - ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(Sqrt[a - I*b]*d) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d) + ((3*A*b - 4*a*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(4*a^2*d) - (A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(2*a*d)$

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan

```
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)]^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx &= -\frac{A \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}}{2ad} - \int \frac{\cot^2(c+dx)\left(\frac{1}{2}(3Ab-4aB)+2aA \tan(c+dx)+\frac{3}{2}Ab \tan^2(c+dx)\right)}{\sqrt{a+b \tan(c+dx)}} dx \\
 &= \frac{(3Ab-4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4a^2d} - \frac{A \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}}{2ad} \\
 &= \frac{(3Ab-4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4a^2d} - \frac{A \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}}{2ad} \\
 &= \frac{(3Ab-4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4a^2d} - \frac{A \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}}{2ad} \\
 &= \frac{(3Ab-4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4a^2d} - \frac{A \cot^2(c+dx)\sqrt{a+b \tan(c+dx)}}{2ad} \\
 &= \frac{(8a^2A-3Ab^2+4abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} + \frac{(3Ab-4aB) \cot(c+dx)\sqrt{a+b \tan(c+dx)}}{4a^2d} \\
 &= \frac{(8a^2A-3Ab^2+4abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{5/2}d} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}d}
 \end{aligned}$$

Mathematica [A] time = 6.26077, size = 362, normalized size = 1.62

$$2b^3 \left[\frac{3A \left(\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} - \frac{\cot(c+dx)\sqrt{a+b \tan(c+dx)}}{ab} \right)}{8ab} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{2a^{3/2}b^2} - \frac{(A\sqrt{-b^2}+bB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{-b^2}}}\right)}{2b^3\sqrt{-b^2}\sqrt{a-\sqrt{-b^2}}} - \frac{b(A\sqrt{-b^2}-bB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{2(-b^2)^{5/2}} \right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]
```

```
[Out] (2*b^3*((A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(Sqrt[a]*b^3) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(2*a^(3/2)*b^2) - ((A*Sqrt[-b^2] + b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/(2*b^3*Sqrt[-b^2]*Sqrt[a - Sqrt[-b^2]]) - (b*(A*Sqrt[-b^2] - b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + Sqrt[-b^2]]])/(2*(-b^2)^(5/2)*Sqrt[a + Sqrt[-b^2]]) - (B*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(2*a*b^3) - (A*Cot[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(4*a*b^3) - (3*A*(ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/a^(3/2) - (Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]]/(a*b)))/(8*a*b)))/d
```

Maple [C] time = 2.191, size = 111109, normalized size = 496.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)
```

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot^3(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)**3/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^3}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^3/sqrt(b*tan(d*x + c) + a), x)

$$3.350 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=264

$$\frac{2a(Ab - aB) \tan^2(c + dx)}{bd(a^2 + b^2) \sqrt{a + b \tan(c + dx)}} - \frac{2(-4a^2B + 3aAb - b^2B) \tan(c + dx) \sqrt{a + b \tan(c + dx)}}{3b^2d(a^2 + b^2)} + \frac{2(6a^2Ab - 8a^3B - 5ab^2B)}{3b^3d(a^2 + b^2)}$$

[Out] ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^2)/(b*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) + (2*(6*a^2*A*b + 3*A*b^3 - 8*a^3*B - 5*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^3*(a^2 + b^2)*d) - (2*(3*a*A*b - 4*a^2*B - b^2*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*b^2*(a^2 + b^2)*d)

Rubi [A] time = 0.723921, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3605, 3647, 3630, 3539, 3537, 63, 208}

$$\frac{2a(Ab - aB) \tan^2(c + dx)}{bd(a^2 + b^2) \sqrt{a + b \tan(c + dx)}} - \frac{2(-4a^2B + 3aAb - b^2B) \tan(c + dx) \sqrt{a + b \tan(c + dx)}}{3b^2d(a^2 + b^2)} + \frac{2(6a^2Ab - 8a^3B - 5ab^2B)}{3b^3d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^2)/(b*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) + (2*(6*a^2*A*b + 3*A*b^3 - 8*a^3*B - 5*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^3*(a^2 + b^2)*d) - (2*(3*a*A*b - 4*a^2*B - b^2*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*b^2*(a^2 + b^2)*d)

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m

$(b*c - a*d) - b*B*d*(m + n + 1))*\text{Tan}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{m+1}*((A + B*\text{tan}[(e + f*x)] + C*\text{tan}[(e + f*x)]^2), x_Symbol] := \text{Simp}[(C*(a + b*\text{Tan}[e + f*x])^{m+1})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A - C + B*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3539

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((c + d*\text{tan}[(e + f*x)] + f*x)), x_Symbol] := \text{Dist}[(c + I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^{m*(1 - I*\text{Tan}[e + f*x])}, x], x] + \text{Dist}[(c - I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^{m*(1 + I*\text{Tan}[e + f*x])}, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((c + d*\text{tan}[(e + f*x)] + f*x)), x_Symbol] := \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

$\text{Int}[(a + b*x)^m*((c + d*x)^n), x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n}, x], x, (a + b*x)^{(1/p)}], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{3/2}} dx &= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2\int \frac{\tan(c+dx)\left(-2a(Ab-aB)+\frac{1}{2}b(Ab-aB)\tan(c+dx)-\frac{1}{2}(3a^2B-4a^2B-b^2B)\tan(c+dx)\sqrt{a+b\tan(c+dx)}\right)}{\sqrt{a+b\tan(c+dx)}}}{b(a^2+b^2)} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} - \frac{2(3aAb-4a^2B-b^2B)\tan(c+dx)\sqrt{a+b\tan(c+dx)}}{3b^2(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2(6a^2Ab+3Ab^3-8a^3B-5ab^2B)\sqrt{a+b\tan(c+dx)}}{3b^3(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2(6a^2Ab+3Ab^3-8a^3B-5ab^2B)\sqrt{a+b\tan(c+dx)}}{3b^3(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2(6a^2Ab+3Ab^3-8a^3B-5ab^2B)\sqrt{a+b\tan(c+dx)}}{3b^3(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2(6a^2Ab+3Ab^3-8a^3B-5ab^2B)\sqrt{a+b\tan(c+dx)}}{3b^3(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2(6a^2Ab+3Ab^3-8a^3B-5ab^2B)\sqrt{a+b\tan(c+dx)}}{3b^3(a^2+b^2)d} \\
&= \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{3/2}d} + \frac{(A+iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{3/2}d} + \frac{2a(A-b^2)}{b(a^2+b^2)}
\end{aligned}$$

Mathematica [C] time = 3.29794, size = 300, normalized size = 1.14

$$\frac{3i(aA+bB)\left((a+ib)\text{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b\tan(c+dx)}{a-ib}\right) - (a-ib)\text{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b\tan(c+dx)}{a+ib}\right)\right)}{(a^2+b^2)\sqrt{a+b\tan(c+dx)}} + \frac{2(-8a^2B+6aAb+3b^2B)}{b^2\sqrt{a+b\tan(c+dx)}} + \frac{2(3Ab-4aB)}{b\sqrt{a+b\tan(c+dx)}}$$

3bd

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((3*I)*A*(ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] - ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b]) + (2*(6*a*A*b - 8*a^2*B + 3*b^2*B))/(b^2*Sqrt[a + b*Tan[c + d*x]]) + ((3*I)*(a*A + b*B)*((a + I*b)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a - I*b)] - (a - I*b)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a + I*b)]))/((a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]]) + (2*(3*A*b - 4*a*B)*Tan[c + d*x])/(b*Sqrt[a + b*Tan[c + d*x]]) + (2*B*Tan[c + d*x]^2)/Sqrt[a + b*Tan[c + d*x]])/(3*b*d)

Maple [B] time = 0.14, size = 8025, normalized size = 30.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^3(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**3/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^3}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^3/(b*tan(d*x + c) + a)^(3/2), x)

$$3.351 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=167

$$-\frac{2a^2(Ab - aB)}{b^2d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} - \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{b^2}$$

[Out] ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) - (2*a^2*(A*b - a*B))/(b^2*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) + (2*B*Sqrt[a + b*Tan[c + d*x]])/(b^2*d)

Rubi [A] time = 0.44311, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3604, 3630, 3539, 3537, 63, 208}

$$-\frac{2a^2(Ab - aB)}{b^2d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} - \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) - (2*a^2*(A*b - a*B))/(b^2*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) + (2*B*Sqrt[a + b*Tan[c + d*x]])/(b^2*d)

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -

$a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{IntegerQ}[m]$

Rule 3537

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \text{ :> } \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 63

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \text{ :> } \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] \text{ /; } \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{(-1)}, x_Symbol] \text{ :> } \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ /; } \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx &= -\frac{2a^2(Ab - aB)}{b^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{-a(Ab - aB) + b(Ab - aB) \tan(c + dx) + (a^2 + b^2)B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{b(a^2 + b^2)} \\ &= -\frac{2a^2(Ab - aB)}{b^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{b^2d} + \frac{\int \frac{-b(aA + bB) + b(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx}{b(a^2 + b^2)} \\ &= -\frac{2a^2(Ab - aB)}{b^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{b^2d} - \frac{(A - iB) \int \frac{1}{\sqrt{a + b \tan(c + dx)}} dx}{2(a^2 + b^2)} \\ &= -\frac{2a^2(Ab - aB)}{b^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{b^2d} + \frac{(i(A + iB)) \text{Subst}[\text{Int}[\frac{1}{\sqrt{a + b \tan(c + dx)}}, x], x, a + b \tan(c + dx)]}{2(a^2 + b^2)} \\ &= -\frac{2a^2(Ab - aB)}{b^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{2B\sqrt{a + b \tan(c + dx)}}{b^2d} + \frac{(A - iB) \text{Subst}[\text{Int}[\frac{1}{\sqrt{a + b \tan(c + dx)}}, x], x, a + b \tan(c + dx)]}{2(a^2 + b^2)} \\ &= \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{3/2}d} - \frac{(iA - B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{3/2}d} - \frac{2B \tan(c + dx)}{b^2(a^2 + b^2)} \end{aligned}$$

Mathematica [C] time = 1.27118, size = 248, normalized size = 1.49

$$\frac{(Ab - aB) \left((b - ia) \text{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a + b \tan(c + dx)}{a - ib}\right) + (b + ia) \text{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a + b \tan(c + dx)}{a + ib}\right) \right)}{(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{4aB - 2Ab}{b\sqrt{a + b \tan(c + dx)}} + \frac{2B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}}$$

bd

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

```
[Out] (I*B*(ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] - ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b]) + (-2*A*b + 4*a*B)/(b*Sqrt[a + b*Tan[c + d*x]]) + ((A*b - a*B)*((-I)*a + b)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a - I*b)] + (I*a + b)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a + I*b)]))/((a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]]) + (2*B*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]]/(b*d)
```

Maple [B] time = 0.115, size = 7982, normalized size = 47.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)
```

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^2(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)
```

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**2/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^2}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^2/(b*tan(d*x + c) + a)^(3/2), x)

$$3.352 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=141

$$\frac{2a(Ab - aB)}{bd(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}}$$

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(3/2)*d)) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(3/2)*d) + (2*a*(A*b - a*B))/(b*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.280975, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3591, 3539, 3537, 63, 208}

$$\frac{2a(Ab - aB)}{bd(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(3/2)*d)) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(3/2)*d) + (2*a*(A*b - a*B))/(b*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{\tan(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx &= \frac{2a(Ab - aB)}{b(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{Ab - aB + (aA + bB)\tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{a^2 + b^2} \\ &= \frac{2a(Ab - aB)}{b(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(ia + b)} + \frac{((ia + b)(A - iB))}{2(ia + b)} \\ &= \frac{2a(Ab - aB)}{b(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \text{Subst}\left(\int \frac{1}{(-1 + x)\sqrt{a - ibx}} dx, x, i \tan(c + dx)\right)}{2(a - ib)d} \\ &= \frac{2a(Ab - aB)}{b(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} - \frac{(i(A + iB)) \text{Subst}\left(\int \frac{1}{-1 + \frac{ia}{b} - \frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{(a + ib)bd} \\ &= -\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{3/2}d} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{3/2}d} + \frac{2a(Ab - aB)}{b(a^2 + b^2)d} \end{aligned}$$

Mathematica [A] time = 1.38869, size = 229, normalized size = 1.62

$$\frac{b\left(A\left(b^2 - a\sqrt{-b^2}\right) - bB\left(a + \sqrt{-b^2}\right)\right) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - \sqrt{-b^2}}}\right) - b\left(A\left(a\sqrt{-b^2} + b^2\right) + bB\left(\sqrt{-b^2} - a\right)\right) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + \sqrt{-b^2}}}\right) + \frac{2a(Ab - aB)}{\sqrt{a + b \tan(c + dx)}}}{\sqrt{-b^2}\sqrt{a - \sqrt{-b^2}} \sqrt{-b^2}\sqrt{a + \sqrt{-b^2}} bd(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((b*(A*(b^2 - a*Sqrt[-b^2]) - b*(a + Sqrt[-b^2])*B)*ArcTanh[Sqrt[a + b*Tan[
c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/(Sqrt[-b^2]*Sqrt[a - Sqrt[-b^2]]) - (b*(A*
(b^2 + a*Sqrt[-b^2]) + b*(-a + Sqrt[-b^2])*B)*ArcTanh[Sqrt[a + b*Tan[c + d*
x]]/Sqrt[a + Sqrt[-b^2]]])/(Sqrt[-b^2]*Sqrt[a + Sqrt[-b^2]]) + (2*a*(A*b -
a*B))/Sqrt[a + b*Tan[c + d*x]])/(b*(a^2 + b^2)*d)
```

Maple [B] time = 0.091, size = 7956, normalized size = 56.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)`

[Out] `Integral((A + B*tan(c + d*x))*tan(c + d*x)/(a + b*tan(c + d*x))**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)*tan(d*x + c)/(b*tan(d*x + c) + a)^(3/2), x)`

3.353 $\int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^{3/2}} dx$

Optimal. Leaf size=138

$$\frac{2(Ab - aB)}{d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} + \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}}$$

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(3/2)*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(3/2)*d) - (2*(A*b - a*B))/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.23565, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3529, 3539, 3537, 63, 208}

$$\frac{2(Ab - aB)}{d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} + \frac{(-B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(3/2)*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(3/2)*d) - (2*(A*b - a*B))/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ

[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{aA + bB - (Ab - aB) \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{a^2 + b^2} \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(a - ib)} + \frac{(A + iB) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(a + ib)} \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} - \frac{(i(A + iB)) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, -i \tan(c + dx)\right)}{2(a + ib)d} \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} - \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{-1 - \frac{ia}{b} + \frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{(a - ib)bd} \\ &= -\frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{3/2}d} + \frac{(iA - B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{3/2}d} - \frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.178797, size = 113, normalized size = 0.82

$$i \left(\frac{(A-iB) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \tan(c+dx)}{a-ib}\right)}{a-ib} - \frac{(A+iB) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \tan(c+dx)}{a+ib}\right)}{a+ib} \right) d \sqrt{a + b \tan(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (I*(((A - I*B)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a - I*b)])/(a - I*b) - ((A + I*B)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a + I*b)])/(a + I*b)))/(d*Sqrt[a + b*Tan[c + d*x]])

Maple [B] time = 0.108, size = 7951, normalized size = 57.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/(b*tan(d*x + c) + a)^(3/2), x)

$$3.354 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=171

$$\frac{2b(Ab - aB)}{ad(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} + \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}}$$

[Out] $(-2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(a^{(3/2)*d}) + ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^{(3/2)*d}) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^{(3/2)*d}) + (2*b*(A*b - a*B))/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])$

Rubi [A] time = 0.607033, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3609, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{2b(Ab - aB)}{ad(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} + \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(A + B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x])^{(3/2)}, x]$

[Out] $(-2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(a^{(3/2)*d}) + ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^{(3/2)*d}) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^{(3/2)*d}) + (2*b*(A*b - a*B))/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])$

Rule 3609

$\text{Int}[(a + b \tan(e + f x))^m (A + B \tan(e + f x) + (c + d \tan(e + f x))^n), x] \rightarrow \text{Simp}[(b(Ab - aB)(a + b \tan(e + f x))^{m+1} (c + d \tan(e + f x))^{n+1}) / (f(m+1)(bc - ad)(a^2 + b^2)), x] + \text{Dist}[1 / ((m+1)(bc - ad)(a^2 + b^2)), \text{Int}[(a + b \tan(e + f x))^{m+1} (c + d \tan(e + f x))^n \text{Simp}[bB(bcm(m+1) + ad(n+1)) + A(a(bc - ad)(m+1) - b^2 d(m+n+2)) - (Ab - aB)(bc - ad)(m+1) \tan(e + f x) - b d(Ab - aB)(m+n+2) \tan(e + f x)^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[bc - ad, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2m, 2n]) \&\& !(\text{ILtQ}[n, -1] \&\& (! \text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0]))))$

Rule 3653

$\text{Int}[(c + d \tan(e + f x))^n (A + B \tan(e + f x) + (c + d \tan(e + f x))^2) / (a + b \tan(e + f x)), x] \rightarrow \text{Dist}[1 / (a^2 + b^2), \text{Int}[(c + d \tan(e + f x))^n \text{Simp}[bB + a(A - C) + (aB - b(A - C)) \tan(e + f x), x], x] + \text{Dist}[(A b^2 - a b B + a^2 C) / (a^2 + b^2), \text{Int}[(c + d \tan(e + f x))^n (1 + \tan(e + f x)^2) / (a + b \tan(e + f x)), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[bc - ad, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& ! \text{GtQ}[n, 0] \&\& ! \text{LeQ}[n, -1]$

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^(m*(1 - I*Tan[e + f*x])), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^(m*(1 + I*Tan[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\int \frac{\cot(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx = \frac{2b(Ab - aB)}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{2 \int \frac{\cot(c+dx)\left(\frac{1}{2}A(a^2+b^2) - \frac{1}{2}a(Ab-aB)\tan(c+dx) + \frac{1}{2}A^2\right)}{\sqrt{a+b \tan(c+dx)}} dx}{a(a^2 + b^2)}$$

$$= \frac{2b(Ab - aB)}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{A \int \frac{\cot(c+dx)(1+\tan^2(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx}{a} + \frac{2 \int \frac{-\frac{1}{2}a(Ab-aB)\tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{a}$$

$$= \frac{2b(Ab - aB)}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} - \frac{((ia + b)(A + iB)) \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a^2 + b^2)} + \frac{(iA + iB) \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a^2 + b^2)}$$

$$= \frac{2b(Ab - aB)}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(2A) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{abd}$$

$$= -\frac{2A \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}} \right)}{a^{3/2}d} + \frac{2b(Ab - aB)}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(i(A + iB)) \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a^2 + b^2)}$$

$$= -\frac{2A \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}} \right)}{a^{3/2}d} + \frac{(A - iB) \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}} \right)}{(a - ib)^{3/2}d} + \frac{(A + iB) \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a^2 + b^2)}$$

Mathematica [A] time = 1.18229, size = 186, normalized size = 1.09

$$\frac{-\frac{2A(a^2+b^2)\tanh^{-1}\left(\frac{\sqrt{a+b}\tan(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{2b(Ab-aB)}{\sqrt{a+b}\tan(c+dx)} + \frac{a(a+ib)(A-ib)\tanh^{-1}\left(\frac{\sqrt{a+b}\tan(c+dx)}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{a(a-ib)(A+ib)\tanh^{-1}\left(\frac{\sqrt{a+b}\tan(c+dx)}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}}}{ad(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((-2*A*(a^2 + b^2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/Sqrt[a] + (a*(a + I*b)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] + (a*(a - I*b)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b] + (2*b*(A*b - a*B))/Sqrt[a + b*Tan[c + d*x]])/(a*(a^2 + b^2)*d)

Maple [C] time = 1.801, size = 63939, normalized size = 373.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)/(b*tan(d*x + c) + a)^(3/2), x)

$$3.355 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=219

$$-\frac{b(a^2A - 2abB + 3Ab^2)}{a^2d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{(3Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} - \frac{(-B + iA)}{d(a - ib)^{3/2}}$$

[Out] ((3*A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(5/2)*d) + ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) - (b*(a^2*A + 3*A*b^2 - 2*a*b*B))/(a^2*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) - (A*Cot[c + d*x])/(a*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.857862, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3609, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$-\frac{b(a^2A - 2abB + 3Ab^2)}{a^2d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{(3Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{3/2}} - \frac{(-B + iA)}{d(a - ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((3*A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(5/2)*d) + ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) - (b*(a^2*A + 3*A*b^2 - 2*a*b*B))/(a^2*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) - (A*Cot[c + d*x])/(a*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan

$[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx &= -\frac{A \cot(c+dx)}{ad\sqrt{a+b \tan(c+dx)}} - \frac{\int \frac{\cot(c+dx)\left(\frac{1}{2}(3Ab-2aB)+aA \tan(c+dx)+\frac{3}{2}Ab \tan^2(c+dx)\right)}{(a+b \tan(c+dx))^{3/2}} dx}{a} \\
&= -\frac{b(a^2A+3Ab^2-2abB)}{a^2(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot(c+dx)}{ad\sqrt{a+b \tan(c+dx)}} - \frac{2 \int \frac{\cot(c+dx)\left(\frac{1}{4}(a^2-2ab+b^2)\right)}{\sqrt{a+b \tan(c+dx)}} dx}{a^2(a^2+b^2)} \\
&= -\frac{b(a^2A+3Ab^2-2abB)}{a^2(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot(c+dx)}{ad\sqrt{a+b \tan(c+dx)}} - \frac{2 \int \frac{\frac{1}{2}a^2(aA+bB)-\frac{1}{2}a^2}{\sqrt{a+b \tan(c+dx)}} dx}{a^2(a^2+b^2)} \\
&= -\frac{b(a^2A+3Ab^2-2abB)}{a^2(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot(c+dx)}{ad\sqrt{a+b \tan(c+dx)}} - \frac{(A-iB) \int \frac{1+i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a-ib)} \\
&= -\frac{b(a^2A+3Ab^2-2abB)}{a^2(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot(c+dx)}{ad\sqrt{a+b \tan(c+dx)}} + \frac{(i(A+iB)) \operatorname{Subst}\left(\int \frac{1+i \tan(u)}{\sqrt{a+b \tan(u)}} du\right)}{2(a-ib)} \\
&= \frac{(3Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} - \frac{b(a^2A+3Ab^2-2abB)}{a^2(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{aA \cot(c+dx)}{ad\sqrt{a+b \tan(c+dx)}} \\
&= \frac{(3Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{3/2}d} - \frac{(iA-B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 3.56799, size = 208, normalized size = 0.95

$$\frac{-\frac{b(a^2A-2abB+3Ab^2)}{(a^2+b^2)\sqrt{a+b \tan(c+dx)}} + a^2 \left(\frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{3/2}} + \frac{(B-iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{3/2}} \right) + \frac{(3Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}} - \frac{aA \cot(c+dx)}{\sqrt{a+b \tan(c+dx)}}}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (((3*A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/Sqrt[a] + a^2*((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(a - I*b)^(3/2) + (((-I)*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(a + I*b)^(3/2)) - (b*(a^2*A + 3*A*b^2 - 2*a*b*B))/((a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]]) - (a*A*Cot[c + d*x])/Sqrt[a + b*Tan[c + d*x]])/(a^2*d)

Maple [C] time = 2.865, size = 119757, normalized size = 546.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \cot^2(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*cot(c + d*x)**2/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^2}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^2/(b*tan(d*x + c) + a)^(3/2), x)

$$3.356 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=285

$$\frac{b(7a^2Ab - 4a^3B - 12ab^2B + 15Ab^3)}{4a^3d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{(8a^2A + 12abB - 15Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{7/2}d} + \frac{(5Ab - 4aB) \cot(c + dx)}{4a^2d\sqrt{a + b \tan(c + dx)}} - \frac{(A - B) \cot(c + dx)}{4a^2d\sqrt{a + b \tan(c + dx)}}$$

```
[Out] ((8*a^2*A - 15*A*b^2 + 12*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]
/(4*a^(7/2)*d) - ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]
)/((a - I*b)^(3/2)*d) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a
+ I*b]])/((a + I*b)^(3/2)*d) + (b*(7*a^2*A*b + 15*A*b^3 - 4*a^3*B - 12*a*b^
2*B))/(4*a^3*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) + ((5*A*b - 4*a*B)*Cot
[c + d*x])/(4*a^2*d*Sqrt[a + b*Tan[c + d*x]]) - (A*Cot[c + d*x]^2)/(2*a*d*S
qrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.20969, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3609, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{b(7a^2Ab - 4a^3B - 12ab^2B + 15Ab^3)}{4a^3d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} + \frac{(8a^2A + 12abB - 15Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{7/2}d} + \frac{(5Ab - 4aB) \cot(c + dx)}{4a^2d\sqrt{a + b \tan(c + dx)}} - \frac{(A - B) \cot(c + dx)}{4a^2d\sqrt{a + b \tan(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((8*a^2*A - 15*A*b^2 + 12*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]
/(4*a^(7/2)*d) - ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]
)/((a - I*b)^(3/2)*d) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a
+ I*b]])/((a + I*b)^(3/2)*d) + (b*(7*a^2*A*b + 15*A*b^3 - 4*a^3*B - 12*a*b^
2*B))/(4*a^3*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]) + ((5*A*b - 4*a*B)*Cot
[c + d*x])/(4*a^2*d*Sqrt[a + b*Tan[c + d*x]]) - (A*Cot[c + d*x]^2)/(2*a*d*S
qrt[a + b*Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
```

b^2), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx = -\frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}} - \frac{\int \frac{\cot^2(c+dx)\left(\frac{1}{2}(5Ab-4aB)+2aA \tan(c+dx)+\frac{5}{2}Ab \tan^2(c+dx)\right)}{(a+b \tan(c+dx))^{3/2}} dx}{2a}$$

$$= \frac{(5Ab-4aB) \cot(c+dx)}{4a^2d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}} + \frac{\int \frac{\cot(c+dx)\left(\frac{1}{4}(-8a^2A+15Ab^2-\dots)}{\dots}\right)}{\dots}}{\dots}$$

$$= \frac{b(7a^2Ab+15Ab^3-4a^3B-12ab^2B)}{4a^3(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{(5Ab-4aB) \cot(c+dx)}{4a^2d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}}$$

$$= \frac{b(7a^2Ab+15Ab^3-4a^3B-12ab^2B)}{4a^3(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{(5Ab-4aB) \cot(c+dx)}{4a^2d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}}$$

$$= \frac{b(7a^2Ab+15Ab^3-4a^3B-12ab^2B)}{4a^3(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{(5Ab-4aB) \cot(c+dx)}{4a^2d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}}$$

$$= \frac{b(7a^2Ab+15Ab^3-4a^3B-12ab^2B)}{4a^3(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{(5Ab-4aB) \cot(c+dx)}{4a^2d\sqrt{a+b \tan(c+dx)}} - \frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}}$$

$$= \frac{(8a^2A-15Ab^2+12abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{7/2}d} + \frac{b(7a^2Ab+15Ab^3-4a^3B-12ab^2B)}{4a^3(a^2+b^2)d\sqrt{a+b \tan(c+dx)}}$$

$$= \frac{(8a^2A-15Ab^2+12abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{7/2}d} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{3/2}d}$$

Mathematica [A] time = 6.21701, size = 409, normalized size = 1.44

$$\frac{A \cot^2(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}} - \frac{(5Ab-4aB) \cot(c+dx)}{2ad\sqrt{a+b \tan(c+dx)}} - \frac{2\left(\frac{1}{4}b^2(-8a^2A-12abB+15Ab^2)-a(-2a^2bB-\frac{3}{4}ab(5Ab-4aB))\right)}{ad(a^2+b^2)\sqrt{a+b \tan(c+dx)}} + \frac{\left(\frac{(a^2+b^2)(8a^2A+12abB-15Ab^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ad}}\right)}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -(A*Cot[c + d*x]^2)/(2*a*d*Sqrt[a + b*Tan[c + d*x]]) - (-((5*A*b - 4*a*B)*Cot[c + d*x])/(2*a*d*Sqrt[a + b*Tan[c + d*x]]) - ((2*(((a^2 + b^2)*(8*a^2*A - 15*A*b^2 + 12*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(4*Sqrt[a]*d) + (I*Sqrt[a - I*b]*(a^3*(A*b - a*B) - I*a^3*(a*A + b*B))*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((-a + I*b)*d) - (I*Sqrt[a + I*b]*(a^3*(A*b - a*B) + I*a^3*(a*A + b*B))*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((-a - I*b)*d))/(a*(a^2 + b^2)) + (2*((b^2*(-8*a^2*A + 15*A*b^2 - 12*a*b*B))/4 - a*(-2*a^2*b*B - (3*a*b*(5*A*b - 4*a*B))/4)))/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]]))/a)/(2*a)

Maple [C] time = 3.467, size = 174418, normalized size = 612.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^3}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^3/(b*tan(d*x + c) + a)^(3/2), x)
```

$$3.357 \quad \int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=371

$$\frac{2a(Ab - aB) \tan^3(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2a(a^2Ab - 2a^3B - 4ab^2B + 3Ab^3) \tan^2(c + dx)}{b^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{2(4a^3Ab - 15a^2b^2B - 8a^4B + 15ab^3)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}}$$

```
[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(5/2)*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(5/2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^3)/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*Tan[c + d*x]^2)/(b^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]]) + (2*(8*a^4*A*b + 17*a^2*A*b^3 + 3*A*b^5 - 16*a^5*B - 30*a^3*b^2*B - 8*a*b^4*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^4*(a^2 + b^2)^2*d) - (2*(4*a^3*A*b + 10*a*A*b^3 - 8*a^4*B - 15*a^2*b^2*B - b^4*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*b^3*(a^2 + b^2)^2*d)
```

Rubi [A] time = 1.04536, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3605, 3645, 3647, 3630, 3539, 3537, 63, 208}

$$\frac{2a(Ab - aB) \tan^3(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2a(a^2Ab - 2a^3B - 4ab^2B + 3Ab^3) \tan^2(c + dx)}{b^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{2(4a^3Ab - 15a^2b^2B - 8a^4B + 15ab^3)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(5/2)*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(5/2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^3)/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*Tan[c + d*x]^2)/(b^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]]) + (2*(8*a^4*A*b + 17*a^2*A*b^3 + 3*A*b^5 - 16*a^5*B - 30*a^3*b^2*B - 8*a*b^4*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^4*(a^2 + b^2)^2*d) - (2*(4*a^3*A*b + 10*a*A*b^3 - 8*a^4*B - 15*a^2*b^2*B - b^4*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*b^3*(a^2 + b^2)^2*d)
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645


```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && (!IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Si
mp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^4(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2 \int \frac{\tan^2(c+dx) \left(-3a(Ab-aB) + \frac{3}{2}b(Ab-aB) \tan(c+dx) \right)}{(a+b \tan(c+dx))^{5/2}} dx}{3b(a^2+b^2)} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= \frac{2a(Ab-aB) \tan^3(c+dx)}{3b(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{2a(a^2Ab+3Ab^3-2a^3B-4ab^2B) \tan^2(c+dx)}{b^2(a^2+b^2)^2 d \sqrt{a+b \tan(c+dx)}} \\
&= -\frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{5/2}d} + \frac{(iA-B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{5/2}d} + \frac{2a}{3b(a^2+b^2)}
\end{aligned}$$

Mathematica [C] time = 6.3233, size = 450, normalized size = 1.21

$$\frac{2B \tan^3(c + dx)}{3bd(a + b \tan(c + dx))^{3/2}} + \frac{3(Ab - 2aB) \tan^2(c + dx)}{bd(a + b \tan(c + dx))^{3/2}} + \frac{3(-8a^2B + 4aAb + b^2B) \tan(c + dx)}{2bd(a + b \tan(c + dx))^{3/2}} - \frac{2(8a^2Ab - 16a^3B + 2ab^2B + Ab^3)}{3b(a + b \tan(c + dx))^{3/2}} + \frac{\left(\frac{3}{2}ab^4B - \frac{3Ab^5}{2}\right) \text{Hypergeometric2F1}\left[-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a + b \tan(c + dx)}{a - Ib}\right]}{3(Ia + b)(a + b \tan(c + dx))^{3/2}} + \frac{\text{Hypergeometric2F1}\left[-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a + b \tan(c + dx)}{a + Ib}\right]}{3(Ia - b)(a + b \tan(c + dx))^{3/2}} - \frac{3b^3B(-\text{Hypergeometric2F1}\left[-\frac{1}{2}, 1, \frac{1}{2}, \frac{a + b \tan(c + dx)}{a - Ib}\right])}{(Ia + b)\sqrt{a + b \tan(c + dx)}} + \frac{\text{Hypergeometric2F1}\left[-\frac{1}{2}, 1, \frac{1}{2}, \frac{a + b \tan(c + dx)}{a + Ib}\right]}{(Ia - b)\sqrt{a + b \tan(c + dx)}} \Big/ (4bd) \Big/ (3b)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^4*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] (2*B*Tan[c + d*x]^3)/(3*b*d*(a + b*Tan[c + d*x])^(3/2)) + (2*((3*(A*b - 2*a*B)*Tan[c + d*x]^2)/(b*d*(a + b*Tan[c + d*x])^(3/2)) + (2*((3*(4*a*A*b - 8*a^2*B + b^2*B)*Tan[c + d*x]))/(2*b*d*(a + b*Tan[c + d*x])^(3/2)) - (3*((-2*(8*a^2*A*b + A*b^3 - 16*a^3*B + 2*a*b^2*B))/(3*b*(a + b*Tan[c + d*x])^(3/2)) + (2*(((3*A*b^5)/2 + (3*a*b^4*B)/2)*(-Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Tan[c + d*x])/(a - I*b)]/(3*(I*a + b)*(a + b*Tan[c + d*x])^(3/2)) + Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Tan[c + d*x])/(a + I*b)]/(3*(I*a - b)*(a + b*Tan[c + d*x])^(3/2)))))/b - (3*b^3*B*(-(Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a - I*b)]/((I*a + b)*Sqrt[a + b*Tan[c + d*x]])) + Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a + I*b)]/((I*a - b)*Sqrt[a + b*Tan[c + d*x]])))/2))/(3*b)))/(4*b*d))/b)/(3*b)
```

Maple [B] time = 0.137, size = 12953, normalized size = 34.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^4}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^4*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^4/(b*tan(d*x + c) + a)^(5/2), x)
```

$$3.358 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=261

$$\frac{2a(Ab - aB) \tan^2(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} - \frac{2a^2(a^2 Ab - 4a^3 B - 10ab^2 B + 7Ab^3)}{3b^3 d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{2(-4a^2 B + aAb - 3b^2 B) \sqrt{a + b \tan(c + dx)}}{3b^3 d(a^2 + b^2)}$$

[Out] $((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^{(5/2)}*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^{(5/2)}*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^2)/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^{(3/2)}) - (2*a^2*(a^2*A*b + 7*A*b^3 - 4*a^3*B - 10*a*b^2*B))/(3*b^3*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]]) - (2*(a*A*b - 4*a^2*B - 3*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^3*(a^2 + b^2)*d)$

Rubi [A] time = 0.712448, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3605, 3635, 3630, 3539, 3537, 63, 208}

$$\frac{2a(Ab - aB) \tan^2(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} - \frac{2a^2(a^2 Ab - 4a^3 B - 10ab^2 B + 7Ab^3)}{3b^3 d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{2(-4a^2 B + aAb - 3b^2 B) \sqrt{a + b \tan(c + dx)}}{3b^3 d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] $((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^{(5/2)}*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^{(5/2)}*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^2)/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^{(3/2)}) - (2*a^2*(a^2*A*b + 7*A*b^3 - 4*a^3*B - 10*a*b^2*B))/(3*b^3*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]]) - (2*(a*A*b - 4*a^2*B - 3*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(3*b^3*(a^2 + b^2)*d)$

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta

```
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Si
mp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2\int \frac{\tan(c+dx)\left(-2a(Ab-aB)+\frac{3}{2}b(Ab-aB)\tan(c+dx)\right)}{(a+b\tan(c+dx))^{3/2}} dx}{3b(a^2+b^2)} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2a^2(a^2Ab+7Ab^3-4a^3B-10ab^2B)}{3b^3(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2a^2(a^2Ab+7Ab^3-4a^3B-10ab^2B)}{3b^3(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2a^2(a^2Ab+7Ab^3-4a^3B-10ab^2B)}{3b^3(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2a^2(a^2Ab+7Ab^3-4a^3B-10ab^2B)}{3b^3(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2a^2(a^2Ab+7Ab^3-4a^3B-10ab^2B)}{3b^3(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\tan^2(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2a^2(a^2Ab+7Ab^3-4a^3B-10ab^2B)}{3b^3(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{(A-ib)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{5/2}d} + \frac{(A+ib)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{5/2}d} + \frac{2}{3b(a^2+b^2)}
\end{aligned}$$

Mathematica [C] time = 3.31298, size = 309, normalized size = 1.18

$$\frac{-b^2(aA+bB)\left(i(a+ib)\operatorname{Hypergeometric2F1}\left(-\frac{3}{2},1,-\frac{1}{2},\frac{a+b\tan(c+dx)}{a-ib}\right)-(b+ia)\operatorname{Hypergeometric2F1}\left(-\frac{3}{2},1,-\frac{1}{2},\frac{a+b\tan(c+dx)}{a+ib}\right)\right)}{(a^2+b^2)^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] $-(-2*(a - I*b)*(a + I*b)*(-2*a*A*b + 8*a^2*B + b^2*B) - b^2*(a*A + b*B)*(I*(a + I*b)*\operatorname{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b*\operatorname{Tan}[c + d*x])]/(a - I*b)] - (I*a + b)*\operatorname{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b*\operatorname{Tan}[c + d*x])]/(a + I*b)] - 6*(a - I*b)*(a + I*b)*b*(-(A*b) + 4*a*B)*\operatorname{Tan}[c + d*x] - 6*(a - I*b)*(a + I*b)*b^2*B*\operatorname{Tan}[c + d*x]^2 + 3*A*b^2*(I*(a + I*b)*\operatorname{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b*\operatorname{Tan}[c + d*x])]/(a - I*b)] - (I*a + b)*\operatorname{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b*\operatorname{Tan}[c + d*x])]/(a + I*b))*(a + b*\operatorname{Tan}[c + d*x])/(3*b^3*(a^2 + b^2)*d*(a + b*\operatorname{Tan}[c + d*x])^(3/2))$

Maple [B] time = 0.13, size = 12907, normalized size = 49.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^3(c + dx)}{(a + b \tan(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**3/(a + b*tan(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^3}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^3/(b*tan(d*x + c) + a)^(5/2), x)

$$3.359 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=198

$$\frac{2a^2(Ab - aB)}{3b^2d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - aB(a^2 + 3b^2))}{b^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} - \frac{(-B - iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}}$$

[Out] ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) - (2*a^2*(A*b - a*B))/(3*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.529017, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3604, 3628, 3539, 3537, 63, 208}

$$\frac{2a^2(Ab - aB)}{3b^2d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - aB(a^2 + 3b^2))}{b^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} - \frac{(-B - iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) - (2*a^2*(A*b - a*B))/(3*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1

- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{\tan^2(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx = -\frac{2a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{\int \frac{-a(Ab - aB) + b(Ab - aB) \tan(c + dx) + (a^2 + b^2)B \tan^2(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx}{b(a^2 + b^2)}$$

$$= -\frac{2a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a(a^2 + 3b^2)B)}{b^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \dots$$

$$= -\frac{2a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a(a^2 + 3b^2)B)}{b^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \dots$$

$$= -\frac{2a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a(a^2 + 3b^2)B)}{b^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \dots$$

$$= -\frac{2a^2(Ab - aB)}{3b^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a(a^2 + 3b^2)B)}{b^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \dots$$

$$= \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a - ib)^{5/2}d} - \frac{(iA - B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a + ib)^{5/2}d} - \frac{\dots}{3b^2(a^2 + b^2)}$$

Mathematica [C] time = 0.941611, size = 260, normalized size = 1.31

$$b(Ab - aB) \left(i(a + ib) \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a+b \tan(c+dx)}{a-ib}\right) - (b + ia) \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a+b \tan(c+dx)}{a+ib}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] $-(2*(a - I*b)*(a + I*b)*(A*b + 2*a*B) + b*(A*b - a*B)*(I*(a + I*b)*\text{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b*\text{Tan}[c + d*x])/(a - I*b)] - (I*a + b)*\text{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b*\text{Tan}[c + d*x])/(a + I*b)]) + 6*(a - I*b)*(a + I*b)*b*B*\text{Tan}[c + d*x] + 3*b*B*(I*(a + I*b)*\text{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b*\text{Tan}[c + d*x])/(a - I*b)] - (I*a + b)*\text{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b*\text{Tan}[c + d*x])/(a + I*b)])*(a + b*\text{Tan}[c + d*x]))/(3*b^2*(a^2 + b^2)*d*(a + b*\text{Tan}[c + d*x])^(3/2))$

Maple [B] time = 0.102, size = 12849, normalized size = 64.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^2(c + dx)}{(a + b \tan(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**2/(a + b*tan(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^2}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^2/(b*tan(d*x + c) + a)^(5/2), x)

$$3.360 \quad \int \frac{\tan(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=188

$$\frac{2a(Ab - aB)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2(a^2A + 2abB - Ab^2)}{d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{5/2}}$$

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(5/2)*d)) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(5/2)*d) + (2*a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*(a^2*A - A*b^2 + 2*a*b*B))/((a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.400631, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3591, 3529, 3539, 3537, 63, 208}

$$\frac{2a(Ab - aB)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2(a^2A + 2abB - Ab^2)}{d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] -(((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(5/2)*d)) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(5/2)*d) + (2*a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*(a^2*A - A*b^2 + 2*a*b*B))/((a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -

$a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{!IntegerQ}[m]$

Rule 3537

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] \text{ :> Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 63

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \text{ :> With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \text{ :> Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\tan(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{\int \frac{Ab - aB + (aA + bB)\tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx}{a^2 + b^2} \\ &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2(a^2A - Ab^2 + 2abB)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{2aAb - a^2A - b^2B}{(a + b \tan(c + dx))^{3/2}} dx}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\ &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2(a^2A - Ab^2 + 2abB)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{(iA - B)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\ &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2(a^2A - Ab^2 + 2abB)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{(A - iB)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\ &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2(a^2A - Ab^2 + 2abB)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \frac{(i(A + B))}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\ &= -\frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{5/2}d} - \frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{5/2}d} + \frac{2a(Ab - aB)}{3b(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 3.62852, size = 325, normalized size = 1.73

$$\frac{2a(a^2 + b^2)(Ab - aB)}{(a + b \tan(c + dx))^{3/2}} + \frac{6b(a^2A + 2abB - Ab^2)}{\sqrt{a + b \tan(c + dx)}} + \frac{3b\left(a^2\left(-A\sqrt{-b^2 + bB}\right) + 2ab\left(Ab - \sqrt{-b^2}B\right) + b^2\left(A\sqrt{-b^2 + bB}\right)\right) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - \sqrt{-b^2}}}\right) - 3b\left(a^2A\sqrt{-b^2} - a^2bB + 2abA\right) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + \sqrt{-b^2}}}\right)}{\sqrt{-b^2} \sqrt{a - \sqrt{-b^2}}}$$

$$3bd(a^2 + b^2)^2$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

```
[Out] ((3*b*(-a^2*(A*Sqrt[-b^2] + b*B)) + b^2*(A*Sqrt[-b^2] + b*B) + 2*a*b*(A*b
- Sqrt[-b^2]*B))*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - Sqrt[-b^2]]])/(S
qrt[-b^2]*Sqrt[a - Sqrt[-b^2]]) - (3*b*(2*a*A*b^2 + a^2*A*Sqrt[-b^2] + A*(-
b^2)^(3/2) - a^2*b*B + b^3*B + 2*a*b*Sqrt[-b^2]*B)*ArcTanh[Sqrt[a + b*Tan[c
+ d*x]]/Sqrt[a + Sqrt[-b^2]]])/(Sqrt[-b^2]*Sqrt[a + Sqrt[-b^2]]) + (2*a*(a
^2 + b^2)*(A*b - a*B))/(a + b*Tan[c + d*x])^(3/2) + (6*b*(a^2*A - A*b^2 + 2
*a*b*B))/Sqrt[a + b*Tan[c + d*x]]/(3*b*(a^2 + b^2)^2*d)
```

Maple [B] time = 0.1, size = 12841, normalized size = 68.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="
maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="
fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan(c + dx)}{(a + b \tan(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)
```

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)/(a + b*tan(c + d*x))^(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)/(b*tan(d*x + c) + a)^(5/2), x)

$$3.361 \quad \int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=185

$$\frac{2(Ab - aB)}{3d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} - \frac{2(a^2(-B) + 2aAb + b^2B)}{d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} + \frac{(-B + iA)}{d(a - ib)^{5/2}}$$

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(5/2)*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(5/2)*d) - (2*(A*b - a*B))/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (2*(2*a*A*b - a^2*B + b^2*B))/((a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.364245, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3529, 3539, 3537, 63, 208}

$$\frac{2(Ab - aB)}{3d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} - \frac{2(a^2(-B) + 2aAb + b^2B)}{d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} + \frac{(-B + iA)}{d(a - ib)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(5/2), x]

[Out] -(((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(5/2)*d)) + ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(5/2)*d) - (2*(A*b - a*B))/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (2*(2*a*A*b - a^2*B + b^2*B))/((a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^{5/2}} dx = -\frac{2(Ab - aB)}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{\int \frac{aA + bB - (Ab - aB) \tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx}{a^2 + b^2}$$

$$= -\frac{2(Ab - aB)}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} - \frac{2(2aAb - a^2B + b^2B)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{a^2A - Ab^2 + 2abB - (2aAb - a^2B + b^2B) \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{(a^2 + b^2)^2}$$

$$= -\frac{2(Ab - aB)}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} - \frac{2(2aAb - a^2B + b^2B)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(a - ib)}$$

$$= -\frac{2(Ab - aB)}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} - \frac{2(2aAb - a^2B + b^2B)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \frac{(iA - B) \operatorname{Subst}\left(\int \frac{1 + i \tan(x)}{\sqrt{a + b \tan(x)}} dx\right)}{2(a - ib)}$$

$$= -\frac{2(Ab - aB)}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} - \frac{2(2aAb - a^2B + b^2B)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1 + i \tan(x)}{\sqrt{a + b \tan(x)}} dx\right)}{2(a - ib)}$$

$$= -\frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{5/2}d} + \frac{(iA - B) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{5/2}d} - \frac{2(Ab - aB)}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}}$$

Mathematica [C] time = 0.14876, size = 115, normalized size = 0.62

$$\frac{i \left(\frac{(A + iB) \operatorname{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a + b \tan(c + dx)}{a + ib}\right)}{a + ib} - \frac{(A - iB) \operatorname{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a + b \tan(c + dx)}{a - ib}\right)}{a - ib} \right)}{3d(a + b \tan(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((-I/3)*(-(((A - I*B)*Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Tan[c + d*x])
/(a - I*b)])/(a - I*b)) + ((A + I*B)*Hypergeometric2F1[-3/2, 1, -1/2, (a +
b*Tan[c + d*x])/(a + I*b)])/(a + I*b)))/(d*(a + b*Tan[c + d*x])^(3/2))
```

Maple [B] time = 0.107, size = 12836, normalized size = 69.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)`

[Out] `Integral((A + B*tan(c + d*x))/(a + b*tan(c + d*x))**(5/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)/(b*tan(d*x + c) + a)^(5/2), x)`

$$3.362 \quad \int \frac{\cot(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=224

$$\frac{2b(Ab - aB)}{3ad(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2b(3a^2Ab - 2a^3B + Ab^3)}{a^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d(a - iB)}$$

[Out] (-2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(5/2)*d) + ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) + (2*b*(A*b - a*B))/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(a^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.918239, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3609, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{2b(Ab - aB)}{3ad(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2b(3a^2Ab - 2a^3B + Ab^3)}{a^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} - \frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{d(a - iB)}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] (-2*A*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(5/2)*d) + ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) + ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) + (2*b*(A*b - a*B))/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(a^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(

$m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d) * (A*b - a*B - b*C)*\text{Tan}[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*\text{Tan}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n * Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2]), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \frac{\cot(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{5/2}} dx &= \frac{2b(Ab-aB)}{3a(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2 \int \frac{\cot(c+dx)\left(\frac{3}{2}A(a^2+b^2) - \frac{3}{2}a(Ab-aB)\tan(c+dx) + \frac{3}{2}a^2\right)}{(a+b\tan(c+dx))^{3/2}}}{3a(a^2+b^2)} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2b(3a^2Ab+Ab^3-2a^3B)}{a^2(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} + \frac{4 \int \frac{\cot(c+dx)}{(a+b\tan(c+dx))^{3/2}}}{3a(a^2+b^2)} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2b(3a^2Ab+Ab^3-2a^3B)}{a^2(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} + \frac{A \int \frac{\cot(c+dx)}{(a+b\tan(c+dx))^{3/2}}}{3a(a^2+b^2)} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2b(3a^2Ab+Ab^3-2a^3B)}{a^2(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} - \frac{(iA-iB) \int \frac{\cot(c+dx)}{(a+b\tan(c+dx))^{3/2}}}{3a(a^2+b^2)} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2b(3a^2Ab+Ab^3-2a^3B)}{a^2(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} + \frac{(2A-2B) \int \frac{\cot(c+dx)}{(a+b\tan(c+dx))^{3/2}}}{3a(a^2+b^2)} \\
&= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{2b(Ab-aB)}{3a(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2b(3a^2Ab+Ab^3-2a^3B)}{a^2(a^2+b^2)^2 d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2A \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{5/2}d} + \frac{(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 4.89794, size = 242, normalized size = 1.08

$$\frac{2 \left(\frac{3b(3a^2Ab-2a^3B+Ab^3)}{a(a^2+b^2)\sqrt{a+b\tan(c+dx)}} - \frac{3A(a^2+b^2) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b(Ab-aB)}{(a+b\tan(c+dx))^{3/2}} + \frac{3a(a+ib)(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a-ib}}\right)}{2(a-ib)^{3/2}} + \frac{3a(a-ib)(A+iB) \tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{a+ib}}\right)}{2(a+ib)^{3/2}} \right)}{3ad(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] (2*((-3*A*(a^2 + b^2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/a^(3/2) + (3*a*(a + I*b)*(A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/(2*(a - I*b)^(3/2)) + (3*a*(a - I*b)*(A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(2*(a + I*b)^(3/2)) + (b*(A*b - a*B))/(a + b*Tan[c + d*x])^(3/2) + (3*b*(3*a^2*A*b + A*b^3 - 2*a^3*B))/(a*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]])))/(3*a*(a^2 + b^2)*d)

Maple [C] time = 5.095, size = 185586, normalized size = 828.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)/(b*tan(d*x + c) + a)^(5/2), x)

$$3.363 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=289

$$\frac{b(3a^2A - 2abB + 5Ab^2)}{3a^2d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} - \frac{b(10a^2Ab^2 + a^4A - 6a^3bB - 2ab^3B + 5Ab^4)}{a^3d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{(5Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{7/2}d}$$

[Out] ((5*A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(7/2)*d) + ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) - (b*(3*a^2*A + 5*A*b^2 - 2*a*b*B))/(3*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x])^(3/2)) - (b*(a^4*A + 10*a^2*A*b^2 + 5*A*b^4 - 6*a^3*b*B - 2*a*b^3*B))/(a^3*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 1.25245, antiderivative size = 289, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3609, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{b(3a^2A - 2abB + 5Ab^2)}{3a^2d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} - \frac{b(10a^2Ab^2 + a^4A - 6a^3bB - 2ab^3B + 5Ab^4)}{a^3d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{(5Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((5*A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(a^(7/2)*d) + ((I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) - ((I*A - B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) - (b*(3*a^2*A + 5*A*b^2 - 2*a*b*B))/(3*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (A*Cot[c + d*x])/(a*d*(a + b*Tan[c + d*x])^(3/2)) - (b*(a^4*A + 10*a^2*A*b^2 + 5*A*b^4 - 6*a^3*b*B - 2*a*b^3*B))/(a^3*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +

b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx = -\frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^{3/2}} - \int \frac{\cot(c+dx) \left(\frac{1}{2}(5Ab-2aB)+aA \tan(c+dx)+\frac{5}{2}Ab \tan^2(c+dx) \right)}{(a+b \tan(c+dx))^{5/2}} dx$$

$$= -\frac{b(3a^2A+5Ab^2-2abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^{3/2}} - \frac{2 \int \frac{\cot(c+dx)}{(a+b \tan(c+dx))^{5/2}} dx}{a^3(a^2+b^2)}$$

$$= -\frac{b(3a^2A+5Ab^2-2abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^{3/2}} - \frac{b(a^4A+10a^2Ab^2+5a^2b^3B)}{a^3(a^2+b^2)}$$

$$= -\frac{b(3a^2A+5Ab^2-2abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^{3/2}} - \frac{b(a^4A+10a^2Ab^2+5a^2b^3B)}{a^3(a^2+b^2)}$$

$$= -\frac{b(3a^2A+5Ab^2-2abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^{3/2}} - \frac{b(a^4A+10a^2Ab^2+5a^2b^3B)}{a^3(a^2+b^2)}$$

$$= -\frac{b(3a^2A+5Ab^2-2abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} - \frac{A \cot(c+dx)}{ad(a+b \tan(c+dx))^{3/2}} - \frac{b(a^4A+10a^2Ab^2+5a^2b^3B)}{a^3(a^2+b^2)}$$

$$= \frac{(5Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{7/2}d} - \frac{b(3a^2A+5Ab^2-2abB)}{3a^2(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} - \frac{b(a^4A+10a^2Ab^2+5a^2b^3B)}{a^3(a^2+b^2)}$$

$$= \frac{(5Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{7/2}d} + \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{5/2}d} - \frac{(iA+B)(a^4A+10a^2Ab^2+5a^2b^3B)}{a^3(a^2+b^2)}$$

Mathematica [A] time = 4.87337, size = 306, normalized size = 1.06

$$\frac{b(-3a^2A+2abB-5Ab^2)}{(a^2+b^2)(a+b \tan(c+dx))^{3/2}} + \frac{3 \left(-\frac{b(10a^2Ab^2+a^4A-6a^3bB-2ab^3B+5Ab^4)}{\sqrt{a+b \tan(c+dx)}} + \frac{(a^2+b^2)^2(5Ab-2aB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{a^3(a+ib)^2(B+iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{a^3(a-b)^2(B-iA) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}} \right)}{3a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^2*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((b*(-3*a^2*A - 5*A*b^2 + 2*a*b*B))/((a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2)) - (3*a*A*Cot[c + d*x])/(a + b*Tan[c + d*x])^(3/2) + (3*(((a^2 + b^2)^2*(5*A*b - 2*a*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/Sqrt[a] + (a^3*(a + I*b)^2*(I*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/Sqrt[a - I*b] + (a^3*(a - I*b)^2*(-I)*A + B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/Sqrt[a + I*b] - (b*(a^4*A + 10*a^2*A*b^2 + 5*A*b^4 - 6*a^3*b*B - 2*a*b^3*B))/Sqrt[a + b*Tan[c + d*x]))/(a*(a^2 + b^2)^2)/(3*a^2*d)
```

Maple [C] time = 9.231, size = 339349, normalized size = 1174.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^2}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^2*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^2/(b*tan(d*x + c) + a)^(5/2), x)
```

$$3.364 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=364

$$\frac{b(62a^2Ab^3 + 11a^4Ab - 40a^3b^2B - 4a^5B - 20ab^4B + 35Ab^5)}{4a^4d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{b(27a^2Ab - 12a^3B - 20ab^2B + 35Ab^3)}{12a^3d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{(8a^2A + 20ab^2B)}{4a^4d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}}$$

```
[Out] ((8*a^2*A - 35*A*b^2 + 20*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]
/(4*a^(9/2)*d) - ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]
)/((a - I*b)^(5/2)*d) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a
+ I*b]])/((a + I*b)^(5/2)*d) + (b*(27*a^2*A*b + 35*A*b^3 - 12*a^3*B - 20*a*
b^2*B))/(12*a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + ((7*A*b - 4*a*B
)*Cot[c + d*x])/(4*a^2*d*(a + b*Tan[c + d*x])^(3/2)) - (A*Cot[c + d*x]^2)/(
2*a*d*(a + b*Tan[c + d*x])^(3/2)) + (b*(11*a^4*A*b + 62*a^2*A*b^3 + 35*A*b^
5 - 4*a^5*B - 40*a^3*b^2*B - 20*a*b^4*B))/(4*a^4*(a^2 + b^2)^2*d*Sqrt[a + b
*Tan[c + d*x]])
```

Rubi [A] time = 1.63428, antiderivative size = 364, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {3609, 3649, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{b(62a^2Ab^3 + 11a^4Ab - 40a^3b^2B - 4a^5B - 20ab^4B + 35Ab^5)}{4a^4d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{b(27a^2Ab - 12a^3B - 20ab^2B + 35Ab^3)}{12a^3d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{(8a^2A + 20ab^2B)}{4a^4d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2),x]
```

```
[Out] ((8*a^2*A - 35*A*b^2 + 20*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]
/(4*a^(9/2)*d) - ((A - I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]
)/((a - I*b)^(5/2)*d) - ((A + I*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a
+ I*b]])/((a + I*b)^(5/2)*d) + (b*(27*a^2*A*b + 35*A*b^3 - 12*a^3*B - 20*a*
b^2*B))/(12*a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + ((7*A*b - 4*a*B
)*Cot[c + d*x])/(4*a^2*d*(a + b*Tan[c + d*x])^(3/2)) - (A*Cot[c + d*x]^2)/(
2*a*d*(a + b*Tan[c + d*x])^(3/2)) + (b*(11*a^4*A*b + 62*a^2*A*b^3 + 35*A*b^
5 - 4*a^5*B - 40*a^3*b^2*B - 20*a*b^4*B))/(4*a^4*(a^2 + b^2)^2*d*Sqrt[a + b
*Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n +
2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &&
(IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3539

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

```

Rule 3537

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 3634

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)]^(n_.)*((A_.) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx &= -\frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^{3/2}} - \frac{\int \frac{\cot^2(c+dx)\left(\frac{1}{2}(7Ab-4aB)+2aA \tan(c+dx)+\frac{7}{2}Ab \tan^2(c+dx)\right)}{(a+b \tan(c+dx))^{5/2}} dx}{2a} \\
&= \frac{(7Ab-4aB) \cot(c+dx)}{4a^2d(a+b \tan(c+dx))^{3/2}} - \frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^{3/2}} + \frac{\int \frac{\cot(c+dx)\left(\frac{1}{4}(-8a^2A+35a^2B)\right)}{(a+b \tan(c+dx))^{5/2}} dx}{2a} \\
&= \frac{b(27a^2Ab+35Ab^3-12a^3B-20ab^2B)}{12a^3(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{(7Ab-4aB) \cot(c+dx)}{4a^2d(a+b \tan(c+dx))^{3/2}} - \frac{A}{2ad(a+b \tan(c+dx))^{3/2}} \\
&= \frac{b(27a^2Ab+35Ab^3-12a^3B-20ab^2B)}{12a^3(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{(7Ab-4aB) \cot(c+dx)}{4a^2d(a+b \tan(c+dx))^{3/2}} - \frac{A}{2ad(a+b \tan(c+dx))^{3/2}} \\
&= \frac{b(27a^2Ab+35Ab^3-12a^3B-20ab^2B)}{12a^3(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{(7Ab-4aB) \cot(c+dx)}{4a^2d(a+b \tan(c+dx))^{3/2}} - \frac{A}{2ad(a+b \tan(c+dx))^{3/2}} \\
&= \frac{b(27a^2Ab+35Ab^3-12a^3B-20ab^2B)}{12a^3(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{(7Ab-4aB) \cot(c+dx)}{4a^2d(a+b \tan(c+dx))^{3/2}} - \frac{A}{2ad(a+b \tan(c+dx))^{3/2}} \\
&= \frac{b(27a^2Ab+35Ab^3-12a^3B-20ab^2B)}{12a^3(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} + \frac{(7Ab-4aB) \cot(c+dx)}{4a^2d(a+b \tan(c+dx))^{3/2}} - \frac{A}{2ad(a+b \tan(c+dx))^{3/2}} \\
&= \frac{(8a^2A-35Ab^2+20abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{9/2}d} + \frac{b(27a^2Ab+35Ab^3-12a^3B-20ab^2B)}{12a^3(a^2+b^2)d(a+b \tan(c+dx))^{3/2}} \\
&= \frac{(8a^2A-35Ab^2+20abB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{4a^{9/2}d} - \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 6.29067, size = 593, normalized size = 1.63

$$\frac{A \cot^2(c+dx)}{2ad(a+b \tan(c+dx))^{3/2}} - \frac{(7Ab-4aB) \cot(c+dx)}{2ad(a+b \tan(c+dx))^{3/2}} - \frac{2\left(\frac{1}{4}b^2(-8a^2A-20abB+35Ab^2)-a(-2a^2bB-\frac{5}{4}ab(7Ab-4aB))\right)}{3ad(a^2+b^2)(a+b \tan(c+dx))^{3/2}} + \frac{2\left(-\frac{3}{8}b^2(a^2+b^2)(8a^2A+20abB-35Ab^2)-a\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)\right)}{ad(a^2+b^2)(a+b \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^3*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] -(A*Cot[c + d*x]^2)/(2*a*d*(a + b*Tan[c + d*x])^(3/2)) - (-((7*A*b - 4*a*B)*Cot[c + d*x])/(2*a*d*(a + b*Tan[c + d*x])^(3/2)) - ((2*((b^2*(-8*a^2*A + 35*A*b^2 - 20*a*b*B))/4 - a*(-2*a^2*b*B - (5*a*b*(7*A*b - 4*a*B))/4)))/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*((2*((3*(a^2 + b^2)^2*(8*a^2*A - 35*A*b^2 + 20*a*b*B)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(8*Sqrt[a]*d) + (I*Sqrt[a - I*b]*((-3*I)/2)*a^4*(a^2*A - A*b^2 + 2*a*b*B) + (3*a^4*(2*a*A*b - a^2*B + b^2*B))/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a -

$$\frac{I*b]]/((-a + I*b)*d) - (I*\text{Sqrt}[a + I*b]*(((3*I)/2)*a^4*(a^2*A - A*b^2 + 2*a*b*B) + (3*a^4*(2*a*A*b - a^2*B + b^2*B))/2)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a + I*b]]/((-a - I*b)*d)))/(a*(a^2 + b^2)) + (2*((-3*b^2*(a^2 + b^2)*(8*a^2*A - 35*A*b^2 + 20*a*b*B))/8 - a*(3*a^3*b*(A*b - a*B) - (3*a*b*(27*a^2*A*b + 35*A*b^3 - 12*a^3*B - 20*a*b^2*B))/8)))/(a*(a^2 + b^2)*d*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])))/(3*a*(a^2 + b^2))/a)/(2*a)$$

Maple [C] time = 10.691, size = 467680, normalized size = 1284.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^3}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^3*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^3/(b*tan(d*x + c) + a)^(5/2), x)
```


$$3.365 \quad \int \frac{aB + bB \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Optimal. Leaf size=362

$$\frac{bB \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}} - \frac{bB \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}}$$

```
[Out] (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) - (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d)
```

Rubi [A] time = 0.328009, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {21, 3485, 700, 1129, 634, 618, 206, 628}

$$\frac{bB \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}} - \frac{bB \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{\sqrt{a^2 + b^2} + a}}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]], x]
```

```
[Out] (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) + (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) - (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]])/(2*Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*d)
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3485

```
Int[((a_) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[(a + x)^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 + b^2, 0]
```

Rule 700

```
Int[Sqrt[(d_) + (e_)*(x_)]/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[2*e, Subst[Int[x^2/(c*d^2 + a*e^2 - 2*c*d*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x]
/; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1129

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*r), Int[x^(m - 1)/(q - r*x + x^2), x], x] - Dist[1/(2*c*r), Int[x^(m - 1)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GeQ[m, 1] && LtQ[m, 3] && NegQ[b^2 - 4*a*c]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{aB + bB \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx &= B \int \sqrt{a + b \tan(c + dx)} dx \\
 &= \frac{(bB) \operatorname{Subst} \left(\int \frac{\sqrt{a+x}}{b^2+x^2} dx, x, b \tan(c + dx) \right)}{d} \\
 &= \frac{(2bB) \operatorname{Subst} \left(\int \frac{x^2}{a^2+b^2-2ax^2+x^4} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{d} \\
 &= \frac{(bB) \operatorname{Subst} \left(\int \frac{x}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}x+x^2}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}d}} - \frac{(bB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a^2+b^2}+\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}x+x^2}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}d}} \\
 &= \frac{(bB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}x+x^2}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{2d} + \frac{(bB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a^2+b^2}+\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}x+x^2}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{2d} \\
 &= \frac{bB \log \left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) - \sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}\sqrt{a + b \tan(c + dx)} \right)}{2\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}d}} - \frac{bB \log \left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) + \sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}\sqrt{a + b \tan(c + dx)} \right)}{2\sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}d}} \\
 &= \frac{bB \tanh^{-1} \left(\frac{\sqrt{a+\sqrt{a^2+b^2}}-\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}} \right)}{\sqrt{2}\sqrt{a - \sqrt{a^2 + b^2}d}} - \frac{bB \tanh^{-1} \left(\frac{\sqrt{a+\sqrt{a^2+b^2}}+\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}} \right)}{\sqrt{2}\sqrt{a - \sqrt{a^2 + b^2}d}} + \dots
 \end{aligned}$$

Mathematica [C] time = 0.0830508, size = 88, normalized size = 0.24

$$\frac{iB \left(\sqrt{a - ib} \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}} \right) - \sqrt{a + ib} \tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}} \right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((-I)*B*(Sqrt[a - I*b]*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] - Sqrt[a + I*b]*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]))/d

Maple [B] time = 0.103, size = 662, normalized size = 1.8

$$\frac{aB}{4bd} \ln \left(b \tan(dx + c) + a + \sqrt{a + b \tan(dx + c)} \sqrt{2\sqrt{a^2 + b^2} + 2a + \sqrt{a^2 + b^2}} \right) \sqrt{2\sqrt{a^2 + b^2} + 2a} - \frac{a^2B}{bd} \arctan \left(\frac{\sqrt{a + b \tan(dx + c)}}{\sqrt{a - \sqrt{a^2 + b^2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x)

[Out] 1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a-1/d*B/b*a^2/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))-1/4/d/b*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a-1/d*B/b*a^2/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))

$$\begin{aligned} & n(dx+c)^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} + (a^2+b^2)^{1/2} * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} + 1/d * B/b * (a^2+b^2)^{1/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan((2*(a+b*\tan(dx+c))^{1/2} + (2*(a^2+b^2)^{1/2} + 2*a)^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) - 1/4/d/b * \ln((a+b*\tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b*\tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * a + 1/d * B/b * a^2 / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b*\tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) + 1/4/d/b * \ln((a+b*\tan(dx+c))^{1/2} * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - b*\tan(dx+c) - a - (a^2+b^2)^{1/2}) * B * (2*(a^2+b^2)^{1/2} + 2*a)^{1/2} * (a^2+b^2)^{1/2} - 1/d * B/b * (a^2+b^2)^{1/2} / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2} * \arctan(((2*(a^2+b^2)^{1/2} + 2*a)^{1/2} - 2*(a+b*\tan(dx+c))^{1/2}) / (2*(a^2+b^2)^{1/2} - 2*a)^{1/2}) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.24889, size = 4263, normalized size = 11.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/4 * (4*\sqrt{2}*\sqrt{B^4*b^2/d^4}) * d^4 * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} * \arctan \\ & (-\sqrt{2}*\sqrt{B^4*b^2/d^4} * B^3*b*d^5*\sqrt{(a*\cos(dx+c) + b*\sin(dx+c)) / \cos(dx+c)} * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} - \sqrt{2}*\sqrt{B^4*b^2/d^4} \\ & * d^5*\sqrt{(\sqrt{2} * B^3*b^3*d^3*\sqrt{(a*\cos(dx+c) + b*\sin(dx+c)) / \cos(dx+c)} * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} * \cos(dx+c) + (B^4*a^2*b^2 + B^4*b^4) * d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4} * \cos(dx+c) + (B^6*a^3*b^2 + B^6*a*b^4) * \cos(dx+c) + (B^6*a^2*b^3 + B^6*b^5) * \sin(dx+c)) / ((a^2 + b^2) * \cos(dx+c))} * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} + (B^4*a^2 + B^4*b^2) * \sqrt{B^4*b^2/d^4} * d^4 * \sqrt{(B^4*a^2 + B^4*b^2)/d^4} + (B^6*a^3 + B^6*a*b^2) * \sqrt{B^4*b^2/d^4} * d^2) / (B^8*a^2*b^2 + B^8*b^4) + 4*\sqrt{2}*\sqrt{B^4*b^2/d^4} * d^4 * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} * \arctan(-\sqrt{2}*\sqrt{B^4*b^2/d^4} * B^3*b*d^5*\sqrt{(a*\cos(dx+c) + b*\sin(dx+c)) / \cos(dx+c)} * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} - \sqrt{2}*\sqrt{B^4*b^2/d^4} * d^5*\sqrt{-(\sqrt{2} * B^3*b^3*d^3*\sqrt{(a*\cos(dx+c) + b*\sin(dx+c)) / \cos(dx+c)} * \sqrt{(B^2*a^2 + B^2*b^2 + a*d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4}) / (B^2*b^2)} * ((B^4*a^2 + B^4*b^2)/d^4)^{3/4} * \cos(dx+c) - (B^4*a^2*b^2 + B^4*b^4) * d^2*\sqrt{(B^4*a^2 + B^4*b^2)/d^4} * \cos(dx+c) - (B^6*a^3*b^2 + B^6*a*b^4) * \cos(dx+c) - (B^6*a^2*b^3 + B^6*b^5 \end{aligned}$$

$$\begin{aligned}
&) \sin(dx + c) / ((a^2 + b^2) \cos(dx + c)) \sqrt{(B^2 a^2 + B^2 b^2 + a d^2)} \\
& \sqrt{(B^4 a^2 + B^4 b^2 / d^4)} / (B^2 b^2) * ((B^4 a^2 + B^4 b^2 / d^4)^{3/4} \\
& - (B^4 a^2 + B^4 b^2) \sqrt{B^4 b^2 / d^4} * d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)} - \\
& (B^6 a^3 + B^6 a b^2) \sqrt{B^4 b^2 / d^4} * d^2) / (B^8 a^2 b^2 + B^8 b^4) + \sqrt{2} * \\
& (B^4 a^2 + B^4 b^2 - B^2 a d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)}) \sqrt{(B^2 a^2 + B^2 b^2 + a d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)})} / (B^2 b^2) * \\
& ((B^4 a^2 + B^4 b^2 / d^4)^{1/4} \log((\sqrt{2} * B^3 b^3 d^3 \sqrt{(a \cos(dx + c) + b \sin(dx + c))} / \cos(dx + c)) * \sqrt{(B^2 a^2 + B^2 b^2 + a d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)})} / (B^2 b^2)) * \\
& ((B^4 a^2 + B^4 b^2 / d^4)^{3/4} \cos(dx + c) + (B^4 a^2 b^2 + B^4 b^4) d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)} \cos(dx + c) + (B^6 a^3 b^2 + B^6 a b^4) \cos(dx + c) + (B^6 a^2 b^3 + B^6 b^5) \sin(dx + c)) / \\
& ((a^2 + b^2) \cos(dx + c))) - \sqrt{2} * (B^4 a^2 + B^4 b^2 - B^2 a d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)}) \sqrt{(B^2 a^2 + B^2 b^2 + a d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)})} / (B^2 b^2) * \\
& ((B^4 a^2 + B^4 b^2 / d^4)^{1/4} \log(-(\sqrt{2} * B^3 b^3 d^3 \sqrt{(a \cos(dx + c) + b \sin(dx + c))} / \cos(dx + c)) * \sqrt{(B^2 a^2 + B^2 b^2 + a d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)})} / (B^2 b^2)) * \\
& ((B^4 a^2 + B^4 b^2 / d^4)^{3/4} \cos(dx + c) - (B^4 a^2 b^2 + B^4 b^4) d^2 \sqrt{(B^4 a^2 + B^4 b^2 / d^4)} \cos(dx + c) - (B^6 a^3 b^2 + B^6 a b^4) \cos(dx + c) - (B^6 a^2 b^3 + B^6 b^5) \sin(dx + c)) / ((a^2 + b^2) \cos(dx + c))) / (B^4 a^2 + B^4 b^2)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \sqrt{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2), x)

[Out] B*Integral(sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*b*tan(d*x + c) + B*a)/sqrt(b*tan(d*x + c) + a), x)

$$3.366 \quad \int \frac{aB + bB \tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx$$

Optimal. Leaf size=406

$$\frac{bB \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{a^2 + b^2}\sqrt{\sqrt{a^2 + b^2} + a}} + \frac{bB \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{a^2 + b^2}\sqrt{\sqrt{a^2 + b^2} + a}}$$

```
[Out] (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]]]/(2*Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]]]/(2*Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a + Sqrt[a^2 + b^2]]*d)
```

Rubi [A] time = 0.334315, antiderivative size = 406, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {21, 3485, 708, 1094, 634, 618, 206, 628}

$$\frac{bB \log\left(-\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{a^2 + b^2}\sqrt{\sqrt{a^2 + b^2} + a}} + \frac{bB \log\left(\sqrt{2}\sqrt{\sqrt{a^2 + b^2} + a}\sqrt{a + b \tan(c + dx)} + \sqrt{a^2 + b^2} + a + b \tan(c + dx)\right)}{2\sqrt{2}d\sqrt{a^2 + b^2}\sqrt{\sqrt{a^2 + b^2} + a}}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(3/2), x]
```

```
[Out] (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] - Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*B*ArcTanh[(Sqrt[a + Sqrt[a^2 + b^2]] + Sqrt[2]*Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - Sqrt[a^2 + b^2]]]/(Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a - Sqrt[a^2 + b^2]]*d) - (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] - Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]]]/(2*Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a + Sqrt[a^2 + b^2]]*d) + (b*B*Log[a + Sqrt[a^2 + b^2] + b*Tan[c + d*x] + Sqrt[2]*Sqrt[a + Sqrt[a^2 + b^2]]*Sqrt[a + b*Tan[c + d*x]]]/(2*Sqrt[2]*Sqrt[a^2 + b^2]*Sqrt[a + Sqrt[a^2 + b^2]]*d)
```

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 3485

```
Int[((a_.) + (b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Dist[b/d, Subst[Int[(a + x)^n/(b^2 + x^2), x], x, b*Tan[c + d*x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 + b^2, 0]
```

Rule 708

Int[1/(Sqrt[(d_) + (e_)*(x_)])*((a_) + (c_)*(x_)^2), x_Symbol] := Dist[2*e, Subst[Int[1/(c*d^2 + a*e^2 - 2*c*d*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rule 1094

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{aB + bB \tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx &= B \int \frac{1}{\sqrt{a + b \tan(c + dx)}} dx \\
 &= \frac{(bB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a+x}(b^2+x^2)} dx, x, b \tan(c + dx) \right)}{d} \\
 &= \frac{(2bB) \operatorname{Subst} \left(\int \frac{1}{a^2+b^2-2ax^2+x^4} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{d} \\
 &= \frac{(bB) \operatorname{Subst} \left(\int \frac{\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}-x}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}x+x^2} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{\sqrt{2}\sqrt{a^2 + b^2}\sqrt{a + \sqrt{a^2 + b^2}}d} + \frac{(bB) \operatorname{Subst} \left(\int \frac{\sqrt{2}}{\sqrt{a^2+b^2}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{\sqrt{2}\sqrt{a^2 + b^2}} \\
 &= \frac{(bB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a^2+b^2}-\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}x+x^2} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{2\sqrt{a^2 + b^2}} + \frac{(bB) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a^2+b^2}} dx, x, \sqrt{a + b \tan(c + dx)} \right)}{\sqrt{a^2+b^2}} \\
 &= -\frac{bB \log \left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) - \sqrt{2}\sqrt{a + \sqrt{a^2 + b^2}}\sqrt{a + b \tan(c + dx)} \right)}{2\sqrt{2}\sqrt{a^2 + b^2}\sqrt{a + \sqrt{a^2 + b^2}}d} + \frac{bB \log \left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) \right)}{\sqrt{a^2+b^2}} \\
 &= \frac{bB \tanh^{-1} \left(\frac{\sqrt{a+\sqrt{a^2+b^2}}-\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}} \right)}{\sqrt{2}\sqrt{a^2 + b^2}\sqrt{a - \sqrt{a^2 + b^2}}d} - \frac{bB \tanh^{-1} \left(\frac{\sqrt{a+\sqrt{a^2+b^2}}+\sqrt{2}\sqrt{a+b \tan(c+dx)}}{\sqrt{a-\sqrt{a^2+b^2}}} \right)}{\sqrt{2}\sqrt{a^2 + b^2}\sqrt{a - \sqrt{a^2 + b^2}}d} - \frac{bB \log \left(a + \sqrt{a^2 + b^2} + b \tan(c + dx) \right)}{\sqrt{a^2+b^2}}
 \end{aligned}$$

Mathematica [C] time = 0.0575885, size = 88, normalized size = 0.22

$$\frac{iB \left(\frac{\tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}} \right)}{\sqrt{a-ib}} - \frac{\tanh^{-1} \left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}} \right)}{\sqrt{a+ib}} \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((-I)*B*(ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] - ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b]))/d
```

Maple [B] time = 0.105, size = 1575, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)
```

```
[Out] 1/4/d/b/(a^2+b^2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*a^2+1/4/d*b/(a^2+b^2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*B*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-1/4/d/b/(a^2+b^2)^(3/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+
```


$$\begin{aligned}
& (a^2+b^2)^{(1/2)} * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{3-1/4}/d*b/(a^2+b^2)^{(3/2)} \\
& * \ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}+(a^2+b^2)^{(1/2)}) \\
& * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{-1}/d/b/(a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} \\
& * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B * a^{-2-1}/d*b/(a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B + 1/d/b/(a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B * a^{4+3}/d*b/(a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B * a^{2+2}/d*b^3/(a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B - 1/4/d/b/(a^2+b^2) * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) \\
& * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{2-1/4}/d*b/(a^2+b^2) * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) \\
& * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{3+1/4}/d*b/(a^2+b^2)^{(3/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)} * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} - b*\tan(d*x+c) - a - (a^2+b^2)^{(1/2)}) \\
& * B * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{1}/d/b/(a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B * a^{2+1}/d*b/(a^2+b^2)^{(1/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B - 1/d/b/(a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B * a^{4-3}/d*b/(a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& * B * a^{2-2}/d*b^3/(a^2+b^2)^{(3/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) * B
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.53637, size = 4593, normalized size = 11.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] -1/4*(4*sqrt(2)*(a^2 + b^2)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^4 * (B^4/((a^2 + b^2)*d^4))^(3/4)*sqrt((B^2*a^2 + B^2*b^2 + (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2))*arctan((sqrt(2)*(a^4 + 2*a^2*b^2 +
```

$$\begin{aligned}
& b^4 \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^7 \sqrt{(\sqrt{2} B^5 b^3 d \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)}) (B^4 / ((a^2 + b^2) d^4))^{1/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \cos(dx + c) + B^6 a b^2 \cos(dx + c) + B^6 b^3 \sin(dx + c) + (B^4 a^2 b^2 + B^4 b^4) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)} \cos(dx + c) / \cos(dx + c)} (B^4 / ((a^2 + b^2) d^4))^{5/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} - \sqrt{2} (B^3 a^4 b + 2 B^3 a^2 b^3 + B^3 b^5) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^7 \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} (B^4 / ((a^2 + b^2) d^4))^{5/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} - (B^6 a^4 + 2 B^6 a^2 b^2 + B^6 b^4) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^4 \sqrt{B^4 / ((a^2 + b^2) d^4)} - (B^8 a^3 + B^8 a b^2) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^2 / (B^{10} b^2)} + 4 \sqrt{2} (a^2 + b^2) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^4 (B^4 / ((a^2 + b^2) d^4))^{3/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \arctan(\sqrt{2} (a^4 + 2a^2 b^2 + b^4) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^7 \sqrt{-(\sqrt{2} B^5 b^3 d \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)}) (B^4 / ((a^2 + b^2) d^4))^{1/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \cos(dx + c) - B^6 a b^2 \cos(dx + c) - B^6 b^3 \sin(dx + c) - (B^4 a^2 b^2 + B^4 b^4) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)} \cos(dx + c) / \cos(dx + c)} (B^4 / ((a^2 + b^2) d^4))^{5/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} - \sqrt{2} (B^3 a^4 b + 2 B^3 a^2 b^3 + B^3 b^5) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^7 \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} (B^4 / ((a^2 + b^2) d^4))^{5/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} + (B^6 a^4 + 2 B^6 a^2 b^2 + B^6 b^4) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^4 \sqrt{B^4 / ((a^2 + b^2) d^4)} + (B^8 a^3 + B^8 a b^2) \sqrt{B^4 b^2 / ((a^4 + 2a^2 b^2 + b^4) d^4)} d^2 / (B^{10} b^2)} + \sqrt{2} (B^2 a d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)} - B^4) (B^4 / ((a^2 + b^2) d^4))^{1/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \log((\sqrt{2} B^5 b^3 d \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)}) (B^4 / ((a^2 + b^2) d^4))^{1/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \cos(dx + c) + B^6 a b^2 \cos(dx + c) + B^6 b^3 \sin(dx + c) + (B^4 a^2 b^2 + B^4 b^4) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)} \cos(dx + c) / \cos(dx + c)} - \sqrt{2} (B^2 a d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)} - B^4) (B^4 / ((a^2 + b^2) d^4))^{1/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \log(-(\sqrt{2} B^5 b^3 d \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)}) (B^4 / ((a^2 + b^2) d^4))^{1/4} \sqrt{(B^2 a^2 + B^2 b^2 + (a^3 + a b^2) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)}) / (B^2 b^2)} \cos(dx + c) - B^6 a b^2 \cos(dx + c) - B^6 b^3 \sin(dx + c) - (B^4 a^2 b^2 + B^4 b^4) d^2 \sqrt{B^4 / ((a^2 + b^2) d^4)} \cos(dx + c) / \cos(dx + c))) / B^4
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] B*Integral(1/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*b*tan(d*x + c) + B*a)/(b*tan(d*x + c) + a)^(3/2), x)

$$3.367 \quad \int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=119

$$-\frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

[Out] (-2*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(Sqrt[a]*d) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d)

Rubi [A] time = 0.280494, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {21, 3574, 3539, 3537, 63, 208, 3634}

$$-\frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (-2*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]]/(Sqrt[a]*d) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3574

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)/((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[1/(c^2 + d^2), Int[(a + b*Tan[e + f*x])^m*(c - d*Tan[e + f*x]), x], x] + Dist[d^2/(c^2 + d^2), Int[((a + b*Tan[e + f*x])^m*(1 + Tan[e + f*x]^2))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b

*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned} \int \frac{\cot(c + dx)(aB + bB \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx &= B \int \frac{\cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\ &= -\left(B \int \frac{\tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx\right) + B \int \frac{\cot(c + dx)(1 + \tan^2(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx \\ &= -\left(\frac{1}{2}(iB) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx\right) + \frac{1}{2}(iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{B}{2} \int \frac{1}{\sqrt{a + b \tan(c + dx)}} dx \\ &= -\frac{B \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c + dx)\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, i \tan(c + dx)\right)}{2d} \\ &= -\frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{-1+\frac{ia}{b}-\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} \\ &= -\frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ibd}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ibd}} \end{aligned}$$

Mathematica [A] time = 0.137833, size = 112, normalized size = 0.94

$$\frac{B \left(-\frac{2 \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (B*((-2*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/Sqrt[a] + ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] + ArcTanh[Sqrt[a + b*Tan[c

+ d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b]))/d

Maple [C] time = 0.808, size = 20195, normalized size = 169.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 4.84468, size = 11555, normalized size = 97.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(4*\sqrt{2}*(a^3 + a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*d^5*(B^4/((a^2 + b^2)*d^4))^{3/4}*\sqrt{(B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)}}/(B^2*b^2))*\arctan(-((B^6*a^4 + 2*B^6*a^2*b^2 + B^6*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*d^4*\sqrt{B^4/((a^2 + b^2)*d^4)}) + (B^8*a^3 + B^8*a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^2 - \sqrt{2}*((a^5 + 2*a^3*b^2 + a*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*d^7*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5*\sqrt{(B^6*a*\cos(d*x + c) + B^6*b*\sin(d*x + c) + (B^4*a^2 + B^4*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)}*\cos(d*x + c) + \sqrt{2}*(B^5*a*d*\cos(d*x + c) + (B^3*a^2 + B^3*b^2)*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)}*\cos(d*x + c)))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}*(B^4/((a^2 + b^2)*d^4))^{1/4}*\sqrt{(B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)}}/(B^2*b^2)))/\cos(d*x + c))*(B^4/((a^2 + b^2)*d^4))^{3/4}*\sqrt{(B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)}}/(B^2*b^2)) + \sqrt{2}*((B^3*a^5 + 2*B^3*a^3*b^2 + B^3*a*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*d^7*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^5*a^4 + 2*B^5*a^2*b^2 + B^5*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*d^5*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}*(B^4/((a^2 + b^2)*d^4))^{3/4}*\sqrt{(B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)}}/(B^2*b^2)))/(B^{10}*b^2)) + 4*\sqrt{2}*(a \end{aligned}$$

$$\begin{aligned}
&^3 + a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5*(B^4/((a^2 + b^2)*d^4))^{(3/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}*\arctan(((B^6*a^4 + 2*B^6*a^2*b^2 + B^6*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^4*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^8*a^3 + B^8*a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^2 + \sqrt{2})*((a^5 + 2*a^3*b^2 + a*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^7*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5)*\sqrt{((B^6*a*\cos(dx + c) + B^6*b*\sin(dx + c) + (B^4*a^2 + B^4*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c) - \sqrt{2}*(B^5*a*d*\cos(dx + c) + (B^3*a^2 + B^3*b^2)*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^2 + b^2)*d^4))^{(1/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}))/\cos(dx + c)*(B^4/((a^2 + b^2)*d^4))^{(3/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)} - \sqrt{2}*((B^3*a^5 + 2*B^3*a^3*b^2 + B^3*a*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^7*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^5*a^4 + 2*B^5*a^2*b^2 + B^5*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5)*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^2 + b^2)*d^4))^{(3/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}))/\cos(dx + c)) + 2*B^5*\sqrt{a}*\log(-(8*a*b*\cos(dx + c)*\sin(dx + c) + (8*a^2 - b^2)*\cos(dx + c)^2 + b^2 - 4*(2*a*\cos(dx + c)^2 + b*\cos(dx + c)*\sin(dx + c)))*\sqrt{a}*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}))/(\cos(dx + c)^2 - 1)) + \sqrt{2}*(B^2*a^2*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)} + B^4*a*d)*(B^4/((a^2 + b^2)*d^4))^{(1/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)})*\log((B^6*a*\cos(dx + c) + B^6*b*\sin(dx + c) + (B^4*a^2 + B^4*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c) + \sqrt{2}*(B^5*a*d*\cos(dx + c) + (B^3*a^2 + B^3*b^2)*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^2 + b^2)*d^4))^{(1/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}))/\cos(dx + c) - \sqrt{2}*(B^2*a^2*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)} + B^4*a*d)*(B^4/((a^2 + b^2)*d^4))^{(1/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)})*\log((B^6*a*\cos(dx + c) + B^6*b*\sin(dx + c) + (B^4*a^2 + B^4*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c) - \sqrt{2}*(B^5*a*d*\cos(dx + c) + (B^3*a^2 + B^3*b^2)*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^2 + b^2)*d^4))^{(1/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}))/\cos(dx + c)), 1/4*(4*\sqrt{2}*(a^3 + a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5*(B^4/((a^2 + b^2)*d^4))^{(3/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)})*\arctan(-((B^6*a^4 + 2*B^6*a^2*b^2 + B^6*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^4*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^8*a^3 + B^8*a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^2 - \sqrt{2}*((a^5 + 2*a^3*b^2 + a*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^7*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5)*\sqrt{((B^6*a*\cos(dx + c) + B^6*b*\sin(dx + c) + (B^4*a^2 + B^4*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c) + \sqrt{2}*(B^5*a*d*\cos(dx + c) + (B^3*a^2 + B^3*b^2)*d^3*\sqrt{B^4/((a^2 + b^2)*d^4)})*\cos(dx + c))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^2 + b^2)*d^4))^{(1/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}))/\cos(dx + c))*(B^4/((a^2 + b^2)*d^4))^{(3/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)} + \sqrt{2}*((B^3*a^5 + 2*B^3*a^3*b^2 + B^3*a*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^7*\sqrt{B^4/((a^2 + b^2)*d^4)} + (B^5*a^4 + 2*B^5*a^2*b^2 + B^5*b^4)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5)*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^2 + b^2)*d^4))^{(3/4)}*\sqrt{((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*\sqrt{B^4/((a^2 + b^2)*d^4)})))/(B^2*b^2)}))/\cos(dx + c)) + 4*\sqrt{2}*(a^3 + a*b^2)*\sqrt{B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*d^5*(B^4/((a^2 + b^2)
\end{aligned}$$

```

*d^4))^(3/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2))*arctan(((B^6*a^4 + 2*B^6*a^2*b^2 + B^6*b^4)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^4*sqrt(B^4/((a^2 + b^2)*d^4)) + (B^8*a^3 + B^8*a*b^2)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^2 + sqrt(2)*(a^5 + 2*a^3*b^2 + a*b^4)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^7*sqrt(B^4/((a^2 + b^2)*d^4)) + (B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^5)*sqrt((B^6*a*cos(d*x + c) + B^6*b*sin(d*x + c) + (B^4*a^2 + B^4*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4))*cos(d*x + c) - sqrt(2)*(B^5*a*d*cos(d*x + c) + (B^3*a^2 + B^3*b^2)*d^3*sqrt(B^4/((a^2 + b^2)*d^4))*cos(d*x + c))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c)))*(B^4/((a^2 + b^2)*d^4))^(1/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2)))/cos(d*x + c))*(B^4/((a^2 + b^2)*d^4))^(3/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2)) - sqrt(2)*((B^3*a^5 + 2*B^3*a^3*b^2 + B^3*a*b^4)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^7*sqrt(B^4/((a^2 + b^2)*d^4)) + (B^5*a^4 + 2*B^5*a^2*b^2 + B^5*b^4)*sqrt(B^4*b^2/((a^4 + 2*a^2*b^2 + b^4)*d^4))*d^5)*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(B^4/((a^2 + b^2)*d^4))^(3/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2)))/cos(d*x + c)) + 8*B^5*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c)))/a + sqrt(2)*(B^2*a^2*d^3*sqrt(B^4/((a^2 + b^2)*d^4)) + B^4*a*d)*(B^4/((a^2 + b^2)*d^4))^(1/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2))*log((B^6*a*cos(d*x + c) + B^6*b*sin(d*x + c) + (B^4*a^2 + B^4*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4))*cos(d*x + c) + sqrt(2)*(B^5*a*d*cos(d*x + c) + (B^3*a^2 + B^3*b^2)*d^3*sqrt(B^4/((a^2 + b^2)*d^4))*cos(d*x + c))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(B^4/((a^2 + b^2)*d^4))^(1/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2)))/cos(d*x + c)) - sqrt(2)*(B^2*a^2*d^3*sqrt(B^4/((a^2 + b^2)*d^4)) + B^4*a*d)*(B^4/((a^2 + b^2)*d^4))^(1/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2))*log((B^6*a*cos(d*x + c) + B^6*b*sin(d*x + c) + (B^4*a^2 + B^4*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4))*cos(d*x + c) - sqrt(2)*(B^5*a*d*cos(d*x + c) + (B^3*a^2 + B^3*b^2)*d^3*sqrt(B^4/((a^2 + b^2)*d^4))*cos(d*x + c))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(B^4/((a^2 + b^2)*d^4))^(1/4)*sqrt((B^2*a^2 + B^2*b^2 - (a^3 + a*b^2)*d^2*sqrt(B^4/((a^2 + b^2)*d^4)))/(B^2*b^2)))/cos(d*x + c)))/(B^4*a*d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{\cot(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2), x)

[Out] B*Integral(cot(c + d*x)/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba) \cot(dx + c)}{(b \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)*cot(d*x + c)/(b*tan(d*x + c) + a)^(3/2), x)
```

$$3.368 \quad \int \frac{aB + bB \tan(c + dx)}{(a + b \tan(c + dx))^{5/2}} dx$$

Optimal. Leaf size=123

$$-\frac{2bB}{d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{iB \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a-ib)^{3/2}} + \frac{iB \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a+ib)^{3/2}}$$

[Out] $((-I)*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(3/2)*d) + (I*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(3/2)*d) - (2*b*B)/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])$

Rubi [A] time = 0.185477, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {21, 3483, 3539, 3537, 63, 208}

$$-\frac{2bB}{d(a^2 + b^2)\sqrt{a + b \tan(c + dx)}} - \frac{iB \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a-ib)^{3/2}} + \frac{iB \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a+ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(5/2), x]

[Out] $((-I)*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^(3/2)*d) + (I*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^(3/2)*d) - (2*b*B)/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])$

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3483

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(b*(a + b*Tan[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a - b*Tan[c + d*x])*(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3539

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \tan(c + dx)}{(a + b \tan(c + dx))^{5/2}} dx &= B \int \frac{1}{(a + b \tan(c + dx))^{3/2}} dx \\ &= -\frac{2bB}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{B \int \frac{a-b \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{a^2 + b^2} \\ &= -\frac{2bB}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{B \int \frac{1+i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a - ib)} + \frac{B \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2(a + ib)} \\ &= -\frac{2bB}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{B \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, -i \tan(c + dx)\right)}{2(ia - b)d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, i \tan(c + dx)\right)}{2(ia + b)d} \\ &= -\frac{2bB}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{1}{-1-\frac{ia}{b}+\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{(a - ib)bd} - \frac{B \operatorname{Subst}\left(\int \frac{1}{-1-\frac{ia}{b}+\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{(a + ib)bd} \\ &= -\frac{iB \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a - ib)^{3/2}d} + \frac{iB \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a + ib)^{3/2}d} - \frac{2bB}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.138146, size = 106, normalized size = 0.86

$$\frac{B \left(i(a + ib) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \tan(c+dx)}{a-ib}\right) + (-b - ia) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \tan(c+dx)}{a+ib}\right) \right)}{d(a^2 + b^2) \sqrt{a + b \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(5/2), x]

[Out] (B*(I*(a + I*b)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a - I*b)] + ((-I)*a - b)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a + I*b)]))/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Maple [B] time = 0.094, size = 1955, normalized size = 15.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a*B+b*B*\tan(d*x+c))/(a+b*\tan(d*x+c))^{5/2}, x)$

[Out]
$$\begin{aligned} & -2*b*B/(a^2+b^2)/d/(a+b*\tan(d*x+c))^{1/2}+1/4/d*B/b/(a^2+b^2)^2*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}) \\ & *(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^3+1/4/d*B*b/(a^2+b^2)^2*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}) \\ & *(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^{-1/4}/d*B/b/(a^2+b^2)^{5/2}*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}) \\ & *(2*(a^2+b^2)^{1/2}+2*a)^{1/2}*a^4+1/4/d*B*b^3/(a^2+b^2)^{5/2}*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}+(a^2+b^2)^{1/2}) \\ & *(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-1/d*B/b/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^3-1/d*B*b/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^{-1}/d*B*b/(a^2+b^2)^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^2+1/d*B/b/(a^2+b^2)^{5/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^5-1/d*B*b^3/(a^2+b^2)^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & +3/d*B*b^3/(a^2+b^2)^{5/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^4/d*B*b/(a^2+b^2)^{5/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan((2*(a+b*\tan(d*x+c))^{1/2}+(2*(a^2+b^2)^{1/2}+2*a)^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^3-1/4/d*B/b/(a^2+b^2)^2*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2} \\ & *a^3-1/4/d*B*b/(a^2+b^2)^2*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2} \\ & *a+1/4/d*B/b/(a^2+b^2)^{5/2}*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2} \\ & *a^4-1/4/d*B*b^3/(a^2+b^2)^{5/2}*\ln((a+b*\tan(d*x+c))^{1/2}*(2*(a^2+b^2)^{1/2}+2*a)^{1/2}-b*\tan(d*x+c)-a-(a^2+b^2)^{1/2})*(2*(a^2+b^2)^{1/2}+2*a)^{1/2} \\ & +1/d*B/b/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^3+1/d*B*b/(a^2+b^2)^{3/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a+1/d*B*b/(a^2+b^2)^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^2-1/d*B/b/(a^2+b^2)^{5/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^5+1/d*B*b^3/(a^2+b^2)^2/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & -3/d*B*b^3/(a^2+b^2)^{5/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^4/d*B*b/(a^2+b^2)^{5/2}/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}*\arctan(((2*(a^2+b^2)^{1/2}+2*a)^{1/2}-2*(a+b*\tan(d*x+c))^{1/2})/(2*(a^2+b^2)^{1/2}-2*a)^{1/2}) \\ & *a^3 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a*B+b*B*\tan(d*x+c))/(a+b*\tan(d*x+c))^{5/2}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 2.64157, size = 14052, normalized size = 114.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\frac{1}{4} \cdot (4 \cdot \sqrt{2}) \cdot ((a^{10} + 3a^8b^2 + 2a^6b^4 - 2a^4b^6 - 3a^2b^8 - b^{10}) \cdot d^5 \cdot \cos(dx + c)^2 + 2(a^9b + 4a^7b^3 + 6a^5b^5 + 4a^3b^7 + ab^9) \cdot d^5 \cdot \cos(dx + c) \cdot \sin(dx + c) + (a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10}) \cdot d^5) \cdot \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) \cdot d^2 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)})} / ((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) \cdot (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4))^{3/4} \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) \cdot \arctan(((3B^6a^{12} + 14B^6a^{10}b^2 + 25B^6a^8b^4 + 20B^6a^6b^6 + 5B^6a^4b^8 - 2B^6a^2b^{10} - B^6b^{12}) \cdot d^4 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)}) \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) + (3B^8a^9 + 8B^8a^7b^2 + 6B^8a^5b^4 - B^8ab^8) \cdot d^2 \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) + \sqrt{2} \cdot (2 \cdot (a^{13} + 6a^{11}b^2 + 15a^9b^4 + 20a^7b^6 + 15a^5b^8 + 6a^3b^{10} + ab^{12}) \cdot d^7 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)}) \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) + (B^2a^{10} + 5B^2a^8b^2 + 10B^2a^6b^4 + 10B^2a^4b^6 + 5B^2a^2b^8 + B^2b^{10}) \cdot d^5 \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) \cdot \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) \cdot d^2 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)})} / ((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) \cdot \sqrt{((9B^4a^8b^2 + 12B^4a^6b^4 - 2B^4a^4b^6 - 4B^4a^2b^8 + B^4b^{10}) \cdot d^2 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)})} \cdot \cos(dx + c) + \sqrt{2} \cdot ((9B^3a^8b^3 + 12B^3a^6b^5 - 2B^3a^4b^7 - 4B^3a^2b^9 + B^3b^{11}) \cdot d^3 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)}) \cdot \cos(dx + c) + 2 \cdot (9B^5a^5b^3 - 6B^5a^3b^5 + B^5ab^7) \cdot d \cdot \cos(dx + c)) \cdot \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) \cdot d^2 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)})} / ((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) \cdot \sqrt{(a \cdot \cos(dx + c) + b \cdot \sin(dx + c)) / \cos(dx + c)} \cdot (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4))^{1/4} + (9B^6a^5b^2 - 6B^6a^3b^4 + B^6ab^6) \cdot \cos(dx + c) + (9B^6a^4b^3 - 6B^6a^2b^5 + B^6b^7) \cdot \sin(dx + c)) / \cos(dx + c) \cdot (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4))^{3/4} + \sqrt{2} \cdot (2 \cdot (3B^3a^{15}b + 17B^3a^{13}b^3 + 39B^3a^{11}b^5 + 45B^3a^9b^7 + 25B^3a^7b^9 + 3B^3a^5b^{11} - 3B^3a^3b^{13} - B^3ab^{15}) \cdot d^7 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)}) \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) + (3B^5a^{12}b + 14B^5a^{10}b^3 + 25B^5a^8b^5 + 20B^5a^6b^7 + 5B^5a^4b^9 - 2B^5a^2b^{11} - B^5b^{13}) \cdot d^5 \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4)) \cdot \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) \cdot d^2 \cdot \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) \cdot d^4)})} / ((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) \cdot \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)} / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) \cdot d^4))$$

$$\begin{aligned}
& b^2 - 6B^2a^2b^4 + B^2b^6) * \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{(3/4)} / (9B^{10}a^4b^2 - 6B^{10}a^2b^4 + B^{10}b^6) + 4\sqrt{2} * ((a^{10} + 3a^8b^2 + 2a^6b^4 - 2a^4b^6 - 3a^2b^8 - b^{10})d^5 \cos(dx + c)^2 + 2(a^9b + 4a^7b^3 + 6a^5b^5 + 4a^3b^7 + ab^9)d^5 \cos(dx + c) \sin(dx + c) + (a^8b^2 + 4a^6b^4 + 6a^4b^6 + 4a^2b^8 + b^{10})d^5) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{(3/4)} * \sqrt{((9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)) * \arctan(-((3B^6a^{12} + 14B^6a^{10}b^2 + 25B^6a^8b^4 + 20B^6a^6b^6 + 5B^6a^4b^8 - 2B^6a^2b^{10} - B^6b^{12})d^4 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4))} + (3B^8a^9 + 8B^8a^7b^2 + 6B^8a^5b^4 - B^8ab^8)d^2 * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)} - \sqrt{2} * (2(a^{13} + 6a^{11}b^2 + 15a^9b^4 + 20a^7b^6 + 15a^5b^8 + 6a^3b^{10} + ab^{12})d^7 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)} + (B^2a^{10} + 5B^2a^8b^2 + 10B^2a^6b^4 + 10B^2a^4b^6 + 5B^2a^2b^8 + B^2b^{10})d^5 * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6) * \sqrt{((9B^4a^8b^2 + 12B^4a^6b^4 - 2B^4a^4b^6 - 4B^4a^2b^8 + B^4b^{10})d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \cos(dx + c) - \sqrt{2} * ((9B^3a^8b^3 + 12B^3a^6b^5 - 2B^3a^4b^7 - 4B^3a^2b^9 + B^3b^{11})d^3 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \cos(dx + c) + 2(9B^5a^5b^3 - 6B^5a^3b^5 + B^5ab^7)d * \cos(dx + c)) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6) * \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{(1/4)} + (9B^6a^5b^2 - 6B^6a^3b^4 + B^6ab^6) * \cos(dx + c) + (9B^6a^4b^3 - 6B^6a^2b^5 + B^6b^7) * \sin(dx + c) / \cos(dx + c) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{(3/4)} - \sqrt{2} * (2(3B^3a^{15}b + 17B^3a^{13}b^3 + 39B^3a^{11}b^5 + 45B^3a^9b^7 + 25B^3a^7b^9 + 3B^3a^5b^{11} - 3B^3a^3b^{13} - B^3ab^{15})d^7 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)} + (3B^5a^{12}b + 14B^5a^{10}b^3 + 25B^5a^8b^5 + 20B^5a^6b^7 + 5B^5a^4b^9 - 2B^5a^2b^{11} - B^5b^{13})d^5 * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6) * \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{(3/4)} / (9B^{10}a^4b^2 - 6B^{10}a^2b^4 + B^{10}b^6) + \sqrt{2} * ((B^4a^4 - B^4b^4)d * \cos(dx + c)^2 + 2(B^4a^3b + B^4ab^3)d * \cos(dx + c) * \sin(dx + c) + (B^4a^2b^2 + B^4b^4)d - ((B^2a^7 - 3B^2a^5b^2 - B^2a^3b^4 + 3B^2ab^6)d^3 * \cos(dx + c)^2 + 2(B^2a^6b - 2B^2a^4b^3 - 3B^2a^2b^5)d^3 * \cos(dx + c) * \sin(dx + c) + (B^2a^5b^2 - 2B^2a^3b^4 - 3B^2ab^6)d^3) * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6) * (B^4 / ((a^6 + 3a^
\end{aligned}$$

$$\begin{aligned}
& (4b^2 + 3a^2b^4 + b^6)d^4)^{1/4} \log\left(\left(\frac{9B^4a^8b^2 + 12B^4a^6b^4 - 2B^4a^4b^6 - 4B^4a^2b^8 + B^4b^{10}}{d^2} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right) \cos(dx + c) + \sqrt{2} \left(\frac{9B^3a^8b^3 + 12B^3a^6b^5 - 2B^3a^4b^7 - 4B^3a^2b^9 + B^3b^{11}}{d^3} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right) \cos(dx + c) + 2(9B^5a^5b^3 - 6B^5a^3b^5 + B^5a^1b^7) d \cos(dx + c)\right) \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4})\right) / \left(\frac{9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6}{d^2}\right) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} \left(\frac{B^4}{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right)^{1/4} + (9B^6a^5b^2 - 6B^6a^3b^4 + B^6a^1b^6) \cos(dx + c) + (9B^6a^4b^3 - 6B^6a^2b^5 + B^6b^7) \sin(dx + c) / \cos(dx + c) - \sqrt{2} \left(\frac{B^4a^4 - B^4b^4}{d} \cos(dx + c)^2 + 2(B^4a^3b + B^4a^1b^3) d \cos(dx + c) \sin(dx + c) + (B^4a^2b^2 + B^4b^4) d - ((B^2a^7 - 3B^2a^5b^2 - B^2a^3b^4 + 3B^2a^1b^6) d^3 \cos(dx + c)^2 + 2(B^2a^6b - 2B^2a^4b^3 - 3B^2a^2b^5) d^3 \cos(dx + c) \sin(dx + c) + (B^2a^5b^2 - 2B^2a^3b^4 - 3B^2a^1b^6) d^3) \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right) \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4})\right) / \left(\frac{9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6}{d^2}\right) \left(\frac{B^4}{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right)^{1/4} \log\left(\left(\frac{9B^4a^8b^2 + 12B^4a^6b^4 - 2B^4a^4b^6 - 4B^4a^2b^8 + B^4b^{10}}{d^2} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right) \cos(dx + c) - \sqrt{2} \left(\frac{9B^3a^8b^3 + 12B^3a^6b^5 - 2B^3a^4b^7 - 4B^3a^2b^9 + B^3b^{11}}{d^3} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right) \cos(dx + c) + 2(9B^5a^5b^3 - 6B^5a^3b^5 + B^5a^1b^7) d \cos(dx + c)\right) \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 + (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2} \sqrt{B^4/(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4})\right) / \left(\frac{9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6}{d^2}\right) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)} \left(\frac{B^4}{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4}\right)^{1/4} + (9B^6a^5b^2 - 6B^6a^3b^4 + B^6a^1b^6) \cos(dx + c) + (9B^6a^4b^3 - 6B^6a^2b^5 + B^6b^7) \sin(dx + c) / \cos(dx + c) - 8(B^5a^1b^2 \cos(dx + c) \sin(dx + c)) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c)}\right) / \left(\frac{B^4a^4 - B^4b^4}{d} \cos(dx + c)^2 + 2(B^4a^3b + B^4a^1b^3) d \cos(dx + c) \sin(dx + c) + (B^4a^2b^2 + B^4b^4) d\right)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{a\sqrt{a + b \tan(c + dx)} + b\sqrt{a + b \tan(c + dx)} \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] B*Integral(1/(a*sqrt(a + b*tan(c + d*x)) + b*sqrt(a + b*tan(c + d*x))*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/(b*tan(d*x + c) + a)^(5/2), x)
```


$$3.369 \quad \int \frac{\cot(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=154

$$\frac{2b^2B}{ad(a^2+b^2)\sqrt{a+b \tan(c+dx)}} - \frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a-ib)^{3/2}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a+ib)^{3/2}}$$

[Out] $(-2*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(a^{(3/2)*d}) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^{(3/2)*d}) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^{(3/2)*d}) + (2*b^2*B)/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])$

Rubi [A] time = 0.493671, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {21, 3569, 3653, 3539, 3537, 63, 208, 3634}

$$\frac{2b^2B}{ad(a^2+b^2)\sqrt{a+b \tan(c+dx)}} - \frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a-ib)^{3/2}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a+ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]*(a*B + b*B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x])^{(5/2)}, x]$

[Out] $(-2*B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/(a^{(3/2)*d}) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]])/((a - I*b)^{(3/2)*d}) + (B*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/((a + I*b)^{(3/2)*d}) + (2*b^2*B)/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3569

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b^2*(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(f*(m+1)*(a^2 + b^2)*(b*c - a*d)), x] + \text{Dist}[1/(f*(m+1)*(a^2 + b^2)*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*(b*c - a*d)*(m+1) - b^2*d*(m+n+2) - b*(b*c - a*d)*(m+1)*\text{Tan}[e + f*x] - b^2*d*(m+n+2)*\text{Tan}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && LtQ[m, -1] && (LtQ[n, 0] || IntegerQ[m] && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

$\text{Int}[(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)] + (C_.)*\text{tan}[(e_.) + (f_.)*(x_)]^2)/((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\text{Tan}[e + f*x], x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n*(1 + \text{Tan}[e$

+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rubi steps

$$\begin{aligned}
\int \frac{\cot(c+dx)(aB + bB \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx &= B \int \frac{\cot(c+dx)}{(a+b \tan(c+dx))^{3/2}} dx \\
&= \frac{2b^2B}{a(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{(2B) \int \frac{\cot(c+dx)\left(\frac{1}{2}(a^2+b^2) - \frac{1}{2}ab \tan(c+dx) + \frac{1}{2}b^2\right)}{\sqrt{a+b \tan(c+dx)}} dx}{a(a^2+b^2)} \\
&= \frac{2b^2B}{a(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{B \int \frac{\cot(c+dx)(1+\tan^2(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx}{a} + \frac{(2B) \int \frac{-\cot(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{a} \\
&= \frac{2b^2B}{a(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{B \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2 ia - b} - \frac{B \int \frac{1+i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx}{2 ia + b} \\
&= \frac{2b^2B}{a(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c+dx)\right)}{2(a-ib)d} \\
&= -\frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{2b^2B}{a(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c+dx)\right)}{2(a-ib)d} \\
&= -\frac{2B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{(a-ib)^{3/2}d} + \frac{B \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{(a+ib)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 1.15979, size = 166, normalized size = 1.08

$$\frac{B \left(-\frac{2(a^2+b^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{2b^2}{\sqrt{a+b \tan(c+dx)}} + \frac{a(a+ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}} + \frac{a(a-ib) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ib}} \right)}{ad(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] (B*((-2*(a^2 + b^2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a]])/Sqrt[a] + (a*(a + I*b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/Sqrt[a - I*b] + (a*(a - I*b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/Sqrt[a + I*b] + (2*b^2)/Sqrt[a + b*Tan[c + d*x]]))/(a*(a^2 + b^2)*d)

Maple [C] time = 1.17, size = 39987, normalized size = 259.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 7.60152, size = 29088, normalized size = 188.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(4*\sqrt{2})*((a^{12} + 3*a^{10}*b^2 + 2*a^8*b^4 - 2*a^6*b^6 - 3*a^4*b^8 - a^2*b^{10})*d^5*\cos(d*x + c)^2 + 2*(a^{11}*b + 4*a^9*b^3 + 6*a^7*b^5 + 4*a^5*b^7 \\ & + a^3*b^9)*d^5*\cos(d*x + c)*\sin(d*x + c) + (a^{10}*b^2 + 4*a^8*b^4 + 6*a^6*b^6 + 4*a^4*b^8 + a^2*b^{10})*d^5)*\sqrt{(B^2*a^6 + 3*B^2*a^4*b^2 + 3*B^2*a^2*b^4 + B^2*b^6 - (a^9 - 6*a^5*b^4 - 8*a^3*b^6 - 3*a*b^8)*d^2*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4))} \\ & /((9*B^2*a^4*b^2 - 6*B^2*a^2*b^4 + B^2*b^6)))*(B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4))^{3/4}*\sqrt{(9*B^4*a^4*b^2 - 6*B^4*a^2*b^4 + B^4*b^6)/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}* \arctan(-((3*B^6*a^{12} + 14*B^6*a^{10}*b^2 + 25*B^6*a^8*b^4 + 20*B^6*a^6*b^6 + 5*B^6*a^4*b^8 - 2*B^6*a^2*b^{10} - B^6*b^{12})*d^4*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4)}*\sqrt{(9*B^4*a^4*b^2 - 6*B^4*a^2*b^4 + B^4*b^6)/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)} + (3*B^8*a^9 + 8*B^8*a^7*b^2 + 6*B^8*a^5*b^4 - B^8*a*b^8)*d^2*\sqrt{(9*B^4*a^4*b^2 - 6*B^4*a^2*b^4 + B^4*b^6)/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)} + \sqrt{2})*((a^{14} + 5*a^{12}*b^2 + 9*a^{10}*b^4 + 5*a^8*b^6 - 5*a^6*b^8 - 9*a^4*b^{10} - 5*a^2*b^{12} - b^{14})*d^7*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4)}*\sqrt{(9*B^4*a^4*b^2 - 6*B^4*a^2*b^4 + B^4*b^6)/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)} + (B^2*a^{11} + 5*B^2*a^9*b^2 + 10*B^2*a^7*b^4 + 10*B^2*a^5*b^6 + 5*B^2*a^3*b^8 + B^2*a*b^{10})*d^5*\sqrt{(9*B^4*a^4*b^2 - 6*B^4*a^2*b^4 + B^4*b^6)/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)})*\sqrt{(B^2*a^6 + 3*B^2*a^4*b^2 + 3*B^2*a^2*b^4 + B^2*b^6 - (a^9 - 6*a^5*b^4 - 8*a^3*b^6 - 3*a*b^8)*d^2*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4))} \\ & /((9*B^2*a^4*b^2 - 6*B^2*a^2*b^4 + B^2*b^6))*\sqrt{((9*B^4*a^8 + 12*B^4*a^6*b^2 - 2*B^4*a^4*b^4 - 4*B^4*a^2*b^6 + B^4*b^8)*d^2*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4)}*\cos(d*x + c) + \sqrt{2})*((9*B^3*a^9 + 12*B^3*a^7*b^2 - 2*B^3*a^5*b^4 - 4*B^3*a^3*b^6 + B^3*a*b^8)*d^3*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4)}*\cos(d*x + c) + (9*B^5*a^6 - 15*B^5*a^4*b^2 + 7*B^5*a^2*b^4 - B^5*b^6)*d*\cos(d*x + c))*\sqrt{(B^2*a^6 + 3*B^2*a^4*b^2 + 3*B^2*a^2*b^4 + B^2*b^6 - (a^9 - 6*a^5*b^4 - 8*a^3*b^6 - 3*a*b^8)*d^2*\sqrt{B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4))} \\ & /((9*B^2*a^4*b^2 - 6*B^2*a^2*b^4 + B^2*b^6))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}*(B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4))^{1/4} + (9*B^6*a^5 - 6*B^6*a^3*b^2 + B^6*a*b^4)*\cos(d*x + c) + (9*B^6*a^4*b - 6*B^6*a^2*b^3 + B^6*b^5)*\sin(d*x + c))/\cos(d*x + c)}*(B^4/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4))^{3/4} + \sqrt{2})*((3*B^3*a^{16} + 14*B^3*a^{14}*b^2 + 22*B^3*a^{12}*b^4 \end{aligned}$$

$$\begin{aligned}
& 4 + 6B^3a^{10}b^6 - 20B^3a^8b^8 - 22B^3a^6b^{10} - 6B^3a^4b^{12} + 2B^3a^2b^{14} + B^3b^{16})d^7\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)} \\
& \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)} + (3B^5a^{13} + 14B^5a^{11}b^2 + 25B^5a^9b^4 + 20B^5a^7b^6 + 5B^5a^5b^8 - 2B^5a^3b^{10} - B^5ab^{12}) \\
& d^5\sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)} \\
& \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)*d^2\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)})} \\
& /((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4))^{(3/4)} \\
& /((9B^{10}a^4b^2 - 6B^{10}a^2b^4 + B^{10}b^6)) + 4*\sqrt{(2)*((a^{12} + 3a^{10}b^2 + 2a^8b^4 - 2a^6b^6 - 3a^4b^8 - a^2b^{10})*d^5*\cos(dx + c)^2 + 2*(a^{11}b + 4a^9b^3 + 6a^7b^5 + 4a^5b^7 + a^3b^9)*d^5*\cos(dx + c)*\sin(dx + c) + (a^{10}b^2 + 4a^8b^4 + 6a^6b^6 + 4a^4b^8 + a^2b^{10})*d^5)*\sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)*d^2\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)})} \\
& /((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)))*(B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4))^{(3/4)}*\sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)} \\
& * \arctan(((3B^6a^{12} + 14B^6a^{10}b^2 + 25B^6a^8b^4 + 20B^6a^6b^6 + 5B^6a^4b^8 - 2B^6a^2b^{10} - B^6b^{12})*d^4*\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)}*\sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)})) \\
& + (B^2a^{11} + 5B^2a^9b^2 + 10B^2a^7b^4 + 10B^2a^5b^6 + 5B^2a^3b^8 + B^2ab^{10})*d^5*\sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)} \\
& *\sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)*d^2\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)})} \\
& /((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6))*\sqrt{((9B^4a^8 + 12B^4a^6b^2 - 2B^4a^4b^4 - 4B^4a^2b^6 + B^4b^8)*d^2\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)}*\cos(dx + c) - \sqrt{(2)*((9B^3a^9 + 12B^3a^7b^2 - 2B^3a^5b^4 - 4B^3a^3b^6 + B^3ab^8)*d^3\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)}*\cos(dx + c) + (9B^5a^6 - 15B^5a^4b^2 + 7B^5a^2b^4 - B^5b^6)*d*\cos(dx + c))*\sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)*d^2\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)})} \\
& /((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4))^{(1/4)} + (9B^6a^5 - 6B^6a^3b^2 + B^6ab^4)*\cos(dx + c) + (9B^6a^4b - 6B^6a^2b^3 + B^6b^5)*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4))^{(3/4)} - \sqrt{(2)*((3B^3a^{16} + 14B^3a^{14}b^2 + 22B^3a^{12}b^4 + 6B^3a^{10}b^6 - 20B^3a^8b^8 - 22B^3a^6b^{10} - 6B^3a^4b^{12} + 2B^3a^2b^{14} + B^3b^{16})*d^7*\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)}*\sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)} + (3B^5a^{13} + 14B^5a^{11}b^2 + 25B^5a^9b^4 + 20B^5a^7b^6 + 5B^5a^5b^8 - 2B^5a^3b^{10} - B^5ab^{12})*d^5*\sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6)/((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})*d^4)} \\
&)*\sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)*d^2\sqrt{B^4/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)})} \\
& /((9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6))*\sqrt{(a*\cos(dx + c) + b*\sin(dx + c))/\cos(dx + c)} + b
\end{aligned}$$

$$\begin{aligned}
& \sin(dx + c)/\cos(dx + c)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))^{(3/4)} / (9B^{10}a^4b^2 - 6B^{10}a^2b^4 + B^{10}b^6) + \sqrt{2} * ((B^4a^6 - B^4a^2b^4) * d * \cos(dx + c)^2 + 2 * (B^4a^5b + B^4a^3b^3) * d * \cos(dx + c) * \sin(dx + c) + (B^4a^4b^2 + B^4a^2b^4) * d + ((B^2a^9 - 3B^2a^7b^2 - B^2a^5b^4 + 3B^2a^3b^6) * d^3 * \cos(dx + c)^2 + 2 * (B^2a^8b - 2B^2a^6b^3 - 3B^2a^4b^5) * d^3 * \cos(dx + c) * \sin(dx + c) + (B^2a^7b^2 - 2B^2a^5b^4 - 3B^2a^3b^6) * d^3) * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)}) * \sqrt{((B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))}) / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))^{(1/4)} * \log(((9B^4a^8 + 12B^4a^6b^2 - 2B^4a^4b^4 - 4B^4a^2b^6 + B^4b^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)}) * \cos(dx + c) + \sqrt{2} * ((9B^3a^9 + 12B^3a^7b^2 - 2B^3a^5b^4 - 4B^3a^3b^6 + B^3ab^8) * d^3 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)}) * \cos(dx + c) + (9B^5a^6 - 15B^5a^4b^2 + 7B^5a^2b^4 - B^5b^6) * d * \cos(dx + c)) * \sqrt{((B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))}) / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))^{(1/4)} + (9B^6a^5 - 6B^6a^3b^2 + B^6ab^4) * \cos(dx + c) + (9B^6a^4b - 6B^6a^2b^3 + B^6b^5) * \sin(dx + c)) / \cos(dx + c) - \sqrt{2} * ((B^4a^6 - B^4a^2b^4) * d * \cos(dx + c)^2 + 2 * (B^4a^5b + B^4a^3b^3) * d * \cos(dx + c) * \sin(dx + c) + (B^4a^4b^2 + B^4a^2b^4) * d + ((B^2a^9 - 3B^2a^7b^2 - B^2a^5b^4 + 3B^2a^3b^6) * d^3 * \cos(dx + c)^2 + 2 * (B^2a^8b - 2B^2a^6b^3 - 3B^2a^4b^5) * d^3 * \cos(dx + c) * \sin(dx + c) + (B^2a^7b^2 - 2B^2a^5b^4 - 3B^2a^3b^6) * d^3) * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)}) * \sqrt{((B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))}) / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))^{(1/4)} * \log(((9B^4a^8 + 12B^4a^6b^2 - 2B^4a^4b^4 - 4B^4a^2b^6 + B^4b^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)}) * \cos(dx + c) - \sqrt{2} * ((9B^3a^9 + 12B^3a^7b^2 - 2B^3a^5b^4 - 4B^3a^3b^6 + B^3ab^8) * d^3 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)}) * \cos(dx + c) + (9B^5a^6 - 15B^5a^4b^2 + 7B^5a^2b^4 - B^5b^6) * d * \cos(dx + c)) * \sqrt{((B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))}) / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))^{(1/4)} + (9B^6a^5 - 6B^6a^3b^2 + B^6ab^4) * \cos(dx + c) + (9B^6a^4b - 6B^6a^2b^3 + B^6b^5) * \sin(dx + c)) / \cos(dx + c) + 2 * (B^5a^2b^2 + B^5b^4 + (B^5a^4 - B^5b^4) * \cos(dx + c)^2 + 2 * (B^5a^3b + B^5ab^3) * \cos(dx + c) * \sin(dx + c)) * \sqrt{a} * \log(-8ab * \cos(dx + c) * \sin(dx + c) + (8a^2 - b^2) * \cos(dx + c)^2 + b^2 - 4 * (2a * \cos(dx + c)^2 + b * \cos(dx + c) * \sin(dx + c)) * \sqrt{a} * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c))}) / (\cos(dx + c)^2 - 1) + 8 * (B^5a^2b^2 * \cos(dx + c)^2 + B^5ab^3 * \cos(dx + c) * \sin(dx + c)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c))} / ((B^4a^6 - B^4a^2b^4) * d * \cos(dx + c)^2 + 2 * (B^4a^5b + B^4a^3b^3) * d * \cos(dx + c) * \sin(dx + c) + (B^4a^4b^2 + B^4a^2b^4) * d), 1/4 * (4 * \sqrt{2} * ((a^{12} + 3a^{10}b^2 + 2a^8b^4 - 2a^6b^6 - 3a^4b^8 - a^2b^{10}) * d^5 * \cos(dx + c)^2 + 2 * (a^{11}b + 4a^9b^3 + 6a^7b^5 + 4a^5b^7 + a^3b^9) * d^5 * \cos(dx + c) * \sin(dx + c) + (a^{10}b^2 + 4a^8b^4 + 6a^6b^6 + 4a^4b^8 + a^2b^{10}) * d^5) * \sqrt{((B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8) * d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))}) / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4))^{(3/4)} * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) * d^4)} * \arctan(-((3B^6a^{12} + 14B^6a^{10}b^2 + 25B^6a^8b^4 + 20B^6a^6b^6 + 5B^6a^4b^8 - 2B^6a^2b^{10} - B^6b^{12}) * d^4 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6) * d^4)})) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12}) * d^4)}
\end{aligned}$$

$$\begin{aligned}
& a^4 b^2 + 3 a^2 b^4 + b^6) d^4) * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) + (3 B^8 a^9 + 8 B^8 a^7 b^2 + 6 B^8 a^5 b^4 - B^8 a^3 b^8) d^2 * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) + \sqrt{2} * ((a^{14} + 5 a^{12} b^2 + 9 a^{10} b^4 + 5 a^8 b^6 - 5 a^6 b^8 - 9 a^4 b^{10} - 5 a^2 b^{12} - b^{14}) d^7 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4)) * \sqrt{(9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) + (B^2 a^{11} + 5 B^2 a^9 b^2 + 10 B^2 a^7 b^4 + 10 B^2 a^5 b^6 + 5 B^2 a^3 b^8 + B^2 a b^{10}) d^5 * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) * \sqrt{(B^2 a^6 + 3 B^2 a^4 b^2 + 3 B^2 a^2 b^4 + B^2 b^6 - (a^9 - 6 a^5 b^4 - 8 a^3 b^6 - 3 a b^8) d^2 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))} / (9 B^2 a^4 b^2 - 6 B^2 a^2 b^4 + B^2 b^6) * \sqrt{((9 B^4 a^8 + 12 B^4 a^6 b^2 - 2 B^4 a^4 b^4 - 4 B^4 a^2 b^6 + B^4 b^8) d^2 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4)) * \cos(dx + c) + \sqrt{2} * ((9 B^3 a^9 + 12 B^3 a^7 b^2 - 2 B^3 a^5 b^4 - 4 B^3 a^3 b^6 + B^3 a b^8) d^3 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4)) * \cos(dx + c) + (9 B^5 a^6 - 15 B^5 a^4 b^2 + 7 B^5 a^2 b^4 - B^5 b^6) d * \cos(dx + c) * \sqrt{(B^2 a^6 + 3 B^2 a^4 b^2 + 3 B^2 a^2 b^4 + B^2 b^6 - (a^9 - 6 a^5 b^4 - 8 a^3 b^6 - 3 a b^8) d^2 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))} / (9 B^2 a^4 b^2 - 6 B^2 a^2 b^4 + B^2 b^6) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)) * (B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))^{1/4} + (9 B^6 a^5 - 6 B^6 a^3 b^2 + B^6 a b^4) * \cos(dx + c) + (9 B^6 a^4 b - 6 B^6 a^2 b^3 + B^6 b^5) * \sin(dx + c) / \cos(dx + c) * (B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))^{3/4} + \sqrt{2} * ((3 B^3 a^{16} + 14 B^3 a^{14} b^2 + 22 B^3 a^{12} b^4 + 6 B^3 a^{10} b^6 - 20 B^3 a^8 b^8 - 22 B^3 a^6 b^{10} - 6 B^3 a^4 b^{12} + 2 B^3 a^2 b^{14} + B^3 b^{16}) d^7 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4)) * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) + (3 B^5 a^{13} + 14 B^5 a^{11} b^2 + 25 B^5 a^9 b^4 + 20 B^5 a^7 b^6 + 5 B^5 a^5 b^8 - 2 B^5 a^3 b^{10} - B^5 a b^{12}) d^5 * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) * \sqrt{(B^2 a^6 + 3 B^2 a^4 b^2 + 3 B^2 a^2 b^4 + B^2 b^6 - (a^9 - 6 a^5 b^4 - 8 a^3 b^6 - 3 a b^8) d^2 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))} / (9 B^2 a^4 b^2 - 6 B^2 a^2 b^4 + B^2 b^6) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)) * (B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))^{3/4} / (9 B^{10} a^4 b^2 - 6 B^{10} a^2 b^4 + B^{10} b^6) + 4 * \sqrt{2} * ((a^{12} + 3 a^{10} b^2 + 2 a^8 b^4 - 2 a^6 b^6 - 3 a^4 b^8 - a^2 b^{10}) d^5 * \cos(dx + c)^2 + 2 * (a^{11} b + 4 a^9 b^3 + 6 a^7 b^5 + 4 a^5 b^7 + a^3 b^9) d^5 * \cos(dx + c) * \sin(dx + c) + (a^{10} b^2 + 4 a^8 b^4 + 6 a^6 b^6 + 4 a^4 b^8 + a^2 b^{10}) d^5) * \sqrt{(B^2 a^6 + 3 B^2 a^4 b^2 + 3 B^2 a^2 b^4 + B^2 b^6 - (a^9 - 6 a^5 b^4 - 8 a^3 b^6 - 3 a b^8) d^2 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))} / (9 B^2 a^4 b^2 - 6 B^2 a^2 b^4 + B^2 b^6) * (B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4))^{3/4} * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) * \arctan(((3 B^6 a^{12} + 14 B^6 a^{10} b^2 + 25 B^6 a^8 b^4 + 20 B^6 a^6 b^6 + 5 B^6 a^4 b^8 - 2 B^6 a^2 b^{10} - B^6 b^{12}) d^4 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4)) * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4))} + (3 B^8 a^9 + 8 B^8 a^7 b^2 + 6 B^8 a^5 b^4 - B^8 a^3 b^8) d^2 * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) - \sqrt{2} * ((a^{14} + 5 a^{12} b^2 + 9 a^{10} b^4 + 5 a^8 b^6 - 5 a^6 b^8 - 9 a^4 b^{10} - 5 a^2 b^{12} - b^{14}) d^7 * \sqrt{B^4 / ((a^6 + 3 a^4 b^2 + 3 a^2 b^4 + b^6) d^4)) * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4)) + (B^2 a^{11} + 5 B^2 a^9 b^2 + 10 B^2 a^7 b^4 + 10 B^2 a^5 b^6 + 5 B^2 a^3 b^8 + B^2 a b^{10}) d^5 * \sqrt{((9 B^4 a^4 b^2 - 6 B^4 a^2 b^4 + B^4 b^6) / ((a^{12} + 6 a^{10} b^2 + 15 a^8 b^4 + 20 a^6 b^6 + 15 a^4 b^8 + 6 a^2 b^{10} + b^{12}) d^4))}
\end{aligned}$$

$$\begin{aligned}
& b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * \sqrt{((9B^4a^8 + 12B^4a^6b^2 - 2B^4a^4b^4 - 4B^4a^2b^6 + B^4b^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} * \cos(dx + c) - \sqrt{2} * ((9B^3a^9 + 12B^3a^7b^2 - 2B^3a^5b^4 - 4B^3a^3b^6 + B^3ab^8)d^3 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} * \cos(dx + c) + (9B^5a^6 - 15B^5a^4b^2 + 7B^5a^2b^4 - B^5b^6)d * \cos(dx + c)) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4} + (9B^6a^5 - 6B^6a^3b^2 + B^6ab^4) * \cos(dx + c) + (9B^6a^4b - 6B^6a^2b^3 + B^6b^5) * \sin(dx + c)) / \cos(dx + c)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{3/4} - \sqrt{2} * ((3B^3a^{16} + 14B^3a^{14}b^2 + 22B^3a^{12}b^4 + 6B^3a^{10}b^6 - 20B^3a^8b^8 - 22B^3a^6b^{10} - 6B^3a^4b^{12} + 2B^3a^2b^{14} + B^3b^{16})d^7 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} * \sqrt{((9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4))} + (3B^5a^{13} + 14B^5a^{11}b^2 + 25B^5a^9b^4 + 20B^5a^7b^6 + 5B^5a^5b^8 - 2B^5a^3b^{10} - B^5ab^{12})d^5 * \sqrt{(9B^4a^4b^2 - 6B^4a^2b^4 + B^4b^6) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)})} * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{3/4} / (9B^{10}a^4b^2 - 6B^{10}a^2b^4 + B^{10}b^6)) + \sqrt{2} * ((B^4a^6 - B^4a^2b^4) * d * \cos(dx + c)^2 + 2 * (B^4a^5b + B^4a^3b^3) * d * \cos(dx + c) * \sin(dx + c) + (B^4a^4b^2 + B^4a^2b^4) * d + ((B^2a^9 - 3B^2a^7b^2 - B^2a^5b^4 + 3B^2a^3b^6) * d^3 * \cos(dx + c)^2 + 2 * (B^2a^8b - 2B^2a^6b^3 - 3B^2a^4b^5) * d^3 * \cos(dx + c) * \sin(dx + c) + (B^2a^7b^2 - 2B^2a^5b^4 - 3B^2a^3b^6) * d^3) * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4} * \log(((9B^4a^8 + 12B^4a^6b^2 - 2B^4a^4b^4 - 4B^4a^2b^6 + B^4b^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \cos(dx + c) + \sqrt{2} * ((9B^3a^9 + 12B^3a^7b^2 - 2B^3a^5b^4 - 4B^3a^3b^6 + B^3ab^8)d^3 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \cos(dx + c) + (9B^5a^6 - 15B^5a^4b^2 + 7B^5a^2b^4 - B^5b^6) * d * \cos(dx + c)) * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4} + (9B^6a^5 - 6B^6a^3b^2 + B^6ab^4) * \cos(dx + c) + (9B^6a^4b - 6B^6a^2b^3 + B^6b^5) * \sin(dx + c)) / \cos(dx + c)) - \sqrt{2} * ((B^4a^6 - B^4a^2b^4) * d * \cos(dx + c)^2 + 2 * (B^4a^5b + B^4a^3b^3) * d * \cos(dx + c) * \sin(dx + c) + (B^4a^4b^2 + B^4a^2b^4) * d + ((B^2a^9 - 3B^2a^7b^2 - B^2a^5b^4 + 3B^2a^3b^6) * d^3 * \cos(dx + c)^2 + 2 * (B^2a^8b - 2B^2a^6b^3 - 3B^2a^4b^5) * d^3 * \cos(dx + c) * \sin(dx + c) + (B^2a^7b^2 - 2B^2a^5b^4 - 3B^2a^3b^6) * d^3) * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} * \sqrt{(B^2a^6 + 3B^2a^4b^2 + 3B^2a^2b^4 + B^2b^6 - (a^9 - 6a^5b^4 - 8a^3b^6 - 3ab^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)})} / (9B^2a^4b^2 - 6B^2a^2b^4 + B^2b^6)) * (B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4} * \log(((9B^4a^8 + 12B^4a^6b^2 - 2B^4a^4b^4 - 4B^4a^2b^6 + B^4b^8)d^2 * \sqrt{B^4 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}) * \cos(dx + c) - \sqrt{2} * ((9B^3a^9 + 12B^3a^7b^2 - 2B^3
\end{aligned}$$


```

*a^5*b^4 - 4*B^3*a^3*b^6 + B^3*a*b^8)*d^3*sqrt(B^4/((a^6 + 3*a^4*b^2 + 3*a^
2*b^4 + b^6)*d^4))*cos(d*x + c) + (9*B^5*a^6 - 15*B^5*a^4*b^2 + 7*B^5*a^2*b^
^4 - B^5*b^6)*d*cos(d*x + c))*sqrt((B^2*a^6 + 3*B^2*a^4*b^2 + 3*B^2*a^2*b^4
+ B^2*b^6 - (a^9 - 6*a^5*b^4 - 8*a^3*b^6 - 3*a*b^8)*d^2*sqrt(B^4/((a^6 + 3
*a^4*b^2 + 3*a^2*b^4 + b^6)*d^4)))/(9*B^2*a^4*b^2 - 6*B^2*a^2*b^4 + B^2*b^6
))*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(B^4/((a^6 + 3*a^4*
b^2 + 3*a^2*b^4 + b^6)*d^4))^(1/4) + (9*B^6*a^5 - 6*B^6*a^3*b^2 + B^6*a*b^4
)*cos(d*x + c) + (9*B^6*a^4*b - 6*B^6*a^2*b^3 + B^6*b^5)*sin(d*x + c))/cos(
d*x + c) + 8*(B^5*a^2*b^2 + B^5*b^4 + (B^5*a^4 - B^5*b^4)*cos(d*x + c)^2 +
2*(B^5*a^3*b + B^5*a*b^3)*cos(d*x + c)*sin(d*x + c))*sqrt(-a)*arctan(sqrt(
-a)*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))/a) + 8*(B^5*a^2*b^
2*cos(d*x + c)^2 + B^5*a*b^3*cos(d*x + c)*sin(d*x + c))*sqrt((a*cos(d*x + c
) + b*sin(d*x + c))/cos(d*x + c)))/((B^4*a^6 - B^4*a^2*b^4)*d*cos(d*x + c)^
2 + 2*(B^4*a^5*b + B^4*a^3*b^3)*d*cos(d*x + c)*sin(d*x + c) + (B^4*a^4*b^2
+ B^4*a^2*b^4)*d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{\cot(c + dx)}{a\sqrt{a + b \tan(c + dx)} + b\sqrt{a + b \tan(c + dx)} \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)
```

```
[Out] B*Integral(cot(c + d*x)/(a*sqrt(a + b*tan(c + d*x)) + b*sqrt(a + b*tan(c +
d*x))*tan(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba) \cot(dx + c)}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorit
hm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)*cot(d*x + c)/(b*tan(d*x + c) + a)^(5/2),
x)
```

$$3.370 \quad \int \frac{-a+b \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=102

$$\frac{(-b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

[Out] ((I*a - b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d) - ((I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d))

Rubi [A] time = 0.149244, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3539, 3537, 63, 208}

$$\frac{(-b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}} - \frac{(b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

Antiderivative was successfully verified.

[In] Int[(-a + b*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((I*a - b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/(Sqrt[a - I*b]*d) - ((I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/(Sqrt[a + I*b]*d))

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{-a + b \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx &= \frac{1}{2}(-a - ib) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}(-a + ib) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\
&= -\frac{(ia - b) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c + dx)\right)}{2d} + \frac{(ia + b) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, i \tan(c + dx)\right)}{2d} \\
&= \frac{(a - ib) \operatorname{Subst}\left(\int \frac{1}{-1+\frac{ia}{b}-\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} + \frac{(a + ib) \operatorname{Subst}\left(\int \frac{1}{-1-\frac{ia}{b}+\frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{bd} \\
&= \frac{(ia - b) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a - ibd}} - \frac{(ia + b) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a + ibd}}
\end{aligned}$$

Mathematica [A] time = 0.167018, size = 109, normalized size = 1.07

$$\frac{i\left((a + ib)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right) - (a - ib)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)\right)}{d\sqrt{a - ib}\sqrt{a + ib}}$$

Antiderivative was successfully verified.

[In] Integrate[(-a + b*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]], x]

[Out] (I*((a + I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]] - (a - I*b)^(3/2)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a - I*b]*Sqrt[a + I*b]*d)

Maple [B] time = 0.139, size = 1905, normalized size = 18.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out]
$$\begin{aligned}
& -1/4/d/b/(a^2+b^2)*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})*(2*(a^2+b^2)^{(1/2)+2*a} \\
& ^{(1/2)}+(a^2+b^2)^{(1/2)})*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a^3-1/4/d*b/(a^2+b^2)*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})* \\
& (2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}+(a^2+b^2)^{(1/2)})*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a+1/4/d/b/(a^2+b^2)^{(3/2)}* \\
& \ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}+(a^2+b^2)^{(1/2)})* \\
& (2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a^4-1/4/d*b^3/(a^2+b^2)^{(3/2)}*\ln(b*\tan(d*x+c)+a+(a+b*\tan(d*x+c))^{1/2})* \\
& (2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}+(a^2+b^2)^{(1/2)})*(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}+1/d/b/(a^2+b^2)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}* \\
& \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^3+1/d*b/(a^2+b^2)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}* \\
& \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a+1/d*b/(a^2+b^2)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}* \\
& \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^2-1/d/b/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}* \\
& \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^5+1/d*b^3/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}* \\
& \arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)+2*a}^{(1/2)}*a)^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})-3/d*b^3/(a^2+b^2)^{(3/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& -2*a^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}) \\
& /((2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a-4/d*b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}- \\
& 2*a)^{(1/2)}*\arctan((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)})/ \\
& (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^3+1/4/d*b/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)} \\
& *(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*(2*(a^2+b \\
& ^2)^{(1/2)}+2*a)^{(1/2)}*a^3+1/4/d*b/(a^2+b^2)*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^ \\
& 2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+ \\
& 2*a)^{(1/2)}*a-1/4/d*b/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2) \\
& ^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(\\
& 1/2)}*a^4+1/4/d*b^3/(a^2+b^2)^{(3/2)}*\ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(\\
& 1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a-(a^2+b^2)^{(1/2)})*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/ \\
& 2)}-1/d*b/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2) \\
& ^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})* \\
& a^3-1/d*b/(a^2+b^2)^{(1/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2) \\
&)^{(1/2)}+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}) \\
& *a-1/d*b/(a^2+b^2)/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)} \\
& +2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^2+1/ \\
& d*b/(a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)} \\
&)+2*a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^5-1 \\
& /d*b^3/(a^2+b^2)/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2 \\
& *a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})+3/d*b^3/ \\
& (a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2* \\
& a)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a+4/d*b/(\\
& a^2+b^2)^{(3/2)}/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)}*\arctan(((2*(a^2+b^2)^{(1/2)}+2*a \\
&)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)})/(2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)})*a^3
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.97254, size = 7656, normalized size = 75.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/4*(4*\sqrt{2}*(a^2 + b^2)*d^4*\sqrt{(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6 + (\\
& a^5 - 2*a^3*b^2 - 3*a*b^4)*d^2*\sqrt{(a^2 + b^2)/d^4}})/(9*a^4*b^2 - 6*a^2*b^ \\
& 4 + b^6))*((a^2 + b^2)/d^4)^{(3/4)}*\sqrt{(9*a^4*b^2 - 6*a^2*b^4 + b^6)/((a^4 \\
& + 2*a^2*b^2 + b^4)*d^4)}*\arctan(((3*a^8 + 8*a^6*b^2 + 6*a^4*b^4 - b^8)*d^4* \\
& \sqrt{(a^2 + b^2)/d^4}*\sqrt{(9*a^4*b^2 - 6*a^2*b^4 + b^6)/((a^4 + 2*a^2*b^2 \\
& + b^4)*d^4)} + (3*a^9 + 8*a^7*b^2 + 6*a^5*b^4 - a*b^8)*d^2*\sqrt{(9*a^4*b^2 \\
& - 6*a^2*b^4 + b^6)/((a^4 + 2*a^2*b^2 + b^4)*d^4)} + \sqrt{2}*(2*a*d^7*\sqrt{(\\
& a^2 + b^2)/d^4}*\sqrt{(9*a^4*b^2 - 6*a^2*b^4 + b^6)/((a^4 + 2*a^2*b^2 + b^4) \\
& *d^4)} + (a^2 + b^2)*d^5*\sqrt{(9*a^4*b^2 - 6*a^2*b^4 + b^6)/((a^4 + 2*a^2*b^ \\
& ^2 + b^4)*d^4)}))*\sqrt{(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6 + (a^5 - 2*a^3*b^2 \\
& - 3*a*b^4)*d^2*\sqrt{(a^2 + b^2)/d^4}})/(9*a^4*b^2 - 6*a^2*b^4 + b^6))*\sqrt{(
\end{aligned}$$

$$\begin{aligned}
& ((9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})d^2\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + \sqrt{2}((9a^6b^3 + 3a^4b^5 - 5a^2b^7 + b^9)d^3\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + 2((9a^7b^3 + 3a^5b^5 - 5a^3b^7 + ab^9)d\cos(dx + c))\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}((a^2 + b^2)/d^4)^{1/4} + (9a^9b^2 + 12a^7b^4 - 2a^5b^6 - 4a^3b^8 + ab^{10})\cos(dx + c) + (9a^8b^3 + 12a^6b^5 - 2a^4b^7 - 4a^2b^9 + b^{11})\sin(dx + c)/\cos(dx + c)((a^2 + b^2)/d^4)^{3/4} + \sqrt{2}(2(3a^5b + 2a^3b^3 - ab^5)d^7\sqrt{(a^2 + b^2)/d^4})\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}((a^2 + b^2)/d^4)^{3/4}/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10}) + 4\sqrt{2}(a^2 + b^2)d^4\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)((a^2 + b^2)/d^4)^{3/4}\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)}\arctan(-(3a^8 + 8a^6b^2 + 6a^4b^4 - b^8)d^4\sqrt{(a^2 + b^2)/d^4})\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)} + (3a^9 + 8a^7b^2 + 6a^5b^4 - ab^8)d^2\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)} - \sqrt{2}(2ad^7\sqrt{(a^2 + b^2)/d^4})\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)} + (a^2 + b^2)d^5\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)\sqrt{((9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})d^2\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) - \sqrt{2}((9a^6b^3 + 3a^4b^5 - 5a^2b^7 + b^9)d^3\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + 2((9a^7b^3 + 3a^5b^5 - 5a^3b^7 + ab^9)d\cos(dx + c))\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}((a^2 + b^2)/d^4)^{1/4} + (9a^9b^2 + 12a^7b^4 - 2a^5b^6 - 4a^3b^8 + ab^{10})\cos(dx + c) + (9a^8b^3 + 12a^6b^5 - 2a^4b^7 - 4a^2b^9 + b^{11})\sin(dx + c)/\cos(dx + c)((a^2 + b^2)/d^4)^{3/4} - \sqrt{2}(2(3a^5b + 2a^3b^3 - ab^5)d^7\sqrt{(a^2 + b^2)/d^4})\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)} + (3a^6b + 5a^4b^3 + a^2b^5 - b^7)d^5\sqrt{(9a^4b^2 - 6a^2b^4 + b^6)/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)((a^2 + b^2)/d^4)^{3/4}/(9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10}) + \sqrt{2}(a^4 + 2a^2b^2 + b^4 - (a^3 - 3ab^2)d^2\sqrt{(a^2 + b^2)/d^4})\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)((a^2 + b^2)/d^4)^{1/4}\log(((9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})d^2\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + \sqrt{2}((9a^6b^3 + 3a^4b^5 - 5a^2b^7 + b^9)d^3\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + 2((9a^7b^3 + 3a^5b^5 - 5a^3b^7 + ab^9)d\cos(dx + c))\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)\sqrt{(a\cos(dx + c) + b\sin(dx + c))/\cos(dx + c)}((a^2 + b^2)/d^4)^{1/4} + (9a^9b^2 + 12a^7b^4 - 2a^5b^6 - 4a^3b^8 + ab^{10})\cos(dx + c) + (9a^8b^3 + 12a^6b^5 - 2a^4b^7 - 4a^2b^9 + b^{11})\sin(dx + c)/\cos(dx + c)) - \sqrt{2}(a^4 + 2a^2b^2 + b^4 - (a^3 - 3ab^2)d^2\sqrt{(a^2 + b^2)/d^4})\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})}/(9a^4b^2 - 6a^2b^4 + b^6)((a^2 + b^2)/d^4)^{1/4}\log(((9a^8b^2 + 12a^6b^4 - 2a^4b^6 - 4a^2b^8 + b^{10})d^2\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) - \sqrt{2}((9a^6b^3 + 3a^4b^5 - 5a^2b^7 + b^9)d^3\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + 2((9a^7b^3 + 3a^5b^5 - 5a^3b^7 + ab^9)d^3\sqrt{(a^2 + b^2)/d^4})\cos(dx + c) + 2((9a^7b^3 + 3a^5b^5 - 5a^3b^7 + ab^9)d\cos(dx + c))\sqrt{(a^6 + 3a^4b^2 + 3a^2b^4 + b^6 + (a^5 - 2a^3b^2 - 3ab^4)d^2\sqrt{(a^2 + b^2)/d^4})})
\end{aligned}$$

$$3*b^7 + a*b^9)*d*\cos(d*x + c))*\sqrt{(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6 + (a^5 - 2*a^3*b^2 - 3*a*b^4)*d^2*\sqrt{(a^2 + b^2)/d^4)))/(9*a^4*b^2 - 6*a^2*b^4 + b^6))*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c))*((a^2 + b^2)/d^4)^{(1/4) + (9*a^9*b^2 + 12*a^7*b^4 - 2*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*\cos(d*x + c) + (9*a^8*b^3 + 12*a^6*b^5 - 2*a^4*b^7 - 4*a^2*b^9 + b^{11})*\sin(d*x + c))/\cos(d*x + c)))/(a^4 + 2*a^2*b^2 + b^4)}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{\sqrt{a + b \tan(c + dx)}} dx - \int -\frac{b \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2), x)

[Out] -Integral(a/sqrt(a + b*tan(c + d*x)), x) - Integral(-b*tan(c + d*x)/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \tan(dx + c) - a}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((b*tan(d*x + c) - a)/sqrt(b*tan(d*x + c) + a), x)

$$3.371 \quad \int \frac{-a+b \tan(c+dx)}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=132

$$\frac{4ab}{d(a^2+b^2)\sqrt{a+b \tan(c+dx)}} + \frac{(-b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a-ib)^{3/2}} - \frac{(b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a+ib)^{3/2}}$$

[Out] ((I*a - b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) - ((I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) + (4*a*b)/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.225423, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3529, 3539, 3537, 63, 208}

$$\frac{4ab}{d(a^2+b^2)\sqrt{a+b \tan(c+dx)}} + \frac{(-b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a-ib)^{3/2}} - \frac{(b+ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a+ib)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(-a + b*Tan[c + d*x])/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((I*a - b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(3/2)*d) - ((I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(3/2)*d) + (4*a*b)/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ

`[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{-a + b \tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx &= \frac{4ab}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{-a^2 + b^2 + 2ab \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{a^2 + b^2} \\ &= \frac{4ab}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} - \frac{(a - ib) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(a + ib)} - \frac{(a + ib) \int \frac{1 + i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(a - ib)} \\ &= \frac{4ab}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{(a + ib) \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c + dx)\right)}{2(ia + b)d} + \dots \\ &= \frac{4ab}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} + \frac{(a - ib) \operatorname{Subst}\left(\int \frac{1}{-1 + \frac{ia}{b} - \frac{ix^2}{b}} dx, x, \sqrt{a + b \tan(c + dx)}\right)}{(a + ib)bd} + \dots \\ &= \frac{(ia - b) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{3/2}d} - \frac{(ia + b) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{3/2}d} + \frac{4ab}{(a^2 + b^2) d \sqrt{a + b \tan(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.321831, size = 154, normalized size = 1.17

$$\frac{i \cos(c + dx)(a - b \tan(c + dx)) \left((a + ib)^2 \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a + b \tan(c + dx)}{a - ib}\right) - (a - ib)^2 \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a + b \tan(c + dx)}{a + ib}\right) \right)}{d(a - ib)(a + ib)\sqrt{a + b \tan(c + dx)}(a \cos(c + dx) - b \sin(c + dx))}$$

Antiderivative was successfully verified.

`[In] Integrate[(-a + b*Tan[c + d*x])/(a + b*Tan[c + d*x])^(3/2), x]`

`[Out] ((-I)*Cos[c + d*x]*((a + I*b)^2*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a - I*b)] - (a - I*b)^2*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Tan[c + d*x])/(a + I*b)])*(a - b*Tan[c + d*x]))/((a - I*b)*(a + I*b)*d*(a*Cos[c + d*x] - b*Sin[c + d*x])*Sqrt[a + b*Tan[c + d*x]])`

Maple [B] time = 0.097, size = 2291, normalized size = 17.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)`

`[Out] 1/d*b^3/(a^2+b^2)^(5/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a^2-1/d/b/(a^2+b^2)^(3/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a`

$$\begin{aligned} & \frac{(a^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}} * \\ & a^4-2/d*b/(a^2+b^2)^2/(2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a^2+b^2)^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^3 \\ & -1/2/d*b/(a^2+b^2)^{5/2} * \ln(b\tan(dx+c)+a+(a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} + (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^3-1/4 \\ & /d/b/(a^2+b^2)^{5/2} * \ln((a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^5-1/d*b^3 \\ & / (a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^2+1/d/ \\ & b/(a^2+b^2)^{3/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^4+2/d \\ & * b/(a^2+b^2)^2 / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^3-2/d*b^3 \\ & / (a^2+b^2)^2 / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a^2+b^2)^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^2/d*b^3 / (\\ & a^2+b^2)^2 / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) + (\\ & 2(a^2+b^2)^{1/2}+2a)^{1/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * a^{-1/4}/d/b/(a^2 \\ & +b^2)^2 * \ln(b\tan(dx+c)+a+(a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} + (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^4+1/4/d/b/(a^2+b^2)^{5/2} \\ & * \ln(b\tan(dx+c)+a+(a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} + (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^5+3/4/d*b^3/(a^2+b^2)^{5/2} \\ &) * \ln((a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} - b\tan(dx+c) - a - (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^1/d/b/(a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} \\ & * \arctan\left(\frac{(2(a^2+b^2)^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^6-1/d/b/(a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^6+1/2/d*b/(a^2+b^2)^{5/2} * \ln \\ & ((a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} - b\tan(dx+c) - a - (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^3-4/d*b/(a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} \\ & * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^4-2/d*b^5/(a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a^2+b^2)^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) \\ & -1/d*b^3/(a^2+b^2)^{3/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) + 2/d*b^5/(a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a+b\tan(dx+c))^{1/2}+2(a^2+b^2)^{1/2}+2a)^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) + 1/d*b^3/(a^2+b^2)^{3/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a^2+b^2)^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) + 1/4/d/b/(a^2+b^2)^2 * \ln((a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} - b\tan(dx+c) - a - (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^4-3/4/d*b^3/(a^2+b^2)^{5/2} * \ln(b\tan(dx+c)+a+(a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} + (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} * a^4/d*b/(a^2+b^2)^{5/2} / (2(a^2+b^2)^{1/2}-2a)^{1/2} * \arctan\left(\frac{(2(a^2+b^2)^{1/2}+2a)^{1/2}-2(a+b\tan(dx+c))^{1/2}}{(2(a^2+b^2)^{1/2}-2a)^{1/2}}\right) * a^4-1/4/d*b^3/(a^2+b^2)^2 * \ln((a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} - b\tan(dx+c) - a - (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} + 1/4/d*b^3/(a^2+b^2)^2 * \ln(b\tan(dx+c)+a+(a+b\tan(dx+c))^{1/2}) * (2(a^2+b^2)^{1/2}+2a)^{1/2} + (a^2+b^2)^{1/2} * (2(a^2+b^2)^{1/2}+2a)^{1/2} + 4*a*b/(a^2+b^2)/d/(a+b\tan(dx+c))^{1/2} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(dx+c))/(a+b*tan(dx+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.5052, size = 14344, normalized size = 108.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$-1/4*(4*\sqrt{2}*((a^8 + 2*a^6*b^2 - 2*a^2*b^6 - b^8)*d^5*\cos(d*x + c)^2 + 2*(a^7*b + 3*a^5*b^3 + 3*a^3*b^5 + a*b^7)*d^5*\cos(d*x + c)*\sin(d*x + c) + (a^6*b^2 + 3*a^4*b^4 + 3*a^2*b^6 + b^8)*d^5)*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^{11} - 7*a^9*b^2 - 22*a^7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^{10})*d^2*\sqrt{1/((a^2 + b^2)*d^4)}})/(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}*(1/((a^2 + b^2)*d^4))^{3/4}*\arctan(((5*a^{12} + 10*a^{10}*b^2 - 9*a^8*b^4 - 36*a^6*b^6 - 29*a^4*b^8 - 6*a^2*b^{10} + b^{12})*d^4*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}*\sqrt{1/((a^2 + b^2)*d^4)} + (5*a^{11} + 5*a^9*b^2 - 14*a^7*b^4 - 22*a^5*b^6 - 7*a^3*b^8 + a*b^{10})*d^2*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)} - \sqrt{2}*((3*a^6 + 5*a^4*b^2 + a^2*b^4 - b^6)*d^7*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}*\sqrt{1/((a^2 + b^2)*d^4)} + 2*(a^5 + 2*a^3*b^2 + a*b^4)*d^5*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}))*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^{11} - 7*a^9*b^2 - 22*a^7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^{10})*d^2*\sqrt{1/((a^2 + b^2)*d^4)}})/(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})*\sqrt{((25*a^{14}*b^2 - 25*a^{12}*b^4 - 115*a^{10}*b^6 + 35*a^8*b^8 + 171*a^6*b^{10} + 53*a^4*b^{12} - 17*a^2*b^{14} + b^{16})*d^2*\sqrt{1/((a^2 + b^2)*d^4)}}*\cos(d*x + c) + \sqrt{2}*(2*(25*a^{13}*b^3 - 50*a^{11}*b^5 - 65*a^9*b^7 + 100*a^7*b^9 + 71*a^5*b^{11} - 18*a^3*b^{13} + a*b^{15})*d^3*\sqrt{1/((a^2 + b^2)*d^4)}}*\cos(d*x + c) + (75*a^{12}*b^3 - 250*a^{10}*b^5 + 105*a^8*b^7 + 260*a^6*b^9 - 147*a^4*b^{11} + 22*a^2*b^{13} - b^{15})*d*\cos(d*x + c))*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^{11} - 7*a^9*b^2 - 22*a^7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^{10})*d^2*\sqrt{1/((a^2 + b^2)*d^4)}})/(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}*(1/((a^2 + b^2)*d^4))^{1/4} + (25*a^{13}*b^2 - 50*a^{11}*b^4 - 65*a^9*b^6 + 100*a^7*b^8 + 71*a^5*b^{10} - 18*a^3*b^{12} + a*b^{14})*\cos(d*x + c) + (25*a^{12}*b^3 - 50*a^{10}*b^5 - 65*a^8*b^7 + 100*a^6*b^9 + 71*a^4*b^{11} - 18*a^2*b^{13} + b^{15})*\sin(d*x + c))/\cos(d*x + c))*\sqrt{1/((a^2 + b^2)*d^4))^{3/4} + \sqrt{2}*((15*a^{12}*b + 10*a^{10}*b^3 - 47*a^8*b^5 - 52*a^6*b^7 + a^4*b^9 + 10*a^2*b^{11} - b^{13})*d^7*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}*\sqrt{1/((a^2 + b^2)*d^4)} + 2*(5*a^{11}*b + 5*a^9*b^3 - 14*a^7*b^5 - 22*a^5*b^7 - 7*a^3*b^9 + a*b^{11})*d^5*\sqrt{(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})/((a^{12} + 6*a^{10}*b^2 + 15*a^8*b^4 + 20*a^6*b^6 + 15*a^4*b^8 + 6*a^2*b^{10} + b^{12})*d^4)}*\sqrt{(a^{10} + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^{10} + (a^{11} - 7*a^9*b^2 - 22*a^7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^{10})*d^2*\sqrt{1/((a^2 + b^2)*d^4)}})/(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^{10})*\sqrt{(a*\cos(d*x + c) + b*\sin(d*x + c))/\cos(d*x + c)}*(1/(($$

$$\begin{aligned}
& (a^2 + b^2)d^4)^{3/4}) / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) + 4\sqrt{2} * ((a^8 + 2a^6b^2 - 2a^2b^6 - b^8)d^5 \cos(dx + c) \\
&)^2 + 2*(a^7b + 3a^5b^3 + 3a^3b^5 + ab^7)d^5 \cos(dx + c) \sin(dx + c) + (a^6b^2 + 3a^4b^4 + 3a^2b^6 + b^8)d^5) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d^2 \sqrt{1/((a^2 + b^2)d^4)})} / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)} * (1/((a^2 + b^2)d^4))^{3/4} \arctan(-((5a^{12} + 10a^{10}b^2 - 9a^8b^4 - 36a^6b^6 - 29a^4b^8 - 6a^2b^{10} + b^{12})d^4 \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) \sqrt{1/((a^2 + b^2)d^4)}) + (5a^{11} + 5a^9b^2 - 14a^7b^4 - 22a^5b^6 - 7a^3b^8 + ab^{10})d^2 \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) + \sqrt{2} * ((3a^6 + 5a^4b^2 + a^2b^4 - b^6)d^7 \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) \sqrt{1/((a^2 + b^2)d^4)}) + 2*(a^5 + 2a^3b^2 + ab^4)d^5 \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d^2 \sqrt{1/((a^2 + b^2)d^4)})} / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) \sqrt{((25a^{14}b^2 - 25a^{12}b^4 - 115a^{10}b^6 + 35a^8b^8 + 171a^6b^{10} + 53a^4b^{12} - 17a^2b^{14} + b^{16})d^2 \sqrt{1/((a^2 + b^2)d^4)}) \cos(dx + c) - \sqrt{2} * (2*(25a^{13}b^3 - 50a^{11}b^5 - 65a^9b^7 + 100a^7b^9 + 71a^5b^{11} - 18a^3b^{13} + ab^{15})d^3 \sqrt{1/((a^2 + b^2)d^4)}) \cos(dx + c) + (75a^{12}b^3 - 250a^{10}b^5 + 105a^8b^7 + 260a^6b^9 - 147a^4b^{11} + 22a^2b^{13} - b^{15})d \cos(dx + c)) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d^2 \sqrt{1/((a^2 + b^2)d^4)})} / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c))} * (1/((a^2 + b^2)d^4))^{1/4} + (25a^{13}b^2 - 50a^{11}b^4 - 65a^9b^6 + 100a^7b^8 + 71a^5b^{10} - 18a^3b^{12} + ab^{14}) \cos(dx + c) + (25a^{12}b^3 - 50a^{10}b^5 - 65a^8b^7 + 100a^6b^9 + 71a^4b^{11} - 18a^2b^{13} + b^{15}) \sin(dx + c) / \cos(dx + c)) * (1/((a^2 + b^2)d^4))^{3/4} - \sqrt{2} * ((15a^{12}b + 10a^{10}b^3 - 47a^8b^5 - 52a^6b^7 + a^4b^9 + 10a^2b^{11} - b^{13})d^7 \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) \sqrt{1/((a^2 + b^2)d^4)}) + 2*(5a^{11}b + 5a^9b^3 - 14a^7b^5 - 22a^5b^7 - 7a^3b^9 + ab^{11})d^5 \sqrt{(25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) / ((a^{12} + 6a^{10}b^2 + 15a^8b^4 + 20a^6b^6 + 15a^4b^8 + 6a^2b^{10} + b^{12})d^4)}) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d^2 \sqrt{1/((a^2 + b^2)d^4)})} / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) \sqrt{(a \cos(dx + c) + b \sin(dx + c)) / \cos(dx + c))} * (1/((a^2 + b^2)d^4))^{3/4}) / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10}) + \sqrt{2} * ((a^6 + a^4b^2 - a^2b^4 - b^6)d \cos(dx + c)^2 + 2*(a^5b + 2a^3b^3 + ab^5)d \cos(dx + c) \sin(dx + c) + (a^4b^2 + 2a^2b^4 + b^6)d - ((a^7 - 11a^5b^2 + 15a^3b^4 - 5ab^6)d^3 \cos(dx + c)^2 + 2*(a^6b - 10a^4b^3 + 5a^2b^5)d^3 \cos(dx + c) \sin(dx + c) + (a^5b^2 - 10a^3b^4 + 5ab^6)d^3) \sqrt{1/((a^2 + b^2)d^4)}) \sqrt{(a^{10} + 5a^8b^2 + 10a^6b^4 + 10a^4b^6 + 5a^2b^8 + b^{10} + (a^{11} - 7a^9b^2 - 22a^7b^4 - 14a^5b^6 + 5a^3b^8 + 5ab^{10})d^2 \sqrt{1/((a^2 + b^2)d^4)})} / (25a^8b^2 - 100a^6b^4 + 110a^4b^6 - 20a^2b^8 + b^{10})) * (1/((a^2 + b^2)d^4))^{1/4} \log(((25a^{14}b^2 - 25a^{12}b^4 - 115a^{10}b^6 + 35a^8b^8 + 171a^6b^{10} + 53a^4b^{12} - 17a^2b^{14} + b^{16})d^2 \sqrt{1/}
\end{aligned}$$

```

((a^2 + b^2)*d^4))*cos(d*x + c) + sqrt(2)*(2*(25*a^13*b^3 - 50*a^11*b^5 - 6
5*a^9*b^7 + 100*a^7*b^9 + 71*a^5*b^11 - 18*a^3*b^13 + a*b^15)*d^3*sqrt(1/((
a^2 + b^2)*d^4))*cos(d*x + c) + (75*a^12*b^3 - 250*a^10*b^5 + 105*a^8*b^7 +
260*a^6*b^9 - 147*a^4*b^11 + 22*a^2*b^13 - b^15)*d*cos(d*x + c))*sqrt((a^1
0 + 5*a^8*b^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^10 + (a^11 - 7*a^9*
b^2 - 22*a^7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^10)*d^2*sqrt(1/((a^2 + b^
2)*d^4)))/(25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^10))*sq
rt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c))*(1/((a^2 + b^2)*d^4))^(1/
4) + (25*a^13*b^2 - 50*a^11*b^4 - 65*a^9*b^6 + 100*a^7*b^8 + 71*a^5*b^10 -
18*a^3*b^12 + a*b^14)*cos(d*x + c) + (25*a^12*b^3 - 50*a^10*b^5 - 65*a^8*b^
7 + 100*a^6*b^9 + 71*a^4*b^11 - 18*a^2*b^13 + b^15)*sin(d*x + c))/cos(d*x +
c) - sqrt(2)*((a^6 + a^4*b^2 - a^2*b^4 - b^6)*d*cos(d*x + c)^2 + 2*(a^5*b
+ 2*a^3*b^3 + a*b^5)*d*cos(d*x + c)*sin(d*x + c) + (a^4*b^2 + 2*a^2*b^4 +
b^6)*d - ((a^7 - 11*a^5*b^2 + 15*a^3*b^4 - 5*a*b^6)*d^3*cos(d*x + c)^2 + 2*
(a^6*b - 10*a^4*b^3 + 5*a^2*b^5)*d^3*cos(d*x + c)*sin(d*x + c) + (a^5*b^2 -
10*a^3*b^4 + 5*a*b^6)*d^3)*sqrt(1/((a^2 + b^2)*d^4))*sqrt((a^10 + 5*a^8*b
^2 + 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^10 + (a^11 - 7*a^9*b^2 - 22*a^
7*b^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^10)*d^2*sqrt(1/((a^2 + b^2)*d^4)))/(
25*a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^10))*(1/((a^2 + b^2
)*d^4))^(1/4)*log(((25*a^14*b^2 - 25*a^12*b^4 - 115*a^10*b^6 + 35*a^8*b^8 +
171*a^6*b^10 + 53*a^4*b^12 - 17*a^2*b^14 + b^16)*d^2*sqrt(1/((a^2 + b^2)*d
^4))*cos(d*x + c) - sqrt(2)*(2*(25*a^13*b^3 - 50*a^11*b^5 - 65*a^9*b^7 + 10
0*a^7*b^9 + 71*a^5*b^11 - 18*a^3*b^13 + a*b^15)*d^3*sqrt(1/((a^2 + b^2)*d^4
))*cos(d*x + c) + (75*a^12*b^3 - 250*a^10*b^5 + 105*a^8*b^7 + 260*a^6*b^9 -
147*a^4*b^11 + 22*a^2*b^13 - b^15)*d*cos(d*x + c))*sqrt((a^10 + 5*a^8*b^2
+ 10*a^6*b^4 + 10*a^4*b^6 + 5*a^2*b^8 + b^10 + (a^11 - 7*a^9*b^2 - 22*a^7*b
^4 - 14*a^5*b^6 + 5*a^3*b^8 + 5*a*b^10)*d^2*sqrt(1/((a^2 + b^2)*d^4)))/(25*
a^8*b^2 - 100*a^6*b^4 + 110*a^4*b^6 - 20*a^2*b^8 + b^10))*sqrt((a*cos(d*x +
c) + b*sin(d*x + c))/cos(d*x + c))*(1/((a^2 + b^2)*d^4))^(1/4) + (25*a^13*
b^2 - 50*a^11*b^4 - 65*a^9*b^6 + 100*a^7*b^8 + 71*a^5*b^10 - 18*a^3*b^12 +
a*b^14)*cos(d*x + c) + (25*a^12*b^3 - 50*a^10*b^5 - 65*a^8*b^7 + 100*a^6*b^
9 + 71*a^4*b^11 - 18*a^2*b^13 + b^15)*sin(d*x + c))/cos(d*x + c)) - 16*((a^
4*b + a^2*b^3)*cos(d*x + c)^2 + (a^3*b^2 + a*b^4)*cos(d*x + c)*sin(d*x + c)
)*sqrt((a*cos(d*x + c) + b*sin(d*x + c))/cos(d*x + c)))/((a^6 + a^4*b^2 - a
^2*b^4 - b^6)*d*cos(d*x + c)^2 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d*cos(d*x +
c)*sin(d*x + c) + (a^4*b^2 + 2*a^2*b^4 + b^6)*d)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{a\sqrt{a+b\tan(c+dx)}+b\sqrt{a+b\tan(c+dx)}\tan(c+dx)} dx - \int -\frac{b\tan(c+dx)}{a\sqrt{a+b\tan(c+dx)}+b\sqrt{a+b\tan(c+dx)}\tan(c+dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2), x)

[Out] -Integral(a/(a*sqrt(a + b*tan(c + d*x)) + b*sqrt(a + b*tan(c + d*x))*tan(c + d*x)), x) - Integral(-b*tan(c + d*x)/(a*sqrt(a + b*tan(c + d*x)) + b*sqrt(a + b*tan(c + d*x))*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \tan(dx + c) - a}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*tan(d*x + c) - a)/(b*tan(d*x + c) + a)^(3/2), x)
```

$$3.372 \quad \int \frac{-a+b \tan(c+dx)}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=174

$$\frac{2b(3a^2 - b^2)}{d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{4ab}{3d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{(-b + ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} - \frac{(b + ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{5/2}}$$

[Out] ((I*a - b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) - ((I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) + (4*a*b)/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(3*a^2 - b^2))/((a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.338075, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3529, 3539, 3537, 63, 208}

$$\frac{2b(3a^2 - b^2)}{d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{4ab}{3d(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{(-b + ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d(a - ib)^{5/2}} - \frac{(b + ia) \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d(a + ib)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(-a + b*Tan[c + d*x])/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((I*a - b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b]]/((a - I*b)^(5/2)*d) - ((I*a + b)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]]/((a + I*b)^(5/2)*d) + (4*a*b)/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(3*a^2 - b^2))/((a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{-a + b \tan(c + dx)}{(a + b \tan(c + dx))^{5/2}} dx = \frac{4ab}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{\int \frac{-a^2 + b^2 + 2ab \tan(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx}{a^2 + b^2}$$

$$= \frac{4ab}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(3a^2 - b^2)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} + \frac{\int \frac{-a(a^2 - 3b^2) + b(3a^2 - b^2) \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{(a^2 + b^2)}$$

$$= \frac{4ab}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(3a^2 - b^2)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \frac{(a - ib) \int \frac{1 - i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx}{2(a + ib)}$$

$$= \frac{4ab}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(3a^2 - b^2)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \frac{(ia - b) \text{Subst}\left(\int \frac{1 - i \tan(x)}{\sqrt{a + b \tan(x)}} dx\right)}{(a + ib)}$$

$$= \frac{4ab}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(3a^2 - b^2)}{(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} - \frac{(a + ib) \text{Subst}\left(\int \frac{1 - i \tan(x)}{\sqrt{a + b \tan(x)}} dx\right)}{(a + ib)}$$

$$= \frac{(ia - b) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a - ib}}\right)}{(a - ib)^{5/2}d} - \frac{(ia + b) \tanh^{-1}\left(\frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{a + ib}}\right)}{(a + ib)^{5/2}d} + \frac{4ab}{3(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}}$$

Mathematica [C] time = 0.268903, size = 156, normalized size = 0.9

$$\frac{i \cos(c + dx)(a - b \tan(c + dx)) \left((a + ib)^2 \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a + b \tan(c + dx)}{a - ib}\right) - (a - ib)^2 \text{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a + b \tan(c + dx)}{a + ib}\right) \right)}{3d(a - ib)(a + ib)(a + b \tan(c + dx))^{3/2}(a \cos(c + dx) - b \sin(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(-a + b*Tan[c + d*x])/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((-I/3)*Cos[c + d*x]*((a + I*b)^2*Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Tan[c + d*x])/(a - I*b)] - (a - I*b)^2*Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Tan[c + d*x])/(a + I*b)])*(a - b*Tan[c + d*x]))/((a - I*b)*(a + I*b)*d*(a*Cos[c + d*x] - b*Sin[c + d*x])*(a + b*Tan[c + d*x])^(3/2))
```

Maple [B] time = 0.101, size = 3055, normalized size = 17.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned} & a^2+b^2)^{(7/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a^2+b^2)^{(1/2)}+2*a) \\ &)^{(1/2)}-2*(a+b*\tan(d*x+c))^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * a^{5+5/4}/d* \\ & b/(a^2+b^2)^{(7/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b \\ & * \tan(d*x+c)-a-(a^2+b^2)^{(1/2)}) * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{4-1/2}/d*b/(a \\ & ^2+b^2)^3 * \ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x \\ & +c)-a-(a^2+b^2)^{(1/2)}) * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{3+7}/d*b^5/(a^2+b^2)^{ \\ & (7/2)} / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * \arctan(((2*(a+b*\tan(d*x+c))^{(1/2)}+(2*(a^ \\ & 2+b^2)^{(1/2)}+2*a)^{(1/2)}) / (2*(a^2+b^2)^{(1/2)}-2*a)^{(1/2)} * a^{-1/4}/d/b/(a^2+b^2) \\ & ^{(7/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c) \\ & -a-(a^2+b^2)^{(1/2)}) * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^{6+5/4}/d*b^3/(a^2+b^2)^{(\\ & 7/2)} * \ln((a+b*\tan(d*x+c))^{(1/2)}*(2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)}-b*\tan(d*x+c)-a \\ & -(a^2+b^2)^{(1/2)}) * (2*(a^2+b^2)^{(1/2)}+2*a)^{(1/2)} * a^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 6.20353, size = 23711, normalized size = 136.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/12*(12*\sqrt{2})*((a^{14} - a^{12}b^2 - 19a^{10}b^4 - 45a^8b^6 - 45a^6b^8 \\ & - 19a^4b^{10} - a^2b^{12} + b^{14})*d^5*\cos(d*x + c)^4 + 2*(3a^{12}b^2 + 14a^{10} \\ & b^4 + 25a^8b^6 + 20a^6b^8 + 5a^4b^{10} - 2a^2b^{12} - b^{14})*d^5*\cos(d \\ & *x + c)^2 + (a^{10}b^4 + 5a^8b^6 + 10a^6b^8 + 10a^4b^{10} + 5a^2b^{12} \\ & + b^{14})*d^5 + 4*((a^{13}b + 4a^{11}b^3 + 5a^9b^5 - 5a^5b^9 - 4a^3b^{11} \\ & - a*b^{13})*d^5*\cos(d*x + c)^3 + (a^{11}b^3 + 5a^9b^5 + 10a^7b^7 + 10a^5b \\ & b^9 + 5a^3b^{11} + a*b^{13})*d^5*\cos(d*x + c))*\sin(d*x + c))*\sqrt{(a^{14} + 7a \\ & ^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} \\ & + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 - 32a^{11}b^6 + 110a^9b^8 + 17 \\ & 6a^7b^{10} + 84a^5b^{12} - 7a^3b^{16})*d^2*\sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 \\ & ^4 + b^6)*d^4)))/(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 \\ & + 511a^4b^{10} - 42a^2b^{12} + b^{14}))*\sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 15 \\ & 19a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}))/((a^{20} + 10* \\ & a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210* \\ & a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})*d^4)}*(1/((a^6 \\ & + 3a^4b^2 + 3a^2b^4 + b^6)*d^4))^{(3/4)}*\arctan(-((7a^{20} + 14a^{18}b^2 - \\ & 77a^{16}b^4 - 344a^{14}b^6 - 546a^{12}b^8 - 364a^{10}b^{10} + 14a^8b^{12} + \\ & 168a^6b^{14} + 91a^4b^{16} + 14a^2b^{18} - b^{20})*d^4*\sqrt{(49a^{12}b^2 - 49 \\ & 0a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14} \\ & 4))/((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a \\ & ^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})* \\ & d^4))*\sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)*d^4)} + (7a^{17} - 84a^{13} \\ & *b^4 - 176a^{11}b^6 - 110a^9b^8 + 32a^7b^{10} + 60a^5b^{12} + 16a^3b^{14} \\ & - a*b^{16})*d^2*\sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 \end{aligned}$$

$$\begin{aligned}
& ^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 \\
& + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} \\
& + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4) + \sqrt{2} * (4(a^{15} + 5a^{13}b^2 \\
& + 9a^{11}b^4 + 5a^9b^6 - 5a^7b^8 - 9a^5b^{10} - 5a^3b^{12} - ab^{14})d^7 \\
& * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} \\
& - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 \\
& + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} \\
& + 10a^2b^{18} + b^{20})d^4)) * \sqrt{1 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} \\
& + (3a^{12} + 14a^{10}b^2 + 25a^8b^4 + 20a^6b^6 + 5a^4b^8 - 2a^2b^{10} \\
& - b^{12})d^5 * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 \\
& + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 \\
& + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} \\
& + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)) * \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 \\
& + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 \\
& - 60a^{13}b^4 - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7ab^{16}) \\
& * d^2 * \sqrt{1 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}}) / (49a^{12}b^2 - 490a^{10}b^4 \\
& + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14})) * \sqrt{((49a^{20}b^2 \\
& - 294a^{18}b^4 - 147a^{16}b^6 + 1848a^{14}b^8 + 1778a^{12}b^{10} - 1316a^{10}b^{12} - 1518a^8b^{14} \\
& + 312a^6b^{16} + 349a^4b^{18} - 38a^2b^{20} + b^{22})d^2 * \sqrt{1 / ((a^6 + 3a^4b^2 + 3a^2b^4 \\
& + b^6)d^4)}} * \cos(dx + c) + \sqrt{2} * ((147a^{20}b^3 - 1078a^{18}b^5 \\
& + 931a^{16}b^7 + 4760a^{14}b^9 - 1274a^{12}b^{11} - 4452a^{10}b^{13} + 1214a^8b^{15} \\
& + 1240a^6b^{17} - 505a^4b^{19} + 42a^2b^{21} - b^{23})d^3 * \sqrt{1 / ((a^6 + 3a^4b^2 \\
& + 3a^2b^4 + b^6)d^4)}} * \cos(dx + c) + 4 * (49a^{17}b^3 - 490a^{15}b^5 + 1470a^{13}b^7 \\
& - 994a^{11}b^9 - 1008a^9b^{11} + 1442a^7b^{13} - 510a^5b^{15} + 42a^3b^{17} - ab^{19}) \\
& * d * \cos(dx + c) * \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 \\
& + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 - 32a^{11}b^6 \\
& + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7ab^{16})d^2 * \sqrt{1 / ((a^6 + 3a^4b^2 \\
& + 3a^2b^4 + b^6)d^4)}}) / (49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 \\
& + 511a^4b^{10} - 42a^2b^{12} + b^{14})) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} \\
& * (1 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4} + (49a^{17}b^2 - 392a^{15}b^4 \\
& + 588a^{13}b^6 + 1064a^{11}b^8 - 938a^9b^{10} - 504a^7b^{12} + 428a^5b^{14} - 40a^3b^{16} \\
& + ab^{18}) * \cos(dx + c) + (49a^{16}b^3 - 392a^{14}b^5 + 588a^{12}b^7 + 1064a^{10}b^9 \\
& - 938a^8b^{11} - 504a^6b^{13} + 428a^4b^{15} - 40a^2b^{17} + b^{19}) * \sin(dx + c) / \cos(dx + c) \\
& * (1 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{3/4} + \sqrt{2} * (4 * (7a^{23}b + 7a^{21}b^3 - 9 \\
& 1a^{19}b^5 - 267a^{17}b^7 - 202a^{15}b^9 + 182a^{13}b^{11} + 378a^{11}b^{13} + 154a^9b^{15} \\
& - 77a^7b^{17} - 77a^5b^{19} - 15a^3b^{21} + ab^{23})d^7 * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 \\
& + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 \\
& + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} \\
& + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)) * \sqrt{1 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} \\
& + (21a^{20}b + 14a^{18}b^3 - 259a^{16}b^5 - 696a^{14}b^7 - 598a^{12}b^9 + 52a^{10}b^{11} \\
& + 354a^8b^{13} + 136a^6b^{15} - 31a^4b^{17} - 18a^2b^{19} + b^{21})d^5 * \sqrt{(49a^{12}b^2 \\
& - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} \\
& + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} \\
& + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)) * \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 \\
& + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 \\
& - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7ab^{16})d^2 * \sqrt{1 / ((a^6 + 3a^4b^2 \\
& + 3a^2b^4 + b^6)d^4)}}) / (49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 \\
& + 511a^4b^{10} - 42a^2b^{12} + b^{14})) * \sqrt{(a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)} \\
& * (1 / ((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{3/4} / (49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 \\
& - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14})) + 12 * \sqrt{2} * ((a^{14} - a^{12}b^2 - 19a^{10}b^4 \\
& - 45a^8b^6 - 45a^6b^8 - 19a^4b^{10} - a^2b^{12} + b^{14})d^5 * \cos(dx + c)^4 + 2 * (3a^{12}b^2 + 14a^{10}b^4 \\
& + 25a^8b^6 + 20a^6b^8 + 5a^4b^{10} - 2a^2b^{12} - b^{14})d^5 * \cos(dx + c)^2 + (a
\end{aligned}$$

$$\begin{aligned}
& ^{10}b^4 + 5a^8b^6 + 10a^6b^8 + 10a^4b^{10} + 5a^2b^{12} + b^{14})d^5 + 4 \\
& *((a^{13}b + 4a^{11}b^3 + 5a^9b^5 - 5a^5b^9 - 4a^3b^{11} - ab^{13})d^5 * \cos(d*x + c)^3 + (a^{11}b^3 + 5a^9b^5 + 10a^7b^7 + 10a^5b^9 + 5a^3b^{11} \\
& + ab^{13})d^5 * \cos(d*x + c)) * \sin(d*x + c) * \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} \\
& - 16a^{15}b^2 - 60a^{13}b^4 - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7a^3b^{16})d^2 * \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))} \\
&) / (49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 14 \\
& 84a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)} * (1/((a^6 + 3a^4b^2 + 3 \\
& a^2b^4 + b^6)d^4))^{3/4} * \arctan(((7a^{20} + 14a^{18}b^2 - 77a^{16}b^4 - 344a^{14}b^6 - 546a^{12}b^8 - 364a^{10}b^{10} + 14a^8b^{12} + 168a^6b^{14} + 91a^4b^{16} + 14a^2b^{18} - b^{20})d^4 * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 151 \\
& 9a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)} * \sqrt{1/((a \\
& ^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} + (7a^{17} - 84a^{13}b^4 - 176a^{11}b^6 - 110a^9b^8 + 32a^7b^{10} + 60a^5b^{12} + 16a^3b^{14} - ab^{16})d^2 * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)} - \sqrt{2} * (4 * (a^{15} + 5a^{13}b^2 + 9a^{11}b^4 + 5a^9b^6 - 5a^7b^8 - 9a^5b^{10} - 5a^3b^{12} - ab^{14})d^7 * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)} * \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} + (3a^{12} + 14a^{10}b^2 + 25a^8b^4 + 20a^6b^6 + 5a^4b^8 - 2a^2b^{10} - b^{12})d^5 * \sqrt{(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) / ((a^{20} + 10a^{18}b^2 + 45a^{16}b^4 + 120a^{14}b^6 + 210a^{12}b^8 + 252a^{10}b^{10} + 210a^8b^{12} + 120a^6b^{14} + 45a^4b^{16} + 10a^2b^{18} + b^{20})d^4)} * \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7a^3b^{16})d^2 * \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))} / (49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) * \sqrt{((49a^{20}b^2 - 294a^{18}b^4 - 147a^{16}b^6 + 1848a^{14}b^8 + 1778a^{12}b^{10} - 1316a^{10}b^{12} - 1518a^8b^{14} + 312a^6b^{16} + 349a^4b^{18} - 38a^2b^{20} + b^{22})d^2 * \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} * \cos(d*x + c) - \sqrt{2} * ((147a^{20}b^3 - 1078a^{18}b^5 + 931a^{16}b^7 + 4760a^{14}b^9 - 1274a^{12}b^{11} - 4452a^{10}b^{13} + 1214a^8b^{15} + 1240a^6b^{17} - 505a^4b^{19} + 42a^2b^{21} - b^{23})d^3 * \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)} * \cos(d*x + c) + 4 * (49a^{17}b^3 - 490a^{15}b^5 + 1470a^{13}b^7 - 994a^{11}b^9 - 1008a^9b^{11} + 1442a^7b^{13} - 510a^5b^{15} + 42a^3b^{17} - ab^{19})d * \cos(d*x + c)) * \sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7a^3b^{16})d^2 * \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))} / (49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}) * \sqrt{(a * \cos(d*x + c) + b * \sin(d*x + c)) / \cos(d*x + c)} * (1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4} + (49a^{17}b^2 - 392a^{15}b^4 + 588a^{13}b^6 + 1064a^{11}b^8 - 938a^9b^{10} - 504a^7b^{12} + 428a^5b^{14} - 40a^3b^{16} + ab^{18}) * \cos(d*x + c) + (49a^{16}b^3 - 392a^{14}b^5 + 588a^{12}b^7 + 1064a^{10}b^9 - 938a^8b^{11} - 504a^6b^{13} + 428a^4b^{15} - 40a^2b^{17} + b^{19}) * \sin(d*x + c) / \cos(d*x + c) * (1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{3/4} - \sqrt{2} * (4 * (7a^{23}b + 7a^{21}b^3 - 91a^{19}b^5 - 267a^{17}b^7 - 202a^{15}b^9 + 182a^{13}b^{11} + 378a^{11}b^{13} + 154a^9b^{15} - 7
\end{aligned}$$

$$\begin{aligned}
& 7*a^7*b^17 - 77*a^5*b^19 - 15*a^3*b^21 + a*b^23) * d^7 * \text{sqrt}((49*a^12*b^2 - 49 \\
& 0*a^10*b^4 + 1519*a^8*b^6 - 1484*a^6*b^8 + 511*a^4*b^10 - 42*a^2*b^12 + b^1 \\
& 4)/((a^20 + 10*a^18*b^2 + 45*a^16*b^4 + 120*a^14*b^6 + 210*a^12*b^8 + 252*a \\
& ^10*b^10 + 210*a^8*b^12 + 120*a^6*b^14 + 45*a^4*b^16 + 10*a^2*b^18 + b^20) * \\
& d^4)) * \text{sqrt}(1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4)) + (21*a^20*b + 14*a \\
& ^18*b^3 - 259*a^16*b^5 - 696*a^14*b^7 - 598*a^12*b^9 + 52*a^10*b^11 + 354*a \\
& ^8*b^13 + 136*a^6*b^15 - 31*a^4*b^17 - 18*a^2*b^19 + b^21) * d^5 * \text{sqrt}((49*a^1 \\
& 2*b^2 - 490*a^10*b^4 + 1519*a^8*b^6 - 1484*a^6*b^8 + 511*a^4*b^10 - 42*a^2* \\
& b^12 + b^14)/((a^20 + 10*a^18*b^2 + 45*a^16*b^4 + 120*a^14*b^6 + 210*a^12*b \\
& ^8 + 252*a^10*b^10 + 210*a^8*b^12 + 120*a^6*b^14 + 45*a^4*b^16 + 10*a^2*b^1 \\
& 8 + b^20) * d^4)) * \text{sqrt}((a^14 + 7*a^12*b^2 + 21*a^10*b^4 + 35*a^8*b^6 + 35*a^ \\
& 6*b^8 + 21*a^4*b^10 + 7*a^2*b^12 + b^14 + (a^17 - 16*a^15*b^2 - 60*a^13*b^4 \\
& - 32*a^11*b^6 + 110*a^9*b^8 + 176*a^7*b^10 + 84*a^5*b^12 - 7*a*b^16) * d^2 * s \\
& \text{qrt}(1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4)))/(49*a^12*b^2 - 490*a^10*b \\
& ^4 + 1519*a^8*b^6 - 1484*a^6*b^8 + 511*a^4*b^10 - 42*a^2*b^12 + b^14)) * \text{sqrt} \\
& ((a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)) * (1/((a^6 + 3*a^4*b^2 + 3*a \\
& ^2*b^4 + b^6) * d^4))^(3/4)) / (49*a^12*b^2 - 490*a^10*b^4 + 1519*a^8*b^6 - 148 \\
& 4*a^6*b^8 + 511*a^4*b^10 - 42*a^2*b^12 + b^14)) - 3 * \text{sqrt}(2) * ((a^8 - 4*a^6*b \\
& ^2 - 10*a^4*b^4 - 4*a^2*b^6 + b^8) * d * \cos(dx + c)^4 + 2 * (3*a^6*b^2 + 5*a^4* \\
& b^4 + a^2*b^6 - b^8) * d * \cos(dx + c)^2 + (a^4*b^4 + 2*a^2*b^6 + b^8) * d + 4 * (\\
& (a^7*b + a^5*b^3 - a^3*b^5 - a*b^7) * d * \cos(dx + c)^3 + (a^5*b^3 + 2*a^3*b^5 \\
& + a*b^7) * d * \cos(dx + c)) * \sin(dx + c) - ((a^11 - 27*a^9*b^2 + 162*a^7*b^4 \\
& - 238*a^5*b^6 + 77*a^3*b^8 - 7*a*b^10) * d^3 * \cos(dx + c)^4 + 2 * (3*a^9*b^2 - \\
& 64*a^7*b^4 + 126*a^5*b^6 - 56*a^3*b^8 + 7*a*b^10) * d^3 * \cos(dx + c)^2 + (a^7 \\
& * b^4 - 21*a^5*b^6 + 35*a^3*b^8 - 7*a*b^10) * d^3 + 4 * ((a^10*b - 22*a^8*b^3 + \\
& 56*a^6*b^5 - 42*a^4*b^7 + 7*a^2*b^9) * d^3 * \cos(dx + c)^3 + (a^8*b^3 - 21*a^6 \\
& * b^5 + 35*a^4*b^7 - 7*a^2*b^9) * d^3 * \cos(dx + c)) * \sin(dx + c)) * \text{sqrt}(1/((a^6 \\
& + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4)) * \text{sqrt}((a^14 + 7*a^12*b^2 + 21*a^10*b^ \\
& 4 + 35*a^8*b^6 + 35*a^6*b^8 + 21*a^4*b^10 + 7*a^2*b^12 + b^14 + (a^17 - 16* \\
& a^15*b^2 - 60*a^13*b^4 - 32*a^11*b^6 + 110*a^9*b^8 + 176*a^7*b^10 + 84*a^5* \\
& b^12 - 7*a*b^16) * d^2 * \text{sqrt}(1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4)))/(49 \\
& * a^12*b^2 - 490*a^10*b^4 + 1519*a^8*b^6 - 1484*a^6*b^8 + 511*a^4*b^10 - 42* \\
& a^2*b^12 + b^14)) * (1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4))^(1/4) * \log((\\
& (49*a^20*b^2 - 294*a^18*b^4 - 147*a^16*b^6 + 1848*a^14*b^8 + 1778*a^12*b^10 \\
& - 1316*a^10*b^12 - 1518*a^8*b^14 + 312*a^6*b^16 + 349*a^4*b^18 - 38*a^2*b^ \\
& 20 + b^22) * d^2 * \text{sqrt}(1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4)) * \cos(dx + \\
& c) + \text{sqrt}(2) * ((147*a^20*b^3 - 1078*a^18*b^5 + 931*a^16*b^7 + 4760*a^14*b^9 \\
& - 1274*a^12*b^11 - 4452*a^10*b^13 + 1214*a^8*b^15 + 1240*a^6*b^17 - 505*a^4 \\
& * b^19 + 42*a^2*b^21 - b^23) * d^3 * \text{sqrt}(1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) \\
& * d^4)) * \cos(dx + c) + 4 * (49*a^17*b^3 - 490*a^15*b^5 + 1470*a^13*b^7 - 994*a \\
& ^11*b^9 - 1008*a^9*b^11 + 1442*a^7*b^13 - 510*a^5*b^15 + 42*a^3*b^17 - a*b^ \\
& 19) * d * \cos(dx + c)) * \text{sqrt}((a^14 + 7*a^12*b^2 + 21*a^10*b^4 + 35*a^8*b^6 + 35 \\
& * a^6*b^8 + 21*a^4*b^10 + 7*a^2*b^12 + b^14 + (a^17 - 16*a^15*b^2 - 60*a^13* \\
& b^4 - 32*a^11*b^6 + 110*a^9*b^8 + 176*a^7*b^10 + 84*a^5*b^12 - 7*a*b^16) * d^ \\
& 2 * \text{sqrt}(1/((a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6) * d^4)))/(49*a^12*b^2 - 490*a^1 \\
& 0*b^4 + 1519*a^8*b^6 - 1484*a^6*b^8 + 511*a^4*b^10 - 42*a^2*b^12 + b^14)) * s \\
& \text{qrt}((a * \cos(dx + c) + b * \sin(dx + c)) / \cos(dx + c)) * (1/((a^6 + 3*a^4*b^2 + \\
& 3*a^2*b^4 + b^6) * d^4))^(1/4) + (49*a^17*b^2 - 392*a^15*b^4 + 588*a^13*b^6 + \\
& 1064*a^11*b^8 - 938*a^9*b^10 - 504*a^7*b^12 + 428*a^5*b^14 - 40*a^3*b^16 + \\
& a*b^18) * \cos(dx + c) + (49*a^16*b^3 - 392*a^14*b^5 + 588*a^12*b^7 + 1064*a \\
& ^10*b^9 - 938*a^8*b^11 - 504*a^6*b^13 + 428*a^4*b^15 - 40*a^2*b^17 + b^19) * \\
& \sin(dx + c)) / \cos(dx + c)) + 3 * \text{sqrt}(2) * ((a^8 - 4*a^6*b^2 - 10*a^4*b^4 - 4* \\
& a^2*b^6 + b^8) * d * \cos(dx + c)^4 + 2 * (3*a^6*b^2 + 5*a^4*b^4 + a^2*b^6 - b^8) \\
& * d * \cos(dx + c)^2 + (a^4*b^4 + 2*a^2*b^6 + b^8) * d + 4 * ((a^7*b + a^5*b^3 - a \\
& ^3*b^5 - a*b^7) * d * \cos(dx + c)^3 + (a^5*b^3 + 2*a^3*b^5 + a*b^7) * d * \cos(dx \\
& + c)) * \sin(dx + c) - ((a^11 - 27*a^9*b^2 + 162*a^7*b^4 - 238*a^5*b^6 + 77*a \\
& ^3*b^8 - 7*a*b^10) * d^3 * \cos(dx + c)^4 + 2 * (3*a^9*b^2 - 64*a^7*b^4 + 126*a^5 \\
& * b^6 - 56*a^3*b^8 + 7*a*b^10) * d^3 * \cos(dx + c)^2 + (a^7*b^4 - 21*a^5*b^6 + \\
& 35*a^3*b^8 - 7*a*b^10) * d^3 + 4 * ((a^10*b - 22*a^8*b^3 + 56*a^6*b^5 - 42*a^4*
\end{aligned}$$

$$\begin{aligned}
& b^7 + 7a^2b^9)d^3\cos(dx + c)^3 + (a^8b^3 - 21a^6b^5 + 35a^4b^7 - \\
& 7a^2b^9)d^3\cos(dx + c)\sin(dx + c)\sqrt{1/((a^6 + 3a^4b^2 + 3a^2 \\
& b^4 + b^6)d^4)}\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6 \\
& b^8 + 21a^4b^{10} + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 \\
& - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7a^3b^{16})d^2 \\
& \sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}}/(49a^{12}b^2 - 490a^{10} \\
& b^4 + 1519a^8b^6 - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14}))(1 \\
& /((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4))^{1/4}\log(((49a^{20}b^2 - 294a^{18} \\
& b^4 - 147a^{16}b^6 + 1848a^{14}b^8 + 1778a^{12}b^{10} - 1316a^{10}b^{12} - \\
& 1518a^8b^{14} + 312a^6b^{16} + 349a^4b^{18} - 38a^2b^{20} + b^{22})d^2\sqrt{1/((a^6 + 3a^4 \\
& b^2 + 3a^2b^4 + b^6)d^4)}\cos(dx + c) - \sqrt{2}((147a^{20}b^3 - 1078a^{18}b^5 + 931a^{16}b^7 + 4760a^{14}b^9 - 1274a^{12}b^{11} - 4 \\
& 452a^{10}b^{13} + 1214a^8b^{15} + 1240a^6b^{17} - 505a^4b^{19} + 42a^2b^{21} \\
& - b^{23})d^3\sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}\cos(dx + c) \\
& + 4(49a^{17}b^3 - 490a^{15}b^5 + 1470a^{13}b^7 - 994a^{11}b^9 - 1008a^9b^{11} + 1442a^7b^{13} - 510a^5b^{15} + 42a^3b^{17} - ab^{19})d\cos(dx + c))\sqrt{1/((a^6 + 3a^4 \\
& b^2 + 3a^2b^4 + b^6)d^4)}\sqrt{(a^{14} + 7a^{12}b^2 + 21a^{10}b^4 + 35a^8b^6 + 35a^6b^8 + 21a^4b^{10} \\
& + 7a^2b^{12} + b^{14} + (a^{17} - 16a^{15}b^2 - 60a^{13}b^4 - 32a^{11}b^6 + 110a^9b^8 + 176a^7b^{10} + 84a^5b^{12} - 7a^3b^{16})d^2\sqrt{1/((a^6 + 3a^4 \\
& b^2 + 3a^2b^4 + b^6)d^4)}}/(49a^{12}b^2 - 490a^{10}b^4 + 1519a^8b^6 \\
& - 1484a^6b^8 + 511a^4b^{10} - 42a^2b^{12} + b^{14})\sqrt{(a\cos(dx + c) \\
& + b\sin(dx + c))/\cos(dx + c))\sqrt{1/((a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^4)}}^{1/4} + (49a^{17}b^2 - 392a^{15}b^4 + 588a^{13}b^6 + 1064a^{11}b^8 - 938 \\
& a^9b^{10} - 504a^7b^{12} + 428a^5b^{14} - 40a^3b^{16} + ab^{18})\cos(dx + c) \\
& + (49a^{16}b^3 - 392a^{14}b^5 + 588a^{12}b^7 + 1064a^{10}b^9 - 938a^8b^{11} - 504a^6b^{13} + 428a^4b^{15} - 40a^2b^{17} + b^{19})\sin(dx + c))/\cos(dx \\
& + c) + 8((11a^5b - 30a^3b^3 + 7ab^5)\cos(dx + c)^4 + (29a^3b^3 \\
& - 7ab^5)\cos(dx + c)^2 + ((31a^4b^2 - 14a^2b^4 + 3b^6)\cos(dx + c) \\
&)^3 + 3(3a^2b^4 - b^6)\cos(dx + c))\sin(dx + c)\sqrt{(a\cos(dx + c) \\
& + b\sin(dx + c))/\cos(dx + c))\sqrt{1/((a^8 - 4a^6b^2 - 10a^4b^4 - 4a^2b^6 \\
& + b^8)d\cos(dx + c)^4 + 2(3a^6b^2 + 5a^4b^4 + a^2b^6 - b^8)d\cos(dx + c)^2 + (a^4b^4 + 2a^2b^6 + b^8)d + 4((a^7b + a^5b^3 - a^3b^5 \\
& - ab^7)d\cos(dx + c)^3 + (a^5b^3 + 2a^3b^5 + ab^7)d\cos(dx + c))\sin(dx + c)}
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{a^2\sqrt{a + b \tan(c + dx)} + 2ab\sqrt{a + b \tan(c + dx)} \tan(c + dx) + b^2\sqrt{a + b \tan(c + dx)} \tan^2(c + dx)} dx - \int -\frac{1}{a^2\sqrt{a + b \tan(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a+b*tan(dx+c))/(a+b*tan(dx+c))**(5/2), x)

[Out] -Integral(a/(a**2*sqrt(a + b*tan(c + dx)) + 2*a*b*sqrt(a + b*tan(c + dx))*tan(c + dx) + b**2*sqrt(a + b*tan(c + dx))*tan(c + dx)**2), x) - Integral(-b*tan(c + dx)/(a**2*sqrt(a + b*tan(c + dx)) + 2*a*b*sqrt(a + b*tan(c + dx))*tan(c + dx) + b**2*sqrt(a + b*tan(c + dx))*tan(c + dx)**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \tan(dx + c) - a}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a+b*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*tan(d*x + c) - a)/(b*tan(d*x + c) + a)^(5/2), x)
```

$$3.373 \quad \int \frac{1+i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=45

$$\frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}}$$

[Out] $((-2*I)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b]])/(\text{Sqrt}[a - I*b]*d)$

Rubi [A] time = 0.0518649, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3537, 63, 208}

$$\frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{d\sqrt{a-ib}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + I*\text{Tan}[c + d*x])/\text{Sqrt}[a + b*\text{Tan}[c + d*x]], x]$

[Out] $((-2*I)*\text{ArcTanh}[\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b]])/(\text{Sqrt}[a - I*b]*d)$

Rule 3537

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]^{(m_)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

$\text{Int}[(a_.) + (b_.)*(x_)]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1+i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx &= \frac{i \text{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a-ibx}} dx, x, i \tan(c+dx)\right)}{d} \\ &= \frac{2 \text{Subst}\left(\int \frac{1}{-1-\frac{ia}{b}+\frac{ix^2}{b}} dx, x, \sqrt{a+b \tan(c+dx)}\right)}{bd} \\ &= \frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a-ib}}\right)}{\sqrt{a-ib}d} \end{aligned}$$

Mathematica [A] time = 1.54624, size = 70, normalized size = 1.56

$$\frac{2i \tanh^{-1} \left(\frac{\sqrt{a - \frac{ib(-1 + e^{2i(c+dx)})}{1 + e^{2i(c+dx)}}}}{\sqrt{a-ib}} \right)}{d\sqrt{a-ib}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + I*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]], x]
```

```
[Out] ((-2*I)*ArcTanh[Sqrt[a - (I*b*(-1 + E^((2*I)*(c + d*x))))]/(1 + E^((2*I)*(c + d*x)))]/Sqrt[a - I*b])/ (Sqrt[a - I*b]*d)
```

Maple [B] time = 0.115, size = 1624, normalized size = 36.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1+I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)
```

```
[Out] -I/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a-1/2*I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*a+1/2*d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*b-1/2*I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))-I/d/((a^2+b^2)^(1/2)*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*b^2+1/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*b+I/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))+1/2*I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*b^2+I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a^3+I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a^2-1/2*d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a*b-1/2*d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a*b^2-1/d/((a^2+b^2)^(1/2))*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a*b-1/d/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*a^2*b-1/d/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2))*a+a^2+b^2)/(2*(a^2+b
```


$$\sqrt{2}^{\frac{1}{2}-2a} \sqrt{2}^{\frac{1}{2}} \arctan\left(\frac{\sqrt{2}^{\frac{1}{2}+2a} + 2a}{\sqrt{2}^{\frac{1}{2}-2a} - 2a}\right) \sqrt{2}^{\frac{1}{2}} b^3$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.06496, size = 682, normalized size = 15.16

$$\frac{1}{4} \sqrt{-\frac{4i}{(ia+b)d^2}} \log\left(\left((ia+b)de^{2idx+2ic} + (ia+b)d\right) \sqrt{\frac{(a-ib)e^{2idx+2ic} + a+ib}{e^{2idx+2ic} + 1}} \sqrt{-\frac{4i}{(ia+b)d^2}} + (2a-2ib)e^{2idx}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{4} \sqrt{-4I/((I*a + b)*d^2)} * \log\left(\left(\left(I*a + b\right)*d*e^{2*I*d*x + 2*I*c} + \left(I*a + b\right)*d\right) * \sqrt{\left(\left(a - I*b\right)*e^{2*I*d*x + 2*I*c} + a + I*b\right) / \left(e^{2*I*d*x + 2*I*c} + 1\right)} * \sqrt{-4*I/((I*a + b)*d^2)} + \left(2*a - 2*I*b\right)*e^{2*I*d*x + 2*I*c} + 2*a\right) * e^{-2*I*d*x - 2*I*c} - \frac{1}{4} \sqrt{-4I/((I*a + b)*d^2)} * \log\left(\left(\left(-I*a - b\right)*d*e^{2*I*d*x + 2*I*c} + \left(-I*a - b\right)*d\right) * \sqrt{\left(\left(a - I*b\right)*e^{2*I*d*x + 2*I*c} + a + I*b\right) / \left(e^{2*I*d*x + 2*I*c} + 1\right)} * \sqrt{-4*I/((I*a + b)*d^2)} + \left(2*a - 2*I*b\right)*e^{2*I*d*x + 2*I*c} + 2*a\right) * e^{-2*I*d*x - 2*I*c}\right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{i \tan(c + dx) + 1}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+I*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((I*tan(c + d*x) + 1)/sqrt(a + b*tan(c + d*x)), x)

Giac [B] time = 1.46208, size = 203, normalized size = 4.51

$$\frac{2\sqrt{2} \arctan\left(\frac{-16i\sqrt{b\tan(dx+c)+aa}-16i\sqrt{a^2+b^2}\sqrt{b\tan(dx+c)+a}}{8\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}a-8i\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}}b+8\sqrt{2}\sqrt{a^2+b^2}\sqrt{a+\sqrt{a^2+b^2}}}\right)}{\sqrt{a+\sqrt{a^2+b^2}}d\left(-\frac{ib}{a+\sqrt{a^2+b^2}}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 2*sqrt(2)*arctan((-16*I*sqrt(b*tan(d*x + c) + a)*a - 16*I*sqrt(a^2 + b^2)*s  
qrt(b*tan(d*x + c) + a))/(8*sqrt(2)*sqrt(a + sqrt(a^2 + b^2))*a - 8*I*sqrt(  
2)*sqrt(a + sqrt(a^2 + b^2))*b + 8*sqrt(2)*sqrt(a^2 + b^2)*sqrt(a + sqrt(a^  
2 + b^2))))/(sqrt(a + sqrt(a^2 + b^2))*d*(-I*b/(a + sqrt(a^2 + b^2)) + 1))
```

$$3.374 \quad \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=45

$$\frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

[Out] ((2*I)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)

Rubi [A] time = 0.0520216, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3537, 63, 208}

$$\frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

Antiderivative was successfully verified.

[In] Int[(1 - I*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((2*I)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1-i \tan(c+dx)}{\sqrt{a+b \tan(c+dx)}} dx &= -\frac{i \operatorname{Subst}\left(\int \frac{1}{(-1+x)\sqrt{a+ibx}} dx, x, -i \tan(c+dx)\right)}{d} \\ &= -\frac{2 \operatorname{Subst}\left(\int \frac{1}{-1+\frac{ia}{b}-\frac{ix^2}{b}} dx, x, \sqrt{a+b \tan(c+dx)}\right)}{bd} \\ &= \frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{\sqrt{a+ibd}} \end{aligned}$$

Mathematica [A] time = 0.0438025, size = 45, normalized size = 1.

$$\frac{2i \tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{a+ib}}\right)}{d\sqrt{a+ib}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - I*Tan[c + d*x])/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((2*I)*ArcTanh[Sqrt[a + b*Tan[c + d*x]]/Sqrt[a + I*b]])/(Sqrt[a + I*b]*d)

Maple [B] time = 0.102, size = 1624, normalized size = 36.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x)

[Out] I/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a-1/2*I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*b^2+1/2/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*b-I/d/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))+1/2*I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))+1/d/(a^2+b^2)^(1/2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan((2*(a+b*tan(d*x+c))^(1/2)+(2*(a^2+b^2)^(1/2)+2*a)^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*b+1/2*I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)*ln(b*tan(d*x+c)+a+(a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)+(a^2+b^2)^(1/2))*a+I/d/((a^2+b^2)^(1/2)*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*b^2-I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a^3-I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a*b^2-1/2/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a*b-1/2/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a^2-1/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*b^3-I/d/(2*(a^2+b^2)^(1/2)+2*a)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)*ln((a+b*tan(d*x+c))^(1/2)*(2*(a^2+b^2)^(1/2)+2*a)^(1/2)-b*tan(d*x+c)-a-(a^2+b^2)^(1/2))*a^2-1/d/((a^2+b^2)^(1/2)*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a*b-1/d/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*a^2*b-1/d/(a^2+b^2)^(1/2)/((a^2+b^2)^(1/2)*a+a^2+b^2)/(2*(a^2+b^2)^(1/2)-2*a)^(1/2)*arctan(((2*(a^2+b^2)^(1/2)+2*a)^(1/2)-2*(a+b*tan(d*x+c))^(1/2))/(2*(a^2+b^2)^(1/2)-2*a)^(1/2))*b^3

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.11101, size = 718, normalized size = 15.96

$$-\frac{1}{4} \sqrt{\frac{4i}{(-ia+b)d^2}} \log \left(\frac{\left((ia-b)de^{(2idx+2ic)} + (ia-b)d \right) \sqrt{\frac{(a-ib)e^{(2idx+2ic)} + a + ib}{e^{(2idx+2ic)} + 1}} \sqrt{\frac{4i}{(-ia+b)d^2}} + 2ae^{(2idx+2ic)} + 2a + 2ib \right) e^{(2idx+2ic)}}{(ia-b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] $-1/4*\text{sqrt}(4*I/((-I*a + b)*d^2))*\log(\left(\left(\left(I*a - b\right)*d*e^{(2*I*d*x + 2*I*c)} + (I*a - b)*d\right)*\text{sqrt}\left(\left(a - I*b\right)*e^{(2*I*d*x + 2*I*c)} + a + I*b\right)/\left(e^{(2*I*d*x + 2*I*c)} + 1\right)\right)*\text{sqrt}(4*I/((-I*a + b)*d^2)) + 2*a*e^{(2*I*d*x + 2*I*c)} + 2*a + 2*I*b)*e^{(-2*I*d*x - 2*I*c)}/((-I*a + b)*d)) + 1/4*\text{sqrt}(4*I/((-I*a + b)*d^2))*\log(\left(\left(\left(-I*a + b\right)*d*e^{(2*I*d*x + 2*I*c)} + (-I*a + b)*d\right)*\text{sqrt}\left(\left(a - I*b\right)*e^{(2*I*d*x + 2*I*c)} + a + I*b\right)/\left(e^{(2*I*d*x + 2*I*c)} + 1\right)\right)*\text{sqrt}(4*I/((-I*a + b)*d^2)) + 2*a*e^{(2*I*d*x + 2*I*c)} + 2*a + 2*I*b)*e^{(-2*I*d*x - 2*I*c)}/((-I*a + b)*d))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{i \tan(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx - \int -\frac{1}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-I*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] $-\text{Integral}(I*\tan(c + d*x)/\text{sqrt}(a + b*\tan(c + d*x)), x) - \text{Integral}(-1/\text{sqrt}(a + b*\tan(c + d*x)), x)$

Giac [B] time = 1.38913, size = 203, normalized size = 4.51

$$\frac{2\sqrt{2} \arctan\left(\frac{16i\sqrt{b\tan(dx+c)+aa+16i\sqrt{a^2+b^2}\sqrt{b\tan(dx+c)+a}}{8\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}a+8i\sqrt{2}\sqrt{a+\sqrt{a^2+b^2}b+8\sqrt{2}\sqrt{a^2+b^2}\sqrt{a+\sqrt{a^2+b^2}}}}\right)}{\sqrt{a+\sqrt{a^2+b^2}}d\left(\frac{ib}{a+\sqrt{a^2+b^2}}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-I*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 2*sqrt(2)*arctan((16*I*sqrt(b*tan(d*x + c) + a)*a + 16*I*sqrt(a^2 + b^2)*sqrt(b*tan(d*x + c) + a))/(8*sqrt(2)*sqrt(a + sqrt(a^2 + b^2))*a + 8*I*sqrt(2)*sqrt(a + sqrt(a^2 + b^2))*b + 8*sqrt(2)*sqrt(a^2 + b^2)*sqrt(a + sqrt(a^2 + b^2))))/(sqrt(a + sqrt(a^2 + b^2))*d*(I*b/(a + sqrt(a^2 + b^2)) + 1))
```

$$3.375 \quad \int \frac{3+\tan(x)}{\sqrt{4+3\tan(x)}} dx$$

Optimal. Leaf size=30

$$-\sqrt{2} \tan^{-1} \left(\frac{1-3\tan(x)}{\sqrt{2}\sqrt{3\tan(x)+4}} \right)$$

[Out] -(Sqrt[2]*ArcTan[(1 - 3*Tan[x])/(Sqrt[2]*Sqrt[4 + 3*Tan[x]])])

Rubi [A] time = 0.0306788, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3535, 203}

$$-\sqrt{2} \tan^{-1} \left(\frac{1-3\tan(x)}{\sqrt{2}\sqrt{3\tan(x)+4}} \right)$$

Antiderivative was successfully verified.

[In] Int[(3 + Tan[x])/Sqrt[4 + 3*Tan[x]], x]

[Out] -(Sqrt[2]*ArcTan[(1 - 3*Tan[x])/(Sqrt[2]*Sqrt[4 + 3*Tan[x]])])

Rule 3535

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[(-2*d^2)/f, Subst[Int[1/(2*b*c*d - 4*a*d^2 + x^2), x], x, (b*c - 2*a*d - b*d*Tan[e + f*x])/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && EqQ[2*a*c*d - b*(c^2 - d^2), 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{3+\tan(x)}{\sqrt{4+3\tan(x)}} dx &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{2+x^2} dx, x, \frac{1-3\tan(x)}{\sqrt{4+3\tan(x)}}\right)\right) \\ &= -\sqrt{2} \tan^{-1} \left(\frac{1-3\tan(x)}{\sqrt{2}\sqrt{4+3\tan(x)}} \right) \end{aligned}$$

Mathematica [C] time = 0.172503, size = 69, normalized size = 2.3

$$\left(\frac{1}{5} - \frac{3i}{5}\right) \sqrt{4-3i} \tanh^{-1} \left(\frac{\sqrt{3\tan(x)+4}}{\sqrt{4-3i}} \right) + \left(\frac{1}{5} + \frac{3i}{5}\right) \sqrt{4+3i} \tanh^{-1} \left(\frac{\sqrt{3\tan(x)+4}}{\sqrt{4+3i}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(3 + Tan[x])/Sqrt[4 + 3*Tan[x]], x]

[Out] $(1/5 - (3*I)/5)*\text{Sqrt}[4 - 3*I]*\text{ArcTanh}[\text{Sqrt}[4 + 3*\text{Tan}[x]]/\text{Sqrt}[4 - 3*I]] + (1/5 + (3*I)/5)*\text{Sqrt}[4 + 3*I]*\text{ArcTanh}[\text{Sqrt}[4 + 3*\text{Tan}[x]]/\text{Sqrt}[4 + 3*I]]$

Maple [B] time = 0.095, size = 54, normalized size = 1.8

$$\sqrt{2} \arctan\left(\frac{\sqrt{2}}{2} \left(2\sqrt{4+3\tan(x)} + 3\sqrt{2}\right)\right) + \sqrt{2} \arctan\left(\frac{\sqrt{2}}{2} \left(2\sqrt{4+3\tan(x)} - 3\sqrt{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3+tan(x))/(4+3*tan(x))^(1/2),x)`

[Out] $2^{(1/2)}*\arctan(1/2*(2*(4+3*\tan(x))^{(1/2)}+3*2^{(1/2)})*2^{(1/2)})+2^{(1/2)}*\arctan(1/2*(2*(4+3*\tan(x))^{(1/2)}-3*2^{(1/2)})*2^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan(x) + 3}{\sqrt{3\tan(x) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+tan(x))/(4+3*tan(x))^(1/2),x, algorithm="maxima")`

[Out] `integrate((tan(x) + 3)/sqrt(3*tan(x) + 4), x)`

Fricas [A] time = 1.03952, size = 93, normalized size = 3.1

$$\sqrt{2} \arctan\left(\frac{3\sqrt{2}\tan(x) - \sqrt{2}}{2\sqrt{3\tan(x) + 4}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+tan(x))/(4+3*tan(x))^(1/2),x, algorithm="fricas")`

[Out] `sqrt(2)*arctan(1/2*(3*sqrt(2)*tan(x) - sqrt(2))/sqrt(3*tan(x) + 4))`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan(x) + 3}{\sqrt{3\tan(x) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+tan(x))/(4+3*tan(x))**(1/2),x)`

[Out] `Integral((tan(x) + 3)/sqrt(3*tan(x) + 4), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\tan(x) + 3}{\sqrt{3 \tan(x) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3+tan(x))/(4+3*tan(x))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((tan(x) + 3)/sqrt(3*tan(x) + 4), x)
```

$$3.376 \quad \int \frac{1-3 \tan(x)}{\sqrt{4+3 \tan(x)}} dx$$

Optimal. Leaf size=27

$$\sqrt{2} \tanh^{-1} \left(\frac{\tan(x) + 3}{\sqrt{2}\sqrt{3 \tan(x) + 4}} \right)$$

[Out] Sqrt[2]*ArcTanh[(3 + Tan[x])/(Sqrt[2]*Sqrt[4 + 3*Tan[x]])]

Rubi [A] time = 0.0316424, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3535, 207}

$$\sqrt{2} \tanh^{-1} \left(\frac{\tan(x) + 3}{\sqrt{2}\sqrt{3 \tan(x) + 4}} \right)$$

Antiderivative was successfully verified.

[In] Int[(1 - 3*Tan[x])/Sqrt[4 + 3*Tan[x]], x]

[Out] Sqrt[2]*ArcTanh[(3 + Tan[x])/(Sqrt[2]*Sqrt[4 + 3*Tan[x]])]

Rule 3535

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[(-2*d^2)/f, Subst[Int[1/(2*b*c*d - 4*a*d^2 + x^2), x], x, (b*c - 2*a*d - b*d*Tan[e + f*x])/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && EqQ[2*a*c*d - b*(c^2 - d^2), 0]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{1-3 \tan(x)}{\sqrt{4+3 \tan(x)}} dx &= - \left(18 \text{Subst} \left(\int \frac{1}{-162+x^2} dx, x, \frac{27+9 \tan(x)}{\sqrt{4+3 \tan(x)}} \right) \right) \\ &= \sqrt{2} \tanh^{-1} \left(\frac{3 + \tan(x)}{\sqrt{2}\sqrt{4+3 \tan(x)}} \right) \end{aligned}$$

Mathematica [C] time = 0.115579, size = 65, normalized size = 2.41

$$\frac{1}{5} \left((3+i)\sqrt{4-3i} \tanh^{-1} \left(\frac{\sqrt{3 \tan(x)+4}}{\sqrt{4-3i}} \right) + (3-i)\sqrt{4+3i} \tanh^{-1} \left(\frac{\sqrt{3 \tan(x)+4}}{\sqrt{4+3i}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 3*Tan[x])/Sqrt[4 + 3*Tan[x]], x]

[Out] $((3 + I) \cdot \sqrt{4 - 3I} \cdot \text{ArcTanh}[\sqrt{4 + 3 \cdot \tan[x]}] / \sqrt{4 - 3I}] + (3 - I) \cdot \sqrt{4 + 3I} \cdot \text{ArcTanh}[\sqrt{4 + 3 \cdot \tan[x]}] / \sqrt{4 + 3I}) / 5$

Maple [B] time = 0.076, size = 52, normalized size = 1.9

$$\frac{\sqrt{2}}{2} \ln\left(9 + 3 \tan(x) + 3 \sqrt{4 + 3 \tan(x)} \sqrt{2}\right) - \frac{\sqrt{2}}{2} \ln\left(9 + 3 \tan(x) - 3 \sqrt{4 + 3 \tan(x)} \sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-3*tan(x))/(4+3*tan(x))^(1/2), x)`

[Out] $1/2 \cdot 2^{(1/2)} \cdot \ln(9 + 3 \cdot \tan(x) + 3 \cdot (4 + 3 \cdot \tan(x))^{(1/2)} \cdot 2^{(1/2)}) - 1/2 \cdot 2^{(1/2)} \cdot \ln(9 + 3 \cdot \tan(x) - 3 \cdot (4 + 3 \cdot \tan(x))^{(1/2)} \cdot 2^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$- \int \frac{3 \tan(x) - 1}{\sqrt{3 \tan(x) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-3*tan(x))/(4+3*tan(x))^(1/2), x, algorithm="maxima")`

[Out] `-integrate((3*tan(x) - 1)/sqrt(3*tan(x) + 4), x)`

Fricas [B] time = 1.01568, size = 153, normalized size = 5.67

$$\frac{1}{2} \sqrt{2} \log\left(\frac{\tan(x)^2 + 2(\sqrt{2} \tan(x) + 3\sqrt{2})\sqrt{3 \tan(x) + 4} + 12 \tan(x) + 17}{\tan(x)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-3*tan(x))/(4+3*tan(x))^(1/2), x, algorithm="fricas")`

[Out] $1/2 \cdot \sqrt{2} \cdot \log((\tan(x)^2 + 2 \cdot (\sqrt{2} \cdot \tan(x) + 3 \cdot \sqrt{2}) \cdot \sqrt{3 \cdot \tan(x) + 4} + 12 \cdot \tan(x) + 17) / (\tan(x)^2 + 1))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$- \int \frac{3 \tan(x)}{\sqrt{3 \tan(x) + 4}} dx - \int -\frac{1}{\sqrt{3 \tan(x) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-3*tan(x))/(4+3*tan(x))**(1/2), x)`

[Out] `-Integral(3*tan(x)/sqrt(3*tan(x) + 4), x) - Integral(-1/sqrt(3*tan(x) + 4), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{3 \tan(x) - 1}{\sqrt{3 \tan(x) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-3*tan(x))/(4+3*tan(x))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(-(3*tan(x) - 1)/sqrt(3*tan(x) + 4), x)
```

$$3.377 \quad \int \frac{4-3 \tan(a+bx)}{\sqrt{4+3 \tan(a+bx)}} dx$$

Optimal. Leaf size=85

$$\frac{13 \tanh^{-1}\left(\frac{\tan(a+bx)+3}{\sqrt{2}\sqrt{3 \tan(a+bx)+4}}\right)}{5\sqrt{2}b} - \frac{9 \tan^{-1}\left(\frac{1-3 \tan(a+bx)}{\sqrt{2}\sqrt{3 \tan(a+bx)+4}}\right)}{5\sqrt{2}b}$$

[Out] (-9*ArcTan[(1 - 3*Tan[a + b*x])/(Sqrt[2]*Sqrt[4 + 3*Tan[a + b*x]])])/(5*Sqrt[2]*b) + (13*ArcTanh[(3 + Tan[a + b*x])/(Sqrt[2]*Sqrt[4 + 3*Tan[a + b*x]])])/(5*Sqrt[2]*b)

Rubi [A] time = 0.107589, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {3536, 3535, 203, 207}

$$\frac{13 \tanh^{-1}\left(\frac{\tan(a+bx)+3}{\sqrt{2}\sqrt{3 \tan(a+bx)+4}}\right)}{5\sqrt{2}b} - \frac{9 \tan^{-1}\left(\frac{1-3 \tan(a+bx)}{\sqrt{2}\sqrt{3 \tan(a+bx)+4}}\right)}{5\sqrt{2}b}$$

Antiderivative was successfully verified.

[In] Int[(4 - 3*Tan[a + b*x])/Sqrt[4 + 3*Tan[a + b*x]], x]

[Out] (-9*ArcTan[(1 - 3*Tan[a + b*x])/(Sqrt[2]*Sqrt[4 + 3*Tan[a + b*x]])])/(5*Sqrt[2]*b) + (13*ArcTanh[(3 + Tan[a + b*x])/(Sqrt[2]*Sqrt[4 + 3*Tan[a + b*x]])])/(5*Sqrt[2]*b)

Rule 3536

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := With[{q = Rt[a^2 + b^2, 2]}, Dist[1/(2*q), Int[(a*c + b*d + c*q + (b*c - a*d + d*q)*Tan[e + f*x])/Sqrt[a + b*Tan[e + f*x]], x], x] - Dist[1/(2*q), Int[(a*c + b*d - c*q + (b*c - a*d - d*q)*Tan[e + f*x])/Sqrt[a + b*Tan[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && NeQ[2*a*c*d - b*(c^2 - d^2), 0] && (PerfectSquareQ[a^2 + b^2] || RationalQ[a, b, c, d])

Rule 3535

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*d^2)/f, Subst[Int[1/(2*b*c*d - 4*a*d^2 + x^2), x], x, (b*c - 2*a*d - b*d*Tan[e + f*x])/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && EqQ[2*a*c*d - b*(c^2 - d^2), 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a

, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{4 - 3 \tan(a + bx)}{\sqrt{4 + 3 \tan(a + bx)}} dx &= \frac{1}{10} \int \frac{27 + 9 \tan(a + bx)}{\sqrt{4 + 3 \tan(a + bx)}} dx - \frac{1}{10} \int \frac{-13 + 39 \tan(a + bx)}{\sqrt{4 + 3 \tan(a + bx)}} dx \\ &= -\frac{81 \operatorname{Subst}\left(\int \frac{1}{162 + x^2} dx, x, \frac{9 - 27 \tan(a + bx)}{\sqrt{4 + 3 \tan(a + bx)}}\right)}{5b} + \frac{1521 \operatorname{Subst}\left(\int \frac{1}{-27378 + x^2} dx, x, \frac{-351 - 117 \tan(a + bx)}{\sqrt{4 + 3 \tan(a + bx)}}\right)}{5b} \\ &= -\frac{9 \tan^{-1}\left(\frac{1 - 3 \tan(a + bx)}{\sqrt{2} \sqrt{4 + 3 \tan(a + bx)}}\right)}{5\sqrt{2}b} + \frac{13 \tanh^{-1}\left(\frac{3 + \tan(a + bx)}{\sqrt{2} \sqrt{4 + 3 \tan(a + bx)}}\right)}{5\sqrt{2}b} \end{aligned}$$

Mathematica [C] time = 0.0910901, size = 75, normalized size = 0.88

$$\frac{(3 - 4i) \tanh^{-1}\left(\frac{\sqrt{3 \tan(a + bx) + 4}}{\sqrt{4 - 3i}}\right)}{\sqrt{4 - 3ib}} + \frac{(3 + 4i) \tanh^{-1}\left(\frac{\sqrt{3 \tan(a + bx) + 4}}{\sqrt{4 + 3i}}\right)}{\sqrt{4 + 3ib}}$$

Antiderivative was successfully verified.

[In] Integrate[(4 - 3*Tan[a + b*x])/Sqrt[4 + 3*Tan[a + b*x]], x]

[Out] ((3 - 4*I)*ArcTanh[Sqrt[4 + 3*Tan[a + b*x]]/Sqrt[4 - 3*I]]/(Sqrt[4 - 3*I]*b) + ((3 + 4*I)*ArcTanh[Sqrt[4 + 3*Tan[a + b*x]]/Sqrt[4 + 3*I]]/(Sqrt[4 + 3*I]*b))

Maple [A] time = 0.105, size = 142, normalized size = 1.7

$$\frac{13\sqrt{2}}{20b} \ln\left(9 + 3 \tan(bx + a) + 3\sqrt{4 + 3 \tan(bx + a)}\sqrt{2}\right) + \frac{9\sqrt{2}}{10b} \arctan\left(\frac{\sqrt{2}}{2}\left(2\sqrt{4 + 3 \tan(bx + a)} + 3\sqrt{2}\right)\right) - \frac{13\sqrt{2}}{20b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4-3*tan(b*x+a))/(4+3*tan(b*x+a))^(1/2), x)

[Out] 13/20/b*2^(1/2)*ln(9+3*tan(b*x+a)+3*(4+3*tan(b*x+a))^(1/2)*2^(1/2))+9/10/b*2^(1/2)*arctan(1/2*(2*(4+3*tan(b*x+a))^(1/2)+3*2^(1/2))*2^(1/2))-13/20/b*2^(1/2)*ln(9+3*tan(b*x+a)-3*(4+3*tan(b*x+a))^(1/2)*2^(1/2))+9/10/b*2^(1/2)*arctan(1/2*(2*(4+3*tan(b*x+a))^(1/2)-3*2^(1/2))*2^(1/2))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{3 \tan(bx + a) - 4}{\sqrt{3 \tan(bx + a) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4-3*tan(b*x+a))/(4+3*tan(b*x+a))^(1/2), x, algorithm="maxima")

[Out] -integrate((3*tan(b*x + a) - 4)/sqrt(3*tan(b*x + a) + 4), x)

Fricas [B] time = 1.26366, size = 2720, normalized size = 32.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4-3*tan(b*x+a))/(4+3*tan(b*x+a))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/58500*25^{(1/4)}*(44*b^2*\sqrt{b^{(-4)}} + 125)*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + \\ & 31250*(b^{(-4)})^{(1/4)}*\log(25/39*(4875*b^2*\sqrt{b^{(-4)}}*\cos(b*x + a) + 25^{(1/4)} \\ & *(5*b^3*\sqrt{b^{(-4)}}*\cos(b*x + a) + 8*b*\cos(b*x + a))*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} \\ & + 31250)*\sqrt{(4*\cos(b*x + a) + 3*\sin(b*x + a))/\cos(b*x + a)}*(b^{(-4)})^{(1/4)} \\ & + 3900*\cos(b*x + a) + 2925*\sin(b*x + a))/\cos(b*x + a) - 1/58500*25^{(1/4)} \\ & *(44*b^2*\sqrt{b^{(-4)}} + 125)*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250*(b^{(-4)})^{(1/4)} \\ & *\log(25/39*(4875*b^2*\sqrt{b^{(-4)}}*\cos(b*x + a) - 25^{(1/4)}*(5*b^3*\sqrt{b^{(-4)}} \\ & *\cos(b*x + a) + 8*b*\cos(b*x + a))*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} \\ & + 31250)*\sqrt{(4*\cos(b*x + a) + 3*\sin(b*x + a))/\cos(b*x + a)}*(b^{(-4)})^{(1/4)} \\ & + 3900*\cos(b*x + a) + 2925*\sin(b*x + a))/\cos(b*x + a) - 1/125*25^{(1/4)} \\ & *\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250*(b^{(-4)})^{(1/4)}*\arctan(1/73125*25^{(3/4)} \\ & *\sqrt{1/39}*(5*b^5*\sqrt{b^{(-4)}} + 8*b^3)*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} \\ & + 31250)*\sqrt{(4875*b^2*\sqrt{b^{(-4)}}*\cos(b*x + a) + 25^{(1/4)}*(5*b^3*\sqrt{b^{(-4)}} \\ & *\cos(b*x + a) + 8*b*\cos(b*x + a))*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250 \\ & *\sqrt{(4*\cos(b*x + a) + 3*\sin(b*x + a))/\cos(b*x + a)}*(b^{(-4)})^{(1/4)} + \\ & 3900*\cos(b*x + a) + 2925*\sin(b*x + a))/\cos(b*x + a)*(b^{(-4)})^{(3/4)} - 1/146 \\ & 25*25^{(3/4)}*(5*b^5*\sqrt{b^{(-4)}} + 8*b^3)*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250 \\ & *\sqrt{(4*\cos(b*x + a) + 3*\sin(b*x + a))/\cos(b*x + a)}*(b^{(-4)})^{(3/4)} - 4 \\ & /3*b^2*\sqrt{b^{(-4)}} - 5/3) - 1/125*25^{(1/4)}*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + \\ & 31250*(b^{(-4)})^{(1/4)}*\arctan(1/73125*25^{(3/4)}*\sqrt{1/39}*(5*b^5*\sqrt{b^{(-4)}} \\ & + 8*b^3)*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250)*\sqrt{(4875*b^2*\sqrt{b^{(-4)}} \\ & *\cos(b*x + a) - 25^{(1/4)}*(5*b^3*\sqrt{b^{(-4)}}*\cos(b*x + a) + 8*b*\cos(b*x + \\ & a))*\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250)*\sqrt{(4*\cos(b*x + a) + 3*\sin(b*x \\ & + a))/\cos(b*x + a)}*(b^{(-4)})^{(1/4)} + 3900*\cos(b*x + a) + 2925*\sin(b*x + a) \\ & / \cos(b*x + a)*(b^{(-4)})^{(3/4)} - 1/14625*25^{(3/4)}*(5*b^5*\sqrt{b^{(-4)}} + 8*b^3) \\ & *\sqrt{-11000*b^2*\sqrt{b^{(-4)}}} + 31250)*\sqrt{(4*\cos(b*x + a) + 3*\sin(b*x + \\ & a))/\cos(b*x + a)}*(b^{(-4)})^{(3/4)} + 4/3*b^2*\sqrt{b^{(-4)}} + 5/3) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{3 \tan(a + bx)}{\sqrt{3 \tan(a + bx) + 4}} dx - \int -\frac{4}{\sqrt{3 \tan(a + bx) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4-3*tan(b*x+a))/(4+3*tan(b*x+a))**(1/2),x)

[Out] -Integral(3*tan(a + b*x)/sqrt(3*tan(a + b*x) + 4), x) - Integral(-4/sqrt(3*tan(a + b*x) + 4), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{3 \tan(bx + a) - 4}{\sqrt{3 \tan(bx + a) + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((4-3*tan(b*x+a))/(4+3*tan(b*x+a))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(-(3*tan(b*x + a) - 4)/sqrt(3*tan(b*x + a) + 4), x)
```


$$3.378 \quad \int \tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=278

$$\frac{2(aB + Ab) \tan^{\frac{5}{2}}(c + dx)}{5d} + \frac{2(aA - bB) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2d}} - \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2d}}$$

```
[Out] ((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*(A*b + a*B)*Sqrt[Tan[c + d*x]])/d + (2*(a*A - b*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*(A*b + a*B)*Tan[c + d*x]^(5/2))/(5*d) + (2*b*B*Tan[c + d*x]^(7/2))/(7*d)
```

Rubi [A] time = 0.321337, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3592, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(aB + Ab) \tan^{\frac{5}{2}}(c + dx)}{5d} + \frac{2(aA - bB) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2d}} - \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*(A*b + a*B)*Sqrt[Tan[c + d*x]])/d + (2*(a*A - b*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*(A*b + a*B)*Tan[c + d*x]^(5/2))/(5*d) + (2*b*B*Tan[c + d*x]^(7/2))/(7*d)
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x], Sqr
```

$\int [b \cdot \tan[e + f \cdot x]] dx$ /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\int \frac{(d + e \cdot x^2)}{(a + c \cdot x^4)} dx$:> With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\int \frac{(d + e \cdot x^2)}{(a + c \cdot x^4)} dx$:> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\int \frac{(a + b \cdot x + c \cdot x^2)^{-1}}{dx}$:> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\int \frac{(a + b \cdot x^2)^{-1}}{dx}$:> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\int \frac{(d + e \cdot x^2)}{(a + c \cdot x^4)} dx$:> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\int \frac{(d + e \cdot x)}{(a + b \cdot x + c \cdot x^2)} dx$:> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{2bB \tan^{\frac{7}{2}}(c+dx)}{7d} + \int \tan^{\frac{5}{2}}(c+dx)(aA-bB+(Ab+a \\
&= \frac{2(Ab+aB) \tan^{\frac{5}{2}}(c+dx)}{5d} + \frac{2bB \tan^{\frac{7}{2}}(c+dx)}{7d} + \int \tan^{\frac{3}{2}} \\
&= \frac{2(aA-bB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2(Ab+aB) \tan^{\frac{5}{2}}(c+dx)}{5d} + \\
&= -\frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2(aA-bB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \\
&= -\frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2(aA-bB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \\
&= -\frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2(aA-bB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \\
&= -\frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2(aA-bB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \\
&= -\frac{(b(A-B)+a(A+B)) \log(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))}{2\sqrt{2}d} \\
&= \frac{(a(A-B)-b(A+B)) \tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} - (a
\end{aligned}$$

Mathematica [C] time = 1.5936, size = 151, normalized size = 0.54

$$\frac{-105\sqrt[4]{-1}(b+ia)(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)+2\sqrt{\tan(c+dx)}\left(21(ab+Ab) \tan^2(c+dx)+35(aA-bB) \tan(c+dx)\right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (-105*(-1)^(1/4)*(I*a + b)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 105*(-1)^(3/4)*(a + I*b)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[Tan[c + d*x]]*(-105*(A*b + a*B) + 35*(a*A - b*B)*Tan[c + d*x] + 21*(A*b + a*B)*Tan[c + d*x]^2 + 15*b*B*Tan[c + d*x]^3))/(105*d)

Maple [B] time = 0.02, size = 527, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] 2/7*b*B*tan(d*x+c)^(7/2)/d+2/5/d*A*tan(d*x+c)^(5/2)*b+2/5/d*a*B*tan(d*x+c)^(5/2)+2/3/d*a*A*tan(d*x+c)^(3/2)-2/3*b*B*tan(d*x+c)^(3/2)/d-2/d*A*tan(d*x+c)^(1/2)*b-2/d*a*B*tan(d*x+c)^(1/2)+1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/

$$\begin{aligned} & 4/d*a*B*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+1/2/d*a*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} \\ & -1/4/d*a*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}-1/2/d*a*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) \\ & *2^{(1/2)}-1/2/d*a*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))) \\ & *b+1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b+1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b \end{aligned}$$

Maxima [A] time = 1.78624, size = 306, normalized size = 1.1

$$120 B b \tan(dx + c)^{\frac{7}{2}} + 168 (Ba + Ab) \tan(dx + c)^{\frac{5}{2}} - 210 \sqrt{2}((A - B)a - (A + B)b) \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx + c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{420} * (120 * B * b * \tan(dx + c)^{(7/2)} + 168 * (B * a + A * b) * \tan(dx + c)^{(5/2)} - 210 * \sqrt{2} * ((A - B) * a - (A + B) * b) * \arctan(1/2 * \sqrt{2} * (\sqrt{2} + 2 * \sqrt{\tan(dx + c)})) - 210 * \sqrt{2} * ((A - B) * a - (A + B) * b) * \arctan(-1/2 * \sqrt{2} * (\sqrt{2} - 2 * \sqrt{\tan(dx + c)})) + 105 * \sqrt{2} * ((A + B) * a + (A - B) * b) * \log(\sqrt{2} * \sqrt{\tan(dx + c)} + \tan(dx + c) + 1) - 105 * \sqrt{2} * ((A + B) * a + (A - B) * b) * \log(-\sqrt{2} * \sqrt{\tan(dx + c)} + \tan(dx + c) + 1) + 280 * (A * a - B * b) * \tan(dx + c)^{(3/2)} - 840 * (B * a + A * b) * \sqrt{\tan(dx + c)}) / d$

Fricas [B] time = 95.2061, size = 28355, normalized size = 102.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{420} * (420 * \sqrt{2} * d^5 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 - 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b)) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(3/4)} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \arctan(-(((A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^8 - 4 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^7 * b + 2 * (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^6 * b^2 - 12 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^5 * b^3 - 12 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^3 * b^5 - 2 * (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^2 * b^6 - 4 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a * b^7 - (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * b^8) * d^4 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4)$

$$\begin{aligned}
&)/d^4) - \sqrt{2} * ((B*a + A*b) * d^7 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) * \sqrt{((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) / d^4}) + \\
& ((A^3 + A*B^2) * a^3 - (A^2*B + B^3) * a^2 * b + (A^3 + A*B^2) * a * b^2 - (A^2*B + B^3) * b^3) * d^5 * \sqrt{((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) / d^4}) * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) / ((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) * \sqrt{(((A^6 - A^4*B^2 - A^2*B^4 + B^6) * a^6 - 8*(A^5*B - A*B^5) * a^5 * b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6) * a^4 * b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6) * a^2 * b^4 + 8*(A^5*B - A*B^5) * a * b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6) * b^6) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) * \cos(d*x + c) + \sqrt{2} * (((A^5 - 2*A^3*B^2 + A*B^4) * a^5 - (9*A^4*B - 10*A^2*B^3 + B^5) * a^4 * b - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4) * a^3 * b^2 + 2*(5*A^4*B - 14*A^2*B^3 + B^5) * a^2 * b^3 + (A^5 - 10*A^3*B^2 + 9*A*B^4) * a * b^4 - (A^4*B - 2*A^2*B^3 + B^5) * b^5) * d^3 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) * \cos(d*x + c) + ((A^6*B - A^4*B^3 - A^2*B^5 + B^7) * a^7 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6) * a^6 * b - (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7) * a^5 * b^2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6) * a^4 * b^3 - (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7) * a^3 * b^4 - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6) * a^2 * b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7) * a * b^6 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6) * b^7) * d * \cos(d*x + c)) * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) / ((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) * \sqrt{\sin(d*x + c) / \cos(d*x + c)) * (((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8) * a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) * a^7 * b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6) * a^6 * b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) * a^5 * b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8) * a^4 * b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) * a^3 * b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6) * a^2 * b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) * a * b^7 + (A^8 - 2*A^4*B^4 + B^8) * b^8) * \sin(d*x + c) / \cos(d*x + c)) * (((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4)^{(3/4)} + \sqrt{2} * (((A^4*B - B^5) * a^5 + (A^5 - 4*A^3*B^2 - 5*A*B^4) * a^4 * b - 4*(A^4*B + A^2*B^3) * a^3 * b^2 - 4*(A^3*B^2 + A*B^4) * a^2 * b^3 - (5*A^4*B + 4*A^2*B^3 - B^5) * a * b^4 - (A^5 - A*B^4) * b^5) * d^7 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) * \sqrt{((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) / d^4}) + ((A^7 + A^5*B^2 - A^3*B^4 - A*B^6) * a^7 - (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 - B^7) * a^6 * b + (A^7 + 5*A^5*B^2 + 7*A^3*B^4 + 3*A*B^6) * a^5 * b^2 - (9*A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7) * a^4 * b^3 - (A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A*B^6) * a^3 * b^4 - (3*A^6*B + 7*A^4*B^3 + 5*A^2*B^5 + B^7) * a^2 * b^5 - (A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6) * a * b^6 + (A^6*B + A^4*B^3 - A^2*B^5 - B^7) * b^7) * d^5 * \sqrt{(((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) / d^4}) * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4}) / ((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B -
\end{aligned}$$

$$\begin{aligned}
& A^3B^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4))\sqrt{\sin(dx + c)/\cos(dx + c)}*((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4)^{(3/4)}/((A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})a^{12} - 8*(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^{11}b + 2*(A^{12} + 10A^{10}B^2 + 31A^8B^4 + 44A^6B^6 + 31A^4B^8 + 10A^2B^{10} + B^{12})a^{10}b^2 - 24*(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^9b^3 - (A^{12} - 62A^{10}B^2 - 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^{10} + B^{12})a^8b^4 - 16*(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^7b^5 - 4*(A^{12} - 22A^{10}B^2 - 97A^8B^4 - 148A^6B^6 - 97A^4B^8 - 22A^2B^{10} + B^{12})a^6b^6 + 16*(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^5b^7 - (A^{12} - 62A^{10}B^2 - 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^{10} + B^{12})a^4b^8 + 24*(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^3b^9 + 2*(A^{12} + 10A^{10}B^2 + 31A^8B^4 + 44A^6B^6 + 31A^4B^8 + 10A^2B^{10} + B^{12})a^2b^{10} + 8*(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^2b^{11} + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^{12}))*\cos(dx + c)^3 + 420*\sqrt{2}*d^5*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2*(A^2B^2 - AB^2 + (A^2 - B^2)ab)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4))}/((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4))*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4})*\arctan(((A^8 + 2A^6B^2 - 2A^4B^4 - B^8)a^8 - 4*(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^7b + 2*(A^8 + 2A^6B^2 - 2A^4B^4 - B^8)a^6b^2 - 12*(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^5b^3 - 12*(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^3b^5 - 2*(A^8 + 2A^6B^2 - 2A^4B^4 - B^8)a^2b^6 - 4*(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^2b^7 - (A^8 + 2A^6B^2 - 2A^4B^4 - B^8)b^8)*d^4*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4}) + \sqrt{2}*(B*a + A*b)*d^7*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4}) + ((A^3 + AB^2)a^3 - (A^2B + B^3)a^2b + (A^3 + AB^2)a^2b^2 - (A^2B + B^3)b^3)*d^5*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2*(A^2B^2 - AB^2 + (A^2 - B^2)ab)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4))}/((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)a^2b^3 + (A^4 - 2A^2B^2 + B^4)b^4))*\sqrt{((A^6 - A^4B^2 - A^2B^4 + B^6)a^6 - 8*(A^5B - AB^5)a^5b - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^2b^4 + 8*(A^5B - AB^5)a^2b^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})*\cos(dx + c) - \sqrt{2}*((A^5 - 2A^3B^2 + AB^4)a^5 - (9A^4B - 10A^2B^3 + B^5)a^4b - 2*(A^5 - 14A^3B^2 + 5AB^4)a^3b^2 + 2*(5A^4B - 14A^2B^3 + B^5)a^2b^3 + (A^5 - 10A^3B^2 + 9AB^4)a^2b^4 - (A^4B - 2A^2B^3 + B^5)b^5)*d^3*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})*\cos(dx + c) + ((A^6B - A^4B^3 - A^2B^5 + B^7)a^7 + (A^7 - 9A^5B^2 - 9A^3B^4)a^6b + 2*(A^6B - A^4B^3 - A^2B^5 + B^7)a^5b^2 + 2*(A^7 - 9A^5B^2 - 9A^3B^4)a^4b^3 + (A^7 - 9A^5B^2 - 9A^3B^4)a^3b^4 + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^5 + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^6 + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^7 + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^8 + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^9 + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^{10} + (A^7 - 9A^5B^2 - 9A^3B^4)a^2b^{11} + (A^7 - 9A^5B^2 - 9A^3B^4)b^{12}))*\cos(dx + c)
\end{aligned}$$

$$\begin{aligned}
& 2 - A^3B^4 + 9A^2B^6)a^6b - (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^5b^2 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^4b^3 - (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^3b^4 - (A^7 - 25A^5B^2 - 17A^3B^4 + 9A^2B^6)a^2b^5 + (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^1b^6 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^7)d \cos(dx + c) \sqrt{\left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2(ABa^2 - ABb^2 + (A^2 - B^2)ab)d^2 \sqrt{\left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)}}{(A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)\right)} \sqrt{\sin(dx + c) / \cos(dx + c)} \left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)^{1/4} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^5b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8)a^4b^4 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^5 + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b^6 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^7 + (A^8 - 2A^4B^4 + B^8)b^8) \sin(dx + c) / \cos(dx + c) \left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)^{3/4} - \sqrt{2} \left(\frac{(A^4B - B^5)a^5 + (A^5 - 4A^3B^2 - 5AB^4)a^4b - 4(A^4B + A^2B^3)a^3b^2 - 4(A^3B^2 + AB^4)a^2b^3 - (5A^4B + 4A^2B^3 - B^5)ab^4 - (A^5 - AB^4)b^5}{d^7} \sqrt{\left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)} \sqrt{\left(\frac{(A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4}{d^4}\right)} + ((A^7 + A^5B^2 - A^3B^4 - AB^6)a^7 - (5A^6B + 9A^4B^3 + 3A^2B^5 - B^7)a^6b + (A^7 + 5A^5B^2 + 7A^3B^4 + 3AB^6)a^5b^2 - (9A^6B + 17A^4B^3 + 7A^2B^5 - B^7)a^4b^3 - (A^7 - 7A^5B^2 - 17A^3B^4 - 9AB^6)a^3b^4 - (3A^6B + 7A^4B^3 + 5A^2B^5 + B^7)a^2b^5 - (A^7 - 3A^5B^2 - 9A^3B^4 - 5AB^6)ab^6 + (A^6B + A^4B^3 - A^2B^5 - B^7)b^7) d^5 \sqrt{\left(\frac{(A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4}{d^4}\right)} \sqrt{\left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)} \sqrt{\left(\frac{(A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4}{d^4}\right)} \sqrt{\sin(dx + c) / \cos(dx + c)} \left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)^{3/4} \left(\frac{(A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})a^{12} - 8(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^{11}b + 2(A^{12} + 10A^{10}B^2 + 31A^8B^4 + 44A^6B^6 + 31A^4B^8 + 10A^2B^{10} + B^{12})a^{10}b^2 - 24(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^9b^3 - (A^{12} - 62A^{10}B^2 - 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^{10} + B^{12})a^8b^4 - 16(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^7b^5 - 4(A^{12} - 22A^{10}B^2 - 97A^8B^4 - 148A^6B^6 - 97A^4B^8 - 22A^2B^{10} + B^{12})a^6b^6 + 16(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^5b^7 - (A^{12} - 62A^{10}B^2 - 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^{10} + B^{12})a^4b^8 + 24(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^3b^9 + 2(A^{12} + 10A^{10}B^2 + 31A^8B^4 + 44A^6B^6 + 31A^4B^8 + 10A^2B^{10} + B^{12})a^2b^{10} + 8(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})ab^{11} + (A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^{12}) \cos(dx + c)^3 + 105 \sqrt{2} (2(ABa^2 - ABb^2 + (A^2 - B^2)ab) d^3 \sqrt{\left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)} \cos(dx + c)^3 + ((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) d \cos(dx + c)^3 \sqrt{\left(\frac{(A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4}{d^4}\right)}
\end{aligned}$$

$$\begin{aligned}
& B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 - 2 * (A * B * a^2 - A * B * b^2 + (A^2 - \\
& B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) \\
& * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)} / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 \\
& - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - \\
& A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4)) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 \\
& + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(1 \\
& / 4)} * \log((((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 - 8 * (A^5 * B - A * B^5) * a^5 * b - (\\
& A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^4 * b^2 - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B \\
& ^4 + B^6) * a^2 * b^4 + 8 * (A^5 * B - A * B^5) * a * b^5 + (A^6 - A^4 * B^2 - A^2 * B^4 + B^ \\
& 6) * b^6) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a \\
& ^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}) * \cos(d * x + c) + \sqrt{2} * (((A^5 - \\
& 2 * A^3 * B^2 + A * B^4) * a^5 - (9 * A^4 * B - 10 * A^2 * B^3 + B^5) * a^4 * b - 2 * (A^5 - 14 * A \\
& ^3 * B^2 + 5 * A * B^4) * a^3 * b^2 + 2 * (5 * A^4 * B - 14 * A^2 * B^3 + B^5) * a^2 * b^3 + (A^5 - \\
& 10 * A^3 * B^2 + 9 * A * B^4) * a * b^4 - (A^4 * B - 2 * A^2 * B^3 + B^5) * b^5) * d^3 * \sqrt{((A^ \\
& 4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 \\
& * B^2 + B^4) * b^4) / d^4}) * \cos(d * x + c) + ((A^6 * B - A^4 * B^3 - A^2 * B^5 + B^7) * a^7 \\
& + (A^7 - 9 * A^5 * B^2 - A^3 * B^4 + 9 * A * B^6) * a^6 * b - (9 * A^6 * B - 17 * A^4 * B^3 - 25 \\
& * A^2 * B^5 + B^7) * a^5 * b^2 - (A^7 - 17 * A^5 * B^2 - 17 * A^3 * B^4 + A * B^6) * a^4 * b^3 - \\
& (A^6 * B - 17 * A^4 * B^3 - 17 * A^2 * B^5 + B^7) * a^3 * b^4 - (A^7 - 25 * A^5 * B^2 - 17 * A \\
& ^3 * B^4 + 9 * A * B^6) * a^2 * b^5 + (9 * A^6 * B - A^4 * B^3 - 9 * A^2 * B^5 + B^7) * a * b^6 + (\\
& A^7 - A^5 * B^2 - A^3 * B^4 + A * B^6) * b^7) * d * \cos(d * x + c)) * \sqrt{((A^4 + 2 * A^2 * B^ \\
& 2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * \\
& b^4 - 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + \\
& B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) \\
& / d^4)} / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 \\
& * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) \\
& * b^4)) * \sqrt{(\sin(d * x + c) / \cos(d * x + c)) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A \\
& ^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(1/4)} + (\\
& (A^8 - 2 * A^4 * B^4 + B^8) * a^8 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^7 * b + \\
& 16 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^6 * b^2 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - \\
& A * B^7) * a^5 * b^3 - 2 * (A^8 - 16 * A^6 * B^2 - 34 * A^4 * B^4 - 16 * A^2 * B^6 + B^8) * a^4 \\
& * b^4 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^3 * b^5 + 16 * (A^6 * B^2 + 2 * A^4 * \\
& B^4 + A^2 * B^6) * a^2 * b^6 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a * b^7 + (A^8 \\
& - 2 * A^4 * B^4 + B^8) * b^8) * \sin(d * x + c)) / \cos(d * x + c)) - 105 * \sqrt{2} * (2 * (A * B * \\
& a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^3 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * \\
& (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}) * \cos(d * x \\
& + c)^3 + ((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 \\
& + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) * d * \cos(d * x + c)^3) * \sqrt{((A^4 + 2 * A^2 * B^2 + B \\
& ^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 - \\
& 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * \\
& a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} \\
&) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * \\
& B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) \\
&) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 \\
& + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(1/4)} * \log((((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 \\
& - 8 * (A^5 * B - A * B^5) * a^5 * b - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^4 * b^2 \\
& - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^2 * b^4 + 8 * (A^5 * B - A * B^5) * a * b^5 \\
& + (A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * b^6) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^ \\
& 4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}) * c \\
& \cos(d * x + c) - \sqrt{2} * (((A^5 - 2 * A^3 * B^2 + A * B^4) * a^5 - (9 * A^4 * B - 10 * A^2 * B \\
& ^3 + B^5) * a^4 * b - 2 * (A^5 - 14 * A^3 * B^2 + 5 * A * B^4) * a^3 * b^2 + 2 * (5 * A^4 * B - 14 * \\
& A^2 * B^3 + B^5) * a^2 * b^3 + (A^5 - 10 * A^3 * B^2 + 9 * A * B^4) * a * b^4 - (A^4 * B - 2 * A^ \\
& 2 * B^3 + B^5) * b^5) * d^3 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^ \\
& 2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}) * \cos(d * x + c) + ((A^6 * B \\
& - A^4 * B^3 - A^2 * B^5 + B^7) * a^7 + (A^7 - 9 * A^5 * B^2 - A^3 * B^4 + 9 * A * B^6) * a^6 \\
& * b - (9 * A^6 * B - 17 * A^4 * B^3 - 25 * A^2 * B^5 + B^7) * a^5 * b^2 - (A^7 - 17 * A^5 * B^2 \\
& - 17 * A^3 * B^4 + A * B^6) * a^4 * b^3 - (A^6 * B - 17 * A^4 * B^3 - 17 * A^2 * B^5 + B^7) * a^3 \\
& * b^4 - (A^7 - 25 * A^5 * B^2 - 17 * A^3 * B^4 + 9 * A * B^6) * a^2 * b^5 + (9 * A^6 * B - A^4 * B \\
& ^3 - 9 * A^2 * B^5 + B^7) * a * b^6 + (A^7 - A^5 * B^2 - A^3 * B^4 + A * B^6) * b^7) * d * \cos(
\end{aligned}$$

$$d*x + c))\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)}*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(d*x + c))/\cos(d*x + c)} - 8*(126*((A^4*B + 2*A^2*B^3 + B^5)*a^5 + (A^5 + 2*A^3*B^2 + A*B^4)*a^4*b + 2*(A^4*B + 2*A^2*B^3 + B^5)*a^3*b^2 + 2*(A^5 + 2*A^3*B^2 + A*B^4)*a^2*b^3 + (A^4*B + 2*A^2*B^3 + B^5)*a*b^4 + (A^5 + 2*A^3*B^2 + A*B^4)*b^5)*\cos(d*x + c)^3 - 21*((A^4*B + 2*A^2*B^3 + B^5)*a^5 + (A^5 + 2*A^3*B^2 + A*B^4)*a^4*b + 2*(A^4*B + 2*A^2*B^3 + B^5)*a^3*b^2 + 2*(A^5 + 2*A^3*B^2 + A*B^4)*a^2*b^3 + (A^4*B + 2*A^2*B^3 + B^5)*a*b^4 + (A^5 + 2*A^3*B^2 + A*B^4)*b^5)*\cos(d*x + c) - 5*(3*(A^4*B + 2*A^2*B^3 + B^5)*a^4*b + 6*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 + 3*(A^4*B + 2*A^2*B^3 + B^5)*b^5 + (7*(A^5 + 2*A^3*B^2 + A*B^4)*a^5 - 10*(A^4*B + 2*A^2*B^3 + B^5)*a^4*b + 14*(A^5 + 2*A^3*B^2 + A*B^4)*a^3*b^2 - 20*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 + 7*(A^5 + 2*A^3*B^2 + A*B^4)*a*b^4 - 10*(A^4*B + 2*A^2*B^3 + B^5)*b^5)*\cos(d*x + c)^2)*\sin(d*x + c))*\sqrt{\sin(d*x + c)/\cos(d*x + c)))/(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(d*x + c)^3)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.379 \quad \int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=254

$$\frac{2(aB + Ab) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a(A + B) + b(A - B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} - \frac{(a(A + B) + b(A - B)) \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d}$$

```
[Out] ((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(a*A - b*B)*Sqrt[Tan[c + d*x]])/d + (2*(A*b + a*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*b*B*Tan[c + d*x]^(5/2))/(5*d)
```

Rubi [A] time = 0.263097, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3592, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(aB + Ab) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a(A + B) + b(A - B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} - \frac{(a(A + B) + b(A - B)) \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(a*A - b*B)*Sqrt[Tan[c + d*x]])/d + (2*(A*b + a*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*b*B*Tan[c + d*x]^(5/2))/(5*d)
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
```

$\text{Int}[b \cdot \tan[e + f \cdot x]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] :=$ With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] :=$ With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[(a + (b \cdot x) + (c \cdot x^2))^{-1}, x_Symbol] :=$ With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[(a + (b \cdot x^2))^{-1}, x_Symbol] :=$ -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] :=$ With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x^2)), x_Symbol] :=$ Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{2bB \tan^{\frac{5}{2}}(c+dx)}{5d} + \int \tan^{\frac{3}{2}}(c+dx)(aA-bB+(Ab+aB) \tan(c+dx)) dx \\
&= \frac{2(Ab+aB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2bB \tan^{\frac{5}{2}}(c+dx)}{5d} + \int \sqrt{\tan(c+dx)} dx \\
&= \frac{2(aA-bB) \sqrt{\tan(c+dx)}}{d} + \frac{2(Ab+aB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2bB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{2(aA-bB) \sqrt{\tan(c+dx)}}{d} + \frac{2(Ab+aB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2bB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{2(aA-bB) \sqrt{\tan(c+dx)}}{d} + \frac{2(Ab+aB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2bB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{2(aA-bB) \sqrt{\tan(c+dx)}}{d} + \frac{2(Ab+aB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2bB \tan^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{(a(A-B)-b(A+B)) \log(1-\sqrt{2} \sqrt{\tan(c+dx)} + \tan(c+dx))}{2\sqrt{2}d} \\
&= \frac{(b(A-B)+a(A+B)) \tan^{-1}(1-\sqrt{2} \sqrt{\tan(c+dx)})}{\sqrt{2}d} - \frac{(b(A-B)+a(A+B)) \tan^{-1}(1+\sqrt{2} \sqrt{\tan(c+dx)})}{\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 1.00207, size = 134, normalized size = 0.53

$$\frac{15\sqrt[4]{-1}(a-ib)(A-iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right) + 2\sqrt{\tan(c+dx)}\left(5(aB+Ab) \tan(c+dx) + 15(aA-bB) + 3bB \tan^2(c+dx)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (15*(-1)^(1/4)*(a - I*b)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 15*(-1)^(1/4)*(a + I*b)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[Tan[c + d*x]]*(15*(a*A - b*B) + 5*(A*b + a*B)*Tan[c + d*x] + 3*b*B*Tan[c + d*x]^2))/(15*d)

Maple [B] time = 0.021, size = 497, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] 2/5*b*B*tan(d*x+c)^(5/2)/d+2/3/d*A*tan(d*x+c)^(3/2)*b+2/3/d*a*B*tan(d*x+c)^(3/2)+2/d*a*A*tan(d*x+c)^(1/2)-2*b*B*tan(d*x+c)^(1/2)/d-1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b-1/2/d*A*2^(1/2)*arctan(-

$$1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b-1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b-1/4/d*a*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-1/2/d*a*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2/d*a*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}$$

Maxima [A] time = 1.85645, size = 284, normalized size = 1.12

$$24Bb \tan(dx + c)^{\frac{5}{2}} - 30\sqrt{2}((A + B)a + (A - B)b) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx + c)})\right) - 30\sqrt{2}((A + B)a + (A - B)b) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx + c)})\right) - 15\sqrt{2}((A - B)a - (A + B)b) \log(\sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c) + 1) + 15\sqrt{2}((A - B)a - (A + B)b) \log(-\sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c) + 1) + 40*(B*a + A*b)*\tan(dx + c)^{(3/2)} + 120*(A*a - B*b)*\sqrt{\tan(dx + c)}/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/60*(24*B*b*tan(d*x + c)^(5/2) - 30*sqrt(2)*((A + B)*a + (A - B)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) - 30*sqrt(2)*((A + B)*a + (A - B)*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) - 15*sqrt(2)*((A - B)*a - (A + B)*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 15*sqrt(2)*((A - B)*a - (A + B)*b)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 40*(B*a + A*b)*tan(d*x + c)^(3/2) + 120*(A*a - B*b)*sqrt(tan(d*x + c))/d

Fricas [B] time = 122.131, size = 28034, normalized size = 110.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/60*(60*sqrt(2)*d^5*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4)^((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(3/4)*sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4)*arctan(-(((A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^8 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^7*b + 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^6*b^2 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5*b^3 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^5 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^6 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^7 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^8)*d^4*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) + sqrt(2)*((A*a - B*b)*d^7*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) -

$$\begin{aligned}
& ((A^2B + B^3)a^3 + (A^3 + A^2B^2)a^2b + (A^2B + B^3)ab^2 + (A^3 + A^2B^2)b^3)d^5\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4)}\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 + 2(ABa^2 - ABb^2 + (A^2 - B^2)ab)d^2\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})}/((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)}\sqrt{((A^6 - A^4B^2 - A^2B^4 + B^6)a^6 - 8(A^5B - AB^5)a^5b - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^2b^4 + 8(A^5B - AB^5)ab^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6)d^2\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}}\cos(dx + c) + \sqrt{2}\sqrt{((A^4B - 2A^2B^3 + B^5)a^5 + (A^5 - 10A^3B^2 + 9AB^4)a^4b - 2(5A^4B - 14A^2B^3 + B^5)a^3b^2 - 2(A^5 - 14A^3B^2 + 5AB^4)a^2b^3 + (9A^4B - 10A^2B^3 + B^5)ab^4 + (A^5 - 2A^3B^2 + AB^4)b^5)d^3\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}}\cos(dx + c) - ((A^7 - A^5B^2 - A^3B^4 + AB^6)a^7 - (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^6b - (A^7 - 25A^5B^2 - 17A^3B^4 + 9AB^6)a^5b^2 + (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^4b^3 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^3b^4 + (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^2b^5 + (A^7 - 9A^5B^2 - A^3B^4 + 9AB^6)ab^6 - (A^6B - A^4B^3 - A^2B^5 + B^7)b^7)d\cos(dx + c))\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 + 2(ABa^2 - ABb^2 + (A^2 - B^2)ab)d^2\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})}/((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)}\sqrt{\sin(dx + c)/\cos(dx + c)}\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}^{1/4} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^5b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8)a^4b^4 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^5 + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b^6 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^7 + (A^8 - 2A^4B^4 + B^8)b^8)\sin(dx + c))/\cos(dx + c)}\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}^{3/4} - \sqrt{2}\sqrt{((A^5 - AB^4)a^5 - (5A^4B + 4A^2B^3 - B^5)a^4b + 4(A^3B^2 + AB^4)a^3b^2 - 4(A^4B + A^2B^3)a^2b^3 - (A^5 - 4A^3B^2 - 5AB^4)ab^4 + (A^4B - B^5)b^5)d^7\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}}\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} - ((A^6B + A^4B^3 - A^2B^5 - B^7)a^7 + (A^7 - 3A^5B^2 - 9A^3B^4 - 5AB^6)a^6b - (3A^6B + 7A^4B^3 + 5A^2B^5 + B^7)a^5b^2 + (A^7 - 7A^5B^2 - 17A^3B^4 - 9AB^6)a^4b^3 - (9A^6B + 17A^4B^3 + 7A^2B^5 - B^7)a^3b^4 - (A^7 + 5A^5B^2 + 7A^3B^4 + 3AB^6)a^2b^5 - (5A^6B + 9A^4B^3 + 3A^2B^5 - B^7)ab^6 - (A^7 + A^5B^2 - A^3B^4 - AB^6)b^7)d^5\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4}}\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})}/((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)}\sqrt{\sin(dx + c)/\cos(dx + c)}\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}^{3/4})}/((A^{12} + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8
\end{aligned}$$

$$\begin{aligned}
& + 2A^2B^{10} + B^{12})a^{12} - 8(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 \\
& - 3A^3B^9 - AB^{11})a^{11}b + 2(A^{12} + 10A^{10}B^2 + 31A^8B^4 + 44A^6B^6 \\
& + 31A^4B^8 + 10A^2B^{10} + B^{12})a^{10}b^2 - 24(A^{11}B + 3A^9B^3 + \\
& 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^9b^3 - (A^{12} - 62A^{10}B^2 - \\
& 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^{10} + B^{12})a^8b^4 - 16 \\
& *(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a^7b^5 \\
& - 4(A^{12} - 22A^{10}B^2 - 97A^8B^4 - 148A^6B^6 - 97A^4B^8 - 22A^2B^{10} \\
& + B^{12})a^6b^6 + 16(A^{11}B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 \\
& *B^9 - AB^{11})a^5b^7 - (A^{12} - 62A^{10}B^2 - 257A^8B^4 - 388A^6B^6 - \\
& 257A^4B^8 - 62A^2B^{10} + B^{12})a^4b^8 + 24(A^{11}B + 3A^9B^3 + 2A^7B^5 \\
& - 2A^5B^7 - 3A^3B^9 - AB^{11})a^3b^9 + 2(A^{12} + 10A^{10}B^2 + 31A^8B^4 \\
& + 44A^6B^6 + 31A^4B^8 + 10A^2B^{10} + B^{12})a^2b^{10} + 8(A^{11}B \\
& + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^{11})a*b^{11} + (A^{12} \\
& + 2A^{10}B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^{10} + B^{12})b^{12}))\cos \\
& (dx + c)^2 + 60\sqrt{2}*d^5*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + \\
& 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 + 2(ABa^2 - ABb^2 \\
& + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 \\
& + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4))/((A^4 - 2A^2B^2 \\
& + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 \\
& + 8(A^3B - AB^3)a*b^3 + (A^4 - 2A^2B^2 + B^4)b^4))*(((A^4 + 2A^2B^2 \\
& + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)* \\
& b^4)/d^4)^{(3/4)}*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b \\
& - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)a*b^3 + (A^4 - 2A^2B^2 \\
& + B^4)b^4)/d^4)}*\arctan((((A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^8 - \\
& 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^7b + 2(A^8 + 2A^6B^2 - 2A^2B^6 \\
& - B^8)a^6b^2 - 12(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^5b^3 \\
& - 12(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^3b^5 - 2(A^8 + 2A^6B^2 - \\
& 2A^2B^6 - B^8)a^2b^6 - 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a*b^7 \\
& - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)b^8)*d^4*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 \\
& + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4} \\
& *\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 \\
& + B^4)a^2b^2 + 8(A^3B - AB^3)a*b^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} \\
& - \sqrt{2}*((Aa - Bb)*d^7*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + \\
& 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}*\sqrt{ \\
& (((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 \\
& + B^4)a^2b^2 + 8(A^3B - AB^3)a*b^3 + (A^4 - 2A^2B^2 + B^4)b^4)/ \\
& d^4} - ((A^2B + B^3)a^3 + (A^3 + AB^2)a^2b + (A^2B + B^3)a*b^2 + (A^3 \\
& + AB^2)b^3)*d^5*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b \\
& - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)a*b^3 + (A^4 \\
& - 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + \\
& 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 + 2(ABa^2 - ABb^2 \\
& + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 \\
& + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4))/((A^4 - 2A^2B^2 \\
& + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 \\
& + 8(A^3B - AB^3)a*b^3 + (A^4 - 2A^2B^2 + B^4)b^4)}*\sqrt{(((A^6 - A^4 \\
& *B^2 - A^2B^4 + B^6)a^6 - 8(A^5B - AB^5)a^5b - (A^6 - 17A^4B^2 - 1 \\
& 7A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^2b^4 + \\
& 8(A^5B - AB^5)a*b^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6)*d^2*\sqrt{((A \\
& ^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 \\
& + B^4)b^4)/d^4}*\cos(dx + c) - \sqrt{2}*((A^4B - 2A^2B^3 + B^5)a^5 \\
& + (A^5 - 10A^3B^2 + 9AB^4)a^4b - 2(5A^4B - 14A^2B^3 + B^5)a^3b^2 - 2(A^5 \\
& - 14A^3B^2 + 5AB^4)a^2b^3 + (9A^4B - 10A^2B^3 + B^5)a*b^4 + (A^5 - 2A^3B^2 \\
& + AB^4)b^5)*d^3*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4) \\
& a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4})*\cos(dx + c) - ((A^7 - A^5B^2 - A^3B^4 \\
& + AB^6)a^7 - (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^6b - (A^7 - 25A^5B^2 - 17A^3B^4 \\
& + 9AB^6)a^5b^2 + (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^4b^3 - (A^7 - 17A^5B^2 - \\
& 17A^3B^4 + AB^6)a^3b^4 + (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^2b^5 + (A^7 \\
& - 9A^5B^2 - A^3B^4 + 9AB^6)a*b^6 - (A^6B - A^4B^3 - A^
\end{aligned}$$

$$\begin{aligned}
& 2*B^5 + B^7)*b^7)*d*\cos(d*x + c))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(d*x + c))/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)} + \sqrt{2})*(((A^5 - A*B^4)*a^5 - (5*A^4*B + 4*A^2*B^3 - B^5)*a^4*b + 4*(A^3*B^2 + A*B^4)*a^3*b^2 - 4*(A^4*B + A^2*B^3)*a^2*b^3 - (A^5 - 4*A^3*B^2 - 5*A*B^4)*a*b^4 + (A^4*B - B^5)*b^5)*d^7*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4} - ((A^6*B + A^4*B^3 - A^2*B^5 - B^7)*a^7 + (A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6)*a^6*b - (3*A^6*B + 7*A^4*B^3 + 5*A^2*B^5 + B^7)*a^5*b^2 + (A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A*B^6)*a^4*b^3 - (9*A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7)*a^3*b^4 - (A^7 + 5*A^5*B^2 + 7*A^3*B^4 + 3*A*B^6)*a^2*b^5 - (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 - B^7)*a*b^6 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^7)*d^5*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{\sin(d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)}/((A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*a^12 - 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^11*b + 2*(A^12 + 10*A^10*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^10*b^2 - 24*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^9*b^3 - (A^12 - 62*A^10*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^8*b^4 - 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^7*b^5 - 4*(A^12 - 22*A^10*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97*A^4*B^8 - 22*A^2*B^10 + B^12)*a^6*b^6 + 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^5*b^7 - (A^12 - 62*A^10*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^4*b^8 + 24*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^9 + 2*(A^12 + 10*A^10*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^2*b^10 + 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^11 + (A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*b^12))*\cos(d*x + c)^2 + 15*\sqrt{2})*(2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(d*x + c)^2 - ((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(d*x + c)^2)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*
\end{aligned}$$

$$\begin{aligned}
& B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + \\
& 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(1/4)} \\
& * \log((((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 - 8 * (A^5 * B - A * B^5) * a^5 * b - (A^6 \\
& - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^4 * b^2 - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 \\
& + B^6) * a^2 * b^4 + 8 * (A^5 * B - A * B^5) * a * b^5 + (A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * \\
& b^6) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * \\
& b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \cos(d * x + c) + \sqrt{2} * (((A^4 * B - 2 \\
& * A^2 * B^3 + B^5) * a^5 + (A^5 - 10 * A^3 * B^2 + 9 * A * B^4) * a^4 * b - 2 * (5 * A^4 * B - 14 * \\
& A^2 * B^3 + B^5) * a^3 * b^2 - 2 * (A^5 - 14 * A^3 * B^2 + 5 * A * B^4) * a^2 * b^3 + (9 * A^4 * B \\
& - 10 * A^2 * B^3 + B^5) * a * b^4 + (A^5 - 2 * A^3 * B^2 + A * B^4) * b^5) * d^3 * \sqrt{((A^4 + \\
& 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 \\
& + B^4) * b^4) / d^4} * \cos(d * x + c) - ((A^7 - A^5 * B^2 - A^3 * B^4 + A * B^6) * a^7 - \\
& (9 * A^6 * B - A^4 * B^3 - 9 * A^2 * B^5 + B^7) * a^6 * b - (A^7 - 25 * A^5 * B^2 - 17 * A^3 * B^4 \\
& + 9 * A * B^6) * a^5 * b^2 + (A^6 * B - 17 * A^4 * B^3 - 17 * A^2 * B^5 + B^7) * a^4 * b^3 - (A^7 \\
& - 17 * A^5 * B^2 - 17 * A^3 * B^4 + A * B^6) * a^3 * b^4 + (9 * A^6 * B - 17 * A^4 * B^3 - 25 * \\
& A^2 * B^5 + B^7) * a^2 * b^5 + (A^7 - 9 * A^5 * B^2 - A^3 * B^4 + 9 * A * B^6) * a * b^6 - (A^6 \\
& * B - A^4 * B^3 - A^2 * B^5 + B^7) * b^7) * d * \cos(d * x + c)) * \sqrt{((A^4 + 2 * A^2 * B^2 + \\
& B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 \\
& + 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) \\
&) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} \\
&) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 \\
& + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) \\
&) * \sqrt{(\sin(d * x + c) / \cos(d * x + c)) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 \\
& + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(1/4)} + ((A^8 \\
& - 2 * A^4 * B^4 + B^8) * a^8 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^7 * b + 16 \\
& * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^6 * b^2 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A \\
& * B^7) * a^5 * b^3 - 2 * (A^8 - 16 * A^6 * B^2 - 34 * A^4 * B^4 - 16 * A^2 * B^6 + B^8) * a^4 * b^4 \\
& + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^3 * b^5 + 16 * (A^6 * B^2 + 2 * A^4 * B^4 \\
& + A^2 * B^6) * a^2 * b^6 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a * b^7 + (A^8 - \\
& 2 * A^4 * B^4 + B^8) * b^8) * \sin(d * x + c)) / \cos(d * x + c)) - 15 * \sqrt{2} * (2 * (A * B * a^2 \\
& - A * B * b^2 + (A^2 - B^2) * a * b) * d^3 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 \\
& + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \cos(d * x + c \\
&)^2 - ((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 \\
& + 2 * A^2 * B^2 + B^4) * b^4) * d * \cos(d * x + c))^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * \\
& a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 + 2 * (\\
& A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 \\
& + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}))) / ((\\
& A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 \\
& + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) * ((\\
& (A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * \\
& A^2 * B^2 + B^4) * b^4) / d^4)^{(1/4)} * \log((((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 - \\
& 8 * (A^5 * B - A * B^5) * a^5 * b - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^4 * b^2 - (\\
& A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^2 * b^4 + 8 * (A^5 * B - A * B^5) * a * b^5 + (A^6 \\
& - A^4 * B^2 - A^2 * B^4 + B^6) * b^6) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + \\
& 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \cos(d \\
& * x + c) - \sqrt{2} * (((A^4 * B - 2 * A^2 * B^3 + B^5) * a^5 + (A^5 - 10 * A^3 * B^2 + 9 * A \\
& * B^4) * a^4 * b - 2 * (5 * A^4 * B - 14 * A^2 * B^3 + B^5) * a^3 * b^2 - 2 * (A^5 - 14 * A^3 * B^2 \\
& + 5 * A * B^4) * a^2 * b^3 + (9 * A^4 * B - 10 * A^2 * B^3 + B^5) * a * b^4 + (A^5 - 2 * A^3 * B^2 \\
& + A * B^4) * b^5) * d^3 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + \\
& B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \cos(d * x + c) - ((A^7 - A^5 \\
& * B^2 - A^3 * B^4 + A * B^6) * a^7 - (9 * A^6 * B - A^4 * B^3 - 9 * A^2 * B^5 + B^7) * a^6 * b - \\
& (A^7 - 25 * A^5 * B^2 - 17 * A^3 * B^4 + 9 * A * B^6) * a^5 * b^2 + (A^6 * B - 17 * A^4 * B^3 - \\
& 17 * A^2 * B^5 + B^7) * a^4 * b^3 - (A^7 - 17 * A^5 * B^2 - 17 * A^3 * B^4 + A * B^6) * a^3 * b^4 \\
& + (9 * A^6 * B - 17 * A^4 * B^3 - 25 * A^2 * B^5 + B^7) * a^2 * b^5 + (A^7 - 9 * A^5 * B^2 - A \\
& ^3 * B^4 + 9 * A * B^6) * a * b^6 - (A^6 * B - A^4 * B^3 - A^2 * B^5 + B^7) * b^7) * d * \cos(d * x \\
& + c)) * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 \\
& + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 + 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 \\
& * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (\\
& A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}))) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B -
\end{aligned}$$

$$\begin{aligned}
& A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 \\
& + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*((A^4 + 2*A^2*B^2 + B^4)*a^4 \\
& + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 \\
& - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 \\
& - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 \\
& + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(dx + c)/\cos(dx + c) \\
& - 8*(3*(A^4*B + 2*A^2*B^3 + B^5)*a^4*b + 6*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 + 3*(A^4*B + 2*A^2*B^3 + B^5)*b^5 + 3*(5*(A^5 + 2*A^3*B^2 + A*B^4)*a^5 \\
& - 6*(A^4*B + 2*A^2*B^3 + B^5)*a^4*b + 10*(A^5 + 2*A^3*B^2 + A*B^4)*a^3*b^2 - 12*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 + 5*(A^5 + 2*A^3*B^2 + A*B^4)*a*b^4 \\
& - 6*(A^4*B + 2*A^2*B^3 + B^5)*b^5)*\cos(dx + c)^2 + 5*((A^4*B + 2*A^2*B^3 + B^5)*a^5 + (A^5 + 2*A^3*B^2 + A*B^4)*a^4*b + 2*(A^4*B + 2*A^2*B^3 + B^5) \\
&)*a^3*b^2 + 2*(A^5 + 2*A^3*B^2 + A*B^4)*a^2*b^3 + (A^4*B + 2*A^2*B^3 + B^5)*a*b^4 + (A^5 + 2*A^3*B^2 + A*B^4)*b^5)*\cos(dx + c)*\sin(dx + c))*\sqrt{\sin(dx + c)/\cos(dx + c)}/(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(dx + c)^2)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(3/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x)

[Out] Integral((A + B*tan(c + dx))*(a + b*tan(c + dx))*tan(c + dx)**(3/2), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(3/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.380 \quad \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=229

$$\frac{(a(A - B) - b(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2d}} + \frac{(a(A - B) - b(A + B)) \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)} + 1)}{\sqrt{2d}} + \frac{2(aB + b^2)}{d}$$

```
[Out] -(((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(A*b + a*B)*Sqrt[Tan[c + d*x]])/d + (2*b*B*Tan[c + d*x]^(3/2))/(3*d)
```

Rubi [A] time = 0.232655, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3592, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A - B) - b(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2d}} + \frac{(a(A - B) - b(A + B)) \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)} + 1)}{\sqrt{2d}} + \frac{2(aB + b^2)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(A*b + a*B)*Sqrt[Tan[c + d*x]])/d + (2*b*B*Tan[c + d*x]^(3/2))/(3*d)
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
```

NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{2bB \tan^{\frac{3}{2}}(c+dx)}{3d} + \int \sqrt{\tan(c+dx)}(aA-bB+(Ab+aB \tan(c+dx))) dx \\ &= \frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2bB \tan^{\frac{3}{2}}(c+dx)}{3d} + \int \frac{-Ab+aB \tan(c+dx)}{d} dx \\ &= \frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2bB \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2 \text{Subst}(\int \frac{-Ab+aB \tan(c+dx)}{d} dx, \sqrt{\tan(c+dx)})}{d} \\ &= \frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2bB \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{(b(A-B)+a(A+B))\log(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))}{2\sqrt{2}d} \\ &= \frac{2(Ab+aB)\sqrt{\tan(c+dx)}}{d} + \frac{2bB \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{(b(A-B)+a(A+B))\log(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))}{2\sqrt{2}d} \\ &= \frac{(b(A-B)+a(A+B))\log(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx))}{2\sqrt{2}d} - \frac{(a(A-B)-b(A+B))\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \dots \end{aligned}$$

Mathematica [C] time = 0.395821, size = 114, normalized size = 0.5

$$\frac{3\sqrt[4]{-1}(b+ia)(A-iB)\tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right)+2\sqrt{\tan(c+dx)}(3aB+3Ab+bB \tan(c+dx))-3(-1)^{3/4}(a+ib)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]
```

```
[Out] (3*(-1)^(1/4)*(I*a + b)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - 3*(-1)^(3/4)*(a + I*b)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[Tan[c + d*x]]*(3*A*b + 3*a*B + b*B*Tan[c + d*x]))/(3*d)
```

Maple [B] time = 0.021, size = 467, normalized size = 2.

$$\frac{2Bb}{3d}(\tan(dx+c))^{\frac{3}{2}} + 2\frac{A\sqrt{\tan(dx+c)}b}{d} + 2\frac{aB\sqrt{\tan(dx+c)}}{d} - \frac{A\sqrt{2}b}{2d}\arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{A\sqrt{2}b}{4d}\ln\left(\frac{1-\sqrt{2}\sqrt{\tan(dx+c)}}{1+\sqrt{2}\sqrt{\tan(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)
```

```
[Out] 2/3*b*B*tan(d*x+c)^(3/2)/d+2/d*A*tan(d*x+c)^(1/2)*b+2/d*a*B*tan(d*x+c)^(1/2)-1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b-1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a*B*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-1/2/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4/d*a*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b-1/2/d*B*2^(1/2)*arc
```

$\tan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b-1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b$

Maxima [A] time = 1.74469, size = 259, normalized size = 1.13

$8 B b \tan(dx+c)^{\frac{3}{2}} + 6 \sqrt{2}((A-B)a - (A+B)b) \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)})\right) + 6 \sqrt{2}((A-B)a - (A+B)b) \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 \sqrt{\tan(dx+c)})\right) - 3 \sqrt{2}((A+B)a + (A-B)b) \log(\sqrt{2} \sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + 3 \sqrt{2}((A+B)a + (A-B)b) \log(-\sqrt{2} \sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + 24(Ba + Ab) \sqrt{\tan(dx+c)}/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] $1/12*(8*B*b*\tan(dx+c)^{(3/2)} + 6*\sqrt{2}*((A-B)*a - (A+B)*b)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)})) + 6*\sqrt{2}*((A-B)*a - (A+B)*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)})) - 3*\sqrt{2}*((A+B)*a + (A-B)*b)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + 3*\sqrt{2}*((A+B)*a + (A-B)*b)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + 24*(B*a + A*b)*\sqrt{\tan(dx+c)}/d$

Fricas [B] time = 104.72, size = 27690, normalized size = 120.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $-1/12*(12*\sqrt{2}*d^5*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4}*\arctan(-((A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^8 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^7*b + 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^6*b^2 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5*b^3 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^5 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^6 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^7 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^8)*d^4*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4} - \sqrt{2}*((B*a + A*b)*d^7*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4} + ((A^3 + A*B^2)*a^3 - (A^2*B + B^3)*a^2*b + (A^3 + A*B^2)*a*b^2 - (A^2*B + B^3)*b^3)*d^5*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4}$

$$\begin{aligned}
& *B^2 + B^4)*b^4)/d^4))*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\text{sqrt}((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*\cos(d*x + c) + \text{sqrt}(2)*(((A^5 - 2*A^3*B^2 + A*B^4)*a^5 - (9*A^4*B - 10*A^2*B^3 + B^5)*a^4*b - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^3*b^2 + 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^2*b^3 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a*b^4 - (A^4*B - 2*A^2*B^3 + B^5)*b^5)*d^3*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*\cos(d*x + c) + ((A^6*B - A^4*B^3 - A^2*B^5 + B^7)*a^7 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6)*a^6*b - (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^5*b^2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a^4*b^3 - (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^3*b^4 - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^2*b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a*b^6 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^7)*d*\cos(d*x + c))*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\text{sqrt}(\sin(d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(1/4) + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(d*x + c))/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(3/4) + \text{sqrt}(2)*(((A^4*B - B^5)*a^5 + (A^5 - 4*A^3*B^2 - 5*A*B^4)*a^4*b - 4*(A^4*B + A^2*B^3)*a^3*b^2 - 4*(A^3*B^2 + A*B^4)*a^2*b^3 - (5*A^4*B + 4*A^2*B^3 - B^5)*a*b^4 - (A^5 - A*B^4)*b^5)*d^7*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*\text{sqrt}(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) + ((A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^7 - (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 - B^7)*a^6*b + (A^7 + 5*A^5*B^2 + 7*A^3*B^4 + 3*A*B^6)*a^5*b^2 - (9*A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7)*a^4*b^3 - (A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A*B^6)*a^3*b^4 - (3*A^6*B + 7*A^4*B^3 + 5*A^2*B^5 + B^7)*a^2*b^5 - (A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6)*a*b^6 + (A^6*B + A^4*B^3 - A^2*B^5 - B^7)*b^7)*d^5*\text{sqrt}(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4))*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\text{sqrt}(\sin(d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(3/4))/((A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*a^12 - 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^11*b + 2*(A^12 + 10*A^10*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^10*b^2 - 24*(A^11*B + 3*A^9*B^3 +
\end{aligned}$$

$$\begin{aligned}
& 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11}) * a^9 * b^3 - (A^{12} - 62*A^{10}*B^2 - \\
& 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^{10} + B^{12}) * a^8 * b^4 - 16 \\
& *(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11}) * a^7 * b^5 \\
& - 4*(A^{12} - 22*A^{10}*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97*A^4*B^8 - 22*A^2*B^{10} \\
& + B^{12}) * a^6 * b^6 + 16*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3 \\
& *B^9 - A*B^{11}) * a^5 * b^7 - (A^{12} - 62*A^{10}*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - \\
& 257*A^4*B^8 - 62*A^2*B^{10} + B^{12}) * a^4 * b^8 + 24*(A^{11}*B + 3*A^9*B^3 + 2*A^7* \\
& B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11}) * a^3 * b^9 + 2*(A^{12} + 10*A^{10}*B^2 + 31* \\
& A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^{10} + B^{12}) * a^2 * b^{10} + 8*(A^{11}* \\
& B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11}) * a * b^{11} + (A^{12} \\
& + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12}) * b^{12}) * \cos(dx + c) \\
& + 12 * \sqrt{2} * d^5 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2* \\
& A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 - 2*(A*B*a^2 - A*B*b^2 \\
& + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2* \\
& B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4)) / ((A^4 - 2*A^2*B^2 + \\
& B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + \\
& 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4)) * (((A^4 + 2*A^2*B^2 \\
& + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 \\
& / d^4)^{3/4} * \sqrt{((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - \\
& 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^ \\
& 2*B^2 + B^4) * b^4) / d^4} * \arctan(((A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8) * a^8 - 4 \\
& *(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7) * a^7 * b + 2*(A^8 + 2*A^6*B^2 - 2*A^2 \\
& *B^6 - B^8) * a^6 * b^2 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7) * a^5 * b^3 - \\
& 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7) * a^3 * b^5 - 2*(A^8 + 2*A^6*B^2 - 2 \\
& *A^2*B^6 - B^8) * a^2 * b^6 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7) * a * b^7 - \\
& (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8) * b^8) * d^4 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) \\
& * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4} \\
&) * \sqrt{((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10 \\
& *A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) \\
& * b^4) / d^4} + \sqrt{2} * ((B*a + A*b) * d^7 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2 \\
& *(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4} * \sqrt{((\\
& A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 \\
& + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4) / d^ \\
& 4} + ((A^3 + A*B^2) * a^3 - (A^2*B + B^3) * a^2 * b + (A^3 + A*B^2) * a * b^2 - (A^2* \\
& B + B^3) * b^3) * d^5 * \sqrt{((A^4 - 2*A^2*B^2 + B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 \\
& * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - \\
& 2*A^2*B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2* \\
& A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 - 2*(A*B*a^2 - A*B*b^2 \\
& + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2* \\
& B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4)) / ((A^4 - 2*A^2*B^2 + \\
& B^4) * a^4 - 8*(A^3*B - A*B^3) * a^3 * b - 2*(A^4 - 10*A^2*B^2 + B^4) * a^2 * b^2 + \\
& 8*(A^3*B - A*B^3) * a * b^3 + (A^4 - 2*A^2*B^2 + B^4) * b^4)) * \sqrt{(((A^6 - A^4*B \\
& ^2 - A^2*B^4 + B^6) * a^6 - 8*(A^5*B - A*B^5) * a^5 * b - (A^6 - 17*A^4*B^2 - 17* \\
& A^2*B^4 + B^6) * a^4 * b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6) * a^2 * b^4 + 8* \\
& (A^5*B - A*B^5) * a * b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6) * b^6) * d^2 * \sqrt{((A^4 \\
& + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2* \\
& B^2 + B^4) * b^4) / d^4} * \cos(dx + c) - \sqrt{2} * (((A^5 - 2*A^3*B^2 + A*B^4) * a^5 \\
& - (9*A^4*B - 10*A^2*B^3 + B^5) * a^4 * b - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4) * a^3 * \\
& b^2 + 2*(5*A^4*B - 14*A^2*B^3 + B^5) * a^2 * b^3 + (A^5 - 10*A^3*B^2 + 9*A*B^4) \\
& * a * b^4 - (A^4*B - 2*A^2*B^3 + B^5) * b^5) * d^3 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a \\
& ^4 + 2*(A^4 + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4) / d^4} * \\
& \cos(dx + c) + ((A^6*B - A^4*B^3 - A^2*B^5 + B^7) * a^7 + (A^7 - 9*A^5*B^2 - \\
& A^3*B^4 + 9*A*B^6) * a^6 * b - (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7) * a^5 * b^ \\
& 2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6) * a^4 * b^3 - (A^6*B - 17*A^4*B^3 - \\
& 17*A^2*B^5 + B^7) * a^3 * b^4 - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6) * a^2 * \\
& b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7) * a * b^6 + (A^7 - A^5*B^2 - A^3*B^ \\
& 4 + A*B^6) * b^7) * d * \cos(dx + c)) * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 \\
& + 2*A^2*B^2 + B^4) * a^2 * b^2 + (A^4 + 2*A^2*B^2 + B^4) * b^4 - 2*(A*B*a^2 - A*B \\
& *b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2*A^2*B^2 + B^4) * a^4 + 2*(A^4 + 2*
\end{aligned}$$

$$\begin{aligned}
& A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4 / d^4) / ((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3b - 2(A^4 - 10A^2B^2 + B^4) * a^2b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)^{1/4} + ((A^8 - 2A^4B^4 + B^8) * a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7) * a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6) * a^6b^2 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7) * a^5b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8) * a^4b^4 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7) * a^3b^5 + 16(A^6B^2 + 2A^4B^4 + A^2B^6) * a^2b^6 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7) * a * b^7 + (A^8 - 2A^4B^4 + B^8) * b^8) * \sin(dx + c) / \cos(dx + c) * (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)^{3/4} - \sqrt{2} * ((A^4B - B^5) * a^5 + (A^5 - 4A^3B^2 - 5AB^4) * a^4b - 4(A^4B + A^2B^3) * a^3b^2 - 4(A^3B^2 + AB^4) * a^2b^3 - (5A^4B + 4A^2B^3 - B^5) * a * b^4 - (A^5 - AB^4) * b^5) * d^7 * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3b - 2(A^4 - 10A^2B^2 + B^4) * a^2b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) / d^4} + ((A^7 + A^5B^2 - A^3B^4 - AB^6) * a^7 - (5A^6B + 9A^4B^3 + 3A^2B^5 - B^7) * a^6b + (A^7 + 5A^5B^2 + 7A^3B^4 + 3AB^6) * a^5b^2 - (9A^6B + 17A^4B^3 + 7A^2B^5 - B^7) * a^4b^3 - (A^7 - 7A^5B^2 - 17A^3B^4 - 9AB^6) * a^3b^4 - (3A^6B + 7A^4B^3 + 5A^2B^5 + B^7) * a^2b^5 - (A^7 - 3A^5B^2 - 9A^3B^4 - 5AB^6) * a * b^6 + (A^6B + A^4B^3 - A^2B^5 - B^7) * b^7) * d^5 * \sqrt{((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3b - 2(A^4 - 10A^2B^2 + B^4) * a^2b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4} - 2(AB * a^2 - AB * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4} / ((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3b - 2(A^4 - 10A^2B^2 + B^4) * a^2b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)^{3/4} / ((A^12 + 2A^10B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^10 + B^12) * a^12 - 8(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^11) * a^11b + 2(A^12 + 10A^10B^2 + 31A^8B^4 + 44A^6B^6 + 31A^4B^8 + 10A^2B^10 + B^12) * a^10b^2 - 24(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^11) * a^9b^3 - (A^12 - 62A^10B^2 - 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^10 + B^12) * a^8b^4 - 16(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^11) * a^7b^5 - 4(A^12 - 22A^10B^2 - 97A^8B^4 - 148A^6B^6 - 97A^4B^8 - 22A^2B^10 + B^12) * a^6b^6 + 16(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^11) * a^5b^7 - (A^12 - 62A^10B^2 - 257A^8B^4 - 388A^6B^6 - 257A^4B^8 - 62A^2B^10 + B^12) * a^4b^8 + 24(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^11) * a^3b^9 + 2(A^12 + 10A^10B^2 + 31A^8B^4 + 44A^6B^6 + 31A^4B^8 + 10A^2B^10 + B^12) * a^2b^10 + 8(A^11B + 3A^9B^3 + 2A^7B^5 - 2A^5B^7 - 3A^3B^9 - AB^11) * a * b^11 + (A^12 + 2A^10B^2 - A^8B^4 - 4A^6B^6 - A^4B^8 + 2A^2B^10 + B^12) * b^12) * \cos(dx + c) + 3 * \sqrt{2} * (2(AB * a^2 - AB * b^2 + (A^2 - B^2) * a * b) * d^3 * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4} * \cos(dx + c) + ((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) * d * \cos(dx + c)) * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4} / ((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3b - 2(A^4 - 10A^2B^2 + B^4) * a^2b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) * (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)^{1/4} * \log(((A^6 - A^4B^2 - A^2B^4 + B^6) * a^6 - 8(A^5B - AB^5) * a^5b - (A^6 - 17A^4
\end{aligned}$$

$$\begin{aligned}
& *B^2 - 17A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^4 \\
& 2b^4 + 8(A^5B - AB^5)a^4b^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6)d^2 \\
& \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 \\
& 4 + 2A^2B^2 + B^4)b^4)/d^4} \cos(dx + c) + \sqrt{2} * ((A^5 - 2A^3B^2 + \\
& AB^4)a^5 - (9A^4B - 10A^2B^3 + B^5)a^4b - 2(A^5 - 14A^3B^2 + 5A \\
& *B^4)a^3b^2 + 2(5A^4B - 14A^2B^3 + B^5)a^2b^3 + (A^5 - 10A^3B^2 \\
& + 9AB^4)a^4b^4 - (A^4B - 2A^2B^3 + B^5)b^5)d^3 \sqrt{((A^4 + 2A^2B^2 \\
& + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) \\
& /d^4} \cos(dx + c) + ((A^6B - A^4B^3 - A^2B^5 + B^7)a^7 + (A^7 - 9A \\
& A^5B^2 - A^3B^4 + 9AB^6)a^6b - (9A^6B - 17A^4B^3 - 25A^2B^5 + B \\
& ^7)a^5b^2 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^4b^3 - (A^6B - 17 \\
& *A^4B^3 - 17A^2B^5 + B^7)a^3b^4 - (A^7 - 25A^5B^2 - 17A^3B^4 + 9A \\
& *B^6)a^2b^5 + (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^4b^6 + (A^7 - A^5B^2 \\
& - A^3B^4 + AB^6)b^7)d \cos(dx + c) * \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 \\
& + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2(AB \\
& *a^2 - AB*b^2 + (A^2 - B^2)*a*b)d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2 \\
& *(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}} / ((A^4 \\
& - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B \\
& ^4)a^2b^2 + 8(A^3B - AB^3)a^4b^3 + (A^4 - 2A^2B^2 + B^4)b^4) * \sqrt{(\sin(dx + c) / \cos(dx + c)) * ((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4}^{1/4} + ((A^8 - 2A^4 * B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^5 * b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8)a^4b^4 + 8(A^7 * B + A^5B^3 - A^3B^5 - AB^7)a^3b^5 + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^2 * b^6 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^4b^7 + (A^8 - 2A^4 * B^4 + B^8)b^8) * \sin(dx + c)) / \cos(dx + c) - 3\sqrt{2} * (2(AB*a^2 - AB*b^2 + (A^2 - B^2)*a*b)d^3 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cos(dx + c) + ((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) * d \cos(dx + c)) * \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} - 2(AB*a^2 - AB*b^2 + (A^2 - B^2)*a*b)d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4}} / ((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)a^4b^3 + (A^4 - 2A^2B^2 + B^4)b^4) * (((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4)^{1/4} * \log((((A^6 - A^4B^2 - A^2B^4 + B^6)a^6 - 8(A^5B - AB^5)a^5b - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^2b^4 + 8(A^5B - AB^5)a^4b^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6)d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cos(dx + c) - \sqrt{2} * ((A^5 - 2A^3B^2 + AB^4)a^5 - (9A^4B - 10A^2B^3 + B^5)a^4b - 2(A^5 - 14A^3B^2 + 5AB^4)a^3b^2 + 2(5A^4B - 14A^2B^3 + B^5)a^2 * b^3 + (A^5 - 10A^3B^2 + 9AB^4)a^4b^4 - (A^4B - 2A^2B^3 + B^5)b^5) * d^3 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cos(dx + c) + ((A^6B - A^4B^3 - A^2B^5 + B^7)a^7 + (A^7 - 9A^5B^2 - A^3B^4 + 9AB^6)a^6b - (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^5b^2 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^4b^3 - (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^3b^4 - (A^7 - 25A^5B^2 - 17A^3B^4 + 9AB^6)a^2 * b^5 + (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^4b^6 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^7)d \cos(dx + c) * \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4}} / ((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)a^4b^3 + (A^4 - 2A^2B^2 + B^4)b^4) * \sqrt{(\sin(dx + c) / \cos(dx + c)) * ((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4}}
\end{aligned}$$

$$\begin{aligned}
&^4)^{(1/4)} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - A \\
&*B^7)a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8(A^7B + A^5B \\
&^3 - A^3B^5 - A*B^7)a^5b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B \\
&^6 + B^8)a^4b^4 + 8(A^7B + A^5B^3 - A^3B^5 - A*B^7)a^3b^5 + 16(A^6 \\
&*B^2 + 2A^4B^4 + A^2B^6)a^2b^6 + 8(A^7B + A^5B^3 - A^3B^5 - A*B^7) \\
&*a*b^7 + (A^8 - 2A^4B^4 + B^8)*b^8)*\sin(dx + c)/\cos(dx + c)) - 8*(3*((\\
&A^4*B + 2*A^2*B^3 + B^5)*a^5 + (A^5 + 2*A^3*B^2 + A*B^4)*a^4*b + 2*(A^4*B + \\
&2*A^2*B^3 + B^5)*a^3*b^2 + 2*(A^5 + 2*A^3*B^2 + A*B^4)*a^2*b^3 + (A^4*B + \\
&2*A^2*B^3 + B^5)*a*b^4 + (A^5 + 2*A^3*B^2 + A*B^4)*b^5)*\cos(dx + c) + ((A^ \\
&4*B + 2*A^2*B^3 + B^5)*a^4*b + 2*(A^4*B + 2*A^2*B^3 + B^5)*a^2*b^3 + (A^4*B \\
&+ 2*A^2*B^3 + B^5)*b^5)*\sin(dx + c))*\sqrt{\sin(dx + c)/\cos(dx + c)))/(((\\
&A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A \\
&^2*B^2 + B^4)*b^4)*d*\cos(dx + c))
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx)) \sqrt{\tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))*sqrt(tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.381 \quad \int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=205

$$\frac{(a(A+B)+b(A-B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} + \frac{(a(A+B)+b(A-B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2d}} - \frac{(a(A-B))}{\sqrt{2d}}$$

```
[Out] -(((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*B*Sqrt[Tan[c + d*x]])/d
```

Rubi [A] time = 0.198887, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3592, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A+B)+b(A-B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} + \frac{(a(A+B)+b(A-B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2d}} - \frac{(a(A-B))}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]
```

```
[Out] -(((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*B*Sqrt[Tan[c + d*x]])/d
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] & EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))(A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{2bB\sqrt{\tan(c + dx)}}{d} + \int \frac{aA - bB + (Ab + aB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx \\
 &= \frac{2bB\sqrt{\tan(c + dx)}}{d} + \frac{2 \operatorname{Subst}\left(\int \frac{aA - bB + (Ab + aB)x^2}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
 &= \frac{2bB\sqrt{\tan(c + dx)}}{d} + \frac{(b(A - B) + a(A + B)) \operatorname{Subst}\left(\int \frac{1 + x^2}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
 &= \frac{2bB\sqrt{\tan(c + dx)}}{d} + \frac{(b(A - B) + a(A + B)) \operatorname{Subst}\left(\int \frac{1}{1 - \sqrt{2}x + x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} \\
 &= -\frac{(a(A - B) - b(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} + \frac{(b(A - B) + a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} + \frac{(b(A - B) + a(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d}
 \end{aligned}$$

Mathematica [C] time = 0.167372, size = 94, normalized size = 0.46

$$\frac{\sqrt[4]{-1}(a - ib)(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right) + \sqrt[4]{-1}(a + ib)(A + iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right) - 2bB\sqrt{\tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]

[Out] -(((-1)^(1/4)*(a - I*b)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + (-1)^(1/4)*(a + I*b)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - 2*b*B*Sqrt[Tan[c + d*x]])/d)

Maple [B] time = 0.022, size = 437, normalized size = 2.1

$$2 \frac{Bb\sqrt{\tan(dx+c)}}{d} + \frac{Aa\sqrt{2}}{2d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) + \frac{Aa\sqrt{2}}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) + \frac{Aa\sqrt{2}}{4d} \ln\left(\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)

[Out] 2*b*B*tan(d*x+c)^(1/2)/d+1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d*a*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2/d*a*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)

Maxima [A] time = 1.70534, size = 235, normalized size = 1.15

$$2\sqrt{2}((A+B)a+(A-B)b)\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right)+2\sqrt{2}((A+B)a+(A-B)b)\arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}-2\sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/4*(2*sqrt(2)*((A + B)*a + (A - B)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*((A + B)*a + (A - B)*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*((A - B)*a - (A + B)*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*((A - B)*a - (A + B)*b)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 8*B*b*sqrt(tan(d*x + c)))/d

Fricas [B] time = 90.482, size = 27232, normalized size = 132.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$\frac{1}{4} \cdot (4 \cdot \sqrt{2}) \cdot d^5 \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 + 2(ABa^2 - ABb^2 + (A^2 - B^2)ab)) \cdot d^2 \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} / ((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) \cdot (((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4)^{3/4} \cdot \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) / d^4} \cdot \arctan(-((A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^8 - 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^7b + 2(A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^6b^2 - 12(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^5b^3 - 12(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^3b^5 - 2(A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^2b^6 - 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)ab^7 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)b^8) \cdot d^4 \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cdot \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) / d^4} + \sqrt{2} \cdot ((Aa - Bb) \cdot d^7 \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cdot \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) / d^4} - ((A^2B + B^3)a^3 + (A^3 + AB^2)a^2b + (A^2B + B^3)ab^2 + (A^3 + AB^2)b^3) \cdot d^5 \cdot \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) / d^4} \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} / ((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) \cdot \sqrt{((A^6 - A^4B^2 - A^2B^4 + B^6)a^6 - 8(A^5B - AB^5)a^5b - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^2b^4 + 8(A^5B - AB^5)ab^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6) \cdot d^2 \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cdot \cos(dx + c) + \sqrt{2} \cdot (((A^4B - 2A^2B^3 + B^5)a^5 + (A^5 - 10A^3B^2 + 9AB^4)a^4b - 2(5A^4B - 14A^2B^3 + B^5)a^3b^2 - 2(A^5 - 14A^3B^2 + 5AB^4)a^2b^3 + (9A^4B - 10A^2B^3 + B^5)ab^4 + (A^5 - 2A^3B^2 + AB^4)b^5) \cdot d^3 \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} \cdot \cos(dx + c) - ((A^7 - A^5B^2 - A^3B^4 + AB^6)a^7 - (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^6b - (A^7 - 25A^5B^2 - 17A^3B^4 + 9AB^6)a^5b^2 + (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^4b^3 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^3b^4 + (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^2b^5 + (A^7 - 9A^5B^2 - A^3B^4 + 9AB^6)ab^6 - (A^6B - A^4B^3 - A^2B^5 + B^7)b^7) \cdot d \cdot \cos(dx + c) \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4} / ((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4) \cdot \sqrt{\sin(dx + c) / \cos(dx + c)} \cdot (((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4) / d^4)^{1/4} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^5b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8)a^4b^4 + 8(A^7B + A^5B^3 - A^$$

$$\begin{aligned}
 & 3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(dx + c) / \cos(dx + c) * (((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4)^{(3/4)} - \sqrt{2} * (((A^5 - A*B^4)*a^5 - (5*A^4*B + 4*A^2*B^3 - B^5)*a^4*b + 4*(A^3*B^2 + A*B^4)*a^3*b^2 - 4*(A^4*B + A^2*B^3)*a^2*b^3 - (A^5 - 4*A^3*B^2 - 5*A*B^4)*a*b^4 + (A^4*B - B^5)*b^5) * d^7 * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4} * \sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) / d^4} - ((A^6*B + A^4*B^3 - A^2*B^5 - B^7)*a^7 + (A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6)*a^6*b - (3*A^6*B + 7*A^4*B^3 + 5*A^2*B^5 + B^7)*a^5*b^2 + (A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A*B^6)*a^4*b^3 - (9*A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7)*a^3*b^4 - (A^7 + 5*A^5*B^2 + 7*A^3*B^4 + 3*A*B^6)*a^2*b^5 - (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 - B^7)*a*b^6 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^7) * d^5 * \sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) / d^4} * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4} / (((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4)^{(3/4)} / ((A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*a^12 - 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^11*b + 2*(A^12 + 10*A^10*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^10*b^2 - 24*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^9*b^3 - (A^12 - 62*A^10*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^8*b^4 - 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^7*b^5 - 4*(A^12 - 22*A^10*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97*A^4*B^8 - 22*A^2*B^10 + B^12)*a^6*b^6 + 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^5*b^7 - (A^12 - 62*A^10*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^4*b^8 + 24*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^9 + 2*(A^12 + 10*A^10*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^2*b^10 + 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^11 + (A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*b^12)) + 4*\sqrt{2} * d^5 * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4} + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4} / (((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) * (((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4)^{(3/4)} * \sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) / d^4} * \arctan((((A^8 + 2*A^6*B^2 - 2*A^4*B^6 - B^8)*a^8 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^7*b + 2*(A^8 + 2*A^6*B^2 - 2*A^4*B^6 - B^8)*a^6*b^2 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5*b^3 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^5 - 2*(A^8 + 2*A^6*B^2 - 2*A^4*B^6 - B^8)*a^2*b^6 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^7 - (A^8 + 2*A^6*B^2 - 2*A^4*B^6 - B^8)*b^8) * d^4 * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4} * \sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) / d^4} - \sqrt{2} * ((A*a - B*b) * d^7 * \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) / d^4} * \sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) / d^4} * \sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) / d^4}
 \end{aligned}$$

$$\begin{aligned}
& + B^4)a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + \\
& 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) - ((A^2*B + B^3) \\
& *a^3 + (A^3 + A*B^2)*a^2*b + (A^2*B + B^3)*a*b^2 + (A^3 + A*B^2)*b^3)*d^5 \\
& *sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10* \\
& A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)* \\
& b^4)/d^4))*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^ \\
& 2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a* \\
& b)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^ \\
& 2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^ \\
& 3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3) \\
& *a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*sqrt((((A^6 - A^4*B^2 - A^2*B^4 + B^6) \\
& *a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^ \\
& 4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a \\
& *b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^ \\
& 4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d \\
& ^4)*cos(d*x + c) - sqrt(2)*(((A^4*B - 2*A^2*B^3 + B^5)*a^5 + (A^5 - 10*A^3* \\
& B^2 + 9*A*B^4)*a^4*b - 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^3*b^2 - 2*(A^5 - 14 \\
& *A^3*B^2 + 5*A*B^4)*a^2*b^3 + (9*A^4*B - 10*A^2*B^3 + B^5)*a*b^4 + (A^5 - 2 \\
& *A^3*B^2 + A*B^4)*b^5)*d^3*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A \\
& ^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*cos(d*x + c) - ((\\
& A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*a^7 - (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7) \\
&)*a^6*b - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^5*b^2 + (A^6*B - 17*A \\
& ^4*B^3 - 17*A^2*B^5 + B^7)*a^4*b^3 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6) \\
&)*a^3*b^4 + (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^2*b^5 + (A^7 - 9*A^ \\
& 5*B^2 - A^3*B^4 + 9*A*B^6)*a*b^6 - (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^7)*d \\
& *cos(d*x + c))*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) \\
&)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2) \\
&)*a*b)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^ \\
& 2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8 \\
& *(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A* \\
& B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*sqrt(sin(d*x + c)/cos(d*x + c))* \\
& (((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + \\
& 2*A^2*B^2 + B^4)*b^4)/d^4)^(1/4) + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B \\
& + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6 \\
& *b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 \\
& - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A \\
& *B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5 \\
& *B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*sin(d*x + c))/ \\
& cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& *b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(3/4) + sqrt(2)*(((A^5 - A*B^4)*a^ \\
& 5 - (5*A^4*B + 4*A^2*B^3 - B^5)*a^4*b + 4*(A^3*B^2 + A*B^4)*a^3*b^2 - 4*(A^ \\
& 4*B + A^2*B^3)*a^2*b^3 - (A^5 - 4*A^3*B^2 - 5*A*B^4)*a*b^4 + (A^4*B - B^5)* \\
& b^5)*d^7*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2* \\
& b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))*sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - \\
& 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - \\
& A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) - ((A^6*B + A^4*B^3 - A^2* \\
& B^5 - B^7)*a^7 + (A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6)*a^6*b - (3*A^6*B + \\
& 7*A^4*B^3 + 5*A^2*B^5 + B^7)*a^5*b^2 + (A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A \\
& *B^6)*a^4*b^3 - (9*A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7)*a^3*b^4 - (A^7 + 5 \\
& *A^5*B^2 + 7*A^3*B^4 + 3*A*B^6)*a^2*b^5 - (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 \\
& - B^7)*a*b^6 - (A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*b^7)*d^5*sqrt(((A^4 - 2*A^ \\
& 2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2 \\
& *b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4))*sqrt(((\\
& A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A \\
& ^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*sqrt(((A^4 \\
& + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B \\
& ^2 + B^4)*b^4)/d^4)))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b \\
& - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2* \\
& A^2*B^2 + B^4)*b^4))*sqrt(sin(d*x + c)/cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B
\end{aligned}$$

$$\begin{aligned}
&^4)a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/ \\
&d^4)^{(3/4)} / ((A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} \\
&0 + B^{12})*a^{12} - 8*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 \\
&- A*B^{11})*a^{11}*b + 2*(A^{12} + 10*A^{10}*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4 \\
&*B^8 + 10*A^2*B^{10} + B^{12})*a^{10}*b^2 - 24*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - \\
&2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^9*b^3 - (A^{12} - 62*A^{10}*B^2 - 257*A^8*B^4 \\
&- 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^{10} + B^{12})*a^8*b^4 - 16*(A^{11}*B + 3 \\
&*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^7*b^5 - 4*(A^{12} - \\
&22*A^{10}*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97*A^4*B^8 - 22*A^2*B^{10} + B^{12})*a \\
&^6*b^6 + 16*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11} \\
&1)*a^5*b^7 - (A^{12} - 62*A^{10}*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 \\
&- 62*A^2*B^{10} + B^{12})*a^4*b^8 + 24*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B \\
&B^7 - 3*A^3*B^9 - A*B^{11})*a^3*b^9 + 2*(A^{12} + 10*A^{10}*B^2 + 31*A^8*B^4 + 44 \\
&*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^{10} + B^{12})*a^2*b^{10} + 8*(A^{11}*B + 3*A^9*B^ \\
&3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a*b^{11} + (A^{12} + 2*A^{10}*B^2 \\
&- A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*b^{12})) + \text{sqrt}(2)*(2*(\\
&A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 \\
&+ 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4) - (\\
&(A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2* \\
&A^2*B^2 + B^4)*b^4)*d)*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B \\
&^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A \\
&^2 - B^2)*a*b)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + \\
&B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)) / ((A^4 - 2*A^2*B^2 + B^4) \\
&*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^ \\
&3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4) \\
&)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^ \\
&4)^{(1/4)}*\log((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5* \\
&b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17* \\
&A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 \\
&+ B^6)*b^6)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B \\
&^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))*\cos(d*x + c) + \text{sqrt}(2)*(((A \\
&^4*B - 2*A^2*B^3 + B^5)*a^5 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a^4*b - 2*(5*A^4 \\
&*B - 14*A^2*B^3 + B^5)*a^3*b^2 - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^2*b^3 + (\\
&9*A^4*B - 10*A^2*B^3 + B^5)*a*b^4 + (A^5 - 2*A^3*B^2 + A*B^4)*b^5)*d^3*\text{sqrt} \\
&(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + \\
&2*A^2*B^2 + B^4)*b^4)/d^4))*\cos(d*x + c) - ((A^7 - A^5*B^2 - A^3*B^4 + A*B^6) \\
&)*a^7 - (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a^6*b - (A^7 - 25*A^5*B^2 - 1 \\
&7*A^3*B^4 + 9*A*B^6)*a^5*b^2 + (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^4* \\
&b^3 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a^3*b^4 + (9*A^6*B - 17*A^4*B \\
&^3 - 25*A^2*B^5 + B^7)*a^2*b^5 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6)*a*b^ \\
&6 - (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^7)*d*\cos(d*x + c))*\text{sqrt}(((A^4 + 2*A \\
&^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + \\
&B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\text{sqrt}(((A^4 + 2*A^2*B \\
&^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4) \\
&*b^4)/d^4)) / ((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 \\
&- 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + \\
&B^4)*b^4))*\text{sqrt}(\sin(d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + \\
&2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4} \\
&)) + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^ \\
&7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3 \\
&*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8) \\
&)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2 \\
&*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + \\
&(A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(d*x + c))/\cos(d*x + c)) - \text{sqrt}(2)*(2*(A*B \\
&*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2 \\
&*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4) - ((A^ \\
&4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2 \\
&*B^2 + B^4)*b^4)*d)*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 \\
&+ B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2
\end{aligned}$$

$$\begin{aligned}
& - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)} / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4)) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{1/4} * \log(((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 - 8 * (A^5 * B - A * B^5) * a^5 * b - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^4 * b^2 - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^2 * b^4 + 8 * (A^5 * B - A * B^5) * a * b^5 + (A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * b^6) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4}) * \cos(d * x + c) - \sqrt{2} * (((A^4 * B - 2 * A^2 * B^3 + B^5) * a^5 + (A^5 - 10 * A^3 * B^2 + 9 * A * B^4) * a^4 * b - 2 * (5 * A^4 * B - 14 * A^2 * B^3 + B^5) * a^3 * b^2 - 2 * (A^5 - 14 * A^3 * B^2 + 5 * A * B^4) * a^2 * b^3 + (9 * A^4 * B - 10 * A^2 * B^3 + B^5) * a * b^4 + (A^5 - 2 * A^3 * B^2 + A * B^4) * b^5) * d^3 * \sqrt{(((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4) * \cos(d * x + c) - ((A^7 - A^5 * B^2 - A^3 * B^4 + A * B^6) * a^7 - (9 * A^6 * B - A^4 * B^3 - 9 * A^2 * B^5 + B^7) * a^6 * b - (A^7 - 25 * A^5 * B^2 - 17 * A^3 * B^4 + 9 * A * B^6) * a^5 * b^2 + (A^6 * B - 17 * A^4 * B^3 - 17 * A^2 * B^5 + B^7) * a^4 * b^3 - (A^7 - 17 * A^5 * B^2 - 17 * A^3 * B^4 + A * B^6) * a^3 * b^4 + (9 * A^6 * B - 17 * A^4 * B^3 - 25 * A^2 * B^5 + B^7) * a^2 * b^5 + (A^7 - 9 * A^5 * B^2 - A^3 * B^4 + 9 * A * B^6) * a * b^6 - (A^6 * B - A^4 * B^3 - A^2 * B^5 + B^7) * b^7) * d * \cos(d * x + c)) * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)} / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4)) * \sqrt{\sin(d * x + c) / \cos(d * x + c)} * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{1/4} + ((A^8 - 2 * A^4 * B^4 + B^8) * a^8 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^7 * b + 16 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^6 * b^2 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^5 * b^3 - 2 * (A^8 - 16 * A^6 * B^2 - 34 * A^4 * B^4 - 16 * A^2 * B^6 + B^8) * a^4 * b^4 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^3 * b^5 + 16 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^2 * b^6 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a * b^7 + (A^8 - 2 * A^4 * B^4 + B^8) * b^8) * \sin(d * x + c) / \cos(d * x + c)) + 8 * ((A^4 * B + 2 * A^2 * B^3 + B^5) * a^4 * b + 2 * (A^4 * B + 2 * A^2 * B^3 + B^5) * a^2 * b^3 + (A^4 * B + 2 * A^2 * B^3 + B^5) * b^5) * \sqrt{\sin(d * x + c) / \cos(d * x + c)} / (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) * d)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2), x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))/sqrt(tan(c + d*x)), x)

Giac [A] time = 2.12289, size = 306, normalized size = 1.49

$$\frac{2 B b \sqrt{\tan(dx + c)}}{d} + \frac{(\sqrt{2} A a + \sqrt{2} B a + \sqrt{2} A b - \sqrt{2} B b) \arctan\left(\frac{1}{2} \sqrt{2} (\sqrt{2} + 2 \sqrt{\tan(dx + c)})\right)}{2 d} + \frac{(\sqrt{2} A a + \sqrt{2} B a + \sqrt{2} A b - \sqrt{2} B b)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="
giac")
```

```
[Out] 2*B*b*sqrt(tan(d*x + c))/d + 1/2*(sqrt(2)*A*a + sqrt(2)*B*a + sqrt(2)*A*b -
sqrt(2)*B*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 1/2*
(sqrt(2)*A*a + sqrt(2)*B*a + sqrt(2)*A*b - sqrt(2)*B*b)*arctan(-1/2*sqrt(2)
*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + 1/4*(sqrt(2)*A*a - sqrt(2)*B*a - sqrt
(2)*A*b - sqrt(2)*B*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/
d - 1/4*(sqrt(2)*A*a - sqrt(2)*B*a - sqrt(2)*A*b - sqrt(2)*B*b)*log(-sqrt(2)
)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d
```

$$3.382 \quad \int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=205

$$\frac{(a(A-B) - b(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(a(A-B) - b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}} - \frac{a(A+B)}{\sqrt{2d}}$$

[Out] ((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a*A)/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.213831, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3591, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A-B) - b(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(a(A-B) - b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}} - \frac{a(A+B)}{\sqrt{2d}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] ((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a*A)/(d*Sqrt[Tan[c + d*x]])

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \tan(c + dx))(A + B \tan(c + dx))}{\tan^3(c + dx)} dx &= -\frac{2aA}{d\sqrt{\tan(c + dx)}} + \int \frac{Ab + aB - (aA - bB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx \\ &= -\frac{2aA}{d\sqrt{\tan(c + dx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{Ab + aB + (-aA + bB)x^2}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= -\frac{2aA}{d\sqrt{\tan(c + dx)}} + \frac{(b(A - B) + a(A + B)) \operatorname{Subst}\left(\int \frac{1 - x^2}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= -\frac{2aA}{d\sqrt{\tan(c + dx)}} - \frac{(b(A - B) + a(A + B)) \operatorname{Subst}\left(\int \frac{\sqrt{2} + 2x}{-1 - \sqrt{2}x - x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2\sqrt{2}d} \\ &= -\frac{(b(A - B) + a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} + \frac{(b(A - B) + a(A + B)) \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\ &= \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}d} \end{aligned}$$

Mathematica [A] time = 0.631964, size = 158, normalized size = 0.77

$$-2\sqrt{2}(a(A - B) - b(A + B)) \left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right) \right) + \sqrt{2}(a(A + B) + b(A - B))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] $-(-2\sqrt{2}*(a*(A - B) - b*(A + B))*(\text{ArcTan}[1 - \sqrt{2}*\sqrt{\text{Tan}[c + d*x]}] - \text{ArcTan}[1 + \sqrt{2}*\sqrt{\text{Tan}[c + d*x]}) + \sqrt{2}*(b*(A - B) + a*(A + B))*(\text{Log}[1 - \sqrt{2}*\sqrt{\text{Tan}[c + d*x]} + \text{Tan}[c + d*x]] - \text{Log}[1 + \sqrt{2}*\sqrt{\text{Tan}[c + d*x]} + \text{Tan}[c + d*x]]) + (8*a*A)/\sqrt{\text{Tan}[c + d*x]})/(4*d)$

Maple [B] time = 0.023, size = 437, normalized size = 2.1

$$-2 \frac{Aa}{d\sqrt{\tan(dx+c)}} + \frac{A\sqrt{2}b}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) + \frac{A\sqrt{2}b}{4d} \ln\left(\left(1 + \sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c)\right)\left(1 - \sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] $-2*a*A/d/\tan(d*x+c)^{(1/2)} + 1/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b + 1/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b + 1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b + 1/2/d*a*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/4/d*a*B*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)} + 1/2/d*a*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} - 1/4/d*a*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)} - 1/2/d*a*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} - 1/2/d*a*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)} + 1/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b + 1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b + 1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b$

Maxima [A] time = 1.78399, size = 235, normalized size = 1.15

$$2\sqrt{2}((A-B)a - (A+B)b) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + 2\sqrt{2}((A-B)a - (A+B)b) \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x, algorithm="maxima")

[Out] $-1/4*(2*\sqrt{2}*((A - B)*a - (A + B)*b)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx+c)})) + 2*\sqrt{2}*((A - B)*a - (A + B)*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx+c)})) - \sqrt{2}*((A + B)*a + (A - B)*b)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \sqrt{2}*((A + B)*a + (A - B)*b)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + 8*A*a/\sqrt{\tan(dx+c)})/d$

Fricas [B] time = 101.37, size = 27960, normalized size = 136.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $\frac{1}{4} \cdot (4 \sqrt{2}) \cdot (d^5 \cos(d x + c)^2 - d^5) \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2(ABa^2 - ABb^2 + (A^2 - B^2)ab)d^2 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}) / ((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)) \cdot (((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4)^{3/4} \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} \arctan(-(((A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^8 - 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^7b + 2(A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^6b^2 - 12(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^5b^3 - 12(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)a^3b^5 - 2(A^8 + 2A^6B^2 - 2A^2B^6 - B^8)a^2b^6 - 4(A^7B + 3A^5B^3 + 3A^3B^5 + AB^7)ab^7 - (A^8 + 2A^6B^2 - 2A^2B^6 - B^8)b^8) \cdot d^4 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4} \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} - \sqrt{2} \cdot ((Ba + Ab) \cdot d^7 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4} \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} + ((A^3 + AB^2)a^3 - (A^2B + B^3)a^2b + (A^3 + AB^2)ab^2 - (A^2B + B^3)b^3) \cdot d^5 \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4}) \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4} \cdot \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} \cdot \cos(d x + c) + \sqrt{2} \cdot (((A^5 - 2A^3B^2 + AB^4)a^5 - (9A^4B - 10A^2B^3 + B^5)a^4b - 2(A^5 - 14A^3B^2 + 5AB^4)a^3b^2 + 2(5A^4B - 14A^2B^3 + B^5)a^2b^3 + (A^5 - 10A^3B^2 + 9AB^4)ab^4 - (A^4B - 2A^2B^3 + B^5)b^5) \cdot d^3 \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4} \cdot \cos(d x + c) + ((A^6B - A^4B^3 - A^2B^5 + B^7)a^7 + (A^7 - 9A^5B^2 - A^3B^4 + 9AB^6)a^6b - (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^5b^2 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^4b^3 - (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^3b^4 - (A^7 - 25A^5B^2 - 17A^3B^4 + 9AB^6)a^2b^5 + (9A^6B - A^4B^3 - 9A^2B^5 + B^7)ab^6 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^7) \cdot d \cdot \cos(d x + c) \cdot \sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4} \cdot \sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} \cdot \sqrt{\sin(d x + c)/\cos(d x + c)} \cdot (((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4)^{1/4} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16(A^$

$$\begin{aligned}
& 6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) \\
&)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + \\
& 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A \\
& ^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^ \\
& 4*B^4 + B^8)*b^8)*\sin(d*x + c))/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 \\
& + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3 \\
& /4) + \sqrt{2}*(((A^4*B - B^5)*a^5 + (A^5 - 4*A^3*B^2 - 5*A*B^4)*a^4*b - 4*(\\
& A^4*B + A^2*B^3)*a^3*b^2 - 4*(A^3*B^2 + A*B^4)*a^2*b^3 - (5*A^4*B + 4*A^2*B \\
& ^3 - B^5)*a*b^4 - (A^5 - A*B^4)*b^5)*d^7*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 \\
& + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*\sqrt{ \\
& t(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2* \\
& B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4) \\
& /d^4) + ((A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^7 - (5*A^6*B + 9*A^4*B^3 + 3*A \\
& ^2*B^5 - B^7)*a^6*b + (A^7 + 5*A^5*B^2 + 7*A^3*B^4 + 3*A*B^6)*a^5*b^2 - (9* \\
& A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7)*a^4*b^3 - (A^7 - 7*A^5*B^2 - 17*A^3*B \\
& ^4 - 9*A*B^6)*a^3*b^4 - (3*A^6*B + 7*A^4*B^3 + 5*A^2*B^5 + B^7)*a^2*b^5 - (\\
& A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6)*a*b^6 + (A^6*B + A^4*B^3 - A^2*B^5 - \\
& B^7)*b^7)*d^5*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b \\
& - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A \\
& ^2*B^2 + B^4)*b^4)/d^4)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2 \\
& *B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + \\
& (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 \\
& + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))/((A^4 - 2*A^2*B^2 + B^ \\
& 4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(\\
& A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(d*x + c)/\cos(\\
& d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4))/((A^12 + 2*A^10*B^2 - A^8*B^4 - \\
& 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)*a^12 - 8*(A^11*B + 3*A^9*B^3 + 2* \\
& A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^11*b + 2*(A^12 + 10*A^10*B^2 + \\
& 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^10*b^2 - 24*(A \\
& ^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^9*b^3 - (\\
& A^12 - 62*A^10*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 \\
& + B^12)*a^8*b^4 - 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^ \\
& 9 - A*B^11)*a^7*b^5 - 4*(A^12 - 22*A^10*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97 \\
& *A^4*B^8 - 22*A^2*B^10 + B^12)*a^6*b^6 + 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 \\
& - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^5*b^7 - (A^12 - 62*A^10*B^2 - 257*A^8* \\
& B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^4*b^8 + 24*(A^11*B \\
& + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^9 + 2*(A^12 \\
& + 10*A^10*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12) \\
& *a^2*b^10 + 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B \\
& ^11)*a*b^11 + (A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^ \\
& 10 + B^12)*b^12)) + 4*\sqrt{2}*(d^5*\cos(d*x + c)^2 - d^5)*\sqrt{((A^4 + 2*A^2 \\
& *B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^ \\
& 4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 \\
& + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b \\
& ^4)/d^4))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - \\
& 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B \\
& ^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 \\
& + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^ \\
& 4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B \\
& - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4)*\arctan(((A^8 + 2*A^6*B \\
& ^2 - 2*A^2*B^6 - B^8)*a^8 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^7*b \\
& + 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^6*b^2 - 12*(A^7*B + 3*A^5*B^3 + \\
& 3*A^3*B^5 + A*B^7)*a^5*b^3 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3 \\
& *b^5 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^6 - 4*(A^7*B + 3*A^5*B^3 \\
& + 3*A^3*B^5 + A*B^7)*a*b^7 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^8)*d^4* \\
& \sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^ \\
& 4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B \\
& - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*
\end{aligned}$$

$$\begin{aligned}
& b^3 + (A^4 - 2A^2B^2 + B^4)b^4/d^4) + \sqrt{2}*((B*a + A*b)*d^7*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)*a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)*ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} + ((A^3 + AB^2)a^3 - (A^2B + B^3)a^2b + (A^3 + AB^2)ab^2 - (A^2B + B^3)b^3)*d^5*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2*(ABa^2 - ABb^2 + (A^2 - B^2)ab)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}}/(A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4))*\sqrt{(((A^6 - A^4B^2 - A^2B^4 + B^6)a^6 - 8*(A^5B - AB^5)a^5b - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^4b^2 - (A^6 - 17A^4B^2 - 17A^2B^4 + B^6)a^2b^4 + 8*(A^5B - AB^5)ab^5 + (A^6 - A^4B^2 - A^2B^4 + B^6)b^6)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}*\cos(dx + c) - \sqrt{2}*((A^5 - 2A^3B^2 + AB^4)a^5 - (9A^4B - 10A^2B^3 + B^5)a^4b - 2*(A^5 - 14A^3B^2 + 5AB^4)a^3b^2 + 2*(5A^4B - 14A^2B^3 + B^5)a^2b^3 + (A^5 - 10A^3B^2 + 9AB^4)ab^4 - (A^4B - 2A^2B^3 + B^5)b^5)*d^3*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}*\cos(dx + c) + ((A^6B - A^4B^3 - A^2B^5 + B^7)a^7 + (A^7 - 9A^5B^2 - A^3B^4 + 9AB^6)a^6b - (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7)a^5b^2 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^4b^3 - (A^6B - 17A^4B^3 - 17A^2B^5 + B^7)a^3b^4 - (A^7 - 25A^5B^2 - 17A^3B^4 + 9AB^6)a^2b^5 + (9A^6B - A^4B^3 - 9A^2B^5 + B^7)ab^6 + (A^7 - A^5B^2 - A^3B^4 + AB^6)b^7)*d*\cos(dx + c))*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2*(ABa^2 - ABb^2 + (A^2 - B^2)ab)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}}/(A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4)^{(1/4)} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8*(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16*(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8*(A^7B + A^5B^3 - A^3B^5 - AB^7)a^5b^3 - 2*(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8)a^4b^4 + 8*(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^5 + 16*(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b^6 + 8*(A^7B + A^5B^3 - A^3B^5 - AB^7)ab^7 + (A^8 - 2A^4B^4 + B^8)b^8)*\sin(dx + c))/\cos(dx + c))*(((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4)^{(3/4)} - \sqrt{2}*((A^4B - B^5)a^5 + (A^5 - 4A^3B^2 - 5AB^4)a^4b - 4*(A^4B + A^2B^3)a^3b^2 - 4*(A^3B^2 + AB^4)a^2b^3 - (5A^4B + 4A^2B^3 - B^5)ab^4 - (A^5 - AB^4)b^5)*d^7*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4} + ((A^7 + A^5B^2 - A^3B^4 - AB^6)a^7 - (5A^6B + 9A^4B^3 + 3A^2B^5 - B^7)a^6b + (A^7 + 5A^5B^2 + 7A^3B^4 + 3AB^6)a^5b^2 - (9A^6B + 17A^4B^3 + 7A^2B^5 - B^7)a^4b^3 - (A^7 - 7A^5B^2 - 17A^3B^4 - 9AB^6)a^3b^4 - (3A^6B + 7A^4B^3 + 5A^2B^5 + B^7)a^2b^5 - (A^7 - 3A^5B^2 - 9A^3B^4 - 5AB^6)ab^6 + (A^6B + A^4B^3 - A^2B^5 - B^7)b^7)*d^5*\sqrt{((A^4 - 2A^2B^2 + B^4)a^4 - 8*(A^3B - AB^3)a^3b - 2*(A^4 - 10A^2B^2 + B^4)a^2b^2 + 8*(A^3B - AB^3)ab^3 + (A^4 - 2A^2B^2 + B^4)b^4)/d^4})*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4 - 2*(ABa^2 - ABb^2 + (A^2 - B^2)ab)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2*(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)b^4)/d^4}}/(A^4 -
\end{aligned}$$

$$\begin{aligned}
& 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4) \\
& *a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))\sqrt{\sin} \\
& (d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 \\
& + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)}/((A^{12} + 2*A^{10}*B \\
& ^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*a^{12} - 8*(A^{11}*B + \\
& 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^{11}*b + 2*(A^{12} + \\
& 10*A^{10}*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^{10} + B^{12})*a^{10}*b^2 - 24*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^9*b^3 - (A^{12} - 62*A^{10}*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^{10} + B^{12})*a^8*b^4 - 16*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^7*b^5 - 4*(A^{12} - 22*A^{10}*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97*A^4*B^8 - 22*A^2*B^{10} + B^{12})*a^6*b^6 + 16*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^5*b^7 - (A^{12} - 62*A^{10}*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^{10} + B^{12})*a^4*b^8 + 24*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^3*b^9 + 2*(A^{12} + 10*A^{10}*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^{10} + B^{12})*a^2*b^{10} + 8*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a*b^{11} + (A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*b^{12})) + 8*((A^5 + 2*A^3*B^2 + A*B^4)*a^5 + 2*(A^5 + 2*A^3*B^2 + A*B^4)*a^3*b^2 + (A^5 + 2*A^3*B^2 + A*B^4)*a*b^4)\sqrt{\sin} \\
& (d*x + c)/\cos(d*x + c))*\cos(d*x + c)*\sin(d*x + c) + \sqrt{2}*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(d*x + c)^2 - ((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d + 2*((A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\cos(d*x + c)^2 - (A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)}\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin} \\
& (d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)}*\log((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(d*x + c) + \sqrt{2}*(((A^5 - 2*A^3*B^2 + A*B^4)*a^5 - (9*A^4*B - 10*A^2*B^3 + B^5)*a^4*b - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^3*b^2 + 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^2*b^3 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a*b^4 - (A^4*B - 2*A^2*B^3 + B^5)*b^5)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(d*x + c) + ((A^6*B - A^4*B^3 - A^2*B^5 + B^7)*a^7 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6)*a^6*b - (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^5*b^2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a^4*b^3 - (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^3*b^4 - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^2*b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a*b^6 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^7)*d*\cos(d*x + c))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin} \\
& (d*x + c)/\cos(d*x + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16
\end{aligned}$$

```

*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A
*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*sin(d*x + c))/cos(d*x + c)) - sq
rt(2)*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (
A^4 + 2*A^2*B^2 + B^4)*b^4)*d*cos(d*x + c)^2 - ((A^4 + 2*A^2*B^2 + B^4)*a^4
+ 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d + 2*(
(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*cos(d*x + c)^2 - (A*B*a^2 - A*B*b
^2 + (A^2 - B^2)*a*b)*d^3)*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A
^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))*sqrt(((A^4 + 2*A
^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 +
B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*sqrt(((A^4 + 2*A^2*B
^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)
*b^4)/d^4)))/(A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4
- 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 +
B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b
^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(1/4)*log((((A^6 - A^4*B^2 - A^2*B^4
+ B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^
6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B
^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*sqrt(((A^4 + 2*A^2*B^2
+ B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b
^4)/d^4)*cos(d*x + c) - sqrt(2)*(((A^5 - 2*A^3*B^2 + A*B^4)*a^5 - (9*A^4*B
- 10*A^2*B^3 + B^5)*a^4*b - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^3*b^2 + 2*(5*A
^4*B - 14*A^2*B^3 + B^5)*a^2*b^3 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a*b^4 - (A^
4*B - 2*A^2*B^3 + B^5)*b^5)*d^3*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4
+ 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*cos(d*x + c)
+ ((A^6*B - A^4*B^3 - A^2*B^5 + B^7)*a^7 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*
A*B^6)*a^6*b - (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^5*b^2 - (A^7 - 1
7*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a^4*b^3 - (A^6*B - 17*A^4*B^3 - 17*A^2*B^5
+ B^7)*a^3*b^4 - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^2*b^5 + (9*A^6
*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a*b^6 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b
^7)*d*cos(d*x + c))*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2
+ B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2
- B^2)*a*b)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^
4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)))/(A^4 - 2*A^2*B^2 + B^4)*a^
4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B
- A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*sqrt(sin(d*x + c)/cos(d*x +
c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A
^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(1/4) + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A
^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6
)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6
*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^
5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B
+ A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*sin(d*x +
c))/cos(d*x + c)))/(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^
4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*cos(d*x + c)^2 - ((A^4 + 2*A^2*
B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)
*b^4)*d)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2), x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))/tan(c + d*x)**(3/2), x)

Giac [A] time = 2.08164, size = 306, normalized size = 1.49

$$\frac{(\sqrt{2}Aa - \sqrt{2}Ba - \sqrt{2}Ab - \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2d} - \frac{(\sqrt{2}Aa - \sqrt{2}Ba - \sqrt{2}Ab - \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] -1/2*(sqrt(2)*A*a - sqrt(2)*B*a - sqrt(2)*A*b - sqrt(2)*B*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d - 1/2*(sqrt(2)*A*a - sqrt(2)*B*a - sqrt(2)*A*b - sqrt(2)*B*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + 1/4*(sqrt(2)*A*a + sqrt(2)*B*a + sqrt(2)*A*b - sqrt(2)*B*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 1/4*(sqrt(2)*A*a + sqrt(2)*B*a + sqrt(2)*A*b - sqrt(2)*B*b)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 2*A*a/(d*sqrt(tan(d*x + c)))

$$3.383 \quad \int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=229

$$\frac{(a(A+B) + b(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{(a(A+B) + b(A-B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} - \frac{2(aB + A^2)}{d\sqrt{\tan(c+dx)}}$$

```
[Out] ((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a*A)/(3*d*Tan[c + d*x]^(3/2)) - (2*(A*b + a*B))/(d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.227881, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3591, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A+B) + b(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{(a(A+B) + b(A-B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} - \frac{2(aB + A^2)}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]
```

```
[Out] ((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a*A)/(3*d*Tan[c + d*x]^(3/2)) - (2*(A*b + a*B))/(d*Sqrt[Tan[c + d*x]])
```

Rule 3591

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
```

$\text{Int}[b \cdot \tan[e + f \cdot x]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c² - d², 0] && NeQ[c² + d², 0]

Rule 1168

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] :=$ With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] :=$ With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[(a + (b \cdot x) + (c \cdot x^2))^{-1}, x_Symbol] :=$ With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] :=$ -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] :=$ With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x^2)), x_Symbol] :=$ Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\int \frac{(a + b \tan(c + dx))(A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx = -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} + \int \frac{Ab + aB - (aA - bB) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx$$

$$= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(Ab + aB)}{d\sqrt{\tan(c + dx)}} + \int \frac{-aA + bB - (Ab + aB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx$$

$$= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(Ab + aB)}{d\sqrt{\tan(c + dx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{-aA + bB + (-Ab - aB)x^2}{1 + x^4} dx, \sqrt{\tan(c + dx)}\right)}{d}$$

$$= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(Ab + aB)}{d\sqrt{\tan(c + dx)}} - \frac{(b(A - B) + a(A + B)) \operatorname{Subst}\left(\int \frac{1}{1 + x^4} dx, \sqrt{\tan(c + dx)}\right)}{d}$$

$$= -\frac{2aA}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2(Ab + aB)}{d\sqrt{\tan(c + dx)}} - \frac{(b(A - B) + a(A + B)) \operatorname{Subst}\left(\int \frac{1}{1 + x^4} dx, \sqrt{\tan(c + dx)}\right)}{2d}$$

$$= \frac{(a(A - B) - b(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} - \frac{(a(A - B) - b(A + B)) \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d}$$

$$= \frac{(b(A - B) + a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{(b(A - B) + a(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d}$$

Mathematica [A] time = 0.77227, size = 178, normalized size = 0.78

$$6\sqrt{2}(a(A + B) + b(A - B))\left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)\right) - \frac{24(aB + Ab)}{\sqrt{\tan(c + dx)}} + 3\sqrt{2}(a(A - B) - b(A + B)) \log\left(\frac{1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)}{1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)}\right)$$

12d

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]
```

```
[Out] (6*Sqrt[2]*(b*(A - B) + a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + 3*Sqrt[2]*(a*(A - B) - b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - (8*a*A)/Tan[c + d*x]^(3/2) - (24*(A*b + a*B))/Sqrt[Tan[c + d*x]]/(12*d)
```

Maple [B] time = 0.025, size = 467, normalized size = 2.

$$-2 \frac{Ab}{d\sqrt{\tan(dx + c)}} - 2 \frac{aB}{d\sqrt{\tan(dx + c)}} - \frac{2Aa}{3d} (\tan(dx + c))^{-\frac{3}{2}} - \frac{Aa\sqrt{2}}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) - \frac{Aa\sqrt{2}}{4d} \ln\left(\frac{1 - \sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c)}{1 + \sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)
```

```
[Out] -2/d/tan(d*x+c)^(1/2)*A*b-2/d*a/tan(d*x+c)^(1/2)*B-2/3*a*A/d/tan(d*x+c)^(3/2)-1/2/d*a*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/2/d*a*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d*B
```


$$*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b-1/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b-1/4/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b-1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b-1/2/d*a*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/4/d*a*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-1/2/d*a*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}$$

Maxima [A] time = 1.76537, size = 259, normalized size = 1.13

$$6\sqrt{2}((A+B)a+(A-B)b)\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right)+6\sqrt{2}((A+B)a+(A-B)b)\arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}-2\sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")

[Out]
$$-1/12*(6*\sqrt{2}*((A+B)*a+(A-B)*b)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2*\sqrt{\tan(dx+c)})) + 6*\sqrt{2}*((A+B)*a+(A-B)*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2*\sqrt{\tan(dx+c)})) + 3*\sqrt{2}*((A-B)*a-(A+B)*b)*\log(\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) - 3*\sqrt{2}*((A-B)*a-(A+B)*b)*\log(-\sqrt{2}*\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + 8*(A*a + 3*(B*a + A*b)*\tan(dx+c))/\tan(dx+c)^{(3/2)}/d$$

Fricas [B] time = 128.221, size = 28280, normalized size = 123.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out]
$$-1/12*(12*\sqrt{2}*(d^5*\cos(dx+c)^2-d^5)*\sqrt{((A^4+2*A^2*B^2+B^4)*a^4+2*(A^4+2*A^2*B^2+B^4)*a^2*b^2+(A^4+2*A^2*B^2+B^4)*b^4+2*(A*B*a^2-A*B*b^2+(A^2-B^2)*a*b)*d^2*\sqrt{((A^4+2*A^2*B^2+B^4)*a^4+2*(A^4+2*A^2*B^2+B^4)*a^2*b^2+(A^4+2*A^2*B^2+B^4)*b^4)/d^4}})/((A^4-2*A^2*B^2+B^4)*a^4-8*(A^3*B-A*B^3)*a^3*b-2*(A^4-10*A^2*B^2+B^4)*a^2*b^2+8*(A^3*B-A*B^3)*a*b^3+(A^4-2*A^2*B^2+B^4)*b^4))*((A^4+2*A^2*B^2+B^4)*a^4+2*(A^4+2*A^2*B^2+B^4)*a^2*b^2+(A^4+2*A^2*B^2+B^4)*b^4)/d^4)^{(3/4)}*\sqrt{((A^4-2*A^2*B^2+B^4)*a^4-8*(A^3*B-A*B^3)*a^3*b-2*(A^4-10*A^2*B^2+B^4)*a^2*b^2+8*(A^3*B-A*B^3)*a*b^3+(A^4-2*A^2*B^2+B^4)*b^4)/d^4}*\arctan(-((A^8+2*A^6*B^2-2*A^2*B^6-B^8)*a^8-4*(A^7*B+3*A^5*B^3+3*A^3*B^5+A*B^7)*a^7*b+2*(A^8+2*A^6*B^2-2*A^2*B^6-B^8)*a^6*b^2-12*(A^7*B+3*A^5*B^3+3*A^3*B^5+A*B^7)*a^5*b^3-12*(A^7*B+3*A^5*B^3+3*A^3*B^5+A*B^7)*a^3*b^5-2*(A^8+2*A^6*B^2-2*A^2*B^6-B^8)*a^2*b^6-4*(A^7*B+3*A^5*B^3+3*A^3*B^5+A*B^7)*a*b^7-(A^8+2*A^6*B^2-2*A^2*B^6-B^8)*b^8)*d^4*\sqrt{((A^4+2*A^2*B^2+B^4)*a^4+2*(A^4+2*A^2*B^2+B^4)*a^2*b^2+(A^4+2*A^2*B^2+B^4)*b^4)/d^4}*\sqrt{((A^4-2*A^2*B^2+B^4)*a^4-8*(A^3*B-A*B^3)*a^3*b-2*(A^4-10*A^2*B^2+B^4)*a^2*b^2+8*(A^3*B-A*B^3)*a*b^3+(A^4-2*A^2*B^2+B^4)*b^4)/d^4} + \sqrt{2}*((A*a-B*b)*d^7*\sqrt{((A^4+2*A^2*B^2+B^4)*a^4+2*(A^4+2*A^2*B^2+B^4)*a^2*b^2+(A^4+2*A^2*B^2+B^4)*b^4)}}$$

$$\begin{aligned}
&) * b^4) / d^4) * \sqrt{((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3b - 2 \\
& * (A^4 - 10A^2B^2 + B^4) * a^2b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 \\
& B^2 + B^4) * b^4) / d^4) - ((A^2B + B^3) * a^3 + (A^3 + AB^2) * a^2 * b + (A^2B + \\
& B^3) * a * b^2 + (A^3 + AB^2) * b^3) * d^5 * \sqrt{((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B \\
& - AB^3) * a^3 * b - 2(A^4 - 10A^2B^2 + B^4) * a^2 * b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) / d^4)} \\
&) * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4 + 2 \\
& (AB * a^2 - AB * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 \\
& + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)) / (\\
& (A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3 * b - 2(A^4 - 10A^2B^2 \\
& + B^4) * a^2 * b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) * \sqrt{ \\
& (((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 - 8(A^5 * B - AB^5) * a^5 * b - (A^6 \\
& - 17A^4 * B^2 - 17A^2 * B^4 + B^6) * a^4 * b^2 - (A^6 - 17A^4 * B^2 - 17A^2 * B^4 + \\
& B^6) * a^2 * b^4 + 8(A^5 * B - AB^5) * a * b^5 + (A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * b^6) * d^2 * \sqrt{ \\
& (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4) * \cos(dx + c) + \sqrt{2} * ((A^4 * B - 2 \\
& A^2 * B^3 + B^5) * a^5 + (A^5 - 10A^3 * B^2 + 9A * B^4) * a^4 * b - 2(5A^4 * B - 14A^2 * B^3 + B^5) * a^3 * b^2 - 2(A^5 - 14A^3 * B^2 + 5A * B^4) * a^2 * b^3 + (9A^4 * B - \\
& 10A^2 * B^3 + B^5) * a * b^4 + (A^5 - 2A^3 * B^2 + A * B^4) * b^5) * d^3 * \sqrt{((A^4 + \\
& 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4) * \cos(dx + c) - ((A^7 - A^5 * B^2 - A^3 * B^4 + A * B^6) * a^7 - (\\
& 9A^6 * B - A^4 * B^3 - 9A^2 * B^5 + B^7) * a^6 * b - (A^7 - 25A^5 * B^2 - 17A^3 * B^4 \\
& + 9A * B^6) * a^5 * b^2 + (A^6 * B - 17A^4 * B^3 - 17A^2 * B^5 + B^7) * a^4 * b^3 - (A^7 - 17A^5 * B^2 - 17A^3 * B^4 + A * B^6) * a^3 * b^4 + (9A^6 * B - 17A^4 * B^3 - 25A^2 * B^5 + B^7) * a^2 * b^5 + (A^7 - 9A^5 * B^2 - A^3 * B^4 + 9A * B^6) * a * b^6 - (A^6 * B - A^4 * B^3 - A^2 * B^5 + B^7) * b^7) * d * \cos(dx + c)) * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4 + 2(A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)) / ((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3 * b - 2(A^4 - 10A^2 * B^2 + B^4) * a^2 * b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) * \sqrt{(\sin(dx + c) / \cos(dx + c)) * (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)^(1/4) + ((A^8 - 2A^4 * B^4 + B^8) * a^8 - 8(A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^7 * b + 16(A^6 * B^2 + 2A^4 * B^4 + A^2 * B^6) * a^6 * b^2 - 8(A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^5 * b^3 - 2(A^8 - 16A^6 * B^2 - 34A^4 * B^4 - 16A^2 * B^6 + B^8) * a^4 * b^4 + 8(A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^3 * b^5 + 16(A^6 * B^2 + 2A^4 * B^4 + A^2 * B^6) * a^2 * b^6 + 8(A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a * b^7 + (A^8 - 2 * A^4 * B^4 + B^8) * b^8) * \sin(dx + c)) / \cos(dx + c)) * (((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)^(3/4) - \sqrt{2} * (((A^5 - A * B^4) * a^5 - (5A^4 * B + 4A^2 * B^3 - B^5) * a^4 * b + 4(A^3 * B^2 + A * B^4) * a^3 * b^2 - 4(A^4 * B + A^2 * B^3) * a^2 * b^3 - (A^5 - 4A^3 * B^2 - 5A * B^4) * a * b^4 + (A^4 * B - B^5) * b^5) * d^7 * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4) * \sqrt{((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3 * b - 2(A^4 - 10A^2 * B^2 + B^4) * a^2 * b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) / d^4) - ((A^6 * B + A^4 * B^3 - A^2 * B^5 - B^7) * a^7 + (A^7 - 3A^5 * B^2 - 9A^3 * B^4 - 5A * B^6) * a^6 * b - (3A^6 * B + 7A^4 * B^3 + 5A^2 * B^5 + B^7) * a^5 * b^2 + (A^7 - 7A^5 * B^2 - 17A^3 * B^4 - 9A * B^6) * a^4 * b^3 - (9A^6 * B + 17A^4 * B^3 + 7A^2 * B^5 - B^7) * a^3 * b^4 - (A^7 + 5A^5 * B^2 + 7A^3 * B^4 + 3A * B^6) * a^2 * b^5 - (5A^6 * B + 9A^4 * B^3 + 3A^2 * B^5 - B^7) * a * b^6 - (A^7 + A^5 * B^2 - A^3 * B^4 - A * B^6) * b^7) * d^5 * \sqrt{((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3 * b - 2(A^4 - 10A^2 * B^2 + B^4) * a^2 * b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) / d^4)} * \sqrt{((A^4 + 2A^2B^2 + B^4) * a^4 + 2(A^4 + 2A^2B^2 + B^4) * a^2 * b^2 + (A^4 + 2A^2B^2 + B^4) * b^4) / d^4)} / ((A^4 - 2A^2B^2 + B^4) * a^4 - 8(A^3B - AB^3) * a^3 * b - 2(A^4 - 10A^2 * B^2 + B^4) * a^2 * b^2 + 8(A^3B - AB^3) * a * b^3 + (A^4 - 2A^2B^2 + B^4) * b^4) * \sqrt{\sin(dx + c) / c}
\end{aligned}$$

$$\begin{aligned} & \cos(dx + c) * (((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2* \\ & b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)} / (((A^{12} + 2*A^{10}*B^2 - A^8*B^4 \\ & - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})*a^{12} - 8*(A^{11}*B + 3*A^9*B^3 + \\ & 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^{11}*b + 2*(A^{12} + 10*A^{10}*B^2 \\ & + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^{10} + B^{12})*a^{10}*b^2 - 24 \\ & *(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^9*b^3 \\ & - (A^{12} - 62*A^{10}*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^{10} \\ & + B^{12})*a^8*b^4 - 16*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 \\ & *B^9 - A*B^{11})*a^7*b^5 - 4*(A^{12} - 22*A^{10}*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - \\ & 97*A^4*B^8 - 22*A^2*B^{10} + B^{12})*a^6*b^6 + 16*(A^{11}*B + 3*A^9*B^3 + 2*A^7* \\ & B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^5*b^7 - (A^{12} - 62*A^{10}*B^2 - 257*A^8 \\ & *B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^{10} + B^{12})*a^4*b^8 + 24*(A^{11} \\ & *B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})*a^3*b^9 + 2*(A^{12} \\ & + 10*A^{10}*B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^{10} + B^{12})* \\ & a^2*b^{10} + 8*(A^{11}*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^{11})* \\ & a*b^{11} + (A^{12} + 2*A^{10}*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^{10} + B^{12})* \\ & b^{12})) + 12*\sqrt{2}*(d^5*\cos(dx + c)^2 - d^5)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4}*\arctan(((A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^8 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^7*b + 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^6*b^2 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5*b^3 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^5 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^6 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^7 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^8)*d^4*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4} - \sqrt{2}*((A*a - B*b)*d^7*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4} - ((A^2*B + B^3)*a^3 + (A^3 + A*B^2)*a^2*b + (A^2*B + B^3)*a*b^2 + (A^3 + A*B^2)*b^3)*d^5*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4} + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) - \sqrt{2})*(((A^4*B - 2*A^2*B^3 + B^5)*a^5 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a^4*b - 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^3*b^2 - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^2*b^3 + (9*A^4*B - 10*A^2*B^3 + B^5)*a*b^4 + (A^5 - 2*A^3*B^2 + A*B^4)*b^5)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) - ((A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*a^7 - (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a^6*b - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^5*b^2 + (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7$$

$$\begin{aligned}
&) * a^4 * b^3 - (A^7 - 17 * A^5 * B^2 - 17 * A^3 * B^4 + A * B^6) * a^3 * b^4 + (9 * A^6 * B - 17 \\
& * A^4 * B^3 - 25 * A^2 * B^5 + B^7) * a^2 * b^5 + (A^7 - 9 * A^5 * B^2 - A^3 * B^4 + 9 * A * B^6 \\
&) * a * b^6 - (A^6 * B - A^4 * B^3 - A^2 * B^5 + B^7) * b^7) * d * \cos(d * x + c) * \sqrt{((A^4 \\
& + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * \\
& B^2 + B^4) * b^4 + 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 \\
& * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 \\
& + B^4) * b^4) / d^4) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - \\
& 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 \\
& * B^2 + B^4) * b^4) * \sqrt{(\sin(d * x + c) / \cos(d * x + c)) * (((A^4 + 2 * A^2 * B^2 + B^4) \\
& * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4 \\
&)^{1/4} + ((A^8 - 2 * A^4 * B^4 + B^8) * a^8 - 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B \\
& ^7) * a^7 * b + 16 * (A^6 * B^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^6 * b^2 - 8 * (A^7 * B + A^5 * B^3 \\
& - A^3 * B^5 - A * B^7) * a^5 * b^3 - 2 * (A^8 - 16 * A^6 * B^2 - 34 * A^4 * B^4 - 16 * A^2 * B^6 \\
& + B^8) * a^4 * b^4 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a^3 * b^5 + 16 * (A^6 * B \\
& ^2 + 2 * A^4 * B^4 + A^2 * B^6) * a^2 * b^6 + 8 * (A^7 * B + A^5 * B^3 - A^3 * B^5 - A * B^7) * a \\
& * b^7 + (A^8 - 2 * A^4 * B^4 + B^8) * b^8) * \sin(d * x + c) / \cos(d * x + c) * (((A^4 + 2 * \\
& A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + \\
& B^4) * b^4) / d^4)^{3/4} + \sqrt{2} * (((A^5 - A * B^4) * a^5 - (5 * A^4 * B + 4 * A^2 * B^3 \\
& - B^5) * a^4 * b + 4 * (A^3 * B^2 + A * B^4) * a^3 * b^2 - 4 * (A^4 * B + A^2 * B^3) * a^2 * b^3 - \\
& (A^5 - 4 * A^3 * B^2 - 5 * A * B^4) * a * b^4 + (A^4 * B - B^5) * b^5) * d^7 * \sqrt{((A^4 + 2 * A \\
& ^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + \\
& B^4) * b^4) / d^4} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b \\
& - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A \\
& ^2 * B^2 + B^4) * b^4) / d^4} - ((A^6 * B + A^4 * B^3 - A^2 * B^5 - B^7) * a^7 + (A^7 - 3 \\
& * A^5 * B^2 - 9 * A^3 * B^4 - 5 * A * B^6) * a^6 * b - (3 * A^6 * B + 7 * A^4 * B^3 + 5 * A^2 * B^5 + \\
& B^7) * a^5 * b^2 + (A^7 - 7 * A^5 * B^2 - 17 * A^3 * B^4 - 9 * A * B^6) * a^4 * b^3 - (9 * A^6 * B \\
& + 17 * A^4 * B^3 + 7 * A^2 * B^5 - B^7) * a^3 * b^4 - (A^7 + 5 * A^5 * B^2 + 7 * A^3 * B^4 + 3 * \\
& A * B^6) * a^2 * b^5 - (5 * A^6 * B + 9 * A^4 * B^3 + 3 * A^2 * B^5 - B^7) * a * b^6 - (A^7 + A^5 \\
& * B^2 - A^3 * B^4 - A * B^6) * b^7) * d^5 * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 \\
& * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * \\
& a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 \\
& + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 + 2 * (A * \\
& B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + \\
& 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4) / ((A^ \\
& 4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + \\
& B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) * \sqrt{ \\
& (\sin(d * x + c) / \cos(d * x + c)) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * \\
& B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{3/4} / ((A^{12} + 2 * A^ \\
& 10 * B^2 - A^8 * B^4 - 4 * A^6 * B^6 - A^4 * B^8 + 2 * A^2 * B^{10} + B^{12}) * a^{12} - 8 * (A^{11} * \\
& B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^{11} * b + 2 * (A^{1 \\
& 2} + 10 * A^{10} * B^2 + 31 * A^8 * B^4 + 44 * A^6 * B^6 + 31 * A^4 * B^8 + 10 * A^2 * B^{10} + B^{12} \\
&) * a^{10} * b^2 - 24 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A \\
& * B^{11}) * a^9 * b^3 - (A^{12} - 62 * A^{10} * B^2 - 257 * A^8 * B^4 - 388 * A^6 * B^6 - 257 * A^4 * \\
& B^8 - 62 * A^2 * B^{10} + B^{12}) * a^8 * b^4 - 16 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * \\
& A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^7 * b^5 - 4 * (A^{12} - 22 * A^{10} * B^2 - 97 * A^8 * B^4 \\
& - 148 * A^6 * B^6 - 97 * A^4 * B^8 - 22 * A^2 * B^{10} + B^{12}) * a^6 * b^6 + 16 * (A^{11} * B + 3 * A \\
& ^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^5 * b^7 - (A^{12} - 62 * A \\
& ^{10} * B^2 - 257 * A^8 * B^4 - 388 * A^6 * B^6 - 257 * A^4 * B^8 - 62 * A^2 * B^{10} + B^{12}) * a^4 \\
& * b^8 + 24 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) \\
& * a^3 * b^9 + 2 * (A^{12} + 10 * A^{10} * B^2 + 31 * A^8 * B^4 + 44 * A^6 * B^6 + 31 * A^4 * B^8 + 1 \\
& 0 * A^2 * B^{10} + B^{12}) * a^2 * b^{10} + 8 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 \\
& - 3 * A^3 * B^9 - A * B^{11}) * a * b^{11} + (A^{12} + 2 * A^{10} * B^2 - A^8 * B^4 - 4 * A^6 * B^6 - \\
& A^4 * B^8 + 2 * A^2 * B^{10} + B^{12}) * b^{12}) - 3 * \sqrt{2} * (((A^4 + 2 * A^2 * B^2 + B^4) * a \\
& ^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) * d * \cos \\
& (d * x + c)^2 - ((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * \\
& b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) * d - 2 * ((A * B * a^2 - A * B * b^2 + (A^2 - B^2) * \\
& a * b) * d^3 * \cos(d * x + c)^2 - (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^3) * \sqrt{((\\
& (A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * \\
& A^2 * B^2 + B^4) * b^4) / d^4) * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^
\end{aligned}$$

$$\begin{aligned}
& 2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + \\
& (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)}*\log((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) + \sqrt{2}*((A^4*B - 2*A^2*B^3 + B^5)*a^5 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a^4*b - 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^3*b^2 - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^2*b^3 + (9*A^4*B - 10*A^2*B^3 + B^5)*a*b^4 + (A^5 - 2*A^3*B^2 + A*B^4)*b^5)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) - ((A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*a^7 - (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a^6*b - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^5*b^2 + (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^4*b^3 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a^3*b^4 + (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^2*b^5 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6)*a*b^6 - (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^7)*d*\cos(dx + c))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(dx + c))/\cos(dx + c)) + 3*\sqrt{2}*((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(dx + c)^2 - ((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d - 2*((A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\cos(dx + c)^2 - (A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3)*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)}*\log((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) - \sqrt{2}*((A^4*B - 2*A^2*B^3 + B^5)*a^5 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a^4*b - 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^3*b^2 - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^2*b^3 + (9*A^4*B - 10*A^2*B^3 + B^5)*a*b^4 + (A^5 - 2*A^3*B^2 + A*B^4)*b^5)*d^3*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) - ((A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*a^7 - (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a^6*b - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^5*b^2 + (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^4*b^3 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a
\end{aligned}$$

$$\begin{aligned} &^3*b^4 + (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^2*b^5 + (A^7 - 9*A^5*B \\ &^2 - A^3*B^4 + 9*A*B^6)*a*b^6 - (A^6*B - A^4*B^3 - A^2*B^5 + B^7)*b^7)*d*\cos \\ &(d*x + c))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a \\ &^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 + 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a \\ &*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b \\ &^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A \\ &^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3 \\ &)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{(\sin(d*x + c)/\cos(d*x + c))*(((\\ &A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A \\ &^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A \\ &^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 \\ &- 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 3 \\ &4*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^ \\ &7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^ \\ &3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(d*x + c))/\cos \\ &(d*x + c)) - 8*((A^5 + 2*A^3*B^2 + A*B^4)*a^5 + 2*(A^5 + 2*A^3*B^2 + A*B^4 \\ &)*a^3*b^2 + (A^5 + 2*A^3*B^2 + A*B^4)*a*b^4)*\cos(d*x + c)^2 + 3*((A^4*B + 2 \\ &A^2*B^3 + B^5)*a^5 + (A^5 + 2*A^3*B^2 + A*B^4)*a^4*b + 2*(A^4*B + 2*A^2*B^ \\ &3 + B^5)*a^3*b^2 + 2*(A^5 + 2*A^3*B^2 + A*B^4)*a^2*b^3 + (A^4*B + 2*A^2*B^3 \\ &+ B^5)*a*b^4 + (A^5 + 2*A^3*B^2 + A*B^4)*b^5)*\cos(d*x + c)*\sin(d*x + c))*\sqrt{ \\ &\sin(d*x + c)/\cos(d*x + c)))/(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2* \\ &A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(d*x + c)^2 - ((\\ &A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A \\ &^2*B^2 + B^4)*b^4)*d) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2), x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))/tan(c + d*x)**(5/2), x)

Giac [A] time = 1.76784, size = 336, normalized size = 1.47

$$\frac{(\sqrt{2}Aa + \sqrt{2}Ba + \sqrt{2}Ab - \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx + c)})\right)}{2d} - \frac{(\sqrt{2}Aa + \sqrt{2}Ba + \sqrt{2}Ab - \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx + c)})\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x, algorithm="giac")

[Out]
$$\begin{aligned} &-1/2*(\sqrt{2}*A*a + \sqrt{2}*B*a + \sqrt{2}*A*b - \sqrt{2}*B*b)*\arctan(1/2*\sqrt{2} \\ &*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)}))/d - 1/2*(\sqrt{2}*A*a + \sqrt{2}*B*a + \\ &\sqrt{2}*A*b - \sqrt{2}*B*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + \\ &c)}))/d - 1/4*(\sqrt{2}*A*a - \sqrt{2}*B*a - \sqrt{2}*A*b - \sqrt{2}*B*b)*\log(\\ &\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/d + 1/4*(\sqrt{2}*A*a - \sqrt{2} \\ &)*B*a - \sqrt{2}*A*b - \sqrt{2}*B*b)*\log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d \\ &*x + c) + 1)/d - 2/3*(3*B*a*\tan(d*x + c) + 3*A*b*\tan(d*x + c) + A*a)/(d*\tan \\ &(d*x + c)^{(3/2)}) \end{aligned}$$

$$3.384 \quad \int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=254

$$\frac{(a(A-B) - b(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} + \frac{(a(A-B) - b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}} - \frac{2(aB)}{3d \tan}$$

```
[Out] -(((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a*A)/(5*d*Tan[c + d*x]^(5/2)) - (2*(A*b + a*B))/(3*d*Tan[c + d*x]^(3/2)) + (2*(a*A - b*B))/(d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.26259, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3591, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A-B) - b(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} + \frac{(a(A-B) - b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}} - \frac{2(aB)}{3d \tan}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]
```

```
[Out] -(((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a*A)/(5*d*Tan[c + d*x]^(5/2)) - (2*(A*b + a*B))/(3*d*Tan[c + d*x]^(3/2)) + (2*(a*A - b*B))/(d*Sqrt[Tan[c + d*x]])
```

Rule 3591

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))(A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx &= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} + \int \frac{Ab + aB - (aA - bB) \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)} dx \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \int \frac{-aA + bB - (Ab + aB) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(aA - bB)}{d\sqrt{\tan(c + dx)}} + \int \frac{-Ab - aB}{\tan^{\frac{1}{2}}(c + dx)} dx \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(aA - bB)}{d\sqrt{\tan(c + dx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{-Ab - aB}{\tan^{\frac{1}{2}}(c + dx)} dx\right)}{d\sqrt{\tan(c + dx)}} \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(aA - bB)}{d\sqrt{\tan(c + dx)}} - \frac{(b(A - B) + a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= -\frac{2aA}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2(Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(aA - bB)}{d\sqrt{\tan(c + dx)}} + \frac{(b(A - B) - a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= \frac{(b(A - B) + a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} - \frac{(b(A - B) - a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= -\frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} + \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 1.19663, size = 198, normalized size = 0.78

$$30\sqrt{2}(a(A - B) - b(A + B))\left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)\right) + \frac{40(aB + Ab)}{\tan^{\frac{3}{2}}(c + dx)} - \frac{120(aA - bB)}{\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] -(30*sqrt(2)*(a*(A - B) - b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) - 15*sqrt(2)*(b*(A - B) + a*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) + (24*a*A)/Tan[c + d*x]^(5/2) + (40*(A*b + a*B))/Tan[c + d*x]^(3/2) - (120*(a*A - b*B))/Sqrt[Tan[c + d*x]]/(60*d)

Maple [B] time = 0.026, size = 497, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

[Out] -2/3/d/tan(d*x+c)^(3/2)*A*b-2/3/d*a/tan(d*x+c)^(3/2)*B+2*a*A/d/tan(d*x+c)^(1/2)-2/d/tan(d*x+c)^(1/2)*B*b-2/5*a*A/d/tan(d*x+c)^(5/2)-1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))

$$-2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c)) \cdot b - 1/2/d \cdot a \cdot B \cdot \arctan(1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)}) \cdot 2^{(1/2)} - 1/2/d \cdot a \cdot B \cdot \arctan(-1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)}) \cdot 2^{(1/2)} - 1/4/d \cdot a \cdot B \cdot \ln((1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1-2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c))) \cdot 2^{(1/2)} + 1/4/d \cdot a \cdot A \cdot \ln((1-2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c))) \cdot 2^{(1/2)} + 1/2/d \cdot a \cdot A \cdot \arctan(1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)}) \cdot 2^{(1/2)} + 1/2/d \cdot a \cdot A \cdot \arctan(-1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)}) \cdot 2^{(1/2)} - 1/4/d \cdot B \cdot 2^{(1/2)} \cdot \ln((1-2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c)) / (1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)} + \tan(dx+c))) \cdot b - 1/2/d \cdot B \cdot 2^{(1/2)} \cdot \arctan(1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)}) \cdot b - 1/2/d \cdot B \cdot 2^{(1/2)} \cdot \arctan(-1+2^{(1/2)} \cdot \tan(dx+c)^{(1/2)}) \cdot b$$

Maxima [A] time = 1.7522, size = 285, normalized size = 1.12

$$30 \sqrt{2}((A-B)a - (A+B)b) \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)})\right) + 30 \sqrt{2}((A-B)a - (A+B)b) \arctan\left(-\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 \sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(dx+c))*(A+B*tan(dx+c))/tan(dx+c)^(7/2),x, algorithm="maxima")

[Out] 1/60*(30*sqrt(2)*((A - B)*a - (A + B)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(dx + c)))) + 30*sqrt(2)*((A - B)*a - (A + B)*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(dx + c)))) - 15*sqrt(2)*((A + B)*a + (A - B)*b)*log(sqrt(2)*sqrt(tan(dx + c)) + tan(dx + c) + 1) + 15*sqrt(2)*((A + B)*a + (A - B)*b)*log(-sqrt(2)*sqrt(tan(dx + c)) + tan(dx + c) + 1) + 8*(15*(A*a - B*b)*tan(dx + c)^2 - 3*A*a - 5*(B*a + A*b)*tan(dx + c))/tan(dx + c)^(5/2))/d

Fricas [B] time = 115.376, size = 29755, normalized size = 117.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(dx+c))*(A+B*tan(dx+c))/tan(dx+c)^(7/2),x, algorithm="fricas")

[Out] -1/60*(60*sqrt(2)*(d^5*cos(dx + c)^4 - 2*d^5*cos(dx + c)^2 + d^5)*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^(3/4)*sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4)*arctan(-(((A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^8 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^7*b + 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^6*b^2 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^5*b^3 - 12*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a^3*b^5 - 2*(A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*a^2*b^6 - 4*(A^7*B + 3*A^5*B^3 + 3*A^3*B^5 + A*B^7)*a*b^7 - (A^8 + 2*A^6*B^2 - 2*A^2*B^6 - B^8)*b^8)*d^4*sqrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)*sqrt(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4))

$$\begin{aligned}
& 4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B \\
& - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4/d^4) - \text{sqrt}(2)*((B*a + A*b)* \\
& d^7*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + \\
& (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))*\text{sqrt}(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A \\
& ^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3 \\
&)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) + ((A^3 + A*B^2)*a^3 - (A^2*B + \\
& B^3)*a^2*b + (A^3 + A*B^2)*a*b^2 - (A^2*B + B^3)*b^3)*d^5*\text{sqrt}(((A^4 - 2*A \\
& ^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^ \\
& 2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4))*\text{sqrt}((\\
& (A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2* \\
& A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\text{sqrt}(((A^4 \\
& + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2* \\
& B^2 + B^4)*b^4)/d^4))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3* \\
& b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2 \\
& *A^2*B^2 + B^4)*b^4))*\text{sqrt}((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B \\
& - A*B^5)*a^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17 \\
& *A^4*B^2 - 17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4 \\
& *B^2 - A^2*B^4 + B^6)*b^6)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + \\
& 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))*\text{cos}(d*x + c) \\
& + \text{sqrt}(2)*(((A^5 - 2*A^3*B^2 + A*B^4)*a^5 - (9*A^4*B - 10*A^2*B^3 + B^5)*a^ \\
& 4*b - 2*(A^5 - 14*A^3*B^2 + 5*A*B^4)*a^3*b^2 + 2*(5*A^4*B - 14*A^2*B^3 + B^ \\
& 5)*a^2*b^3 + (A^5 - 10*A^3*B^2 + 9*A*B^4)*a*b^4 - (A^4*B - 2*A^2*B^3 + B^5) \\
& *b^5)*d^3*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& *b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4))*\text{cos}(d*x + c) + ((A^6*B - A^4*B^3 - \\
& A^2*B^5 + B^7)*a^7 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6)*a^6*b - (9*A^6*B \\
& - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^5*b^2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 \\
& + A*B^6)*a^4*b^3 - (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^3*b^4 - (A^7 \\
& - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)*a^2*b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B \\
& ^5 + B^7)*a*b^6 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^7)*d*\text{cos}(d*x + c))*\text{sq} \\
& \text{rt}(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 \\
& + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\text{sqrt}((\\
& (A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2* \\
& A^2*B^2 + B^4)*b^4)/d^4))/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)* \\
& a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 \\
& - 2*A^2*B^2 + B^4)*b^4))*\text{sqrt}(\text{sin}(d*x + c)/\text{cos}(d*x + c))*(((A^4 + 2*A^2*B^ \\
& 2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)* \\
& b^4)/d^4)^(1/4) + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B \\
& ^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + \\
& A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16 \\
& *A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 1 \\
& 6*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - \\
& A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\text{sin}(d*x + c))/\text{cos}(d*x + c))*(((\\
& A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A \\
& ^2*B^2 + B^4)*b^4)/d^4)^(3/4) + \text{sqrt}(2)*(((A^4*B - B^5)*a^5 + (A^5 - 4*A^3*B \\
& ^2 - 5*A*B^4)*a^4*b - 4*(A^4*B + A^2*B^3)*a^3*b^2 - 4*(A^3*B^2 + A*B^4)*a^ \\
& 2*b^3 - (5*A^4*B + 4*A^2*B^3 - B^5)*a*b^4 - (A^5 - A*B^4)*b^5)*d^7*\text{sqrt}(((A \\
& ^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^ \\
& 2*B^2 + B^4)*b^4)/d^4))*\text{sqrt}(((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3 \\
&)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A \\
& ^4 - 2*A^2*B^2 + B^4)*b^4)/d^4) + ((A^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^7 - \\
& (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 - B^7)*a^6*b + (A^7 + 5*A^5*B^2 + 7*A^3*B^ \\
& 4 + 3*A*B^6)*a^5*b^2 - (9*A^6*B + 17*A^4*B^3 + 7*A^2*B^5 - B^7)*a^4*b^3 - (\\
& A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A*B^6)*a^3*b^4 - (3*A^6*B + 7*A^4*B^3 + 5* \\
& A^2*B^5 + B^7)*a^2*b^5 - (A^7 - 3*A^5*B^2 - 9*A^3*B^4 - 5*A*B^6)*a*b^6 + (A \\
& ^6*B + A^4*B^3 - A^2*B^5 - B^7)*b^7)*d^5*\text{sqrt}(((A^4 - 2*A^2*B^2 + B^4)*a^4 \\
& - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - \\
& A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4))*\text{sqrt}(((A^4 + 2*A^2*B^2 + \\
& B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 \\
& - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\text{sqrt}(((A^4 + 2*A^2*B^2 + B^4
\end{aligned}$$

$$\begin{aligned}
&) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4 \\
&) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) \\
&) * \sqrt{\sin(d * x + c) / \cos(d * x + c)} * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(3/4)} / ((A^{12} + 2 * A^{10} * B^2 - A^8 * B^4 - 4 * A^6 * B^6 - A^4 * B^8 + 2 * A^2 * B^{10} + B^{12}) * a^{12} - 8 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^{11} * b + 2 * (A^{12} + 10 * A^{10} * B^2 + 31 * A^8 * B^4 + 44 * A^6 * B^6 + 31 * A^4 * B^8 + 10 * A^2 * B^{10} + B^{12}) * a^{10} * b^2 - 24 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^9 * b^3 - (A^{12} - 62 * A^{10} * B^2 - 257 * A^8 * B^4 - 388 * A^6 * B^6 - 257 * A^4 * B^8 - 62 * A^2 * B^{10} + B^{12}) * a^8 * b^4 - 16 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^7 * b^5 - 4 * (A^{12} - 22 * A^{10} * B^2 - 97 * A^8 * B^4 - 148 * A^6 * B^6 - 97 * A^4 * B^8 - 22 * A^2 * B^{10} + B^{12}) * a^6 * b^6 + 16 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^5 * b^7 - (A^{12} - 62 * A^{10} * B^2 - 257 * A^8 * B^4 - 388 * A^6 * B^6 - 257 * A^4 * B^8 - 62 * A^2 * B^{10} + B^{12}) * a^4 * b^8 + 24 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a^3 * b^9 + 2 * (A^{12} + 10 * A^{10} * B^2 + 31 * A^8 * B^4 + 44 * A^6 * B^6 + 31 * A^4 * B^8 + 10 * A^2 * B^{10} + B^{12}) * a^2 * b^{10} + 8 * (A^{11} * B + 3 * A^9 * B^3 + 2 * A^7 * B^5 - 2 * A^5 * B^7 - 3 * A^3 * B^9 - A * B^{11}) * a * b^{11} + (A^{12} + 2 * A^{10} * B^2 - A^8 * B^4 - 4 * A^6 * B^6 - A^4 * B^8 + 2 * A^2 * B^{10} + B^{12}) * b^{12})) + 60 * \sqrt{2} * (d^5 * \cos(d * x + c))^4 - 2 * d^5 * \cos(d * x + c)^2 + d^5) * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 - 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4)) * (((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)^{(3/4)} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \arctan((((A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^8 - 4 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^7 * b + 2 * (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^6 * b^2 - 12 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^5 * b^3 - 12 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a^3 * b^5 - 2 * (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * a^2 * b^6 - 4 * (A^7 * B + 3 * A^5 * B^3 + 3 * A^3 * B^5 + A * B^7) * a * b^7 - (A^8 + 2 * A^6 * B^2 - 2 * A^2 * B^6 - B^8) * b^8) * d^4 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4} + \sqrt{2} * ((B * a + A * b) * d^7 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4} + ((A^3 + A * B^2) * a^3 - (A^2 * B + B^3) * a^2 * b + (A^3 + A * B^2) * a * b^2 - (A^2 * B + B^3) * b^3) * d^5 * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4}) * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4 - 2 * (A * B * a^2 - A * B * b^2 + (A^2 - B^2) * a * b) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4)) / ((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4)) * \sqrt{((A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * a^6 - 8 * (A^5 * B - A * B^5) * a^5 * b - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^4 * b^2 - (A^6 - 17 * A^4 * B^2 - 17 * A^2 * B^4 + B^6) * a^2 * b^4 + 8 * (A^5 * B - A * B^5) * a * b^5 + (A^6 - A^4 * B^2 - A^2 * B^4 + B^6) * b^6) * d^2 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \cos(d * x + c) - \sqrt{2} * (((A^5 - 2 * A^3 * B^2 + A * B^4) * a^5 - (9 * A^4 * B - 10 * A^2 * B^3 + B^5) * a^4 * b - 2 * (A^5 - 14 * A^3 * B^2 + 5 * A * B^4) * a^3 * b^2 + 2 * (5 * A^4 * B - 14 * A^2 * B^3 + B^5) * a^2 * b^3 + (A^5 - 10 * A^3 * B^2 + 9 * A * B^4) * a * b^4 - (A^4 * B - 2 * A^2 * B^3 + B^5) * b^5) * d^3 * \sqrt{((A^4 + 2 * A^2 * B^2 + B^4) * a^4 + 2 * (A^4 + 2 * A^2 * B^2 + B^4) * a^2 * b^2 + (A^4 + 2 * A^2 * B^2 + B^4) * b^4) / d^4} * \sqrt{((A^4 - 2 * A^2 * B^2 + B^4) * a^4 - 8 * (A^3 * B - A * B^3) * a^3 * b - 2 * (A^4 - 10 * A^2 * B^2 + B^4) * a^2 * b^2 + 8 * (A^3 * B - A * B^3) * a * b^3 + (A^4 - 2 * A^2 * B^2 + B^4) * b^4) / d^4}
\end{aligned}$$

$$\begin{aligned}
& 4)a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d \\
& ^4)*\cos(dx + c) + ((A^6*B - A^4*B^3 - A^2*B^5 + B^7)*a^7 + (A^7 - 9*A^5*B^2 \\
& - A^3*B^4 + 9*A*B^6)*a^6*b - (9*A^6*B - 17*A^4*B^3 - 25*A^2*B^5 + B^7)*a^5 \\
& *b^2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a^4*b^3 - (A^6*B - 17*A^4*B^3 \\
& - 17*A^2*B^5 + B^7)*a^3*b^4 - (A^7 - 25*A^5*B^2 - 17*A^3*B^4 + 9*A*B^6)* \\
& a^2*b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a*b^6 + (A^7 - A^5*B^2 - A^3 \\
& *B^4 + A*B^6)*b^7)*d*\cos(dx + c))*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(\\
& A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - \\
& A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 \\
& + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)}}/((A^4 - 2*A \\
& ^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2 \\
& *b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(dx \\
& x + c)/\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B \\
& ^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2*A^4*B^4 + \\
& B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^7*b + 16*(A^6*B^2 + 2*A \\
& ^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^5*b^3 - \\
& 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + B^8)*a^4*b^4 + 8*(A^7*B + \\
& A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^2 \\
& *b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^7 + (A^8 - 2*A^4*B^4 + B^8 \\
&)*b^8)*\sin(dx + c))/\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + \\
& 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)} - \sqrt{2} \\
& *(((A^4*B - B^5)*a^5 + (A^5 - 4*A^3*B^2 - 5*A*B^4)*a^4*b - 4*(A^4*B + A^2 \\
& *B^3)*a^3*b^2 - 4*(A^3*B^2 + A*B^4)*a^2*b^3 - (5*A^4*B + 4*A^2*B^3 - B^5)*a \\
& *b^4 - (A^5 - A*B^4)*b^5)*d^7*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + \\
& 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4})*\sqrt{((A^4 - 2 \\
& *A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)* \\
& a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4)/d^4)} + ((A \\
& ^7 + A^5*B^2 - A^3*B^4 - A*B^6)*a^7 - (5*A^6*B + 9*A^4*B^3 + 3*A^2*B^5 - B^7 \\
&)*a^6*b + (A^7 + 5*A^5*B^2 + 7*A^3*B^4 + 3*A*B^6)*a^5*b^2 - (9*A^6*B + 17* \\
& A^4*B^3 + 7*A^2*B^5 - B^7)*a^4*b^3 - (A^7 - 7*A^5*B^2 - 17*A^3*B^4 - 9*A*B^6 \\
&)*a^3*b^4 - (3*A^6*B + 7*A^4*B^3 + 5*A^2*B^5 + B^7)*a^2*b^5 - (A^7 - 3*A^5 \\
& *B^2 - 9*A^3*B^4 - 5*A*B^6)*a*b^6 + (A^6*B + A^4*B^3 - A^2*B^5 - B^7)*b^7)* \\
& d^5*\sqrt{((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - \\
& 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4 \\
&)*b^4)/d^4})*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) \\
& *a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2) \\
& *a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2 \\
& *b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)}}/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8* \\
& (A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B \\
& ^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c))* \\
& ((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2 \\
& *A^2*B^2 + B^4)*b^4)/d^4)^{(3/4)}}/((A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 \\
& - A^4*B^8 + 2*A^2*B^10 + B^12)*a^12 - 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2 \\
& *A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^11*b + 2*(A^12 + 10*A^10*B^2 + 31*A^8*B^4 \\
& + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^10*b^2 - 24*(A^11*B + 3*A \\
& ^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^9*b^3 - (A^12 - 62*A \\
& ^10*B^2 - 257*A^8*B^4 - 388*A^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^8 \\
& *b^4 - 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11) \\
& *a^7*b^5 - 4*(A^12 - 22*A^10*B^2 - 97*A^8*B^4 - 148*A^6*B^6 - 97*A^4*B^8 - \\
& 22*A^2*B^10 + B^12)*a^6*b^6 + 16*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 \\
& - 3*A^3*B^9 - A*B^11)*a^5*b^7 - (A^12 - 62*A^10*B^2 - 257*A^8*B^4 - 388*A \\
& ^6*B^6 - 257*A^4*B^8 - 62*A^2*B^10 + B^12)*a^4*b^8 + 24*(A^11*B + 3*A^9*B^3 \\
& + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a^3*b^9 + 2*(A^12 + 10*A^10* \\
& B^2 + 31*A^8*B^4 + 44*A^6*B^6 + 31*A^4*B^8 + 10*A^2*B^10 + B^12)*a^2*b^10 + \\
& 8*(A^11*B + 3*A^9*B^3 + 2*A^7*B^5 - 2*A^5*B^7 - 3*A^3*B^9 - A*B^11)*a*b^11 \\
& + (A^12 + 2*A^10*B^2 - A^8*B^4 - 4*A^6*B^6 - A^4*B^8 + 2*A^2*B^10 + B^12)* \\
& b^12)) + 15*\sqrt{2}*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4) \\
& *a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(dx + c)^4 - 2*((A^4 + 2*A^2 \\
& *B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B
\end{aligned}$$

$$\begin{aligned}
&^4)*b^4)*d*\cos(dx + c)^2 + ((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 \\
&^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d + 2*((A*B*a^2 - A*B*b^2 \\
&+ (A^2 - B^2)*a*b)*d^3*\cos(dx + c)^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)* \\
&a*b)*d^3*\cos(dx + c)^2 + (A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3)*\sqrt{((\\
&(A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2* \\
&A^2*B^2 + B^4)*b^4)/d^4)}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^ \\
&2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + \\
&(A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^ \\
&2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)})/((A^4 - 2*A^2*B^2 + B \\
&^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8* \\
&(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + \\
&B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4) \\
&/d^4)^{(1/4)}*\log((((A^6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^ \\
&^5*b - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - \\
&17*A^2*B^4 + B^6)*a^2*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2* \\
&B^4 + B^6)*b^6)*d^2*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 \\
&+ B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4}*\cos(dx + c) + \sqrt{2}*(\\
&((A^5 - 2*A^3*B^2 + A*B^4)*a^5 - (9*A^4*B - 10*A^2*B^3 + B^5)*a^4*b - 2*(A^ \\
&5 - 14*A^3*B^2 + 5*A*B^4)*a^3*b^2 + 2*(5*A^4*B - 14*A^2*B^3 + B^5)*a^2*b^3 \\
&+ (A^5 - 10*A^3*B^2 + 9*A*B^4)*a*b^4 - (A^4*B - 2*A^2*B^3 + B^5)*b^5)*d^3*s \\
&qrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 \\
&+ 2*A^2*B^2 + B^4)*b^4)/d^4)*\cos(dx + c) + ((A^6*B - A^4*B^3 - A^2*B^5 + \\
&B^7)*a^7 + (A^7 - 9*A^5*B^2 - A^3*B^4 + 9*A*B^6)*a^6*b - (9*A^6*B - 17*A^4* \\
&B^3 - 25*A^2*B^5 + B^7)*a^5*b^2 - (A^7 - 17*A^5*B^2 - 17*A^3*B^4 + A*B^6)*a \\
&^4*b^3 - (A^6*B - 17*A^4*B^3 - 17*A^2*B^5 + B^7)*a^3*b^4 - (A^7 - 25*A^5*B^ \\
&2 - 17*A^3*B^4 + 9*A*B^6)*a^2*b^5 + (9*A^6*B - A^4*B^3 - 9*A^2*B^5 + B^7)*a \\
&*b^6 + (A^7 - A^5*B^2 - A^3*B^4 + A*B^6)*b^7)*d*\cos(dx + c))*\sqrt{((A^4 + \\
&2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 \\
&+ B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2*A^ \\
&2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B \\
&^4)*b^4)/d^4)})/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - A*B^3)*a^3*b - 2*(\\
&A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 + (A^4 - 2*A^2*B^ \\
&2 + B^4)*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c))*(((A^4 + 2*A^2*B^2 + B^4)*a^ \\
&4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(\\
&1/4)} + ((A^8 - 2*A^4*B^4 + B^8)*a^8 - 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7) \\
&*a^7*b + 16*(A^6*B^2 + 2*A^4*B^4 + A^2*B^6)*a^6*b^2 - 8*(A^7*B + A^5*B^3 - \\
&A^3*B^5 - A*B^7)*a^5*b^3 - 2*(A^8 - 16*A^6*B^2 - 34*A^4*B^4 - 16*A^2*B^6 + \\
&B^8)*a^4*b^4 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a^3*b^5 + 16*(A^6*B^2 \\
&+ 2*A^4*B^4 + A^2*B^6)*a^2*b^6 + 8*(A^7*B + A^5*B^3 - A^3*B^5 - A*B^7)*a*b^ \\
&7 + (A^8 - 2*A^4*B^4 + B^8)*b^8)*\sin(dx + c))/\cos(dx + c)) - 15*\sqrt{2}*(\\
&((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2 \\
&*A^2*B^2 + B^4)*b^4)*d*\cos(dx + c)^4 - 2*((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2* \\
&(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)*d*\cos(dx + \\
&c)^2 + ((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (\\
&A^4 + 2*A^2*B^2 + B^4)*b^4)*d + 2*((A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^ \\
&3*\cos(dx + c)^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3*\cos(dx + c) \\
&^2 + (A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^3)*\sqrt{((A^4 + 2*A^2*B^2 + B^ \\
&4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d \\
&^4)}*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 \\
&+ (A^4 + 2*A^2*B^2 + B^4)*b^4 - 2*(A*B*a^2 - A*B*b^2 + (A^2 - B^2)*a*b)*d^2 \\
&*\sqrt{((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A \\
&^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)})/((A^4 - 2*A^2*B^2 + B^4)*a^4 - 8*(A^3*B - \\
&A*B^3)*a^3*b - 2*(A^4 - 10*A^2*B^2 + B^4)*a^2*b^2 + 8*(A^3*B - A*B^3)*a*b^3 \\
&+ (A^4 - 2*A^2*B^2 + B^4)*b^4))*(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2 \\
&*A^2*B^2 + B^4)*a^2*b^2 + (A^4 + 2*A^2*B^2 + B^4)*b^4)/d^4)^{(1/4)}*\log((((A^ \\
&6 - A^4*B^2 - A^2*B^4 + B^6)*a^6 - 8*(A^5*B - A*B^5)*a^5*b - (A^6 - 17*A^4* \\
&B^2 - 17*A^2*B^4 + B^6)*a^4*b^2 - (A^6 - 17*A^4*B^2 - 17*A^2*B^4 + B^6)*a^2 \\
&*b^4 + 8*(A^5*B - A*B^5)*a*b^5 + (A^6 - A^4*B^2 - A^2*B^4 + B^6)*b^6)*d^2*s \\
&qrt(((A^4 + 2*A^2*B^2 + B^4)*a^4 + 2*(A^4 + 2*A^2*B^2 + B^4)*a^2*b^2 + (A^4
\end{aligned}$$

$$\begin{aligned}
& + 2A^2B^2 + B^4)b^4)/d^4)\cos(dx + c) - \sqrt{2} * (((A^5 - 2A^3B^2 + A \\
& * B^4)a^5 - (9A^4B - 10A^2B^3 + B^5)a^4b - 2(A^5 - 14A^3B^2 + 5A \\
& * B^4)a^3b^2 + 2(5A^4B - 14A^2B^3 + B^5)a^2b^3 + (A^5 - 10A^3B^2 + \\
& 9AB^4)a^2b^4 - (A^4B - 2A^2B^3 + B^5)b^5)*d^3*\sqrt{((A^4 + 2A^2B^2 \\
& + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b \\
& ^4)/d^4)\cos(dx + c) + ((A^6B - A^4B^3 - A^2B^5 + B^7)a^7 + (A^7 - 9A \\
& ^5B^2 - A^3B^4 + 9AB^6)a^6b - (9A^6B - 17A^4B^3 - 25A^2B^5 + B^7) \\
& * a^5b^2 - (A^7 - 17A^5B^2 - 17A^3B^4 + AB^6)a^4b^3 - (A^6B - 17A \\
& ^4B^3 - 17A^2B^5 + B^7)a^3b^4 - (A^7 - 25A^5B^2 - 17A^3B^4 + 9AB \\
& * B^6)a^2b^5 + (9A^6B - A^4B^3 - 9A^2B^5 + B^7)a^2b^6 + (A^7 - A^5B^2 \\
& - A^3B^4 + AB^6)*b^7)*d*\cos(dx + c))*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 \\
& + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b^4 - 2(AB \\
& * a^2 - AB*b^2 + (A^2 - B^2)*a*b)*d^2*\sqrt{((A^4 + 2A^2B^2 + B^4)a^4 + 2 \\
& (A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b^4)/d^4)}}/((A^4 \\
& - 2A^2B^2 + B^4)a^4 - 8(A^3B - AB^3)a^3b - 2(A^4 - 10A^2B^2 + B^4) \\
& * a^2b^2 + 8(A^3B - AB^3)*a^2b^3 + (A^4 - 2A^2B^2 + B^4)*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c)) * (((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b^4)/d^4)^{(1/4)} + ((A^8 - 2A^4B^4 + B^8)a^8 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^7b + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^6b^2 - 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^5b^3 - 2(A^8 - 16A^6B^2 - 34A^4B^4 - 16A^2B^6 + B^8)a^4b^4 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^3b^5 + 16(A^6B^2 + 2A^4B^4 + A^2B^6)a^2b^6 + 8(A^7B + A^5B^3 - A^3B^5 - AB^7)a^2b^7 + (A^8 - 2A^4B^4 + B^8)*b^8)*\sin(dx + c))/\cos(dx + c)) - 8(5*((A^4B + 2A^2B^3 + B^5)a^5 + (A^5 + 2A^3B^2 + AB^4)a^4b + 2(A^4B + 2A^2B^3 + B^5)a^3b^2 + 2(A^5 + 2A^3B^2 + AB^4)a^2b^3 + (A^4B + 2A^2B^3 + B^5)a^2b^4 + (A^5 + 2A^3B^2 + AB^4)*b^5)*\cos(dx + c)^4 - 5*((A^4B + 2A^2B^3 + B^5)a^5 + (A^5 + 2A^3B^2 + AB^4)a^4b + 2(A^4B + 2A^2B^3 + B^5)a^3b^2 + 2(A^5 + 2A^3B^2 + AB^4)a^2b^3 + (A^4B + 2A^2B^3 + B^5)a^2b^4 + (A^5 + 2A^3B^2 + AB^4)*b^5)*\cos(dx + c)^2 - 3*((6*(A^5 + 2A^3B^2 + AB^4)a^5 - 5*(A^4B + 2A^2B^3 + B^5)a^4b + 12*(A^5 + 2A^3B^2 + AB^4)a^3b^2 - 10*(A^4B + 2A^2B^3 + B^5)a^2b^3 + 6*(A^5 + 2A^3B^2 + AB^4)a^2b^4 - 5*(A^4B + 2A^2B^3 + B^5)*b^5)*\cos(dx + c)^3 - 5*((A^5 + 2A^3B^2 + AB^4)a^5 - (A^4B + 2A^2B^3 + B^5)a^4b + 2(A^5 + 2A^3B^2 + AB^4)a^3b^2 - 2*(A^4B + 2A^2B^3 + B^5)a^2b^3 + (A^5 + 2A^3B^2 + AB^4)a^2b^4 - (A^4B + 2A^2B^3 + B^5)*b^5)*\cos(dx + c))*\sin(dx + c))*\sqrt{(\sin(dx + c)/\cos(dx + c))}/(((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b^4)*d*\cos(dx + c)^4 - 2*((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b^4)*d*\cos(dx + c)^2 + ((A^4 + 2A^2B^2 + B^4)a^4 + 2(A^4 + 2A^2B^2 + B^4)a^2b^2 + (A^4 + 2A^2B^2 + B^4)*b^4)*d)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2), x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))/tan(c + d*x)**(7/2), x)

Giac [A] time = 1.348, size = 370, normalized size = 1.46

$$\frac{(\sqrt{2}Aa - \sqrt{2}Ba - \sqrt{2}Ab - \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2d} + \frac{(\sqrt{2}Aa - \sqrt{2}Ba - \sqrt{2}Ab - \sqrt{2}Bb) \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*A*a - sqrt(2)*B*a - sqrt(2)*A*b - sqrt(2)*B*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 1/2*(sqrt(2)*A*a - sqrt(2)*B*a - sqrt(2)*A*b - sqrt(2)*B*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d - 1/4*(sqrt(2)*A*a + sqrt(2)*B*a + sqrt(2)*A*b - sqrt(2)*B*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 1/4*(sqrt(2)*A*a + sqrt(2)*B*a + sqrt(2)*A*b - sqrt(2)*B*b)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 2/15*(15*A*a*tan(d*x + c)^2 - 15*B*b*tan(d*x + c)^2 - 5*B*a*tan(d*x + c) - 5*A*b*tan(d*x + c) - 3*A*a)/(d*tan(d*x + c)^(5/2))

$$3.385 \quad \int \tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=394

$$\frac{2(a^2B + 2aAb - b^2B) \tan^{\frac{5}{2}}(c + dx)}{5d} + \frac{2(a^2A - 2abB - Ab^2) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \tan^{\frac{1}{2}}(c + dx)}{\sqrt{2d}}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - (2*(2*a*A*b + a^2*B - b^2*B)*Sqrt[Tan[c + d*x]]/d + (2*(a^2*A - A*b^2 - 2*a*b*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x]^(5/2))/(5*d) + (2*b*(9*A*b + 11*a*B)*Tan[c + d*x]^(7/2))/(63*d) + (2*b*B*Tan[c + d*x]^(7/2)*(a + b*Tan[c + d*x]))/(9*d))
```

Rubi [A] time = 0.667325, antiderivative size = 394, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3607, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(a^2B + 2aAb - b^2B) \tan^{\frac{5}{2}}(c + dx)}{5d} + \frac{2(a^2A - 2abB - Ab^2) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \tan^{\frac{1}{2}}(c + dx)}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - (2*(2*a*A*b + a^2*B - b^2*B)*Sqrt[Tan[c + d*x]]/d + (2*(a^2*A - A*b^2 - 2*a*b*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x]^(5/2))/(5*d) + (2*b*(9*A*b + 11*a*B)*Tan[c + d*x]^(7/2))/(63*d) + (2*b*B*Tan[c + d*x]^(7/2)*(a + b*Tan[c + d*x]))/(9*d))
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \frac{2bB \tan^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))}{9d} + \frac{2}{9} \int \tan^{\frac{5}{2}}(c+dx) \\
&= \frac{2b(9Ab+11aB) \tan^{\frac{7}{2}}(c+dx)}{63d} + \frac{2bB \tan^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))}{9d} \\
&= \frac{2(2aAb+a^2B-b^2B) \tan^{\frac{5}{2}}(c+dx)}{5d} + \frac{2b(9Ab+11aB)}{63d} \\
&= \frac{2(a^2A-Ab^2-2abB) \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{2(2aAb+a^2B-} \\
&= -\frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2(a^2A-Ab^2-} \\
&= -\frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2(a^2A-Ab^2-} \\
&= -\frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2(a^2A-Ab^2-} \\
&= -\frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2(a^2A-Ab^2-} \\
&= -\frac{(2ab(A-B)+a^2(A+B)-b^2(A+B)) \log(1-\sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}d} \\
&= \frac{(a^2(A-B)-b^2(A-B)-2ab(A+B)) \tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 6.05628, size = 205, normalized size = 0.52

$$2\sqrt{\tan(c+dx)}(63(a^2B+2aAb-b^2B)\tan^2(c+dx)+105(a^2A-2abB-Ab^2)\tan(c+dx)-315(a^2B+2aAb-b^2B))$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] (-315*(-1)^(1/4)*(a - I*b)^2*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]
] + 315*(-1)^(3/4)*(a + I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*
x]]] + 2*Sqrt[Tan[c + d*x]]*(-315*(2*a*A*b + a^2*B - b^2*B) + 105*(a^2*A -
A*b^2 - 2*a*b*B)*Tan[c + d*x] + 63*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x]^2
+ 45*b*(A*b + 2*a*B)*Tan[c + d*x]^3 + 35*b^2*B*Tan[c + d*x]^4)/(315*d)
```

Maple [B] time = 0.022, size = 858, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out] $\frac{1}{2}d^2a^2B^2^{1/2}\arctan(1+2^{1/2}\tan(d*x+c)^{1/2})-1/4d^2a^2A\ln((1-2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c))/(1+2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c)))$
 $*2^{1/2}-1/2d^2a^2A\arctan(-1+2^{1/2}\tan(d*x+c)^{1/2})*2^{1/2}-1/2d^2a^2A*2^{1/2}\arctan(1+2^{1/2}\tan(d*x+c)^{1/2})+4/7dB\tan(d*x+c)^{7/2}*a^2b-2/5dB\tan(d*x+c)^{5/2}*b^2+2/9d^2b^2B\tan(d*x+c)^{9/2}+1/2d^2A*2^{1/2}\arctan(-1+2^{1/2}\tan(d*x+c)^{1/2})*b^2-2/3d^2A\tan(d*x+c)^{3/2}*b^2+2/7d^2A\tan(d*x+c)^{7/2}*b^2+1/2d^2a^2B\arctan(-1+2^{1/2}\tan(d*x+c)^{1/2})*2^{1/2}+1/4d^2a^2B^2^{1/2}\ln((1+2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c))/(1-2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c)))+1/2d^2A*2^{1/2}\arctan(1+2^{1/2}\tan(d*x+c)^{1/2})*b^2+2/5d^2a^2B\tan(d*x+c)^{5/2}+2/3d^2a^2A\tan(d*x+c)^{3/2}-2/d^2a^2B\tan(d*x+c)^{1/2}-1/4dB^2^{1/2}\ln((1+2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c))/(1-2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c)))*b^2-1/2dB^2^{1/2}\arctan(1+2^{1/2}\tan(d*x+c)^{1/2})*b^2+1/4d^2A*2^{1/2}\ln((1-2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c))/(1+2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c)))*b^2+4/5d^2A\tan(d*x+c)^{5/2}*a^2b-4/3dB\tan(d*x+c)^{3/2}*a^2b-4/d^2A\tan(d*x+c)^{1/2}*a^2b-1/2dB^2^{1/2}\arctan(-1+2^{1/2}\tan(d*x+c)^{1/2})*b^2+1/d^2A*2^{1/2}\arctan(-1+2^{1/2}\tan(d*x+c)^{1/2})*a^2b+1/2dB^2^{1/2}\ln((1-2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c))/(1+2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c)))*a^2b+1/d^2A*2^{1/2}\arctan(1+2^{1/2}\tan(d*x+c)^{1/2})*a^2b+1/d^2B^2^{1/2}\arctan(-1+2^{1/2}\tan(d*x+c)^{1/2})*a^2b+1/2d^2A*2^{1/2}\ln((1+2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c))/(1-2^{1/2}\tan(d*x+c)^{1/2}+\tan(d*x+c)))*a^2b+2*b^2B\tan(d*x+c)^{1/2}/d$

Maxima [A] time = 1.75741, size = 444, normalized size = 1.13

$280Bb^2 \tan(dx+c)^{\frac{9}{2}} + 360(2Bab + Ab^2) \tan(dx+c)^{\frac{7}{2}} + 504(Ba^2 + 2Aab - Bb^2) \tan(dx+c)^{\frac{5}{2}} - 630\sqrt{2}((A-B)a^2 -$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{1260}(280B^2b^2\tan(d*x+c)^{9/2} + 360(2B^2a^2b + A^2b^2)\tan(d*x+c)^{7/2} + 504(B^2a^2 + 2A^2a^2b - B^2b^2)\tan(d*x+c)^{5/2} - 630\sqrt{2}((A-B)a^2 - 2(A+B)a^2b - (A-B)b^2)\arctan(1/2\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(d*x+c)})) - 630\sqrt{2}((A-B)a^2 - 2(A+B)a^2b - (A-B)b^2)\arctan(-1/2\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(d*x+c)})) + 315\sqrt{2}((A+B)a^2 + 2(A-B)a^2b - (A+B)b^2)\log(\sqrt{2}\sqrt{\tan(d*x+c)} + \tan(d*x+c) + 1) - 315\sqrt{2}((A+B)a^2 + 2(A-B)a^2b - (A+B)b^2)\log(-\sqrt{2}\sqrt{\tan(d*x+c)} + \tan(d*x+c) + 1) + 840(A^2a^2 - 2B^2a^2b - A^2b^2)\tan(d*x+c)^{3/2} - 2520(B^2a^2 + 2A^2a^2b - B^2b^2)\sqrt{\tan(d*x+c)})/d$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(5/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] Timed out
```

$$3.386 \quad \int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=360

$$\frac{2(a^2B + 2aAb - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} - \frac{(a^2(A + B))}{\sqrt{2}d}$$

```
[Out] ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) + (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[Tan[c + d*x]]/d + (2*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*b*(7*A*b + 9*a*B)*Tan[c + d*x]^(5/2))/(35*d) + (2*b*B*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x]))/(7*d)
```

Rubi [A] time = 0.582721, antiderivative size = 360, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3607, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(a^2B + 2aAb - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} - \frac{(a^2(A + B))}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) + (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[Tan[c + d*x]]/d + (2*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*b*(7*A*b + 9*a*B)*Tan[c + d*x]^(5/2))/(35*d) + (2*b*B*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x]))/(7*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S

imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{2bB \tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))}{7d} + \frac{2}{7} \int \tan^{\frac{3}{2}}(c + dx) \left(\right. \\
 &= \frac{2b(7Ab + 9aB) \tan^{\frac{5}{2}}(c + dx)}{35d} + \frac{2bB \tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))}{7d} \\
 &= \frac{2(2aAb + a^2B - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{2b(7Ab + 9aB) \tan^{\frac{5}{2}}(c + dx)}{35d} \\
 &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\tan(c + dx)}}{d} + \frac{2(2aAb + a^2B - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\tan(c + dx)}}{d} + \frac{2(2aAb + a^2B - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\tan(c + dx)}}{d} + \frac{2(2aAb + a^2B - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\tan(c + dx)}}{d} + \frac{2(2aAb + a^2B - b^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \log(1 - \sqrt{2} \sqrt{\tan(c + dx)})}{2\sqrt{2}d} \\
 &= \frac{(2ab(A - B) + a^2(A + B) - b^2(A + B)) \tan^{-1}(1 - \sqrt{2} \sqrt{\tan(c + dx)})}{\sqrt{2}d}
 \end{aligned}$$

Mathematica [C] time = 2.12916, size = 178, normalized size = 0.49

$$2\sqrt{\tan(c + dx)} \left(35(a^2B + 2aAb - b^2B) \tan(c + dx) + 105(a^2A - 2abB - Ab^2) + 21b(2aB + Ab) \tan^2(c + dx) + 15b^2B \tan^3(c + dx) \right) / (105d)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (105*(-1)^(1/4)*(a - I*b)^2*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 105*(-1)^(1/4)*(a + I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[Tan[c + d*x]]*(105*(a^2*A - A*b^2 - 2*a*b*B) + 35*(2*a*A*b + a^2*B - b^2*B)*Tan[c + d*x] + 21*b*(A*b + 2*a*B)*Tan[c + d*x]^2 + 15*b^2*B*Tan[c + d*x]^3)/(105*d)

Maple [B] time = 0.024, size = 810, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)


```
[Out] -1/2/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2/d*a^2*A*arctan(
-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*t
an(d*x+c)^(1/2))+4/3/d*A*tan(d*x+c)^(3/2)*a*b-1/4/d*a^2*A*2^(1/2)*ln((1+2^(
1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-
1/4/d*a^2*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)
)^(1/2)+tan(d*x+c)))*2^(1/2)+1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(
1/2))*b^2-2/d*A*b^2*tan(d*x+c)^(1/2)-2/3/d*b^2*B*tan(d*x+c)^(3/2)+2/7/d*b^2
*B*tan(d*x+c)^(7/2)+2/5/d*A*tan(d*x+c)^(5/2)*b^2-1/2/d*a^2*B*arctan(-1+2^(1
/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2
)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/2/d*A*2^(1/2)*
arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+4/5/d*B*tan(d*x+c)^(5/2)*a*b+1/4/d*A
*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(
1/2)+tan(d*x+c)))*b^2+2/3/d*a^2*B*tan(d*x+c)^(3/2)+2/d*a^2*A*tan(d*x+c)^(1/
2)-4/d*B*a*b*tan(d*x+c)^(1/2)+1/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(
1/2))*b^2+1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/d*A*2^(
1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/2/d*A*2^(1/2)*ln((1-2^(1/2)*
tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1
/2/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*
x+c)^(1/2)+tan(d*x+c)))*a*b-1/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2)
)*a*b+1/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/d*B*2^(1/2)*a
rctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b
```

Maxima [A] time = 1.77203, size = 408, normalized size = 1.13

$$120 B b^2 \tan(dx + c)^{\frac{7}{2}} + 168 (2 Bab + Ab^2) \tan(dx + c)^{\frac{5}{2}} - 210 \sqrt{2} ((A + B)a^2 + 2(A - B)ab - (A + B)b^2) \arctan\left(\frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] 1/420*(120*B*b^2*tan(d*x + c)^(7/2) + 168*(2*B*a*b + A*b^2)*tan(d*x + c)^(5
/2) - 210*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*arctan(1/2*sq
rt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) - 210*sqrt(2)*((A + B)*a^2 + 2*(A -
B)*a*b - (A + B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))
) - 105*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*log(sqrt(2)*sq
rt(tan(d*x + c)) + tan(d*x + c) + 1) + 105*sqrt(2)*((A - B)*a^2 - 2*(A + B)*
a*b - (A - B)*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 28
0*(B*a^2 + 2*A*a*b - B*b^2)*tan(d*x + c)^(3/2) + 840*(A*a^2 - 2*B*a*b - A*b
^2)*sqrt(tan(d*x + c))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.387 \quad \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=326

$$\frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} + \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \tan^{-1}}{\sqrt{2}d}$$

```
[Out] -(((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*d)) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Arc
Tan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A
+ B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2
*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*
Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(2*a*A*b + a^2*B - b
^2*B)*Sqrt[Tan[c + d*x]])/d + (2*b*(5*A*b + 7*a*B)*Tan[c + d*x]^(3/2))/(15*
d) + (2*b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x]))/(5*d)
```

Rubi [A] time = 0.519279, antiderivative size = 326, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3607, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} + \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \tan^{-1}}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*d)) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Arc
Tan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A
+ B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2
*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*
Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(2*a*A*b + a^2*B - b
^2*B)*Sqrt[Tan[c + d*x]])/d + (2*b*(5*A*b + 7*a*B)*Tan[c + d*x]^(3/2))/(15*
d) + (2*b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x]))/(5*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Si
```

mp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)
]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

Rule 1162

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \frac{2bB \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))}{5d} + \frac{2}{5} \int \sqrt{\tan(c+dx)} dx \\
&= \frac{2b(5Ab+7aB) \tan^{\frac{3}{2}}(c+dx)}{15d} + \frac{2bB \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))}{5d} \\
&= \frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(5Ab+7aB)}{15a} \\
&= \frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(5Ab+7aB)}{15a} \\
&= \frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(5Ab+7aB)}{15a} \\
&= \frac{2(2aAb+a^2B-b^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(5Ab+7aB)}{15a} \\
&= \frac{(2ab(A-B)+a^2(A+B)-b^2(A+B)) \log(1-\sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}d} \\
&= -\frac{(a^2(A-B)-b^2(A-B)-2ab(A+B)) \tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 1.19863, size = 151, normalized size = 0.46

$$\frac{2\sqrt{\tan(c+dx)}(15(a^2B+2aAb-b^2B)+5b(2aB+Ab)\tan(c+dx)+3b^2B\tan^2(c+dx))+15\sqrt[4]{-1}(a-ib)^2(B+iA)\tan(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (15*(-1)^(1/4)*(a - I*b)^2*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - 15*(-1)^(3/4)*(a + I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[Tan[c + d*x]]*(15*(2*a*A*b + a^2*B - b^2*B) + 5*b*(A*b + 2*a*B)*Tan[c + d*x] + 3*b^2*B*Tan[c + d*x]^2))/(15*d)

Maple [B] time = 0.022, size = 762, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 2/5/d*B*tan(d*x+c)^(5/2)*b^2+2/3/d*A*tan(d*x+c)^(3/2)*b^2+4/3/d*B*tan(d*x+c)^(3/2)*a*b+4/d*A*tan(d*x+c)^(1/2)*a*b+2/d*a^2*B*tan(d*x+c)^(1/2)-2*b^2*B*tan(d*x+c)^(1/2)/d-1/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/2/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b-1/2/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+1/2/d*B*2^(1/2)*

$$\begin{aligned} & \arctan(1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot b^2-1/2/d\cdot a^2\cdot B\cdot \arctan(-1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot b^2 \\ & +2^{(1/2)}+1/2/d\cdot B\cdot 2^{(1/2)}\cdot \arctan(-1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot b^2 \\ & -1/4/d\cdot a^2\cdot B\cdot 2^{(1/2)}\cdot \ln((1+2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))) \\ & +1/4/d\cdot B\cdot 2^{(1/2)}\cdot \ln((1+2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))) \\ & \cdot b^2+1/4/d\cdot a^2\cdot A\cdot \ln((1-2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))) \\ & \cdot 2^{(1/2)}-1/4/d\cdot A\cdot 2^{(1/2)}\cdot \ln((1-2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))) \\ & \cdot b^2+1/2/d\cdot a^2\cdot A\cdot 2^{(1/2)}\cdot \arctan(1+2^{(1/2)}\tan(dx+c)^{(1/2)})-1/2/d\cdot A\cdot 2^{(1/2)}\cdot \arctan(1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot b^2 \\ & +1/2/d\cdot a^2\cdot A\cdot \arctan(-1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot 2^{(1/2)}-1/2/d\cdot A\cdot 2^{(1/2)}\cdot \arctan(-1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot b^2 \\ & -1/2/d\cdot B\cdot 2^{(1/2)}\cdot \ln((1-2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}\tan(dx+c)^{(1/2)}+\tan(dx+c))) \\ & \cdot a\cdot b-1/d\cdot B\cdot 2^{(1/2)}\cdot \arctan(1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot a\cdot b-1/d\cdot B\cdot 2^{(1/2)}\cdot \arctan(-1+2^{(1/2)}\tan(dx+c)^{(1/2)})\cdot a\cdot b \end{aligned}$$

Maxima [A] time = 1.71455, size = 371, normalized size = 1.14

$$24 B b^2 \tan(dx+c)^{\frac{5}{2}} + 30 \sqrt{2} \left((A-B)a^2 - 2(A+B)ab - (A-B)b^2 \right) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + 30 \sqrt{2} \left((A-$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] 1/60*(24*B*b^2*tan(dx+c)^(5/2) + 30*sqrt(2)*((A-B)*a^2 - 2*(A+B)*a*b - (A-B)*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(dx+c)))) + 30*sqrt(2)*((A-B)*a^2 - 2*(A+B)*a*b - (A-B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(dx+c)))) - 15*sqrt(2)*((A+B)*a^2 + 2*(A-B)*a*b - (A+B)*b^2)*log(sqrt(2)*sqrt(tan(dx+c)) + tan(dx+c) + 1) + 15*sqrt(2)*((A+B)*a^2 + 2*(A-B)*a*b - (A+B)*b^2)*log(-sqrt(2)*sqrt(tan(dx+c)) + tan(dx+c) + 1) + 40*(2*B*a*b + A*b^2)*tan(dx+c)^(3/2) + 120*(B*a^2 + 2*A*a*b - B*b^2)*sqrt(tan(dx+c))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^2 \sqrt{\tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(1/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2*sqrt(tan(c + d*x)), x
)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] Timed out
```

$$3.388 \quad \int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=294

$$\frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}$$

```
[Out] -(((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*(3*A*b + 5*a*B)*Sqrt[Tan[c + d*x]])/(3*d) + (2*b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))/(3*d)
```

Rubi [A] time = 0.454967, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3607, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]
```

```
[Out] -(((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*(3*A*b + 5*a*B)*Sqrt[Tan[c + d*x]])/(3*d) + (2*b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))/(3*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
```


NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^2 (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3aA - bB) + \frac{3}{2}(2aAb + b^2A)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{2b(3Ab + 5aB)\sqrt{\tan(c + dx)}}{3d} + \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3aA - bB) + \frac{3}{2}(2aAb + b^2A)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{2b(3Ab + 5aB)\sqrt{\tan(c + dx)}}{3d} + \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3aA - bB) + \frac{3}{2}(2aAb + b^2A)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{2b(3Ab + 5aB)\sqrt{\tan(c + dx)}}{3d} + \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3aA - bB) + \frac{3}{2}(2aAb + b^2A)}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{2b(3Ab + 5aB)\sqrt{\tan(c + dx)}}{3d} + \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))}{3d} - \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx))}{2\sqrt{2}d} \\
&= -\frac{(2ab(A - B) + a^2(A + B) - b^2(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d} + \dots
\end{aligned}$$

Mathematica [C] time = 0.516029, size = 119, normalized size = 0.4

$$\frac{-3\sqrt[4]{-1}(a - ib)^2(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right) + 2b\sqrt{\tan(c + dx)}(6aB + 3Ab + bB \tan(c + dx)) - 3\sqrt[4]{-1}(a + ib)^2(A + iB)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] (-3*(-1)^(1/4)*(a - I*b)^2*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - 3*(-1)^(1/4)*(a + I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*b*Sqrt[Tan[c + d*x]]*(3*A*b + 6*a*B + b*B*Tan[c + d*x]))/(3*d)

Maple [B] time = 0.021, size = 710, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)

[Out] 2/3/d*b^2*B*tan(d*x+c)^(3/2)+2/d*A*b^2*tan(d*x+c)^(1/2)+4/d*B*a*b*tan(d*x+c)^(1/2)+1/2/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/4/d*a^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/4/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2-1/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/2/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/2/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a

```
*b+1/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/4/d*a^2*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)-1/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/2/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2
```

Maxima [A] time = 1.67859, size = 335, normalized size = 1.14

$$\frac{8 B b^2 \tan(dx + c)^{\frac{3}{2}} + 6 \sqrt{2} \left((A + B) a^2 + 2(A - B) a b - (A + B) b^2 \right) \arctan\left(\frac{1}{2} \sqrt{2} (\sqrt{2} + 2 \sqrt{\tan(dx + c)})\right) + 6 \sqrt{2} \left((A - B) a^2 - 2(A + B) a b + (A + B) b^2 \right) \arctan\left(\frac{1}{2} \sqrt{2} (\sqrt{2} - 2 \sqrt{\tan(dx + c)})\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/12*(8*B*b^2*tan(d*x + c)^(3/2) + 6*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 6*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + 3*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - 3*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 24*(2*B*a*b + A*b^2)*sqrt(tan(d*x + c))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^2}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2/sqrt(tan(c + d*x)), x)
```

Giac [A] time = 1.52451, size = 490, normalized size = 1.67

$$\frac{(\sqrt{2}Aa^2 + \sqrt{2}Ba^2 + 2\sqrt{2}Aab - 2\sqrt{2}Bab - \sqrt{2}Ab^2 - \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2d} + \frac{(\sqrt{2}Aa^2 + \sqrt{2}Ba^2 + 2\sqrt{2}Aab - 2\sqrt{2}Bab - \sqrt{2}Ab^2 - \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 1/2*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + 1/4*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 1/4*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 2/3*(B*b^2*d^2*tan(d*x + c)^(3/2) + 6*B*a*b*d^2*sqrt(tan(d*x + c)) + 3*A*b^2*d^2*sqrt(tan(d*x + c)))/d^3

$$3.389 \quad \int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^3(c+dx)} dx$$

Optimal. Leaf size=276

$$\frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} - \frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a^2*A)/(d*Sqrt[Tan[c + d*x]]) + (2*b^2*B*Sqrt[Tan[c + d*x]])/d
```

Rubi [A] time = 0.343377, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3604, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} - \frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a^2*A)/(d*Sqrt[Tan[c + d*x]]) + (2*b^2*B*Sqrt[Tan[c + d*x]])/d
```

Rule 3604

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2a^2 A}{d\sqrt{\tan(c + dx)}} + \int \frac{a(2Ab + aB) - (a^2 A - Ab^2 - 2abB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} \\
&= -\frac{2a^2 A}{d\sqrt{\tan(c + dx)}} + \frac{2b^2 B \sqrt{\tan(c + dx)}}{d} + \int \frac{2aAb + a^2 B - b^2 B - (a^2 A - Ab^2 - 2abB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} \\
&= -\frac{2a^2 A}{d\sqrt{\tan(c + dx)}} + \frac{2b^2 B \sqrt{\tan(c + dx)}}{d} + \frac{2 \operatorname{Subst}\left(\int \frac{2aAb + a^2 B - b^2 B - (a^2 A - Ab^2 - 2abB) \tan(c + dx)}{\sqrt{\tan(c + dx)}}\right)}{1} \\
&= -\frac{2a^2 A}{d\sqrt{\tan(c + dx)}} + \frac{2b^2 B \sqrt{\tan(c + dx)}}{d} - \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}d} \\
&= -\frac{2a^2 A}{d\sqrt{\tan(c + dx)}} + \frac{2b^2 B \sqrt{\tan(c + dx)}}{d} - \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}d} \\
&= -\frac{(2ab(A - B) + a^2(A + B) - b^2(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) + (a^2(A - B) - b^2(A - B) - 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 0.896573, size = 211, normalized size = 0.76

$$-8(a^2 A - 2abB - Ab^2) \operatorname{Hypergeometric2F1}\left(-\frac{1}{4}, 1, \frac{3}{4}, -\tan^2(c + dx)\right) - \sqrt{2}(a^2 B + 2aAb - b^2 B) \sqrt{\tan(c + dx)} (2 \tan(c + dx) + 1)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (-8*b*(A*b + 3*a*B) - 8*(a^2*A - A*b^2 - 2*a*b*B))*Hypergeometric2F1[-1/4, 1, 3/4, -Tan[c + d*x]^2] - Sqrt[2]*(2*a*A*b + a^2*B - b^2*B)*(2*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - 2*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]] + Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])*Sqrt[Tan[c + d*x]] + 8*b*B*(a + b*Tan[c + d*x])/((4*d*Sqrt[Tan[c + d*x]]))

Maple [B] time = 0.026, size = 692, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] 2*b^2*B*tan(d*x+c)^(1/2)/d-2*a^2*A/d/tan(d*x+c)^(1/2)+1/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/2/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/2/d*a^2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/4/d*a^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))/d

```
*tan(d*x+c)^(1/2)+tan(d*x+c))-1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/2/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))-1/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/4/d*a^2*A*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+1/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2-1/2/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/2/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b
```

Maxima [A] time = 1.79203, size = 324, normalized size = 1.17

$$8Bb^2\sqrt{\tan(dx+c)} - 2\sqrt{2}\left((A-B)a^2 - 2(A+B)ab - (A-B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + 2\sqrt{\tan(dx+c)}\right)\right) - 2\sqrt{2}\left((A-B)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] 1/4*(8*B*b^2*sqrt(tan(d*x + c)) - 2*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) - 2*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - 8*A*a^2/sqrt(tan(d*x + c)))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^2}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)
```


[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2/tan(c + d*x)**(3/2), x)

Giac [A] time = 1.63249, size = 462, normalized size = 1.67

$$\frac{2 B b^2 \sqrt{\tan(dx + c)}}{d} - \frac{2 A a^2}{d \sqrt{\tan(dx + c)}} - \frac{(\sqrt{2} A a^2 - \sqrt{2} B a^2 - 2 \sqrt{2} A a b - 2 \sqrt{2} B a b - \sqrt{2} A b^2 + \sqrt{2} B b^2) \arctan\left(\frac{1}{2} \sqrt{2}\right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out] 2*B*b^2*sqrt(tan(d*x + c))/d - 2*A*a^2/(d*sqrt(tan(d*x + c))) - 1/2*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d - 1/2*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + 1/4*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 1/4*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d

$$3.390 \quad \int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{5 \tan^2(c+dx)} dx$$

Optimal. Leaf size=283

$$\frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}}$$

```
[Out] ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - (2*a^2*A)/(3*d*Tan[c + d*x]^(3/2)) - (2*a*(2*A*b + a*B))/(d*Sqrt[Tan[c + d*x]]])
```

Rubi [A] time = 0.354313, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3604, 3628, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]
```

```
[Out] ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - (2*a^2*A)/(3*d*Tan[c + d*x]^(3/2)) - (2*a*(2*A*b + a*B))/(d*Sqrt[Tan[c + d*x]]])
```

Rule 3604

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]) + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[(A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1)/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2a^2 A}{3d \tan^{\frac{3}{2}}(c + dx)} + \int \frac{a(2Ab + aB) - (a^2 A - Ab^2 - 2abB) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a^2 A}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{d\sqrt{\tan(c + dx)}} + \int \frac{-a^2 A + Ab^2 + 2abB + (b^2 B - a^2 A)}{\sqrt{\tan(c + dx)}} \\
&= -\frac{2a^2 A}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{d\sqrt{\tan(c + dx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{-a^2 A + Ab^2 + 2abB + (b^2 B - a^2 A)}{1+x^4}\right)}{d} \\
&= -\frac{2a^2 A}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{d\sqrt{\tan(c + dx)}} - \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= -\frac{2a^2 A}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{d\sqrt{\tan(c + dx)}} + \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= \frac{(2ab(A - B) + a^2(A + B) - b^2(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 0.687083, size = 119, normalized size = 0.42

$$\frac{2(a^2(-A) + 2abB + Ab^2) \operatorname{Hypergeometric2F1}\left(-\frac{3}{4}, 1, \frac{1}{4}, -\tan^2(c + dx)\right) - 6(a^2B + 2aAb - b^2B) \tan(c + dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{4}, 1, \frac{3}{4}, -\tan^2(c + dx)\right)}{3d \tan^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (2*(-(a^2*A) + A*b^2 + 2*a*b*B)*Hypergeometric2F1[-3/4, 1, 1/4, -Tan[c + d*x]^2] - 6*(2*a*A*b + a^2*B - b^2*B)*Hypergeometric2F1[-1/4, 1, 3/4, -Tan[c + d*x]^2]*Tan[c + d*x] - 2*b*(A*b + 2*a*B + 3*b*B*Tan[c + d*x]))/(3*d*Tan[c + d*x]^(3/2))

Maple [B] time = 0.025, size = 710, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] -4/d*a/tan(d*x+c)^(1/2)*A*b-2/d*a^2/tan(d*x+c)^(1/2)*B-2/3*a^2*A/d/tan(d*x+c)^(3/2)-1/2/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/4/d*a^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/4/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2-1/2/d*a^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))

$$\begin{aligned} &)^{(1/2)}+1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^2+1/d*B*2^{(1/2)} \\ &)*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b+1/2/d*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/ \\ &*(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b+1/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b-1/2/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/ \\ &*(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b-1/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b-1/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b-1/4/d*a^2*B*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/ \\ &*(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+1/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/ \\ &*(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^2-1/2/d*a^2*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+ \\ &1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^2-1/2/d*a^2*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})+1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^2 \end{aligned}$$

Maxima [A] time = 1.69539, size = 335, normalized size = 1.18

$$6\sqrt{2}\left((A+B)a^2+2(A-B)ab-(A+B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+2\sqrt{\tan(dx+c)}\right)\right)+6\sqrt{2}\left((A+B)a^2+2(A-B)ab\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} &-1/12*(6*\sqrt{2}*((A+B)*a^2+2*(A-B)*a*b-(A+B)*b^2)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2*\sqrt{\tan(d*x+c)})))+6*\sqrt{2}*((A+B)*a^2+2*(A-B)*a*b-(A+B)*b^2)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2*\sqrt{\tan(d*x+c)})))+ \\ &3*\sqrt{2}*((A-B)*a^2-2*(A+B)*a*b-(A-B)*b^2)*\log(\sqrt{2}*\sqrt{\tan(d*x+c)}+\tan(d*x+c)+1)-3*\sqrt{2}*((A-B)*a^2-2*(A+B)*a*b-(A-B)*b^2)*\log(-\sqrt{2}*\sqrt{\tan(d*x+c)}+\tan(d*x+c)+1)+8*(A*a^2+3*(B*a^2+2*A*a*b)*\tan(d*x+c))/\tan(d*x+c)^{(3/2)}/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A+B \tan(c+dx))(a+b \tan(c+dx))^2}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2/tan(c + d*x)**(5/2), x)

Giac [A] time = 1.51921, size = 473, normalized size = 1.67

$$\frac{(\sqrt{2}Aa^2 + \sqrt{2}Ba^2 + 2\sqrt{2}Aab - 2\sqrt{2}Bab - \sqrt{2}Ab^2 - \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx + c)})\right)}{2d} \frac{(\sqrt{2}Aa^2 + \sqrt{2}Bb^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*A*a^2 + \sqrt{2}*B*a^2 + 2*\sqrt{2}*A*a*b - 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 - \sqrt{2}*B*b^2)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)})))/d \\ & - 1/2*(\sqrt{2}*A*a^2 + \sqrt{2}*B*a^2 + 2*\sqrt{2}*A*a*b - 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 - \sqrt{2}*B*b^2)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)})))/d \\ & - 1/4*(\sqrt{2}*A*a^2 - \sqrt{2}*B*a^2 - 2*\sqrt{2}*A*a*b - 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 + \sqrt{2}*B*b^2)*\log(\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/d \\ & + 1/4*(\sqrt{2}*A*a^2 - \sqrt{2}*B*a^2 - 2*\sqrt{2}*A*a*b - 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 + \sqrt{2}*B*b^2)*\log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/d \\ & - 2/3*(3*B*a^2*\tan(d*x + c) + 6*A*a*b*\tan(d*x + c) + A*a^2)/(d*\tan(d*x + c)^(3/2)) \end{aligned}$$

$$3.391 \quad \int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=317

$$\frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}}{\sqrt{2}d}$$

```
[Out] -(((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*d)) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Arc
Tan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A
+ B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2
*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*
Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a^2*A)/(5*d*Tan[c +
d*x]^(5/2)) - (2*a*(2*A*b + a*B))/(3*d*Tan[c + d*x]^(3/2)) + (2*(a^2*A - A*
b^2 - 2*a*b*B))/(d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.445564, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3604, 3628, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \frac{(a^2(A-B) - 2ab(A+B) - b^2(A-B)) \tan^{-1}}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]
```

```
[Out] -(((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*d)) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Arc
Tan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A
+ B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2
*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*
Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a^2*A)/(5*d*Tan[c +
d*x]^(5/2)) - (2*a*(2*A*b + a*B))/(3*d*Tan[c + d*x]^(3/2)) + (2*(a^2*A - A*
b^2 - 2*a*b*B))/(d*Sqrt[Tan[c + d*x]])
```

Rule 3604

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f
_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_)), x_Symbol] :> -Simp
[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c
^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*S
imp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c +
2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*T
an[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c
- a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
```

C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^2 (A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx &= -\frac{2a^2 A}{5d \tan^{\frac{5}{2}}(c + dx)} + \int \frac{a(2Ab + aB) - (a^2 A - Ab^2 - 2abB) \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)} dx \\
 &= -\frac{2a^2 A}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \int \frac{-a^2 A + Ab^2 + 2abB + (b^2 A - a^2 B) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= -\frac{2a^2 A}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(a^2 A - Ab^2 - 2abB)}{d \sqrt{\tan(c + dx)}} + \int \frac{2(a^2 B - Ab^2 - 2abA) \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= -\frac{2a^2 A}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(a^2 A - Ab^2 - 2abB)}{d \sqrt{\tan(c + dx)}} + \frac{2(a^2 B - Ab^2 - 2abA)}{d \sqrt{\tan(c + dx)}} \\
 &= -\frac{2a^2 A}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(a^2 A - Ab^2 - 2abB)}{d \sqrt{\tan(c + dx)}} + \frac{2(a^2 B - Ab^2 - 2abA)}{d \sqrt{\tan(c + dx)}} \\
 &= -\frac{2a^2 A}{5d \tan^{\frac{5}{2}}(c + dx)} - \frac{2a(2Ab + aB)}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(a^2 A - Ab^2 - 2abB)}{d \sqrt{\tan(c + dx)}} + \frac{2(a^2 B - Ab^2 - 2abA)}{d \sqrt{\tan(c + dx)}} \\
 &= \frac{(2ab(A - B) + a^2(A + B) - b^2(A + B)) \log(1 - \sqrt{2} \sqrt{\tan(c + dx)} + \tan(c + dx))}{2\sqrt{2}d} \\
 &= -\frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \tan^{-1}(1 - \sqrt{2} \sqrt{\tan(c + dx)})}{\sqrt{2}d}
 \end{aligned}$$

Mathematica [C] time = 0.597168, size = 120, normalized size = 0.38

$$\frac{2 \left((-3a^2 A + 6abB + 3Ab^2) \text{Hypergeometric2F1} \left(-\frac{5}{4}, 1, -\frac{1}{4}, -\tan^2(c + dx) \right) - 5(a^2 B + 2aAb - b^2 B) \tan(c + dx) \right)}{15d \tan^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (2*((-3*a^2*A + 3*A*b^2 + 6*a*b*B)*Hypergeometric2F1[-5/4, 1, -1/4, -Tan[c + d*x]^2] - 5*(2*a*A*b + a^2*B - b^2*B)*Hypergeometric2F1[-3/4, 1, 1/4, -Tan[c + d*x]^2]*Tan[c + d*x] - b*(3*A*b + 6*a*B + 5*b*B*Tan[c + d*x])))/(15*d*Tan[c + d*x]^(5/2))

Maple [B] time = 0.029, size = 762, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

[Out] 2*a^2*A/d/tan(d*x+c)^(1/2)-2/d/tan(d*x+c)^(1/2)*A*b^2-4/d/tan(d*x+c)^(1/2)*B*a*b-4/3/d*a/tan(d*x+c)^(3/2)*A*b-2/3/d*a^2/tan(d*x+c)^(3/2)*B-2/5*a^2*A/d/tan(d*x+c)^(5/2)-1/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d*

```

A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/2/d*A*2^(1/2)*ln((1+2^(
1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*
a*b-1/2/d*a^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))+1/2/d*B*2^(1/2)*
arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/2/d*a^2*B*arctan(-1+2^(1/2)*tan(d*
x+c)^(1/2))*2^(1/2)+1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2
-1/4/d*a^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*
tan(d*x+c)^(1/2)+tan(d*x+c)))+1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2
)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/4/d*a^2*A*ln((
1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+
c)))*2^(1/2)-1/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+
2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/2/d*a^2*A*2^(1/2)*arctan(1+2^(1
/2)*tan(d*x+c)^(1/2))-1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^
2+1/2/d*a^2*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*A*2^(1/2)*a
rctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/2/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*
x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b-1/d*B*2
^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d*B*2^(1/2)*arctan(-1+2^(1/
2)*tan(d*x+c)^(1/2))*a*b

```

Maxima [A] time = 1.82011, size = 373, normalized size = 1.18

$$30\sqrt{2}\left((A-B)a^2 - 2(A+B)ab - (A-B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + 2\sqrt{\tan(dx+c)}\right)\right) + 30\sqrt{2}\left((A-B)a^2 - 2(A+B)ab - (A-B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} - 2\sqrt{\tan(dx+c)}\right)\right) - 15\sqrt{2}\left((A+B)a^2 + 2(A-B)ab - (A+B)b^2\right)\log\left(\sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c) + 1\right) - 15\sqrt{2}\left((A+B)a^2 + 2(A-B)ab - (A+B)b^2\right)\log\left(-\sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c) + 1\right) - 8\left(3Aa^2 - 15(Aa^2 - 2Bab - Ab^2)\tan(dx+c)^2 + 5(Ba^2 + 2Aab)\tan(dx+c)\right)/\tan(dx+c)^{(5/2)}/d$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm
="maxima")

```

```

[Out] 1/60*(30*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(1/2*sqrt
(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 30*sqrt(2)*((A - B)*a^2 - 2*(A + B
)*a*b - (A - B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))
- 15*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(sqrt(2)*sqrt(t
an(d*x + c)) + tan(d*x + c) + 1) + 15*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b
- (A + B)*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - 8*(3*A
*a^2 - 15*(A*a^2 - 2*B*a*b - A*b^2)*tan(d*x + c)^2 + 5*(B*a^2 + 2*A*a*b)*ta
n(d*x + c))/tan(d*x + c)^(5/2))/d

```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm
="fricas")

```

```

[Out] Timed out

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^2}{\tan^{\frac{7}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**2*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2/tan(c + d*x)**(7/2), x)

Giac [A] time = 1.58846, size = 529, normalized size = 1.67

$$\frac{(\sqrt{2}Aa^2 - \sqrt{2}Ba^2 - 2\sqrt{2}Aab - 2\sqrt{2}Bab - \sqrt{2}Ab^2 + \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2d} + \frac{(\sqrt{2}Aa^2 - \sqrt{2}Ba^2 - 2\sqrt{2}Aab - 2\sqrt{2}Bab - \sqrt{2}Ab^2 + \sqrt{2}Bb^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 1/2*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d - 1/4*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 1/4*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b - 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 2/15*(15*A*a^2*tan(d*x + c)^2 - 30*B*a*b*tan(d*x + c)^2 - 15*A*b^2*tan(d*x + c)^2 - 5*B*a^2*tan(d*x + c) - 10*A*a*b*tan(d*x + c) - 3*A*a^2)/(d*tan(d*x + c)^(5/2))

$$3.392 \quad \int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=463

$$\frac{2b(22a^2B + 27aAb - 9b^2B) \tan^{\frac{5}{2}}(c + dx)}{45d} + \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(3a^2b(A - B) + a^3(A + B))}{d}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) + (2*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Sqrt[Tan[c + d*x]]/d + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*b*(27*a*A*b + 22*a^2*B - 9*b^2*B)*Tan[c + d*x]^(5/2))/(45*d) + (2*b^2*(9*A*b + 13*a*B)*Tan[c + d*x]^(7/2))/(63*d) + (2*b*B*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2)/(9*d)
```

Rubi [A] time = 0.91742, antiderivative size = 463, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3607, 3637, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2b(22a^2B + 27aAb - 9b^2B) \tan^{\frac{5}{2}}(c + dx)}{45d} + \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{(3a^2b(A - B) + a^3(A + B))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) + (2*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Sqrt[Tan[c + d*x]]/d + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Tan[c + d*x]^(3/2))/(3*d) + (2*b*(27*a*A*b + 22*a^2*B - 9*b^2*B)*Tan[c + d*x]^(5/2))/(45*d) + (2*b^2*(9*A*b + 13*a*B)*Tan[c + d*x]^(7/2))/(63*d) + (2*b*B*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2)/(9*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
```

& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))

Rule 3637

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]

Rule 3630

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned} \int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{2bB \tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^2}{9d} + \frac{2}{9} \int \tan^{\frac{3}{2}}(c + dx) \\ &= \frac{2b^2(9Ab + 13aB) \tan^{\frac{7}{2}}(c + dx)}{63d} + \frac{2bB \tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))}{9d} \\ &= \frac{2b(27aAb + 22a^2B - 9b^2B) \tan^{\frac{5}{2}}(c + dx)}{45d} + \frac{2b^2(9Ab + 13aB) \tan^{\frac{3}{2}}(c + dx)}{9d} \\ &= \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} + \frac{2b(27aAb + 22a^2B - 9b^2B) \tan^{\frac{1}{2}}(c + dx)}{9d} \\ &= \frac{2(a^3A - 3aAb^2 - 3a^2bB + b^3B) \sqrt{\tan(c + dx)}}{d} + \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\ &= \frac{2(a^3A - 3aAb^2 - 3a^2bB + b^3B) \sqrt{\tan(c + dx)}}{d} + \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\ &= \frac{2(a^3A - 3aAb^2 - 3a^2bB + b^3B) \sqrt{\tan(c + dx)}}{d} + \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\ &= \frac{2(a^3A - 3aAb^2 - 3a^2bB + b^3B) \sqrt{\tan(c + dx)}}{d} + \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\ &= \frac{2(a^3A - 3aAb^2 - 3a^2bB + b^3B) \sqrt{\tan(c + dx)}}{d} + \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \tan^{\frac{3}{2}}(c + dx)}{3d} \\ &= \frac{(a^3(A - B) - 3ab^2(A - B) - 3a^2b(A + B) + b^3(A + B)) \log(\tan(c + dx))}{2\sqrt{2}d} \\ &= \frac{(3a^2b(A - B) - b^3(A - B) + a^3(A + B) - 3ab^2(A + B)) \tan^{\frac{3}{2}}(c + dx)}{\sqrt{2}d} \end{aligned}$$

Mathematica [C] time = 3.58508, size = 221, normalized size = 0.48

$$2 \left(7b(22a^2B + 27aAb - 9b^2B) \tan^{\frac{5}{2}}(c + dx) + 5b^2(13aB + 9Ab) \tan^{\frac{7}{2}}(c + dx) + \frac{105}{2}(a - ib)^3(B + iA) (-3(-1)^{3/4} \tan^{-1}(\dots) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] (2*(7*b*(27*a*A*b + 22*a^2*B - 9*b^2*B)*Tan[c + d*x]^(5/2) + 5*b^2*(9*A*b +
13*a*B)*Tan[c + d*x]^(7/2) + 35*b*B*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x]
)^2 + (105*(a - I*b)^3*(I*A + B)*(-3*(-1)^(3/4)*ArcTan[(-1)^(3/4)*Sqrt[Tan[
c + d*x]]) + Sqrt[Tan[c + d*x]]*(-3*I + Tan[c + d*x])))/2 + (105*(a + I*b)^
3*((-I)*A + B)*(3*(-1)^(3/4)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]) + Sqrt[
Tan[c + d*x]]*(3*I + Tan[c + d*x]))/2))/(315*d)
```

Maple [B] time = 0.026, size = 1147, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)
```

```
[Out] -1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^3-1/2/d*B*2^(1/2)*ar
ctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^3-3/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d
*x+c)^(1/2))*a^2*b+3/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2
+3/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2+2/3/d*a^3*B*tan(
d*x+c)^(3/2)+3/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b-1/2/
d*a^3*A*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d*a^3*A*arctan(-1+2^
(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/4/d*a^3*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c
)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))-1/4/d*a^3*B*ln
((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*
x+c)))*2^(1/2)-1/2/d*a^3*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-1/2/d
*a^3*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)-2/3/d*A*tan(d*x+c)^(3/2)
*b^3+2/d*B*b^3*tan(d*x+c)^(1/2)+2/7/d*A*tan(d*x+c)^(7/2)*b^3+2/9/d*B*b^3*ta
n(d*x+c)^(9/2)-2/5/d*B*b^3*tan(d*x+c)^(5/2)-3/4/d*A*2^(1/2)*ln((1-2^(1/2)*t
an(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2*b+
3/4/d*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d
*x+c)^(1/2)+tan(d*x+c)))*a*b^2+3/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(
1/2))*a^2*b+3/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+
2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b^2+3/2/d*B*2^(1/2)*arctan(-1+2^(1/
2)*tan(d*x+c)^(1/2))*a*b^2+2*a^3*A*tan(d*x+c)^(1/2)/d-3/2/d*A*2^(1/2)*arcta
n(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b+3/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d
*x+c)^(1/2))*a*b^2+3/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c
)))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2*b-6/d*A*a*b^2*tan(d*x+c)^(1
/2)+6/7/d*B*tan(d*x+c)^(7/2)*a*b^2-1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c
)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^3-2/d*B*tan(d
*x+c)^(3/2)*a*b^2+1/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c
)))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^3+1/2/d*A*2^(1/2)*arctan(-1+2^
(1/2)*tan(d*x+c)^(1/2))*b^3+1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/
2))*b^3-6/d*B*a^2*b*tan(d*x+c)^(1/2)+6/5/d*A*tan(d*x+c)^(5/2)*a*b^2+6/5/d*B
*tan(d*x+c)^(5/2)*a^2*b+2/d*A*tan(d*x+c)^(3/2)*a^2*b
```

Maxima [A] time = 1.71492, size = 537, normalized size = 1.16

$$280 B b^3 \tan(dx + c)^{\frac{9}{2}} + 360 (3 B a b^2 + A b^3) \tan(dx + c)^{\frac{7}{2}} + 504 (3 B a^2 b + 3 A a b^2 - B b^3) \tan(dx + c)^{\frac{5}{2}} - 630 \sqrt{2} (A$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] 1/1260*(280*B*b^3*tan(d*x + c)^(9/2) + 360*(3*B*a*b^2 + A*b^3)*tan(d*x + c)
^(7/2) + 504*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)*tan(d*x + c)^(5/2) - 630*sqrt(
2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(1
/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) - 630*sqrt(2)*((A + B)*a^3 + 3
*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2)
) - 2*sqrt(tan(d*x + c)))) - 315*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3
*(A - B)*a*b^2 + (A + B)*b^3)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c)
+ 1) + 315*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A +
B)*b^3)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 840*(B*a^3 +
3*A*a^2*b - 3*B*a*b^2 - A*b^3)*tan(d*x + c)^(3/2) + 2520*(A*a^3 - 3*B*a^2*
b - 3*A*a*b^2 + B*b^3)*sqrt(tan(d*x + c)))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)
```

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

[Out] Timed out

$$3.393 \quad \int \sqrt{\tan(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx))} dx$$

Optimal. Leaf size=421

$$\frac{2b(18a^2B + 21aAb - 7b^2B) \tan^{\frac{3}{2}}(c + dx)}{21d} - \frac{(-3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) + b^3(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d}$$

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Tan[c + d*x]])/d + (2*b*(21*a*A*b + 18*a^2*B - 7*b^2*B)*Tan[c + d*x]^(3/2))/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Tan[c + d*x]^(5/2))/(35*d) + (2*b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2)/(7*d)
```

Rubi [A] time = 0.745043, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3607, 3637, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2b(18a^2B + 21aAb - 7b^2B) \tan^{\frac{3}{2}}(c + dx)}{21d} - \frac{(-3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) + b^3(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Tan[c + d*x]])/d + (2*b*(21*a*A*b + 18*a^2*B - 7*b^2*B)*Tan[c + d*x]^(3/2))/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Tan[c + d*x]^(5/2))/(35*d) + (2*b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2)/(7*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3637

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*
(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*
(x_)])^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp
[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d
*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] &&
!LtQ[n, -1]
```

Rule 3630

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)])^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp
[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx &= \frac{2bB \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2}{7d} + \frac{2}{7} \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx \\ &= \frac{2b^2(7Ab+11aB) \tan^{\frac{5}{2}}(c+dx)}{35d} + \frac{2bB \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2}{7d} \\ &= \frac{2b(21aAb+18a^2B-7b^2B) \tan^{\frac{3}{2}}(c+dx)}{21d} + \frac{2b^2(7Ab+11aB) \tan^{\frac{5}{2}}(c+dx)}{35d} \\ &= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(21aAb+18a^2B-7b^2B) \tan^{\frac{3}{2}}(c+dx)}{21d} \\ &= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(21aAb+18a^2B-7b^2B) \tan^{\frac{3}{2}}(c+dx)}{21d} \\ &= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(21aAb+18a^2B-7b^2B) \tan^{\frac{3}{2}}(c+dx)}{21d} \\ &= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\tan(c+dx)}}{d} + \frac{2b(21aAb+18a^2B-7b^2B) \tan^{\frac{3}{2}}(c+dx)}{21d} \\ &= \frac{(3a^2b(A-B)-b^3(A-B)+a^3(A+B)-3ab^2(A+B))}{2\sqrt{2}d} \\ &= -\frac{(a^3(A-B)-3ab^2(A-B)-3a^2b(A+B)+b^3(A+B))}{\sqrt{2}d} \end{aligned}$$

Mathematica [C] time = 2.02784, size = 197, normalized size = 0.47

$$2 \left(5b(18a^2B+21aAb-7b^2B) \tan^{\frac{3}{2}}(c+dx) + 3b^2(11aB+7Ab) \tan^{\frac{5}{2}}(c+dx) + \frac{105}{2}(a-ib)^3(B+iA) \left(\sqrt[4]{-1} \tan^{-1}((-1)^{\frac{1}{4}} \sqrt{\tan(c+dx)}) \right) \right) / \sqrt{2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (2*((105*(a - I*b)^3*(I*A + B)*((-1)^(1/4)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + Sqrt[Tan[c + d*x]]))/2 + (105*(a + I*b)^3*((-I)*A + B)*((-1)^(1/4)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + Sqrt[Tan[c + d*x]]))/2 + 5*b*(21*a

$*A*b + 18*a^2*B - 7*b^2*B)*\text{Tan}[c + d*x]^{(3/2)} + 3*b^2*(7*A*b + 11*a*B)*\text{Tan}[c + d*x]^{(5/2)} + 15*b*B*\text{Tan}[c + d*x]^{(3/2)}*(a + b*\text{Tan}[c + d*x])^2)/(105*d)$

Maple [B] time = 0.023, size = 1077, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)`

[Out] $1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3+1/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3-3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b+3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2-3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2-6/d*B*a*b^2*\tan(d*x+c)^{(1/2)}-1/4/d*a^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))+1/4/d*a^3*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}-2/d*A*b^3*\tan(d*x+c)^{(1/2)}+2/5/d*A*\tan(d*x+c)^{(5/2)}*b^3+2/7/d*B*b^3*\tan(d*x+c)^{(7/2)}-2/3/d*B*\tan(d*x+c)^{(3/2)}*b^3-3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b+1/2/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b+3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2+2*a^3*B*\tan(d*x+c)^{(1/2)}/d-3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b-3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2+1/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3-3/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b-3/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b+3/4/d*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^2+6/5/d*B*\tan(d*x+c)^{(5/2)}*a*b^2+2/d*A*\tan(d*x+c)^{(3/2)}*a*b^2+2/d*B*\tan(d*x+c)^{(3/2)}*a^2*b-3/4/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^2+6/d*A*\tan(d*x+c)^{(1/2)}*a^2*b$

Maxima [A] time = 1.7598, size = 490, normalized size = 1.16

$120 B b^3 \tan(dx + c)^{\frac{7}{2}} + 168 (3 B a b^2 + A b^3) \tan(dx + c)^{\frac{5}{2}} + 210 \sqrt{2} ((A - B) a^3 - 3 (A + B) a^2 b - 3 (A - B) a b^2 + (A + B) b^3)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $1/420*(120*B*b^3*\tan(d*x + c)^{(7/2)} + 168*(3*B*a*b^2 + A*b^3)*\tan(d*x + c)^{(5/2)} + 210*\text{sqrt}(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2) + 2*\text{sqrt}(\tan(d*x + c)))) + 210*\text{sqrt}(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*\arctan(-1/$

$$2\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx + c)}) - 105\sqrt{2}((A + B)a^3 + 3(A - B)a^2b - 3(A + B)ab^2 - (A - B)b^3)\log(\sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c) + 1) + 105\sqrt{2}((A + B)a^3 + 3(A - B)a^2b - 3(A + B)ab^2 - (A - B)b^3)\log(-\sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c) + 1) + 280(3Ba^2b + 3Aab^2 - Bb^3)\tan(dx + c)^{3/2} + 840(Ba^3 + 3Aa^2b - 3Bab^2 - Ab^3)\sqrt{\tan(dx + c)}/d$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(a+b*tan(dx+c))**3*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.394 \quad \int \frac{(a+b \tan(c+dx))^3 (A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=380

$$\frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}$$

```
[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*(15*a*A*b + 14*a^2*B - 5*b^2*B)*Sqrt[Tan[c + d*x]])/(5*d) + (2*b^2*(5*A*b + 9*a*B)*Tan[c + d*x]^(3/2))/(15*d) + (2*b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2)/(5*d)
```

Rubi [A] time = 0.666732, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3607, 3637, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} + \frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]
```

```
[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*(15*a*A*b + 14*a^2*B - 5*b^2*B)*Sqrt[Tan[c + d*x]])/(5*d) + (2*b^2*(5*A*b + 9*a*B)*Tan[c + d*x]^(3/2))/(15*d) + (2*b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2)/(5*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3637

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*
(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f
_)*(x_)]^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp
[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d
*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] &&
!LtQ[n, -1]
```

Rule 3630

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_)
+ (f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp
[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^3 (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2}{5d} + \frac{2}{5} \int \frac{(a + b \tan(c + dx)) \left(\frac{1}{2}a(5\right.}{\sqrt{\tan(c + dx)}} \\
&= \frac{2b^2(5Ab + 9aB) \tan^{\frac{3}{2}}(c + dx)}{15d} + \frac{2bB\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2}{5d} \\
&= \frac{2b(15aAb + 14a^2B - 5b^2B) \sqrt{\tan(c + dx)}}{5d} + \frac{2b^2(5Ab + 9aB) \tan^{\frac{3}{2}}(c + dx)}{15d} \\
&= \frac{2b(15aAb + 14a^2B - 5b^2B) \sqrt{\tan(c + dx)}}{5d} + \frac{2b^2(5Ab + 9aB) \tan^{\frac{3}{2}}(c + dx)}{15d} \\
&= \frac{2b(15aAb + 14a^2B - 5b^2B) \sqrt{\tan(c + dx)}}{5d} + \frac{2b^2(5Ab + 9aB) \tan^{\frac{3}{2}}(c + dx)}{15d} \\
&= \frac{2b(15aAb + 14a^2B - 5b^2B) \sqrt{\tan(c + dx)}}{5d} + \frac{2b^2(5Ab + 9aB) \tan^{\frac{3}{2}}(c + dx)}{15d} \\
&= -\frac{(a^3(A - B) - 3ab^2(A - B) - 3a^2b(A + B) + b^3(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}d} \\
&= -\frac{(3a^2b(A - B) - b^3(A - B) + a^3(A + B) - 3ab^2(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 1.45073, size = 153, normalized size = 0.4

$$\frac{2b\sqrt{\tan(c + dx)} \left(15(3a^2B + 3aAb - b^2B) + 5b(3aB + Ab) \tan(c + dx) + 3b^2B \tan^2(c + dx)\right) - 15\sqrt[4]{-1}(a - ib)^3(A - iB) \tan(c + dx)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],
x]
```

```
[Out] (-15*(-1)^(1/4)*(a - I*b)^3*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]
- 15*(-1)^(1/4)*(a + I*b)^3*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]
]] + 2*b*Sqrt[Tan[c + d*x]]*(15*(3*a*A*b + 3*a^2*B - b^2*B) + 5*b*(A*b + 3*
a*B)*Tan[c + d*x] + 3*b^2*B*Tan[c + d*x]^2))/(15*d)
```

Maple [B] time = 0.022, size = 1007, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)
```



```
[Out] 1/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^3+1/2/d*B*2^(1/2)*arc
tan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^3+3/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*
x+c)^(1/2))*a^2*b-3/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2-
3/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2-3/2/d*B*2^(1/2)*a
rctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b+1/2/d*a^3*A*arctan(1+2^(1/2)*tan(d
*x+c)^(1/2))*2^(1/2)+1/2/d*a^3*A*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2
)+1/4/d*a^3*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)
*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/4/d*a^3*B*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+t
an(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*2^(1/2)+1/2/d*a^3*B*arc
tan(1+2^(1/2)*tan(d*x+c)^(1/2))*2^(1/2)+1/2/d*a^3*B*arctan(-1+2^(1/2)*tan(d
*x+c)^(1/2))*2^(1/2)+2/3/d*A*tan(d*x+c)^(3/2)*b^3-2/d*B*b^3*tan(d*x+c)^(1/2
)+2/5/d*B*b^3*tan(d*x+c)^(5/2)+3/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/
2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2*b-3/4/d*A*2^(1/
2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+t
an(d*x+c)))*a*b^2-3/2/d*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b-
3/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d
*x+c)^(1/2)+tan(d*x+c)))*a*b^2-3/2/d*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)
^(1/2))*a*b^2+3/2/d*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b-3/2
/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2-3/4/d*B*2^(1/2)*ln((1
+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c
)))*a^2*b+6/d*A*a*b^2*tan(d*x+c)^(1/2)+1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*
x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^3+2/d*B*t
an(d*x+c)^(3/2)*a*b^2-1/4/d*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*
x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^3-1/2/d*A*2^(1/2)*arctan(-
1+2^(1/2)*tan(d*x+c)^(1/2))*b^3-1/2/d*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)
^(1/2))*b^3+6/d*B*a^2*b*tan(d*x+c)^(1/2)
```

Maxima [A] time = 1.63724, size = 441, normalized size = 1.16

$$24 B b^3 \tan(dx + c)^{\frac{5}{2}} + 30 \sqrt{2} \left((A + B) a^3 + 3(A - B) a^2 b - 3(A + B) a b^2 - (A - B) b^3 \right) \arctan \left(\frac{1}{2} \sqrt{2} (\sqrt{2} + 2 \sqrt{\tan(dx + c)}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] 1/60*(24*B*b^3*tan(d*x + c)^(5/2) + 30*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2
*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(ta
n(d*x + c)))) + 30*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2
- (A - B)*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + 15*
sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*log
(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - 15*sqrt(2)*((A - B)*a^3 -
3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*log(-sqrt(2)*sqrt(tan(d*x
+ c)) + tan(d*x + c) + 1) + 40*(3*B*a*b^2 + A*b^3)*tan(d*x + c)^(3/2) + 12
0*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)*sqrt(tan(d*x + c))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm
="fricas")
```

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^3}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3/sqrt(tan(c + d*x)), x)

Giac [A] time = 2.32477, size = 690, normalized size = 1.82

$$\frac{(\sqrt{2}Aa^3 + \sqrt{2}Ba^3 + 3\sqrt{2}Aa^2b - 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 - 3\sqrt{2}Bab^2 - \sqrt{2}Ab^3 + \sqrt{2}Bb^3) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx)})\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*A*a^3 + sqrt(2)*B*a^3 + 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 - 3*sqrt(2)*B*a*b^2 - sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 1/2*(sqrt(2)*A*a^3 + sqrt(2)*B*a^3 + 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 - 3*sqrt(2)*B*a*b^2 - sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + 1/4*(sqrt(2)*A*a^3 - sqrt(2)*B*a^3 - 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 + 3*sqrt(2)*B*a*b^2 + sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 1/4*(sqrt(2)*A*a^3 - sqrt(2)*B*a^3 - 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 + 3*sqrt(2)*B*a*b^2 + sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 2/15*(3*B*b^3*d^4*tan(d*x + c)^(5/2) + 15*B*a*b^2*d^4*tan(d*x + c)^(3/2) + 5*A*b^3*d^4*tan(d*x + c)^(3/2) + 45*B*a^2*b*d^4*sqrt(tan(d*x + c)) + 45*A*a*b^2*d^4*sqrt(tan(d*x + c)) - 15*B*b^3*d^4*sqrt(tan(d*x + c)))/d^5

$$3.395 \quad \int \frac{(a+b \tan(c+dx))^3 (A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=374

$$\frac{(-3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) + b^3(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(-3a^2b(A+B) + a^3(A-B))}{\sqrt{2d}}$$

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*(2*a^2*A + A*b^2 + 3*a*b*B)*Sqrt[Tan[c + d*x]])/d + (2*b^2*(3*a*A + b*B)*Tan[c + d*x]^(3/2))/(3*d) - (2*a*A*(a + b*Tan[c + d*x])^2)/(d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.675912, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3605, 3637, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) + b^3(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(-3a^2b(A+B) + a^3(A-B))}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]
```

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*b*(2*a^2*A + A*b^2 + 3*a*b*B)*Sqrt[Tan[c + d*x]])/d + (2*b^2*(3*a*A + b*B)*Tan[c + d*x]^(3/2))/(3*d) - (2*a*A*(a + b*Tan[c + d*x])^2)/(d*Sqrt[Tan[c + d*x]])
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3637

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*
(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*
(x_)])^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp
[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d
*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] &&
!LtQ[n, -1]
```

Rule 3630

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)])^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp
[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist
[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
 imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
 e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^3 (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^2}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{(a + b \tan(c + dx)) \left(\frac{1}{2}a(5Ab + aB)\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2b^2(3aA + bB) \tan^{\frac{3}{2}}(c + dx)}{3d} - \frac{2aA(a + b \tan(c + dx))^2}{d\sqrt{\tan(c + dx)}} - \frac{4}{3} \int \frac{-\frac{3}{4}a}{\tan^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2b(2a^2A + Ab^2 + 3abB) \sqrt{\tan(c + dx)}}{d} + \frac{2b^2(3aA + bB) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2b(2a^2A + Ab^2 + 3abB) \sqrt{\tan(c + dx)}}{d} + \frac{2b^2(3aA + bB) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2b(2a^2A + Ab^2 + 3abB) \sqrt{\tan(c + dx)}}{d} + \frac{2b^2(3aA + bB) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2b(2a^2A + Ab^2 + 3abB) \sqrt{\tan(c + dx)}}{d} + \frac{2b^2(3aA + bB) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= \frac{2b(2a^2A + Ab^2 + 3abB) \sqrt{\tan(c + dx)}}{d} + \frac{2b^2(3aA + bB) \tan^{\frac{3}{2}}(c + dx)}{3d} \\
 &= -\frac{(3a^2b(A - B) - b^3(A - B) + a^3(A + B) - 3ab^2(A + B)) \log(1 - \sqrt{2})}{2\sqrt{2}d} \\
 &= \frac{(a^3(A - B) - 3ab^2(A - B) - 3a^2b(A + B) + b^3(A + B)) \tan^{-1}(1 - \sqrt{2})}{\sqrt{2}d}
 \end{aligned}$$

Mathematica [C] time = 2.71736, size = 264, normalized size = 0.71

$$-3 \left(8(a^3A - 3a^2bB - 3aAb^2 + b^3B) \operatorname{Hypergeometric2F1} \left(-\frac{1}{4}, 1, \frac{3}{4}, -\tan^2(c + dx) \right) + \sqrt{2} (3a^2Ab + a^3B - 3ab^2B - \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] (8*b*(-12*a*A*b - 17*a^2*B + 3*b^2*B) - 3*(8*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Hypergeometric2F1[-1/4, 1, 3/4, -Tan[c + d*x]^2] + Sqrt[2]*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*(2*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - 2*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]] + Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])*Sqrt[Tan[c + d*x]] + 8*b*(3*A*b + 7*a*B)*(a + b*Tan[c + d*x]) + 8*b*B*(a + b*Tan[c + d*x])^2)/(12*d*Sqrt[Tan[c + d*x]])

Maple [B] time = 0.027, size = 971, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x)`

[Out]
$$\begin{aligned} & -1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3-1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3-1/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3-1/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3+3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b-3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2+3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2+6/d*B*a*b^2*\tan(d*x+c)^{(1/2)}+1/4/d*a^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))-1/4/d*a^3*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}+2/d*A*b^3*\tan(d*x+c)^{(1/2)}+2/3/d*B*\tan(d*x+c)^{(3/2)}*b^3+3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b-2/d*a^3*A/\tan(d*x+c)^{(1/2)}-1/2/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b-3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2+3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b+3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2-1/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3-1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+3/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b+3/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b-3/4/d*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^2+3/4/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^2 \end{aligned}$$

Maxima [A] time = 1.83901, size = 419, normalized size = 1.12

$$8Bb^3 \tan(dx+c)^{\frac{3}{2}} - \frac{24Aa^3}{\sqrt{\tan(dx+c)}} - 6\sqrt{2}\left((A-B)a^3 - 3(A+B)a^2b - 3(A-B)ab^2 + (A+B)b^3\right) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/12*(8*B*b^3*\tan(d*x+c)^{(3/2)} - 24*A*a^3/\sqrt{\tan(d*x+c)} - 6*\sqrt{2}*((A-B)*a^3 - 3*(A+B)*a^2*b - 3*(A-B)*a*b^2 + (A+B)*b^3)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x+c)})) - 6*\sqrt{2}*((A-B)*a^3 - 3*(A+B)*a^2*b - 3*(A-B)*a*b^2 + (A+B)*b^3)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x+c)})) + 3*\sqrt{2}*((A+B)*a^3 + 3*(A-B)*a^2*b - 3*(A+B)*a*b^2 - (A-B)*b^3)*\log(\sqrt{2}*\sqrt{\tan(d*x+c)} + \tan(d*x+c) + 1) - 3*\sqrt{2}*((A+B)*a^3 + 3*(A-B)*a^2*b - 3*(A+B)*a*b^2 - (A-B)*b^3)*\log(-\sqrt{2}*\sqrt{\tan(d*x+c)} + \tan(d*x+c) + 1) + 24*(3*B*a*b^2 + A*b^3)*\sqrt{\tan(d*x+c)}/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^3}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3/tan(c + d*x)**(3/2), x)

Giac [A] time = 1.92708, size = 640, normalized size = 1.71

$$\frac{2 A a^3}{d \sqrt{\tan(dx + c)}} - \frac{(\sqrt{2} A a^3 - \sqrt{2} B a^3 - 3 \sqrt{2} A a^2 b - 3 \sqrt{2} B a^2 b - 3 \sqrt{2} A a b^2 + 3 \sqrt{2} B a b^2 + \sqrt{2} A b^3 + \sqrt{2} B b^3) \arctan\left(\frac{\sqrt{2} A a^3 - \sqrt{2} B a^3 - 3 \sqrt{2} A a^2 b - 3 \sqrt{2} B a^2 b - 3 \sqrt{2} A a b^2 + 3 \sqrt{2} B a b^2 + \sqrt{2} A b^3 + \sqrt{2} B b^3}{2 d}\right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -2 A a^3 / (d \sqrt{\tan(dx + c)}) - 1/2 * (\sqrt{2} A a^3 - \sqrt{2} B a^3 - 3 \sqrt{2} A a^2 b - 3 \sqrt{2} B a^2 b - 3 \sqrt{2} A a b^2 + 3 \sqrt{2} B a b^2 + \sqrt{2} A b^3 + \sqrt{2} B b^3) \arctan(1/2 * \sqrt{2} * (\sqrt{2} + 2 * \sqrt{\tan(dx + c)})) / d \\ & - 1/2 * (\sqrt{2} A a^3 - \sqrt{2} B a^3 - 3 \sqrt{2} A a^2 b - 3 \sqrt{2} B a^2 b - 3 \sqrt{2} A a b^2 + 3 \sqrt{2} B a b^2 + \sqrt{2} A b^3 + \sqrt{2} B b^3) \arctan(-1/2 * \sqrt{2} * (\sqrt{2} - 2 * \sqrt{\tan(dx + c)})) / d \\ & + 1/4 * (\sqrt{2} A a^3 + \sqrt{2} B a^3 + 3 \sqrt{2} A a^2 b - 3 \sqrt{2} B a^2 b - 3 \sqrt{2} A a b^2 - 3 \sqrt{2} B a b^2 - \sqrt{2} A b^3 + \sqrt{2} B b^3) \log(\sqrt{2} * \sqrt{\tan(dx + c)} + \tan(dx + c) + 1) / d \\ & - 1/4 * (\sqrt{2} A a^3 + \sqrt{2} B a^3 + 3 \sqrt{2} A a^2 b - 3 \sqrt{2} B a^2 b - 3 \sqrt{2} A a b^2 - 3 \sqrt{2} B a b^2 - \sqrt{2} A b^3 + \sqrt{2} B b^3) \log(-\sqrt{2} * \sqrt{\tan(dx + c)} + \tan(dx + c) + 1) / d \\ & + 2/3 * (B b^3 d^2 \tan(dx + c)^{3/2} + 9 B a b^2 d^2 \sqrt{\tan(dx + c)} + 3 A b^3 d^2 \sqrt{\tan(dx + c)}) / d^3 \end{aligned}$$

$$3.396 \quad \int \frac{(a+b \tan(c+dx))^3 (A+B \tan(c+dx))}{5 \tan^2(c+dx)} dx$$

Optimal. Leaf size=372

$$\frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - (2*a^2*(7*A*b + 3*a*B))/(3*d*Sqrt[Tan[c + d*x]]) + (2*b^2*(a*A + 3*b*B)*Sqrt[Tan[c + d*x]]/(3*d) - (2*a*A*(a + b*Tan[c + d*x])^2)/(3*d*Tan[c + d*x]^(3/2))
```

Rubi [A] time = 0.611542, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3605, 3635, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} - \frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*d) - (2*a^2*(7*A*b + 3*a*B))/(3*d*Sqrt[Tan[c + d*x]]) + (2*b^2*(a*A + 3*b*B)*Sqrt[Tan[c + d*x]]/(3*d) - (2*a*A*(a + b*Tan[c + d*x])^2)/(3*d*Tan[c + d*x]^(3/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

Rule 3635


```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Si
mp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
```

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 628

`Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]`

Rubi steps

$$\int \frac{(a + b \tan(c + dx))^3 (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx = -\frac{2aA(a + b \tan(c + dx))^2}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + b \tan(c + dx)) \left(\frac{1}{2}a(7Ab + 3aB) - \dots\right)}{\dots} dx$$

$$= -\frac{2a^2(7Ab + 3aB)}{3d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^2}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{-\frac{1}{2}a(3a^2A - 10Ab^2 + 3a^2B)}{\dots} dx$$

$$= -\frac{2a^2(7Ab + 3aB)}{3d\sqrt{\tan(c + dx)}} + \frac{2b^2(aA + 3bB)\sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + b \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{2a^2(7Ab + 3aB)}{3d\sqrt{\tan(c + dx)}} + \frac{2b^2(aA + 3bB)\sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + b \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{2a^2(7Ab + 3aB)}{3d\sqrt{\tan(c + dx)}} + \frac{2b^2(aA + 3bB)\sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + b \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{2a^2(7Ab + 3aB)}{3d\sqrt{\tan(c + dx)}} + \frac{2b^2(aA + 3bB)\sqrt{\tan(c + dx)}}{3d} - \frac{2aA(a + b \tan(c + dx))}{3d \tan^{\frac{3}{2}}(c + dx)}$$

$$= \frac{(a^3(A - B) - 3ab^2(A - B) - 3a^2b(A + B) + b^3(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}d}$$

$$= \frac{(3a^2b(A - B) - b^3(A - B) + a^3(A + B) - 3ab^2(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d}$$

Mathematica [C] time = 1.22226, size = 165, normalized size = 0.44

$$\frac{2 \left((a^3 A - 3a^2 b B - 3a A b^2 + b^3 B) \operatorname{Hypergeometric2F1} \left(-\frac{3}{4}, 1, \frac{1}{4}, -\tan^2(c + dx) \right) + 3 (3a^2 A b + a^3 B - 3ab^2 B - Ab^3) \tan(c + dx) \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (-2*((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Hypergeometric2F1[-3/4, 1, 1/4, -Tan[c + d*x]^2] + 3*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Hypergeometric2F1[-1/4, 1, 3/4, -Tan[c + d*x]^2]*Tan[c + d*x] + b*(3*a*A*b + 3*a^2*B - b^2*B + 3*b*(A*b + 3*a*B)*Tan[c + d*x] - 3*b^2*B*Tan[c + d*x]^2))/(3*d*Tan[c + d*x]^(3/2))

Maple [B] time = 0.028, size = 971, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\tan(dx+c))^3*(A+B*\tan(dx+c))/\tan(dx+c)^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3-1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3-3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b+3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2+3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2+3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b-1/2/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}-1/4/d*a^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))-1/4/d*a^3*B*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*2^{(1/2)}-1/2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*2^{(1/2)}-2/3/d*a^3*A/\tan(dx+c)^{(3/2)}-2/d*a^3/\tan(dx+c)^{(1/2)}*B+2/d*B*b^3*\tan(dx+c)^{(1/2)}-3/4/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2*b+3/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b^2+3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b+3/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b^2+3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2-3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b+3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2+3/4/d*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2*b-1/4/d*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^3+1/4/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^3+1/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3+1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3-6/d*a^2/\tan(dx+c)^{(1/2)}*A*b \end{aligned}$$

Maxima [A] time = 1.67636, size = 419, normalized size = 1.13

$$24 B b^3 \sqrt{\tan(dx+c)} - 6 \sqrt{2} \left((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3 \right) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + 2\sqrt{\tan(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\tan(dx+c))^3*(A+B*\tan(dx+c))/\tan(dx+c)^{5/2}, x, \text{algorithm} = "maxima")$

[Out]
$$\begin{aligned} & 1/12*(24*B*b^3*\text{sqrt}(\tan(dx+c)) - 6*\text{sqrt}(2)*((A+B)*a^3 + 3*(A-B)*a^2*b - 3*(A+B)*a*b^2 - (A-B)*b^3)*\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2) + 2*\text{sqrt}(\tan(dx+c)))) - 6*\text{sqrt}(2)*((A+B)*a^3 + 3*(A-B)*a^2*b - 3*(A+B)*a*b^2 - (A-B)*b^3)*\arctan(-1/2*\text{sqrt}(2)*(\text{sqrt}(2) - 2*\text{sqrt}(\tan(dx+c)))) - 3*\text{sqrt}(2)*((A-B)*a^3 - 3*(A+B)*a^2*b - 3*(A-B)*a*b^2 + (A+B)*b^3)*\log(\text{sqrt}(2)*\text{sqrt}(\tan(dx+c)) + \tan(dx+c) + 1) + 3*\text{sqrt}(2)*((A-B)*a^3 - 3*(A+B)*a^2*b - 3*(A-B)*a*b^2 + (A+B)*b^3)*\log(-\text{sqrt}(2)*\text{sqrt}(\tan(dx+c)) + \tan(dx+c) + 1) - 8*(A*a^3 + 3*(B*a^3 + 3*A*a^2*b)*\tan(dx+c))/\tan(dx+c)^{(3/2)}/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^3}{\tan^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3/tan(c + d*x)**(5/2), x)

Giac [A] time = 1.67064, size = 622, normalized size = 1.67

$$\frac{2Bb^3\sqrt{\tan(dx+c)}}{d} - \frac{(\sqrt{2}Aa^3 + \sqrt{2}Ba^3 + 3\sqrt{2}Aa^2b - 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 - 3\sqrt{2}Bab^2 - \sqrt{2}Ab^3 + \sqrt{2}Bb^3)\arctan\left(\frac{\sqrt{2}Aa^3 + \sqrt{2}Ba^3 + 3\sqrt{2}Aa^2b - 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 - 3\sqrt{2}Bab^2 - \sqrt{2}Ab^3 + \sqrt{2}Bb^3}{2d}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] 2*B*b^3*sqrt(tan(d*x + c))/d - 1/2*(sqrt(2)*A*a^3 + sqrt(2)*B*a^3 + 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 - 3*sqrt(2)*B*a*b^2 - sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d - 1/2*(sqrt(2)*A*a^3 + sqrt(2)*B*a^3 + 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 - 3*sqrt(2)*B*a*b^2 - sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d - 1/4*(sqrt(2)*A*a^3 - sqrt(2)*B*a^3 - 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 + 3*sqrt(2)*B*a*b^2 + sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 1/4*(sqrt(2)*A*a^3 - sqrt(2)*B*a^3 - 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 + 3*sqrt(2)*B*a*b^2 + sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 2/3*(3*B*a^3*tan(d*x + c) + 9*A*a^2*b*tan(d*x + c) + A*a^3)/(d*tan(d*x + c)^(3/2))

$$3.397 \quad \int \frac{(a+b \tan(c+dx))^3 (A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=380

$$\frac{(-3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) + b^3(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} + \frac{(-3a^2b(A+B) + a^3(A-B))}{\sqrt{2d}}$$

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a^2*(9*A*b + 5*a*B))/(15*d*Tan[c + d*x]^(3/2)) + (2*a*(5*a^2*A - 14*A*b^2 - 15*a*b*B))/(5*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^2)/(5*d*Tan[c + d*x]^(5/2))
```

Rubi [A] time = 0.659335, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3605, 3635, 3628, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) + b^3(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}} + \frac{(-3a^2b(A+B) + a^3(A-B))}{\sqrt{2d}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]
```

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*a^2*(9*A*b + 5*a*B))/(15*d*Tan[c + d*x]^(3/2)) + (2*a*(5*a^2*A - 14*A*b^2 - 15*a*b*B))/(5*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^2)/(5*d*Tan[c + d*x]^(5/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3635

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]
```

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &&
EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
```

x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\int \frac{(a + b \tan(c + dx))^3 (A + B \tan(c + dx))}{\tan^{\frac{7}{2}}(c + dx)} dx = -\frac{2aA(a + b \tan(c + dx))^2}{5d \tan^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \tan(c + dx)) \left(\frac{1}{2}a(9Ab + 5a^2) - \dots\right)}{\dots} dx$$

(The rest of the derivation follows the same pattern of simplification and integration as shown in the image.)

Mathematica [C] time = 1.34563, size = 166, normalized size = 0.44

$$\frac{2 \left(3 \left(a^3 A - 3a^2 b B - 3aAb^2 + b^3 B \right) \text{Hypergeometric2F1} \left(-\frac{5}{4}, 1, -\frac{1}{4}, -\tan^2(c + dx) \right) + 5 \left(3a^2 Ab + a^3 B - 3ab^2 B - \dots \right) \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (-2*(3*(a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Hypergeometric2F1[-5/4, 1, -1/4, -Tan[c + d*x]^2] + 5*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Hypergeometric2F1[-3/4, 1, 1/4, -Tan[c + d*x]^2]*Tan[c + d*x] + b*(9*a*A*b + 9*a^2*B - 3*b^2*B + 5*b*(A*b + 3*a*B)*Tan[c + d*x] + 15*b^2*B*Tan[c + d*x]^2)))/(15*d*Tan[c + d*x]^(5/2))

Maple [B] time = 0.028, size = 1007, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x)`

[Out]
$$\begin{aligned} & -6/d*a^2/\tan(d*x+c)^{(1/2)}*B*b-6/d*a/\tan(d*x+c)^{(1/2)}*A*b^2-2/d*a^2/\tan(d*x+c)^{(3/2)}*A*b+1/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3+1/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3-3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b+3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2-3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2-1/4/d*a^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))+1/4/d*a^3*A*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*2^{(1/2)}-3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b-2/5/d*a^3*A/\tan(d*x+c)^{(5/2)}-2/3/d*a^3/\tan(d*x+c)^{(3/2)}*B+2/d*a^3*A/\tan(d*x+c)^{(1/2)}+1/2/d*a^3*A*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}+1/2/d*a^3*A*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*B*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-1/2/d*a^3*B*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*2^{(1/2)}-3/2/d*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b+3/2/d*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2-3/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b-3/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^2+1/2/d*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/2/d*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3-3/4/d*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b-3/4/d*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b+3/4/d*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^2-3/4/d*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^2 \end{aligned}$$

Maxima [A] time = 1.75453, size = 441, normalized size = 1.16

$$30\sqrt{2}((A-B)a^3-3(A+B)a^2b-3(A-B)ab^2+(A+B)b^3)\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right)+30\sqrt{2}((A-B)a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/60*(30*\sqrt{2})*((A-B)*a^3-3*(A+B)*a^2*b-3*(A-B)*a*b^2+(A+B)*b^3)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2*\sqrt{\tan(d*x+c)})))+30*\sqrt{2}*((A-B)*a^3-3*(A+B)*a^2*b-3*(A-B)*a*b^2+(A+B)*b^3)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2*\sqrt{\tan(d*x+c)})))-15*\sqrt{2}*((A+B)*a^3+3*(A-B)*a^2*b-3*(A+B)*a*b^2-(A-B)*b^3)*\log(\sqrt{2}*\sqrt{\tan(d*x+c)}+\tan(d*x+c)+1)+15*\sqrt{2}*((A+B)*a^3+3*(A-B)*a^2*b-3*(A+B)*a*b^2-(A-B)*b^3)*\log(-\sqrt{2}*\sqrt{\tan(d*x+c)}+\tan(d*x+c)+1)-8*(3*A*a^3-15*(A*a^3-3*B*a^2*b-3*A*a*b^2)*\tan(d*x+c)^2+5*(B*a^3+3*A*a^2*b)*\tan(d*x+c))/\tan(d*x+c)^(5/2))/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^3}{\tan^{\frac{7}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**3*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3/tan(c + d*x)**(7/2), x)

Giac [A] time = 1.69691, size = 660, normalized size = 1.74

$$\frac{(\sqrt{2}Aa^3 - \sqrt{2}Ba^3 - 3\sqrt{2}Aa^2b - 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 + 3\sqrt{2}Bab^2 + \sqrt{2}Ab^3 + \sqrt{2}Bb^3) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(c+dx)})\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*A*a^3 - sqrt(2)*B*a^3 - 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 + 3*sqrt(2)*B*a*b^2 + sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 1/2*(sqrt(2)*A*a^3 - sqrt(2)*B*a^3 - 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 + 3*sqrt(2)*B*a*b^2 + sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d - 1/4*(sqrt(2)*A*a^3 + sqrt(2)*B*a^3 + 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 - 3*sqrt(2)*B*a*b^2 - sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 1/4*(sqrt(2)*A*a^3 + sqrt(2)*B*a^3 + 3*sqrt(2)*A*a^2*b - 3*sqrt(2)*B*a^2*b - 3*sqrt(2)*A*a*b^2 - 3*sqrt(2)*B*a*b^2 - sqrt(2)*A*b^3 + sqrt(2)*B*b^3)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 2/15*(15*A*a^3*tan(d*x + c)^2 - 45*B*a^2*b*tan(d*x + c)^2 - 45*A*a*b^2*tan(d*x + c)^2 - 5*B*a^3*tan(d*x + c) - 15*A*a^2*b*tan(d*x + c) - 3*A*a^3)/(d*tan(d*x + c)^(5/2))

3.398
$$\int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=325

$$\frac{2a^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{5/2}d(a^2 + b^2)} + \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)} - \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)}$$

[Out] $((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*a^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(5/2)*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + (2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b^2*d) + (2*B*Tan[c + d*x]^(3/2))/(3*b*d)$

Rubi [A] time = 0.979272, antiderivative size = 325, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3607, 3647, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2a^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{5/2}d(a^2 + b^2)} + \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)} - \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Tan}[c + d*x]^{(5/2)}*(A + B*\text{Tan}[c + d*x]))/(a + b*\text{Tan}[c + d*x]), x]$

[Out] $((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*a^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(5/2)*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + (2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b^2*d) + (2*B*Tan[c + d*x]^(3/2))/(3*b*d)$

Rule 3607

$\text{Int}[(a_. + b_.)*\text{tan}[(e_. + (f_.)*(x_.))]^{(m_.)}*((A_. + (B_.)*\text{tan}[(e_. + (f_.)*(x_.)])^{(n_.)}), x_Symbol] :> \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m - 1)}*(c + d*\text{Tan}[e + f*x])^{(n + 1)})/(d*f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 2)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*\text{Tan}[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*\text{Tan}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 1] \&\& (\text{IntegerQ}[m] \|\| \text{IntegersQ}[2*m, 2*n]) \&\& !(\text{IGtQ}[n, 1] \& \& (!\text{IntegerQ}[m] \|\| (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3647

$\text{Int}[(a_. + b_.)*\text{tan}[(e_. + (f_.)*(x_.))]^{(m_.)}*((c_. + (d_.)*\text{tan}[(e_. + (f_.)*(x_.)])^{(n_.)} + (C_.)*\text{tan}[(e_. + (f_.)*(x_.)]^{(n_.)}))^{(m_.)}, x]$

) + (f_.)*(x_)^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],

$x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 3634

$\text{Int}[\frac{((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}}{(A_.) + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2}, x_Symbol] \rightarrow \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, C, m, n\}, x] \ \&\& \ \text{EqQ}[A, C]$

Rule 63

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^{(m_.)}}{(c_.) + (d_.)*(x_.)^{(n_.)}}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^2}{(c_.) + (d_.)*(x_.)^2}^{-1}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx &= \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3bd} + \frac{2 \int \frac{\sqrt{\tan(c+dx)} \left(-\frac{3aB}{2} - \frac{3}{2}bB \tan(c+dx) + \frac{3}{2}(Ab-aB) \tan^2(c+dx) \right)}{a+b \tan(c+dx)} dx}{3b} \\ &= \frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{b^2d} + \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3bd} + \frac{4 \int \frac{-\frac{3}{4}a(Ab-aB) - \frac{3}{4}Ab^2 \tan(c+dx) - \frac{3}{4}b^2(Ab-aB) \tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{3b^2} \\ &= \frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{b^2d} + \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3bd} + \frac{4 \int \frac{-\frac{3}{4}b^2(Ab-aB) - \frac{3}{4}b^2(aA+bB) \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{3b^2(a^2+b^2)} \\ &= \frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{b^2d} + \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3bd} + \frac{8 \text{Subst} \left(\int \frac{-\frac{3}{4}b^2(Ab-aB) - \frac{3}{4}b^2(aA+bB) \tan(c+dx)}{1+x^4} dx \right)}{3b^2(a^2+b^2)} \\ &= \frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{b^2d} + \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3bd} - \frac{(2a^3(Ab-aB)) \text{Subst} \left(\int \frac{1}{a+bx^2} dx \right)}{b^2(a^2+b^2)} \\ &= -\frac{2a^{5/2}(Ab-aB) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{b^{5/2}(a^2+b^2)d} + \frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{b^2d} + \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3bd} \\ &= -\frac{2a^{5/2}(Ab-aB) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{b^{5/2}(a^2+b^2)d} + \frac{(b(A-B) - a(A+B)) \log(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}(a^2+b^2)} \\ &= \frac{(a(A-B) + b(A+B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}(a^2+b^2)d} - \frac{(a(A-B) + b(A+B)) \log(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}(a^2+b^2)} \end{aligned}$$

Mathematica [C] time = 1.11041, size = 187, normalized size = 0.58

$$\frac{2\sqrt{b}(a^2 + b^2)\sqrt{\tan(c + dx)}(-3aB + 3Ab + bB \tan(c + dx)) + 6a^{5/2}(aB - Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right) - 3\sqrt[4]{-1}b^{5/2}(a + b)}{3b^{5/2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (-3*(-1)^(1/4)*(a + I*b)*b^(5/2)*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 6*a^(5/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] + 3*(-1)^(1/4)*b^(5/2)*(I*a + b)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[b]*(a^2 + b^2)*Sqrt[Tan[c + d*x]]*(3*A*b - 3*a*B + b*B*Tan[c + d*x]))/(3*b^(5/2)*(a^2 + b^2)*d)

Maple [B] time = 0.047, size = 666, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 2/3*B*tan(d*x+c)^(3/2)/b/d+2/d/b*A*tan(d*x+c)^(1/2)-2/d/b^2*a*B*tan(d*x+c)^(1/2)-2/d/b*a^3/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A+2/d/b^2*a^4/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d/(a^2+b^2)*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a-1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/4/d/(a^2+b^2)*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.399 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=297

$$\frac{2a^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{3/2}d(a^2 + b^2)} - \frac{(b(A - B) - a(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)} + \frac{(b(A - B) - a(A + B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)}$$

```
[Out] -(((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*
*(a^2 + b^2)*d)) + ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*a^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*S
qrt[Tan[c + d*x]])/Sqrt[a]])/(b^(3/2)*(a^2 + b^2)*d) + ((a*(A - B) + b*(A +
B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 +
b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan
[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + (2*B*Sqrt[Tan[c + d*x]])/(b*d)
```

Rubi [A] time = 0.653632, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3607, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2a^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{3/2}d(a^2 + b^2)} - \frac{(b(A - B) - a(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)} + \frac{(b(A - B) - a(A + B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] -(((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*
*(a^2 + b^2)*d)) + ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*a^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*S
qrt[Tan[c + d*x]])/Sqrt[a]])/(b^(3/2)*(a^2 + b^2)*d) + ((a*(A - B) + b*(A +
B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 +
b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan
[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + (2*B*Sqrt[Tan[c + d*x]])/(b*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
```

$A*b^2 - a*b*B + a^2*C)/(a^2 + b^2)$, Int[((c + d*Tan[e + f*x])ⁿ*(1 + Tan[e + f*x]²))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F

reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx = \frac{2B\sqrt{\tan(c + dx)}}{bd} + \frac{2 \int \frac{-\frac{aB}{2} - \frac{1}{2}bB \tan(c+dx) + \frac{1}{2}(Ab-aB) \tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{b}$$

$$= \frac{2B\sqrt{\tan(c + dx)}}{bd} + \frac{2 \int \frac{-\frac{1}{2}b(aA+bB) + \frac{1}{2}b(Ab-aB) \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{b(a^2 + b^2)} + \frac{(a^2(Ab - aB)) \int}{b}$$

$$= \frac{2B\sqrt{\tan(c + dx)}}{bd} + \frac{4 \text{Subst} \left(\int \frac{-\frac{1}{2}b(aA+bB) + \frac{1}{2}b(Ab-aB)x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)} \right)}{b(a^2 + b^2)d}$$

$$= \frac{2B\sqrt{\tan(c + dx)}}{bd} + \frac{(2a^2(Ab - aB)) \text{Subst} \left(\int \frac{1}{a+bx^2} dx, x, \sqrt{\tan(c + dx)} \right)}{b(a^2 + b^2)d} +$$

$$= \frac{2a^{3/2}(Ab - aB) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{b^{3/2}(a^2 + b^2)d} + \frac{2B\sqrt{\tan(c + dx)}}{bd} + \frac{(b(A - B) - a(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}(a^2 + b^2)d}$$

$$= \frac{2a^{3/2}(Ab - aB) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{b^{3/2}(a^2 + b^2)d} + \frac{(a(A - B) + b(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}(a^2 + b^2)d}$$

$$= -\frac{(b(A - B) - a(A + B)) \tan^{-1} (1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}(a^2 + b^2)d} + \frac{(b(A - B) - a(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}(a^2 + b^2)d}$$

Mathematica [C] time = 0.3355, size = 165, normalized size = 0.56

$$\frac{-2a^{3/2}(aB - Ab) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right) + 2\sqrt{b}B(a^2 + b^2) \sqrt{\tan(c + dx)} + \sqrt[4]{-1}b^{3/2}(a + ib)(A - iB) \tan^{-1} ((-1)^{3/4} \sqrt{\tan(c + dx)})}{b^{3/2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] ((-1)^(1/4)*(a + I*b)*b^(3/2)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - 2*a^(3/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] + (-1)^(1/4)*(a - I*b)*b^(3/2)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*Sqrt[b]*(a^2 + b^2)*B*Sqrt[Tan[c + d*x]]/(b^(3/2)*(a^2 + b^2)*d)

Maple [B] time = 0.048, size = 628, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{(3/2)}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c)),x)$

[Out] $2*B*\tan(dx+c)^{(1/2)}/b/d+2/d*a^2/(a^2+b^2)/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A-2/d/b*a^3/(a^2+b^2)/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*B-1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a-1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a-1/4/d/(a^2+b^2)*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a-1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b-1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b-1/4/d/(a^2+b^2)*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b+1/4/d/(a^2+b^2)*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b+1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b+1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b-1/4/d/(a^2+b^2)*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a-1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a-1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c)),x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{(3/2)}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c)),x, \text{algorithm}="fricas")$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.400 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=278

$$-\frac{(a(A-B) + b(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2 + b^2)} + \frac{(a(A-B) + b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d(a^2 + b^2)} - \frac{2\sqrt{a}(Ab - a^2)}{\sqrt{2}d(a^2 + b^2)}$$

```
[Out] -(((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*Sqrt[a]*(A*b - a*B)*ArcTan[(Sqrt[b]*S
qrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[b]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A +
B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 +
b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan
[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 0.368744, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3612, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$-\frac{(a(A-B) + b(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2 + b^2)} + \frac{(a(A-B) + b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d(a^2 + b^2)} - \frac{2\sqrt{a}(Ab - a^2)}{\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] -(((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*Sqrt[a]*(A*b - a*B)*ArcTan[(Sqrt[b]*S
qrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[b]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A +
B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 +
b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan
[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 3612

```
Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])]/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1
/(a^2 + b^2), Int[Simp[A*(a*c + b*d) + B*(b*c - a*d) - (A*(b*c - a*d) - B*(
a*c + b*d))*Tan[e + f*x], x]/Sqrt[c + d*Tan[e + f*x]], x], x] - Dist[((b*c
- a*d)*(B*a - A*b))/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/((a + b*Tan[e + f
*x])*Sqrt[c + d*Tan[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3534

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]), x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\tan(c+dx)}(A+B\tan(c+dx))}{a+b\tan(c+dx)} dx &= \frac{\int \frac{Ab-aB+(aA+bB)\tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{a^2+b^2} - \frac{(a(Ab-aB)) \int \frac{1+\tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b\tan(c+dx))} dx}{a^2+b^2} \\
&= \frac{2 \operatorname{Subst}\left(\int \frac{Ab-aB+(aA+bB)x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2+b^2)d} - \frac{(a(Ab-aB)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2+b^2)d} \\
&= -\frac{(2a(Ab-aB)) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2+b^2)d} + \frac{(b(A-B)-a(A+B)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2+b^2)d} \\
&= -\frac{2\sqrt{a}(Ab-aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}(a^2+b^2)d} - \frac{(b(A-B)-a(A+B)) \operatorname{Subst}\left(\int \frac{\sqrt{2}}{-1-\sqrt{x}} dx, x, \sqrt{\tan(c+dx)}\right)}{2\sqrt{2}(a^2+b^2)d} \\
&= -\frac{2\sqrt{a}(Ab-aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}(a^2+b^2)d} - \frac{(b(A-B)-a(A+B)) \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{2\sqrt{2}(a^2+b^2)d} \\
&= -\frac{(a(A-B)+b(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2+b^2)d} + \frac{(a(A-B)+b(A+B)) \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2+b^2)d}
\end{aligned}$$

Mathematica [A] time = 0.356774, size = 195, normalized size = 0.7

$$\frac{2\sqrt{2}(a(A-B)+b(A+B))\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)\right)+\frac{8\sqrt{a}(Ab-aB)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}}}{4d(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(2*Sqrt[2]*(a*(A - B) + b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (8*Sqrt[a]*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[b] - Sqrt[2]*(b*(-A + B) + a*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(4*(a^2 + b^2)*d)

Maple [B] time = 0.06, size = 607, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] -2/d*a/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A*b+2/d*a^2/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B+1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d/(a^2+b^2)*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))) *b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/4/d/(a^2+b^2)*

$$B \cdot 2^{1/2} \cdot \ln\left(\frac{(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)}{(1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)}\right) + \frac{a+1/2}{d} \cdot \frac{1}{(a^2+b^2)^{1/2}} \cdot A \cdot 2^{1/2} \cdot \arctan\left(\frac{(1+2^{1/2}) \cdot \tan(dx+c)^{1/2}}{1+2^{1/2}}\right) + \frac{a+1/2}{4d} \cdot \frac{1}{(a^2+b^2)^{1/2}} \cdot A \cdot 2^{1/2} \cdot \ln\left(\frac{(1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)}{(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)}\right) + \frac{a+1/2}{d} \cdot \frac{1}{(a^2+b^2)^{1/2}} \cdot B \cdot 2^{1/2} \cdot \arctan\left(\frac{(1+2^{1/2}) \cdot \tan(dx+c)^{1/2}}{1+2^{1/2}}\right) + \frac{b+1/2}{d} \cdot \frac{1}{(a^2+b^2)^{1/2}} \cdot B \cdot 2^{1/2} \cdot \arctan\left(\frac{(1-2^{1/2}) \cdot \tan(dx+c)^{1/2}}{1+2^{1/2}}\right) + \frac{b+1/4}{d} \cdot \frac{1}{(a^2+b^2)^{1/2}} \cdot B \cdot 2^{1/2} \cdot \ln\left(\frac{(1-2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)}{(1+2^{1/2}) \cdot \tan(dx+c)^{1/2} + \tan(dx+c)}\right) \cdot b$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/(a + b*tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.401 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)(a+b \tan(c+dx))}} dx$$

Optimal. Leaf size=278

$$\frac{(b(A-B) - a(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)} - \frac{(b(A-B) - a(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}(a^2 + b^2)} + \frac{2\sqrt{b}(Ab - a^2)}{\sqrt{2d}(a^2 + b^2)}$$

[Out] $((b*(A - B) - a*(A + B))*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]])/(\text{Sqrt}[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]])/(\text{Sqrt}[2]*(a^2 + b^2)*d) + (2*\text{Sqrt}[b]*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a]])/(\text{Sqrt}[a]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(2*\text{Sqrt}[2]*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(2*\text{Sqrt}[2]*(a^2 + b^2)*d)$

Rubi [A] time = 0.360673, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3613, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(b(A-B) - a(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)} - \frac{(b(A-B) - a(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}(a^2 + b^2)} + \frac{2\sqrt{b}(Ab - a^2)}{\sqrt{2d}(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(\text{Sqrt}[\text{Tan}[c + d*x]]*(a + b*\text{Tan}[c + d*x])), x]$

[Out] $((b*(A - B) - a*(A + B))*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]])/(\text{Sqrt}[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]]])/(\text{Sqrt}[2]*(a^2 + b^2)*d) + (2*\text{Sqrt}[b]*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a]])/(\text{Sqrt}[a]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(2*\text{Sqrt}[2]*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(2*\text{Sqrt}[2]*(a^2 + b^2)*d)$

Rule 3613

$\text{Int}[(((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]))^n)/((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A + b*B - (A*b - a*B)*\text{Tan}[e + f*x], x], x] + \text{Dist}[(b*(A*b - a*B))/(a^2 + b^2), \text{Int}[((c + d*\text{Tan}[e + f*x])^n*(1 + \text{Tan}[e + f*x]^2))/(a + b*\text{Tan}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 3534

$\text{Int}[((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/\text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]]], x_Symbol] :> \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 1168

$\text{Int}[((d_.) + (e_.)*(x_.)^2)/((a_.) + (c_.)*(x_.)^4), x_Symbol] :> \text{With}\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + D$

ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] :> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} dx = \frac{\int \frac{aA+bB-(Ab-aB)\tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{a^2 + b^2} + \frac{(b(Ab - aB)) \int \frac{1+\tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{a^2 + b^2}$$

$$= \frac{2 \operatorname{Subst}\left(\int \frac{aA+bB+(-Ab+aB)x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2) d} + \frac{(b(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2) d}$$

$$= \frac{(2b(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2) d} - \frac{(b(A - B) - a(A + B)) \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2) d}$$

$$= \frac{2\sqrt{b}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}(a^2 + b^2) d} - \frac{(b(A - B) - a(A + B)) \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2(a^2 + b^2) d}$$

$$= \frac{2\sqrt{b}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}(a^2 + b^2) d} - \frac{(a(A - B) + b(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2) d}$$

$$= \frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2) d} - \frac{(b(A - B) - a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2) d}$$

Mathematica [A] time = 0.346621, size = 194, normalized size = 0.7

$$\frac{2\sqrt{2}(a(A + B) + b(B - A)) \left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right) \right) + \frac{8\sqrt{b}(aB - Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}}}{4d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])), x]
```

```
[Out] -(2*Sqrt[2]*(b*(-A + B) + a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (8*Sqrt[b]*(-A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/Sqrt[a] + Sqrt[2]*(a*(A - B) + b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(4*(a^2 + b^2)*d)
```

Maple [B] time = 0.064, size = 607, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c)), x)
```

```
[Out] 2/d*b^2/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A-2/d*b/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*a*B+1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/4/d/(a^2+b^2)*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))/((a^2+b^2)*d)
```

$$\frac{1}{2} + \tan(dx+c)) * b - \frac{1}{4}d / (a^2 + b^2) * A * 2^{1/2} * \ln((1 - 2^{1/2} * \tan(dx+c))^{1/2} + \tan(dx+c)) / (1 + 2^{1/2} * \tan(dx+c))^{1/2} + \tan(dx+c)) * b - \frac{1}{2}d / (a^2 + b^2) * A * 2^{1/2} * \arctan(1 + 2^{1/2} * \tan(dx+c))^{1/2} * b - \frac{1}{2}d / (a^2 + b^2) * A * 2^{1/2} * \arctan(-1 + 2^{1/2} * \tan(dx+c))^{1/2} * b + \frac{1}{4}d / (a^2 + b^2) * B * 2^{1/2} * \ln((1 - 2^{1/2} * \tan(dx+c))^{1/2} + \tan(dx+c)) / (1 + 2^{1/2} * \tan(dx+c))^{1/2} + \tan(dx+c)) * a + \frac{1}{2}d / (a^2 + b^2) * B * 2^{1/2} * \arctan(1 + 2^{1/2} * \tan(dx+c))^{1/2} * a + \frac{1}{2}d / (a^2 + b^2) * B * 2^{1/2} * \arctan(-1 + 2^{1/2} * \tan(dx+c))^{1/2} * a$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/tan(dx+c)^(1/2)/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/tan(dx+c)^(1/2)/(a+b*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx)) \sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/tan(dx+c)**(1/2)/(a+b*tan(dx+c)),x)

[Out] Integral((A + B*tan(c + d*x))/((a + b*tan(c + d*x))*sqrt(tan(c + d*x))), x)

Giac [A] time = 2.22229, size = 398, normalized size = 1.43

$$\frac{(\sqrt{2}Aa + \sqrt{2}Ba - \sqrt{2}Ab + \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2(a^2d + b^2d)} + \frac{(\sqrt{2}Aa + \sqrt{2}Ba - \sqrt{2}Ab + \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2(a^2d + b^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] 1/2*(sqrt(2)*A*a + sqrt(2)*B*a - sqrt(2)*A*b + sqrt(2)*B*b)*arctan(1/2*sqrt
(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/(a^2*d + b^2*d) + 1/2*(sqrt(2)*A*a +
sqrt(2)*B*a - sqrt(2)*A*b + sqrt(2)*B*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*s
qrt(tan(d*x + c))))/(a^2*d + b^2*d) + 1/4*(sqrt(2)*A*a - sqrt(2)*B*a + sqrt
(2)*A*b + sqrt(2)*B*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(
a^2*d + b^2*d) - 1/4*(sqrt(2)*A*a - sqrt(2)*B*a + sqrt(2)*A*b + sqrt(2)*B*b
)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^2*d + b^2*d) - 2*(
B*a*b - A*b^2)*arctan(b*sqrt(tan(d*x + c))/sqrt(a*b))/((a^2*d + b^2*d)*sqrt
(a*b))
```

$$3.402 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=297

$$\frac{2b^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d(a^2 + b^2)} + \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)} - \frac{(a(A - B) + b(A + B))}{\sqrt{2}}$$

```
[Out] ((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*b^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(3/2)*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - (2*A)/(a*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.636983, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3609, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2b^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d(a^2 + b^2)} + \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)} - \frac{(a(A - B) + b(A + B))}{\sqrt{2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])),x]
```

```
[Out] ((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*b^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(3/2)*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - (2*A)/(a*d*Sqrt[Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(LtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
```

```
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2], x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
```

reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\tan^3(c + dx)(a + b \tan(c + dx))} dx &= -\frac{2A}{ad\sqrt{\tan(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(Ab - aB) + \frac{1}{2}aA \tan(c + dx) + \frac{1}{2}Ab \tan^2(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} dx}{a} \\ &= -\frac{2A}{ad\sqrt{\tan(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}a(Ab - aB) + \frac{1}{2}a(aA + bB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx}{a(a^2 + b^2)} - \frac{(b^2(Ab - aB)) \int \frac{1}{\sqrt{\tan(c + dx)}} dx}{a} \\ &= -\frac{2A}{ad\sqrt{\tan(c + dx)}} - \frac{4 \operatorname{Subst}\left(\int \frac{\frac{1}{2}a(Ab - aB) + \frac{1}{2}a(aA + bB)x^2}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{a(a^2 + b^2)d} \\ &= -\frac{2A}{ad\sqrt{\tan(c + dx)}} - \frac{(2b^2(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a + bx^2} dx, x, \sqrt{\tan(c + dx)}\right)}{a(a^2 + b^2)d} \\ &= -\frac{2b^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)d} - \frac{2A}{ad\sqrt{\tan(c + dx)}} + \frac{(b(A - B) - a(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}(a^2 + b^2)d} \\ &= \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d} - \frac{(a(A - B) + b(A + B)) \log(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{2\sqrt{2}(a^2 + b^2)d} - \frac{2A}{ad\sqrt{\tan(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.566075, size = 153, normalized size = 0.52

$$\frac{2b^{3/2}(aB - Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{\sqrt{a}(a^2 + b^2)} + \frac{\sqrt[4]{-1}a(b - ia)(A - iB) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right) + (b + ia)(A + iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right)}{a^2 + b^2} - \frac{2A}{\sqrt{\tan(c + dx)}}$$

ad

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])), x]

[Out] ((2*b^(3/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)) + ((-1)^(1/4)*a*(((-I)*a + b)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + (I*a + b)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]))/(a^2 + b^2) - (2*A)/Sqrt[Tan[c + d*x]]/(a*d)

Maple [B] time = 0.05, size = 628, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2*A/a/d/\tan(d*x+c)^{(1/2)} - 2/d/a*b^3/(a^2+b^2)/(a*b)^{(1/2)}*\arctan(\tan(d*x+c) \\ & ^{(1/2)}*b/(a*b)^{(1/2)})*A+2/d*b^2/(a^2+b^2)/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)} \\ & ^{(1/2)}*b/(a*b)^{(1/2)})*B-1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c) \\ & ^{(1/2)})*b-1/4/d/(a^2+b^2)*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c) \\ &))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))*b-1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan \\ & (1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b+1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(-1+2^{(1/2)} \\ & ^{(1/2)}*\tan(d*x+c)^{(1/2)})*a+1/4/d/(a^2+b^2)*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c) \\ & ^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))*a+1/2/d/(a^2+b^2) \\ & ^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a-1/4/d/(a^2+b^2)*A*2^{(1/2)}*\ln \\ & ((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d \\ & *x+c))*a-1/2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a-1 \\ & /2/d/(a^2+b^2)*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a-1/4/d/(a^2+b^2) \\ & ^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c) \\ & ^{(1/2)}+\tan(d*x+c))*b-1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x \\ & +c)^{(1/2)})*b-1/2/d/(a^2+b^2)*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))/((a + b*tan(c + d*x))*tan(c + d*x)**(3/2)), x)

Giac [A] time = 2.3635, size = 425, normalized size = 1.43

$$\frac{(\sqrt{2}Aa - \sqrt{2}Ba + \sqrt{2}Ab + \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2(a^2d + b^2d)} - \frac{(\sqrt{2}Aa - \sqrt{2}Ba + \sqrt{2}Ab + \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2(a^2d + b^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*A*a - \sqrt{2}*B*a + \sqrt{2}*A*b + \sqrt{2}*B*b)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)}))/ (a^2*d + b^2*d) - 1/2*(\sqrt{2}*A*a - \sqrt{2}*B*a + \sqrt{2}*A*b + \sqrt{2}*B*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)}))/ (a^2*d + b^2*d) + 1/4*(\sqrt{2}*A*a + \sqrt{2}*B*a - \sqrt{2}*A*b + \sqrt{2}*B*b)*\log(\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/ (a^2*d + b^2*d) - 1/4*(\sqrt{2}*A*a + \sqrt{2}*B*a - \sqrt{2}*A*b + \sqrt{2}*B*b)*\log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/ (a^2*d + b^2*d) + 2*(B*a*b^2 - A*b^3)*\arctan(b*\sqrt{\tan(d*x + c)}/\sqrt{a*b})/((a^3*d + a*b^2*d)*\sqrt{a*b}) - 2*A/(a*d*\sqrt{\tan(d*x + c)}) \end{aligned}$$

$$3.403 \quad \int \frac{A+B \tan(c+dx)}{\tan^2(c+dx)(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=325

$$\frac{2b^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d(a^2 + b^2)} - \frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)} + \frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)}$$

```
[Out] -(((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*b^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*S
qrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)*d) + ((a*(A - B) + b*(A +
B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 +
b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan
[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - (2*A)/(3*a*d*Tan[c + d*x]^(3/2)) +
(2*(A*b - a*B))/(a^2*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 0.974389, antiderivative size = 325, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2b^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}d(a^2 + b^2)} - \frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)} + \frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])), x]
```

```
[Out] -(((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*b^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*S
qrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)*d) + ((a*(A - B) + b*(A +
B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 +
b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan
[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - (2*A)/(3*a*d*Tan[c + d*x]^(3/2)) +
(2*(A*b - a*B))/(a^2*d*Sqrt[Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &&
(IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```

Int(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

```

Rule 204

```

Int(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))} dx &= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)} - \frac{2 \int \frac{\frac{3}{2}(Ab - aB) + \frac{3}{2}aA \tan(c + dx) + \frac{3}{2}Ab \tan^2(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} dx}{3a} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}} + \frac{4 \int \frac{-\frac{3}{4}(a^2 A - Ab^2 + abB) - \frac{3}{4}a^2 B \tan(c + dx) + \frac{3}{4}a^2 B \tan^2(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} dx}{3a^2} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}} + \frac{4 \int \frac{-\frac{3}{4}a^2(aA + bB) + \frac{3}{4}a^2(Ab - aB) \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx}{3a^2(a^2 + b^2)} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}} + \frac{8 \operatorname{Subst}\left(\int \frac{-\frac{3}{4}a^2(aA + bB) + \frac{3}{4}a^2(Ab - aB) \tan(c + dx)}{1 + x^4} dx\right)}{3a^2(a^2 + b^2)} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}} + \frac{(2b^3(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a + bx^2} dx\right)}{a^2(a^2 + b^2)d} \\
&= \frac{2b^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)d} - \frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}} \\
&= \frac{2b^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)d} + \frac{(a(A - B) + b(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2)d} \\
&= -\frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d} + \frac{(b(A - B) - a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2)d}
\end{aligned}$$

Mathematica [C] time = 3.21279, size = 174, normalized size = 0.54

$$\frac{6b^{5/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)} - \frac{2((3aB - 3Ab) \tan(c + dx) + aA)}{a^2 \tan^{\frac{3}{2}}(c + dx)} + \frac{3\sqrt[4]{-1}(A - iB) \tan^{-1}\left((-1)^{3/4} \sqrt{\tan(c + dx)}\right)}{a - ib} + \frac{3\sqrt[4]{-1}(A + iB) \tanh^{-1}\left((-1)^{3/4} \sqrt{\tan(c + dx)}\right)}{a + ib}$$

3d

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])), x]

[Out] ((3*(-1)^(1/4)*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/(a - I*b) + (6*b^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)) + (3*(-1)^(1/4)*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]])/(a + I*b) - (2*(a*A + (-3*A*b + 3*a*B)*Tan[c + d*x]))/(a^2*Tan[c + d*x]^(3/2)))/(3*d)

Maple [B] time = 0.052, size = 666, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)), x)

```
[Out] 2/d/a^2*b^4/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A-
2/d/a*b^3/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-2/
3*A/a/d/tan(d*x+c)^(3/2)+2/d/a^2/tan(d*x+c)^(1/2)*A*b-2*B/a/d/tan(d*x+c)^(1
/2)-1/2/d/(a^2+b^2)*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/d/(a
^2+b^2)*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/4/d/(a^2+b^2)*A*2
^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/
2)+tan(d*x+c)))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/
2))*b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d
/(a^2+b^2)*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*
tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/4/d/(a^2+b^2)*A*2^(1/2)*ln((1-2^(1/2)*tan
(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d/
(a^2+b^2)*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d/(a^2+b^2)*A*
2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d/(a^2+b^2)*B*2^(1/2)*ln(
(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x
+c)))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/
d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="
fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.83159, size = 459, normalized size = 1.41

$$\frac{(\sqrt{2}Aa + \sqrt{2}Ba - \sqrt{2}Ab + \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2(a^2d + b^2d)} - \frac{(\sqrt{2}Aa + \sqrt{2}Ba - \sqrt{2}Ab + \sqrt{2}Bb) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2(a^2d + b^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*A*a + \sqrt{2}*B*a - \sqrt{2}*A*b + \sqrt{2}*B*b)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)}))/ (a^2*d + b^2*d) - 1/2*(\sqrt{2}*A*a + \sqrt{2}*B*a - \sqrt{2}*A*b + \sqrt{2}*B*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)}))/ (a^2*d + b^2*d) - 1/4*(\sqrt{2}*A*a - \sqrt{2}*B*a + \sqrt{2}*A*b + \sqrt{2}*B*b)*\log(\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/ (a^2*d + b^2*d) + 1/4*(\sqrt{2}*A*a - \sqrt{2}*B*a + \sqrt{2}*A*b + \sqrt{2}*B*b)*\log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/ (a^2*d + b^2*d) - 2*(B*a*b^3 - A*b^4)*\arctan(b*\sqrt{\tan(d*x + c)}/\sqrt{a*b})/((a^4*d + a^2*b^2*d)*\sqrt{a*b}) - 2/3*(3*B*a*\tan(d*x + c) - 3*A*b*\tan(d*x + c) + A*a)/(a^2*d*\tan(d*x + c)^(3/2)) \end{aligned}$$

$$3.404 \quad \int \frac{\tan^5(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=436

$$\frac{a^{3/2} (a^2 Ab - 3a^3 B - 7ab^2 B + 5Ab^3) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{b^{5/2} d (a^2 + b^2)^2} + \frac{a(Ab - aB) \tan^3(c+dx)}{bd (a^2 + b^2) (a + b \tan(c+dx))} + \frac{(a^2(A - B) + 2ab(A + B))}{b^2 d (a^2 + b^2)}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) + (a^(3/2)*(a^2*A*b + 5*A*b^3 - 3*a^3*B - 7*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(5/2)*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a*A*b - 3*a^2*B - 2*b^2*B)*Sqrt[Tan[c + d*x]])/(b^2*(a^2 + b^2)*d) + (a*(A*b - a*B)*Tan[c + d*x]^(3/2))/(b*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.16191, antiderivative size = 436, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3605, 3647, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a^{3/2} (a^2 Ab - 3a^3 B - 7ab^2 B + 5Ab^3) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{b^{5/2} d (a^2 + b^2)^2} + \frac{a(Ab - aB) \tan^3(c+dx)}{bd (a^2 + b^2) (a + b \tan(c+dx))} + \frac{(a^2(A - B) + 2ab(A + B))}{b^2 d (a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) + (a^(3/2)*(a^2*A*b + 5*A*b^3 - 3*a^3*B - 7*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(5/2)*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a*A*b - 3*a^2*B - 2*b^2*B)*Sqrt[Tan[c + d*x]])/(b^2*(a^2 + b^2)*d) + (a*(A*b - a*B)*Tan[c + d*x]^(3/2))/(b*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
```


LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int(((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int(((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int(((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int(((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx &= \frac{a(Ab-aB) \tan^{\frac{3}{2}}(c+dx)}{b(a^2+b^2)d(a+b \tan(c+dx))} + \int \frac{\sqrt{\tan(c+dx)} \left(-\frac{3}{2}a(Ab-aB)+b(Ab-aB) \tan(c+dx) - \frac{a+b \tan(c+dx)}{b(a^2+b^2)} \right)}{b(a^2+b^2)} \\
&= -\frac{(aAb-3a^2B-2b^2B) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d} + \frac{a(Ab-aB) \tan^{\frac{3}{2}}(c+dx)}{b(a^2+b^2)d(a+b \tan(c+dx))} + \\
&= -\frac{(aAb-3a^2B-2b^2B) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d} + \frac{a(Ab-aB) \tan^{\frac{3}{2}}(c+dx)}{b(a^2+b^2)d(a+b \tan(c+dx))} + \\
&= -\frac{(aAb-3a^2B-2b^2B) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d} + \frac{a(Ab-aB) \tan^{\frac{3}{2}}(c+dx)}{b(a^2+b^2)d(a+b \tan(c+dx))} + \\
&= -\frac{(aAb-3a^2B-2b^2B) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d} + \frac{a(Ab-aB) \tan^{\frac{3}{2}}(c+dx)}{b(a^2+b^2)d(a+b \tan(c+dx))} + \\
&= \frac{a^{3/2}(a^2Ab+5Ab^3-3a^3B-7ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{5/2}(a^2+b^2)^2 d} - \frac{(aAb-3a^2B-2b^2B) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d} \\
&= \frac{a^{3/2}(a^2Ab+5Ab^3-3a^3B-7ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{5/2}(a^2+b^2)^2 d} + \frac{(2ab(A-B)-b^2(A-B)) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d} \\
&= \frac{(a^2(A-B)-b^2(A-B)+2ab(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^2 d} - \frac{(a^2(A-B)-b^2(A-B)) \sqrt{\tan(c+dx)}}{b^2(a^2+b^2)d}
\end{aligned}$$

Mathematica [C] time = 2.2061, size = 275, normalized size = 0.63

$$2 \left(\frac{(a^2Ab-3a^3B-4ab^2B+2Ab^3)\sqrt{\tan(c+dx)}}{2(a^2+b^2)} - \frac{(a+b \tan(c+dx)) \left(a^{3/2}(-a^2Ab+3a^3B+7ab^2B-5Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right) + \sqrt[4]{-1}b^{5/2}(a+ib)^2(B+iA) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right) \right)}{2\sqrt{b}(a^2+b^2)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (2*((-(A*b) + 3*a*B)*Sqrt[Tan[c + d*x]] + ((a^2*A*b + 2*A*b^3 - 3*a^3*B - 4*a*b^2*B)*Sqrt[Tan[c + d*x]])/(2*(a^2 + b^2)) + b*B*Tan[c + d*x]^(3/2) - ((-1)^(1/4)*(a + I*b)^2*b^(5/2)*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + a^(3/2)*(-(a^2*A*b) - 5*A*b^3 + 3*a^3*B + 7*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] + (-1)^(3/4)*b^(5/2)*(I*a + b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])*(a + b*Tan[c + d*x]))/(2*Sqrt[b]*(a^2 + b^2)^2)))/(b^2*d*(a + b*Tan[c + d*x]))

Maple [B] time = 0.063, size = 1160, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\tan(dx+c)^{5/2} * (A+B*\tan(dx+c)) / (a+b*\tan(dx+c))^2, x)$

[Out] $\frac{1}{2} \frac{d}{(a^2+b^2)^2} A^2 \arctan(-1+2^{1/2} \tan(dx+c)^{1/2}) * b^{-2-1/4} \frac{d}{(a^2+b^2)^2} A^2 \ln((1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c)) / (1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))) * a^{2+1/2} \frac{d}{(a^2+b^2)^2} B^2 \arctan(1+2^{1/2} \tan(dx+c)^{1/2}) * b^{-2+1/2} \frac{d}{(a^2+b^2)^2} B^2 \arctan(-1+2^{1/2} \tan(dx+c)^{1/2}) * a^{2+1/2} \frac{d}{(a^2+b^2)^2} A^2 \arctan(1+2^{1/2} \tan(dx+c)^{1/2}) * b^{-2-1/2} \frac{d}{(a^2+b^2)^2} A^2 \arctan(-1+2^{1/2} \tan(dx+c)^{1/2}) * a^{-3} \frac{d}{a^5/b^2} \frac{d}{(a^2+b^2)^2} \frac{d}{(a*b)^{1/2}} \arctan(\tan(dx+c)^{1/2} * b / (a*b)^{1/2}) * B - 1 \frac{d}{(a^2+b^2)^2} A^2 \arctan(-1+2^{1/2} \tan(dx+c)^{1/2}) * a*b + 2 \frac{d}{d*B/b^2} \tan(dx+c)^{1/2} - 1 \frac{d}{d*a^2*b} \frac{d}{(a^2+b^2)^2} \tan(dx+c)^{1/2} / (a+b*\tan(dx+c)) * A - 1 \frac{d}{d*a^4/b} \frac{d}{(a^2+b^2)^2} \tan(dx+c)^{1/2} / (a+b*\tan(dx+c)) * A + 1 \frac{d}{d*a^5/b^2} \frac{d}{(a^2+b^2)^2} \tan(dx+c)^{1/2} / (a+b*\tan(dx+c)) * B + 1 \frac{d}{d*a^4/b} \frac{d}{(a^2+b^2)^2} \frac{d}{(a*b)^{1/2}} \arctan(\tan(dx+c)^{1/2} * b / (a*b)^{1/2}) * A + 5 \frac{d}{d*a^2*b} \frac{d}{(a^2+b^2)^2} \frac{d}{(a*b)^{1/2}} \arctan(\tan(dx+c)^{1/2} * b / (a*b)^{1/2}) * A - 1 \frac{d}{d} \frac{d}{(a^2+b^2)^2} A^2 \arctan(1+2^{1/2} \tan(dx+c)^{1/2}) * a*b - 1 \frac{d}{d} \frac{d}{(a^2+b^2)^2} A^2 \ln((1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c)) / (1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))) * a*b - 1 \frac{d}{d} \frac{d}{(a^2+b^2)^2} B^2 \arctan(1+2^{1/2} \tan(dx+c)^{1/2}) * a*b - 1 \frac{d}{d} \frac{d}{(a^2+b^2)^2} B^2 \arctan(-1+2^{1/2} \tan(dx+c)^{1/2}) * a*b - 1 \frac{d}{d} \frac{d}{(a^2+b^2)^2} B^2 \ln((1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c)) / (1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))) * a*b - 1 \frac{d}{d} \frac{d}{(a^2+b^2)^2} B^2 \arctan(-1+2^{1/2} \tan(dx+c)^{1/2}) * b^{-2+1/4} \frac{d}{d} \frac{d}{(a^2+b^2)^2} B^2 \ln((1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c)) / (1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))) * a^{2+1/4} \frac{d}{d} \frac{d}{(a^2+b^2)^2} A^2 \ln((1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c)) / (1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))) * b^{-2-1/4} \frac{d}{d} \frac{d}{(a^2+b^2)^2} B^2 \ln((1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c)) / (1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))) * b^{-2-1/2} \frac{d}{d} \frac{d}{(a^2+b^2)^2} A^2 \arctan(1+2^{1/2} \tan(dx+c)^{1/2}) * a^2 + 1 \frac{d}{d} \frac{d}{a^3} \frac{d}{(a^2+b^2)^2} \tan(dx+c)^{1/2} / (a+b*\tan(dx+c)) * B - 7 \frac{d}{d} \frac{d}{a^3} \frac{d}{(a^2+b^2)^2} \frac{d}{(a*b)^{1/2}} \arctan(\tan(dx+c)^{1/2} * b / (a*b)^{1/2}) * B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{5/2} * (A+B*\tan(dx+c)) / (a+b*\tan(dx+c))^2, x, \text{algorithm} = \text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{5/2} * (A+B*\tan(dx+c)) / (a+b*\tan(dx+c))^2, x, \text{algorithm} = \text{"fricas"})$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.405 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=391

$$\frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d(a^2 + b^2)^2} + \frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d(a^2 + b^2)^2}$$

```
[Out] -(((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((2*a*b*(A - B) - a^2*(A + B) + b^
2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d
) + (Sqrt[a]*(a^2*A*b - 3*A*b^3 + a^3*B + 5*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[T
an[c + d*x]])/Sqrt[a]])/(b^(3/2)*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A
- B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(
2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*L
og[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2
*d) + (a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b*(a^2 + b^2)*d*(a + b*Tan[c + d
x]))
```

Rubi [A] time = 0.788364, antiderivative size = 391, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3605, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d(a^2 + b^2)^2} + \frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]
```

```
[Out] -(((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((2*a*b*(A - B) - a^2*(A + B) + b^
2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d
) + (Sqrt[a]*(a^2*A*b - 3*A*b^3 + a^3*B + 5*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[T
an[c + d*x]])/Sqrt[a]])/(b^(3/2)*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A
- B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(
2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*L
og[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2
*d) + (a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b*(a^2 + b^2)*d*(a + b*Tan[c + d
x]))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
```

LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^2} dx &= \frac{a(Ab - aB)\sqrt{\tan(c + dx)}}{b(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(Ab - aB) + b(Ab - aB)\tan(c + dx) + \frac{1}{2}(aAb + a^2B + 2b^2B)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} dx}{b(a^2 + b^2)} \\ &= \frac{a(Ab - aB)\sqrt{\tan(c + dx)}}{b(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{\int \frac{-b(a^2A - Ab^2 + 2abB) + b(2aAb - a^2B + b^2B)\tan(c + dx)}{\sqrt{\tan(c + dx)}} dx}{b(a^2 + b^2)^2} \\ &= \frac{a(Ab - aB)\sqrt{\tan(c + dx)}}{b(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{2 \operatorname{Subst}\left(\int \frac{-b(a^2A - Ab^2 + 2abB) + b(2aAb - a^2B + b^2B)}{1 + x^4} dx\right)}{b(a^2 + b^2)^2 d} \\ &= \frac{a(Ab - aB)\sqrt{\tan(c + dx)}}{b(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{(a(a^2Ab - 3Ab^3 + a^3B + 5ab^2B)) \operatorname{Subst}\left(\int \frac{\sqrt{a}(a^2Ab - 3Ab^3 + a^3B + 5ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{b^{3/2}(a^2 + b^2)^2 d} dx\right)}{b(a^2 + b^2)^2 d} \\ &= \frac{\sqrt{a}(a^2Ab - 3Ab^3 + a^3B + 5ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{b^{3/2}(a^2 + b^2)^2 d} + \frac{a(Ab - aB)\sqrt{\tan(c + dx)}}{b(a^2 + b^2)d(a + b \tan(c + dx))} \\ &= \frac{\sqrt{a}(a^2Ab - 3Ab^3 + a^3B + 5ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{b^{3/2}(a^2 + b^2)^2 d} + \frac{(a^2(A - B) - b^2(A - B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{b^{3/2}(a^2 + b^2)^2 d} \\ &= -\frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} + \frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{\sqrt{2}(a^2 + b^2)^2 d} \end{aligned}$$

Mathematica [C] time = 1.77828, size = 230, normalized size = 0.59

$$\frac{(a^2B + aAb + 2b^2B)\sqrt{\tan(c + dx)}}{(a^2 + b^2)(a + b \tan(c + dx))} + \frac{\sqrt{a}(a^2Ab + a^3B + 5ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right) + \sqrt{-1}b^{3/2}((a + ib)^2(A - iB) \tan^{-1}((-1)^{3/4}\sqrt{\tan(c + dx)}) + (a - ib)^2(A + iB) \tan^{-1}((-1)^{1/4}\sqrt{\tan(c + dx)}))}{bd \sqrt{b}(a^2 + b^2)^2}$$

Antiderivative was successfully verified.


```
[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,
x]
```

```
[Out] ((Sqrt[a]*(a^2*A*b - 3*A*b^3 + a^3*B + 5*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[
c + d*x]])/Sqrt[a]] + (-1)^(1/4)*b^(3/2)*((a + I*b)^2*(A - I*B)*ArcTan[(-1)
^(3/4)*Sqrt[Tan[c + d*x]]] + (a - I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[
Tan[c + d*x]]]))/(Sqrt[b]*(a^2 + b^2)^2) - (2*B*Sqrt[Tan[c + d*x]])/(a + b*
Tan[c + d*x]) + ((a*A*b + a^2*B + 2*b^2*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)
*(a + b*Tan[c + d*x])))/(b*d)
```

Maple [B] time = 0.056, size = 1136, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)
```

```
[Out] 1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/2/d/(
a^2+b^2)^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2+1/2/d/(a^2+b^2)
^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/2/d/(a^2+b^2)^2*B*2^(
1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2-1/d*a^4/(a^2+b^2)^2/b*tan(d*x+
c)^(1/2)/(a+b*tan(d*x+c))*B+1/d*a/(a^2+b^2)^2*b^2*tan(d*x+c)^(1/2)/(a+b*tan
(d*x+c))*A-1/2/d/(a^2+b^2)^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d
*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/d*a^4/(a^2+b^2)^2/b/(
a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B+5/d*a^2/(a^2+b^2)^2*b/(
a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-1/d*a^2/(a^2+b^2)^2*b*t
an(d*x+c)^(1/2)/(a+b*tan(d*x+c))*B-3/d*a/(a^2+b^2)^2*b^2/(a*b)^(1/2)*arctan
(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A+1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(
1/2)*tan(d*x+c)^(1/2))*b^2-1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*ta
n(d*x+c)^(1/2))*a^2+1/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(
1/2))*a*b+1/4/d/(a^2+b^2)^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d
*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/d*a^3/(a^2+b^2)^2*tan
(d*x+c)^(1/2)/(a+b*tan(d*x+c))*A+1/d*a^3/(a^2+b^2)^2/(a*b)^(1/2)*arctan(tan
(d*x+c)^(1/2)*b/(a*b)^(1/2))*A+1/2/d/(a^2+b^2)^2*A*2^(1/2)*ln((1-2^(1/2)*ta
n(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/d
/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d/(a^2+b^2)
^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d/(a^2+b^2)^2*B*2^(1/
2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/4/d/(a^2+b^2)^2*A*2^(1/2)*ln((
1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+
c)))*a^2+1/2/d/(a^2+b^2)^2*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^
2-1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2-1/4/d/
(a^2+b^2)^2*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)
*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2+1/4/d/(a^2+b^2)^2*B*2^(1/2)*ln((1-2^(1/2)
)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm
="maxima")
```

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] Timed out

$$3.406 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=391

$$\frac{(a^2(A-B) + 2ab(A+B) - b^2(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2 + b^2)^2} + \frac{(a^2(A-B) + 2ab(A+B) - b^2(A-B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2 + b^2)^2}$$

```
[Out] -(((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((a^2*(A - B) - b^2*(A - B) + 2*a*
b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d
) - ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d
*x]])/Sqrt[a]])/(Sqrt[a]*Sqrt[b]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(
A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(
2*Sqrt[2]*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*L
og[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2
*d) - ((A*b - a*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 0.81904, antiderivative size = 391, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3608, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(a^2(A-B) + 2ab(A+B) - b^2(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2 + b^2)^2} + \frac{(a^2(A-B) + 2ab(A+B) - b^2(A-B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]
```

```
[Out] -(((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[
c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((a^2*(A - B) - b^2*(A - B) + 2*a*
b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d
) - ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d
*x]])/Sqrt[a]])/(Sqrt[a]*Sqrt[b]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(
A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(
2*Sqrt[2]*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*L
og[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2
*d) - ((A*b - a*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*d*(a + b*Tan[c + d*x]))
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Si
mp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m
+ 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e +
f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) +
A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[
e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x], x] /; FreeQ[
{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && N
eQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[
2*m, 2*n])
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[(((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx = -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d(a+b \tan(c+dx))} - \frac{\int \frac{-\frac{1}{2}b(Ab-aB)-b(aA+bB)\tan(c+dx)+\frac{1}{2}b(Ab-aB)\tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{b(a^2+b^2)}$$

$$= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d(a+b \tan(c+dx))} - \frac{\int \frac{-b(2aAb-a^2B+b^2B)-b(a^2A-Ab^2+2abB)\tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{b(a^2+b^2)^2}$$

$$= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d(a+b \tan(c+dx))} - \frac{2 \operatorname{Subst}\left(\int \frac{-b(2aAb-a^2B+b^2B)-b(a^2A-Ab^2+2abB)\tan(c+dx)}{1+x^4} dx\right)}{b(a^2+b^2)^2 d}$$

$$= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d(a+b \tan(c+dx))} - \frac{(3a^2Ab-Ab^3-a^3B+3ab^2B) \operatorname{Subst}\left(\int \frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} dx\right)}{(a^2+b^2)^2 d}$$

$$= -\frac{(3a^2Ab-Ab^3-a^3B+3ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{b}(a^2+b^2)^2 d} - \frac{(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d(a+b \tan(c+dx))}$$

$$= -\frac{(3a^2Ab-Ab^3-a^3B+3ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{b}(a^2+b^2)^2 d} - \frac{(2ab(A-B)-a^2(A-B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{b}(a^2+b^2)^2 d}$$

$$= -\frac{(a^2(A-B)-b^2(A-B)+2ab(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^2 d} + \frac{(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d(a+b \tan(c+dx))}$$

Mathematica [C] time = 1.34335, size = 220, normalized size = 0.56

$$\frac{\sqrt{a}(-3a^2Ab+a^3B-3ab^2B+Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}(a^2+b^2)} + \frac{\sqrt[4]{-1}a((a+ib)^2(B+iA) \tan^{-1}((-1)^{3/4}\sqrt{\tan(c+dx)})+(a-ib)^2(B-iA) \tanh^{-1}((-1)^{3/4}\sqrt{\tan(c+dx)})}}{a^2+b^2}}{ad(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,
x]
```

```
[Out] ((Sqrt[a]*(-3*a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[a])/Sqrt[b]*(a^2 + b^2) + ((-1)^(1/4)*a*((a + I*b)^2*(I*A + B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + (a - I*b)^2*((-I)*A + B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/Sqrt[a^2 + b^2) + ((-A*b) + a*B)*Sqrt[Tan[c + d*x]] + (b*(A*b - a*B)*Tan[c + d*x]^(3/2))/(a + b*Tan[c + d*x]))/(a*(a^2 + b^2)*d)
```

Maple [B] time = 0.073, size = 1128, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)
```

```
[Out] -1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/4/d/(a^2+b^2)^2*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2-1/2/d/(a^2+b^2)^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2+1/2/d/(a^2+b^2)^2*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2-3/d/(a^2+b^2)^2/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B*a*b^2+1/d/(a^2+b^2)^2*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))*B*a*b^2-1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2+1/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b-1/d*a^2*b/(a^2+b^2)^2*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))*A-3/d*a^2*b/(a^2+b^2)^2/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A+1/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/2/d/(a^2+b^2)^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/d/(a^2+b^2)^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/d/(a^2+b^2)^2*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/2/d/(a^2+b^2)^2*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b+1/d/(a^2+b^2)^2/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A*b^3-1/d/(a^2+b^2)^2*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))*A*b^3+1/2/d/(a^2+b^2)^2*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2-1/4/d/(a^2+b^2)^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2-1/4/d/(a^2+b^2)^2*A*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/4/d/(a^2+b^2)^2*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2+1/d*a^3/(a^2+b^2)^2*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))*B+1/d*a^3/(a^2+b^2)^2/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{(a + b \tan(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/(a + b*tan(c + d*x))**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] Timed out

$$3.407 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)(a+b \tan(c+dx))^2}} dx$$

Optimal. Leaf size=391

$$\frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^2} - \frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^2}$$

```
[Out] ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) + (Sqrt[b]*(5*a^2*A*b + A*b^3 - 3*a^3*B + a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(a^(3/2)*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d) + (b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 0.865479, antiderivative size = 391, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3609, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^2} - \frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2), x]
```

```
[Out] ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) + (Sqrt[b]*(5*a^2*A*b + A*b^3 - 3*a^3*B + a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(a^(3/2)*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d) + (b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```


Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))^2}} dx &= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A + Ab^2 + abB) - a(Ab - aB)\tan(c + dx) + \frac{1}{2}b(Ab - aB)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}} dx}{a(a^2 + b^2)} \\ &= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{\int \frac{a(a^2A - Ab^2 + 2abB) - a(2aAb - a^2B + b^2B)\tan(c + dx)}{\sqrt{\tan(c + dx)}} dx}{a(a^2 + b^2)^2} \\ &= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{2 \operatorname{Subst}\left(\int \frac{a(a^2A - Ab^2 + 2abB) - a(2aAb - a^2B + b^2B)x^2}{1 + x^4} dx\right)}{a(a^2 + b^2)^2 d} \\ &= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d(a + b \tan(c + dx))} + \frac{(b(5a^2Ab + Ab^3 - 3a^3B + ab^2B)) \operatorname{Subst}\left(\int \frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}} dx\right)}{a(a^2 + b^2)^2 d} \\ &= \frac{\sqrt{b}(5a^2Ab + Ab^3 - 3a^3B + ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)^2 d} + \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d(a + b \tan(c + dx))} \\ &= \frac{\sqrt{b}(5a^2Ab + Ab^3 - 3a^3B + ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)^2 d} - \frac{(a^2(A - B) - b^2(A - B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)^2 d} \\ &= \frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} - \frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{\sqrt{2}(a^2 + b^2)^2 d} \end{aligned}$$

Mathematica [C] time = 1.05973, size = 204, normalized size = 0.52

$$\frac{\sqrt{b}(5a^2Ab - 3a^3B + ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{\sqrt{a}(a^2 + b^2)} + \frac{\sqrt[4]{-1}(-a(a + ib)^2(A - iB) \tan^{-1}((-1)^{3/4}\sqrt{\tan(c + dx)}) - a(a - ib)^2(A + iB) \tanh^{-1}((-1)^{3/4}\sqrt{\tan(c + dx)})}{a^2 + b^2}}{ad(a^2 + b^2)} + \dots$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2),
x]
```

```
[Out] ((Sqrt[b]*(5*a^2*A*b + A*b^3 - 3*a^3*B + a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[
c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)) + ((-1)^(1/4)*(-(a*(a + I*b)^2*(
A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]])] - a*(a - I*b)^2*(A + I*B)*A
rcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]])/(a^2 + b^2) + (b*(A*b - a*B)*Sqrt[T
an[c + d*x]])/(a + b*Tan[c + d*x]))/(a*(a^2 + b^2)*d)
```

Maple [B] time = 0.074, size = 1136, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x)
```

```
[Out] -1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d/
(a^2+b^2)^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2-1/2/d/(a^2+b^2
)^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d/(a^2+b^2)^2*B*2
^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2+1/d*a/(a^2+b^2)^2*b^2*tan(d*x
+c)^(1/2)/(a+b*tan(d*x+c))*A+1/2/d/(a^2+b^2)^2*B*2^(1/2)*ln((1+2^(1/2)*tan(
d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b-3/d*a
^2/(a^2+b^2)^2*b/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-1/d*a
^2/(a^2+b^2)^2*b*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))*B+5/d*a/(a^2+b^2)^2*b^2/
(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A-1/2/d/(a^2+b^2)^2*A*2
^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^2+1/2/d/(a^2+b^2)^2*A*2^(1/2)*ar
ctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2-1/d/(a^2+b^2)^2*A*2^(1/2)*arctan(-1+2
^(1/2)*tan(d*x+c)^(1/2))*a*b-1/4/d/(a^2+b^2)^2*A*2^(1/2)*ln((1+2^(1/2)*tan(
d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^2+1/d*b
^4/(a^2+b^2)^2/a*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))*A+1/d*b^4/(a^2+b^2)^2/a/
(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A-1/2/d/(a^2+b^2)^2*A*2
^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2
)+tan(d*x+c)))*a*b-1/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1
/2))*a*b+1/d/(a^2+b^2)^2*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1
/d/(a^2+b^2)^2*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b+1/4/d/(a^2
+b^2)^2*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan
(d*x+c)^(1/2)+tan(d*x+c)))*a^2-1/2/d/(a^2+b^2)^2*B*2^(1/2)*arctan(-1+2^(1/2
)*tan(d*x+c)^(1/2))*b^2-1/d*b^3/(a^2+b^2)^2*tan(d*x+c)^(1/2)/(a+b*tan(d*x+c
))*B+1/d*b^3/(a^2+b^2)^2/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))
*B+1/2/d/(a^2+b^2)^2*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2+1/4/d
/(a^2+b^2)^2*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2
)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2-1/4/d/(a^2+b^2)^2*B*2^(1/2)*ln((1-2^(1
/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^
2
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm
="maxima")
```

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.55023, size = 695, normalized size = 1.78

$$\frac{(\sqrt{2}Aa^2 + \sqrt{2}Ba^2 - 2\sqrt{2}Aab + 2\sqrt{2}Bab - \sqrt{2}Ab^2 - \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2(a^4d + 2a^2b^2d + b^4d)} + \frac{(\sqrt{2}Aa^2 + \sqrt{2}Ba^2 - 2\sqrt{2}Aab + 2\sqrt{2}Bab - \sqrt{2}Ab^2 - \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{2(a^4d + 2a^2b^2d + b^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] 1/2*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b + 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/(a^4*d + 2*a^2*b^2*d + b^4*d) + 1/2*(sqrt(2)*A*a^2 + sqrt(2)*B*a^2 - 2*sqrt(2)*A*a*b + 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 - sqrt(2)*B*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/(a^4*d + 2*a^2*b^2*d + b^4*d) + 1/4*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b + 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^4*d + 2*a^2*b^2*d + b^4*d) - 1/4*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2 + 2*sqrt(2)*A*a*b + 2*sqrt(2)*B*a*b - sqrt(2)*A*b^2 + sqrt(2)*B*b^2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^4*d + 2*a^2*b^2*d + b^4*d) - (3*B*a^3*b - 5*A*a^2*b^2 - B*a*b^3 - A*b^4)*arctan(b*sqrt(tan(d*x + c)))/sqrt(a*b))/((a^5*d + 2*a^3*b^2*d + a*b^4*d)*sqrt(a*b)) - (B*a*b*sqrt(tan(d*x + c)) - A*b^2*sqrt(tan(d*x + c)))/((a^3*d + a*b^2*d)*(b*tan(d*x + c) + a))

3.408
$$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=439

$$\frac{b^{3/2} (7a^2Ab - 5a^3B - ab^2B + 3Ab^3) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{a^{5/2}d (a^2 + b^2)^2} + \frac{(a^2(A - B) + 2ab(A + B) - b^2(A - B)) \tan^{-1} (1 - \sqrt{2}\sqrt{t})}{\sqrt{2}d (a^2 + b^2)^2}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) - (b^(3/2)*(7*a^2*A*b + 3*A*b^3 - 5*a^3*B - a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - (2*a^2*A + 3*A*b^2 - a*b*B)/(a^2*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]) + (b*(A*b - a*B))/(a*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.17331, antiderivative size = 439, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b^{3/2} (7a^2Ab - 5a^3B - ab^2B + 3Ab^3) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{a^{5/2}d (a^2 + b^2)^2} + \frac{(a^2(A - B) + 2ab(A + B) - b^2(A - B)) \tan^{-1} (1 - \sqrt{2}\sqrt{t})}{\sqrt{2}d (a^2 + b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2), x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) - (b^(3/2)*(7*a^2*A*b + 3*A*b^3 - 5*a^3*B - a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - (2*a^2*A + 3*A*b^2 - a*b*B)/(a^2*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]) + (b*(A*b - a*B))/(a*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(LtQ[n, -1] && (!IntegerQ[m]
```

|| (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[

$-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] := \text{With}\{q = \text{Rt}[-2d/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x] /; \text{FreeEQ}\{a, c, d, e\}, x\} \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[d \cdot e]$

Rule 628

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x^2)), x_Symbol] := \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 3634

$\text{Int}[(a + (b \cdot \tan[e + (f \cdot x)])^{(m)} \cdot (c + (d \cdot \tan[e + (f \cdot x)])^{(n)} \cdot (A + (C \cdot \tan[e + (f \cdot x)])^2), x_Symbol] := \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b \cdot x)^m \cdot (c + d \cdot x)^n, x], x, \text{Tan}[e + f \cdot x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, C, m, n\}, x\} \&\& \text{EqQ}[A, C]$

Rule 63

$\text{Int}[(a + (b \cdot x))^m \cdot (c + (d \cdot x))^n, x_Symbol] := \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p \cdot (m + 1) - 1)} \cdot (c - (a \cdot d)/b + (d \cdot x^p)/b)^n, x], x, (a + b \cdot x)^{(1/p)}], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[(a + (b \cdot x^2))^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2} dx &= \frac{b(Ab - aB)}{a(a^2 + b^2) d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A + 3Ab^2 - abB) - a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2} dx}{a(a^2 + b^2)} \\
&= -\frac{2a^2A + 3Ab^2 - abB}{a^2(a^2 + b^2) d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2) d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))} \\
&= -\frac{2a^2A + 3Ab^2 - abB}{a^2(a^2 + b^2) d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2) d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))} \\
&= -\frac{2a^2A + 3Ab^2 - abB}{a^2(a^2 + b^2) d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2) d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))} \\
&= -\frac{2a^2A + 3Ab^2 - abB}{a^2(a^2 + b^2) d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2) d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))} \\
&= -\frac{b^{3/2}(7a^2Ab + 3Ab^3 - 5a^3B - ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)^2 d} - \frac{2a^2A + 3Ab^2}{a^2(a^2 + b^2) d \sqrt{\tan(c + dx)}} \\
&= -\frac{b^{3/2}(7a^2Ab + 3Ab^3 - 5a^3B - ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)^2 d} + \frac{(2ab(A - B) - a^2(A - B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)^2 d} \\
&= \frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} - \frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{2}(a^2 + b^2)^2 d}
\end{aligned}$$

Mathematica [C] time = 2.29871, size = 239, normalized size = 0.54

$$\frac{b^{3/2}(-7a^2Ab + 5a^3B + ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)} + \frac{-2a^2A + abB - 3Ab^2}{a\sqrt{\tan(c+dx)}} + \frac{\sqrt[4]{-1}a(i(a-ib)^2(A+iB) \tanh^{-1}((-1)^{3/4}\sqrt{\tan(c+dx)}) - i(a+ib)^2(A-ib) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right))}{a^2 + b^2}}{ad(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2), x]

[Out] ((b^(3/2)*(-7*a^2*A*b - 3*A*b^3 + 5*a^3*B + a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(3/2)*(a^2 + b^2)) + ((-1)^(1/4)*a*((-I)*(a + I*b)^2*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + I*(a - I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]))/(a^2 + b^2) + (-2*a^2*A - 3*A*b^2 + a*b*B)/(a*Sqrt[Tan[c + d*x]]) + (b*(A*b - a*B))/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))/(a*(a^2 + b^2)*d)

Maple [B] time = 0.063, size = 1160, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)/(a+b*\tan(dx+c))^2}, x)$

[Out] $\frac{1}{2}d/(a^2+b^2)^2A^2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2-1/4/d/(a^2+b^2)^2A^2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2+1/2/d/(a^2+b^2)^2B^2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2-1/2/d/(a^2+b^2)^2B^2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2+1/2/d/(a^2+b^2)^2B^2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2+5/d/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*B*a*b^2+1/d/(a^2+b^2)^2*\tan(dx+c)^{(1/2)/(a+b*\tan(dx+c))}B*a*b^2+1/2/d/(a^2+b^2)^2A^2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2-1/2/d/(a^2+b^2)^2A^2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2-1/d/(a^2+b^2)^2A^2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b+1/d*b^4/a/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*B-2/d*A/a^2/\tan(dx+c)^{(1/2)}-1/d*b^5/a^2/(a^2+b^2)^2*\tan(dx+c)^{(1/2)/(a+b*\tan(dx+c))}A-3/d*b^5/a^2/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A+1/d*b^4/a/(a^2+b^2)^2*\tan(dx+c)^{(1/2)/(a+b*\tan(dx+c))}B-1/d/(a^2+b^2)^2A^2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b-1/2/d/(a^2+b^2)^2A^2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b-1/d/(a^2+b^2)^2B^2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b-1/d/(a^2+b^2)^2B^2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b-1/2/d/(a^2+b^2)^2B^2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b-7/d/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A*b^3-1/d/(a^2+b^2)^2*\tan(dx+c)^{(1/2)/(a+b*\tan(dx+c))}A*b^3-1/2/d/(a^2+b^2)^2B^2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2+1/4/d/(a^2+b^2)^2B^2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2+1/4/d/(a^2+b^2)^2A^2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^2-1/4/d/(a^2+b^2)^2B^2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^2-1/2/d/(a^2+b^2)^2A^2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)/(a+b*\tan(dx+c))^2}, x, \text{algorithm} = "maxima")$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(3/2)/(a+b*\tan(dx+c))^2}, x, \text{algorithm} = "fricas")$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.51264, size = 749, normalized size = 1.71

$$\frac{(\sqrt{2}Aa^2 - \sqrt{2}Ba^2 + 2\sqrt{2}Aab + 2\sqrt{2}Bab - \sqrt{2}Ab^2 + \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2(a^4d + 2a^2b^2d + b^4d)} - \frac{(\sqrt{2}Aa^2 - \sqrt{2}B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*A*a^2 - \sqrt{2}*B*a^2 + 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 + \sqrt{2}*B*b^2)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)})))/(a^4*d + 2*a^2*b^2*d + b^4*d) - 1/2*(\sqrt{2}*A*a^2 - \sqrt{2}*B*a^2 + 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 + \sqrt{2}*B*b^2)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)})))/(a^4*d + 2*a^2*b^2*d + b^4*d) \\ & + 1/4*(\sqrt{2}*A*a^2 + \sqrt{2}*B*a^2 - 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 - \sqrt{2}*B*b^2)*\log(\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/(a^4*d + 2*a^2*b^2*d + b^4*d) - 1/4*(\sqrt{2}*A*a^2 + \sqrt{2}*B*a^2 - 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*a*b - \sqrt{2}*A*b^2 - \sqrt{2}*B*b^2)*\log(-\sqrt{2}*\sqrt{\tan(d*x + c)} + \tan(d*x + c) + 1)/(a^4*d + 2*a^2*b^2*d + b^4*d) \\ & + (5*B*a^3*b^2 - 7*A*a^2*b^3 + B*a*b^4 - 3*A*b^5)*\arctan(b*\sqrt{\tan(d*x + c)})/\sqrt{a*b})/((a^6*d + 2*a^4*b^2*d + a^2*b^4*d)*\sqrt{a*b}) - (2*A*a^2*b*\tan(d*x + c) - B*a*b^2*\tan(d*x + c) + 3*A*b^3*\tan(d*x + c) + 2*A*a^3 + 2*A*a*b^2)/((a^4*d + a^2*b^2*d)*(b*\tan(d*x + c))^(3/2) + a*\sqrt{\tan(d*x + c)}) \end{aligned}$$

3.409
$$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=493

$$\frac{b^{5/2} (9a^2Ab - 7a^3B - 3ab^2B + 5Ab^3) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{a^{7/2}d (a^2 + b^2)^2} + \frac{b(Ab - aB)}{ad (a^2 + b^2) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} - \frac{(a^2(-A$$

```
[Out] -(((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) + (b^(5/2)*(9*a^2*A*b + 5*A*b^3 - 7*a^3*B - 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(7/2)*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - (2*a^2*A + 5*A*b^2 - 3*a*b*B)/(3*a^2*(a^2 + b^2)*d*Tan[c + d*x]^(3/2)) + (4*a^2*A*b + 5*A*b^3 - 2*a^3*B - 3*a*b^2*B)/(a^3*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]) + (b*(A*b - a*B))/(a*(a^2 + b^2)*d*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.53286, antiderivative size = 493, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b^{5/2} (9a^2Ab - 7a^3B - 3ab^2B + 5Ab^3) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{a^{7/2}d (a^2 + b^2)^2} + \frac{b(Ab - aB)}{ad (a^2 + b^2) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} - \frac{(a^2(-A$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2), x]
```

```
[Out] -(((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) + (b^(5/2)*(9*a^2*A*b + 5*A*b^3 - 7*a^3*B - 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(7/2)*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - (2*a^2*A + 5*A*b^2 - 3*a*b*B)/(3*a^2*(a^2 + b^2)*d*Tan[c + d*x]^(3/2)) + (4*a^2*A*b + 5*A*b^3 - 2*a^3*B - 3*a*b^2*B)/(a^3*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]) + (b*(A*b - a*B))/(a*(a^2 + b^2)*d*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
```

```
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2))/(a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^2} dx &= \frac{b(Ab - aB)}{a(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} + \int \frac{\frac{1}{2}(2a^2A + 5Ab^2 - 3abB) - a(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2} dx \\
 &= -\frac{2a^2A + 5Ab^2 - 3abB}{3a^2(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)} + \frac{b(Ab - aB)}{a(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} \\
 &= -\frac{2a^2A + 5Ab^2 - 3abB}{3a^2(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2Ab + 5Ab^3 - 2a^3B - 3ab^2B}{a^3(a^2 + b^2)d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} \\
 &= -\frac{2a^2A + 5Ab^2 - 3abB}{3a^2(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2Ab + 5Ab^3 - 2a^3B - 3ab^2B}{a^3(a^2 + b^2)d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} \\
 &= -\frac{2a^2A + 5Ab^2 - 3abB}{3a^2(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2Ab + 5Ab^3 - 2a^3B - 3ab^2B}{a^3(a^2 + b^2)d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} \\
 &= -\frac{2a^2A + 5Ab^2 - 3abB}{3a^2(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)} + \frac{4a^2Ab + 5Ab^3 - 2a^3B - 3ab^2B}{a^3(a^2 + b^2)d \sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{a(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} \\
 &= \frac{b^{5/2}(9a^2Ab + 5Ab^3 - 7a^3B - 3ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{7/2}(a^2 + b^2)^2 d} - \frac{2a^2A + 5Ab^2 - 3abB}{3a^2(a^2 + b^2)d \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} \\
 &= \frac{b^{5/2}(9a^2Ab + 5Ab^3 - 7a^3B - 3ab^2B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{7/2}(a^2 + b^2)^2 d} + \frac{(a^2(A - B) - b^2(A + B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)d} \\
 &= -\frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} + \frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2 + b^2)d}
 \end{aligned}$$

Mathematica [C] time = 3.81302, size = 287, normalized size = 0.58

$$\frac{-\frac{2a^2A + 3abB - 5Ab^2}{a \tan^{\frac{3}{2}}(c + dx)} + \frac{3(4a^2Ab - 2a^3B - 3ab^2B + 5Ab^3)}{a^2 \sqrt{\tan(c + dx)}} + \frac{3\left(b^{5/2}(9a^2Ab - 7a^3B - 3ab^2B + 5Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right) + \sqrt{-1}a^{7/2}(a+ib)^2(A-ib) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)\right)}{a^{5/2}(a^2 + b^2)d}}{3ad(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2), x]

[Out] ((3*((-1)^(1/4)*a^(7/2)*(a + I*b)^2*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + b^(5/2)*(9*a^2*A*b + 5*A*b^3 - 7*a^3*B - 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] + (-1)^(1/4)*a^(7/2)*(a - I*b)^2*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]))/(a^(5/2)*(a^2 + b^2)) + (-2*a^2*A - 5*A*b^2 + 3*a*b*B)/(a*Tan[c + d*x]^(3/2)) + (3*(4*a^2*A*b + 5*A*b^3 - 2*a^3*B - 3*a*b^2*B))/(a^2*Sqrt[Tan[c + d*x]]) + (3*b*(A*b - a*B))/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x]))/(3*a*(a^2 + b^2)*d)

Maple [B] time = 0.061, size = 1198, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\tan(dx+c))/\tan(dx+c)^{(5/2)}/(a+b*\tan(dx+c))^2, x)$

[Out] $\frac{1}{2}d/(a^2+b^2)^2A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2-1/2d/(a^2+b^2)^2B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2+1/2d/(a^2+b^2)^2B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2-1/2d/(a^2+b^2)^2B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2-1/2d/(a^2+b^2)^2B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b+1/2d/(a^2+b^2)^2A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2-1/2d/(a^2+b^2)^2A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2+1/d/(a^2+b^2)^2A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b+1/4d/(a^2+b^2)^2A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^2+1/d*b^4/(a^2+b^2)^2/a*\tan(dx+c)^{(1/2)}/(a+b*\tan(dx+c))*A+9/d*b^4/(a^2+b^2)^2/a/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A+1/2d/(a^2+b^2)^2A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b-2/3d/a^2A/\tan(dx+c)^{(3/2)}-2/d/a^2/\tan(dx+c)^{(1/2)}*B-3/d*b^5/a^2/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*B+1/d*b^6/a^3/(a^2+b^2)^2*\tan(dx+c)^{(1/2)}/(a+b*\tan(dx+c))*A+5/d*b^6/a^3/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A-1/d*b^5/a^2/(a^2+b^2)^2*\tan(dx+c)^{(1/2)}/(a+b*\tan(dx+c))*B+1/d/(a^2+b^2)^2A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b-1/d/(a^2+b^2)^2B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b-1/d/(a^2+b^2)^2B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b-1/4d/(a^2+b^2)^2A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2+1/2d/(a^2+b^2)^2B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^2+4/d/a^3/\tan(dx+c)^{(1/2)}*A*b-1/d*b^3/(a^2+b^2)^2*\tan(dx+c)^{(1/2)}/(a+b*\tan(dx+c))*B-7/d*b^3/(a^2+b^2)^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*B-1/2d/(a^2+b^2)^2A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2-1/4d/(a^2+b^2)^2B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2+1/4d/(a^2+b^2)^2B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(5/2)}/(a+b*\tan(dx+c))^2, x, \text{algorithm} = "maxima")$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+b*tan(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.48322, size = 760, normalized size = 1.54

$$\frac{(\sqrt{2}Aa^2 + \sqrt{2}Ba^2 - 2\sqrt{2}Aab + 2\sqrt{2}Bab - \sqrt{2}Ab^2 - \sqrt{2}Bb^2) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{2(a^4d + 2a^2b^2d + b^4d)} \quad (\sqrt{2}Aa^2 + \sqrt{2}Bb^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(\sqrt{2}*A*a^2 + \sqrt{2}*B*b^2 - 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*b^2 - \sqrt{2}*A*b^2 - \sqrt{2}*B*b^2)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(dx + c)})))/(a^4*d + 2*a^2*b^2*d + b^4*d) - 1/2*(\sqrt{2}*A*a^2 + \sqrt{2}*B*b^2 - 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*b^2 - \sqrt{2}*A*b^2 - \sqrt{2}*B*b^2)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(dx + c)})))/(a^4*d + 2*a^2*b^2*d + b^4*d) \\ & - 1/4*(\sqrt{2}*A*a^2 - \sqrt{2}*B*b^2 + 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*b^2 - \sqrt{2}*A*b^2 + \sqrt{2}*B*b^2)*\log(\sqrt{2}*\sqrt{\tan(dx + c)} + \tan(dx + c) + 1)/(a^4*d + 2*a^2*b^2*d + b^4*d) + 1/4*(\sqrt{2}*A*a^2 - \sqrt{2}*B*b^2 + 2*\sqrt{2}*A*a*b + 2*\sqrt{2}*B*b^2 - \sqrt{2}*A*b^2 + \sqrt{2}*B*b^2)*\log(-\sqrt{2}*\sqrt{\tan(dx + c)} + \tan(dx + c) + 1)/(a^4*d + 2*a^2*b^2*d + b^4*d) \\ & - (7*B*a^3*b^3 - 9*A*a^2*b^4 + 3*B*a*b^5 - 5*A*b^6)*\arctan(b*\sqrt{\tan(dx + c)})/\sqrt{a*b})/((a^7*d + 2*a^5*b^2*d + a^3*b^4*d)*\sqrt{a*b}) - (B*a*b^3*\sqrt{\tan(dx + c)} - A*b^4*\sqrt{\tan(dx + c)})/((a^5*d + a^3*b^2*d)*(b*\tan(dx + c) + a)) - 2/3*(3*B*a*\tan(dx + c) - 6*A*b*\tan(dx + c) + A*a)/(a^3*d*\tan(dx + c)^(3/2)) \end{aligned}$$

$$3.410 \quad \int \frac{\tan^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=600

$$\frac{a(Ab - aB) \tan^{\frac{5}{2}}(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a(a^2Ab - 5a^3B - 13ab^2B + 9Ab^3) \tan^{\frac{3}{2}}(c + dx)}{4b^2d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{(3a^2b(A - B) + a^3(-(A + B)))}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + (a^(3/2)*(3*a^4*A*b + 6*a^2*A*b^3 + 35*A*b^5 - 15*a^5*B - 46*a^3*b^2*B - 63*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]]/Sqrt[a])]/(4*b^(7/2)*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^3*A*b + 11*a*A*b^3 - 15*a^4*B - 31*a^2*b^2*B - 8*b^4*B)*Sqrt[Tan[c + d*x]]/(4*b^3*(a^2 + b^2)^2*d) + (a*(A*b - a*B)*Tan[c + d*x]^(5/2))/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (a*(a^2*A*b + 9*A*b^3 - 5*a^3*B - 13*a*b^2*B)*Tan[c + d*x]^(3/2))/(4*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.72452, antiderivative size = 600, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3605, 3645, 3647, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a(Ab - aB) \tan^{\frac{5}{2}}(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{a(a^2Ab - 5a^3B - 13ab^2B + 9Ab^3) \tan^{\frac{3}{2}}(c + dx)}{4b^2d(a^2 + b^2)^2(a + b \tan(c + dx))} + \frac{(3a^2b(A - B) + a^3(-(A + B)))}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(7/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + (a^(3/2)*(3*a^4*A*b + 6*a^2*A*b^3 + 35*A*b^5 - 15*a^5*B - 46*a^3*b^2*B - 63*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]]/Sqrt[a])]/(4*b^(7/2)*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^3*A*b + 11*a*A*b^3 - 15*a^4*B - 31*a^2*b^2*B - 8*b^4*B)*Sqrt[Tan[c + d*x]]/(4*b^3*(a^2 + b^2)^2*d) + (a*(A*b - a*B)*Tan[c + d*x]^(5/2))/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (a*(a^2*A*b + 9*A*b^3 - 5*a^3*B - 13*a*b^2*B)*Tan[c + d*x]^(3/2))/(4*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
```

```
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && (!IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
```

c, d, e, x && $\text{NeQ}[c*d^2 + a*e^2, 0]$ && $\text{NeQ}[c*d^2 - a*e^2, 0]$ && $\text{NegQ}[-(a*c)]$

Rule 1162

$\text{Int}[(d + (e)*(x)^2)/(a + (c)*(x)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e, x\} \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 617

$\text{Int}[(a + (b)*(x) + (c)*(x)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}\{a, b, c, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a + (b)*(x)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[(d + (e)*(x)^2)/(a + (c)*(x)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e, x\} \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 628

$\text{Int}[(d + (e)*(x))/(a + (b)*(x) + (c)*(x)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 3634

$\text{Int}[(a + (b)*\tan[(e) + (f)*(x)])^{(m)}*((c) + (d)*\tan[(e) + (f)*(x)])^{(n)}*((A) + (C)*\tan[(e) + (f)*(x)]^2), x_Symbol] \rightarrow \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, C, m, n, x\} \&\& \text{EqQ}[A, C]$

Rule 63

$\text{Int}[(a + (b)*(x))^{(m)}*((c) + (d)*(x))^{(n)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}\{a, b, c, d, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[(a + (b)*(x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b, x\} \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx &= \frac{a(Ab-aB) \tan^{\frac{5}{2}}(c+dx)}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \int \frac{\tan^{\frac{3}{2}}(c+dx) \left(-\frac{5}{2}a(Ab-aB) + 2b(Ab-aB) \tan(c+dx) \right)}{(a+b \tan(c+dx))^2} \frac{1}{2b(a^2+b^2)} dx \\
&= \frac{a(Ab-aB) \tan^{\frac{5}{2}}(c+dx)}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{a(a^2Ab+9Ab^3-5a^3B-13ab^2B) \tan^{\frac{3}{2}}(c+dx)}{4b^2(a^2+b^2)^2 d(a+b \tan(c+dx))} \\
&= -\frac{(3a^3Ab+11aAb^3-15a^4B-31a^2b^2B-8b^4B) \sqrt{\tan(c+dx)}}{4b^3(a^2+b^2)^2 d} + \frac{a(Ab-aB)}{2b(a^2+b^2)d} \\
&= -\frac{(3a^3Ab+11aAb^3-15a^4B-31a^2b^2B-8b^4B) \sqrt{\tan(c+dx)}}{4b^3(a^2+b^2)^2 d} + \frac{a(Ab-aB)}{2b(a^2+b^2)d} \\
&= -\frac{(3a^3Ab+11aAb^3-15a^4B-31a^2b^2B-8b^4B) \sqrt{\tan(c+dx)}}{4b^3(a^2+b^2)^2 d} + \frac{a(Ab-aB)}{2b(a^2+b^2)d} \\
&= -\frac{(3a^3Ab+11aAb^3-15a^4B-31a^2b^2B-8b^4B) \sqrt{\tan(c+dx)}}{4b^3(a^2+b^2)^2 d} + \frac{a(Ab-aB)}{2b(a^2+b^2)d} \\
&= \frac{a^{3/2} (3a^4Ab+6a^2Ab^3+35Ab^5-15a^5B-46a^3b^2B-63ab^4B) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{4b^{7/2} (a^2+b^2)^3 d} \\
&= \frac{a^{3/2} (3a^4Ab+6a^2Ab^3+35Ab^5-15a^5B-46a^3b^2B-63ab^4B) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{4b^{7/2} (a^2+b^2)^3 d} \\
&= \frac{(3a^2b(A-B)-b^3(A-B)-a^3(A+B)+3ab^2(A+B)) \tan^{-1} (1-\sqrt{2} \sqrt{\tan(c+dx)})}{\sqrt{2} (a^2+b^2)^3 d}
\end{aligned}$$

Mathematica [B] time = 6.31232, size = 1563, normalized size = 2.6

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(7/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

[Out] -(((-1)^(1/4)*a^3*A*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d)) - (3*(-1)^(3/4)*a^2*A*b*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) + (3*(-1)^(1/4)*a*A*b^2*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) + ((-1)^(3/4)*A*b^3*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) + ((-1)^(3/4)*a^3*B*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) - (3*(-1)^(1/4)*a^2*b*B*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) - (3*(-1)^(3/4)*a*b^2*B*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) + ((-1)^(1/4)*b^3*B*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/((a^2 + b^2)^3*d) + (3*a^(11/2)*A*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*b^(5/2)*(a^2 + b^2)^3*d) + (3*a^(7/2)*A*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(2*Sqrt[b]*(a^2 + b^2)^3*d) + (35*a^(3/2)*A*b^(3/2)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*(a^2 + b^2)^3*d) - (15*a^(13/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*b^(7/2)*(a^2 + b^2)^3*d) - (23*a^(9/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[a]

$$\begin{aligned} & a]]/(2*b^{(3/2)}*(a^2 + b^2)^{3*d}) - (63*a^{(5/2)}*Sqrt[b]*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*(a^2 + b^2)^{3*d}) - ((-1)^{(1/4)}*a^3*A*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) + (3*(-1)^{(3/4)}*a^2*A*b*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) + (3*(-1)^{(1/4)}*a*A*b^2*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) - ((-1)^{(3/4)}*A*b^3*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) - ((-1)^{(3/4)}*a^3*B*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) - (3*(-1)^{(1/4)}*a^2*b*B*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) + (3*(-1)^{(3/4)}*a*b^2*B*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) + ((-1)^{(1/4)}*b^3*B*ArcTanh[(-1)^{(3/4)}*Sqrt[Tan[c + d*x]])]/((a^2 + b^2)^{3*d}) - (2*a*A*Sqrt[Tan[c + d*x]])/(b^2*d*(a + b*Tan[c + d*x])^2) + (a^3*A*Sqrt[Tan[c + d*x]])/(2*b^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (10*a^2*B*Sqrt[Tan[c + d*x]])/(b^3*d*(a + b*Tan[c + d*x])^2) + (2*B*Sqrt[Tan[c + d*x]])/(3*b*d*(a + b*Tan[c + d*x])^2) - (5*a^4*B*Sqrt[Tan[c + d*x]])/(2*b^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (8*a^2*B*Sqrt[Tan[c + d*x]])/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (2*b*B*Sqrt[Tan[c + d*x]])/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (2*A*Tan[c + d*x]^(3/2))/(b*d*(a + b*Tan[c + d*x])^2) + (10*a*B*Tan[c + d*x]^(3/2))/(b^2*d*(a + b*Tan[c + d*x])^2) + (2*B*Tan[c + d*x]^(5/2))/(b*d*(a + b*Tan[c + d*x])^2) + (3*a^2*A*Sqrt[Tan[c + d*x]])/(4*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])) + (3*a^4*A*Sqrt[Tan[c + d*x]])/(4*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])) + (2*A*b^2*Sqrt[Tan[c + d*x]])/((a^2 + b^2)^2*d*(a + b*Tan[c + d*x])) - (15*a^5*B*Sqrt[Tan[c + d*x]])/(4*b^3*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])) - (31*a^3*B*Sqrt[Tan[c + d*x]])/(4*b*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])) - (6*a*b*B*Sqrt[Tan[c + d*x]])/((a^2 + b^2)^2*d*(a + b*Tan[c + d*x])) \end{aligned}$$

Maple [B] time = 0.064, size = 1864, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^{2+3/4}/d \\ & / (a^2+b^2)^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)} \\ &)*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^2*b^{-3/4}/(a^2+b^2)^3*A*2^{(1/2)}*\ln((1-2^{(1/2)} \\ &)*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))* \\ & a^2*b^{-3/2}/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b^{-3/2}/d \\ & / (a^2+b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b^{-3/4}/d \\ & / (a^2+b^2)^3*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)} \\ &)*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^{2-5/4}/d*a^6/b/(a^2+b^2)^3/(a+b*\tan(d*x+ \\ & c))^2*\tan(d*x+c)^{(3/2)}*A-9/2/d*a^4*b/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*\tan(d*x \\ & +c)^{(3/2)}*A-13/4/d*a^2*b^3/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*\tan(d*x+c)^{(3/2)}* \\ & A+9/4/d*a^7/b^2/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*\tan(d*x+c)^{(3/2)}*B+17/4/d*a^3*b^2/ \\ & (a^2+b^2)^3/(a+b*\tan(d*x+c))^2*\tan(d*x+c)^{(3/2)}*B-3/4/d*a^7/b^2/(a^2+ \\ & b^2)^3/(a+b*\tan(d*x+c))^2*A*\tan(d*x+c)^{(1/2)}-3/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\ar \\ & ctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^{2-3/2}/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(- \\ & 1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a*b^{2-3/4}/d/(a^2+b^2)^3*A*2^{(1/2)}*\ln((1+2^{(1/2)} \\ &)*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a*b^{ \\ & 2+1/2}/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^3+1/2/d/ \\ & (a^2+b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^3+1/4/d/(a^2+b^ \\ & 2)^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1-2^{(1/2)}*\tan(d* \\ & x+c)^{(1/2)}+\tan(d*x+c)))*a^3-1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\ta \\ & n(d*x+c)^{(1/2)})*b^3+1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c) \\ & ^{(1/2)})*a^3+1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) \\ & *a^3+1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3+1/ \end{aligned}$$

$$\begin{aligned} & 4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)} \\ & * \tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*a^3+13/2/d*a^5/(a^2+b^2)^3/(a+b*\tan(d*x+c)) \\ & ^2*\tan(d*x+c)^{(3/2)}*B-7/2/d*a^5/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*A*\tan(d*x+c) \\ & ^{(1/2)}+3/2/d*a^4/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)}*b/(a*b)^{(1/2)}) \\ & *A-1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b \\ & ^3-1/4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(\\ & 1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c)))*b^3+1/4/d/(a^2+b^2)^3*A*2^{(1/2)}*\ln(\\ & (1-2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c))/(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}+\tan(d*x+c) \\ &))*b^3+1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*b^3 \\ & +3/4/d*a^6/b^2/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)}*b/(a*b)^{(1/2)}) \\ & *A+3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b \\ & +35/4/d*a^2*b^2/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)}*b/(a*b)^{(1/2)}) \\ & *A-15/4/d*a^7/b^3/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)}*b/(a*b) \\ &)^{(1/2)})*B-23/2/d*a^5/b/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)}*b/(a*b) \\ &)^{(1/2)})*B-3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) \\ & *a*b^2-63/4/d*a^3*b/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(d*x+c)^{(1/2)}*b/(a*b) \\ &)^{(1/2)})*B+3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})* \\ & a^2*b-11/4/d*a^3*b^2/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*A*\tan(d*x+c)^{(1/2)}+7/4/ \\ & d*a^8/b^3/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*B*\tan(d*x+c)^{(1/2)}+11/2/d*a^6/b/(a^2+b^2)^3/ \\ & (a+b*\tan(d*x+c))^2*B*\tan(d*x+c)^{(1/2)}+15/4/d*a^4*b/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2 \\ & *B*\tan(d*x+c)^{(1/2)}+2/d*B/b^3*\tan(d*x+c)^{(1/2)} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")`

[Out] Timed out

$$3.411 \quad \int \frac{\tan^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=534

$$\frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{(3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) - b^3(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)^3}$$

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + (Sqrt[a]*(a^4*A*b + 18*a^2*A*b^3 - 15*A*b^5 + 3*a^5*B + 6*a^3*b^2*B + 35*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]]/Sqrt[a])]/(4*b^(5/2)*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Tan[c + d*x]^(3/2))/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (a*(a^2*A*b - 7*A*b^3 + 3*a^3*B + 11*a*b^2*B)*Sqrt[Tan[c + d*x]]/(4*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])))
```

Rubi [A] time = 1.23018, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3605, 3645, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2bd(a^2 + b^2)(a + b \tan(c + dx))^2} + \frac{(3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) - b^3(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]
```

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + (Sqrt[a]*(a^4*A*b + 18*a^2*A*b^3 - 15*A*b^5 + 3*a^5*B + 6*a^3*b^2*B + 35*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]]/Sqrt[a])]/(4*b^(5/2)*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Tan[c + d*x]^(3/2))/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - (a*(a^2*A*b - 7*A*b^3 + 3*a^3*B + 11*a*b^2*B)*Sqrt[Tan[c + d*x]]/(4*b^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x])))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
```



```

Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3645

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Di
st[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &&
EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```

Int(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free

```

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 204

$\text{Int}[\{(a_) + (b_)(x_)^2\}^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]x]/\text{Rt}[-a, 2]]/\text{Rt}[-a, 2] \text{Rt}[-b, 2], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[\{(d_) + (e_)(x_)^2\}/\{(a_) + (c_)(x_)^4\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-2d/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d - ae^2, 0] \ \&\& \ \text{NegQ}[de]$

Rule 628

$\text{Int}[\{(d_) + (e_)(x_)\}/\{(a_) + (b_)(x_) + (c_)(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[(d \ \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]])/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 3634

$\text{Int}[\{(a_) + (b_)\tan[(e_) + (f_)(x_)]\}^{(m_)} \ \{(c_) + (d_)\tan[(e_) + (f_)(x_)]\}^{(n_)} \ \{(A_) + (C_)\tan[(e_) + (f_)(x_)]^2\}, x_Symbol] \rightarrow \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + bx)^m (c + dx)^n, x], x, \text{Tan}[e + fx]], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f, A, C, m, n\}, x] \ \&\& \ \text{EqQ}[A, C]$

Rule 63

$\text{Int}[\{(a_) + (b_)(x_)\}^{(m_)} \ \{(c_) + (d_)(x_)\}^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p(m+1)-1)}(c - (ad)/b + (dx^p)/b)^n, x], x, (a + bx)^{(1/p)}], x]] \ /; \ \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b^2c - ad, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[\{(a_) + (b_)(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \ \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
 \int \frac{\tan^{\frac{5}{2}}(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx &= \frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{\sqrt{\tan(c+dx)} \left(-\frac{3}{2}a(Ab-aB) + 2b(Ab-aB) \tan(c+dx) \right)}{(a+b \tan(c+dx))^2} dx}{2b(a^2 + b^2)} \\
 &= \frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B) \sqrt{\tan(c + dx)}}{4b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))} \\
 &= \frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B) \sqrt{\tan(c + dx)}}{4b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))} \\
 &= \frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B) \sqrt{\tan(c + dx)}}{4b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))} \\
 &= \frac{a(Ab - aB) \tan^{\frac{3}{2}}(c + dx)}{2b(a^2 + b^2)d(a + b \tan(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B) \sqrt{\tan(c + dx)}}{4b^2(a^2 + b^2)^2 d(a + b \tan(c + dx))} \\
 &= \frac{\sqrt{a}(a^4Ab + 18a^2Ab^3 - 15Ab^5 + 3a^5B + 6a^3b^2B + 35ab^4B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{4b^{5/2}(a^2 + b^2)^3 d} \\
 &= \frac{\sqrt{a}(a^4Ab + 18a^2Ab^3 - 15Ab^5 + 3a^5B + 6a^3b^2B + 35ab^4B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{4b^{5/2}(a^2 + b^2)^3 d} \\
 &= \frac{(a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}(a^2 + b^2)^3 d}
 \end{aligned}$$

Mathematica [C] time = 6.29704, size = 690, normalized size = 1.29

$$\frac{2B \tan^{\frac{3}{2}}(c + dx)}{bd(a + b \tan(c + dx))^2} - \left(\frac{(-3aB - Ab)\sqrt{\tan(c+dx)}}{3bd(a+b \tan(c+dx))^2} - \frac{2 \left(\frac{\left(\frac{1}{4}ab^2(3aB+Ab) - a\left(-\frac{1}{4}a(3a^2B+aAb-3b^2B) - \frac{3Ab^3}{4}\right)\right)\sqrt{\tan(c+dx)}}{2ad(a^2+b^2)(a+b \tan(c+dx))^2} + \frac{\left(\frac{3}{8}a^2b^2(3a^2B+aAb+4b^2B) - a\left(-\frac{1}{4}a(3a^2B+aAb-3b^2B) - \frac{3Ab^3}{4}\right)\right)\sqrt{\tan(c+dx)}}{2ad(a^2+b^2)(a+b \tan(c+dx))^2} \right)}{\sqrt{2}(a^2 + b^2)^3 d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]
```

```
[Out] (-2*B*Tan[c + d*x]^(3/2))/(b*d*(a + b*Tan[c + d*x])^2) - (2*(-((-A*b) - 3*a*B)*Sqrt[Tan[c + d*x]])/(3*b*d*(a + b*Tan[c + d*x])^2) - (2*(((a*b^2*(A*b + 3*a*B))/4 - a*((-3*A*b^3)/4 - (a*(a*A*b + 3*a^2*B - 3*b^2*B))/4)))*Sqrt[Tan[c + d*x]])/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (((2*((3*a^3*b^3*(a^2*A - A*b^2 + 2*a*b*B))/2 + (3*a^3*b^2*(a^2*A*b - 7*A*b^3 + 3*a^3*B + 1
```

$$1*a*b^2*B)/16 + (3*a^4*(a^3*A*b + 9*a*A*b^3 + 3*a^4*B + 3*a^2*b^2*B + 8*b^4*B))/16)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(Sqrt[a]*Sqrt[b]*(a^2 + b^2)*d) + (-(((-1)^(1/4)*((-3*a^2*b^2*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B))/2 + ((3*I)/2)*a^2*b^2*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B))*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d) - ((-1)^(1/4)*((-3*a^2*b^2*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B))/2 - ((3*I)/2)*a^2*b^2*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B))*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d)/(a^2 + b^2))/(a*(a^2 + b^2)) + (((3*a^2*b^2*(a*A*b + 3*a^2*B + 4*b^2*B))/8 - a*((-3*a^2*(a^2*A*b + 4*A*b^3 + 3*a^3*B))/8 - (3*a*b^3*(a*A + b*B))/2))*Sqrt[Tan[c + d*x]])/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))/(2*a*(a^2 + b^2)))/(3*b))/b$$

Maple [B] time = 0.062, size = 1843, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\tan(dx+c)^{5/2} * (A+B*\tan(dx+c)) / (a+b*\tan(dx+c))^3, x)$

[Out]
$$\begin{aligned} & -3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2-3/2/d \\ & / (a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b-3/2/d/(a^2+ \\ & b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b+3/2/d/(a^2+b^2)^3 \\ & *A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2+3/2/d/(a^2+b^2)^3*A*2^{(1/2)} \\ & * \arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2+1/4/d/(a^2+b^2)^3*A*2^{(1/2)} \\ & * \ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan \\ & (dx+c)))*b^3+1/4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan \\ & (dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^3-1/4/d/(a^2+b^2)^3*A* \\ & 2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)} \\ & +\tan(dx+c)))*a^3+1/4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)} \\ & +\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^3-11/4/d*a^3/(a \\ & ^2+b^2)^3/(a+b*\tan(dx+c))^2*b^2*\tan(dx+c)^{(1/2)}*B+1/4/d*a^5/(a^2+b^2)^3/b \\ & / (a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A-1/2/d/(a^2+b^2)^3*A*2^{(1/2)} \\ & * \arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^3-1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*a \\ & rctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^3+1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1 \\ & +2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3+1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)} \\ & * \tan(dx+c)^{(1/2)})*a^3+1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx \\ & x+c)^{(1/2)})*a^3+1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1 \\ & /2)})*b^3+1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^ \\ & 3+1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3+9/2/d* \\ & a^3/(a^2+b^2)^3*b/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A-3/4/d \\ & / (a^2+b^2)^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)} \\ & * \tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2*b-3/4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1+2^{(1/2)} \\ & * \tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))* \\ & *a*b^2+3/4/d/(a^2+b^2)^3*A*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c) \\ &))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b^2-9/2/d*a^4/(a^2+b^2)^3/(a+ \\ & b*\tan(dx+c))^2*b*\tan(dx+c)^{(3/2)}*B-13/4/d*a^2/(a^2+b^2)^3/(a+b*\tan(dx+c) \\ &)^2*b^3*\tan(dx+c)^{(3/2)}*B-1/4/d*a^6/(a^2+b^2)^3/(a+b*\tan(dx+c))^2/b*\tan(d \\ & *x+c)^{(1/2)}*A-3/4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan \\ & (dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2*b+5/2/d*a^3/(a^2+b^2 \\ &)^3/(a+b*\tan(dx+c))^2*b^2*\tan(dx+c)^{(3/2)}*A+9/4/d*a/(a^2+b^2)^3/(a+b*\tan(\\ & dx+c))^2*b^4*\tan(dx+c)^{(3/2)}*A-5/4/d*a^6/(a^2+b^2)^3/(a+b*\tan(dx+c))^2/b \\ & * \tan(dx+c)^{(3/2)}*B-15/4/d*a/(a^2+b^2)^3*b^3/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)} \\ & *b/(a*b)^{(1/2)})*A+3/4/d*a^6/(a^2+b^2)^3/b^2/(a*b)^{(1/2)}*\arctan(\tan(dx \\ & x+c)^{(1/2)}*b/(a*b)^{(1/2)})*B+35/4/d*a^2/(a^2+b^2)^3*b^2/(a*b)^{(1/2)}*\arctan(\tan(dx \\ & x+c)^{(1/2)}*b/(a*b)^{(1/2)})*B+3/2/d*a^4/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*b* \\ & \tan(dx+c)^{(1/2)}*A+7/4/d*a^2/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*b^3*\tan(dx+c)^{(1/2)} \end{aligned}$$

$$\begin{aligned} & (1/2)*A-3/4/d*a^7/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2/b^2*\tan(d*x+c)^{(1/2)}*B+1/4 \\ & /d*a^5/(a^2+b^2)^3/(a+b*\tan(d*x+c))^2*\tan(d*x+c)^{(3/2)}*A-7/2/d*a^5/(a^2+b^2) \\ &)^3/(a+b*\tan(d*x+c))^2*\tan(d*x+c)^{(1/2)}*B+3/2/d*a^4/(a^2+b^2)^3/(a*b)^{(1/2)} \\ & *arctan(\tan(d*x+c)^{(1/2)}*b/(a*b)^{(1/2)})*B-3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*arctan(-1+2^{(1/2)} \\ & *\tan(d*x+c)^{(1/2)})*a^2*b-3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*arctan(-1+2^{(1/2)}*\tan(d*x+c)^{(1/2)}) \\ & *a*b^2-3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*arctan(1+2^{(1/2)}*\tan(d*x+c)^{(1/2)})*a^2*b \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] Timed out

3.412
$$\int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=533

$$\frac{(3a^2b(A - B) + a^3(-(A + B)) + 3ab^2(A + B) - b^3(A - B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)^3} + \frac{(3a^2b(A - B) + a^3(-(A + B)))}{\sqrt{2}d(a^2 + b^2)^3}$$

```
[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^4*A*b - 26*a^2*A*b^3 + 3*A*b^5 + a^5*B + 18*a^3*b^2*B - 15*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*Sqrt[a]*b^(3/2)*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + ((3*a^2*A*b - 5*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Tan[c + d*x]])/(4*b*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.22818, antiderivative size = 533, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3605, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(3a^2b(A - B) + a^3(-(A + B)) + 3ab^2(A + B) - b^3(A - B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)})}{\sqrt{2}d(a^2 + b^2)^3} + \frac{(3a^2b(A - B) + a^3(-(A + B)))}{\sqrt{2}d(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]
```

```
[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^4*A*b - 26*a^2*A*b^3 + 3*A*b^5 + a^5*B + 18*a^3*b^2*B - 15*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*Sqrt[a]*b^(3/2)*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(2*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + ((3*a^2*A*b - 5*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Tan[c + d*x]])/(4*b*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
```

```

Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &&
EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```

Int(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx &= \frac{a(Ab-aB)\sqrt{\tan(c+dx)}}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{\int \frac{-\frac{1}{2}a(Ab-aB)+2b(Ab-aB)\tan(c+dx)+\frac{1}{2}(3aAb+3a^2B)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{2b(a^2+b^2)} \\
&= \frac{a(Ab-aB)\sqrt{\tan(c+dx)}}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(3a^2Ab-5Ab^3+a^3B+9ab^2B)\sqrt{\tan(c+dx)}}{4b(a^2+b^2)^2d(a+b \tan(c+dx))} \\
&= \frac{a(Ab-aB)\sqrt{\tan(c+dx)}}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(3a^2Ab-5Ab^3+a^3B+9ab^2B)\sqrt{\tan(c+dx)}}{4b(a^2+b^2)^2d(a+b \tan(c+dx))} \\
&= \frac{a(Ab-aB)\sqrt{\tan(c+dx)}}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(3a^2Ab-5Ab^3+a^3B+9ab^2B)\sqrt{\tan(c+dx)}}{4b(a^2+b^2)^2d(a+b \tan(c+dx))} \\
&= \frac{a(Ab-aB)\sqrt{\tan(c+dx)}}{2b(a^2+b^2)d(a+b \tan(c+dx))^2} + \frac{(3a^2Ab-5Ab^3+a^3B+9ab^2B)\sqrt{\tan(c+dx)}}{4b(a^2+b^2)^2d(a+b \tan(c+dx))} \\
&= \frac{(3a^4Ab-26a^2Ab^3+3Ab^5+a^5B+18a^3b^2B-15ab^4B)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ab}^{3/2}(a^2+b^2)^3d} \\
&= \frac{(3a^4Ab-26a^2Ab^3+3Ab^5+a^5B+18a^3b^2B-15ab^4B)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{4\sqrt{ab}^{3/2}(a^2+b^2)^3d} \\
&= -\frac{(3a^2b(A-B)-b^3(A-B)-a^3(A+B)+3ab^2(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^3d}
\end{aligned}$$

Mathematica [C] time = 5.67479, size = 333, normalized size = 0.62

$$\frac{(a^2B+3aAb+4b^2B)\sqrt{\tan(c+dx)}}{a^2+b^2} - \frac{2(a+b \tan(c+dx))\left(-\frac{3}{4}a^{5/2}\sqrt{b}(a^2+b^2)(3a^2Ab+a^3B+9ab^2B-5Ab^3)\sqrt{\tan(c+dx)}+(a+b \tan(c+dx))\left(-\frac{3}{4}a^2(-26a^2Ab^3+3a^4Ab+3a^2B)\sqrt{\tan(c+dx)}\right)\right)}{4\sqrt{ab}^{3/2}(a^2+b^2)^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

[Out] (-4*B*Sqrt[Tan[c + d*x]] + ((3*a*A*b + a^2*B + 4*b^2*B)*Sqrt[Tan[c + d*x]])/(a^2 + b^2) - (2*(a + b*Tan[c + d*x])*((-3*a^(5/2)*Sqrt[b]*(a^2 + b^2)*(3*a^2*A*b - 5*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Tan[c + d*x]])/4 + ((-3*a^2*(3*a^4*A*b - 26*a^2*A*b^3 + 3*A*b^5 + a^5*B + 18*a^3*b^2*B - 15*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/4 - 3*(-1)^(1/4)*a^(5/2)*b^(3/2)*((a + I*b)^3*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]) + (a - I*b)^3*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]])*(a + b*Tan[c + d*x])))/(a^(5/2)*Sqrt[b]*(a^2 + b^2)^3))/(6*b*d*(a + b*Tan[c + d*x])^2)

Maple [B] time = 0.059, size = 1835, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(d*x+c)^{(3/2)}*(A+B*\tan(d*x+c))/(a+b*\tan(d*x+c))^3,x)$

[Out] $\frac{3}{2} \frac{d}{(a^2+b^2)^3} B^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^{-3/4} \frac{d}{(a^2+b^2)^3} B^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * a^2 b^{3/4} \frac{d}{(a^2+b^2)^3} A^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * a^2 b^{3/2} \frac{d}{(a^2+b^2)^3} A^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^{3/2} \frac{d}{(a^2+b^2)^3} A^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^{3/4} \frac{d}{(a^2+b^2)^3} B^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * a^2 b^2 \frac{3}{4} \frac{d}{d} a^4 b / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * \tan(d*x+c)^{(3/2)} * A - \frac{1}{2} \frac{d}{d} a^2 b^3 / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * \tan(d*x+c)^{(3/2)} * B + \frac{3}{2} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^2 \frac{3}{2} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^2 \frac{3}{4} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * a^2 b^{-1/2} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^3 - \frac{1}{2} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^3 - \frac{1}{4} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * a^3 + \frac{1}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * b^3 - \frac{1}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^3 - \frac{1}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^3 - \frac{1}{4} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * a^3 + \frac{1}{4} \frac{d}{d} a^5 / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * \tan(d*x+c)^{(3/2)} * B + \frac{5}{4} \frac{d}{d} a^5 / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * A * \tan(d*x+c)^{(1/2)} + \frac{3}{4} \frac{d}{d} a^4 / (a^2+b^2)^3 (a*b)^{(1/2)} * \arctan(\tan(d*x+c)^{(1/2)} * b / (a*b)^{(1/2)}) * A + \frac{1}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * b^3 + \frac{1}{4} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * b^3 - \frac{1}{4} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \ln\left(\frac{1-2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}{1+2^{(1/2)} \tan(d*x+c)^{(1/2)} + \tan(d*x+c)}\right) * b^3 - \frac{1}{2} \frac{d}{d} (a^2+b^2)^3 A^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * b^3 + \frac{9}{4} \frac{d}{d} (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * \tan(d*x+c)^{(3/2)} * B * a * b^{-3/4} \frac{d}{d} (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * a^2 b^3 * \tan(d*x+c)^{(1/2)} * B - \frac{3}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^{-13/2} \frac{d}{d} a^2 b^2 / (a^2+b^2)^3 (a*b)^{(1/2)} * \arctan(\tan(d*x+c)^{(1/2)} * b / (a*b)^{(1/2)}) * A + \frac{1}{4} \frac{d}{d} a^5 b / (a^2+b^2)^3 (a*b)^{(1/2)} * \arctan(\tan(d*x+c)^{(1/2)} * b / (a*b)^{(1/2)}) * B - \frac{15}{4} \frac{d}{d} (a^2+b^2)^3 b^3 / (a*b)^{(1/2)} * \arctan(\tan(d*x+c)^{(1/2)} * b / (a*b)^{(1/2)}) * B * a + \frac{3}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(-1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b^2 + \frac{9}{2} \frac{d}{d} a^3 b / (a^2+b^2)^3 (a*b)^{(1/2)} * \arctan(\tan(d*x+c)^{(1/2)} * b / (a*b)^{(1/2)}) * B - \frac{3}{2} \frac{d}{d} (a^2+b^2)^3 B^2 \sqrt{\frac{1}{2}} \arctan(1+\sqrt{\frac{1}{2}} \tan(d*x+c)^{(1/2)}) * a^2 b + \frac{1}{2} \frac{d}{d} a^3 b^2 / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * A * \tan(d*x+c)^{(1/2)} - \frac{1}{4} \frac{d}{d} a^6 b / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * B * \tan(d*x+c)^{(1/2)} + \frac{3}{2} \frac{d}{d} a^4 b / (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * B * \tan(d*x+c)^{(1/2)} + \frac{3}{4} \frac{d}{d} (a^2+b^2)^3 b^4 / (a*b)^{(1/2)} * \arctan(\tan(d*x+c)^{(1/2)} * b / (a*b)^{(1/2)}) * A - \frac{5}{4} \frac{d}{d} (a^2+b^2)^3 (a+b*\tan(d*x+c))^2 * \tan(d*x+c)^{(3/2)} * A * b^5$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(d*x+c)^{(3/2)}*(A+B*\tan(d*x+c))/(a+b*\tan(d*x+c))^3,x, \text{algorithm} = \text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] Timed out

$$3.413 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=531

$$\frac{(3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) - b^3(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^3} + \frac{(3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) - b^3(A+B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^3}$$

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - ((15*a^4*A*b - 18*a^2*A*b^3 - A*b^5 - 3*a^5*B + 26*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*a^(3/2)*Sqrt[b]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((A*b - a*B)*Sqrt[Tan[c + d*x]])/(2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - ((7*a^2*A*b - A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[Tan[c + d*x]])/(4*a*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.31205, antiderivative size = 531, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3608, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) - b^3(A+B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^3} + \frac{(3a^2b(A+B) + a^3(A-B) - 3ab^2(A-B) - b^3(A+B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]
```

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - ((15*a^4*A*b - 18*a^2*A*b^3 - A*b^5 - 3*a^5*B + 26*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(4*a^(3/2)*Sqrt[b]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((A*b - a*B)*Sqrt[Tan[c + d*x]])/(2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) - ((7*a^2*A*b - A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[Tan[c + d*x]])/(4*a*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) +
```

$A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*\tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*\tan[e + f*x]^2, x, x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

$\text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^n * ((A + B*\tan[e + f*x]) + (C + f*x)^2), x_Symbol] := \text{Simp}[(A*b^2 - a*(b*B - a*C))*(a + b*\tan[e + f*x])^{m+1} * (c + d*\tan[e + f*x])^{n+1} / (f*(m+1)*(b*c - a*d)*(a^2 + b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 + b^2)), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * (c + d*\tan[e + f*x])^n * \text{Simp}[A*(a*(b*c - a*d)*(m+1) - b^2*d*(m+n+2)) + (b*B - a*C)*(b*c*(m+1) + a*d*(n+1)) - (m+1)*(b*c - a*d)*(A*b - a*B - b*C)*\tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m+n+2)*\tan[e + f*x]^2, x, x, x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

$\text{Int}[(c + d*\tan[e + f*x])^n * (A + B*\tan[e + f*x] + (C + f*x)^2) / (a + b*\tan[e + f*x]), x_Symbol] := \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n * \text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\tan[e + f*x], x, x, x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n * (1 + \tan[e + f*x]^2) / (a + b*\tan[e + f*x]), x, x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

$\text{Int}[(c + d*\tan[e + f*x]) / \text{Sqrt}[b*\tan[e + f*x] + (f*x)], x_Symbol] := \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \text{Sqrt}[b*\tan[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[(d + e*(x)^2) / ((a + c*(x)^4), x_Symbol] := \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[(d + e*(x)^2) / ((a + c*(x)^4), x_Symbol] := \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[(a + b*(x) + c*(x)^2)^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx &= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{2(a^2+b^2)d(a+b \tan(c+dx))^2} - \frac{\int \frac{-\frac{1}{2}b(Ab-aB)-2b(aA+bB)\tan(c+dx)+\frac{3}{2}b(Ab-aB)\tan^3(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^2} dx}{2b(a^2+b^2)} \\
 &= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{2(a^2+b^2)d(a+b \tan(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B+5ab^2B)\sqrt{\tan(c+dx)}}{4a(a^2+b^2)^2d(a+b \tan(c+dx))} \\
 &= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{2(a^2+b^2)d(a+b \tan(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B+5ab^2B)\sqrt{\tan(c+dx)}}{4a(a^2+b^2)^2d(a+b \tan(c+dx))} \\
 &= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{2(a^2+b^2)d(a+b \tan(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B+5ab^2B)\sqrt{\tan(c+dx)}}{4a(a^2+b^2)^2d(a+b \tan(c+dx))} \\
 &= -\frac{(Ab-aB)\sqrt{\tan(c+dx)}}{2(a^2+b^2)d(a+b \tan(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B+5ab^2B)\sqrt{\tan(c+dx)}}{4a(a^2+b^2)^2d(a+b \tan(c+dx))} \\
 &= -\frac{(15a^4Ab-18a^2Ab^3-Ab^5-3a^5B+26a^3b^2B-3ab^4B)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}(a^2+b^2)^3d} \\
 &= -\frac{(15a^4Ab-18a^2Ab^3-Ab^5-3a^5B+26a^3b^2B-3ab^4B)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}(a^2+b^2)^3d} \\
 &= -\frac{(a^3(A-B)-3ab^2(A-B)+3a^2b(A+B)-b^3(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^3d}
 \end{aligned}$$

Mathematica [C] time = 6.11245, size = 344, normalized size = 0.65

$$\frac{2(a+b \tan(c+dx))\left(\frac{1}{4}a^{3/2}b^{3/2}(a^2+b^2)(-7a^2Ab+3a^3B-5ab^2B+Ab^3)\sqrt{\tan(c+dx)}-(a+b \tan(c+dx))\left(-\frac{1}{4}ab(18a^2Ab^3-15a^4Ab-26a^3b^2B+3a^5B+3ab^4B+Ab^5)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)\right)\right)}{a^{3/2}b^{3/2}(a^2+b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]
```

```
[Out] (b*(A*b - a*B)*Tan[c + d*x]^(3/2) - (A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]) + (2*(a + b*Tan[c + d*x])*((a^(3/2)*b^(3/2)*(a^2 + b^2)*(-7*a^2*A*b + A*b^3 + 3*a^3*B - 5*a*b^2*B)*Sqrt[Tan[c + d*x]])/4 - ((-a*b*(-15*a^4*A*b + 18*a^2*A*b^3 + A*b^5 + 3*a^5*B - 26*a^3*b^2*B + 3*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/4 + (-1)^(1/4)*a^(5/2)*b^(3/2)*((I*a - b)^3*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - (I*a + b)^3*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]))*(a + b*Tan[c + d*x]))/(a^(3/2)*b^(3/2)*(a^2 + b^2)^2)/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2)
```

Maple [B] time = 0.075, size = 1835, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\tan(dx+c)^{1/2}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c))^3,x)$

[Out] $\frac{3}{2} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b^2 + \frac{1}{4} \frac{d}{(a^2+b^2)^3} \frac{A-3/4}{(a+b \tan(dx+c))^2} \tan(dx+c)^{1/2} B^2 a^2 b^4 + \frac{3}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b^3 + \frac{3}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b^3 - \frac{3}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b^2 - \frac{3}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b^2 - \frac{5}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^5 \tan(dx+c)^{3/2}}{(a+b \tan(dx+c))^2} B - \frac{1}{4} \frac{d}{(a^2+b^2)^3} A^2 \ln\left(\frac{(1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}{(1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}\right) b^3 - \frac{1}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^3}{(a+b \tan(dx+c))^2} \tan(dx+c)^{1/2} A^2 b^5 + \frac{3}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^3}{(a+b \tan(dx+c))^2} \tan(dx+c)^{1/2} B^2 b^4 - \frac{1}{4} \frac{d}{(a^2+b^2)^3} B^2 \ln\left(\frac{(1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}{(1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}\right) a^3 + \frac{1}{4} \frac{d}{(a^2+b^2)^3} A^2 \ln\left(\frac{(1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}{(1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}\right) a^3 - \frac{1}{4} \frac{d}{(a^2+b^2)^3} B^2 \ln\left(\frac{(1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}{(1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}\right) b^3 + \frac{1}{2} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^2 \tan(dx+c)^{1/2}}{(a+b \tan(dx+c))^2} B + \frac{1}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 + \frac{1}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{1}{2} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{1}{2} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{1}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{1}{2} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{1}{2} \frac{d}{(a^2+b^2)^3} A^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{1}{2} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^3 - \frac{15}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^3}{(a+b \tan(dx+c))^2} \tan(dx+c)^{1/2} B^2 \ln\left(\frac{(1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}{(1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}\right) a^2 b + \frac{1}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^2 \tan(dx+c)^{3/2}}{(a+b \tan(dx+c))^2} B - \frac{1}{2} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^3 \tan(dx+c)^{3/2}}{(a+b \tan(dx+c))^2} B + \frac{3}{4} \frac{d}{(a^2+b^2)^3} B^2 \ln\left(\frac{(1-2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}{(1+2^{1/2} \tan(dx+c)^{1/2} + \tan(dx+c))}\right) a^2 b - \frac{7}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^2 \tan(dx+c)^{3/2}}{(a+b \tan(dx+c))^2} B^2 \tan(dx+c)^{3/2} A - \frac{3}{2} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^4 \tan(dx+c)^{3/2}}{(a+b \tan(dx+c))^2} A + \frac{9}{2} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^3}{(a+b \tan(dx+c))^2} \arctan\left(\frac{\tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) A - \frac{13}{2} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^2}{(a+b \tan(dx+c))^2} \arctan\left(\frac{\tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) B - \frac{9}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b \tan(dx+c)^{1/2}}{(a+b \tan(dx+c))^2} A - \frac{5}{2} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^3 \tan(dx+c)^{1/2}}{(a+b \tan(dx+c))^2} B + \frac{3}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^4 \tan(dx+c)^{1/2}}{(a+b \tan(dx+c))^2} A + \frac{5}{4} \frac{d}{(a^2+b^2)^3} \frac{A^2 b^5 \tan(dx+c)^{1/2}}{(a+b \tan(dx+c))^2} B + \frac{3}{4} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{-1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b + \frac{3}{2} \frac{d}{(a^2+b^2)^3} B^2 \arctan\left(\frac{1+2^{1/2} \tan(dx+c)^{1/2}}{a+b \tan(dx+c)^{1/2}}\right) a^2 b$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\tan(dx+c)^{1/2}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{(a + b \tan(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/(a + b*tan(c + d*x))**3, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] Timed out

$$3.414 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=534

$$\frac{(3a^2b(A-B) + a^3(-(A+B)) + 3ab^2(A+B) - b^3(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^3} - \frac{(3a^2b(A-B) + a^3(-(A+B)))}{\sqrt{2d}(a^2 + b^2)^3}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + (Sqrt[b]*(35*a^4*A*b + 6*a^2*A*b^3 + 3*A*b^5 - 15*a^5*B + 18*a^3*b^2*B + a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]]/Sqrt[a]]]/(4*a^(5/2)*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + (b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b*(11*a^2*A*b + 3*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(4*a^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.24971, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(3a^2b(A-B) + a^3(-(A+B)) + 3ab^2(A+B) - b^3(A-B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2 + b^2)^3} - \frac{(3a^2b(A-B) + a^3(-(A+B)))}{\sqrt{2d}(a^2 + b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + (Sqrt[b]*(35*a^4*A*b + 6*a^2*A*b^3 + 3*A*b^5 - 15*a^5*B + 18*a^3*b^2*B + a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]]/Sqrt[a]]]/(4*a^(5/2)*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + (b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b*(11*a^2*A*b + 3*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(4*a^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
```

$$*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*\text{Tan}[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*\text{Tan}[e + f*x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2*m, 2*n]) \&\& !(\text{ILtQ}[n, -1] \&\& (!\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$$

Rule 3649

$$\text{Int}[(a + b*\text{tan}[e + f*x])^m * (c + d*\text{tan}[e + f*x])^n * ((A + B*\text{tan}[e + f*x]) + (C + D*\text{tan}[e + f*x])^2), x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*(b*B - a*C))*(a + b*\text{Tan}[e + f*x])^{m+1} * (c + d*\text{Tan}[e + f*x])^{n+1}] / (f*(m+1)*(b*c - a*d)*(a^2 + b^2)), x] + \text{Dist}[1 / ((m+1)*(b*c - a*d)*(a^2 + b^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{m+1} * (c + d*\text{Tan}[e + f*x])^n * \text{Simp}[A*(a*(b*c - a*d)*(m+1) - b^2*d*(m+n+2)) + (b*B - a*C)*(b*c*(m+1) + a*d*(n+1)) - (m+1)*(b*c - a*d)*(A*b - a*B - b*C)*\text{Tan}[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m+n+2)*\text{Tan}[e + f*x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[n, -1] \&\& (!\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$$

Rule 3653

$$\text{Int}[(c + d*\text{tan}[e + f*x])^n * (A + B*\text{tan}[e + f*x] + (C + D*\text{tan}[e + f*x])^2) / ((a + b*\text{tan}[e + f*x]) + (f*x)), x_Symbol] \rightarrow \text{Dist}[1 / (a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n * \text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\text{Tan}[e + f*x], x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C) / (a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n * (1 + \text{Tan}[e + f*x]^2) / (a + b*\text{Tan}[e + f*x]), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{GtQ}[n, 0] \&\& !\text{LeQ}[n, -1]$$

Rule 3534

$$\text{Int}[(c + d*\text{tan}[e + f*x]) / \text{Sqrt}[b*\text{tan}[e + f*x] + (f*x)], x_Symbol] \rightarrow \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2) / (b^2 + x^4), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]], x] /;$$

$$\text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$$

Rule 1168

$$\text{Int}[(d + e*(x)^2) / ((a + c*(x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e) / (2*a*c), \text{Int}[(q + c*x^2) / (a + c*x^4), x], x] + \text{Dist}[(d*q - a*e) / (2*a*c), \text{Int}[(q - c*x^2) / (a + c*x^4), x], x] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*c)]$$

Rule 1162

$$\text{Int}[(d + e*(x)^2) / ((a + c*(x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e / (2*c), \text{Int}[1 / \text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e / (2*c), \text{Int}[1 / \text{Simp}[d/e - q*x + x^2, x], x], x] /;$$

$$\text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$$

Rule 617

$$\text{Int}[(a + b*(x) + c*(x)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1 / (q - x^2), x], x, 1 + (2*c*x)/b], x] /;$$

$$\text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \mid\mid !\text{RationalQ}[b^2 - 4*a*c]) /;$$

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 204

$\text{Int}[\{(a_) + (b_)(x_)^2\}^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]x]/\text{Rt}[-a, 2]]/\text{Rt}[-a, 2] \text{Rt}[-b, 2], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[\{(d_) + (e_)(x_)^2\}/\{(a_) + (c_)(x_)^4\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-2d/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d - ae^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 628

$\text{Int}[\{(d_) + (e_)(x_)\}/\{(a_) + (b_)(x_) + (c_)(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[(d \ \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]])/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 3634

$\text{Int}[\{(a_) + (b_)\tan[(e_) + (f_)(x_)]\}^{(m_)} \ \{(c_) + (d_)\tan[(e_) + (f_)(x_)]\}^{(n_)} \ \{(A_) + (C_)\tan[(e_) + (f_)(x_)]^2\}, x_Symbol] \rightarrow \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + bx)^m (c + dx)^n, x], x, \text{Tan}[e + fx]], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f, A, C, m, n\}, x] \ \&\& \ \text{EqQ}[A, C]$

Rule 63

$\text{Int}[\{(a_) + (b_)(x_)\}^{(m_)} \ \{(c_) + (d_)(x_)\}^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p(m+1)-1)}(c - (ad)/b + (dx^p)/b)^n, x], x, (a + bx)^{(1/p)}], x]] \ /; \ \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b^2c - ad, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[\{(a_) + (b_)(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \ \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^3} dx &= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2A + 3Ab^2 + abB) - 2a(Ab - aB)\tan(c + dx) + \dots}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^3} dx}{2a(a^2 + b^2)} \\
&= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{b(11a^2Ab + 3Ab^3 - 7a^3B + ab^2B)\sqrt{\tan(c + dx)}}{4a^2(a^2 + b^2)^2d(a + b \tan(c + dx))} \\
&= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{b(11a^2Ab + 3Ab^3 - 7a^3B + ab^2B)\sqrt{\tan(c + dx)}}{4a^2(a^2 + b^2)^2d(a + b \tan(c + dx))} \\
&= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{b(11a^2Ab + 3Ab^3 - 7a^3B + ab^2B)\sqrt{\tan(c + dx)}}{4a^2(a^2 + b^2)^2d(a + b \tan(c + dx))} \\
&= \frac{b(Ab - aB)\sqrt{\tan(c + dx)}}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{b(11a^2Ab + 3Ab^3 - 7a^3B + ab^2B)\sqrt{\tan(c + dx)}}{4a^2(a^2 + b^2)^2d(a + b \tan(c + dx))} \\
&= \frac{\sqrt{b}(35a^4Ab + 6a^2Ab^3 + 3Ab^5 - 15a^5B + 18a^3b^2B + ab^4B)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{4a^{5/2}(a^2 + b^2)^3d} \\
&= \frac{\sqrt{b}(35a^4Ab + 6a^2Ab^3 + 3Ab^5 - 15a^5B + 18a^3b^2B + ab^4B)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{4a^{5/2}(a^2 + b^2)^3d} \\
&= \frac{(3a^2b(A - B) - b^3(A - B) - a^3(A + B) + 3ab^2(A + B))\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^3d}
\end{aligned}$$

Mathematica [C] time = 4.48383, size = 288, normalized size = 0.54

$$\frac{b(11a^2Ab - 7a^3B + ab^2B + 3Ab^3)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)(a + b \tan(c + dx))} + \frac{2\left(\frac{1}{2}\sqrt{b}(6a^2Ab^3 + 35a^4Ab + 18a^3b^2B - 15a^5B + ab^4B + 3Ab^5)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right) - 2\sqrt[4]{-1}a^{5/2}((a + ib)^3(A - iB)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right))\right)}{a^{3/2}(a^2 + b^2)^2}$$

$$4ad(a^2 + b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^3), x]

[Out] ((2*((Sqrt[b]*(35*a^4*A*b + 6*a^2*A*b^3 + 3*A*b^5 - 15*a^5*B + 18*a^3*b^2*B + a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/2 - 2*(-1)^(1/4)*a^(5/2)*((a + I*b)^3*(A - I*B)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + (a - I*b)^3*(A + I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]))/(a^(3/2)*(a^2 + b^2)^2) + (2*b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a + b*Tan[c + d*x])^2 + (b*(11*a^2*A*b + 3*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(a*(a^2 + b^2)*(a + b*Tan[c + d*x]))/(4*a*(a^2 + b^2)*d)

Maple [B] time = 0.079, size = 1843, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(dx+c))/\tan(dx+c)^{(1/2)}/(a+b*\tan(dx+c))^3,x)$

[Out]
$$\begin{aligned} & -3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a*b^2+3/4/d \\ & / (a^2+b^2)^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)} \\ &)*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^2*b-3/4/d/(a^2+b^2)^3*A*2^{(1/2)}*\ln((1-2^{(1/2)} \\ &)*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))* \\ & a^2*b-3/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b- \\ & 3/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b-3/4/d \\ & / (a^2+b^2)^3*B*2^{(1/2)}*\ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)} \\ &)*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b^2+11/4/d*a^2*b^3/(a^2+b^2)^3/(a+b*\tan(d \\ & *x+c))^2*\tan(dx+c)^{(3/2)}*A-7/4/d*a^3*b^2/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*ta \\ & n(dx+c)^{(3/2)}*B-3/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1 \\ & /2)})*a*b^2-3/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})* \\ & a*b^2-3/4/d/(a^2+b^2)^3*A*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c) \\ &)/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a*b^2+1/4/d*b^5/(a^2+b^2)^3/a/(a \\ & *b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*B+1/2/d/(a^2+b^2)^3*A*2^{(1 \\ & /2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^3+1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arct \\ & an(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^3+1/4/d/(a^2+b^2)^3*A*2^{(1/2)}*\ln((1+2^{(1/ \\ & 2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*a^ \\ & 3-1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3+1/2/d/ \\ & (a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^3+1/2/d/(a^2+b^2 \\ &)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^3+1/2/d/(a^2+b^2)^3*A*2 \\ & ^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*b^3+1/4/d/(a^2+b^2)^3*B*2^{(1/2)}* \\ & \ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(\\ & dx+c)))*a^3-1/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)} \\ &)*b^3-1/4/d/(a^2+b^2)^3*B*2^{(1/2)}*\ln((1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c) \\ &)/(1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c)))*b^3+1/4/d/(a^2+b^2)^3*A*2^{(1/2)}* \\ & \ln((1-2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(dx+c))/(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}+\tan(\\ & dx+c)))*b^3+1/2/d/(a^2+b^2)^3*A*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) \\ & *b^3+3/4/d*b^6/(a^2+b^2)^3/a^2/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b) \\ & ^{(1/2)})*A-3/2/d/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*\tan(dx+c)^{(3/2)}*B*a*b^4+9/2/ \\ & d/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*a*b^4*\tan(dx+c)^{(1/2)}*A-5/2/d/(a^2+b^2)^3 \\ & / (a+b*\tan(dx+c))^2*a^2*b^3*\tan(dx+c)^{(1/2)}*B+1/4/d*b^6/(a^2+b^2)^3/(a+b*t \\ & an(dx+c))^2/a*\tan(dx+c)^{(3/2)}*B+3/4/d*b^7/(a^2+b^2)^3/(a+b*\tan(dx+c))^2/ \\ & a^2*\tan(dx+c)^{(3/2)}*A+3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(d \\ & x+c)^{(1/2)})*a^2*b+35/4/d*a^2*b^2/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(dx+c) \\ & ^{(1/2)}*b/(a*b)^{(1/2)})*A+5/4/d*b^6/(a^2+b^2)^3/(a+b*\tan(dx+c))^2/a*\tan(dx+c \\ &)^{(1/2)}*A+9/2/d/(a^2+b^2)^3*b^3/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b) \\ & ^{(1/2)})*B*a-3/2/d/(a^2+b^2)^3*B*2^{(1/2)}*\arctan(-1+2^{(1/2)}*\tan(dx+c)^{(1/2)}) \\ & *a*b^2-15/4/d*a^3*b/(a^2+b^2)^3/(a*b)^{(1/2)}*\arctan(\tan(dx+c)^{(1/2)}*b/(a*b) \\ & ^{(1/2)})*B-1/4/d*b^5/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*\tan(dx+c)^{(1/2)}*B+3/2/d \\ & / (a^2+b^2)^3*B*2^{(1/2)}*\arctan(1+2^{(1/2)}*\tan(dx+c)^{(1/2)})*a^2*b+13/4/d*a^3* \\ & b^2/(a^2+b^2)^3/(a+b*\tan(dx+c))^2*A*\tan(dx+c)^{(1/2)}-9/4/d*a^4*b/(a^2+b^2) \\ & ^3/(a+b*\tan(dx+c))^2*B*\tan(dx+c)^{(1/2)}+3/2/d/(a^2+b^2)^3*b^4/(a*b)^{(1/2)}* \\ & \arctan(\tan(dx+c)^{(1/2)}*b/(a*b)^{(1/2)})*A+7/2/d/(a^2+b^2)^3/(a+b*\tan(dx+c)) \\ & ^2*\tan(dx+c)^{(3/2)}*A*b^5 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(dx+c))/\tan(dx+c)^{(1/2)}/(a+b*\tan(dx+c))^3,x, \text{algorithm} = \text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.54849, size = 1062, normalized size = 1.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{1}{2}(\sqrt{2}Aa^3 + \sqrt{2}Ba^3 - 3\sqrt{2}Aa^2b + 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 - 3\sqrt{2}Bab^2 + \sqrt{2}Ab^3 - \sqrt{2}Bb^3) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + \frac{1}{2}(\sqrt{2}Aa^3 + \sqrt{2}Ba^3 - 3\sqrt{2}Aa^2b + 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 - 3\sqrt{2}Bab^2 + \sqrt{2}Ab^3 - \sqrt{2}Bb^3) \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right) + \frac{1}{4}(\sqrt{2}Aa^3 - \sqrt{2}Ba^3 + 3\sqrt{2}Aa^2b + 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 + 3\sqrt{2}Bab^2 - \sqrt{2}Ab^3 - \sqrt{2}Bb^3) \log(\sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \frac{1}{4}(\sqrt{2}Aa^3 - \sqrt{2}Ba^3 + 3\sqrt{2}Aa^2b + 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 + 3\sqrt{2}Bab^2 - \sqrt{2}Ab^3 - \sqrt{2}Bb^3) \log(-\sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c) + 1) + \frac{1}{4}(15Ba^5b - 35Aa^4b^2 - 18Ba^3b^3 - 6Aa^2b^4 - Baab^5 - 3Aab^6) \arctan\left(\frac{b\sqrt{\tan(dx+c)}}{\sqrt{ab}}\right) - \frac{1}{4}(7Ba^3b^2 \tan(dx+c)^{3/2} - 11Aa^2b^3 \tan(dx+c)^{3/2} - Baab^4 \tan(dx+c)^{3/2} - 3Aab^5 \tan(dx+c)^{3/2} + 9Ba^4b \sqrt{\tan(dx+c)} - 13Aa^3b^2 \sqrt{\tan(dx+c)} + Ba^2b^3 \sqrt{\tan(dx+c)} - 5Aab^4 \sqrt{\tan(dx+c)}) / ((a^6d + 2a^4b^2d + a^2b^4d)(b \tan(dx+c) + a)^2)$$

$$3.415 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=601

$$\frac{b^{3/2} (46a^2 Ab^3 + 63a^4 Ab - 6a^3 b^2 B - 35a^5 B - 3ab^4 B + 15Ab^5) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}} \right) + (3a^2 b(A+B) + a^3(A-B) - 3ab^2)}{4a^{7/2} d (a^2 + b^2)^3}$$

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 -
Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3
*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan
[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - (b^(3/2)*(63*a^4*A*b + 46*a^2*A*b^
3 + 15*A*b^5 - 35*a^5*B - 6*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan
[c + d*x]]/Sqrt[a]]]/(4*a^(7/2)*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3
*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]
] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A
- B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] +
Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - (8*a^4*A + 31*a^2*A*b^2 + 15*
A*b^4 - 11*a^3*b*B - 3*a*b^3*B)/(4*a^3*(a^2 + b^2)^2*d*Sqrt[Tan[c + d*x]])
+ (b*(A*b - a*B))/(2*a*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]
)^2) + (b*(13*a^2*A*b + 5*A*b^3 - 9*a^3*B - a*b^2*B))/(4*a^2*(a^2 + b^2)^2*
d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 1.69065, antiderivative size = 601, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b^{3/2} (46a^2 Ab^3 + 63a^4 Ab - 6a^3 b^2 B - 35a^5 B - 3ab^4 B + 15Ab^5) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}} \right) + (3a^2 b(A+B) + a^3(A-B) - 3ab^2)}{4a^{7/2} d (a^2 + b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 -
Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3
*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan
[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - (b^(3/2)*(63*a^4*A*b + 46*a^2*A*b^
3 + 15*A*b^5 - 35*a^5*B - 6*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan
[c + d*x]]/Sqrt[a]]]/(4*a^(7/2)*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3
*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]
] + Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A
- B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] +
Tan[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - (8*a^4*A + 31*a^2*A*b^2 + 15*
A*b^4 - 11*a^3*b*B - 3*a*b^3*B)/(4*a^3*(a^2 + b^2)^2*d*Sqrt[Tan[c + d*x]])
+ (b*(A*b - a*B))/(2*a*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]
)^2) + (b*(13*a^2*A*b + 5*A*b^3 - 9*a^3*B - a*b^2*B))/(4*a^2*(a^2 + b^2)^2*
d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
```



```

mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &&
(IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/(a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^3} dx = \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2A + 5Ab^2 - abB) - 2a(Ab - aB)}{\tan^{\frac{3}{2}}(c + dx)} dx}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2}$$

$$= \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2}$$

$$= -\frac{8a^4A + 31a^2Ab^2 + 15Ab^4 - 11a^3bB - 3ab^3B}{4a^3(a^2 + b^2)^2d\sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

$$= -\frac{8a^4A + 31a^2Ab^2 + 15Ab^4 - 11a^3bB - 3ab^3B}{4a^3(a^2 + b^2)^2d\sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

$$= -\frac{8a^4A + 31a^2Ab^2 + 15Ab^4 - 11a^3bB - 3ab^3B}{4a^3(a^2 + b^2)^2d\sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

$$= -\frac{8a^4A + 31a^2Ab^2 + 15Ab^4 - 11a^3bB - 3ab^3B}{4a^3(a^2 + b^2)^2d\sqrt{\tan(c + dx)}} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

$$= -\frac{b^{3/2}(63a^4Ab + 46a^2Ab^3 + 15Ab^5 - 35a^5B - 6a^3b^2B - 3ab^4B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{a}\right)}{4a^{7/2}(a^2 + b^2)^3d} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

$$= -\frac{b^{3/2}(63a^4Ab + 46a^2Ab^3 + 15Ab^5 - 35a^5B - 6a^3b^2B - 3ab^4B) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{a}\right)}{4a^{7/2}(a^2 + b^2)^3d} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

$$= \frac{(a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^3d} + \frac{b(Ab - aB)}{2a(a^2 + b^2)d\sqrt{\tan(c + dx)}} + \frac{b(13a^2Ab + 5Ab^3)}{4a^2(a^2 + b^2)^2d\sqrt{\tan(c + dx)}}$$

Mathematica [C] time = 6.26299, size = 585, normalized size = 0.97

$$\frac{b(Ab - aB)}{2ad(a^2 + b^2)\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^2} + \frac{\frac{1}{2}b^2(4a^2A - abB + 5Ab^2) + \frac{9}{2}a^2b(Ab - aB)}{ad(a^2 + b^2)\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} + \frac{-\frac{31a^2Ab^2 + 8a^4A - 11a^3bB - 3ab^3B + 15Ab^4}{2ad\sqrt{\tan(c + dx)}} - \frac{2(a^4 - b^4)}{2(a^2 + b^2)}}{2(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] (b*(A*b - a*B))/(2*a*(a^2 + b^2)*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2 + (((-2*((2*(-(a^4*b*(a^2*A - A*b^2 + 2*a*b*B)) + (a^2*b*(8*a^4*A + 31*a^2*A*b^2 + 15*A*b^4 - 11*a^3*b*B - 3*a*b^3*B)))/8 + (b^2*(24*a^4*A*b + 31*a^2*A*b^3 + 15*A*b^5 - 8*a^5*B - 3*a^3*b^2*B - 3*a*b^4*B)))/8)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*Sqrt[b]*(a^2 + b^2)*d) + (-(((1)^(-1/4)*(a^3*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B) - I*a^3*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B))*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d) - (((1)^(-1/4)*(a^3*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B) + I*a^3*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B))*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]])/d)/(a^2 + b
```

$$\begin{aligned} & \dots) / a - (8a^4A + 31a^2Ab^2 + 15A^2b^4 - 11a^3bB - 3ab^3B) / (2a \\ & * \sqrt{\tan[c + dx]}) / (a(a^2 + b^2)) + ((9a^2b(Ab - aB)) / 2 + (b^2(\\ & 4a^2A + 5A^2b^2 - abB)) / 2) / (a(a^2 + b^2) * \sqrt{\tan[c + dx]} * (a + b * \tan \\ & [c + dx])) / (2a(a^2 + b^2)) \end{aligned}$$

Maple [B] time = 0.067, size = 1864, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x)
```

```
[Out] -3/2/d/(a^2+b^2)^3*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2-11/2/
d/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*b^6/a*tan(d*x+c)^(3/2)*A+9/2/d/(a^2+b^2)^3
/(a+b*tan(d*x+c))^2*tan(d*x+c)^(1/2)*B*a*b^4-3/2/d/(a^2+b^2)^3*A*2^(1/2)*ar
ctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b-3/2/d/(a^2+b^2)^3*A*2^(1/2)*arctan(-
1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b+3/2/d/(a^2+b^2)^3*A*2^(1/2)*arctan(1+2^(1
/2)*tan(d*x+c)^(1/2))*a*b^2+3/4/d*b^6/a^2/(a^2+b^2)^3/(a*b)^(1/2)*arctan(tan(d*x
+c)^(1/2)*b/(a*b)^(1/2))*B-7/4/d*b^8/a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*tan
(d*x+c)^(3/2)*A+3/4/d*b^7/a^2/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*tan(d*x+c)^(3/
2)*B-9/4/d*b^7/a^2/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*A*tan(d*x+c)^(1/2)+7/2/d/
(a^2+b^2)^3/(a+b*tan(d*x+c))^2*b^5*tan(d*x+c)^(3/2)*B+1/4/d/(a^2+b^2)^3*A*2
^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/
2)+tan(d*x+c)))*b^3-13/2/d/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*tan(d*x+c)^(1/2)*
A*b^5+3/2/d/(a^2+b^2)^3/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*
B*b^4+1/4/d/(a^2+b^2)^3*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)
)/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^3-1/4/d/(a^2+b^2)^3*A*2^(1/2)*
ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(
d*x+c)))*a^3+1/4/d/(a^2+b^2)^3*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan
(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b^3-15/4/d*b^7/a^3/(a^2+b
^2)^3/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A-2/d/a^3*A/tan(d*
x+c)^(1/2)+13/4/d*a^3/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*b^2*tan(d*x+c)^(1/2)*B
-1/2/d/(a^2+b^2)^3*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^3-1/2/d/(
a^2+b^2)^3*A*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^3+1/2/d/(a^2+b^2
)^3*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b^3+1/2/d/(a^2+b^2)^3*B*2^
(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^3+1/2/d/(a^2+b^2)^3*B*2^(1/2)*ar
ctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^3+1/2/d/(a^2+b^2)^3*A*2^(1/2)*arctan(-1
+2^(1/2)*tan(d*x+c)^(1/2))*b^3+1/2/d/(a^2+b^2)^3*B*2^(1/2)*arctan(1+2^(1/2)
*tan(d*x+c)^(1/2))*b^3+1/2/d/(a^2+b^2)^3*A*2^(1/2)*arctan(1+2^(1/2)*tan(d*
x+c)^(1/2))*b^3-3/4/d/(a^2+b^2)^3*A*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+
tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a^2*b-23/2/d/(a^2+b^2
)^3/a/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*A*b^5-3/4/d/(a^2+b^
2)^3*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*
x+c)^(1/2)+tan(d*x+c)))*a*b^2+3/4/d/(a^2+b^2)^3*A*2^(1/2)*ln((1-2^(1/2)*tan
(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a*b^2+11
/4/d*a^2/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*b^3*tan(d*x+c)^(3/2)*B-3/4/d/(a^2+b
^2)^3*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d
*x+c)^(1/2)+tan(d*x+c)))*a^2*b-15/4/d*a/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*b^4*
tan(d*x+c)^(3/2)*A-63/4/d*a/(a^2+b^2)^3*b^3/(a*b)^(1/2)*arctan(tan(d*x+c)^(
1/2)*b/(a*b)^(1/2))*A+35/4/d*a^2/(a^2+b^2)^3*b^2/(a*b)^(1/2)*arctan(tan(d*x
+c)^(1/2)*b/(a*b)^(1/2))*B-17/4/d*a^2/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*b^3*ta
n(d*x+c)^(1/2)*A+5/4/d*b^6/a/(a^2+b^2)^3/(a+b*tan(d*x+c))^2*B*tan(d*x+c)^(1
/2)-3/2/d/(a^2+b^2)^3*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b-3
/2/d/(a^2+b^2)^3*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a*b^2-3/2/d/
(a^2+b^2)^3*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a^2*b
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.65004, size = 1092, normalized size = 1.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{-1/2*(\sqrt{2}*A*a^3 - \sqrt{2}*B*a^3 + 3*\sqrt{2}*A*a^2*b + 3*\sqrt{2}*B*a^2*b - 3*\sqrt{2}*A*a*b^2 + 3*\sqrt{2}*B*a*b^2 - \sqrt{2}*A*b^3 - \sqrt{2}*B*b^3)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*\sqrt{\tan(d*x + c)}))}{(a^6*d + 3*a^4*b^2*d + 3*a^2*b^4*d + b^6*d) - 1/2*(\sqrt{2}*A*a^3 - \sqrt{2}*B*a^3 + 3*\sqrt{2}*A*a^2*b + 3*\sqrt{2}*B*a^2*b - 3*\sqrt{2}*A*a*b^2 + 3*\sqrt{2}*B*a*b^2 - \sqrt{2}*A*b^3 - \sqrt{2}*B*b^3)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*\sqrt{\tan(d*x + c)}))}{(a^6*d + 3*a^4*b^2*d + 3*a^2*b^4*d + b^6*d) + 1/4*(\sqrt{2}*A*a^3 + \sqrt{2}*B*a^3 - 3*\sqrt{2}*A*a^2*b + 3*\sqrt{2}*B*a^2*b - 3*\sqrt{2}*A*a*b^2 - 3*\sqrt{2}*B*a*b^2 + \sqrt{2}*A*b^3 - \sqrt{2}*B*b^3)*\log(\sqrt{2}*\sqrt{\tan(d*x + c)})}$$

$$\begin{aligned}
& + \tan(dx + c) + 1)/(a^6d + 3a^4b^2d + 3a^2b^4d + b^6d) - 1/4*(\sqrt{2}Aa^3 + \sqrt{2}Ba^3 - 3\sqrt{2}Aa^2b + 3\sqrt{2}Ba^2b - 3\sqrt{2}Aab^2 - 3\sqrt{2}Bab^2 + \sqrt{2}Ab^3 - \sqrt{2}Bb^3)*\log(-\sqrt{2})*\sqrt{\tan(dx + c)} + \tan(dx + c) + 1)/(a^6d + 3a^4b^2d + 3a^2b^4d + b^6d) \\
& + 1/4*(35Ba^5b^2 - 63Aa^4b^3 + 6Ba^3b^4 - 46Aa^2b^5 + 3Bab^6 - 15Ab^7)*\arctan(b*\sqrt{\tan(dx + c)})/\sqrt{ab})/((a^9d + 3a^7b^2d + 3a^5b^4d + a^3b^6d)*\sqrt{ab}) + 1/4*(11Ba^3b^3*\tan(dx + c)^{(3/2)} - 15Aa^2b^4*\tan(dx + c)^{(3/2)} + 3Bab^5*\tan(dx + c)^{(3/2)} - 7Ab^6*\tan(dx + c)^{(3/2)} + 13Ba^4b^2*\sqrt{\tan(dx + c)} - 17Aa^3b^3*\sqrt{\tan(dx + c)} + 5Ba^2b^4*\sqrt{\tan(dx + c)} - 9Aab^5*\sqrt{\tan(dx + c)})/((a^7d + 2a^5b^2d + a^3b^4d)*(b*\tan(dx + c) + a)^2) - 2A/(a^3d*\sqrt{\tan(dx + c)})
\end{aligned}$$

$$3.416 \quad \int \frac{\tan^5(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=156

$$\frac{2B \tan^3(c+dx)}{3d} + \frac{B \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} - \frac{B \tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)} + 1)}{\sqrt{2}d} - \frac{B \log(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}d}$$

[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*B*Tan[c + d*x]^(3/2))/(3*d)

Rubi [A] time = 0.10962, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3473, 3476, 329, 297, 1162, 617, 204, 1165, 628}

$$\frac{2B \tan^3(c+dx)}{3d} + \frac{B \tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)})}{\sqrt{2}d} - \frac{B \tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)} + 1)}{\sqrt{2}d} - \frac{B \log(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(5/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*B*Tan[c + d*x]^(3/2))/(3*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3473

Int[((b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rule 3476

Int[((b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 329

Int[(c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4
), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{5}{2}}(c+dx)(aB+bB\tan(c+dx))}{a+b\tan(c+dx)} dx &= B \int \tan^{\frac{5}{2}}(c+dx) dx \\
&= \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3d} - B \int \sqrt{\tan(c+dx)} dx \\
&= \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1+x^2} dx, x, \tan(c+dx)\right)}{d} \\
&= \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{(2B) \operatorname{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\
&= \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3d} + \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\
&= \frac{2B \tan^{\frac{3}{2}}(c+dx)}{3d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2d} \\
&= -\frac{B \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{2\sqrt{2}d} \\
&= \frac{B \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \log\left(1-\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1+\sqrt{2}\sqrt{\tan(c+dx)}+\tan(c+dx)\right)}{2\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 0.0466169, size = 38, normalized size = 0.24

$$\frac{2B \tan^{\frac{3}{2}}(c+dx) \left(\operatorname{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\tan^2(c+dx)\right) - 1 \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (-2*B*(-1 + Hypergeometric2F1[3/4, 1, 7/4, -Tan[c + d*x]^2])*Tan[c + d*x]^(3/2))/(3*d)

Maple [A] time = 0.023, size = 118, normalized size = 0.8

$$\frac{2B}{3d} (\tan(dx+c))^{\frac{3}{2}} - \frac{B\sqrt{2}}{2d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{B\sqrt{2}}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{B\sqrt{2}}{4d} \ln\left(\left(1 - \sqrt{2}\sqrt{\tan(dx+c)}\right)\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 2/3*B*tan(d*x+c)^(3/2)/d-1/2*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))

Maxima [A] time = 1.54973, size = 166, normalized size = 1.06

$$\frac{8B \tan(dx+c)^{\frac{3}{2}} - 3 \left(2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + 2\sqrt{2} \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right) - \sqrt{2} \right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(8*B*tan(d*x + c)^(3/2) - 3*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) - sqrt(2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + sqrt(2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1))*B)/d

Fricas [B] time = 2.54263, size = 1466, normalized size = 9.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/12*(12*sqrt(2)*d*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B^3*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c)) + B^4 - sqrt(2)*d*(B^4/d^4)^(1/4)*sqrt((sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^6*sin(d*x + c))/cos(d*x + c)))/B^4*cos(d*x + c) + 12*sqrt(2)*d*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B^3*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - B^4 - sqrt(2)*d*(B^4/d^4)^(1/4)*sqrt(-(sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^6*sin(d*x + c))/cos(d*x + c)))/B^4*cos(d*x + c) + 3*sqrt(2)*d*(B^4/d^4)^(1/4)*cos(d*x + c)*log((sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^6*sin(d*x + c))/cos(d*x + c)) - 3*sqrt(2)*d*(B^4/d^4)^(1/4)*cos(d*x + c)*log(-(sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^6*sin(d*x + c))/cos(d*x + c)) + 8*B*sqrt(sin(d*x + c)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.417 \quad \int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=154

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} + \frac{2B\sqrt{\tan(c+dx)}}{d} + \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{2\sqrt{2}d}$$

[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*B*Sqrt[Tan[c + d*x]])/d

Rubi [A] time = 0.104313, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3473, 3476, 329, 211, 1165, 628, 1162, 617, 204}

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} + \frac{2B\sqrt{\tan(c+dx)}}{d} + \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (2*B*Sqrt[Tan[c + d*x]])/d

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3473

Int[((b_.)*tan[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 329

Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.), x_Symbol] :> With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),
x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&
AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(aB+bB\tan(c+dx))}{a+b\tan(c+dx)} dx &= B \int \tan^3(c+dx) dx \\
&= \frac{2B\sqrt{\tan(c+dx)}}{d} - B \int \frac{1}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{2B\sqrt{\tan(c+dx)}}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x(1+x^2)}} dx, x, \tan(c+dx)\right)}{d} \\
&= \frac{2B\sqrt{\tan(c+dx)}}{d} - \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\
&= \frac{2B\sqrt{\tan(c+dx)}}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\
&= \frac{2B\sqrt{\tan(c+dx)}}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2d} \\
&= \frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}d} - \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}d} \\
&= \frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \log(1 + \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx))}{4d}
\end{aligned}$$

Mathematica [A] time = 0.11429, size = 138, normalized size = 0.9

$$\frac{B\left(2\sqrt{2}\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right) - 2\sqrt{2}\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right) + 8\sqrt{\tan(c+dx)} + \sqrt{2}\log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (B*(2*Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - 2*Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]] + Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] + 8*Sqrt[Tan[c + d*x]]))/(4*d)

Maple [A] time = 0.023, size = 118, normalized size = 0.8

$$2 \frac{B\sqrt{\tan(dx+c)}}{d} - \frac{B\sqrt{2}}{2d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{B\sqrt{2}}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{B\sqrt{2}}{4d} \ln\left(\left(1 + \sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 2*B*tan(d*x+c)^(1/2)/d-1/2*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))

Maxima [A] time = 1.68618, size = 166, normalized size = 1.08

$$\frac{2\sqrt{2}B \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + 2\sqrt{2}B \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right) + \sqrt{2}B \log\left(\sqrt{2}\sqrt{\tan(dx+c)} + 1\right) - \sqrt{2}B \log\left(-\sqrt{2}\sqrt{\tan(dx+c)} + 1\right) - 8B\sqrt{\tan(dx+c)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/4*(2*sqrt(2)*B*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*B*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*B*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*B*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - 8*B*sqrt(tan(d*x + c)))/d

Fricas [B] time = 2.29899, size = 1311, normalized size = 8.51

$$4\sqrt{2}d\left(\frac{B^4}{d^4}\right)^{\frac{1}{4}} \arctan\left(-\frac{\sqrt{2}Bd^3\left(\frac{B^4}{d^4}\right)^{\frac{3}{4}}\sqrt{\frac{\sin(dx+c)}{\cos(dx+c)}} - \sqrt{2}d^3\left(\frac{B^4}{d^4}\right)^{\frac{3}{4}}\sqrt{\frac{\sqrt{2}Bd\left(\frac{B^4}{d^4}\right)^{\frac{1}{4}}\sqrt{\frac{\sin(dx+c)}{\cos(dx+c)}}\cos(dx+c)+d^2\sqrt{\frac{B^4}{d^4}\cos(dx+c)+B^2\sin(dx+c)}}{\cos(dx+c)}} + B^4}{B^4}\right) + 4\sqrt{2}d\left(\frac{B^4}{d^4}\right)^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(4*sqrt(2)*d*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - sqrt(2)*d^3*(B^4/d^4)^(3/4)*sqrt((sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^2*sin(d*x + c))/cos(d*x + c)) + B^4)/B^4) + 4*sqrt(2)*d*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - sqrt(2)*d^3*(B^4/d^4)^(3/4)*sqrt(-(sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^2*sin(d*x + c))/cos(d*x + c)) - B^4)/B^4) - sqrt(2)*d*(B^4/d^4)^(1/4)*log((sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^2*sin(d*x + c))/cos(d*x + c)) + sqrt(2)*d*(B^4/d^4)^(1/4)*log(-(sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^2*sin(d*x + c))/cos(d*x + c)) + 8*B*sqrt(sin(d*x + c)/cos(d*x + c)))/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \tan^{\frac{3}{2}}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] B*Integral(tan(c + d*x)**(3/2), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```


$$3.418 \quad \int \frac{\sqrt{\tan(c+dx)}(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=138

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} + \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{2\sqrt{2}d} - \frac{B}{2\sqrt{2}d}$$

```
[Out] -((B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d)) + (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.0991125, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {21, 3476, 329, 297, 1162, 617, 204, 1165, 628}

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} + \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{2\sqrt{2}d} - \frac{B}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] -((B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d)) + (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 3476

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 329

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\tan(c+dx)}(aB + bB \tan(c+dx))}{a + b \tan(c+dx)} dx &= B \int \sqrt{\tan(c+dx)} dx \\
&= \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1+x^2} dx, x, \tan(c+dx)\right)}{d} \\
&= \frac{(2B) \operatorname{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\
&= -\frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\
&= \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2d} \\
&= \frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}d} - \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}d} \\
&= -\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \log\left(\frac{1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)}{1 + \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)}\right)}{2\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 0.019991, size = 36, normalized size = 0.26

$$\frac{2B \tan^{\frac{3}{2}}(c + dx) \text{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\tan^2(c + dx)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (2*B*Hypergeometric2F1[3/4, 1, 7/4, -Tan[c + d*x]^2]*Tan[c + d*x]^(3/2))/(3*d)

Maple [A] time = 0.035, size = 104, normalized size = 0.8

$$\frac{B\sqrt{2}}{4d} \ln\left(\left(1 - \sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c)\right)\left(1 + \sqrt{2}\sqrt{\tan(dx+c)} + \tan(dx+c)\right)^{-1}\right) + \frac{B\sqrt{2}}{2d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 1/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)+1/2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)

Maxima [A] time = 1.55446, size = 147, normalized size = 1.07

$$\frac{\left(2\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+2\sqrt{\tan(dx+c)}\right)\right)+2\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-2\sqrt{\tan(dx+c)}\right)\right)-\sqrt{2}\log\left(\sqrt{2}\sqrt{\tan(dx+c)}+1\right)\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x, algorithm="maxima")

[Out] 1/4*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) - sqrt(2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + sqrt(2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1))*B/d

Fricas [B] time = 2.29129, size = 1283, normalized size = 9.3

$$-\sqrt{2}\left(\frac{B^4}{d^4}\right)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}B^3d\left(\frac{B^4}{d^4}\right)^{\frac{1}{4}}\sqrt{\frac{\sin(dx+c)}{\cos(dx+c)}} + B^4 - \sqrt{2}d\left(\frac{B^4}{d^4}\right)^{\frac{1}{4}}\sqrt{\frac{\sqrt{2}B^3d^3\left(\frac{B^4}{d^4}\right)^{\frac{3}{4}}\sqrt{\frac{\sin(dx+c)}{\cos(dx+c)}}\cos(dx+c)+B^4d^2\sqrt{\frac{B^4}{d^4}}\cos(dx+c)+B^6}}{\cos(dx+c)}}}{B^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -sqrt(2)*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B^3*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c)) + B^4 - sqrt(2)*d*(B^4/d^4)^(1/4)*sqrt((sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^6*sin(d*x + c))/cos(d*x + c)))/B^4) - sqrt(2)*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B^3*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - B^4 - sqrt(2)*d*(B^4/d^4)^(1/4)*sqrt(-(sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^6*sin(d*x + c))/cos(d*x + c)))/B^4) - 1/4*sqrt(2)*(B^4/d^4)^(1/4)*log((sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^6*sin(d*x + c))/cos(d*x + c)) + 1/4*sqrt(2)*(B^4/d^4)^(1/4)*log(-(sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - B^4*d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^6*sin(d*x + c))/cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \sqrt{\tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] B*Integral(sqrt(tan(c + d*x)), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.419 \quad \int \frac{aB + bB \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=138

$$-\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} - \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{2\sqrt{2}d} + \frac{B \log\left(\tan(c+dx) + \sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{2\sqrt{2}d}$$

```
[Out] -((B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d)) + (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.0960232, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {21, 3476, 329, 211, 1165, 628, 1162, 617, 204}

$$-\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} - \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{2\sqrt{2}d} + \frac{B \log\left(\tan(c+dx) + \sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])),x]
```

```
[Out] -((B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d)) + (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 3476

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 329

```
Int[(c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 211

```
Int[(a_.) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} dx &= B \int \frac{1}{\sqrt{\tan(c + dx)}} dx \\ &= \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}(1+x^2)} dx, x, \tan(c + dx)\right)}{d} \\ &= \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} \\ &= -\frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\ &= -\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \end{aligned}$$

Mathematica [A] time = 0.0331924, size = 110, normalized size = 0.8

$$\frac{B \left(-2 \tan^{-1} \left(1 - \sqrt{2} \sqrt{\tan(c + dx)} \right) + 2 \tan^{-1} \left(\sqrt{2} \sqrt{\tan(c + dx)} + 1 \right) - \log \left(\tan(c + dx) - \sqrt{2} \sqrt{\tan(c + dx)} + 1 \right) + \log \left(\tan(c + dx) + \sqrt{2} \sqrt{\tan(c + dx)} + 1 \right) \right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])),x]

[Out] (B*(-2*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] + 2*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]] - Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] + Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(2*Sqrt[2]*d)

Maple [A] time = 0.04, size = 104, normalized size = 0.8

$$\frac{B\sqrt{2}}{4d} \ln \left(\left(1 + \sqrt{2} \sqrt{\tan(dx + c)} + \tan(dx + c) \right) \left(1 - \sqrt{2} \sqrt{\tan(dx + c)} + \tan(dx + c) \right)^{-1} \right) + \frac{B\sqrt{2}}{2d} \arctan \left(1 + \sqrt{2} \sqrt{\tan(dx + c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x)

[Out] 1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))+1/2*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)+1/2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)

Maxima [A] time = 1.6794, size = 151, normalized size = 1.09

$$\frac{2\sqrt{2}B \arctan \left(\frac{1}{2} \sqrt{2} (\sqrt{2} + 2\sqrt{\tan(dx + c)}) \right) + 2\sqrt{2}B \arctan \left(-\frac{1}{2} \sqrt{2} (\sqrt{2} - 2\sqrt{\tan(dx + c)}) \right) + \sqrt{2}B \log \left(\sqrt{2} \sqrt{\tan(dx + c)} + 1 \right) - \sqrt{2}B \log \left(-\sqrt{2} \sqrt{\tan(dx + c)} + 1 \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/4*(2*sqrt(2)*B*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 2*sqrt(2)*B*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + sqrt(2)*B*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - sqrt(2)*B*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1))/d

Fricas [B] time = 2.32481, size = 1245, normalized size = 9.02

$$-\sqrt{2} \left(\frac{B^4}{d^4} \right)^{\frac{1}{4}} \arctan \left(\frac{\sqrt{2} B d^3 \left(\frac{B^4}{d^4} \right)^{\frac{3}{4}} \sqrt{\frac{\sin(dx+c)}{\cos(dx+c)}} - \sqrt{2} d^3 \left(\frac{B^4}{d^4} \right)^{\frac{3}{4}} \sqrt{\frac{\sqrt{2} B d \left(\frac{B^4}{d^4} \right)^{\frac{1}{4}} \sqrt{\frac{\sin(dx+c)}{\cos(dx+c)}} \cos(dx+c) + d^2 \sqrt{\frac{B^4}{d^4}} \cos(dx+c) + B^2 \sin(dx+c)}{\cos(dx+c)}}}{B^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -sqrt(2)*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - sqrt(2)*d^3*(B^4/d^4)^(3/4)*sqrt((sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^2*sin(d*x + c))/cos(d*x + c)) + B^4)/B^4) - sqrt(2)*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - sqrt(2)*d^3*(B^4/d^4)^(3/4)*sqrt(-(sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^2*sin(d*x + c))/cos(d*x + c)) - B^4)/B^4) + 1/4*sqrt(2)*(B^4/d^4)^(1/4)*log((sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^2*sin(d*x + c))/cos(d*x + c)) - 1/4*sqrt(2)*(B^4/d^4)^(1/4)*log(-(sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^2*sin(d*x + c))/cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] B*Integral(1/sqrt(tan(c + d*x)), x)
```

Giac [A] time = 1.70236, size = 159, normalized size = 1.15

$$\frac{1}{4} B \left(\frac{2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{d} + \frac{2\sqrt{2} \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{d} + \frac{\sqrt{2} \log(\sqrt{2}\sqrt{\tan(dx+c)})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/4*B*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + sqrt(2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - sqrt(2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d)
```


$$3.420 \quad \int \frac{aB + bB \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=154

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} - \frac{2B}{d\sqrt{\tan(c+dx)}} - \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{2\sqrt{2}d}$$

[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*B)/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.104938, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3474, 3476, 329, 297, 1162, 617, 204, 1165, 628}

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d} - \frac{2B}{d\sqrt{\tan(c+dx)}} - \frac{B \log\left(\tan(c+dx) - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])), x]

[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*B)/(d*Sqrt[Tan[c + d*x]])

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3474

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*Tan[c + d*x])^(n + 1)/(b*d*(n + 1)), x] - Dist[1/b^2, Int[(b*Tan[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 329

Int[(c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4
), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} dx &= B \int \frac{1}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2B}{d\sqrt{\tan(c + dx)}} - B \int \sqrt{\tan(c + dx)} dx \\
&= -\frac{2B}{d\sqrt{\tan(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1+x^2} dx, x, \tan(c + dx)\right)}{d} \\
&= -\frac{2B}{d\sqrt{\tan(c + dx)}} - \frac{(2B) \operatorname{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
&= -\frac{2B}{d\sqrt{\tan(c + dx)}} + \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
&= -\frac{2B}{d\sqrt{\tan(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} \\
&= -\frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= \frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 0.0281061, size = 34, normalized size = 0.22

$$\frac{2B \operatorname{Hypergeometric2F1}\left(-\frac{1}{4}, 1, \frac{3}{4}, -\tan^2(c + dx)\right)}{d\sqrt{\tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])), x]

[Out] (-2*B*Hypergeometric2F1[-1/4, 1, 3/4, -Tan[c + d*x]^2])/(d*Sqrt[Tan[c + d*x]])

Maple [A] time = 0.028, size = 118, normalized size = 0.8

$$-2 \frac{B}{d\sqrt{\tan(dx + c)}} - \frac{B\sqrt{2}}{2d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) - \frac{B\sqrt{2}}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) - \frac{B\sqrt{2}}{4d} \ln\left(\left(1 - \sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c)\right)\left(1 + \sqrt{2}\sqrt{\tan(dx + c)} + \tan(dx + c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)), x)

[Out] -2*B/d/tan(d*x+c)^(1/2)-1/2*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/4/d*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))

Maxima [A] time = 1.78807, size = 165, normalized size = 1.07

$$\frac{\left(2\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2\sqrt{\tan(dx+c)})\right)+2\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}-2\sqrt{\tan(dx+c)})\right)-\sqrt{2}\log\left(\sqrt{2}\sqrt{\tan(dx+c)}\right)\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/4*((2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2)+2*sqrt(tan(d*x+c))))+2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2)-2*sqrt(tan(d*x+c))))-sqrt(2)*log(sqrt(2)*sqrt(tan(d*x+c))+tan(d*x+c)+1)+sqrt(2)*log(-sqrt(2)*sqrt(tan(d*x+c))+tan(d*x+c)+1))*B+8*B/sqrt(tan(d*x+c)))/d

Fricas [B] time = 2.12926, size = 1569, normalized size = 10.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(8*B*sqrt(sin(d*x+c)/cos(d*x+c))*cos(d*x+c)*sin(d*x+c)+4*(sqrt(2)*d*cos(d*x+c)^2-sqrt(2)*d*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B^3*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x+c)/cos(d*x+c))+B^4-sqrt(2)*d*(B^4/d^4)^(1/4)*sqrt((sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x+c)/cos(d*x+c))*cos(d*x+c)+B^4*d^2*sqrt(B^4/d^4)*cos(d*x+c)+B^6*sin(d*x+c))/cos(d*x+c)))/B^4)+4*(sqrt(2)*d*cos(d*x+c)^2-sqrt(2)*d*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B^3*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x+c)/cos(d*x+c))-B^4-sqrt(2)*d*(B^4/d^4)^(1/4)*sqrt(-(sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x+c)/cos(d*x+c))*cos(d*x+c)-B^4*d^2*sqrt(B^4/d^4)*cos(d*x+c)-B^6*sin(d*x+c))/cos(d*x+c)))/B^4)+(sqrt(2)*d*cos(d*x+c)^2-sqrt(2)*d*(B^4/d^4)^(1/4)*log((sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x+c)/cos(d*x+c))*cos(d*x+c)+B^4*d^2*sqrt(B^4/d^4)*cos(d*x+c)+B^6*sin(d*x+c))/cos(d*x+c))-(sqrt(2)*d*cos(d*x+c)^2-sqrt(2)*d*(B^4/d^4)^(1/4)*log(-(sqrt(2)*B^3*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x+c)/cos(d*x+c))*cos(d*x+c)-B^4*d^2*sqrt(B^4/d^4)*cos(d*x+c)-B^6*sin(d*x+c))/cos(d*x+c)))/(d*cos(d*x+c)^2-d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c)),x)

[Out] B*Integral(tan(c+d*x)**(-3/2), x)

Giac [A] time = 1.7781, size = 177, normalized size = 1.15

$$-\frac{1}{4}B \left(\frac{2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{d} + \frac{2\sqrt{2} \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{d} - \frac{\sqrt{2} \log(\sqrt{2}\sqrt{\tan(dx+c)})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/4*B*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d - sqrt(2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + sqrt(2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 8/(d*sqrt(tan(d*x + c))))
```

$$3.421 \quad \int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))} dx$$

Optimal. Leaf size=156

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}d} - \frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{B \log\left(\tan(c + dx) - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}d}$$

```
[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*B)/(3*d*Tan[c + d*x]^(3/2))
```

Rubi [A] time = 0.0989388, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3474, 3476, 329, 211, 1165, 628, 1162, 617, 204}

$$\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}d} - \frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{B \log\left(\tan(c + dx) - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])),x]
```

```
[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]])/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*d) - (2*B)/(3*d*Tan[c + d*x]^(3/2))
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3474

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(b*Tan[c + d*x])^(n + 1)/(b*d*(n + 1)), x] - Dist[1/b^2, Int[(b*Tan[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1]
```

Rule 3476

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 329

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^(p), x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),
x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&
AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))} dx &= B \int \frac{1}{\tan^{\frac{5}{2}}(c + dx)} dx \\
&= -\frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} - B \int \frac{1}{\sqrt{\tan(c + dx)}} dx \\
&= -\frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x(1+x^2)}} dx, x, \tan(c + dx)\right)}{d} \\
&= -\frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
&= -\frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\
&= -\frac{2B}{3d \tan^{\frac{3}{2}}(c + dx)} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2d} \\
&= \frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} - \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} \\
&= \frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}d} + \frac{B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d} - \frac{B \log\left(1 + \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}d}
\end{aligned}$$

Mathematica [C] time = 0.0279196, size = 36, normalized size = 0.23

$$\frac{2B \operatorname{Hypergeometric2F1}\left(-\frac{3}{4}, 1, \frac{1}{4}, -\tan^2(c + dx)\right)}{3d \tan^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])), x]

[Out] (-2*B*Hypergeometric2F1[-3/4, 1, 1/4, -Tan[c + d*x]^2])/(3*d*Tan[c + d*x]^(3/2))

Maple [A] time = 0.027, size = 118, normalized size = 0.8

$$-\frac{2B}{3d} (\tan(dx + c))^{-\frac{3}{2}} - \frac{B\sqrt{2}}{2d} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) - \frac{B\sqrt{2}}{2d} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) - \frac{B\sqrt{2}}{4d} \ln\left(\left(1 + \sqrt{2}\sqrt{\tan(dx + c)}\right)\left(1 - \sqrt{2}\sqrt{\tan(dx + c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)), x)

[Out] -2/3*B/d/tan(d*x+c)^(3/2)-1/2*B*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/2*B*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))/d*2^(1/2)-1/4/d*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))

Maxima [A] time = 1.79317, size = 167, normalized size = 1.07

$$6\sqrt{2}B \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right) + 6\sqrt{2}B \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right) + 3\sqrt{2}B \log(\sqrt{2}\sqrt{\tan(dx+c)})$$

12 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/12*(6*sqrt(2)*B*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c)))) + 6*sqrt(2)*B*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c)))) + 3*sqrt(2)*B*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) - 3*sqrt(2)*B*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1) + 8*B/tan(d*x + c)^(3/2))/d

Fricas [B] time = 2.13258, size = 1526, normalized size = 9.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/12*(8*B*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c)^2 + 12*(sqrt(2)*d*cos(d*x + c)^2 - sqrt(2)*d)*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - sqrt(2)*d^3*(B^4/d^4)^(3/4)*sqrt((sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^2*sin(d*x + c))/cos(d*x + c)) + B^4)/B^4) + 12*(sqrt(2)*d*cos(d*x + c)^2 - sqrt(2)*d)*(B^4/d^4)^(1/4)*arctan(-(sqrt(2)*B*d^3*(B^4/d^4)^(3/4)*sqrt(sin(d*x + c)/cos(d*x + c)) - sqrt(2)*d^3*(B^4/d^4)^(3/4)*sqrt(-(sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^2*sin(d*x + c))/cos(d*x + c)) - B^4)/B^4) - 3*(sqrt(2)*d*cos(d*x + c)^2 - sqrt(2)*d)*(B^4/d^4)^(1/4)*log((sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) + d^2*sqrt(B^4/d^4)*cos(d*x + c) + B^2*sin(d*x + c))/cos(d*x + c)) + 3*(sqrt(2)*d*cos(d*x + c)^2 - sqrt(2)*d)*(B^4/d^4)^(1/4)*log(-(sqrt(2)*B*d*(B^4/d^4)^(1/4)*sqrt(sin(d*x + c)/cos(d*x + c))*cos(d*x + c) - d^2*sqrt(B^4/d^4)*cos(d*x + c) - B^2*sin(d*x + c))/cos(d*x + c)))/(d*cos(d*x + c)^2 - d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+b*tan(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.76265, size = 178, normalized size = 1.14

$$-\frac{1}{12} B \left(\frac{6 \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 \sqrt{\tan(dx+c)})\right)}{d} + \frac{6 \sqrt{2} \arctan\left(-\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 \sqrt{\tan(dx+c)})\right)}{d} + \frac{3 \sqrt{2} \log(\sqrt{2} \sqrt{\tan(dx+c)})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] -1/12*B*(6*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/d + 6*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/d + 3*sqrt(2)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d - 3*sqrt(2)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/d + 8/(d*tan(d*x + c)^(3/2)))

$$3.422 \quad \int \frac{\tan^5(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=256

$$\frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{3/2}d(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}-1\right)}{\sqrt{2}d(a^2+b^2)}$$

```
[Out] ((a + b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
- ((a + b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
- (2*a^(5/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(3/2)*(a^2 + b^2)*d)
- ((a - b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
+ ((a - b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
+ (2*B*Sqrt[Tan[c + d*x]])/(b*d)
```

Rubi [A] time = 0.526203, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.361$, Rules used = {21, 3566, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{3/2}d(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}-1\right)}{\sqrt{2}d(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(5/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]
```

```
[Out] ((a + b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
- ((a + b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
- (2*a^(5/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(3/2)*(a^2 + b^2)*d)
- ((a - b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
+ ((a - b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
+ (2*B*Sqrt[Tan[c + d*x]])/(b*d)
```

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 3566

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b^2*(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n - 1)), x] + Dist[1/(d*(m + n - 1)), Int[(a + b*Tan[e + f*x])^(m - 3)*(c + d*Tan[e + f*x])^n*Simp[a^3*d*(m + n - 1) - b^2*(b*c*(m - 2) + a*d*(1 + n)) + b*d*(m + n - 1)*(3*a^2 - b^2)*Tan[e + f*x] - b^2*(b*c*(m - 2) - a*d*(3*m + 2*n - 4))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && GtQ[m, 2] && (GeQ[n, -1] || IntegerQ[m]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[(((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^{\frac{5}{2}}(c+dx)(aB + bB \tan(c+dx))}{(a + b \tan(c+dx))^2} dx &= B \int \frac{\tan^{\frac{5}{2}}(c+dx)}{a + b \tan(c+dx)} dx \\
&= \frac{2B\sqrt{\tan(c+dx)}}{bd} + \frac{(2B) \int \frac{-\frac{a}{2} - \frac{1}{2}b \tan(c+dx) - \frac{1}{2}a \tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{b} \\
&= \frac{2B\sqrt{\tan(c+dx)}}{bd} + \frac{(2B) \int \frac{-\frac{b^2}{2} - \frac{1}{2}ab \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{b(a^2 + b^2)} - \frac{(a^3 B) \int \frac{1 + \tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{b(a^2 + b^2)} \\
&= \frac{2B\sqrt{\tan(c+dx)}}{bd} + \frac{(4B) \text{Subst}\left(\int \frac{-\frac{b^2}{2} - \frac{1}{2}abx^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{b(a^2 + b^2)d} - \frac{(a^3 B) \int \frac{1 + \tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{b(a^2 + b^2)} \\
&= \frac{2B\sqrt{\tan(c+dx)}}{bd} + \frac{((a-b)B) \text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2)d} - \frac{(2a^3 B) \int \frac{1 + \tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{2\sqrt{2}(a^2 + b^2)d} \\
&= \frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{3/2}(a^2 + b^2)d} + \frac{2B\sqrt{\tan(c+dx)}}{bd} - \frac{((a-b)B) \text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{2\sqrt{2}(a^2 + b^2)d} \\
&= \frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{3/2}(a^2 + b^2)d} - \frac{(a-b)B \log\left(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}(a^2 + b^2)d} \\
&= \frac{(a+b)B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2 + b^2)d} - \frac{(a+b)B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2 + b^2)d}
\end{aligned}$$

Mathematica [C] time = 0.187767, size = 156, normalized size = 0.61

$$\frac{B\left(-2a^{5/2} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right) + 2a^2\sqrt{b}\sqrt{\tan(c+dx)} + \sqrt[4]{-1}b^{3/2}(b-ia) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c+dx)}\right) + \sqrt[4]{-1}b^{3/2}(b+ia) \tan^{-1}\left((-1)^{1/4}\sqrt{\tan(c+dx)}\right)\right)}{b^{3/2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(5/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] (B*((-1)^(1/4)*b^(3/2)*((-I)*a + b)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - 2*a^(5/2)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] + (-1)^(1/4)*b^(3/2)*(I*a + b)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] + 2*a^2*Sqrt[b]*Sqrt[Tan[c + d*x]] + 2*b^(5/2)*Sqrt[Tan[c + d*x]])/(b^(3/2)*(a^2 + b^2)*d)

Maple [A] time = 0.043, size = 325, normalized size = 1.3

$$2 \frac{B\sqrt{\tan(dx+c)}}{bd} - 2 \frac{Ba^3}{bd(a^2+b^2)\sqrt{ab}} \arctan\left(\frac{\sqrt{\tan(dx+c)}b}{\sqrt{ab}}\right) - \frac{B\sqrt{2}b}{2d(a^2+b^2)} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{B}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)

[Out] 2*B*tan(d*x+c)^(1/2)/b/d-2/d/b*a^3/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 86.3829, size = 18137, normalized size = 70.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] [1/4*(4*sqrt(2)*(a^6*b + 3*a^4*b^3 + 3*a^2*b^5 + b^7)*d^5*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(3/4)*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))*arctan(-((B^6*a^8 + 2*B^6

$$\begin{aligned}
& *a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)} \\
& *\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - \sqrt{2}*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}) \\
& - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
& *\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) + \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
&)*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} - \sqrt{2}*((B^3*a^{10}*b + 3*B^3*a^8*b^3 + 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^{11})*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}) - (B^5*a^9 + 2*B^5*a^7*b^2 - 2*B^5*a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
&)*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4) + 4*\sqrt{2}*(a^6*b + 3*a^4*b^3 + 3*a^2*b^5 + b^7)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
& *(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}) + \sqrt{2}*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}) - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
&)*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
&)*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} + \sqrt{2}*((B^3*a^{10}*b + 3*B^3*a^8*b^3 + 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^{11})*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}) - (B^5*a^9 + 2*B^5*a^7*b^2 - 2*B^5*a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
&)*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4) + 2*B^5*a^2*\sqrt{-a/b}*\log(-(6*a*b*\cos(dx + c)*\sin(dx + c) - (a^2 - b^2)*\cos(dx + c)^2 - b^2 - 4*(a*b*\cos
\end{aligned}$$

$$\begin{aligned}
& s(dx + c)^2 - b^2 \cos(dx + c) \sin(dx + c) \sqrt{-a/b} \sqrt{\sin(dx + c)/\cos(dx + c)} \\
& / (2ab \cos(dx + c) \sin(dx + c) + (a^2 - b^2) \cos(dx + c)^2 + b^2) \\
& - \sqrt{2} * (2(B^2 a^3 b^2 + B^2 a^4 b) d^3 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \\
& - (B^4 a^2 b + B^4 b^3) d \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{1/4} \log((B^4 a^6 - B^4 a^4 b^2 - B^4 a^2 b^4 + B^4 b^6) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \\
& \cos(dx + c) + \sqrt{2} * ((B^3 a^7 - B^3 a^5 b^2 - B^3 a^3 b^4 + B^3 a b^6) d^3 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \cos(dx + c) \\
& - (B^5 a^4 b - 2B^5 a^2 b^3 + B^5 b^5) d \cos(dx + c) * \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{1/4} \\
& + (B^6 a^4 - 2B^6 a^2 b^2 + B^6 b^4) \sin(dx + c) / \cos(dx + c) + \sqrt{2} * (2(B^2 a^3 b^2 + B^2 a^4 b) d^3 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \\
& - (B^4 a^2 b + B^4 b^3) d \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{1/4} \log((B^4 a^6 - B^4 a^4 b^2 - B^4 a^2 b^4 + B^4 b^6) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \\
& \cos(dx + c) - \sqrt{2} * ((B^3 a^7 - B^3 a^5 b^2 - B^3 a^3 b^4 + B^3 a b^6) d^3 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \cos(dx + c) \\
& - (B^5 a^4 b - 2B^5 a^2 b^3 + B^5 b^5) d \cos(dx + c) * \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{1/4} \\
& + (B^6 a^4 - 2B^6 a^2 b^2 + B^6 b^4) \sin(dx + c) / \cos(dx + c) + 8(B^5 a^2 + B^5 b^2) \sqrt{\sin(dx + c) / \cos(dx + c)} \\
& / ((B^4 a^2 b + B^4 b^3) d), 1/4 * (4 \sqrt{2} * (a^6 b + 3a^4 b^3 + 3a^2 b^5 + b^7) d^5 \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4)) * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{3/4} \sqrt{(B^4 a^4 - 2B^4 a^2 b^2 + B^4 b^4) / ((a^8 + 4a^6 b^2 + 6a^4 b^4 + 4a^2 b^6 + b^8) d^4)} * \arctan(-((B^6 a^8 + 2B^6 a^6 b^2 - 2B^6 a^2 b^6 - B^6 b^8) d^4 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \sqrt{(B^4 a^4 - 2B^4 a^2 b^2 + B^4 b^4) / ((a^8 + 4a^6 b^2 + 6a^4 b^4 + 4a^2 b^6 + b^8) d^4)}) \\
& - \sqrt{2} * ((a^8 b + 4a^6 b^3 + 6a^4 b^5 + 4a^2 b^7 + b^9) d^7 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \sqrt{(B^4 a^4 - 2B^4 a^2 b^2 + B^4 b^4) / ((a^8 + 4a^6 b^2 + 6a^4 b^4 + 4a^2 b^6 + b^8) d^4)} \\
& - (B^2 a^7 + 3B^2 a^5 b^2 + 3B^2 a^3 b^4 + B^2 a b^6) d^5 \sqrt{(B^4 a^4 - 2B^4 a^2 b^2 + B^4 b^4) / ((a^8 + 4a^6 b^2 + 6a^4 b^4 + 4a^2 b^6 + b^8) d^4)} * \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * \sqrt{((B^4 a^6 - B^4 a^4 b^2 - B^4 a^2 b^4 + B^4 b^6) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \cos(dx + c) + \sqrt{2} * ((B^3 a^7 - B^3 a^5 b^2 - B^3 a^3 b^4 + B^3 a b^6) d^3 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \cos(dx + c) \\
& - (B^5 a^4 b - 2B^5 a^2 b^3 + B^5 b^5) d \cos(dx + c) * \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{1/4} \\
& + (B^6 a^4 - 2B^6 a^2 b^2 + B^6 b^4) \sin(dx + c) / \cos(dx + c) * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{3/4} \\
& - \sqrt{2} * ((B^3 a^{10} b + 3B^3 a^8 b^3 + 2B^3 a^6 b^5 - 2B^3 a^4 b^7 - 3B^3 a^2 b^9 - B^3 b^{11}) d^7 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)}) \sqrt{(B^4 a^4 - 2B^4 a^2 b^2 + B^4 b^4) / ((a^8 + 4a^6 b^2 + 6a^4 b^4 + 4a^2 b^6 + b^8) d^4)} \\
& - (B^5 a^9 + 2B^5 a^7 b^2 - 2B^5 a^3 b^6 - B^5 a b^8) d^5 \sqrt{(B^4 a^4 - 2B^4 a^2 b^2 + B^4 b^4) / ((a^8 + 4a^6 b^2 + 6a^4 b^4 + 4a^2 b^6 + b^8) d^4)} * \sqrt{(B^2 a^4 + 2B^2 a^2 b^2 + B^2 b^4 + 2(a^5 b + 2a^3 b^3 + a b^5) d^2 \sqrt{B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4)})} \\
& / (B^2 a^4 - 2B^2 a^2 b^2 + B^2 b^4) * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2a^2 b^2 + b^4) d^4))^{3/4} \\
& / (B^{10} a^4 - 2B^{10} a^2 b^2 + B^{10} b^4) + 4 \sqrt{2} * (a^6 b + 3a^4 b^3 + 3a^2 b^5 + b^7) d^5 \sqrt{(B^2 a
\end{aligned}$$

$$\begin{aligned}
&^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*B^4/(((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}*\sqrt{((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))*\arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} + \sqrt{2})*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))}* \cos(dx + c) - \sqrt{2})*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))}* \cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c))*\sqrt{((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} + \sqrt{2})*((B^3*a^{10}*b + 3*B^3*a^8*b^3 + 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^{11})*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} - (B^5*a^9 + 2*B^5*a^7*b^2 - 2*B^5*a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4)) - 8*B^5*a^2*\sqrt{a/b}*\arctan(b*\sqrt{a/b})*\sqrt{\sin(dx + c)/\cos(dx + c)}/a - \sqrt{2})*((2*(B^2*a^3*b^2 + B^2*a*b^4)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)) - (B^4*a^2*b + B^4*b^3)*d)*\sqrt{((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)) + \sqrt{2})*((2*(B^2*a^3*b^2 + B^2*a*b^4)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)) - (B^4*a^2*b + B^4*b^3)*d)*\sqrt{((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)) + \sqrt{2})*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c))*\sqrt{((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)) + 8*(B^5*a^2 + B^5*b^2)*\sqrt{\sin(dx + c)/\cos(dx + c)))/(B^4*a^2*b + B^4*b^3)*d]}
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.423 \quad \int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=237

$$\frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{bd}(a^2+b^2)} + \frac{B(a-b) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2+b^2)} - \frac{B(a-b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2d}(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{bd}(a^2+b^2)}$$

```
[Out] ((a - b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
- ((a - b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
+ (2*a^(3/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[b]*(a^2 + b^2)*d)
+ ((a + b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
- ((a + b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 0.303643, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {21, 3573, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{bd}(a^2+b^2)} + \frac{B(a-b) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2+b^2)} - \frac{B(a-b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2d}(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{bd}(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]
```

```
[Out] ((a - b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
- ((a - b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)
+ (2*a^(3/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[b]*(a^2 + b^2)*d)
+ ((a + b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
- ((a + b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 3573

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(3/2)/((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :=
Dist[1/(c^2 + d^2), Int[Simp[a^2*c - b^2*c + 2*a*b*d + (2*a*b*c - a^2*d + b^2*d)*Tan[e + f*x], x]/Sqrt[a + b*Tan[e + f*x]], x], x]
+ Dist[(b*c - a*d)^2/(c^2 + d^2), Int[(1 + Tan[e + f*x]^2)/(Sqrt[a + b*Tan[e + f*x]]*(c + d*Tan[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :=
Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
```

NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\tan^3(c+dx)(aB + bB \tan(c+dx))}{(a + b \tan(c+dx))^2} dx &= B \int \frac{\tan^3(c+dx)}{a + b \tan(c+dx)} dx \\
 &= \frac{B \int \frac{-a+b \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{a^2 + b^2} + \frac{(a^2 B) \int \frac{1+\tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{a^2 + b^2} \\
 &= \frac{(2B) \text{Subst}\left(\int \frac{-a+bx^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2) d} + \frac{(a^2 B) \text{Subst}\left(\int \frac{1}{\sqrt{x}(a+bx)} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2) d} \\
 &= \frac{(2a^2 B) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2) d} - \frac{((a-b)B) \text{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2) d} \\
 &= \frac{2a^{3/2} B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}(a^2 + b^2) d} - \frac{((a-b)B) \text{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2(a^2 + b^2) d} \\
 &= \frac{2a^{3/2} B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}(a^2 + b^2) d} + \frac{(a+b)B \log\left(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}(a^2 + b^2) d} \\
 &= \frac{(a-b)B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2 + b^2) d} - \frac{(a-b)B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2 + b^2) d}
 \end{aligned}$$

Mathematica [C] time = 0.254611, size = 228, normalized size = 0.96

$$\frac{B \left(8b^{3/2} \tan^3(c+dx) \text{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\tan^2(c+dx)\right) + 3a \left(8\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right) + 2\sqrt{2}\sqrt{b} \tan^{-1}\left(\frac{1 - \sqrt{2}\sqrt{\tan(c+dx)}}{1 + \sqrt{2}\sqrt{\tan(c+dx)}}\right) \right) \right)}{d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (B*(3*a*(2*Sqrt[2]*Sqrt[b]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]) - 2*Sqrt[2]*Sqrt[b]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + 8*Sqrt[a]*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] + Sqrt[2]*Sqrt[b]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Sqrt[2]*Sqrt[b]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) + 8*b^(3/2)*Hypergeometric2F1[3/4, 1, 7/4, -Tan[c + d*x]^2]*Tan[c + d*x]^(3/2))/(12*Sqrt[b]*(a^2 + b^2)*d)

Maple [A] time = 0.041, size = 305, normalized size = 1.3

$$2 \frac{a^2 B}{d(a^2 + b^2) \sqrt{ab}} \arctan\left(\frac{\sqrt{\tan(dx+c)b}}{\sqrt{ab}}\right) - \frac{B\sqrt{2}a}{2d(a^2 + b^2)} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \frac{B\sqrt{2}a}{2d(a^2 + b^2)} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)

```
[Out] 2/d*a^2/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-1/2/
d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/d/(a^2+b^2)*
B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/4/d/(a^2+b^2)*B*2^(1/2)*l
n((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d
*x+c)))*a+1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+
c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b+1/2/d/(a^2+b^2)*B*2^(1/2)*ar
ctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1
/2)*tan(d*x+c)^(1/2))*b
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algor
ithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 84.2287, size = 17946, normalized size = 75.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algor
ithm="fricas")
```

```
[Out] [-1/4*(4*sqrt(2)*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*sqrt((B^2*a^4 + 2*
B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 +
2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((a^4 + 2
*a^2*b^2 + b^4)*d^4))^(3/4)*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8
+ 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))*arctan(((B^6*a^8 + 2*B^6*a
^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4
)))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 +
4*a^2*b^6 + b^8)*d^4)) + sqrt(2)*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4*a^3*b^6
+ a*b^8)*d^7*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*sqrt((B^4*a^4 - 2*B^4
*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))
+ (B^2*a^6*b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*sqrt((B^4*a^4 -
2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*
d^4)))*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b
^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 +
B^2*b^4))*sqrt(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*sqrt(B
^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*cos(d*x + c) + sqrt(2)*((B^3*a^6*b - B^3*
a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)
)*cos(d*x + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*cos(d*x + c))*sqrt
((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sq
rt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*
sqrt(sin(d*x + c)/cos(d*x + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(1/4) +
(B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*sin(d*x + c)/cos(d*x + c))*(B^4/((a^4
+ 2*a^2*b^2 + b^4)*d^4))^(3/4) + sqrt(2)*((B^3*a^11 + 3*B^3*a^9*b^2 + 2*B^
3*a^7*b^4 - 2*B^3*a^5*b^6 - 3*B^3*a^3*b^8 - B^3*a*b^10)*d^7*sqrt(B^4/((a^4
+ 2*a^2*b^2 + b^4)*d^4))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4
*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + (B^5*a^8*b + 2*B^5*a^6*b^3
```

$$\begin{aligned}
& - 2B^5a^2b^7 - B^5b^9)d^5\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))\sqrt{(\sin(dx + c)/\cos(dx + c))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4}}/(B^{10}a^4 - 2B^{10}a^2b^2 + B^{10}b^4) + 4\sqrt{2}(a^6 + 3a^4b^2 + 3a^2b^4 + b^6)d^5\sqrt{B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4}}\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}\arctan(-((B^6a^8 + 2B^6a^6b^2 - 2B^6a^4b^4 - B^6b^8)d^4\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)} - \sqrt{2}((a^9 + 4a^7b^2 + 6a^5b^4 + 4a^3b^6 + ab^8)d^7\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)} + (B^2a^6b + 3B^2a^4b^3 + 3B^2a^2b^5 + B^2b^7)d^5\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)})\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\cos(dx + c) - \sqrt{2}((B^3a^6b - B^3a^4b^3 - B^3a^2b^5 + B^3b^7)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\cos(dx + c) + (B^5a^5 - 2B^5a^3b^2 + B^5ab^4)d^5\cos(dx + c)}\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{(\sin(dx + c)/\cos(dx + c))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4}} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)\sin(dx + c)/\cos(dx + c))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4} - \sqrt{2}((B^3a^{11} + 3B^3a^9b^2 + 2B^3a^7b^4 - 2B^3a^5b^6 - 3B^3a^3b^8 - B^3ab^{10})d^7\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)} + (B^5a^8b + 2B^5a^6b^3 - 2B^5a^4b^5 - B^5b^7)d^5\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)})\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{(\sin(dx + c)/\cos(dx + c))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4}}/(B^{10}a^4 - 2B^{10}a^2b^2 + B^{10}b^4) - 2B^5a\sqrt{-a/b}\log(-(6ab\cos(dx + c)\sin(dx + c) - (a^2 - b^2)\cos(dx + c)^2 - b^2 + 4(ab\cos(dx + c))^2 - b^2\cos(dx + c)\sin(dx + c))\sqrt{-a/b}\sqrt{(\sin(dx + c)/\cos(dx + c))}/(2ab\cos(dx + c)\sin(dx + c) + (a^2 - b^2)\cos(dx + c)^2 + b^2)) + \sqrt{2}(2(B^2a^3b + B^2ab^3)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)} + (B^4a^2 + B^4b^2)d)\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4}}\log(((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\cos(dx + c) + \sqrt{2}((B^3a^6b - B^3a^4b^3 - B^3a^2b^5 + B^3b^7)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\cos(dx + c) + (B^5a^5 - 2B^5a^3b^2 + B^5ab^4)d^5\cos(dx + c)}\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{(\sin(dx + c)/\cos(dx + c))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4}} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)\sin(dx + c)/\cos(dx + c) - \sqrt{2}(2(B^2a^3b + B^2ab^3)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)} + (B^4a^2 + B^4b^2)d)\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}\sqrt{(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4}}\log(((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\cos(dx + c) - \sqrt{2}((B^3a^6b - B^3a^4b^3 - B^3a^2b^5 + B^3b^7)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})\cos(dx + c) + (B^5a^5
\end{aligned}$$

$$\begin{aligned}
& - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(d*x + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 \\
& + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + \\
& b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(d*x + c)/\cos(d*x \\
& + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 \\
& + B^6*b^4)*\sin(d*x + c))/\cos(d*x + c)))/((B^4*a^2 + B^4*b^2)*d), -1/4*(4*s \\
& \text{qrt}(2)*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 \\
& + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + \\
& b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((a^4 + 2*a^2*b^2 + \\
& b^4)*d^4))^{3/4})*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 \\
& + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2 \\
& *B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B \\
& ^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 \\
& + b^8)*d^4)} + \sqrt{2}*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4*a^3*b^6 + a*b^8)* \\
& d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + \\
& B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + (B^2*a^6 \\
& *b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2 \\
& *b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{ \\
& (B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{ \\
& B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} \\
& *\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + \\
& 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x + c) + \sqrt{2}*((B^3*a^6*b - B^3*a^4*b^3 - \\
& B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x \\
& + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(d*x + c))*\sqrt{(B^2*a^4 \\
& + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^ \\
& 4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(d \\
& *x + c)/\cos(d*x + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 \\
& - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(d*x + c))/\cos(d*x + c))*(B^4/((a^4 + 2*a^2*b \\
& ^2 + b^4)*d^4))^{3/4} + \sqrt{2}*((B^3*a^11 + 3*B^3*a^9*b^2 + 2*B^3*a^7*b^4 \\
& - 2*B^3*a^5*b^6 - 3*B^3*a^3*b^8 - B^3*a*b^10)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^ \\
& 2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + \\
& 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + (B^5*a^8*b + 2*B^5*a^6*b^3 - 2*B^5*a^ \\
& 2*b^7 - B^5*b^9)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6 \\
& *b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + \\
& B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^ \\
& 4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*\sqrt{(\sin(d*x + c)/\cos(d*x + \\
& c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}}/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + \\
& B^{10}*b^4)) + 4*\sqrt{2}*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a \\
& ^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/(\\
& (a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((\\
& a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4) \\
& /((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(-(B^6*a^8 + \\
& 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + \\
& b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a \\
& ^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - \sqrt{2}*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4 \\
& *a^3*b^6 + a*b^8)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 \\
& - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8 \\
&)*d^4)} + (B^2*a^6*b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*\sqrt{(B \\
& ^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 \\
& + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b \\
& ^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a \\
& ^2*b^2 + B^2*b^4)}*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^ \\
& 2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x + c) - \sqrt{2}*((B^3*a^6* \\
& b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b \\
& ^4)*d^4)}*\cos(d*x + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(d*x + \\
& c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5) \\
& *d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^ \\
& 2*b^4)}*\sqrt{(\sin(d*x + c)/\cos(d*x + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)) \\
& ^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(d*x + c))/\cos(d*x + c))*(B \\
& ^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} - \sqrt{2}*((B^3*a^11 + 3*B^3*a^9*b^
\end{aligned}$$

$$2 + 2B^3a^7b^4 - 2B^3a^5b^6 - 3B^3a^3b^8 - B^3ab^{10})d^7\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)} + (B^5a^8b + 2B^5a^6b^3 - 2B^5a^2b^7 - B^5b^9)d^5\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2)\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}}/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)\sqrt{\sin(dx + c)/\cos(dx + c)}(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4}/(B^{10}a^4 - 2B^{10}a^2b^2 + B^{10}b^4) - 8B^5a\sqrt{a/b}\arctan(b\sqrt{a/b})\sqrt{\sin(dx + c)/\cos(dx + c)}/a + \sqrt{2}(2(B^2a^3b + B^2ab^3)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)} + (B^4a^2 + B^4b^2)d)\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2)\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}}/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4}\log(((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}\cos(dx + c) + \sqrt{2})((B^3a^6b - B^3a^4b^3 - B^3a^2b^5 + B^3b^7)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}\cos(dx + c) + (B^5a^5 - 2B^5a^3b^2 + B^5ab^4)d\cos(dx + c))\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2)\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}}/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))\sqrt{\sin(dx + c)/\cos(dx + c)}(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)\sin(dx + c))/\cos(dx + c) - \sqrt{2}(2(B^2a^3b + B^2ab^3)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)} + (B^4a^2 + B^4b^2)d)\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2)\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}}/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4}\log(((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}\cos(dx + c) - \sqrt{2})((B^3a^6b - B^3a^4b^3 - B^3a^2b^5 + B^3b^7)d^3\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}\cos(dx + c) + (B^5a^5 - 2B^5a^3b^2 + B^5ab^4)d\cos(dx + c))\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 - 2(a^5b + 2a^3b^3 + ab^5)d^2)\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}}/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))\sqrt{\sin(dx + c)/\cos(dx + c)}(B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)\sin(dx + c))/\cos(dx + c)))/(B^4a^2 + B^4b^2)d]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(3/2)*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))**2,x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)^(3/2)*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))^2,x, algorithm="giac")

[Out] Timed out

$$3.424 \quad \int \frac{\sqrt{\tan(c+dx)}(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=237

$$-\frac{B(a+b) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}d(a^2+b^2)} - \frac{2\sqrt{a}\sqrt{b}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{d(a^2+b^2)} + \frac{B(a+b)}{d(a^2+b^2)}$$

```
[Out] -(((a + b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)) + ((a + b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*Sqrt[a]*Sqrt[b]*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^2 + b^2)*d + ((a - b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((a - b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 0.277556, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {21, 3572, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$-\frac{B(a+b) \tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}d(a^2+b^2)} - \frac{2\sqrt{a}\sqrt{b}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{d(a^2+b^2)} + \frac{B(a+b)}{d(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Tan[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]
```

```
[Out] -(((a + b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)) + ((a + b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*Sqrt[a]*Sqrt[b]*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^2 + b^2)*d + ((a - b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((a - b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 21

```
Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 3572

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :>
Dist[1/(c^2 + d^2), Int[Simp[a*c + b*d + (b*c - a*d)*Tan[e + f*x], x]/Sqrt[a + b*Tan[e + f*x]], x], x] - Dist[(d*(b*c - a*d))/(c^2 + d^2), Int[(1 + Tan[e + f*x]^2)/(Sqrt[a + b*Tan[e + f*x]]*(c + d*Tan[e + f*x])), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :>
Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
```

NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\tan(c+dx)}(aB + bB \tan(c+dx))}{(a + b \tan(c+dx))^2} dx &= B \int \frac{\sqrt{\tan(c+dx)}}{a + b \tan(c+dx)} dx \\
 &= \frac{B \int \frac{b+a \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{a^2 + b^2} - \frac{(abB) \int \frac{1+\tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))} dx}{a^2 + b^2} \\
 &= \frac{(2B) \text{Subst}\left(\int \frac{b+ax^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2) d} - \frac{(abB) \text{Subst}\left(\int \frac{1}{\sqrt{x}(a+bx)} dx, x, \tan(c+dx)\right)}{(a^2 + b^2) d} \\
 &= -\frac{((a-b)B) \text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\tan(c+dx)}\right)}{(a^2 + b^2) d} - \frac{(2abB) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tan(c+dx)\right)}{(a^2 + b^2) d} \\
 &= -\frac{2\sqrt{a}\sqrt{b}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{(a^2 + b^2) d} + \frac{((a-b)B) \text{Subst}\left(\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx, x, \sqrt{\tan(c+dx)}\right)}{2\sqrt{2}(a^2 + b^2) d} \\
 &= -\frac{2\sqrt{a}\sqrt{b}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{(a^2 + b^2) d} + \frac{(a-b)B \log\left(1 - \sqrt{2}\sqrt{\tan(c+dx)} + \tan(c+dx)\right)}{2\sqrt{2}(a^2 + b^2) d} \\
 &= -\frac{(a+b)B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2 + b^2) d} + \frac{(a+b)B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}(a^2 + b^2) d}
 \end{aligned}$$

Mathematica [C] time = 0.16619, size = 205, normalized size = 0.86

$$B \left(8a \tan^{\frac{3}{2}}(c+dx) \text{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\tan^2(c+dx)\right) - 24\sqrt{a}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right) - 6\sqrt{2}b \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (B*(-6*Sqrt[2]*b*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] + 6*Sqrt[2]*b*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]] - 24*Sqrt[a]*Sqrt[b]*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] - 3*Sqrt[2]*b*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] + 3*Sqrt[2]*b*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] + 8*a*Hypergeometric2F1[3/4, 1, 7/4, -Tan[c + d*x]^2]*Tan[c + d*x]^(3/2)))/(12*(a^2 + b^2)*d)

Maple [A] time = 0.057, size = 304, normalized size = 1.3

$$-2 \frac{Bab}{d(a^2 + b^2)\sqrt{ab}} \arctan\left(\frac{\sqrt{\tan(dx+c)}b}{\sqrt{ab}}\right) + \frac{B\sqrt{2}b}{2d(a^2 + b^2)} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) + \frac{B\sqrt{2}b}{2d(a^2 + b^2)} \arctan\left(-1 - \sqrt{2}\sqrt{\tan(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2, x)

```
[Out] -2/d*b/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*a*B+1/2
/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/2/d/(a^2+b^2)
*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b+1/4/d/(a^2+b^2)*B*2^(1/2)*
ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(
d*x+c)))*b+1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x
+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a+1/2/d/(a^2+b^2)*B*2^(1/2)*a
rctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(
1/2)*tan(d*x+c)^(1/2))*a
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algor
ithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 55.7172, size = 18178, normalized size = 76.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algor
ithm="fricas")
```

```
[Out] [-1/4*(4*sqrt(2)*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*sqrt((B^2*a^4 + 2*
B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 +
2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((a^4 + 2
*a^2*b^2 + b^4)*d^4))^(3/4)*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8
+ 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))*arctan(-((B^6*a^8 + 2*B^6*
a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^
4))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4
+ 4*a^2*b^6 + b^8)*d^4)) - sqrt(2)*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*
b^7 + b^9)*d^7*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*sqrt((B^4*a^4 - 2*B^
4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))
- (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*sqrt((B^4*a^4
- 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)
*d^4)))*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*
b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2
+ B^2*b^4))*sqrt(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*sqrt(
B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*cos(d*x + c) + sqrt(2)*((B^3*a^7 - B^3*a
^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4
)))*cos(d*x + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*cos(d*x + c))*sq
rt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sq
rt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))
*sqrt(sin(d*x + c)/cos(d*x + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(1/4)
+ (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*sin(d*x + c)/cos(d*x + c))*(B^4/((a^
4 + 2*a^2*b^2 + b^4)*d^4))^(3/4) - sqrt(2)*((B^3*a^10*b + 3*B^3*a^8*b^3 + 2
*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^11)*d^7*sqrt(B^4/((a^4
+ 2*a^2*b^2 + b^4)*d^4))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 +
4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) - (B^5*a^9 + 2*B^5*a^7*b^2 -
```

$$\begin{aligned}
& 2*B^5*a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4)) + 4*\sqrt{2}*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\arctan((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^4*b^4 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + \sqrt{2}*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}} + \sqrt{2}*((B^3*a^{10}*b + 3*B^3*a^8*b^3 + 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^{11})*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) - (B^5*a^9 + 2*B^5*a^7*b^2 - 2*B^5*a^5*b^4 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4)) - 2*\sqrt{-a*b}*B^5*\log(-(6*a*b*\cos(dx + c)*\sin(dx + c) - (a^2 - b^2)*\cos(dx + c)^2 - b^2 - 4*(a*\cos(dx + c))^2 - b*\cos(dx + c)*\sin(dx + c))*\sqrt{-a*b}*\sqrt{(\sin(dx + c)/\cos(dx + c)))/(2*a*b*\cos(dx + c)*\sin(dx + c) + (a^2 - b^2)*\cos(dx + c)^2 + b^2)) - \sqrt{2}*(2*(B^2*a^3*b + B^2*a*b^3)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)} - (B^4*a^2 + B^4*b^2)*d)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}}*\log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) + \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)) + \sqrt{2}*(2*(B^2*a^3*b + B^2*a*b^3)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)} - (B^4*a^2 + B^4*b^2)*d)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}}*\log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - (B^5*a^4*b - 2
\end{aligned}$$

$$\begin{aligned}
& *B^5*a^2*b^3 + B^5*b^5)*d*\cos(d*x + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(d*x + c)/\cos(d*x + c))} \\
& *(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(d*x + c))/\cos(d*x + c))/((B^4*a^2 + B^4*b^2)*d), -1/4*(4*\sqrt{2} \\
& *(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))* \\
& (B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(3/4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(-((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - \sqrt{2}*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x + c) + \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(d*x + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(d*x + c)/\cos(d*x + c))}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(d*x + c))/\cos(d*x + c))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(3/4)} - \sqrt{2}*((B^3*a^10*b + 3*B^3*a^8*b^3 + 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^11)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - (B^5*a^9 + 2*B^5*a^7*b^2 - 2*B^5*a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(d*x + c)/\cos(d*x + c))}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(3/4)}/(B^10*a^4 - 2*B^10*a^2*b^2 + B^10*b^4) + 4*\sqrt{2}*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(3/4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + \sqrt{2}*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x + c) - \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(d*x + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(d*x + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(d*x + c)/\cos(d*x + c))}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(d*x + c))/\cos(d*x + c))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(3/4)} + \sqrt{2}*((B^3*a^10*b + 3*B^3*a^8*b^3 +
\end{aligned}$$

$$\begin{aligned}
& 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^{11}) * d^7 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)} * \sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4) / ((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) * d^4)} - (B^5*a^9 + 2*B^5*a^7*b^2 \\
& - 2*B^5*a^3*b^6 - B^5*a*b^8) * d^5 * \sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4) / ((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8) * d^4)} * \sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) / (B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4))^{(3/4)} / (B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4) + 8 * \sqrt{a*b} * B^5 * \arctan((2*a*b*\cos(dx + c))^2 * \sin(dx + c) + (a^2 - b^2) * \cos(dx + c)^3 + b^2 * \cos(dx + c)) * \sqrt{a*b} * \sqrt{\sin(dx + c) / \cos(dx + c)} / (2*a*b^2*\cos(dx + c)^3 - 2*a*b^2*\cos(dx + c) - (b^3 + (a^2*b - b^3) * \cos(dx + c)^2) * \sin(dx + c))) - \sqrt{2} * (2 * (B^2*a^3*b + B^2*a*b^3) * d^3 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)} - (B^4*a^2 + B^4*b^2) * d) * \sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) / (B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} * (B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4))^{(1/4)} * \log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) * \cos(dx + c) + \sqrt{2} * ((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6) * d^3 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) * \cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5) * d * \cos(dx + c)) * \sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) / (B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4) * \sin(dx + c) / \cos(dx + c) + \sqrt{2} * (2 * (B^2*a^3*b + B^2*a*b^3) * d^3 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)} - (B^4*a^2 + B^4*b^2) * d) * \sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) / (B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} * (B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4))^{(1/4)} * \log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) * \cos(dx + c) - \sqrt{2} * ((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6) * d^3 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) * \cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5) * d * \cos(dx + c)) * \sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5) * d^2 * \sqrt{B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4)}) / (B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)} * \sqrt{\sin(dx + c) / \cos(dx + c)} * (B^4 / ((a^4 + 2*a^2*b^2 + b^4) * d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4) * \sin(dx + c) / \cos(dx + c)) / ((B^4*a^2 + B^4*b^2) * d)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sqrt{\tan(c + dx)}}{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(dx+c)**(1/2)*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c))**2,x)

[Out] B*Integral(sqrt(tan(c + dx))/(a + b*tan(c + dx)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.425 \quad \int \frac{aB + bB \tan(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))^2}} dx$$

Optimal. Leaf size=237

$$\frac{2b^{3/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}(a^2+b^2)} - \frac{B(a-b) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2+b^2)} + \frac{B(a-b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}(a^2+b^2)} - \frac{B(a+b)}{\sqrt{2d}(a^2+b^2)}$$

[Out] -(((a - b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)) + ((a - b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*b^(3/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)*d) - ((a + b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + ((a + b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)

Rubi [A] time = 0.278357, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {21, 3574, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{2b^{3/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{ad}(a^2+b^2)} - \frac{B(a-b) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2d}(a^2+b^2)} + \frac{B(a-b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2d}(a^2+b^2)} - \frac{B(a+b)}{\sqrt{2d}(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2), x]

[Out] -(((a - b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d)) + ((a - b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*b^(3/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)*d) - ((a + b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + ((a + b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3574

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)/((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[1/(c^2 + d^2), Int[(a + b*Tan[e + f*x])^m*(c - d*Tan[e + f*x]), x], x] + Dist[d^2/(c^2 + d^2), Int[((a + b*Tan[e + f*x])^m*(1 + Tan[e + f*x]^2))/(c + d*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&

NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{aB + bB \tan(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))^2}} dx &= B \int \frac{1}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}} dx \\
 &= \frac{B \int \frac{a-b \tan(c+dx)}{\sqrt{\tan(c+dx)}} dx}{a^2 + b^2} + \frac{(b^2 B) \int \frac{1+\tan^2(c+dx)}{\sqrt{\tan(c+dx)(a+b \tan(c+dx))}} dx}{a^2 + b^2} \\
 &= \frac{(2B) \text{Subst}\left(\int \frac{a-bx^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2) d} + \frac{(b^2 B) \text{Subst}\left(\int \frac{1}{\sqrt{x(a+bx)}} dx, x, \tan(c + dx)\right)}{(a^2 + b^2) d} \\
 &= \frac{((a - b)B) \text{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2) d} + \frac{(2b^2 B) \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tan(c + dx)\right)}{(a^2 + b^2) d} \\
 &= \frac{2b^{3/2} B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}(a^2 + b^2) d} + \frac{((a - b)B) \text{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\tan(c + dx)}\right)}{2(a^2 + b^2) d} \\
 &= \frac{2b^{3/2} B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}(a^2 + b^2) d} - \frac{(a + b)B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}(a^2 + b^2) d} \\
 &= -\frac{(a - b)B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2) d} + \frac{(a - b)B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2) d}
 \end{aligned}$$

Mathematica [C] time = 0.194028, size = 226, normalized size = 0.95

$$B \left(-8\sqrt{ab} \tan^3(c + dx) \text{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\tan^2(c + dx)\right) - 6\sqrt{2}a^{3/2} \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) + 6\sqrt{2}a^{3/2} \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^2), x]

[Out] (B*(-6*Sqrt[2]*a^(3/2)*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] + 6*Sqrt[2]*a^(3/2)*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]] + 24*b^(3/2)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] - 3*Sqrt[2]*a^(3/2)*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] + 3*Sqrt[2]*a^(3/2)*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - 8*Sqrt[a]*b*Hypergeometric2F1[3/4, 1, 7/4, -Tan[c + d*x]^2]*Tan[c + d*x]^(3/2))/(12*Sqrt[a]*(a^2 + b^2)*d)

Maple [A] time = 0.061, size = 305, normalized size = 1.3

$$2 \frac{b^2 B}{d(a^2 + b^2)\sqrt{ab}} \arctan\left(\frac{\sqrt{\tan(dx + c)}b}{\sqrt{ab}}\right) + \frac{B\sqrt{2}a}{2d(a^2 + b^2)} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx + c)}\right) + \frac{B\sqrt{2}a}{2d(a^2 + b^2)} \arctan\left(-1 + \sqrt{2}\sqrt{\tan(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2, x)

```
[Out] 2/d*b^2/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a+1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a-1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 52.6959, size = 18194, normalized size = 76.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] [1/4*(4*sqrt(2)*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(3/4)*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))*arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + sqrt(2)*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4*a^3*b^6 + a*b^8)*d^7*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + (B^2*a^6*b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*sqrt(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*cos(d*x + c) + sqrt(2)*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*cos(d*x + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*cos(d*x + c))*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*sqrt(sin(d*x + c)/cos(d*x + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(1/4) + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*sin(d*x + c))/cos(d*x + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(3/4) + sqrt(2)*((B^3*a^11 + 3*B^3*a^9*b^2 + 2*B^3*a^7*b^4 - 2*B^3*a^5*b^6 - 3*B^3*a^3*b^8 - B^3*a*b^10)*d^7*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + (B^5*a^8*b + 2*B^5*a^6*b^3 -
```

$$\begin{aligned}
& 2*B^5*a^2*b^7 - B^5*b^9)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4)) + 4*\sqrt{2)*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))*\arctan(-((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) - \sqrt{2)*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4*a^3*b^6 + a*b^8)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + (B^2*a^6*b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\cos(dx + c) - \sqrt{2)*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\cos(dx + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} - \sqrt{2)*((B^3*a^{11} + 3*B^3*a^9*b^2 + 2*B^3*a^7*b^4 - 2*B^3*a^5*b^6 - 3*B^3*a^3*b^8 - B^3*a*b^{10})*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)) + (B^5*a^8*b + 2*B^5*a^6*b^3 - 2*B^5*a^2*b^7 - B^5*b^9)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4)) + 2*B^5*b*\sqrt{-b/a}*\log(-(6*a*b*\cos(dx + c)*\sin(dx + c) - (a^2 - b^2)*\cos(dx + c)^2 - b^2 + 4*(a^2*\cos(dx + c))^2 - a*b*\cos(dx + c)*\sin(dx + c))*\sqrt{-b/a}*\sqrt{(\sin(dx + c)/\cos(dx + c)))/(2*a*b*\cos(dx + c)*\sin(dx + c) + (a^2 - b^2)*\cos(dx + c)^2 + b^2)) + \sqrt{2)*(2*(B^2*a^3*b + B^2*a*b^3)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)) + (B^4*a^2 + B^4*b^2)*d)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}*\log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\cos(dx + c) + \sqrt{2)*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\cos(dx + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)) - \sqrt{2)*(2*(B^2*a^3*b + B^2*a*b^3)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)) + (B^4*a^2 + B^4*b^2)*d)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}*\log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\cos(dx + c) - \sqrt{2)*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)})*\cos(dx + c) + (B^5*a^5}
\end{aligned}$$

$$\begin{aligned}
& - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)))/((B^4*a^2 + B^4*b^2)*d), 1/4*(4*\sqrt{2}*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + \sqrt{2}*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4*a^3*b^6 + a*b^8)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + (B^2*a^6*b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) + \sqrt{2}*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} + \sqrt{2}*((B^3*a^11 + 3*B^3*a^9*b^2 + 2*B^3*a^7*b^4 - 2*B^3*a^5*b^6 - 3*B^3*a^3*b^8 - B^3*a*b^10)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + (B^5*a^8*b + 2*B^5*a^6*b^3 - 2*B^5*a^2*b^7 - B^5*b^9)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}}/(B^10*a^4 - 2*B^10*a^2*b^2 + B^10*b^4) + 4*\sqrt{2}*(a^6 + 3*a^4*b^2 + 3*a^2*b^4 + b^6)*d^5*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}*\arctan(-((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} - \sqrt{2}*((a^9 + 4*a^7*b^2 + 6*a^5*b^4 + 4*a^3*b^6 + a*b^8)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)} + (B^2*a^6*b + 3*B^2*a^4*b^3 + 3*B^2*a^2*b^5 + B^2*b^7)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)}))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) - \sqrt{2}*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)}*\cos(dx + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4} - \sqrt{2}*((B^3*a^11 + 3*B^3*a^9*b^2}
\end{aligned}$$

$$\begin{aligned}
& + 2*B^3*a^7*b^4 - 2*B^3*a^5*b^6 - 3*B^3*a^3*b^8 - B^3*a*b^{10})*d^7*\sqrt{B^4/} \\
& ((a^4 + 2*a^2*b^2 + b^4)*d^4))*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} + (B^5*a^8*b + 2*B^5*a^6*b^3 - 2*B^5*a^2*b^7 - B^5*b^9)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(3/4)})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4))} + 8*B^5*b*\sqrt{b/a}*\arctan((2*a^2*b*\cos(dx + c))^2*\sin(dx + c) + a*b^2*\cos(dx + c) + (a^3 - a*b^2)*\cos(dx + c)^3)*\sqrt{b/a}*\sqrt{(\sin(dx + c)/\cos(dx + c))/(2*a*b^2*\cos(dx + c)^3 - 2*a*b^2*\cos(dx + c) - (b^3 + (a^2*b - b^3)*\cos(dx + c)^2)*\sin(dx + c))})} + \sqrt{2}*(2*(B^2*a^3*b + B^2*a*b^3)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))} + (B^4*a^2 + B^4*b^2)*d)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)}*\log((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) + \sqrt{2}*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)} - \sqrt{2}*(2*(B^2*a^3*b + B^2*a*b^3)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))} + (B^4*a^2 + B^4*b^2)*d)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)}*\log((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) - \sqrt{2}*((B^3*a^6*b - B^3*a^4*b^3 - B^3*a^2*b^5 + B^3*b^7)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) + (B^5*a^5 - 2*B^5*a^3*b^2 + B^5*a*b^4)*d*\cos(dx + c))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 - 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))})/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{(1/4)} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)))/(B^4*a^2 + B^4*b^2)*d]}
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{a\sqrt{\tan(c+dx)} + b \tan^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/tan(dx+c)**(1/2)/(a+b*tan(dx+c))**2, x)

[Out] B*Integral(1/(a*sqrt(tan(c + dx)) + b*tan(c + dx)**(3/2)), x)

Giac [A] time = 2.1338, size = 312, normalized size = 1.32

$$\frac{1}{4} \left(\frac{8b^2 \arctan\left(\frac{b\sqrt{\tan(dx+c)}}{\sqrt{ab}}\right)}{(a^2d + b^2d)\sqrt{ab}} + \frac{2(\sqrt{2}a - \sqrt{2}b) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{a^2d + b^2d} + \frac{2(\sqrt{2}a - \sqrt{2}b) \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{a^2d + b^2d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 1/4*(8*b^2*arctan(b*sqrt(tan(d*x + c))/sqrt(a*b))/((a^2*d + b^2*d)*sqrt(a*b)) + 2*(sqrt(2)*a - sqrt(2)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(d*x + c))))/(a^2*d + b^2*d) + 2*(sqrt(2)*a - sqrt(2)*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*sqrt(tan(d*x + c))))/(a^2*d + b^2*d) + (sqrt(2)*a + sqrt(2)*b)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^2*d + b^2*d) - (sqrt(2)*a + sqrt(2)*b)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^2*d + b^2*d))*B
```

$$3.426 \quad \int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2} dx$$

Optimal. Leaf size=256

$$-\frac{2b^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a-b)}{a^2d}$$

```
[Out] ((a + b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d)
- ((a + b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d)
) - (2*b^(5/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(a^(3/2)*(a^
2 + b^2)*d) - ((a - b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]
)/(2*Sqrt[2]*(a^2 + b^2)*d) + ((a - b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]
+ Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - (2*B)/(a*d*Sqrt[Tan[c + d*x]]
)
```

Rubi [A] time = 0.452596, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.361$, Rules used = {21, 3569, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$-\frac{2b^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}d(a^2+b^2)} + \frac{B(a+b) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c+dx)}\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a+b) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)} + 1\right)}{\sqrt{2}d(a^2+b^2)} - \frac{B(a-b)}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2), x]
```

```
[Out] ((a + b)*B*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d)
- ((a + b)*B*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d)
) - (2*b^(5/2)*B*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(a^(3/2)*(a^
2 + b^2)*d) - ((a - b)*B*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]
)/(2*Sqrt[2]*(a^2 + b^2)*d) + ((a - b)*B*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]
+ Tan[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - (2*B)/(a*d*Sqrt[Tan[c + d*x]]
)
```

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 3569

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b^2*(a + b*Tan[e + f*x])^(m + 1)*(c
+ d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(a^2 + b^2)*(b*c - a*d)), x] + Dist[1
/((m + 1)*(a^2 + b^2)*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c +
d*Tan[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2) - b*(b*c -
a*d)*(m + 1)*Tan[e + f*x] - b^2*d*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0]
&& NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && LtQ[m, -1] && (LtQ[n, 0] || Intege
rQ[m]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

Int[(((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_))*((A_) + (B_)*tan[(e_) + (f_)*(x_) + (C_)*tan[(e_) + (f_)*(x_)^2])/((a_) + (b_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2} dx &= B \int \frac{1}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} dx \\
&= -\frac{2B}{ad\sqrt{\tan(c + dx)}} - \frac{(2B) \int \frac{\frac{b}{2} + \frac{1}{2}a \tan(c + dx) + \frac{1}{2}b \tan^2(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}} dx}{a} \\
&= -\frac{2B}{ad\sqrt{\tan(c + dx)}} - \frac{(2B) \int \frac{\frac{ab}{2} + \frac{1}{2}a^2 \tan(c + dx)}{\sqrt{\tan(c + dx)}} dx}{a(a^2 + b^2)} - \frac{(b^3B) \int \frac{1 + \tan^2(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}} dx}{a(a^2 + b^2)} \\
&= -\frac{2B}{ad\sqrt{\tan(c + dx)}} - \frac{(4B) \operatorname{Subst}\left(\int \frac{\frac{ab}{2} + \frac{a^2x^2}{2}}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{a(a^2 + b^2)d} - \frac{(b^3B) \operatorname{Subst}\left(\int \frac{1 + \tan^2(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}} dx, x, \sqrt{\tan(c + dx)}\right)}{a(a^2 + b^2)} \\
&= -\frac{2B}{ad\sqrt{\tan(c + dx)}} + \frac{((a - b)B) \operatorname{Subst}\left(\int \frac{1 - x^2}{1 + x^4} dx, x, \sqrt{\tan(c + dx)}\right)}{(a^2 + b^2)d} - \frac{(2b^3B) \operatorname{Subst}\left(\int \frac{\sqrt{2} + 2x}{-1 - \sqrt{2}x} dx, x, \sqrt{\tan(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2)d} \\
&= -\frac{2b^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)d} - \frac{2B}{ad\sqrt{\tan(c + dx)}} - \frac{((a - b)B) \operatorname{Subst}\left(\int \frac{\sqrt{2} + 2x}{-1 - \sqrt{2}x} dx, x, \sqrt{\tan(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2)d} \\
&= -\frac{2b^{5/2}B \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)d} - \frac{(a - b)B \log\left(1 - \sqrt{2}\sqrt{\tan(c + dx)} + \tan(c + dx)\right)}{2\sqrt{2}(a^2 + b^2)d} \\
&= \frac{(a + b)B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d} - \frac{(a + b)B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\tan(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d}
\end{aligned}$$

Mathematica [C] time = 0.50179, size = 132, normalized size = 0.52

$$B \left(-\frac{2b^{5/2} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}} - \frac{2(a^2 + b^2)}{a\sqrt{\tan(c + dx)}} - (-1)^{3/4}(a + ib) \tan^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right) + \sqrt[4]{-1}(b + ia) \tanh^{-1}\left((-1)^{3/4}\sqrt{\tan(c + dx)}\right) \right) / d(a^2 + b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2),x]

[Out] (B*(-((-1)^(3/4)*(a + I*b)*ArcTan[(-1)^(3/4)*Sqrt[Tan[c + d*x]]]) - (2*b^(5/2)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/a^(3/2) + (-1)^(1/4)*(I*a + b)*ArcTanh[(-1)^(3/4)*Sqrt[Tan[c + d*x]]] - (2*(a^2 + b^2))/(a*Sqrt[Tan[c + d*x]])))/((a^2 + b^2)*d)

Maple [A] time = 0.044, size = 325, normalized size = 1.3

$$-2 \frac{B}{ad\sqrt{\tan(dx+c)}} - 2 \frac{Bb^3}{ad(a^2+b^2)\sqrt{ab}} \arctan\left(\frac{\sqrt{\tan(dx+c)}b}{\sqrt{ab}}\right) - \frac{B\sqrt{2}b}{2d(a^2+b^2)} \arctan\left(1 + \sqrt{2}\sqrt{\tan(dx+c)}\right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x)

[Out] -2*B/a/d/tan(d*x+c)^(1/2)-2/d/a*b^3/(a^2+b^2)/(a*b)^(1/2)*arctan(tan(d*x+c)^(1/2)*b/(a*b)^(1/2))*B-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*b-1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*b-1/4/d/(a^2+b^2)*B*2^(1/2)*ln((1-2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c))/(1+2^(1/2)*tan(d*x+c)^(1/2)+tan(d*x+c)))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(1+2^(1/2)*tan(d*x+c)^(1/2))*a-1/2/d/(a^2+b^2)*B*2^(1/2)*arctan(-1+2^(1/2)*tan(d*x+c)^(1/2))*a

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 53.4171, size = 19458, normalized size = 76.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] [1/4*(4*sqrt(2))*((a^7 + 3*a^5*b^2 + 3*a^3*b^4 + a*b^6)*d^5*cos(d*x + c)^2 - (a^7 + 3*a^5*b^2 + 3*a^3*b^4 + a*b^6)*d^5)*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^(3/4)*sqrt((B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 +

$$\begin{aligned}
& 6a^4b^4 + 4a^2b^6 + b^8)d^4) \arctan(-((B^6a^8 + 2B^6a^6b^2 - 2B^6a^2b^6 - B^6b^8)d^4 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) - \sqrt{2}((a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7 + b^9)d^7 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) - (B^2a^7 + 3B^2a^5b^2 + 3B^2a^3b^4 + B^2ab^6)d^5 \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) \sqrt{((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \cos(dx + c) + \sqrt{2}((B^3a^7 - B^3a^5b^2 - B^3a^3b^4 + B^3ab^6)d^3 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \cos(dx + c) - (B^5a^4b - 2B^5a^2b^3 + B^5b^5)d \cos(dx + c)) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) \sqrt{\sin(dx + c)/\cos(dx + c)} (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4) \sin(dx + c)/\cos(dx + c) (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4} - \sqrt{2}((B^3a^{10}b + 3B^3a^8b^3 + 2B^3a^6b^5 - 2B^3a^4b^7 - 3B^3a^2b^9 - B^3b^{11})d^7 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) - (B^5a^9 + 2B^5a^7b^2 - 2B^5a^3b^6 - B^5ab^8)d^5 \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) \sqrt{\sin(dx + c)/\cos(dx + c)} (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4} / (B^{10}a^4 - 2B^{10}a^2b^2 + B^{10}b^4) + 4\sqrt{2}((a^7 + 3a^5b^2 + 3a^3b^4 + ab^6)d^5 \cos(dx + c)^2 - (a^7 + 3a^5b^2 + 3a^3b^4 + ab^6)d^5) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4} \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)} \arctan(((B^6a^8 + 2B^6a^6b^2 - 2B^6a^2b^6 - B^6b^8)d^4 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) + \sqrt{2}((a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7 + b^9)d^7 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) - (B^2a^7 + 3B^2a^5b^2 + 3B^2a^3b^4 + B^2ab^6)d^5 \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) \sqrt{((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \cos(dx + c) - \sqrt{2}((B^3a^7 - B^3a^5b^2 - B^3a^3b^4 + B^3ab^6)d^3 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \cos(dx + c) - (B^5a^4b - 2B^5a^2b^3 + B^5b^5)d \cos(dx + c)) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) \sqrt{\sin(dx + c)/\cos(dx + c)} (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4) \sin(dx + c)/\cos(dx + c) (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4} + \sqrt{2}((B^3a^{10}b + 3B^3a^8b^3 + 2B^3a^6b^5 - 2B^3a^4b^7 - 3B^3a^2b^9 - B^3b^{11})d^7 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)}) \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) - (B^5a^9 + 2B^5a^7b^2 - 2B^5a^3b^6 - B^5ab^8)d^5 \sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)d^4)}) \sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2(a^5b + 2a^3b^3 + ab^5)d^2 \sqrt{B^4/((a^4 + 2a^2b^2 + b^4)d^4)})/(B^2a^4 - 2B^2a^2b^2 + B^2b^4)}) \sqrt{\sin(dx + c)/\cos(dx + c)} (B^4/((a^4 + 2a^2b^2 + b^4)d^4))^{3/4} / (B^{10}a^4 - 2B^{10}a^2b^2 + B^{10}b^4)
\end{aligned}$$

$$\begin{aligned}
& 2 + B^{10}b^4) + 8*(B^5a^2 + B^5b^2)*\sqrt{\sin(dx + c)/\cos(dx + c)}*\cos(dx + c)*\sin(dx + c) + \sqrt{2}*((B^4a^3 + B^4ab^2)*d*\cos(dx + c)^2 - (B^4a^3 + B^4ab^2)*d - 2*((B^2a^4b + B^2a^2b^3)*d^3*\cos(dx + c)^2 - (B^2a^4b + B^2a^2b^3)*d^3)*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))*\sqrt{2}*((B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))* \\
& *(B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{1/4}*\log(((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\cos(dx + c) + \sqrt{2}*((B^3a^7 - B^3a^5b^2 - B^3a^3b^4 + B^3ab^6)*d^3*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\cos(dx + c) - (B^5a^4b - 2B^5a^2b^3 + B^5b^5)*d*\cos(dx + c))*\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)*\sin(dx + c))/\cos(dx + c) - \sqrt{2}*((B^4a^3 + B^4ab^2)*d*\cos(dx + c)^2 - (B^4a^3 + B^4ab^2)*d - 2*((B^2a^4b + B^2a^2b^3)*d^3*\cos(dx + c)^2 - (B^2a^4b + B^2a^2b^3)*d^3)*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))*\sqrt{2}*((B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))* \\
& (B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{1/4}*\log(((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\cos(dx + c) - \sqrt{2}*((B^3a^7 - B^3a^5b^2 - B^3a^3b^4 + B^3ab^6)*d^3*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\cos(dx + c) - (B^5a^4b - 2B^5a^2b^3 + B^5b^5)*d*\cos(dx + c))*\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)*\sin(dx + c))/\cos(dx + c) + 2*(B^5b^2*\cos(dx + c)^2 - B^5b^2)*\sqrt{-b/a}*\log(-(6ab*\cos(dx + c)*\sin(dx + c) - (a^2 - b^2)*\cos(dx + c)^2 - b^2 - 4*(a^2*\cos(dx + c)^2 - ab*\cos(dx + c)*\sin(dx + c))*\sqrt{-b/a}*\sqrt{\sin(dx + c)/\cos(dx + c)}))/(2ab*\cos(dx + c)*\sin(dx + c) + (a^2 - b^2)*\cos(dx + c)^2 + b^2)))/((B^4a^3 + B^4ab^2)*d*\cos(dx + c)^2 - (B^4a^3 + B^4ab^2)*d), 1/4*(4*\sqrt{2}*((a^7 + 3a^5b^2 + 3a^3b^4 + ab^6)*d^5*\cos(dx + c)^2 - (a^7 + 3a^5b^2 + 3a^3b^4 + ab^6)*d^5)*\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))* \\
& (B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{3/4}*\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)*d^4)}*\arctan(-((B^6a^8 + 2B^6a^6b^2 - 2B^6a^4b^4 - B^6b^8)*d^4*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)*d^4)} - \sqrt{2}*((a^8b + 4a^6b^3 + 6a^4b^5 + 4a^2b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)*d^4)} - (B^2a^7 + 3B^2a^5b^2 + 3B^2a^3b^4 + B^2ab^6)*d^5*\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)*d^4)}))*\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))*\sqrt{((B^4a^6 - B^4a^4b^2 - B^4a^2b^4 + B^4b^6)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\cos(dx + c) + \sqrt{2}*((B^3a^7 - B^3a^5b^2 - B^3a^3b^4 + B^3ab^6)*d^3*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\cos(dx + c) - (B^5a^4b - 2B^5a^2b^3 + B^5b^5)*d*\cos(dx + c))*\sqrt{(B^2a^4 + 2B^2a^2b^2 + B^2b^4 + 2*(a^5b + 2a^3b^3 + ab^5)*d^2*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)}))/(B^2a^4 - 2B^2a^2b^2 + B^2b^4))*\sqrt{\sin(dx + c)/\cos(dx + c)}*(B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{1/4} + (B^6a^4 - 2B^6a^2b^2 + B^6b^4)*\sin(dx + c))/\cos(dx + c)*(B^4/((a^4 + 2a^2b^2 + b^4)*d^4))^{3/4} - \sqrt{2}*((B^3a^{10}b + 3B^3a^8b^3 + 2B^3a^6b^5 - 2B^3a^4b^7 - 3B^3a^2b^9 - B^3b^{11})*d^7*\sqrt{B^4/((a^4 + 2a^2b^2 + b^4)*d^4)})*\sqrt{(B^4a^4 - 2B^4a^2b^2 + B^4b^4)/((a^8 + 4a^6b^2 + 6a^4b^4 + 4a^2b^6 + b^8)*d^4)} - (B^5a^9 + 2B^5a^7b^2 - 2B^5
\end{aligned}$$

$$\begin{aligned}
& *a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4))} + 4*\sqrt{2}*((a^7 + 3*a^5*b^2 + 3*a^3*b^4 + a*b^6)*d^5*\cos(dx + c)^2 - (a^7 + 3*a^5*b^2 + 3*a^3*b^4 + a*b^6)*d^5)*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\arctan(((B^6*a^8 + 2*B^6*a^6*b^2 - 2*B^6*a^2*b^6 - B^6*b^8)*d^4*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} + \sqrt{2}*((a^8*b + 4*a^6*b^3 + 6*a^4*b^5 + 4*a^2*b^7 + b^9)*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} - (B^2*a^7 + 3*B^2*a^5*b^2 + 3*B^2*a^3*b^4 + B^2*a*b^6)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) - \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c)})*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)}*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4}} + \sqrt{2}*((B^3*a^{10}*b + 3*B^3*a^8*b^3 + 2*B^3*a^6*b^5 - 2*B^3*a^4*b^7 - 3*B^3*a^2*b^9 - B^3*b^{11})*d^7*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4))} - (B^5*a^9 + 2*B^5*a^7*b^2 - 2*B^5*a^3*b^6 - B^5*a*b^8)*d^5*\sqrt{(B^4*a^4 - 2*B^4*a^2*b^2 + B^4*b^4)/((a^8 + 4*a^6*b^2 + 6*a^4*b^4 + 4*a^2*b^6 + b^8)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{3/4})/(B^{10}*a^4 - 2*B^{10}*a^2*b^2 + B^{10}*b^4))} + 8*(B^5*a^2 + B^5*b^2)*\sqrt{(\sin(dx + c)/\cos(dx + c))*\cos(dx + c)*\sin(dx + c) + \sqrt{2}*((B^4*a^3 + B^4*a*b^2)*d*\cos(dx + c))^2 - (B^4*a^3 + B^4*a*b^2)*d - 2*((B^2*a^4*b + B^2*a^2*b^3)*d^3*\cos(dx + c))^2 - (B^2*a^4*b + B^2*a^2*b^3)*d^3)*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)} - \sqrt{2}*((B^4*a^3 + B^4*a*b^2)*d*\cos(dx + c))^2 - (B^4*a^3 + B^4*a*b^2)*d - 2*((B^2*a^4*b + B^2*a^2*b^3)*d^3*\cos(dx + c))^2 - (B^2*a^4*b + B^2*a^2*b^3)*d^3)*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}}*\log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) + \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) - (B^5*a^4*b - 2*B^5*a^2*b^3 + B^5*b^5)*d*\cos(dx + c)})*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(\sin(dx + c)/\cos(dx + c))*(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}} + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*\sin(dx + c))/\cos(dx + c)} - \sqrt{2}*((B^4*a^3 + B^4*a*b^2)*d*\cos(dx + c))^2 - (B^4*a^3 + B^4*a*b^2)*d - 2*((B^2*a^4*b + B^2*a^2*b^3)*d^3*\cos(dx + c))^2 - (B^2*a^4*b + B^2*a^2*b^3)*d^3)*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\sqrt{(B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 + 2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/((B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*\sqrt{(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))^{1/4}}*\log(((B^4*a^6 - B^4*a^4*b^2 - B^4*a^2*b^4 + B^4*b^6)*d^2*\sqrt{B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))*\cos(dx + c) - \sqrt{2}*((B^3*a^7 - B^3*a^5*b^2 - B^3*a^3*b^4 + B^3*a*b^6)*d^3*s
\end{aligned}$$


```

qrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4))*cos(d*x + c) - (B^5*a^4*b - 2*B^5*a^
2*b^3 + B^5*b^5)*d*cos(d*x + c))*sqrt((B^2*a^4 + 2*B^2*a^2*b^2 + B^2*b^4 +
2*(a^5*b + 2*a^3*b^3 + a*b^5)*d^2*sqrt(B^4/((a^4 + 2*a^2*b^2 + b^4)*d^4)))/
(B^2*a^4 - 2*B^2*a^2*b^2 + B^2*b^4))*sqrt(sin(d*x + c)/cos(d*x + c))*(B^4/(
(a^4 + 2*a^2*b^2 + b^4)*d^4))^(1/4) + (B^6*a^4 - 2*B^6*a^2*b^2 + B^6*b^4)*s
in(d*x + c)/cos(d*x + c)) - 8*(B^5*b^2*cos(d*x + c)^2 - B^5*b^2)*sqrt(b/a)
*arctan((2*a^2*b*cos(d*x + c)^2*sin(d*x + c) + a*b^2*cos(d*x + c) + (a^3 -
a*b^2)*cos(d*x + c)^3)*sqrt(b/a)*sqrt(sin(d*x + c)/cos(d*x + c))/(2*a*b^2*c
os(d*x + c)^3 - 2*a*b^2*cos(d*x + c) - (b^3 + (a^2*b - b^3)*cos(d*x + c)^2)
*sin(d*x + c))))/((B^4*a^3 + B^4*a*b^2)*d*cos(d*x + c)^2 - (B^4*a^3 + B^4*a
*b^2)*d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{a \tan^{\frac{3}{2}}(c + dx) + b \tan^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c))**2,x)
```

```
[Out] B*Integral(1/(a*tan(c + d*x)**(3/2) + b*tan(c + d*x)**(5/2)), x)
```

Giac [A] time = 1.50406, size = 335, normalized size = 1.31

$$-\frac{1}{4} \left(\frac{8b^3 \arctan\left(\frac{b\sqrt{\tan(dx+c)}}{\sqrt{ab}}\right)}{(a^3d + ab^2d)\sqrt{ab}} + \frac{2(\sqrt{2}a + \sqrt{2}b) \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2\sqrt{\tan(dx+c)})\right)}{a^2d + b^2d} + \frac{2(\sqrt{2}a + \sqrt{2}b) \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2} - 2\sqrt{\tan(dx+c)})\right)}{a^2d + b^2d} \right) B$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algor
ithm="giac")
```

```
[Out] -1/4*(8*b^3*arctan(b*sqrt(tan(d*x + c))/sqrt(a*b))/((a^3*d + a*b^2*d)*sqrt(
a*b)) + 2*(sqrt(2)*a + sqrt(2)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*sqrt(tan(
d*x + c))))/(a^2*d + b^2*d) + 2*(sqrt(2)*a + sqrt(2)*b)*arctan(-1/2*sqrt(2)
*(sqrt(2) - 2*sqrt(tan(d*x + c))))/(a^2*d + b^2*d) - (sqrt(2)*a - sqrt(2)*b
)*log(sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^2*d + b^2*d) + (sqr
t(2)*a - sqrt(2)*b)*log(-sqrt(2)*sqrt(tan(d*x + c)) + tan(d*x + c) + 1)/(a^
2*d + b^2*d) + 8/(a*d*sqrt(tan(d*x + c))))*B
```

$$3.427 \quad \int \tan^3(c+dx) \sqrt{a+b \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=264

$$\frac{(a^2(-B) + 4aAb - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4b^{3/2}d} + \frac{\sqrt{-b+ia}(-B+ia) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(4Ab - aB)\sqrt{\tan(c+dx)}}{4b}$$

[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((4*a*A*b - a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(4*b^(3/2)*d) + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((4*A*b - a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(4*b*d) + (B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(2*b*d)

Rubi [A] time = 1.91252, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(a^2(-B) + 4aAb - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4b^{3/2}d} + \frac{\sqrt{-b+ia}(-B+ia) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(4Ab - aB)\sqrt{\tan(c+dx)}}{4b}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((4*a*A*b - a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(4*b^(3/2)*d) + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((4*A*b - a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(4*b*d) + (B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(2*b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m

```

*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))

```

Rule 3655

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]

```

Rule 6725

```

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 93

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
 \int \tan^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx &= \frac{B \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^{3/2}}{2bd} + \frac{\int \frac{\sqrt{a+b \tan(c+dx)} \left(-\frac{aB}{2} - \frac{a^2 B}{2} \tan(c+dx)\right)}{\sqrt{a+b \tan(c+dx)}} dx}{2bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} + \frac{B \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{(4aAb - a^2B - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4b^{3/2}d} + \frac{(4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4bd} \\
 &= \frac{\sqrt{ia - b}(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(4aAb - a^2B - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4b^{3/2}d}
 \end{aligned}$$

Mathematica [A] time = 4.02347, size = 294, normalized size = 1.11

$$\frac{\sqrt{a(a^2B - 4aAb + 8b^2B)} \sqrt{\frac{b \tan(c+dx)}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b} \sqrt{a + b \tan(c+dx)}} + (4Ab - aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)} - 4(-1)^{3/4} b \sqrt{-a - ib} (A + B \tan(c + dx))$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]
```

```
[Out] (-4*(-1)^(3/4)*Sqrt[-a - I*b]*b*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + 4*(-1)^(1/4)*Sqrt[a - I*b]*b*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + (4*A*b - a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) - (Sqrt[a]*(-4*a*A*b + a^2*B + 8*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])/(4*b*d)
```

Maple [B] time = 0.717, size = 2181075, normalized size = 8261.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)), x)
```

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \tan(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*tan(d*x+c)**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*tan(d*x+c)^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Exception raised: RuntimeError

$$3.428 \quad \int \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=201

$$\frac{\sqrt{-b + ia}(A + iB) \tan^{-1} \left(\frac{\sqrt{-b + ia} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{(aB + 2Ab) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{\sqrt{bd}} - \frac{\sqrt{b + ia}(A - iB) \tanh^{-1} \left(\frac{\sqrt{b + ia} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}$$

[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((2*A*b + a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[b]*d) - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 1.54709, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3610, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{\sqrt{-b + ia}(A + iB) \tan^{-1} \left(\frac{\sqrt{-b + ia} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{(aB + 2Ab) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{\sqrt{bd}} - \frac{\sqrt{b + ia}(A - iB) \tanh^{-1} \left(\frac{\sqrt{b + ia} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((2*A*b + a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[b]*d) - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rule 3610

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (A*b*c + a*B*c + a*A*d - b*B*d)*(m + n)*Tan[e + f*x] + (A*b*d*(m + n) + B*(a*d*m + b*c*n))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[0, m, 1] && LtQ[0, n, 1]

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpan[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \int \frac{-\frac{aB}{2} + (aA-bB)\tan(c+dx)}{\sqrt{\tan(c+dx)}}dx \\
&= \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{\text{Subst}\left(\int \frac{-\frac{aB}{2} + (aA-bB)\tan(c+dx)}{\sqrt{x+a+bx}}dx\right)}{d} \\
&= \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{\text{Subst}\left(\int \left(\frac{2Ab+aB}{2\sqrt{x}\sqrt{a+bx}} - \frac{aB}{2\sqrt{x}\sqrt{a+bx}}\right)dx\right)}{d} \\
&= \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} - \frac{\text{Subst}\left(\int \frac{Ab+aB-(aA-bB)\tan(c+dx)}{\sqrt{x}\sqrt{a+bx}(1+\sqrt{x})}dx\right)}{d} \\
&= \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} - \frac{\text{Subst}\left(\int \left(\frac{aA-bB+i(Ab-aB)\tan(c+dx)}{2(i-x)\sqrt{x}\sqrt{a+bx}} - \frac{aB}{2\sqrt{x}\sqrt{a+bx}}\right)dx\right)}{d} \\
&= \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{((a-ib)(A-iB))\text{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx}}dx\right)}{d} \\
&= \frac{(2Ab+aB)\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{bd}} + \frac{B\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} \\
&= \frac{\sqrt{ia-b}(A+iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} + \frac{(2Ab+aB)\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 3.00635, size = 241, normalized size = 1.2

$$-\sqrt[4]{-1}\sqrt{-a-ib}(A+iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) - \sqrt[4]{-1}\sqrt{a-ib}(A-iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) + \frac{(aB+2Ab)\sqrt{a+b\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (-((-1)^(1/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) - (-1)^(1/4)*Sqrt[a - I*b]*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) + B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + ((2*A*b + a*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[a + b*Tan[c + d*x]])/(Sqrt[a]*Sqrt[b]*Sqrt[1 + (b*Tan[c + d*x])/a])/d

Maple [B] time = 0.712, size = 2178530, normalized size = 10838.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*sqrt(tan(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \sqrt{\tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*sqrt(tan(c + d*x)), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Exception raised: RuntimeError

$$3.429 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=169

$$\frac{\sqrt{-b+ia}(-B+ia) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{\sqrt{b+ia}(B+ia) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{2\sqrt{b}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d) + (2*Sqrt[b]*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 0.643919, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3614, 3616, 3615, 93, 203, 206, 3634, 63, 217}

$$\frac{\sqrt{-b+ia}(-B+ia) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{\sqrt{b+ia}(B+ia) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{2\sqrt{b}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d) + (2*Sqrt[b]*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d

Rule 3614

```
Int[(Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Int[Simp[a*A - b*B + (A*b + a*B)*Tan[e + f*x], x]/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x] + Dist[b*B, Int[(1 + Tan[e + f*x]^2)/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= (bB) \int \frac{1 + \tan^2(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx + \int \frac{aA - bB + (Ab + aA \tan(c + dx))}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{1}{2}((a - ib)(A - iB)) \int \frac{1 + i \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}((a + ib)(A + iB)) \int \frac{1 - i \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{((a - ib)(A - iB)) \operatorname{Subst}\left(\int \frac{1}{(1 - ix)\sqrt{x}\sqrt{a + bx}} dx, x, \tan(c + dx)\right)}{2d} + \frac{((a + ib)(A + iB)) \operatorname{Subst}\left(\int \frac{1}{(1 + ix)\sqrt{x}\sqrt{a + bx}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{((a - ib)(A - iB)) \operatorname{Subst}\left(\int \frac{1}{1 - (ia + b)x^2} dx, x, \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} + \frac{((a + ib)(A + iB)) \operatorname{Subst}\left(\int \frac{1}{1 + (ia + b)x^2} dx, x, \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} \\ &= -\frac{\sqrt{ia - b}(iA - B) \tan^{-1}\left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} + \frac{2\sqrt{b}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 1.12404, size = 208, normalized size = 1.23

$$\frac{(-1)^{3/4}\sqrt{-a-ib}(A+iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)-\sqrt[4]{-1}\sqrt{-a-ib}(B+iA)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)+\frac{2\sqrt{a}\sqrt{b}\sqrt{b\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] $((-1)^{3/4}\sqrt{-a - I*b}*(A + I*B)*\text{ArcTanh}[\frac{((-1)^{1/4}\sqrt{-a - I*b}*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + b*\text{Tan}[c + d*x]]}] - (-1)^{1/4}\sqrt{a - I*b}*(I*A + B)*\text{ArcTanh}[\frac{((-1)^{1/4}\sqrt{a - I*b}*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a + b*\text{Tan}[c + d*x]]}] + (2*\text{Sqrt}[a]*\text{Sqrt}[b]*B*\text{ArcSinh}[\frac{(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])}{\text{Sqrt}[a]}])*\text{Sqrt}[1 + (b*\text{Tan}[c + d*x])/a])/\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/d$

Maple [B] time = 0.753, size = 2177043, normalized size = 12881.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)\sqrt{b \tan(dx + c) + a}}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)/sqrt(tan(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))/sqrt(tan(c + d*x)), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] Exception raised: AttributeError

$$3.430 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=154

$$\frac{\sqrt{-b+ia}(A+ib) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{\sqrt{b+ia}(A-ib) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+b \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

[Out] -((Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d + (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.541165, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {3608, 3616, 3615, 93, 203, 206}

$$\frac{\sqrt{-b+ia}(A+ib) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{\sqrt{b+ia}(A-ib) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{a+b \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] -((Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d + (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Di

```
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx))}{\tan^3(c + dx)} dx &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - 2 \int \frac{\frac{1}{2}(-Ab - aB) + \frac{1}{2}(aA - bB) \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx \\ &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{1}{2}((ia - b)(A + iB)) \int \frac{1 - i \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx \\ &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{((ia + b)(A - iB)) \operatorname{Subst}\left(\int \frac{1}{(1-ix)\sqrt{x}\sqrt{a+bx}} dx, x\right)}{2d} \\ &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{((ia + b)(A - iB)) \operatorname{Subst}\left(\int \frac{1}{1-(ia+b)x^2} dx, x\right)}{d} \\ &= -\frac{\sqrt{ia - b}(A + iB) \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{\sqrt{ia + b}(A - iB) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.534558, size = 168, normalized size = 1.09

$$\frac{\sqrt[4]{-1}\sqrt{-a - ib}(A + iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a - ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) + \sqrt[4]{-1}\sqrt{a - ib}(A - iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a - ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) - \frac{2A\sqrt{a+b \tan(c+dx)}}{\sqrt{\tan(c+dx)}}}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2
),x]
```

```
[Out] ((-1)^(1/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqr
t[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]] + (-1)^(1/4)*Sqrt[a - I*b]*(A -
I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c
```

+ d*x]]] - (2*A*Sqrt[a + b*Tan[c + d*x]])/Sqrt[Tan[c + d*x]])/d

Maple [B] time = 0.74, size = 2178373, normalized size = 14145.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)}}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))/tan(c + d*x)**(3/2), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.431 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=199

$$\frac{\sqrt{-b+ia}(-B+IA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2(3aB+Ab)\sqrt{a+b \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} + \frac{\sqrt{b+ia}(B+IA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*(A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*a*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.757254, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{\sqrt{-b+ia}(-B+IA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2(3aB+Ab)\sqrt{a+b \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} + \frac{\sqrt{b+ia}(B+IA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*(A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*a*d*Sqrt[Tan[c + d*x]])

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan

$[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx &= -\frac{2A\sqrt{a+b \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2}{3} \int \frac{\frac{1}{2}(-Ab-3aB) + \frac{3}{2}(aA-bB) \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(Ab+3aB)\sqrt{a+b \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} + \frac{4}{3} \int \frac{\frac{3}{4}a(A-B)}{\sqrt{\tan(c+dx)}} dx \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(Ab+3aB)\sqrt{a+b \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} - \frac{1}{2}((a-ib)\sqrt{a-ib}) \frac{1}{\sqrt{\tan(c+dx)}} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(Ab+3aB)\sqrt{a+b \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} - \frac{((a-ib)\sqrt{a-ib})}{2\sqrt{\tan(c+dx)}} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{3d \tan^{\frac{3}{2}}(c+dx)} - \frac{2(Ab+3aB)\sqrt{a+b \tan(c+dx)}}{3ad\sqrt{\tan(c+dx)}} - \frac{((a-ib)\sqrt{a-ib})}{2\sqrt{\tan(c+dx)}} \\
&= \frac{\sqrt{ia-b}(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{\sqrt{ia+b}(iA+B) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 1.39414, size = 194, normalized size = 0.97

$$\frac{-\frac{2\sqrt{a+b \tan(c+dx)}((3aB+Ab) \tan(c+dx)+aA)}{a \tan^{\frac{3}{2}}(c+dx)} - 3(-1)^{3/4}\sqrt{-a-ib}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) + 3\sqrt[4]{-1}\sqrt{a-ib}(B+iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (-3*(-1)^(3/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]] + 3*(-1)^(1/4)*Sqrt[a - I*b]*(I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]] - (2*Sqrt[a + b*Tan[c + d*x]]*(a*A + (A*b + 3*a*B)*Tan[c + d*x]))/(a*Tan[c + d*x]^(3/2))/(3*d)

Maple [B] time = 0.704, size = 2178959, normalized size = 10949.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A)\sqrt{b \tan(dx+c) + a}}{\tan(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)/tan(d*x + c)^(5/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)}}{\tan^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))/tan(c + d*x)**(5/2), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.432 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=250

$$\frac{2(15a^2A - 5abB + 2Ab^2)\sqrt{a+b \tan(c+dx)}}{15a^2d\sqrt{\tan(c+dx)}} + \frac{\sqrt{-b+ia}(A+iB)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2(5aB + Ab)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)}$$

[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(5*d*Tan[c + d*x]^(5/2)) - (2*(A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A + 2*A*b^2 - 5*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 1.05805, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A - 5abB + 2Ab^2)\sqrt{a+b \tan(c+dx)}}{15a^2d\sqrt{\tan(c+dx)}} + \frac{\sqrt{-b+ia}(A+iB)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2(5aB + Ab)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(5*d*Tan[c + d*x]^(5/2)) - (2*(A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A + 2*A*b^2 - 5*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d*Sqrt[Tan[c + d*x]])

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(

```

m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx &= -\frac{2A\sqrt{a+b \tan(c+dx)}}{5d \tan^{\frac{5}{2}}(c+dx)} - \frac{2}{5} \int \frac{\frac{1}{2}(-Ab-5aB) + \frac{5}{2}(aA-bB) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{5d \tan^{\frac{5}{2}}(c+dx)} - \frac{2(Ab+5aB)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} + \frac{4 \int \frac{\frac{1}{4}(-15a^2A+5a^2B) \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx}{15ad \tan^{\frac{3}{2}}(c+dx)} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{5d \tan^{\frac{5}{2}}(c+dx)} - \frac{2(Ab+5aB)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} + \frac{2(15a^2A-5a^2B)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{5d \tan^{\frac{5}{2}}(c+dx)} - \frac{2(Ab+5aB)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} + \frac{2(15a^2A-5a^2B)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{5d \tan^{\frac{5}{2}}(c+dx)} - \frac{2(Ab+5aB)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} + \frac{2(15a^2A-5a^2B)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{5d \tan^{\frac{5}{2}}(c+dx)} - \frac{2(Ab+5aB)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} + \frac{2(15a^2A-5a^2B)\sqrt{a+b \tan(c+dx)}}{15ad \tan^{\frac{3}{2}}(c+dx)} \\
&= \frac{\sqrt{ia-b}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{\sqrt{ia+b}(A-iB) \tanh^{-1}\left(\frac{\sqrt{ia+b}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 2.46453, size = 226, normalized size = 0.9

$$\frac{2\sqrt{a+b \tan(c+dx)}((15a^2A-5abB+2Ab^2) \tan^2(c+dx)-3a^2A-a(5aB+Ab) \tan(c+dx))}{a^2 \tan^{\frac{5}{2}}(c+dx)} - 15\sqrt[4]{-1}\sqrt{-a-ib}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (-15*(-1)^(1/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] - 15*(-1)^(1/4)*Sqrt[a - I*b]*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + (2*Sqrt[a + b*Tan[c + d*x]]*(-3*a^2*A - a*(A*b + 5*a*B)*Tan[c + d*x] + (15*a^2*A + 2*A*b^2 - 5*a*b*B)*Tan[c + d*x]^2))/(a^2*Tan[c + d*x]^(5/2))/(15*d)

Maple [B] time = 0.701, size = 2182092, normalized size = 8728.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.433 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=314

$$\frac{2(35a^2A - 7abB + 4Ab^2)\sqrt{a+b \tan(c+dx)}}{105a^2d \tan^3(c+dx)} + \frac{2(35a^2Ab + 105a^3B + 14ab^2B - 8Ab^3)\sqrt{a+b \tan(c+dx)}}{105a^3d\sqrt{\tan(c+dx)}} - \frac{\sqrt{-b+ia}}{\dots}$$

[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*(A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(35*a*d*Tan[c + d*x]^(5/2)) + (2*(35*a^2*A + 4*A*b^2 - 7*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d*Tan[c + d*x]^(3/2)) + (2*(35*a^2*A*b - 8*A*b^3 + 105*a^3*B + 14*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a^3*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 1.3429, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(35a^2A - 7abB + 4Ab^2)\sqrt{a+b \tan(c+dx)}}{105a^2d \tan^3(c+dx)} + \frac{2(35a^2Ab + 105a^3B + 14ab^2B - 8Ab^3)\sqrt{a+b \tan(c+dx)}}{105a^3d\sqrt{\tan(c+dx)}} - \frac{\sqrt{-b+ia}}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/d - (2*A*Sqrt[a + b*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*(A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(35*a*d*Tan[c + d*x]^(5/2)) + (2*(35*a^2*A + 4*A*b^2 - 7*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d*Tan[c + d*x]^(3/2)) + (2*(35*a^2*A*b - 8*A*b^3 + 105*a^3*B + 14*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a^3*d*Sqrt[Tan[c + d*x]])

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])

```

+ (f_)*(x_)^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int((((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)))/((e_) + (f_)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int(((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int(((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx &= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2}{7} \int \frac{\frac{1}{2}(-Ab-7aB) + \frac{7}{2}(aA-bB) \tan(c+dx)}{\tan^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{4 \int^{\frac{1}{4}}(-35a)}{\dots} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{2(35a^2A)}{\dots} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{2(35a^2A)}{\dots} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{2(35a^2A)}{\dots} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{2(35a^2A)}{\dots} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{2(35a^2A)}{\dots} \\
&= -\frac{2A\sqrt{a+b \tan(c+dx)}}{7d \tan^{\frac{7}{2}}(c+dx)} - \frac{2(Ab+7aB)\sqrt{a+b \tan(c+dx)}}{35ad \tan^{\frac{5}{2}}(c+dx)} + \frac{2(35a^2A)}{\dots} \\
&= -\frac{\sqrt{ia-b}(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{\sqrt{ia+b}(iA+B) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 3.76991, size = 265, normalized size = 0.84

$$\frac{2\sqrt{a+b \tan(c+dx)}(a(35a^2A-7abB+4Ab^2) \tan^2(c+dx)+(35a^2Ab+105a^3B+14ab^2B-8Ab^3) \tan^3(c+dx)-3a^2(7aB+Ab) \tan(c+dx)-15a^3A)}{a^3 \tan^{\frac{7}{2}}(c+dx)} + 105(-1)^{3/4}\sqrt{-a}$$

105d

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] (105*(-1)^(3/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] - 105*(-1)^(1/4)*Sqrt[a - I*b]*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] + (2*Sqrt[a + b*Tan[c + d*x]]*(-15*a^3*A - 3*a^2*(A*b + 7*a*B)*Tan[c + d*x] + a*(35*a^2*A + 4*A*b^2 - 7*a*b*B)*Tan[c + d*x]^2 + (35*a^2*A*b - 8*A*b^3 + 105*a^3*B + 14*a*b^2*B)*Tan[c + d*x]^3))/(a^3*Tan[c + d*x]^(7/2))/(105*d)

Maple [B] time = 0.735, size = 2183144, normalized size = 6952.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")

[Out] Timed out

$$3.434 \quad \int \tan^3(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=323

$$\frac{(a^2(-B) + 6aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{8bd} + \frac{(6a^2Ab + a^3(-B) - 24ab^2B - 16Ab^3) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8b^{3/2}d}$$

```
[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((6*a^2*A*b - 16*A*b^3 - a^3*B - 24*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(8*b^(3/2)*d) + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((6*a*A*b - a^2*B - 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(8*b*d) + ((6*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(12*b*d) + (B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2))/(3*b*d)
```

Rubi [A] time = 2.55959, antiderivative size = 323, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(a^2(-B) + 6aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{8bd} + \frac{(6a^2Ab + a^3(-B) - 24ab^2B - 16Ab^3) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8b^{3/2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((6*a^2*A*b - 16*A*b^3 - a^3*B - 24*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(8*b^(3/2)*d) + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((6*a*A*b - a^2*B - 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(8*b*d) + ((6*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(12*b*d) + (B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2))/(3*b*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n - 1)*((A + B*Tan[e + f*x]) + C*Tan[e + f*x]), x] + Dist[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n - 1)*C*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

```
) + (f_.)*(x_)^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx = \frac{B\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{5/2}}{3bd} + \frac{\int \frac{(a+b \tan(c+dx))^{3/2}}{\sqrt{\tan(c+dx)}} dx}{12bd} + \frac{(6Ab - a^2B - 8b^2B)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{8bd} + \frac{(6a^2Ab - 16Ab^3 - a^3B - 24ab^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8b^{3/2}d} + \frac{(ia - b)^{3/2}(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(6a^2Ab - 16Ab^3 - a^3B - 24ab^2B)}{8bd}$$

Mathematica [A] time = 4.2701, size = 347, normalized size = 1.07

$$-3(a^2B - 6aAb + 8b^2B)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)} - \frac{3\sqrt{a}(-6a^2Ab + a^3B + 24ab^2B + 16Ab^3)\sqrt{\frac{b \tan(c+dx)}{a}} + 1 \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}\sqrt{a+b \tan(c+dx)}} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (24*(-1)^(3/4)*(-a - I*b)^(3/2)*b*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + 24*(-1)^(1/4)*(a - I*b)^(3/2)*b*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] - 3*(-6*a*A*b + a^2*B + 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*(6*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) + 8*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2) - (3*Sqrt[a]*(-6*a^2*A*b + 16*A*b^3 + a^3*B + 24*a*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]]) + \dots

$c + d*x]])))/(24*b*d)$

Maple [B] time = 0.767, size = 2400808, normalized size = 7432.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}} \tan(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*tan(d*x + c)^(3/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(3/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError
```

$$3.435 \quad \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=268

$$\frac{(3a^2B + 12aAb - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4\sqrt{bd}} + \frac{(a+ib)^2(-B+iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(5aB + 4Ab)\sqrt{\tan(c+dx)}}{d}$$

```
[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(Sqrt[I*a - b]*d) + ((12*a*A*b + 3*a^2*B - 8*b^2*B)*ArcTan h[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(4*Sqrt[b]*d) + ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/d + ((4*A*b + 5*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]/(4*d) + (b*B*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]/(2*d)
```

Rubi [A] time = 2.40697, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(3a^2B + 12aAb - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4\sqrt{bd}} + \frac{(a+ib)^2(-B+iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(5aB + 4Ab)\sqrt{\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(Sqrt[I*a - b]*d) + ((12*a*A*b + 3*a^2*B - 8*b^2*B)*ArcTan h[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(4*Sqrt[b]*d) + ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/d + ((4*A*b + 5*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]/(4*d) + (b*B*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]/(2*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1))*Tan[e + f*x] - (C*m
```

```

*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))

```

Rule 3655

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]

```

Rule 6725

```

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} + \frac{1}{2} \int \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} dx \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} + \frac{bB \tan^3(c+dx) \sqrt{a+b \tan(c+dx)}}{2d} \\
&= \frac{(12aAb+3a^2B-8b^2B) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4\sqrt{bd}} + \frac{(4Ab+5aB) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{4d} \\
&= \frac{(a+ib)^2(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} + \frac{(12aAb+3a^2B-8b^2B) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4\sqrt{bd}}
\end{aligned}$$

Mathematica [A] time = 2.48483, size = 290, normalized size = 1.08

$$\frac{\sqrt{a}(3a^2B+12aAb-8b^2B) \sqrt{\frac{b \tan(c+dx)}{a}+1} \sinh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b} \sqrt{a+b \tan(c+dx)}} + (5aB+4Ab) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)} + 4\sqrt[4]{-1}(-a-ib)^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (4*(-1)^(1/4)*(-a - I*b)^(3/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]] - 4*(-1)^(1/4)*(a - I*b)^(3/2)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]] + (4*A*b + 5*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*b*B*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]] + (Sqrt[a]*(12*a*A*b + 3*a^2*B - 8*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])/(4*d)

Maple [B] time = 0.82, size = 2398581, normalized size = 8949.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*sqrt(tan(d*x + c)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(1/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Exception raised: RuntimeError

$$3.436 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=204

$$\frac{(-b+ia)^{3/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{\sqrt{b}(3aB+2Ab) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{(b+ia)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/d) + (Sqrt[b]*(2*A*b + 3*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/d + (b*B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 1.73133, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3607, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(-b+ia)^{3/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{\sqrt{b}(3aB+2Ab) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{(b+ia)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/d) + (Sqrt[b]*(2*A*b + 3*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/d + (b*B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpan[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} + \int \frac{\frac{1}{2} a (2aA - bB) + (2aAb + \dots)}{\sqrt{x} \sqrt{a + bx}} dx \\
&= \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2} a (2aA - bB) + (2aAb + \dots)}{\sqrt{x} \sqrt{a + bx}} dx \right)}{\sqrt{x} \sqrt{a + bx}} \\
&= \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} + \frac{\text{Subst} \left(\int \left(\frac{b(2Ab + 3aB)}{2\sqrt{x} \sqrt{a + bx}} + \frac{a^2 A - \dots}{\sqrt{x} \sqrt{a + bx}} \right) dx \right)}{\sqrt{x} \sqrt{a + bx}} \\
&= \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} + \frac{\text{Subst} \left(\int \frac{a^2 A - Ab^2 - 2abB + (2aAb + \dots)}{\sqrt{x} \sqrt{a + bx} (1 + \dots)} dx \right)}{\sqrt{x} \sqrt{a + bx} (1 + \dots)} \\
&= \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} + \frac{\text{Subst} \left(\int \left(\frac{-2aAb - a^2 B + b^2 B + i(a^2 A - \dots)}{2(i-x) \sqrt{x} \sqrt{a + bx}} \right) dx \right)}{2(i-x) \sqrt{x} \sqrt{a + bx}} \\
&= \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} + \frac{((a + ib)^2 (iA - B)) \text{Subst} \left(\int \frac{\dots}{\sqrt{x} \sqrt{a + bx}} dx \right)}{\sqrt{x} \sqrt{a + bx}} \\
&= \frac{\sqrt{b} (2Ab + 3aB) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{bB \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} \\
&= \frac{(ia - b)^{3/2} (A + iB) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{\sqrt{b} (2Ab + 3aB) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.962479, size = 243, normalized size = 1.19

$$\frac{-(-1)^{3/4} (-a - ib)^{3/2} (A + iB) \tanh^{-1} \left(\frac{\sqrt[4]{-1} \sqrt{-a - ib} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) - \sqrt[4]{-1} (a - ib)^{3/2} (B + iA) \tanh^{-1} \left(\frac{\sqrt[4]{-1} \sqrt{a - ib} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) + \dots}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],x]

[Out] (-((-1)^(3/4)*(-a - I*b)^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) - (-1)^(1/4)*(a - I*b)^(3/2)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) + b*B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + (Sqrt[a]*Sqrt[b]*(2*A*b + 3*a*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/Sqrt[a + b*Tan[c + d*x]])/d

Maple [B] time = 0.826, size = 2396041, normalized size = 11745.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)/sqrt(tan(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^{\frac{3}{2}}}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(3/2)/sqrt(tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

$$3.437 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=209

$$\frac{(a+ib)^2(-B+iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(b+ia)^{3/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2aA\sqrt{a+b \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

[Out] -(((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d)) + (2*b^(3/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 1.68511, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3605, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(a+ib)^2(-B+iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(b+ia)^{3/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2aA\sqrt{a+b \tan(c+dx)}}{d\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] -(((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d)) + (2*b^(3/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]])

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^3(c + dx)} dx &= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{\frac{1}{2}a(2Ab + aB) - \frac{1}{2}(a^2A - Ab^2 - 2abB)}{\sqrt{\tan(c + dx)}} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{2 \operatorname{Subst} \left(\int \frac{\frac{1}{2}a(2Ab + aB) + \frac{1}{2}(-a^2A + Ab^2 + 2abB)}{\sqrt{x}\sqrt{a + bx}(1 + x^2)} dx \right)}{d} \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{2 \operatorname{Subst} \left(\int \left(\frac{b^2B}{2\sqrt{x}\sqrt{a + bx}} + \frac{2aAb + a^2B - b^2B - (a^2A - Ab^2 - 2abB)}{2\sqrt{x}\sqrt{a + bx}} \right) dx \right)}{d} \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{\operatorname{Subst} \left(\int \frac{2aAb + a^2B - b^2B - (a^2A - Ab^2 - 2abB)x}{\sqrt{x}\sqrt{a + bx}(1 + x^2)} dx \right)}{d} \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{\operatorname{Subst} \left(\int \left(\frac{a^2A - Ab^2 - 2abB + i(2aAb + a^2B - b^2B)}{2(i - x)\sqrt{x}\sqrt{a + bx}} \right) dx \right)}{d} \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{((a - ib)^2(A - iB)) \operatorname{Subst} \left(\int \frac{1}{\sqrt{x}(i + x)\sqrt{a + bx}} dx \right)}{2d} \\
&= \frac{2b^{3/2}B \tanh^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} - \frac{2aA\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{((a - ib)^2(A - iB)) \operatorname{Subst} \left(\int \frac{1}{\sqrt{x}(i + x)\sqrt{a + bx}} dx \right)}{2d} \\
&= -\frac{(a + ib)^2(iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{\sqrt{ia - bd}} + \frac{2b^{3/2}B \tanh^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}
\end{aligned}$$

Mathematica [C] time = 39.1459, size = 121803, normalized size = 582.79

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] Result too large to show

Maple [B] time = 0.814, size = 2396071, normalized size = 11464.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^{\frac{3}{2}}}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(3/2)/tan(c + d*x)**(3/2), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")
```

[Out] Timed out

$$3.438 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=196

$$\frac{(-b+ia)^{3/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2(3aB+4Ab)\sqrt{a+b \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + \frac{(b+ia)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*(4*A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.878494, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{(-b+ia)^{3/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2(3aB+4Ab)\sqrt{a+b \tan(c+dx)}}{3d\sqrt{\tan(c+dx)}} + \frac{(b+ia)^{3/2}(A-iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2)) - (2*(4*A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*d*Sqrt[Tan[c + d*x]])

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(p_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)

$$\frac{(A*b - a*B - b*C)*\tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*\tan[e + f*x]^2, x, x]}{FreeQ[\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 + b^2, 0] \&\& NeQ[c^2 + d^2, 0] \&\& LtQ[m, -1] \&\& ! (ILtQ[n, -1] \&\& (!IntegerQ[m] || (EqQ[c, 0] \&\& NeQ[a, 0])))}$$

Rule 3616

$$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(A + I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n*(1 - I*\tan[e + f*x])}], x, x] + \text{Dist}[(A - I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n*(1 + I*\tan[e + f*x])}], x, x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A^2 + B^2, 0]$$

Rule 3615

$$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[A^2/f, \text{Subst}[\text{Int}[\frac{(a + b*x)^m * (c + d*x)^n}{(A - B*x)}, x], x, \tan[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A^2 + B^2, 0]$$

Rule 93

$$\text{Int}[\frac{((a_.) + (b_.)*(x_))^{(m_)} * ((c_.) + (d_.)*(x_))^{(n_)}}{(e_.) + (f_.)*(x_)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m + 1) - 1)} / (b*e - a*f - (d*e - c*f)*x^q)], x], x, (a + b*x)^{(1/q)} / (c + d*x)^{(1/q)}], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n] \&\& \text{LtQ}[-1, m, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x]$$

Rule 203

$$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(c_.) + (d_.)*(x_)^2}]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\frac{(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])}{(\text{Rt}[a, 2]*\text{Rt}[b, 2])}], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{GtQ}[b, 0])$$

Rule 206

$$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(c_.) + (d_.)*(x_)^2}]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\frac{(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])}{(\text{Rt}[a, 2]*\text{Rt}[-b, 2])}], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{LtQ}[b, 0])$$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{\tan^{5/2}(c + dx)} dx &= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{3d \tan^{3/2}(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a(4Ab + 3aB) - \frac{3}{2}(a^2A - Ab^2)}{\tan^{3/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{3d \tan^{3/2}(c + dx)} - \frac{2(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{3d\sqrt{\tan(c + dx)}} - \frac{4}{3} \int \frac{a}{\tan^{3/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{3d \tan^{3/2}(c + dx)} - \frac{2(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{3d\sqrt{\tan(c + dx)}} - \frac{1}{2} \int \frac{a}{\tan^{3/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{3d \tan^{3/2}(c + dx)} - \frac{2(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{3d\sqrt{\tan(c + dx)}} - \frac{4}{3} \int \frac{a}{\tan^{3/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{3d \tan^{3/2}(c + dx)} - \frac{2(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{3d\sqrt{\tan(c + dx)}} - \frac{4}{3} \int \frac{a}{\tan^{3/2}(c + dx)} dx \\
&= \frac{(ia - b)^{3/2}(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(ia + b)^{3/2}(A - iB) \tan^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.899557, size = 238, normalized size = 1.21

$$\frac{-2(3aB + 4Ab) \tan(c + dx) \sqrt{a + b \tan(c + dx)} + (3bB - 2aA) \sqrt{a + b \tan(c + dx)} + 3\sqrt[4]{-1} \tan^{3/2}(c + dx) \left(i(-a - ib)^{3/2} \right)}{3d \tan^{5/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (3*(-1)^(1/4)*(I*(-a - I*b)^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]) + (a - I*b)^(3/2)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) - 3*b*B*Sqrt[a + b*Tan[c + d*x]] + (-2*a*A + 3*b*B)*Sqrt[a + b*Tan[c + d*x]] - 2*(4*A*b + 3*a*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*d*Tan[c + d*x]^(3/2))

Maple [B] time = 0.814, size = 2397670, normalized size = 12233.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{3/2}}{\tan(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)/tan(d*x + c)^(5/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.439 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=259

$$\frac{2(15a^2A - 20abB - 3Ab^2)\sqrt{a+b \tan(c+dx)}}{15ad\sqrt{\tan(c+dx)}} + \frac{(a+ib)^2(-B+IA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{2(5aB+6Ab)\sqrt{a+b \tan(c+dx)}}{15d \tan^{\frac{3}{2}}(c+dx)}$$

[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(5*d*Tan[c + d*x]^(5/2)) - (2*(6*A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A - 3*A*b^2 - 20*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 1.15287, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A - 20abB - 3Ab^2)\sqrt{a+b \tan(c+dx)}}{15ad\sqrt{\tan(c+dx)}} + \frac{(a+ib)^2(-B+IA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{2(5aB+6Ab)\sqrt{a+b \tan(c+dx)}}{15d \tan^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(5*d*Tan[c + d*x]^(5/2)) - (2*(6*A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A - 3*A*b^2 - 20*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a*d*Sqrt[Tan[c + d*x]])

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f

```
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^{7/2}(c + dx)} dx &= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}a(6Ab + 5aB) - \frac{5}{2}(a^2A - Ab^2)}{\tan^{5/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)} - \frac{2(6Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{4}{5} \int \frac{1}{\tan^{5/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)} - \frac{2(6Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2}{5} \int \frac{1}{\tan^{3/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)} - \frac{2(6Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2}{5} \int \frac{1}{\tan^{1/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)} - \frac{2(6Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2}{5} \int \frac{1}{\tan^{1/2}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)} - \frac{2(6Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2}{5} \int \frac{1}{\tan^{1/2}(c + dx)} dx \\
&= \frac{(a + ib)^2 (iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{\sqrt{ia - bd}} + \frac{(ia + b)^{3/2} (iA + B) \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 2.2734, size = 286, normalized size = 1.1

$$4(15a^2A - 20abB - 3Ab^2) \tan^2(c + dx) \sqrt{a + b \tan(c + dx)} - 4a(5aB + 6Ab) \tan(c + dx) \sqrt{a + b \tan(c + dx)} - 3a(4aA - 5bB) \sqrt{a + b \tan(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2(2aA - 5bB)\sqrt{a + b \tan(c + dx)}}{5d \tan^{5/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (30*(-1)^(1/4)*a*((-a - I*b)^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] - (a - I*b)^(3/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(5/2) - 15*a*b*B*Sqrt[a + b*Tan[c + d*x]] - 3*a*(4*a*A - 5*b*B)*Sqrt[a + b*Tan[c + d*x]] - 4*a*(6*A*b + 5*a*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]] + 4*(15*a^2*A - 3*A*b^2 - 20*a*b*B)*Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]]/(30*a*d*Tan[c + d*x]^(5/2))

Maple [B] time = 0.875, size = 2398570, normalized size = 9260.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.440 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=311

$$\frac{2(35a^2A - 42abB - 3Ab^2)\sqrt{a+b \tan(c+dx)}}{105ad \tan^3(c+dx)} + \frac{2(140a^2Ab + 105a^3B - 21ab^2B + 6Ab^3)\sqrt{a+b \tan(c+dx)}}{105a^2d\sqrt{\tan(c+dx)}} - \frac{(-b}{$$

```
[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*(8*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*(35*a^2*A - 3*A*b^2 - 42*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d*Tan[c + d*x]^(3/2)) + (2*(140*a^2*A*b + 6*A*b^3 + 105*a^3*B - 21*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 1.47729, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(35a^2A - 42abB - 3Ab^2)\sqrt{a+b \tan(c+dx)}}{105ad \tan^3(c+dx)} + \frac{2(140a^2Ab + 105a^3B - 21ab^2B + 6Ab^3)\sqrt{a+b \tan(c+dx)}}{105a^2d\sqrt{\tan(c+dx)}} - \frac{(-b}{$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]
```

```
[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*(8*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*(35*a^2*A - 3*A*b^2 - 42*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d*Tan[c + d*x]^(3/2)) + (2*(140*a^2*A*b + 6*A*b^3 + 105*a^3*B - 21*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d*Sqrt[Tan[c + d*x]])
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
```

```

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^9(c + dx)} dx &= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}a(8Ab + 7aB) - \frac{7}{2}(a^2A - Ab^2)}{\tan^7(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} - \frac{2(8Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^5(c + dx)} - \frac{4}{35d} \int \frac{a^2A - Ab^2}{\tan^5(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} - \frac{2(8Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2}{35d} \int \frac{a^2A - Ab^2}{\tan^3(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} - \frac{2(8Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2}{35d} \int \frac{a^2A - Ab^2}{\tan(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} - \frac{2(8Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2}{35d} (a^2A - Ab^2) \ln|\tan(c + dx)| \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} - \frac{2(8Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2}{35d} (a^2A - Ab^2) \ln|\tan(c + dx)| \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{7d \tan^7(c + dx)} - \frac{2(8Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^5(c + dx)} + \frac{2}{35d} (a^2A - Ab^2) \ln|\tan(c + dx)| \\
&= -\frac{(ia - b)^{3/2}(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} - \frac{(ia + b)^{3/2}(A - iB) \tan^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 5.35267, size = 346, normalized size = 1.11

$$a \tan^2(c + dx) \left(2a (35a^2A - 42abB - 3Ab^2) \sqrt{a + b \tan(c + dx)} + 2 (140a^2Ab + 105a^3B - 21ab^2B + 6Ab^3) \tan(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2),x]

[Out] (-35*a^3*b*B*Sqrt[a + b*Tan[c + d*x]] - 5*a^3*(6*a*A - 7*b*B)*Sqrt[a + b*Tan[c + d*x]] - 6*a^3*(8*A*b + 7*a*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]] + a*Tan[c + d*x]^2*(-105*(-1)^(3/4)*a^2*((-a - I*b)^(3/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) + (a - I*b)^(3/2)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) + 2*a*(35*a^2*A - 3*A*b^2 - 42*a*b*B)*Sqrt[a + b*Tan[c + d*x]] + 2*(140*a^2*A*b + 6*A*b^3 + 105*a^3*B - 21*a*b^2*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(105*a^3*d*Tan[c + d*x]^(7/2))

Maple [B] time = 0.849, size = 2400710, normalized size = 7719.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.441 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=382

$$\frac{2(126a^2Ab + 105a^3B - 9ab^2B + 4Ab^3)\sqrt{a+b \tan(c+dx)}}{315a^2d \tan^{\frac{3}{2}}(c+dx)} + \frac{2(21a^2A - 24abB - Ab^2)\sqrt{a+b \tan(c+dx)}}{105ad \tan^{\frac{5}{2}}(c+dx)} - \frac{2(-63a^2A + 105abB - 35a^2B - 35ab^2)}{315a^2d \tan^{\frac{3}{2}}(c+dx)}$$

```
[Out] ((I*a - b)^(3/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(9*d*Tan[c + d*x]^(9/2)) - (2*(10*A*b + 9*a*B)*Sqrt[a + b*Tan[c + d*x]])/(63*d*Tan[c + d*x]^(7/2)) + (2*(21*a^2*A - A*b^2 - 24*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d*Tan[c + d*x]^(5/2)) + (2*(126*a^2*A*b + 4*A*b^3 + 105*a^3*B - 9*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(315*a^2*d*Tan[c + d*x]^(3/2)) - (2*(315*a^4*A - 63*a^2*A*b^2 + 8*A*b^4 - 420*a^3*b*B - 18*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]])/(315*a^3*d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 1.83193, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(126a^2Ab + 105a^3B - 9ab^2B + 4Ab^3)\sqrt{a+b \tan(c+dx)}}{315a^2d \tan^{\frac{3}{2}}(c+dx)} + \frac{2(21a^2A - 24abB - Ab^2)\sqrt{a+b \tan(c+dx)}}{105ad \tan^{\frac{5}{2}}(c+dx)} - \frac{2(-63a^2A + 105abB - 35a^2B - 35ab^2)}{315a^2d \tan^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(11/2), x]
```

```
[Out] ((I*a - b)^(3/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Sqrt[a + b*Tan[c + d*x]])/(9*d*Tan[c + d*x]^(9/2)) - (2*(10*A*b + 9*a*B)*Sqrt[a + b*Tan[c + d*x]])/(63*d*Tan[c + d*x]^(7/2)) + (2*(21*a^2*A - A*b^2 - 24*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d*Tan[c + d*x]^(5/2)) + (2*(126*a^2*A*b + 4*A*b^3 + 105*a^3*B - 9*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(315*a^2*d*Tan[c + d*x]^(3/2)) - (2*(315*a^4*A - 63*a^2*A*b^2 + 8*A*b^4 - 420*a^3*b*B - 18*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]])/(315*a^3*d*Sqrt[Tan[c + d*x]])
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\tan^{\frac{11}{2}}(c + dx)} dx &= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{\frac{1}{2}a(10Ab + 9aB) - \frac{9}{2}(a^2A - Ab^2)}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} - \frac{4}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{2aA\sqrt{a + b \tan(c + dx)}}{9d \tan^{\frac{9}{2}}(c + dx)} - \frac{2(10Ab + 9aB)\sqrt{a + b \tan(c + dx)}}{63d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^2A - Ab^2}{\tan^{\frac{9}{2}}(c + dx)} dx \\
&= -\frac{(a + ib)^2(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia - bd}} - \frac{(ia + b)^{3/2}(iA + B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia - bd}}
\end{aligned}$$

Mathematica [A] time = 6.63286, size = 474, normalized size = 1.24

$$\begin{aligned}
 & -\frac{bB\sqrt{a+b\tan(c+dx)}}{4d\tan^{\frac{9}{2}}(c+dx)} + \frac{1}{4} - \frac{(8aA-9bB)\sqrt{a+b\tan(c+dx)}}{9d\tan^{\frac{9}{2}}(c+dx)} + \frac{4a(9aB+10Ab)\sqrt{a+b\tan(c+dx)}}{7d\tan^{\frac{7}{2}}(c+dx)} - \frac{6a(21a^2A-24abB-Ab^2)\sqrt{a+b\tan(c+dx)}}{5d\tan^{\frac{5}{2}}(c+dx)}
 \end{aligned}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(1/2),x]

[Out] -(b*B*Sqrt[a + b*Tan[c + d*x]])/(4*d*Tan[c + d*x]^(9/2)) + (-((8*a*A - 9*b*B)*Sqrt[a + b*Tan[c + d*x]])/(9*d*Tan[c + d*x]^(9/2)) + (2*((-4*a*(10*A*b +

$$\begin{aligned} & 9*a*B)*\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/(7*d*\text{Tan}[c + d*x]^{(7/2)}) - (2*((-6*a*(21* \\ & a^2*A - A*b^2 - 24*a*b*B)*\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/(5*d*\text{Tan}[c + d*x]^{(5/2)} \\ &) - (2*((a*(126*a^2*A*b + 4*A*b^3 + 105*a^3*B - 9*a*b^2*B)*\text{Sqrt}[a + b*\text{Tan}[c \\ & + d*x]])/(d*\text{Tan}[c + d*x]^{(3/2)}) - (2*((945*a^4*((-1)^{(1/4)}*(-a - I*b)^{(3/2)} \\ &)*(A + I*B)*\text{ArcTanh}[((-1)^{(1/4)}*\text{Sqrt}[-a - I*b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + \\ & b*\text{Tan}[c + d*x]]] - (-1)^{(1/4)}*(a - I*b)^{(3/2)}*(A - I*B)*\text{ArcTanh}[((-1)^{(1/4)} \\ &)*\text{Sqrt}[a - I*b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + b*\text{Tan}[c + d*x]]]))/(4*d) + (3* \\ & a*(315*a^4*A - 63*a^2*A*b^2 + 8*A*b^4 - 420*a^3*b*B - 18*a*b^3*B)*\text{Sqrt}[a + \\ & b*\text{Tan}[c + d*x]]/(2*d*\text{Sqrt}[\text{Tan}[c + d*x]])))/(3*a))/(5*a))/(7*a))/(9*a))/ \\ & 4 \end{aligned}$$

Maple [B] time = 0.852, size = 2404245, normalized size = 6293.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algo  
rithm="giac")
```

```
[Out] Timed out
```


$$3.442 \quad \int \tan^3(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=397

$$\frac{(-5a^2B + 40aAb - 48b^2B) \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}}{96bd} + \frac{(40a^2Ab - 5a^3B - 112ab^2B - 64Ab^3) \sqrt{\tan(c+dx)}}{64bd}$$

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((40*a^3*A*b - 320*a*A*b^3 - 5*a^4*B - 240*a^2*b^2*B + 128*b^4*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(64*b^(3/2)*d) - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((40*a^2*A*b - 64*A*b^3 - 5*a^3*B - 112*a*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(64*b*d) + ((40*a*A*b - 5*a^2*B - 48*b^2*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(96*b*d) + ((8*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2))/(24*b*d) + (B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(7/2))/(4*b*d)
```

Rubi [A] time = 3.11969, antiderivative size = 397, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(-5a^2B + 40aAb - 48b^2B) \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}}{96bd} + \frac{(40a^2Ab - 5a^3B - 112ab^2B - 64Ab^3) \sqrt{\tan(c+dx)}}{64bd}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((40*a^3*A*b - 320*a*A*b^3 - 5*a^4*B - 240*a^2*b^2*B + 128*b^4*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(64*b^(3/2)*d) - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((40*a^2*A*b - 64*A*b^3 - 5*a^3*B - 112*a*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(64*b*d) + ((40*a*A*b - 5*a^2*B - 48*b^2*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(96*b*d) + ((8*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2))/(24*b*d) + (B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(7/2))/(4*b*d)
```

Rule 3607

```
Int[(a_. + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && (!IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \tan^3(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \frac{B\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{7/2}}{4bd} + \int \frac{(a+b \tan(c+dx))^{5/2}}{\sqrt{\tan(c+dx)}} dx \\
 &= \frac{(8Ab-aB)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}}{24bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40aAb-5a^2B-48b^2B)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}}{96bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^2Ab-64Ab^3-5a^3B-112ab^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{64bd} + \frac{B\sqrt{\tan(c+dx)}}{d} \\
 &= \frac{(40a^3Ab-320aAb^3-5a^4B-240a^2b^2B+128b^4B)\tan^{-1}\left(\frac{\sqrt{a-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{64b^{3/2}d} + \frac{(40a^3Ab-320aAb^3-5a^4B-240a^2b^2B+128b^4B)\tan^{-1}\left(\frac{\sqrt{a-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(40a^3Ab-320aAb^3-5a^4B-240a^2b^2B+128b^4B)\tan^{-1}\left(\frac{\sqrt{a-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
 \end{aligned}$$

Mathematica [A] time = 4.3818, size = 411, normalized size = 1.04

$$-2(5a^2B-40aAb+48b^2B)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}-3(-40a^2Ab+5a^3B+112ab^2B+64Ab^3)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (-192*(-1)^(3/4)*(-a - I*b)^(5/2)*b*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]] + 192*(-1)^(1/4)*(a - I

$$\begin{aligned} & *b)^{(5/2)} * b * (I * A + B) * \text{ArcTanh} \left[\frac{(-1)^{1/4} * \sqrt{a - I * b} * \sqrt{\tan[c + d * x]}}{\sqrt{a + b * \tan[c + d * x]}} \right] \\ & - 3 * (-40 * a^2 * A * b + 64 * A * b^3 + 5 * a^3 * B + 112 * a * b^2 * B) * \sqrt{\tan[c + d * x]} * \sqrt{a + b * \tan[c + d * x]} \\ & - 2 * (-40 * a * A * b + 5 * a^2 * B + 48 * b^2 * B) * \sqrt{\tan[c + d * x]} * (a + b * \tan[c + d * x])^{3/2} \\ & + 8 * (8 * A * b - a * B) * \sqrt{\tan[c + d * x]} * (a + b * \tan[c + d * x])^{5/2} \\ & + 48 * B * \sqrt{\tan[c + d * x]} * (a + b * \tan[c + d * x])^{7/2} \\ & - (3 * \sqrt{a} * (-40 * a^3 * A * b + 320 * a * A * b^3 + 5 * a^4 * B + 240 * a^2 * b^2 * B - 128 * b^4 * B) * \text{ArcSinh} \left[\frac{\sqrt{b} * \sqrt{\tan[c + d * x]}}{\sqrt{a}} \right] * \sqrt{1 + (b * \tan[c + d * x]) / a}) / (\sqrt{b} * \sqrt{a + b * \tan[c + d * x]}) / (192 * b * d) \end{aligned}$$

Maple [B] time = 0.893, size = 2656933, normalized size = 6692.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{5/2} \tan(dx + c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*tan(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Exception raised: RuntimeError

$$3.443 \quad \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=316

$$\frac{(5a^2B + 14aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{8d} + \frac{(30a^2Ab + 5a^3B - 40ab^2B - 16Ab^3) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8\sqrt{bd}}$$

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((30*a^2*A*b - 16*A*b^3 + 5*a^3*B - 40*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/(8*Sqrt[b]*d) + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((14*a*A*b + 5*a^2*B - 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(8*d) + ((2*A*b + 3*a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(4*d) + (b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rubi [A] time = 3.06664, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(5a^2B + 14aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{a+b \tan(c+dx)}}{8d} + \frac{(30a^2Ab + 5a^3B - 40ab^2B - 16Ab^3) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8\sqrt{bd}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((30*a^2*A*b - 16*A*b^3 + 5*a^3*B - 40*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/(8*Sqrt[b]*d) + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((14*a*A*b + 5*a^2*B - 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(8*d) + ((2*A*b + 3*a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(4*d) + (b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

```
) + (f_.)*(x_)^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \frac{bB \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}}{3d} + \frac{1}{3} \int \sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx \\ &= \frac{(2Ab+3aB)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}}{4d} + \frac{bB \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}}{3d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(14aAb+5a^2B-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}{8d} \\ &= \frac{(30a^2Ab-16Ab^3+5a^3B-40ab^2B)\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8\sqrt{bd}} \\ &= -\frac{(ia-b)^{5/2}(A+iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(30a^2Ab-16Ab^3+5a^3B-40ab^2B)\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{8\sqrt{bd}} \end{aligned}$$

Mathematica [A] time = 4.50735, size = 345, normalized size = 1.09

$$3(5a^2B+14aAb-8b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)} + \frac{3\sqrt{a}(30a^2Ab+5a^3B-40ab^2B-16Ab^3)\sqrt{\frac{b \tan(c+dx)}{a}+1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}\sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (-24*(-1)^(1/4)*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] - 24*(-1)^(1/4)*(a - I*b)^(5/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + 3*(14*a*A*b + 5*a^2*B - 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 6*(2*A*b + 3*a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) + 8*b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2) + (3*Sqrt[a]*(30*a^2*A*b - 16*A*b^3 + 5*a^3*B - 40*a*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b

*Tan[c + d*x])))/(24*d)

Maple [B] time = 0.919, size = 2654491, normalized size = 8400.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}} \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*sqrt(tan(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError
```

$$3.444 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=260

$$\frac{\sqrt{b}(15a^2B + 20aAb - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4d} + \frac{(-b+ia)^{5/2}(-B+ia) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{b(7aB + 4Ab)}{d}$$

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (Sqrt[b]*(20*a*A*b + 15*a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(4*d) + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (b*(4*A*b + 7*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(4*d) + (b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(2*d)
```

Rubi [A] time = 2.33047, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{\sqrt{b}(15a^2B + 20aAb - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4d} + \frac{(-b+ia)^{5/2}(-B+ia) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{b(7aB + 4Ab)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]
```

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (Sqrt[b]*(20*a*A*b + 15*a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(4*d) + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (b*(4*A*b + 7*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(4*d) + (b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/(2*d)
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
```

NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{bB \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^{3/2}}{2d} + \frac{1}{2} \int \frac{\sqrt{a + b \tan(c + dx)}}{\sqrt{\tan(c + dx)}} dx \\
&= \frac{b(4Ab + 7aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4d} + \frac{bB \sqrt{\tan(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4d} + \frac{bB \sqrt{\tan(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4d} + \frac{bB \sqrt{\tan(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4d} + \frac{bB \sqrt{\tan(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4d} + \frac{bB \sqrt{\tan(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}}{4d} + \frac{bB \sqrt{\tan(c + dx)}}{4d} \\
&= \frac{\sqrt{b} (20aAb + 15a^2B - 8b^2B) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{4d} + \frac{b(4Ab + 7aB)}{4d} \\
&= \frac{(ia - b)^{5/2} (iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{\sqrt{b} (20aAb + 15a^2B - 8b^2B)}{4d}
\end{aligned}$$

Mathematica [A] time = 2.59306, size = 291, normalized size = 1.12

$$\frac{\sqrt{a} \sqrt{b} (15a^2B + 20aAb - 8b^2B) \sqrt{\frac{b \tan(c + dx)}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a}} \right)}{\sqrt{a + b \tan(c + dx)}} + b(7aB + 4Ab) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)} + 4(-1)^{3/4} (-a - b) \sqrt{\tan(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] (4*(-1)^(3/4)*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) - 4*(-1)^(1/4)*(a - I*b)^(5/2)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) + b*(4*A*b + 7*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) + (Sqrt[a]*Sqrt[b]*(20*a*A*b + 15*a^2*B - 8*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/Sqrt[a + b*Tan[c + d*x]]/(4*d)

Maple [B] time = 0.935, size = 2652267, normalized size = 10201.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)/sqrt(tan(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

$$3.445 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=241

$$\frac{b^{3/2}(5aB + 2Ab) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(-b + ia)^{5/2}(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{b(2aA + bB)\sqrt{\tan(c + dx)}}{d}$$

```
[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (b^(3/2)*(2*A*b + 5*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (b*(2*a*A + b*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(d*Sqrt[Tan[c + d*x]])
```

Rubi [A] time = 2.3508, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3605, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{b^{3/2}(5aB + 2Ab) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(-b + ia)^{5/2}(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{b(2aA + bB)\sqrt{\tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]
```

```
[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (b^(3/2)*(2*A*b + 5*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + (b*(2*a*A + b*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(d*Sqrt[Tan[c + d*x]])
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
```

```

*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))

```

Rule 3655

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]

```

Rule 6725

```

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} + 2 \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{1}{2}a(4Ab + a^2) + b^2 \tan(c + dx)\right)}{d\sqrt{\tan(c + dx)}} dx \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{d\sqrt{\tan(c + dx)}} \\
&= \frac{b^3(2Ab + 5aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{b(2aA + bB)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} \\
&= \frac{(ia - b)^{5/2}(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{b^3(2Ab + 5aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [C] time = 40.969, size = 209298, normalized size = 868.46

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] Result too large to show

Maple [B] time = 0.92, size = 2652458, normalized size = 11006.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)
```

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")
```

[Out] Timed out

$$3.446 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=240

$$\frac{(-b+ia)^{5/2}(-B+IA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2a(aB+2Ab)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\tan(c+dx)}} - \frac{(b+ia)^{5/2}(B+IA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d) + (2*b^(5/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*(2*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(3*d*Tan[c + d*x]^(3/2))

Rubi [A] time = 2.01643, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3605, 3645, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(-b+ia)^{5/2}(-B+IA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2a(aB+2Ab)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\tan(c+dx)}} - \frac{(b+ia)^{5/2}(B+IA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d) + (2*b^(5/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*(2*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(3*d*Tan[c + d*x]^(3/2))

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e

```
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(2Ab + aB)\right)}{\tan^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \\
&= -\frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \\
&= -\frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \\
&= -\frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} - \\
&= -\frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} - \\
&= -\frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{3}{2}}(c + dx)} + \\
&= \frac{2b^{5/2}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2a(2Ab + aB)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} \\
&= -\frac{(ia - b)^{5/2}(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{2b^{5/2}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}
\end{aligned}$$

Mathematica [C] time = 39.5828, size = 139636, normalized size = 581.82

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2),x]

[Out] Result too large to show

Maple [B] time = 0.911, size = 2652764, normalized size = 11053.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}}}{\tan(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)/tan(d*x + c)^(5/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(5/2),x, algorithm="giac")

[Out] Timed out

$$3.447 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=247

$$\frac{2(15a^2A - 35abB - 23Ab^2)\sqrt{a+b \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}} - \frac{(-b+ia)^{5/2}(A+ib) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2a(5aB+8Ab)\sqrt{a}}{15d \tan^2(c+dx)}$$

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d - (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A - 23*A*b^2 - 35*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(5*d*Tan[c + d*x]^(5/2))
```

Rubi [A] time = 1.17028, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A - 35abB - 23Ab^2)\sqrt{a+b \tan(c+dx)}}{15d\sqrt{\tan(c+dx)}} - \frac{(-b+ia)^{5/2}(A+ib) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{2a(5aB+8Ab)\sqrt{a}}{15d \tan^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]
```

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d - (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A - 23*A*b^2 - 35*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(5*d*Tan[c + d*x]^(5/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
```

```

+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
]; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_)*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{7/2}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^{3/2}}{5d \tan^{5/2}(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{1}{2}a(8Ab + \right. \\
&= -\frac{2a(8Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{5d \tan^{5/2}(c + dx)} + \\
&= -\frac{2a(8Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2(15a^2A - 23Ab^2 - 35abB)}{15d \sqrt{\tan(c + dx)}} + \\
&= -\frac{2a(8Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2(15a^2A - 23Ab^2 - 35abB)}{15d \sqrt{\tan(c + dx)}} + \\
&= -\frac{2a(8Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2(15a^2A - 23Ab^2 - 35abB)}{15d \sqrt{\tan(c + dx)}} + \\
&= -\frac{2a(8Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2(15a^2A - 23Ab^2 - 35abB)}{15d \sqrt{\tan(c + dx)}} + \\
&= -\frac{2a(8Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{15d \tan^{3/2}(c + dx)} + \frac{2(15a^2A - 23Ab^2 - 35abB)}{15d \sqrt{\tan(c + dx)}} + \\
&= -\frac{(ia - b)^{5/2}(A + iB) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{(ia + b)^{5/2}(A - iB) \tan^{-1} \left(\frac{\sqrt{ia + b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}
\end{aligned}$$

Mathematica [A] time = 2.38991, size = 321, normalized size = 1.3

$$-3(8a^2A - 15abB - 10Ab^2)\sqrt{a + b \tan(c + dx)} - 4 \tan(c + dx) \left(-2(15a^2A - 35abB - 23Ab^2) \tan(c + dx) \sqrt{a + b \tan(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(7/2), x]

[Out] (15*b*(-2*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]] - 3*(8*a^2*A - 10*A*b^2 - 15*a*b*B)*Sqrt[a + b*Tan[c + d*x]] - 60*b*B*(a + b*Tan[c + d*x])^(3/2) - 4*Tan[c + d*x]*(15*(-1)^(1/4)*((-a - I*b)^(5/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]) + (a - I*b)^(5/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) + (22*a*A*b + 10*a^2*B - 15*b^2*B)*Sqrt[a + b*Tan[c + d*x]] - 2*(15*a^2*A - 23*A*b^2 - 35*a*b*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]]))/(60*d*Tan[c + d*x]^(5/2))

Maple [B] time = 0.939, size = 2653616, normalized size = 10743.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.448 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{9 \tan^2(c+dx)} dx$$

Optimal. Leaf size=309

$$\frac{2(35a^2A - 77abB - 45Ab^2)\sqrt{a+b \tan(c+dx)}}{105d \tan^3(c+dx)} + \frac{2(245a^2Ab + 105a^3B - 161ab^2B - 15Ab^3)\sqrt{a+b \tan(c+dx)}}{105ad\sqrt{\tan(c+dx)}} +$$

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*(35*a^2*A - 45*A*b^2 - 77*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (2*(245*a^2*A*b - 15*A*b^3 + 105*a^3*B - 161*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(7*d*Tan[c + d*x]^(7/2))
```

Rubi [A] time = 1.51909, antiderivative size = 309, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(35a^2A - 77abB - 45Ab^2)\sqrt{a+b \tan(c+dx)}}{105d \tan^3(c+dx)} + \frac{2(245a^2Ab + 105a^3B - 161ab^2B - 15Ab^3)\sqrt{a+b \tan(c+dx)}}{105ad\sqrt{\tan(c+dx)}} +$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]
```

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(35*d*Tan[c + d*x]^(5/2)) + (2*(35*a^2*A - 45*A*b^2 - 77*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(105*d*Tan[c + d*x]^(3/2)) + (2*(245*a^2*A*b - 15*A*b^3 + 105*a^3*B - 161*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(7*d*Tan[c + d*x]^(7/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
```

```

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{\frac{9}{2}}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^{3/2}}{7d \tan^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{1}{2}a(10Ab + 7aB) \right)}{\tan^{\frac{5}{2}}(c + dx)} dx \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{7d \tan^{\frac{7}{2}}(c + dx)} \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{2(35a^2A - 45Ab^2 - 77abB)}{105d \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{2(35a^2A - 45Ab^2 - 77abB)}{105d \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{2(35a^2A - 45Ab^2 - 77abB)}{105d \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{2(35a^2A - 45Ab^2 - 77abB)}{105d \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{2(35a^2A - 45Ab^2 - 77abB)}{105d \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2a(10Ab + 7aB)\sqrt{a + b \tan(c + dx)}}{35d \tan^{\frac{5}{2}}(c + dx)} + \frac{2(35a^2A - 45Ab^2 - 77abB)}{105d \tan^{\frac{3}{2}}(c + dx)} \\
&= \frac{(ia - b)^{5/2}(iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} + \frac{(ia + b)^{5/2}(iA + B) \tan^{-1} \left(\frac{\sqrt{ia + b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}
\end{aligned}$$

Mathematica [A] time = 5.9971, size = 385, normalized size = 1.25

$$8(245a^2Ab + 105a^3B - 161ab^2B - 15Ab^3) \tan^3(c + dx) \sqrt{a + b \tan(c + dx)} + 8a(35a^2A - 77abB - 45Ab^2) \tan^2(c + dx) \sqrt{a + b \tan(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(9/2), x]

[Out] (420*(-1)^(1/4)*a*(I*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]] - (a - I*b)^(5/2)*(I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(7/2) - 35*a*b*(4*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]] - 5*a*(24*a^2*A - 28*A*b^2 - 49*a*b*B)*Sqrt[a + b*Tan[c + d*x]] - 6*a*(60*a*A*b + 28*a^2*B - 35*b^2*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]] + 8*a*(35*a^2*A - 45*A*b^2 - 77*a*b*B)*Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]] + 8*(245*a^2*A*b - 15*A*b^3 + 105*a^3*B - 161*a*b^2*B)*Tan[c + d*x]^3*Sqrt[a + b*Tan[c + d*x]] - 210*a*b*B*(a + b*Tan[c + d*x])^(3/2))/(420*a*d*Tan[c + d*x]^(7/2))

Maple [B] time = 0.95, size = 2654465, normalized size = 8590.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(9/2),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(9/2),x, algorithm="giac")`

[Out] Timed out

$$3.449 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=378

$$\frac{2(231a^2Ab + 105a^3B - 135ab^2B - 5Ab^3)\sqrt{a+b \tan(c+dx)}}{315ad \tan^3(c+dx)} + \frac{2(21a^2A - 45abB - 25Ab^2)\sqrt{a+b \tan(c+dx)}}{105d \tan^5(c+dx)} - \frac{2}{\tan^2(c+dx)}$$

```
[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]]/(21*d*Tan[c + d*x]^(7/2)) + (2*(21*a^2*A - 25*A*b^2 - 45*a*b*B)*Sqrt[a + b*Tan[c + d*x]]/(105*d*Tan[c + d*x]^(5/2)) + (2*(231*a^2*A*b - 5*A*b^3 + 105*a^3*B - 135*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]]/(315*a*d*Tan[c + d*x]^(3/2)) - (2*(315*a^4*A - 483*a^2*A*b^2 - 10*A*b^4 - 735*a^3*b*B + 45*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]]/(315*a^2*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(9*d*Tan[c + d*x]^(9/2))
```

Rubi [A] time = 1.91132, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(231a^2Ab + 105a^3B - 135ab^2B - 5Ab^3)\sqrt{a+b \tan(c+dx)}}{315ad \tan^3(c+dx)} + \frac{2(21a^2A - 45abB - 25Ab^2)\sqrt{a+b \tan(c+dx)}}{105d \tan^5(c+dx)} - \frac{2}{\tan^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(11/2), x]
```

```
[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/d - (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]]/(21*d*Tan[c + d*x]^(7/2)) + (2*(21*a^2*A - 25*A*b^2 - 45*a*b*B)*Sqrt[a + b*Tan[c + d*x]]/(105*d*Tan[c + d*x]^(5/2)) + (2*(231*a^2*A*b - 5*A*b^3 + 105*a^3*B - 135*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]]/(315*a*d*Tan[c + d*x]^(3/2)) - (2*(315*a^4*A - 483*a^2*A*b^2 - 10*A*b^4 - 735*a^3*b*B + 45*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]]/(315*a^2*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(9*d*Tan[c + d*x]^(9/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{11/2}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^{3/2}}{9d \tan^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{7/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{9d \tan^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{5/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} + \frac{2(21a^2A - 25Ab^2 - 45abB)}{105d \tan^{5/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{3/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} + \frac{2(21a^2A - 25Ab^2 - 45abB)}{105d \tan^{5/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{1/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} + \frac{2(21a^2A - 25Ab^2 - 45abB)}{105d \tan^{5/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{1/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} + \frac{2(21a^2A - 25Ab^2 - 45abB)}{105d \tan^{5/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{1/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} + \frac{2(21a^2A - 25Ab^2 - 45abB)}{105d \tan^{5/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{1/2}(c + dx)} dx \\
 &= -\frac{2a(4Ab + 3aB)\sqrt{a + b \tan(c + dx)}}{21d \tan^{7/2}(c + dx)} + \frac{2(21a^2A - 25Ab^2 - 45abB)}{105d \tan^{5/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB) \right)}{\tan^{1/2}(c + dx)} dx \\
 &= \frac{(ia - b)^{5/2}(A + iB) \tan^{-1} \left(\frac{\sqrt{ia-b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right)}{d} - \frac{(ia + b)^{5/2}(A - iB) \tan^{-1} \left(\frac{\sqrt{ia+b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right)}{d}
 \end{aligned}$$

Mathematica [A] time = 6.86106, size = 543, normalized size = 1.44

$$\left(\begin{array}{l} -\frac{bB(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{9}{2}}(c + dx)} + \frac{1}{3} - \frac{3b(aB + 2Ab)\sqrt{a + b \tan(c + dx)}}{8d \tan^{\frac{9}{2}}(c + dx)} + \frac{1}{4} - \frac{(16a^2A - 33abB - 18Ab^2)\sqrt{a + b \tan(c + dx)}}{6d \tan^{\frac{9}{2}}(c + dx)} \end{array} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(1/2),x]

[Out] -(b*B*(a + b*Tan[c + d*x])^(3/2))/(3*d*Tan[c + d*x]^(9/2)) + ((-3*b*(2*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/(8*d*Tan[c + d*x]^(9/2)) + (-((16*a^2*A -

$$18A^2b^2 - 33abB) \sqrt{a + b \tan[c + dx]} / (6d \tan[c + dx]^{9/2}) - (2((6a(38aAb + 18a^2B - 21b^2B) \sqrt{a + b \tan[c + dx]})) / (7d \tan[c + dx]^{7/2}) - (2((18a^2(21a^2A - 25Ab^2 - 45abB) \sqrt{a + b \tan[c + dx]})) / (5d \tan[c + dx]^{5/2}) - (2((-3a^2(231a^2Ab - 5Ab^3 + 105a^3B - 135ab^2B) \sqrt{a + b \tan[c + dx]})) / (d \tan[c + dx]^{3/2})) - (2((2835a^4((-1)^{1/4})(-a - Ib)^{5/2}(A + Ib) \operatorname{ArcTanh}[(-1)^{1/4} \sqrt{-a - Ib} \sqrt{\tan[c + dx]}]) / \sqrt{a + b \tan[c + dx]}] + (-1)^{1/4} (a - Ib)^{5/2}(A - Ib) \operatorname{ArcTanh}[(-1)^{1/4} \sqrt{a - Ib} \sqrt{\tan[c + dx]}]) / \sqrt{a + b \tan[c + dx]}])) / (4d) - (9a^2(315a^4A - 483a^2Ab^2 - 10A^2b^4 - 735a^3bB + 45ab^3B) \sqrt{a + b \tan[c + dx]}) / (2d \sqrt{\tan[c + dx]})) / (3a)) / (5a)) / (7a)) / (9a)) / 4) / 3$$

Maple [B] time = 0.967, size = 2656820, normalized size = 7028.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(11/2),x, algo  
rithm="giac")
```

```
[Out] Timed out
```

$$3.450 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{13}{2}}(c+dx)} dx$$

Optimal. Leaf size=460

$$\frac{2(-1485a^2Ab^2 + 1155a^4A - 2541a^3bB + 55ab^3B - 20Ab^4)\sqrt{a+b \tan(c+dx)}}{3465a^2d \tan^{\frac{3}{2}}(c+dx)} + \frac{2(495a^2Ab + 231a^3B - 275ab^2B)}{1155ad \tan^{\frac{5}{2}}(c+dx)}$$

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d - (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Tan[c + d*x]])/(99*d*Tan[c + d*x]^(9/2)) + (2*(99*a^2*A - 113*A*b^2 - 209*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(693*d*Tan[c + d*x]^(7/2)) + (2*(495*a^2*A*b - 5*A*b^3 + 231*a^3*B - 275*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(1155*a*d*Tan[c + d*x]^(5/2)) - (2*(1155*a^4*A - 1485*a^2*A*b^2 - 20*A*b^4 - 2541*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]])/(3465*a^2*d*Tan[c + d*x]^(3/2)) - (2*(8085*a^4*A*b - 495*a^2*A*b^3 + 40*A*b^5 + 3465*a^5*B - 5313*a^3*b^2*B - 110*a*b^4*B)*Sqrt[a + b*Tan[c + d*x]])/(3465*a^3*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(11*d*Tan[c + d*x]^(11/2))
```

Rubi [A] time = 2.31336, antiderivative size = 460, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(-1485a^2Ab^2 + 1155a^4A - 2541a^3bB + 55ab^3B - 20Ab^4)\sqrt{a+b \tan(c+dx)}}{3465a^2d \tan^{\frac{3}{2}}(c+dx)} + \frac{2(495a^2Ab + 231a^3B - 275ab^2B)}{1155ad \tan^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(13/2), x]
```

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/d - (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Tan[c + d*x]])/(99*d*Tan[c + d*x]^(9/2)) + (2*(99*a^2*A - 113*A*b^2 - 209*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(693*d*Tan[c + d*x]^(7/2)) + (2*(495*a^2*A*b - 5*A*b^3 + 231*a^3*B - 275*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(1155*a*d*Tan[c + d*x]^(5/2)) - (2*(1155*a^4*A - 1485*a^2*A*b^2 - 20*A*b^4 - 2541*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]])/(3465*a^2*d*Tan[c + d*x]^(3/2)) - (2*(8085*a^4*A*b - 495*a^2*A*b^3 + 40*A*b^5 + 3465*a^5*B - 5313*a^3*b^2*B - 110*a*b^4*B)*Sqrt[a + b*Tan[c + d*x]])/(3465*a^3*d*Sqrt[Tan[c + d*x]]) - (2*a*A*(a + b*Tan[c + d*x])^(3/2))/(11*d*Tan[c + d*x]^(11/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
```

```
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\tan^{13/2}(c + dx)} dx &= -\frac{2aA(a + b \tan(c + dx))^{3/2}}{11d \tan^{11/2}(c + dx)} + \frac{2}{11} \int \frac{\sqrt{a + b \tan(c + dx)}}{\tan^{11/2}(c + dx)} \left(\frac{1}{2} a(14Ab + 11aB) \right. \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} - \frac{2aA(a + b \tan(c + dx))^{3/2}}{11d \tan^{11/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{2a(14Ab + 11aB) \sqrt{a + b \tan(c + dx)}}{99d \tan^{9/2}(c + dx)} + \frac{2(99a^2A - 113Ab^2 - 209aB^2)}{693d \tan^{7/2}(c + dx)} \\
 &= -\frac{(ia - b)^{5/2} (iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} - \frac{(ia + b)^{5/2} (iA + B) \tan^{-1} \left(\frac{\sqrt{ia + b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}
 \end{aligned}$$

Mathematica [A] time = 6.98556, size = 632, normalized size = 1.37

$$-\frac{bB(a + b \tan(c + dx))^{3/2}}{4d \tan^{\frac{11}{2}}(c + dx)} + \frac{1}{4} - \frac{b(5aB + 8Ab)\sqrt{a + b \tan(c + dx)}}{10d \tan^{\frac{11}{2}}(c + dx)} + \frac{1}{5} - \frac{(80a^2A - 165abB - 88Ab^2)\sqrt{a + b \tan(c + dx)}}{22d \tan^{\frac{11}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(13/2),x]
```

```
[Out] -(b*B*(a + b*Tan[c + d*x])^(3/2))/(4*d*Tan[c + d*x]^(11/2)) + (-(b*(8*A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(10*d*Tan[c + d*x]^(11/2)) + (-(80*a^2*A - 88*A*b^2 - 165*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(22*d*Tan[c + d*x]^(11/2)) - (2*((5*a*(184*a*A*b + 88*a^2*B - 99*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(18*d*Tan[c + d*x]^(9/2)) - (2*((10*a^2*(99*a^2*A - 113*A*b^2 - 209*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*((-3*a^2*(495*a^2*A*b - 5*A*b^3 + 231*a^3*B - 275*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(d*Tan[c + d*x]^(5/2)) - (2*((-5*a^2*(1155*a^4*A - 1485*a^2*A*b^2 - 20*A*b^4 - 2541*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]])/(2*d*Tan[c + d*x]^(3/2)) - (2*((51975*a^5*((-1)^(3/4)*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]) - (-1)^(3/4)*(a - I*b)^(5/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]))/(8*d) + (15*a^2*(8085*a^4*A*b - 495*a^2*A*b^3 + 40*A*b^5 + 3465*a^5*B - 5313*a^3*b^2*B - 110*a*b^4*B)*Sqrt[a + b*Tan[c + d*x]])/(4*d*Sqrt[Tan[c + d*x]])))/(3*a))/(5*a))/(7*a))/(9*a))/(11*a))/5)/4
```

Maple [B] time = 0.959, size = 2660696, normalized size = 5784.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)**(13/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/tan(d*x+c)^(13/2),x, algorithm="giac")

[Out] Timed out

$$3.451 \quad \int \frac{(a+b \tan(c+dx))^{5/2} \left(\frac{3bB}{2a} + B \tan(c+dx) \right)}{\tan^2(c+dx)} dx$$

Optimal. Leaf size=253

$$\frac{2B(a^2 + 3b^2)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{2b^{5/2}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{B(2a - 3ib)(-b + ia)^{5/2} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{2ad}$$

```
[Out] ((I*a - b)^(5/2)*(2*a - (3*I)*b)*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(2*a*d) + (2*b^(5/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/d - ((2*a + (3*I)*b)*(I*a + b)^(5/2)*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(2*a*d) - (2*(a^2 + 3*b^2)*B*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]]) - (b*B*(a + b*Tan[c + d*x])^(3/2))/(d*Tan[c + d*x]^(3/2))
```

Rubi [A] time = 2.45648, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {3605, 3645, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{2B(a^2 + 3b^2)\sqrt{a + b \tan(c + dx)}}{d\sqrt{\tan(c + dx)}} + \frac{2b^{5/2}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{B(2a - 3ib)(-b + ia)^{5/2} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{2ad}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]
```

```
[Out] ((I*a - b)^(5/2)*(2*a - (3*I)*b)*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(2*a*d) + (2*b^(5/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/d - ((2*a + (3*I)*b)*(I*a + b)^(5/2)*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(2*a*d) - (2*(a^2 + 3*b^2)*B*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Tan[c + d*x]]) - (b*B*(a + b*Tan[c + d*x])^(3/2))/(d*Tan[c + d*x]^(3/2))
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
```

```
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
```

Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^{5/2} \left(\frac{3bB}{2a} + B \tan(c + dx) \right)}{\tan^{5/2}(c + dx)} dx &= -\frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + b \tan(c + dx)} \left(\frac{3}{2} (a^2 + 3b^2) \right)}{\tan^{5/2}(c + dx)} dx \\
 &= -\frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} - \frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \\
 &= -\frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} - \frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \\
 &= -\frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} - \frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \\
 &= -\frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} - \frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \\
 &= -\frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} - \frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \\
 &= -\frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} - \frac{bB(a + b \tan(c + dx))^{3/2}}{d \tan^{3/2}(c + dx)} + \\
 &= \frac{2b^{5/2} B \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d} - \frac{2(a^2 + 3b^2) B \sqrt{a + b \tan(c + dx)}}{d \sqrt{\tan(c + dx)}} + \\
 &= \frac{(ia - b)^{5/2} (2a - 3ib) B \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{2ad} + \frac{2b^{5/2} B \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right)}{d}
 \end{aligned}$$

Mathematica [A] time = 4.19159, size = 355, normalized size = 1.4

$$\frac{B \cos(c + dx) (2a \tan(c + dx) + 3b) \left(4\sqrt{ab}^{5/2} \tan^{3/2}(c + dx) \sqrt{a + b \tan(c + dx)} \sinh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a}} \right) + \sqrt{\frac{b \tan(c + dx)}{a}} + 1 \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Tan[c + d*x]))/Tan[c + d*x]^(5/2), x]

[Out] (B*Cos[c + d*x]*(3*b + 2*a*Tan[c + d*x])*(4*Sqrt[a]*b^(5/2)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]] + Sqrt[1 + (b*Tan[c + d*x])/a]*((-1)^(1/4)*(-a - I*b)^(5/2)*(2*a - (3*I)*b)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) + (-1)^(1/4)*(a - I*b)^(5/2)*(2*a + (3*I)*b)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) - 2*a*Sqrt[a + b*Tan[c + d*x]]*(a*b + (2*a^2 + 7*b^2)*Tan[c + d*x]))/(2*a*d*(3*b*Cos[c + d*x] + 2*a*Sin[c + d*x])*Tan[c + d*x]^(5/2))

$3/2)*\text{Sqrt}[1 + (b*\text{Tan}[c + d*x])/a]$

Maple [B] time = 0.658, size = 1490268, normalized size = 5890.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{tan}(d*x+c))^{5/2}*(3/2*b*B/a+B*\text{tan}(d*x+c))/\text{tan}(d*x+c)^{5/2}, x)$

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} \int \frac{\left(2 B \tan (d x+c)+\frac{3 B b}{a}\right)(b \tan (d x+c)+a)^{\frac{5}{2}}}{\tan (d x+c)^{\frac{5}{2}}} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{tan}(d*x+c))^{5/2}*(3/2*b*B/a+B*\text{tan}(d*x+c))/\text{tan}(d*x+c)^{5/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] $1/2*\text{integrate}((2*B*\text{tan}(d*x + c) + 3*B*b/a)*(b*\text{tan}(d*x + c) + a)^{5/2}/\text{tan}(d*x + c)^{5/2}, x)$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{tan}(d*x+c))^{5/2}*(3/2*b*B/a+B*\text{tan}(d*x+c))/\text{tan}(d*x+c)^{5/2}, x, \text{algorithm}=\text{"fricas"})$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{tan}(d*x+c))^{5/2}*(3/2*b*B/a+B*\text{tan}(d*x+c))/\text{tan}(d*x+c)^{5/2}, x)$

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(3/2*b*B/a+B*tan(d*x+c))/tan(d*x+c)^(5/2),  
x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.452 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=206

$$\frac{(2Ab - aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{b^{3/2}d} - \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}} + \frac{B\sqrt{\tan(c+dx)}}{d}$$

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a - b]*d)) + ((2*A*b - a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(b^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a + b]*d) + (B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(b*d)

Rubi [A] time = 1.36837, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3607, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(2Ab - aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{b^{3/2}d} - \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}} + \frac{B\sqrt{\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a - b]*d)) + ((2*A*b - a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(b^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a + b]*d) + (B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(b*d)

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\tan^3(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx &= \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} + \frac{\int \frac{-\frac{aB}{2} - bB \tan(c+dx) + \frac{1}{2}(2Ab - aB) \tan^2(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx}{b} \\
 &= \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} + \frac{\text{Subst}\left(\int \frac{-\frac{aB}{2} - bBx + \frac{1}{2}(2Ab - aB)x^2}{\sqrt{x}\sqrt{a+bx}(1+x^2)} dx, x, \tan(c + dx)\right)}{bd} \\
 &= \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} + \frac{\text{Subst}\left(\int \left(\frac{2Ab - aB}{2\sqrt{x}\sqrt{a+bx}} - \frac{Ab + bBx}{\sqrt{x}\sqrt{a+bx}(1+x^2)}\right) dx, x, \tan(c + dx)\right)}{bd} \\
 &= \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} - \frac{\text{Subst}\left(\int \frac{Ab + bBx}{\sqrt{x}\sqrt{a+bx}(1+x^2)} dx, x, \tan(c + dx)\right)}{bd} \\
 &= \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} - \frac{\text{Subst}\left(\int \left(\frac{iAb - bB}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{iAb + bB}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c + dx)\right)}{bd} \\
 &= \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} - \frac{(iA - B) \text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\
 &= \frac{(2Ab - aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{b^{3/2}d} + \frac{B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}}{bd} - \frac{(iA - B) \text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\
 &= -\frac{(A + iB) \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia - bd}} + \frac{(2Ab - aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{b^{3/2}d} - \frac{(iA - B) \text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d}
 \end{aligned}$$

Mathematica [A] time = 2.34423, size = 245, normalized size = 1.19

$$\frac{(-1)^{3/4}b(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{\sqrt[4]{-1}b(B+iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{\sqrt{a}(2Ab-aB)\sqrt{\frac{b \tan(c+dx)}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}\sqrt{a+b \tan(c+dx)}} + B\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]
```

```
[Out] (((-1)^(3/4)*b*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] + ((-1)^(1/4)*b*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b] + B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + (Sqrt[a]*(2*A*b - a*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])/(b*d)
```

Maple [B] time = 0.885, size = 1888526, normalized size = 9167.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^{\frac{3}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^(3/2)/sqrt(b*tan(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] Timed out

$$3.453 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=168

$$\frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.608069, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3614, 3616, 3615, 93, 203, 206, 3634, 63, 217}

$$\frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rule 3614

```
Int[(Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Int[Simp[a*A - b*B + (A*b + a*B)*Tan[e + f*x], x]/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x] + Dist[b*B, Int[(1 + Tan[e + f*x]^2)/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx &= B \int \frac{1+\tan^2(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx + \int \frac{-B+A \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx \\ &= \frac{1}{2}(-iA-B) \int \frac{1+i \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx + \frac{1}{2}(iA-B) \int \frac{1-i \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx \\ &= \frac{(iA-B) \operatorname{Subst}\left(\int \frac{1}{(1+ix)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} + \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} \\ &= \frac{(iA-B) \operatorname{Subst}\left(\int \frac{1}{1-(-ia+b)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{1-bx^2} dx, x, \tan(c+dx)\right)}{d} \\ &= \frac{(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{(iA+B) \operatorname{Subst}\left(\int \frac{1}{1-bx^2} dx, x, \tan(c+dx)\right)}{d} \end{aligned}$$

Mathematica [A] time = 1.35914, size = 208, normalized size = 1.24

$$\frac{\frac{\sqrt[4]{-1}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\sqrt[4]{-1}(A-iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{2\sqrt{aB}\sqrt{\frac{b\tan(c+dx)}{a}+1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}\sqrt{a+b\tan(c+dx)}}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] (((-1)^(1/4)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ((-1)^(1/4)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b] + (2*Sqrt[a]*B*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])/d

Maple [B] time = 0.864, size = 1885958, normalized size = 11225.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)\sqrt{\tan(dx + c)}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(tan(d*x + c))/sqrt(b*tan(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/sqrt(a + b*tan(c + d*x)), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError

$$3.454 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=123

$$\frac{(A+iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.369305, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3616, 3615, 93, 203, 206}

$$\frac{(A+iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]),x]

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}} dx &= \frac{1}{2}(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}(A + iB) \int \frac{1}{\sqrt{\tan(c + dx)}} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{(1-ix)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{1}{1-(1-ix)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{1-(ia+b)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{1}{1-(1-ix)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia+bd}} \end{aligned}$$

Mathematica [A] time = 0.223972, size = 137, normalized size = 1.11

$$\frac{\sqrt[4]{-1} \left(\frac{(B-iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]), x]

[Out] ((-1)^(1/4)*(((I)*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ((I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b])/d

Maple [B] time = 0.875, size = 1878820, normalized size = 15275.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a} \sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*sqrt(tan(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)} \sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))/(sqrt(a + b*tan(c + d*x))*sqrt(tan(c + d*x))), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.455 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=159

$$-\frac{(-B+iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}} - \frac{2A\sqrt{a+b \tan(c+dx)}}{ad\sqrt{\tan(c+dx)}}$$

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d)) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*A*Sqrt[a + b*Tan[c + d*x]])/(a*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.534663, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {3609, 3616, 3615, 93, 203, 206}

$$-\frac{(-B+iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(B+iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}} - \frac{2A\sqrt{a+b \tan(c+dx)}}{ad\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]),x]

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d)) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*A*Sqrt[a + b*Tan[c + d*x]])/(a*d*Sqrt[Tan[c + d*x]])

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\tan^3(c + dx) \sqrt{a + b \tan(c + dx)}} dx &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{2 \int \frac{-\frac{aB}{2} + \frac{1}{2}aA \tan(c + dx)}{\sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}} dx}{a} \\ &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{1}{2}(-iA - B) \int \frac{1 + i \tan(c + dx)}{\sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}} dx \\ &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{(iA - B) \operatorname{Subst}\left(\int \frac{1}{(1 + ix)\sqrt{x}\sqrt{a + bx}} dx, x, \tan(c + dx)\right)}{2d} \\ &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{(iA - B) \operatorname{Subst}\left(\int \frac{1}{1 - (-ia + b)x^2} dx, x, \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} \\ &= -\frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{ia - bd}} + \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{ia + b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{ia + bd}} - \frac{2A\sqrt{a}}{ad} \end{aligned}$$

Mathematica [A] time = 0.443979, size = 172, normalized size = 1.08

$$\frac{-\frac{\sqrt[4]{-1}(A + iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a - ib}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{-a - ib}} + \frac{\sqrt[4]{-1}(A - iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a - ib}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{-a - ib}} - \frac{2A\sqrt{a + b \tan(c + dx)}}{a\sqrt{\tan(c + dx)}}}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]
),x]
```

```
[Out] (-(((-1)^(1/4)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*
x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b]) + ((-1)^(1/4)*(A - I*B)*Arc
```

$\text{Tanh}[\frac{(-1)^{1/4} \sqrt{a - I b} \sqrt{\tan[c + d x]}}{\sqrt{a + b \tan[c + d x]}}] / \sqrt{a - I b} - (2 A \sqrt{a + b \tan[c + d x]}) / (a \sqrt{\tan[c + d x]}) / d$

Maple [B] time = 0.862, size = 1886236, normalized size = 11863.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a} \tan^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^(3/2)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)} \tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2)/tan(d*x+c)**(3/2),x)`

[Out] `Integral((A + B*tan(c + d*x))/(sqrt(a + b*tan(c + d*x))*tan(c + d*x)**(3/2)), x)`

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

3.456
$$\int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=203

$$\frac{2(2Ab - 3aB)\sqrt{a + b \tan(c + dx)}}{3a^2d\sqrt{\tan(c + dx)}} - \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b + ia}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b + ia}} - \frac{2A\sqrt{a + b \tan(c + dx)}}{3ad \tan(c + dx)}$$

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*A*Sqrt[a + b*Tan[c + d*x]])/(3*a*d*Tan[c + d*x]^(3/2)) + (2*(2*A*b - 3*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*a^2*d*Sqrt[Tan[c + d*x]]))

Rubi [A] time = 0.741704, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(2Ab - 3aB)\sqrt{a + b \tan(c + dx)}}{3a^2d\sqrt{\tan(c + dx)}} - \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b + ia}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b + ia}} - \frac{2A\sqrt{a + b \tan(c + dx)}}{3ad \tan(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]]),x]

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*A*Sqrt[a + b*Tan[c + d*x]])/(3*a*d*Tan[c + d*x]^(3/2)) + (2*(2*A*b - 3*a*B)*Sqrt[a + b*Tan[c + d*x]])/(3*a^2*d*Sqrt[Tan[c + d*x]]))

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
```

$$\frac{(A*b - a*B - b*C)*\tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*\tan[e + f*x]^2, x, x]}{\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m] \&\& (\text{IntegerQ}[n, -1] \&\& (\text{IntegerQ}[m] \&\& (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$$

Rule 3616

$$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(A + I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{n*(1 - I*\tan[e + f*x])}, x], x] + \text{Dist}[(A - I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{n*(1 + I*\tan[e + f*x])}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A^2 + B^2, 0]$$

Rule 3615

$$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[A^2/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, \tan[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A^2 + B^2, 0]$$

Rule 93

$$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_)]^{(n_)} / ((e_.) + (f_.)*(x_)), x_Symbol] \rightarrow \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m+1) - 1)} / (b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{1/q} / (c + d*x)^{1/q}], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n] \&\& \text{LtQ}[-1, m, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x]$$

Rule 203

$$\text{Int}[(a_.) + (b_.)*(x_)]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \&\& \text{GtQ}[b, 0])$$

Rule 206

$$\text{Int}[(a_.) + (b_.)*(x_)]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \&\& \text{LtQ}[b, 0])$$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}} dx &= \frac{2A \sqrt{a + b \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} - \frac{2 \int \frac{\frac{1}{2}(2Ab - 3aB) + \frac{3}{2}aA \tan(c + dx) + Ab \tan^2(c + dx)}{\tan^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}} dx}{3a} \\
&= -\frac{2A \sqrt{a + b \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(2Ab - 3aB) \sqrt{a + b \tan(c + dx)}}{3a^2 d \sqrt{\tan(c + dx)}} + \frac{4 \int \frac{-\frac{3a^2 A}{4} + \dots}{\sqrt{\tan(c + dx)}} dx}{\dots} \\
&= -\frac{2A \sqrt{a + b \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(2Ab - 3aB) \sqrt{a + b \tan(c + dx)}}{3a^2 d \sqrt{\tan(c + dx)}} + \frac{1}{2}(-A - iB) \dots \\
&= -\frac{2A \sqrt{a + b \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(2Ab - 3aB) \sqrt{a + b \tan(c + dx)}}{3a^2 d \sqrt{\tan(c + dx)}} - \frac{(A - iB) \operatorname{Sub}}{\dots} \\
&= -\frac{2A \sqrt{a + b \tan(c + dx)}}{3ad \tan^{\frac{3}{2}}(c + dx)} + \frac{2(2Ab - 3aB) \sqrt{a + b \tan(c + dx)}}{3a^2 d \sqrt{\tan(c + dx)}} - \frac{(A - iB) \operatorname{Sub}}{\dots} \\
&= -\frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{ia - bd}} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{ia + b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{ia + bd}} - \frac{2A}{\dots}
\end{aligned}$$

Mathematica [A] time = 1.74448, size = 195, normalized size = 0.96

$$\frac{-\frac{2\sqrt{a+b \tan(c+dx)}((3aB-2Ab) \tan(c+dx)+aA)}{a^2 \tan^{\frac{3}{2}}(c+dx)} + \frac{3(-1)^{3/4}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{3\sqrt[4]{-1}(B+iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{a-ib}}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]]), x]

[Out] ((3*(-1)^(3/4)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]]/Sqrt[-a - I*b] + (3*(-1)^(1/4)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]]/Sqrt[a - I*b] - (2*Sqrt[a + b*Tan[c + d*x]]*(a*A + (-2*A*b + 3*a*B)*Tan[c + d*x]))/(a^2*Tan[c + d*x]^(3/2)))/(3*d)

Maple [B] time = 0.882, size = 1888895, normalized size = 9304.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a} \tan(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^(5/2)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2)/tan(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.457 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=256

$$\frac{2(15a^2A + 10abB - 8Ab^2)\sqrt{a+b \tan(c+dx)}}{15a^3d\sqrt{\tan(c+dx)}} + \frac{2(4Ab - 5aB)\sqrt{a+b \tan(c+dx)}}{15a^2d \tan^{\frac{3}{2}}(c+dx)} + \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(Sqrt[I*a - b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(Sqrt[I*a + b]*d) - (2*A*Sqrt[a + b*Tan[c + d*x]])/(5*a*d*Tan[c + d*x]^(5/2)) + (2*(4*A*b - 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A - 8*A*b^2 + 10*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a^3*d*Sqrt[Tan[c + d*x]]))

Rubi [A] time = 1.06206, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A + 10abB - 8Ab^2)\sqrt{a+b \tan(c+dx)}}{15a^3d\sqrt{\tan(c+dx)}} + \frac{2(4Ab - 5aB)\sqrt{a+b \tan(c+dx)}}{15a^2d \tan^{\frac{3}{2}}(c+dx)} + \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]]), x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(Sqrt[I*a - b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]/(Sqrt[I*a + b]*d) - (2*A*Sqrt[a + b*Tan[c + d*x]])/(5*a*d*Tan[c + d*x]^(5/2)) + (2*(4*A*b - 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d*Tan[c + d*x]^(3/2)) + (2*(15*a^2*A - 8*A*b^2 + 10*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(15*a^3*d*Sqrt[Tan[c + d*x]]))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x]

```
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{7}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}} dx &= -\frac{2A\sqrt{a + b \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} - \frac{2 \int \frac{\frac{1}{2}(4Ab - 5aB) + \frac{5}{2}aA \tan(c + dx) + 2Ab \tan^2(c + dx)}{\tan^{\frac{5}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}} dx}{5a} \\
&= -\frac{2A\sqrt{a + b \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab - 5aB)\sqrt{a + b \tan(c + dx)}}{15a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{4 \int \frac{\frac{1}{4}(-15a^2A - 8a^2B)}{\tan^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}} dx}{5a} \\
&= -\frac{2A\sqrt{a + b \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab - 5aB)\sqrt{a + b \tan(c + dx)}}{15a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(15a^2A - 8a^2B)\sqrt{a + b \tan(c + dx)}}{5a^3 \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2A\sqrt{a + b \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab - 5aB)\sqrt{a + b \tan(c + dx)}}{15a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(15a^2A - 8a^2B)\sqrt{a + b \tan(c + dx)}}{5a^3 \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2A\sqrt{a + b \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab - 5aB)\sqrt{a + b \tan(c + dx)}}{15a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(15a^2A - 8a^2B)\sqrt{a + b \tan(c + dx)}}{5a^3 \tan^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2A\sqrt{a + b \tan(c + dx)}}{5ad \tan^{\frac{5}{2}}(c + dx)} + \frac{2(4Ab - 5aB)\sqrt{a + b \tan(c + dx)}}{15a^2d \tan^{\frac{3}{2}}(c + dx)} + \frac{2(15a^2A - 8a^2B)\sqrt{a + b \tan(c + dx)}}{5a^3 \tan^{\frac{3}{2}}(c + dx)} \\
&= \frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} - \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia+bd}} - \frac{2A\sqrt{a+b \tan(c+dx)}}{5a^3 \tan^{\frac{3}{2}}(c+dx)}
\end{aligned}$$

Mathematica [A] time = 5.44007, size = 227, normalized size = 0.89

$$\frac{2\sqrt{a+b \tan(c+dx)}((15a^2A+10abB-8Ab^2) \tan^2(c+dx)-3a^2A-a(5aB-4Ab) \tan(c+dx))}{a^3 \tan^{\frac{5}{2}}(c+dx)} + \frac{15 \sqrt[4]{-1}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{15 \sqrt[4]{-1}(A-iB)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]]), x]

[Out] ((15*(-1)^(1/4)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - (15*(-1)^(1/4)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b] + (2*Sqrt[a + b*Tan[c + d*x]]*(-3*a^2*A - a*(-4*A*b + 5*a*B)*Tan[c + d*x] + (15*a^2*A - 8*A*b^2 + 10*a*b*B)*Tan[c + d*x]^2))/(a^3*Tan[c + d*x]^(5/2))/(15*d)

Maple [B] time = 0.853, size = 1890924, normalized size = 7386.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2)/tan(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2)/tan(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.458 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=219

$$\frac{2a(Ab - aB)\sqrt{\tan(c+dx)}}{bd(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}}$$

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d)) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(b^(3/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 1.76962, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {3605, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{2a(Ab - aB)\sqrt{\tan(c+dx)}}{bd(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} - \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d)) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(b^(3/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 6725

Int[(u_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{3/2}} dx &= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2\int \frac{-\frac{1}{2}a(Ab-aB)+\frac{1}{2}b(Ab-aB)\tan(c+dx)+\frac{1}{2}(a^2+b^2)}{\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}}{b(a^2+b^2)} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2\text{Subst}\left(\int \frac{-\frac{1}{2}a(Ab-aB)+\frac{1}{2}b(Ab-aB)x+\frac{1}{2}(a^2+b^2)}{\sqrt{x}\sqrt{a+bx}(1+x^2)}\right)}{b(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} + \frac{2\text{Subst}\left(\int \left(\frac{(a^2+b^2)B}{2\sqrt{x}\sqrt{a+bx}} - \frac{b(aA+bB)-b(Ab-aB)}{2\sqrt{x}\sqrt{a+bx}(1+x^2)}\right)\right)}{b(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} - \frac{\text{Subst}\left(\int \frac{b(aA+bB)-b(Ab-aB)x}{\sqrt{x}\sqrt{a+bx}(1+x^2)} dx, x, \tan(c+dx)\right)}{b(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} - \frac{\text{Subst}\left(\int \left(\frac{b(Ab-aB)+ib(aA+bB)}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{-b(Ab-aB)-ib(aA+bB)}{2\sqrt{x}(i+x)}\right)\right)}{b(a^2+b^2)d} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} - \frac{((ia+b)(A+iB))\text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}}\right)}{2(a^2+b^2)d} \\
&= \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{b^{3/2}d} + \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{b(a^2+b^2)d\sqrt{a+b\tan(c+dx)}} - \frac{((ia+b)(A+iB))\text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}}\right)}{2(a^2+b^2)d} \\
&= -\frac{(iA-B)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{(ia-b)^{3/2}d} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{b^{3/2}d} - \frac{(iA+B)\text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}}\right)}{2(a^2+b^2)d}
\end{aligned}$$

Mathematica [C] time = 39.9383, size = 177751, normalized size = 811.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] Result too large to show

Maple [B] time = 1.622, size = 1561442, normalized size = 7129.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A) \tan(dx+c)^{\frac{3}{2}}}{(b \tan(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(3/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.459 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=170

$$\frac{2(Ab - aB)\sqrt{\tan(c+dx)}}{d(a^2 + b^2)\sqrt{a + b \tan(c+dx)}} - \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}}$$

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d)) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) - (2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.604569, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {3608, 3616, 3615, 93, 203, 206}

$$\frac{2(Ab - aB)\sqrt{\tan(c+dx)}}{d(a^2 + b^2)\sqrt{a + b \tan(c+dx)}} - \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d)) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) - (2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di

```
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx = -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} - \frac{2 \int \frac{-\frac{1}{2}b(Ab-aB)-\frac{1}{2}b(aA+bB) \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx}{b(a^2+b^2)}$$

$$= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{((ia+b)(A+iB)) \int \frac{1-i \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}}{2(a^2+b^2)}$$

$$= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{((ia+b)(A+iB)) \text{Subst}\left(\int \frac{1}{(1+ix)\sqrt{x}\sqrt{a+bx}} dx, x\right)}{2(a^2+b^2)d}$$

$$= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{(a^2+b^2)d\sqrt{a+b \tan(c+dx)}} + \frac{((ia+b)(A+iB)) \text{Subst}\left(\int \frac{1}{1-(-ia+bx)^2} dx, x\right)}{(a^2+b^2)d}$$

$$= -\frac{(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia-b)^{3/2}d} + \frac{(A-iB) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia+b)^{3/2}d} - \frac{2}{(a^2+b^2)}$$

Mathematica [A] time = 1.49406, size = 239, normalized size = 1.41

$$\frac{2b(Ab-aB) \tan^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \tan(c+dx)}} + 2(aB-Ab)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)} + \frac{\sqrt[4]{-1}a(a-ib)(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\sqrt[4]{-1}a(a+ib)(A-iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a+ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a+ib}}$$

$$ad(a^2+b^2)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3
/2), x]
```

```
[Out] (((-1)^(1/4)*a*(a - I*b)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[
Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ((-1)^(1/4)*a*(a
```

$$\frac{(I*b)*(A - I*B)*\text{ArcTanh}\left[\frac{(-1)^{1/4}\sqrt{a - I*b}\sqrt{\tan[c + d*x]}}{\sqrt{a + b*\tan[c + d*x]}}\right]}{\sqrt{a - I*b} + (2*b*(A*b - a*B)*\tan[c + d*x]^{3/2})/\sqrt{a + b*\tan[c + d*x]} + 2*(-(A*b) + a*B)*\sqrt{\tan[c + d*x]}\sqrt{a + b*\tan[c + d*x]}}/(a*(a^2 + b^2)*d)$$

Maple [B] time = 1.724, size = 1559497, normalized size = 9173.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\tan(dx + c)}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*sqrt(tan(d*x + c))/(b*tan(d*x + c) + a)^(3/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\tan(c + dx)}}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)`

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(tan(c + d*x))/(a + b*tan(c + d*x))^(3/2), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.460 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=175

$$\frac{2b(Ab - aB)\sqrt{\tan(c+dx)}}{ad(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.577696, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {3609, 3616, 3615, 93, 203, 206}

$$\frac{2b(Ab - aB)\sqrt{\tan(c+dx)}}{ad(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} + \frac{(B + iA) \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b + ia)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di

```
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a,
0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} dx &= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}a(aA + bB) - \frac{1}{2}a(Ab - aB)\tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx}{a(a^2 + b^2)} \\ &= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx}{2(a - ib)} + \frac{(A + B) \int \frac{1 - i \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx}{2(a + ib)} \\ &= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{(1 - ix)\sqrt{x}\sqrt{a + bx}} dx, x, \tan(c + dx)\right)}{2(a - ib)d} \\ &= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{a(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} + \frac{(A - iB) \operatorname{Subst}\left(\int \frac{1}{1 - (ia + b)x^2} dx, x, \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{(a - ib)d} \\ &= \frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{(ia - b)^{3/2}d} + \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{ia + b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{(ia + b)^{3/2}d} + \frac{2 \int \frac{1}{\sqrt{a + b \tan(c + dx)}} dx}{a(a^2 + b^2)} \end{aligned}$$

Mathematica [A] time = 0.762893, size = 202, normalized size = 1.15

$$\frac{\frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{a\sqrt{a + b \tan(c + dx)}} + \frac{\sqrt[4]{-1}(a - ib)(B - iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a - ib}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{-a - ib}} + \frac{\sqrt[4]{-1}(b - ia)(A - iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a - ib}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{\sqrt{-a - ib}}}{d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/
2)), x]
```

```
[Out] (((-1)^(1/4)*(a - I*b)*((-I)*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt
[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] + ((-1)^(1/4)*((-
```


$$\frac{I(a + b)(A - I B) \operatorname{ArcTanh}\left[\frac{(-1)^{1/4} \sqrt{a - I b} \sqrt{\tan[c + d x]}}{\sqrt{a + b \tan[c + d x]}}\right]}{\sqrt{a - I b} + (2 b (A b - a B) \sqrt{\tan[c + d x]}) / (a \sqrt{a + b \tan[c + d x]})} / ((a^2 + b^2) d)$$

Maple [B] time = 1.633, size = 1559531, normalized size = 8911.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^2 \sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(3/2)*sqrt(tan(d*x + c))), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^2 \sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(3/2),x)`

[Out] `Integral((A + B*tan(c + d*x))/((a + b*tan(c + d*x))**(3/2)*sqrt(tan(c + d*x))), x)`

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.461 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=216

$$\frac{2b(a^2A - abB + 2Ab^2)\sqrt{\tan(c+dx)}}{a^2d(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{(A+iB)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b+ia)^{3/2}} - \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b+ia)^{3/2}} - \frac{ad}{ad}$$

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(3/2)*d) - (2*A)/(a*d*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) - (2*b*(a^2*A + 2*A*b^2 - a*b*B)*Sqrt[Tan[c + d*x]])/(a^2*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.847469, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(a^2A - abB + 2Ab^2)\sqrt{\tan(c+dx)}}{a^2d(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{(A+iB)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b+ia)^{3/2}} - \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(b+ia)^{3/2}} - \frac{ad}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(3/2)*d) - (2*A)/(a*d*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) - (2*b*(a^2*A + 2*A*b^2 - a*b*B)*Sqrt[Tan[c + d*x]])/(a^2*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)

$$\frac{(A*b - a*B - b*C)*\tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*\tan[e + f*x]^2, x, x]}{FreeQ[\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 + b^2, 0] \&\& NeQ[c^2 + d^2, 0] \&\& LtQ[m, -1] \&\& ! (ILtQ[n, -1] \&\& (!IntegerQ[m] || (EqQ[c, 0] \&\& NeQ[a, 0])))}$$

Rule 3616

$$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(A + I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n*(1 - I*\tan[e + f*x])}], x, x] + \text{Dist}[(A - I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n*(1 + I*\tan[e + f*x])}], x, x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A^2 + B^2, 0]$$

Rule 3615

$$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[A^2/f, \text{Subst}[\text{Int}[\frac{(a + b*x)^m * (c + d*x)^n}{(A - B*x)}, x], x, \tan[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A^2 + B^2, 0]$$

Rule 93

$$\text{Int}[\frac{((a_.) + (b_.)*(x_))^{(m_)} * ((c_.) + (d_.)*(x_))^{(n_)}}{(e_.) + (f_.)*(x_)}], x_Symbol] \rightarrow \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m + 1) - 1)} / (b*e - a*f - (d*e - c*f)*x^q)], x], x, (a + b*x)^{(1/q)} / (c + d*x)^{(1/q)}], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n] \&\& \text{LtQ}[-1, m, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x]$$

Rule 203

$$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(c_.) + (d_.)*(x_)^2}]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\frac{(1*\text{ArcTan}[\frac{\text{Rt}[b, 2]*x}{\text{Rt}[a, 2] + \text{Rt}[b, 2] * x}])}{\text{Rt}[a, 2] * \text{Rt}[b, 2]}], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{GtQ}[b, 0])$$

Rule 206

$$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(c_.) + (d_.)*(x_)^2}]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\frac{(1*\text{ArcTanh}[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[a, 2] + \text{Rt}[-b, 2] * x}])}{\text{Rt}[a, 2] * \text{Rt}[-b, 2]}], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{LtQ}[b, 0])$$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^3(c + dx)(a + b \tan(c + dx))^{3/2}} dx &= -\frac{2A}{ad\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(2Ab - aB) + \frac{1}{2}aA \tan(c + dx) + Ab \tan^2(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} dx}{a} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} - \frac{2b(a^2A + 2Ab^2 - abB)\sqrt{\tan(c + dx)}}{a^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} - \frac{2b(a^2A + 2Ab^2 - abB)\sqrt{\tan(c + dx)}}{a^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} - \frac{2b(a^2A + 2Ab^2 - abB)\sqrt{\tan(c + dx)}}{a^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} - \frac{2b(a^2A + 2Ab^2 - abB)\sqrt{\tan(c + dx)}}{a^2(a^2 + b^2)d\sqrt{a + b \tan(c + dx)}} \\
&= \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{a-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia - b)^{3/2}d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{a+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia + b)^{3/2}d} - \frac{2A}{ad\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.70287, size = 249, normalized size = 1.15

$$\frac{2b(a^2A - abB + 2Ab^2)\sqrt{\tan(c+dx)}}{a^2(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{\frac{4}{\sqrt[4]{-1}} \left(\frac{(a-ib)(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{(a+ib)(A-iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{a^2 + b^2} + \frac{2A}{a\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] -((((-1)^(1/4)*((a - I*b)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] - ((a + I*b)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b])/(a^2 + b^2) + (2*A)/(a*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) + (2*b*(a^2*A + 2*A*b^2 - a*b*B)*Sqrt[Tan[c + d*x]])/(a^2*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]])/d

Maple [B] time = 1.599, size = 1560429, normalized size = 7224.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.462 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=276

$$\frac{2b(5a^2Ab - 3a^3B - 6ab^2B + 8Ab^3)\sqrt{\tan(c+dx)}}{3a^3d(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab - 3aB)}{3a^2d\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\tan^{-1}\left(\frac{\sqrt{-b+ia}}{\sqrt{a+b}}\right)}{d(-b + ia)^{3/2}}$$

```
[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d)) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) - (2*A)/(3*a*d*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]) + (2*(4*A*b - 3*a*B))/(3*a^2*d*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) + (2*b*(5*a^2*A*b + 8*A*b^3 - 3*a^3*B - 6*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a^3*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.15973, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(5a^2Ab - 3a^3B - 6ab^2B + 8Ab^3)\sqrt{\tan(c+dx)}}{3a^3d(a^2 + b^2)\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab - 3aB)}{3a^2d\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\tan^{-1}\left(\frac{\sqrt{-b+ia}}{\sqrt{a+b}}\right)}{d(-b + ia)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(3/2)), x]
```

```
[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(3/2)*d)) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(3/2)*d) - (2*A)/(3*a*d*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]) + (2*(4*A*b - 3*a*B))/(3*a^2*d*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) + (2*b*(5*a^2*A*b + 8*A*b^3 - 3*a^3*B - 6*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a^3*(a^2 + b^2)*d*Sqrt[a + b*Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
```

```

+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
  b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
  (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
  (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^2)^(m_)*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^{\frac{3}{2}}} dx &= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(4Ab - 3aB) + \frac{3}{2}aA \tan(c + dx) + 2Ab \tan^2(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{\frac{3}{2}}} dx}{3a} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} + \frac{2(4Ab - 3aB)}{3a^2 d \sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} + \frac{2(4Ab - 3aB)}{3a^2 d \sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} + \frac{2(4Ab - 3aB)}{3a^2 d \sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} + \frac{2(4Ab - 3aB)}{3a^2 d \sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} + \frac{2(4Ab - 3aB)}{3a^2 d \sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} + \frac{2(4Ab - 3aB)}{3a^2 d \sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} \\
&= -\frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia - b)^{\frac{3}{2}}d} - \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia + b)^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 2.76339, size = 299, normalized size = 1.08

$$\frac{2b(5a^2Ab - 3a^3B - 6ab^2B + 8Ab^3)\sqrt{\tan(c+dx)}}{a^2(a^2+b^2)\sqrt{a+b \tan(c+dx)}} + \frac{3\sqrt[4]{-1}a \left(\frac{(b+ia)(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{(a+ib)(B+iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{a^2+b^2} + \frac{2A}{a\sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] ((3*(-1)^(1/4)*a*((I*a + b)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] + ((a + I*b)*(I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b))/(a^2 + b^2) - (2*A)/(Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]) + (8*A*b - 6*a*B)/(a*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) + (2*b*(5*a^2*A*b + 8*A*b^3 - 3*a^3*B - 6*a*b^2*B)*Sqrt[Tan[c + d*x]])/(a^2*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]]))/(3*a*d)

Maple [B] time = 1.656, size = 1562498, normalized size = 5661.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+b*tan(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.463 \quad \int \frac{\tan^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=282

$$\frac{2a(Ab - aB) \tan^3(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - aB(a^2 + 3b^2)) \sqrt{\tan(c + dx)}}{b^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/(b^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^(3/2))/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(2*A*b^3 - a*(a^2 + 3*b^2)*B)*Sqrt[Tan[c + d*x]])/(b^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 2.47811, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3605, 3645, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{2a(Ab - aB) \tan^3(c + dx)}{3bd(a^2 + b^2)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - aB(a^2 + 3b^2)) \sqrt{\tan(c + dx)}}{b^2d(a^2 + b^2)^2 \sqrt{a + b \tan(c + dx)}} + \frac{(-B + iA) \tan^{-1}\left(\frac{\sqrt{-b+ia} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/(b^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x]^(3/2))/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(2*A*b^3 - a*(a^2 + 3*b^2)*B)*Sqrt[Tan[c + d*x]])/(b^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(A*d^2 + c*(c*C - B*d))*(a + b*Tan[e

```
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
```

Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\tan^5(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2\int \frac{\sqrt{\tan(c+dx)}\left(-\frac{3}{2}a(Ab-aB)+\frac{3}{2}b(Ab-aB)\tan(c+dx)\right)}{(a+b\tan(c+dx))^{3/2}} dx}{3b(a^2+b^2)} \\
 &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{b^{5/2}d} + \frac{2a(Ab-aB)\tan^{\frac{3}{2}}(c+dx)}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2a(2Ab^3-a(a^2+3b^2)B)\sqrt{\tan(c+dx)}}{b^2(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
 &= -\frac{(iA-B)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{ia-b}(a+ib)^2d} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{b^{5/2}d} - \frac{(iA+B)}{\sqrt{ia-b}(a+ib)^2d}
 \end{aligned}$$

Mathematica [C] time = 41.4532, size = 265550, normalized size = 941.67

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Tan[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 2.164, size = 2978162, normalized size = 10560.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^{\frac{5}{2}}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*tan(d*x + c)^(5/2)/(b*tan(d*x + c) + a)^(5/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")`

[Out] Timed out

$$3.464 \quad \int \frac{\tan^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=244

$$\frac{2a(Ab - aB)\sqrt{\tan(c+dx)}}{3bd(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} + \frac{2(2a^2Ab + a^3B + 7ab^2B - 4Ab^3)\sqrt{\tan(c+dx)}}{3bd(a^2 + b^2)^2\sqrt{a + b \tan(c+dx)}} + \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*a^2*A*b - 4*A*b^3 + a^3*B + 7*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*b*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 0.989244, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2a(Ab - aB)\sqrt{\tan(c+dx)}}{3bd(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} + \frac{2(2a^2Ab + a^3B + 7ab^2B - 4Ab^3)\sqrt{\tan(c+dx)}}{3bd(a^2 + b^2)^2\sqrt{a + b \tan(c+dx)}} + \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(3*b*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*a^2*A*b - 4*A*b^3 + a^3*B + 7*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*b*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
```

```
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2\int \frac{-\frac{1}{2}a(Ab-aB)+\frac{3}{2}b(Ab-aB)\tan(c+dx)+\frac{1}{2}(2a^2b+2ab^2)\tan^2(c+dx)}{\sqrt{\tan(c+dx)}(a+b\tan(c+dx))}}{3b(a^2+b^2)} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2(2a^2Ab-4Ab^3+a^3B+7ab^2B)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2(2a^2Ab-4Ab^3+a^3B+7ab^2B)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2(2a^2Ab-4Ab^3+a^3B+7ab^2B)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{2a(Ab-aB)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} + \frac{2(2a^2Ab-4Ab^3+a^3B+7ab^2B)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{(A+iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{(ia-b)^{5/2}d} + \frac{(A-iB)\tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{(ia+b)^{5/2}d} + \frac{2(2a^2Ab-4Ab^3+a^3B+7ab^2B)\sqrt{\tan(c+dx)}}{3b(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.84999, size = 308, normalized size = 1.26

$$\frac{\frac{(a^2B+2aAb+3b^2B)\sqrt{\tan(c+dx)}}{(a^2+b^2)(a+b\tan(c+dx))^{3/2}} + \frac{2(2a^2Ab+a^3B+7ab^2B-4Ab^3)\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}} + 3\sqrt[4]{-1}b \left(\frac{i(a-ib)^2(A+iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{(a+ib)^2(B+iA)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a+ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{a-ib}} \right)}{(a^2+b^2)^2} + \frac{2(2a^2Ab-4Ab^3+a^3B+7ab^2B)\sqrt{\tan(c+dx)}}{3bd\sqrt{a+b\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((-3*B*Sqrt[Tan[c + d*x]])/(a + b*Tan[c + d*x])^(3/2) + ((2*a*A*b + a^2*B + 3*b^2*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2)) + (3*(-1)^(1/4)*b*((I*(a - I*b)^2*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] + ((a + I*b)^2*(I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b]) + (2*(2*a^2*A*b - 4*A*b^3 + a^3*B + 7*a*b^2*B)*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(a^2 + b^2)^2)/(3*b*d)

Maple [B] time = 2.301, size = 2976654, normalized size = 12199.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(5/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

$$3.465 \quad \int \frac{\sqrt{\tan(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=244

$$\frac{2(Ab - aB)\sqrt{\tan(c+dx)}}{3d(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} - \frac{2(5a^2Ab - 2a^3B + 4ab^2B - Ab^3)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)^2\sqrt{a + b \tan(c+dx)}} - \frac{(-B + iA)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(5/2)*d)) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(5/2)*d) - (2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B + 4*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 1.00876, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(Ab - aB)\sqrt{\tan(c+dx)}}{3d(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} - \frac{2(5a^2Ab - 2a^3B + 4ab^2B - Ab^3)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)^2\sqrt{a + b \tan(c+dx)}} - \frac{(-B + iA)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(5/2)*d)) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(5/2)*d) - (2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B + 4*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)

$$\frac{(A*b - a*B - b*C)*\tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*\tan[e + f*x]^2, x, x]}{FreeQ[\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 + b^2, 0] \&\& NeQ[c^2 + d^2, 0] \&\& LtQ[m, -1] \&\& ! (ILtQ[n, -1] \&\& (!IntegerQ[m] || (EqQ[c, 0] \&\& NeQ[a, 0])))}$$

Rule 3616

$$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(A + I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n*(1 - I*\tan[e + f*x])}, x], x] + \text{Dist}[(A - I*B)/2, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{n*(1 + I*\tan[e + f*x])}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A^2 + B^2, 0]$$

Rule 3615

$$\text{Int}[\frac{(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(m_)} * \frac{(A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_)]}{(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_)]}]^{(n_)}, x_Symbol] \rightarrow \text{Dist}[A^2/f, \text{Subst}[\text{Int}[\frac{(a + b*x)^m * (c + d*x)^n}{(A - B*x)}, x], x, \tan[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A^2 + B^2, 0]$$

Rule 93

$$\text{Int}[\frac{((a_.) + (b_.)*(x_))^{(m_)} * ((c_.) + (d_.)*(x_))^{(n_)}}{(e_.) + (f_.)*(x_)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m + 1) - 1)} / (b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{(1/q)} / (c + d*x)^{(1/q)}], x]] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n] \&\& \text{LtQ}[-1, m, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x]$$

Rule 203

$$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(c_.) + (d_.)*(x_)^2}]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\frac{(1*\text{ArcTan}[\frac{\text{Rt}[b, 2]*x}{\text{Rt}[a, 2] + \text{Rt}[b, 2] * x}])}{\text{Rt}[a, 2] * \text{Rt}[b, 2]}], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{GtQ}[b, 0])$$

Rule 206

$$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(c_.) + (d_.)*(x_)^2}]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\frac{(1*\text{ArcTanh}[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[a, 2] + \text{Rt}[-b, 2] * x}])}{\text{Rt}[a, 2] * \text{Rt}[-b, 2]}], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{LtQ}[b, 0])$$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\tan(c+dx)}(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{5/2}} dx &= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{3(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2\int \frac{-\frac{1}{2}b(Ab-aB)-\frac{3}{2}b(aA+bB)\tan(c+dx)+b(A}{\sqrt{\tan(c+dx)}(a+b\tan(c+dx))}}{3b(a^2+b^2)} \\
&= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{3(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B+4ab^2B)\sqrt{\tan(c+dx)}}{3a(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{3(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B+4ab^2B)\sqrt{\tan(c+dx)}}{3a(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{3(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B+4ab^2B)\sqrt{\tan(c+dx)}}{3a(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2(Ab-aB)\sqrt{\tan(c+dx)}}{3(a^2+b^2)d(a+b\tan(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B+4ab^2B)\sqrt{\tan(c+dx)}}{3a(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}} \\
&= \frac{(iA-B)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{ia-b}(a+ib)^2d} + \frac{(iA+B)\tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{(ia+b)^{5/2}d} - \frac{2(5a^2Ab-Ab^3-2a^3B+4ab^2B)\sqrt{\tan(c+dx)}}{3a(a^2+b^2)^2d\sqrt{a+b\tan(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 3.25869, size = 320, normalized size = 1.31

$$\frac{6b(a^2(-B)+2aAb+b^2B)\tan^3(c+dx)}{(a^2+b^2)\sqrt{a+b\tan(c+dx)}} + \frac{3\left(2(a^2B-2aAb-b^2B)\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)} + \frac{\sqrt[4]{-1a(a-ib)^2(A+ib)}\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\sqrt[4]{-1a(a+ib)^2(A+ib)}\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}}\right)}{a^2+b^2}$$

$$3ad(a^2+b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((2*b*(A*b - a*B)*Tan[c + d*x]^(3/2))/(a + b*Tan[c + d*x])^(3/2) + (6*b*(2*a*A*b - a^2*B + b^2*B)*Tan[c + d*x]^(3/2))/((a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]]) + (3*(((1/4)*a*(a - I*b)^2*(A + I*B)*ArcTanh[(((1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/Sqrt[-a - I*b] - (((1/4)*a*(a + I*b)^2*(A - I*B)*ArcTanh[(((1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/Sqrt[a - I*b] + 2*(-2*a*A*b + a^2*B - b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]))/(a^2 + b^2))/(3*a*(a^2 + b^2)*d)

Maple [B] time = 2.2, size = 2976700, normalized size = 12199.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\tan(dx + c)}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(tan(d*x + c))/(b*tan(d*x + c) + a)^(5/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

$$3.466 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=247

$$\frac{2b(Ab - aB)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab - 5a^3B + ab^2B + 2Ab^3)\sqrt{\tan(c+dx)}}{3a^2d(a^2 + b^2)^2\sqrt{a + b \tan(c+dx)}} - \frac{(A + iB)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

```
[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(5/2)*d)) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(5/2)*d) + (2*b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b + 2*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 0.927366, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(Ab - aB)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab - 5a^3B + ab^2B + 2Ab^3)\sqrt{\tan(c+dx)}}{3a^2d(a^2 + b^2)^2\sqrt{a + b \tan(c+dx)}} - \frac{(A + iB)\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)), x]
```

```
[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a - b)^(5/2)*d)) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/((I*a + b)^(5/2)*d) + (2*b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b + 2*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a^2*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(LtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
```

```

m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}^{5/2}} dx &= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{3a(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{1}{2}(3a^2A + 2Ab^2 + abB) - \frac{3}{2}a(Ab - aB) \tan(c + dx)}{\sqrt{\tan(c + dx)(a + b \tan(c + dx))}} dx}{3a(a^2 + b^2)d} \\
&= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{3a(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(8a^2Ab + 2Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{3a(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(8a^2Ab + 2Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{3a(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(8a^2Ab + 2Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\tan(c + dx)}}{3a(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} + \frac{2b(8a^2Ab + 2Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 + b^2)^2 d \sqrt{a + b \tan(c + dx)}} \\
&= -\frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia-b)^{5/2}d} - \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia+b)^{5/2}d} +
\end{aligned}$$

Mathematica [A] time = 2.46293, size = 273, normalized size = 1.11

$$\frac{2b(a^2+b^2)(Ab-aB)\sqrt{\tan(c+dx)}}{a(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab-5a^3B+ab^2B+2Ab^3)\sqrt{\tan(c+dx)}}{a^2\sqrt{a+b \tan(c+dx)}} - 3\sqrt[4]{-1} \left(\frac{i(a-ib)^2(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{(a+ib)^2(B+iB)}{\sqrt{-a-ib}} \right)$$

$$3d(a^2 + b^2)^2$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)), x]

[Out] (-3*(-1)^(1/4)*((I*(a - I*b)^2*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] + ((a + I*b)^2*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b]) + (2*b*(a^2 + b^2)*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b + 2*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(a^2*Sqrt[a + b*Tan[c + d*x]]))/(3*(a^2 + b^2)^2*d)

Maple [B] time = 2.143, size = 2975233, normalized size = 12045.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^2 \sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*sqrt(tan(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.467 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=301

$$\frac{2b(17a^2Ab^2 + 3a^4A - 8a^3bB - 2ab^3B + 8Ab^4)\sqrt{\tan(c+dx)}}{3a^3d(a^2 + b^2)^2\sqrt{a+b \tan(c+dx)}} - \frac{2b(3a^2A - abB + 4Ab^2)\sqrt{\tan(c+dx)}}{3a^2d(a^2 + b^2)(a+b \tan(c+dx))^{3/2}} + \frac{(-B + iA)}{3a^2d(a^2 + b^2)(a+b \tan(c+dx))^{3/2}}$$

```
[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) - (2*A)/(a*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) - (2*b*(3*a^2*A + 4*A*b^2 - a*b*B)*Sqrt[Tan[c + d*x]])/(3*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (2*b*(3*a^4*A + 17*a^2*A*b^2 + 8*A*b^4 - 8*a^3*b*B - 2*a*b^3*B)*Sqrt[Tan[c + d*x]])/(3*a^3*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.19036, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(17a^2Ab^2 + 3a^4A - 8a^3bB - 2ab^3B + 8Ab^4)\sqrt{\tan(c+dx)}}{3a^3d(a^2 + b^2)^2\sqrt{a+b \tan(c+dx)}} - \frac{2b(3a^2A - abB + 4Ab^2)\sqrt{\tan(c+dx)}}{3a^2d(a^2 + b^2)(a+b \tan(c+dx))^{3/2}} + \frac{(-B + iA)}{3a^2d(a^2 + b^2)(a+b \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)), x]
```

```
[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) - (2*A)/(a*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) - (2*b*(3*a^2*A + 4*A*b^2 - a*b*B)*Sqrt[Tan[c + d*x]])/(3*a^2*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) - (2*b*(3*a^4*A + 17*a^2*A*b^2 + 8*A*b^4 - 8*a^3*b*B - 2*a*b^3*B)*Sqrt[Tan[c + d*x]])/(3*a^3*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
```

```

+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
  b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
  (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
  (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_))/((e_.) + (f_.)*(x
_.)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\tan^3(c + dx)(a + b \tan(c + dx))^{5/2}} dx &= -\frac{2A}{ad\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{1}{2}(4Ab - aB) + \frac{1}{2}aA \tan(c + dx) + 2Ab \tan^2(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))} dx}{a} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2b(3a^2A + 4Ab^2 - abB)\sqrt{\tan(c + dx)}}{3a^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2b(3a^2A + 4Ab^2 - abB)\sqrt{\tan(c + dx)}}{3a^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2b(3a^2A + 4Ab^2 - abB)\sqrt{\tan(c + dx)}}{3a^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2b(3a^2A + 4Ab^2 - abB)\sqrt{\tan(c + dx)}}{3a^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} \\
&= -\frac{2A}{ad\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2b(3a^2A + 4Ab^2 - abB)\sqrt{\tan(c + dx)}}{3a^2(a^2 + b^2)d(a + b \tan(c + dx))^{3/2}} \\
&= -\frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-b}(a+ib)^2d} - \frac{(iA + B) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia+b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 4.71109, size = 326, normalized size = 1.08

$$\frac{2b(3a^2A - abB + 4Ab^2)\sqrt{\tan(c+dx)}}{(a^2+b^2)(a+b \tan(c+dx))^{3/2}} + \frac{2b(17a^2Ab^2 + 3a^4A - 8a^3bB - 2ab^3B + 8Ab^4)\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} + 3\sqrt[4]{-1}a^3 \left(\frac{(a-ib)^2(A+ib) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{(a+ib)^2(A-ib)}{\sqrt{-a-ib}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)), x]

[Out] -((6*a*A)/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(3*a^2*A + 4*A*b^2 - a*b*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2)) + (3*(-1)^(1/4)*a^3*((a - I*b)^2*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ((a + I*b)^2*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b]) + (2*b*(3*a^4*A + 17*a^2*A*b^2 + 8*A*b^4 - 8*a^3*b*B - 2*a*b^3*B)*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(a*(a^2 + b^2)^2)/(3*a^2*d)

Maple [B] time = 3.099, size = 2978232, normalized size = 9894.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.468 \quad \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=359

$$\frac{2b(30a^2Ab^3 + 8a^4Ab - 17a^3b^2B - 3a^5B - 8ab^4B + 16Ab^5)\sqrt{\tan(c+dx)}}{3a^4d(a^2+b^2)^2\sqrt{a+b \tan(c+dx)}} + \frac{2b(7a^2Ab - 3a^3B - 4ab^2B + 8Ab^3)\sqrt{\tan(c+dx)}}{3a^3d(a^2+b^2)(a+b \tan(c+dx))}$$

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) - (2*A)/(3*a*d*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*A*b - a*B))/(a^2*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(7*a^2*A*b + 8*A*b^3 - 3*a^3*B - 4*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^4*A*b + 30*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B - 17*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Tan[c + d*x]])/(3*a^4*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.64235, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(30a^2Ab^3 + 8a^4Ab - 17a^3b^2B - 3a^5B - 8ab^4B + 16Ab^5)\sqrt{\tan(c+dx)}}{3a^4d(a^2+b^2)^2\sqrt{a+b \tan(c+dx)}} + \frac{2b(7a^2Ab - 3a^3B - 4ab^2B + 8Ab^3)\sqrt{\tan(c+dx)}}{3a^3d(a^2+b^2)(a+b \tan(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(5/2)), x]
```

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/((I*a + b)^(5/2)*d) - (2*A)/(3*a*d*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*A*b - a*B))/(a^2*d*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(7*a^2*A*b + 8*A*b^3 - 3*a^3*B - 4*a*b^2*B)*Sqrt[Tan[c + d*x]])/(3*a^3*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^4*A*b + 30*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B - 17*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Tan[c + d*x]])/(3*a^4*(a^2 + b^2)^2*d*Sqrt[a + b*Tan[c + d*x]])
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\tan^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^{5/2}} dx = -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{3}{2}(2Ab - aB) + \frac{3}{2}aA \tan(c + dx) + 3Ab}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} dx}{3a}$$

$$= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2(2Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}}$$

$$= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2(2Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}}$$

$$= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2(2Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}}$$

$$= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2(2Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}}$$

$$= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2(2Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}}$$

$$= -\frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2(2Ab - aB)}{a^2 d \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}}$$

$$= \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{(ia-b)^{5/2}d} + \frac{(A - iB) \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{(ia+b)^{5/2}d} - \frac{2A}{3ad \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}$$

Mathematica [A] time = 3.42227, size = 383, normalized size = 1.07

$$\frac{6b(7a^2Ab - 3a^3B - 4ab^2B + 8Ab^3)\sqrt{\tan(c+dx)}}{a^2(a^2+b^2)(a+b \tan(c+dx))^{3/2}} + \frac{6b(30a^2Ab^3 + 8a^4Ab - 17a^3b^2B - 3a^5B - 8ab^4B + 16Ab^5)\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)} + 9(-1)^{3/4}a^4 \frac{(a-ib)^2(A+iB) \tanh^{-1}\left(\frac{\sqrt{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{\sqrt{-a-ib}}$$

$$9ad$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(5/2)), x]
```

```
[Out] ((-6*A)/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)) + (6*(6*A*b - 3*a*B))/(a*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (6*b*(7*a^2*A*b + 8*A*b^3 - 3*a^3*B - 4*a*b^2*B)*Sqrt[Tan[c + d*x]])/(a^2*(a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2)) + (9*(-1)^(3/4)*a^4*(((a - I*b)^2*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] + ((a + I*b)^2*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b]) + (6*b*(8*a^4*A*b + 30*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B - 17*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(a^3*(a^2 + b^2)^2)/(9*a*d)
```

Maple [B] time = 2.284, size = 2979563, normalized size = 8299.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)**(5/2)/(a+b*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/tan(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.469 \quad \int \frac{\tan^3(c+dx)(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=155

$$-\frac{B \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{B \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] -((B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a - b]*d)) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[b]*d) - (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.200226, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {21, 3575, 910, 63, 217, 206, 912, 93, 205, 208}

$$-\frac{B \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{B \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -((B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a - b]*d)) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[b]*d) - (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a + b]*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3575

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 910

Int[((d_) + (e_)*(x_))^(m_)/(Sqrt[(f_) + (g_)*(x_)]*((a_) + (c_)*(x_)^2)), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f + g*x]), (d + e*x)^(m + 1/2)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m + 1/2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/
Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 912

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_))/((a_) + (c_.)*(x_
)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n, 1/(a + c*x^
2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c*d^2 + a*e^2, 0] &
& !IntegerQ[m] && !IntegerQ[n]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\tan^3(c+dx)(aB + bB \tan(c+dx))}{(a + b \tan(c+dx))^{3/2}} dx &= B \int \frac{\tan^3(c+dx)}{\sqrt{a + b \tan(c+dx)}} dx \\
&= \frac{B \operatorname{Subst}\left(\int \frac{x^{3/2}}{\sqrt{a+bx}(1+x^2)} dx, x, \tan(c+dx)\right)}{d} \\
&= \frac{B \operatorname{Subst}\left(\int \left(\frac{1}{\sqrt{x}\sqrt{a+bx}} - \frac{1}{\sqrt{x}\sqrt{a+bx}(1+x^2)}\right) dx, x, \tan(c+dx)\right)}{d} \\
&= \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx}(1+x^2)} dx, x, \tan(c+dx)\right)}{d} \\
&= -\frac{B \operatorname{Subst}\left(\int \left(\frac{i}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{i}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c+dx)\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx}(1+x^2)} dx, x, \tan(c+dx)\right)}{d} \quad (2B) S \\
&= -\frac{(iB) \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} - \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}(i+x)\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} \\
&= \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{i-(-a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \\
&= -\frac{B \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{B \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}}
\end{aligned}$$

Mathematica [A] time = 0.902044, size = 193, normalized size = 1.25

$$\frac{B \left(\frac{(-1)^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{(-1)^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{2\sqrt{a}\sqrt{\frac{b \tan(c+dx)}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}\sqrt{a+b \tan(c+dx)}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Tan[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (B*(((−1)^(3/4)*ArcTanh[((−1)^(1/4)*Sqrt[−a − I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[−a − I*b] + ((−1)^(3/4)*ArcTanh[((−1)^(1/4)*Sqrt[a − I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a − I*b] + (2*Sqrt[a]*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]]))/d

Maple [B] time = 0.572, size = 943902, normalized size = 6089.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba) \tan(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*b*tan(d*x + c) + B*a)*tan(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{\tan^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] B*Integral(tan(c + d*x)**(3/2)/sqrt(a + b*tan(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] Timed out

$$3.470 \quad \int \frac{\sqrt{\tan(c+dx)}(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=117

$$\frac{iB \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{iB \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] (I*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a - b]*d) - (I*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.143209, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {21, 3575, 910, 93, 205, 208}

$$\frac{iB \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{iB \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Tan[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (I*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a - b]*d) - (I*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/(Sqrt[I*a + b]*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3575

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^(m*(c + d*ff*x)^n)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 910

Int[((d_.) + (e_.)*(x_))^(m_)/(Sqrt[(f_.) + (g_.)*(x_)]*((a_.) + (c_.)*(x_)^2)), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f + g*x]), (d + e*x)^(m + 1/2)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m + 1/2, 0]

Rule 93

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]

], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\tan(c+dx)}(aB + bB \tan(c+dx))}{(a + b \tan(c+dx))^{3/2}} dx &= B \int \frac{\sqrt{\tan(c+dx)}}{\sqrt{a + b \tan(c+dx)}} dx \\
 &= \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{\sqrt{a+bx}(1+x^2)} dx, x, \tan(c+dx)\right)}{d} \\
 &= \frac{B \operatorname{Subst}\left(\int \left(-\frac{1}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{1}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c+dx)\right)}{d} \\
 &= -\frac{B \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}(i+x)\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} \\
 &= \frac{B \operatorname{Subst}\left(\int \frac{1}{i-(-a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{i-(a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \\
 &= \frac{iB \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} - \frac{iB \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia+bd}}
 \end{aligned}$$

Mathematica [A] time = 0.0951657, size = 124, normalized size = 1.06

$$\frac{\sqrt[4]{-1}B \left(\frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Tan[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((-1)^(1/4)*B*(ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]/Sqrt[-a - I*b] - ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]/Sqrt[a - I*b])/d

Maple [B] time = 0.786, size = 940031, normalized size = 8034.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba)\sqrt{\tan(dx + c)}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*b*tan(d*x + c) + B*a)*sqrt(tan(d*x + c))/(b*tan(d*x + c) + a)^(3/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)`

[Out] `B*Integral(sqrt(tan(c + d*x))/sqrt(a + b*tan(c + d*x)), x)`

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")`

[Out] Timed out

$$3.471 \quad \int \frac{aB + bB \tan(c+dx)}{\sqrt{\tan(c+dx)(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=111

$$\frac{B \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] (B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.136693, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {21, 3575, 912, 93, 205, 208}

$$\frac{B \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] (B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3575

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 912

Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_))/((a_) + (c_)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n, 1/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[m] && !IntegerQ[n]

Rule 93

Int[(((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_))/((e_) + (f_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]

], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{aB + bB \tan(c + dx)}{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}} dx &= B \int \frac{1}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx \\
 &= \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx}(1+x^2)} dx, x, \tan(c + dx)\right)}{d} \\
 &= \frac{B \operatorname{Subst}\left(\int \left(\frac{i}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{i}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c + dx)\right)}{d} \\
 &= \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}(i+x)\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\
 &= \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{i-(a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(iB) \operatorname{Subst}\left(\int \frac{1}{i-(a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \\
 &= \frac{B \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia+bd}}
 \end{aligned}$$

Mathematica [A] time = 0.105005, size = 125, normalized size = 1.13

$$\frac{(-1)^{3/4} B \left(\frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] ((-1)^(3/4)*B*(-(ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b]) - ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b])/d

Maple [B] time = 0.574, size = 939328, normalized size = 8462.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)^2 \sqrt[3]{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)^(3/2)*sqrt(tan(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{a + b \tan(c + dx)} \sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(3/2),x)
```

```
[Out] B*Integral(1/(sqrt(a + b*tan(c + d*x))*sqrt(tan(c + d*x))), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.472 \quad \int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} dx$$

Optimal. Leaf size=150

$$-\frac{iB \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{2B\sqrt{a+b \tan(c+dx)}}{ad\sqrt{\tan(c+dx)}} + \frac{iB \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] ((-I)*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (I*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*B*Sqrt[a + b*Tan[c + d*x]])/(a*d*Sqrt[Tan[c + d*x]])

Rubi [A] time = 0.221501, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {21, 3569, 12, 3575, 910, 93, 205, 208}

$$-\frac{iB \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{2B\sqrt{a+b \tan(c+dx)}}{ad\sqrt{\tan(c+dx)}} + \frac{iB \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] ((-I)*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (I*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*B*Sqrt[a + b*Tan[c + d*x]])/(a*d*Sqrt[Tan[c + d*x]])

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3569

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b^2*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(a^2 + b^2)*(b*c - a*d)), x] + Dist[1/((m + 1)*(a^2 + b^2)*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2) - b*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b^2*d*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && IntegerQ[2*m] && LtQ[m, -1] && (LtQ[n, 0] || IntegerQ[m]) && !(LtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3575

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n]/(1 + ff^2*x^2), x], x,
Tan[e + f*x]/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*
d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 910

```
Int[((d_.) + (e_.)*(x_)^(m_))/(Sqrt[(f_.) + (g_.)*(x_)]*((a_.) + (c_.)*(x_)
^2)), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f + g*x]), (d
+ e*x)^(m + 1/2)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ
[c*d^2 + a*e^2, 0] && IGtQ[m + 1/2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{\frac{3}{2}}} dx &= B \int \frac{1}{\tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} dx \\
&= -\frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{(2B) \int \frac{a\sqrt{\tan(c+dx)}}{2\sqrt{a+b \tan(c+dx)}} dx}{a} \\
&= -\frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - B \int \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} dx \\
&= -\frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{\sqrt{a+bx(1+x^2)}} dx, x, \tan(c + dx)\right)}{d} \\
&= -\frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \left(-\frac{1}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{1}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c + dx)\right)}{d} \\
&= -\frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} + \frac{B \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{2\sqrt{x}(i+x)\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\
&= -\frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{1}{i-(-a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{i-(-a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \\
&= -\frac{iB \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia-bd}} + \frac{iB \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{ia+bd}} - \frac{2B\sqrt{a + b \tan(c + dx)}}{ad\sqrt{\tan(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.361803, size = 158, normalized size = 1.05

$$\frac{B \left(-\frac{2\sqrt{a+b \tan(c+dx)}}{a\sqrt{\tan(c+dx)}} - \frac{\sqrt[4]{-1} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{\sqrt[4]{-1} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] (B*(-(((−1)^(1/4)*ArcTanh[(((−1)^(1/4)*Sqrt[−a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[−a − I*b]) + ((−1)^(1/4)*ArcTanh[(((−1)^(1/4)*Sqrt[a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a − I*b] − (2*Sqrt[a + b*Tan[c + d*x]])/(a*Sqrt[Tan[c + d*x]])))/d

Maple [B] time = 0.636, size = 943929, normalized size = 6292.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{a + b \tan(c + dx)} \tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(3/2),x)

[Out] B*Integral(1/(sqrt(a + b*tan(c + d*x))*tan(c + d*x)**(3/2)), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/tan(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError

3.473 $\int (a + b \tan(c + dx))^{2/3} (A + B \tan(c + dx)) dx$

Optimal. Leaf size=379

$$\frac{\sqrt{3}(a - ib)^{2/3}(B + iA) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d} - \frac{\sqrt{3}(a + ib)^{2/3}(-B + iA) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d} + \frac{3(a - ib)^{2/3}(B + iA)}{2d}$$

```
[Out] -((a - I*b)^(2/3)*(A - I*B)*x)/4 - ((a + I*b)^(2/3)*(A + I*B)*x)/4 + (Sqrt[
3]*(a - I*b)^(2/3)*(I*A + B)*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a
- I*b)^(1/3)]/Sqrt[3]])/(2*d) - (Sqrt[3]*(a + I*b)^(2/3)*(I*A - B)*ArcTan[(
1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a + I*b)^(1/3)]/Sqrt[3]])/(2*d) - ((a +
I*b)^(2/3)*(I*A - B)*Log[Cos[c + d*x]])/(4*d) + ((a - I*b)^(2/3)*(I*A + B)
*Log[Cos[c + d*x]])/(4*d) + (3*(a - I*b)^(2/3)*(I*A + B)*Log[(a - I*b)^(1/3
) - (a + b*Tan[c + d*x])^(1/3)])/(4*d) - (3*(a + I*b)^(2/3)*(I*A - B)*Log[(
a + I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3)])/(4*d) + (3*B*(a + b*Tan[c + d
*x])^(2/3))/(2*d)
```

Rubi [A] time = 0.440236, antiderivative size = 379, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$, Rules used = {3528, 3539, 3537, 55, 617, 204, 31}

$$\frac{\sqrt{3}(a - ib)^{2/3}(B + iA) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d} - \frac{\sqrt{3}(a + ib)^{2/3}(-B + iA) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d} + \frac{3(a - ib)^{2/3}(B + iA)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -((a - I*b)^(2/3)*(A - I*B)*x)/4 - ((a + I*b)^(2/3)*(A + I*B)*x)/4 + (Sqrt[
3]*(a - I*b)^(2/3)*(I*A + B)*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a
- I*b)^(1/3)]/Sqrt[3]])/(2*d) - (Sqrt[3]*(a + I*b)^(2/3)*(I*A - B)*ArcTan[(
1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a + I*b)^(1/3)]/Sqrt[3]])/(2*d) - ((a +
I*b)^(2/3)*(I*A - B)*Log[Cos[c + d*x]])/(4*d) + ((a - I*b)^(2/3)*(I*A + B)
*Log[Cos[c + d*x]])/(4*d) + (3*(a - I*b)^(2/3)*(I*A + B)*Log[(a - I*b)^(1/3
) - (a + b*Tan[c + d*x])^(1/3)])/(4*d) - (3*(a + I*b)^(2/3)*(I*A - B)*Log[(
a + I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3)])/(4*d) + (3*B*(a + b*Tan[c + d
*x])^(2/3))/(2*d)
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
```

$a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{IntegerQ}[m]$

Rule 3537

$\text{Int}[\left((a_{.}) + (b_{.})\tan[(e_{.}) + (f_{.})(x_{.})]\right)^{(m)}\left((c_{.}) + (d_{.})\tan[(e_{.}) + (f_{.})(x_{.})]\right), x_Symbol] \rightarrow \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 55

$\text{Int}[1/\left(\left((a_{.}) + (b_{.})(x_{.})\right)\left((c_{.}) + (d_{.})(x_{.})\right)^{(1/3)}\right), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q), x] + (\text{Dist}[3/(2*b), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{(1/3)}], x] - \text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{(1/3)}], x])] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[(b*c - a*d)/b]$

Rule 617

$\text{Int}[\left((a_{.}) + (b_{.})(x_{.}) + (c_{.})(x_{.})^2\right)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ !\text{RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[\left((a_{.}) + (b_{.})(x_{.})^2\right)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \|\ \text{LtQ}[b, 0])]$

Rule 31

$\text{Int}[\left((a_{.}) + (b_{.})(x_{.})\right)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rubi steps

$$\begin{aligned} \int (a + b \tan(c + dx))^{2/3} (A + B \tan(c + dx)) dx &= \frac{3B(a + b \tan(c + dx))^{2/3}}{2d} + \int \frac{aA - bB + (Ab + aB) \tan(c + dx)}{\sqrt[3]{a + b \tan(c + dx)}} dx \\ &= \frac{3B(a + b \tan(c + dx))^{2/3}}{2d} + \frac{1}{2}((a - ib)(A - iB)) \int \frac{1 + i \tan(c + dx)}{\sqrt[3]{a + b \tan(c + dx)}} dx \\ &= \frac{3B(a + b \tan(c + dx))^{2/3}}{2d} + \frac{(i(a - ib)(A - iB)) \text{Subst}\left(\int \frac{1}{(-1+x)\sqrt[3]{a-ibx}} dx\right)}{2d} \\ &= -\frac{1}{4}(a - ib)^{2/3}(A - iB)x - \frac{1}{4}(a + ib)^{2/3}(A + iB)x - \frac{(a + ib)^{2/3}(iA - B) \log}{4d} \\ &= -\frac{1}{4}(a - ib)^{2/3}(A - iB)x - \frac{1}{4}(a + ib)^{2/3}(A + iB)x - \frac{(a + ib)^{2/3}(iA - B) \log}{4d} \\ &= -\frac{1}{4}(a - ib)^{2/3}(A - iB)x - \frac{1}{4}(a + ib)^{2/3}(A + iB)x + \frac{\sqrt{3}(a - ib)^{2/3}(iA + B)}{4d} \end{aligned}$$

Mathematica [A] time = 0.873852, size = 263, normalized size = 0.69

$$i \left((A - iB) \left(3(a + b \tan(c + dx))^{2/3} + (a - ib)^{2/3} \left(2\sqrt{3} \tan^{-1} \left(\frac{1 + \frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}} \right) + 3 \log \left(-\sqrt[3]{a + b \tan(c + dx)} + \sqrt[3]{a - ib} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^(2/3)*(A + B*Tan[c + d*x]),x]

[Out] ((I/4)*((A - I*B)*((a - I*b)^(2/3)*(2*Sqrt[3]*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a - I*b)^(1/3)]/Sqrt[3]] - Log[I + Tan[c + d*x]] + 3*Log[(a - I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3])) + 3*(a + b*Tan[c + d*x])^(2/3)) - (A + I*B)*((a + I*b)^(2/3)*(2*Sqrt[3]*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a + I*b)^(1/3)]/Sqrt[3]] - Log[I - Tan[c + d*x]] + 3*Log[(a + I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3])) + 3*(a + b*Tan[c + d*x])^(2/3))))/d

Maple [C] time = 0.194, size = 101, normalized size = 0.3

$$\frac{3B}{2d} (a + b \tan(dx + c))^{\frac{2}{3}} + \frac{1}{2d} \sum_{_R=\text{RootOf}(_Z^6-2_Z^3a+a^2+b^2)} \frac{(Ab + aB)_R^4 + B(-a^2 - b^2)_R}{_R^5 - _R^2a} \ln(\sqrt[3]{a + b \tan(dx + c)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x)

[Out] 3/2*B*(a+b*tan(d*x+c))^(2/3)/d+1/2/d*sum(((A*B+B*A)*_R^4+B*(-a^2-b^2)*_R)/(_R^5-_R^2*a)*ln((a+b*tan(d*x+c))^(1/3)-_R),_R=RootOf(_Z^6-2*_Z^3*a+a^2+b^2))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(2/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(2/3)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(2/3), x)

Giac [B] time = 15.4942, size = 1397, normalized size = 3.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(2/3)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(-I*\sqrt{3} + 1)*((8*I*A^3*a^2 - 24*A^2*B*a^2 - 24*I*A*B^2*a^2 + 8*B^3*a^2 \\ & *a^2 - 16*A^3*a*b - 48*I*A^2*B*a*b + 48*A*B^2*a*b + 16*I*B^3*a*b - 8*I*A^3*b^2 \\ & + 24*A^2*B*b^2 + 24*I*A*B^2*b^2 - 8*B^3*b^2)/d^3)^{(1/3)}*\log(b*d^2*(\sqrt{3} + I) \\ & + a*d^2*(-I*\sqrt{3} + 1) + (I*a^2 - 2*a*b - I*b^2)^{(1/3)}*(b*\tan(d*x + c) + a)^{(1/3)}*d^2*(\sqrt{3} - I)) \\ & - 1/8*(-I*\sqrt{3} + 1)*((-8*I*A^3*a^2 - 24*A^2*B*a^2 + 24*I*A*B^2*a^2 + 8*B^3*a^2 - 16*A^3*a*b \\ & + 48*I*A^2*B*a*b + 48*A*B^2*a*b - 16*I*B^3*a*b + 8*I*A^3*b^2 + 24*A^2*B*b^2 - 24*I*A*B^2*b^2 \\ & - 8*B^3*b^2)/d^3)^{(1/3)}*\log(-b*d^2*(\sqrt{3} + I) + a*d^2*(-I*\sqrt{3} + 1) - (I*a^2 - 2*a*b + I*b^2)^{(1/3)} \\ & *(b*\tan(d*x + c) + a)^{(1/3)}*d^2*(\sqrt{3} - I)) - 1/8*(I*\sqrt{3} + 1)*((-8*I*A^3*a^2 - 24*A^2*B*a^2 + 24*I*A*B^2*a^2 + 8*B^3*a^2 \\ & - 16*A^3*a*b + 48*I*A^2*B*a*b + 48*A*B^2*a*b - 16*I*B^3*a*b + 8*I*A^3*b^2 + 24*A^2*B*b^2 - 24*I*A*B^2*b^2 \\ & - 8*B^3*b^2)/d^3)^{(1/3)}*\log(b*d^2*(\sqrt{3} - I) + a*d^2*(I*\sqrt{3} + 1) + (-I*a^2 - 2*a*b + I*b^2)^{(1/3)}*(b*\tan(d*x + c) + a)^{(1/3)}*d^2*(\sqrt{3} + I)) \\ & + 1/4*((8*I*A^3*a^2 - 24*A^2*B*a^2 - 24*I*A*B^2*a^2 + 8*B^3*a^2 - 16*A^3*a*b - 48*I*A^2*B*a*b + 48*A*B^2*a*b + 16*I*B^3*a*b \\ & - 8*I*A^3*b^2 + 24*A^2*B*b^2 + 24*I*A*B^2*b^2 - 8*B^3*b^2)/d^3)^{(1/3)}*\log(I*a*d^2 - b*d^2 + (I*a^2 - 2*a*b - I*b^2)^{(1/3)}*(b*\tan(d*x + c) + a)^{(1/3)}*d^2) \\ & + 1/4*((-8*I*A^3*a^2 - 24*A^2*B*a^2 + 24*I*A*B^2*a^2 + 8*B^3*a^2 - 16*A^3*a*b + 48*I*A^2*B*a*b + 48*A*B^2*a*b - 16*I*B^3*a*b \\ & + 8*I*A^3*b^2 + 24*A^2*B*b^2 - 24*I*A*B^2*b^2 - 8*B^3*b^2)/d^3)^{(1/3)}*\log(-I*a*d^2 - b*d^2 + (-I*a^2 - 2*a*b + I*b^2)^{(1/3)}*(b*\tan(d*x + c) + a)^{(1/3)}*d^2) \\ & + 3/2*(b*\tan(d*x + c) + a)^{(2/3)}*B/d \end{aligned}$$

3.474 $\int \sqrt[3]{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx$

Optimal. Leaf size=377

$$\frac{\sqrt{3}\sqrt[3]{a-ib}(B+iA)\tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d} + \frac{\sqrt{3}\sqrt[3]{a+ib}(-B+iA)\tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d} + \frac{3\sqrt[3]{a-ib}(B+iA)\log}{d}$$

[Out] $-\frac{((a - I*b)^{(1/3)}*(A - I*B)*x)/4 - ((a + I*b)^{(1/3)}*(A + I*B)*x)/4 - (\text{Sqrt}[3]*(a - I*b)^{(1/3)}*(I*A + B)*\text{ArcTan}[(1 + (2*(a + b*\text{Tan}[c + d*x])^{(1/3)})/(a - I*b)^{(1/3)})/\text{Sqrt}[3]])/(2*d) + (\text{Sqrt}[3]*(a + I*b)^{(1/3)}*(I*A - B)*\text{ArcTan}[(1 + (2*(a + b*\text{Tan}[c + d*x])^{(1/3)})/(a + I*b)^{(1/3)})/\text{Sqrt}[3]])/(2*d) - ((a + I*b)^{(1/3)}*(I*A - B)*\text{Log}[\text{Cos}[c + d*x]])/(4*d) + ((a - I*b)^{(1/3)}*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(4*d) + (3*(a - I*b)^{(1/3)}*(I*A + B)*\text{Log}[(a - I*b)^{(1/3)} - (a + b*\text{Tan}[c + d*x])^{(1/3)})/(4*d) - (3*(a + I*b)^{(1/3)}*(I*A - B)*\text{Log}[(a + I*b)^{(1/3)} - (a + b*\text{Tan}[c + d*x])^{(1/3)})/(4*d) + (3*B*(a + b*\text{Tan}[c + d*x])^{(1/3)})/d$

Rubi [A] time = 0.406038, antiderivative size = 377, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$, Rules used = {3528, 3539, 3537, 57, 617, 204, 31}

$$\frac{\sqrt{3}\sqrt[3]{a-ib}(B+iA)\tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d} + \frac{\sqrt{3}\sqrt[3]{a+ib}(-B+iA)\tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b\tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d} + \frac{3\sqrt[3]{a-ib}(B+iA)\log}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Tan}[c + d*x])^{(1/3)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $-\frac{((a - I*b)^{(1/3)}*(A - I*B)*x)/4 - ((a + I*b)^{(1/3)}*(A + I*B)*x)/4 - (\text{Sqrt}[3]*(a - I*b)^{(1/3)}*(I*A + B)*\text{ArcTan}[(1 + (2*(a + b*\text{Tan}[c + d*x])^{(1/3)})/(a - I*b)^{(1/3)})/\text{Sqrt}[3]])/(2*d) + (\text{Sqrt}[3]*(a + I*b)^{(1/3)}*(I*A - B)*\text{ArcTan}[(1 + (2*(a + b*\text{Tan}[c + d*x])^{(1/3)})/(a + I*b)^{(1/3)})/\text{Sqrt}[3]])/(2*d) - ((a + I*b)^{(1/3)}*(I*A - B)*\text{Log}[\text{Cos}[c + d*x]])/(4*d) + ((a - I*b)^{(1/3)}*(I*A + B)*\text{Log}[\text{Cos}[c + d*x]])/(4*d) + (3*(a - I*b)^{(1/3)}*(I*A + B)*\text{Log}[(a - I*b)^{(1/3)} - (a + b*\text{Tan}[c + d*x])^{(1/3)})/(4*d) - (3*(a + I*b)^{(1/3)}*(I*A - B)*\text{Log}[(a + I*b)^{(1/3)} - (a + b*\text{Tan}[c + d*x])^{(1/3)})/(4*d) + (3*B*(a + b*\text{Tan}[c + d*x])^{(1/3)})/d$

Rule 3528

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * ((c + d*\text{Tan}[e + f*x]) + (f*(x))), x_Symbol] := \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{m-1} * \text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3539

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * ((c + d*\text{Tan}[e + f*x]) + (f*(x))), x_Symbol] := \text{Dist}[(c + I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (1 - I*\text{Tan}[e + f*x]), x], x] + \text{Dist}[(c - I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m * (1 + I*\text{Tan}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -

$a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& !\text{IntegerQ}[m]$

Rule 3537

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(m_)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 57

$\text{Int}[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))^{(2/3)}), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q^2), x] + (-\text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{(1/3)}], x] - \text{Dist}[3/(2*b*q^2), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{(1/3)}], x])] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[(b*c - a*d)/b]$

Rule 617

$\text{Int}[(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2]^{(-1)}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 31

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rubi steps

$$\begin{aligned} \int \sqrt[3]{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx &= \frac{3B\sqrt[3]{a + b \tan(c + dx)}}{d} + \int \frac{aA - bB + (Ab + aB) \tan(c + dx)}{(a + b \tan(c + dx))^{2/3}} dx \\ &= \frac{3B\sqrt[3]{a + b \tan(c + dx)}}{d} + \frac{1}{2}((a - ib)(A - iB)) \int \frac{1 + i \tan(c + dx)}{(a + b \tan(c + dx))^{2/3}} dx \\ &= \frac{3B\sqrt[3]{a + b \tan(c + dx)}}{d} + \frac{(i(a - ib)(A - iB)) \text{Subst}\left(\int \frac{1}{(-1+x)(a-ibx)^{2/3}} dx, x\right)}{2d} \\ &= -\frac{1}{4}\sqrt[3]{a - ib}(A - iB)x - \frac{1}{4}\sqrt[3]{a + ib}(A + iB)x - \frac{\sqrt[3]{a + ib}(iA - B) \log(\cos(c + dx))}{4d} \\ &= -\frac{1}{4}\sqrt[3]{a - ib}(A - iB)x - \frac{1}{4}\sqrt[3]{a + ib}(A + iB)x - \frac{\sqrt[3]{a + ib}(iA - B) \log(\cos(c + dx))}{4d} \\ &= -\frac{1}{4}\sqrt[3]{a - ib}(A - iB)x - \frac{1}{4}\sqrt[3]{a + ib}(A + iB)x - \frac{\sqrt{3}\sqrt[3]{a - ib}(iA + B) \tan^{-1}\left(\frac{\sqrt[3]{a + b \tan(c + dx)}}{\sqrt[3]{a - ib}}\right)}{2d} \end{aligned}$$

Mathematica [A] time = 0.875988, size = 347, normalized size = 0.92

$$i \left((A - iB) \left(3\sqrt[3]{a + b \tan(c + dx)} - \frac{1}{2}\sqrt[3]{a - ib} \left(2\sqrt{3} \tan^{-1} \left(\frac{1 + 2\sqrt[3]{a + b \tan(c + dx)}}{\sqrt[3]{a - ib}} \right) - 2 \log \left(-\sqrt[3]{a + b \tan(c + dx)} + \sqrt[3]{a - ib} \right) + \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^(1/3)*(A + B*Tan[c + d*x]),x]

[Out] ((I/2)*((A - I*B)*(-(a - I*b)^(1/3)*(2*Sqrt[3]*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a - I*b)^(1/3))/Sqrt[3]] - 2*Log[(a - I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3)] + Log[(a - I*b)^(2/3) + (a - I*b)^(1/3)*(a + b*Tan[c + d*x])^(1/3) + (a + b*Tan[c + d*x])^(2/3)]))/2 + 3*(a + b*Tan[c + d*x])^(1/3) - (A + I*B)*(-(a + I*b)^(1/3)*(2*Sqrt[3]*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a + I*b)^(1/3))/Sqrt[3]] - 2*Log[(a + I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3)] + Log[(a + I*b)^(2/3) + (a + I*b)^(1/3)*(a + b*Tan[c + d*x])^(1/3) + (a + b*Tan[c + d*x])^(2/3)]))/2 + 3*(a + b*Tan[c + d*x])^(1/3))/d

Maple [C] time = 0.079, size = 99, normalized size = 0.3

$$3 \frac{B\sqrt[3]{a + b \tan(dx + c)}}{d} + \frac{1}{2d} \sum_{_R = \text{RootOf}(_Z^6 - 2_Z^3 a + a^2 + b^2)} \frac{(Ab + aB)_R^3 - a^2 B - b^2 B}{_R^5 - _R^2 a} \ln \left(\sqrt[3]{a + b \tan(dx + c)} - _R \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x)

[Out] 3*B*(a+b*tan(d*x+c))^(1/3)/d+1/2/d*sum(((A*b+B*a)*_R^3-a^2*B-b^2*B)/(_R^5-_R^2*a)*ln((a+b*tan(d*x+c))^(1/3)-_R),_R=RootOf(_Z^6-2*_Z^3*a+a^2+b^2))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt[3]{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**(1/3)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**(1/3), x)

Giac [A] time = 13.5897, size = 666, normalized size = 1.77

$$-\frac{1}{8}(i\sqrt{3}+1)\left(\frac{8iA^3a-24A^2Ba-24iAB^2a+8B^3a-8A^3b-24iA^2Bb+24AB^2b+8iB^3b}{d^3}\right)^{\frac{1}{3}}\log(d^2)-\frac{1}{8}(-i\sqrt{3}+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(1/3)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out]
$$-1/8*(I*\sqrt{3} + 1)*((8*I*A^3*a - 24*A^2*B*a - 24*I*A*B^2*a + 8*B^3*a - 8*A^3*b - 24*I*A^2*B*b + 24*A*B^2*b + 8*I*B^3*b)/d^3)^{(1/3)}*\log(d^2) - 1/8*(-I*\sqrt{3} + 1)*((8*I*A^3*a - 24*A^2*B*a - 24*I*A*B^2*a + 8*B^3*a - 8*A^3*b - 24*I*A^2*B*b + 24*A*B^2*b + 8*I*B^3*b)/d^3)^{(1/3)}*\log(d^2) - 1/8*(I*\sqrt{3} + 1)*((-8*I*A^3*a - 24*A^2*B*a + 24*I*A*B^2*a + 8*B^3*a - 8*A^3*b + 24*I*A^2*B*b + 24*A*B^2*b - 8*I*B^3*b)/d^3)^{(1/3)}*\log(d^2) - 1/8*(-I*\sqrt{3} + 1)*((-8*I*A^3*a - 24*A^2*B*a + 24*I*A*B^2*a + 8*B^3*a - 8*A^3*b + 24*I*A^2*B*b + 24*A*B^2*b - 8*I*B^3*b)/d^3)^{(1/3)}*\log(d^2) + 1/4*((8*I*A^3*a - 24*A^2*B*a - 24*I*A*B^2*a + 8*B^3*a - 8*A^3*b - 24*I*A^2*B*b + 24*A*B^2*b + 8*I*B^3*b)/d^3)^{(1/3)}*\log(I*(b*\tan(d*x + c) + a)^{(1/3)}*d^2 + (I*a - b)^{(1/3)}*d^2) + 1/4*((-8*I*A^3*a - 24*A^2*B*a + 24*I*A*B^2*a + 8*B^3*a - 8*A^3*b + 24*I*A^2*B*b + 24*A*B^2*b - 8*I*B^3*b)/d^3)^{(1/3)}*\log(-I*(b*\tan(d*x + c) + a)^{(1/3)}*d^2 + (-I*a - b)^{(1/3)}*d^2) + 3*(b*\tan(d*x + c) + a)^{(1/3)}*B/d$$

$$3.475 \quad \int \frac{A+B \tan(c+dx)}{\sqrt[3]{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=357

$$\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d\sqrt[3]{a-ib}} - \frac{\sqrt{3}(-B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d\sqrt[3]{a+ib}} + \frac{3(B+iA) \log\left(-\sqrt[3]{a+b \tan(c+dx)}\right)}{4d\sqrt[3]{a-ib}}$$

[Out] $-\left(\frac{(A - I*B)*x}{4*(a - I*b)^{1/3}} - \frac{(A + I*B)*x}{4*(a + I*b)^{1/3}}\right) + \left(\frac{\sqrt{3}*(I*A + B)*\text{ArcTan}\left[\frac{1 + (2*(a + b*\text{Tan}[c + d*x])^{1/3})}{(a - I*b)^{1/3}}\right]}{\sqrt{3}}\right) / (2*(a - I*b)^{1/3}*d) - \left(\frac{\sqrt{3}*(I*A - B)*\text{ArcTan}\left[\frac{1 + (2*(a + b*\text{Tan}[c + d*x])^{1/3})}{(a + I*b)^{1/3}}\right]}{\sqrt{3}}\right) / (2*(a + I*b)^{1/3}*d) - \left(\frac{(I*A - B)*\text{Log}[\text{Cos}[c + d*x]]}{4*(a + I*b)^{1/3}*d} + \frac{(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]}{4*(a - I*b)^{1/3}*d} + \frac{3*(I*A + B)*\text{Log}[(a - I*b)^{1/3} - (a + b*\text{Tan}[c + d*x])^{1/3}]}{4*(a - I*b)^{1/3}*d} - \frac{3*(I*A - B)*\text{Log}[(a + I*b)^{1/3} - (a + b*\text{Tan}[c + d*x])^{1/3}]}{4*(a + I*b)^{1/3}*d}\right)$

Rubi [A] time = 0.278317, antiderivative size = 357, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {3539, 3537, 55, 617, 204, 31}

$$\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d\sqrt[3]{a-ib}} - \frac{\sqrt{3}(-B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d\sqrt[3]{a+ib}} + \frac{3(B+iA) \log\left(-\sqrt[3]{a+b \tan(c+dx)}\right)}{4d\sqrt[3]{a-ib}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(1/3), x]

[Out] $-\left(\frac{(A - I*B)*x}{4*(a - I*b)^{1/3}} - \frac{(A + I*B)*x}{4*(a + I*b)^{1/3}}\right) + \left(\frac{\sqrt{3}*(I*A + B)*\text{ArcTan}\left[\frac{1 + (2*(a + b*\text{Tan}[c + d*x])^{1/3})}{(a - I*b)^{1/3}}\right]}{\sqrt{3}}\right) / (2*(a - I*b)^{1/3}*d) - \left(\frac{\sqrt{3}*(I*A - B)*\text{ArcTan}\left[\frac{1 + (2*(a + b*\text{Tan}[c + d*x])^{1/3})}{(a + I*b)^{1/3}}\right]}{\sqrt{3}}\right) / (2*(a + I*b)^{1/3}*d) - \left(\frac{(I*A - B)*\text{Log}[\text{Cos}[c + d*x]]}{4*(a + I*b)^{1/3}*d} + \frac{(I*A + B)*\text{Log}[\text{Cos}[c + d*x]]}{4*(a - I*b)^{1/3}*d} + \frac{3*(I*A + B)*\text{Log}[(a - I*b)^{1/3} - (a + b*\text{Tan}[c + d*x])^{1/3}]}{4*(a - I*b)^{1/3}*d} - \frac{3*(I*A - B)*\text{Log}[(a + I*b)^{1/3} - (a + b*\text{Tan}[c + d*x])^{1/3}]}{4*(a + I*b)^{1/3}*d}\right)$

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 55

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(1/3)), x_Symbol] := With[
{q = Rt[(b*c - a*d)/b, 3]}, -Simp[Log[RemoveContent[a + b*x, x]]/(2*b*q), x
] + (Dist[3/(2*b), Subst[Int[1/(q^2 + q*x + x^2), x], x, (c + d*x)^(1/3)],
x] - Dist[3/(2*b*q), Subst[Int[1/(q - x), x], x, (c + d*x)^(1/3)], x]]) /;
FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt[3]{a + b \tan(c + dx)}} dx = \frac{1}{2}(A - iB) \int \frac{1 + i \tan(c + dx)}{\sqrt[3]{a + b \tan(c + dx)}} dx + \frac{1}{2}(A + iB) \int \frac{1 - i \tan(c + dx)}{\sqrt[3]{a + b \tan(c + dx)}} dx$$

$$= -\frac{(iA - B) \text{Subst}\left(\int \frac{1}{(-1+x)\sqrt[3]{a+ibx}} dx, x, -i \tan(c + dx)\right)}{2d} + \frac{(iA + B) \text{Subst}\left(\int \frac{1}{(-1+x)\sqrt[3]{a-ibx}} dx, x, i \tan(c + dx)\right)}{2d}$$

$$= -\frac{(A - iB)x}{4\sqrt[3]{a - ib}} - \frac{(A + iB)x}{4\sqrt[3]{a + ib}} - \frac{(iA - B) \log(\cos(c + dx))}{4\sqrt[3]{a + ibd}} + \frac{(iA + B) \log(\cos(c + dx))}{4\sqrt[3]{a - ibd}} - \frac{3(iA - B) \tan^{-1}\left(\frac{1 + 2\sqrt[3]{a + b \tan(c + dx)}}{\sqrt[3]{a - ib}}\right)}{2\sqrt[3]{a - ibd}}$$

$$= -\frac{(A - iB)x}{4\sqrt[3]{a - ib}} - \frac{(A + iB)x}{4\sqrt[3]{a + ib}} - \frac{(iA - B) \log(\cos(c + dx))}{4\sqrt[3]{a + ibd}} + \frac{(iA + B) \log(\cos(c + dx))}{4\sqrt[3]{a - ibd}} + \frac{3(iA + B) \tan^{-1}\left(\frac{1 + 2\sqrt[3]{a + b \tan(c + dx)}}{\sqrt[3]{a - ib}}\right)}{2\sqrt[3]{a - ibd}} - \frac{3(iA - B) \tan^{-1}\left(\frac{1 + 2\sqrt[3]{a + b \tan(c + dx)}}{\sqrt[3]{a + ib}}\right)}{2\sqrt[3]{a + ibd}}$$

Mathematica [A] time = 0.433142, size = 227, normalized size = 0.64

$$i \left(\frac{(A-iB) \left(2\sqrt{3} \tan^{-1} \left(\frac{1 + 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}} \right) + 3 \log \left(-\sqrt[3]{a+b \tan(c+dx)} + \sqrt[3]{a-ib} \right) - \log(\tan(c+dx)+i) \right)}{\sqrt[3]{a-ib}} - \frac{(A+iB) \left(2\sqrt{3} \tan^{-1} \left(\frac{1 + 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}} \right) + 3 \log \left(-\sqrt[3]{a+b \tan(c+dx)} + \sqrt[3]{a+ib} \right) - \log(\tan(c+dx)-i) \right)}{\sqrt[3]{a+ib}} \right) / 4d$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(1/3), x]

[Out] $\frac{((I/4)*((A - I*B)*(2*\text{Sqrt}[3]*\text{ArcTan}[(1 + (2*(a + b*\text{Tan}[c + d*x])^{1/3}))/ (a - I*b)^{1/3}))/\text{Sqrt}[3]] - \text{Log}[I + \text{Tan}[c + d*x]] + 3*\text{Log}[(a - I*b)^{1/3} - (a + b*\text{Tan}[c + d*x])^{1/3}]))/(a - I*b)^{1/3} - ((A + I*B)*(2*\text{Sqrt}[3]*\text{ArcTan}[(1 + (2*(a + b*\text{Tan}[c + d*x])^{1/3}))/ (a + I*b)^{1/3}))/\text{Sqrt}[3]] - \text{Log}[I - \text{Tan}[c + d*x]] + 3*\text{Log}[(a + I*b)^{1/3} - (a + b*\text{Tan}[c + d*x])^{1/3}]))/(a + I*b)^{1/3}}{d}$

Maple [C] time = 0.075, size = 72, normalized size = 0.2

$$\frac{1}{2d} \sum_{_R=\text{RootOf}(_Z^6-2_Z^3a+a^2+b^2)} \frac{B_R^4 + (Ab - aB)_R}{_R^5 - _R^2a} \ln(\sqrt[3]{a + b \tan(dx + c)} - _R)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/3), x)

[Out] $\frac{1}{2d} \sum_{_R=\text{RootOf}(_Z^6-2_Z^3a+a^2+b^2)} (B_R^4 + (A*b - B*a)*_R) / (_R^5 - _R^2*a) * \ln((a + b*\text{tan}(d*x + c))^{1/3} - _R)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/3), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)/(b*tan(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/3), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt[3]{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/3),x)

[Out] Integral((A + B*tan(c + d*x))/(a + b*tan(c + d*x))**(1/3), x)

Giac [B] time = 10.1553, size = 752, normalized size = 2.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/3),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*(I*\sqrt{3} + 1)*(-I*A^3 + 3*A^2*B - 3*I*A*B^2 - B^3)/(a*d^3 - I*b*d^3) \\ &)^{1/3}*\log(-a*(\sqrt{3} + I) + b*(I*\sqrt{3} - 1) + 2*(I*a^2 + 2*a*b - I*b^2)^{1/3}*(b*\tan(d*x + c) + a)^{1/3}) \\ & - 1/4*(I*\sqrt{3} + 1)*((I*A^3 - 3*A^2*B - 3*I*A*B^2 + B^3)/(a*d^3 + I*b*d^3))^{1/3}*\log(-a*(\sqrt{3} + I) + b*(-I*\sqrt{3} + 1) + 2*(I*a^2 - 2*a*b - I*b^2)^{1/3}*(b*\tan(d*x + c) + a)^{1/3}) \\ & - 1/4*(-I*\sqrt{3} + 1)*((I*A^3 - 3*A^2*B - 3*I*A*B^2 + B^3)/(a*d^3 + I*b*d^3))^{1/3}*\log(a*(\sqrt{3} - I) + b*(I*\sqrt{3} + 1) + 2*(I*a^2 - 2*a*b - I*b^2)^{1/3}*(b*\tan(d*x + c) + a)^{1/3}) \\ & - 1/4*(-I*\sqrt{3} + 1)*(-I*A^3 + 3*A^2*B - 3*I*A*B^2 - B^3)/(a*d^3 - I*b*d^3))^{1/3}*\log(a*(\sqrt{3} - I) + b*(-I*\sqrt{3} - 1) + 2*(I*a^2 + 2*a*b - I*b^2)^{1/3}*(b*\tan(d*x + c) + a)^{1/3}) \\ & + 1/2*(-I*A^3 + 3*A^2*B - 3*I*A*B^2 - B^3)/(a*d^3 - I*b*d^3))^{1/3}*\log(I*a*d + b*d + (I*a^2 + 2*a*b - I*b^2)^{1/3}*(b*\tan(d*x + c) + a)^{1/3}*d) + \\ & 1/2*((I*A^3 - 3*A^2*B - 3*I*A*B^2 + B^3)/(a*d^3 + I*b*d^3))^{1/3}*\log(I*a*d - b*d + (I*a^2 - 2*a*b - I*b^2)^{1/3}*(b*\tan(d*x + c) + a)^{1/3}*d) \end{aligned}$$

$$3.476 \quad \int \frac{A+B \tan(c+dx)}{(a+b \tan(c+dx))^{2/3}} dx$$

Optimal. Leaf size=357

$$\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d(a-ib)^{2/3}} + \frac{\sqrt{3}(-B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d(a+ib)^{2/3}} + \frac{3(B+iA) \log\left(-\sqrt[3]{a+b \tan(c+dx)}\right)}{4d(a-ib)^{2/3}}$$

[Out] $-\frac{(A-I*B)*x}{4*(a-I*b)^{(2/3)}} - \frac{(A+I*B)*x}{4*(a+I*b)^{(2/3)}} - \left(\frac{\text{Sqrt}[3]*(I*A+B)*\text{ArcTan}\left[\frac{1+(2*(a+b*\text{Tan}[c+d*x])^{(1/3)})}{(a-I*b)^{(1/3)}}\right]}{\text{Sqrt}[3]}\right)/(2*(a-I*b)^{(2/3)*d} + \left(\frac{\text{Sqrt}[3]*(I*A-B)*\text{ArcTan}\left[\frac{1+(2*(a+b*\text{Tan}[c+d*x])^{(1/3)})}{(a+I*b)^{(1/3)}}\right]}{\text{Sqrt}[3]}\right)/(2*(a+I*b)^{(2/3)*d} - \left(\frac{(I*A-B)*\text{Log}[\text{Cos}[c+d*x]]}{4*(a+I*b)^{(2/3)*d} + \frac{(I*A+B)*\text{Log}[\text{Cos}[c+d*x]]}{4*(a-I*b)^{(2/3)*d} + \frac{3*(I*A+B)*\text{Log}[(a-I*b)^{(1/3)} - (a+b*\text{Tan}[c+d*x])^{(1/3)}]}{4*(a-I*b)^{(2/3)*d} - \frac{3*(I*A-B)*\text{Log}[(a+I*b)^{(1/3)} - (a+b*\text{Tan}[c+d*x])^{(1/3)}]}{4*(a+I*b)^{(2/3)*d}}$

Rubi [A] time = 0.283826, antiderivative size = 357, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {3539, 3537, 57, 617, 204, 31}

$$\frac{\sqrt{3}(B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}}{\sqrt{3}}\right)}{2d(a-ib)^{2/3}} + \frac{\sqrt{3}(-B+iA) \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}}}{\sqrt{3}}\right)}{2d(a+ib)^{2/3}} + \frac{3(B+iA) \log\left(-\sqrt[3]{a+b \tan(c+dx)}\right)}{4d(a-ib)^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A+B*\text{Tan}[c+d*x])/(a+b*\text{Tan}[c+d*x])^{(2/3)}, x]$

[Out] $-\frac{(A-I*B)*x}{4*(a-I*b)^{(2/3)}} - \frac{(A+I*B)*x}{4*(a+I*b)^{(2/3)}} - \left(\frac{\text{Sqrt}[3]*(I*A+B)*\text{ArcTan}\left[\frac{1+(2*(a+b*\text{Tan}[c+d*x])^{(1/3)})}{(a-I*b)^{(1/3)}}\right]}{\text{Sqrt}[3]}\right)/(2*(a-I*b)^{(2/3)*d} + \left(\frac{\text{Sqrt}[3]*(I*A-B)*\text{ArcTan}\left[\frac{1+(2*(a+b*\text{Tan}[c+d*x])^{(1/3)})}{(a+I*b)^{(1/3)}}\right]}{\text{Sqrt}[3]}\right)/(2*(a+I*b)^{(2/3)*d} - \left(\frac{(I*A-B)*\text{Log}[\text{Cos}[c+d*x]]}{4*(a+I*b)^{(2/3)*d} + \frac{(I*A+B)*\text{Log}[\text{Cos}[c+d*x]]}{4*(a-I*b)^{(2/3)*d} + \frac{3*(I*A+B)*\text{Log}[(a-I*b)^{(1/3)} - (a+b*\text{Tan}[c+d*x])^{(1/3)}]}{4*(a-I*b)^{(2/3)*d} - \frac{3*(I*A-B)*\text{Log}[(a+I*b)^{(1/3)} - (a+b*\text{Tan}[c+d*x])^{(1/3)}]}{4*(a+I*b)^{(2/3)*d}}$

Rule 3539

$\text{Int}[(a_.* + (b_.*\text{tan}[(e_.) + (f_.)*(x_)]))^{(m_*)}*((c_.) + (d_.*\text{tan}[(e_.) + (f_.)*(x_)]))], x_Symbol] \rightarrow \text{Dist}[(c + I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^{(1 - I*\text{Tan}[e + f*x])}], x], x] + \text{Dist}[(c - I*d)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^{(1 + I*\text{Tan}[e + f*x])}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{!IntegerQ}[m]$

Rule 3537

$\text{Int}[(a_.* + (b_.*\text{tan}[(e_.) + (f_.)*(x_)]))^{(m_*)}*((c_.) + (d_.*\text{tan}[(e_.) + (f_.)*(x_)]))], x_Symbol] \rightarrow \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x)], x], x, d*\text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 57

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))^(2/3)), x_Symbol] := With[
{q = Rt[(b*c - a*d)/b, 3]}, -Simp[Log[RemoveContent[a + b*x, x]]/(2*b*q^2),
x] + (-Dist[3/(2*b*q), Subst[Int[1/(q^2 + q*x + x^2), x], x, (c + d*x)^(1/3)], x] - Dist[3/(2*b*q^2), Subst[Int[1/(q - x), x], x, (c + d*x)^(1/3)], x
]]) /; FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^{2/3}} dx = \frac{1}{2}(A - iB) \int \frac{1 + i \tan(c + dx)}{(a + b \tan(c + dx))^{2/3}} dx + \frac{1}{2}(A + iB) \int \frac{1 - i \tan(c + dx)}{(a + b \tan(c + dx))^{2/3}} dx$$

$$= -\frac{(iA - B) \text{Subst}\left(\int \frac{1}{(-1+x)(a+ibx)^{2/3}} dx, x, -i \tan(c + dx)\right)}{2d} + \frac{(iA + B) \text{Subst}\left(\int \frac{1}{(-1+x)(a-ibx)^{2/3}} dx, x, i \tan(c + dx)\right)}{2d}$$

$$= -\frac{(A - iB)x}{4(a - ib)^{2/3}} - \frac{(A + iB)x}{4(a + ib)^{2/3}} - \frac{(iA - B) \log(\cos(c + dx))}{4(a + ib)^{2/3}d} + \frac{(iA + B) \log(\cos(c + dx))}{4(a - ib)^{2/3}d} + \frac{3(iA - B) \tan^{-1}\left(\frac{1 + 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}\right)}{4(a - ib)^{2/3}} - \frac{3(iA + B) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}}\right)}{4(a + ib)^{2/3}}$$

$$= -\frac{(A - iB)x}{4(a - ib)^{2/3}} - \frac{(A + iB)x}{4(a + ib)^{2/3}} - \frac{\sqrt{3}(iA + B) \tan^{-1}\left(\frac{1 + 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}}\right)}{2(a - ib)^{2/3}d} + \frac{\sqrt{3}(iA - B) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}}\right)}{2(a + ib)^{2/3}d}$$

Mathematica [A] time = 0.241855, size = 305, normalized size = 0.85

$$i \frac{\left((A+iB) \left(2\sqrt{3} \tan^{-1} \left(\frac{1 + 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a+ib}} \right) - 2 \log \left(-\sqrt[3]{a+b \tan(c+dx)} + \sqrt[3]{a+ib} \right) + \log \left(\sqrt[3]{a+ib} \sqrt[3]{a+b \tan(c+dx)} + (a+b \tan(c+dx))^{2/3} + (a+ib)^{2/3} \right) \right)}{(a+ib)^{2/3}} - \frac{(A-iB) \left(2\sqrt{3} \tan^{-1} \left(\frac{1 - 2\sqrt[3]{a+b \tan(c+dx)}}{\sqrt[3]{a-ib}} \right) - 2 \log \left(\sqrt[3]{a-ib} \sqrt[3]{a+b \tan(c+dx)} + (a+b \tan(c+dx))^{2/3} + (a-ib)^{2/3} \right) \right)}{(a-ib)^{2/3}} \right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(a + b*Tan[c + d*x])^(2/3), x]
```

```
[Out] ((I/4)*(-(((A - I*B)*(2*Sqrt[3]*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a - I*b)^(1/3))/Sqrt[3]] - 2*Log[(a - I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3)] + Log[(a - I*b)^(2/3) + (a - I*b)^(1/3)*(a + b*Tan[c + d*x])^(1/3) + (a + b*Tan[c + d*x])^(2/3)])))/(a - I*b)^(2/3)) + ((A + I*B)*(2*Sqrt[3]*ArcTan[(1 + (2*(a + b*Tan[c + d*x])^(1/3)))/(a + I*b)^(1/3))/Sqrt[3]] - 2*Log[(a + I*b)^(1/3) - (a + b*Tan[c + d*x])^(1/3)] + Log[(a + I*b)^(2/3) + (a + I*b)^(1/3)*(a + b*Tan[c + d*x])^(1/3) + (a + b*Tan[c + d*x])^(2/3)])))/(a + I*b)^(2/3))/d
```

Maple [C] time = 0.083, size = 69, normalized size = 0.2

$$\frac{1}{2d} \sum_{_R=\text{RootOf}(_Z^6-2_Z^3a+a^2+b^2)} \frac{B_R^3 + Ab - aB}{_R^5 - _R^2a} \ln\left(\sqrt[3]{a + b \tan(dx + c)} - _R\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(2/3), x)
```

```
[Out] 1/2/d*sum((B*_R^3+A*b-B*a)/(_R^5-_R^2*a)*ln((a+b*tan(d*x+c))^(1/3)-_R), _R=RootOf(_Z^6-2*_Z^3*a+a^2+b^2))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(2/3), x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)/(b*tan(d*x + c) + a)^(2/3), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(2/3), x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(2/3),x)

[Out] Integral((A + B*tan(c + d*x))/(a + b*tan(c + d*x))**(2/3), x)

Giac [A] time = 21.3712, size = 215, normalized size = 0.6

$$\left(\frac{iA^3 - 3A^2B - 3iAB^2 + B^3}{8a^2d^3 + 16iabd^3 - 8b^2d^3}\right)^{\frac{1}{3}} \log\left((b \tan(dx + c) + a)^{\frac{1}{3}}d - i(i a - b)^{\frac{1}{3}}d\right) + \left(\frac{-iA^3 - 3A^2B + 3iAB^2 + B^3}{8a^2d^3 - 16iabd^3 - 8b^2d^3}\right)^{\frac{1}{3}} \log\left((b \tan(dx + c) + a)^{\frac{1}{3}}d + i(i a - b)^{\frac{1}{3}}d\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(2/3),x, algorithm="giac")

[Out] ((I*A^3 - 3*A^2*B - 3*I*A*B^2 + B^3)/(8*a^2*d^3 + 16*I*a*b*d^3 - 8*b^2*d^3))^(1/3)*log((b*tan(d*x + c) + a)^(1/3)*d - I*(I*a - b)^(1/3)*d) + ((-I*A^3 - 3*A^2*B + 3*I*A*B^2 + B^3)/(8*a^2*d^3 - 16*I*a*b*d^3 - 8*b^2*d^3))^(1/3)*log((b*tan(d*x + c) + a)^(1/3)*d + I*(-I*a - b)^(1/3)*d)

$$3.477 \quad \int \frac{i - \tan(e+fx)}{\sqrt[3]{c+d \tan(e+fx)}} dx$$

Optimal. Leaf size=148

$$\frac{\sqrt{3} \tan^{-1} \left(\frac{1 + \frac{2 \sqrt[3]{c+d \tan(e+fx)}}{\sqrt[3]{c-id}}}{\sqrt{3}} \right)}{f \sqrt[3]{c-id}} - \frac{3 \log(-\sqrt[3]{c+d \tan(e+fx)} + \sqrt[3]{c-id})}{2f \sqrt[3]{c-id}} - \frac{\log(\cos(e+fx))}{2f \sqrt[3]{c-id}} - \frac{ix}{2 \sqrt[3]{c-id}}$$

[Out] $((-I/2)*x)/(c - I*d)^{(1/3)} - (\text{Sqrt}[3]*\text{ArcTan}[(1 + (2*(c + d*\text{Tan}[e + f*x]))^{(1/3)})/(c - I*d)^{(1/3)})]/\text{Sqrt}[3])/((c - I*d)^{(1/3)}*f) - \text{Log}[\text{Cos}[e + f*x]]/(2*(c - I*d)^{(1/3)}*f) - (3*\text{Log}[(c - I*d)^{(1/3)} - (c + d*\text{Tan}[e + f*x])^{(1/3)}])/(2*(c - I*d)^{(1/3)}*f)$

Rubi [A] time = 0.125532, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3537, 55, 617, 204, 31}

$$\frac{\sqrt{3} \tan^{-1} \left(\frac{1 + \frac{2 \sqrt[3]{c+d \tan(e+fx)}}{\sqrt[3]{c-id}}}{\sqrt{3}} \right)}{f \sqrt[3]{c-id}} - \frac{3 \log(-\sqrt[3]{c+d \tan(e+fx)} + \sqrt[3]{c-id})}{2f \sqrt[3]{c-id}} - \frac{\log(\cos(e+fx))}{2f \sqrt[3]{c-id}} - \frac{ix}{2 \sqrt[3]{c-id}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(I - \text{Tan}[e + f*x])/(c + d*\text{Tan}[e + f*x])^{(1/3)}, x]$

[Out] $((-I/2)*x)/(c - I*d)^{(1/3)} - (\text{Sqrt}[3]*\text{ArcTan}[(1 + (2*(c + d*\text{Tan}[e + f*x]))^{(1/3)})/(c - I*d)^{(1/3)})]/\text{Sqrt}[3])/((c - I*d)^{(1/3)}*f) - \text{Log}[\text{Cos}[e + f*x]]/(2*(c - I*d)^{(1/3)}*f) - (3*\text{Log}[(c - I*d)^{(1/3)} - (c + d*\text{Tan}[e + f*x])^{(1/3)}])/(2*(c - I*d)^{(1/3)}*f)$

Rule 3537

$\text{Int}[(a + (b*\text{tan}[(e + (f*x)]))^{(m)}*((c + (d*\text{tan}[(e + (f*x)])) + (f*x)]), x_Symbol] :> \text{Dist}[(c*d)/f, \text{Subst}[\text{Int}[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*\text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 55

$\text{Int}[1/((a + (b*x))*(c + (d*x))^{(1/3)}), x_Symbol] :> \text{With}[\{q = \text{Rt}[(b*c - a*d)/b, 3]\}, -\text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/(2*b*q), x] + (\text{Dist}[3/(2*b), \text{Subst}[\text{Int}[1/(q^2 + q*x + x^2), x], x, (c + d*x)^{(1/3)}], x] - \text{Dist}[3/(2*b*q), \text{Subst}[\text{Int}[1/(q - x), x], x, (c + d*x)^{(1/3)}], x])] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{PosQ}[(b*c - a*d)/b]$

Rule 617

$\text{Int}[(a + (b*x) + (c*x^2))^{(-1)}, x_Symbol] :> \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{i - \tan(e + fx)}{\sqrt[3]{c + d \tan(e + fx)}} dx = -\frac{i \operatorname{Subst}\left(\int \frac{1}{(1+ix)\sqrt[3]{c-dx}} dx, x, -\tan(e + fx)\right)}{f}$$

$$= -\frac{ix}{2\sqrt[3]{c-id}} - \frac{\log(\cos(e + fx))}{2\sqrt[3]{c-id}f} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{(c-id)^{2/3} + \sqrt[3]{c-id}x^2} dx, x, \sqrt[3]{c + d \tan(e + fx)}\right)}{2f} + \dots$$

$$= -\frac{ix}{2\sqrt[3]{c-id}} - \frac{\log(\cos(e + fx))}{2\sqrt[3]{c-id}f} - \frac{3 \log(\sqrt[3]{c-id} - \sqrt[3]{c + d \tan(e + fx)})}{2\sqrt[3]{c-id}f} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, \sqrt[3]{c + d \tan(e + fx)}\right)}{\sqrt[3]{c-id}f}$$

$$= -\frac{ix}{2\sqrt[3]{c-id}} - \frac{\sqrt{3} \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{c+d \tan(e+fx)}}{\sqrt[3]{c-id}}}{\sqrt{3}}\right)}{\sqrt[3]{c-id}f} - \frac{\log(\cos(e + fx))}{2\sqrt[3]{c-id}f} - \frac{3 \log(\sqrt[3]{c-id} - \sqrt[3]{c + d \tan(e + fx)})}{2\sqrt[3]{c-id}f}$$

Mathematica [C] time = 1.72742, size = 109, normalized size = 0.74

$$\frac{3 \left(c - \frac{id(-1 + e^{2i(e+fx)})}{1 + e^{2i(e+fx)}} \right)^{2/3} \operatorname{Hypergeometric2F1}\left(\frac{2}{3}, 1, \frac{5}{3}, \frac{ic + \frac{d(-1 + e^{2i(e+fx)})}{1 + e^{2i(e+fx)}}}{d + ic} \right)}{2f(c - id)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(I - Tan[e + f*x])/(c + d*Tan[e + f*x])^(1/3), x]
```

```
[Out] (3*(c - (I*d*(-1 + E^((2*I)*(e + f*x))))/(1 + E^((2*I)*(e + f*x))))^(2/3)*Hypergeometric2F1[2/3, 1, 5/3, (I*c + (d*(-1 + E^((2*I)*(e + f*x))))/(1 + E^((2*I)*(e + f*x))))/(I*c + d)]/(2*(c - I*d)*f)
```

Maple [C] time = 0.086, size = 42, normalized size = 0.3

$$-\frac{1}{f} \sum_{_R=\operatorname{RootOf}(_Z^3+id-c)} \frac{1}{_R} \ln\left(\sqrt[3]{c + d \tan(fx + e)} - _R\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-tan(f*x+e)+I)/(c+d*tan(f*x+e))^(1/3), x)
```

```
[Out] -1/f*sum(1/_R*ln((c+d*tan(f*x+e))^(1/3)-_R), _R=RootOf(_Z^3+I*d-c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{\tan(fx + e) - i}{(d \tan(fx + e) + c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-tan(f*x+e)+I)/(c+d*tan(f*x+e))^(1/3),x, algorithm="maxima")

[Out] -integrate((tan(f*x + e) - I)/(d*tan(f*x + e) + c)^(1/3), x)

Fricas [B] time = 2.18713, size = 757, normalized size = 5.11

$$\frac{1}{2}(i\sqrt{3}-1)\left(-\frac{i}{(ic+d)f^3}\right)^{\frac{1}{3}}\log\left(\frac{1}{2}(\sqrt{3}(ic+d)f^2+(c-id)f^2)\left(-\frac{i}{(ic+d)f^3}\right)^{\frac{2}{3}}+\left(\frac{(c-id)e^{(2ifx+2ie)}+c+id}{e^{(2ifx+2ie)}+1}\right)^{\frac{1}{3}}\right)+$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-tan(f*x+e)+I)/(c+d*tan(f*x+e))^(1/3),x, algorithm="fricas")

[Out] 1/2*(I*sqrt(3) - 1)*(-I/((I*c + d)*f^3))^(1/3)*log(1/2*(sqrt(3)*(I*c + d)*f^2 + (c - I*d)*f^2)*(-I/((I*c + d)*f^3))^(2/3) + (((c - I*d)*e^(2*I*f*x + 2*I*e) + c + I*d)/(e^(2*I*f*x + 2*I*e) + 1))^(1/3)) + 1/2*(-I*sqrt(3) - 1)*(-I/((I*c + d)*f^3))^(1/3)*log(1/2*(sqrt(3)*(-I*c - d)*f^2 + (c - I*d)*f^2)*(-I/((I*c + d)*f^3))^(2/3) + (((c - I*d)*e^(2*I*f*x + 2*I*e) + c + I*d)/(e^(2*I*f*x + 2*I*e) + 1))^(1/3)) + (-I/((I*c + d)*f^3))^(1/3)*log(-(c - I*d)*f^2*(-I/((I*c + d)*f^3))^(2/3) + (((c - I*d)*e^(2*I*f*x + 2*I*e) + c + I*d)/(e^(2*I*f*x + 2*I*e) + 1))^(1/3))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{-\tan(e + fx) + i}{\sqrt[3]{c + d \tan(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((I-tan(f*x+e))/(c+d*tan(f*x+e))**(1/3),x)

[Out] Integral((-tan(e + f*x) + I)/(c + d*tan(e + f*x))**(1/3), x)

Giac [B] time = 1.57748, size = 1229, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-tan(f*x+e)+I)/(c+d*tan(f*x+e))^(1/3),x, algorithm="giac")

```
[Out] -(c - I*d)^(2/3)*log((d*tan(f*x + e) + c)^(1/3) - (c - I*d)^(1/3))/(c*f - I
*d*f) - (sqrt(3)*(c^2 + d^2)^(1/3)*c*cos(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(
d) - 1/3*arctan(d/c))^2 - sqrt(3)*(c^2 + d^2)^(1/3)*c*sin(1/6*pi*sgn(c)*sgn
(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2 + 2*(c^2 + d^2)^(1/3)*c*cos(1/6*pi
*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))*sin(1/6*pi*sgn(c)*sgn(d)
- 1/6*pi*sgn(d) - 1/3*arctan(d/c))*arctan(1/3*sqrt(3)*(2*(d*tan(f*x + e) +
c)^(1/3) + (c - I*d)^(1/3))/(c - I*d)^(1/3))/((c^2 + d^2)*f) - I*(sqrt(3)*
(c^2 + d^2)^(1/3)*d*cos(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d
/c))^2 - sqrt(3)*(c^2 + d^2)^(1/3)*d*sin(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(
d) - 1/3*arctan(d/c))^2 + 2*(c^2 + d^2)^(1/3)*d*cos(1/6*pi*sgn(c)*sgn(d) -
1/6*pi*sgn(d) - 1/3*arctan(d/c))*sin(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) -
1/3*arctan(d/c))*arctan(1/3*sqrt(3)*(2*(d*tan(f*x + e) + c)^(1/3) + (c -
I*d)^(1/3))/(c - I*d)^(1/3))/((c^2 + d^2)*f) - 1/2*(2*sqrt(3)*(c^2 + d^2)^(
1/3)*c*cos(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))*sin(1/6*
pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c)) - (c^2 + d^2)^(1/3)*c*c
os(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2 + (c^2 + d^2)^(
1/3)*c*sin(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2*log(
(c^2 + d^2)^(1/3)*cos(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c
))^2 + (c^2 + d^2)^(1/3)*sin(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arc
tan(d/c))^2 + (d*tan(f*x + e) + c)^(2/3) + (d*tan(f*x + e) + c)^(1/3)*(c -
I*d)^(1/3))/((c^2 + d^2)*f) - 1/2*I*(2*sqrt(3)*(c^2 + d^2)^(1/3)*d*cos(1/6*
pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))*sin(1/6*pi*sgn(c)*sgn(d
) - 1/6*pi*sgn(d) - 1/3*arctan(d/c)) - (c^2 + d^2)^(1/3)*d*cos(1/6*pi*sgn(c
)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2 + (c^2 + d^2)^(1/3)*d*sin(1/6
*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2*log((c^2 + d^2)^(1/
3)*cos(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2 + (c^2 + d
^2)^(1/3)*sin(1/6*pi*sgn(c)*sgn(d) - 1/6*pi*sgn(d) - 1/3*arctan(d/c))^2 + (
d*tan(f*x + e) + c)^(2/3) + (d*tan(f*x + e) + c)^(1/3)*(c - I*d)^(1/3))/((c
^2 + d^2)*f)
```

$$3.478 \quad \int \frac{d - c \tan(e + fx)}{(c + d \tan(e + fx))^{2/3}} dx$$

Optimal. Leaf size=299

$$\frac{\sqrt{3} \sqrt[3]{c - id} \tan^{-1} \left(\frac{1 + \frac{2 \sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c - id}}}{\sqrt{3}} \right)}{2f} + \frac{\sqrt{3} \sqrt[3]{c + id} \tan^{-1} \left(\frac{1 + \frac{2 \sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c + id}}}{\sqrt{3}} \right)}{2f} - \frac{3 \sqrt[3]{c - id} \log \left(-\sqrt[3]{c + d \tan(e + fx)} + \sqrt[3]{c - id} \right)}{4f}$$

```
[Out] (-I/4)*(c - I*d)^(1/3)*x + (I/4)*(c + I*d)^(1/3)*x + (Sqrt[3]*(c - I*d)^(1/3)*ArcTan[(1 + (2*(c + d*Tan[e + f*x])^(1/3))/(c - I*d)^(1/3))/Sqrt[3]])/(2*f) + (Sqrt[3]*(c + I*d)^(1/3)*ArcTan[(1 + (2*(c + d*Tan[e + f*x])^(1/3))/(c + I*d)^(1/3))/Sqrt[3]])/(2*f) - ((c - I*d)^(1/3)*Log[Cos[e + f*x]])/(4*f) - ((c + I*d)^(1/3)*Log[Cos[e + f*x]])/(4*f) - (3*(c - I*d)^(1/3)*Log[(c - I*d)^(1/3) - (c + d*Tan[e + f*x])^(1/3)])/(4*f) - (3*(c + I*d)^(1/3)*Log[(c + I*d)^(1/3) - (c + d*Tan[e + f*x])^(1/3)])/(4*f)
```

Rubi [A] time = 0.344992, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {3539, 3537, 57, 617, 204, 31}

$$\frac{\sqrt{3} \sqrt[3]{c - id} \tan^{-1} \left(\frac{1 + \frac{2 \sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c - id}}}{\sqrt{3}} \right)}{2f} + \frac{\sqrt{3} \sqrt[3]{c + id} \tan^{-1} \left(\frac{1 + \frac{2 \sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c + id}}}{\sqrt{3}} \right)}{2f} - \frac{3 \sqrt[3]{c - id} \log \left(-\sqrt[3]{c + d \tan(e + fx)} + \sqrt[3]{c - id} \right)}{4f}$$

Antiderivative was successfully verified.

```
[In] Int[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x])^(2/3), x]
```

```
[Out] (-I/4)*(c - I*d)^(1/3)*x + (I/4)*(c + I*d)^(1/3)*x + (Sqrt[3]*(c - I*d)^(1/3)*ArcTan[(1 + (2*(c + d*Tan[e + f*x])^(1/3))/(c - I*d)^(1/3))/Sqrt[3]])/(2*f) + (Sqrt[3]*(c + I*d)^(1/3)*ArcTan[(1 + (2*(c + d*Tan[e + f*x])^(1/3))/(c + I*d)^(1/3))/Sqrt[3]])/(2*f) - ((c - I*d)^(1/3)*Log[Cos[e + f*x]])/(4*f) - ((c + I*d)^(1/3)*Log[Cos[e + f*x]])/(4*f) - (3*(c - I*d)^(1/3)*Log[(c - I*d)^(1/3) - (c + d*Tan[e + f*x])^(1/3)])/(4*f) - (3*(c + I*d)^(1/3)*Log[(c + I*d)^(1/3) - (c + d*Tan[e + f*x])^(1/3)])/(4*f)
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 57

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))^(2/3)), x_Symbol] := With[
{q = Rt[(b*c - a*d)/b, 3]}, -Simp[Log[RemoveContent[a + b*x, x]]/(2*b*q^2),
x] + (-Dist[3/(2*b*q), Subst[Int[1/(q^2 + q*x + x^2), x], x, (c + d*x)^(1/3)], x] - Dist[3/(2*b*q^2), Subst[Int[1/(q - x), x], x, (c + d*x)^(1/3)], x
]]) /; FreeQ[{a, b, c, d}, x] && PosQ[(b*c - a*d)/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(1/3), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{d - c \tan(e + fx)}{(c + d \tan(e + fx))^{2/3}} dx &= \frac{1}{2}(-ic + d) \int \frac{1 - i \tan(e + fx)}{(c + d \tan(e + fx))^{2/3}} dx + \frac{1}{2}(ic + d) \int \frac{1 + i \tan(e + fx)}{(c + d \tan(e + fx))^{2/3}} dx \\ &= -\frac{(c - id) \operatorname{Subst}\left(\int \frac{1}{(-1+x)(c-idx)^{2/3}} dx, x, i \tan(e + fx)\right)}{2f} - \frac{(c + id) \operatorname{Subst}\left(\int \frac{1}{(-1+x)(c+idx)^{2/3}} dx, x, i \tan(e + fx)\right)}{2f} \\ &= -\frac{1}{4}i\sqrt[3]{c - id} + \frac{1}{4}i\sqrt[3]{c + id} - \frac{\sqrt[3]{c - id} \log(\cos(e + fx))}{4f} - \frac{\sqrt[3]{c + id} \log(\cos(e + fx))}{4f} + \frac{(3\sqrt[3]{c - id}) \tan^{-1}\left(\frac{1 + 2\sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c - id}}\right)}{2f} \\ &= -\frac{1}{4}i\sqrt[3]{c - id} + \frac{1}{4}i\sqrt[3]{c + id} - \frac{\sqrt[3]{c - id} \log(\cos(e + fx))}{4f} - \frac{\sqrt[3]{c + id} \log(\cos(e + fx))}{4f} - \frac{3\sqrt[3]{c - id}}{2f} \\ &= -\frac{1}{4}i\sqrt[3]{c - id} + \frac{1}{4}i\sqrt[3]{c + id} + \frac{\sqrt{3}\sqrt[3]{c - id} \tan^{-1}\left(\frac{1 + 2\sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c - id}}\right)}{2f} + \frac{\sqrt{3}\sqrt[3]{c + id} \tan^{-1}\left(\frac{1 + 2\sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c + id}}\right)}{2f} \end{aligned}$$

Mathematica [A] time = 0.432997, size = 330, normalized size = 1.1

$$2\sqrt{3}\sqrt[3]{c - id} \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c - id}}}{\sqrt{3}}\right) + 2\sqrt{3}\sqrt[3]{c + id} \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{c + d \tan(e + fx)}}{\sqrt[3]{c + id}}}{\sqrt{3}}\right) - 2\sqrt[3]{c - id} \log(-\sqrt[3]{c + d \tan(e + fx)} + \sqrt[3]{c - id})$$

Antiderivative was successfully verified.

```
[In] Integrate[(d - c*Tan[e + f*x])/(c + d*Tan[e + f*x])^(2/3), x]
```

```
[Out] (2*Sqrt[3]*(c - I*d)^(1/3)*ArcTan[(1 + (2*(c + d*Tan[e + f*x])^(1/3))/(c - I*d)^(1/3))/Sqrt[3]] + 2*Sqrt[3]*(c + I*d)^(1/3)*ArcTan[(1 + (2*(c + d*Tan[e + f*x])^(1/3))/(c + I*d)^(1/3))/Sqrt[3]])/3
```

$$\frac{e + f*x)^{(1/3)}}{(c + I*d)^{(1/3)}/\text{Sqrt}[3]} - 2*(c - I*d)^{(1/3)}*\text{Log}[(c - I*d)^{(1/3)} - (c + d*\text{Tan}[e + f*x])^{(1/3)}] - 2*(c + I*d)^{(1/3)}*\text{Log}[(c + I*d)^{(1/3)} - (c + d*\text{Tan}[e + f*x])^{(1/3)}] + (c - I*d)^{(1/3)}*\text{Log}[(c - I*d)^{(2/3)} + (c - I*d)^{(1/3)}*(c + d*\text{Tan}[e + f*x])^{(1/3)} + (c + d*\text{Tan}[e + f*x])^{(2/3)}] + (c + I*d)^{(1/3)}*\text{Log}[(c + I*d)^{(2/3)} + (c + I*d)^{(1/3)}*(c + d*\text{Tan}[e + f*x])^{(1/3)} + (c + d*\text{Tan}[e + f*x])^{(2/3)}]/(4*f)$$

Maple [C] time = 0.081, size = 72, normalized size = 0.2

$$-\frac{1}{2f} \sum_{_R=\text{RootOf}(_Z^6-2*_Z^3*c+c^2+d^2)} \frac{-R^3*c-c^2-d^2}{-R^5-R^2*c} \ln\left(\sqrt[3]{c+d\tan(fx+e)}-_R\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d-c*tan(f*x+e))/(c+d*tan(f*x+e))^(2/3),x)

[Out] -1/2/f*sum((_R^3*c-c^2-d^2)/(_R^5-_R^2*c)*ln((c+d*tan(f*x+e))^(1/3)-_R),_R=RootOf(_Z^6-2*_Z^3*c+c^2+d^2))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{c \tan(fx + e) - d}{(d \tan(fx + e) + c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d-c*tan(f*x+e))/(c+d*tan(f*x+e))^(2/3),x, algorithm="maxima")

[Out] -integrate((c*tan(f*x + e) - d)/(d*tan(f*x + e) + c)^(2/3), x)

Fricas [B] time = 2.7421, size = 6688, normalized size = 22.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d-c*tan(f*x+e))/(c+d*tan(f*x+e))^(2/3),x, algorithm="fricas")

[Out] 1/2*((c^2 + d^2)/f^6)^(1/6)*cos(2/3*arctan((f^6*sqrt((c^2 + d^2)/f^6) + c*f^3)*sqrt(d^2/f^6)/d^2))*log(2*f*((c*cos(f*x + e) + d*sin(f*x + e))/cos(f*x + e))^(1/3)*((c^2 + d^2)/f^6)^(1/6)*cos(2/3*arctan((f^6*sqrt((c^2 + d^2)/f^6) + c*f^3)*sqrt(d^2/f^6)/d^2)) + f^2*((c^2 + d^2)/f^6)^(1/3) + ((c*cos(f*x + e) + d*sin(f*x + e))/cos(f*x + e))^(2/3)) - 2*((c^2 + d^2)/f^6)^(1/6)*arctan((sqrt(2*f*((c*cos(f*x + e) + d*sin(f*x + e))/cos(f*x + e))^(1/3)*((c^2 + d^2)/f^6)^(1/6)*cos(2/3*arctan((f^6*sqrt((c^2 + d^2)/f^6) + c*f^3)*sqrt(d^2/f^6)/d^2)) + f^2*((c^2 + d^2)/f^6)^(1/3) + ((c*cos(f*x + e) + d*sin(f*x + e))/cos(f*x + e))^(2/3))*f^5*((c^2 + d^2)/f^6)^(5/6) - f^5*((c*cos(f*x + e) + d*sin(f*x + e))/cos(f*x + e))^(1/3)*((c^2 + d^2)/f^6)^(5/6) - (c^2 + d^2)*cos(2/3*arctan((f^6*sqrt((c^2 + d^2)/f^6) + c*f^3)*sqrt(d^2/f^6)/d^2)))/((c^2 + d^2)*sin(2/3*arctan((f^6*sqrt((c^2 + d^2)/f^6) + c*f^3)*sqrt(d^2/f^6)/d^2))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int -\frac{d}{(c+d\tan(e+fx))^{\frac{2}{3}}} dx - \int \frac{c\tan(e+fx)}{(c+d\tan(e+fx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d-c*tan(f*x+e))/(c+d*tan(f*x+e))**(2/3),x)

[Out] -Integral(-d/(c + d*tan(e + f*x))**(2/3), x) - Integral(c*tan(e + f*x)/(c + d*tan(e + f*x))**(2/3), x)

Giac [A] time = 2.59867, size = 390, normalized size = 1.3

$$\frac{1}{4}(i\sqrt{3}+1)\left(\frac{c-id}{f^3}\right)^{\frac{1}{3}}\log\left(-d\tan(fx+e)+c\right)^{\frac{1}{3}}(\sqrt{3}+i)+2(ic+d)^{\frac{1}{3}}+\frac{1}{4}(i\sqrt{3}+1)\left(\frac{c+id}{f^3}\right)^{\frac{1}{3}}\log\left(-d\tan(fx+e)+c\right)^{\frac{1}{3}}(\sqrt{3}-i)+2(ic-d)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d-c*tan(f*x+e))/(c+d*tan(f*x+e))^(2/3),x, algorithm="giac")

[Out] 1/4*(I*sqrt(3) + 1)*((c - I*d)/f^3)^(1/3)*log(-d*tan(f*x + e) + c)^(1/3)*(sqrt(3) + I) + 2*(I*c + d)^(1/3) + 1/4*(I*sqrt(3) + 1)*((c + I*d)/f^3)^(1/3)*log(-d*tan(f*x + e) + c)^(1/3)*(sqrt(3) + I) + 2*(I*c - d)^(1/3) + 1/4*(-I*sqrt(3) + 1)*((c - I*d)/f^3)^(1/3)*log((d*tan(f*x + e) + c)^(1/3)*(sqrt(3) - I) + 2*(I*c + d)^(1/3)) + 1/4*(-I*sqrt(3) + 1)*((c + I*d)/f^3)^(1/3)*log((d*tan(f*x + e) + c)^(1/3)*(sqrt(3) - I) + 2*(I*c - d)^(1/3)) - 1/2*((c - I*d)/f^3)^(1/3)*log(I*(d*tan(f*x + e) + c)^(1/3)*f + (I*c + d)^(1/3)*f) - 1/2*((c + I*d)/f^3)^(1/3)*log(I*(d*tan(f*x + e) + c)^(1/3)*f + (I*c - d)^(1/3)*f)

$$3.479 \quad \int \tan^m(c + dx)(a + b \tan(c + dx))^4(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=403

$$\frac{(-6a^2Ab^2 + a^4A - 4a^3bB + 4ab^3B + Ab^4) \tan^{m+1}(c + dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(4a^3Ab - 6a^2b^2B + a^4B - 4a^3b^2B + a^4B - 4a^3b^2B + a^4B)}{d(m+1)}$$

[Out] $-\left(\left(b(Ab^3(12 + 7m + m^2) + 4ab^2B(12 + 7m + m^2) - 2a^3B(19 + 8m + m^2) - a^2Ab(68 + 37m + 5m^2))\right) \operatorname{Tan}[c + dx]^{(1 + m)} / (d(1 + m)(3 + m)(4 + m)) + \left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B\right) \operatorname{Hypergeometric2F1}\left[1, (1 + m)/2, (3 + m)/2, -\operatorname{Tan}[c + dx]^2\right] \operatorname{Tan}[c + dx]^{(1 + m)} / (d(1 + m)) + (b^2(2aAb(4 + m)^2 - b^2B(12 + 7m + m^2) + a^2B(26 + 9m + m^2)) \operatorname{Tan}[c + dx]^{(2 + m)} / (d(2 + m)(3 + m)(4 + m)) + \left(4a^3Ab - 4a^3b^2B + a^4B - 6a^2b^2B + b^4B\right) \operatorname{Hypergeometric2F1}\left[1, (2 + m)/2, (4 + m)/2, -\operatorname{Tan}[c + dx]^2\right] \operatorname{Tan}[c + dx]^{(2 + m)} / (d(2 + m)) + (b(Ab(4 + m) + aB(7 + m)) \operatorname{Tan}[c + dx]^{(1 + m)}(a + b \operatorname{Tan}[c + dx])^2 / (d(3 + m)(4 + m)) + (bB \operatorname{Tan}[c + dx]^{(1 + m)}(a + b \operatorname{Tan}[c + dx])^3 / (d(4 + m))\right)$

Rubi [A] time = 1.32834, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3607, 3647, 3637, 3630, 3538, 3476, 364}

$$\frac{(-6a^2Ab^2 + a^4A - 4a^3bB + 4ab^3B + Ab^4) \tan^{m+1}(c + dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(4a^3Ab - 6a^2b^2B + a^4B - 4a^3b^2B + a^4B - 4a^3b^2B + a^4B)}{d(m+1)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Tan}[c + dx]^m(a + b \operatorname{Tan}[c + dx])^4(A + B \operatorname{Tan}[c + dx]), x]$

[Out] $-\left(\left(b(Ab^3(12 + 7m + m^2) + 4ab^2B(12 + 7m + m^2) - 2a^3B(19 + 8m + m^2) - a^2Ab(68 + 37m + 5m^2))\right) \operatorname{Tan}[c + dx]^{(1 + m)} / (d(1 + m)(3 + m)(4 + m)) + \left(a^4A - 6a^2Ab^2 + Ab^4 - 4a^3bB + 4ab^3B\right) \operatorname{Hypergeometric2F1}\left[1, (1 + m)/2, (3 + m)/2, -\operatorname{Tan}[c + dx]^2\right] \operatorname{Tan}[c + dx]^{(1 + m)} / (d(1 + m)) + (b^2(2aAb(4 + m)^2 - b^2B(12 + 7m + m^2) + a^2B(26 + 9m + m^2)) \operatorname{Tan}[c + dx]^{(2 + m)} / (d(2 + m)(3 + m)(4 + m)) + \left(4a^3Ab - 4a^3b^2B + a^4B - 6a^2b^2B + b^4B\right) \operatorname{Hypergeometric2F1}\left[1, (2 + m)/2, (4 + m)/2, -\operatorname{Tan}[c + dx]^2\right] \operatorname{Tan}[c + dx]^{(2 + m)} / (d(2 + m)) + (b(Ab(4 + m) + aB(7 + m)) \operatorname{Tan}[c + dx]^{(1 + m)}(a + b \operatorname{Tan}[c + dx])^2 / (d(3 + m)(4 + m)) + (bB \operatorname{Tan}[c + dx]^{(1 + m)}(a + b \operatorname{Tan}[c + dx])^3 / (d(4 + m))\right)$

Rule 3607

$\operatorname{Int}[\left((a_.) + (b_.) \operatorname{tan}[(e_.) + (f_.)(x_.)]\right)^{(m_.)} \left((A_.) + (B_.) \operatorname{tan}[(e_.) + (f_.)(x_.)]\right)^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(bB(a + b \operatorname{Tan}[e + f x])^{(m-1)}(c + d \operatorname{Tan}[e + f x])^{(n+1)}) / (d f (m + n)), x] + \operatorname{Dist}[1 / (d(m + n)), \operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^{(m-2)}(c + d \operatorname{Tan}[e + f x])^{(n)} \operatorname{Simp}[a^2 A d(m + n) - bB(b c(m-1) + a d(n+1)) + d(m + n)(2aAb + B(a^2 - b^2)) \operatorname{Tan}[e + f x] - (bB(bc - a d)(m-1) - b(Ab + aB)d(m+n)) \operatorname{Tan}[e + f x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{NeQ}[a^2 + b^2, 0] \&\& \operatorname{NeQ}[c^2 + d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& (\operatorname{IntegerQ}[m] \mid \mid \operatorname{IntegersQ}[2m, 2n]) \&\& !(\operatorname{IGtQ}[n, 1] \&$

& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3637

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3538

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

Int[((c_.)*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned}
\int \tan^m(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx &= \frac{bB \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(4+m)} + \frac{\int \tan^m(c+dx)(a+b \tan(c+dx))^4(A+B \tan(c+dx)) dx}{d(4+m)} \\
&= \frac{b(Ab(4+m) + aB(7+m)) \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(3+m)(4+m)} \\
&= \frac{b^2(2aAb(4+m)^2 - b^2B(12+7m+m^2) + a^2B(26+9m+m^2)) \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(2+m)(12+7m+m^2)} \\
&= -\frac{b(Ab^3(12+7m+m^2) + 4ab^2B(12+7m+m^2) - 2a^3B(12+7m+m^2)) \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(1+m)(12+7m+m^2)} \\
&= -\frac{b(Ab^3(12+7m+m^2) + 4ab^2B(12+7m+m^2) - 2a^3B(12+7m+m^2)) \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(1+m)(12+7m+m^2)} \\
&= -\frac{b(Ab^3(12+7m+m^2) + 4ab^2B(12+7m+m^2) - 2a^3B(12+7m+m^2)) \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(1+m)(12+7m+m^2)} \\
&= -\frac{b(Ab^3(12+7m+m^2) + 4ab^2B(12+7m+m^2) - 2a^3B(12+7m+m^2)) \tan^{1+m}(c+dx)(a+b \tan(c+dx))^3}{d(1+m)(12+7m+m^2)}
\end{aligned}$$

Mathematica [A] time = 5.47464, size = 355, normalized size = 0.88

$$\frac{\tan^{m+1}(c+dx) \left((m+2)(m+3)(m+4) (-6a^2Ab^2 + a^4A - 4a^3bB + 4ab^3B + Ab^4) \operatorname{Hypergeometric2F1} \left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx) \right) \right)}{d(1+m)(12+7m+m^2)}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^4*(A + B*Tan[c + d*x]), x]

[Out] (Tan[c + d*x]^(1+m)*(-(b*(2+m)*(A*b^3*(12+7*m+m^2) + 4*a*b^2*B*(12+7*m+m^2) - 2*a^3*B*(19+8*m+m^2) - a^2*A*b*(68+37*m+5*m^2))) + (a^4*A - 6*a^2*A*b^2 + A*b^4 - 4*a^3*b*B + 4*a*b^3*B)*(2+m)*(3+m)*(4+m))*Hypergeometric2F1[1, (1+m)/2, (3+m)/2, -Tan[c + d*x]^2] + b^2*(1+m)*(2*a*A*b*(4+m)^2 - b^2*B*(12+7*m+m^2) + a^2*B*(26+9*m+m^2))*Tan[c + d*x] + (4*a^3*A*b - 4*a*A*b^3 + a^4*B - 6*a^2*b^2*B + b^4*B)*(1+m)*(3+m)*(4+m))*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, -Tan[c + d*x]^2]*Tan[c + d*x] + b*(1+m)*(2+m)*(A*b*(4+m) + a*B*(7+m))*(a + b*Tan[c + d*x])^2 + b*B*(1+m)*(2+m)*(3+m)*(a + b*Tan[c + d*x])^3)/(d*(1+m)*(2+m)*(3+m)*(4+m))

Maple [F] time = 0.598, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (a+b \tan(dx+c))^4 (A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb^4 tan(dx + c)^5 + Aa^4 + (4Bab^3 + Ab^4) tan(dx + c)^4 + 2(3Ba^2b^2 + 2Aab^3) tan(dx + c)^3 + 2(2Ba^3b +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^4*tan(d*x + c)^5 + A*a^4 + (4*B*a*b^3 + A*b^4)*tan(d*x + c)^4 + 2*(3*B*a^2*b^2 + 2*A*a*b^3)*tan(d*x + c)^3 + 2*(2*B*a^3*b + 3*A*a^2*b^2)*tan(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*tan(d*x + c))*tan(d*x + c)^m, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))^4 \tan^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**4*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**4*tan(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^4 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^4*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^4*tan(d*x + c)^m, x)

$$3.480 \quad \int \tan^m(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=267

$$\frac{(a^3A - 3a^2bB - 3aAb^2 + b^3B) \tan^{m+1}(c + dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan^{m+1}(c + dx)}{d(m+1)}$$

```
[Out] (b*(3*a*A*b*(3 + m) - b^2*B*(3 + m) + 2*a^2*B*(4 + m))*Tan[c + d*x]^(1 + m)
)/(d*(1 + m)*(3 + m)) + ((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Hypergeome
tric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*
(1 + m)) + (b^2*(A*b*(3 + m) + a*B*(5 + m))*Tan[c + d*x]^(2 + m))/(d*(2 + m)
)*(3 + m)) + (((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Hypergeometric2F1[1,
(2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m)) +
(b*B*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x])^2)/(d*(3 + m))
```

Rubi [A] time = 0.690549, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3607, 3637, 3630, 3538, 3476, 364}

$$\frac{(a^3A - 3a^2bB - 3aAb^2 + b^3B) \tan^{m+1}(c + dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(3a^2Ab + a^3B - 3ab^2B - Ab^3) \tan^{m+1}(c + dx)}{d(m+1)}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] (b*(3*a*A*b*(3 + m) - b^2*B*(3 + m) + 2*a^2*B*(4 + m))*Tan[c + d*x]^(1 + m)
)/(d*(1 + m)*(3 + m)) + ((a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*Hypergeome
tric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*
(1 + m)) + (b^2*(A*b*(3 + m) + a*B*(5 + m))*Tan[c + d*x]^(2 + m))/(d*(2 + m)
)*(3 + m)) + (((3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Hypergeometric2F1[1,
(2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m)) +
(b*B*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x])^2)/(d*(3 + m))
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3637

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)
*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f
_.)*(x_)])^2, x_Symbol] :> Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n +
1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Sim
p[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d
```

$*(n + 2) - b*(c*C - B*d*(n + 2))*\text{Tan}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3538

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned} \int \tan^m(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \frac{bB \tan^{1+m}(c + dx)(a + b \tan(c + dx))^2}{d(3 + m)} + \frac{\int \tan^m(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx}{d(3 + m)} \\ &= \frac{b^2(Ab(3 + m) + aB(5 + m)) \tan^{2+m}(c + dx)}{d(2 + m)(3 + m)} + \frac{bB \tan^{1+m}(c + dx)}{d(3 + m)} \\ &= \frac{b(3aAb(3 + m) - b^2B(3 + m) + 2a^2B(4 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(3 + m)} \\ &= \frac{b(3aAb(3 + m) - b^2B(3 + m) + 2a^2B(4 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(3 + m)} \\ &= \frac{b(3aAb(3 + m) - b^2B(3 + m) + 2a^2B(4 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(3 + m)} \\ &= \frac{b(3aAb(3 + m) - b^2B(3 + m) + 2a^2B(4 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(3 + m)} \end{aligned}$$

Mathematica [A] time = 2.52333, size = 232, normalized size = 0.87

$$\frac{\tan^{m+1}(c + dx) \left((m + 2)(m + 3) (a^3 A - 3a^2 b B - 3a b^2 + b^3 B) \text{Hypergeometric2F1} \left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx) \right) + \dots \right)}{d(1 + m)(3 + m)}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (Tan[c + d*x]^(1 + m)*(b*(2 + m)*(3*a*A*b*(3 + m) - b^2*B*(3 + m) + 2*a^2*B*(4 + m)) + (a^3*A - 3*a*A*b^2 - 3*a^2*b*B + b^3*B)*(2 + m)*(3 + m)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2] + b^2*(1 + m)*(A*b*(3 + m) + a*B*(5 + m))*Tan[c + d*x] + (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*(1 + m)*(3 + m)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x] + b*B*(1 + m)*(2 + m)*(a + b*Tan[c + d*x])^2))/(d*(1 + m)*(2 + m)*(3 + m))

Maple [F] time = 0.416, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + b \tan(dx + c))^3 (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb^3 tan(dx + c)^4 + Aa^3 + (3 Bab^2 + Ab^3) tan(dx + c)^3 + 3(Ba^2b + Aab^2) tan(dx + c)^2 + (Ba^3 + 3 Aa^2b) tan(dx + c)) * tan(dx + c)^m, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^3*tan(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*tan(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*tan(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*tan(d*x + c))*tan(d*x + c)^m, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))^3 \tan^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3*tan(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*tan(d*x + c)^m, x)

3.481 $\int \tan^m(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$

Optimal. Leaf size=194

$$\frac{(a^2A - 2abB - Ab^2) \tan^{m+1}(c + dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(a^2B + 2aAb - b^2B) \tan^{m+2}(c + dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+2}{2}, \frac{m+4}{2}, -\tan^2(c + dx)\right)}{d(m+2)}$$

[Out] (b*(A*b*(2 + m) + a*B*(3 + m))*Tan[c + d*x]^(1 + m))/(d*(1 + m)*(2 + m)) + ((a^2*A - A*b^2 - 2*a*b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + ((2*a*A*b + a^2*B - b^2*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m)) + (b*B*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x]))/(d*(2 + m))

Rubi [A] time = 0.332491, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3607, 3630, 3538, 3476, 364}

$$\frac{(a^2A - 2abB - Ab^2) \tan^{m+1}(c + dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(a^2B + 2aAb - b^2B) \tan^{m+2}(c + dx) {}_2F_1\left(1, \frac{m+2}{2}; \frac{m+4}{2}; -\tan^2(c + dx)\right)}{d(m+2)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (b*(A*b*(2 + m) + a*B*(3 + m))*Tan[c + d*x]^(1 + m))/(d*(1 + m)*(2 + m)) + ((a^2*A - A*b^2 - 2*a*b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + ((2*a*A*b + a^2*B - b^2*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m)) + (b*B*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x]))/(d*(2 + m))

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3538

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned} \int \tan^m(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \frac{bB \tan^{1+m}(c + dx)(a + b \tan(c + dx))}{d(2 + m)} + \frac{\int \tan^m(c + dx) dx}{d} \\ &= \frac{b(Ab(2 + m) + aB(3 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{bB \tan^{1+m}(c + dx)}{d} \\ &= \frac{b(Ab(2 + m) + aB(3 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{bB \tan^{1+m}(c + dx)}{d} \\ &= \frac{b(Ab(2 + m) + aB(3 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{bB \tan^{1+m}(c + dx)}{d} \\ &= \frac{b(Ab(2 + m) + aB(3 + m)) \tan^{1+m}(c + dx)}{d(1 + m)(2 + m)} + \frac{(a^2A - A^2)}{d} \end{aligned}$$

Mathematica [A] time = 0.671962, size = 155, normalized size = 0.8

$$\frac{\tan^{m+1}(c + dx) \left(\frac{(m+2)(a^2A - 2abB - Ab^2) \text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{m+1} + (a^2B + 2aAb - b^2B) \tan(c + dx) \text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right) \right)}{d(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (Tan[c + d*x]^(1 + m)*((b*(A*b*(2 + m) + a*B*(3 + m)))/(1 + m) + ((a^2*A - A*b^2 - 2*a*b*B)*(2 + m)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2])/(1 + m) + (2*a*A*b + a^2*B - b^2*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x] + b*B*(a + b*Tan[c + d*x]))/(d*(2 + m))

Maple [F] time = 0.354, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + b \tan(dx + c))^2 (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^m*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out] `int(tan(d*x+c)^m*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^2 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2*tan(d*x + c)^m, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \tan(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \tan(dx + c)^2 + (Ba^2 + 2Aab) \tan(dx + c)\right) \tan(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^2*tan(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*tan(d*x + c)^2 + (B*a^2 + 2*A*a*b)*tan(d*x + c))*tan(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))^2 \tan^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] `Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2*tan(c + d*x)**m, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^2 \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2*tan(d*x + c)^m, x)`

$$3.482 \quad \int \tan^m(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=127

$$\frac{(aA - bB) \tan^{m+1}(c + dx) \text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(aB + Ab) \tan^{m+2}(c + dx) \text{Hypergeometric2F1}\left(1, \frac{m+2}{2}, \frac{m+4}{2}, -\tan^2(c + dx)\right)}{d(m+2)}$$

[Out] (b*B*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + ((a*A - b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + ((A*b + a*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m))

Rubi [A] time = 0.139204, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3592, 3538, 3476, 364}

$$\frac{(aA - bB) \tan^{m+1}(c + dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c + dx)\right)}{d(m+1)} + \frac{(aB + Ab) \tan^{m+2}(c + dx) {}_2F_1\left(1, \frac{m+2}{2}; \frac{m+4}{2}; -\tan^2(c + dx)\right)}{d(m+2)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (b*B*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + ((a*A - b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + ((A*b + a*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m))

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3538

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

$Q[p, 0] \parallel GtQ[a, 0]$

Rubi steps

$$\begin{aligned} \int \tan^m(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \frac{bB \tan^{1+m}(c+dx)}{d(1+m)} + \int \tan^m(c+dx)(aA-bB+(Ab+aB)) dx \\ &= \frac{bB \tan^{1+m}(c+dx)}{d(1+m)} + (Ab+aB) \int \tan^{1+m}(c+dx) dx + (aA-bB) \int \tan^m(c+dx) dx \\ &= \frac{bB \tan^{1+m}(c+dx)}{d(1+m)} + \frac{(Ab+aB) \text{Subst}\left(\int \frac{x^{1+m}}{1+x^2} dx, x, \tan(c+dx)\right)}{d} \\ &= \frac{bB \tan^{1+m}(c+dx)}{d(1+m)} + \frac{(aA-bB) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c+dx)\right)}{d(1+m)} \end{aligned}$$

Mathematica [A] time = 0.433015, size = 108, normalized size = 0.85

$$\frac{\tan^{m+1}(c+dx) \left(\frac{(aA-bB) \text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{m+1} + \frac{(aB+Ab) \tan(c+dx) \text{Hypergeometric2F1}\left(1, \frac{m+2}{2}, \frac{m+4}{2}, -\tan^2(c+dx)\right)}{m+2} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (Tan[c + d*x]^(1 + m)*((b*B)/(1 + m) + ((a*A - b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2])/(1 + m) + ((A*b + a*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x])/(2 + m))/d

Maple [F] time = 0.797, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (a+b \tan(dx+c))(A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a) \tan(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \tan(dx + c)^2 + Aa + (Ba + Ab) \tan(dx + c)\right) \tan(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*tan(d*x + c)^2 + A*a + (B*a + A*b)*tan(d*x + c))*tan(d*x + c)^m, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx)) \tan^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))*tan(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a) \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)*tan(d*x + c)^m, x)

$$3.483 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=185

$$\frac{(aA + bB) \tan^{m+1}(c + dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right)}{d(m+1)(a^2 + b^2)} + \frac{b(Ab - aB) \tan^{m+1}(c + dx) \operatorname{Hypergeometric2F1}\left(1, 1 + m, 2 + m, -\frac{(b \tan(c + dx))}{a}\right)}{ad(m+1)(a^2 + b^2)}$$

[Out] ((a*A + b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/((a^2 + b^2)*d*(1 + m)) + (b*(A*b - a*B)*Hypergeometric2F1[1, 1 + m, 2 + m, -(b*Tan[c + d*x])/a])*Tan[c + d*x]^(1 + m)/(a*(a^2 + b^2)*d*(1 + m)) - ((A*b - a*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/((a^2 + b^2)*d*(2 + m))

Rubi [A] time = 0.312891, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3613, 3538, 3476, 364, 3634, 64}

$$\frac{(aA + bB) \tan^{m+1}(c + dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c + dx)\right)}{d(m+1)(a^2 + b^2)} + \frac{b(Ab - aB) \tan^{m+1}(c + dx) {}_2F_1\left(1, m + 1; m + 2; -\frac{b \tan(c + dx)}{a}\right)}{ad(m+1)(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] ((a*A + b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/((a^2 + b^2)*d*(1 + m)) + (b*(A*b - a*B)*Hypergeometric2F1[1, 1 + m, 2 + m, -(b*Tan[c + d*x])/a])*Tan[c + d*x]^(1 + m)/(a*(a^2 + b^2)*d*(1 + m)) - ((A*b - a*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/((a^2 + b^2)*d*(2 + m))

Rule 3613

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^n)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[a*A + b*B - (A*b - a*B)*Tan[e + f*x], x], x], x] + Dist[(b*(A*b - a*B))/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2)/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3538

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^m*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^n, x_Symbol] :> Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364


```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 64

```
Int[((b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)])/((b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx &= \frac{\int \tan^m(c + dx)(aA + bB - (Ab - aB) \tan(c + dx)) dx}{a^2 + b^2} + \frac{(b(Ab - aB)) \int \frac{\tan^{m+1}(c + dx)}{a + b \tan(c + dx)} dx}{a^2} \\ &= -\frac{(Ab - aB) \int \tan^{1+m}(c + dx) dx}{a^2 + b^2} + \frac{(aA + bB) \int \tan^m(c + dx) dx}{a^2 + b^2} + \frac{(b(Ab - aB)) \int \frac{\tan^{m+1}(c + dx)}{a + b \tan(c + dx)} dx}{a^2} \\ &= \frac{b(Ab - aB) {}_2F_1\left(1, 1 + m; 2 + m; -\frac{b \tan(c + dx)}{a}\right) \tan^{1+m}(c + dx)}{a(a^2 + b^2)d(1 + m)} - \frac{(Ab - aB) \int \tan^m(c + dx) dx}{a^2 + b^2} \\ &= \frac{(aA + bB) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c + dx)\right) \tan^{1+m}(c + dx)}{(a^2 + b^2)d(1 + m)} + \frac{b(Ab - aB) \int \frac{\tan^{m+1}(c + dx)}{a + b \tan(c + dx)} dx}{a^2} \end{aligned}$$

Mathematica [A] time = 0.864652, size = 144, normalized size = 0.78

$$\frac{\tan^{m+1}(c + dx) \left((aA + bB) \text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c + dx)\right) + \frac{(Ab - aB) {}_2F_1\left(1, m+1, m+2, -\frac{b \tan(c + dx)}{a}\right) \tan^{1+m}(c + dx)}{a} \right)}{d(m + 1)(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] (Tan[c + d*x]^(1 + m)*((a*A + b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/
2, -Tan[c + d*x]^2] + ((A*b - a*B)*(b*(2 + m)*Hypergeometric2F1[1, 1 + m, 2
+ m, -((b*Tan[c + d*x])/a)] - a*(1 + m)*Hypergeometric2F1[1, (2 + m)/2, (4
+ m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]))/(a*(2 + m)))/(a^2 + b^2)*d*(1 +
m))
```

Maple [F] time = 0.323, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx + c))^m (A + B \tan(dx + c))}{a + b \tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] `int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{b \tan(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^m(c + dx)}{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] `Integral((A + B*tan(c + d*x))*tan(c + d*x)**m/(a + b*tan(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")`

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a), x)
```

$$3.484 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=282

$$\frac{(a^2 A + 2abB - Ab^2) \tan^{m+1}(c+dx) \operatorname{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{d(m+1)(a^2+b^2)^2} + \frac{b(a^2 Ab(2-m) + a^3(-B - Bm))}{a^2 d(m+1)}$$

[Out] ((a^2*A - A*b^2 + 2*a*b*B)*Hypergeometric2F1[1, (1+m)/2, (3+m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1+m))/((a^2 + b^2)^2*d*(1+m)) + (b*(a^2*A*b*(2-m) - A*b^3*m + a*b^2*B*(1+m) - a^3*(B - B*m))*Hypergeometric2F1[1, 1+m, 2+m, -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(1+m))/(a^2*(a^2 + b^2)^2*d*(1+m)) - ((2*a*A*b - a^2*B + b^2*B)*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2+m))/((a^2 + b^2)^2*d*(2+m)) + (b*(A*b - a*B)*Tan[c + d*x]^(1+m))/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 0.703814, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3609, 3653, 3538, 3476, 364, 3634, 64}

$$\frac{(a^2 A + 2abB - Ab^2) \tan^{m+1}(c+dx) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\tan^2(c+dx)\right)}{d(m+1)(a^2+b^2)^2} + \frac{b(a^2 Ab(2-m) + a^3(-B - Bm)) + ab^2 B(m+1)}{a^2 d(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] ((a^2*A - A*b^2 + 2*a*b*B)*Hypergeometric2F1[1, (1+m)/2, (3+m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1+m))/((a^2 + b^2)^2*d*(1+m)) + (b*(a^2*A*b*(2-m) - A*b^3*m + a*b^2*B*(1+m) - a^3*(B - B*m))*Hypergeometric2F1[1, 1+m, 2+m, -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(1+m))/(a^2*(a^2 + b^2)^2*d*(1+m)) - ((2*a*A*b - a^2*B + b^2*B)*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2+m))/((a^2 + b^2)^2*d*(2+m)) + (b*(A*b - a*B)*Tan[c + d*x]^(1+m))/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]))

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m+1)*(c + d*Tan[e + f*x])^(n+1))/(f*(m+1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m+1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m+1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m+1) + a*d*(n+1)) + A*(a*(b*c - a*d)*(m+1) - b^2*d*(m+n+2)) - (A*b - a*B)*(b*c - a*d)*(m+1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m+n+2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])
```

```

+ (f_.)*(x_)), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3538

```

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*tan[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2
+ d^2, 0] && !IntegerQ[2*m]

```

Rule 3476

```

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[
x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !
IntegerQ[n]

```

Rule 364

```

Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !GtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])

```

Rule 3634

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

```

Rule 64

```

Int[((b_.)*(x_)^(m_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)])/((b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0])))

```

Rubi steps

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^2} dx = \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{a(a^2 + b^2) d(a + b \tan(c + dx))} + \frac{\int \frac{\tan^m(c+dx)(a^2A - Ab^2m + abB(1+m) - a(Ab - aB) \tan(c+dx))}{a+b \tan(c+dx)} dx}{a(a^2 + b^2)}$$

$$= \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{a(a^2 + b^2) d(a + b \tan(c + dx))} + \frac{\int \tan^m(c + dx) (a(a^2A - Ab^2 + 2abB) - a(Ab - aB) \tan(c + dx)) dx}{a(a^2 + b^2)}$$

$$= \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{a(a^2 + b^2) d(a + b \tan(c + dx))} + \frac{(a^2A - Ab^2 + 2abB) \int \tan^m(c + dx) dx}{(a^2 + b^2)^2} - \frac{b(Ab - aB) \int \tan^{m+1}(c + dx) dx}{(a^2 + b^2)^2}$$

$$= -\frac{b(a^3B(1 - m) - a^2Ab(2 - m) + Ab^3m - ab^2B(1 + m)) {}_2F_1\left(1, 1 + m; 2 + m; -\tan^2(c + dx)\right)}{a^2(a^2 + b^2)^2 d(1 + m)}$$

$$= \frac{(a^2A - Ab^2 + 2abB) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c + dx)\right) \tan^{1+m}(c + dx)}{(a^2 + b^2)^2 d(1 + m)} - \frac{b(a^3B(1 - m) - a^2Ab(2 - m) + Ab^3m - ab^2B(1 + m)) \tan^{m+1}(c + dx)}{(a^2 + b^2)^2 d(1 + m)}$$

Mathematica [A] time = 2.75554, size = 239, normalized size = 0.85

$$\tan^{m+1}(c + dx) \left(\frac{a \left(\frac{(a^2A + 2abB - Ab^2) \text{Hypergeometric2F1}\left(1, \frac{m+1}{2}, \frac{m+3}{2}, -\tan^2(c+dx)\right)}{m+1} + \frac{(a^2B - 2aAb - b^2B) \tan(c+dx) \text{Hypergeometric2F1}\left(1, \frac{m+2}{2}, \frac{m+4}{2}, -\tan^2(c+dx)\right)}{m+2} \right)}{a^2 + b^2} + \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{a(a^2 + b^2) d(a + b \tan(c + dx))} \right) \frac{1}{ad(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]
```

```
[Out] (Tan[c + d*x]^(1 + m)*((b*(-a^2*A*b*(-2 + m)) + a^3*B*(-1 + m) - A*b^3*m + a*b^2*B*(1 + m))*Hypergeometric2F1[1, 1 + m, 2 + m, -((b*Tan[c + d*x])/a)])/(a*(a^2 + b^2)*(1 + m)) + (b*(A*b - a*B))/(a + b*Tan[c + d*x]) + (a*(((a^2*A - A*b^2 + 2*a*b*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]))/(1 + m) + (((-2*a*A*b + a^2*B - b^2*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]))/(2 + m))/(a*(a^2 + b^2)*d)
```

Maple [F] time = 0.433, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx + c))^m (A + B \tan(dx + c))}{(a + b \tan(dx + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)
```

```
[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{b^2 \tan(dx + c)^2 + 2ab \tan(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^m(c + dx)}{(a + b \tan(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**m/(a + b*tan(c + d*x))**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^2, x)

$$3.485 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=438

$$\frac{b(2a^2Ab^3(-m^2+3m+1) - a^4Ab(m^2-5m+6) - 2a^3b^2B(-m^2+m+3) + a^5B(m^2-3m+2) + ab^4Bm(m+1) + Ab^5)}{2a^3d(m+1)(a^2+b^2)^3}$$

[Out] ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/((a^2 + b^2)^3*d*(1 + m)) - (b*(A*b^5*(1 - m)*m + a*b^4*B*m*(1 + m) - 2*a^3*b^2*B*(3 + m - m^2) + 2*a^2*A*b^3*(1 + 3*m - m^2) - a^4*A*b*(6 - 5*m + m^2) + a^5*B*(2 - 3*m + m^2))*Hypergeometric2F1[1, 1 + m, 2 + m, -(b*Tan[c + d*x])/a])*Tan[c + d*x]^(1 + m))/((2*a^3*(a^2 + b^2)^3*d*(1 + m)) - ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/((a^2 + b^2)^3*d*(2 + m)) + (b*(A*b - a*B)*Tan[c + d*x]^(1 + m)))/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b*(A*b^3*(1 - m) - a^3*B*(3 - m) + a^2*A*b*(5 - m) + a*b^2*B*(1 + m))*Tan[c + d*x]^(1 + m))/(2*a^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rubi [A] time = 1.28485, antiderivative size = 438, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3609, 3649, 3653, 3538, 3476, 364, 3634, 64}

$$\frac{b(2a^2Ab^3(-m^2+3m+1) - a^4Ab(m^2-5m+6) - 2a^3b^2B(-m^2+m+3) + a^5B(m^2-3m+2) + ab^4Bm(m+1) + Ab^5)}{2a^3d(m+1)(a^2+b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] ((a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/((a^2 + b^2)^3*d*(1 + m)) - (b*(A*b^5*(1 - m)*m + a*b^4*B*m*(1 + m) - 2*a^3*b^2*B*(3 + m - m^2) + 2*a^2*A*b^3*(1 + 3*m - m^2) - a^4*A*b*(6 - 5*m + m^2) + a^5*B*(2 - 3*m + m^2))*Hypergeometric2F1[1, 1 + m, 2 + m, -(b*Tan[c + d*x])/a])*Tan[c + d*x]^(1 + m))/((2*a^3*(a^2 + b^2)^3*d*(1 + m)) - ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/((a^2 + b^2)^3*d*(2 + m)) + (b*(A*b - a*B)*Tan[c + d*x]^(1 + m)))/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (b*(A*b^3*(1 - m) - a^3*B*(3 - m) + a^2*A*b*(5 - m) + a*b^2*B*(1 + m))*Tan[c + d*x]^(1 + m))/(2*a^2*(a^2 + b^2)^2*d*(a + b*Tan[c + d*x]))

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]))

|| (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3653

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3538

Int(((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2 + d^2, 0] && !IntegerQ[2*m]

Rule 3476

Int(((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 364

Int(((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !GtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 3634

Int(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 64

Int(((b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)])/((b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0])

! (EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^3} dx = \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{2a(a^2 + b^2)d(a + b \tan(c + dx))^2} + \frac{\int \frac{\tan^m(c+dx)(2a^2A+Ab^2(1-m)+abB(1+m)-2a(Ab-aB))}{(a+b \tan(c+dx))^2} dx}{2a(a^2 + b^2)d(a + b \tan(c + dx))} + \dots$$

Mathematica [A] time = 6.24346, size = 534, normalized size = 1.22

$$\frac{(-a^2bm(a^2Ab(5-m)+a^3(-B)(3-m)+ab^2B(m+1)+Ab^3(1-m))+b^2((a^2-b^2m)(2a^2A+abB(m+1)+Ab^2(1-m))-a^2b(3-m)(m+1)(Ab-aB))+2a^3b(a^2(-B)+2aAb+b^2B)) \tan^{m+1}(c+dx) \text{Hypergeometric2F1}\left(1, \frac{1+m}{2}, \frac{3+m}{2}, -\tan^2(c+dx)\right)}{ad(m+1)(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]
```

```
[Out] (b*(A*b - a*B)*Tan[c + d*x]^(1 + m))/(2*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^2) + (((-(a*(-2*a*b*(A*b - a*B) - a*b*(A*b - a*B)*(1 - m))) + b^2*(2*a^2*A + A*b^2*(1 - m) + a*b*B*(1 + m)))*Tan[c + d*x]^(1 + m))/(a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])) + (((2*a^3*b*(2*a*A*b - a^2*B + b^2*B) - a^2*b*m*(A*b^3*(1 - m) - a^3*B*(3 - m) + a^2*A*b*(5 - m) + a*b^2*B*(1 + m)) + b^2*(-(a^2*b*(A*b - a*B)*(3 - m)*(1 + m)) + (a^2 - b^2*m)*(2*a^2*A + A*b^2*(1 - m) + a*b*B*(1 + m))))*Hypergeometric2F1[1, 1 + m, 2 + m, -(b*Tan[c + d*x])/a]*Tan[c + d*x]^(1 + m))/(a*(a^2 + b^2)*d*(1 + m)) + ((2*a^2*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*Hypergeometric2F1[1, (1 + m)/2, 1 + (1 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) - (2*a^2*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*Hypergeometric2F1[1, (2 + m)/2, 1 + (2 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m)))/(a^2 + b^2)/(a*(a^2 + b^2))/(2*a*(a^2 + b^2))
```

Maple [F] time = 0.578, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx + c))^m (A + B \tan(dx + c))}{(a + b \tan(dx + c))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)`

[Out] `int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^3, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{b^3 \tan(dx + c)^3 + 3 ab^2 \tan(dx + c)^2 + 3 a^2 b \tan(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")`

[Out] `integral((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b^3*tan(d*x + c)^3 + 3*a*b^2*tan(d*x + c)^2 + 3*a^2*b*tan(d*x + c) + a^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^3, x)
```

$$3.486 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^4} dx$$

Optimal. Leaf size=659

$$b(3a^4Ab^3(m^3 - 7m^2 + 10m + 8) + 3a^2Ab^5m(m^2 - 5m + 2) - a^6Ab(-m^3 + 9m^2 - 26m + 24) - 3a^5b^2B(m^3 - 4m^2$$

```
[Out] ((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*Hypergeometric2F1[1,
(1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/((a^2 + b^2)^
4*d*(1 + m)) - (b*(a*b^6*B*m*(1 - m^2) + 3*a^2*A*b^5*m*(2 - 5*m + m^2) + A*
b^7*m*(2 - 3*m + m^2) + 3*a^3*b^4*B*(2 + 5*m + 2*m^2 - m^3) + a^7*B*(6 - 11
*m + 6*m^2 - m^3) - a^6*A*b*(24 - 26*m + 9*m^2 - m^3) + 3*a^4*A*b^3*(8 + 10
*m - 7*m^2 + m^3) - 3*a^5*b^2*B*(12 - m - 4*m^2 + m^3))*Hypergeometric2F1[1
, 1 + m, 2 + m, -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(1 + m))/(6*a^4*(a^2 +
b^2)^4*d*(1 + m)) - ((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*
Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2
+ m))/((a^2 + b^2)^4*d*(2 + m)) + (b*(A*b - a*B)*Tan[c + d*x]^(1 + m))/(3*
a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (b*(A*b^3*(2 - m) - a^3*B*(5 - m)
+ a^2*A*b*(8 - m) + a*b^2*B*(1 + m))*Tan[c + d*x]^(1 + m))/(6*a^2*(a^2 + b
^2)^2*d*(a + b*Tan[c + d*x])^2) + (b*(a*b^4*B*(1 - m^2) + 2*a^3*b^2*B*(7 +
3*m - m^2) + a^4*A*b*(26 - 9*m + m^2) + 2*a^2*A*b^3*(2 - 6*m + m^2) - a^5*B
*(11 - 6*m + m^2) + A*b^5*(2 - 3*m + m^2))*Tan[c + d*x]^(1 + m))/(6*a^3*(a^
2 + b^2)^3*d*(a + b*Tan[c + d*x]))
```

Rubi [A] time = 2.44736, antiderivative size = 659, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3609, 3649, 3653, 3538, 3476, 364, 3634, 64}

$$b(3a^4Ab^3(m^3 - 7m^2 + 10m + 8) + 3a^2Ab^5m(m^2 - 5m + 2) - a^6Ab(-m^3 + 9m^2 - 26m + 24) - 3a^5b^2B(m^3 - 4m^2$$

Antiderivative was successfully verified.

```
[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]
```

```
[Out] ((a^4*A - 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B - 4*a*b^3*B)*Hypergeometric2F1[1,
(1 + m)/2, (3 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(1 + m))/((a^2 + b^2)^
4*d*(1 + m)) - (b*(a*b^6*B*m*(1 - m^2) + 3*a^2*A*b^5*m*(2 - 5*m + m^2) + A*
b^7*m*(2 - 3*m + m^2) + 3*a^3*b^4*B*(2 + 5*m + 2*m^2 - m^3) + a^7*B*(6 - 11
*m + 6*m^2 - m^3) - a^6*A*b*(24 - 26*m + 9*m^2 - m^3) + 3*a^4*A*b^3*(8 + 10
*m - 7*m^2 + m^3) - 3*a^5*b^2*B*(12 - m - 4*m^2 + m^3))*Hypergeometric2F1[1
, 1 + m, 2 + m, -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(1 + m))/(6*a^4*(a^2 +
b^2)^4*d*(1 + m)) - ((4*a^3*A*b - 4*a*A*b^3 - a^4*B + 6*a^2*b^2*B - b^4*B)*
Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, -Tan[c + d*x]^2]*Tan[c + d*x]^(2
+ m))/((a^2 + b^2)^4*d*(2 + m)) + (b*(A*b - a*B)*Tan[c + d*x]^(1 + m))/(3*
a*(a^2 + b^2)*d*(a + b*Tan[c + d*x])^3) + (b*(A*b^3*(2 - m) - a^3*B*(5 - m)
+ a^2*A*b*(8 - m) + a*b^2*B*(1 + m))*Tan[c + d*x]^(1 + m))/(6*a^2*(a^2 + b
^2)^2*d*(a + b*Tan[c + d*x])^2) + (b*(a*b^4*B*(1 - m^2) + 2*a^3*b^2*B*(7 +
3*m - m^2) + a^4*A*b*(26 - 9*m + m^2) + 2*a^2*A*b^3*(2 - 6*m + m^2) - a^5*B
*(11 - 6*m + m^2) + A*b^5*(2 - 3*m + m^2))*Tan[c + d*x]^(1 + m))/(6*a^3*(a^
2 + b^2)^3*d*(a + b*Tan[c + d*x]))
```

Rule 3609

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &&
(IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3538

```

Int[((b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Tan[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x] && NeQ[c^2
+ d^2, 0] && !IntegerQ[2*m]

```

Rule 3476

```

Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[
x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !
IntegerQ[n]

```

Rule 364

```

Int[((c_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])

```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[
{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 64

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^4} dx = \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{\int \frac{\tan^m(c+dx)(3a^2A + Ab^2(2-m) + abB(1+m) - 3a(a+b \tan(c+dx)))}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3} dx}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3}$$

$$= \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{b(Ab^3(2 - m) - a^3B(5 - m) + a^2Ab(8 - 5m) + a^2B^2(1 + m))}{6a^2(a^2 + b^2)^2d(a + b \tan(c + dx))}$$

$$= \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{b(Ab^3(2 - m) - a^3B(5 - m) + a^2Ab(8 - 5m) + a^2B^2(1 + m))}{6a^2(a^2 + b^2)^2d(a + b \tan(c + dx))}$$

$$= \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{b(Ab^3(2 - m) - a^3B(5 - m) + a^2Ab(8 - 5m) + a^2B^2(1 + m))}{6a^2(a^2 + b^2)^2d(a + b \tan(c + dx))}$$

$$= \frac{b(Ab - aB) \tan^{1+m}(c + dx)}{3a(a^2 + b^2)d(a + b \tan(c + dx))^3} + \frac{b(Ab^3(2 - m) - a^3B(5 - m) + a^2Ab(8 - 5m) + a^2B^2(1 + m))}{6a^2(a^2 + b^2)^2d(a + b \tan(c + dx))}$$

$$= \frac{b(ab^6Bm(1 - m^2) + 3a^2Ab^5m(2 - 5m + m^2) + Ab^7m(2 - 3m + m^2) + 3a^2B^2m(1 + m))}{6a^2(a^2 + b^2)^2d(a + b \tan(c + dx))}$$

$$= \frac{(a^4A - 6a^2Ab^2 + Ab^4 + 4a^3bB - 4ab^3B) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\tan^2(c + dx)\right)}{(a^2 + b^2)^4 d(1 + m)}$$

Mathematica [B] time = 6.2787, size = 1901, normalized size = 2.88

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^4, x]
```

```
[Out] (b*(A*b - a*B)*Tan[c + d*x]^(1 + m))/(3*a*(a^2 + b^2)*d*(a + b*Tan[c + d*x]
)^3) + ((((-a*(-3*a*b*(A*b - a*B) - a*b*(A*b - a*B)*(2 - m))) + b^2*(3*a^2*
A + A*b^2*(2 - m) + a*b*B*(1 + m)))*Tan[c + d*x]^(1 + m))/(2*a*(a^2 + b^2)*
d*(a + b*Tan[c + d*x])^2) + (((b^2*(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) +
(2*a^2 + b^2*(1 - m))*(3*a^2*A + A*b^2*(2 - m) + a*b*B*(1 + m))) - a*(-6*a^
2*b*(2*a*A*b - a^2*B + b^2*B) - a*b*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m)
+ a^2*A*b*(8 - m) + a*b^2*B*(1 + m))))*Tan[c + d*x]^(1 + m))/(a*(a^2 + b^2)
*d*(a + b*Tan[c + d*x])) + (((a^2*b*(6*a^3*(2*a*A*b - a^2*B + b^2*B) - b^2*
(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - m) + a*b^2*B*(1 + m))
```

$$\begin{aligned}
& + b*(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2*(1 - m))*(3*a^2*A \\
& + A*b^2*(2 - m) + a*b*B*(1 + m))) - a^2*m*(b^2*(-(a^2*b*(A*b - a*B)*(5 - \\
& m)*(1 + m)) + (2*a^2 + b^2*(1 - m))*(3*a^2*A + A*b^2*(2 - m) + a*b*B*(1 + m \\
&))) - a*(-6*a^2*b*(2*a*A*b - a^2*B + b^2*B) - a*b*(1 - m)*(A*b^3*(2 - m) - \\
& a^3*B*(5 - m) + a^2*A*b*(8 - m) + a*b^2*B*(1 + m))) + b^2*((a^2 - b^2*m)*(\\
& -(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2*(1 - m))*(3*a^2*A + A*b \\
& ^2*(2 - m) + a*b*B*(1 + m))) + a*(1 + m)*(-6*a^2*b*(2*a*A*b - a^2*B + b^2*B \\
&) - a*b*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - m) + a*b^2*B* \\
& (1 + m))))*Hypergeometric2F1[1, 1 + m, 2 + m, -((b*Tan[c + d*x])/a)]*Tan[c \\
& + d*x]^(1 + m))/(a*(a^2 + b^2)*d*(1 + m)) + (((-(a*b*(6*a^3*(2*a*A*b - a^2 \\
& *B + b^2*B) - b^2*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - m) \\
& + a*b^2*B*(1 + m)) + b*(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2 \\
& *(1 - m))*(3*a^2*A + A*b^2*(2 - m) + a*b*B*(1 + m)))) + a*((a^2 - b^2*m)*(\\
& -(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2*(1 - m))*(3*a^2*A + A*b \\
& ^2*(2 - m) + a*b*B*(1 + m))) + a*(1 + m)*(-6*a^2*b*(2*a*A*b - a^2*B + b^2*B \\
&) - a*b*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - m) + a*b^2*B* \\
& (1 + m))) + m*(b^2*(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2*(1 \\
& - m))*(3*a^2*A + A*b^2*(2 - m) + a*b*B*(1 + m))) - a*(-6*a^2*b*(2*a*A*b - a \\
& ^2*B + b^2*B) - a*b*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - m) \\
& + a*b^2*B*(1 + m)))))*Hypergeometric2F1[1, (1 + m)/2, 1 + (1 + m)/2, -Ta \\
& n[c + d*x]^2]*Tan[c + d*x]^(1 + m))/(d*(1 + m)) + (((-(a^2*(6*a^3*(2*a*A*b - \\
& a^2*B + b^2*B) - b^2*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - \\
& m) + a*b^2*B*(1 + m)) + b*(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + \\
& b^2*(1 - m))*(3*a^2*A + A*b^2*(2 - m) + a*b*B*(1 + m)))) - b*((a^2 - b^2*m) \\
& *(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2*(1 - m))*(3*a^2*A + \\
& A*b^2*(2 - m) + a*b*B*(1 + m))) + a*(1 + m)*(-6*a^2*b*(2*a*A*b - a^2*B + b \\
& ^2*B) - a*b*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 - m) + a*b^ \\
& 2*B*(1 + m))) + m*(b^2*(-(a^2*b*(A*b - a*B)*(5 - m)*(1 + m)) + (2*a^2 + b^2 \\
& *(1 - m))*(3*a^2*A + A*b^2*(2 - m) + a*b*B*(1 + m))) - a*(-6*a^2*b*(2*a*A*b \\
& - a^2*B + b^2*B) - a*b*(1 - m)*(A*b^3*(2 - m) - a^3*B*(5 - m) + a^2*A*b*(8 \\
& - m) + a*b^2*B*(1 + m)))))*Hypergeometric2F1[1, (2 + m)/2, 1 + (2 + m)/2, \\
& -Tan[c + d*x]^2]*Tan[c + d*x]^(2 + m))/(d*(2 + m))/(a^2 + b^2))/(a*(a^2 + \\
& b^2))/(2*a*(a^2 + b^2))/(3*a*(a^2 + b^2))
\end{aligned}$$

Maple [F] time = 0.633, size = 0, normalized size = 0.

$$\int \frac{(\tan(dx + c))^m (A + B \tan(dx + c))}{(a + b \tan(dx + c))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^4, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{b^4 \tan(dx + c)^4 + 4ab^3 \tan(dx + c)^3 + 6a^2b^2 \tan(dx + c)^2 + 4a^3b \tan(dx + c) + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b^4*tan(d*x + c)^4 + 4*a*b^3*tan(d*x + c)^3 + 6*a^2*b^2*tan(d*x + c)^2 + 4*a^3*b*tan(d*x + c) + a^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**4,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^4,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^4, x)

$$3.487 \quad \int \tan^m(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=193

$$\frac{a^2(A+iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{5}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}} + \frac{a^2(A-iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{5}{2}, 1; m+2; \frac{b \tan(c+dx)}{a}, i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}}$$

[Out] (a^2*(A + I*B)*AppellF1[1 + m, -5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]) + (a^2*(A - I*B)*AppellF1[1 + m, -5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])

Rubi [A] time = 0.451647, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {3603, 3602, 135, 133}

$$\frac{a^2(A+iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{5}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}} + \frac{a^2(A-iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{5}{2}, 1; m+2; \frac{b \tan(c+dx)}{a}, i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (a^2*(A + I*B)*AppellF1[1 + m, -5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]) + (a^2*(A - I*B)*AppellF1[1 + m, -5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], x]

[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_))^(m_)*((c_ + (d_.)*(x_))^(n_))*((e_ + (f_.)*(x_))^(p_)), x_ Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \tan^m(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= \frac{1}{2}(A - iB) \int (1 + i \tan(c + dx)) \tan^m(c + dx)(a + b \tan(c + dx))^{5/2} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{x^{m(a+bx)^{5/2}}}{1-ix} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{x^{m(a+bx)^{5/2}}}{1+ix} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(a^2(A - iB)\sqrt{a + b \tan(c + dx)}) \operatorname{Subst}\left(\int \frac{x^{m\left(1+\frac{bx}{a}\right)^{5/2}}}{1-ix} dx, x, \tan(c + dx)\right)}{2d\sqrt{1 + \frac{b \tan(c+dx)}{a}}} + \frac{(a^2(A + iB)\sqrt{a + b \tan(c + dx)}) \operatorname{Subst}\left(\int \frac{x^{m\left(1+\frac{bx}{a}\right)^{5/2}}}{1+ix} dx, x, \tan(c + dx)\right)}{2d\sqrt{1 + \frac{b \tan(c+dx)}{a}}} \\ &= \frac{a^2(A + iB)F_1\left(1 + m; -\frac{5}{2}, 1; 2 + m; -\frac{b \tan(c+dx)}{a}, -i \tan(c + dx)\right)}{2d(1 + m)\sqrt{1 + \frac{b \tan(c+dx)}{a}}} \end{aligned}$$

Mathematica [F] time = 28.353, size = 0, normalized size = 0.

$$\int \tan^m(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.49, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + b \tan(dx + c))^{5/2} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{5/2} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*tan(d*x + c)^m, x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \tan(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \tan(dx+c)^2 + (Ba^2 + 2Aab) \tan(dx+c)\right) \sqrt{b \tan(dx+c) + a} \tan(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*tan(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*tan(d*x + c)^2 +
(B*a^2 + 2*A*a*b)*tan(d*x + c))*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^m, x
)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] Exception raised: RuntimeError
```

$$3.488 \quad \int \tan^m(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=189

$$\frac{a(A+iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{3}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}} + \frac{a(A-iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{3}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}}$$

[Out] (a*(A + I*B)*AppellF1[1 + m, -3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]) + (a*(A - I*B)*AppellF1[1 + m, -3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])

Rubi [A] time = 0.454937, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {3603, 3602, 135, 133}

$$\frac{a(A+iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{3}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}} + \frac{a(A-iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{3}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] (a*(A + I*B)*AppellF1[1 + m, -3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]) + (a*(A - I*B)*AppellF1[1 + m, -3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n]]/(1 + (d*x)/c)^FracPart[n], x]

[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_ Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \tan^m(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= \frac{1}{2}(A - iB) \int (1 + i \tan(c + dx)) \tan^m(c + dx)(a + b \tan(c + dx))^{3/2} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{x^m(a+bx)^{3/2}}{1-ix} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{x^m(a+bx)^{3/2}}{1+ix} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(a(A - iB)\sqrt{a + b \tan(c + dx)}) \operatorname{Subst}\left(\int \frac{x^m\left(1+\frac{bx}{a}\right)^{3/2}}{1-ix} dx, x, \tan(c + dx)\right)}{2d\sqrt{1 + \frac{b \tan(c+dx)}{a}}} \\ &= \frac{a(A + iB)F_1\left(1 + m; -\frac{3}{2}, 1; 2 + m; -\frac{b \tan(c+dx)}{a}, -i \tan(c + dx)\right)}{2d(1 + m)\sqrt{1 + \frac{b \tan(c+dx)}{a}}} \end{aligned}$$

Mathematica [F] time = 14.9155, size = 0, normalized size = 0.

$$\int \tan^m(c + dx)(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.493, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (a + b \tan(dx + c))^{3/2} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{3/2} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*tan(d*x + c)^m, x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \tan(dx + c)^2 + Aa + (Ba + Ab) \tan(dx + c)\right) \sqrt{b \tan(dx + c) + a} \tan(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b*tan(d*x + c)^2 + A*a + (B*a + A*b)*tan(d*x + c))*sqrt(b*tan(d
*x + c) + a)*tan(d*x + c)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] Exception raised: RuntimeError
```

$$3.489 \quad \int \tan^m(c+dx) \sqrt{a+b \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=187

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{1}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}} + \frac{(A-iB) \tan^{m+1}(c+dx)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}}$$

[Out] ((A + I*B)*AppellF1[1 + m, -1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]) + ((A - I*B)*AppellF1[1 + m, -1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]))

Rubi [A] time = 0.397857, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {3603, 3602, 135, 133}

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{a+b \tan(c+dx)} F_1\left(m+1; -\frac{1}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}} + \frac{(A-iB) \tan^{m+1}(c+dx)}{2d(m+1) \sqrt{\frac{b \tan(c+dx)}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] ((A + I*B)*AppellF1[1 + m, -1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]) + ((A - I*B)*AppellF1[1 + m, -1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[a + b*Tan[c + d*x]]/(2*d*(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a]))

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart

[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_))^(m_)*((c_ + (d_.)*(x_))^(n_)*((e_ + (f_.)*(x_))^(p_)), x_ Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)])/ (b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \tan^m(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx &= \frac{1}{2} (A - iB) \int (1 + i \tan(c + dx)) \tan^m(c + dx) \sqrt{a + b \tan(c + dx)} dx \\ &= \frac{(A - iB) \operatorname{Subst} \left(\int \frac{x^m \sqrt{a + bx}}{1 - ix} dx, x, \tan(c + dx) \right)}{2d} + \frac{(A + iB) \operatorname{Subst} \left(\int \frac{x^m \sqrt{a + bx}}{1 + ix} dx, x, \tan(c + dx) \right)}{2d} \\ &= \frac{((A - iB) \sqrt{a + b \tan(c + dx)}) \operatorname{Subst} \left(\int \frac{x^m \sqrt{1 + \frac{bx}{a}}}{1 - ix} dx, x, \tan(c + dx) \right)}{2d \sqrt{1 + \frac{b \tan(c + dx)}{a}}} \\ &= \frac{(A + iB) F_1 \left(1 + m; -\frac{1}{2}, 1; 2 + m; -\frac{b \tan(c + dx)}{a}, -i \tan(c + dx) \right)}{2d(1 + m) \sqrt{1 + \frac{b \tan(c + dx)}{a}}} \end{aligned}$$

Mathematica [F] time = 4.98642, size = 0, normalized size = 0.

$$\int \tan^m(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^m*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^m*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.542, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m \sqrt{a + b \tan(dx + c)} (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \tan(dx + c) + A)\sqrt{b \tan(dx + c) + a} \tan(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^m, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \tan^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*tan(c + d*x)**m, x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Exception raised: RuntimeError

$$3.490 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=187

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}} + {}_1F_1\left(m+1; \frac{1}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{a+b \tan(c+dx)}} + \frac{(A-iB) \tan^{m+1}(c+dx)}{2d(m+1) \sqrt{a+b \tan(c+dx)}}$$

[Out] ((A + I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.409318, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {3603, 3602, 135, 133}

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}} + {}_1F_1\left(m+1; \frac{1}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1) \sqrt{a+b \tan(c+dx)}} + \frac{(A-iB) \tan^{m+1}(c+dx)}{2d(m+1) \sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((A + I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 1/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]])

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_)^(m_.)*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e,

$f, m, n, p, x]$ && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_)^(m_)*((c_) + (d_.)*(x_)^(n_))*((e_) + (f_.)*(x_)^(p_)), x_ Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx &= \frac{1}{2}(A - iB) \int \frac{(1 + i \tan(c + dx)) \tan^m(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx + \frac{1}{2}(A + iB) \int \frac{(1 - i \tan(c + dx)) \tan^m(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{(A - iB) \text{Subst}\left(\int \frac{x^m}{(1-ix)\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \text{Subst}\left(\int \frac{x^m}{(1+ix)\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{\left((A - iB)\sqrt{1 + \frac{b \tan(c+dx)}{a}}\right) \text{Subst}\left(\int \frac{x^m}{(1-ix)\sqrt{1+\frac{bx}{a}}} dx, x, \tan(c + dx)\right)}{2d\sqrt{a + b \tan(c + dx)}} + \frac{\left((A + iB)\sqrt{1 + \frac{b \tan(c+dx)}{a}}\right) \text{Subst}\left(\int \frac{x^m}{(1+ix)\sqrt{1+\frac{bx}{a}}} dx, x, \tan(c + dx)\right)}{2d\sqrt{a + b \tan(c + dx)}} \\ &= \frac{(A + iB)F_1\left(1 + m; \frac{1}{2}, 1; 2 + m; -\frac{b \tan(c+dx)}{a}, -i \tan(c + dx)\right) \tan^{1+m}(c + dx) \sqrt{1 + \frac{b \tan(c+dx)}{a}}}{2d(1 + m)\sqrt{a + b \tan(c + dx)}} \end{aligned}$$

Mathematica [F] time = 9.20934, size = 0, normalized size = 0.

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

Maple [F] time = 0.568, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (A + B \tan(dx + c)) \frac{1}{\sqrt{a + b \tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/sqrt(b*tan(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{\sqrt{b \tan(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*tan(d*x + c)^m/sqrt(b*tan(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^m(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**m/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/sqrt(b*tan(d*x + c) + a), x)

$$3.491 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=193

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}} + {}_1F_1\left(m+1; \frac{3}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2ad(m+1) \sqrt{a+b \tan(c+dx)}} + \frac{(A-iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}}}{2ad(m+1) \sqrt{a+b \tan(c+dx)}}$$

[Out] ((A + I*B)*AppellF1[1 + m, 3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.45469, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {3603, 3602, 135, 133}

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}} + {}_1F_1\left(m+1; \frac{3}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2ad(m+1) \sqrt{a+b \tan(c+dx)}} + \frac{(A-iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}}}{2ad(m+1) \sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((A + I*B)*AppellF1[1 + m, 3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 3/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]])

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e,

$f, m, n, p\}, x]$ && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_ Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx &= \frac{1}{2}(A - iB) \int \frac{(1 + i \tan(c + dx)) \tan^m(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx + \frac{1}{2}(A + iB) \int \frac{(1 - i \tan(c + dx)) \tan^m(c + dx)}{(a + b \tan(c + dx))^{3/2}} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{x^m}{(1 - ix)(a + bx)^{3/2}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{x^m}{(1 + ix)(a + bx)^{3/2}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{\left((A - iB)\sqrt{1 + \frac{b \tan(c + dx)}{a}}\right) \operatorname{Subst}\left(\int \frac{x^m}{(1 - ix)\left(1 + \frac{bx}{a}\right)^{3/2}} dx, x, \tan(c + dx)\right)}{2ad\sqrt{a + b \tan(c + dx)}} + \frac{\left((A + iB)\sqrt{1 - \frac{b \tan(c + dx)}{a}}\right) \operatorname{Subst}\left(\int \frac{x^m}{(1 + ix)\left(1 + \frac{bx}{a}\right)^{3/2}} dx, x, \tan(c + dx)\right)}{2ad\sqrt{a + b \tan(c + dx)}} \\ &= \frac{(A + iB)F_1\left(1 + m; \frac{3}{2}, 1; 2 + m; -\frac{b \tan(c + dx)}{a}, -i \tan(c + dx)\right) \tan^{1+m}(c + dx)}{2ad(1 + m)\sqrt{a + b \tan(c + dx)}} \end{aligned}$$

Mathematica [F] time = 25.7721, size = 0, normalized size = 0.

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

Maple [F] time = 0.517, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (A + B \tan(dx + c)) (a + b \tan(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A)\sqrt{b \tan(dx + c) + a} \tan(dx + c)^m}{b^2 \tan(dx + c)^2 + 2ab \tan(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^m/(b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \tan^m(c + dx)}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*tan(c + d*x)**m/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^(3/2), x)

$$3.492 \quad \int \frac{\tan^m(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=193

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}} + {}_1F_1\left(m+1; \frac{5}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2a^2 d(m+1) \sqrt{a+b \tan(c+dx)}} + \frac{(A-iB) \tan^{m+1}(c+dx)}{2a^2 d(m+1) \sqrt{a+b \tan(c+dx)}}$$

[Out] ((A + I*B)*AppellF1[1 + m, 5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a^2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a^2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.456835, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {3603, 3602, 135, 133}

$$\frac{(A+iB) \tan^{m+1}(c+dx) \sqrt{\frac{b \tan(c+dx)}{a}} + {}_1F_1\left(m+1; \frac{5}{2}, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2a^2 d(m+1) \sqrt{a+b \tan(c+dx)}} + \frac{(A-iB) \tan^{m+1}(c+dx)}{2a^2 d(m+1) \sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] ((A + I*B)*AppellF1[1 + m, 5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a^2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]]) + ((A - I*B)*AppellF1[1 + m, 5/2, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*Sqrt[1 + (b*Tan[c + d*x])/a])/(2*a^2*d*(1 + m)*Sqrt[a + b*Tan[c + d*x]])

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[(b_.)*(x_)^(m_)*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_.)*(x_)^(p_)), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e,

$f, m, n, p, x]$ && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_)^(m_)*((c_) + (d_.)*(x_)^(n_)*((e_) + (f_.)*(x_)^(p_)), x_ Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx &= \frac{1}{2}(A - iB) \int \frac{(1 + i \tan(c + dx)) \tan^m(c + dx)}{(a + b \tan(c + dx))^{5/2}} dx + \frac{1}{2}(A + iB) \int \frac{(1 - i \tan(c + dx)) \tan^m(c + dx)}{(a + b \tan(c + dx))^{5/2}} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{x^m}{(1 - ix)(a + bx)^{5/2}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{x^m}{(1 + ix)(a + bx)^{5/2}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{\left((A - iB)\sqrt{1 + \frac{b \tan(c + dx)}{a}}\right) \operatorname{Subst}\left(\int \frac{x^m}{(1 - ix)\left(1 + \frac{bx}{a}\right)^{5/2}} dx, x, \tan(c + dx)\right)}{2a^2 d \sqrt{a + b \tan(c + dx)}} + \frac{\left((A + iB)\sqrt{1 - \frac{b \tan(c + dx)}{a}}\right) \operatorname{Subst}\left(\int \frac{x^m}{(1 + ix)\left(1 + \frac{bx}{a}\right)^{5/2}} dx, x, \tan(c + dx)\right)}{2a^2 d \sqrt{a + b \tan(c + dx)}} \\ &= \frac{(A + iB)F_1\left(1 + m; \frac{5}{2}, 1; 2 + m; -\frac{b \tan(c + dx)}{a}, -i \tan(c + dx)\right) \tan^{1+m}(c + dx) \sqrt{1 + \frac{b \tan(c + dx)}{a}}}{2a^2 d (1 + m) \sqrt{a + b \tan(c + dx)}} \end{aligned}$$

Mathematica [F] time = 70.3696, size = 0, normalized size = 0.

$$\int \frac{\tan^m(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] Integrate[(Tan[c + d*x]^m*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

Maple [F] time = 0.505, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^m (A + B \tan(dx + c)) (a + b \tan(dx + c))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] int(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A)\sqrt{b \tan(dx + c) + a} \tan(dx + c)^m}{b^3 \tan(dx + c)^3 + 3ab^2 \tan(dx + c)^2 + 3a^2b \tan(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*tan(d*x + c)^m/(b^3*tan(d*x + c)^3 + 3*a*b^2*tan(d*x + c)^2 + 3*a^2*b*tan(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \tan(dx + c)^m}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*tan(d*x + c)^m/(b*tan(d*x + c) + a)^(5/2), x)

3.493 $\int \tan^m(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$

Optimal. Leaf size=183

$$\frac{(A+iB)\tan^{m+1}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(m+1; -n, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1)} + \frac{(A-iB)\tan^{m+1}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(m+1; -n, 1; m+2; \frac{b \tan(c+dx)}{a}, i \tan(c+dx)\right)}{2d(m+1)}$$

[Out] ((A + I*B)*AppellF1[1 + m, -n, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 + m)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1 + m, -n, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 + m)*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.313777, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {3603, 3602, 135, 133}

$$\frac{(A+iB)\tan^{m+1}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(m+1; -n, 1; m+2; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(m+1)} + \frac{(A-iB)\tan^{m+1}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(m+1; -n, 1; m+2; \frac{b \tan(c+dx)}{a}, i \tan(c+dx)\right)}{2d(m+1)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((A + I*B)*AppellF1[1 + m, -n, 1, 2 + m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 + m)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1 + m, -n, 1, 2 + m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Tan[c + d*x]^(1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 + m)*(1 + (b*Tan[c + d*x])/a)^n)

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n]]/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e,

$f, m, n, p\}, x] \&\& !\text{IntegerQ}[m] \&\& !\text{IntegerQ}[n] \&\& !\text{GtQ}[c, 0]$

Rule 133

$\text{Int}[\{(b_)*(x_)\}^{(m_)}*\{(c_)+(d_)*(x_)\}^{(n_)}*\{(e_)+(f_)*(x_)\}^{(p_)}, x_]$
 $\text{Symbol}] :> \text{Simp}[(c^n * e^p * (b*x)^{(m+1)} * \text{AppellF1}[m+1, -n, -p, m+2, -((d*x)/c), -((f*x)/e)]) / (b*(m+1)), x] /;$
 $\text{FreeQ}\{b, c, d, e, f, m, n, p\}, x] \&$
 $\& !\text{IntegerQ}[m] \&\& !\text{IntegerQ}[n] \&\& \text{GtQ}[c, 0] \&\& (\text{IntegerQ}[p] \mid \mid \text{GtQ}[e, 0])$

Rubi steps

$$\int \tan^m(c+dx)(a+b\tan(c+dx))^n(A+B\tan(c+dx))dx = \frac{1}{2}(A-iB) \int (1+i\tan(c+dx))\tan^m(c+dx)(a+b\tan(c+dx))dx$$

$$= \frac{(A-iB) \text{Subst}\left(\int \frac{x^{m(a+bx)^n}}{1-ix} dx, x, \tan(c+dx)\right)}{2d} + \frac{(A+iB) \text{Subst}\left(\int \frac{x^{m(a+bx)^n}}{1+ix} dx, x, \tan(c+dx)\right)}{2d}$$

$$= \frac{\left((A-iB)(a+b\tan(c+dx))^n \left(1 + \frac{b\tan(c+dx)}{a}\right)^{-n}\right) \text{Subst}\left(\int \frac{x^{m(a+bx)^n}}{1-ix} dx, x, \tan(c+dx)\right)}{2d} + \frac{\left((A+iB)(a+b\tan(c+dx))^n \left(1 - \frac{b\tan(c+dx)}{a}\right)^{-n}\right) \text{Subst}\left(\int \frac{x^{m(a+bx)^n}}{1+ix} dx, x, \tan(c+dx)\right)}{2d}$$

$$= \frac{(A+iB)F_1\left(1+m; -n, 1; 2+m; -\frac{b\tan(c+dx)}{a}, -i\tan(c+dx)\right)}{2d} + \frac{(A-iB)F_1\left(1+m; n, 1; 2+m; \frac{b\tan(c+dx)}{a}, i\tan(c+dx)\right)}{2d}$$

Mathematica [F] time = 2.10371, size = 0, normalized size = 0.

$$\int \tan^m(c+dx)(a+b\tan(c+dx))^n(A+B\tan(c+dx))dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^m*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.415, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^m (a+b\tan(dx+c))^n (A+B\tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B\tan(dx+c)+A)(b\tan(dx+c)+a)^n \tan(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**m*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^m, x)

$$3.494 \quad \int \tan^4(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=387

$$\frac{(A - iB)(a + b \tan(c + dx))^{n+1} \operatorname{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(b + ia)} - \frac{(A + iB)(a + b \tan(c + dx))^{n+1} \operatorname{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d(n + 1)(b - ia)}$$

[Out] -(((A*b^3*(2 + n)*(3 + n)*(4 + n) - a*(b^2*B*(3 + n)*(4 + n) - 2*a*(3*a*B - A*b*(4 + n))))*(a + b*Tan[c + d*x])^(1 + n))/(b^4*d*(1 + n)*(2 + n)*(3 + n)*(4 + n))) + ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a - b)*d*(1 + n)) - ((b^2*B*(3 + n)*(4 + n) - 2*a*(3*a*B - A*b*(4 + n)))*Tan[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(b^3*d*(2 + n)*(3 + n)*(4 + n)) - ((3*a*B - A*b*(4 + n))*Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(1 + n))/(b^2*d*(3 + n)*(4 + n)) + (B*Tan[c + d*x]^3*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(4 + n))

Rubi [A] time = 1.05107, antiderivative size = 385, normalized size of antiderivative = 0.99, number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3607, 3647, 3630, 3539, 3537, 68}

$$\frac{(-2a^2Ab(n + 4) + 6a^3B - ab^2B(n + 3)(n + 4) + Ab^3(n + 2)(n + 3)(n + 4))(a + b \tan(c + dx))^{n+1}}{b^4d(n + 1)(n + 2)(n + 3)(n + 4)} + \frac{\tan(c + dx)(6a^3B - 2a^2Ab(n + 4) + ab^2B(n + 3)(n + 4) - Ab^3(n + 2)(n + 3)(n + 4))}{b^4d(n + 1)(n + 2)(n + 3)(n + 4)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^4*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] -(((6*a^3*B - 2*a^2*A*b*(4 + n) - a*b^2*B*(3 + n)*(4 + n) + A*b^3*(2 + n)*(3 + n)*(4 + n))*(a + b*Tan[c + d*x])^(1 + n))/(b^4*d*(1 + n)*(2 + n)*(3 + n)*(4 + n))) + ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a - b)*d*(1 + n)) + ((6*a^2*B - 2*a*A*b*(4 + n) - b^2*B*(3 + n)*(4 + n))*Tan[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(b^3*d*(2 + n)*(3 + n)*(4 + n)) - ((3*a*B - A*b*(4 + n))*Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(1 + n))/(b^2*d*(3 + n)*(4 + n)) + (B*Tan[c + d*x]^3*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(4 + n))

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^n*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] :> Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Si
mp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 68

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Simp[((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \tan^4(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx &= \frac{B \tan^3(c + dx)(a + b \tan(c + dx))^{1+n}}{bd(4 + n)} + \frac{\int \tan^2(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx}{bd(4 + n)} \\
&= -\frac{(3aB - Ab(4 + n)) \tan^2(c + dx)(a + b \tan(c + dx))^{1+n}}{b^2d(3 + n)(4 + n)} \\
&= \frac{(6a^2B - 2aAb(4 + n) - b^2B(3 + n)(4 + n)) \tan(c + dx)(a + b \tan(c + dx))^n}{b^3d(2 + n)(3 + n)(4 + n)} \\
&= -\frac{(6a^3B - 2a^2Ab(4 + n) - ab^2B(3 + n)(4 + n) + Ab^3(2 + n)) \tan^2(c + dx)(a + b \tan(c + dx))^{n-1}}{b^4d(1 + n)(2 + n)(3 + n)} \\
&= -\frac{(6a^3B - 2a^2Ab(4 + n) - ab^2B(3 + n)(4 + n) + Ab^3(2 + n)) \tan^3(c + dx)(a + b \tan(c + dx))^{n-2}}{b^4d(1 + n)(2 + n)(3 + n)} \\
&= -\frac{(6a^3B - 2a^2Ab(4 + n) - ab^2B(3 + n)(4 + n) + Ab^3(2 + n)) \tan^4(c + dx)(a + b \tan(c + dx))^{n-3}}{b^4d(1 + n)(2 + n)(3 + n)} \\
&= -\frac{(6a^3B - 2a^2Ab(4 + n) - ab^2B(3 + n)(4 + n) + Ab^3(2 + n)) \tan^5(c + dx)(a + b \tan(c + dx))^{n-4}}{b^4d(1 + n)(2 + n)(3 + n)}
\end{aligned}$$

Mathematica [A] time = 5.78065, size = 384, normalized size = 0.99

$$(a + b \tan(c + dx))^{n+1} \left(i \left(b^4 (n^3 + 9n^2 + 26n + 24) (-a + ib) \right) (A - iB) \text{Hypergeometric2F1} \left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^4*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((a + b*Tan[c + d*x])^(1 + n)*(I*((2*I)*(a - I*b)*(a + I*b)*(6*a^3*B - 2*a^2*A*b*(4 + n) - a*b^2*B*(3 + n)*(4 + n) + A*b^3*(2 + n)*(3 + n)*(4 + n)) - (a + I*b)*b^4*(A - I*B)*(24 + 26*n + 9*n^2 + n^3)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)] + (a - I*b)*b^4*(A + I*B)*(24 + 26*n + 9*n^2 + n^3)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)] + 2*(a - I*b)*(a + I*b)*b*(1 + n)*(6*a^2*B - 2*a*A*b*(4 + n) - b^2*B*(3 + n)*(4 + n))*Tan[c + d*x] - 2*(a - I*b)*(a + I*b)*b^2*(1 + n)*(2 + n)*(3*a*B - A*b*(4 + n))*Tan[c + d*x]^2 + 2*(a - I*b)*(a + I*b)*b^3*B*(1 + n)*(2 + n)*(3 + n)*Tan[c + d*x]^3))/(2*(a - I*b)*(a + I*b)*b^4*d*(1 + n)*(2 + n)*(3 + n)*(4 + n))

Maple [F] time = 0.362, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^4 (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^4*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(tan(d*x+c)^4*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \tan(dx+c)^5 + A \tan(dx+c)^4\right)(b \tan(dx+c) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c)^5 + A*tan(d*x + c)^4)*(b*tan(d*x + c) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**4*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a)^n \tan(dx+c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^4*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^4, x)

$$3.495 \quad \int \tan^3(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=291

$$\frac{(B + iA)(a + b \tan(c + dx))^{n+1} \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(b + ia)} + \frac{(A + iB)(a + b \tan(c + dx))^{n+1}}{2d(n + 1)(b + ia)}$$

```
[Out] ((2*a^2*B - a*A*b*(3 + n) - b^2*B*(6 + 5*n + n^2))*(a + b*Tan[c + d*x])^(1 + n))/(b^3*d*(1 + n)*(2 + n)*(3 + n)) + ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n)) - ((2*a*B - A*b*(3 + n))*Tan[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(b^2*d*(2 + n)*(3 + n)) + (B*Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(3 + n))
```

Rubi [A] time = 0.583964, antiderivative size = 289, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3607, 3647, 3630, 3539, 3537, 68}

$$\frac{(2a^2B - aAb(n + 3) - b^2B(n + 2)(n + 3))(a + b \tan(c + dx))^{n+1}}{b^3d(n + 1)(n + 2)(n + 3)} - \frac{\tan(c + dx)(2aB - Ab(n + 3))(a + b \tan(c + dx))^n}{b^2d(n + 2)(n + 3)}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^3*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((2*a^2*B - a*A*b*(3 + n) - b^2*B*(2 + n)*(3 + n))*(a + b*Tan[c + d*x])^(1 + n))/(b^3*d*(1 + n)*(2 + n)*(3 + n)) + ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n)) - ((2*a*B - A*b*(3 + n))*Tan[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(b^2*d*(2 + n)*(3 + n)) + (B*Tan[c + d*x]^2*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(3 + n))
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*(m + 1)), x] + Dist[1/(d*(m + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + 1) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + 1)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

```
e + f*x]^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 68

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_) + (d_.)*(x_))^(n_.), x_Symbol] := Simp[((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \tan^3(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{B \tan^2(c + dx)(a + b \tan(c + dx))^{1+n}}{bd(3 + n)} + \frac{\int \tan(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx}{b^2d(2 + n)(3 + n)} \\
&= -\frac{(2aB - Ab(3 + n)) \tan(c + dx)(a + b \tan(c + dx))^{1+n}}{b^2d(2 + n)(3 + n)} + \frac{B \int \tan(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx}{b^3d(1 + n)(2 + n)(3 + n)} \\
&= \frac{(2a^2B - aAb(3 + n) - b^2B(2 + n)(3 + n)) (a + b \tan(c + dx))^{1+n}}{b^3d(1 + n)(2 + n)(3 + n)} \\
&= \frac{(2a^2B - aAb(3 + n) - b^2B(2 + n)(3 + n)) (a + b \tan(c + dx))^{1+n}}{b^3d(1 + n)(2 + n)(3 + n)} \\
&= \frac{(2a^2B - aAb(3 + n) - b^2B(2 + n)(3 + n)) (a + b \tan(c + dx))^{1+n}}{b^3d(1 + n)(2 + n)(3 + n)} \\
&= \frac{(2a^2B - aAb(3 + n) - b^2B(2 + n)(3 + n)) (a + b \tan(c + dx))^{1+n}}{b^3d(1 + n)(2 + n)(3 + n)}
\end{aligned}$$

Mathematica [A] time = 2.24764, size = 281, normalized size = 0.97

$$(a + b \tan(c + dx))^{n+1} \left(b^3 (n^2 + 5n + 6) (a + ib)(A - iB) \text{Hypergeometric2F1} \left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib} \right) + b^3 (n^2 \right.$$

Antiderivative was successfully verified.

[In] Integrate[Tan[c + d*x]^3*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((a + b*Tan[c + d*x])^(1 + n)*(2*(a - I*b)*(a + I*b)*(2*a^2*B - a*A*b*(3 + n) - b^2*B*(2 + n)*(3 + n)) + (a + I*b)*b^3*(A - I*B)*(6 + 5*n + n^2)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)] + (a - I*b)*b^3*(A + I*B)*(6 + 5*n + n^2)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)] - 2*(a - I*b)*(a + I*b)*b*(1 + n)*(2*a*B - A*b*(3 + n))*Tan[c + d*x] + 2*(a - I*b)*(a + I*b)*b^2*B*(1 + n)*(2 + n)*Tan[c + d*x]^2)/(2*(a - I*b)*(a + I*b)*b^3*d*(1 + n)*(2 + n)*(3 + n))

Maple [F] time = 0.355, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^3 (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((B \tan(dx + c)^4 + A \tan(dx + c)^3)(b \tan(dx + c) + a)^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c)^4 + A*tan(d*x + c)^3)*(b*tan(d*x + c) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**3*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^3, x)

$$3.496 \quad \int \tan^2(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=219

$$\frac{(B + iA)(a + b \tan(c + dx))^{n+1} \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(a - ib)} + \frac{(A + iB)(a + b \tan(c + dx))^{n+1}}{2d(n + 1)(a - ib)}$$

```
[Out] -(((a*B - A*b*(2 + n))*(a + b*Tan[c + d*x])^(1 + n))/(b^2*d*(1 + n)*(2 + n))
+ ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a - I*b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a - b)*d*(1 + n)) + (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(2 + n))
```

Rubi [A] time = 0.353011, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3607, 3630, 3539, 3537, 68}

$$\frac{(aB - Ab(n + 2))(a + b \tan(c + dx))^{n+1}}{b^2d(n + 1)(n + 2)} + \frac{(B + iA)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(a - ib)} + \frac{(A + iB)(a + b \tan(c + dx))^{n+1}}{2d(n + 1)(a - ib)}$$

Antiderivative was successfully verified.

```
[In] Int[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((a*B - A*b*(2 + n))*(a + b*Tan[c + d*x])^(1 + n))/(b^2*d*(1 + n)*(2 + n))
+ ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a - I*b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a - b)*d*(1 + n)) + (B*Tan[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(2 + n))
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3630

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3539

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]
```

Rule 3537

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]
```

Rule 68

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned} \int \tan^2(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{B \tan(c + dx)(a + b \tan(c + dx))^{1+n}}{bd(2 + n)} + \frac{\int (a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx}{bd} \\ &= -\frac{(aB - Ab(2 + n))(a + b \tan(c + dx))^{1+n}}{b^2d(1 + n)(2 + n)} + \frac{B \tan(c + dx)(a + b \tan(c + dx))^n}{bd} \\ &= -\frac{(aB - Ab(2 + n))(a + b \tan(c + dx))^{1+n}}{b^2d(1 + n)(2 + n)} + \frac{B \tan(c + dx)(a + b \tan(c + dx))^n}{bd} \\ &= -\frac{(aB - Ab(2 + n))(a + b \tan(c + dx))^{1+n}}{b^2d(1 + n)(2 + n)} + \frac{B \tan(c + dx)(a + b \tan(c + dx))^n}{bd} \\ &= -\frac{(aB - Ab(2 + n))(a + b \tan(c + dx))^{1+n}}{b^2d(1 + n)(2 + n)} + \frac{(iA + B) {}_2F_1\left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a+ib}\right)}{bd(n+2)} \end{aligned}$$

Mathematica [A] time = 1.23716, size = 169, normalized size = 0.77

$$\frac{(a + b \tan(c + dx))^{n+1} \left(\frac{b(n+2)(B+iA) \text{Hypergeometric2F1}\left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a-ib}\right)}{(n+1)(a-ib)} + \frac{b(n+2)(B-iA) \text{Hypergeometric2F1}\left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a+ib}\right)}{(n+1)(a+ib)} \right)}{2bd(n+2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]^2*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a + b*Tan[c + d*x])^(1 + n)*((4*A*b - 2*a*B + 2*A*b*n)/(b + b*n) + (b*(I*
A + B)*(2 + n)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a -
I*b)])/((a - I*b)*(1 + n)) + (b*((-I)*A + B)*(2 + n)*Hypergeometric2F1[1,
1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)])/((a + I*b)*(1 + n)) + 2*B*Ta
n[c + d*x]))/(2*b*d*(2 + n))
```


Maple [F] time = 0.368, size = 0, normalized size = 0.

$$\int (\tan(dx+c))^2 (a+b\tan(dx+c))^n (A+B\tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tan(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(tan(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a)^n \tan(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \tan(dx+c)^3 + A \tan(dx+c)^2)(b \tan(dx+c) + a)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c)^3 + A*tan(d*x + c)^2)*(b*tan(d*x + c) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)**2*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a)^n \tan(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tan(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="gi  
ac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^2, x)
```

$$3.497 \quad \int \tan(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=168

$$\frac{(A - iB)(a + b \tan(c + dx))^{n+1} \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(a - ib)} - \frac{(A + iB)(a + b \tan(c + dx))^{n+1}}{2d(n + 1)(a + ib)}$$

[Out] (B*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(1 + n)) - ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a - I*b)*d*(1 + n)) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n))

Rubi [A] time = 0.177936, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3592, 3539, 3537, 68}

$$\frac{(A - iB)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(a - ib)} - \frac{(A + iB)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d(n + 1)(a + ib)}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] (B*(a + b*Tan[c + d*x])^(1 + n))/(b*d*(1 + n)) - ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a - I*b)*d*(1 + n)) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n))

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 68

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1))), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned} \int \tan(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{B(a + b \tan(c + dx))^{1+n}}{bd(1+n)} + \int (-B + A \tan(c + dx))(a + b \tan(c + dx))^n dx \\ &= \frac{B(a + b \tan(c + dx))^{1+n}}{bd(1+n)} + \frac{1}{2}(-iA - B) \int (1 + i \tan(c + dx))(a + b \tan(c + dx))^n dx \\ &= \frac{B(a + b \tan(c + dx))^{1+n}}{bd(1+n)} + \frac{(A - iB) \operatorname{Subst}\left(\int \frac{(a - ibx)^n}{-1+x} dx, x, i \tan(c + dx)\right)}{2d} \\ &= \frac{B(a + b \tan(c + dx))^{1+n}}{bd(1+n)} - \frac{(A - iB) {}_2F_1\left(1, 1 + n; 2 + n; \frac{a + b \tan(c + dx)}{a - ib}\right)}{2(a - ib)d} \end{aligned}$$

Mathematica [A] time = 0.208763, size = 125, normalized size = 0.74

$$\frac{(a + b \tan(c + dx))^{n+1} \left(-\frac{(A - iB) \operatorname{Hypergeometric2F1}\left(1, n+1, n+2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{a - ib} - \frac{(A + iB) \operatorname{Hypergeometric2F1}\left(1, n+1, n+2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{a + ib} + \frac{2B}{b} \right)}{2d(n+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tan[c + d*x]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

```
[Out] (((2*B)/b - ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)])/(a - I*b) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)])/(a + I*b))*(a + b*Tan[c + d*x])^(1 + n))/(2*d*(1 + n))
```

Maple [F] time = 0.328, size = 0, normalized size = 0.

$$\int \tan(dx + c)(a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tan(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)
```

```
[Out] int(tan(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \tan(dx + c)^2 + A \tan(dx + c)\right)(b \tan(dx + c) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c)^2 + A*tan(d*x + c))*(b*tan(d*x + c) + a)^n, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))^n \tan(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))^n*tan(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tan(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c), x)

3.498 $\int (a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$

Optimal. Leaf size=143

$$\frac{(A - iB)(a + b \tan(c + dx))^{n+1} \operatorname{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(b + ia)} + \frac{(-B + iA)(a + b \tan(c + dx))^{n+1} \operatorname{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d(n + 1)(a + ib)}$$

[Out] ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((I*A - B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n))

Rubi [A] time = 0.130205, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3539, 3537, 68}

$$\frac{(A - iB)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(b + ia)} + \frac{(-B + iA)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d(n + 1)(a + ib)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((I*A - B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n))

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 68

Int[((a_) + (b_.)*(x_)^(m_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int (a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{1}{2}(A - iB) \int (1 + i \tan(c + dx))(a + b \tan(c + dx))^n dx + \frac{1}{2}(A + iB) \int (1 - i \tan(c + dx))(a + b \tan(c + dx))^n dx \\ &= -\frac{(iA - B) \operatorname{Subst}\left(\int \frac{(a+ibx)^n}{-1+x} dx, x, -i \tan(c + dx)\right)}{2d} + \frac{(iA + B) \operatorname{Subst}\left(\int \frac{(a-ibx)^n}{-1+x} dx, x, i \tan(c + dx)\right)}{2d} \\ &= -\frac{(iA + B) {}_2F_1\left(1, 1 + n; 2 + n; \frac{a+b \tan(c+dx)}{a-ib}\right) (a + b \tan(c + dx))^{1+n}}{2(a - ib)d(1 + n)} - \frac{(iA - B) {}_2F_1\left(1, 1 + n; 2 + n; \frac{a+b \tan(c+dx)}{a+ib}\right) (a + b \tan(c + dx))^{1+n}}{2(a + ib)d(1 + n)} \end{aligned}$$

Mathematica [A] time = 0.14948, size = 120, normalized size = 0.84

$$\frac{i(a + b \tan(c + dx))^{n+1} \left(\frac{(A+iB) \operatorname{Hypergeometric2F1}\left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a+ib}\right)}{a+ib} - \frac{(A-iB) \operatorname{Hypergeometric2F1}\left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a-ib}\right)}{a-ib} \right)}{2d(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((I/2)*(-(((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)])/(a - I*b)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)])/(a + I*b))*(a + b*Tan[c + d*x])^(1 + n))/(d*(1 + n))

Maple [F] time = 0.553, size = 0, normalized size = 0.

$$\int (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left((B \tan(dx + c) + A)(b \tan(dx + c) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**n, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n, x)

$$3.499 \quad \int \cot(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=190

$$\frac{(B + iA)(a + b \tan(c + dx))^{n+1} \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(b + ia)} + \frac{(A + iB)(a + b \tan(c + dx))^{n+1} \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d(n + 1)(a + ib)}$$

[Out] ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n)) - (A*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]*(a + b*Tan[c + d*x])^(1 + n))/(a*d*(1 + n))

Rubi [A] time = 0.273356, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {3613, 3539, 3537, 68, 3634, 65}

$$\frac{(B + iA)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d(n + 1)(b + ia)} + \frac{(A + iB)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d(n + 1)(a + ib)}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n)) - (A*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]*(a + b*Tan[c + d*x])^(1 + n))/(a*d*(1 + n))

Rule 3613

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[a*A + b*B - (A*b - a*B)*Tan[e + f*x], x], x], x] + Dist[(b*(A*b - a*B))/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b

*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\int \cot(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx = A \int \cot(c + dx)(a + b \tan(c + dx))^n (1 + \tan^2(c + dx)) dx + \frac{1}{2}(-iA + B) \int (1 - i \tan(c + dx))(a + b \tan(c + dx))^n dx + \frac{1}{2} \frac{A {}_2F_1\left(1, 1 + n; 2 + n; 1 + \frac{b \tan(c + dx)}{a}\right) (a + b \tan(c + dx))^{1+n}}{ad(1 + n)} = \frac{(A - iB) {}_2F_1\left(1, 1 + n; 2 + n; \frac{a + b \tan(c + dx)}{a - ib}\right) (a + b \tan(c + dx))^{1+n}}{2(a - ib)d(1 + n)}$$

Mathematica [A] time = 0.336725, size = 169, normalized size = 0.89

$$\frac{(a + b \tan(c + dx))^{n+1} \left(a(a + ib)(A - iB) \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib}\right) + (a - ib) \left(a(A + iB) \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a + ib}\right) \right) \right)}{2ad(n + 1)(a - ib)}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((a*(a + I*b)*(A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)] + (a - I*b)*(a*(A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)] - 2*A*(a + I*b)*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]))*(a + b*Tan[c + d*x])^(1 + n))/(2*a*(a - I*b)*(a + I*b)*d*(1 + n))

Maple [F] time = 0.536, size = 0, normalized size = 0.

$$\int \cot(dx + c)(a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

[Out] `int(cot(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cot(dx + c) \tan(dx + c) + A \cot(dx + c))(b \tan(dx + c) + a)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cot(d*x + c)*tan(d*x + c) + A*cot(d*x + c))*(b*tan(d*x + c) + a)^n, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c), x)`

3.500 $\int \cot^2(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$

Optimal. Leaf size=228

$$\frac{(aB + Abn)(a + b \tan(c + dx))^{n+1} \text{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{b \tan(c + dx)}{a} + 1\right)}{a^2 d(n + 1)} - \frac{(A - iB)(a + b \tan(c + dx))^{n+1}}{2d(n + 1)(b + ia)}$$

[Out] -((A*Cot[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(a*d)) - ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a - b)*d*(1 + n)) - ((a*B + A*b*n)*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]*(a + b*Tan[c + d*x])^(1 + n))/(a^2*d*(1 + n))

Rubi [A] time = 0.447354, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3609, 3653, 3539, 3537, 68, 3634, 65}

$$\frac{(aB + Abn)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{b \tan(c + dx)}{a} + 1\right)}{a^2 d(n + 1)} - \frac{(A - iB)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{b \tan(c + dx)}{a} + 1\right)}{2d(n + 1)(b + ia)}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] -((A*Cot[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(a*d)) - ((A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) + ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a - b)*d*(1 + n)) - ((a*B + A*b*n)*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]*(a + b*Tan[c + d*x])^(1 + n))/(a^2*d*(1 + n))

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
```

, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3539

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 - I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

Rule 3537

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

Rule 68

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x)/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 65

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c]/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rubi steps

$$\begin{aligned}
 \int \cot^2(c + dx)(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx &= -\frac{A \cot(c + dx)(a + b \tan(c + dx))^{1+n}}{ad} - \frac{\int \cot(c + dx)(a + b \tan(c + dx))^n dx}{ad} \\
 &= -\frac{A \cot(c + dx)(a + b \tan(c + dx))^{1+n}}{ad} - \frac{\int (a + b \tan(c + dx))^n dx}{ad} \\
 &= -\frac{A \cot(c + dx)(a + b \tan(c + dx))^{1+n}}{ad} - \frac{1}{2}(A - iB) \int (1 + i \tan(c + dx))^n dx \\
 &= -\frac{A \cot(c + dx)(a + b \tan(c + dx))^{1+n}}{ad} - \frac{(aB + Abn) {}_2F_1(1, n; n+1; -\frac{b \tan(c + dx)}{a + b \tan(c + dx)})}{ad} \\
 &= -\frac{A \cot(c + dx)(a + b \tan(c + dx))^{1+n}}{ad} + \frac{(iA + B) {}_2F_1(1, n; n+1; -\frac{b \tan(c + dx)}{a + b \tan(c + dx)})}{ad}
 \end{aligned}$$

Mathematica [A] time = 0.369548, size = 202, normalized size = 0.89

$$(a + b \tan(c + dx))^{n+1} \left(a^2(a + ib)(A - iB) \operatorname{Hypergeometric2F1} \left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a - ib} \right) - (a - ib) \left(a^2(A + iB) \operatorname{Hypergeometric2F1} \left(1, n + 1, n + 2, \frac{a + b \tan(c + dx)}{a + ib} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^2*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((a^2*(a + I*b)*(A - I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)] - (a - I*b)*(a^2*(A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)] + 2*((-I)*a + b)*(a*B*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a] - A*b*Hypergeometric2F1[2, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]))*(a + b*Tan[c + d*x])^(1 + n))/(2*a^2*(a - I*b)*((-I)*a + b)*d*(1 + n))

Maple [F] time = 0.343, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^2 (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(cot(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left((B \cot(dx + c)^2 \tan(dx + c) + A \cot(dx + c)^2) (b \tan(dx + c) + a)^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cot(d*x + c)^2*tan(d*x + c) + A*cot(d*x + c)^2)*(b*tan(d*x + c) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**2*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^2*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^2, x)

3.501 $\int \cot^3(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx$

Optimal. Leaf size=292

$$\frac{(2a^2A - 2abBn + Ab^2(1 - n)n)(a + b \tan(c + dx))^{n+1} \operatorname{Hypergeometric2F1}\left(1, n + 1, n + 2, \frac{b \tan(c + dx)}{a} + 1\right)}{2a^3d(n + 1)} - \frac{(B + iA)(a + b \tan(c + dx))^{n+1}}{2a^2d}$$

```
[Out] -((2*a*B - A*b*(1 - n))*Cot[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(2*a^2*d) - (A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(1 + n))/(2*a*d) - ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n)) + ((2*a^2*A - 2*a*b*B*n + A*b^2*(1 - n)*n)*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]*(a + b*Tan[c + d*x])^(1 + n))/(2*a^3*d*(1 + n))
```

Rubi [A] time = 0.805643, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3609, 3649, 3653, 3539, 3537, 68, 3634, 65}

$$\frac{(2a^2A - 2abBn + Ab^2(1 - n)n)(a + b \tan(c + dx))^{n+1} {}_2F_1\left(1, n + 1; n + 2; \frac{b \tan(c + dx)}{a} + 1\right)}{2a^3d(n + 1)} - \frac{\cot(c + dx)(2aB - Ab(1 - n))}{2a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^3*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]
```

```
[Out] -((2*a*B - A*b*(1 - n))*Cot[c + d*x]*(a + b*Tan[c + d*x])^(1 + n))/(2*a^2*d) - (A*Cot[c + d*x]^2*(a + b*Tan[c + d*x])^(1 + n))/(2*a*d) - ((I*A + B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a - I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(I*a + b)*d*(1 + n)) - ((A + I*B)*Hypergeometric2F1[1, 1 + n, 2 + n, (a + b*Tan[c + d*x])/(a + I*b)]*(a + b*Tan[c + d*x])^(1 + n))/(2*(a + I*b)*d*(1 + n)) + ((2*a^2*A - 2*a*b*B*n + A*b^2*(1 - n)*n)*Hypergeometric2F1[1, 1 + n, 2 + n, 1 + (b*Tan[c + d*x])/a]*(a + b*Tan[c + d*x])^(1 + n))/(2*a^3*d*(1 + n))
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
```



```

+ (f_.)*(x_)^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(((c + d*Tan[e + f*x])^(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3539

```

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c + I*d)/2, Int[(a + b*Tan[e + f*x])^m*(1
- I*Tan[e + f*x]), x], x] + Dist[(c - I*d)/2, Int[(a + b*Tan[e + f*x])^m*(
1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !IntegerQ[m]

```

Rule 3537

```

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[(c*d)/f, Subst[Int[(a + (b*x)/d)^m/(d^2 + c
*x), x], x, d*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b
*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[c^2 + d^2, 0]

```

Rule 68

```

Int[(((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a
+ b*x)/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

```

Rule 3634

```

Int[(((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2]), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

```

Rule 65

```

Int[(((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(((c + d*x
)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c])/((d*(n + 1)*(-d
/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[
m] || GtQ[-(d/(b*c)), 0])

```

Rubi steps

$$\begin{aligned}
\int \cot^3(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx &= -\frac{A \cot^2(c+dx)(a+b \tan(c+dx))^{1+n}}{2ad} - \frac{\int \cot^2(c+dx)(a+b \tan(c+dx))^n dx}{2ad} \\
&= -\frac{(2aB-Ab(1-n)) \cot(c+dx)(a+b \tan(c+dx))^{1+n}}{2a^2d} - \frac{A \cot(c+dx)(a+b \tan(c+dx))^n}{2ad} \\
&= -\frac{(2aB-Ab(1-n)) \cot(c+dx)(a+b \tan(c+dx))^{1+n}}{2a^2d} - \frac{A \cot(c+dx)(a+b \tan(c+dx))^n}{2ad} \\
&= -\frac{(2aB-Ab(1-n)) \cot(c+dx)(a+b \tan(c+dx))^{1+n}}{2a^2d} - \frac{A \cot(c+dx)(a+b \tan(c+dx))^n}{2ad} \\
&= -\frac{(2aB-Ab(1-n)) \cot(c+dx)(a+b \tan(c+dx))^{1+n}}{2a^2d} - \frac{A \cot(c+dx)(a+b \tan(c+dx))^n}{2ad} \\
&= -\frac{(2aB-Ab(1-n)) \cot(c+dx)(a+b \tan(c+dx))^{1+n}}{2a^2d} - \frac{A \cot(c+dx)(a+b \tan(c+dx))^n}{2ad}
\end{aligned}$$

Mathematica [A] time = 0.474324, size = 230, normalized size = 0.79

$$(a+b \tan(c+dx))^{n+1} \left(a^3(a+ib)(A-ib) \text{Hypergeometric2F1} \left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a-ib} \right) + (a-ib) \left(a^3(A+ib) \text{Hypergeometric2F1} \left(1, n+1, n+2, \frac{a+b \tan(c+dx)}{a-ib} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c+d*x]^3*(a+b*Tan[c+d*x])^n*(A+B*Tan[c+d*x]),x]

[Out] -((a^3*(a+I*b)*(A-I*B)*Hypergeometric2F1[1,1+n,2+n,(a+b*Tan[c+d*x])/(a-I*b)]+(a-I*b)*(a^3*(A+I*B)*Hypergeometric2F1[1,1+n,2+n,(a+b*Tan[c+d*x])/(a+I*b)]-2*(a+I*b)*(a^2*A*Hypergeometric2F1[1,1+n,2+n,1+(b*Tan[c+d*x])/a]+b*(a*B*Hypergeometric2F1[2,1+n,2+n,1+(b*Tan[c+d*x])/a]-A*b*Hypergeometric2F1[3,1+n,2+n,1+(b*Tan[c+d*x])/a]))*(a+b*Tan[c+d*x])^(1+n))/(2*a^3*(a-I*b)*(a+I*b)*d*(1+n))

Maple [F] time = 0.653, size = 0, normalized size = 0.

$$\int (\cot(dx+c))^3 (a+b \tan(dx+c))^n (A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(cot(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c)+A)(b \tan(dx+c)+a)^n \cot(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^3, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cot(dx + c)^3 \tan(dx + c) + A \cot(dx + c)^3\right)(b \tan(dx + c) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cot(d*x + c)^3*tan(d*x + c) + A*cot(d*x + c)^3)*(b*tan(d*x + c) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**3*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^3*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^3, x)

$$3.502 \quad \int \cot^{\frac{7}{2}}(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=103

$$-\frac{2a(B + iA) \cot^{\frac{3}{2}}(c + dx)}{3d} + \frac{2a(A - iB) \sqrt{\cot(c + dx)}}{d} + \frac{2\sqrt[4]{-1}a(A - iB) \tanh^{-1}\left((-1)^{3/4} \sqrt{\cot(c + dx)}\right)}{d} - \frac{2aA \cot^{\frac{5}{2}}(c + dx)}{5d}$$

[Out] $(2*(-1)^{(1/4)}*a*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (2*a*(A - I*B)*\text{Sqrt}[\text{Cot}[c + d*x]])/d - (2*a*(I*A + B)*\text{Cot}[c + d*x]^{(3/2)})/(3*d) - (2*a*A*\text{Cot}[c + d*x]^{(5/2)})/(5*d)$

Rubi [A] time = 0.235965, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3581, 3592, 3528, 3533, 208}

$$-\frac{2a(B + iA) \cot^{\frac{3}{2}}(c + dx)}{3d} + \frac{2a(A - iB) \sqrt{\cot(c + dx)}}{d} + \frac{2\sqrt[4]{-1}a(A - iB) \tanh^{-1}\left((-1)^{3/4} \sqrt{\cot(c + dx)}\right)}{d} - \frac{2aA \cot^{\frac{5}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(7/2)}*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(2*(-1)^{(1/4)}*a*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (2*a*(A - I*B)*\text{Sqrt}[\text{Cot}[c + d*x]])/d - (2*a*(I*A + B)*\text{Cot}[c + d*x]^{(3/2)})/(3*d) - (2*a*A*\text{Cot}[c + d*x]^{(5/2)})/(5*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^m*(d + c*\text{Cot}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3592

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3528

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3533

$\text{Int}[(c_. + (d_.)*\tan[(e_.) + (f_.)*(x_.)])/\text{Sqrt}[(b_.)*\tan[(e_.) + (f_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*$

Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \int \cot^{\frac{3}{2}}(c+dx)(ia+a \cot(c+dx))(B+A \cot(c+dx)) dx \\ &= -\frac{2aA \cot^{\frac{5}{2}}(c+dx)}{5d} + \int \cot^{\frac{3}{2}}(c+dx)(-a(A-iB)+a(ia+B \cot(c+dx))) dx \\ &= -\frac{2a(iA+B) \cot^{\frac{3}{2}}(c+dx)}{3d} - \frac{2aA \cot^{\frac{5}{2}}(c+dx)}{5d} + \int \sqrt{\cot(c+dx)} dx \\ &= \frac{2a(A-iB) \sqrt{\cot(c+dx)}}{d} - \frac{2a(iA+B) \cot^{\frac{3}{2}}(c+dx)}{3d} - \frac{2aA \cot^{\frac{5}{2}}(c+dx)}{5d} \\ &= \frac{2a(A-iB) \sqrt{\cot(c+dx)}}{d} - \frac{2a(iA+B) \cot^{\frac{3}{2}}(c+dx)}{3d} - \frac{2aA \cot^{\frac{5}{2}}(c+dx)}{5d} \\ &= \frac{2\sqrt[4]{-1}a(A-iB) \tanh^{-1}\left((-1)^{3/4} \sqrt{\cot(c+dx)}\right)}{d} + \frac{2a(A-iB) \sqrt{\cot(c+dx)}}{d} \end{aligned}$$

Mathematica [B] time = 2.96737, size = 263, normalized size = 2.55

$$\frac{a \sin^2(c+dx)(\cot(c+dx)+i)(\cos(dx)-i \sin(dx))(A \cot(c+dx)+B) \left(-\frac{2ie^{-ic}(A-iB) \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\frac{i(1+e^{2i(c+dx)}}{-1+e^{2i(c+dx)}}}\right)} - \frac{1}{15}(\cos(c)-i \sin(c)) \right)}{d(A \cos(c+dx)+B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (a*(I + Cot[c + d*x])*(B + A*Cot[c + d*x])*(Cos[d*x] - I*Sin[d*x])*Sin[c + d*x]^2*(((2*I)*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]))/(E^(I*c)*Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[(I*(1 + E^((2*I)*(c + d*x)))]/(-1 + E^((2*I)*(c + d*x)))) - (Sqrt[Cot[c + d*x]]*Csc[c + d*x]^2*(Cos[c] - I*Sin[c])*(-12*A + (15*I)*B + 3*(6*A - (5*I)*B)*Cos[2*(c + d*x)] + 5*(I*A + B)*Sin[2*(c + d*x)]))/(15))/(d*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [C] time = 0.474, size = 2945, normalized size = 28.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/15*a/d*2^(1/2)*(-15*B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c)


```
*x+c)-1)/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*El
lipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2
))+15*A*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c
)-1)/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*Ellipt
icPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-1
5*B*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2
))*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)+15*B*((cos(d*x+c)-1+sin(d*x
+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-si
n(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+
c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+5*I*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2))*(co
s(d*x+c)/sin(d*x+c))^(7/2)*sin(d*x+c)/cos(d*x+c)^4
```

Maxima [B] time = 1.55369, size = 259, normalized size = 2.51

$$15 \left(2 \sqrt{2}((i-1)A + (i+1)B) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + 2 \sqrt{2}((i-1)A + (i+1)B) \arctan \left(-\frac{1}{2} \sqrt{2} \left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] 1/60*(15*(2*sqrt(2))*((I - 1)*A + (I + 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2
/sqrt(tan(d*x + c)))) + 2*sqrt(2))*((I - 1)*A + (I + 1)*B)*arctan(-1/2*sqrt(
2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + sqrt(2)*(-(I + 1)*A + (I - 1)*B)*log
(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - sqrt(2)*(-(I + 1)*A + (
I - 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a + 8*(15*
A - 15*I*B)*a/sqrt(tan(d*x + c)) + 40*(-I*A - B)*a/tan(d*x + c)^(3/2) - 24*
A*a/tan(d*x + c)^(5/2))/d
```

Fricas [B] time = 1.59234, size = 1153, normalized size = 11.19

$$15 \left(de^{4i dx+4ic} - 2 de^{2i dx+2ic} + d \right) \sqrt{\frac{(4i A^2+8 AB-4i B^2)a^2}{d^2}} \log \left(-\frac{\left(2(A-iB)ae^{2i dx+2ic} - (i de^{2i dx+2ic} - i d) \sqrt{\frac{(4i A^2+8 AB-4i B^2)a^2}{d^2}} \sqrt{\frac{i e^{2i dx+2ic}}{e^{2i dx+2ic}}} \right)}{(i A+B)a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] -1/60*(15*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((4*I*A
^2 + 8*A*B - 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) - (I
*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2)*sq
rt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I
*c)/((I*A + B)*a) - 15*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) +
d)*sqrt((4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x
+ 2*I*c) - (-I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((4*I*A^2 + 8*A*B - 4*I*B^
2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^
(-2*I*d*x - 2*I*c)/((I*A + B)*a) - 8*((23*A - 20*I*B)*a*e^(4*I*d*x + 4*I*c
) - 6*(4*A - 5*I*B)*a*e^(2*I*d*x + 2*I*c) + (13*A - 10*I*B)*a)*sqrt((I*e^(2
```

$(I dx + 2Ic) + I / (e^{(2I dx + 2Ic)} - 1) / (d e^{(4I dx + 4Ic)} - 2 d e^{(2I dx + 2Ic)} + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a) \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)*cot(d*x + c)^(7/2), x)

$$3.503 \quad \int \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=78

$$\frac{2a(B + iA)\sqrt{\cot(c + dx)}}{d} - \frac{2\sqrt[4]{-1}a(B + iA)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} - \frac{2aA\cot^{\frac{3}{2}}(c + dx)}{3d}$$

[Out] $(-2*(-1)^{1/4}*a*(I*A + B)*\text{ArcTanh}[(-1)^{3/4}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a*(I*A + B)*\text{Sqrt}[\text{Cot}[c + d*x]])/d - (2*a*A*\text{Cot}[c + d*x]^{3/2})/(3*d)$

Rubi [A] time = 0.191667, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3581, 3592, 3528, 3533, 208}

$$\frac{2a(B + iA)\sqrt{\cot(c + dx)}}{d} - \frac{2\sqrt[4]{-1}a(B + iA)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} - \frac{2aA\cot^{\frac{3}{2}}(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{5/2}*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*(-1)^{1/4}*a*(I*A + B)*\text{ArcTanh}[(-1)^{3/4}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a*(I*A + B)*\text{Sqrt}[\text{Cot}[c + d*x]])/d - (2*a*A*\text{Cot}[c + d*x]^{3/2})/(3*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^m*(d + c*\text{Cot}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3592

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

$\text{Int}[(c_. + (d_.)*\tan[(e_.) + (f_.)*(x_.)])/ \text{Sqrt}[(b_.)*\tan[(e_.) + (f_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \int \sqrt{\cot(c+dx)}(ia+a \cot(c+dx))(B+A \cot(c+dx)) dx \\ &= -\frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \int \sqrt{\cot(c+dx)}(-a(A-iB)+a(iA+B)) dx \\ &= -\frac{2a(iA+B)\sqrt{\cot(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \int \frac{-a(iA+B)}{\sqrt{\cot(c+dx)}} dx \\ &= -\frac{2a(iA+B)\sqrt{\cot(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{(2a^2(iA+B) \sqrt{\cot(c+dx)})}{d} \\ &= -\frac{2\sqrt[4]{-1}a(iA+B) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} \end{aligned}$$

Mathematica [B] time = 3.31194, size = 161, normalized size = 2.06

$$\frac{2ae^{-ic} \sin^2(c+dx)\sqrt{\cot(c+dx)}(\cot(c+dx)+i)(\cos(dx)-i \sin(dx))(A \cot(c+dx)+B) \left(-3i(A-iB)\sqrt{i \tan(c+dx)} \tan(c+dx) \right)}{3d(A \cos(c+dx)+B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (-2*a*Sqrt[Cot[c + d*x]]*(I + Cot[c + d*x])*(B + A*Cot[c + d*x])*(Cos[d*x] - I*Sin[d*x])*Sin[c + d*x]^2*((3*I)*A + 3*B + A*Cot[c + d*x] - (3*I)*(A - I*B))*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]]*Sqrt[I*Tan[c + d*x]])/(3*d*E^(I*c)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [C] time = 0.446, size = 1538, normalized size = 19.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/3*a/d*2^(1/2)*(-3*I*A*cos(d*x+c)*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+3*I*B*cos(d*x+c)*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))-3*I*B*cos(d*x+c)*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))-3*I*A*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))

```

c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(
(1/2),1/2+1/2*I,1/2*2^(1/2))-3*A*cos(d*x+c)*sin(d*x+c)*(-cos(d*x+c)-1-sin(
d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((co
s(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x
+c))^(1/2),1/2*2^(1/2))+3*A*cos(d*x+c)*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c
))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x
+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))
^(1/2),1/2+1/2*I,1/2*2^(1/2))+3*I*B*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/
sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)
-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/
2),1/2*2^(1/2))-3*I*B*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1
/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,
1/2*2^(1/2))-3*B*cos(d*x+c)*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+
c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(
d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+
1/2*I,1/2*2^(1/2))-3*A*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(
1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c
))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2
))+3*A*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)
)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*Ellipti
cPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-3*
B*sin(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+s
in(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((
-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+3*I*A*2
^(1/2)*cos(d*x+c)*sin(d*x+c)+A*2^(1/2)*cos(d*x+c)^2+3*B*2^(1/2)*cos(d*x+c)*
sin(d*x+c))*(cos(d*x+c)/sin(d*x+c))^(5/2)*sin(d*x+c)/cos(d*x+c)^3

```

Maxima [B] time = 1.59765, size = 235, normalized size = 3.01

$$3 \left(2 \sqrt{2}(-i+1)A + (i-1)B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + 2 \sqrt{2}(-i+1)A + (i-1)B \arctan \left(-\frac{1}{2} \sqrt{2} \left(\sqrt{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="maxima")

```

```

[Out] -1/12*(3*(2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) +
2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt
(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*((I - 1)*A + (I + 1)*B)*lo
g(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*((I - 1)*A + (
I + 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a - 24*(-I
*A - B)*a/sqrt(tan(d*x + c)) + 8*A*a/tan(d*x + c)^(3/2))/d

```

Fricas [B] time = 1.45666, size = 983, normalized size = 12.6

$$3 \left(de^{(2i dx+2ic)} - d \right) \sqrt{\frac{(-4i A^2 - 8 AB + 4i B^2) a^2}{d^2}} \log \left(\frac{\left(2(A-iB) a e^{(2i dx+2ic)} + (d e^{(2i dx+2ic)} - d) \sqrt{\frac{(-4i A^2 - 8 AB + 4i B^2) a^2}{d^2}} \sqrt{\frac{i e^{(2i dx+2ic)} + i}{e^{(2i dx+2ic)} - 1}} \right) e^{(-2i dx-2ic)}}{(i A+B) a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/12*(3*(d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))e^(-2*I*d*x - 2*I*c)/((I*A + B)*a)) - 3*(d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) - (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))e^(-2*I*d*x - 2*I*c)/((I*A + B)*a)) - ((-32*I*A - 24*B)*a*e^(2*I*d*x + 2*I*c) + (16*I*A + 24*B)*a)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a) \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)*cot(d*x + c)^(5/2), x)
```

$$3.504 \quad \int \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=53

$$-\frac{2aA\sqrt{\cot(c+dx)}}{d} - \frac{2\sqrt[4]{-1}a(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d}$$

[Out] $(-2*(-1)^{1/4}*a*(A - I*B)*\text{ArcTanh}[(-1)^{3/4}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a*A*\text{Sqrt}[\text{Cot}[c + d*x]])/d$

Rubi [A] time = 0.150765, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3581, 3592, 3533, 208}

$$-\frac{2aA\sqrt{\cot(c+dx)}}{d} - \frac{2\sqrt[4]{-1}a(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{3/2}*(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*(-1)^{1/4}*a*(A - I*B)*\text{ArcTanh}[(-1)^{3/4}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a*A*\text{Sqrt}[\text{Cot}[c + d*x]])/d$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^{(m*(d+c*\text{Cot}[e + f*x]))^n}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3592

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m)}*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3533

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx &= \int \frac{(ia + a \cot(c + dx))(B + A \cot(c + dx))}{\sqrt{\cot(c + dx)}} dx \\
 &= -\frac{2aA\sqrt{\cot(c + dx)}}{d} + \int \frac{-a(A - iB) + a(iA + B)\cot(c + dx)}{\sqrt{\cot(c + dx)}} dx \\
 &= -\frac{2aA\sqrt{\cot(c + dx)}}{d} + \frac{(2a^2(A - iB)^2) \text{Subst} \left(\int \frac{1}{a(A - iB) + a(iA + B)\cot(c + dx)} dx \right)}{d} \\
 &= -\frac{2\sqrt{-1}a(A - iB) \tanh^{-1} \left((-1)^{3/4} \sqrt{\cot(c + dx)} \right)}{d} - \frac{2aA\sqrt{\cot(c + dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 2.0035, size = 92, normalized size = 1.74

$$\frac{2ae^{-ic}(\cos(c) + i \sin(c))\sqrt{\cot(c + dx)} \left(-A + (A - iB)\sqrt{i \tan(c + dx)} \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}} \right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (2*a*Sqrt[Cot[c + d*x]]*(Cos[c] + I*Sin[c])*(-A + (A - I*B)*ArcTanh[Sqrt[(1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[I*Tan[c + d*x]])/(d*E^(I*c))

Maple [C] time = 0.417, size = 1425, normalized size = 26.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -a/d*2^(1/2)*(I*A*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))-I*A*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+I*B*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+I*A*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))-I*A*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+I*B*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))+I*A*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+I*B*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))+I*A*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+I*B*cos(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))

$d*x+c)^{(1/2)}*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)}*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^{(1/2)}-B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^{(1/2)}*((cos(d*x+c)-1)/sin(d*x+c))^{(1/2)}*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^{(1/2)}*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}-A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^{(1/2)}*((cos(d*x+c)-1)/sin(d*x+c))^{(1/2)}*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^{(1/2)}*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}+B*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^{(1/2)}*((cos(d*x+c)-1)/sin(d*x+c))^{(1/2)}*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)}*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^{(1/2)}-B*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^{(1/2)}*((cos(d*x+c)-1)/sin(d*x+c))^{(1/2)}*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^{(1/2)}*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}+A*cos(d*x+c)*2^{(1/2)}*(cos(d*x+c)/sin(d*x+c))^{(3/2)}*sin(d*x+c)/cos(d*x+c)^2$

Maxima [B] time = 1.55758, size = 209, normalized size = 3.94

$$\left(2\sqrt{2}((i-1)A+(i+1)B)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)\right)+2\sqrt{2}((i-1)A+(i+1)B)\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $-1/4*((2*\sqrt{2})*((I-1)*A+(I+1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2/\sqrt{\tan(dx+c)})))+2*\sqrt{2}*((I-1)*A+(I+1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2/\sqrt{\tan(dx+c)}))+\sqrt{2}*(-(I+1)*A+(I-1)*B)*\log(\sqrt{2}/\sqrt{\tan(dx+c)}+1/\tan(dx+c)+1)-\sqrt{2}*(-(I+1)*A+(I-1)*B)*\log(-\sqrt{2}/\sqrt{\tan(dx+c)}+1/\tan(dx+c)+1)*a+8*A*a/\sqrt{\tan(dx+c)}/d$

Fricas [B] time = 1.41133, size = 803, normalized size = 15.15

$$8Aa\sqrt{\frac{ie^{(2idx+2ic)+i}}{e^{(2idx+2ic)-1}}}-\sqrt{\frac{(4iA^2+8AB-4iB^2)a^2}{d^2}}d\log\left(-\frac{\left(2(A-iB)ae^{(2idx+2ic)}-(ide^{(2idx+2ic)}-id)\sqrt{\frac{(4iA^2+8AB-4iB^2)a^2}{d^2}}\sqrt{\frac{ie^{(2idx+2ic)+i}}{e^{(2idx+2ic)-1}}}\right)e^{(-2idx-2ic)}}{(iA+B)a}\right)$$

4d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $-1/4*(8*A*a*\sqrt{(I*e^{(2I*d*x+2I*c)}+I)/(e^{(2I*d*x+2I*c)}-1)})-\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}*d*\log(-(2*(A-I*B)*a*e^{(2I*d*x+2I*c)}-(I*d*e^{(2I*d*x+2I*c)}-I*d)*\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}*\sqrt{(I*e^{(2I*d*x+2I*c)}+I)/(e^{(2I*d*x+2I*c)}-1)}))e^{(-2I*d*x-2I*c)/((I*A+B)*a)}+\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}*d*\log(-(2*(A-I*B)*a*e^{(2I*d*x+2I*c)}-(-I*d*e^{(2I*d*x+2I*c)}+I*d)*\sqrt{(4*I*A^2+8*A*B-4*I*B^2)*a^2/d^2}*\sqrt{(I*e^{(2I*d*x+2I*c)}+I)/(e^{(2I*d*x+2I*c)}-1)}))e^{(-2I*d*x-2I*c)/((I*A+B)*a)}/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a) \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)*cot(d*x + c)^(3/2), x)

$$3.505 \quad \int \sqrt{\cot(c + dx)}(a + ia \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=55

$$\frac{2\sqrt[4]{-1}a(B + iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iaB}{d\sqrt{\cot(c + dx)}}$$

[Out] (2*(-1)^(1/4)*a*(I*A + B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]])/d + ((2*I)*a*B)/(d*Sqrt[Cot[c + d*x]])

Rubi [A] time = 0.151535, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {3581, 3591, 3533, 208}

$$\frac{2\sqrt[4]{-1}a(B + iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iaB}{d\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (2*(-1)^(1/4)*a*(I*A + B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]])/d + ((2*I)*a*B)/(d*Sqrt[Cot[c + d*x]])

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3533

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))(A+B \tan(c+dx)) dx &= \int \frac{(ia+a \cot(c+dx))(B+A \cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2iaB}{d\sqrt{\cot(c+dx)}} + \int \frac{a(iA+B)+a(A-iB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx \\
&= \frac{2iaB}{d\sqrt{\cot(c+dx)}} + \frac{(2a^2(iA+B)^2) \text{Subst}\left(\int \frac{1}{-a(iA+B)+a(A-iB)}\right)}{d} \\
&= \frac{2\sqrt[4]{-1}a(iA+B) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iaB}{d\sqrt{\cot(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 3.38976, size = 108, normalized size = 1.96

$$\frac{2ae^{-ic}(\cos(c)+i \sin(c))\left((A-iB) \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)+iB\sqrt{i \tan(c+dx)}\right)}{d\sqrt{i \tan(c+dx)}\sqrt{\cot(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]

[Out] (2*a*(Cos[c] + I*Sin[c])*((A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))]]] + I*B*Sqrt[I*Tan[c + d*x]]))/(d*E^(I*c)*Sqrt[Cot[c + d*x]]*Sqrt[I*Tan[c + d*x]])

Maple [C] time = 0.454, size = 784, normalized size = 14.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)

[Out] a/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*sin(d*x+c)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*sin(d*x+c)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*sin(d*x+c)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))-A*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+A*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))+B*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+I*B*2^(1/2)*cos(d*x+c)-I*B*2^(1/2))/cos(d*x+c)/sin(d*x+c)^(1/2)

3

Maxima [B] time = 1.54788, size = 209, normalized size = 3.8

$$8iBa\sqrt{\tan(dx+c)} + \left(2\sqrt{2}(-i+1)A + (i-1)B\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}(-i+1)A + (i-1)B$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] 1/4*(8*I*B*a*sqrt(tan(d*x + c)) + (2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a)/d
```

Fricas [B] time = 1.54361, size = 938, normalized size = 17.05

$$\left(d e^{(2i dx + 2i c)} + d\right) \sqrt{\frac{(-4i A^2 - 8AB + 4i B^2)a^2}{d^2}} \log\left(\frac{\left(2(A-iB)ae^{(2i dx + 2i c)} + (de^{(2i dx + 2i c)} - d)\sqrt{\frac{(-4i A^2 - 8AB + 4i B^2)a^2}{d^2}}\sqrt{\frac{ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}}\right)e^{(-2i dx - 2i c)}}{(iA+B)a}\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 1/4*((d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) - (d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) - (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) + 8*(B*a*e^(2*I*d*x + 2*I*c) - B*a)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int A\sqrt{\cot(c+dx)}dx + \int B\tan(c+dx)\sqrt{\cot(c+dx)}dx + \int iA\tan(c+dx)\sqrt{\cot(c+dx)}dx + \int iB\tan^2(c+dx)\sqrt{\cot(c+dx)}dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x)
```

```
[Out] a*(Integral(A*sqrt(cot(c + d*x)), x) + Integral(B*tan(c + d*x)*sqrt(cot(c +
d*x)), x) + Integral(I*A*tan(c + d*x)*sqrt(cot(c + d*x)), x) + Integral(I*
B*tan(c + d*x)**2*sqrt(cot(c + d*x)), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a) \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)*sqrt(cot(d*x + c)), x
)
```

$$3.506 \quad \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=80

$$\frac{2a(B+iA)}{d\sqrt{\cot(c+dx)}} + \frac{2\sqrt[4]{-1}a(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iaB}{3d \cot^{3/2}(c+dx)}$$

[Out] $(2*(-1)^{(1/4)}*a*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (((2*I)/3)*a*B)/(d*\text{Cot}[c + d*x]^{(3/2)}) + (2*a*(I*A + B))/(d*\text{Sqrt}[\text{Cot}[c + d*x]])$

Rubi [A] time = 0.187618, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3581, 3591, 3529, 3533, 208}

$$\frac{2a(B+iA)}{d\sqrt{\cot(c+dx)}} + \frac{2\sqrt[4]{-1}a(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iaB}{3d \cot^{3/2}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x])/ \text{Sqrt}[\text{Cot}[c + d*x]], x]$

[Out] $(2*(-1)^{(1/4)}*a*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (((2*I)/3)*a*B)/(d*\text{Cot}[c + d*x]^{(3/2)}) + (2*a*(I*A + B))/(d*\text{Sqrt}[\text{Cot}[c + d*x]])$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^{(m)}*(d + c*\text{Cot}[e + f*x])^{(n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x\} \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3591

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{(m+1)} / (b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

Rule 3529

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m+1)} / (f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3533

$\text{Int}[(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)] / \text{Sqrt}[(b_.)*\tan[(e_.) + (f_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*c - d*x^2]]]$

Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= \int \frac{(ia + a \cot(c + dx))(B + A \cot(c + dx))}{\cot^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2iaB}{3d \cot^{\frac{3}{2}}(c + dx)} + \int \frac{a(iA + B) + a(A - iB) \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2iaB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2a(iA + B)}{d\sqrt{\cot(c + dx)}} + \int \frac{a(A - iB) - a(iA + B) \cot(c + dx)}{\sqrt{\cot(c + dx)}} dx \\ &= \frac{2iaB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2a(iA + B)}{d\sqrt{\cot(c + dx)}} + \frac{(2a^2(A - iB)^2) \text{Subst}\left(\int \frac{1}{-a(A - iB) - ax} dx\right)}{d} \\ &= \frac{2\sqrt[4]{-1}a(A - iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iaB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2a(iA + B)}{d\sqrt{\cot(c + dx)}} \end{aligned}$$

Mathematica [A] time = 2.64355, size = 96, normalized size = 1.2

$$\frac{2a \left(3(B + iA) \cot(c + dx) + \frac{3(A - iB) \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}}\right)}{(i \tan(c+dx))^{3/2}} + iB \right)}{3d \cot^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] (2*a*(I*B + 3*(I*A + B)*Cot[c + d*x] + (3*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))]])/(I*Tan[c + d*x])^(3/2)))/(3*d*Cot[c + d*x]^(3/2))

Maple [C] time = 0.501, size = 889, normalized size = 11.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

[Out] 1/3*a/d*2^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(3*I*A*cos(d*x+c)*sin(d*x+c))*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-3*I*A*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))

$$\begin{aligned} & d*x+c)/\sin(d*x+c))^{\frac{1}{2}}*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}, \\ & \frac{1}{2}*2^{\frac{1}{2}})*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}-3*I*B*\cos(d*x+c)*\sin(d*x+c) \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}} \\ & *((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}, \\ & \frac{1}{2}+\frac{1}{2}*I, \frac{1}{2}*2^{\frac{1}{2}})+3*A*\cos(d*x+c)*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\text{EllipticPi} \\ & ((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}, \frac{1}{2}+\frac{1}{2}*I, \frac{1}{2}*2^{\frac{1}{2}})+3*B*\cos(d*x+c)*\sin(d*x+c) \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}} \\ & *((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}, \\ & \frac{1}{2}+\frac{1}{2}*I, \frac{1}{2}*2^{\frac{1}{2}})-3*B*\cos(d*x+c)*\sin(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\frac{1}{2}}, \\ & \frac{1}{2}*2^{\frac{1}{2}})*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}+3*I*A*\cos(d*x+c)^2*2^{\frac{1}{2}}+I*B*\cos(d*x+c)*\sin(d*x+c)*2^{\frac{1}{2}} \\ & -3*I*A*\cos(d*x+c)*2^{\frac{1}{2}}+3*B*\cos(d*x+c)^2*2^{\frac{1}{2}}-I*B*\sin(d*x+c)*2^{\frac{1}{2}}-3*B*\cos(d*x+c)*2^{\frac{1}{2}} \\ &)/\cos(d*x+c)/\sin(d*x+c)^4/(\cos(d*x+c)/\sin(d*x+c))^{\frac{1}{2}} \end{aligned}$$

Maxima [B] time = 1.55281, size = 239, normalized size = 2.99

$$8\left(iBa - \frac{3(-iA-B)a}{\tan(dx+c)}\right)\tan(dx+c)^{\frac{3}{2}} + 3\left(2\sqrt{2}((i-1)A + (i+1)B)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}((i-1)A + (i+1)B)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{12}*(8*(I*B*a - 3*(-I*A - B)*a/\tan(d*x + c))*\tan(d*x + c)^{\frac{3}{2}} + 3*(2*\sqrt{2}*((I - 1)*A + (I + 1)*B)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2/\sqrt{\tan(d*x + c)})) + 2*\sqrt{2}*((I - 1)*A + (I + 1)*B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2/\sqrt{\tan(d*x + c)})) + \sqrt{2}*(-(I + 1)*A + (I - 1)*B)*\log(\sqrt{2}/\sqrt{\tan(d*x + c)} + 1/\tan(d*x + c) + 1) - \sqrt{2}*(-(I + 1)*A + (I - 1)*B)*\log(-\sqrt{2}/\sqrt{\tan(d*x + c)} + 1/\tan(d*x + c) + 1))*a)/d$

Fricas [B] time = 1.47274, size = 1135, normalized size = 14.19

$$3\left(d e^{4i dx+4i c} + 2 d e^{2i dx+2i c} + d\right)\sqrt{\frac{4i A^2+8 A B-4i B^2}{d^2}}\log\left(\frac{2(A-i B)a e^{2i dx+2i c}-\left(i d e^{2i dx+2i c}-i d\right)\sqrt{\frac{4i A^2+8 A B-4i B^2}{d^2}}\sqrt{\frac{i e^{2i dx+2i c}}{e^{2i dx+2i c}}}}{(i A+B)a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $\frac{-1}{12}*(3*(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\log(-(2*(A - I*B)*a*e^{2*I*d*x + 2*I*c} - (I*d*e^{2*I*d*x + 2*I*c} - I*d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\sqrt{((I*e^{2*I*d*x + 2*I*c} + I)/(e^{2*I*d*x + 2*I*c} - 1))})*e^{-2*I*d*x - 2*I*c}/((I*A + B)*a)) - 3*(d*e^{4*I*d*x + 4*I*c} + 2*d*e^{2*I*d*x + 2*I*c} + d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\log(-(2*(A - I*B)*a*e^{2*I*d*x + 2*I*c} - (I*d*e^{2*I*d*x + 2*I*c} - I*d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2}*\sqrt{((I*e^{2*I*d*x + 2*I*c} + I)/(e^{2*I*d*x + 2*I*c} - 1))})*e^{-2*I*d*x - 2*I*c}/((I*A + B)*a))$

$$2*I*c) - (-I*d*e^{(2*I*d*x + 2*I*c)} + I*d)*\sqrt{(4*I*A^2 + 8*A*B - 4*I*B^2)*a^2/d^2)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)))*e^{(-2*I*d*x - 2*I*c)/((I*A + B)*a)} - (8*(3*A - 4*I*B)*a*e^{(4*I*d*x + 4*I*c)} + 16*I*B*a*e^{(2*I*d*x + 2*I*c)} - 8*(3*A - 2*I*B)*a)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)))/(d*e^{(4*I*d*x + 4*I*c)} + 2*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sqrt{\cot(c+dx)}} dx + \int \frac{B \tan(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int \frac{iA \tan(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int \frac{iB \tan^2(c+dx)}{\sqrt{\cot(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2), x)

[Out] a*(Integral(A/sqrt(cot(c + d*x)), x) + Integral(B*tan(c + d*x)/sqrt(cot(c + d*x)), x) + Integral(I*A*tan(c + d*x)/sqrt(cot(c + d*x)), x) + Integral(I*B*tan(c + d*x)**2/sqrt(cot(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)/sqrt(cot(d*x + c)), x)

$$3.507 \quad \int \frac{(a+ia \tan(c+dx))(A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=105

$$\frac{2a(B+iA)}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{2a(A-iB)}{d\sqrt{\cot(c+dx)}} - \frac{2\sqrt[4]{-1}a(B+iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iaB}{5d \cot^{\frac{5}{2}}(c+dx)}$$

[Out] $(-2*(-1)^{(1/4)}*a*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (((2*I)/5)*a*B)/(d*\text{Cot}[c + d*x]^{(5/2)}) + (2*a*(I*A + B))/(3*d*\text{Cot}[c + d*x]^{(3/2)}) + (2*a*(A - I*B))/(d*\text{Sqrt}[\text{Cot}[c + d*x]])$

Rubi [A] time = 0.226374, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {3581, 3591, 3529, 3533, 208}

$$\frac{2a(B+iA)}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{2a(A-iB)}{d\sqrt{\cot(c+dx)}} - \frac{2\sqrt[4]{-1}a(B+iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iaB}{5d \cot^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[c + d*x])*(A + B*\text{Tan}[c + d*x])/ \text{Cot}[c + d*x]^{(3/2)}, x]$

[Out] $(-2*(-1)^{(1/4)}*a*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (((2*I)/5)*a*B)/(d*\text{Cot}[c + d*x]^{(5/2)}) + (2*a*(I*A + B))/(3*d*\text{Cot}[c + d*x]^{(3/2)}) + (2*a*(A - I*B))/(d*\text{Sqrt}[\text{Cot}[c + d*x]])$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Dist}[g^{(m+n)}, \text{Int}[(g*\cot[e + f*x])^{(p-m-n)}*(b + a*\cot[e + f*x])^m*(d + c*\cot[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3591

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\tan[e + f*x])^{(m+1)})/(b*f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\tan[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Simp}[(b*c - a*d)*(a + b*\tan[e + f*x])^{(m+1)})/(f*(m+1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\tan[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

```
Int[((c_) + (d_.)*tan[(e_) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_) + (f_.)*(x_
)], x_Symbol] :> Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*
Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))(A + B \tan(c + dx))}{\cot^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(ia + a \cot(c + dx))(B + A \cot(c + dx))}{\cot^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2iaB}{5d \cot^{\frac{5}{2}}(c + dx)} + \int \frac{a(iA + B) + a(A - iB) \cot(c + dx)}{\cot^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2iaB}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2a(iA + B)}{3d \cot^{\frac{3}{2}}(c + dx)} + \int \frac{a(A - iB) - a(iA + B) \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2iaB}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2a(iA + B)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2a(A - iB)}{d\sqrt{\cot(c + dx)}} + \int \frac{-a(iA + B) - a(A - iB) \cot(c + dx)}{\sqrt{\cot(c + dx)}} dx \\ &= \frac{2iaB}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2a(iA + B)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2a(A - iB)}{d\sqrt{\cot(c + dx)}} + \frac{(2a^2(iA + B)^2)}{3d\sqrt{\cot(c + dx)}} \\ &= -\frac{2\sqrt[4]{-1}a(iA + B) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iaB}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2a(iA + B)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2a(A - iB)}{d\sqrt{\cot(c + dx)}} \end{aligned}$$

Mathematica [A] time = 3.50123, size = 133, normalized size = 1.27

$$\frac{a \left(\sec^2(c + dx)(5(B + iA) \sin(2(c + dx)) + 3(5A - 6iB) \cos(2(c + dx)) + 3(5A - 4iB)) - \frac{30(A - iB) \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c + dx)}}{1 + e^{2i(c + dx)}}}\right)}{\sqrt{i \tan(c + dx)}} \right)}{15d\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]
```

```
[Out] (a*(Sec[c + d*x]^2*(3*(5*A - (4*I)*B) + 3*(5*A - (6*I)*B)*Cos[2*(c + d*x)] + 5*(I*A + B)*Sin[2*(c + d*x)]) - (30*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))]))/Sqrt[I*Tan[c + d*x]]/(15*d*Sqrt[Cot[c + d*x]])
```

Maple [C] time = 0.459, size = 971, normalized size = 9.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)
```

```
[Out] -1/15*a/d*2^(1/2)*(cos(d*x+c)-1)*(-5*I*A*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+5*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)+15*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*sin(d*x+c)+15*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*cos(d*x+c)^2*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*sin(d*x+c)-15*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*sin(d*x+c)+15*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*sin(d*x+c)+3*I*2^(1/2)*B-18*I*B*2^(1/2)*cos(d*x+c)^2-15*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*cos(d*x+c)^2*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*sin(d*x+c)-15*A*cos(d*x+c)^3*2^(1/2)-3*I*B*2^(1/2)*cos(d*x+c)-5*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+15*A*2^(1/2)*cos(d*x+c)^2+18*I*B*2^(1/2)*cos(d*x+c)^3+5*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+15*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*sin(d*x+c)*(cos(d*x+c)+1)^2/cos(d*x+c)/sin(d*x+c)^5/(cos(d*x+c)/sin(d*x+c))^(3/2)
```

Maxima [B] time = 1.56457, size = 261, normalized size = 2.49

$$8 \left(-3i Ba - \frac{5(iA+B)a}{\tan(dx+c)} - \frac{(15A-15iB)a}{\tan(dx+c)^2} \right) \tan(dx+c)^{\frac{5}{2}} + 15 \left(2\sqrt{2}(-i+1)A + (i-1)B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] -1/60*(8*(-3*I*B*a - 5*(I*A + B)*a/tan(d*x + c) - (15*A - 15*I*B)*a/tan(d*x + c)^2)*tan(d*x + c)^(5/2) + 15*(2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a/d
```

Fricas [B] time = 1.65072, size = 1310, normalized size = 12.48

$$15 \left(de^{(6i dx+6i c)} + 3 de^{(4i dx+4i c)} + 3 de^{(2i dx+2i c)} + d \right) \sqrt{\frac{(-4i A^2-8 AB+4i B^2)a^2}{d^2}} \log \left(\frac{\left(2(A-i B)ae^{(2i dx+2i c)} + (de^{(2i dx+2i c)}-d) \sqrt{\frac{(-4i A^2-8 AB+4i B^2)a^2}{d^2}} \right)}{(i A+B)a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] -1/60*(15*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) + (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) - 15*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*log(-(2*(A - I*B)*a*e^(2*I*d*x + 2*I*c) - (d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-4*I*A^2 - 8*A*B + 4*I*B^2)*a^2/d^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))e^(-2*I*d*x - 2*I*c)/((I*A + B)*a) - ((-160*I*A - 184*B)*a*e^(6*I*d*x + 6*I*c) + (-80*I*A - 8*B)*a*e^(4*I*d*x + 4*I*c) + (160*I*A + 88*B)*a*e^(2*I*d*x + 2*I*c) + (80*I*A + 104*B)*a)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\cot^{\frac{3}{2}}(c + dx)} dx + \int \frac{B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} dx + \int \frac{iA \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} dx + \int \frac{iB \tan^2(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)**(3/2),x)
```

```
[Out] a*(Integral(A/cot(c + d*x)**(3/2), x) + Integral(B*tan(c + d*x)/cot(c + d*x)**(3/2), x) + Integral(I*A*tan(c + d*x)/cot(c + d*x)**(3/2), x) + Integral(I*B*tan(c + d*x)**2/cot(c + d*x)**(3/2), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)/cot(d*x + c)^(3/2), x)
```

$$3.508 \quad \int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=128

$$\frac{2a^2(5B+7iA)\cot^{\frac{3}{2}}(c+dx)}{15d} + \frac{4a^2(A-iB)\sqrt{\cot(c+dx)}}{d} + \frac{4\sqrt[4]{-1}a^2(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2A \cot(c+dx)}{d}$$

[Out] (4*(-1)^(1/4)*a^2*(A - I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]]])/d + (4*a^2*(A - I*B)*Sqrt[Cot[c + d*x]])/d - (2*a^2*((7*I)*A + 5*B)*Cot[c + d*x]^(3/2))/(15*d) - (2*A*Cot[c + d*x]^(3/2)*(I*a^2 + a^2*Cot[c + d*x]))/(5*d)

Rubi [A] time = 0.360165, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3581, 3594, 3592, 3528, 3533, 208}

$$\frac{2a^2(5B+7iA)\cot^{\frac{3}{2}}(c+dx)}{15d} + \frac{4a^2(A-iB)\sqrt{\cot(c+dx)}}{d} + \frac{4\sqrt[4]{-1}a^2(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2A \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]

[Out] (4*(-1)^(1/4)*a^2*(A - I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]]])/d + (4*a^2*(A - I*B)*Sqrt[Cot[c + d*x]])/d - (2*a^2*((7*I)*A + 5*B)*Cot[c + d*x]^(3/2))/(15*d) - (2*A*Cot[c + d*x]^(3/2)*(I*a^2 + a^2*Cot[c + d*x]))/(5*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3594

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3533

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)
]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*
Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \int \sqrt{\cot(c+dx)}(ia+a \cot(c+dx))^2(B+A \cot(c+dx)) dx \\ &= -\frac{2A \cot^{\frac{3}{2}}(c+dx)(ia^2+a^2 \cot(c+dx))}{5d} - \frac{2}{5} \int \sqrt{\cot(c+dx)} dx \\ &= -\frac{2a^2(7iA+5B) \cot^{\frac{3}{2}}(c+dx)}{15d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)(ia^2+a^2)}{5d} \\ &= \frac{4a^2(A-iB)\sqrt{\cot(c+dx)}}{d} - \frac{2a^2(7iA+5B) \cot^{\frac{3}{2}}(c+dx)}{15d} \\ &= \frac{4a^2(A-iB)\sqrt{\cot(c+dx)}}{d} - \frac{2a^2(7iA+5B) \cot^{\frac{3}{2}}(c+dx)}{15d} \\ &= \frac{4\sqrt{-1}a^2(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{4a^2(A-iB)}{d} \end{aligned}$$

Mathematica [B] time = 5.66056, size = 272, normalized size = 2.12

$$\frac{a^2 \sin^3(c+dx)(\cot(c+dx)+i)^2(A \cot(c+dx)+B) \left(-\frac{4ie^{-2ic}(A-iB) \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)}}{-1+e^{2i(c+dx)}}}\right)} - \frac{1}{15}(\cos(2c)-i \sin(2c))\sqrt{\cot(c+dx)} \right)}{d(\cos(dx)+i \sin(dx))^2(A \cos(c+dx)+B)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),
x]
```

```
[Out] (a^2*(I + Cot[c + d*x])^2*(B + A*Cot[c + d*x])*Sin[c + d*x]^3*(((4*I)*(A -
I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))])/
(E^((2*I)*c)*Sqrt[(-1 + E^((2*I)*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqr
t[(I*(1 + E^((2*I)*(c + d*x)))/(-1 + E^((2*I)*(c + d*x)))] - (Sqrt[Cot[c
+ d*x])*Csc[c + d*x]^2*(Cos[2*c] - I*Sin[2*c])*(-27*A + (30*I)*B + (33*A -
(30*I)*B)*Cos[2*(c + d*x)] + 5*((2*I)*A + B)*Sin[2*(c + d*x)]))/15))/(d*(Co
```

$$s[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))$$

Maple [C] time = 0.446, size = 2947, normalized size = 23.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)

[Out] 1/15*a^2/d*2^(1/2)*(30*B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)-33*A*cos(d*x+c)^3*2^(1/2)+30*A*cos(d*x+c)*2^(1/2)+30*B*cos(d*x+c)^2*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+30*A*cos(d*x+c)^3*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-30*B*cos(d*x+c)^3*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)+30*B*cos(d*x+c)^3*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+30*I*B*cos(d*x+c)^3*2^(1/2)-30*I*B*2^(1/2)*cos(d*x+c)-30*B*cos(d*x+c)^2*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)-5*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)-30*A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-10*I*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+30*A*cos(d*x+c)^2*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-30*B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-30*A*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+30*I*A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*cos(d*x+c)^3-30*I*A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*cos(d*x+c)^3-30*I*B*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*cos(d*x+c)^3+30*I*A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*cos(d*x+c)^2-30*I*A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*cos(d*x+c)^2-30*I*B*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))

$$\begin{aligned} & \left(\frac{1}{2}\right) * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} + \frac{1}{2}I, \frac{1}{2} * 2^{\frac{1}{2}}\right) * \cos(dx+c)^2 - 30 * I * A * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} + \frac{1}{2}I, \frac{1}{2} * 2^{\frac{1}{2}}\right) * \cos(dx+c) + 30 * I * A * \cos(dx+c) * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticF}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} * 2^{\frac{1}{2}}\right) + 30 * I * B * \cos(dx+c) * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} + \frac{1}{2}I, \frac{1}{2} * 2^{\frac{1}{2}}\right) + 30 * B * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticF}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} * 2^{\frac{1}{2}}\right) * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} - 30 * B * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} + \frac{1}{2}I, \frac{1}{2} * 2^{\frac{1}{2}}\right) - 30 * I * A * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} + \frac{1}{2}I, \frac{1}{2} * 2^{\frac{1}{2}}\right) + 30 * I * A * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticF}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} * 2^{\frac{1}{2}}\right) + 30 * I * B * \left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}} * \left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\left(-\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}\right)^{\frac{1}{2}}, \frac{1}{2} + \frac{1}{2}I, \frac{1}{2} * 2^{\frac{1}{2}}\right) * \left(\frac{\cos(dx+c)}{\sin(dx+c)}\right)^{\frac{7}{2}} * \frac{\sin(dx+c)}{\cos(dx+c)}^4 \end{aligned}$$

Maxima [A] time = 1.56812, size = 270, normalized size = 2.11

$$15 \left(2 \sqrt{2} (-i-1) A - (i+1) B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + 2 \sqrt{2} (-i-1) A - (i+1) B \arctan \left(-\frac{1}{2} \sqrt{2} \left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(7/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -\frac{1}{30} * \left(15 * \left(2 * \sqrt{2} * (-I-1) * A - (I+1) * B \right) * \arctan \left(\frac{1}{2} * \sqrt{2} * \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + 2 * \sqrt{2} * (-I-1) * A - (I+1) * B * \arctan \left(-\frac{1}{2} * \sqrt{2} * \left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) - \sqrt{2} * (-I+1) * A + (I-1) * B * \log \left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)+1} \right) + \sqrt{2} * (-I+1) * A + (I-1) * B * \log \left(-\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)+1} \right) * a^2 - 4 * (30 * A - 30 * I * B) * a^2 / \sqrt{\tan(dx+c)} - 20 * (-2 * I * A - B) * a^2 / \tan(dx+c)^{\frac{3}{2}} + 12 * A * a^2 / \tan(dx+c)^{\frac{5}{2}} \right) / d \end{aligned}$$

Fricas [B] time = 1.59621, size = 1200, normalized size = 9.38

$$15 \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}} \left(de^{4i dx+4i c} - 2 de^{2i dx+2i c} + d \right) \log \left(\frac{4(A-iB)a^2 e^{2i dx+2i c} - \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}} (i de^{2i dx+2i c} - i d) \sqrt{\frac{ie^{2i dx+2i c}}{e^{2i dx+2i c}}}}{(2iA+2B)a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/60*(15*\sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log(-(4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - \sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(I*d*e^{(2*I*d*x + 2*I*c)} - I*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}))e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a^2)) - 15*\sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)*\log(-(4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - \sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(-I*d*e^{(2*I*d*x + 2*I*c)} + I*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}))e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a^2)) - 8*((43*A - 35*I*B)*a^2*e^{(4*I*d*x + 4*I*c)} - 6*(9*A - 10*I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (23*A - 25*I*B)*a^2)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})/(d*e^{(4*I*d*x + 4*I*c)} - 2*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^2*cot(d*x + c)^(7/2), x)

$$3.509 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=103

$$\frac{2a^2(3B+5iA)\sqrt{\cot(c+dx)}}{3d} - \frac{4\sqrt[4]{-1}a^2(B+iA)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2A\sqrt{\cot(c+dx)}(a^2 \cot(c+dx)+ia^2)}{3d}$$

[Out] $(-4*(-1)^{(1/4)}*a^2*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a^2*((5*I)*A + 3*B)*\text{Sqrt}[\text{Cot}[c + d*x]])/(3*d) - (2*A*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a^2 + a^2*\text{Cot}[c + d*x]))/(3*d)$

Rubi [A] time = 0.32573, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3581, 3594, 3592, 3533, 208}

$$\frac{2a^2(3B+5iA)\sqrt{\cot(c+dx)}}{3d} - \frac{4\sqrt[4]{-1}a^2(B+iA)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2A\sqrt{\cot(c+dx)}(a^2 \cot(c+dx)+ia^2)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(5/2)}*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-4*(-1)^{(1/4)}*a^2*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a^2*((5*I)*A + 3*B)*\text{Sqrt}[\text{Cot}[c + d*x]])/(3*d) - (2*A*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a^2 + a^2*\text{Cot}[c + d*x]))/(3*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \rightarrow \text{Dist}[g^{\text{m} + \text{n}}, \text{Int}[(g*\text{Cot}[e + f*x])^{\text{p} - \text{m} - \text{n}}*(b + a*\text{Cot}[e + f*x])^{\text{m}}*(d + c*\text{Cot}[e + f*x])^{\text{n}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3594

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{\text{m}_.}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{\text{m} - 1}*(c + d*\text{Tan}[e + f*x])^{\text{n} + 1})/(d*f*(\text{m} + \text{n}))], x] + \text{Dist}[1/(d*(\text{m} + \text{n})), \text{Int}[(a + b*\text{Tan}[e + f*x])^{\text{m} - 1}*(c + d*\text{Tan}[e + f*x])^{\text{n}}*\text{Simp}[a*A*d*(\text{m} + \text{n}) + B*(a*c*(\text{m} - 1) - b*d*(\text{n} + 1)) - (B*(b*c - a*d)*(\text{m} - 1) - d*(A*b + a*B)*(\text{m} + \text{n}))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{\text{m}_.}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{\text{m} + 1})/(b*f*(\text{m} + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{\text{m}}*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \int \frac{(ia+a \cot(c+dx))^2(B+A \cot(c+dx))}{\sqrt{\cot(c+dx)}} dx \\ &= -\frac{2A\sqrt{\cot(c+dx)}(ia^2+a^2 \cot(c+dx))}{3d} - \frac{2}{3} \int \frac{(ia+a \cot(c+dx))}{\sqrt{\cot(c+dx)}} dx \\ &= -\frac{2a^2(5iA+3B)\sqrt{\cot(c+dx)}}{3d} - \frac{2A\sqrt{\cot(c+dx)}(ia^2+a^2 \cot(c+dx))}{3d} \\ &= -\frac{2a^2(5iA+3B)\sqrt{\cot(c+dx)}}{3d} - \frac{2A\sqrt{\cot(c+dx)}(ia^2+a^2 \cot(c+dx))}{3d} \\ &= -\frac{4\sqrt{-1}a^2(iA+B) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2a^2}{3d} \end{aligned}$$

Mathematica [A] time = 4.6349, size = 174, normalized size = 1.69

$$\frac{2a^2 e^{-2ic} \sin(c+dx) \sqrt{\cot(c+dx)} (\cos(2(c+dx)) + i \sin(2(c+dx))) (A \cot(c+dx) + B) \left(-6i(A-iB) \sqrt{i \tan(c+dx)} \right)}{3d(\cos(dx) + i \sin(dx))^2 (A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (-2*a^2*Sqrt[Cot[c + d*x]]*(B + A*Cot[c + d*x])*Sin[c + d*x]*(Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)])*((6*I)*A + 3*B + A*Cot[c + d*x] - (6*I)*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]])*Sqrt[I*Tan[c + d*x]])/(3*d*E^((2*I)*c)*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [C] time = 0.454, size = 1540, normalized size = 15.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] -1/3*a^2/d*2^(1/2)*(-6*I*A*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^

$$\begin{aligned}
& (1/2)) * \cos(d*x+c) * \sin(d*x+c) - 6*I*B * (-(\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ \\
& (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1) / \sin(d*x+ \\
& c)) ^ (1/2) * \text{EllipticPi}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2), 1/2 + 1/2 * \\
& I, 1/2 * 2 ^ (1/2)) * \cos(d*x+c) * \sin(d*x+c) + 6*I*B * (-(\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(\\
& d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1) / \\
& \sin(d*x+c)) ^ (1/2) * \text{EllipticF}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2), 1 \\
& / 2 * 2 ^ (1/2)) * \cos(d*x+c) * \sin(d*x+c) - 6*I*A * ((\cos(d*x+c) - 1) / \sin(d*x+c)) ^ (1/2) * (\\
& (\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * (-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin \\
& (d*x+c)) ^ (1/2) * \sin(d*x+c) * \text{EllipticPi}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c) \\
&) ^ (1/2), 1/2 + 1/2 * I, 1/2 * 2 ^ (1/2)) + 6*A * \cos(d*x+c) * \sin(d*x+c) * (-\cos(d*x+c) - 1 - \sin \\
& (d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\\
& \cos(d*x+c) - 1) / \sin(d*x+c)) ^ (1/2) * \text{EllipticPi}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(\\
& d*x+c)) ^ (1/2), 1/2 + 1/2 * I, 1/2 * 2 ^ (1/2)) - 6*A * \cos(d*x+c) * \sin(d*x+c) * (-\cos(d*x+c) \\
& - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1 \\
& / 2) * ((\cos(d*x+c) - 1) / \sin(d*x+c)) ^ (1/2) * \text{EllipticF}((-\cos(d*x+c) - 1 - \sin(d*x+c)) \\
& / \sin(d*x+c)) ^ (1/2), 1/2 * 2 ^ (1/2)) - 6*I*B * ((\cos(d*x+c) - 1) / \sin(d*x+c)) ^ (1/2) * ((c \\
& \cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * (-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d \\
& *x+c)) ^ (1/2) * \sin(d*x+c) * \text{EllipticPi}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ \\
& (1/2), 1/2 + 1/2 * I, 1/2 * 2 ^ (1/2)) - 6*B * \cos(d*x+c) * \sin(d*x+c) * (-\cos(d*x+c) - 1 - \sin(\\
& d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((co \\
& s(d*x+c) - 1) / \sin(d*x+c)) ^ (1/2) * \text{EllipticPi}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d* \\
& x+c)) ^ (1/2), 1/2 + 1/2 * I, 1/2 * 2 ^ (1/2)) + 6*I*B * (-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d* \\
& x+c)) ^ (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1) / \sin \\
& (d*x+c)) ^ (1/2) * \text{EllipticF}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2), 1/2 \\
& * 2 ^ (1/2)) * \sin(d*x+c) + 6*A * \sin(d*x+c) * (-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) \\
& ^ (1/2) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1) / \sin(d*x \\
& +c)) ^ (1/2) * \text{EllipticPi}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2), 1/2 + 1/2 \\
& * I, 1/2 * 2 ^ (1/2)) - 6*A * \sin(d*x+c) * (-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2 \\
&) * ((\cos(d*x+c) - 1 + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1) / \sin(d*x+c)) ^ \\
& (1/2) * \text{EllipticF}((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2), 1/2 * 2 ^ (1/2)) - \\
& 6*B * \sin(d*x+c) * (-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1 \\
& + \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2) * ((\cos(d*x+c) - 1) / \sin(d*x+c)) ^ (1/2) * \text{EllipticPi} \\
& ((-\cos(d*x+c) - 1 - \sin(d*x+c)) / \sin(d*x+c)) ^ (1/2), 1/2 + 1/2 * I, 1/2 * 2 ^ (1/2)) + 6*I*A \\
& * 2 ^ (1/2) * \cos(d*x+c) * \sin(d*x+c) + A * 2 ^ (1/2) * \cos(d*x+c) ^ 2 + 3 * B * 2 ^ (1/2) * \cos(d*x+c \\
&) * \sin(d*x+c)) * (\cos(d*x+c) / \sin(d*x+c)) ^ (5/2) * \sin(d*x+c) / \cos(d*x+c) ^ 3
\end{aligned}$$

Maxima [B] time = 1.55138, size = 243, normalized size = 2.36

$$3 \left(2 \sqrt{2} (-i+1) A + (i-1) B \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + 2 \sqrt{2} (-i+1) A + (i-1) B \arctan \left(-\frac{1}{2} \sqrt{2} \left(\sqrt{2} - \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/6*(3*(2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*(-(I + 1)*A + (I - 1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a^2 - 12*(-2*I*A - B)*a^2/sqrt(tan(d*x + c)) + 4*A*a^2/tan(d*x + c)^(3/2))/d

Fricas [B] time = 1.47733, size = 1026, normalized size = 9.96

$$3 \sqrt{\frac{(-16iA^2 - 32AB + 16iB^2)a^4}{d^2}} (de^{(2i dx + 2ic)} - d) \log \left(- \frac{\left(4(A-iB)a^2 e^{(2i dx + 2ic)} + \sqrt{\frac{(-16iA^2 - 32AB + 16iB^2)a^4}{d^2}} (de^{(2i dx + 2ic)} - d) \sqrt{\frac{ie^{(2i dx + 2ic)} + i}{e^{(2i dx + 2ic)} - 1}} \right) e^{-2i dx}}{(2iA + 2B)a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out]
$$-1/12*(3*\sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2}*(d*e^{(2*I*d*x + 2*I*c)} - d)*\log(-4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + \sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2}*(d*e^{(2*I*d*x + 2*I*c)} - d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})*e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a^2) - 3*\sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2}*(d*e^{(2*I*d*x + 2*I*c)} - d)*\log(-4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - \sqrt{(-16*I*A^2 - 32*A*B + 16*I*B^2)*a^4/d^2}*(d*e^{(2*I*d*x + 2*I*c)} - d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})*e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a^2) - ((-56*I*A - 24*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (40*I*A + 24*B)*a^2)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})/(d*e^{(2*I*d*x + 2*I*c)} - d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(5/2)*(a+I*a*tan(dx+c))**2*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*(I*a*tan(dx + c) + a)^2*cot(dx + c)^(5/2), x)

$$3.510 \quad \int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=99

$$\frac{2a^2(A+iB)\sqrt{\cot(c+dx)}}{d} - \frac{4\sqrt[4]{-1}a^2(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iB(a^2\cot(c+dx)+ia^2)}{d\sqrt{\cot(c+dx)}}$$

[Out] $(-4*(-1)^{(1/4)}*a^2*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a^2*(A + I*B)*\text{Sqrt}[\text{Cot}[c + d*x]]/d + ((2*I)*B*(I*a^2 + a^2*\text{Cot}[c + d*x]))/(d*\text{Sqrt}[\text{Cot}[c + d*x]])$

Rubi [A] time = 0.316739, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3581, 3593, 3592, 3533, 208}

$$\frac{2a^2(A+iB)\sqrt{\cot(c+dx)}}{d} - \frac{4\sqrt[4]{-1}a^2(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iB(a^2\cot(c+dx)+ia^2)}{d\sqrt{\cot(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-4*(-1)^{(1/4)}*a^2*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a^2*(A + I*B)*\text{Sqrt}[\text{Cot}[c + d*x]]/d + ((2*I)*B*(I*a^2 + a^2*\text{Cot}[c + d*x]))/(d*\text{Sqrt}[\text{Cot}[c + d*x]])$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^m*(d + c*\text{Cot}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x\} \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3593

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3533

$\text{Int}[\frac{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}{\sqrt{(b_.)\tan[(e_.) + (f_.)x]}}], x_Symbol] \rightarrow \text{Dist}[\frac{2c^2}{f}, \text{Subst}[\text{Int}[\frac{1}{b*c - d*x^2}], x], x, \sqrt{b*\text{Tan}[e + f*x]}], x] /; \text{FreeQ}\{b, c, d, e, f, x\} \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 208

$\text{Int}[\frac{(a_.) + (b_.)x^2}{(x_.)^2}, x_Symbol] \rightarrow \text{Simp}[\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]], a, x] /; \text{FreeQ}\{a, b, x\} \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \cot^{\frac{3}{2}}(c+dx)(a+ia\tan(c+dx))^2(A+B\tan(c+dx))dx &= \int \frac{(ia+a\cot(c+dx))^2(B+A\cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)}dx \\ &= \frac{2iB(ia^2+a^2\cot(c+dx))}{d\sqrt{\cot(c+dx)}} + 2 \int \frac{(ia+a\cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)}dx \\ &= -\frac{2a^2(A+iB)\sqrt{\cot(c+dx)}}{d} + \frac{2iB(ia^2+a^2\cot(c+dx))}{d\sqrt{\cot(c+dx)}} \\ &= -\frac{2a^2(A+iB)\sqrt{\cot(c+dx)}}{d} + \frac{2iB(ia^2+a^2\cot(c+dx))}{d\sqrt{\cot(c+dx)}} \\ &= -\frac{4\sqrt[4]{-1}a^2(A-iB)\tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2a^2}{d} \end{aligned}$$

Mathematica [A] time = 4.21523, size = 163, normalized size = 1.65

$$\frac{2a^2e^{-2ic}\cos(c+dx)\sqrt{\cot(c+dx)}(\cos(2(c+dx))+i\sin(2(c+dx)))(A+B\tan(c+dx))\left(-2(A-iB)\sqrt{i\tan(c+dx)}\right)}{d(\cos(dx)+i\sin(dx))^2(A\cos(c+dx)+B\sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] $(-2*a^2*\text{Cos}[c + d*x]*\text{Sqrt}[\text{Cot}[c + d*x]]*(\text{Cos}[2*(c + d*x)] + I*\text{Sin}[2*(c + d*x)])*(A + B*\text{Tan}[c + d*x])*(A - 2*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[(-1 + E^((2*I)*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]]*\text{Sqrt}[I*\text{Tan}[c + d*x] + B*\text{Tan}[c + d*x]])/(d*E^((2*I)*c)*(\text{Cos}[d*x] + I*\text{Sin}[d*x])^2*(A*\text{Cos}[c + d*x] + B*\text{Sin}[c + d*x]))$

Maple [C] time = 0.461, size = 1440, normalized size = 14.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] $-a^2/d*2^{(1/2)}*(2*I*A*\cos(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))$

$$\begin{aligned} &)^{(1/2)} * \text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2 * 2^{(1/2)}) \\ &)- 2 * I * A * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) * \cos(dx+c) + 2 * I * B * \cos(dx+c) * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) + 2 * I * A * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)}) - 2 * I * A * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) - 2 * A * \cos(dx+c) * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) + 2 * B * \cos(dx+c) * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)}) * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} + 2 * I * B * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) - 2 * B * \cos(dx+c) * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) - 2 * A * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) + 2 * B * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * \text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)}) * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} - 2 * B * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)} * ((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)} * (-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)} * \text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) + A * \cos(dx+c) * 2^{(1/2)} + B * 2^{(1/2)} * \sin(dx+c) * (\cos(dx+c)/\sin(dx+c))^{(3/2)} * \sin(dx+c) / \cos(dx+c) ^ 2 \end{aligned}$$

Maxima [B] time = 1.55613, size = 235, normalized size = 2.37

$$4Ba^2\sqrt{\tan(dx+c)} - \left(2\sqrt{2}(-i-1)A - (i+1)B\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}(-i-1)A - (i+1)B \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] -1/2*(4*B*a^2*sqrt(tan(dx+c)) - (2*sqrt(2)*(-(I-1)*A - (I+1)*B)*arctan(1/2*sqrt(2)*(sqrt(2)+2/sqrt(tan(dx+c)))) + 2*sqrt(2)*(-(I-1)*A - (I+1)*B)*arctan(-1/2*sqrt(2)*(sqrt(2)-2/sqrt(tan(dx+c)))) - sqrt(2)*(-(I+1)*A + (I-1)*B)*log(sqrt(2)/sqrt(tan(dx+c)) + 1/tan(dx+c) + 1) + sqrt(2)*(-(I+1)*A + (I-1)*B)*log(-sqrt(2)/sqrt(tan(dx+c)) + 1/tan(dx+c) + 1))*a^2 + 4*A*a^2/sqrt(tan(dx+c)))/d

Fricas [B] time = 1.46031, size = 1010, normalized size = 10.2

$$\sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}}(de^{(2i dx+2ic)} + d) \log \left(-\frac{\left(4(A-iB)a^2e^{(2i dx+2ic)} - \sqrt{\frac{(16iA^2+32AB-16iB^2)a^4}{d^2}}(ide^{(2i dx+2ic)}-id)\sqrt{\frac{ie^{(2i dx+2ic)}+i}{e^{(2i dx+2ic)}-1}}\right)e^{(-2i dx-2ic)}}{(2iA+2B)a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] 1/4*(sqrt((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log(-(4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) - sqrt((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)*(I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2) - sqrt((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log(-(4*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) - sqrt((16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a^2) - 8*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + (A + I*B)*a^2)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(3/2)*(a+I*a*tan(dx+c))**2*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^2 \cot(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(a+I*a*tan(dx+c))^2*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx+c) + A)*(I*a*tan(dx+c) + a)^2*cot(dx+c)^(3/2), x)

$$3.511 \quad \int \sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=105

$$-\frac{2a^2(3A - 5iB)}{3d\sqrt{\cot(c + dx)}} + \frac{4\sqrt[4]{-1}a^2(B + iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iB(a^2 \cot(c + dx) + ia^2)}{3d \cot^{\frac{3}{2}}(c + dx)}$$

[Out] $(4*(-1)^{(1/4)}*a^2*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a^2*(3*A - (5*I)*B))/(3*d*\text{Sqrt}[\text{Cot}[c + d*x]]) + (((2*I)/3)*B*(I*a^2 + a^2*\text{Cot}[c + d*x]))/(d*\text{Cot}[c + d*x]^{(3/2)})$

Rubi [A] time = 0.325542, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3581, 3593, 3591, 3533, 208}

$$-\frac{2a^2(3A - 5iB)}{3d\sqrt{\cot(c + dx)}} + \frac{4\sqrt[4]{-1}a^2(B + iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iB(a^2 \cot(c + dx) + ia^2)}{3d \cot^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cot}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^2*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(4*(-1)^{(1/4)}*a^2*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (2*a^2*(3*A - (5*I)*B))/(3*d*\text{Sqrt}[\text{Cot}[c + d*x]]) + (((2*I)/3)*B*(I*a^2 + a^2*\text{Cot}[c + d*x]))/(d*\text{Cot}[c + d*x]^{(3/2)})$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \rightarrow \text{Dist}[g^{\text{m} + \text{n}}, \text{Int}[(g*\text{Cot}[e + f*x])^{\text{p} - \text{m} - \text{n}}*(b + a*\text{Cot}[e + f*x])^{\text{m}}*(d + c*\text{Cot}[e + f*x])^{\text{n}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3593

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{m}_.}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{\text{m} - 1}*(c + d*\text{Tan}[e + f*x])^{\text{n} + 1})/(d*f*(b*c + a*d)*(n + 1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{\text{m} - 1}*(c + d*\text{Tan}[e + f*x])^{\text{n} + 1}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3591

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{m}_.}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \rightarrow \text{Simp}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{m} + 1}*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{\text{m} + 1}/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{\text{m} + 1}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m,$

-1] && NeQ[a^2 + b^2, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \int \frac{(ia+a \cot(c+dx))^2(B+A \cot(c+dx))}{\cot^{\frac{5}{2}}(c+dx)} dx \\ &= \frac{2iB(ia^2+a^2 \cot(c+dx))}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{2}{3} \int \frac{(ia+a \cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx \\ &= -\frac{2a^2(3A-5iB)}{3d\sqrt{\cot(c+dx)}} + \frac{2iB(ia^2+a^2 \cot(c+dx))}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{2}{3} \int \frac{(ia+a \cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx \\ &= -\frac{2a^2(3A-5iB)}{3d\sqrt{\cot(c+dx)}} + \frac{2iB(ia^2+a^2 \cot(c+dx))}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{(12a^2)}{3d} \int \frac{(ia+a \cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{4\sqrt[4]{-1}a^2(iA+B) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{2a^2}{3d\sqrt{\cot(c+dx)}} \end{aligned}$$

Mathematica [B] time = 3.53968, size = 254, normalized size = 2.42

$$\frac{a^2 e^{-i(c-dx)} \sqrt{\cot(c+dx)} \left(A(1+e^{2i(c+dx)}) - iB(-1+e^{2i(c+dx)}) \right) \left((-1+e^{2i(c+dx)}) \left(3iA(1+e^{2i(c+dx)}) + B(5+7e^{2i(c+dx)}) \right) \right)}{3d \left(e^{2ic+3idx} + e^{idx} \right)^2 (A \cos(c+dx) + B \sin(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (a^2*((-I)*B*(-1 + E^((2*I)*(c + d*x))) + A*(1 + E^((2*I)*(c + d*x))))*((-1 + E^((2*I)*(c + d*x)))*((3*I)*A*(1 + E^((2*I)*(c + d*x))) + B*(5 + 7*E^((2*I)*(c + d*x)))) - (6*I)*(A - I*B)*Sqrt[(-1 + E^((2*I)*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*(1 + E^((2*I)*(c + d*x)))^2*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]])*Sqrt[Cot[c + d*x]]/(3*d*E^(I*(c - d*x))*(E^(I*d*x) + E^((2*I)*c + (3*I)*d*x))^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [C] time = 0.458, size = 888, normalized size = 8.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out] $\frac{1}{3}a^2/d^{2^{1/2}}(\cos(dx+c)-1)*(6IA*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*(\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})+6IB*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})-6IB*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2*2^{1/2})-6A*\cos(dx+c)*\sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})+6A*\cos(dx+c)*\sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2*2^{1/2})+6B*\cos(dx+c)*\sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})+6IB*2^{1/2}*\cos(dx+c)^2-3A*2^{1/2}*\cos(dx+c)^2-6IB*2^{1/2}*\cos(dx+c)-B*2^{1/2}*\cos(dx+c)*\sin(dx+c)+3A*\cos(dx+c)*2^{1/2}+B*2^{1/2}*\sin(dx+c))*(\cos(dx+c)+1)^2*(\cos(dx+c)/\sin(dx+c))^{1/2}/\cos(dx+c)^2/\sin(dx+c)^3$

Maxima [B] time = 1.56511, size = 244, normalized size = 2.32

$$3\left(2\sqrt{2}(-i+1)A+(i-1)B\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+2\sqrt{2}(-i+1)A+(i-1)B\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{6}(3(2\sqrt{2}*(-(I+1)A+(I-1)B)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2/\sqrt{\tan(dx+c)})))+2*\sqrt{2}*(-(I+1)A+(I-1)B)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2/\sqrt{\tan(dx+c)})))-\sqrt{2}*((I-1)A+(I+1)B)*\log(\sqrt{2}/\sqrt{\tan(dx+c)}+1/\tan(dx+c)+1)+\sqrt{2}*((I-1)A+(I+1)B)*\log(-\sqrt{2}/\sqrt{\tan(dx+c)}+1/\tan(dx+c)+1))*a^2-4*(B*a^2+(3A-6IB)*a^2/\tan(dx+c))*\tan(dx+c)^{(3/2)}/d$

Fricas [B] time = 1.50129, size = 1172, normalized size = 11.16

$$3\sqrt{\frac{(-16iA^2-32AB+16iB^2)a^4}{d^2}}(de^{4i dx+4ic}+2de^{2i dx+2ic}+d)\log\left(-\frac{\left(4(A-iB)a^2e^{2i dx+2ic}+\sqrt{\frac{(-16iA^2-32AB+16iB^2)a^4}{d^2}}\right)(de^{2i dx+2ic}-d)\sqrt{\frac{ie^{2i dx+2ic}}{e^{2i dx+2ic}}}}{(2iA+2B)a^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12} \cdot (3 \sqrt{(-16IA^2 - 32AB + 16IB^2)a^4/d^2} \cdot (d e^{(4I dx + 4Ic)} + 2d e^{(2I dx + 2Ic)} + d) \log(-4(A - IB)a^2 e^{(2I dx + 2Ic)} + \sqrt{(-16IA^2 - 32AB + 16IB^2)a^4/d^2} \cdot (d e^{(2I dx + 2Ic)} - d) \sqrt{(I e^{(2I dx + 2Ic)} + I)/(e^{(2I dx + 2Ic)} - 1)}) e^{(-2I dx - 2Ic)} / ((2IA + 2B)a^2) - 3 \sqrt{(-16IA^2 - 32AB + 16IB^2)a^4/d^2} \cdot (d e^{(4I dx + 4Ic)} + 2d e^{(2I dx + 2Ic)} + d) \log(-4(A - IB)a^2 e^{(2I dx + 2Ic)} - \sqrt{(-16IA^2 - 32AB + 16IB^2)a^4/d^2} \cdot (d e^{(2I dx + 2Ic)} - d) \sqrt{(I e^{(2I dx + 2Ic)} + I)/(e^{(2I dx + 2Ic)} - 1)}) e^{(-2I dx - 2Ic)} / ((2IA + 2B)a^2) + ((24IA + 56B)a^2 e^{(4I dx + 4Ic)} - 16B a^2 e^{(2I dx + 2Ic)} + (-24IA - 40B)a^2) \sqrt{(I e^{(2I dx + 2Ic)} + I)/(e^{(2I dx + 2Ic)} - 1)}) / (d e^{(4I dx + 4Ic)} + 2d e^{(2I dx + 2Ic)} + d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sqrt{\cot(c + dx)} dx + \int -A \tan^2(c + dx) \sqrt{\cot(c + dx)} dx + \int B \tan(c + dx) \sqrt{\cot(c + dx)} dx + \int -B \tan^3(c + dx) \sqrt{\cot(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] $a^2 \cdot (\text{Integral}(A \sqrt{\cot(c + dx)}, x) + \text{Integral}(-A \tan(c + dx) \sqrt{\cot(c + dx)}, x) + \text{Integral}(B \tan(c + dx) \sqrt{\cot(c + dx)}, x) + \text{Integral}(-B \tan^3(c + dx) \sqrt{\cot(c + dx)}, x) + \text{Integral}(2IA \tan(c + dx) \sqrt{\cot(c + dx)}, x) + \text{Integral}(2IB \tan(c + dx) \sqrt{\cot(c + dx)}, x))$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(I a \tan(dx + c) + a)^2 \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^2*sqrt(cot(d*x + c)), x)

$$3.512 \quad \int \frac{(a+ia \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=130

$$-\frac{2a^2(5A-7iB)}{15d \cot^{\frac{3}{2}}(c+dx)} + \frac{4a^2(B+iA)}{d\sqrt{\cot(c+dx)}} + \frac{4\sqrt[4]{-1}a^2(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iB(a^2 \cot(c+dx) + ia^2)}{5d \cot^{\frac{5}{2}}(c+dx)}$$

[Out] (4*(-1)^(1/4)*a^2*(A - I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]]]/d - (2*a^2*(5*A - (7*I)*B))/(15*d*Cot[c + d*x]^(3/2)) + (4*a^2*(I*A + B))/(d*Sqrt[Cot[c + d*x]]) + (((2*I)/5)*B*(I*a^2 + a^2*Cot[c + d*x]))/(d*Cot[c + d*x]^(5/2))

Rubi [A] time = 0.371507, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3581, 3593, 3591, 3529, 3533, 208}

$$-\frac{2a^2(5A-7iB)}{15d \cot^{\frac{3}{2}}(c+dx)} + \frac{4a^2(B+iA)}{d\sqrt{\cot(c+dx)}} + \frac{4\sqrt[4]{-1}a^2(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} + \frac{2iB(a^2 \cot(c+dx) + ia^2)}{5d \cot^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],x]

[Out] (4*(-1)^(1/4)*a^2*(A - I*B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]]]/d - (2*a^2*(5*A - (7*I)*B))/(15*d*Cot[c + d*x]^(3/2)) + (4*a^2*(I*A + B))/(d*Sqrt[Cot[c + d*x]]) + (((2*I)/5)*B*(I*a^2 + a^2*Cot[c + d*x]))/(d*Cot[c + d*x]^(5/2))

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Dist[g^(m+n), Int[(g*Cot[e + f*x])^(p-m-n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3593

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m+1)/(b*f*(m+1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m+1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m,

-1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^2 (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= \int \frac{(ia + a \cot(c + dx))^2 (B + A \cot(c + dx))}{\cot^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2iB (ia^2 + a^2 \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(ia + a \cot(c + dx)) \left(\frac{1}{2}a(5iA + 7B)\right)}{\cot^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2a^2(5A - 7iB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2iB (ia^2 + a^2 \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{5a^2(iA + B)}{\cot^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2a^2(5A - 7iB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{4a^2(iA + B)}{d\sqrt{\cot(c + dx)}} + \frac{2iB (ia^2 + a^2 \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{5a^2(iA + B)}{\cot^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2a^2(5A - 7iB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{4a^2(iA + B)}{d\sqrt{\cot(c + dx)}} + \frac{2iB (ia^2 + a^2 \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{5a^2(iA + B)}{\cot^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{4\sqrt[4]{-1}a^2(A - iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} - \frac{2a^2(5A - 7iB)}{15d \cot^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 7.07377, size = 133, normalized size = 1.02

$$\frac{a^2 \left(\sec^2(c + dx)(-5(A - 2iB) \sin(2(c + dx)) + (33B + 30iA) \cos(2(c + dx)) + 30iA + 27B) - \frac{60i(A - iB) \tanh^{-1}\left(\sqrt{\frac{-1 + e^{2i(c + dx)}}{1 + e^{2i(c + dx)}}}\right)}{\sqrt{i \tan(c + dx)}} \right)}{15d\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] (a^2*(Sec[c + d*x]^2*((30*I)*A + 27*B + ((30*I)*A + 33*B)*Cos[2*(c + d*x)] - 5*(A - (2*I)*B)*Sin[2*(c + d*x)]) - ((60*I)*(A - I*B)*ArcTanh[Sqrt[(-1 +

$E^{((2*I)*(c + d*x))}/(1 + E^{((2*I)*(c + d*x))})/Sqrt[I*Tan[c + d*x]]/(15*d*Sqrt[Cot[c + d*x]])$

Maple [C] time = 0.481, size = 971, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x)

[Out] $\frac{1}{15}a^2/d^{2^{1/2}}*(\cos(d*x+c)-1)*(30*I*A*2^{1/2}*\cos(d*x+c)^3-10*I*B*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}-30*I*A*2^{1/2}*\cos(d*x+c)^2+30*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\cos(d*x+c)^2*\text{EllipticPi}((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2})*\sin(d*x+c)+30*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\cos(d*x+c)^2*\text{EllipticPi}((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2}))*\sin(d*x+c)-30*B*\sin(d*x+c)*\text{EllipticF}((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2*2^{1/2})*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\cos(d*x+c)^2-30*I*A*\sin(d*x+c)*\text{EllipticF}((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2*2^{1/2})*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\cos(d*x+c)^2+10*I*B*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)^2-30*I*B*\text{EllipticPi}((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2}))*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\cos(d*x+c)^2-5*A*\sin(d*x+c)*2^{1/2}*\cos(d*x+c)^2+30*I*A*\text{EllipticPi}((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2}))*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\cos(d*x+c)^2+33*B*2^{1/2}*\cos(d*x+c)^3+5*A*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}-33*B*\cos(d*x+c)^2*2^{1/2}-3*B*\cos(d*x+c)*2^{1/2}+3*B*2^{1/2})*(\cos(d*x+c)+1)^2/\cos(d*x+c)^2/\sin(d*x+c)^4/(\cos(d*x+c)/\sin(d*x+c))^{1/2}$

Maxima [A] time = 1.55116, size = 270, normalized size = 2.08

$$4\left(3Ba^2 + \frac{(5A-10iB)a^2}{\tan(dx+c)} - \frac{30(iA+B)a^2}{\tan(dx+c)^2}\right)\tan(dx+c)^{\frac{5}{2}} + 15\left(2\sqrt{2}(-(i-1)A - (i+1)B)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")

[Out] $-1/30*(4*(3*B*a^2 + (5*A - 10*I*B)*a^2/\tan(d*x + c) - 30*(I*A + B)*a^2/\tan(d*x + c)^2)*\tan(d*x + c)^{5/2} + 15*(2*\text{sqrt}(2)*(-(I - 1)*A - (I + 1)*B)*\arctan(1/2*\text{sqrt}(2)*(sqrt(2) + 2/\text{sqrt}(\tan(d*x + c)))) + 2*\text{sqrt}(2)*(-(I - 1)*A - (I + 1)*B)*\arctan(-1/2*\text{sqrt}(2)*(sqrt(2) - 2/\text{sqrt}(\tan(d*x + c)))) - \text{sqrt}(2)*(-(I + 1)*A + (I - 1)*B)*\log(\text{sqrt}(2)/\text{sqrt}(\tan(d*x + c)) + 1/\tan(d*x + c) + 1) + \text{sqrt}(2)*(-(I + 1)*A + (I - 1)*B)*\log(-\text{sqrt}(2)/\text{sqrt}(\tan(d*x + c)) + 1/\tan(d*x + c) + 1))*a^2)/d$

Fricas [B] time = 1.63894, size = 1361, normalized size = 10.47

$$15 \sqrt{\frac{(16i A^2 + 32 AB - 16i B^2)a^4}{d^2}} \left(de^{(6i dx + 6i c)} + 3 de^{(4i dx + 4i c)} + 3 de^{(2i dx + 2i c)} + d \right) \log \left(\frac{\left(4(A-iB)a^2 e^{(2i dx + 2i c)} - \sqrt{\frac{(16i A^2 + 32 AB - 16i B^2)a^4}{d^2}} \right)}{(2i A + 2i B) e^{(2i dx + 2i c)} + d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$-1/60*(15*\sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log(-4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - \sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(I*d*e^{(2*I*d*x + 2*I*c)} - I*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}))e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a^2)) - 15*\sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)*\log(-4*(A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - \sqrt{(16*I*A^2 + 32*A*B - 16*I*B^2)*a^4/d^2}*(-I*d*e^{(2*I*d*x + 2*I*c)} + I*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}))e^{(-2*I*d*x - 2*I*c)}/((2*I*A + 2*B)*a^2)) - 8*((35*A - 43*I*B)*a^2*e^{(6*I*d*x + 6*I*c)} + (25*A - 11*I*B)*a^2*e^{(4*I*d*x + 4*I*c)} - (35*A - 31*I*B)*a^2*e^{(2*I*d*x + 2*I*c)} - (25*A - 23*I*B)*a^2)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})/(d*e^{(6*I*d*x + 6*I*c)} + 3*d*e^{(4*I*d*x + 4*I*c)} + 3*d*e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sqrt{\cot(c+dx)}} dx + \int -\frac{A \tan^2(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int \frac{B \tan(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int -\frac{B \tan^3(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int \frac{2iA \tan(c+dx)}{\sqrt{\cot(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**2*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out]
$$a**2*(\text{Integral}(A/\sqrt{\cot(c+dx)}, x) + \text{Integral}(-A*\tan(c+dx)**2/\sqrt{\cot(c+dx)}, x) + \text{Integral}(B*\tan(c+dx)/\sqrt{\cot(c+dx)}, x) + \text{Integral}(-B*\tan(c+dx)**3/\sqrt{\cot(c+dx)}, x) + \text{Integral}(2*I*A*\tan(c+dx)/\sqrt{\cot(c+dx)}, x) + \text{Integral}(2*I*B*\tan(c+dx)**2/\sqrt{\cot(c+dx)}, x))$$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A)(i a \tan(dx+c) + a)^2}{\sqrt{\cot(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^2/sqrt(cot(d*x + c)),  
x)
```

$$3.513 \quad \int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=171

$$\frac{8a^3(23A-21iB) \cot^{\frac{3}{2}}(c+dx)}{105d} - \frac{2(7B+11iA) \cot^{\frac{3}{2}}(c+dx)(a^3 \cot(c+dx)+ia^3)}{35d} + \frac{8a^3(B+iA)\sqrt{\cot(c+dx)}}{d} + \frac{8\sqrt[4]{\cot(c+dx)}}{d}$$

[Out] (8*(-1)^(1/4)*a^3*(I*A + B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]]])/d + (8*a^3*(I*A + B)*Sqrt[Cot[c + d*x]])/d + (8*a^3*(23*A - (21*I)*B)*Cot[c + d*x]^(3/2))/(105*d) - (2*a*A*Cot[c + d*x]^(3/2)*(I*a + a*Cot[c + d*x])^2)/(7*d) - (2*((11*I)*A + 7*B)*Cot[c + d*x]^(3/2)*(I*a^3 + a^3*Cot[c + d*x]))/(35*d)

Rubi [A] time = 0.528106, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3581, 3594, 3592, 3528, 3533, 208}

$$\frac{8a^3(23A-21iB) \cot^{\frac{3}{2}}(c+dx)}{105d} - \frac{2(7B+11iA) \cot^{\frac{3}{2}}(c+dx)(a^3 \cot(c+dx)+ia^3)}{35d} + \frac{8a^3(B+iA)\sqrt{\cot(c+dx)}}{d} + \frac{8\sqrt[4]{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (8*(-1)^(1/4)*a^3*(I*A + B)*ArcTanh[(-1)^(3/4)*Sqrt[Cot[c + d*x]]])/d + (8*a^3*(I*A + B)*Sqrt[Cot[c + d*x]])/d + (8*a^3*(23*A - (21*I)*B)*Cot[c + d*x]^(3/2))/(105*d) - (2*a*A*Cot[c + d*x]^(3/2)*(I*a + a*Cot[c + d*x])^2)/(7*d) - (2*((11*I)*A + 7*B)*Cot[c + d*x]^(3/2)*(I*a^3 + a^3*Cot[c + d*x]))/(35*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3594

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3592

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^(m + 1), x]

$x])^m \text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]

Rule 3528

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)]])^{(m_)}*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)}*\text{Simp}[a*c - b*d + (b*c + a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3533

$\text{Int}[(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]])/\text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_)]], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

$\text{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot^{\frac{9}{2}}(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \int \sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3(B + A \cot(c + dx)) dx \\ &= -\frac{2aA \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))^2}{7d} - \frac{2}{7} \int \sqrt{\cot(c + dx)} dx \\ &= -\frac{2aA \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))^2}{7d} - \frac{2(11iA + 7B) \cot^{\frac{3}{2}}(c + dx)}{7d} \\ &= \frac{8a^3(23A - 21iB) \cot^{\frac{3}{2}}(c + dx)}{105d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))^2}{7d} \\ &= \frac{8a^3(iA + B)\sqrt{\cot(c + dx)}}{d} + \frac{8a^3(23A - 21iB) \cot^{\frac{3}{2}}(c + dx)}{105d} \\ &= \frac{8a^3(iA + B)\sqrt{\cot(c + dx)}}{d} + \frac{8a^3(23A - 21iB) \cot^{\frac{3}{2}}(c + dx)}{105d} \\ &= \frac{8\sqrt[4]{-1}a^3(iA + B) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{8a^3(iA + B) \cot^{\frac{3}{2}}(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 9.16553, size = 161, normalized size = 0.94

$$\frac{a^3 \sqrt{\cot(c + dx)} \left(\csc^3(c + dx) - ((-95A + 105iB) \cos(c + dx) + 5(31A - 21iB) \cos(3(c + dx)) + 42 \sin(c + dx)((21B + 23iA) \cot(c + dx) - 1)) \right)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (a^3*Sqrt[Cot[c + d*x]]*(-(Csc[c + d*x]^3*((-95*A + (105*I)*B)*Cos[c + d*x] + 5*(31*A - (21*I)*B)*Cos[3*(c + d*x)] + 42*((-17*I)*A - 19*B + ((23*I)*A

```
+ 21*B)*Cos[2*(c + d*x)]*Sin[c + d*x])) - (1680*I)*(A - I*B)*ArcTanh[Sqrt[
(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[I*Tan[c + d*x]]
)]/(210*d)
```

Maple [C] time = 0.568, size = 3132, normalized size = 18.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)
```

```
[Out] -1/105*a^3/d*2^(1/2)*(-420*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+420*A*sin(d*x+c)
*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/s
in(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-
1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))-105*I*B*cos(d*x+c)^4*2^(1/2)+1
05*I*B*cos(d*x+c)^2*2^(1/2)+441*B*cos(d*x+c)^3*sin(d*x+c)*2^(1/2)-140*A*2^(
1/2)*cos(d*x+c)^2-420*A*sin(d*x+c)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(
1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+
c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I,
1/2*2^(1/2))+155*A*cos(d*x+c)^4*2^(1/2)-420*I*A*cos(d*x+c)^2*sin(d*x+c)*((
cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/
2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2
^(1/2))*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)-420*I*B*cos(d*x+c)^2*
sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin
(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2
+1/2*I, 1/2*2^(1/2))*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)+420*I*B*c
os(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d
*x+c)-1)/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*El
lipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))+420*I*A*
cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*
x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)
)^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2
)+420*I*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2
)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/
sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d
*x+c))^(1/2)-420*I*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*
x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/s
in(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/
2*2^(1/2))-420*I*A*cos(d*x+c)^3*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d
*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-s
in(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(-(cos(d*x+c)-1-sin(d*x
+c))/sin(d*x+c))^(1/2)-420*I*B*cos(d*x+c)^3*sin(d*x+c)*((cos(d*x+c)-1+sin(d
*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-co
s(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(-(cos(d*x+
c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)+420*I*B*cos(d*x+c)^3*sin(d*x+c)*((cos(d*
x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-(c
os(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+
c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))+420*A*cos(d*x+c)*sin(d*x+c)*(-(cos(d*x+
c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(
1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c)
)/sin(d*x+c))^(1/2), 1/2*2^(1/2))-420*A*cos(d*x+c)*sin(d*x+c)*(-(cos(d*x+c)-
1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2
)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/
sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))+420*B*cos(d*x+c)*sin(d*x+c)*(-(cos
(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+
c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(
```

```

d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+483*I*A*cos(d*x+c)^3*sin(d
*x+c)*2^(1/2)-420*I*A*cos(d*x+c)*sin(d*x+c)*2^(1/2)+420*B*sin(d*x+c)*(-cos
(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+
c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(
d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-420*A*cos(d*x+c)^3*sin(d*x
+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+
c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))-420*B*cos(d*x+c)^3*sin(d*x+
c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))
^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1
/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)+420*I*A*((cos(d*x
+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-co
s(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*sin(d*x+c)*EllipticPi((-cos(d*x+c
)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+420*I*B*((cos(d*x+
c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos
(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*sin(d*x+c)*EllipticPi((-cos(d*x+c)
-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-420*I*B*sin(d*x+c)*
((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1
/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1
-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))+420*A*cos(d*x+c)^3*sin(d*x+c)*
(cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/
2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2
^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)-420*A*((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+
c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticF((-cos(d*x+c)-1-s
in(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*sin(d*x+c)+420*A*((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c
)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-s
in(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*sin(d*x+c)-420*B*((cos(
d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-
cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(
d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*sin(d*x+c))*
cos(d*x+c)/sin(d*x+c))^(9/2)*sin(d*x+c)/cos(d*x+c)^5

```

Maxima [A] time = 1.52589, size = 292, normalized size = 1.71

$$105 \left(\sqrt{2}((2i+2)A - (2i-2)B) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + \sqrt{2}((2i+2)A - (2i-2)B) \arctan \left(-\frac{1}{2} \sqrt{2} \left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/105*(105*(sqrt(2)*((2*I + 2)*A - (2*I - 2)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + sqrt(2)*((2*I + 2)*A - (2*I - 2)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + sqrt(2)*((I - 1)*A + (I + 1)*B)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - sqrt(2)*((I - 1)*A + (I + 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a^3 - 840*(I*A + B)*a^3/sqrt(tan(d*x + c)) - 2*(140*A - 105*I*B)*a^3/tan(d*x + c)^(3/2) - 42*(-3*I*A - B)*a^3/tan(d*x + c)^(5/2) + 30*A*a^3/tan(d*x + c)^(7/2))/d

Fricas [B] time = 1.75402, size = 1386, normalized size = 8.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{420} \cdot (105 \sqrt{(-64IA^2 - 128AB + 64IB^2)} a^6/d^2) \cdot (d e^{(6I dx + 6Ic)} - 3d e^{(4I dx + 4Ic)} + 3d e^{(2I dx + 2Ic)} - d) \cdot \log(-8(A - IB) a^3 e^{(2I dx + 2Ic)} + \sqrt{(-64IA^2 - 128AB + 64IB^2)} a^6/d^2) \cdot (d e^{(2I dx + 2Ic)} - d) \cdot \sqrt{(I e^{(2I dx + 2Ic)} + I) / (e^{(2I dx + 2Ic)} - 1)}$
 $- 105 \sqrt{(-64IA^2 - 128AB + 64IB^2)} a^6/d^2) \cdot (d e^{(6I dx + 6Ic)} - 3d e^{(4I dx + 4Ic)} + 3d e^{(2I dx + 2Ic)} - d) \cdot \log(-8(A - IB) a^3 e^{(2I dx + 2Ic)} - \sqrt{(-64IA^2 - 128AB + 64IB^2)} a^6/d^2) \cdot (d e^{(2I dx + 2Ic)} - d) \cdot \sqrt{(I e^{(2I dx + 2Ic)} + I) / (e^{(2I dx + 2Ic)} - 1)}$
 $\cdot e^{(-2I dx - 2Ic)} / ((4IA + 4B) a^3) - (5104IA + 4368B) a^3 e^{(6I dx + 6Ic)} + (-10336IA - 10752B) a^3 e^{(4I dx + 4Ic)} + (8816IA + 9072B) a^3 e^{(2I dx + 2Ic)} + (-2624IA - 2688B) a^3 \sqrt{(I e^{(2I dx + 2Ic)} + I) / (e^{(2I dx + 2Ic)} - 1)} / (d e^{(6I dx + 6Ic)} - 3d e^{(4I dx + 4Ic)} + 3d e^{(2I dx + 2Ic)} - d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(9/2)*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(I a \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3*cot(d*x + c)^(9/2), x)

$$3.514 \quad \int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=146

$$\frac{16a^3(6A-5iB)\sqrt{\cot(c+dx)}}{15d} - \frac{2(5B+9iA)\sqrt{\cot(c+dx)}(a^3 \cot(c+dx)+ia^3)}{15d} + \frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d}$$

[Out] $(8*(-1)^{(1/4)}*a^3*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (16*a^3*(6*A - (5*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]]/(15*d) - (2*a*A*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a + a*\text{Cot}[c + d*x])^2)/(5*d) - (2*((9*I)*A + 5*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a^3 + a^3*\text{Cot}[c + d*x]))/(15*d)$

Rubi [A] time = 0.488346, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3581, 3594, 3592, 3533, 208}

$$\frac{16a^3(6A-5iB)\sqrt{\cot(c+dx)}}{15d} - \frac{2(5B+9iA)\sqrt{\cot(c+dx)}(a^3 \cot(c+dx)+ia^3)}{15d} + \frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(7/2)}*(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(8*(-1)^{(1/4)}*a^3*(A - I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d + (16*a^3*(6*A - (5*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]]/(15*d) - (2*a*A*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a + a*\text{Cot}[c + d*x])^2)/(5*d) - (2*((9*I)*A + 5*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a^3 + a^3*\text{Cot}[c + d*x]))/(15*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^m*(d + c*\text{Cot}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3594

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3533

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{7}{2}}(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \int \frac{(ia + a \cot(c + dx))^3(B + A \cot(c + dx))}{\sqrt{\cot(c + dx)}} dx \\
 &= -\frac{2aA\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2}{5d} - \frac{2}{5} \int \frac{(ia + a \cot(c + dx))^3}{\sqrt{\cot(c + dx)}} dx \\
 &= -\frac{2aA\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2}{5d} - \frac{2(9iA + 5B)}{5} \int \frac{(ia + a \cot(c + dx))^3}{\sqrt{\cot(c + dx)}} dx \\
 &= \frac{16a^3(6A - 5iB)\sqrt{\cot(c + dx)}}{15d} - \frac{2aA\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2}{5d} \\
 &= \frac{16a^3(6A - 5iB)\sqrt{\cot(c + dx)}}{15d} - \frac{2aA\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2}{5d} \\
 &= \frac{8\sqrt[4]{-1}a^3(A - iB) \tanh^{-1}\left(\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}\right)}{d} + \frac{16a^3(6A - 5iB)\sqrt{\cot(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [A] time = 7.52035, size = 132, normalized size = 0.9

$$\frac{a^3 \sqrt{\cot(c + dx)} \left(120(A - iB) \sqrt{i \tan(c + dx)} \tanh^{-1} \left(\sqrt{\frac{-1 + e^{2i(c+dx)}}{1 + e^{2i(c+dx)}}} \right) + \csc^2(c + dx)(5(B + 3iA) \sin(2(c + dx)) + 9(7A + 5iB) \cos(2(c + dx))) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] -(a^3*Sqrt[Cot[c + d*x]]*(Csc[c + d*x]^2*(-57*A + (45*I)*B + 9*(7*A - (5*I)*B)*Cos[2*(c + d*x)] + 5*((3*I)*A + B)*Sin[2*(c + d*x)]) + 120*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[I*Tan[c + d*x]]))/(15*d)

Maple [C] time = 0.536, size = 2947, normalized size = 20.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)), x)

```

[Out] -1/15*a^3/d*2^(1/2)*(-60*B*cos(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))
)^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x
+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)
)^(1/2)+63*A*cos(d*x+c)^3*2^(1/2)-60*A*cos(d*x+c)*2^(1/2)-60*B*cos(d*x+c)^2*
((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1
/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-
1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-60*A*cos(d*x+c)^3*((
cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2
)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-
sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+60*B*cos(d*x+c)^3*((c
os(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*
EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*(-cos
(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)-60*B*cos(d*x+c)^3*((cos(d*x+c)-1+si
n(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c)
-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin
(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+60*B*cos(d*x+c)^2*((cos(d*x+c)-1+sin(
d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-co
s(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d
*x+c))/sin(d*x+c)^(1/2)-60*I*A*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/
2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2)
)+5*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+60*I*A*EllipticPi((-cos(d*x+c)-1-sin(
d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c)
)/sin(d*x+c)^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+
c)-1)/sin(d*x+c))^(1/2)+60*I*A*cos(d*x+c)^2*(-cos(d*x+c)-1-sin(d*x+c))/sin
(d*x+c)^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),
1/2*2^(1/2))+60*I*B*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin
(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c
))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d
*x+c))^(1/2)+60*I*A*cos(d*x+c)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d
*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)
)^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x
+c))^(1/2)-60*I*A*cos(d*x+c)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*
((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1
/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))-60
*I*B*cos(d*x+c)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/
2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*((cos(d*
x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-60*I
*A*cos(d*x+c)^3*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/
2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*((cos(d*
x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+60*I
*A*cos(d*x+c)^3*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*((cos(d*x+c)-
1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF
((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))+60*I*B*cos(d*x+
c)^3*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2
*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*((cos(d*x+c)-1+sin(
d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-60*I*A*cos(d*x+
c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2
*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*((cos(d*x+c)-1+sin(
d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+60*A*((cos(d*x+
c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos
(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+
c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-60*A*cos(d*x+c)^2*((cos(d*x+c)
-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d
*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c)
)/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+60*B*cos(d*x+c)*((cos(d*x+c)-1+s
in(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-cos(d*x+c
)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/si

```

$$\begin{aligned} & n(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+60*A*\cos(d*x+c)*((\cos(d*x+c)-1+\sin(d \\ & *x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)*(-(\cos(d*x+c)-1- \\ & \sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d* \\ & x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-60*I*B*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d* \\ & x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})*(-(\cos(d*x+c)-1-\sin(d*x+c))/ \\ & \sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c) \\ & -1)/\sin(d*x+c))^{(1/2)-60*B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((c \\ & os(d*x+c)-1)/\sin(d*x+c))^{(1/2)*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d* \\ & x+c))^{(1/2)}, 1/2*2^{(1/2)})*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)+60*B \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(\\ & 1/2)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c) \\ & -1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+15*I*A*2^{(1/2)*\cos(\\ & d*x+c)^2*\sin(d*x+c)-45*I*B*2^{(1/2)*\cos(d*x+c)^3+45*I*B*2^{(1/2)*\cos(d*x+c))* \\ & (\cos(d*x+c)/\sin(d*x+c))^{(7/2)*\sin(d*x+c)/\cos(d*x+c)^4} \end{aligned}$$

Maxima [A] time = 1.52166, size = 267, normalized size = 1.83

$$15 \left(\sqrt{2}(-2i-2)A - (2i+2)B \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + \sqrt{2}(-2i-2)A - (2i+2)B \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/15*(15*(sqrt(2)*(-(2*I - 2)*A - (2*I + 2)*B)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + sqrt(2)*(-(2*I - 2)*A - (2*I + 2)*B)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*(-(I + 1)*A + (I - 1)*B)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*(-(I + 1)*A + (I - 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a^3 - 2*(60*A - 45*I*B)*a^3/sqrt(tan(d*x + c)) - 10*(-3*I*A - B)*a^3/tan(d*x + c)^(3/2) + 6*A*a^3/tan(d*x + c)^(5/2))/d

Fricas [B] time = 1.59031, size = 1208, normalized size = 8.27

$$15 \sqrt{\frac{(64i A^2 + 128 AB - 64i B^2)a^6}{d^2}} \left(de^{(4i dx + 4i c)} - 2 de^{(2i dx + 2i c)} + d \right) \log \left(\frac{\left(8(A-iB)a^3 e^{(2i dx + 2i c)} - \sqrt{\frac{(64i A^2 + 128 AB - 64i B^2)a^6}{d^2}} \right) (i de^{(2i dx + 2i c)} - i d)}{(4i A + 4B)a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/60*(15*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 15*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(2*I*d*x + 2*I*c)/((4*I*A + 4*B)*a^3)

$$2*I*d*x + 2*I*c) - 1))) * e^{(-2*I*d*x - 2*I*c) / ((4*I*A + 4*B)*a^3)} - 16 * ((39 * A - 25*I*B) * a^3 * e^{(4*I*d*x + 4*I*c)} - 3 * (19*A - 15*I*B) * a^3 * e^{(2*I*d*x + 2*I*c)} + 4 * (6*A - 5*I*B) * a^3) * \sqrt{(I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} - 1)}) / (d * e^{(4*I*d*x + 4*I*c)} - 2 * d * e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3*cot(d*x + c)^(7/2), x)

$$3.515 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=138

$$\frac{2(A+3iB)\sqrt{\cot(c+dx)}(a^3 \cot(c+dx)+ia^3)}{3d} - \frac{8\sqrt[4]{-1}a^3(B+iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{16ia^3A\sqrt{\cot(c+dx)}}{3d}$$

[Out] $(-8*(-1)^{(1/4)}*a^3*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - ((16*I)/3)*a^3*A*\text{Sqrt}[\text{Cot}[c + d*x]]/d + ((2*I)*a*B*(I*a + a*\text{Cot}[c + d*x])^2)/(d*\text{Sqrt}[\text{Cot}[c + d*x]]) - (2*(A + (3*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a^3 + a^3*\text{Cot}[c + d*x]))/(3*d)$

Rubi [A] time = 0.457495, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3581, 3593, 3594, 3592, 3533, 208}

$$\frac{2(A+3iB)\sqrt{\cot(c+dx)}(a^3 \cot(c+dx)+ia^3)}{3d} - \frac{8\sqrt[4]{-1}a^3(B+iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{16ia^3A\sqrt{\cot(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(5/2)}*(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-8*(-1)^{(1/4)}*a^3*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - ((16*I)/3)*a^3*A*\text{Sqrt}[\text{Cot}[c + d*x]]/d + ((2*I)*a*B*(I*a + a*\text{Cot}[c + d*x])^2)/(d*\text{Sqrt}[\text{Cot}[c + d*x]]) - (2*(A + (3*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a^3 + a^3*\text{Cot}[c + d*x]))/(3*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^{(m)}*(d + c*\text{Cot}[e + f*x])^{(n)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3593

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3594

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*B*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n)}*\text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c -$

$a*d*(m - 1) - d*(A*b + a*B)*(m + n)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_. + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Simp}[(B*d*(a + b*\text{Tan}[e + f*x])^{(m + 1)})/(b*f*(m + 1)), x] + \text{Int}[(a + b*\text{Tan}[e + f*x])^m*\text{Simp}[A*c - B*d + (B*c + A*d)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!LeQ}[m, -1]$

Rule 3533

$\text{Int}[(c_. + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])/\text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]], x_Symbol] :> \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 208

$\text{Int}[(a_. + (b_.)*(x_)^2)^{-1}, x_Symbol] :> \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx)(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx &= \int \frac{(ia + a \cot(c + dx))^3(B + A \cot(c + dx))}{\cot^2(c + dx)} dx \\ &= \frac{2iaB(ia + a \cot(c + dx))^2}{d\sqrt{\cot(c + dx)}} + 2 \int \frac{(ia + a \cot(c + dx))^2 \left(\frac{1}{2}a\right)}{d\sqrt{\cot(c + dx)}} dx \\ &= \frac{2iaB(ia + a \cot(c + dx))^2}{d\sqrt{\cot(c + dx)}} - \frac{2(A + 3iB)\sqrt{\cot(c + dx)}(ia^3 + 3a^2)}{3d} \\ &= -\frac{16ia^3A\sqrt{\cot(c + dx)}}{3d} + \frac{2iaB(ia + a \cot(c + dx))^2}{d\sqrt{\cot(c + dx)}} - \frac{2(A + 3iB)\sqrt{\cot(c + dx)}}{3d} \\ &= -\frac{16ia^3A\sqrt{\cot(c + dx)}}{3d} + \frac{2iaB(ia + a \cot(c + dx))^2}{d\sqrt{\cot(c + dx)}} - \frac{2(A + 3iB)\sqrt{\cot(c + dx)}}{3d} \\ &= -\frac{8\sqrt[4]{-1}a^3(iA + B) \tanh^{-1}\left(\frac{(-1)^{3/4}\sqrt{\cot(c + dx)}}{1 + i \tan(c + dx)}\right)}{d} - \frac{16ia^3A\sqrt{\cot(c + dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 5.467, size = 146, normalized size = 1.06

$$\frac{a^3\sqrt{\cot(c + dx)} \csc(c + dx) \sec(c + dx) \left((A - 3iB) \cos(2(c + dx)) - 12i(A - iB) \sin(2(c + dx))\sqrt{i \tan(c + dx)} \tanh^{-1}\left(\sqrt{\frac{(-1)^{3/4}\sqrt{\cot(c + dx)}}{1 + i \tan(c + dx)}}\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] $-(a^3*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Csc}[c + d*x]*\text{Sec}[c + d*x]*(A + (3*I)*B + (A - (3*I)*B)*\text{Cos}[2*(c + d*x)] + (9*I)*A*\text{Sin}[2*(c + d*x)] + 3*B*\text{Sin}[2*(c + d*x)] - (12*I)*(A - I*B)*\text{ArcTanh}[\text{Sqrt}[(-1 + E^{((2*I)*(c + d*x)})]/(1 + E^{((2*I)*(c + d*x)})])])$

$d*x))))] * \sin[2*(c + d*x)] * \text{Sqrt}[I * \tan[c + d*x]])) / (3*d)$

Maple [C] time = 0.526, size = 1562, normalized size = 11.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{5/2} * (a + I * a * \tan(dx+c))^3 * (A + B * \tan(dx+c)), x)$

[Out]
$$-1/3 * a^3 / d^{2^{1/2}} * (12 * I * B * \cos(dx+c) * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticF}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 * 2^{1/2}) - 3 * I * B * 2^{1/2} * \cos(dx+c)^2 + 9 * I * A * 2^{1/2} * \cos(dx+c) * \sin(dx+c) + 12 * A * \cos(dx+c) * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) - 12 * A * \cos(dx+c) * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticF}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 * 2^{1/2}) + 3 * I * 2^{1/2} * B - 12 * B * \cos(dx+c) * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) - 12 * I * B * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * \sin(dx+c) * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) - 12 * I * A * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * \sin(dx+c) * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) + 12 * A * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) - 12 * A * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticF}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 * 2^{1/2}) - 12 * B * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) + 12 * I * B * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticF}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 * 2^{1/2}) - 12 * I * A * \cos(dx+c) * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} + A * 2^{1/2} * \cos(dx+c)^2 + 3 * B * 2^{1/2} * \cos(dx+c) * \sin(dx+c) - 12 * I * B * \cos(dx+c) * \sin(dx+c) * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2} * \text{EllipticPi}((-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c))^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * (\cos(dx+c) / \sin(dx+c))^{5/2} * \sin(dx+c) / \cos(dx+c)^3$$

Maxima [A] time = 1.55885, size = 259, normalized size = 1.88

$$-6i B a^3 \sqrt{\tan(dx+c)} + 3 \left(\sqrt{2}((2i+2)A - (2i-2)B) \arctan\left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + \sqrt{2}((2i+2)A - (2i-2)B) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{3}(-6I B a^3 \sqrt{\tan(dx+c)} + 3(\sqrt{2}((2I+2)A - (2I-2)B) \arctan(\frac{1}{2}\sqrt{2}(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}})) + \sqrt{2}((2I+2)A - (2I-2)B) \arctan(-\frac{1}{2}\sqrt{2}(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}})) + \sqrt{2}((I-1)A + (I+1)B) \log(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)+1}) - \sqrt{2}((I-1)A + (I+1)B) \log(-\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)+1})) a^3 + 6(-3IA - B) a^3 / \sqrt{\tan(dx+c)} - 2A a^3 / \tan(dx+c)^{(3/2)}) / d$

Fricas [B] time = 1.50108, size = 1077, normalized size = 7.8

$$3 \sqrt{\frac{(-64i A^2 - 128 AB + 64i B^2) a^6}{d^2}} (d e^{4i dx + 4i c} - d) \log \left(- \frac{\left(8(A-iB) a^3 e^{2i dx + 2i c} + \sqrt{\frac{(-64i A^2 - 128 AB + 64i B^2) a^6}{d^2}} (d e^{2i dx + 2i c} - d) \sqrt{\frac{i e^{2i dx + 2i c} + i}{e^{2i dx + 2i c} - 1}} \right) e^{-2i dx}}{(4i A + 4B) a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] $-\frac{1}{12}(3\sqrt{(-64IA^2 - 128AB + 64IB^2)a^6/d^2}(d e^{4I dx + 4I c} - d) \log(-8(A - IB)a^3 e^{2I dx + 2I c} + \sqrt{(-64IA^2 - 128AB + 64IB^2)a^6/d^2}(d e^{2I dx + 2I c} - d) \sqrt{(I e^{2I dx + 2I c} + I)/(e^{2I dx + 2I c} - 1)}) e^{-2I dx - 2I c} / ((4IA + 4B)a^3) - 3\sqrt{(-64IA^2 - 128AB + 64IB^2)a^6/d^2}(d e^{4I dx + 4I c} - d) \log(-8(A - IB)a^3 e^{2I dx + 2I c} - \sqrt{(-64IA^2 - 128AB + 64IB^2)a^6/d^2}(d e^{2I dx + 2I c} - d) \sqrt{(I e^{2I dx + 2I c} + I)/(e^{2I dx + 2I c} - 1)}) e^{-2I dx - 2I c} / ((4IA + 4B)a^3) - ((-80IA - 48B)a^3 e^{4I dx + 4I c} + (-16IA + 48B)a^3 e^{2I dx + 2I c} + 64IA a^3) \sqrt{(I e^{2I dx + 2I c} + I)/(e^{2I dx + 2I c} - 1)}) / (d e^{4I dx + 4I c} - d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(i a \tan(dx+c) + a)^3 \cot(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3*cot(d*x + c)^(5/2), x)
```

$$3.516 \quad \int \cot^2(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=142

$$\frac{2(3A-7iB)(a^3 \cot(c+dx)+ia^3)}{3d\sqrt{\cot(c+dx)}} - \frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{16ia^3B\sqrt{\cot(c+dx)}}{3d} + \frac{2iaB(a \cot(c+dx)+ia^2)}{3d}$$

[Out] $(-8*(-1)^{(1/4)}*a^3*(A-I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c+d*x]]])/d - ((16*I)/3)*a^3*B*\text{Sqrt}[\text{Cot}[c+d*x])/d + (((2*I)/3)*a*B*(I*a+a*\text{Cot}[c+d*x])^2)/(d*\text{Cot}[c+d*x]^{(3/2)}) - (2*(3*A-(7*I)*B)*(I*a^3+a^3*\text{Cot}[c+d*x]))/(3*d*\text{Sqrt}[\text{Cot}[c+d*x]])$

Rubi [A] time = 0.47097, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3581, 3593, 3592, 3533, 208}

$$\frac{2(3A-7iB)(a^3 \cot(c+dx)+ia^3)}{3d\sqrt{\cot(c+dx)}} - \frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d} - \frac{16ia^3B\sqrt{\cot(c+dx)}}{3d} + \frac{2iaB(a \cot(c+dx)+ia^2)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c+d*x]^{(3/2)}*(a+I*a*\text{Tan}[c+d*x])^3*(A+B*\text{Tan}[c+d*x]),x]$

[Out] $(-8*(-1)^{(1/4)}*a^3*(A-I*B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c+d*x]]])/d - ((16*I)/3)*a^3*B*\text{Sqrt}[\text{Cot}[c+d*x])/d + (((2*I)/3)*a*B*(I*a+a*\text{Cot}[c+d*x])^2)/(d*\text{Cot}[c+d*x]^{(3/2)}) - (2*(3*A-(7*I)*B)*(I*a^3+a^3*\text{Cot}[c+d*x]))/(3*d*\text{Sqrt}[\text{Cot}[c+d*x]])$

Rule 3581

$\text{Int}[(\cot[(e_.)+(f_.)*(x_)]*(g_.)^{(p_)}*((a_.)+(b_.)*\tan[(e_.)+(f_.)*(x_)]))^{(m_)}*((c_.)+(d_.)*\tan[(e_.)+(f_.)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e+f*x])^{(p-m-n)}*(b+a*\text{Cot}[e+f*x])^m*(d+c*\text{Cot}[e+f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n]$

Rule 3593

$\text{Int}[(a_.)+(b_.)*\tan[(e_.)+(f_.)*(x_)]^{(m_)}*((A_.)+(B_.)*\tan[(e_.)+(f_.)*(x_)]*(c_.)+(d_.)*\tan[(e_.)+(f_.)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c-A*d)*(a+b*\text{Tan}[e+f*x])^{(m-1)}*(c+d*\text{Tan}[e+f*x])^{(n+1)})/(d*f*(b*c+a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c+a*d)*(n+1)), \text{Int}[(a+b*\text{Tan}[e+f*x])^{(m-1)}*(c+d*\text{Tan}[e+f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2)-B*(b*c*(m-1)+a*d*(n+1))+(a*A*d*(m+n)-B*(a*c*(m-1)+b*d*(n+1)))*\text{Tan}[e+f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[b*c-a*d, 0] \ \&\& \ \text{EqQ}[a^2+b^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3592

$\text{Int}[(a_.)+(b_.)*\tan[(e_.)+(f_.)*(x_)]^{(m_)}*((A_.)+(B_.)*\tan[(e_.)+(f_.)*(x_)]*(c_.)+(d_.)*\tan[(e_.)+(f_.)*(x_)]), x_Symbol] \rightarrow \text{Simp}[(B*d*(a+b*\text{Tan}[e+f*x])^{(m+1)})/(b*f*(m+1)), x] + \text{Int}[(a+b*\text{Tan}[e+f*x])^m*\text{Simp}[A*c-B*d+(B*c+A*d)*\text{Tan}[e+f*x], x], x] /; \text{FreeQ}\{a, b, c,$

$d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3533

$\text{Int}[\frac{(c_.) + (d_.)\tan[(e_.) + (f_.)*(x_)]}{\text{Sqrt}[(b_.)\tan[(e_.) + (f_.)*(x_)]}], x_Symbol] \rightarrow \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /; \text{FreeQ}[\{b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 + d^2, 0]$

Rule 208

$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(x_)^{-1}}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx &= \int \frac{(ia+a \cot(c+dx))^3(B+A \cot(c+dx))}{\cot^{\frac{5}{2}}(c+dx)} dx \\ &= \frac{2iaB(ia+a \cot(c+dx))^2}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{2}{3} \int \frac{(ia+a \cot(c+dx))^2}{\cot^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2iaB(ia+a \cot(c+dx))^2}{3d \cot^{\frac{3}{2}}(c+dx)} - \frac{2(3A-7iB)(ia^3+a^3 \cot(c+dx))}{3d \sqrt{\cot(c+dx)}} \\ &= -\frac{16ia^3B \sqrt{\cot(c+dx)}}{3d} + \frac{2iaB(ia+a \cot(c+dx))^2}{3d \cot^{\frac{3}{2}}(c+dx)} - \frac{2(3A-7iB)(ia^3+a^3 \cot(c+dx))}{3d \sqrt{\cot(c+dx)}} \\ &= -\frac{16ia^3B \sqrt{\cot(c+dx)}}{3d} + \frac{2iaB(ia+a \cot(c+dx))^2}{3d \cot^{\frac{3}{2}}(c+dx)} - \frac{2(3A-7iB)(ia^3+a^3 \cot(c+dx))}{3d \sqrt{\cot(c+dx)}} \\ &= -\frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left(\frac{(-1)^{3/4}\sqrt{\cot(c+dx)}}{1+i \cot(c+dx)}\right)}{d} - \frac{16ia^3B \sqrt{\cot(c+dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 5.91535, size = 132, normalized size = 0.93

$$\frac{a^3 \sqrt{\cot(c+dx)} \left(\sec^2(c+dx) ((9B+3iA) \sin(2(c+dx)) + (3A-iB) \cos(2(c+dx)) + 3A+iB) - 24(A-iB) \sqrt{i \tan(c+dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] $-\frac{(a^3 \sqrt{\cot(c+dx)}) (\sec^2(c+dx) ((9B+3iA) \sin(2(c+dx)) + (3A-iB) \cos(2(c+dx)) + 3A+iB) - 24(A-iB) \sqrt{i \tan(c+dx)})}{3d}$

Maple [C] time = 0.54, size = 1539, normalized size = 10.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out]
$$-1/3*a^3/d^2^{(1/2)}*(12*I*B*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)+12*I*A*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})*\cos(d*x+c)-12*I*A*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)^2-I*B*2^{(1/2)}*\cos(d*x+c)^2-12*A*\cos(d*x+c)^2*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+12*I*A*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})*\cos(d*x+c)^2-12*I*A*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)-12*B*\cos(d*x+c)^2*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+12*B*\cos(d*x+c)^2*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}-12*A*\cos(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})-12*B*\cos(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+12*B*\cos(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}+3*I*A*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)+I*B*2^{(1/2)}+3*A*2^{(1/2)}*\cos(d*x+c)^2+9*B*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)+12*I*B*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)^2*(\cos(d*x+c)/\sin(d*x+c))^{(3/2)}*\sin(d*x+c)/\cos(d*x+c)^3$$

Maxima [A] time = 1.55794, size = 263, normalized size = 1.85

$$3\left(\sqrt{2}(-2i-2)A-(2i+2)B\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+\sqrt{2}(-2i-2)A-(2i+2)B\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$1/3*(3*(\text{sqrt}(2)*(-(2*I-2)*A-(2*I+2)*B)*\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2)+2/\text{sqrt}(\tan(d*x+c))))+\text{sqrt}(2)*(-(2*I-2)*A-(2*I+2)*B)*\arctan(-1/2*\text{sqrt}(2)*(\text{sqrt}(2)-2/\text{sqrt}(\tan(d*x+c))))-\text{sqrt}(2)*(-(I+1)*A+(I-1)*B)*\log(\text{sqrt}(2)/\text{sqrt}(\tan(d*x+c))+1/\tan(d*x+c)+1)+\text{sqrt}(2)*(-(I+1)*A+(I-1)*B)*\log(-\text{sqrt}(2)/\text{sqrt}(\tan(d*x+c))+1/\tan(d*x+c)+1))*a^3-$$

$$6Aa^3/\sqrt{\tan(dx+c)} + 2*(-I*Ba^3 - 3*(I*A + 3*B)*a^3/\tan(dx+c))*\tan(dx+c)^{(3/2)}/d$$

Fricas [B] time = 1.63229, size = 1185, normalized size = 8.35

$$3\sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}}(de^{4i dx+4ic} + 2de^{2i dx+2ic} + d)\log\left(-\frac{\left(8(A-iB)a^3e^{2i dx+2ic}-\sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}}(ide^{2i dx+2ic}-id)\right)\sqrt{\frac{(64iA^2+128AB-64iB^2)a^6}{d^2}}}{(4iA+4B)a^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] 1/12*(3*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3)) - 3*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2))*(-I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3)) - (16*(3*A - 5*I*B)*a^3*e^(4*I*d*x + 4*I*c) + 16*(3*A + I*B)*a^3*e^(2*I*d*x + 2*I*c) + 64*I*B*a^3)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(3/2)*(a+I*a*tan(dx+c))**3*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^3 \cot(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(a+I*a*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx+c) + A)*(I*a*tan(dx+c) + a)^3*cot(dx+c)^(3/2), x)

3.517 $\int \sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^3(A + B \tan(c + dx)) dx$

Optimal. Leaf size=148

$$\frac{2(5A - 9iB)(a^3 \cot(c + dx) + ia^3)}{15d \cot^{\frac{3}{2}}(c + dx)} - \frac{16a^3(5A - 6iB)}{15d\sqrt{\cot(c + dx)}} + \frac{8\sqrt[4]{-1}a^3(B + iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iaB(a \cot(c + dx) + ia^2)}{5d \cot(c + dx)}$$

[Out] $(8*(-1)^{(1/4)}*a^3*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (16*a^3*(5*A - (6*I)*B))/(15*d*\text{Sqrt}[\text{Cot}[c + d*x]]) + (((2*I)/5)*a*B*(I*a + a*\text{Cot}[c + d*x])^2)/(d*\text{Cot}[c + d*x]^{(5/2)}) - (2*(5*A - (9*I)*B)*(I*a^3 + a^3*\text{Cot}[c + d*x]))/(15*d*\text{Cot}[c + d*x]^{(3/2)})$

Rubi [A] time = 0.491551, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {3581, 3593, 3591, 3533, 208}

$$\frac{2(5A - 9iB)(a^3 \cot(c + dx) + ia^3)}{15d \cot^{\frac{3}{2}}(c + dx)} - \frac{16a^3(5A - 6iB)}{15d\sqrt{\cot(c + dx)}} + \frac{8\sqrt[4]{-1}a^3(B + iA) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} + \frac{2iaB(a \cot(c + dx) + ia^2)}{5d \cot(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cot}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^3*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(8*(-1)^{(1/4)}*a^3*(I*A + B)*\text{ArcTanh}[(-1)^{(3/4)}*\text{Sqrt}[\text{Cot}[c + d*x]]])/d - (16*a^3*(5*A - (6*I)*B))/(15*d*\text{Sqrt}[\text{Cot}[c + d*x]]) + (((2*I)/5)*a*B*(I*a + a*\text{Cot}[c + d*x])^2)/(d*\text{Cot}[c + d*x]^{(5/2)}) - (2*(5*A - (9*I)*B)*(I*a^3 + a^3*\text{Cot}[c + d*x]))/(15*d*\text{Cot}[c + d*x]^{(3/2)})$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \text{ :> Dist}[g^{\text{m} + \text{n}}, \text{Int}[(g*\text{Cot}[e + f*x])^{\text{p} - \text{m} - \text{n}}*(b + a*\text{Cot}[e + f*x])^{\text{m}}*(d + c*\text{Cot}[e + f*x])^{\text{n}}, x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, g, p\}, x\} \&\& \text{ !IntegerQ}[p] \&\& \text{ IntegerQ}[m] \&\& \text{ IntegerQ}[n]$

Rule 3593

$\text{Int}[(\tan[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \text{ :> -Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{\text{m} - 1}*(c + d*\text{Tan}[e + f*x])^{\text{n} + 1})/(d*f*(b*c + a*d)*(n + 1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{\text{m} - 1}*(c + d*\text{Tan}[e + f*x])^{\text{n} + 1}*\text{Simp}[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*\text{Tan}[e + f*x], x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{ NeQ}[b*c - a*d, 0] \&\& \text{ EqQ}[a^2 + b^2, 0] \&\& \text{ GtQ}[m, 1] \&\& \text{ LtQ}[n, -1]$

Rule 3591

$\text{Int}[(\tan[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \text{ :> Simp}[(\text{Simp}[(b*c - a*d)*(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^{\text{m} + 1})/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{\text{m} + 1}*\text{Simp}[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x]$

x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3533

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(2*c^2)/f, Subst[Int[1/(b*c - d*x^2), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^3(A+B \tan(c+dx)) dx = \int \frac{(ia+a \cot(c+dx))^3(B+A \cot(c+dx))}{\cot^{\frac{7}{2}}(c+dx)} dx$$

$$= \frac{2iaB(ia+a \cot(c+dx))^2}{5d \cot^{\frac{5}{2}}(c+dx)} + \frac{2}{5} \int \frac{(ia+a \cot(c+dx))^2}{\cot^{\frac{3}{2}}(c+dx)} dx$$

$$= \frac{2iaB(ia+a \cot(c+dx))^2}{5d \cot^{\frac{5}{2}}(c+dx)} - \frac{2(5A-9iB)(ia^3+a^3 \cot(c+dx))}{15d \cot^{\frac{3}{2}}(c+dx)}$$

$$= -\frac{16a^3(5A-6iB)}{15d \sqrt{\cot(c+dx)}} + \frac{2iaB(ia+a \cot(c+dx))^2}{5d \cot^{\frac{5}{2}}(c+dx)} - \frac{2(5A-9iB)(ia^3+a^3 \cot(c+dx))}{15d \cot^{\frac{3}{2}}(c+dx)}$$

$$= -\frac{16a^3(5A-6iB)}{15d \sqrt{\cot(c+dx)}} + \frac{2iaB(ia+a \cot(c+dx))^2}{5d \cot^{\frac{5}{2}}(c+dx)} - \frac{2(5A-9iB)(ia^3+a^3 \cot(c+dx))}{15d \cot^{\frac{3}{2}}(c+dx)}$$

$$= \frac{8\sqrt[4]{-1}a^3(iA+B) \tanh^{-1}\left(\frac{(-1)^{3/4} \sqrt{\cot(c+dx)}}{1+e^{2i(c+dx)}}\right)}{d} - \frac{16a^3(5A-6iB)}{15d \sqrt{\cot(c+dx)}} + \frac{2iaB(ia+a \cot(c+dx))^2}{5d \cot^{\frac{5}{2}}(c+dx)}$$

Mathematica [A] time = 6.33981, size = 140, normalized size = 0.95

$$a^3 \sec^2(c+dx) \left(-5(3B+iA) \sin(2(c+dx)) - 9(5A-7iB) \cos(2(c+dx)) + \frac{120(A-iB) \cos^2(c+dx) \tanh^{-1}\left(\sqrt{\frac{-1+e^{2i(c+dx)}}{1+e^{2i(c+dx)}}}\right)}{\sqrt{i \tan(c+dx)}} - 45 \right) / (15d \sqrt{\cot(c+dx)})$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (a^3*Sec[c + d*x]^2*(-45*A + (57*I)*B - 9*(5*A - (7*I)*B)*Cos[2*(c + d*x)] - 5*(I*A + 3*B)*Sin[2*(c + d*x)] + (120*(A - I*B)*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))]/(1 + E^((2*I)*(c + d*x)))])*Cos[c + d*x]^2)/Sqrt[I*Tan[c + d*x]])/(15*d*Sqrt[Cot[c + d*x]])

Maple [C] time = 0.61, size = 973, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)`

[Out]
$$\begin{aligned} & -1/15*a^3/d*2^{(1/2)}*(\cos(d*x+c)-1)*(-3*I*B*2^{(1/2)}-63*I*B*\cos(d*x+c)^3*2^{(1/2)} \\ & -60*I*B*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I, 1/2*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c)^{(1/2)} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)^{(1/2)}+60*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)^{(1/2)}*\cos(d*x+c)^2*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I, 1/2*2^{(1/2)})*\sin(d*x+c)-60*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)^{(1/2)}*\cos(d*x+c)^2*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2*2^{(1/2)})*\sin(d*x+c)-60*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)^{(1/2)}*\cos(d*x+c)^2*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I, 1/2*2^{(1/2)})*\sin(d*x+c)+63*I*B*\cos(d*x+c)^2*2^{(1/2)}+5*I*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)} \\ & +45*A*\cos(d*x+c)^3*2^{(1/2)}+3*I*B*2^{(1/2)}*\cos(d*x+c)+15*B*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)} \\ & -60*I*A*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I, 1/2*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)^{(1/2)}-45*A*2^{(1/2)}*\cos(d*x+c)^2-15*B*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c) \\ & +60*I*B*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)^{(1/2)}-5*I*A*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}*(\cos(d*x+c)+1)^2 \\ & *(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)^3 \end{aligned}$$

Maxima [A] time = 1.59765, size = 270, normalized size = 1.82

$$15 \left(\sqrt{2}((2i+2)A - (2i-2)B) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + \sqrt{2}((2i+2)A - (2i-2)B) \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/15*(15*(\text{sqrt}(2)*((2*I+2)*A - (2*I-2)*B)*\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2) \\ & + 2/\text{sqrt}(\tan(d*x+c)))) + \text{sqrt}(2)*((2*I+2)*A - (2*I-2)*B)*\arctan(-1/2* \\ & \text{sqrt}(2)*(\text{sqrt}(2) - 2/\text{sqrt}(\tan(d*x+c)))) + \text{sqrt}(2)*((I-1)*A + (I+1)*B) \\ & *\log(\text{sqrt}(2)/\text{sqrt}(\tan(d*x+c)) + 1/\tan(d*x+c) + 1) - \text{sqrt}(2)*((I-1)*A \\ & + (I+1)*B)*\log(-\text{sqrt}(2)/\text{sqrt}(\tan(d*x+c)) + 1/\tan(d*x+c) + 1))*a^3 + 2 \\ & *(3*I*B*a^3 - 5*(-I*A - 3*B)*a^3/\tan(d*x+c) + (45*A - 60*I*B)*a^3/\tan(d*x+c)^2)*\tan(d*x+c)^{(5/2)}/d \end{aligned}$$

Fricas [B] time = 1.5634, size = 1369, normalized size = 9.25

$$15 \sqrt{\frac{(-64i A^2 - 128 AB + 64i B^2)a^6}{d^2}} \left(de^{(6i dx + 6ic)} + 3 de^{(4i dx + 4ic)} + 3 de^{(2i dx + 2ic)} + d \right) \log \left(\frac{\left(8(A-iB)a^3 e^{(2i dx + 2ic)} + \sqrt{\frac{(-64i A^2 - 128 AB + 64i B^2)a^6}{d^2}} \right)}{(4i A + 4B)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/60*(15*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) + sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) - 15*sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((-64*I*A^2 - 128*A*B + 64*I*B^2)*a^6/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^3) + ((400*I*A + 624*B)*a^3*e^(6*I*d*x + 6*I*c) + (320*I*A + 288*B)*a^3*e^(4*I*d*x + 4*I*c) + (-400*I*A - 528*B)*a^3*e^(2*I*d*x + 2*I*c) + (-320*I*A - 384*B)*a^3)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^3 \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3*sqrt(cot(d*x + c)), x)
```

$$3.518 \quad \int \frac{(a+ia \tan(c+dx))^3(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=173

$$-\frac{8a^3(21A-23iB)}{105d \cot^{\frac{3}{2}}(c+dx)} - \frac{2(7A-11iB)(a^3 \cot(c+dx) + ia^3)}{35d \cot^{\frac{5}{2}}(c+dx)} + \frac{8a^3(B+iA)}{d\sqrt{\cot(c+dx)}} + \frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d}$$

[Out] $(8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTanh[(-1)^{(3/4)}*Sqrt[Cot[c + d*x]])/d - (8*a^3*(21*A - (23*I)*B))/(105*d*Cot[c + d*x]^{(3/2)}) + (8*a^3*(I*A + B))/(d*Sqrt[Cot[c + d*x]]) + (((2*I)/7)*a*B*(I*a + a*Cot[c + d*x])^2)/(d*Cot[c + d*x]^{(7/2)}) - (2*(7*A - (11*I)*B)*(I*a^3 + a^3*Cot[c + d*x]))/(35*d*Cot[c + d*x]^{(5/2)})$

Rubi [A] time = 0.542278, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3581, 3593, 3591, 3529, 3533, 208}

$$-\frac{8a^3(21A-23iB)}{105d \cot^{\frac{3}{2}}(c+dx)} - \frac{2(7A-11iB)(a^3 \cot(c+dx) + ia^3)}{35d \cot^{\frac{5}{2}}(c+dx)} + \frac{8a^3(B+iA)}{d\sqrt{\cot(c+dx)}} + \frac{8\sqrt[4]{-1}a^3(A-iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c+dx)}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] $(8*(-1)^{(1/4)}*a^3*(A - I*B)*ArcTanh[(-1)^{(3/4)}*Sqrt[Cot[c + d*x]])/d - (8*a^3*(21*A - (23*I)*B))/(105*d*Cot[c + d*x]^{(3/2)}) + (8*a^3*(I*A + B))/(d*Sqrt[Cot[c + d*x]]) + (((2*I)/7)*a*B*(I*a + a*Cot[c + d*x])^2)/(d*Cot[c + d*x]^{(7/2)}) - (2*(7*A - (11*I)*B)*(I*a^3 + a^3*Cot[c + d*x]))/(35*d*Cot[c + d*x]^{(5/2)})$

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p]*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Dist[g^(m+n), Int[(g*Cot[e + f*x])^(p-m-n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3593

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m+1))/(b*f*(m+1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m+1)*Simp[a*A*c +

$b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

$\text{Int}[\{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]\}, x_Symbol] := \text{Simp}[\{(b*c - a*d)*(a + b*\text{Tan}[e + f*x])^{(m + 1)}\} / \{(f*(m + 1)*(a^2 + b^2)\}, x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)}*\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3533

$\text{Int}[\{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]\} / \text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]], x_Symbol] := \text{Dist}[(2*c^2)/f, \text{Subst}[\text{Int}[1/(b*c - d*x^2), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && EqQ[c^2 + d^2, 0]

Rule 208

$\text{Int}[\{(a_.) + (b_.)*(x_.)^2\}^{(-1)}, x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(c + dx))^3 (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= \int \frac{(ia + a \cot(c + dx))^3 (B + A \cot(c + dx))}{\cot^{\frac{9}{2}}(c + dx)} dx \\ &= \frac{2iaB(ia + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(ia + a \cot(c + dx))^2 \left(\frac{1}{2}a(7iA + 11B)\right)}{\cot^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2iaB(ia + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} - \frac{2(7A - 11iB)(ia^3 + a^3 \cot(c + dx))}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2}{3} \int \frac{(ia + a \cot(c + dx))}{\cot^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{8a^3(21A - 23iB)}{105d \cot^{\frac{3}{2}}(c + dx)} + \frac{2iaB(ia + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} - \frac{2(7A - 11iB)(ia^3 + a^3 \cot(c + dx))}{35d \cot^{\frac{5}{2}}(c + dx)} \\ &= -\frac{8a^3(21A - 23iB)}{105d \cot^{\frac{3}{2}}(c + dx)} + \frac{8a^3(iA + B)}{d\sqrt{\cot(c + dx)}} + \frac{2iaB(ia + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} \\ &= -\frac{8a^3(21A - 23iB)}{105d \cot^{\frac{3}{2}}(c + dx)} + \frac{8a^3(iA + B)}{d\sqrt{\cot(c + dx)}} + \frac{2iaB(ia + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} \\ &= \frac{8\sqrt[4]{-1}a^3(A - iB) \tanh^{-1}\left((-1)^{3/4}\sqrt{\cot(c + dx)}\right)}{d} - \frac{8a^3(21A - 23iB)}{105d \cot^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 14.26, size = 298, normalized size = 1.72

$$\frac{a^3 \sin^4(c + dx)(\cot(c + dx) + i)^3 (A \cot(c + dx) + B) \left(\frac{(\sin(3c) + i \cos(3c)) \sec^2(c + dx) (10((31B + 21iA) \cos(2(c + dx)) + 21iA + 25B) + 21(59A - 5B))}{210 \cot^{\frac{3}{2}}(c + dx)} \right)}{d(\cos(dx) + i \sin(dx))^3 (A \cos(c + dx) + B)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

```
[Out] (a^3*(I + Cot[c + d*x])^3*(B + A*Cot[c + d*x])*((-8*(A - I*B)*Sqrt[(-1 + E^
((2*I)*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[(I*(1 + E^((2*I)*(c + d*
x)))]/(-1 + E^((2*I)*(c + d*x)))]*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x))]/(
1 + E^((2*I)*(c + d*x)))]])/E^((3*I)*c) + ((10*((21*I)*A + 25*B + ((21*I)*A
+ 31*B)*Cos[2*(c + d*x)]) + 21*(59*A - (57*I)*B)*Cot[c + d*x] + 21*(21*A -
(23*I)*B)*Cos[3*(c + d*x)]*Csc[c + d*x])*Sec[c + d*x]^2*(I*Cos[3*c] + Sin[
3*c]))/(210*Cot[c + d*x]^(3/2))*Sin[c + d*x]^4/(d*(Cos[d*x] + I*Sin[d*x])
^3*(A*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [C] time = 0.636, size = 1043, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x)
```

```
[Out] 1/105*a^3/d^2^(1/2)*(cos(d*x+c)-1)*(155*I*B*sin(d*x+c)*2^(1/2)*cos(d*x+c)^3
-420*I*B*cos(d*x+c)^3*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/
2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))
/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d
*x+c))^(1/2)-15*I*B*cos(d*x+c)*sin(d*x+c)*2^(1/2)+420*A*cos(d*x+c)^3*sin(d*
x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c
))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I
,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)-420*B*sin(d*x+c
)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(
1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^3*EllipticF(
(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))+420*B*cos(d*x+c)
^3*sin(d*x+c)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/
sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),
1/2+1/2*I,1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)-21*I*A
*2^(1/2)*cos(d*x+c)^2-155*I*B*sin(d*x+c)*2^(1/2)*cos(d*x+c)^2+21*I*A*cos(d*
x+c)*2^(1/2)-105*A*sin(d*x+c)*2^(1/2)*cos(d*x+c)^3-420*I*A*sin(d*x+c)*((cos
(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-
cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^3*EllipticF((-cos(d
*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))+483*B*2^(1/2)*cos(d*x+c
)^4-441*I*A*2^(1/2)*cos(d*x+c)^3+105*A*sin(d*x+c)*2^(1/2)*cos(d*x+c)^2+15*I
*B*sin(d*x+c)*2^(1/2)-483*B*2^(1/2)*cos(d*x+c)^3+420*I*A*sin(d*x+c)*((cos(d
*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-
cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^3*EllipticPi((-cos(d
*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+441*I*A*2^(1/2
)*cos(d*x+c)^4-63*B*cos(d*x+c)^2*2^(1/2)+63*B*cos(d*x+c)*2^(1/2))*(cos(d*x+
c)+1)^2/cos(d*x+c)^3/sin(d*x+c)^4/(cos(d*x+c)/sin(d*x+c))^(1/2)
```

Maxima [A] time = 1.5661, size = 294, normalized size = 1.7

$$2 \left(15i B a^3 - \frac{21(-i A - 3B)a^3}{\tan(dx+c)} + \frac{(105 A - 140i B)a^3}{\tan(dx+c)^2} - \frac{420(i A + B)a^3}{\tan(dx+c)^3} \right) \tan(dx+c)^{\frac{7}{2}} + 105 \left(\sqrt{2}(-2i - 2) A - (2i + 2) B \right) \arctan\left(\frac{1}{2} \tan(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorit
hm="maxima")
```

```
[Out] -1/105*(2*(15*I*B*a^3 - 21*(-I*A - 3*B)*a^3/tan(d*x + c) + (105*A - 140*I*B)
)*a^3/tan(d*x + c)^2 - 420*(I*A + B)*a^3/tan(d*x + c)^3)*tan(d*x + c)^(7/2)
+ 105*(sqrt(2)*(-(2*I - 2)*A - (2*I + 2)*B)*arctan(1/2*sqrt(2)*(sqrt(2) +
2/sqrt(tan(d*x + c)))) + sqrt(2)*(-(2*I - 2)*A - (2*I + 2)*B)*arctan(-1/2*sq
rt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*(-(I + 1)*A + (I - 1)*B)
*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*(-(I + 1)*A
+ (I - 1)*B)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*a^3/d
```

Fricas [B] time = 1.76231, size = 1553, normalized size = 8.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorit
hm="fricas")
```

```
[Out] -1/420*(105*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(8*I*d*x + 8
*I*c) + 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(2*I*d*x
+ 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*I*A^2 +
128*A*B - 64*I*B^2)*a^6/d^2)*(I*d*e^(2*I*d*x + 2*I*c) - I*d)*sqrt((I*e^(2*I
*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))e^(-2*I*d*x - 2*I*c)/((4*I*A
+ 4*B)*a^3)) - 105*sqrt((64*I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(d*e^(8*I
*d*x + 8*I*c) + 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e^(
2*I*d*x + 2*I*c) + d)*log(-(8*(A - I*B)*a^3*e^(2*I*d*x + 2*I*c) - sqrt((64*
I*A^2 + 128*A*B - 64*I*B^2)*a^6/d^2)*(-I*d*e^(2*I*d*x + 2*I*c) + I*d)*sqrt(
(I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))e^(-2*I*d*x - 2*I*c
)/((4*I*A + 4*B)*a^3)) - 16*((273*A - 319*I*B)*a^3*e^(8*I*d*x + 8*I*c) + 3*
(133*A - 109*I*B)*a^3*e^(6*I*d*x + 6*I*c) - 5*(21*A - 19*I*B)*a^3*e^(4*I*d*
x + 4*I*c) - 3*(133*A - 129*I*B)*a^3*e^(2*I*d*x + 2*I*c) - 4*(42*A - 41*I*B
)*a^3)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(d*e^(8
*I*d*x + 8*I*c) + 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) + 4*d*e
^(2*I*d*x + 2*I*c) + d)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int \frac{A}{\sqrt{\cot(c+dx)}} dx + \int -\frac{3A \tan^2(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int \frac{B \tan(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int -\frac{3B \tan^3(c+dx)}{\sqrt{\cot(c+dx)}} dx + \int \frac{3iA \tan(c+dx)}{\sqrt{\cot(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**3*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)
```

```
[Out] a**3*(Integral(A/sqrt(cot(c + d*x)), x) + Integral(-3*A*tan(c + d*x)**2/sqr
t(cot(c + d*x)), x) + Integral(B*tan(c + d*x)/sqrt(cot(c + d*x)), x) + Inte
gral(-3*B*tan(c + d*x)**3/sqrt(cot(c + d*x)), x) + Integral(3*I*A*tan(c + d
*x)/sqrt(cot(c + d*x)), x) + Integral(-I*A*tan(c + d*x)**3/sqrt(cot(c + d*x
))), x) + Integral(3*I*B*tan(c + d*x)**2/sqrt(cot(c + d*x)), x) + Integral(-
I*B*tan(c + d*x)**4/sqrt(cot(c + d*x)), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A)(i a \tan(dx+c) + a)^3}{\sqrt{\cot(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^3/sqrt(cot(d*x + c)), x)
```

$$3.519 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=297

$$\frac{(A+iB)\cot^2(c+dx)}{2d(a \cot(c+dx)+ia)} - \frac{(7A+3iB)\cot^3(c+dx)}{6ad} + \frac{5(-B+iA)\sqrt{\cot(c+dx)}}{2ad} + \frac{((7+5i)A-(5-3i)B)\log(\cot(c+dx))}{8\sqrt{2}ad}$$

```
[Out] ((-1/4 + I/4)*((6 + I)*A + (1 + 4*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) + (((7 - 5*I)*A + (5 + 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(4*Sqrt[2]*a*d) + (5*(I*A - B)*Sqrt[Cot[c + d*x]])/(2*a*d) - ((7*A + (3*I)*B)*Cot[c + d*x]^(3/2))/(6*a*d) + ((A + I*B)*Cot[c + d*x]^(5/2))/(2*d*(I*a + a*Cot[c + d*x])) + (((7 + 5*I)*A - (5 - 3*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d) + (((-7 - 5*I)*A + (5 - 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d)
```

Rubi [A] time = 0.517593, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(A+iB)\cot^2(c+dx)}{2d(a \cot(c+dx)+ia)} - \frac{(7A+3iB)\cot^3(c+dx)}{6ad} + \frac{5(-B+iA)\sqrt{\cot(c+dx)}}{2ad} + \frac{((7+5i)A-(5-3i)B)\log(\cot(c+dx))}{8\sqrt{2}ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]),x]
```

```
[Out] ((-1/4 + I/4)*((6 + I)*A + (1 + 4*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) + (((7 - 5*I)*A + (5 + 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(4*Sqrt[2]*a*d) + (5*(I*A - B)*Sqrt[Cot[c + d*x]])/(2*a*d) - ((7*A + (3*I)*B)*Cot[c + d*x]^(3/2))/(6*a*d) + ((A + I*B)*Cot[c + d*x]^(5/2))/(2*d*(I*a + a*Cot[c + d*x])) + (((7 + 5*I)*A - (5 - 3*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d) + (((-7 - 5*I)*A + (5 - 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx &= \int \frac{\cot^{\frac{5}{2}}(c+dx)(B+A \cot(c+dx))}{ia+a \cot(c+dx)} dx \\
&= \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{\int \cot^{\frac{3}{2}}(c+dx) \left(-\frac{5}{2}a(iA-B) + \frac{1}{2}a(7A+3iB) \cot(c+dx)\right)}{2a^2} \\
&= -\frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{\int \sqrt{\cot(c+dx)} \left(-\frac{1}{2}a\right)}{2a^2} \\
&= \frac{5(iA-B)\sqrt{\cot(c+dx)}}{2ad} - \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} \\
&= \frac{5(iA-B)\sqrt{\cot(c+dx)}}{2ad} - \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} \\
&= \frac{5(iA-B)\sqrt{\cot(c+dx)}}{2ad} - \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} \\
&= \frac{5(iA-B)\sqrt{\cot(c+dx)}}{2ad} - \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} \\
&= \frac{5(iA-B)\sqrt{\cot(c+dx)}}{2ad} - \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} \\
&= \frac{5(iA-B)\sqrt{\cot(c+dx)}}{2ad} - \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{6ad} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} \\
&= -\frac{((7-5i)A+(5+3i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{4\sqrt{2}ad} + \frac{((7-5i)A+(5+3i)B) \tan^{-1}\left(1+\sqrt{2}\sqrt{\cot(c+dx)}\right)}{4\sqrt{2}ad}
\end{aligned}$$

Mathematica [A] time = 2.76456, size = 247, normalized size = 0.83

$$(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(\frac{2}{3} \cot(c + dx) \csc(c + dx) (\cos(dx) - i \sin(dx))((-12B + 8iA) \sin(2(c + dx)))\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*((1 - I)*Csc[c + d*x]*(((6 + I)*A + (1 + 4*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 6*I)*A + (4 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(Cos[c] + I*Sin[c])*Sqrt[Sin[2*(c + d*x)]] + (2*Cot[c + d*x]*Csc[c + d*x]*(Cos[d*x] - I*Sin[d*x])*(-19*A - (15*I)*B + (11*A + (15*I)*B)*Cos[2*(c + d*x)] + ((8*I)*A - 12*B)*Sin[2*(c + d*x)]))/3*(A + B*Tan[c + d*x]))/(8*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [C] time = 0.501, size = 2598, normalized size = 8.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

$$c)^{(1/2)} * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c)^{(1/2)} * \text{EllipticF}(-(\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c)^{(1/2)}, 1/2 * 2^{(1/2)}) * \cos(dx+c) * \sin(dx+c) - 12 * I * B * ((\cos(dx+c) - 1 + \sin(dx+c)) / \sin(dx+c))^{(1/2)} * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * (-\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c)^{(1/2)} * \text{EllipticPi}(-(\cos(dx+c) - 1 - \sin(dx+c)) / \sin(dx+c)^{(1/2)}, 1/2 - 1/2 * I, 1/2 * 2^{(1/2)}) * \cos(dx+c) * \sin(dx+c) / \cos(dx+c)^3$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.69368, size = 1879, normalized size = 6.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/24 * (3 * (a * d * e^{(4 * I * d * x + 4 * I * c)} - a * d * e^{(2 * I * d * x + 2 * I * c)}) * \sqrt{(-I * A^2 - 2 * A * B + I * B^2) / (a^2 * d^2)} * \log(-2 * ((a * d * e^{(2 * I * d * x + 2 * I * c)} - a * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(-I * A^2 - 2 * A * B + I * B^2) / (a^2 * d^2)} + (A - I * B) * e^{(2 * I * d * x + 2 * I * c)} * e^{(-2 * I * d * x - 2 * I * c)} / (I * A + B)) - 3 * (a * d * e^{(4 * I * d * x + 4 * I * c)} - a * d * e^{(2 * I * d * x + 2 * I * c)}) * \sqrt{(-I * A^2 - 2 * A * B + I * B^2) / (a^2 * d^2)} * \log(2 * ((a * d * e^{(2 * I * d * x + 2 * I * c)} - a * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(-I * A^2 - 2 * A * B + I * B^2) / (a^2 * d^2)} - (A - I * B) * e^{(2 * I * d * x + 2 * I * c)} * e^{(-2 * I * d * x - 2 * I * c)} / (I * A + B)) - 6 * (a * d * e^{(4 * I * d * x + 4 * I * c)} - a * d * e^{(2 * I * d * x + 2 * I * c)}) * \sqrt{(9 * I * A^2 - 12 * A * B - 4 * I * B^2) / (a^2 * d^2)} * \log(((a * d * e^{(2 * I * d * x + 2 * I * c)} - a * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(9 * I * A^2 - 12 * A * B - 4 * I * B^2) / (a^2 * d^2)} + 3 * A + 2 * I * B) * e^{(-2 * I * d * x - 2 * I * c)} / (a * d)) + 6 * (a * d * e^{(4 * I * d * x + 4 * I * c)} - a * d * e^{(2 * I * d * x + 2 * I * c)}) * \sqrt{(9 * I * A^2 - 12 * A * B - 4 * I * B^2) / (a^2 * d^2)} * \log(-((a * d * e^{(2 * I * d * x + 2 * I * c)} - a * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(9 * I * A^2 - 12 * A * B - 4 * I * B^2) / (a^2 * d^2)} - 3 * A - 2 * I * B) * e^{(-2 * I * d * x - 2 * I * c)} / (a * d)) - 2 * ((19 * I * A - 27 * B) * e^{(4 * I * d * x + 4 * I * c)} + (-38 * I * A + 30 * B) * e^{(2 * I * d * x + 2 * I * c)} + 3 * I * A - 3 * B) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) / (a * d * e^{(4 * I * d * x + 4 * I * c)} - a * d * e^{(2 * I * d * x + 2 * I * c)}) \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{i a \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/(I*a*tan(d*x + c) + a), x)
```

$$3.520 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=268

$$\frac{(A+iB)\cot^3(c+dx)}{2d(a \cot(c+dx)+ia)} - \frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} - \frac{\left(\frac{1}{8}-\frac{i}{8}\right)((4+i)A+(1+2i)B)\log\left(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}ad}$$

```
[Out] (((-5 - 3*I)*A + (3 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(4*Sqrt[2]*a*d) + (((5 + 3*I)*A - (3 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(4*Sqrt[2]*a*d) - ((5*A + I*B)*Sqrt[Cot[c + d*x]]/(2*a*d) + ((A + I*B)*Cot[c + d*x]^(3/2))/(2*d*(I*a + a*Cot[c + d*x])) - ((1/8 - I/8)*((4 + I)*A + (1 + 2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a*d) + (((5 - 3*I)*A + (3 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d)
```

Rubi [A] time = 0.459142, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(A+iB)\cot^3(c+dx)}{2d(a \cot(c+dx)+ia)} - \frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} - \frac{\left(\frac{1}{8}-\frac{i}{8}\right)((4+i)A+(1+2i)B)\log\left(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]
```

```
[Out] (((-5 - 3*I)*A + (3 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(4*Sqrt[2]*a*d) + (((5 + 3*I)*A - (3 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(4*Sqrt[2]*a*d) - ((5*A + I*B)*Sqrt[Cot[c + d*x]]/(2*a*d) + ((A + I*B)*Cot[c + d*x]^(3/2))/(2*d*(I*a + a*Cot[c + d*x])) - ((1/8 - I/8)*((4 + I)*A + (1 + 2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a*d) + (((5 - 3*I)*A + (3 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int
[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x]
, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
0] && GtQ[m, 0]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)
]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx &= \int \frac{\cot^{\frac{3}{2}}(c+dx)(B+A \cot(c+dx))}{ia+a \cot(c+dx)} dx \\
&= \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{\int \sqrt{\cot(c+dx)} \left(-\frac{3}{2}a(ia-B) + \frac{1}{2}a(5A+iB) \cot(c+dx) \right)}{2a^2} \\
&= -\frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{\int \frac{-\frac{1}{2}a(5A+iB) - \frac{3}{2}a(ia-B) \cot(c+dx)}{\sqrt{\cot(c+dx)}}}{2a^2} \\
&= -\frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}a(5A+iB) + \frac{3}{2}a}{1+x^4} \right)}{2a^2} \\
&= -\frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{((5+3i)A - (3-i)B)}{2a^2} \\
&= -\frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} + \frac{((5+3i)A - (3-i)B)}{2a^2} \\
&= -\frac{(5A+iB)\sqrt{\cot(c+dx)}}{2ad} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{2d(ia+a \cot(c+dx))} - \frac{((5-3i)A + (3+i)B)}{2a^2} \\
&= -\frac{((5+3i)A - (3-i)B) \tan^{-1} \left(1 - \sqrt{2} \sqrt{\cot(c+dx)} \right)}{4\sqrt{2}ad} + \frac{((5+3i)A - (3-i)B)}{2a^2}
\end{aligned}$$

Mathematica [A] time = 2.20758, size = 223, normalized size = 0.83

$$(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(\cot(c + dx)(-4 \cos(dx) + 4i \sin(dx))(4A \cos(c + dx) + (-B + 5iA) \sin(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(Cot[c + d*x]*(-4*Cos[d*x] + (4*I)*Sin[d*x]))*(4*A*Cos[c + d*x] + ((5*I)*A - B)*Sin[c + d*x]) + Csc[c + d*x]*(((3 - 5*I)*A + (1 + 3*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((4 + I)*A + (1 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(I*Cos[c] - Sin[c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(8*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [C] time = 0.436, size = 2437, normalized size = 9.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

[Out] -1/4/a/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(3/2)*sin(d*x+c)*(I*B*2^(1/2)*cos(d*x+c)+3*B*cos(d*x+c))*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)-4*A*cos(d

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.55247, size = 1634, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{8} \left(a d \sqrt{\frac{I A^2 + 2 A B - I B^2}{a^2 d^2}} e^{(2 I d x + 2 I c)} \log\left(\frac{1}{2} \left(\frac{4 I a d e^{(2 I d x + 2 I c)} - 4 I a d}{\sqrt{\frac{I e^{(2 I d x + 2 I c)} + I}{e^{(2 I d x + 2 I c)} - 1}}} \sqrt{\frac{I A^2 + 2 A B - I B^2}{a^2 d^2}} - 4(A - I B) e^{(2 I d x + 2 I c)} \right) e^{(-2 I d x - 2 I c)} / (I A + B) \right) - a d \sqrt{\frac{I A^2 + 2 A B - I B^2}{a^2 d^2}} e^{(2 I d x + 2 I c)} \log\left(\frac{1}{2} \left(\frac{-4 I a d e^{(2 I d x + 2 I c)} + 4 I a d}{\sqrt{\frac{I e^{(2 I d x + 2 I c)} + I}{e^{(2 I d x + 2 I c)} - 1}}} \sqrt{\frac{I A^2 + 2 A B - I B^2}{a^2 d^2}} - 4(A - I B) e^{(2 I d x + 2 I c)} \right) e^{(-2 I d x - 2 I c)} / (I A + B) \right) + 2 a d \sqrt{\frac{-4 I A^2 + 4 A B + I B^2}{a^2 d^2}} e^{(2 I d x + 2 I c)} \log\left(\frac{(a d e^{(2 I d x + 2 I c)} - a d) \sqrt{\frac{I e^{(2 I d x + 2 I c)} + I}{e^{(2 I d x + 2 I c)} - 1}} \sqrt{\frac{-4 I A^2 + 4 A B + I B^2}{a^2 d^2}} + 2 I A - B) e^{(-2 I d x - 2 I c)} / (a d)}{(a d) \sqrt{\frac{-4 I A^2 + 4 A B + I B^2}{a^2 d^2}} e^{(2 I d x + 2 I c)} \log\left(-\frac{(a d e^{(2 I d x + 2 I c)} - a d) \sqrt{\frac{I e^{(2 I d x + 2 I c)} + I}{e^{(2 I d x + 2 I c)} - 1}} \sqrt{\frac{-4 I A^2 + 4 A B + I B^2}{a^2 d^2}} - 2 I A + B) e^{(-2 I d x - 2 I c)} / (a d)}{2 \left((9 A + I B) e^{(2 I d x + 2 I c)} - A - I B \right) \sqrt{\frac{I e^{(2 I d x + 2 I c)} + I}{e^{(2 I d x + 2 I c)} - 1}}} e^{(-2 I d x - 2 I c)} / (a d)} \right)$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{i a \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(I*a*tan(d*x + c) + a), x)
```

$$3.521 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx$$

Optimal. Leaf size=235

$$\frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(a \cot(c+dx)+ia)} - \frac{((3+i)A-(1+i)B) \log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)+1})}{8\sqrt{2}ad} + \frac{((3+i)A-(1+i)B) \log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)+1})}{8\sqrt{2}ad}$$

```
[Out] ((1/4 - I/4)*((2 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) - ((1/4 - I/4)*((2 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) + ((A + I*B)*Sqrt[Cot[c + d*x]]/(2*d*(I*a + a*Cot[c + d*x]))) - (((3 + I)*A - (1 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d) + (((3 + I)*A - (1 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d))
```

Rubi [A] time = 0.37852, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3581, 3595, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(a \cot(c+dx)+ia)} - \frac{((3+i)A-(1+i)B) \log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)+1})}{8\sqrt{2}ad} + \frac{((3+i)A-(1+i)B) \log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)+1})}{8\sqrt{2}ad}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]
```

```
[Out] ((1/4 - I/4)*((2 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) - ((1/4 - I/4)*((2 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) + ((A + I*B)*Sqrt[Cot[c + d*x]]/(2*d*(I*a + a*Cot[c + d*x]))) - (((3 + I)*A - (1 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d) + (((3 + I)*A - (1 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d))
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
```

$\text{t}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)*(x_)^2}{(a_.) + (c_.)*(x_)^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[\frac{d*q + a*e}{2*a*c}, \text{Int}[\frac{q + c*x^2}{a + c*x^4}, x], x] + \text{Dist}[\frac{d*q - a*e}{2*a*c}, \text{Int}[\frac{q - c*x^2}{a + c*x^4}, x], x]] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)*(x_)^2}{(a_.) + (c_.)*(x_)^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[\frac{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2}{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2}^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /;

FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[\frac{(a_.) + (b_.)*(x_)^2}{(a_.) + (b_.)*(x_)^2}^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[-a, 2]}], \text{Rt}[-a, 2]*\text{Rt}[-b, 2]], x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)*(x_)^2}{(a_.) + (c_.)*(x_)^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[-2*d/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[\frac{q - 2*x}{\text{Simp}[d/e + q*x - x^2, x]}, x], x] + \text{Dist}[e/(2*c*q), \text{Int}[\frac{q + 2*x}{\text{Simp}[d/e - q*x - x^2, x]}, x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_)}{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2}, x_Symbol] := \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{a+ia \tan(c+dx)} dx &= \int \frac{\sqrt{\cot(c+dx)}(B+A \cot(c+dx))}{ia+a \cot(c+dx)} dx \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(ia+a \cot(c+dx))} + \frac{\int \frac{-\frac{1}{2}a(iA-B)+\frac{1}{2}a(3A-iB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx}{2a^2} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(ia+a \cot(c+dx))} + \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a(iA-B)-\frac{1}{2}a(3A-iB)x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{a^2d} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(ia+a \cot(c+dx))} + \frac{((3+i)A-(1+i)B) \text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{4ad} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(ia+a \cot(c+dx))} - \frac{((3+i)A-(1+i)B) \text{Subst}\left(\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{8\sqrt{2}ad} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{2d(ia+a \cot(c+dx))} - \frac{((3+i)A-(1+i)B) \log\left(1-\sqrt{2}\sqrt{\cot(c+dx)}+c\right)}{8\sqrt{2}ad} \\
&= \frac{\left(\frac{1}{4}-\frac{i}{4}\right)((2+i)A+B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}ad} - \frac{\left(\frac{1}{4}-\frac{i}{4}\right)((2+i)A+B) \log\left(1-\sqrt{2}\sqrt{\cot(c+dx)}+c\right)}{\sqrt{2}ad}
\end{aligned}$$

Mathematica [A] time = 1.61484, size = 199, normalized size = 0.85

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(4(A + iB) \cos(c + dx)(\cos(dx) - i \sin(dx)) + (1 + i)(-\sin(c) + i \cos(c))\sqrt{\sin(c + dx)}\right)}{8d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x]), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*(4*(A + I*B)*Cos[c + d*x]*(Cos[d*x] - I*Sin[d*x]) + (1 + I)*Csc[c + d*x]*(((2 + I)*A + B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 2*I)*A + I*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(I*Cos[c] - Sin[c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(8*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [C] time = 0.431, size = 1139, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)), x)

[Out] -1/4/a/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(2*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))-I*B*cos(d*x+c)^3*2^(1/2)-I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1

$$\begin{aligned} & /2+1/2*I,1/2*2^{(1/2)}-I*A*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticPi((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+I*B*\cos(d*x+c)^2*2^{(1/2)}+2*A*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticPi((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2-1/2*I,1/2*2^{(1/2)})*\sin(d*x+c)-3*A*\sin(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*EllipticF((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})+A*\sin(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*EllipticPi((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+I*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}-B*\sin(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*EllipticPi((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+I*B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticF((-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})-A*\cos(d*x+c)^3*2^{(1/2)}-I*A*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}-B*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}+A*2^{(1/2)}*\cos(d*x+c)^2+B*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c))/\sin(d*x+c)^3/\cos(d*x+c) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.75824, size = 1470, normalized size = 6.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/8*(a*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(-2*((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)} + (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - a*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(2*((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)} - (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a*d*\sqrt{I*A^2/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(-((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{I*A^2/(a^2*d^2)} + A)*e^{(-2*I*d*x - 2*I*c)/(a*d)} + 2*a*d*\sqrt{I*A^2/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{I*A^2/(a^2*d^2)} - A)*e^{(-2*I*d*x - 2*I*c)/(a*d)} + 2*((-I*A + B)*e^{(2*I \end{aligned}$$

```
*d*x + 2*I*c) + I*A - B)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(-2*I*d*x - 2*I*c)/(a*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)\sqrt{\cot(dx + c)}}{i a \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(I*a*tan(d*x + c) + a), x)
```

$$3.522 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+ia \tan(c+dx))}} dx$$

Optimal. Leaf size=237

$$\frac{(-B+iA)\sqrt{\cot(c+dx)}}{2d(a \cot(c+dx)+ia)} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-(2+i)B) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2ad}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-(2+i)B) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2ad}}$$

[Out] $((1/4 - I/4)*(A + (2 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a*d) - ((1/4 - I/4)*(A + (2 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a*d) + ((I*A - B)*Sqrt[Cot[c + d*x]])/(2*d*(I*a + a*Cot[c + d*x])) + ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d)$

Rubi [A] time = 0.390393, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3581, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-B+iA)\sqrt{\cot(c+dx)}}{2d(a \cot(c+dx)+ia)} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-(2+i)B) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2ad}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A-(2+i)B) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])), x]

[Out] $((1/4 - I/4)*(A + (2 - I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a*d) - ((1/4 - I/4)*(A + (2 - I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a*d) + ((I*A - B)*Sqrt[Cot[c + d*x]])/(2*d*(I*a + a*Cot[c + d*x])) + ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d) - ((1/8 + I/8)*(A - (2 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d)$

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr

$\text{Int}[b \cdot \tan[e + f \cdot x]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] := \text{With}[\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c \cdot d^2 + a \cdot e^2, 0] && NeQ[c \cdot d^2 - a \cdot e^2, 0] && NegQ[-(a \cdot c)]

Rule 1162

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] := \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c \cdot d^2 - a \cdot e^2, 0] && PosQ[d \cdot e]

Rule 617

$\text{Int}[(a + (b \cdot x) + (c \cdot x^2))^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4 \cdot S\text{implify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4 \cdot a \cdot c]) /;

FreeQ[{a, b, c}, x] && NeQ[b^2 - 4 \cdot a \cdot c, 0]

Rule 204

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2] \cdot x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[(d + (e \cdot x^2)/(a + (c \cdot x^4)), x_Symbol] := \text{With}[\{q = \text{Rt}[-2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c \cdot d^2 - a \cdot e^2, 0] && NegQ[d \cdot e]

Rule 628

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x^2)), x_Symbol] := \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2 \cdot c \cdot d - b \cdot e, 0]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)(a + ia \tan(c + dx))}} dx = \int \frac{B + A \cot(c + dx)}{\sqrt{\cot(c + dx)(ia + a \cot(c + dx))}} dx$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{2d(ia + a \cot(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A-3iB) - \frac{1}{2}a(iA-B)\cot(c+dx)}{\sqrt{\cot(c+dx)}} dx}{2a^2}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{2d(ia + a \cot(c + dx))} + \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}a(A-3iB) + \frac{1}{2}a(iA-B)x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{a^2d}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{2d(ia + a \cot(c + dx))} + \frac{\left(\left(\frac{1}{4} + \frac{i}{4}\right)(A - (2 + i)B)\right) \text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{ad}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{2d(ia + a \cot(c + dx))} + \frac{\left(\left(\frac{1}{8} + \frac{i}{8}\right)(A - (2 + i)B)\right) \text{Subst}\left(\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx, x, \sqrt{\cot(c + dx)}\right)}{\sqrt{2}ad}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{2d(ia + a \cot(c + dx))} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - (2 + i)B) \log\left(1 - \sqrt{2}\sqrt{\cot(c + dx)} + \cot(c + dx)\right)}{\sqrt{2}ad}$$

$$= \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A + (2 - i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}ad} - \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A + (2 - i)B) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}ad}$$

Mathematica [A] time = 1.97698, size = 198, normalized size = 0.84

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(4(A + iB) \cos(c + dx)(\sin(dx) + i \cos(dx)) + (1 + i)(-\sin(c) + i \cos(c))\sqrt{\sin(2(c + dx))}\right)}{8d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])), x]
```

```
[Out] ((Cos[d*x] + I*Sin[d*x])*(4*(A + I*B)*Cos[c + d*x]*(I*Cos[d*x] + Sin[d*x]) + (1 + I)*Csc[c + d*x]*((A + (2 - I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + I*(A - (2 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(I*Cos[c] - Sin[c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x])/(8*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))
```

Maple [C] time = 0.398, size = 2963, normalized size = 12.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)), x)
```

```
[Out] 1/4/a/d*2^(1/2)*(cos(d*x+c)-1)*(2*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))-2*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))-B*cos(d*x+c)^2*2^(1/2)+B*cos(d*x+c)*2^(1/2)-2*B
```


$$(d*x+c)^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)}+B*\cos(d*x+c)*\sin(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(\cos(d*x+c)+1)^2/(I*\sin(d*x+c)+\cos(d*x+c))/(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}/\sin(d*x+c)^4$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.58725, size = 1497, normalized size = 6.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/8*(a*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(1/2*((4*I*a*d*e^{(2*I*d*x + 2*I*c)} - 4*I*a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^2*d^2)} - 4*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - a*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(1/2*((-4*I*a*d*e^{(2*I*d*x + 2*I*c)} + 4*I*a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^2*d^2)} - 4*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + 2*a*d*\sqrt{I*B^2/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(-((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{I*B^2/(a^2*d^2)} + B)*e^{(-2*I*d*x - 2*I*c)/(a*d)} - 2*a*d*\sqrt{I*B^2/(a^2*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{I*B^2/(a^2*d^2)} - B)*e^{(-2*I*d*x - 2*I*c)/(a*d)} - 2*((A + I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})*e^{(-2*I*d*x - 2*I*c)/(a*d)}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+I*a*tan(d*x+c)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a) \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)*sqrt(cot(d*x + c))), x)

$$3.523 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))} dx$$

Optimal. Leaf size=276

$$\frac{-B+iA}{2d\sqrt{\cot(c+dx)}(a\cot(c+dx)+ia)} - \frac{A+5iB}{2ad\sqrt{\cot(c+dx)}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)((2+i)A + (1+4i)B) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)})}{\sqrt{2}ad}$$

[Out] (((1 - 3*I)*A + (3 + 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(4*Sqrt[2]*a*d) + ((1/4 + I/4)*((1 + 2*I)*A - (4 + I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*a*d) - (A + (5*I)*B)/(2*a*d*Sqrt[Cot[c + d*x]]) + (I*A - B)/(2*d*Sqrt[Cot[c + d*x]]*(I*a + a*Cot[c + d*x])) - ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d) + ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d)

Rubi [A] time = 0.456515, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{-B+iA}{2d\sqrt{\cot(c+dx)}(a\cot(c+dx)+ia)} - \frac{A+5iB}{2ad\sqrt{\cot(c+dx)}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)((2+i)A + (1+4i)B) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)})}{\sqrt{2}ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])),x]

[Out] (((1 - 3*I)*A + (3 + 5*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(4*Sqrt[2]*a*d) + ((1/4 + I/4)*((1 + 2*I)*A - (4 + I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*a*d) - (A + (5*I)*B)/(2*a*d*Sqrt[Cot[c + d*x]]) + (I*A - B)/(2*d*Sqrt[Cot[c + d*x]]*(I*a + a*Cot[c + d*x])) - ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d) + ((1/8 + I/8)*((2 + I)*A + (1 + 4*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(Sqrt[2]*a*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a,
b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} dx \\
 &= \frac{iA - B}{2d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(A+5iB) - \frac{3}{2}a(iA-B) \cot(c+dx)}{\cot^{\frac{3}{2}}(c+dx)} dx}{2a^2} \\
 &= -\frac{A + 5iB}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} + \frac{\int \frac{-\frac{3}{2}a(iA-B) + \frac{1}{2}a(A+5iB)}{\sqrt{\cot(c+dx)}} dx}{2a^2} \\
 &= -\frac{A + 5iB}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} + \frac{\text{Subst}\left(\int \frac{\frac{3}{2}a(iA-B) - \frac{1}{2}a(A+5iB)}{1} dx\right)}{2a^2} \\
 &= -\frac{A + 5iB}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} + \frac{((1 + 3i)A - (3 - 5i)B) \tan^{-1}\left(\frac{1 - \sqrt{2}\sqrt{\cot(c + dx)}}{1 + \sqrt{2}\sqrt{\cot(c + dx)}}\right)}{4\sqrt{2}ad} \\
 &= -\frac{A + 5iB}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} - \frac{((1 + 3i)A - (3 - 5i)B) \tan^{-1}\left(\frac{1 - \sqrt{2}\sqrt{\cot(c + dx)}}{1 + \sqrt{2}\sqrt{\cot(c + dx)}}\right)}{4\sqrt{2}ad} \\
 &= -\frac{A + 5iB}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} - \frac{((1 + 3i)A - (3 - 5i)B) \tan^{-1}\left(\frac{1 - \sqrt{2}\sqrt{\cot(c + dx)}}{1 + \sqrt{2}\sqrt{\cot(c + dx)}}\right)}{4\sqrt{2}ad} \\
 &= \frac{((1 - 3i)A + (3 + 5i)B) \tan^{-1}\left(\frac{1 - \sqrt{2}\sqrt{\cot(c + dx)}}{1 + \sqrt{2}\sqrt{\cot(c + dx)}}\right)}{4\sqrt{2}ad} - \frac{((1 - 3i)A + (3 + 5i)B) \tan^{-1}\left(\frac{1 - \sqrt{2}\sqrt{\cot(c + dx)}}{1 + \sqrt{2}\sqrt{\cot(c + dx)}}\right)}{4\sqrt{2}ad}
 \end{aligned}$$

Mathematica [A] time = 2.17217, size = 214, normalized size = 0.78

$$\frac{(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left((-4 \cos(dx) + 4i \sin(dx))(-4B \sin(c + dx) + (A + 5iB) \cos(c + dx)) - (\cos(c) + i \sin(c))(-4B \sin(c + dx) + (A + 5iB) \cos(c + dx)) \right)}{8d\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])), x]
```

```
[Out] ((Cos[d*x] + I*Sin[d*x])*((-4*Cos[d*x] + (4*I)*Sin[d*x])*((A + (5*I)*B)*Cos[c + d*x] - 4*B*Sin[c + d*x]) - Csc[c + d*x]*(((1 - 3*I)*A + (3 + 5*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((2 + I)*A + (1 + 4*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(Cos[c] + I*Sin[c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(8*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))
```

Maple [C] time = 0.416, size = 3717, normalized size = 13.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c)), x)
```

```
[Out] -1/4/a/d*2^(1/2)*(cos(d*x+c)-1)*(I*B*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)
```


$$\begin{aligned} & x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c)) \\ & ^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c)) \\ &)/\sin(d*x+c))^{\wedge}(1/2),1/2+1/2*I,1/2*2^{\wedge}(1/2))-2*A*(-(\cos(d*x+c)-1-\sin(d*x+c) \\ &))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x \\ & +c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c)) \\ & ^{\wedge}(1/2),1/2-1/2*I,1/2*2^{\wedge}(1/2))-4*B*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(\\ & 1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c) \\ &))^{\wedge}(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2),1/2-1/2*I \\ & ,1/2*2^{\wedge}(1/2))+4*I*B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+ \\ & c)-1)/\sin(d*x+c))^{\wedge}(1/2)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*\text{Ellip \\ & ticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2),1/2-1/2*I,1/2*2^{\wedge}(1/2))* \\ & \cos(d*x+c)^2+I*A*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2),1/ \\ & 2*2^{\wedge}(1/2))*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin \\ & (d*x+c))^{\wedge}(1/2)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*\cos(d*x+c)^2-A \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(\\ & 1/2)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}((-\cos(d*x+c) \\ & -1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2),1/2+1/2*I,1/2*2^{\wedge}(1/2))+I*B*(-(\cos(d*x+c)-1 \\ & -\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2) \\ & *((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/s \\ & in(d*x+c))^{\wedge}(1/2),1/2+1/2*I,1/2*2^{\wedge}(1/2))+A*\cos(d*x+c)^2*((\cos(d*x+c)-1+\sin(d \\ & *x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*(-(\cos(d*x+c)-1- \\ & \sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d* \\ & x+c))^{\wedge}(1/2),1/2+1/2*I,1/2*2^{\wedge}(1/2))+5*B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c) \\ &))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d* \\ & x+c))/\sin(d*x+c))^{\wedge}(1/2),1/2*2^{\wedge}(1/2))*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c) \\ &)^{\wedge}(1/2)-B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin \\ & (d*x+c))^{\wedge}(1/2)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}((-\cos \\ & (d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2),1/2+1/2*I,1/2*2^{\wedge}(1/2)))*\cos(d*x+c \\ &)*(\cos(d*x+c)+1)^2/(I*\sin(d*x+c)+\cos(d*x+c))/\sin(d*x+c)^5/(\cos(d*x+c)/\sin(d \\ & *x+c))^{\wedge}(3/2) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.64564, size = 1823, normalized size = 6.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/8*((a*d*e^{(4*I*d*x + 4*I*c)} + a*d*e^{(2*I*d*x + 2*I*c)})*\text{sqrt}((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2))*\log(-2*((a*d*e^{(2*I*d*x + 2*I*c)} - a*d)*\text{sqrt}((I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1))*\text{sqrt}((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)) + (A - I*B)*e^{(2*I*d*x + 2*I*c)})*e^{(-2*I*d*x - 2*I*c)}/(I*A +$$

B)) - (a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2))*log(2*((a*d*e^(2*I*d*x + 2*I*c) - a*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^2*d^2)) - (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 2*(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((I*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2))*log(-((a*d*e^(2*I*d*x + 2*I*c) - a*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2)) + A + 2*I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)) - 2*(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((I*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2))*log(((a*d*e^(2*I*d*x + 2*I*c) - a*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 - 4*A*B - 4*I*B^2)/(a^2*d^2)) - A - 2*I*B)*e^(-2*I*d*x - 2*I*c)/(a*d)) - 2*((I*A - 9*B)*e^(4*I*d*x + 4*I*c) + 8*B*e^(2*I*d*x + 2*I*c) - I*A + B)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+I*a*tan(d*x+c)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a) \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)*cot(d*x + c)^(3/2)), x)

$$3.524 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))} dx$$

Optimal. Leaf size=307

$$\frac{-B+iA}{2d \cot^2(c+dx)(a \cot(c+dx)+ia)} - \frac{3A+7iB}{6ad \cot^2(c+dx)} - \frac{5(-B+iA)}{2ad\sqrt{\cot(c+dx)}} + \frac{((3-5i)A+(5+7i)B) \log(\cot(c+dx)-\sqrt{2ad})}{8\sqrt{2ad}}$$

```
[Out] ((1/4 + I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) - ((1/4 + I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) - (3*A + (7*I)*B)/(6*a*d*Cot[c + d*x]^(3/2)) - (5*(I*A - B))/(2*a*d*Sqrt[Cot[c + d*x]]) + (I*A - B)/(2*d*Cot[c + d*x]^(3/2)*(I*a + a*Cot[c + d*x])) + (((3 - 5*I)*A + (5 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d) + ((1/8 + I/8)*((1 + 4*I)*A - (6 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a*d)
```

Rubi [A] time = 0.513184, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{-B+iA}{2d \cot^2(c+dx)(a \cot(c+dx)+ia)} - \frac{3A+7iB}{6ad \cot^2(c+dx)} - \frac{5(-B+iA)}{2ad\sqrt{\cot(c+dx)}} + \frac{((3-5i)A+(5+7i)B) \log(\cot(c+dx)-\sqrt{2ad})}{8\sqrt{2ad}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])),x]
```

```
[Out] ((1/4 + I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) - ((1/4 + I/4)*((4 + I)*A + (1 + 6*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a*d) - (3*A + (7*I)*B)/(6*a*d*Cot[c + d*x]^(3/2)) - (5*(I*A - B))/(2*a*d*Sqrt[Cot[c + d*x]]) + (I*A - B)/(2*d*Cot[c + d*x]^(3/2)*(I*a + a*Cot[c + d*x])) + (((3 - 5*I)*A + (5 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(8*Sqrt[2]*a*d) + ((1/8 + I/8)*((1 + 4*I)*A - (6 + I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3596

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
```

&& LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(ia + a \cot(c + dx))} dx \\
&= \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{1}{2}a(3A+7iB) - \frac{5}{2}a(iA-B) \cot(c+dx)}{\cot^{\frac{5}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} - \frac{5(iA - B)}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} - \frac{5(iA - B)}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} - \frac{5(iA - B)}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} - \frac{5(iA - B)}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} - \frac{5(iA - B)}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{3A + 7iB}{6ad \cot^{\frac{3}{2}}(c + dx)} - \frac{5(iA - B)}{2ad\sqrt{\cot(c + dx)}} + \frac{iA - B}{2d \cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))} + \int \frac{-\frac{5}{2}a(iA-B) + \frac{1}{2}a(3A+7iB)}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{((3 + 5i)A - (5 - 7i)B) \tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c + dx)})}{4\sqrt{2}ad} - \frac{((3 + 5i)A - (5 - 7i)B) \tan^{-1}(1 + \sqrt{2}\sqrt{\cot(c + dx)})}{4\sqrt{2}ad}
\end{aligned}$$

Mathematica [A] time = 2.66013, size = 242, normalized size = 0.79

$$(\cos(dx) + i \sin(dx))(A + B \tan(c + dx)) \left(\frac{2}{3} \sec(c + dx)(\cos(dx) - i \sin(dx))(4(3A + 2iB) \sin(2(c + dx)) + (11B - 15iA) \cos(2(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])), x]

[Out] ((Cos[d*x] + I*Sin[d*x])*((-1 - I)*Csc[c + d*x]*(((4 + I)*A + (1 + 6*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-1 - 4*I)*A + (6 + I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(Cos[c] + I*Sin[c])*Sqrt[Sin[2*(c + d*x)]] + (2*Sec[c + d*x]*(Cos[d*x] - I*Sin[d*x])*((-15*I)*A + 19*B + ((-15*I)*A + 11*B)*Cos[2*(c + d*x)] + 4*(3*A + (2*I)*B)*Sin[2*(c + d*x)]))/3*(A + B*Tan[c + d*x])/(8*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x]))

Maple [C] time = 0.533, size = 3871, normalized size = 12.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(d*x+c))/\cot(d*x+c)^{(5/2)}/(a+I*a*\tan(d*x+c)),x)$

[Out]
$$\begin{aligned} & -1/12/a/d*2^{(1/2)}*(\cos(d*x+c)-1)*(-15*A*\cos(d*x+c)^3*\text{EllipticF}((-\cos(d*x+c) \\ &)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & -3*I*B*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I,1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}-12*A*\cos(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2-1/2*I,1/2*2^{(1/2)}+15*A*\cos(d*x+c)*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}+11*B*\cos(d*x+c)^2*2^{(1/2)}-4*B*\cos(d*x+c)*2^{(1/2)}+3*A*\cos(d*x+c)^3 \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)}-3*B*\cos(d*x+c)^3 \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)}+12*A*\cos(d*x+c)^3*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2-1/2*I,1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}+18*B*\cos(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2-1/2*I,1/2*2^{(1/2)}+15*I*A*\cos(d*x+c)^3*2^{(1/2)}-15*I*A*2^{(1/2)}*\cos(d*x+c)^2+8*I*B*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}-8*I*B*\cos(d*x+c)^2 \\ & *\sin(d*x+c)*2^{(1/2)}+15*B*\sin(d*x+c)*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2-11*B*2^{(1/2)}*\cos(d*x+c)^3 \\ & -12*A*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)^2+12*A*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+3*B*\cos(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I,1/2*2^{(1/2)}-3*A*\cos(d*x+c)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)}+4*B*2^{(1/2)} \\ & +12*I*A*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2-1/2*I,1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}+3*I*A*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2+1/2*I,1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & -15*I*A*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}-18*I*B*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, \\ & 1/2-1/2*I,1/2*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\ & +3*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2* \\ & \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)}(1 \end{aligned}$$

$$\begin{aligned}
& /2)) * \sin(d*x+c) + 3*B * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} * \cos(d*x+c)^2 * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})) * \sin(d*x+c) + 12*I*A*\cos(d*x+c)^3 * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 3*I*A*\cos(d*x+c)^3 * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} + 18*I*B*\cos(d*x+c)^3 * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 3*I*B*\cos(d*x+c)^3 * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 15*I*B*\cos(d*x+c)^3 * \text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 12*I*A*\cos(d*x+c) * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} + 3*I*A*\cos(d*x+c) * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 18*I*B*\cos(d*x+c) * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} + 3*I*B*\cos(d*x+c) * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} + 15*I*B*\cos(d*x+c) * \text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 12*A*\cos(d*x+c)^2 * \sin(d*x+c) * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} - 18*B*\cos(d*x+c)^2 * \sin(d*x+c) * \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2} * ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2} * (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} * \cos(d*x+c) * (\cos(d*x+c)+1)^2 / (I*\sin(d*x+c)+\cos(d*x+c)) / (\cos(d*x+c)/\sin(d*x+c))^{5/2} / \sin(d*x+c)^6
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.76437, size = 2148, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 1/24*(3*(a*d*e^(6*I*d*x + 6*I*c) + 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d
*x + 2*I*c))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^2*d^2))*log(1/2*((4*I*a*d*e^(2
*I*d*x + 2*I*c) - 4*I*a*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2
*I*c) - 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^2*d^2)) - 4*(A - I*B)*e^(2*I*d*x
+ 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 3*(a*d*e^(6*I*d*x + 6*I*c) +
2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((I*A^2 + 2*A*B -
I*B^2)/(a^2*d^2))*log(1/2*((-4*I*a*d*e^(2*I*d*x + 2*I*c) + 4*I*a*d)*sqrt((I
*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 + 2*A*B -
I*B^2)/(a^2*d^2)) - 4*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(
I*A + B)) - 6*(a*d*e^(6*I*d*x + 6*I*c) + 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(
2*I*d*x + 2*I*c))*sqrt((-4*I*A^2 + 12*A*B + 9*I*B^2)/(a^2*d^2))*log(-((a*d
*e^(2*I*d*x + 2*I*c) - a*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x +
2*I*c) - 1))*sqrt((-4*I*A^2 + 12*A*B + 9*I*B^2)/(a^2*d^2)) + 2*I*A - 3*B)*e
^(-2*I*d*x - 2*I*c)/(a*d)) + 6*(a*d*e^(6*I*d*x + 6*I*c) + 2*a*d*e^(4*I*d*x
+ 4*I*c) + a*d*e^(2*I*d*x + 2*I*c))*sqrt((-4*I*A^2 + 12*A*B + 9*I*B^2)/(a^2
*d^2))*log(((a*d*e^(2*I*d*x + 2*I*c) - a*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I
)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-4*I*A^2 + 12*A*B + 9*I*B^2)/(a^2*d^2))
- 2*I*A + 3*B)*e^(-2*I*d*x - 2*I*c)/(a*d)) - 2*((27*A + 19*I*B)*e^(6*I*d*x
+ 6*I*c) + (3*A + 19*I*B)*e^(4*I*d*x + 4*I*c) - (27*A + 35*I*B)*e^(2*I*d*x
+ 2*I*c) - 3*A - 3*I*B)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*
c) - 1)))/(a*d*e^(6*I*d*x + 6*I*c) + 2*a*d*e^(4*I*d*x + 4*I*c) + a*d*e^(2*I
*d*x + 2*I*c))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+I*a*tan(d*x+c)),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a) \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)*cot(d*x + c)^(5/2)),
x)
```

$$3.525 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=317

$$\frac{(7A + 3iB) \cot^3(c + dx)}{8a^2d(\cot(c + dx) + i)} - \frac{5(5A + iB)\sqrt{\cot(c + dx)}}{8a^2d} - \frac{\left(\frac{1}{32} - \frac{i}{32}\right)((23 + 2i)A + (2 + 7i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}a^2d}$$

[Out] $((-1/16 + I/16)*((2 + 23*I)*A - (7 + 2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a^2*d) + (((25 + 21*I)*A - (9 - 5*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(16*Sqrt[2]*a^2*d) - (5*(5*A + I*B)*Sqrt[Cot[c + d*x]])/(8*a^2*d) + ((7*A + (3*I)*B)*Cot[c + d*x]^(3/2))/(8*a^2*d*(I + Cot[c + d*x])) + ((A + I*B)*Cot[c + d*x]^(5/2))/(4*d*(I*a + a*Cot[c + d*x])^2) - ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^2*d) + ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^2*d)$

Rubi [A] time = 0.684994, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(7A + 3iB) \cot^3(c + dx)}{8a^2d(\cot(c + dx) + i)} - \frac{5(5A + iB)\sqrt{\cot(c + dx)}}{8a^2d} - \frac{\left(\frac{1}{32} - \frac{i}{32}\right)((23 + 2i)A + (2 + 7i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] $((-1/16 + I/16)*((2 + 23*I)*A - (7 + 2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a^2*d) + (((25 + 21*I)*A - (9 - 5*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(16*Sqrt[2]*a^2*d) - (5*(5*A + I*B)*Sqrt[Cot[c + d*x]])/(8*a^2*d) + ((7*A + (3*I)*B)*Cot[c + d*x]^(3/2))/(8*a^2*d*(I + Cot[c + d*x])) + ((A + I*B)*Cot[c + d*x]^(5/2))/(4*d*(I*a + a*Cot[c + d*x])^2) - ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^2*d) + ((1/32 - I/32)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^2*d)$

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3595

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx &= \int \frac{\cot^{\frac{5}{2}}(c+dx)(B+A \cot(c+dx))}{(ia+a \cot(c+dx))^2} dx \\
&= \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} + \frac{\int \frac{\cot^{\frac{3}{2}}(c+dx) \left(-\frac{5}{2}a(iA-B) + \frac{1}{2}a(9A+iB) \cot(c+dx) \right)}{ia+a \cot(c+dx)} dx}{4a^2} \\
&= \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} + \frac{\int \sqrt{\cot(c+dx)} \left(-\frac{3}{2}a^2(7i \right)}{4a^2} \\
&= -\frac{5(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d} + \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))} \\
&= -\frac{5(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d} + \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))} \\
&= -\frac{5(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d} + \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))} \\
&= -\frac{5(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d} + \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))} \\
&= -\frac{5(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d} + \frac{(7A+3iB) \cot^{\frac{3}{2}}(c+dx)}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{5}{2}}(c+dx)}{4d(ia+a \cot(c+dx))} \\
&= -\frac{((25+21i)A - (9-5i)B) \tan^{-1} \left(1 - \sqrt{2} \sqrt{\cot(c+dx)} \right)}{16\sqrt{2}a^2d} + \frac{((25+21i)A - (9-5i)B)}{16\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 2.50236, size = 256, normalized size = 0.81

$$\frac{\sec(c+dx)(\cos(dx)+i \sin(dx))^2(A+B \tan(c+dx))(\cot(c+dx)(-2 \cos(2dx)+2i \sin(2dx))((-7B+43iA) \sin(2(c+dx)))}{(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(Csc[c + d*x]*(((21 - 25*I)*A + (5 + 9*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((23 + 2*I)*A + (2 + 7*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]] + Cot[c + d*x]*(-2*Cos[2*d*x] + (2*I)*Sin[2*d*x])*(-9*A - (5*I)*B + (41*A + (5*I)*B)*Cos[2*(c + d*x)] + ((43*I)*A - 7*B)*Sin[2*(c + d*x)])*(A + B*Tan[c + d*x]))/(32*d*Sqrt[Cot[c + d*x]])*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)

Maple [C] time = 0.652, size = 2507, normalized size = 7.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)

[Out] $1/16/a^2/d*2^{(1/2)}*(\cos(d*x+c)/\sin(d*x+c))^{(3/2)}*\sin(d*x+c)*(-9*B*\cos(d*x+c))$
 $*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}$
 $*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)})*$
 $(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}+23*A*\cos(d*x+c)*(-(\cos(d*x+c)$
 $-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}$
 $*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))$
 $/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})-7*I*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}$
 $-5*I*B*2^{(1/2)}*\cos(d*x+c)+5*A*\cos(d*x+c)^3*2^{(1/2)}-25*A*\cos(d*x+c)*2^{(1/2)}$
 $-4*I*A*\cos(d*x+c)^4*\sin(d*x+c)*2^{(1/2)}+7*B*\cos(d*x+c)*(-(\cos(d*x+c)-1-\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(($
 $\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin$
 $(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+4*A*\cos(d*x+c)^5*2^{(1/2)}+3*B*\cos(d*x+c)$
 $)^2*\sin(d*x+c)*2^{(1/2)}+23*A*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*$
 $(\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}$
 $*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)}$
 $+7*B*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}(($
 $(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+21*I*A*$
 $\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)})*(-(\cos$
 $(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c)$
 $)^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-23*I*A*(-(\cos(d*x+c)-1-\sin(d*x+c)$
 $))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x$
 $+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))$
 $^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+2*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos$
 $(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x$
 $+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2$
 $*I, 1/2*2^{(1/2)})+7*I*B*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos$
 $(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{Ell$
 $ipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)}$
 $-2*I*B*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I,$
 $1/2*2^{(1/2)})*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+2*A*((\cos(d*$
 $x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(c$
 $os(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*$
 $x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+2*B*\cos(d*x+c)*((\cos(d*x+c)-$
 $1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*$
 $x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))$
 $/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+2*A*\cos(d*x+c)*((\cos(d*x+c)-1+\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-$
 $1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin$
 $(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-9*B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x$
 $+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticF}((-\cos(d*x+c)-1-\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)})*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+$
 $c))^{(1/2)}+2*B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/$
 $\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}$
 $((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+21*I*A$
 $*\text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)})*(-(co$
 $s(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x$
 $+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)-23*I*A*(-(\cos(d*x+c)$
 $-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}$
 $*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c)$
 $)/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})*\cos(d*x+c)+2*I*A*(-(\cos(d*x+c)-1$
 $-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}$
 $*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/s$
 $in(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})*\cos(d*x+c)+7*I*B*(-(\cos(d*x+c)-1-\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(($
 $\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin$
 $(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})*\cos(d*x+c)-2*I*B*(-(\cos(d*x+c)-1-\sin$
 $(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos$

$$\frac{(d*x+c)-1}{\sin(d*x+c)}^{(1/2)} * \text{EllipticPi}(\frac{-(\cos(d*x+c)-1-\sin(d*x+c))}{\sin(d*x+c)})^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)}) * \cos(d*x+c) + 4*I*B*\cos(d*x+c)^5*2^{(1/2)} + 4*B*\cos(d*x+c)^4*\sin(d*x+c)*2^{(1/2)} + I*B*\cos(d*x+c)^3*2^{(1/2)} / \cos(d*x+c)^2$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.77258, size = 1783, normalized size = 5.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{32} * (2*a^2*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)}) * e^{(4*I*d*x + 4*I*c)} * \log\left(\frac{1}{4} * ((8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} - 8*I*a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}) * \sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)} - 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)} * e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a^2*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)} * e^{(4*I*d*x + 4*I*c)} * \log\left(\frac{1}{4} * ((-8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} + 8*I*a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}) * \sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)} - 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)} * e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + a^2*d*\sqrt{(-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2)} * e^{(4*I*d*x + 4*I*c)} * \log\left(\frac{1}{8} * ((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}) * \sqrt{(-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2)} + 23*I*A - 7*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - a^2*d*\sqrt{(-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2)} * e^{(4*I*d*x + 4*I*c)} * \log\left(-\frac{1}{8} * ((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}) * \sqrt{(-529*I*A^2 + 322*A*B + 49*I*B^2)/(a^4*d^2)} - 23*I*A + 7*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - 2*(6*(7*A + I*B)*e^{(4*I*d*x + 4*I*c)} - (9*A + 5*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}) * e^{(-4*I*d*x - 4*I*c)/(a^2*d)}\right)$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(i a \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(I*a*tan(d*x + c) + a)^2, x)
```

$$3.526 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=284

$$\frac{(5A + iB)\sqrt{\cot(c + dx)}}{8a^2d(\cot(c + dx) + i)} + \frac{\left(\frac{1}{32} + \frac{i}{32}\right)((2 + i)B - (7 - 2i)A) \log\left(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1\right)}{\sqrt{2}a^2d} + \frac{((9 + 5i)A - (1 + 3i)B)}{\sqrt{2}a^2d}$$

[Out] (((9 - 5*I)*A + (1 - 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^2*d) + ((1/16 + I/16)*((-2 + 7*I)*A + (1 + 2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a^2*d) + ((5*A + I*B)*Sqrt[Cot[c + d*x]]/(8*a^2*d*(I + Cot[c + d*x])) + ((A + I*B)*Cot[c + d*x]^(3/2))/(4*d*(I*a + a*Cot[c + d*x])^2) + ((1/32 + I/32)*((-7 + 2*I)*A + (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^2*d) + (((9 + 5*I)*A - (1 + 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^2*d)

Rubi [A] time = 0.61032, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3581, 3595, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(5A + iB)\sqrt{\cot(c + dx)}}{8a^2d(\cot(c + dx) + i)} + \frac{\left(\frac{1}{32} + \frac{i}{32}\right)((2 + i)B - (7 - 2i)A) \log\left(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1\right)}{\sqrt{2}a^2d} + \frac{((9 + 5i)A - (1 + 3i)B)}{\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2,x]

[Out] (((9 - 5*I)*A + (1 - 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^2*d) + ((1/16 + I/16)*((-2 + 7*I)*A + (1 + 2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a^2*d) + ((5*A + I*B)*Sqrt[Cot[c + d*x]]/(8*a^2*d*(I + Cot[c + d*x])) + ((A + I*B)*Cot[c + d*x]^(3/2))/(4*d*(I*a + a*Cot[c + d*x])^2) + ((1/32 + I/32)*((-7 + 2*I)*A + (2 + I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^2*d) + (((9 + 5*I)*A - (1 + 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^2*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p]*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3595

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^2} dx &= \int \frac{\cot^{\frac{3}{2}}(c+dx)(B+A \cot(c+dx))}{(ia+a \cot(c+dx))^2} dx \\
 &= \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} + \frac{\int \frac{\sqrt{\cot(c+dx)}\left(-\frac{3}{2}a(iA-B)+\frac{1}{2}a(7A-iB) \cot(c+dx)\right)}{ia+a \cot(c+dx)} dx}{4a^2} \\
 &= \frac{(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} + \frac{\int \frac{-\frac{1}{2}a^2(5iA-B)+\frac{3}{2}a^2(3A-iB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx}{8a^4} \\
 &= \frac{(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a^2(5iA-B)-\frac{3}{2}a^2(3A-iB) \cot(c+dx)}{1+x^4} dx\right)}{4} \\
 &= \frac{(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} + \frac{((9+5i)A-(1+3i)B) \text{Subst}\left(\int \frac{1}{1+x^4} dx\right)}{4} \\
 &= \frac{(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} - \frac{((9+5i)A-(1+3i)B) \text{Subst}\left(\int \frac{1}{1+x^4} dx\right)}{4} \\
 &= \frac{(5A+iB)\sqrt{\cot(c+dx)}}{8a^2d(i+\cot(c+dx))} + \frac{(A+iB) \cot^{\frac{3}{2}}(c+dx)}{4d(ia+a \cot(c+dx))^2} - \frac{((9+5i)A-(1+3i)B) \log\left(\frac{1+i\sqrt{x}}{1-i\sqrt{x}}\right)}{16\sqrt{2}a^2d} \\
 &= \frac{((9-5i)A+(1-3i)B) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{16\sqrt{2}a^2d} - \frac{((9-5i)A+(1-3i)B) \log\left(\frac{1+i\sqrt{x}}{1-i\sqrt{x}}\right)}{16\sqrt{2}a^2d}
 \end{aligned}$$

Mathematica [A] time = 1.99752, size = 243, normalized size = 0.86

$$\frac{\sec(c+dx)(\cos(dx)+i \sin(dx))^2(A+B \tan(c+dx))(4 \cos(c+dx)(\cos(2dx)-i \sin(2dx))((-B+5iA) \sin(c+dx)+(7A+5iB) \cos(c+dx))}{(a+ia \tan(c+dx))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^2, x]
```

```
[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(4*Cos[c + d*x]*(Cos[2*d*x] - I*Sin[2*d*x])*((7*A + (3*I)*B)*Cos[c + d*x] + ((5*I)*A - B)*Sin[c + d*x]) + Csc[c + d*x]*(((5 + 9*I)*A + (3 + I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((2 + 7*I)*A + (1 - 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(32*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)
```

Maple [C] time = 0.592, size = 1517, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2, x)
```

```
[Out] -1/16/a^2/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+7*A*((cos(d*x+c)-1+sin(d*x+c))/sin(c+d*x)))
```

$$\begin{aligned}
& d*x+c)^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c)) \\
& / \sin(d*x+c))^{(1/2)}* \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\
& , 1/2-1/2*I, 1/2*2^{(1/2)})*\sin(d*x+c)-9*A*\sin(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c) \\
&))/\sin(d*x+c)^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x \\
& +c)-1)/\sin(d*x+c))^{(1/2)}* \text{EllipticF}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)} \\
& , 1/2*2^{(1/2)}-5*I*A*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+4*B*\cos(d*x+c)^3*\sin \\
& (d*x+c)*2^{(1/2)}-3*A*\cos(d*x+c)^3*2^{(1/2)}+3*A*2^{(1/2)}*\cos(d*x+c)^2+2*A*\sin(d \\
& *x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+ \\
& c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}((-\cos(d \\
& *x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+4*A*\cos(d*x+c) \\
& ^4*2^{(1/2)}+B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin \\
& (d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}((\\
& -(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})*\sin(d*x \\
& +c)+4*I*A*\cos(d*x+c)^4*\sin(d*x+c)*2^{(1/2)}-4*I*A*\cos(d*x+c)^3*\sin(d*x+c)*2^{(1/2)} \\
& -4*A*\cos(d*x+c)^5*2^{(1/2)}-B*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}+3*I*B*\sin(d \\
& *x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+ \\
& c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}* \text{EllipticF}((-\cos(d* \\
& x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2*2^{(1/2)}-2*I*A*\sin(d*x+c)*((\cos(d* \\
& x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(c \\
& os(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d* \\
& x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+7*I*A*\sin(d*x+c)*((\cos(d*x+c) \\
&)-1)/\sin(d*x+c)^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(\\
& d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c) \\
&))/\sin(d*x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})-2*I*B*\sin(d*x+c)*((\cos(d*x+c)-1 \\
&)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x \\
& +c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/ \\
& \sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-I*B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin \\
& (d*x+c))^{(1/2)}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1 \\
& -\sin(d*x+c))/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d \\
& *x+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+5*I*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}-2 \\
& *B*\sin(d*x+c)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1+ \\
& \sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}* \text{EllipticPi}(\\
& (-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-I*B*2^{(1/2)} \\
& * \cos(d*x+c)^2-4*I*B*\cos(d*x+c)^5*2^{(1/2)}+4*I*B*\cos(d*x+c)^4*2^{(1/2)}-4* \\
& B*\cos(d*x+c)^4*\sin(d*x+c)*2^{(1/2)}+I*B*\cos(d*x+c)^3*2^{(1/2)}/\sin(d*x+c)^3/\cos \\
& (d*x+c)
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.55716, size = 1715, normalized size = 6.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

```
[Out] 1/32*(2*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c)*
log(-2*((a^2*d*e^(2*I*d*x + 2*I*c) - a^2*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I
)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)) + (A
- I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 2*a^2*d*sqrt(
(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c)*log(2*((a^2*d*e^(2*
I*d*x + 2*I*c) - a^2*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*
c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)) - (A - I*B)*e^(2*I*d*x +
2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - a^2*d*sqrt((49*I*A^2 + 14*A*B - I
*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c)*log(-1/8*((a^2*d*e^(2*I*d*x + 2*I*c) -
a^2*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((4
9*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2)) + 7*A - I*B)*e^(-2*I*d*x - 2*I*c)/(a^2
*d)) + a^2*d*sqrt((49*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2))*e^(4*I*d*x + 4*I*c
)*log(1/8*((a^2*d*e^(2*I*d*x + 2*I*c) - a^2*d)*sqrt((I*e^(2*I*d*x + 2*I*c)
+ I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((49*I*A^2 + 14*A*B - I*B^2)/(a^4*d^2))
- 7*A + I*B)*e^(-2*I*d*x - 2*I*c)/(a^2*d)) + 2*((-6*I*A + 2*B)*e^(4*I*d*x
+ 4*I*c) + (5*I*A - B)*e^(2*I*d*x + 2*I*c) + I*A - B)*sqrt((I*e^(2*I*d*x +
2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(-4*I*d*x - 4*I*c)/(a^2*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**2,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(i a \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^2,x, algorit
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(I*a*tan(d*x + c) + a)^2,
x)
```

$$3.527 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+ia \tan(c+dx))^2}} dx$$

Optimal. Leaf size=274

$$\frac{(B+3iA)\sqrt{\cot(c+dx)}}{8a^2d(\cot(c+dx)+i)} + \frac{((1+3i)A+(1-3i)B)\log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)+1})}{32\sqrt{2}a^2d} - \frac{((1+3i)A+(1-3i)B)\log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)+1})}{32\sqrt{2}a^2d}$$

```
[Out] -((( -1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(16*Sqrt[2]*a^2*d) + ((( -1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(16*Sqrt[2]*a^2*d) + (((3*I)*A + B)*Sqrt[Cot[c + d*x]])/(8*a^2*d*(I + Cot[c + d*x])) + ((A + I*B)*Sqrt[Cot[c + d*x]])/(4*d*(I*a + a*Cot[c + d*x])^2) + (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^2*d) - (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^2*d)
```

Rubi [A] time = 0.575973, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(B+3iA)\sqrt{\cot(c+dx)}}{8a^2d(\cot(c+dx)+i)} + \frac{((1+3i)A+(1-3i)B)\log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)+1})}{32\sqrt{2}a^2d} - \frac{((1+3i)A+(1-3i)B)\log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)+1})}{32\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^2), x]
```

```
[Out] -((( -1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(16*Sqrt[2]*a^2*d) + ((( -1 + 3*I)*A + (1 + 3*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(16*Sqrt[2]*a^2*d) + (((3*I)*A + B)*Sqrt[Cot[c + d*x]])/(8*a^2*d*(I + Cot[c + d*x])) + ((A + I*B)*Sqrt[Cot[c + d*x]])/(4*d*(I*a + a*Cot[c + d*x])^2) + (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^2*d) - (((1 + 3*I)*A + (1 - 3*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^2*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Sim
```

```
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)(a + ia \tan(c + dx))^2}} dx &= \int \frac{\sqrt{\cot(c + dx)}(B + A \cot(c + dx))}{(ia + a \cot(c + dx))^2} dx \\
&= \frac{(A + iB)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(iA-B) + \frac{1}{2}a(5A-3iB) \cot(c+dx)}{\sqrt{\cot(c+dx)}(ia+a \cot(c+dx))} dx}{4a^2} \\
&= \frac{(3iA + B)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(A + iB)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a^2(A-3iB) - \frac{1}{2}a^2(3iA+B)}{\sqrt{\cot(c+dx)}}}{8a^4} \\
&= \frac{(3iA + B)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(A + iB)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}a^2(A-3iB) + \dots}{1+}\right)}{8a^4} \\
&= \frac{(3iA + B)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(A + iB)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} - \frac{((1 + 3i)A + (1 - 3i)B)}{8a^4} \\
&= \frac{(3iA + B)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(A + iB)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{((1 + 3i)A + (1 - 3i)B)}{8a^4} \\
&= \frac{(3iA + B)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(A + iB)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{((1 + 3i)A + (1 - 3i)B)}{8a^4} \\
&= -\frac{((-1 + 3i)A + (1 + 3i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{16\sqrt{2}a^2d} + \frac{((-1 + 3i)A + (1 + 3i)B)}{8a^4}
\end{aligned}$$

Mathematica [A] time = 1.91462, size = 243, normalized size = 0.89

$$\frac{\csc(c + dx)(\cos(dx) + i \sin(dx))^2(A \cot(c + dx) + B) (4 \cos(c + dx)(\sin(2dx) + i \cos(2dx))((3B + iA) \sin(c + dx) + 3)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^2), x]

[Out] ((B + A*Cot[c + d*x])*Csc[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(4*Cos[c + d*x] + I*(I*Cos[2*d*x] + Sin[2*d*x]))*((3*A - I*B)*Cos[c + d*x] + (I*A + 3*B)*Sin[c + d*x]) + (1 - I)*Csc[c + d*x]*(((1 + 2*I)*A + (2 + I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-2 - I)*A + (1 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]])))/(32*a^2*d*Sqrt[Cot[c + d*x]]*(I + Cot[c + d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [C] time = 0.575, size = 5032, normalized size = 18.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.599, size = 1717, normalized size = 6.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/32*(2*a^2*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/4*((8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} - 8*I*a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)})) - 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a^2*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/4*((-8*I*a^2*d*e^{(2*I*d*x + 2*I*c)} + 8*I*a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^4*d^2)})) - 8*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - a^2*d*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)})) + I*A - B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} + a^2*d*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(-1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 + 2*A*B + I*B^2)/(a^4*d^2)})) - I*A + B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - 2*(2*(A - I*B)*e^{(4*I*d*x + 4*I*c)} - (A - 3*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*e^{(-4*I*d*x - 4*I*c)/(a^2*d)}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^2 \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^2*sqrt(cot(d*x + c))), x)
```

$$3.528 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^2} dx$$

Optimal. Leaf size=284

$$\frac{(A+5iB)\sqrt{\cot(c+dx)}}{8a^2d(\cot(c+dx)+i)} + \frac{((1-3i)A-(9-5i)B)\log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)+1})}{32\sqrt{2}a^2d} + \frac{\left(\frac{1}{32}+\frac{i}{32}\right)((1+2i)A+(2-7i)B)}{(1+2i)A+(2-7i)B}$$

[Out] $((-1/16 - I/16)*((2 + I)*A + (7 - 2*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]])/(\text{Sqrt}[2]*a^2*d) + (((1 + 3*I)*A + (9 + 5*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]])/((16*\text{Sqrt}[2]*a^2*d) + ((A + (5*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]])/(8*a^2*d*(I + \text{Cot}[c + d*x]))) + ((I*A - B)*\text{Sqrt}[\text{Cot}[c + d*x]])/(4*d*(I*a + a*\text{Cot}[c + d*x])^2) + (((1 - 3*I)*A - (9 - 5*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]])/(32*\text{Sqrt}[2]*a^2*d) + ((1/32 + I/32)*((1 + 2*I)*A + (2 - 7*I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]])/(\text{Sqrt}[2]*a^2*d)$

Rubi [A] time = 0.600984, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3581, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(A+5iB)\sqrt{\cot(c+dx)}}{8a^2d(\cot(c+dx)+i)} + \frac{((1-3i)A-(9-5i)B)\log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)+1})}{32\sqrt{2}a^2d} + \frac{\left(\frac{1}{32}+\frac{i}{32}\right)((1+2i)A+(2-7i)B)}{(1+2i)A+(2-7i)B}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(\text{Cot}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^2), x]$

[Out] $((-1/16 - I/16)*((2 + I)*A + (7 - 2*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]])/(\text{Sqrt}[2]*a^2*d) + (((1 + 3*I)*A + (9 + 5*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]])/((16*\text{Sqrt}[2]*a^2*d) + ((A + (5*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]])/(8*a^2*d*(I + \text{Cot}[c + d*x]))) + ((I*A - B)*\text{Sqrt}[\text{Cot}[c + d*x]])/(4*d*(I*a + a*\text{Cot}[c + d*x])^2) + (((1 - 3*I)*A - (9 - 5*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]])/(32*\text{Sqrt}[2]*a^2*d) + ((1/32 + I/32)*((1 + 2*I)*A + (2 - 7*I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]])/(\text{Sqrt}[2]*a^2*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^{(m)}*(d + c*\text{Cot}[e + f*x])^{(n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3596

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^{(m)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^{(n)}*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

&& LtQ[m, 0] && !GtQ[n, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^2} dx &= \int \frac{B + A \cot(c + dx)}{\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2} dx \\
&= \frac{(iA - B)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(A-7iB) - \frac{3}{2}a(iA-B)\cot(c+dx)}{\sqrt{\cot(c+dx)}(ia+a \cot(c+dx))} dx}{4a^2} \\
&= \frac{(A + 5iB)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(iA - B)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\int \frac{-\frac{3}{2}a^2(iA+3B) - \frac{1}{2}a^2(A+5iB)\cot(c+dx)}{\sqrt{\cot(c+dx)}}}{8a^4} \\
&= \frac{(A + 5iB)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(iA - B)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\text{Subst}\left(\int \frac{\frac{3}{2}a^2(iA+3B) + \frac{1}{2}a^2(A+5iB)\cot(c+dx)}{1+x^4} dx\right)}{4} \\
&= \frac{(A + 5iB)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(iA - B)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{\left(\left(\frac{1}{16} + \frac{i}{16}\right)\left((1 + 2i)A + (1 - 3i)B\right) + \left(\frac{1}{16} - \frac{i}{16}\right)\left((1 - 2i)A + (1 + 3i)B\right)\right)}{4} \\
&= \frac{(A + 5iB)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(iA - B)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{((1 - 3i)A - (9 - 5i)B) \text{Subst}\left(\int \frac{1}{1+x^4} dx\right)}{4} \\
&= \frac{(A + 5iB)\sqrt{\cot(c + dx)}}{8a^2d(i + \cot(c + dx))} + \frac{(iA - B)\sqrt{\cot(c + dx)}}{4d(ia + a \cot(c + dx))^2} + \frac{((1 - 3i)A - (9 - 5i)B) \log\left(\frac{1 + ix^2}{1 - ix^2}\right)}{4} \\
&= -\frac{((1 + 3i)A + (9 + 5i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{16\sqrt{2}a^2d} + \frac{((1 + 3i)A + (9 + 5i)B) \log\left(\frac{1 + ix^2}{1 - ix^2}\right)}{4}
\end{aligned}$$

Mathematica [A] time = 2.4056, size = 241, normalized size = 0.85

$$\frac{\sec(c + dx)(\cos(dx) + i \sin(dx))^2(A + B \tan(c + dx)) \left(4 \cos(c + dx)(\cos(2dx) - i \sin(2dx))((-7B + 3iA) \sin(c + dx) + (A + B \tan(c + dx)) \cos(c + dx))\right)}{(a + ia \tan(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^2), x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(4*Cos[c + d*x]*(Cos[2*d*x] - I*Sin[2*d*x])*((A + (5*I)*B)*Cos[c + d*x] + ((3*I)*A - 7*B)*Sin[c + d*x]) - (1 + I)*Csc[c + d*x]*(((-1 + 2*I)*A + (2 + 7*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + ((-2 + I)*A + (7 + 2*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x]))/(32*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)

Maple [C] time = 0.493, size = 5040, normalized size = 17.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2, x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.57719, size = 1719, normalized size = 6.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/32*(2*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)} \\ & * \log(-2*((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)} + (A \\ & - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 2*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}* \log(2*((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^4*d^2)} - (A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + a^2*d*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}* \log(-1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)} + A - 7*I*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - a^2*d*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)}*e^{(4*I*d*x + 4*I*c)}* \log(1/8*((a^2*d*e^{(2*I*d*x + 2*I*c)} - a^2*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 14*A*B - 49*I*B^2)/(a^4*d^2)} - A + 7*I*B)*e^{(-2*I*d*x - 2*I*c)/(a^2*d)} - 2*((-2*I*A + 6*B)*e^{(4*I*d*x + 4*I*c)} + (3*I*A - 7*B)*e^{(2*I*d*x + 2*I*c)} - I*A + B)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})*e^{(-4*I*d*x - 4*I*c)/(a^2*d)} \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^2*cot(d*x + c)^(3/2)), x)
```

$$3.529 \quad \int \frac{A+B \tan(c+dx)}{\frac{5}{\cot^2(c+dx)(a+ia \tan(c+dx))^2}} dx$$

Optimal. Leaf size=319

$$\frac{5(-5B + iA)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(\cot(c + dx) + i)} - \frac{\left(\frac{1}{32} - \frac{i}{32}\right)((7 + 2i)A + (2 + 23i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}a^2d}$$

[Out] $((-1/16 + I/16)*((2 + 7*I)*A - (23 + 2*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (\text{Sqrt}[2]*a^2*d) + (((9 + 5*I)*A - (25 - 21*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (16*\text{Sqrt}[2]*a^2*d) + (5*(I*A - 5*B)) / (8*a^2*d*\text{Sqrt}[\text{Cot}[c + d*x]]) + (3*A + (7*I)*B) / (8*a^2*d*\text{Sqrt}[\text{Cot}[c + d*x]]*(I + \text{Cot}[c + d*x])) + (I*A - B) / (4*d*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a + a*\text{Cot}[c + d*x])^2) - ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]] / (\text{Sqrt}[2]*a^2*d) + ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]] / (\text{Sqrt}[2]*a^2*d)$

Rubi [A] time = 0.680288, antiderivative size = 319, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{5(-5B + iA)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(\cot(c + dx) + i)} - \frac{\left(\frac{1}{32} - \frac{i}{32}\right)((7 + 2i)A + (2 + 23i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x]) / (\text{Cot}[c + d*x]^{(5/2)}*(a + I*a*\text{Tan}[c + d*x])^2), x]$

[Out] $((-1/16 + I/16)*((2 + 7*I)*A - (23 + 2*I)*B)*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (\text{Sqrt}[2]*a^2*d) + (((9 + 5*I)*A - (25 - 21*I)*B)*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (16*\text{Sqrt}[2]*a^2*d) + (5*(I*A - 5*B)) / (8*a^2*d*\text{Sqrt}[\text{Cot}[c + d*x]]) + (3*A + (7*I)*B) / (8*a^2*d*\text{Sqrt}[\text{Cot}[c + d*x]]*(I + \text{Cot}[c + d*x])) + (I*A - B) / (4*d*\text{Sqrt}[\text{Cot}[c + d*x]]*(I*a + a*\text{Cot}[c + d*x])^2) - ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]] / (\text{Sqrt}[2]*a^2*d) + ((1/32 - I/32)*((7 + 2*I)*A + (2 + 23*I)*B)*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]] / (\text{Sqrt}[2]*a^2*d)$

Rule 3581

$\text{Int}[(\cot[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e + f*x])^{(p-m-n)}*(b + a*\text{Cot}[e + f*x])^{(m)}*(d + c*\text{Cot}[e + f*x])^{(n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \ \&\amp; \ !\text{IntegerQ}[p] \ \&\amp; \ \text{IntegerQ}[m] \ \&\amp; \ \text{IntegerQ}[n]$

Rule 3596

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^{(m)}*(c + d*\text{Tan}[e + f*x])^{(n+1)} / (2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^{(n)}*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\amp; \ \text{NeQ}[b*c - a*d, 0] \ \&\amp; \ \text{EqQ}[a^2 + b^2, 0]$

&& LtQ[m, 0] && !GtQ[n, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^2} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))^2} dx \\
&= \frac{iA - B}{4d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2} + \int \frac{-\frac{1}{2}a(A+9iB)-\frac{5}{2}a(iA-B)\cot(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(ia+a\cot(c+dx))} dx \\
&= \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(i + \cot(c + dx))} + \frac{iA - B}{4d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2} \\
&= \frac{5(iA - 5B)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(i + \cot(c + dx))} + \frac{i}{4d\sqrt{\cot(c + dx)}} \\
&= \frac{5(iA - 5B)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(i + \cot(c + dx))} + \frac{i}{4d\sqrt{\cot(c + dx)}} \\
&= \frac{5(iA - 5B)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(i + \cot(c + dx))} + \frac{i}{4d\sqrt{\cot(c + dx)}} \\
&= \frac{5(iA - 5B)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(i + \cot(c + dx))} + \frac{i}{4d\sqrt{\cot(c + dx)}} \\
&= \frac{5(iA - 5B)}{8a^2d\sqrt{\cot(c + dx)}} + \frac{3A + 7iB}{8a^2d\sqrt{\cot(c + dx)}(i + \cot(c + dx))} + \frac{i}{4d\sqrt{\cot(c + dx)}} \\
&= -\frac{((9 + 5i)A - (25 - 21i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{16\sqrt{2}a^2d} + \frac{((9 + 5i)A - (25 - 21i)B)}{16\sqrt{2}a^2d}
\end{aligned}$$

Mathematica [A] time = 2.75635, size = 249, normalized size = 0.78

$\frac{\sec(c + dx)(\cos(dx) + i \sin(dx))^2(A + B \tan(c + dx)) \left(2(\sin(2dx) + i \cos(2dx))((-43B + 7iA) \sin(2(c + dx)) + (5A + \dots)\right)}{\dots}$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^2), x]

[Out] (Sec[c + d*x]*(Cos[d*x] + I*Sin[d*x])^2*(Csc[c + d*x]*(((5 - 9*I)*A + (21 + 25*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((7 + 2*I)*A + (2 + 23*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]))*(I*Cos[2*c] - Sin[2*c])*Sqrt[Sin[2*(c + d*x)]] + 2*(I*Cos[2*d*x] + Sin[2*d*x]))*(5*A + (9*I)*B + (5*A + (41*I)*B)*Cos[2*(c + d*x)] + ((7*I)*A - 43*B)*Sin[2*(c + d*x)]))*(A + B*Tan[c + d*x]))/(32*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^2)

Maple [C] time = 0.497, size = 5063, normalized size = 15.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2, x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.67515, size = 2032, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\frac{1}{32} * (2 * (a^2 * d * e^{(6 * I * d * x + 6 * I * c)} + a^2 * d * e^{(4 * I * d * x + 4 * I * c)}) * \sqrt{(I * A^2 + 2 * A * B - I * B^2) / (a^4 * d^2)} * \log(1/4 * ((8 * I * a^2 * d * e^{(2 * I * d * x + 2 * I * c)} - 8 * I * a^2 * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(I * A^2 + 2 * A * B - I * B^2) / (a^4 * d^2)} - 8 * (A - I * B) * e^{(2 * I * d * x + 2 * I * c)}) * e^{(-2 * I * d * x - 2 * I * c)} / (I * A + B)) - 2 * (a^2 * d * e^{(6 * I * d * x + 6 * I * c)} + a^2 * d * e^{(4 * I * d * x + 4 * I * c)}) * \sqrt{(I * A^2 + 2 * A * B - I * B^2) / (a^4 * d^2)} * \log(1/4 * ((-8 * I * a^2 * d * e^{(2 * I * d * x + 2 * I * c)} + 8 * I * a^2 * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(I * A^2 + 2 * A * B - I * B^2) / (a^4 * d^2)} - 8 * (A - I * B) * e^{(2 * I * d * x + 2 * I * c)}) * e^{(-2 * I * d * x - 2 * I * c)} / (I * A + B)) + (a^2 * d * e^{(6 * I * d * x + 6 * I * c)} + a^2 * d * e^{(4 * I * d * x + 4 * I * c)}) * \sqrt{(-49 * I * A^2 + 322 * A * B + 529 * I * B^2) / (a^4 * d^2)} * \log(1/8 * ((a^2 * d * e^{(2 * I * d * x + 2 * I * c)} - a^2 * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(-49 * I * A^2 + 322 * A * B + 529 * I * B^2) / (a^4 * d^2)} + 7 * I * A - 23 * B) * e^{(-2 * I * d * x - 2 * I * c)} / (a^2 * d)) - (a^2 * d * e^{(6 * I * d * x + 6 * I * c)} + a^2 * d * e^{(4 * I * d * x + 4 * I * c)}) * \sqrt{(-49 * I * A^2 + 322 * A * B + 529 * I * B^2) / (a^4 * d^2)} * \log(-1/8 * ((a^2 * d * e^{(2 * I * d * x + 2 * I * c)} - a^2 * d) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) * \sqrt{(-49 * I * A^2 + 322 * A * B + 529 * I * B^2) / (a^4 * d^2)} - 7 * I * A + 23 * B) * e^{(-2 * I * d * x - 2 * I * c)} / (a^2 * d)) + 2 * (6 * (A + 7 * I * B) * e^{(6 * I * d * x + 6 * I * c)} - (A + 33 * I * B) * e^{(4 * I * d * x + 4 * I * c)} - 2 * (3 * A + 5 * I * B) * e^{(2 * I * d * x + 2 * I * c)} + A + I * B) * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}) / (a^2 * d * e^{(6 * I * d * x + 6 * I * c)} + a^2 * d * e^{(4 * I * d * x + 4 * I * c)})$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**2,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(ia \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^2*cot(d*x + c)^(5/2)), x)

$$3.530 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=367

$$\frac{7(4A + iB) \cot^{\frac{3}{2}}(c + dx)}{24d(a^3 \cot(c + dx) + ia^3)} - \frac{5(6A + iB)\sqrt{\cot(c + dx)}}{8a^3d} - \frac{\left(\frac{1}{32} - \frac{i}{32}\right)((29 + i)A + (1 + 6i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}a^3d}$$

```
[Out] ((-1/16 + I/16)*((1 + 29*I)*A - (6 + I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a^3*d) + (((30 + 28*I)*A - (7 - 5*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) - (5*(6*A + I*B)*Sqrt[Cot[c + d*x]])/(8*a^3*d) + ((A + I*B)*Cot[c + d*x]^(7/2))/(6*d*(I*a + a*Cot[c + d*x])^3) + ((5*A + (2*I)*B)*Cot[c + d*x]^(5/2))/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (7*(4*A + I*B)*Cot[c + d*x]^(3/2))/(24*d*(I*a^3 + a^3*Cot[c + d*x])) - ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d) + ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d)
```

Rubi [A] time = 0.918336, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{7(4A + iB) \cot^{\frac{3}{2}}(c + dx)}{24d(a^3 \cot(c + dx) + ia^3)} - \frac{5(6A + iB)\sqrt{\cot(c + dx)}}{8a^3d} - \frac{\left(\frac{1}{32} - \frac{i}{32}\right)((29 + i)A + (1 + 6i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]
```

```
[Out] ((-1/16 + I/16)*((1 + 29*I)*A - (6 + I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*a^3*d) + (((30 + 28*I)*A - (7 - 5*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) - (5*(6*A + I*B)*Sqrt[Cot[c + d*x]])/(8*a^3*d) + ((A + I*B)*Cot[c + d*x]^(7/2))/(6*d*(I*a + a*Cot[c + d*x])^3) + ((5*A + (2*I)*B)*Cot[c + d*x]^(5/2))/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (7*(4*A + I*B)*Cot[c + d*x]^(3/2))/(24*d*(I*a^3 + a^3*Cot[c + d*x])) - ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d) + ((1/32 - I/32)*((29 + I)*A + (1 + 6*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*
```

$(m + n) \cdot \tan[e + f \cdot x], x, x, x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx &= \int \frac{\cot^{\frac{7}{2}}(c+dx)(B+A \cot(c+dx))}{(ia+a \cot(c+dx))^3} dx \\
&= \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{\int \frac{\cot^{\frac{5}{2}}(c+dx) \left(-\frac{7}{2}a(ia-B) + \frac{1}{2}a(13A+iB) \cot(c+dx) \right)}{(ia+a \cot(c+dx))^2} dx}{6a^2} \\
&= \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))^2} + \frac{\int \frac{\cot^{\frac{3}{2}}(c+dx) (-5a^2(5iA-2B) + \dots)}{ia+a \cot(c+dx)} dx}{24a} \\
&= \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))^2} + \frac{7(4A+iB) \cot^{\frac{3}{2}}(c+dx)}{24d(ia^3+a^3 \cot(c+dx))} \\
&= -\frac{5(6A+iB)\sqrt{\cot(c+dx)}}{8a^3d} + \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))} \\
&= -\frac{5(6A+iB)\sqrt{\cot(c+dx)}}{8a^3d} + \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))} \\
&= -\frac{5(6A+iB)\sqrt{\cot(c+dx)}}{8a^3d} + \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))} \\
&= -\frac{5(6A+iB)\sqrt{\cot(c+dx)}}{8a^3d} + \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))} \\
&= -\frac{5(6A+iB)\sqrt{\cot(c+dx)}}{8a^3d} + \frac{(A+iB) \cot^{\frac{7}{2}}(c+dx)}{6d(ia+a \cot(c+dx))^3} + \frac{(5A+2iB) \cot^{\frac{5}{2}}(c+dx)}{12ad(ia+a \cot(c+dx))} \\
&= -\frac{((30+28i)A - (7-5i)B) \tan^{-1} \left(1 - \sqrt{2} \sqrt{\cot(c+dx)} \right)}{16\sqrt{2}a^3d} + \dots
\end{aligned}$$

Mathematica [A] time = 3.57323, size = 284, normalized size = 0.77

$$\frac{\sec^2(c+dx)(\cos(dx) + i \sin(dx))^3(A+B \tan(c+dx)) \left(\frac{2}{3} \cot(c+dx)(\cos(3dx) - i \sin(3dx))((49A+19iB) \cos(c+dx) - \dots) \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*((2*Cot[c + d*x]*(Cos[3*d*x] - I*Sin[3*d*x])*((49*A + (19*I)*B)*Cos[c + d*x] - (145*A + (19*I)*B)*Cos[3*(c + d*x)] + 6*((-19*I)*A + 2*B + 7*((-7*I)*A + B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/3 + Csc[c + d*x]*(((28 - 30*I)*A + (5 + 7*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((29 + I)*A + (1 + 6*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)])])*(I*Cos[3*c] - Sin[3*c])*Sqrt[Sin[2*(c + d*x)])*(A + B*Tan[c + d*x]))/(32*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x]))*(a + I*a*Tan[c + d*x])^3)

Maple [C] time = 0.741, size = 2577, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{(3/2)} * (A+B*\tan(dx+c)) / (a+I*a*\tan(dx+c))^3, x)$

[Out] $\frac{1}{48}a^3/d^2^{(1/2)}*\sin(dx+c)*(\cos(dx+c)/\sin(dx+c))^{(3/2)}*(-21*B*\cos(dx+c))*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)})$
 $*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}+87*A*\cos(dx+c)*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+18*A*\cos(dx+c)^3*2^{(1/2)}-90*A*\cos(dx+c)*2^{(1/2)}-16*I*A*\cos(dx+c)^6*\sin(dx+c)*2^{(1/2)}-16*I*A*\cos(dx+c)^4*\sin(dx+c)*2^{(1/2)}-28*I*A*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}+18*B*\cos(dx+c)*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+16*A*\cos(dx+c)^7*2^{(1/2)}+3*I*A*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-87*I*A*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+84*I*A*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)})-3*I*B*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*$
 $\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+8*A*\cos(dx+c)^5*2^{(1/2)}+7*B*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}+87*A*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+18*B*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})+3*A*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+3*B*\cos(dx+c)*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})+3*A*\cos(dx+c)*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-21*B*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)})*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}+3*B*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})-4*I*B*\cos(dx+c)^5*2^{(1/2)}+16*I*B*\cos(dx+c)^7*2^{(1/2)}+4*B*\cos(dx+c)^4*\sin(dx+c)*2^{(1/2)}+18*I*B*\cos(dx+c)*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})-87*I*A*\cos(dx+c)*(-$

$$\begin{aligned}
& -(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)},1/2-1/2*I,1/2*2^{(1/2)})+84*I*A*\cos(dx+c)*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticF((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)},1/2*2^{(1/2)})-3*I*B*\cos(dx+c)*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})+16*B*\cos(dx+c)^6*\sin(dx+c)*2^{(1/2)}+3*I*B*\cos(dx+c)^3*2^{(1/2)}-15*I*B*\cos(dx+c)*2^{(1/2)}+3*I*A*\cos(dx+c)*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{(1/2)}/\cos(dx+c)^2
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.67205, size = 1854, normalized size = 5.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned}
& 1/96*(3*a^3*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)}*e^{(6*I*d*x + 6*I*c)}*log(1/8*((16*I*a^3*d*e^{(2*I*d*x + 2*I*c)} - 16*I*a^3*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)} - 16*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 3*a^3*d*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)}*e^{(6*I*d*x + 6*I*c)}*log(1/8*((-16*I*a^3*d*e^{(2*I*d*x + 2*I*c)} + 16*I*a^3*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)} - 16*(A - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} + 3*a^3*d*\sqrt{(-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2)}*e^{(6*I*d*x + 6*I*c)}*log(1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} - a^3*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2)} + 29*I*A - 6*B)*e^{(-2*I*d*x - 2*I*c)/(a^3*d)} - 3*a^3*d*\sqrt{(-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2)}*e^{(6*I*d*x + 6*I*c)}*log(-1/8*((a^3*d*e^{(2*I*d*x + 2*I*c)} - a^3*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-841*I*A^2 + 348*A*B + 36*I*B^2)/(a^6*d^2)} - 29*I*A + 6*B)*e^{(-2*I*d*x - 2*I*c)/(a^3*d)} - 2*(2*(73*A + 10*I*B)*e^{(6*I*d*x + 6*I*c)} - (41*A + 14*I*B)*e^{(4*I*d*x + 4*I*c)} - (8*A + 5*I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)))*e^{(-6*I*d*x - 6*I*c)/(a^3*d)}
\end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(i a \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(I*a*tan(d*x + c) + a)^3, x)

$$3.531 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=318

$$\frac{((7+5i)A-2iB) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{32\sqrt{2}a^3d} + \frac{((7+5i)A-2iB) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{32\sqrt{2}a^3d}$$

```
[Out] -(((7 + 5*I)*A + (2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + (((7 + 5*I)*A + (2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((A + I*B)*Cot[c + d*x]^(5/2))/(6*d*(I*a + a*Cot[c + d*x])^3) + ((4*A + I*B)*Cot[c + d*x]^(3/2))/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (5*A*Sqrt[Cot[c + d*x]])/(8*d*(I*a^3 + a^3*Cot[c + d*x])) - (((7 + 5*I)*A - (2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d) + (((7 + 5*I)*A - (2*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d)
```

Rubi [A] time = 0.774829, antiderivative size = 318, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3581, 3595, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{((7+5i)A-2iB) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{32\sqrt{2}a^3d} + \frac{((7+5i)A-2iB) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{32\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3,x]
```

```
[Out] -(((7 + 5*I)*A + (2*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + (((7 + 5*I)*A + (2*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((A + I*B)*Cot[c + d*x]^(5/2))/(6*d*(I*a + a*Cot[c + d*x])^3) + ((4*A + I*B)*Cot[c + d*x]^(3/2))/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (5*A*Sqrt[Cot[c + d*x]])/(8*d*(I*a^3 + a^3*Cot[c + d*x])) - (((7 + 5*I)*A - (2*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d) + (((7 + 5*I)*A - (2*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cot(c+dx)}(A+B\tan(c+dx))}{(a+ia\tan(c+dx))^3} dx &= \int \frac{\cot^{\frac{5}{2}}(c+dx)(B+A\cot(c+dx))}{(ia+a\cot(c+dx))^3} dx \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{\int \frac{\cot^{\frac{3}{2}}(c+dx)\left(-\frac{5}{2}a(iA-B)+\frac{1}{2}a(11A-iB)\cot(c+dx)\right)}{(ia+a\cot(c+dx))^2} dx}{6a^2} \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{(4A+iB)\cot^{\frac{3}{2}}(c+dx)}{12ad(ia+a\cot(c+dx))^2} + \frac{\int \frac{\sqrt{\cot(c+dx)}(-3a^2(4iA-B)+}{ia+a\cot(c+dx)} dx}{24a} \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{(4A+iB)\cot^{\frac{3}{2}}(c+dx)}{12ad(ia+a\cot(c+dx))^2} + \frac{5A\sqrt{\cot(c+dx)}}{8d(ia^3+a^3\cot(c+dx))} \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{(4A+iB)\cot^{\frac{3}{2}}(c+dx)}{12ad(ia+a\cot(c+dx))^2} + \frac{5A\sqrt{\cot(c+dx)}}{8d(ia^3+a^3\cot(c+dx))} \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{(4A+iB)\cot^{\frac{3}{2}}(c+dx)}{12ad(ia+a\cot(c+dx))^2} + \frac{5A\sqrt{\cot(c+dx)}}{8d(ia^3+a^3\cot(c+dx))} \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{(4A+iB)\cot^{\frac{3}{2}}(c+dx)}{12ad(ia+a\cot(c+dx))^2} + \frac{5A\sqrt{\cot(c+dx)}}{8d(ia^3+a^3\cot(c+dx))} \\
&= \frac{(A+iB)\cot^{\frac{5}{2}}(c+dx)}{6d(ia+a\cot(c+dx))^3} + \frac{(4A+iB)\cot^{\frac{3}{2}}(c+dx)}{12ad(ia+a\cot(c+dx))^2} + \frac{5A\sqrt{\cot(c+dx)}}{8d(ia^3+a^3\cot(c+dx))} \\
&= -\frac{((-7+5i)A+2iB)\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{16\sqrt{2}a^3d} + \frac{((-7+5i)A+2iB)\tan^{-1}}{16\sqrt{2}}
\end{aligned}$$

Mathematica [A] time = 2.44011, size = 258, normalized size = 0.81

$$\frac{\sec^2(c+dx)(\cos(dx)+i\sin(dx))^3(A+B\tan(c+dx))\left(\frac{4}{3}\cos(c+dx)(\cos(3dx)-i\sin(3dx))((-B+19iA)\sin(2(c+dx))\right)}{3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^3, x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*(Csc[c + d*x]*(((5 + 7*I)*A + 2*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] - (1 + I)*((1 + 6*I)*A + (1 - I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(I*Cos[3*c] - Sin[3*c])*Sqrt[Sin[2*(c + d*x)]] + (4*Cos[c + d*x]*(Cos[3*d*x] - I*Sin[3*d*x])*(6*A + (3*I)*B + 3*(7*A + I*B)*Cos[2*(c + d*x)] + ((19*I)*A - B)*Sin[2*(c + d*x)]))/3*(A + B*Tan[c + d*x]))/(32*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^3)

Maple [C] time = 0.645, size = 1581, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{1/2} * (A+B*\tan(dx+c)) / (a+I*a*\tan(dx+c))^3, x)$

[Out]
$$\begin{aligned} & -1/48/a^3/d*2^{1/2}*(\cos(dx+c)/\sin(dx+c))^{1/2}*(\cos(dx+c)+1)^2*(\cos(dx+c)-1) \\ & *(16*B*\cos(dx+c)^5*\sin(dx+c)*2^{1/2}-2*I*B*\cos(dx+c)^2*2^{1/2}-16*I*B*\cos(dx+c)^7*2^{1/2} \\ & +16*I*B*\cos(dx+c)^6*2^{1/2}+8*I*B*\cos(dx+c)^5*2^{1/2}-8*I*B*\cos(dx+c)^4*2^{1/2} \\ & +2*I*B*\cos(dx+c)^3*2^{1/2}+18*A*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2}) \\ & *sin(dx+c)-21*A*sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2} \\ & *EllipticF((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2*2^{1/2}) \\ & -7*A*cos(dx+c)^3*2^{1/2}+7*A*2^{1/2}*cos(dx+c)^2+3*A*sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2} \\ & *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2}) \\ & +4*A*cos(dx+c)^4*2^{1/2}+3*B*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2}) \\ & *sin(dx+c)-16*A*cos(dx+c)^7*2^{1/2}-4*A*cos(dx+c)^5*2^{1/2}+16*A*cos(dx+c)^6*2^{1/2} \\ & -3*I*A*sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2} \\ & *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2}) \\ & -3*I*B*sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2} \\ & *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2}) \\ & -15*I*A*cos(dx+c)*sin(dx+c)*2^{1/2}+16*I*A*cos(dx+c)^6*sin(dx+c)*2^{1/2} \\ & -16*I*A*cos(dx+c)^5*sin(dx+c)*2^{1/2}+12*I*A*cos(dx+c)^4*sin(dx+c)*2^{1/2} \\ & -12*I*A*cos(dx+c)^3*sin(dx+c)*2^{1/2}-3*B*sin(dx+c)*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2} \\ & *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2}) \\ & +15*I*A*2^{1/2}*cos(dx+c)^2*sin(dx+c)+6*I*B*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2} \\ & *EllipticF((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2*2^{1/2}) \\ & *sin(dx+c)+18*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2}) \\ & *sin(dx+c)-3*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2} \\ & *((\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} *sin(dx+c) *EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2}) \\ & -16*B*cos(dx+c)^6*sin(dx+c)*2^{1/2})/\sin(dx+c)^3/\cos(dx+c) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^{1/2} * (A+B*\tan(dx+c)) / (a+I*a*\tan(dx+c))^3, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.58309, size = 1771, normalized size = 5.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/96*(3*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*
log(-2*((a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I
)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)) + (A
- I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 3*a^3*d*sqrt(
(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(2*((a^3*d*e^(2*
I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*
c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)) - (A - I*B)*e^(2*I*d*x +
2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 3*a^3*d*sqrt((36*I*A^2 + 12*A*B -
I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-1/8*((a^3*d*e^(2*I*d*x + 2*I*c)
- a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt(
(36*I*A^2 + 12*A*B - I*B^2)/(a^6*d^2)) + 6*A - I*B)*e^(-2*I*d*x - 2*I*c)/(a
^3*d)) + 3*a^3*d*sqrt((36*I*A^2 + 12*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6
*I*c)*log(1/8*((a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I
*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((36*I*A^2 + 12*A*B - I*B^2)/(a^6*d
^2)) - 6*A + I*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) + 2*((-20*I*A + 2*B)*e^(6*I
*d*x + 6*I*c) + (14*I*A + B)*e^(4*I*d*x + 4*I*c) + (5*I*A - 2*B)*e^(2*I*d*x
+ 2*I*c) + I*A - B)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c)
- 1)))e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(i a \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(I*a*tan(d*x + c) + a)^3,
x)
```

$$3.532 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=316

$$\frac{(B+2iA)\sqrt{\cot(c+dx)}}{8d(a^3 \cot(c+dx)+ia^3)} + \frac{(2iA+(1-i)B) \log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)}+1)}{32\sqrt{2}a^3d} - \frac{(2iA+(1-i)B) \log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)}+1)}{32\sqrt{2}a^3d}$$

```
[Out] ((-1/16 - I/16)*((1 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*a^3*d) + ((1/16 + I/16)*((1 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*a^3*d) + ((A + I*B)*Cot[c + d*x]^(3/2))/(6*d*(I*a + a*Cot[c + d*x])^3) + (A*Sqrt[Cot[c + d*x]])/(4*a*d*(I*a + a*Cot[c + d*x])^2) + (((2*I)*A + B)*Sqrt[Cot[c + d*x]])/(8*d*(I*a^3 + a^3*Cot[c + d*x])) + (((2*I)*A + (1 - I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^3*d) - (((2*I)*A + (1 - I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^3*d)
```

Rubi [A] time = 0.761368, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(B+2iA)\sqrt{\cot(c+dx)}}{8d(a^3 \cot(c+dx)+ia^3)} + \frac{(2iA+(1-i)B) \log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)}+1)}{32\sqrt{2}a^3d} - \frac{(2iA+(1-i)B) \log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)}+1)}{32\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^3), x]
```

```
[Out] ((-1/16 - I/16)*((1 + I)*A + B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*a^3*d) + ((1/16 + I/16)*((1 + I)*A + B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*a^3*d) + ((A + I*B)*Cot[c + d*x]^(3/2))/(6*d*(I*a + a*Cot[c + d*x])^3) + (A*Sqrt[Cot[c + d*x]])/(4*a*d*(I*a + a*Cot[c + d*x])^2) + (((2*I)*A + B)*Sqrt[Cot[c + d*x]])/(8*d*(I*a^3 + a^3*Cot[c + d*x])) + (((2*I)*A + (1 - I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^3*d) - (((2*I)*A + (1 - I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(32*Sqrt[2]*a^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m
+ 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -
b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```


Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)(a + ia \tan(c + dx))^3}} dx &= \int \frac{\cot^{\frac{3}{2}}(c + dx)(B + A \cot(c + dx))}{(ia + a \cot(c + dx))^3} dx \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{\int \frac{\sqrt{\cot(c + dx)} \left(-\frac{3}{2}a(ia - B) + \frac{3}{2}a(3A - iB) \cot(c + dx) \right)}{(ia + a \cot(c + dx))^2} dx}{6a^2} \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{A\sqrt{\cot(c + dx)}}{4ad(ia + a \cot(c + dx))^2} + \frac{\int \frac{-3ia^2A + 3a^2(3A - 2iB) \cot(c + dx)}{\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))} dx}{24a^4} \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{A\sqrt{\cot(c + dx)}}{4ad(ia + a \cot(c + dx))^2} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{A\sqrt{\cot(c + dx)}}{4ad(ia + a \cot(c + dx))^2} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{A\sqrt{\cot(c + dx)}}{4ad(ia + a \cot(c + dx))^2} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{A\sqrt{\cot(c + dx)}}{4ad(ia + a \cot(c + dx))^2} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
&= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{6d(ia + a \cot(c + dx))^3} + \frac{A\sqrt{\cot(c + dx)}}{4ad(ia + a \cot(c + dx))^2} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
&= -\frac{\left(\frac{1}{16} + \frac{i}{16}\right) \left((1 + i)A + B \right) \tan^{-1} \left(1 - \sqrt{2} \sqrt{\cot(c + dx)} \right)}{\sqrt{2}a^3d} + \frac{\left(\frac{1}{16} + \frac{i}{16}\right) \left((1 + i)A + B \right) \tan^{-1} \left(1 + \sqrt{2} \sqrt{\cot(c + dx)} \right)}{\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 3.78045, size = 272, normalized size = 0.86

$$e^{-4i(c+dx)}\sqrt{\cot(c+dx)}\sec(c+dx)(\cos(3(c+dx))-i\sin(3(c+dx)))\left((-2e^{2i(c+dx)}+e^{4i(c+dx)}+2e^{6i(c+dx)}-1)(Ae^{2i(c+dx)}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x]))^3, x]

[Out] (((A + I*B + A*E^((2*I)*(c + d*x)) - (2*I)*B*E^((2*I)*(c + d*x)))*(-1 - 2*E^((2*I)*(c + d*x)) + E^((4*I)*(c + d*x)) + 2*E^((6*I)*(c + d*x))) - 3*A*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((4*I)*(c + d*x))]*ArcTan[Sqrt[-1 + E^((4*I)*(c + d*x))]] - 6*(A - I*B)*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]*Sec[c + d*x]*(Cos[3*(c + d*x)] - I*Sin[3*(c + d*x)]))/(96*a^3*d*E^((4*I)*(c + d*x)))

Maple [C] time = 0.602, size = 5075, normalized size = 16.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.56556, size = 1706, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] -1/96*(3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*
log(1/8*((16*I*a^3*d*e^(2*I*d*x + 2*I*c) - 16*I*a^3*d)*sqrt((I*e^(2*I*d*x +
2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d
^2)) - 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) -
3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8
*((-16*I*a^3*d*e^(2*I*d*x + 2*I*c) + 16*I*a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c
) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) -
16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 24*a^3
*d*sqrt(-1/64*I*A^2/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*(8*(a^3*d*e^(2*I
*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c
) - 1))*sqrt(-1/64*I*A^2/(a^6*d^2)) + I*A)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) +
24*a^3*d*sqrt(-1/64*I*A^2/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-1/8*(8*(a^3*d
*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x
+ 2*I*c) - 1))*sqrt(-1/64*I*A^2/(a^6*d^2)) - I*A)*e^(-2*I*d*x - 2*I*c)/(a^3
*d)) - 2*(2*(A - 2*I*B)*e^(6*I*d*x + 6*I*c) + (A + 4*I*B)*e^(4*I*d*x + 4*I*
c) - (2*A - I*B)*e^(2*I*d*x + 2*I*c) - A - I*B)*sqrt((I*e^(2*I*d*x + 2*I*c)
+ I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**3,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(ia \tan(dx + c) + a)^3 \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^3,x, algorit  
hm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^3*sqrt(cot(d*x + c))  
, x)
```

$$3.533 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=308

$$\frac{(2B - (1 - i)A) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d} + \frac{(2B - (1 - i)A) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d}$$

```
[Out] -(((1 + I)*A + 2*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + (((1 + I)*A + 2*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((A + I*B)*Sqrt[Cot[c + d*x]]/(6*d*(I*a + a*Cot[c + d*x])^3) + (((2*I)*A + B)*Sqrt[Cot[c + d*x]]/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (A*Sqrt[Cot[c + d*x]]/(8*d*(I*a^3 + a^3*Cot[c + d*x])) - (((-1 + I)*A + 2*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d) + (((-1 + I)*A + 2*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d)
```

Rubi [A] time = 0.725226, antiderivative size = 308, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3595, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(2B - (1 - i)A) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d} + \frac{(2B - (1 - i)A) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3), x]
```

```
[Out] -(((1 + I)*A + 2*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + (((1 + I)*A + 2*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((A + I*B)*Sqrt[Cot[c + d*x]]/(6*d*(I*a + a*Cot[c + d*x])^3) + (((2*I)*A + B)*Sqrt[Cot[c + d*x]]/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (A*Sqrt[Cot[c + d*x]]/(8*d*(I*a^3 + a^3*Cot[c + d*x])) - (((-1 + I)*A + 2*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d) + (((-1 + I)*A + 2*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^3} dx &= \int \frac{\sqrt{\cot(c + dx)}(B + A \cot(c + dx))}{(ia + a \cot(c + dx))^3} dx \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(iA-B) + \frac{1}{2}a(7A-5iB) \cot(c+dx)}{\sqrt{\cot(c+dx)}(ia+a \cot(c+dx))^2} dx}{6a^2} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{\int \frac{-3ia^2B-3a^2(2iA+B) \cot(c+dx)}{\sqrt{\cot(c+dx)}(ia+a \cot(c+dx))^2} dx}{24a^4} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{A\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{A\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{A\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{A\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{A\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
 &= \frac{(A + iB)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(2iA + B)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{A\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))} \\
 &= -\frac{((1 + i)A + 2B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{16\sqrt{2}a^3d} + \frac{((1 + i)A + 2B) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c + dx)}\right)}{16\sqrt{2}a^3d}
 \end{aligned}$$

Mathematica [A] time = 3.35266, size = 274, normalized size = 0.89

$$e^{-4i(c+dx)}\sqrt{\cot(c+dx)}\sec(c+dx)(\cos(3(c+dx))-i\sin(3(c+dx)))\left((-2e^{2i(c+dx)}-e^{4i(c+dx)}+2e^{6i(c+dx)}+1)\right)(-iA(1+2e^{2i(c+dx)}))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^3), x]

[Out] (((1 - 2*E^((2*I)*(c + d*x)) - E^((4*I)*(c + d*x)) + 2*E^((6*I)*(c + d*x))) * (B - B*E^((2*I)*(c + d*x)) - I*A*(1 + 2*E^((2*I)*(c + d*x)))) - 3*B*E^((6*I)*(c + d*x)))*Sqrt[-1 + E^((4*I)*(c + d*x))]*ArcTan[Sqrt[-1 + E^((4*I)*(c + d*x))]] + 6*(I*A + B)*E^((6*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[(-1 + E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]])*Sqrt[Cot[c + d*x]]*Sec[c + d*x]*(Cos[3*(c + d*x)] - I*Sin[3*(c + d*x)]))/(96*a^3*d*E^((4*I)*(c + d*x)))

Maple [C] time = 0.493, size = 4520, normalized size = 14.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.48389, size = 1675, normalized size = 5.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/96*(3*a^3*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)}*e^{(6*I*d*x + 6*I*c)} \\ & * \log(-2*((a^3*d*e^{(2*I*d*x + 2*I*c)} - a^3*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)} + (A \\ & - I*B)*e^{(2*I*d*x + 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 3*a^3*d*\sqrt{ \\ & ((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)}*e^{(6*I*d*x + 6*I*c)}*\log(2*((a^3*d*e^{(2 \\ & *I*d*x + 2*I*c)} - a^3*d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I \\ & *c)} - 1)}*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)} - (A - I*B)*e^{(2*I*d*x + \\ & 2*I*c)}*e^{(-2*I*d*x - 2*I*c)/(I*A + B)} - 24*a^3*d*\sqrt{-1/64*I*B^2/(a^6*d \\ & ^2)}*e^{(6*I*d*x + 6*I*c)}*\log(1/8*(8*(a^3*d*e^{(2*I*d*x + 2*I*c)} - a^3*d)*\sqrt{ \\ & (I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{-1/64*I*B^2/(\\ & a^6*d^2)} + I*B)*e^{(-2*I*d*x - 2*I*c)/(a^3*d)} + 24*a^3*d*\sqrt{-1/64*I*B^2/ \\ & (a^6*d^2)}*e^{(6*I*d*x + 6*I*c)}*\log(-1/8*(8*(a^3*d*e^{(2*I*d*x + 2*I*c)} - a^3 \\ & *d)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*\sqrt{-1/64* \\ & I*B^2/(a^6*d^2)} - I*B)*e^{(-2*I*d*x - 2*I*c)/(a^3*d)} - 2*((-4*I*A - 2*B)*e \\ & ^{(6*I*d*x + 6*I*c)} + (4*I*A + 5*B)*e^{(4*I*d*x + 4*I*c)} + (I*A - 4*B)*e^{(2*I \\ & *d*x + 2*I*c)} - I*A + B)*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I \\ & *c)} - 1)})*e^{(-6*I*d*x - 6*I*c)/(a^3*d)} \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**3,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^3 \cot(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^3*cot(d*x + c)^(3/2)), x)
```

$$3.534 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=310

$$\frac{(2A - (5 + 7i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d} + \frac{(2A - (5 + 7i)B) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d}$$

```
[Out] -((2*A + (5 - 7*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((2*A + (5 - 7*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((I*A - B)*Sqrt[Cot[c + d*x]]/(6*d*(I*a + a*Cot[c + d*x])^3) + ((A + (4*I)*B)*Sqrt[Cot[c + d*x]]/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (5*B*Sqrt[Cot[c + d*x]]/(8*d*(I*a^3 + a^3*Cot[c + d*x]))) - ((2*A - (5 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d) + ((2*A - (5 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d)
```

Rubi [A] time = 0.756826, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3581, 3596, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(2A - (5 + 7i)B) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d} + \frac{(2A - (5 + 7i)B) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{32\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^3), x]
```

```
[Out] -((2*A + (5 - 7*I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((2*A + (5 - 7*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(16*Sqrt[2]*a^3*d) + ((I*A - B)*Sqrt[Cot[c + d*x]]/(6*d*(I*a + a*Cot[c + d*x])^3) + ((A + (4*I)*B)*Sqrt[Cot[c + d*x]]/(12*a*d*(I*a + a*Cot[c + d*x])^2) + (5*B*Sqrt[Cot[c + d*x]]/(8*d*(I*a^3 + a^3*Cot[c + d*x]))) - ((2*A - (5 + 7*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d) + ((2*A - (5 + 7*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(32*Sqrt[2]*a^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3596

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\cot^2(c + dx)(a + ia \tan(c + dx))^3} dx = \int \frac{B + A \cot(c + dx)}{\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} dx$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(A-11iB) - \frac{5}{2}a(iA-B) \cot(c+dx)}{\sqrt{\cot(c+dx)}(ia+a \cot(c+dx))^2} dx}{6a^2}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(A + 4iB)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{\int \frac{-3a^2(iA+6B)-3a^2(A+4iB) \cot(c+dx)}{\sqrt{\cot(c+dx)}(ia+a \cot(c+dx))} dx}{24a^4}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(A + 4iB)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{5B\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(A + 4iB)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{5B\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(A + 4iB)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{5B\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(A + 4iB)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{5B\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))}$$

$$= \frac{(iA - B)\sqrt{\cot(c + dx)}}{6d(ia + a \cot(c + dx))^3} + \frac{(A + 4iB)\sqrt{\cot(c + dx)}}{12ad(ia + a \cot(c + dx))^2} + \frac{5B\sqrt{\cot(c + dx)}}{8d(ia^3 + a^3 \cot(c + dx))}$$

$$= \frac{(2A + (5 - 7i)B) \tan^{-1} \left(1 - \sqrt{2}\sqrt{\cot(c + dx)} \right)}{16\sqrt{2}a^3d} + \frac{(2A + (5 - 7i)B) \tan^{-1} \left(1 + \sqrt{2}\sqrt{\cot(c + dx)} \right)}{16\sqrt{2}a^3d}$$

Mathematica [A] time = 4.22937, size = 415, normalized size = 1.34

$$\frac{\cot^3(c + dx) \csc^2(c + dx) \sec^3(c + dx) (A \cos(c + dx) + B \sin(c + dx)) \left(-(A + 19iB) \cos(4(c + dx)) + (3 + 3i)((1 + i)A \right)}{16\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^3),x]
```

```
[Out] (Cot[c + d*x]^(3/2)*Csc[c + d*x]^2*Sec[c + d*x]^3*(A*Cos[c + d*x] + B*Sin[c + d*x])*(A + (19*I)*B - (A + (19*I)*B)*Cos[4*(c + d*x)] + 6*A*Cos[3*(c + d*x)]*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]*Sqrt[Sin[2*(c + d*x)]] - (15 + 21*I)*B*Cos[3*(c + d*x)]*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]*Sqrt[Sin[2*(c + d*x)]] + (6*I)*A*Sin[2*(c + d*x)] - 12*B*Sin[2*(c + d*x)] + (6*I)*A*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]*Sqrt[Sin[2*(c + d*x)]]*Sin[3*(c + d*x)] + (21 - 15*I)*B*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]]*Sqrt[Sin[2*(c + d*x)]]*Sin[3*(c + d*x)] + (3 + 3*I)*((1 + I)*A + (6 - I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]]*Sqrt[Sin[2*(c + d*x)]]*((-I)*Cos[3*(c + d*x)] + Sin[3*(c + d*x)]) - (3*I)*A*Sin[4*(c + d*x)] + 21*B*Sin[4*(c + d*x)]))/(96*a^3*d*(I + Cot[c + d*x])^3*(A + B*Tan[c + d*x]))
```

Maple [C] time = 0.506, size = 5731, normalized size = 18.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.61743, size = 1813, normalized size = 5.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/96*(3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*((16*I*a^3*d*e^(2*I*d*x + 2*I*c) - 16*I*a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) - 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) - 3*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*((-16*I*a^3*d*e^(2*I*d*x + 2*I*c) + 16*I*a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^6*d^2)) - 16*(A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 3*a^3*d*sqrt((-I*A^2 - 12*A*B + 36*I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(1/8*(a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 12*A*B + 36*I*B^2)/(a^6*d^2)) + I*A + 6*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) - 3*a^3*d*sqrt((-I*A^2 - 12*A*B + 36*I*B^2)/(a^6*d^2))*e^(6*I*d*x + 6*I*c)*log(-1/8*(a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 12*A*B + 36*I*B^2)/(a^6*d^2)) - I*A - 6*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d)) - 2*(2*(A + 10*I*B)*e^(6*I*d*x + 6*I*c) - (5*A + 26*I*B)*e^(4*I*d*x + 4*I*c) + (4*A + 7*I*B)*e^(2*I*d*x + 2*I*c) - A - I*B)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**3,x)
```

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(ia \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^3*cot(d*x + c)^(5/2)), x)

$$3.535 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))^3} dx$$

Optimal. Leaf size=367

$$-\frac{7(-4B+iA)}{24d\sqrt{\cot(c+dx)}(a^3 \cot(c+dx)+ia^3)} + \frac{5(A+6iB)}{8a^3d\sqrt{\cot(c+dx)}} + \frac{\left(\frac{1}{32} + \frac{i}{32}\right)((6+i)A+(1+29i)B) \log(\cot(c+dx) - \sqrt{2a^3d})}{\sqrt{2a^3d}}$$

[Out] $((1/16 + I/16)*((1 + 6*I)*A - (29 + I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a^3*d) + (((5 - 7*I)*A + (28 + 30*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(16*Sqrt[2]*a^3*d) + (5*(A + (6*I)*B))/(8*a^3*d*Sqrt[Cot[c + d*x]]) + (I*A - B)/(6*d*Sqrt[Cot[c + d*x]]*(I*a + a*Cot[c + d*x])^3) + (2*A + (5*I)*B)/(12*a*d*Sqrt[Cot[c + d*x]]*(I*a + a*Cot[c + d*x])^2) - (7*(I*A - 4*B))/(24*d*Sqrt[Cot[c + d*x]]*(I*a^3 + a^3*Cot[c + d*x])) + ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d) - ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d)$

Rubi [A] time = 0.925566, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3581, 3596, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$-\frac{7(-4B+iA)}{24d\sqrt{\cot(c+dx)}(a^3 \cot(c+dx)+ia^3)} + \frac{5(A+6iB)}{8a^3d\sqrt{\cot(c+dx)}} + \frac{\left(\frac{1}{32} + \frac{i}{32}\right)((6+i)A+(1+29i)B) \log(\cot(c+dx) - \sqrt{2a^3d})}{\sqrt{2a^3d}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^3), x]

[Out] $((1/16 + I/16)*((1 + 6*I)*A - (29 + I)*B)*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*a^3*d) + (((5 - 7*I)*A + (28 + 30*I)*B)*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(16*Sqrt[2]*a^3*d) + (5*(A + (6*I)*B))/(8*a^3*d*Sqrt[Cot[c + d*x]]) + (I*A - B)/(6*d*Sqrt[Cot[c + d*x]]*(I*a + a*Cot[c + d*x])^3) + (2*A + (5*I)*B)/(12*a*d*Sqrt[Cot[c + d*x]]*(I*a + a*Cot[c + d*x])^2) - (7*(I*A - 4*B))/(24*d*Sqrt[Cot[c + d*x]]*(I*a^3 + a^3*Cot[c + d*x])) + ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d) - ((1/32 + I/32)*((6 + I)*A + (1 + 29*I)*B)*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(Sqrt[2]*a^3*d)$

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p]*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ

$[a, b, c, d, e, f, A, B, n], x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$
 $\&\& \text{LtQ}[m, 0] \&\& \text{!GtQ}[n, 0]$

Rule 3529

$\text{Int}[(a_.) + (b_.)\tan[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\tan[(e_.) + (f_.)x]), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)(a + b*\tan[e + f*x])^{m+1} / (f*(m+1)(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\tan[e + f*x])^{m+1} * \text{Simp}[a*c + b*d - (b*c - a*d)*\tan[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 3534

$\text{Int}[(c_.) + (d_.)\tan[(e_.) + (f_.)x] / \sqrt{(b_.)\tan[(e_.) + (f_.)x]}], x_Symbol] \rightarrow \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \sqrt{b*\tan[e + f*x]}], x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 1168

$\text{Int}[(d_.) + (e_.)x^2 / ((a_.) + (c_.)x^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*c)]$

Rule 1162

$\text{Int}[(d_.) + (e_.)x^2 / ((a_.) + (c_.)x^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 617

$\text{Int}[(a_.) + (b_.)x + (c_.)x^2]^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \&\& \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_.) + (b_.)x^2]^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \&\& \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[(d_.) + (e_.)x^2 / ((a_.) + (c_.)x^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-2*d/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 628

$\text{Int}[(d_.) + (e_.)x / ((a_.) + (b_.)x + (c_.)x^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{7}{2}}(c + dx)(a + ia \tan(c + dx))^3} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(ia + a \cot(c + dx))^3} dx \\
&= \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(A+13iB)-\frac{7}{2}a(iA-B)\cot(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(ia+a\cot(c+dx))^2} dx}{6a^2} \\
&= \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A + 5iB}{12ad\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2} \\
&= \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A + 5iB}{12ad\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^2} \\
&= \frac{5(A + 6iB)}{8a^3d\sqrt{\cot(c + dx)}} + \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A}{12ad\sqrt{\cot(c + dx)}} \\
&= \frac{5(A + 6iB)}{8a^3d\sqrt{\cot(c + dx)}} + \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A}{12ad\sqrt{\cot(c + dx)}} \\
&= \frac{5(A + 6iB)}{8a^3d\sqrt{\cot(c + dx)}} + \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A}{12ad\sqrt{\cot(c + dx)}} \\
&= \frac{5(A + 6iB)}{8a^3d\sqrt{\cot(c + dx)}} + \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A}{12ad\sqrt{\cot(c + dx)}} \\
&= \frac{5(A + 6iB)}{8a^3d\sqrt{\cot(c + dx)}} + \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A}{12ad\sqrt{\cot(c + dx)}} \\
&= \frac{5(A + 6iB)}{8a^3d\sqrt{\cot(c + dx)}} + \frac{iA - B}{6d\sqrt{\cot(c + dx)}(ia + a \cot(c + dx))^3} + \frac{2A}{12ad\sqrt{\cot(c + dx)}} \\
&= -\frac{((5 - 7i)A + (28 + 30i)B) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{16\sqrt{2}a^3d} + \frac{((5 - 7i)A + (28 + 30i)B)}{16\sqrt{2}a^3d}
\end{aligned}$$

Mathematica [A] time = 4.33462, size = 280, normalized size = 0.76

$$\frac{\sec^2(c + dx)(\cos(dx) + i \sin(dx))^3(A + B \tan(c + dx)) \left(\frac{2}{3}(\cos(3dx) - i \sin(3dx))((9A + 33iB) \cos(c + dx) + 21(A + 7iB) \cot(c + dx)) \right)}{16\sqrt{2}a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^3), x]

[Out] (Sec[c + d*x]^2*(Cos[d*x] + I*Sin[d*x])^3*((2*(Cos[3*d*x] - I*Sin[3*d*x])*(9*A + (33*I)*B)*Cos[c + d*x] + 21*(A + (7*I)*B)*Cos[3*(c + d*x)] + (2*I)*(19*A + (97*I)*B + (19*A + (145*I)*B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/3 - I*Csc[c + d*x]*(((7 + 5*I)*A - (30 - 28*I)*B)*ArcSin[Cos[c + d*x] - Sin[c + d*x]] + (1 - I)*((6 + I)*A + (1 + 29*I)*B)*Log[Cos[c + d*x] + Sin[c + d*x] + Sqrt[Sin[2*(c + d*x)]]])*(Cos[3*c] + I*Sin[3*c])*Sqrt[Sin[2*(c + d*x)]]*(A + B*Tan[c + d*x])/(32*d*Sqrt[Cot[c + d*x]]*(A*Cos[c + d*x] + B*Sin[c + d*x]))*(a + I*a*Tan[c + d*x])^3

Maple [C] time = 0.635, size = 6350, normalized size = 17.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+I*a*tan(d*x+c))^3,x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.767, size = 2064, normalized size = 5.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/96*(3*(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*log(-2*((a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)) + (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B) - 3*(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2))*log(2*((a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^6*d^2)) - (A - I*B)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B) + 3*(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2))*log(1/8*((a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2)) + 6*A + 29*I*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d) - 3*(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))*sqrt((36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2))*log(-1/8*((a^3*d*e^(2*I*d*x + 2*I*c) - a^3*d)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*sqrt((36*I*A^2 - 348*A*B - 841*I*B^2)/(a^6*d^2)) - 6*A - 29*I*B)*e^(-2*I*d*x - 2*I*c)/(a^3*d) + 2*((-20*I*A + 146*B)*e^(8*I*d*x + 8*I*c) + (6*I*A - 105*B)*e^(6*I*d*x + 6*I*c) + (19*I*A - 49*B)*e^(4*I*d*x + 4*I*c) + (-6*I*A + 9*B)*e^(2*I*d*x + 2*I*c) + I*A - B)*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))/(a^3*d*e^(8*I*d*x + 8*I*c) + a^3*d*e^(6*I*d*x + 6*I*c))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(7/2)/(a+I*a*tan(d*x+c))**3,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(ia \tan(dx + c) + a)^3 \cot(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+I*a*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^3*cot(d*x + c)^(7/2)), x)

$$3.536 \quad \int \cot^{\frac{7}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=198

$$\frac{2(5B+ia) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{15d} + \frac{2(13A-5iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{(1+i) \sqrt{a}(A-iB) \sqrt{\cot(c+dx)}}{15d}$$

[Out] $((-1 - I) \sqrt{a} (A - I B) \operatorname{ArcTanh}[\frac{(1 + I) \sqrt{a} \sqrt{\tan(c + d x)}}{\sqrt{a + I a \tan(c + d x)}}]) / \sqrt{a + I a \tan(c + d x)} \sqrt{\cot(c + d x)} \sqrt{\tan(c + d x)} / d + (2 * (13 * A - (5 * I) * B) \sqrt{\cot(c + d x)} \sqrt{a + I a \tan(c + d x)}) / (15 * d) - (2 * (I * A + 5 * B) \cot(c + d x)^{(3/2)} \sqrt{a + I a \tan(c + d x)}) / (15 * d) - (2 * A * \cot(c + d x)^{(5/2)} \sqrt{a + I a \tan(c + d x)}) / (5 * d)$

Rubi [A] time = 0.668029, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4241, 3598, 12, 3544, 205}

$$\frac{2(5B+ia) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{15d} + \frac{2(13A-5iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{(1+i) \sqrt{a}(A-iB) \sqrt{\cot(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] $\int \cot(c+dx)^{(7/2)} \sqrt{a+I a \tan(c+dx)} (A+B \tan(c+dx)) dx$

[Out] $((-1 - I) \sqrt{a} (A - I B) \operatorname{ArcTanh}[\frac{(1 + I) \sqrt{a} \sqrt{\tan(c + d x)}}{\sqrt{a + I a \tan(c + d x)}}]) / \sqrt{a + I a \tan(c + d x)} \sqrt{\cot(c + d x)} \sqrt{\tan(c + d x)} / d + (2 * (13 * A - (5 * I) * B) \sqrt{\cot(c + d x)} \sqrt{a + I a \tan(c + d x)}) / (15 * d) - (2 * (I * A + 5 * B) \cot(c + d x)^{(3/2)} \sqrt{a + I a \tan(c + d x)}) / (15 * d) - (2 * A * \cot(c + d x)^{(5/2)} \sqrt{a + I a \tan(c + d x)}) / (5 * d)$

Rule 4241

$\text{Int}[(\cot[a] + (b \cdot x)) \cdot (c \cdot x)^m \cdot (u), x_Symbol] \rightarrow \text{Dist}[(c \cdot \cot[a + b \cdot x])^m \cdot (c \cdot \tan[a + b \cdot x])^m, \text{Int}[\text{ActivateTrig}[u] / (c \cdot \tan[a + b \cdot x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3598

$\text{Int}[(a + (b \cdot x) \cdot \tan[e + (f \cdot x)])^m \cdot ((A + (B \cdot x) \cdot \tan[e + (f \cdot x)]) + (f \cdot x) \cdot \tan[e + (f \cdot x)]) \cdot ((c + (d \cdot x) \cdot \tan[e + (f \cdot x)])^n), x_Symbol] \rightarrow \text{Simp}[(A \cdot d - B \cdot c) \cdot (a + b \cdot \tan[e + f \cdot x])^m \cdot (c + d \cdot \tan[e + f \cdot x])^{n+1} / (f \cdot (n+1) \cdot (c^2 + d^2)), x] - \text{Dist}[1 / (a \cdot (n+1) \cdot (c^2 + d^2)), \text{Int}[(a + b \cdot \tan[e + f \cdot x])^m \cdot (c + d \cdot \tan[e + f \cdot x])^{n+1} \cdot \text{Simp}[A \cdot (b \cdot d \cdot m - a \cdot c \cdot (n+1)) - B \cdot (b \cdot c \cdot m + a \cdot d \cdot (n+1)) - a \cdot (B \cdot c - A \cdot d) \cdot (m + n + 1) \cdot \tan[e + f \cdot x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b \cdot c - a \cdot d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

$\text{Int}[a \cdot (u), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b \cdot v) / ; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{7}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)} \right) \int \frac{\sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx \\
 &= -\frac{2A \cot^{\frac{5}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{5d} + \frac{(2\sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)})}{\tan^{\frac{7}{2}}(c+dx)} \\
 &= -\frac{2(iA+5B) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{2A \cot^{\frac{5}{2}}(c+dx)}{15d} \\
 &= \frac{2(13A-5iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{2(iA+5B)}{15d} \\
 &= \frac{2(13A-5iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{2(iA+5B)}{15d} \\
 &= \frac{2(13A-5iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{2(iA+5B)}{15d} \\
 &= \frac{(1-i) \sqrt{a} (iA+B) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c+dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 2.98304, size = 188, normalized size = 0.95

$$\frac{e^{-i(c+dx)} \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)} \left(-15(A-iB) (-1+e^{2i(c+dx)})^{5/2} \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}} \right) + 2Ae^{i(c+dx)} (-20e^{2i(c+dx)} + \dots) \right)}{15d (-1+e^{2i(c+dx)})^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (((-20*I)*B*E^((3*I)*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))) + 2*A*E^(I*(c + d*x)))*(15 - 20*E^((2*I)*(c + d*x)) + 17*E^((4*I)*(c + d*x))) - 15*(A - I*B)*(-1 + E^((2*I)*(c + d*x)))^(5/2)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]/(15*d*E^(I*(c + d*x))*(-1 + E^((2*I)*(c + d*x)))^2)

Maple [B] time = 0.667, size = 2243, normalized size = 11.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{7/2} * (a + I * a * \tan(dx+c))^{1/2} * (A + B * \tan(dx+c)), x)$

[Out]
$$\begin{aligned} & -1/30/d^{1/2} * (-10*B^{1/2} * \cos(dx+c) * \sin(dx+c) + 30*I*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & + 30*I*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & + 34*A * \cos(dx+c)^3 * 2^{1/2} - 28*A * \cos(dx+c) * 2^{1/2} - 32*A * 2^{1/2} * \cos(dx+c)^2 + 26*A * 2^{1/2} \\ & - 20*I*B * \cos(dx+c)^3 * 2^{1/2} + 10*I*B * \cos(dx+c)^2 * 2^{1/2} - 26*I*A * \sin(dx+c) * 2^{1/2} \\ & + 20*I*B * \cos(dx+c) * 2^{1/2} + 30*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & + 15*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) \\ & - 10*I*B * 2^{1/2} - 30*I*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & - 15*I*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) \\ & - 2*I*A * \cos(dx+c) * \sin(dx+c) * 2^{1/2} - 30*I*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & - 30*I*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & - 15*I*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) \\ & - 10*B * 2^{1/2} * \sin(dx+c) + 20*B * \cos(dx+c)^2 * \sin(dx+c) * 2^{1/2} + 15*I*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) \\ & + 15*I*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) \\ & + 30*I*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & + 30*I*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & - 30*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & - 30*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & - 15*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) \\ & + 30*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & - 30*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & - 30*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & - 15*A * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) \\ & + 30*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) \\ & + 30*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) \\ & + 15*B * ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) \\ & - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) \\ & + 34*I*A * \cos(dx+c)^2 * \sin(dx+c) * 2^{1/2} - 30*I*A * ((\cos \end{aligned}$$

$$\frac{(d*x+c-1)/\sin(d*x+c)^{(1/2)}*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)+1))*(\cos(d*x+c)/\sin(d*x+c))^{(7/2)}*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*\sin(d*x+c)/(I*\sin(d*x+c)+\cos(d*x+c)-1)/\cos(d*x+c)^3}$$

Maxima [B] time = 3.90849, size = 1875, normalized size = 9.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/900*(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)*(((900*I + 900)*A + (900*I - 900)*B)*cos(3*d*x + 3*c) + ((1170*I + 1170)*A - (750*I - 750)*B)*cos(d*x + c) + (-900*I - 900)*A - (900*I + 900)*B)*sin(3*d*x + 3*c) + ((1170*I - 1170)*A + (750*I + 750)*B)*sin(d*x + c))*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((900*I - 900)*A + (900*I + 900)*B)*cos(3*d*x + 3*c) + (-1170*I - 1170)*A - (750*I + 750)*B)*cos(d*x + c) + (-900*I + 900)*A + (900*I - 900)*B)*sin(3*d*x + 3*c) + ((1170*I + 1170)*A - (750*I - 750)*B)*sin(d*x + c))*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a) + (((900*I - 900)*A + (900*I + 900)*B)*cos(2*d*x + 2*c)^2 + ((900*I - 900)*A + (900*I + 900)*B)*sin(2*d*x + 2*c)^2 + (-1800*I - 1800)*A - (1800*I + 1800)*B)*cos(2*d*x + 2*c) + (900*I - 900)*A + (900*I + 900)*B)*arctan2(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + 2*sin(d*x + c), 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + 2*cos(d*x + c)) + (((450*I + 450)*A - (450*I - 450)*B)*cos(2*d*x + 2*c)^2 + ((450*I + 450)*A - (450*I - 450)*B)*sin(2*d*x + 2*c)^2 + (-900*I + 900)*A + (900*I - 900)*B)*cos(2*d*x + 2*c) + (450*I + 450)*A - (450*I - 450)*B)*log(4*cos(d*x + c)^2 + 4*sin(d*x + c)^2 + 4*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))^2 + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))^2) + 8*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + (((-900*I + 900)*A + (900*I - 900)*B)*cos(5*d*x + 5*c) + (-150*I + 150)*A - (750*I - 750)*B)*cos(3*d*x + 3*c) + (-390*I + 390)*A - (150*I - 150)*B)*cos(d*x + c) + (-900*I - 900)*A - (900*I + 900)*B)*sin(5*d*x + 5*c) + (-150*I - 150)*A + (750*I + 750)*B)*sin(3*d*x + 3*c) + (-390*I - 390)*A + (150*I + 150)*B)*sin(d*x + c))*cos(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((-240*I + 240)*A - (600*I - 600)*B)*cos(d*x + c) + (-240*I - 240)*A + (600*I + 600)*B)*sin(d*x + c))*cos(2*d*x + 2*c)^2 + ((-240*I + 240)*A - (600*I - 600)*B)*cos(d*x + c) + (-240*I - 240)*A + (600*I + 600)*B)*sin(d*x + c))*sin(2*d*x + 2*c)^2 + (((480*I + 480)*A + (1200*I - 1200)*B)*cos(d*x + c) + ((480*I - 480)*A - (1200*I + 1200)*B)*sin(d*x + c))*cos(2*d*x + 2*c) + (-240*I + 240)*A - (600*I - 600)*B)*cos(d*x + c) + (-240*I - 240)*A + (600*I + 600)*B)*sin(d*x + c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((900*I - 900)*A + (900*I + 900)*B)*cos(5*d*x + 5*c) + ((150*I - 150)*A - (750*I + 750)*B)*cos(3*d*x + 3*c) + ((390*I - 390)*A - (150*I + 150)*B)*cos(d*x + c) + (-900*I + 900)*A + (900*I - 900)*B)*sin(5*d*x + 5*c) + (-150*I + 150)*A - (750*I - 750)*B)*sin(3*d*x + 3*c) + (-390*I + 390)*A - (150*I - 150)*B)*sin(d*x + c))*sin(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((240*I - 240)*A - (600*I + 600)*B)*cos(d*x + c) + (-240*I + 240)*A - (600
```


*I - 600)*B)*sin(d*x + c))*cos(2*d*x + 2*c)^2 + (((240*I - 240)*A - (600*I + 600)*B)*cos(d*x + c) + (-(240*I + 240)*A - (600*I - 600)*B)*sin(d*x + c)) *sin(2*d*x + 2*c)^2 + ((-(480*I - 480)*A + (1200*I + 1200)*B)*cos(d*x + c) + ((480*I + 480)*A + (1200*I - 1200)*B)*sin(d*x + c))*cos(2*d*x + 2*c) + ((240*I - 240)*A - (600*I + 600)*B)*cos(d*x + c) + (-(240*I + 240)*A - (600*I - 600)*B)*sin(d*x + c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a))/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(5/4)*d)

Fricas [B] time = 1.53342, size = 1337, normalized size = 6.75

$$4\sqrt{2}\left((17A - 10iB)e^{(4i dx + 4i c)} - 10(2A - iB)e^{(2i dx + 2i c)} + 15A\right)\sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}}\sqrt{\frac{i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}}e^{(i dx + i c)} - 15\left(d e^{(4i dx + 4i c)} - 2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/30*(4*sqrt(2)*((17*A - 10*I*B)*e^(4*I*d*x + 4*I*c) - 10*(2*A - I*B)*e^(2*I*d*x + 2*I*c) + 15*A)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - 15*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + I*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + 15*(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - I*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)))/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)\sqrt{ia \tan(dx + c) + a \cot(dx + c)}^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, alg  
orithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*cot(d*x + c)^(7/2  
, x)
```

$$3.537 \quad \int \cot^2(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=155

$$\frac{2(3B+IA)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{3d} + \frac{(1+i)\sqrt{a}(B+IA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

[Out] $((1+I)*\text{Sqrt}[a]*(I*A+B)*\text{ArcTanh}[\frac{(1+I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])/\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]/d - (2*(I*A+3*B)*\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(3*d) - (2*A*\text{Cot}[c+d*x]^{3/2}*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(3*d)$

Rubi [A] time = 0.479759, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4241, 3598, 12, 3544, 205}

$$\frac{2(3B+IA)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{3d} + \frac{(1+i)\sqrt{a}(B+IA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c+d*x]^{5/2}*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]*(A+B*\text{Tan}[c+d*x]),x]$

[Out] $((1+I)*\text{Sqrt}[a]*(I*A+B)*\text{ArcTanh}[\frac{(1+I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])/\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]/d - (2*(I*A+3*B)*\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(3*d) - (2*A*\text{Cot}[c+d*x]^{3/2}*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]])/(3*d)$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a+b*x])^m*(c*\text{Tan}[a+b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a+b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3598

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m+n+1)*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

$\text{Int}[(a_.)*(u_.), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_.)*(v_.) /; FreeQ[b, x]]

Rule 3544

```
Int[Sqrt[(a_) + (b_.)*tan[(e_) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*tan[(e_)
+ (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \cot^{\frac{5}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx = \left(\sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)} \right) \int \frac{\sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx$$

$$= -\frac{2A \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{3d} + \frac{(2\sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)})^{\frac{3}{2}}}{d}$$

$$= -\frac{2(iA+3B) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{3d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3d}$$

$$= -\frac{2(iA+3B) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{3d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3d}$$

$$= -\frac{2(iA+3B) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{3d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3d}$$

$$= \frac{(1+i) \sqrt{a} (iA+B) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c+dx)}}{d}$$

Mathematica [A] time = 2.14502, size = 162, normalized size = 1.05

$$\frac{e^{-i(c+dx)} \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)} \left(-3i(A-iB) (-1+e^{2i(c+dx)})^{3/2} \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}} \right) + 4iAe^{3i(c+dx)} + 6Be^{i(c+dx)} \right)}{3d(-1+e^{2i(c+dx)})}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]
),x]
```

```
[Out] -(((4*I)*A*E^((3*I)*(c + d*x)) + 6*B*E^(I*(c + d*x))*(-1 + E^((2*I)*(c + d*
x))) - (3*I)*(A - I*B)*(-1 + E^((2*I)*(c + d*x)))^(3/2)*ArcTanh[E^(I*(c + d
*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c
+ d*x]])/(3*d*E^(I*(c + d*x))*(-1 + E^((2*I)*(c + d*x))))
```

Maple [B] time = 0.647, size = 2016, normalized size = 13.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] -1/6/d*2^(1/2)*(6*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+3*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+6*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-2*I*A*2^(1/2)*sin(d*x+c)-6*I*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-3*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-6*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+6*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+6*I*B*2^(1/2)-3*I*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+4*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)+6*I*A*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+3*I*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+6*I*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-6*I*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-6*I*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-2*A*cos(d*x+c)*2^(1/2)+6*I*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+6*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+3*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+6*A*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+6*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+3*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+4*A*2^(1/2)*cos(d*x+c)^2-2*A*2^(1/2)-6*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-6*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-3*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-6*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-3*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-6*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-6*B*2^(1/2)*sin(d*x+c)-6*I*B*2^(1/2)*cos(d*x+c)^2*(cos(d*x+c)/sin(d*x+c))^(5/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*sin(d*x+c)/(I*sin(d*x+c)+cos(d*x+c)-1)/cos(d*x+c)^2
```

Maxima [B] time = 2.45879, size = 1546, normalized size = 9.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/36*(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) +
1)*(((36*I - 36)*A + (36*I + 36)*B)*cos(3*d*x + 3*c) + ((12*I - 12)*A - (3
6*I + 36)*B)*cos(d*x + c) + (-36*I + 36)*A + (36*I - 36)*B)*sin(3*d*x + 3*
c) + (-12*I + 12)*A - (36*I - 36)*B)*sin(d*x + c))*cos(3/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((36*I + 36)*A - (36*I - 36)*B)*cos(3*
d*x + 3*c) + ((12*I + 12)*A + (36*I - 36)*B)*cos(d*x + c) + ((36*I - 36)*A
+ (36*I + 36)*B)*sin(3*d*x + 3*c) + ((12*I - 12)*A - (36*I + 36)*B)*sin(d*x
+ c))*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a) +
(((36*I + 36)*A - (36*I - 36)*B)*cos(2*d*x + 2*c)^2 + ((36*I + 36)*A - (36
*I - 36)*B)*sin(2*d*x + 2*c)^2 + (-72*I + 72)*A + (72*I - 72)*B)*cos(2*d*x
+ 2*c) + (36*I + 36)*A - (36*I - 36)*B)*arctan2(2*(cos(2*d*x + 2*c)^2 + si
n(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) - 1)) + 2*sin(d*x + c), 2*(cos(2*d*x + 2*c)^2 + si
n(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) - 1)) + 2*cos(d*x + c)) + ((-18*I - 18)*A - (18*I
+ 18)*B)*cos(2*d*x + 2*c)^2 + (-18*I - 18)*A - (18*I + 18)*B)*sin(2*d*x +
2*c)^2 + ((36*I - 36)*A + (36*I + 36)*B)*cos(2*d*x + 2*c) - (18*I - 18)*A
- (18*I + 18)*B)*log(4*cos(d*x + c)^2 + 4*sin(d*x + c)^2 + 4*sqrt(cos(2*d*x
+ 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)*(cos(1/2*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))^2 + sin(1/2*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c) - 1))^2) + 8*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 -
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) - 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c)
, cos(2*d*x + 2*c) - 1))))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos
(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + (((((12*I - 12)*A + (36*I + 36)*B)*cos(d
*x + c) + (-12*I + 12)*A + (36*I - 36)*B)*sin(d*x + c))*cos(2*d*x + 2*c)^2
+ (((12*I - 12)*A + (36*I + 36)*B)*cos(d*x + c) + (-12*I + 12)*A + (36*I
- 36)*B)*sin(d*x + c))*sin(2*d*x + 2*c)^2 + (((24*I - 24)*A - (72*I + 72)*
B)*cos(d*x + c) + ((24*I + 24)*A - (72*I - 72)*B)*sin(d*x + c))*cos(2*d*x +
2*c) + ((12*I - 12)*A + (36*I + 36)*B)*cos(d*x + c) + (-12*I + 12)*A + (3
6*I - 36)*B)*sin(d*x + c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c) - 1)) + (((((12*I + 12)*A - (36*I - 36)*B)*cos(d*x + c) + ((12*I - 12)*A
+ (36*I + 36)*B)*sin(d*x + c))*cos(2*d*x + 2*c)^2 + (((12*I + 12)*A - (36*I
- 36)*B)*cos(d*x + c) + ((12*I - 12)*A + (36*I + 36)*B)*sin(d*x + c))*sin(
2*d*x + 2*c)^2 + (((24*I + 24)*A + (72*I - 72)*B)*cos(d*x + c) + (-24*I -
24)*A - (72*I + 72)*B)*sin(d*x + c))*cos(2*d*x + 2*c) + ((12*I + 12)*A - (
36*I - 36)*B)*cos(d*x + c) + ((12*I - 12)*A + (36*I + 36)*B)*sin(d*x + c))*
sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a))/((cos(2*
d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(5/4)*d)
```

Fricas [B] time = 1.45756, size = 1175, normalized size = 7.58

$$\sqrt{2}((-8iA - 12B)e^{(2idx+2ic)} + 12B)\sqrt{\frac{a}{e^{(2i dx+2ic)}+1}}\sqrt{\frac{ie^{(2i dx+2ic)}+i}{e^{(2i dx+2ic)}-1}}e^{(i dx+i c)} + 3(d e^{(2i dx+2ic)} - d)\sqrt{\frac{(-2iA^2-4AB+2iB^2)a}{d^2}}\log\left(\frac{\sqrt{2}(e^{(2i dx+2ic)} + 1)}{e^{(2i dx+2ic)} - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")
```

```
[Out] 1/6*(sqrt(2)*((-8*I*A - 12*B)*e^(2*I*d*x + 2*I*c) + 12*B)*sqrt(a/(e^(2*I*d*
x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1
))*e^(I*d*x + I*c) + 3*(d*e^(2*I*d*x + 2*I*c) - d)*sqrt((-2*I*A^2 - 4*A*B +
2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt
```

$$\frac{(a/(e^{2I dx + 2I c} + 1))\sqrt{(I e^{2I dx + 2I c} + I)/(e^{2I dx + 2I c} - 1))e^{I dx + I c} + d\sqrt{(-2IA^2 - 4AB + 2IB^2)a/d^2}e^{2I dx + 2I c})e^{-2I dx - 2I c}/(IA + B) - 3(d e^{2I dx + 2I c} - d)\sqrt{(-2IA^2 - 4AB + 2IB^2)a/d^2}\log(\sqrt{2}((IA + B)e^{2I dx + 2I c} - IA - B)\sqrt{a/(e^{2I dx + 2I c} + 1))\sqrt{(I e^{2I dx + 2I c} + I)/(e^{2I dx + 2I c} - 1))e^{I dx + I c} - d\sqrt{(-2IA^2 - 4AB + 2IB^2)a/d^2}e^{2I dx + 2I c})e^{-2I dx - 2I c})/(IA + B))}{(d e^{2I dx + 2I c} - d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(5/2)*(a+I*a*tan(dx+c))**(1/2)*(A+B*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)\sqrt{I a \tan(dx + c) + a \cot(dx + c)}^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*sqrt(I*a*tan(dx + c) + a)*cot(dx + c)^(5/2), x)

$$3.538 \quad \int \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=110

$$\frac{(1+i)\sqrt{a}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{\cot(c+dx)}\sqrt{a+ia\tan(c+dx)}}{d}$$

[Out] ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d - (2*A*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rubi [A] time = 0.314343, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4241, 3598, 12, 3544, 205}

$$\frac{(1+i)\sqrt{a}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} - \frac{2A\sqrt{\cot(c+dx)}\sqrt{a+ia\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d - (2*A*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]

Rule 3598

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a

$\wedge 2 * x^2$), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \cot^{\frac{3}{2}}(c + dx) \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx = \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx$$

$$= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} + \frac{(2 \sqrt{\cot(c + dx)} (A + B \tan(c + dx)))}{d}$$

$$= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} + ((iA + B) \sqrt{\cot(c + dx)})$$

$$= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}}{d} - \frac{(2ia^2(iA + B) \sqrt{\cot(c + dx)})}{d}$$

$$= \frac{(1 - i) \sqrt{a} (iA + B) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)}}{d}$$

Mathematica [A] time = 2.20299, size = 112, normalized size = 1.02

$$\frac{e^{-i(c+dx)} \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)} \left((A - iB) \sqrt{-1 + e^{2i(c+dx)}} \tanh^{-1} \left(\frac{e^{i(c+dx)}}{\sqrt{-1 + e^{2i(c+dx)}}} \right) - 2A e^{i(c+dx)} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] ((-2*A*E^(I*(c + d*x)) + (A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))])*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]/(d*E^(I*(c + d*x)))

Maple [B] time = 0.606, size = 1048, normalized size = 9.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] -1/2/d*2^(1/2)*(2*I*A*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+2*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+2*I*B*sin(d*x+c)

```
*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+2*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+2*I*A*2^(1/2)*sin(d*x+c)-2*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-2*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+2*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+2*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+2*A*cos(d*x+c)*2^(1/2)-2*A*2^(1/2))*((cos(d*x+c)/sin(d*x+c))^(3/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*sin(d*x+c)/(I*sin(d*x+c)+cos(d*x+c)-1)/cos(d*x+c)
```

Maxima [B] time = 2.06923, size = 749, normalized size = 6.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/2*(((-2*I - 2)*A - (2*I + 2)*B)*\arctan2(2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 - 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\sin(d*x + c), 2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 - 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\cos(d*x + c)) + (- (I + 1)*A + (I - 1)*B)*\log(4*\cos(d*x + c)^2 + 4*\sin(d*x + c)^2 + 4*\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))^2 + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))^2) + 8*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 - 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))))*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 - 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sqrt{a} + (((4*I + 4)*A*\cos(d*x + c) + (4*I - 4)*A*\sin(d*x + c))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + (- (4*I - 4)*A*\cos(d*x + c) + (4*I + 4)*A*\sin(d*x + c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))))*\sqrt{a}/((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 - 2*\cos(2*d*x + 2*c) + 1)^{1/4}*d$$

Fricas [B] time = 1.44028, size = 1010, normalized size = 9.18

$$4\sqrt{2}A\sqrt{\frac{a}{e^{2i dx+2ic}+1}}\sqrt{\frac{ie^{2i dx+2ic}+i}{e^{2i dx+2ic}-1}}e^{i(dx+i)c} - d\sqrt{\frac{(2iA^2+4AB-2iB^2)a}{d^2}}\log\left(\frac{\sqrt{2}(iA+B)e^{2i dx+2ic}-iA-B}{e^{2i dx+2ic}+1}\sqrt{\frac{a}{e^{2i dx+2ic}+1}}\sqrt{\frac{ie^{2i dx+2ic}+i}{e^{2i dx+2ic}-1}}e^{i(dx+i)c}}{iA+B}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/2*(4*sqrt(2)*A*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + I*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)) + d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - I*d*sqrt((2*I*A^2 + 4*A*B - 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I*A + B)))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{a \tan(dx + c) + a \cot(dx + c)}^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*cot(d*x + c)^(3/2), x)
```

$$3.539 \quad \int \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=152

$$\frac{(1-i)\sqrt{a}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} - \frac{2(-1)^{3/4}\sqrt{a}B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d}$$

[Out] $(-2*(-1)^{(3/4)}*\text{Sqrt}[a]*B*\text{ArcTan}[\frac{(-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])*\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]/d + ((1-I)*\text{Sqrt}[a]*(A-I*B)*\text{ArcTanh}[\frac{(1+I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])*\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]/d$

Rubi [A] time = 0.458475, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {4241, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(1-i)\sqrt{a}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} - \frac{2(-1)^{3/4}\sqrt{a}B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]*(A+B*\text{Tan}[c+d*x]),x]$

[Out] $(-2*(-1)^{(3/4)}*\text{Sqrt}[a]*B*\text{ArcTan}[\frac{(-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])*\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]/d + ((1-I)*\text{Sqrt}[a]*(A-I*B)*\text{ArcTanh}[\frac{(1+I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c+d*x]]}{\text{Sqrt}[a+I*a*\text{Tan}[c+d*x]]}])*\text{Sqrt}[\text{Cot}[c+d*x]]*\text{Sqrt}[\text{Tan}[c+d*x]]/d$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3601

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*(c_. + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n*(a - b*\text{Tan}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]]/\text{Sqrt}[(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a^2*x^2), x], x, \text{Sqrt}[c + d*\text{Tan}[e + f*x]]/\text{Sqrt}[a + b*\text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)} \right) \int \frac{\sqrt{a+ia \tan(c+dx)} (A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx \\
 &= - \left((-A+iB) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)} \right) \int \frac{\sqrt{a+ia \tan(c+dx)}}{\sqrt{\tan(c+dx)}} dx \\
 &= \frac{(2ia^2(-A+iB) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}) \operatorname{Subst} \left(\int \frac{1}{1-u} du \right)}{d} \\
 &= \frac{(1-i) \sqrt{a} (A-iB) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c+dx)}}{d} \\
 &= \frac{(1-i) \sqrt{a} (A-iB) \tanh^{-1} \left(\frac{(1+i) \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c+dx)}}{d} \\
 &= - \frac{2(-1)^{3/4} \sqrt{a} B \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c+dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 42.8472, size = 241, normalized size = 1.59

$$\frac{e^{-i(c+dx)} \sqrt{-1 + e^{2i(c+dx)}} \sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}} \sqrt{a+ia \tan(c+dx)} \left((-4B - 4iA) \log \left(\sqrt{-1 + e^{2i(c+dx)}} + e^{i(c+dx)} \right) + \sqrt{2} B \left(\log \left(-2\sqrt{-1 + e^{2i(c+dx)}} \right) \right) \right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] (Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))]/(-1 + E^((2*I)*(c + d*x))))*((( -4*I)*A - 4*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + Sqrt[2]*B*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])))*Sqrt[a + I*a*Tan[c + d*x]]/(4*d*E^(I*(c + d*x)))
```

Maple [B] time = 0.543, size = 895, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] -1/2/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)-1)*(-2*I*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-2*I*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+2*I*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+2*I*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+I*A*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+2*I*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-I*B*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+I*B*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)*2^(1/2)-2*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-B*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)*2^(1/2)+B*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)*2^(1/2)+2*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)+1)+A*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+2*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-1)+2*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)+1)+B*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+2*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-1))/(I*sin(d*x+c)+cos(d*x+c)-1)/((cos(d*x+c)-1)/sin(d*x+c))^(1/2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{I a \tan(dx + c) + a} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*sqrt(cot(d*x + c)), x)
```

Fricas [B] time = 1.50771, size = 1501, normalized size = 9.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")
```

```
[Out] -1/2*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A + B)*e^(2*
I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*
d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + d*sqrt((-2*I
*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(I
*A + B)) + 1/2*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*log((sqrt(2)*((I*A
+ B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt(
(I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - d*
sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)*a/d^2)*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x -
2*I*c)/(I*A + B)) + 1/2*sqrt(4*I*B^2*a/d^2)*log((sqrt(2)*(B*e^(2*I*d*x + 2
*I*c) - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) +
I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt(4*I*B^2*a/d^2)*d*e^(2*
I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/B) - 1/2*sqrt(4*I*B^2*a/d^2)*log((sqrt
(2)*(B*e^(2*I*d*x + 2*I*c) - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*
e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - sqrt(4
*I*B^2*a/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/B)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx)) \sqrt{\cot(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))*sqrt(cot(c + d*x
)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{i a \tan(dx + c) + a} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, alg
orithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)*sqrt(cot(d*x + c
)), x)
```

$$3.540 \quad \int \frac{\sqrt{a+ia \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=192

$$\frac{(-1)^{3/4} \sqrt{a}(2A - iB) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{(1+i) \sqrt{a}(A - iB) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)}}{d}$$

```
[Out] -((((-1)^(3/4)*Sqrt[a]*(2*A - I*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d
*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d
- ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/
Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (B*S
qrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 0.614432, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4} \sqrt{a}(2A - iB) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a} \sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right)}{d} - \frac{(1+i) \sqrt{a}(A - iB) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],x]
```

```
[Out] -((((-1)^(3/4)*Sqrt[a]*(2*A - I*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d
*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d
- ((1 + I)*Sqrt[a]*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/
Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (B*S
qrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a
+ b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x
]
```

Rule 3597

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Sim
p[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[
1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp
[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan
n[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c
- a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3601

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dis
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
```


$d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[A*b + a*B, 0]$

Rule 3544

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\tan[(e_) + (f_)*(x_)]]/\text{Sqrt}[(c_) + (d_)*\tan[(e_) + (f_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a^2*x^2), x], x, \text{Sqrt}[c + d*\text{Tan}[e + f*x]]/\text{Sqrt}[a + b*\text{Tan}[e + f*x]]], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$
 $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 3599

$\text{Int}[(a_) + (b_)*\tan[(e_) + (f_)*(x_)]]^{(m_)*((A_) + (B_)*\tan[(e_) + (f_)*(x_)])*((c_) + (d_)*\tan[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[(a_) + (b_)*(x_)^{(m_)*((c_) + (d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /;$
 $\text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /;$
 $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{!GtQ}[a, 0]$

Rule 203

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$
 $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ \|\ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)}\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx)) dx \\
 &= \frac{B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\cot(c + dx)}} dx}{a} \\
 &= \frac{B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\cot(c + dx)}} - ((iA + B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\cot(c + dx)}} dx \\
 &= \frac{B\sqrt{a + ia \tan(c + dx)}}{d\sqrt{\cot(c + dx)}} + \frac{(2ia^2(iA + B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{\sqrt{a + ia \tan(c + dx)}}{\sqrt{\cot(c + dx)}} dx, \frac{\sqrt{\tan(c + dx)}}{\sqrt{\cot(c + dx)}}\right)}{d} \\
 &= -\frac{(1 - i)\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
 &= -\frac{(1 - i)\sqrt{a}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
 &= -\frac{\sqrt[4]{-1}\sqrt{a}(2iA + B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d}
 \end{aligned}$$

Mathematica [F] time = 8.87314, size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + ia \tan(c + dx)}(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] Integrate[(Sqrt[a + I*a*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

Maple [B] time = 0.609, size = 3889, normalized size = 20.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

[Out] 1/4/d*2^(1/2)*(B*cos(d*x+c)*sin(d*x+c)*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)-2*A*cos(d*x+c)^2*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+4*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+4*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+2*B*cos(d*x+c)^2*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+4*A*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+4*A*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+2*A*cos(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)))

$$\begin{aligned}
& -1)/\sin(dx+c)^{(1/2)-1}-4*I*B*\cos(dx+c)*\sin(dx+c)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)+1}}-4*I*B*\cos(dx+c)*\sin(dx+c)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)-1}}-2*I*B*\cos(dx+c)*\sin(dx+c)*\ln(-(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1}})-2*A*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)+1}}-4*A*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)})}+2*A*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)-1}}+I*B*\cos(dx+c)*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)+1}}+2*B*\cos(dx+c)*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)-B*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)+1}}+2*B*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)})}+4*I*A*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)})}+2*I*A*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)-1}}+2*I*B*\cos(dx+c)*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)+2*I*B*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)})}-I*B*\cos(dx+c)*\sin(dx+c)*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)-1}}+2*B*\cos(dx+c)^2*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)*2^{(1/2)+2*A*\cos(dx+c)^2*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)+1}}+4*A*\cos(dx+c)^2*2^{(1/2)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)})}-2*A*\cos(dx+c)^2*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)-1}}+B*\cos(dx+c)^2*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)+1}}-2*B*\cos(dx+c)^2*2^{(1/2)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)})}-B*\cos(dx+c)^2*2^{(1/2)*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)-1}})*(a*(I*\sin(dx+c)+\cos(dx+c))/\cos(dx+c))^{(1/2)/(I*\cos(dx+c)+I*\sin(dx+c)-1+I+\cos(dx+c)-\sin(dx+c)))/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)/(\cos(dx+c)/\sin(dx+c))^{(1/2)/\sin(dx+c)}}
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A) \sqrt{a \tan(dx+c) + a}}{\sqrt{\cot(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c))/cot(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(dx+c) + A)*sqrt(I*a*tan(dx+c) + a)/sqrt(cot(dx+c)), x)

Fricas [B] time = 1.55832, size = 2071, normalized size = 10.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(dx+c))^(1/2)*(A+B*tan(dx+c))/cot(dx+c)^(1/2),x, algorithm="fricas")

[Out] 1/2*(sqrt(2)*(-2*I*B*e^(2*I*d*x + 2*I*c) + 2*I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + (d*e^(2*I*d*x + 2*I*c) + d)*sqrt((4*I*A^2 + 4*A*B - I*B^2)*a/d^2)*log((sqrt(2)*((2*I*A + B)*e^(2*I*d*x + 2*I*c) - 2*I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 2*I*d*sqrt((4*I*A^2 + 4*A*B - I*B^2)*a/d^2)*e^(2*I*

$$d*x + 2*I*c)) * e^{(-2*I*d*x - 2*I*c)/(2*I*A + B)} - (d * e^{(2*I*d*x + 2*I*c)} + d) * \sqrt{(4*I*A^2 + 4*A*B - I*B^2) * a / d^2} * \log((\sqrt{2} * ((2*I*A + B) * e^{(2*I*d*x + 2*I*c)} - 2*I*A - B) * \sqrt{a / (e^{(2*I*d*x + 2*I*c)} + 1)}) * \sqrt{(I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} - 1)}) * e^{(I*d*x + I*c)} - 2*I*d * \sqrt{(4*I*A^2 + 4*A*B - I*B^2) * a / d^2} * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c) / (2*I*A + B)} - (d * e^{(2*I*d*x + 2*I*c)} + d) * \sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2) * a / d^2} * \log((\sqrt{2} * ((I*A + B) * e^{(2*I*d*x + 2*I*c)} - I*A - B) * \sqrt{a / (e^{(2*I*d*x + 2*I*c)} + 1)}) * \sqrt{(I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} - 1)}) * e^{(I*d*x + I*c)} + I * d * \sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2) * a / d^2} * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c) / (I*A + B)} + (d * e^{(2*I*d*x + 2*I*c)} + d) * \sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2) * a / d^2} * \log((\sqrt{2} * ((I*A + B) * e^{(2*I*d*x + 2*I*c)} - I*A - B) * \sqrt{a / (e^{(2*I*d*x + 2*I*c)} + 1)}) * \sqrt{(I * e^{(2*I*d*x + 2*I*c)} + I) / (e^{(2*I*d*x + 2*I*c)} - 1)}) * e^{(I*d*x + I*c)} - I * d * \sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2) * a / d^2} * e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c) / (I*A + B)})) / (d * e^{(2*I*d*x + 2*I*c)} + d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(i \tan(c + dx) + 1)} (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out] Integral(sqrt(a*(I*tan(c + d*x) + 1))*(A + B*tan(c + d*x))/sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{a \tan(dx + c) + a}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(I*a*tan(d*x + c) + a)/sqrt(cot(d*x + c)), x)

$$3.541 \quad \int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=245

$$\frac{(2-2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(7B+8iA)\cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{35d}$$

[Out] ((2 - 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + (4*a*((67*I)*A + 63*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) + (4*a*(19*A - (21*I)*B)*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) - (2*a*((8*I)*A + 7*B)*Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x]])/(7*d)

Rubi [A] time = 0.89362, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3593, 3598, 12, 3544, 205}

$$\frac{(2-2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(7B+8iA)\cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{35d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((2 - 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + (4*a*((67*I)*A + 63*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) + (4*a*(19*A - (21*I)*B)*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) - (2*a*((8*I)*A + 7*B)*Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x]])/(7*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> Sim

```
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \cot^{\frac{9}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx = (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{9}{2}}(c + dx)} dx$$

$$= -\frac{2aA \cot^{\frac{7}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{7d} + \frac{1}{7} (2\sqrt{\cot(c + dx)}) \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{7}{2}}(c + dx)} dx$$

$$= -\frac{2a(8iA + 7B) \cot^{\frac{5}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{35d} - \frac{2a}{35d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{4a(19A - 21iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{105d} - \frac{2a}{105d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{4a(67iA + 63B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{105d} + \frac{4a}{105d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{4a(67iA + 63B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{105d} + \frac{4a}{105d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{4a(67iA + 63B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{105d} + \frac{4a}{105d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= -\frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}}{d}$$

Mathematica [A] time = 7.45957, size = 320, normalized size = 1.31

$$(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) \left(-2i\sqrt{2}(A - iB)e^{-2i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((((-2*I)*Sqrt[2]*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))]/(-1 + E^((2*I)*(c + d*x))))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/E^((2*I)*(c + d*x)) - (Sqrt[Cot[c + d*x]]*Csc[c + d*x]^3*Sqrt[Sec[c + d*x]]*(Cos[c + d*x] - I*Sin[c + d*x])*(7*(A + (6*I)*B)*Cos[c + d*x] + (53*A - (42*I)*B)*Cos[3*(c + d*x)] + 2*((-110*I)*A - 105*B + ((158*I)*A + 147*B)*Cos[2*(c + d*x)])*Sin[c + d*x])/210*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/(d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))
```

Maple [B] time = 0.505, size = 3124, normalized size = 12.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)
```

```
[Out] -1/105/d*a*2^(1/2)*(-420*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-210*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-420*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-168*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+189*B*cos(d*x+c)^3*sin(d*x+c)*2^(1/2)-53*A*cos(d*x+c)^3*2^(1/2)+38*A*cos(d*x+c)*2^(1/2)-420*A*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-420*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-210*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-330*A*2^(1/2)*cos(d*x+c)^2+211*A*cos(d*x+c)^4*2^(1/2)+134*A*2^(1/2)+210*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+210*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+105*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+210*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-126*I*B*2^(1/2)+126*B*2^(1/2)*sin(d*x+c)-147*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+210*A*cos(d*x+c)^4*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+105*A*cos(d*x+c)^4*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+210*B*cos(d*x+c)^4*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+210*B*cos(d*x+c)^4*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos
```


$$\begin{aligned}
& (d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}-1)-189*I*B*2^{\frac{1}{2}}*\cos(d*x+c)^4+42*I*B \\
& *2^{\frac{1}{2}}*\cos(d*x+c)^3+315*I*B*2^{\frac{1}{2}}*\cos(d*x+c)^2+134*I*A*2^{\frac{1}{2}}*\sin(d*x+ \\
& c)+105*I*A*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)+\cos(d* \\
& x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)-\cos \\
& (d*x+c)-\sin(d*x+c)+1))*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}+210*I*A*((\cos(d*x \\
& +c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1 \\
&)+210*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+ \\
& c))^{\frac{1}{2}}*2^{\frac{1}{2}}-1)-42*I*B*2^{\frac{1}{2}}*\cos(d*x+c)-210*I*B*((\cos(d*x+c)-1)/\sin(\\
& d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1)-210*I*B*(\\
& (\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2 \\
& ^{\frac{1}{2}}-1)-210*I*B*\cos(d*x+c)^4*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos \\
& (d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}-1)-105*I*B*\cos(d*x+c)^4*((\cos(d*x+c) \\
& -1)/\sin(d*x+c))^{\frac{1}{2}}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d* \\
& x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin \\
& (d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))+211*I*A*2^{\frac{1}{2}}*\cos(d*x+c)^3*\sin(d*x+c)- \\
& 158*I*A*2^{\frac{1}{2}}*\cos(d*x+c)^2*\sin(d*x+c)-210*I*A*\cos(d*x+c)^2*\ln(-(((\cos(d*x \\
& +c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos \\
& (d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1))*((\\
& (\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}-420*I*A*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d \\
& *x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1)-420*I*A*\cos \\
& (d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x \\
& +c))^{\frac{1}{2}}*2^{\frac{1}{2}}-1)+420*I*B*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}} \\
&)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1)+420*I*B*\cos(d*x+c)^2* \\
& ((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}* \\
& 2^{\frac{1}{2}}-1)+210*I*B*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\ln(-(((\cos \\
& (d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/((\\
& ((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)- \\
& 1))-172*I*A*2^{\frac{1}{2}}*\cos(d*x+c)*\sin(d*x+c)+105*I*A*\cos(d*x+c)^4*\ln(-(((\cos(d \\
& *x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos \\
& (d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)) \\
& *((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}+210*I*A*\cos(d*x+c)^4*((\cos(d*x+c)-1)/\sin \\
& (d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1)+210*I*A* \\
& \cos(d*x+c)^4*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d \\
& *x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}-1)-210*I*B*\cos(d*x+c)^4*((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}} \\
&)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1)-105*I*B*((\cos(d*x+c) \\
& -1)/\sin(d*x+c))^{\frac{1}{2}}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin(d \\
& *x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}*\sin \\
& (d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))+210*I*A*\cos(d*x+c)^4*((\cos(d*x+c)-1)/\sin \\
& (d*x+c))^{\frac{1}{2}}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{\frac{1}{2}}*2^{\frac{1}{2}}+1))*(\cos(d*x \\
& +c)/\sin(d*x+c))^{\frac{9}{2}}*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{\frac{1}{2}}*\sin(d* \\
& x+c)/(I*\sin(d*x+c)+\cos(d*x+c)-1)/\cos(d*x+c)^4
\end{aligned}$$

Maxima [B] time = 14.4057, size = 5021, normalized size = 20.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/176400*(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)*(((352800*I - 352800)*A + (352800*I + 352800)*B)*a*cos(7*d*x + 7*c) + (-176400*I - 176400)*A - (529200*I + 529200)*B)*a*cos(5*d*x + 5*c) + ((167580*I - 167580)*A + (255780*I + 255780)*B)*a*cos(3*d*x + 3*c) + ((59220*I - 59220)*A - (79380*I + 79380)*B)*a*cos(d*x + c) + (-352800*I + 352800)*A + (352800*I - 352800)*B)*a*sin(7*d*x + 7*c) + ((176400*I + 176400)*A - (52

$$\begin{aligned}
& 9200*I - 529200)*B)*a*\sin(5*d*x + 5*c) + (- (167580*I + 167580)*A + (255780* \\
& I - 255780)*B)*a*\sin(3*d*x + 3*c) + (- (59220*I + 59220)*A - (79380*I - 7938 \\
& 0)*B)*a*\sin(d*x + c))*\cos(7/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - \\
& 1)) + (((- (236880*I - 236880)*A - (199920*I + 199920)*B)*a*\cos(d*x + c) + (\\
& (236880*I + 236880)*A - (199920*I - 199920)*B)*a*\sin(d*x + c))*\cos(2*d*x + \\
& 2*c)^2 + (- (236880*I - 236880)*A - (199920*I + 199920)*B)*a*\cos(d*x + c) + \\
& ((- (236880*I - 236880)*A - (199920*I + 199920)*B)*a*\cos(d*x + c) + ((236880 \\
& *I + 236880)*A - (199920*I - 199920)*B)*a*\sin(d*x + c))*\sin(2*d*x + 2*c)^2 \\
& + ((236880*I + 236880)*A - (199920*I - 199920)*B)*a*\sin(d*x + c) + (((35280 \\
& 0*I - 352800)*A + (352800*I + 352800)*B)*a*\cos(2*d*x + 2*c)^2 + ((352800*I \\
& - 352800)*A + (352800*I + 352800)*B)*a*\sin(2*d*x + 2*c)^2 + (- (705600*I - 7 \\
& 05600)*A - (705600*I + 705600)*B)*a*\cos(2*d*x + 2*c) + ((352800*I - 352800) \\
& *A + (352800*I + 352800)*B)*a*\cos(3*d*x + 3*c) + (((473760*I - 473760)*A + \\
& (399840*I + 399840)*B)*a*\cos(d*x + c) + (- (473760*I + 473760)*A + (399840* \\
& I - 399840)*B)*a*\sin(d*x + c))*\cos(2*d*x + 2*c) + ((- (352800*I + 352800)*A \\
& + (352800*I - 352800)*B)*a*\cos(2*d*x + 2*c)^2 + (- (352800*I + 352800)*A + (\\
& 352800*I - 352800)*B)*a*\sin(2*d*x + 2*c)^2 + ((705600*I + 705600)*A - (7056 \\
& 00*I - 705600)*B)*a*\cos(2*d*x + 2*c) + (- (352800*I + 352800)*A + (352800*I \\
& - 352800)*B)*a*\sin(3*d*x + 3*c))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c) - 1)) + (((352800*I + 352800)*A - (352800*I - 352800)*B)*a*\cos(7* \\
& d*x + 7*c) + (- (176400*I + 176400)*A + (529200*I - 529200)*B)*a*\cos(5*d*x + \\
& 5*c) + ((167580*I + 167580)*A - (255780*I - 255780)*B)*a*\cos(3*d*x + 3*c) \\
& + ((59220*I + 59220)*A + (79380*I - 79380)*B)*a*\cos(d*x + c) + ((352800*I - \\
& 352800)*A + (352800*I + 352800)*B)*a*\sin(7*d*x + 7*c) + (- (176400*I - 1764 \\
& 00)*A - (529200*I + 529200)*B)*a*\sin(5*d*x + 5*c) + ((167580*I - 167580)*A \\
& + (255780*I + 255780)*B)*a*\sin(3*d*x + 3*c) + ((59220*I - 59220)*A - (79380 \\
& *I + 79380)*B)*a*\sin(d*x + c))*\sin(7/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c) - 1)) + (((- (236880*I + 236880)*A + (199920*I - 199920)*B)*a*\cos(d*x \\
& + c) + (- (236880*I - 236880)*A - (199920*I + 199920)*B)*a*\sin(d*x + c))*\co \\
& s(2*d*x + 2*c)^2 + (- (236880*I + 236880)*A + (199920*I - 199920)*B)*a*\cos(d \\
& *x + c) + ((- (236880*I + 236880)*A + (199920*I - 199920)*B)*a*\cos(d*x + c) \\
& + (- (236880*I - 236880)*A - (199920*I + 199920)*B)*a*\sin(d*x + c))*\sin(2*d* \\
& x + 2*c)^2 + (- (236880*I - 236880)*A - (199920*I + 199920)*B)*a*\sin(d*x + c \\
&) + (((352800*I + 352800)*A - (352800*I - 352800)*B)*a*\cos(2*d*x + 2*c)^2 + \\
& ((352800*I + 352800)*A - (352800*I - 352800)*B)*a*\sin(2*d*x + 2*c)^2 + (- (\\
& 705600*I + 705600)*A + (705600*I - 705600)*B)*a*\cos(2*d*x + 2*c) + ((352800 \\
& *I + 352800)*A - (352800*I - 352800)*B)*a*\cos(3*d*x + 3*c) + (((473760*I + \\
& 473760)*A - (399840*I - 399840)*B)*a*\cos(d*x + c) + ((473760*I - 473760)*A \\
& + (399840*I + 399840)*B)*a*\sin(d*x + c))*\cos(2*d*x + 2*c) + (((352800*I - \\
& 352800)*A + (352800*I + 352800)*B)*a*\cos(2*d*x + 2*c)^2 + ((352800*I - 3528 \\
& 00)*A + (352800*I + 352800)*B)*a*\sin(2*d*x + 2*c)^2 + (- (705600*I - 705600) \\
& *A - (705600*I + 705600)*B)*a*\cos(2*d*x + 2*c) + ((352800*I - 352800)*A + (\\
& 352800*I + 352800)*B)*a*\sin(3*d*x + 3*c))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c) - 1)))*\sqrt{a} + (((352800*I + 352800)*A - (352800*I - \\
& 352800)*B)*a*\cos(2*d*x + 2*c)^4 + ((352800*I + 352800)*A - (352800*I - 3528 \\
& 00)*B)*a*\sin(2*d*x + 2*c)^4 + (- (1411200*I + 1411200)*A + (1411200*I - 1411 \\
& 200)*B)*a*\cos(2*d*x + 2*c)^3 + ((2116800*I + 2116800)*A - (2116800*I - 2116 \\
& 800)*B)*a*\cos(2*d*x + 2*c)^2 + (- (1411200*I + 1411200)*A + (1411200*I - 141 \\
& 1200)*B)*a*\cos(2*d*x + 2*c) + (((705600*I + 705600)*A - (705600*I - 705600) \\
& *B)*a*\cos(2*d*x + 2*c)^2 + (- (1411200*I + 1411200)*A + (1411200*I - 1411200 \\
&)*B)*a*\cos(2*d*x + 2*c) + ((705600*I + 705600)*A - (705600*I - 705600)*B)*a \\
&)*\sin(2*d*x + 2*c)^2 + ((352800*I + 352800)*A - (352800*I - 352800)*B)*a*a \\
& rctan2(2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1) \\
& ^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\sin(d*x \\
& + c), 2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1) \\
& ^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\cos(d*x \\
& + c)) + ((- (176400*I - 176400)*A - (176400*I + 176400)*B)*a*\cos(2*d*x + 2* \\
& c)^4 + (- (176400*I - 176400)*A - (176400*I + 176400)*B)*a*\sin(2*d*x + 2*c)^ \\
& 4 + ((705600*I - 705600)*A + (705600*I + 705600)*B)*a*\cos(2*d*x + 2*c)^3 +
\end{aligned}$$

$$\begin{aligned}
& (- (1058400 * I - 1058400) * A - (1058400 * I + 1058400) * B) * a * \cos(2 * d * x + 2 * c) ^ 2 + \\
& ((705600 * I - 705600) * A + (705600 * I + 705600) * B) * a * \cos(2 * d * x + 2 * c) + ((- (3 \\
& 52800 * I - 352800) * A - (352800 * I + 352800) * B) * a * \cos(2 * d * x + 2 * c) ^ 2 + ((70560 \\
& 0 * I - 705600) * A + (705600 * I + 705600) * B) * a * \cos(2 * d * x + 2 * c) + (- (352800 * I - \\
& 352800) * A - (352800 * I + 352800) * B) * a * \sin(2 * d * x + 2 * c) ^ 2 + (- (176400 * I - 1 \\
& 76400) * A - (176400 * I + 176400) * B) * a * \log(4 * \cos(d * x + c) ^ 2 + 4 * \sin(d * x + c) ^ \\
& 2 + 4 * \sqrt{\cos(2 * d * x + 2 * c) ^ 2 + \sin(2 * d * x + 2 * c) ^ 2 - 2 * \cos(2 * d * x + 2 * c) + 1} \\
&) * (\cos(1 / 2 * \arctan 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) - 1)) ^ 2 + \sin(1 / 2 * \ar \\
& \tan 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) - 1)) ^ 2) + 8 * (\cos(2 * d * x + 2 * c) ^ 2 + \\
& \sin(2 * d * x + 2 * c) ^ 2 - 2 * \cos(2 * d * x + 2 * c) + 1) ^ {1 / 4} * (\cos(d * x + c) * \cos(1 / 2 * \ar \\
& \tan 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) - 1)) + \sin(d * x + c) * \sin(1 / 2 * \arcta \\
& n 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) - 1))) * (\cos(2 * d * x + 2 * c) ^ 2 + \sin(2 * \\
& d * x + 2 * c) ^ 2 - 2 * \cos(2 * d * x + 2 * c) + 1) ^ {1 / 4} * \sqrt{a} + (((((524580 * I - 5245 \\
& 80) * A + (496860 * I + 496860) * B) * a * \cos(d * x + c) + (- (524580 * I + 524580) * A + (\\
& 496860 * I - 496860) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c) ^ 2 + ((524580 * I - 524 \\
& 580) * A + (496860 * I + 496860) * B) * a * \cos(d * x + c) + (((524580 * I - 524580) * A + \\
& (496860 * I + 496860) * B) * a * \cos(d * x + c) + (- (524580 * I + 524580) * A + (496860 * I \\
& - 496860) * B) * a * \sin(d * x + c)) * \sin(2 * d * x + 2 * c) ^ 2 + (- (524580 * I + 524580) * A \\
& + (496860 * I - 496860) * B) * a * \sin(d * x + c) + (((352800 * I - 352800) * A + (352800 \\
& * I + 352800) * B) * a * \cos(2 * d * x + 2 * c) ^ 2 + ((352800 * I - 352800) * A + (352800 * I + \\
& 352800) * B) * a * \sin(2 * d * x + 2 * c) ^ 2 + (- (705600 * I - 705600) * A - (705600 * I + 70 \\
& 5600) * B) * a * \cos(2 * d * x + 2 * c) + ((352800 * I - 352800) * A + (352800 * I + 352800) * \\
& B) * a * \cos(5 * d * x + 5 * c) + ((- (823200 * I - 823200) * A - (823200 * I + 823200) * B) * \\
& a * \cos(2 * d * x + 2 * c) ^ 2 + (- (823200 * I - 823200) * A - (823200 * I + 823200) * B) * a * \sin \\
& (2 * d * x + 2 * c) ^ 2 + ((1646400 * I - 1646400) * A + (1646400 * I + 1646400) * B) * a * \cos \\
& (2 * d * x + 2 * c) + (- (823200 * I - 823200) * A - (823200 * I + 823200) * B) * a * \cos(3 \\
& * d * x + 3 * c) + ((- (1049160 * I - 1049160) * A - (993720 * I + 993720) * B) * a * \cos(d * x \\
& + c) + ((1049160 * I + 1049160) * A - (993720 * I - 993720) * B) * a * \sin(d * x + c)) * \cos \\
& (2 * d * x + 2 * c) + ((- (352800 * I + 352800) * A + (352800 * I - 352800) * B) * a * \cos(2 \\
& * d * x + 2 * c) ^ 2 + (- (352800 * I + 352800) * A + (352800 * I - 352800) * B) * a * \sin(2 * d * \\
& x + 2 * c) ^ 2 + ((705600 * I + 705600) * A - (705600 * I - 705600) * B) * a * \cos(2 * d * x + \\
& 2 * c) + (- (352800 * I + 352800) * A + (352800 * I - 352800) * B) * a * \sin(5 * d * x + 5 * c) \\
& + (((823200 * I + 823200) * A - (823200 * I - 823200) * B) * a * \cos(2 * d * x + 2 * c) ^ 2 + \\
& ((823200 * I + 823200) * A - (823200 * I - 823200) * B) * a * \sin(2 * d * x + 2 * c) ^ 2 + (- (1 \\
& 646400 * I + 1646400) * A + (1646400 * I - 1646400) * B) * a * \cos(2 * d * x + 2 * c) + ((823 \\
& 200 * I + 823200) * A - (823200 * I - 823200) * B) * a * \sin(3 * d * x + 3 * c)) * \cos(5 / 2 * \ar \\
& \tan 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) - 1)) + (((- (349440 * I - 349440) * A - \\
& (423360 * I + 423360) * B) * a * \cos(d * x + c) + ((349440 * I + 349440) * A - (423360 * I \\
& - 423360) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c) ^ 4 + ((- (349440 * I - 349440) * A \\
& - (423360 * I + 423360) * B) * a * \cos(d * x + c) + ((349440 * I + 349440) * A - (423360 \\
& * I - 423360) * B) * a * \sin(d * x + c)) * \sin(2 * d * x + 2 * c) ^ 4 + (((1397760 * I - 1397760 \\
&) * A + (1693440 * I + 1693440) * B) * a * \cos(d * x + c) + (- (1397760 * I + 1397760) * A + \\
& (1693440 * I - 1693440) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c) ^ 3 + (((- (2096640 * \\
& I - 2096640) * A - (2540160 * I + 2540160) * B) * a * \cos(d * x + c) + ((2096640 * I + 20 \\
& 96640) * A - (2540160 * I - 2540160) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c) ^ 2 + (- \\
& (349440 * I - 349440) * A - (423360 * I + 423360) * B) * a * \cos(d * x + c) + (((- (698880 \\
& * I - 698880) * A - (846720 * I + 846720) * B) * a * \cos(d * x + c) + ((698880 * I + 69888 \\
& 0) * A - (846720 * I - 846720) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c) ^ 2 + (- (69888 \\
& 0 * I - 698880) * A - (846720 * I + 846720) * B) * a * \cos(d * x + c) + ((698880 * I + 6988 \\
& 80) * A - (846720 * I - 846720) * B) * a * \sin(d * x + c) + (((1397760 * I - 1397760) * A + \\
& (1693440 * I + 1693440) * B) * a * \cos(d * x + c) + (- (1397760 * I + 1397760) * A + (169 \\
& 3440 * I - 1693440) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c)) * \sin(2 * d * x + 2 * c) ^ 2 + \\
& ((349440 * I + 349440) * A - (423360 * I - 423360) * B) * a * \sin(d * x + c) + (((139776 \\
& 0 * I - 1397760) * A + (1693440 * I + 1693440) * B) * a * \cos(d * x + c) + (- (1397760 * I + \\
& 1397760) * A + (1693440 * I - 1693440) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c)) * \cos \\
& (1 / 2 * \arctan 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) - 1)) + (((524580 * I + 524 \\
& 580) * A - (496860 * I - 496860) * B) * a * \cos(d * x + c) + ((524580 * I - 524580) * A + (\\
& 496860 * I + 496860) * B) * a * \sin(d * x + c)) * \cos(2 * d * x + 2 * c) ^ 2 + ((524580 * I + 524 \\
& 580) * A - (496860 * I - 496860) * B) * a * \cos(d * x + c) + (((524580 * I + 524580) * A -
\end{aligned}$$

```
(496860*I - 496860)*B)*a*cos(d*x + c) + ((524580*I - 524580)*A + (496860*I
+ 496860)*B)*a*sin(d*x + c))*sin(2*d*x + 2*c)^2 + ((524580*I - 524580)*A +
(496860*I + 496860)*B)*a*sin(d*x + c) + (((352800*I + 352800)*A - (352800*I
- 352800)*B)*a*cos(2*d*x + 2*c)^2 + ((352800*I + 352800)*A - (352800*I - 3
52800)*B)*a*sin(2*d*x + 2*c)^2 + (-705600*I + 705600)*A + (705600*I - 7056
00)*B)*a*cos(2*d*x + 2*c) + ((352800*I + 352800)*A - (352800*I - 352800)*B)
*a)*cos(5*d*x + 5*c) + ((-823200*I + 823200)*A + (823200*I - 823200)*B)*a*
cos(2*d*x + 2*c)^2 + ((-823200*I + 823200)*A + (823200*I - 823200)*B)*a*sin
(2*d*x + 2*c)^2 + ((1646400*I + 1646400)*A - (1646400*I - 1646400)*B)*a*cos
(2*d*x + 2*c) + (-823200*I + 823200)*A + (823200*I - 823200)*B)*a*cos(3*d
*x + 3*c) + ((-1049160*I + 1049160)*A + (993720*I - 993720)*B)*a*cos(d*x +
c) + (-1049160*I - 1049160)*A - (993720*I + 993720)*B)*a*sin(d*x + c))*co
s(2*d*x + 2*c) + (((352800*I - 352800)*A + (352800*I + 352800)*B)*a*cos(2*d
*x + 2*c)^2 + ((352800*I - 352800)*A + (352800*I + 352800)*B)*a*sin(2*d*x +
2*c)^2 + (-705600*I - 705600)*A - (705600*I + 705600)*B)*a*cos(2*d*x + 2*
c) + ((352800*I - 352800)*A + (352800*I + 352800)*B)*a*sin(5*d*x + 5*c) +
((-823200*I - 823200)*A - (823200*I + 823200)*B)*a*cos(2*d*x + 2*c)^2 + (-
823200*I - 823200)*A - (823200*I + 823200)*B)*a*sin(2*d*x + 2*c)^2 + ((164
6400*I - 1646400)*A + (1646400*I + 1646400)*B)*a*cos(2*d*x + 2*c) + (-8232
00*I - 823200)*A - (823200*I + 823200)*B)*a*sin(3*d*x + 3*c))*sin(5/2*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((-349440*I + 349440)*A +
(423360*I - 423360)*B)*a*cos(d*x + c) + (-349440*I - 349440)*A - (423360*I
+ 423360)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c)^4 + (((-349440*I + 349440)*A
+ (423360*I - 423360)*B)*a*cos(d*x + c) + (-349440*I - 349440)*A - (42336
0*I + 423360)*B)*a*sin(d*x + c))*sin(2*d*x + 2*c)^4 + (((1397760*I + 139776
0)*A - (1693440*I - 1693440)*B)*a*cos(d*x + c) + ((1397760*I - 1397760)*A +
(1693440*I + 1693440)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c)^3 + ((-2096640*
I + 2096640)*A + (2540160*I - 2540160)*B)*a*cos(d*x + c) + (-2096640*I - 2
096640)*A - (2540160*I + 2540160)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c)^2 + (
-349440*I + 349440)*A + (423360*I - 423360)*B)*a*cos(d*x + c) + (((-69888
0*I + 698880)*A + (846720*I - 846720)*B)*a*cos(d*x + c) + (-698880*I - 698
880)*A - (846720*I + 846720)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c)^2 + (-698
880*I + 698880)*A + (846720*I - 846720)*B)*a*cos(d*x + c) + (-698880*I - 6
98880)*A - (846720*I + 846720)*B)*a*sin(d*x + c) + (((1397760*I + 1397760)*
A - (1693440*I - 1693440)*B)*a*cos(d*x + c) + ((1397760*I - 1397760)*A + (1
693440*I + 1693440)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c))*sin(2*d*x + 2*c)^2
+ (-349440*I - 349440)*A - (423360*I + 423360)*B)*a*sin(d*x + c) + (((139
7760*I + 1397760)*A - (1693440*I - 1693440)*B)*a*cos(d*x + c) + ((1397760*I
- 1397760)*A + (1693440*I + 1693440)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c))*
sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a)/((cos(2*
d*x + 2*c)^4 + sin(2*d*x + 2*c)^4 - 4*cos(2*d*x + 2*c)^3 + 2*(cos(2*d*x + 2
*c)^2 - 2*cos(2*d*x + 2*c) + 1)*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c)^2 -
4*cos(2*d*x + 2*c) + 1)*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2
*d*x + 2*c) + 1)^(1/4)*d)
```

Fricas [B] time = 1.50792, size = 1619, normalized size = 6.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")
```

```
[Out] 1/210*(sqrt(2)*((844*I*A + 756*B)*a*e^(6*I*d*x + 6*I*c) + (-1484*I*A - 1596
*B)*a*e^(4*I*d*x + 4*I*c) + (1540*I*A + 1260*B)*a*e^(2*I*d*x + 2*I*c) + (-4
20*I*A - 420*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2
```

```
*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - 105*sqrt((-8*I*A^2
- 16*A*B + 8*I*B^2)*a^3/d^2)*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*
c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x
+ 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2
*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt((-8*
I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I
*c)/((2*I*A + 2*B)*a)) + 105*sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*(d
*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) -
d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sq
rt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*
x + 2*I*c) - 1))*e^(I*d*x + I*c) - sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d
^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(6
*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(dx+c)**(9/2)*(a+I*a*tan(dx+c))**(3/2)*(A+B*tan(dx+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(dx+c)^(9/2)*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x, alg
orithm="giac")
```

```
[Out] integrate((B*tan(dx + c) + A)*(I*a*tan(dx + c) + a)^(3/2)*cot(dx + c)^(9
/2), x)
```

$$3.542 \quad \int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=201

$$\frac{(2+2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(5B+6iA)\cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{15d}$$

[Out] $((-2 - 2*I)*a^{(3/2)}*(A - I*B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d + (4*a*(9*A - (10*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(15*d) - (2*a*((6*I)*A + 5*B)*\text{Cot}[c + d*x]^{(3/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(15*d) - (2*a*A*\text{Cot}[c + d*x]^{(5/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(5*d)$

Rubi [A] time = 0.710295, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3593, 3598, 12, 3544, 205}

$$\frac{(2+2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} - \frac{2a(5B+6iA)\cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(7/2)}*(a + I*a*\text{Tan}[c + d*x])^{(3/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $((-2 - 2*I)*a^{(3/2)}*(A - I*B)*\text{ArcTanh}[\frac{(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]]}{\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]}])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d + (4*a*(9*A - (10*I)*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(15*d) - (2*a*((6*I)*A + 5*B)*\text{Cot}[c + d*x]^{(3/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(15*d) - (2*a*A*\text{Cot}[c + d*x]^{(5/2)}*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]/(5*d)$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

$\text{Int}[(\cot[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]]^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

$\text{Int}[(\cot[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]]^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(f*(n +$

1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \cot^{\frac{7}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx = (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{7}{2}}(c + dx)} dx$$

$$= -\frac{2aA \cot^{\frac{5}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{5d} + \frac{1}{5} (2\sqrt{\cot(c + dx)})^{\frac{5}{2}} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= -\frac{2a(6iA + 5B) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2a}{15d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{4a(9A - 10iB)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2a}{15d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{4a(9A - 10iB)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2a}{15d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{4a(9A - 10iB)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2a}{15d} \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= -\frac{(2 - 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}}{d}$$

Mathematica [A] time = 5.24672, size = 289, normalized size = 1.44

$$\frac{(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) \left(\frac{(-1+i \tan(c+dx))\sqrt{\cot(c+dx)} \csc^2(c+dx)((5B+6iA) \sin(2(c+dx))+(21A-20iB) \cos(2(c+dx)))-15A}{15\sqrt{\sec(c+dx)}} \right)}{d \sec^{\frac{5}{2}}(c + dx)(A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] (((-2*Sqrt[2]*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))]/(-1 + E^((2*I)*(c + d*x))))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/E^((2*I)*(c + d*x)) + (Sqrt[Cot[c + d*x]]*Csc[c + d*x]^2*(-15*A + (20*I)*B + (21*A - (20*I)*B)*Cos[2*(c + d*x)] + ((6*I)*A + 5*B)*Sin[2*(c + d*x)])*(-1 + I*Tan[c + d*x]))/(15*Sqrt[Sec[c + d*x]])*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])/(d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*SIN[c + d*x]))

Maple [B] time = 0.585, size = 2244, normalized size = 11.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)

[Out] -1/15/d*a*2^(1/2)*(-5*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+30*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+30*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+27*A*cos(d*x+c)^3*2^(1/2)-24*A*cos(d*x+c)*2^(1/2)-25*I*B*2^(1/2)*cos(d*x+c)^3+20*I*B*2^(1/2)*cos(d*x+c)^2-18*I*A*2^(1/2)*sin(d*x+c)+25*I*B*2^(1/2)*cos(d*x+c)-21*A*2^(1/2)*cos(d*x+c)^2-20*I*B*2^(1/2)+18*A*2^(1/2)+30*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+15*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-30*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-15*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-30*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-30*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-15*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-20*B*2^(1/2)*sin(d*x+c)+25*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+27*I*A*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-6*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)+15*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+15*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+30*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+30*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-30*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-30*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-15*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+c


```

os(d*x+c)+sin(d*x+c)-1))+30*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*
arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-30*A*((cos(d*x+c)-1)/si
n(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(
1/2)*2^(1/2)+1)-30*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*
x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-15*A*((cos(d*x+c)-
1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c
))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d
*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+30*B*((cos(d*x+c)
-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*
x+c))^(1/2)*2^(1/2)+1)+30*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*
sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+15*B*((cos(d
*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin
(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-30*I*A*((co
s(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))
^(1/2)*2^(1/2)+1))*(cos(d*x+c)/sin(d*x+c))^(7/2)*(a*(I*sin(d*x+c)+cos(d*x+c
))/cos(d*x+c))^(1/2)*sin(d*x+c)/(I*sin(d*x+c)+cos(d*x+c)-1)/cos(d*x+c)^3

```

Maxima [B] time = 3.37154, size = 1940, normalized size = 9.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="maxima")

```

```

[Out] -1/225*(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) +
1)*(((-(450*I + 450)*A + (450*I - 450)*B)*a*cos(3*d*x + 3*c) + ((480*I + 4
80)*A - (450*I - 450)*B)*a*cos(d*x + c) + (-(450*I - 450)*A - (450*I + 450)
*B)*a*sin(3*d*x + 3*c) + ((480*I - 480)*A + (450*I + 450)*B)*a*sin(d*x + c)
)*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((450*I - 450)
)*A + (450*I + 450)*B)*a*cos(3*d*x + 3*c) + (-(480*I - 480)*A - (450*I + 45
0)*B)*a*cos(d*x + c) + (-(450*I + 450)*A + (450*I - 450)*B)*a*sin(3*d*x + 3
*c) + ((480*I + 480)*A - (450*I - 450)*B)*a*sin(d*x + c))*sin(3/2*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a) + (((450*I - 450)*A + (45
0*I + 450)*B)*a*cos(2*d*x + 2*c)^2 + ((450*I - 450)*A + (450*I + 450)*B)*a*
sin(2*d*x + 2*c)^2 + (-(900*I - 900)*A - (900*I + 900)*B)*a*cos(2*d*x + 2*c
) + ((450*I - 450)*A + (450*I + 450)*B)*a)*arctan2(2*(cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c) - 1)) + 2*sin(d*x + c), 2*(cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c) - 1)) + 2*cos(d*x + c)) + (((225*I + 225)*A - (2
25*I - 225)*B)*a*cos(2*d*x + 2*c)^2 + ((225*I + 225)*A - (225*I - 225)*B)*a
*sin(2*d*x + 2*c)^2 + (-(450*I + 450)*A + (450*I - 450)*B)*a*cos(2*d*x + 2*
c) + ((225*I + 225)*A - (225*I - 225)*B)*a)*log(4*cos(d*x + c)^2 + 4*sin(d*
x + c)^2 + 4*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2
*c) + 1)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))^2 + sin(
1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))^2) + 8*(cos(2*d*x + 2*
c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos
(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + sin(d*x + c)*sin(1/
2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))))*(cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + (((-(450*I +
450)*A + (450*I - 450)*B)*a*cos(5*d*x + 5*c) + ((150*I + 150)*A - (600*I -
600)*B)*a*cos(3*d*x + 3*c) + (-(60*I + 60)*A + (150*I - 150)*B)*a*cos(d*x +
c) + (-(450*I - 450)*A - (450*I + 450)*B)*a*sin(5*d*x + 5*c) + ((150*I - 1
50)*A + (600*I + 600)*B)*a*sin(3*d*x + 3*c) + (-(60*I - 60)*A - (150*I + 15

```

```

0)*B)*a*sin(d*x + c))*cos(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) -
1)) + (((90*I + 90)*A - (150*I - 150)*B)*a*cos(d*x + c) + ((90*I - 90)*A +
(150*I + 150)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c)^2 + ((90*I + 90)*A - (15
0*I - 150)*B)*a*cos(d*x + c) + (((90*I + 90)*A - (150*I - 150)*B)*a*cos(d*x
+ c) + ((90*I - 90)*A + (150*I + 150)*B)*a*sin(d*x + c))*sin(2*d*x + 2*c)^
2 + ((90*I - 90)*A + (150*I + 150)*B)*a*sin(d*x + c) + ((-180*I + 180)*A +
(300*I - 300)*B)*a*cos(d*x + c) + (-180*I - 180)*A - (300*I + 300)*B)*a*si
n(d*x + c))*cos(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) - 1)) + (((450*I - 450)*A + (450*I + 450)*B)*a*cos(5*d*x + 5*c) + (-
(150*I - 150)*A - (600*I + 600)*B)*a*cos(3*d*x + 3*c) + ((60*I - 60)*A + (1
50*I + 150)*B)*a*cos(d*x + c) + (-450*I + 450)*A + (450*I - 450)*B)*a*sin(
5*d*x + 5*c) + ((150*I + 150)*A - (600*I - 600)*B)*a*sin(3*d*x + 3*c) + (-
60*I + 60)*A + (150*I - 150)*B)*a*sin(d*x + c))*sin(5/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) - 1)) + (((-90*I - 90)*A - (150*I + 150)*B)*a*cos(
d*x + c) + ((90*I + 90)*A - (150*I - 150)*B)*a*sin(d*x + c))*cos(2*d*x + 2*
c)^2 + (-90*I - 90)*A - (150*I + 150)*B)*a*cos(d*x + c) + ((-90*I - 90)*A
- (150*I + 150)*B)*a*cos(d*x + c) + ((90*I + 90)*A - (150*I - 150)*B)*a*si
n(d*x + c))*sin(2*d*x + 2*c)^2 + ((90*I + 90)*A - (150*I - 150)*B)*a*sin(d*
x + c) + (((180*I - 180)*A + (300*I + 300)*B)*a*cos(d*x + c) + (-180*I + 1
80)*A + (300*I - 300)*B)*a*sin(d*x + c))*cos(2*d*x + 2*c))*sin(1/2*arctan2(
sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1))*sqrt(a))/((cos(2*d*x + 2*c)^2 + s
in(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(5/4)*d)

```

Fricas [B] time = 1.44653, size = 1436, normalized size = 7.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")

```

```

[Out] 1/30*(4*sqrt(2)*((27*A - 25*I*B)*a*e^(4*I*d*x + 4*I*c) - 10*(3*A - 4*I*B)*a
*e^(2*I*d*x + 2*I*c) + 15*(A - I*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sq
rt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) -
15*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) - 2*d
*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c)
+ (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x +
2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + I*sqrt((8*I*A^2 +
16*A*B - 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2
*I*A + 2*B)*a)) + 15*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*(d*e^(4*I*d
*x + 4*I*c) - 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^
(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sq
rt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) -
I*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I
*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(4*I*d*x + 4*I*c) - 2*d*e^(2*I*d*x +
2*I*c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cot(d*x+c)**(7/2)*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(7/2), x)

$$3.543 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=157

$$\frac{(2+2i)a^{3/2}(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} - \frac{2a(3B+4iA)\sqrt{\cot(c+dx)}\sqrt{a+ia\tan(c+dx)}}{3d}$$

[Out] ((2 + 2*I)*a^(3/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a*((4*I)*A + 3*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(3*d) - (2*a*A*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(3*d)

Rubi [A] time = 0.511212, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3593, 3598, 12, 3544, 205}

$$\frac{(2+2i)a^{3/2}(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} - \frac{2a(3B+4iA)\sqrt{\cot(c+dx)}\sqrt{a+ia\tan(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] ((2 + 2*I)*a^(3/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a*((4*I)*A + 3*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(3*d) - (2*a*A*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(3*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m

+ a*d*(n + 1) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx &= \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{(a + ia \tan(c + dx))^{3/2}}{\tan^{\frac{5}{2}}(c + dx)} dx \\ &= -\frac{2aA \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3d} + \frac{1}{3} \left(2\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}\right) \\ &= -\frac{2a(4iA + 3B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{3d} - \frac{2a}{3d} \\ &= -\frac{2a(4iA + 3B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{3d} - \frac{2a}{3d} \\ &= -\frac{2a(4iA + 3B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{3d} - \frac{2a}{3d} \\ &= \frac{(2 + 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \end{aligned}$$

Mathematica [A] time = 4.64293, size = 259, normalized size = 1.65

$$\frac{(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) \left(2\sqrt{2}(B + iA)e^{-2i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}}\tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1 + e^{2i(c+dx)}}}\right)\right)}{d \sec^{\frac{5}{2}}(c + dx)(A \cos(c + dx) + B \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (((2*Sqrt[2]*(I*A + B)*Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))]/(-1 + E^((2*I)*(c + d*x))))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]/E^((

$$(2I)(c + dx) - (2(-I + \cot[c + dx])(A\csc[c + dx] + ((4I)A + 3B) \sec[c + dx])) / (3\sqrt{\cot[c + dx]} \sec[c + dx]^{3/2}) (a + I a \tan[c + dx])^{3/2} (A + B \tan[c + dx]) / (d \sec[c + dx]^{5/2} (A \cos[c + dx] + B \sin[c + dx]))$$

Maple [B] time = 0.592, size = 2017, normalized size = 12.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out]
$$\begin{aligned} & -1/3/d*a*2^{(1/2)}*(6*B*\cos(d*x+c)^2*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+3*B*\cos(d*x+c)^2*((\cos(d*x+c) \\ & -1)/\sin(d*x+c))^{(1/2)}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d* \\ & x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin \\ & (d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1))+6*B*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x \\ & +c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)-6*I*A*\arctan \\ & (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(\\ & 1/2)}-3*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c) \\ &))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)-1)/\sin(d \\ & *x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1))-6*I*A*((\cos(d*x+c) \\ &)-1)/\sin(d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)+ \\ & 3*B*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-3*I*B*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d* \\ & x+c))^{(1/2)}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d \\ & *x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+ \\ & \cos(d*x+c)+\sin(d*x+c)-1))+6*I*A*\cos(d*x+c)^2*\arctan(((\cos(d*x+c)-1)/\sin(d*x+ \\ & c))^{(1/2)}*2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+3*I*A*\cos(d*x+c)^2*(\\ & (\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(\\ & 1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1))+6*I*A*\cos(d*x+c)^2*((\cos(d*x+ \\ & c)-1)/\sin(d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1) \\ & -6*I*B*\cos(d*x+c)^2*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*((\\ & \cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-6*I*B*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c) \\ &))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)-A*\cos(d*x+c)*2 \\ & ^{(1/2)}-3*I*B*2^{(1/2)}*\cos(d*x+c)^2+6*I*B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(\\ & 1/2)}*2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+6*I*B*((\cos(d*x+c)-1)/\sin \\ & (d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)+3*I*B*(\\ & (\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(\\ & 1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\ & *2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))+6*A*\cos(d*x+c)^2*\arctan(((\cos \\ & (d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+6 \\ & *A*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin \\ & (d*x+c))^{(1/2)}*2^{(1/2)}+1)+3*A*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/ \\ & 2)}*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin \\ & (d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c) \\ & +\sin(d*x+c)-1))+5*A*2^{(1/2)}*\cos(d*x+c)^2+3*I*2^{(1/2)}*B-4*A*2^{(1/2)}-6*A*\arct \\ & an(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d*x+c)) \\ & ^{(1/2)}-6*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x \\ & +c))^{(1/2)}*2^{(1/2)}+1)-3*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\ln(-(((\cos(d*x+ \\ & c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos \\ & (d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))-6* \\ & B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*((\cos(d*x+c)-1)/\sin(d \\ & *x+c))^{(1/2)}-3*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\ln(-(((\cos(d*x+c)-1)/\sin \\ & (d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)-1) \\ & / \sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1))-6*B*((\cos(d$$

$$\frac{(\cos(dx+c)-1)/\sin(dx+c)^{1/2} \arctan\left(\frac{(\cos(dx+c)-1)/\sin(dx+c)^{1/2}}{2^{1/2}+1}\right) - 3B \cdot 2^{1/2} \sin(dx+c) + 5I \cdot A \cdot 2^{1/2} \cos(dx+c) \sin(dx+c) - 4I \cdot A \cdot 2^{1/2} \sin(dx+c)}{\cos(dx+c)/\sin(dx+c)^{5/2} \left(a(I \sin(dx+c) + \cos(dx+c)) / \cos(dx+c) \right)^{1/2} \sin(dx+c) / (I \sin(dx+c) + \cos(dx+c) - 1) / \cos(dx+c)^2}$$

Maxima [B] time = 2.31883, size = 1486, normalized size = 9.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+I*a*tan(dx+c))^(3/2)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/9 * (\sqrt{\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2} - 2\cos(2dx + 2c) + 1) * \\ & \left(\left((18I - 18)A + (18I + 18)B \right) a \cos(3dx + 3c) + (-6I - 6)A - (18I + 18)B \right) a \cos(dx + c) + \\ & \left(-(18I + 18)A + (18I - 18)B \right) a \sin(3dx + 3c) + \left((6I + 6)A - (18I - 18)B \right) a \sin(dx + c) \right) * \\ & \cos\left(\frac{3}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right) + \left((18I + 18)A - (18I - 18)B \right) a \cos(3dx + 3c) + \\ & \left(-(6I + 6)A + (18I - 18)B \right) a \cos(dx + c) + \left((18I - 18)A + (18I + 18)B \right) a \sin(3dx + 3c) + \\ & \left(-(6I - 6)A - (18I + 18)B \right) a \sin(dx + c) \right) * \sin\left(\frac{3}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right) * \\ & \sqrt{a} + \left(\left((18I + 18)A - (18I - 18)B \right) a \cos(2dx + 2c)^2 + \left((18I + 18)A - (18I - 18)B \right) a \sin(2dx + 2c)^2 + \right. \\ & \left. -(36I + 36)A + (36I - 36)B \right) a \cos(2dx + 2c) + \left((18I + 18)A - (18I - 18)B \right) a \arctan\left(\frac{2(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right) + 2\sin(dx + c))}{2(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right) + 2\cos(dx + c))}\right) + \left. \left(-(9I - 9)A - (9I + 9)B \right) a \cos(2dx + 2c)^2 + \left(-(9I - 9)A - (9I + 9)B \right) a \sin(2dx + 2c)^2 + \right. \\ & \left. \left((18I - 18)A + (18I + 18)B \right) a \cos(2dx + 2c) + \left(-(9I - 9)A - (9I + 9)B \right) a \log(4\cos(dx + c)^2 + 4\sin(dx + c)^2 + 4\sqrt{\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2} - 2\cos(2dx + 2c) + 1) \right) * \\ & \left(\cos\left(\frac{1}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right)^2 + \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right)^2 \right) + 8(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1)^{1/4} * \\ & \left(\cos(dx + c) \cos\left(\frac{1}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right) + \sin(dx + c) \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right) \right) * \\ & \left(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1 \right)^{1/4} * \sqrt{a} + \left(\left((12I - 12)A a \cos(dx + c) - (12I + 12)A a \sin(dx + c) \right) \cos(2dx + 2c)^2 + \right. \\ & \left. (12I - 12)A a \cos(dx + c) + (12I + 12)A a \sin(dx + c) \right) \sin(2dx + 2c)^2 - (12I + 12)A a \sin(dx + c) + \left(-(24I - 24)A a \cos(dx + c) + (24I + 24)A a \sin(dx + c) \right) \cos(2dx + 2c) * \\ & \cos\left(\frac{1}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right) + \left(\left((12I + 12)A a \cos(dx + c) + (12I - 12)A a \sin(dx + c) \right) \cos(2dx + 2c)^2 + \right. \\ & \left. (12I + 12)A a \cos(dx + c) + (12I - 12)A a \sin(dx + c) \right) \sin(2dx + 2c)^2 + (12I - 12)A a \sin(dx + c) + \left(-(24I + 24)A a \cos(dx + c) - (24I - 24)A a \sin(dx + c) \right) \cos(2dx + 2c) * \\ & \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c) - 1}\right)\right) * \sqrt{a} \right) / \left(\left(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1 \right)^{5/4} * d \right) \end{aligned}$$

Fricas [B] time = 1.43004, size = 1274, normalized size = 8.11

$$\sqrt{2}((-20iA - 12B)ae^{2idx+2ic} + (12iA + 12B)a)\sqrt{\frac{a}{e^{2idx+2ic}+1}}\sqrt{\frac{ie^{2idx+2ic}+i}{e^{2idx+2ic}-1}}e^{idx+ic} + 3\sqrt{\frac{(-8iA^2-16AB+8iB^2)a^3}{d^2}}(de^{2idx+2ic})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(sqrt(2)*((-20*I*A - 12*B)*a*e^(2*I*d*x + 2*I*c) + (12*I*A + 12*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 3*sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a) - 3*sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(2*I*d*x + 2*I*c) - d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(5/2), x)

$$3.544 \quad \int \cot^2(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=186

$$\frac{(2+2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} + \frac{2\sqrt[4]{-1}a^{3/2}B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d}$$

[Out] (2*(-1)^(1/4)*a^(3/2)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]]/Sqrt[a + I*a*Tan[c + d*x]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d - (2*a*A*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rubi [A] time = 0.633773, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3593, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(2+2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d} + \frac{2\sqrt[4]{-1}a^{3/2}B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia\tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (2*(-1)^(1/4)*a^(3/2)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]]]/Sqrt[a + I*a*Tan[c + d*x]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d - (2*a*A*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]

- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{3/2}}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} + \left(2\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}\right) \int \frac{1}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} - \left(B\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}\right) \int \frac{1}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} - \frac{(a^2B\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)})}{d} \\
&= \frac{(2-2i)a^{3/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} \\
&= \frac{(2-2i)a^{3/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} \\
&= \frac{2\sqrt[4]{-1}a^{3/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 4.29414, size = 286, normalized size = 1.54

$$a \cos(c+dx)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}\left(-4\sqrt{2}(A-iB)\sqrt{-1+e^{2i(c+dx)}} \log\left(\sqrt{-1+e^{2i(c+dx)}}+e^{i(c+dx)}\right)+4\sqrt{2}A\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] -((a*cos[c + d*x]*Sqrt[Cot[c + d*x]]*(4*Sqrt[2]*A*E^(I*(c + d*x)) - 4*Sqrt[2]*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))])*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] - I*B*Sqrt[-1 + E^((2*I)*(c + d*x))])*Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] + I*B*Sqrt[-1 + E^((2*I)*(c + d*x))])*Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[a + I*a*Tan[c + d*x]])/(Sqrt[2]*d*(1 + E^((2*I)*(c + d*x))))

Maple [B] time = 0.534, size = 1366, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] -1/2/d*a*2^(1/2)*(2*I*A*2^(1/2)*sin(d*x+c)+2*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+2*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-2*I*B*2^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))

```

)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)+4*I*A*arctan(((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)+
I*B*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x
+c))^(1/2)*sin(d*x+c)-2*B*2^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))
*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)-B*2^(1/2)*ln(((cos(d*x+c)-1)/
sin(d*x+c))^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)+B*2^(1/2)
*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*
sin(d*x+c)-I*B*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)*((cos(d*x+c)
-1)/sin(d*x+c))^(1/2)*sin(d*x+c)+4*I*B*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(
1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)+4*I*B*arctan((
(cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/
2)*sin(d*x+c)+4*I*A*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((c
os(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)-4*A*((cos(d*x+c)-1)/sin(d*x+c))^(
1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-4*A*((c
os(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*2^(1/2)-1)-2*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((
cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)
/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c
)+1))+4*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-
1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+2*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d
*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-
sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x
+c)+sin(d*x+c)-1))+4*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(
((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+2*A*cos(d*x+c)*2^(1/2)-2*A*2^(
1/2))*((cos(d*x+c)/sin(d*x+c))^(3/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c)
)^(1/2)*sin(d*x+c)/(I*sin(d*x+c)+cos(d*x+c)-1)/cos(d*x+c)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="maxima")
```

[Out] Timed out

Fricas [B] time = 1.5478, size = 1793, normalized size = 9.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")
```

```
[Out] -1/2*(4*sqrt(2)*A*a*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x +
2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - sqrt((8*I*A^2 + 16
*A*B - 8*I*B^2)*a^3/d^2)*d*log((sqrt(2))*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c)
) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x
+ 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + I*sqrt((8*I*A^2
+ 16*A*B - 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((
2*I*A + 2*B)*a) + sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*d*log((sqrt(2)
)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d

```

```
*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1
)))*e^(I*d*x + I*c) - I*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*d*e^(2*I*
d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)) + sqrt(-4*I*B^2*a^3/d
^2)*d*log((sqrt(2)*(B*a*e^(2*I*d*x + 2*I*c) - B*a)*sqrt(a/(e^(2*I*d*x + 2*I
*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*
d*x + I*c) + I*sqrt(-4*I*B^2*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x -
2*I*c)/(B*a)) - sqrt(-4*I*B^2*a^3/d^2)*d*log((sqrt(2)*(B*a*e^(2*I*d*x + 2*I
*c) - B*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) +
I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - I*sqrt(-4*I*B^2*a^3/d^2)*d*
e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/(B*a)))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(3
/2), x)
```

$$3.545 \quad \int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=196

$$\frac{(-1)^{3/4}a^{3/2}(3B+2iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(2-2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

[Out] -((((-1)^(3/4)*a^(3/2)*((2*I)*A + 3*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((2 - 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (I*a*B*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]])

Rubi [A] time = 0.653957, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3594, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{3/2}(3B+2iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{(2-2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] -((((-1)^(3/4)*a^(3/2)*((2*I)*A + 3*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((2 - 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (I*a*B*Sqrt[a + I*a*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3594

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]

- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{iaB\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{3/2}}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{iaB\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + (2a(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+ia \tan(c+dx))^{3/2}}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{iaB\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{(4ia^3(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)})}{d} \operatorname{tanh}^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)} \\
&= -\frac{(2+2i)a^{3/2}(iA+B) \operatorname{tanh}^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
&= -\frac{(2+2i)a^{3/2}(iA+B) \operatorname{tanh}^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
&= \frac{\sqrt[4]{-1}a^{3/2}(2A-3iB) \operatorname{tanh}^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 7.01089, size = 360, normalized size = 1.84

$$(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx)) \left(\sqrt{2}e^{-2i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}} \right) \left(\sqrt{2}(3B+2iA) \left(\log(-2\sqrt{2}e^{-2i(c+dx)}) \right) \right)$$

8d se

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))*((Sqrt[2]*Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))])*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))/(-1 + E^((2*I)*(c + d*x)))]*((-16*I)*(A - I*B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + Sqrt[2]*((2*I)*A + 3*B)*(Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] - Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])))/E^((2*I)*(c + d*x)) + (8*B*(I + Tan[c + d*x]))/(Sqrt[Cot[c + d*x]]*Sqrt[Sec[c + d*x]])))/(8*d*Sec[c + d*x]^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.522, size = 1306, normalized size = 6.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] 1/4/d*2^(1/2)*a*(cos(d*x+c)-1)*(-4*A*cos(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-4*B*cos(d*x+c)


```

*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d
*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-s
in(d*x+c)+1))-8*A*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/
2)+1)-8*A*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-8*
B*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-8*B*cos(d*
x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+2*B*((cos(d*x+c)-1
)/sin(d*x+c))^(1/2)*2^(1/2)+2*I*A*2^(1/2)*cos(d*x+c)*ln(((cos(d*x+c)-1)/sin
(d*x+c))^(1/2)+1)-2*I*A*2^(1/2)*cos(d*x+c)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(
1/2)-1)+3*I*B*cos(d*x+c)*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)-6*
I*B*2^(1/2)*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))-3*I*B*2^(1
/2)*cos(d*x+c)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)+2*I*B*sin(d*x+c)*((c
os(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+4*I*A*cos(d*x+c)*2^(1/2)*arctan(((co
s(d*x+c)-1)/sin(d*x+c))^(1/2))-8*I*A*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(
d*x+c))^(1/2)*2^(1/2)+1)-8*I*A*cos(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*2^(1/2)-1)-4*I*A*cos(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*
2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1
/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+8*I*B*cos(d*x+c)*arctan(((
cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+8*I*B*cos(d*x+c)*arctan(((cos(d*
x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+4*I*B*cos(d*x+c)*ln(-(((cos(d*x+c)-1)/
sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)
-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))+2*B*2^(1
/2)*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-2*A*cos(d*x+c)*2^(1/2)*ln(
((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)+4*A*cos(d*x+c)*2^(1/2)*arctan(((cos(d*
x+c)-1)/sin(d*x+c))^(1/2))+2*A*cos(d*x+c)*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*
x+c))^(1/2)-1)+3*B*cos(d*x+c)*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+
1)+6*B*cos(d*x+c)*2^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))-3*B*cos
(d*x+c)*2^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1))*(a*(I*sin(d*x+c)+c
os(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)/(I*sin(d*x+c)+c
os(d*x+c)-1)/cos(d*x+c)/((cos(d*x+c)-1)/sin(d*x+c))^(1/2)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="maxima")
```

[Out] Timed out

Fricas [B] time = 1.61806, size = 2218, normalized size = 11.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")
```

```
[Out] 1/2*(2*sqrt(2)*(B*a*e^(2*I*d*x + 2*I*c) - B*a)*sqrt(a/(e^(2*I*d*x + 2*I*c)
+ 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x
+ I*c) + sqrt((-4*I*A^2 - 12*A*B + 9*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c)
+ d)*log((sqrt(2)*((2*I*A + 3*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 3*B)*a)
*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I
```

```

*d*x + 2*I*c) - 1))e^(I*d*x + I*c) + 2*sqrt((-4*I*A^2 - 12*A*B + 9*I*B^2)*
a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 3*B)*a)) - s
qrt((-4*I*A^2 - 12*A*B + 9*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log(
(sqrt(2)*((2*I*A + 3*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 3*B)*a)*sqrt(a/(e
^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I
*c) - 1))e^(I*d*x + I*c) - 2*sqrt((-4*I*A^2 - 12*A*B + 9*I*B^2)*a^3/d^2)*d
*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 3*B)*a)) - sqrt((-8*I*
A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*
(2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x
+ 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))
e^(I*d*x + I*c) + sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x
+ 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)) + sqrt((-8*I*A^2 - 16*A*B
+ 8*I*B^2)*a^3/d^2)*(d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B
)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1
))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))e^(I*d*x + I
*c) - sqrt((-8*I*A^2 - 16*A*B + 8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^
(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)))/(d*e^(2*I*d*x + 2*I*c) + d)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, alg
orithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x +
c)), x)
```

$$3.546 \quad \int \frac{(a+ia \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=244

$$\frac{(-1)^{3/4}a^{3/2}(12A - 11iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) - (2+2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{4d}$$

```
[Out] -((-1)^(3/4)*a^(3/2)*(12*A - (11*I)*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*d) - ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((I/2)*a*B*Sqrt[a + I*a*Tan[c + d*x]])/(d*Cot[c + d*x]^(3/2)) + (a*((4*I)*A + 5*B)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 0.857799, antiderivative size = 244, normalized size of antiderivative = 1, number of steps used = 10, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {4241, 3594, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{3/2}(12A - 11iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) - (2+2i)a^{3/2}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] -((-1)^(3/4)*a^(3/2)*(12*A - (11*I)*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*d) - ((2 + 2*I)*a^(3/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((I/2)*a*B*Sqrt[a + I*a*Tan[c + d*x]])/(d*Cot[c + d*x]^(3/2)) + (a*((4*I)*A + 5*B)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]
```

Rule 3594

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(m+n)), x] + Dist[1/(d*(m+n)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3597

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[
1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp
[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Ta
n[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c
- a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3601

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2} \\
&= \frac{iaB\sqrt{a + ia \tan(c + dx)}}{2d \cot^{\frac{3}{2}}(c + dx)} + \frac{1}{2} (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^{3/2} \\
&= \frac{iaB\sqrt{a + ia \tan(c + dx)}}{2d \cot^{\frac{3}{2}}(c + dx)} + \frac{a(4iA + 5B)\sqrt{a + ia \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} + \frac{(4ia + 5B)\sqrt{a + ia \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} \\
&= \frac{iaB\sqrt{a + ia \tan(c + dx)}}{2d \cot^{\frac{3}{2}}(c + dx)} + \frac{a(4iA + 5B)\sqrt{a + ia \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} - (2a + 5B)\sqrt{\cot(c + dx)} \\
&= \frac{iaB\sqrt{a + ia \tan(c + dx)}}{2d \cot^{\frac{3}{2}}(c + dx)} + \frac{a(4iA + 5B)\sqrt{a + ia \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} + \frac{(4ia + 5B)\sqrt{a + ia \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} \\
&= -\frac{(2 - 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
&= -\frac{(2 - 2i)a^{3/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
&= -\frac{\sqrt[4]{-1}a^{3/2}(12iA + 11B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 6.21254, size = 441, normalized size = 1.81

$$\cos^2(c + dx)\sqrt{\cot(c + dx)}(\cos(dx) - i \sin(dx))(a + ia \tan(c + dx))^{3/2}(A + B \tan(c + dx)) \left(4(\sin(c) + i \cos(c)) \tan(c + dx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] (Cos[c + d*x]^2*Sqrt[Cot[c + d*x]]*(Cos[d*x] - I*Sin[d*x]))*(a + I*a*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x])*(-(Sqrt[2]*(Sqrt[2]*(12*A - (11*I)*B))*Log[(2*E^(((5*I)/2)*c))*(Sqrt[2] - I*Sqrt[2]*E^(I*(c + d*x)) + (2*I)*Sqrt[-1 + E^((2*I)*(c + d*x))]])/((12*A - (11*I)*B)*(-I + E^(I*(c + d*x))))] + Sqrt[2]*(-12*A + (11*I)*B)*Log[(2*E^(((5*I)/2)*c))*((-I)*Sqrt[2] + Sqrt[2]*E^(I*(c + d*x)) + 2*Sqrt[-1 + E^((2*I)*(c + d*x))]])/(((12*I)*A + 11*B)*(I + E^(I*(c + d*x))))] + 32*(A - I*B)*Log[(Cos[c] - I*Sin[c])*(Cos[c + d*x] + I*Sin[c + d*x] + Sqrt[-1 + Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)])]]*Sqrt[I*(I + Cot[c + d*x])*Sin[c + d*x]^2*(Cos[2*c + d*x] - I*Sin[2*c + d*x]) + 4*(I*Cos[c] + Sin[c])*Tan[c + d*x]*(4*A - (5*I)*B + 2*B*Tan[c + d*x])]/(16*d*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.571, size = 4490, normalized size = 18.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(d*x+c))^{(3/2)}*(A+B*\tan(d*x+c))/\cot(d*x+c)^{(1/2)},x)$

[Out] $\frac{1}{16}d^{1/2}a*(-32B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)+1})$
 $*\cos(d*x+c)^2*\sin(d*x+c)-16B*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}$
 $)*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}$
 $*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))*\cos(d*x+c)^2*\sin(d*x+c)+8A*2^{(1/2)}$
 $*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^3+14B*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}$
 $*\cos(d*x+c)^3+24A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^3-12A*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*2^{(1/2)}$
 $*\cos(d*x+c)^3+8I*A*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)-4I*B*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}$
 $*\sin(d*x+c)-8A*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)-8A*2^{(1/2)}$
 $*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-12A*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1})*2^{(1/2)}$
 $*\cos(d*x+c)^2*\sin(d*x+c)-24A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+12A*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*2^{(1/2)}$
 $*\cos(d*x+c)^2*\sin(d*x+c)-11B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1})*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+2$
 $2B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+11B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*2^{(1/2)}$
 $*\cos(d*x+c)^2*\sin(d*x+c)+11I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1})*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)-32A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*\cos(d*x+c)^3-32B*\cos(d*x+c)^2*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)-16B*\cos(d*x+c)^2*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))+32B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*\cos(d*x+c)^3+32B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)+1})*\cos(d*x+c)^3+16B*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))*\cos(d*x+c)^3-4B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+14B*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+12I*A*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1})*2^{(1/2)}*\cos(d*x+c)^3-24I*A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^3-12I*A*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*2^{(1/2)}*\cos(d*x+c)^3+8I*A*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^3-11I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1})*2^{(1/2)}*\cos(d*x+c)^3-22I*B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^3+11I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*2^{(1/2)}*\cos(d*x+c)^3-14I*B*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^3-32I*A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*\cos(d*x+c)^2*\sin(d*x+c)-32I*A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)+1})*\cos(d*x+c)^2*\sin(d*x+c)-16I*A*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))*\cos(d*x+c)^2*\sin(d*x+c)+11I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1})*2^{(1/2)}*\cos(d*x+c)^2+22I*B*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^2-11I*B*\cos(d*x+c)^2*2^{(1/2)}*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+4I*B*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2-8I*A*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)+14I*B*2^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)-10B*\cos(d*x+c)*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-32A*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)+1})*\cos(d*x+c)^3-16A*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)$

$$\begin{aligned}
& -1/\sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1) * \cos(dx+c) \\
& ^3 + 32 * A * \cos(dx+c)^2 * \arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2} * 2^{1/2} + 1) + \\
& 32 * A * \cos(dx+c)^2 * \arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2} * 2^{1/2} - 1) + 16 * A * \\
& \cos(dx+c)^2 * \ln(-(((\cos(dx+c)-1)/\sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) \\
& + \sin(dx+c) - 1) / (((\cos(dx+c)-1)/\sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) \\
& - \sin(dx+c) + 1)) + 11 * B * \ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2} + 1) * 2^{1/2} * \cos(dx+c) \\
& ^3 - 22 * B * \arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}) * 2^{1/2} * \cos(dx+c) \\
& ^3 - 11 * B * \ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2} - 1) * 2^{1/2} * \cos(dx+c) \\
& ^3 - 4 * B * \sin(dx+c) * (((\cos(dx+c)-1)/\sin(dx+c))^{1/2} * 2^{1/2} + 4 * B * \cos(dx+c)^2 * \\
& (((\cos(dx+c)-1)/\sin(dx+c))^{1/2} * 2^{1/2} - 12 * A * \cos(dx+c)^2 * 2^{1/2} * \ln(((\cos(dx+c)-1) \\
& / \sin(dx+c))^{1/2} + 1) - 24 * A * \cos(dx+c)^2 * 2^{1/2} * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2}) \\
& + 12 * A * \cos(dx+c)^2 * 2^{1/2} * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} - 1) - 11 * B * \cos(dx+c) \\
& ^2 * 2^{1/2} * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} + 1) + 22 * B * \cos(dx+c)^2 * 2^{1/2} * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2}) \\
& + 11 * B * \cos(dx+c)^2 * 2^{1/2} * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} - 1) - 8 * A * 2^{1/2} * \\
& ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c) + 12 * A * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} + 1) * 2^{1/2} * \cos(dx+c) \\
& ^3 + 32 * I * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) * \cos(dx+c) \\
& ^3 + 32 * I * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) * \cos(dx+c) \\
& ^3 + 16 * I * A * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) * \cos(dx+c) \\
& ^3 + 32 * I * B * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) * \cos(dx+c) \\
& ^3 + 32 * I * B * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) * \cos(dx+c) \\
& ^3 + 16 * I * B * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) * \cos(dx+c) \\
& ^3 - 32 * I * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) * \cos(dx+c) \\
& ^2 - 32 * I * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) * \cos(dx+c) \\
& ^2 - 16 * I * A * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) * \cos(dx+c) \\
& ^2 - 32 * I * B * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) * \cos(dx+c) \\
& ^2 - 32 * I * B * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) * \cos(dx+c) \\
& ^2 - 16 * I * B * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) * \cos(dx+c) \\
& ^2 - 4 * I * B * 2^{1/2} * (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} + 32 * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) * \cos(dx+c) \\
& ^2 * \sin(dx+c) + 32 * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} + 1) * \cos(dx+c) \\
& ^2 * \sin(dx+c) + 16 * A * \ln(-(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) * \cos(dx+c) \\
& ^2 * \sin(dx+c) - 32 * B * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2} - 1) * \cos(dx+c) \\
& ^2 * \sin(dx+c) + 22 * I * B * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * 2^{1/2}) * 2^{1/2} * \cos(dx+c) \\
& ^2 * \sin(dx+c) - 11 * I * B * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} - 1) * 2^{1/2} * \cos(dx+c) \\
& ^2 * \sin(dx+c) + 14 * I * B * 2^{1/2} * (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c) \\
& ^2 * \sin(dx+c) - 8 * I * A * 2^{1/2} * (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c) * \sin(dx+c) + 10 * I * B * 2^{1/2} * (((\cos(dx+c)-1) / \sin(dx+c))^{1/2} * \cos(dx+c) * \sin(dx+c) - 12 * I * A * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} + 1) * 2^{1/2} * \cos(dx+c) \\
& ^2 * \sin(dx+c) + 24 * I * A * \arctan(((\cos(dx+c)-1) / \sin(dx+c))^{1/2}) * 2^{1/2} * \cos(dx+c) \\
& ^2 * \sin(dx+c) + 12 * I * A * \ln(((\cos(dx+c)-1) / \sin(dx+c))^{1/2} - 1) * 2^{1/2} * \cos(dx+c) \\
& ^2 * \sin(dx+c) - 14 * B * 2^{1/2} * \cos(dx+c) * (((\cos(dx+c)-1) / \sin(dx+c))^{1/2}) * (a * (I * \sin(dx+c) + \cos(dx+c)) / \cos(dx+c))^{1/2} / (I * \cos(dx+c) + I * \sin(dx+c) - 1 + I * \cos(dx+c) - \sin(dx+c)) / \cos(dx+c) / (\cos(dx+c) / \sin(dx+c))^{1/2} / ((\cos(dx+c)-1) / \sin(dx+c))^{1/2} / \sin(dx+c)
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A)(i a \tan(dx+c) + a)^{\frac{3}{2}}}{\sqrt{\cot(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, alg
orithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)/sqrt(cot(d*x +
c)), x)
```

Fricas [B] time = 1.55949, size = 2515, normalized size = 10.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, alg
orithm="fricas")
```

```
[Out] 1/8*(2*sqrt(2)*((4*A - 7*I*B)*a*e^(4*I*d*x + 4*I*c) + 4*I*B*a*e^(2*I*d*x +
2*I*c) - (4*A - 3*I*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*
d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt((144*I*
A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x
+ 2*I*c) + d)*log((sqrt(2)*((12*I*A + 11*B)*a*e^(2*I*d*x + 2*I*c) + (-12*I
*A - 11*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c)
+ I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 2*I*sqrt((144*I*A^2 + 26
4*A*B - 121*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((1
2*I*A + 11*B)*a)) - sqrt((144*I*A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*(d*e^(4
*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((12*I*A + 11*B
)*a*e^(2*I*d*x + 2*I*c) + (-12*I*A - 11*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) +
1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x +
I*c) - 2*I*sqrt((144*I*A^2 + 264*A*B - 121*I*B^2)*a^3/d^2)*d*e^(2*I*d*x +
2*I*c))*e^(-2*I*d*x - 2*I*c)/((12*I*A + 11*B)*a)) - 4*sqrt((8*I*A^2 + 16*A*
B - 8*I*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)
*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*A - 2*B)*a)*sqrt
(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x
+ 2*I*c) - 1))*e^(I*d*x + I*c) + I*sqrt((8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^
2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*B)*a)) + 4*sqrt(
(8*I*A^2 + 16*A*B - 8*I*B^2)*a^3/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d
*x + 2*I*c) + d)*log((sqrt(2)*((2*I*A + 2*B)*a*e^(2*I*d*x + 2*I*c) + (-2*I*
A - 2*B)*a)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) +
I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - I*sqrt((8*I*A^2 + 16*A*B -
8*I*B^2)*a^3/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((2*I*A + 2*
B)*a)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```


Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(3/2)/sqrt(cot(d*x + c)), x)
```

$$3.547 \quad \int \cot^{\frac{11}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=297

$$-\frac{2a^2(3B+4iA) \cot^{\frac{7}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{21d} + \frac{2a^2(46A-45iB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{105d} + \frac{8a^2(60B+59iA)}{105d}$$

```
[Out] ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (8*a^2*(197*A - (195*I)*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(315*d) + (8*a^2*((59*I)*A + 60*B)*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d) + (2*a^2*(46*A - (45*I)*B)*Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) - (2*a^2*((4*I)*A + 3*B)*Cot[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x]])/(21*d) - (2*a*A*Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^(3/2))/(9*d)
```

Rubi [A] time = 1.1288, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3593, 3598, 12, 3544, 205}

$$-\frac{2a^2(3B+4iA) \cot^{\frac{7}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{21d} + \frac{2a^2(46A-45iB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{105d} + \frac{8a^2(60B+59iA)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(11/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (8*a^2*(197*A - (195*I)*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(315*d) + (8*a^2*((59*I)*A + 60*B)*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(315*d) + (2*a^2*(46*A - (45*I)*B)*Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) - (2*a^2*((4*I)*A + 3*B)*Cot[c + d*x]^(7/2)*Sqrt[a + I*a*Tan[c + d*x]])/(21*d) - (2*a*A*Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^(3/2))/(9*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3593

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
```

NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{11}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{9d} + \frac{1}{9} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx \\
&= -\frac{2a^2(4iA+3B) \cot^{\frac{7}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{21d} - \frac{2aA}{9d} \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2a^2(46A-45iB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{105d} - \frac{2aA}{9d} \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{8a^2(59iA+60B) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{315d} + \frac{2aA}{9d} \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{8a^2(197A-195iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{315d} + \frac{2aA}{9d} \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{8a^2(197A-195iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{315d} + \frac{2aA}{9d} \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{8a^2(197A-195iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{315d} + \frac{2aA}{9d} \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= \frac{(4-4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 11.5458, size = 354, normalized size = 1.19

$$(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left(4\sqrt{2}(A-iB)e^{-3i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}}\tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(11/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (((4*Sqrt[2]*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))])*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))/(-1 + E^((2*I)*(c + d*x)))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]/E^((3*I)*(c + d*x)) + (Sqrt[Cot[c + d*x]]*Csc[c + d*x]^4*Sqrt[Sec[c + d*x]]*(Cos[2*c] - I*Sin[2*c])*(-2331*A + (2205*I)*B + 12*(251*A - (260*I)*B)*Cos[2*(c + d*x)] + (-961*A + (915*I)*B)*Cos[4*(c + d*x)] + (282*I)*A*Sin[2*(c + d*x)] + 390*B*Sin[2*(c + d*x)] - (331*I)*A*Sin[4*(c + d*x)] - 285*B*Sin[4*(c + d*x)]))/(1260*(Cos[d*x] + I*Sin[d*x])^2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*Sec[c + d*x]^(7/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.566, size = 3412, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{(11/2)} * (a+I*a*\tan(dx+c))^{(5/2)} * (A+B*\tan(dx+c)), x)$

[Out]
$$-1/315/d*a^2*2^{(1/2)}*(240*B*2^{(1/2)}*\cos(dx+c)*\sin(dx+c)+630*I*A*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1))*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^4*\sin(dx+c)-285*B*\cos(dx+c)^3*\sin(dx+c)*2^{(1/2)}+1260*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^4*\sin(dx+c)-2281*A*\cos(dx+c)^3*2^{(1/2)}+1024*A*\cos(dx+c)*2^{(1/2)}+1714*A*2^{(1/2)}*\cos(dx+c)^2+1260*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\cos(dx+c)^4*\sin(dx+c)+1260*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^4*\sin(dx+c)+1260*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\cos(dx+c)^4*\sin(dx+c)+630*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1))*\cos(dx+c)^4*\sin(dx+c)-1260*I*A*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1))*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^2*\sin(dx+c)-2520*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^2*\sin(dx+c)-961*A*\cos(dx+c)^4*2^{(1/2)}-788*A*2^{(1/2)}-1260*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\sin(dx+c)*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)-630*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\sin(dx+c)*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1))+780*I*B*2^{(1/2)}-2520*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\cos(dx+c)^2*\sin(dx+c)-2520*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^2*\sin(dx+c)-2520*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\cos(dx+c)^2*\sin(dx+c)-1260*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1))*\cos(dx+c)^2*\sin(dx+c)+780*B*2^{(1/2)}*\sin(dx+c)+1292*A*\cos(dx+c)^5*2^{(1/2)}-1935*B*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}-1200*I*B*\cos(dx+c)^5*2^{(1/2)}+915*I*B*\cos(dx+c)^4*2^{(1/2)}+2220*I*B*\cos(dx+c)^3*2^{(1/2)}-1695*I*B*\cos(dx+c)^2*2^{(1/2)}+788*I*A*\sin(dx+c)*2^{(1/2)}-1020*I*B*\cos(dx+c)*2^{(1/2)}+1260*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\sin(dx+c)+1260*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\sin(dx+c)+630*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1))*\sin(dx+c)-1260*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^4*\sin(dx+c)-1260*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\cos(dx+c)^4*\sin(dx+c)-630*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1))*\cos(dx+c)^4*\sin(dx+c)+630*B*\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1))*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^4*\sin(dx+c)+1260*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}+1)*\cos(dx+c)^4*\sin(dx+c)+1260*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*2^{(1/2)}-1)*\cos(dx+c)^4*\sin(dx+c)+1292*I*A*\cos(dx+c)^4*\sin(dx+c)*2^{(1/2)}-331*I*A*\cos(dx+c)^3*\sin(dx+c)*2^{(1/2)}-1950*$$

$$I*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}+630*I*A*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\sin(d*x+c)+1260*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)*\sin(d*x+c)+1260*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)*\sin(d*x+c)+236*I*A*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+1260*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)+1260*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)+630*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\sin(d*x+c)*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))-1260*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)+2520*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)+2520*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}-1)+1260*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1)/(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)-\cos(d*x+c)-\sin(d*x+c)+1))-2520*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*\arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}+1)-2520*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*\ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)+\sin(d*x+c)-1))+1200*B*\cos(d*x+c)^4*\sin(d*x+c)*2^{(1/2)}*((\cos(d*x+c)/\sin(d*x+c))^{(11/2)}*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*\sin(d*x+c)/(I*\sin(d*x+c)+\cos(d*x+c)-1)/\cos(d*x+c)^5$$

Maxima [B] time = 26.9287, size = 6020, normalized size = 20.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(11/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{1587600} * (\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2} - 2*\cos(2*d*x + 2*c) + 1) * (((-6350400*I + 6350400)*A + (6350400*I - 6350400)*B) * a^2 * \cos(7*d*x + 7*c) + ((21168000*I + 21168000)*A - (21168000*I - 21168000)*B) * a^2 * \cos(5*d*x + 5*c) + (-25824960*I + 25824960)*A + (25824960*I - 25824960)*B) * a^2 * \cos(3*d*x + 3*c) + ((11429460*I + 11429460)*A - (11139660*I - 11139660)*B) * a^2 * \cos(d*x + c) + (-6350400*I - 6350400)*A - (6350400*I + 6350400)*B) * a^2 * \sin(7*d*x + 7*c) + ((21168000*I - 21168000)*A + (21168000*I + 21168000)*B) * a^2 * \sin(5*d*x + 5*c) + (-25824960*I - 25824960)*A - (25824960*I + 25824960)*B) * a^2 * \sin(3*d*x + 3*c) + ((11429460*I - 11429460)*A + (11139660*I + 11139660)*B) * a^2 * \sin(d*x + c)) * \cos(7/2 * \arctan(2 * \sin(2*d*x + 2*c) / (\cos(2*d*x + 2*c) - 1))) + (((1219680*I + 1219680)*A - (756000*I - 756000)*B) * a^2 * \cos(d*x + c) + ((1219680*I - 1219680)*A + (756000*I + 756000)*B) * a^2 * \sin(d*x + c) + ((1219680*I + 1219680)*A - (756000*I - 756000)*B) * a^2 * \cos(d*x + c) + ((1219680*I - 1219680)*A + (756000*I + 756000)*B) * a^2 * \sin(d*x + c)) * \cos(2*d*x + 2*c)^2 + (((1219680*I + 1219680)*A - (756000*I - 756000)*B) * a^2 * \cos(d*x + c) + ((1219680*I - 1219680)*A + (756000*I + 756000)*B) * a^2 * \sin(d*x + c)) * \sin(2*d*x + 2*c)^2 + ((-6350400*I + 6350400)*A + (6350400*I - 6350400)*B) * a^2 * \cos(2*d*x + 2*c)^2 + (-6350400*I + 6350400)*A + (6350400*I - 6350400)*B)$

$$\begin{aligned}
& *a^2*\sin(2*d*x + 2*c)^2 + ((12700800*I + 12700800)*A - (12700800*I - 12700800)*B)*a^2*\cos(2*d*x + 2*c) + (- (6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\cos(3*d*x + 3*c) + ((- (2439360*I + 2439360)*A + (1512000*I - 1512000)*B)*a^2*\cos(d*x + c) + (- (2439360*I - 2439360)*A - (1512000*I + 1512000)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c) + ((- (6350400*I - 6350400)*A - (6350400*I + 6350400)*B)*a^2*\cos(2*d*x + 2*c)^2 + (- (6350400*I - 6350400)*A - (6350400*I + 6350400)*B)*a^2*\sin(2*d*x + 2*c)^2 + ((12700800*I - 12700800)*A + (12700800*I + 12700800)*B)*a^2*\cos(2*d*x + 2*c) + (- (6350400*I - 6350400)*A - (6350400*I + 6350400)*B)*a^2*\sin(3*d*x + 3*c))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + (((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2*\cos(7*d*x + 7*c) + (- (21168000*I - 21168000)*A - (21168000*I + 21168000)*B)*a^2*\cos(5*d*x + 5*c) + ((25824960*I - 25824960)*A + (25824960*I + 25824960)*B)*a^2*\cos(3*d*x + 3*c) + (- (11429460*I - 11429460)*A - (11139660*I + 11139660)*B)*a^2*\cos(d*x + c) + (- (6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\sin(7*d*x + 7*c) + ((21168000*I + 21168000)*A - (21168000*I - 21168000)*B)*a^2*\sin(5*d*x + 5*c) + (- (25824960*I + 25824960)*A + (25824960*I - 25824960)*B)*a^2*\sin(3*d*x + 3*c) + ((11429460*I + 11429460)*A - (11139660*I - 11139660)*B)*a^2*\sin(d*x + c))*\sin(7/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + ((- (1219680*I - 1219680)*A - (756000*I + 756000)*B)*a^2*\cos(d*x + c) + ((1219680*I + 1219680)*A - (756000*I - 756000)*B)*a^2*\sin(d*x + c) + ((- (1219680*I - 1219680)*A - (756000*I + 756000)*B)*a^2*\cos(d*x + c) + ((1219680*I + 1219680)*A - (756000*I - 756000)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^2 + ((- (1219680*I - 1219680)*A - (756000*I + 756000)*B)*a^2*\cos(d*x + c) + ((1219680*I + 1219680)*A - (756000*I - 756000)*B)*a^2*\sin(d*x + c))*\sin(2*d*x + 2*c)^2 + (((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2*\cos(2*d*x + 2*c)^2 + ((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2*\sin(2*d*x + 2*c)^2 + (- (12700800*I - 12700800)*A - (12700800*I + 12700800)*B)*a^2*\cos(2*d*x + 2*c) + ((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2*\cos(3*d*x + 3*c) + (((2439360*I - 2439360)*A + (1512000*I + 1512000)*B)*a^2*\cos(d*x + c) + (- (2439360*I + 2439360)*A + (1512000*I - 1512000)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c) + ((- (6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\cos(2*d*x + 2*c)^2 + (- (6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\sin(2*d*x + 2*c)^2 + ((12700800*I + 12700800)*A - (12700800*I - 12700800)*B)*a^2*\cos(2*d*x + 2*c) + (- (6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\sin(3*d*x + 3*c))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))*\sqrt{a} + ((((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2*\cos(2*d*x + 2*c)^4 + ((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2*\sin(2*d*x + 2*c)^4 + (- (25401600*I - 25401600)*A - (25401600*I + 25401600)*B)*a^2*\cos(2*d*x + 2*c)^3 + ((38102400*I - 38102400)*A + (38102400*I + 38102400)*B)*a^2*\cos(2*d*x + 2*c)^2 + (- (25401600*I - 25401600)*A - (25401600*I + 25401600)*B)*a^2*\cos(2*d*x + 2*c) + ((6350400*I - 6350400)*A + (6350400*I + 6350400)*B)*a^2 + (((12700800*I - 12700800)*A + (12700800*I + 12700800)*B)*a^2*\cos(2*d*x + 2*c)^2 + (- (25401600*I - 25401600)*A - (25401600*I + 25401600)*B)*a^2*\cos(2*d*x + 2*c) + ((12700800*I - 12700800)*A + (12700800*I + 12700800)*B)*a^2*\sin(2*d*x + 2*c)^2)*\arctan2(2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\sin(d*x + c), 2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\cos(d*x + c)) + (((3175200*I + 3175200)*A - (3175200*I - 3175200)*B)*a^2*\cos(2*d*x + 2*c)^4 + ((3175200*I + 3175200)*A - (3175200*I - 3175200)*B)*a^2*\sin(2*d*x + 2*c)^4 + (- (12700800*I + 12700800)*A + (12700800*I - 12700800)*B)*a^2*\cos(2*d*x + 2*c)^3 + ((19051200*I + 19051200)*A - (19051200*I - 19051200)*B)*a^2*\cos(2*d*x + 2*c)^2 + (- (12700800*I + 12700800)*A + (12700800*I - 12700800)*B)*a^2*\cos(2*d*x + 2*c) + ((3175200*I + 3175200)*A - (3175200*I - 3175200)*B)*a^2 + (((6350400*I + 6350400)*A - (6350400*I - 6350400)*B)*a^2*\cos(2*d*x + 2*c)^2 + (- (12700800*I + 12700800)*A + (12700800*I - 12700800)*B)*a^2*\cos(2*d*x + 2*c) + ((6350400*I + 6350400)*A - (6350400*I - 6350400)*B)*a^2*\sin(2*d*x + 2*c)^2)*\log(4*\cos(d*x +
\end{aligned}$$

$$\begin{aligned}
& c)^2 + 4*\sin(d*x + c)^2 + 4*\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 -} \\
& 2*\cos(2*d*x + 2*c) + 1)*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
& - 1))^2 + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))^2) + 8* \\
& (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(c \\
& \cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + \sin(\\
& d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))))*(\cos(2 \\
& *d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sqrt{a} \\
& + (((-6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\cos(9*d*x + 9* \\
& c) + ((7408800*I + 7408800)*A - (13759200*I - 13759200)*B)*a^2*\cos(7*d*x + \\
& 7*c) + (-8414280*I + 8414280)*A + (13177080*I - 13177080)*B)*a^2*\cos(5*d*x \\
& + 5*c) + ((631260*I + 631260)*A - (6717060*I - 6717060)*B)*a^2*\cos(3*d*x + \\
& 3*c) + ((1079820*I + 1079820)*A + (948780*I - 948780)*B)*a^2*\cos(d*x + c) \\
& + (-6350400*I - 6350400)*A - (6350400*I + 6350400)*B)*a^2*\sin(9*d*x + 9*c) \\
& + ((7408800*I - 7408800)*A + (13759200*I + 13759200)*B)*a^2*\sin(7*d*x + 7* \\
& c) + (-8414280*I - 8414280)*A - (13177080*I + 13177080)*B)*a^2*\sin(5*d*x + \\
& 5*c) + ((631260*I - 631260)*A + (6717060*I + 6717060)*B)*a^2*\sin(3*d*x + 3 \\
& *c) + ((1079820*I - 1079820)*A - (948780*I + 948780)*B)*a^2*\sin(d*x + c))*c \\
& \cos(9/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + ((-7159320*I + 7 \\
& 159320)*A + (6811560*I - 6811560)*B)*a^2*\cos(d*x + c) + (-7159320*I - 7159 \\
& 320)*A - (6811560*I + 6811560)*B)*a^2*\sin(d*x + c) + (((-7159320*I + 715932 \\
& 0)*A + (6811560*I - 6811560)*B)*a^2*\cos(d*x + c) + (-7159320*I - 7159320)* \\
& A - (6811560*I + 6811560)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^2 + (((-715 \\
& 9320*I + 7159320)*A + (6811560*I - 6811560)*B)*a^2*\cos(d*x + c) + (-715932 \\
& 0*I - 7159320)*A - (6811560*I + 6811560)*B)*a^2*\sin(d*x + c))*\sin(2*d*x + 2 \\
& *c)^2 + (((-6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\cos(2*d*x \\
& + 2*c)^2 + (-6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2*\sin(2* \\
& d*x + 2*c)^2 + ((12700800*I + 12700800)*A - (12700800*I - 12700800)*B)*a^2* \\
& \cos(2*d*x + 2*c) + (-6350400*I + 6350400)*A + (6350400*I - 6350400)*B)*a^2 \\
&)*\cos(5*d*x + 5*c) + (((14817600*I + 14817600)*A - (14817600*I - 14817600)* \\
& B)*a^2*\cos(2*d*x + 2*c)^2 + ((14817600*I + 14817600)*A - (14817600*I - 1481 \\
& 7600)*B)*a^2*\sin(2*d*x + 2*c)^2 + (-29635200*I + 29635200)*A + (29635200*I \\
& - 29635200)*B)*a^2*\cos(2*d*x + 2*c) + ((14817600*I + 14817600)*A - (148176 \\
& 00*I - 14817600)*B)*a^2)*\cos(3*d*x + 3*c) + (((14318640*I + 14318640)*A - (\\
& 13623120*I - 13623120)*B)*a^2*\cos(d*x + c) + ((14318640*I - 14318640)*A + (\\
& 13623120*I + 13623120)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c) + (((-6350400* \\
& I - 6350400)*A - (6350400*I + 6350400)*B)*a^2*\cos(2*d*x + 2*c)^2 + (-63504 \\
& 00*I - 6350400)*A - (6350400*I + 6350400)*B)*a^2*\sin(2*d*x + 2*c)^2 + ((127 \\
& 00800*I - 12700800)*A + (12700800*I + 12700800)*B)*a^2*\cos(2*d*x + 2*c) + (\\
& -6350400*I - 6350400)*A - (6350400*I + 6350400)*B)*a^2)*\sin(5*d*x + 5*c) + \\
& (((14817600*I - 14817600)*A + (14817600*I + 14817600)*B)*a^2*\cos(2*d*x + 2 \\
& *c)^2 + ((14817600*I - 14817600)*A + (14817600*I + 14817600)*B)*a^2*\sin(2*d \\
& *x + 2*c)^2 + (-29635200*I - 29635200)*A - (29635200*I + 29635200)*B)*a^2* \\
& \cos(2*d*x + 2*c) + ((14817600*I - 14817600)*A + (14817600*I + 14817600)*B)* \\
& a^2)*\sin(3*d*x + 3*c))*\cos(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - \\
& 1)) + (((((12378240*I + 12378240)*A - (13305600*I - 13305600)*B)*a^2*\cos(d* \\
& x + c) + ((12378240*I - 12378240)*A + (13305600*I + 13305600)*B)*a^2*\sin(d* \\
& x + c))*\cos(2*d*x + 2*c)^4 + (((12378240*I + 12378240)*A - (13305600*I - 13 \\
& 305600)*B)*a^2*\cos(d*x + c) + ((12378240*I - 12378240)*A + (13305600*I + 13 \\
& 305600)*B)*a^2*\sin(d*x + c))*\sin(2*d*x + 2*c)^4 + (((-49512960*I + 49512960 \\
&)*A + (53222400*I - 53222400)*B)*a^2*\cos(d*x + c) + (-49512960*I - 4951296 \\
& 0)*A - (53222400*I + 53222400)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^3 + ((\\
& 12378240*I + 12378240)*A - (13305600*I - 13305600)*B)*a^2*\cos(d*x + c) + ((\\
& 12378240*I - 12378240)*A + (13305600*I + 13305600)*B)*a^2*\sin(d*x + c) + ((\\
& 74269440*I + 74269440)*A - (79833600*I - 79833600)*B)*a^2*\cos(d*x + c) + (\\
& 74269440*I - 74269440)*A + (79833600*I + 79833600)*B)*a^2*\sin(d*x + c))*co \\
& s(2*d*x + 2*c)^2 + (((24756480*I + 24756480)*A - (26611200*I - 26611200)*B) \\
& *a^2*\cos(d*x + c) + ((24756480*I - 24756480)*A + (26611200*I + 26611200)*B) \\
& *a^2*\sin(d*x + c) + (((24756480*I + 24756480)*A - (26611200*I - 26611200)*B) \\
&)*a^2*\cos(d*x + c) + ((24756480*I - 24756480)*A + (26611200*I + 26611200)*B
\end{aligned}$$

60)*A + (53222400*I + 53222400)*B)*a^2*cos(d*x + c) + (-(49512960*I + 49512960)*A + (53222400*I - 53222400)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c))*sin(2*d*x + 2*c)^2 + (((49512960*I - 49512960)*A + (53222400*I + 53222400)*B)*a^2*cos(d*x + c) + (-(49512960*I + 49512960)*A + (53222400*I - 53222400)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a))/((cos(2*d*x + 2*c)^4 + sin(2*d*x + 2*c)^4 - 4*cos(2*d*x + 2*c)^3 + 2*(cos(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*c)^2 - 4*cos(2*d*x + 2*c) + 1)*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*d)

Fricas [B] time = 1.54211, size = 1813, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(11/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] -1/630*(8*sqrt(2)*(2*(323*A - 300*I*B)*a^2*e^(8*I*d*x + 8*I*c) - 27*(61*A - 65*I*B)*a^2*e^(6*I*d*x + 6*I*c) + 63*(37*A - 35*I*B)*a^2*e^(4*I*d*x + 4*I*c) - 1365*(A - I*B)*a^2*e^(2*I*d*x + 2*I*c) + 315*(A - I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - 315*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + I*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 315*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2))*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - I*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(8*I*d*x + 8*I*c) - 4*d*e^(6*I*d*x + 6*I*c) + 6*d*e^(4*I*d*x + 4*I*c) - 4*d*e^(2*I*d*x + 2*I*c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(11/2)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(11/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(11/2), x)
```

$$3.548 \quad \int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=251

$$\frac{2a^2(7B+10iA) \cot^{\frac{5}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{35d} + \frac{2a^2(80A-77iB) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{105d} + \frac{4a^2(133B+133iA)}{105d}$$

```
[Out] ((4 - 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (4*a^2*((130*I)*A + 133*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) + (2*a^2*(80*A - (77*I)*B)*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) - (2*a^2*((10*I)*A + 7*B)*Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^(3/2))/(7*d)
```

Rubi [A] time = 0.94605, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3593, 3598, 12, 3544, 205}

$$\frac{2a^2(7B+10iA) \cot^{\frac{5}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{35d} + \frac{2a^2(80A-77iB) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{105d} + \frac{4a^2(133B+133iA)}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((4 - 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (4*a^2*((130*I)*A + 133*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) + (2*a^2*(80*A - (77*I)*B)*Cot[c + d*x]^(3/2)*Sqrt[a + I*a*Tan[c + d*x]])/(105*d) - (2*a^2*((10*I)*A + 7*B)*Cot[c + d*x]^(5/2)*Sqrt[a + I*a*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^(3/2))/(7*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3593

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1))/(d*f*(b*c + a*d)*(n+1)), x] - Dist[a/(d*(b*c + a*d)*(n+1)), Int[(a + b*Tan[e + f*x])^(m-1)*(c + d*Tan[e + f*x])^(n+1)*Simp[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3598

```

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n +
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; Fre
eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0
] && LtQ[n, -1]

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]

```

Rule 3544

```

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]

```

Rule 205

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{9}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{9}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{7d} + \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{7}{2}}(c+dx)} dx \\
&= -\frac{2a^2(10iA+7B) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{35d} - \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2a^2(80A-77iB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{105d} - \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{4a^2(130iA+133B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{105d} - \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= \frac{4a^2(130iA+133B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{105d} - \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= \frac{4a^2(130iA+133B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{105d} - \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= \frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 9.69823, size = 332, normalized size = 1.32

$$(a + ia \tan(c + dx))^{5/2} (A + B \tan(c + dx)) \left(-4i\sqrt{2}(A - iB)e^{-3i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}}\tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) \right) \\ d \sec^2(c + dx)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(9/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] ((((-4*I)*Sqrt[2]*(A - I*B)*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[(I*(1 + E^((2*I)*(c + d*x)))])/(-1 + E^((2*I)*(c + d*x)))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/E^((3*I)*(c + d*x)) - (Sqrt[Cot[c + d*x]]*Csc[c + d*x]^3*Sqrt[Sec[c + d*x]]*(Cos[2*c] - I*Sin[2*c])*((-35*A + (77*I)*B)*Cos[c + d*x] + (95*A - (77*I)*B)*Cos[3*(c + d*x)] + 2*((-215*I)*A - 245*B + ((305*I)*A + 287*B)*Cos[2*(c + d*x)])*Sin[c + d*x]))/(210*(Cos[d*x] + I*Sin[d*x])^2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/(d*Sec[c + d*x]^(7/2)*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.507, size = 3126, normalized size = 12.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] -1/105/d*a^2*2^(1/2)*(-840*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-420*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-840*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-343*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+400*I*A*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)-305*I*A*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-840*I*A*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-840*I*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-420*I*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+840*I*B*cos(d*x+c)^2*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+840*I*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+420*I*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-340*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)+420*I*A*cos(d*x+c)^4*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+420*I*A*cos(d*x+c)^4*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+210*I*A*cos(d*x+c)^4*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-420*I*B*cos(d*x+c)^4*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-420*I*B*cos(d*x+c)^

$$\begin{aligned}
& 4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \\
&) * 2^{(1/2)} - 1) - 210 * I * B * \cos(d*x+c)^4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1))) + 364 * B * \cos(d*x+c)^3 * \sin(d*x+c) * 2^{(1/2)} - 95 * A * \cos(d*x+c)^3 * 2^{(1/2)} + 80 * A * \cos(d*x+c) * 2^{(1/2)} - 266 * I * B * 2^{(1/2)} - 840 * A * \cos(d*x+c)^2 * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} - 840 * A * \cos(d*x+c)^2 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) - 420 * A * \cos(d*x+c)^2 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1))) - 645 * A * 2^{(1/2)} * \cos(d*x+c)^2 + 400 * A * \cos(d*x+c)^4 * 2^{(1/2)} + 260 * A * 2^{(1/2)} + 420 * A * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} + 420 * A * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) + 210 * A * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1))) + 420 * B * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} + 210 * B * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1))) + 420 * B * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) + 266 * B * 2^{(1/2)} * \sin(d*x+c) - 287 * B * \cos(d*x+c)^2 * \sin(d*x+c) * 2^{(1/2)} + 420 * A * \cos(d*x+c)^4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) + 210 * A * \cos(d*x+c)^4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1))) + 210 * B * \cos(d*x+c)^4 * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1))) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} + 420 * B * \cos(d*x+c)^4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) + 420 * B * \cos(d*x+c)^4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) + 420 * A * \cos(d*x+c)^4 * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) - 364 * I * B * 2^{(1/2)} * \cos(d*x+c)^4 + 77 * I * B * 2^{(1/2)} * \cos(d*x+c)^3 + 630 * I * B * 2^{(1/2)} * \cos(d*x+c)^2 + 260 * I * A * 2^{(1/2)} * \sin(d*x+c) + 420 * I * A * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} + 420 * I * A * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) + 210 * I * A * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1))) - 77 * I * B * 2^{(1/2)} * \cos(d*x+c) - 420 * I * B * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} + 1) * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} - 420 * I * B * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \arctan(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} - 1) - 210 * I * B * ((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * \ln(-(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) - \cos(d*x+c) - \sin(d*x+c) + 1) / (((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} * 2^{(1/2)} * \sin(d*x+c) + \cos(d*x+c) + \sin(d*x+c) - 1))) * ((\cos(d*x+c)/\sin(d*x+c))^{(9/2)} * (a * (I * \sin(d*x+c) + \cos(d*x+c)) / \cos(d*x+c))^{(1/2)} * \sin(d*x+c) / (I * \sin(d*x+c) + \cos(d*x+c) - 1) / \cos(d*x+c)^4
\end{aligned}$$

Maxima [B] time = 9.94747, size = 5426, normalized size = 21.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

```
[Out] 1/11025*(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c)
+ 1)*(((44100*I - 44100)*A + (44100*I + 44100)*B)*a^2*cos(7*d*x + 7*c) + (
-(44100*I - 44100)*A - (88200*I + 88200)*B)*a^2*cos(5*d*x + 5*c) + ((26460*
I - 26460)*A + (59535*I + 59535)*B)*a^2*cos(3*d*x + 3*c) + (-1260*I - 1260
)*A - (15435*I + 15435)*B)*a^2*cos(d*x + c) + (-44100*I + 44100)*A + (4410
0*I - 44100)*B)*a^2*sin(7*d*x + 7*c) + ((44100*I + 44100)*A - (88200*I - 88
200)*B)*a^2*sin(5*d*x + 5*c) + (-26460*I + 26460)*A + (59535*I - 59535)*B
)*a^2*sin(3*d*x + 3*c) + ((1260*I + 1260)*A - (15435*I - 15435)*B)*a^2*sin(d
*x + c))*cos(7/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + ((-273
00*I - 27300)*A - (23520*I + 23520)*B)*a^2*cos(d*x + c) + ((27300*I + 27300
)*A - (23520*I - 23520)*B)*a^2*sin(d*x + c) + ((-27300*I - 27300)*A - (235
20*I + 23520)*B)*a^2*cos(d*x + c) + ((27300*I + 27300)*A - (23520*I - 23520
)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c)^2 + ((-27300*I - 27300)*A - (23520
*I + 23520)*B)*a^2*cos(d*x + c) + ((27300*I + 27300)*A - (23520*I - 23520)*
B)*a^2*sin(d*x + c))*sin(2*d*x + 2*c)^2 + (((44100*I - 44100)*A + (44100*I
+ 44100)*B)*a^2*cos(2*d*x + 2*c)^2 + ((44100*I - 44100)*A + (44100*I + 4410
0)*B)*a^2*sin(2*d*x + 2*c)^2 + (-88200*I - 88200)*A - (88200*I + 88200)*B
)*a^2*cos(2*d*x + 2*c) + ((44100*I - 44100)*A + (44100*I + 44100)*B)*a^2)*co
s(3*d*x + 3*c) + (((54600*I - 54600)*A + (47040*I + 47040)*B)*a^2*cos(d*x +
c) + (-54600*I + 54600)*A + (47040*I - 47040)*B)*a^2*sin(d*x + c))*cos(2*
d*x + 2*c) + ((-44100*I + 44100)*A + (44100*I - 44100)*B)*a^2*cos(2*d*x +
2*c)^2 + (-44100*I + 44100)*A + (44100*I - 44100)*B)*a^2*sin(2*d*x + 2*c)^
2 + ((88200*I + 88200)*A - (88200*I - 88200)*B)*a^2*cos(2*d*x + 2*c) + (-4
4100*I + 44100)*A + (44100*I - 44100)*B)*a^2)*sin(3*d*x + 3*c))*cos(3/2*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((44100*I + 44100)*A - (44
100*I - 44100)*B)*a^2*cos(7*d*x + 7*c) + (-44100*I + 44100)*A + (88200*I -
88200)*B)*a^2*cos(5*d*x + 5*c) + ((26460*I + 26460)*A - (59535*I - 59535)*
B)*a^2*cos(3*d*x + 3*c) + (-1260*I + 1260)*A + (15435*I - 15435)*B)*a^2)*co
s(d*x + c) + ((44100*I - 44100)*A + (44100*I + 44100)*B)*a^2*sin(7*d*x + 7*
c) + (-44100*I - 44100)*A - (88200*I + 88200)*B)*a^2*sin(5*d*x + 5*c) + ((
26460*I - 26460)*A + (59535*I + 59535)*B)*a^2*sin(3*d*x + 3*c) + (-1260*I
- 1260)*A - (15435*I + 15435)*B)*a^2*sin(d*x + c))*sin(7/2*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c) - 1)) + ((-27300*I + 27300)*A + (23520*I - 2352
0)*B)*a^2*cos(d*x + c) + (-27300*I - 27300)*A - (23520*I + 23520)*B)*a^2)*s
in(d*x + c) + (((-27300*I + 27300)*A + (23520*I - 23520)*B)*a^2*cos(d*x + c
) + (-27300*I - 27300)*A - (23520*I + 23520)*B)*a^2*sin(d*x + c))*cos(2*d*
x + 2*c)^2 + ((-27300*I + 27300)*A + (23520*I - 23520)*B)*a^2*cos(d*x + c)
+ (-27300*I - 27300)*A - (23520*I + 23520)*B)*a^2*sin(d*x + c))*sin(2*d*x
+ 2*c)^2 + (((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2*cos(2*d*x + 2*
c)^2 + ((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2*sin(2*d*x + 2*c)^2 +
(-88200*I + 88200)*A + (88200*I - 88200)*B)*a^2*cos(2*d*x + 2*c) + ((4410
0*I + 44100)*A - (44100*I - 44100)*B)*a^2)*cos(3*d*x + 3*c) + (((54600*I +
54600)*A - (47040*I - 47040)*B)*a^2*cos(d*x + c) + ((54600*I - 54600)*A + (
47040*I + 47040)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c) + (((44100*I - 44100
)*A + (44100*I + 44100)*B)*a^2*cos(2*d*x + 2*c)^2 + ((44100*I - 44100)*A +
(44100*I + 44100)*B)*a^2*sin(2*d*x + 2*c)^2 + (-88200*I - 88200)*A - (8820
0*I + 88200)*B)*a^2*cos(2*d*x + 2*c) + ((44100*I - 44100)*A + (44100*I + 44
100)*B)*a^2)*sin(3*d*x + 3*c))*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) - 1)))*sqrt(a) + (((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2)*c
os(2*d*x + 2*c)^4 + ((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2)*sin(2*d
*x + 2*c)^4 + (-176400*I + 176400)*A + (176400*I - 176400)*B)*a^2*cos(2*d*
x + 2*c)^3 + ((264600*I + 264600)*A - (264600*I - 264600)*B)*a^2*cos(2*d*x
+ 2*c)^2 + (-176400*I + 176400)*A + (176400*I - 176400)*B)*a^2*cos(2*d*x +
2*c) + ((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2 + (((88200*I + 8820
0)*A - (88200*I - 88200)*B)*a^2*cos(2*d*x + 2*c)^2 + (-176400*I + 176400)*
A + (176400*I - 176400)*B)*a^2*cos(2*d*x + 2*c) + ((88200*I + 88200)*A - (8
8200*I - 88200)*B)*a^2)*sin(2*d*x + 2*c)^2)*arctan2(2*(cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d
```


$$\begin{aligned}
& *x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\sin(d*x + c), 2*(\cos(2*d*x + 2*c)^2 + \\
& \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d* \\
& *x + 2*c), \cos(2*d*x + 2*c) - 1)) + 2*\cos(d*x + c)) + ((-22050*I - 22050)* \\
& A - (22050*I + 22050)*B)*a^2*\cos(2*d*x + 2*c)^4 + (-22050*I - 22050)*A - (\\
& 22050*I + 22050)*B)*a^2*\sin(2*d*x + 2*c)^4 + ((88200*I - 88200)*A + (88200* \\
& I + 88200)*B)*a^2*\cos(2*d*x + 2*c)^3 + (-132300*I - 132300)*A - (132300*I \\
& + 132300)*B)*a^2*\cos(2*d*x + 2*c)^2 + ((88200*I - 88200)*A + (88200*I + 882 \\
& 00)*B)*a^2*\cos(2*d*x + 2*c) + (-22050*I - 22050)*A - (22050*I + 22050)*B)* \\
& a^2 + (((-44100*I - 44100)*A - (44100*I + 44100)*B)*a^2*\cos(2*d*x + 2*c)^2 \\
& + ((88200*I - 88200)*A + (88200*I + 88200)*B)*a^2*\cos(2*d*x + 2*c) + (-441 \\
& 00*I - 44100)*A - (44100*I + 44100)*B)*a^2)*\sin(2*d*x + 2*c)^2)*\log(4*\cos(d \\
& *x + c)^2 + 4*\sin(d*x + c)^2 + 4*\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c) \\
& ^2 - 2*\cos(2*d*x + 2*c) + 1}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) - 1))^2 + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))^2) \\
& + 8*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^{(1/ \\
& 4)}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + \\
& \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1))))*(\\
& \cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 - 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sqrt{ \\
& a} + (((63840*I - 63840)*A + (61005*I + 61005)*B)*a^2*\cos(d*x + c) + (- \\
& 63840*I + 63840)*A + (61005*I - 61005)*B)*a^2*\sin(d*x + c) + (((63840*I - 6 \\
& 3840)*A + (61005*I + 61005)*B)*a^2*\cos(d*x + c) + (-63840*I + 63840)*A + (\\
& 61005*I - 61005)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^2 + (((63840*I - 638 \\
& 40)*A + (61005*I + 61005)*B)*a^2*\cos(d*x + c) + (-63840*I + 63840)*A + (61 \\
& 005*I - 61005)*B)*a^2*\sin(d*x + c))*\sin(2*d*x + 2*c)^2 + (((44100*I - 44100 \\
&)*A + (44100*I + 44100)*B)*a^2*\cos(2*d*x + 2*c)^2 + ((44100*I - 44100)*A + \\
& (44100*I + 44100)*B)*a^2*\sin(2*d*x + 2*c)^2 + (-88200*I - 88200)*A - (8820 \\
& 0*I + 88200)*B)*a^2*\cos(2*d*x + 2*c) + ((44100*I - 44100)*A + (44100*I + 44 \\
& 100)*B)*a^2)*\cos(5*d*x + 5*c) + (((-102900*I - 102900)*A - (102900*I + 1029 \\
& 00)*B)*a^2*\cos(2*d*x + 2*c)^2 + (-102900*I - 102900)*A - (102900*I + 10290 \\
& 0)*B)*a^2*\sin(2*d*x + 2*c)^2 + ((205800*I - 205800)*A + (205800*I + 205800) \\
& *B)*a^2*\cos(2*d*x + 2*c) + (-102900*I - 102900)*A - (102900*I + 102900)*B) \\
& *a^2)*\cos(3*d*x + 3*c) + (((-127680*I - 127680)*A - (122010*I + 122010)*B)* \\
& a^2*\cos(d*x + c) + ((127680*I + 127680)*A - (122010*I - 122010)*B)*a^2*\sin(\\
& d*x + c))*\cos(2*d*x + 2*c) + (((-44100*I + 44100)*A + (44100*I - 44100)*B)* \\
& a^2*\cos(2*d*x + 2*c)^2 + (-44100*I + 44100)*A + (44100*I - 44100)*B)*a^2*s \\
& in(2*d*x + 2*c)^2 + ((88200*I + 88200)*A - (88200*I - 88200)*B)*a^2*\cos(2*d \\
& *x + 2*c) + (-44100*I + 44100)*A + (44100*I - 44100)*B)*a^2)*\sin(5*d*x + 5 \\
& *c) + (((102900*I + 102900)*A - (102900*I - 102900)*B)*a^2*\cos(2*d*x + 2*c) \\
& ^2 + ((102900*I + 102900)*A - (102900*I - 102900)*B)*a^2*\sin(2*d*x + 2*c)^2 \\
& + (-205800*I + 205800)*A + (205800*I - 205800)*B)*a^2*\cos(2*d*x + 2*c) + \\
& ((102900*I + 102900)*A - (102900*I - 102900)*B)*a^2)*\sin(3*d*x + 3*c))*\cos(\\
& 5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) - 1)) + (((-48300*I - 48300 \\
&)*A - (55860*I + 55860)*B)*a^2*\cos(d*x + c) + ((48300*I + 48300)*A - (55860 \\
& *I - 55860)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^4 + (((-48300*I - 48300)* \\
& A - (55860*I + 55860)*B)*a^2*\cos(d*x + c) + ((48300*I + 48300)*A - (55860*I \\
& - 55860)*B)*a^2*\sin(d*x + c))*\sin(2*d*x + 2*c)^4 + (((193200*I - 193200)*A \\
& + (223440*I + 223440)*B)*a^2*\cos(d*x + c) + (-193200*I + 193200)*A + (223 \\
& 440*I - 223440)*B)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^3 + ((-48300*I - 4830 \\
& 0)*A - (55860*I + 55860)*B)*a^2*\cos(d*x + c) + ((48300*I + 48300)*A - (5586 \\
& 0*I - 55860)*B)*a^2*\sin(d*x + c) + (((-289800*I - 289800)*A - (335160*I + 3 \\
& 35160)*B)*a^2*\cos(d*x + c) + ((289800*I + 289800)*A - (335160*I - 335160)*B) \\
&)*a^2*\sin(d*x + c))*\cos(2*d*x + 2*c)^2 + (((-96600*I - 96600)*A - (111720*I \\
& + 111720)*B)*a^2*\cos(d*x + c) + ((96600*I + 96600)*A - (111720*I - 111720) \\
& *B)*a^2*\sin(d*x + c) + (((-96600*I - 96600)*A - (111720*I + 111720)*B)*a^2* \\
& \cos(d*x + c) + ((96600*I + 96600)*A - (111720*I - 111720)*B)*a^2*\sin(d*x + \\
& c))*\cos(2*d*x + 2*c)^2 + (((193200*I - 193200)*A + (223440*I + 223440)*B)*a \\
& ^2*\cos(d*x + c) + (-193200*I + 193200)*A + (223440*I - 223440)*B)*a^2*\sin(\\
& d*x + c))*\cos(2*d*x + 2*c))*\sin(2*d*x + 2*c)^2 + (((193200*I - 193200)*A + \\
& (223440*I + 223440)*B)*a^2*\cos(d*x + c) + (-193200*I + 193200)*A + (223440
\end{aligned}$$

```

*I - 223440)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c) - 1)) + (((63840*I + 63840)*A - (61005*I - 6100
5)*B)*a^2*cos(d*x + c) + ((63840*I - 63840)*A + (61005*I + 61005)*B)*a^2*si
n(d*x + c) + (((63840*I + 63840)*A - (61005*I - 61005)*B)*a^2*cos(d*x + c)
+ ((63840*I - 63840)*A + (61005*I + 61005)*B)*a^2*sin(d*x + c))*cos(2*d*x +
2*c)^2 + (((63840*I + 63840)*A - (61005*I - 61005)*B)*a^2*cos(d*x + c) + (
(63840*I - 63840)*A + (61005*I + 61005)*B)*a^2*sin(d*x + c))*sin(2*d*x + 2*
c)^2 + (((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2*cos(2*d*x + 2*c)^2
+ ((44100*I + 44100)*A - (44100*I - 44100)*B)*a^2*sin(2*d*x + 2*c)^2 + (-8
8200*I + 88200)*A + (88200*I - 88200)*B)*a^2*cos(2*d*x + 2*c) + ((44100*I +
44100)*A - (44100*I - 44100)*B)*a^2*cos(5*d*x + 5*c) + ((-102900*I + 102
900)*A + (102900*I - 102900)*B)*a^2*cos(2*d*x + 2*c)^2 + (-102900*I + 1029
00)*A + (102900*I - 102900)*B)*a^2*sin(2*d*x + 2*c)^2 + ((205800*I + 205800
)*A - (205800*I - 205800)*B)*a^2*cos(2*d*x + 2*c) + (-102900*I + 102900)*A
+ (102900*I - 102900)*B)*a^2*cos(3*d*x + 3*c) + ((-127680*I + 127680)*A
+ (122010*I - 122010)*B)*a^2*cos(d*x + c) + (-127680*I - 127680)*A - (1220
10*I + 122010)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c) + (((44100*I - 44100)*
A + (44100*I + 44100)*B)*a^2*cos(2*d*x + 2*c)^2 + ((44100*I - 44100)*A + (4
4100*I + 44100)*B)*a^2*sin(2*d*x + 2*c)^2 + (-88200*I - 88200)*A - (88200*
I + 88200)*B)*a^2*cos(2*d*x + 2*c) + ((44100*I - 44100)*A + (44100*I + 4410
0)*B)*a^2*sin(5*d*x + 5*c) + ((-102900*I - 102900)*A - (102900*I + 102900
)*B)*a^2*cos(2*d*x + 2*c)^2 + (-102900*I - 102900)*A - (102900*I + 102900
)*B)*a^2*sin(2*d*x + 2*c)^2 + ((205800*I - 205800)*A + (205800*I + 205800)*B
)*a^2*cos(2*d*x + 2*c) + (-102900*I - 102900)*A - (102900*I + 102900)*B)*a
^2*sin(3*d*x + 3*c))*sin(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) -
1)) + (((-48300*I + 48300)*A + (55860*I - 55860)*B)*a^2*cos(d*x + c) + (-4
8300*I - 48300)*A - (55860*I + 55860)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c
)^4 + ((-48300*I + 48300)*A + (55860*I - 55860)*B)*a^2*cos(d*x + c) + (-4
8300*I - 48300)*A - (55860*I + 55860)*B)*a^2*sin(d*x + c))*sin(2*d*x + 2*c
)^4 + (((193200*I + 193200)*A - (223440*I - 223440)*B)*a^2*cos(d*x + c) + ((
193200*I - 193200)*A + (223440*I + 223440)*B)*a^2*sin(d*x + c))*cos(2*d*x +
2*c)^3 + (-48300*I + 48300)*A + (55860*I - 55860)*B)*a^2*cos(d*x + c) + (
-48300*I - 48300)*A - (55860*I + 55860)*B)*a^2*sin(d*x + c) + ((-289800*I
+ 289800)*A + (335160*I - 335160)*B)*a^2*cos(d*x + c) + (-289800*I - 2898
00)*A - (335160*I + 335160)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c)^2 + ((-9
6600*I + 96600)*A + (111720*I - 111720)*B)*a^2*cos(d*x + c) + (-96600*I -
96600)*A - (111720*I + 111720)*B)*a^2*sin(d*x + c) + ((-96600*I + 96600)*A
+ (111720*I - 111720)*B)*a^2*cos(d*x + c) + (-96600*I - 96600)*A - (11172
0*I + 111720)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c)^2 + (((193200*I + 19320
0)*A - (223440*I - 223440)*B)*a^2*cos(d*x + c) + ((193200*I - 193200)*A + (
223440*I + 223440)*B)*a^2*sin(d*x + c))*cos(2*d*x + 2*c))*sin(2*d*x + 2*c)^
2 + (((193200*I + 193200)*A - (223440*I - 223440)*B)*a^2*cos(d*x + c) + ((1
93200*I - 193200)*A + (223440*I + 223440)*B)*a^2*sin(d*x + c))*cos(2*d*x +
2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) - 1)))*sqrt(a))/((
cos(2*d*x + 2*c)^4 + sin(2*d*x + 2*c)^4 - 4*cos(2*d*x + 2*c)^3 + 2*(cos(2*d
*x + 2*c)^2 - 2*cos(2*d*x + 2*c) + 1)*sin(2*d*x + 2*c)^2 + 6*cos(2*d*x + 2*
c)^2 - 4*cos(2*d*x + 2*c) + 1)*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 - 2
*cos(2*d*x + 2*c) + 1)^(1/4)*d)

```

Fricas [B] time = 1.56895, size = 1659, normalized size = 6.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cot(d*x+c)^(9/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, alg
orithm="fricas")

```

```
[Out] 1/210*(sqrt(2)*((1600*I*A + 1456*B)*a^2*e^(6*I*d*x + 6*I*c) + (-3080*I*A - 3416*B)*a^2*e^(4*I*d*x + 4*I*c) + (2800*I*A + 2800*B)*a^2*e^(2*I*d*x + 2*I*c) + (-840*I*A - 840*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - 105*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 105*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(6*I*d*x + 6*I*c) - 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) - d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(dx+c)**(9/2)*(a+I*a*tan(dx+c))**(5/2)*(A+B*tan(dx+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(a + I a \tan(dx + c))^{\frac{5}{2}} \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(dx+c)^(9/2)*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(dx + c) + A)*(I*a*tan(dx + c) + a)^(5/2)*cot(dx + c)^(9/2), x)
```

$$3.549 \quad \int \cot^{\frac{7}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=205

$$\frac{2a^2(5B+8iA) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{15d} + \frac{2a^2(38A-35iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{(4+4i)a^{5/2}(A-IB) \operatorname{ArcTanh}\left[\frac{(1+i)\sqrt{a+ia \tan(c+dx)}}{\sqrt{a+Ia \tan(c+dx)}}\right]}{15d}$$

[Out] $((-4-4I)a^{5/2}(A-IB)\operatorname{ArcTanh}[\frac{(1+I)\sqrt{a+ia \tan(c+dx)}}{\sqrt{a+Ia \tan(c+dx)}}])/15d + (2a^2(38A-(35I)B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)})/(15d) - (2a^2((8I)A+5B)\cot(c+dx)^{3/2}\sqrt{a+Ia \tan(c+dx)})/(15d) - (2a^2A\cot(c+dx)^{5/2}(a+Ia \tan(c+dx))^{3/2})/(5d)$

Rubi [A] time = 0.735829, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3593, 3598, 12, 3544, 205}

$$\frac{2a^2(5B+8iA) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+ia \tan(c+dx)}}{15d} + \frac{2a^2(38A-35iB) \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}}{15d} - \frac{(4+4i)a^{5/2}(A-IB) \operatorname{ArcTanh}\left[\frac{(1+i)\sqrt{a+ia \tan(c+dx)}}{\sqrt{a+Ia \tan(c+dx)}}\right]}{15d}$$

Antiderivative was successfully verified.

[In] $\int \cot(c+dx)^{7/2}(a+Ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$

[Out] $((-4-4I)a^{5/2}(A-IB)\operatorname{ArcTanh}[\frac{(1+I)\sqrt{a+ia \tan(c+dx)}}{\sqrt{a+Ia \tan(c+dx)}}])/15d + (2a^2(38A-(35I)B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)})/(15d) - (2a^2((8I)A+5B)\cot(c+dx)^{3/2}\sqrt{a+Ia \tan(c+dx)})/(15d) - (2a^2A\cot(c+dx)^{5/2}(a+Ia \tan(c+dx))^{3/2})/(5d)$

Rule 4241

$\operatorname{Int}[(\cot(a_.) + (b_.) \tan(x_.) \cot(c_.))^m (u_.) , x_Symbol] \rightarrow \operatorname{Dist}[(c \cot(a + b x))^m (c \tan(a + b x))^m , \operatorname{Int}[\operatorname{ActivateTrig}[u]/(c \tan(a + b x))^m , x] , x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

$\operatorname{Int}[(a_.) + (b_.) \tan(e_.) + (f_.) \tan(x_.)]^m ((A_.) + (B_.) \tan(e_.) + (f_.) \tan(x_.))^n ((c_.) + (d_.) \tan(e_.) + (f_.) \tan(x_.))^n , x_Symbol] \rightarrow -\operatorname{Simp}[(a^2(Bc - Ad)(a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^{n+1}) / (d f (b c + a d) (n + 1)) , x] - \operatorname{Dist}[a / (d (b c + a d) (n + 1)) , \operatorname{Int}[(a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^{n+1} \operatorname{Simp}[A b d (m - n - 2) - B (b c (m - 1) + a d (n + 1)) + (a A d (m + n) - B (a c (m - 1) + b d (n + 1))] \tan[e + f x] , x] , x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b c - a d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3598

$\operatorname{Int}[(a_.) + (b_.) \tan(e_.) + (f_.) \tan(x_.)]^m ((A_.) + (B_.) \tan(e_.) + (f_.) \tan(x_.))^n ((c_.) + (d_.) \tan(e_.) + (f_.) \tan(x_.))^n , x_Symbol] \rightarrow \operatorname{Simp}[(A d - B c)(a + b \tan[e + f x])^m (c + d \tan[e + f x])^{n+1} / (f (n + 1)) , x] /;$

1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \cot^{\frac{7}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{(a + ia \tan(c + dx))^{5/2}}{\tan^{\frac{7}{2}}(c + dx)} dx$$

$$= -\frac{2aA \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}}{5d} + \frac{1}{5} \left(2\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{(a + ia \tan(c + dx))^{5/2}}{\tan^{\frac{5}{2}}(c + dx)} dx$$

$$= -\frac{2a^2(8iA + 5B) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2}{15d} \int \frac{(a + ia \tan(c + dx))^{5/2}}{\tan^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2(38A - 35iB)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2}{15d} \int \frac{(a + ia \tan(c + dx))^{5/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{2a^2(38A - 35iB)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2}{15d} \int \frac{(a + ia \tan(c + dx))^{5/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{2a^2(38A - 35iB)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{15d} - \frac{2}{15d} \int \frac{(a + ia \tan(c + dx))^{5/2}}{\tan^{\frac{1}{2}}(c + dx)} dx$$

$$= \frac{(4 - 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}}{d}$$

Mathematica [A] time = 7.53274, size = 306, normalized size = 1.49

$$\frac{(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) \left(-4\sqrt{2}(A - iB)e^{-3i(c+dx)}\sqrt{-1 + e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}}\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)\right)}{d \sec^{\frac{7}{2}}(c + dx)(A \cos(c + dx) + \dots)}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] (((-4*sqrt[2]*(A - I*B)*sqrt[-1 + E^((2*I)*(c + d*x))])*sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*sqrt[(I*(1 + E^((2*I)*(c + d*x))))/(-1 + E^((2*I)*(c + d*x)))]*ArcTanh[E^(I*(c + d*x))/sqrt[-1 + E^((2*I)*(c + d*x))]])/E^((3*I)*(c + d*x)) - (sqrt[Cot[c + d*x]]*Csc[c + d*x]^2*sqrt[Sec[c + d*x]]*(Cos[2*c] - I*Sin[2*c])*(-35*(A - I*B) + (41*A - (35*I)*B)*Cos[2*(c + d*x)] + ((11*I)*A + 5*B)*Sin[2*(c + d*x)]))/(15*(Cos[d*x] + I*Sin[d*x])^2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(d*Sec[c + d*x]^(7/2)*(A*cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.799, size = 2246, normalized size = 11.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] -1/15/d*a^2*2^(1/2)*(-5*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+60*I*A*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+60*I*B*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+52*A*cos(d*x+c)^3*2^(1/2)-49*A*cos(d*x+c)*2^(1/2)-41*A*2^(1/2)*cos(d*x+c)^2-35*I*B*2^(1/2)+38*A*2^(1/2)+60*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+30*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+60*I*B*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)+30*I*B*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-35*B*2^(1/2)*sin(d*x+c)+40*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+30*I*A*cos(d*x+c)^2*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+60*I*A*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+52*I*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)-11*I*A*cos(d*x+c)*sin(d*x+c)*2^(1/2)-30*I*A*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+60*I*A*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-60*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-60*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-30*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-60*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)+35*I*B*cos(d*x+c)^2*2^(1/2)-38*I*A*sin(d*x+c)*2^(1/2)+40*I*B*cos(d*x+c)*2^(1/2)-40*I*B*cos(d*x+c)^3*2^(1/2)-60*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1)-60*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-30*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*sin(d*x+c)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))

$$\begin{aligned} &)^{(1/2)} * 2^{(1/2)} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1 / (((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1)) + 60 * A * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \sin(dx+c) * \arctan(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} + 1) - 60 * A * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} + 1) - 60 * A * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} - 1) - 30 * A * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * \ln(-(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1) / (((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1)) + 60 * B * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} + 1) + 60 * B * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * \arctan(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} - 1) + 30 * B * ((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * \cos(dx+c)^2 * \sin(dx+c) * \ln(-(((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} * \sin(dx+c) - \cos(dx+c) - \sin(dx+c) + 1) / (((\cos(dx+c) - 1) / \sin(dx+c))^{(1/2)} * 2^{(1/2)} * \sin(dx+c) + \cos(dx+c) + \sin(dx+c) - 1))) * (\cos(dx+c) / \sin(dx+c))^{(7/2)} * (a * (I * \sin(dx+c) + \cos(dx+c)) / \cos(dx+c))^{(1/2)} * \sin(dx+c) / (I * \sin(dx+c) + \cos(dx+c) - 1) / \cos(dx+c)^3 \end{aligned}$$

Maxima [B] time = 3.58871, size = 2059, normalized size = 10.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(7/2)*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} &-1/225 * (\sqrt{\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2} - 2\cos(2dx + 2c) + 1) * (((-900I + 900)A + (900I - 900)B) * a^2 * \cos(3dx + 3c) + ((930I + 930)A - (750I - 750)B) * a^2 * \cos(dx + c) + (-900I - 900)A - (900I + 900)B) * a^2 * \sin(3dx + 3c) + ((930I - 930)A + (750I + 750)B) * a^2 * \sin(dx + c) * \cos(3/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + (((900I - 900)A + (900I + 900)B) * a^2 * \cos(3dx + 3c) + (-930I - 930)A - (750I + 750)B) * a^2 * \cos(dx + c) + (-900I + 900)A + (900I - 900)B) * a^2 * \sin(3dx + 3c) + ((930I + 930)A - (750I - 750)B) * a^2 * \sin(dx + c)) * \sin(3/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) * \sqrt{a} + (((900I - 900)A + (900I + 900)B) * a^2 * \cos(2dx + 2c)^2 + ((900I - 900)A + (900I + 900)B) * a^2 * \sin(2dx + 2c)^2 + (-1800I - 1800)A - (1800I + 1800)B) * a^2 * \cos(2dx + 2c) + ((900I - 900)A + (900I + 900)B) * a^2 * \arctan2(2 * (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1))^{(1/4)} * \sin(1/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + 2 * \sin(dx + c), 2 * (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1))^{(1/4)} * \cos(1/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + 2 * \cos(dx + c)) + (((450I + 450)A - (450I - 450)B) * a^2 * \cos(2dx + 2c)^2 + ((450I + 450)A - (450I - 450)B) * a^2 * \sin(2dx + 2c)^2 + (-900I + 900)A + (900I - 900)B) * a^2 * \cos(2dx + 2c) + ((450I + 450)A - (450I - 450)B) * a^2 * \log(4 * \cos(dx + c)^2 + 4 * \sin(dx + c)^2 + 4 * \sqrt{\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1}) * (\cos(1/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1))^{(1/2)} + \sin(1/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)))^2) + 8 * (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1)^{(1/4)} * (\cos(dx + c) * \cos(1/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + \sin(dx + c) * \sin(1/2 * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)))) * (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1)^{(1/4)} * \sqrt{a} + (((-900I + 900)A + (900I - 900)B) * a^2 * \cos(5dx + 5c) + ((750I + 750)A - (1650I - 1650)B) * a^2 * \cos(3dx + 3c) + (-210I + 210)A + (750I - 750)B) * a^2 * \cos(dx + c) + (-900I - 900)A - (900I + 900)B) * a^2 * \sin(5dx + 5c) + ((750I - 750)A + (1650I + 1650)B) * \end{aligned}$$

$$\begin{aligned}
& a^2 \sin(3dx + 3c) + (-(210I - 210)A - (750I + 750)B) a^2 \sin(dx + c) \\
& \cos(5/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + (((240I + 240)A - (600I - 600)B) a^2 \cos(dx + c) + ((240I - 240)A + (600I + 600)B) a^2 \sin(dx + c) + (((240I + 240)A - (600I - 600)B) a^2 \cos(dx + c) + ((240I - 240)A + (600I + 600)B) a^2 \sin(dx + c)) \cos(2dx + 2c)^2 + (((240I + 240)A - (600I - 600)B) a^2 \cos(dx + c) + ((240I - 240)A + (600I + 600)B) a^2 \sin(dx + c)) \sin(2dx + 2c)^2 + (-(480I + 480)A + (1200I - 1200)B) a^2 \cos(dx + c) + (-(480I - 480)A - (1200I + 1200)B) a^2 \sin(dx + c) \cos(2dx + 2c) \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + (((900I - 900)A + (900I + 900)B) a^2 \cos(5dx + 5c) + (-(750I - 750)A - (1650I + 1650)B) a^2 \cos(3dx + 3c) + ((210I - 210)A + (750I + 750)B) a^2 \cos(dx + c) + (-(900I + 900)A + (900I - 900)B) a^2 \sin(5dx + 5c) + ((750I + 750)A - (1650I - 1650)B) a^2 \sin(3dx + 3c) + (-(210I + 210)A + (750I - 750)B) a^2 \sin(dx + c) \sin(5/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1)) + ((-(240I - 240)A - (600I + 600)B) a^2 \cos(dx + c) + ((240I + 240)A - (600I - 600)B) a^2 \sin(dx + c) + ((-(240I - 240)A - (600I + 600)B) a^2 \cos(dx + c) + ((240I + 240)A - (600I - 600)B) a^2 \sin(dx + c)) \cos(2dx + 2c)^2 + ((-(240I - 240)A - (600I + 600)B) a^2 \cos(dx + c) + ((240I + 240)A - (600I - 600)B) a^2 \sin(dx + c)) \sin(2dx + 2c)^2 + (((480I - 480)A + (1200I + 1200)B) a^2 \cos(dx + c) + (-(480I + 480)A + (1200I - 1200)B) a^2 \sin(dx + c)) \cos(2dx + 2c) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) - 1))) \sqrt{a} / ((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 - 2\cos(2dx + 2c) + 1)^{5/4}) dx
\end{aligned}$$

Fricas [B] time = 1.48638, size = 1469, normalized size = 7.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(7/2)*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $1/30 * (8 * \sqrt{2}) * (2 * (13A - 10I * B) * a^2 * e^{(4I * dx + 4I * c)} - 35 * (A - I * B) * a^2 * e^{(2I * dx + 2I * c)} + 15 * (A - I * B) * a^2) * \sqrt{a / (e^{(2I * dx + 2I * c)} + 1)} * \sqrt{(I * e^{(2I * dx + 2I * c)} + I) / (e^{(2I * dx + 2I * c)} - 1)} * e^{(I * dx + I * c)} - 15 * \sqrt{(32 * I * A^2 + 64 * A * B - 32 * I * B^2) * a^5 / d^2} * (d * e^{(4I * dx + 4I * c)} - 2 * d * e^{(2I * dx + 2I * c)} + d) * \log((\sqrt{2}) * ((4I * A + 4B) * a^2 * e^{(2I * dx + 2I * c)} + (-4I * A - 4B) * a^2) * \sqrt{a / (e^{(2I * dx + 2I * c)} + 1)} * \sqrt{(I * e^{(2I * dx + 2I * c)} + I) / (e^{(2I * dx + 2I * c)} - 1)} * e^{(I * dx + I * c)} + I * \sqrt{(32 * I * A^2 + 64 * A * B - 32 * I * B^2) * a^5 / d^2} * d * e^{(2I * dx + 2I * c)}) * e^{(-2I * dx - 2I * c)} / ((4I * A + 4B) * a^2)) + 15 * \sqrt{(32 * I * A^2 + 64 * A * B - 32 * I * B^2) * a^5 / d^2} * (d * e^{(4I * dx + 4I * c)} - 2 * d * e^{(2I * dx + 2I * c)} + d) * \log((\sqrt{2}) * ((4I * A + 4B) * a^2 * e^{(2I * dx + 2I * c)} + (-4I * A - 4B) * a^2) * \sqrt{a / (e^{(2I * dx + 2I * c)} + 1)} * \sqrt{(I * e^{(2I * dx + 2I * c)} + I) / (e^{(2I * dx + 2I * c)} - 1)} * e^{(I * dx + I * c)} - I * \sqrt{(32 * I * A^2 + 64 * A * B - 32 * I * B^2) * a^5 / d^2} * d * e^{(2I * dx + 2I * c)}) * e^{(-2I * dx - 2I * c)} / ((4I * A + 4B) * a^2)) / (d * e^{(4I * dx + 4I * c)} - 2 * d * e^{(2I * dx + 2I * c)} + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(7/2), x)

$$3.550 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=230

$$\frac{2a^2(B+2iA)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} + \frac{(4+4i)a^{5/2}(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

[Out] (2*(-1)^(3/4)*a^(5/2)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a^2*((2*I)*A + B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Cot[c + d*x])^(3/2)*(a + I*a*Tan[c + d*x])^(3/2))/(3*d)

Rubi [A] time = 0.828789, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3593, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{2a^2(B+2iA)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} + \frac{(4+4i)a^{5/2}(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (2*(-1)^(3/4)*a^(5/2)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((4 + 4*I)*a^(5/2)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a^2*((2*I)*A + B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/d - (2*a*A*Cot[c + d*x])^(3/2)*(a + I*a*Tan[c + d*x])^(3/2))/(3*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(a^2*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(b*c + a*d)*(n + 1)), x] - Dist[a/(d*(b*c + a*d)*(n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*b*d*(m - n - 2) - B*(b*c*(m - 1) + a*d*(n + 1)) + (a*A*d*(m + n) - B*(a*c*(m - 1) + b*d*(n + 1)))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dis

```
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} + \frac{1}{3} \left(2\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}\right) \\
&= -\frac{2a^2(2iA+B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} \\
&= -\frac{2a^2(2iA+B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} \\
&= -\frac{2a^2(2iA+B)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{3/2}}{3d} \\
&= \frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} \\
&= \frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d} \\
&= \frac{2(-1)^{3/4}a^{5/2}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [B] time = 10.271, size = 496, normalized size = 2.16

$$\frac{\cos^3(c+dx)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left((8A-3iB) \left(-\frac{2}{3} \sin(2c) - \frac{2}{3} i \cos(2c) \right) + \csc(c+dx) \right)}{d(\cos(dx)+i \sin(dx))^2(A \cos(c+dx)+B \sin(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[E^(I*d*x)]*Sqrt[-1 + E^((2*I)*(c + d*x))]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[(I*(1 + E^((2*I)*(c + d*x))))/(-1 + E^((2*I)*(c + d*x)))]*(16*(I*A + B)*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] + Sqrt[2]*B*(-Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] + Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(2*Sqrt[2]*d*E^(I*(3*c + d*x))*Sec[c + d*x]^(7/2)*(Cos[d*x] + I*Sin[d*x])^(5/2)*(A*Cos[c + d*x] + B*Sin[c + d*x])) + (Cos[c + d*x]^3*Sqrt[Cot[c + d*x]]*((8*A - (3*I)*B)*((-2*I)/3)*Cos[2*c] - (2*Sin[2*c])/3) + Csc[c + d*x]*((-2*A*Cos[3*c + d*x])/3 + ((2*I)/3)*A*Sin[3*c + d*x]))*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x])/(d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.692, size = 2629, normalized size = 11.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\frac{1}{\sin(dx+c)^{1/2}+1} \cos(dx+c)^2 + 6B \cdot 2^{1/2} \cdot \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} \arctan\left(\left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} \right) - 3B \cdot 2^{1/2} \cdot \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} \ln\left(\left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} - 1 \right) + 3B \cdot 2^{1/2} \cdot \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} \ln\left(\left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} + 1 \right) - 14IA \cdot 2^{1/2} \cdot \sin(dx+c) - 6IB \cdot 2^{1/2} \cdot \cos(dx+c)^2 \cdot \left(\frac{\cos(dx+c)}{\sin(dx+c)} \right)^{5/2} \cdot \frac{a(I \sin(dx+c) + \cos(dx+c))}{\cos(dx+c)^{1/2} \sin(dx+c)} \cdot \frac{1}{I \sin(dx+c) + \cos(dx+c) - 1} \cdot \frac{1}{\cos(dx+c)^2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [B] time = 1.59136, size = 2090, normalized size = 9.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+I*a*tan(dx+c))^(5/2)*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{6} \cdot \sqrt{2} \cdot \left((-32IA - 12B) \cdot a^2 \cdot e^{(2Ix + 2Ic)} + (24IA + 12B) \cdot a^2 \cdot \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \cdot \sqrt{\frac{Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} - 1}} \cdot e^{(Ix + Ic)} + 3 \cdot \sqrt{(-32IA^2 - 64AB + 32IB^2)} \cdot a^5/d^2 \cdot (de^{(2Ix + 2Ic)} - d) \cdot \log\left(\sqrt{2} \cdot \left((4IA + 4B) \cdot a^2 \cdot e^{(2Ix + 2Ic)} + (-4IA - 4B) \cdot a^2 \right) \cdot \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \cdot \sqrt{\frac{Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} - 1}} \cdot e^{(Ix + Ic)} + \sqrt{(-32IA^2 - 64AB + 32IB^2)} \cdot a^5/d^2 \cdot de^{(2Ix + 2Ic)} \right) \cdot e^{(-2Ix - 2Ic)} / \left((4IA + 4B) \cdot a^2 \right) - 3 \cdot \sqrt{(-32IA^2 - 64AB + 32IB^2)} \cdot a^5/d^2 \cdot (de^{(2Ix + 2Ic)} - d) \cdot \log\left(\sqrt{2} \cdot \left((4IA + 4B) \cdot a^2 \cdot e^{(2Ix + 2Ic)} + (-4IA - 4B) \cdot a^2 \right) \cdot \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \cdot \sqrt{\frac{Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} - 1}} \cdot e^{(Ix + Ic)} - \sqrt{(-32IA^2 - 64AB + 32IB^2)} \cdot a^5/d^2 \cdot de^{(2Ix + 2Ic)} \right) \cdot e^{(-2Ix - 2Ic)} / \left((4IA + 4B) \cdot a^2 \right) - 3 \cdot \sqrt{4IB^2 \cdot a^5/d^2} \cdot (de^{(2Ix + 2Ic)} - d) \cdot \log\left(\sqrt{2} \cdot \left(B \cdot a^2 \cdot e^{(2Ix + 2Ic)} - B \cdot a^2 \right) \cdot \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \cdot \sqrt{\frac{Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} - 1}} \cdot e^{(Ix + Ic)} + \sqrt{4IB^2 \cdot a^5/d^2} \cdot de^{(2Ix + 2Ic)} \right) \cdot e^{(-2Ix - 2Ic)} / (B \cdot a^2) + 3 \cdot \sqrt{4IB^2 \cdot a^5/d^2} \cdot (de^{(2Ix + 2Ic)} - d) \cdot \log\left(\sqrt{2} \cdot \left(B \cdot a^2 \cdot e^{(2Ix + 2Ic)} - B \cdot a^2 \right) \cdot \sqrt{\frac{a}{e^{(2Ix + 2Ic)} + 1}} \cdot \sqrt{\frac{Ie^{(2Ix + 2Ic)} + I}{e^{(2Ix + 2Ic)} - 1}} \cdot e^{(Ix + Ic)} - \sqrt{4IB^2 \cdot a^5/d^2} \cdot de^{(2Ix + 2Ic)} \right) \cdot e^{(-2Ix - 2Ic)} / (B \cdot a^2) \right) / (de^{(2Ix + 2Ic)} - d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(5/2), x)

$$3.551 \quad \int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=236

$$\frac{(-1)^{3/4}a^{5/2}(2A-5iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(-B+2iA)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(4+4i)a^{5/2}(A-iB)\sqrt{\tan(c+dx)}}{d}$$

[Out] $((-1)^{(3/4)}*a^{(5/2)}*(2*A - (5*I)*B)*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/d + ((4 + 4*I)*a^{(5/2)}*(A - I*B)*\text{ArcTanh}[((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/d + (a^2*((2*I)*A - B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(d*\text{Sqrt}[\text{Cot}[c + d*x]]) - (2*a*A*\text{Sqrt}[\text{Cot}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/d$

Rubi [A] time = 0.857209, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {4241, 3593, 3594, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{5/2}(2A-5iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{d} + \frac{a^2(-B+2iA)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(4+4i)a^{5/2}(A-iB)\sqrt{\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^{(5/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $((-1)^{(3/4)}*a^{(5/2)}*(2*A - (5*I)*B)*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/d + ((4 + 4*I)*a^{(5/2)}*(A - I*B)*\text{ArcTanh}[((1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/d + (a^2*((2*I)*A - B)*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])/(d*\text{Sqrt}[\text{Cot}[c + d*x]]) - (2*a*A*\text{Sqrt}[\text{Cot}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^{(3/2)})/d$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3593

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*(c_. + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(a^2*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)})/(d*f*(b*c + a*d)*(n+1)), x] - \text{Dist}[a/(d*(b*c + a*d)*(n+1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*b*d*(m-n-2) - B*(b*c*(m-1) + a*d*(n+1)) + (a*A*d*(m+n) - B*(a*c*(m-1) + b*d*(n+1))]*\text{Tan}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3594

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*(c_. + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Sim}$

$$\int (b*B*(a + b*\tan[e + f*x])^{m-1}*(c + d*\tan[e + f*x])^{n+1})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\tan[e + f*x])^{m-1}*(c + d*\tan[e + f*x])^n * \text{Simp}[a*A*d*(m+n) + B*(a*c*(m-1) - b*d*(n+1)) - (B*(b*c - a*d)*(m-1) - d*(A*b + a*B)*(m+n))*\tan[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{tQ}[m, 1] \&\& \text{!LtQ}[n, -1]$$

Rule 3601

$$\text{Int}[(a + b*\tan[e + f*x])^m * (A + B*\tan[e + f*x])^n, x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^n * (a - b*\tan[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$$

Rule 3544

$$\text{Int}[\text{Sqrt}[a + b*\tan[e + f*x]]/\text{Sqrt}[c + d*\tan[e + f*x] + (f*x)], x_Symbol] \rightarrow \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a^2*x^2), x], x, \text{Sqrt}[c + d*\tan[e + f*x]]/\text{Sqrt}[a + b*\tan[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$$

Rule 205

$$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$$

Rule 3599

$$\text{Int}[(a + b*\tan[e + f*x])^m * (A + B*\tan[e + f*x])^n, x_Symbol] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^n, x], x, \tan[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A*b + a*B, 0]$$

Rule 63

$$\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p*(m+1)-1} * (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 217

$$\text{Int}[1/\text{Sqrt}[a + b*x^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a, 0]$$

Rule 203

$$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$$

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}}{d} + \left(2\sqrt{\cot(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{a^2(2iA-B)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}}{d} \\
&= \frac{a^2(2iA-B)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}}{d} \\
&= \frac{a^2(2iA-B)\sqrt{a+ia \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}}{d} \\
&= \frac{(4-4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
&= \frac{(4-4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
&= \frac{\sqrt[4]{-1}a^{5/2}(2iA+5B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 9.53153, size = 387, normalized size = 1.64

$$(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left(\sqrt{2}e^{-3i(c+dx)}\sqrt{-1+e^{2i(c+dx)}}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{\frac{i(1+e^{2i(c+dx)})}{-1+e^{2i(c+dx)}}} \left(32(A-iB) \log\left(\sqrt{-1+e^{2i(c+dx)}}\right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c+d*x]^(3/2)*(a+I*a*Tan[c+d*x])^(5/2)*(A+B*Tan[c+d*x]),x]

[Out] (((Sqrt[2]*Sqrt[-1+E^((2*I)*(c+d*x))])*Sqrt[E^(I*(c+d*x))/(1+E^((2*I)*(c+d*x))])*(c+d*x)))*Sqrt[(I*(1+E^((2*I)*(c+d*x))))/(-1+E^((2*I)*(c+d*x)))]*(32*(A-I*B)*Log[E^(I*(c+d*x))+Sqrt[-1+E^((2*I)*(c+d*x))]]-Sqrt[2]*(2*A-(5*I)*B)*(Log[1-3*E^((2*I)*(c+d*x))]-2*Sqrt[2]*E^(I*(c+d*x))*Sqrt[-1+E^((2*I)*(c+d*x))]]-Log[1-3*E^((2*I)*(c+d*x))+2*Sqrt[2]*E^(I*(c+d*x))*Sqrt[-1+E^((2*I)*(c+d*x))]]))/E^((3*I)*(c+d*x))-((8*(B+2*A*Cot[c+d*x])*Sqrt[Sec[c+d*x]]*(Cos[2*c]-I*Sin[2*c]))/(Sqrt[Cot[c+d*x]]*(Cos[d*x]+I*Sin[d*x])^2))*(a+I*a*Tan[c+d*x])^(5/2)*(A+B*Tan[c+d*x]))/(8*d*Sec[c+d*x]^(7/2)*(A*Cos[c+d*x]+B*Sin[c+d*x]))

Maple [B] time = 0.55, size = 1896, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

```
[Out] 1/4/d*a^2*2^(1/2)*(4*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))+2*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)-2*I*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)+10*I*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))-5*I*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)+5*I*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)-2*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)+10*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))+5*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)+4*A*cos(d*x+c)*2^(1/2)-2*I*B*2^(1/2)-4*A*2^(1/2)*cos(d*x+c)^2-5*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)-4*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))+2*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)-2*A*2^(1/2)*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)-16*I*A*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)+1)-16*I*A*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-1)-8*I*A*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1))-16*I*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)+1)-16*I*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-1)-8*I*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))+2*B*2^(1/2)*sin(d*x+c)+2*I*B*2^(1/2)*cos(d*x+c)^2-8*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-16*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)+1)-16*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-1))+8*A*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*ln(-(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)+cos(d*x+c)+sin(d*x+c)-1)/(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)*sin(d*x+c)-cos(d*x+c)-sin(d*x+c)+1))-16*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)+1)-16*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*2^(1/2)-1))*(cos(d*x+c)/sin(d*x+c))^(3/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*sin(d*x+c)/(I*sin(d*x+c)+cos(d*x+c)-1)/cos(d*x+c)^2
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

[Out] Timed out

Fricas [B] time = 1.63218, size = 2300, normalized size = 9.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(2*\sqrt{2}*((2*A - I*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (2*A + I*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} \\ & * \sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)} * e^{(I*d*x + I*c)} - \sqrt{(32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2} \\ & *(d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((4*I*A + 4*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (-4*I*A - 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} \\ & * \sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)} * e^{(I*d*x + I*c)} + I*\sqrt{(32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2} \\ & * d*e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c)}) / ((4*I*A + 4*B)*a^2) + \sqrt{(32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2} \\ & *(d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((4*I*A + 4*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (-4*I*A - 4*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} \\ & * \sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)} * e^{(I*d*x + I*c)} - I*\sqrt{(32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2} \\ & * d*e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c)}) / ((4*I*A + 4*B)*a^2) + \sqrt{(4*I*A^2 + 20*A*B - 25*I*B^2)*a^5/d^2} \\ & *(d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((2*I*A + 5*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (-2*I*A - 5*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} \\ & * \sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)} * e^{(I*d*x + I*c)} + 2*I*\sqrt{(4*I*A^2 + 20*A*B - 25*I*B^2)*a^5/d^2} \\ & * d*e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c)}) / ((2*I*A + 5*B)*a^2) - \sqrt{(4*I*A^2 + 20*A*B - 25*I*B^2)*a^5/d^2} \\ & *(d*e^{(2*I*d*x + 2*I*c)} + d)*\log((\sqrt{2}*((2*I*A + 5*B)*a^2*e^{(2*I*d*x + 2*I*c)} + (-2*I*A - 5*B)*a^2)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)} \\ & * \sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)} * e^{(I*d*x + I*c)} - 2*I*\sqrt{(4*I*A^2 + 20*A*B - 25*I*B^2)*a^5/d^2} \\ & * d*e^{(2*I*d*x + 2*I*c)}) * e^{(-2*I*d*x - 2*I*c)}) / ((2*I*A + 5*B)*a^2)) / (d*e^{(2*I*d*x + 2*I*c)} + d) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, alg  
orithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(3  
/2), x)
```

$$3.552 \quad \int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=246

$$\frac{(-1)^{3/4}a^{5/2}(23B+20iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{a^2(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d}$$

```
[Out] -((-1)^(3/4)*a^(5/2)*((20*I)*A + 23*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*d) + ((4 - 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (a^2*(4*A - (7*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]]) + ((I/2)*a*B*(a + I*a*Tan[c + d*x])^(3/2))/(d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 0.881914, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3594, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{(-1)^{3/4}a^{5/2}(23B+20iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{4d} - \frac{a^2(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -((-1)^(3/4)*a^(5/2)*((20*I)*A + 23*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*d) + ((4 - 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (a^2*(4*A - (7*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]]) + ((I/2)*a*B*(a + I*a*Tan[c + d*x])^(3/2))/(d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3594

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3601

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dis
```

```
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{iaB(a+ia \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}} + \frac{1}{2} (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \\
&= -\frac{a^2(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{iaB(a+ia \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}} \\
&= -\frac{a^2(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{iaB(a+ia \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}} \\
&= -\frac{a^2(4A-7iB)\sqrt{a+ia \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{iaB(a+ia \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}} \\
&= -\frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
&= -\frac{(4+4i)a^{5/2}(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
&= \frac{\sqrt[4]{-1}a^{5/2}(20A-23iB) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 8.02878, size = 447, normalized size = 1.82

$$\cos^3(c+dx)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx)) \left(\sqrt{2}(\cos(3c+dx) - i \sin(3c+dx)) \sqrt{i \sin^2(c+dx)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (Cos[c + d*x]^3*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))*(Sqrt[2]*(Sqrt[2]*((-20*I)*A - 23*B)*Log[(-2*E^(((7*I)/2)*c)*(I*Sqrt[2] + Sqrt[2]*E^(I*(c + d*x)) - 2*Sqrt[-1 + E^((2*I)*(c + d*x))])]/((20*A - (23*I)*B)*(-I + E^(I*(c + d*x)))) + Sqrt[2]*((20*I)*A + 23*B)*Log[(-2*E^(((7*I)/2)*c)*((-I)*Sqrt[2] + Sqrt[2]*E^(I*(c + d*x)) + 2*Sqrt[-1 + E^((2*I)*(c + d*x))])]/((20*A - (23*I)*B)*(I + E^(I*(c + d*x)))) - (64*I)*(A - I*B)*Log[(Cos[c] - I*Sin[c])*(Cos[c + d*x] + I*Sin[c + d*x] + Sqrt[-1 + Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)])])]*Sqrt[I*(I + Cot[c + d*x])*Sin[c + d*x]^2*(Cos[3*c + d*x] - I*Sin[3*c + d*x]) - 4*(Cos[2*c] - I*Sin[2*c])*Tan[c + d*x]*(4*A - (9*I)*B + 2*B*Tan[c + d*x])))/(16*d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.589, size = 1530, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(dx+c)^{(1/2)}*(a+I*a*\tan(dx+c))^{(5/2)}*(A+B*\tan(dx+c)), x)$

[Out] $\frac{1}{16}d^{1/2}a^2(\cos(dx+c)-1)*(22I*B*\cos(dx+c)*\sin(dx+c)*2^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-8A*2^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2})*\cos(dx+c)*\sin(dx+c)-32A*\cos(dx+c)^2*\ln(-(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1))-64B*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}+1)-64B*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}-1)-32B*\cos(dx+c)^2*\ln(-(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)))-4B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}-64A*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}+1)-64A*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}-1)-64I*A*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}+1)-64I*A*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}-1)-32I*A*\cos(dx+c)^2*\ln(-(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)))+64I*B*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}+1)+64I*B*\cos(dx+c)^2*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}-1)+32I*B*\cos(dx+c)^2*\ln(-(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}*\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)))+8I*A*\cos(dx+c)^2*2^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+40I*A*\cos(dx+c)^2*2^{1/2}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2})-20I*A*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)+20I*A*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)-46I*B*\cos(dx+c)^2*2^{1/2}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2})-23I*B*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)+23I*B*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)+8I*A*\cos(dx+c)*2^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+4I*B*\sin(dx+c)*2^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+22B*\cos(dx+c)^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}-20A*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)+40A*\cos(dx+c)^2*2^{1/2}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2})+20A*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)+23B*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)+46B*\cos(dx+c)^2*2^{1/2}*\arctan(((\cos(dx+c)-1)/\sin(dx+c))^{1/2})-23B*\cos(dx+c)^2*2^{1/2}*\ln(((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)+18B*2^{1/2}*\cos(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2})*(\cos(dx+c)/\sin(dx+c))^{1/2}*(a*(I*\sin(dx+c)+\cos(dx+c))/\cos(dx+c))^{1/2}/(I*\sin(dx+c)+\cos(dx+c)-1)/\cos(dx+c)^2/((\cos(dx+c)-1)/\sin(dx+c))^{1/2})$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^{(1/2)}*(a+I*a*\tan(dx+c))^{(5/2)}*(A+B*\tan(dx+c)), x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [B] time = 1.59075, size = 2566, normalized size = 10.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/8*(2*sqrt(2)*((4*I*A + 11*B)*a^2*e^(4*I*d*x + 4*I*c) - 4*B*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 7*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((20*I*A + 23*B)*a^2*e^(2*I*d*x + 2*I*c) + (-20*I*A - 23*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 2*sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((20*I*A + 23*B)*a^2)) - sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((20*I*A + 23*B)*a^2*e^(2*I*d*x + 2*I*c) + (-20*I*A - 23*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - 2*sqrt((-400*I*A^2 - 920*A*B + 529*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((20*I*A + 23*B)*a^2)) - 4*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 4*sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - sqrt((-32*I*A^2 - 64*A*B + 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)))/(d*e^(4*I*d*x + 4*I*c) + 2*d*e^(2*I*d*x + 2*I*c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^{\frac{5}{2}} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)*sqrt(cot(d*x + c)), x)
```

$$3.553 \quad \int \frac{(a+ia \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=292

$$\frac{a^2(2A - 3iB)\sqrt{a + ia \tan(c + dx)}}{4d \cot^{\frac{3}{2}}(c + dx)} - \frac{(-1)^{3/4}a^{5/2}(46A - 45iB)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d}$$

```
[Out] -((-1)^(3/4)*a^(5/2)*(46*A - (45*I)*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(8*d) - ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (a^2*(2*A - (3*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d*Cot[c + d*x]^(3/2)) + (a^2*((18*I)*A + 19*B)*Sqrt[a + I*a*Tan[c + d*x]])/(8*d*Sqrt[Cot[c + d*x]]) + ((I/3)*a*B*(a + I*a*Tan[c + d*x])^(3/2))/(d*Cot[c + d*x]^(3/2))
```

Rubi [A] time = 1.08641, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {4241, 3594, 3597, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{a^2(2A - 3iB)\sqrt{a + ia \tan(c + dx)}}{4d \cot^{\frac{3}{2}}(c + dx)} - \frac{(-1)^{3/4}a^{5/2}(46A - 45iB)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] -((-1)^(3/4)*a^(5/2)*(46*A - (45*I)*B)*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(8*d) - ((4 + 4*I)*a^(5/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (a^2*(2*A - (3*I)*B)*Sqrt[a + I*a*Tan[c + d*x]])/(4*d*Cot[c + d*x]^(3/2)) + (a^2*((18*I)*A + 19*B)*Sqrt[a + I*a*Tan[c + d*x]])/(8*d*Sqrt[Cot[c + d*x]]) + ((I/3)*a*B*(a + I*a*Tan[c + d*x])^(3/2))/(d*Cot[c + d*x]^(3/2))
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3594

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n) + B*(a*c*(m - 1) - b*d*(n + 1)) - (B*(b*c - a*d)*(m - 1) - d*(A*b + a*B)*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[m, 1] && !LtQ[n, -1]
```

Rule 3597

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[
1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp
[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Ta
n[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c
- a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]
```

Rule 3601

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^5 \\
&= \frac{iaB(a + ia \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} + \frac{1}{3} (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)}(a + ia \tan(c + dx))^5 \\
&= -\frac{a^2(2A - 3iB)\sqrt{a + ia \tan(c + dx)}}{4d \cot^2(c + dx)} + \frac{iaB(a + ia \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} + \\
&= -\frac{a^2(2A - 3iB)\sqrt{a + ia \tan(c + dx)}}{4d \cot^2(c + dx)} + \frac{a^2(18iA + 19B)\sqrt{a + ia \tan(c + dx)}}{8d\sqrt{\cot(c + dx)}} \\
&= -\frac{a^2(2A - 3iB)\sqrt{a + ia \tan(c + dx)}}{4d \cot^2(c + dx)} + \frac{a^2(18iA + 19B)\sqrt{a + ia \tan(c + dx)}}{8d\sqrt{\cot(c + dx)}} \\
&= -\frac{a^2(2A - 3iB)\sqrt{a + ia \tan(c + dx)}}{4d \cot^2(c + dx)} + \frac{a^2(18iA + 19B)\sqrt{a + ia \tan(c + dx)}}{8d\sqrt{\cot(c + dx)}} \\
&= -\frac{(4 - 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
&= -\frac{(4 - 4i)a^{5/2}(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
&= -\frac{\sqrt[4]{-1}a^{5/2}(46iA + 45B) \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{8d}
\end{aligned}$$

Mathematica [A] time = 9.61155, size = 484, normalized size = 1.66

$$\cos^3(c + dx)\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}(A + B \tan(c + dx)) \left(\frac{2}{3}(\cos(2c) - i \sin(2c)) \tan(c + dx) \sec^2(c + dx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] (Cos[c + d*x]^3*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))*(-(Sqrt[2]*(Sqrt[2]*(46*A - (45*I)*B)*Log[(2*E^(((7*I)/2)*c))*(Sqrt[2] - I*Sqrt[2]*E^(I*(c + d*x)) + (2*I)*Sqrt[-1 + E^((2*I)*(c + d*x))]])/(46*A - (45*I)*B)*(-I + E^(I*(c + d*x)))) + Sqrt[2]*(-46*A + (45*I)*B)*Log[(2*E^(((7*I)/2)*c)*((-I)*Sqrt[2] + Sqrt[2]*E^(I*(c + d*x)) + 2*Sqrt[-1 + E^((2*I)*(c + d*x))]])/(((46*I)*A + 45*B)*(I + E^(I*(c + d*x)))) + 128*(A - I*B)*Log[(Cos[c] - I*Sin[c])*(Cos[c + d*x] + I*Sin[c + d*x] + Sqrt[-1 + Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)])])]*Sqrt[I*(I + Cot[c + d*x])*Sin[c + d*x]^2*(Cos[3*c + d*x] - I*Sin[3*c + d*x]) + (2*Sec[c + d*x]^2*(Cos[2*c] - I*Sin[2*c])*((54*I)*A + 49*B + ((54*I)*A + 65*B)*Cos[2*(c + d*x)] + (-12*A + (26*I)*B)*Sin[2*(c + d*x)])*Tan[c + d*x])/3)/(32*d*(Cos[d*x] + I*Sin[d*x])^2*(A*Cos[c + d*x] + B*Sin[c + d*x]))

Maple [B] time = 0.623, size = 4851, normalized size = 16.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(dx+c))^{5/2}*(A+B*\tan(dx+c))/\cot(dx+c)^{1/2}, x)$

[Out] $\frac{1}{96}d^{1/2}a^2(-24A^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^3+52B^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^3-276A\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\cos(dx+c)^3+138A\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)^{1/2}\cos(dx+c)^3+132IA^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^3\sin(dx+c)-384A\cos(dx+c)^4\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-108A^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^2\sin(dx+c)+24A^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)\sin(dx+c)+384A\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-1)^{1/2}\cos(dx+c)^3-138IB^{1/2}\cos(dx+c)^3\sin(dx+c)\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)-384B\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-1)^{1/2}\cos(dx+c)^3-384B\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+1)^{1/2}\cos(dx+c)^3-192B\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)^{1/2}\cos(dx+c)^3+16B((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-130B^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^2\sin(dx+c)-68B\cos(dx+c)\sin(dx+c)((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+384A\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+1)^{1/2}\cos(dx+c)^3+192A\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)^{1/2}\cos(dx+c)^3+138IA^{1/2}\cos(dx+c)^3\sin(dx+c)\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)+182IB^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^3\sin(dx+c)+135IB^{1/2}\cos(dx+c)^3\sin(dx+c)\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)+270IB^{1/2}(\cos(dx+c)^3\sin(dx+c)\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-135IB^{1/2}\cos(dx+c)^3\sin(dx+c)\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)-384A\cos(dx+c)^4\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+1)^{1/2}-192A\cos(dx+c)^4\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)^{1/2}+384B\cos(dx+c)^4\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-1)^{1/2}+384B\cos(dx+c)^4\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+1)^{1/2}+192B\cos(dx+c)^4\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)/((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)^{1/2}-135B\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)^{1/2}\cos(dx+c)^3+270B\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2})^{1/2}\cos(dx+c)^3+135B\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)^{1/2}\cos(dx+c)^3+16B\sin(dx+c)((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-198B\cos(dx+c)^2((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+24A^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)-138A\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+1)^{1/2}\cos(dx+c)^3-52B^{1/2}\cos(dx+c)((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-108IA^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^2\sin(dx+c)+130IB^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)^2\sin(dx+c)-24IA^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)\sin(dx+c)-68IB^{1/2}((\cos(dx+c)-1)/\sin(dx+c))^{1/2}\cos(dx+c)\sin(dx+c)+276IA^{1/2}\cos(dx+c)^3\sin(dx+c)\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-270B^{1/2}\cos(dx+c)^4\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-135B^{1/2}\cos(dx+c)^4\ln((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-1)+384A\cos(dx+c)^3\sin(dx+c)\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}-1)^{1/2}+384A\cos(dx+c)^3\sin(dx+c)\arctan((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}+1)^{1/2}+192A\cos(dx+c)^3\sin(dx+c)\ln(-((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)+\cos(dx+c)+\sin(dx+c)-1)/((\cos(dx+c)-1)/\sin(dx+c))^{1/2})^{1/2}\sin(dx+c)-\cos(dx+c)-\sin(dx+c)+1)^{1/2}+138$

+c)^4*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)+24*I*A*2^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^3-138*I*A*2^(1/2)*cos(d*x+c)^3*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+1)+276*I*A*2^(1/2)*cos(d*x+c)^3*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2))+138*I*A*2^(1/2)*cos(d*x+c)^3*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-1)-384*I*A*cos(d*x+c)^3*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)-1)-384*I*A*cos(d*x+c)^3*sin(d*x+c)*arctan(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2)+1))*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)/(I*cos(d*x+c)+I*sin(d*x+c)-1+I*cos(d*x+c)-sin(d*x+c))/cos(d*x+c)^2/(cos(d*x+c)/sin(d*x+c))^(1/2)/((cos(d*x+c)-1)/sin(d*x+c))^(1/2)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(a \tan(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)/sqrt(cot(d*x + c)), x)

Fricas [B] time = 1.67243, size = 2843, normalized size = 9.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/48*(2*sqrt(2)*((66*A - 91*I*B)*a^2*e^(6*I*d*x + 6*I*c) + 7*(6*A - I*B)*a^2*e^(4*I*d*x + 4*I*c) - (66*A - 59*I*B)*a^2*e^(2*I*d*x + 2*I*c) - 3*(14*A - 13*I*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 3*sqrt((2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((46*I*A + 45*B)*a^2*e^(2*I*d*x + 2*I*c) + (-46*I*A - 45*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 2*I*sqrt((2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((46*I*A + 45*B)*a^2)) - 3*sqrt((2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((46*I*A + 45*B)*a^2*e^(2*I*d*x + 2*I*c) + (-46*I*A - 45*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - 2*I*sqrt((2116*I*A^2 + 4140*A*B - 2025*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((46*I*A + 45*B)*a^2)) - 24*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*(d*e^(6*I*d*x + 6*I*c) + 3*d*e^(4*I*d*x + 4*I*c) + 3*d*e^(2*I*d*x + 2*I*c) + d)*log((sqrt(2)*((4*I*A + 4*B)*a^2*e^(2*I*d*x + 2*I*c) + (-4*I*A - 4*B)*a^2)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + I*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*d*e^(2*I*d*x + 2*I*c))*e^(-2*I*d*x - 2*I*c)/((4*I*A + 4*B)*a^2)) + 24*sqrt((32*I*A^2 + 64*A*B - 32*I*B^2)*a^5/d^2)*(d*e

$$\begin{aligned} & \left((6I dx + 6Ic) + 3d e^{(4I dx + 4Ic)} + 3d e^{(2I dx + 2Ic)} + d \right) \\ & * \log\left(\sqrt{2} \left((4IA + 4B) a^2 e^{(2I dx + 2Ic)} + (-4IA - 4B) a^2 \right) \right. \\ & \left. \sqrt{a / (e^{(2I dx + 2Ic)} + 1)} \sqrt{\left(I e^{(2I dx + 2Ic)} + I \right) / \left(e^{(2I dx + 2Ic)} - 1 \right)} \right. \\ & \left. e^{(I dx + Ic)} - I \sqrt{(32IA^2 + 64AB - 32IB^2) a^5 / d^2} \right) \\ & \left. d e^{(2I dx + 2Ic)} e^{(-2I dx - 2Ic)} / \left((4IA + 4B) a^2 \right) \right) / \\ & \left(d e^{(6I dx + 6Ic)} + 3d e^{(4I dx + 4Ic)} + 3d e^{(2I dx + 2Ic)} + d \right) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(I a \tan(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^(5/2)/sqrt(cot(d*x + c)), x)

$$3.554 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=211

$$-\frac{(5A+3iB)\cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{3ad} + \frac{(A+iB)\cot^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} + \frac{(-9B+7iA)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{3ad}$$

[Out] $((1/2 + I/2)*(I*A + B)*\text{ArcTanh}[\frac{(1 + I)*\sqrt{a}*\sqrt{\tan[c + d*x]}}{\sqrt{a + I*a*\tan[c + d*x]}}])/\sqrt{a + I*a*\tan[c + d*x]} + \sqrt{\cot[c + d*x]}*\sqrt{\tan[c + d*x]}/(\sqrt{a}*d) + ((A + I*B)*\cot[c + d*x]^{(3/2)})/(d*\sqrt{a + I*a*\tan[c + d*x]}) + (((7*I)*A - 9*B)*\sqrt{\cot[c + d*x]}*\sqrt{a + I*a*\tan[c + d*x]})/(3*a*d) - ((5*A + (3*I)*B)*\cot[c + d*x]^{(3/2)}*\sqrt{a + I*a*\tan[c + d*x]})/(3*a*d)$

Rubi [A] time = 0.696978, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3596, 3598, 12, 3544, 205}

$$-\frac{(5A+3iB)\cot^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}}{3ad} + \frac{(A+iB)\cot^{\frac{3}{2}}(c+dx)}{d\sqrt{a+ia \tan(c+dx)}} + \frac{(-9B+7iA)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cot[c + d*x]^{(5/2)}*(A + B*\tan[c + d*x]))/\sqrt{a + I*a*\tan[c + d*x]}, x]$

[Out] $((1/2 + I/2)*(I*A + B)*\text{ArcTanh}[\frac{(1 + I)*\sqrt{a}*\sqrt{\tan[c + d*x]}}{\sqrt{a + I*a*\tan[c + d*x]}}])/\sqrt{a + I*a*\tan[c + d*x]} + \sqrt{\cot[c + d*x]}*\sqrt{\tan[c + d*x]}/(\sqrt{a}*d) + ((A + I*B)*\cot[c + d*x]^{(3/2)})/(d*\sqrt{a + I*a*\tan[c + d*x]}) + (((7*I)*A - 9*B)*\sqrt{\cot[c + d*x]}*\sqrt{a + I*a*\tan[c + d*x]})/(3*a*d) - ((5*A + (3*I)*B)*\cot[c + d*x]^{(3/2)}*\sqrt{a + I*a*\tan[c + d*x]})/(3*a*d)$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\cot[a + b*x])^m*(c*\tan[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\tan[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3596

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{(n+1)}/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\tan[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(A*d - B*c)*(a + b*\tan[e + f*x])^m*(c + d*\tan[e + f*x])^{(n+1)}/(f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^n, x], x] /;$

```
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\cot^2(c + dx)(A + B \tan(c + dx))}{\sqrt{a + ia \tan(c + dx)}} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{A + B \tan(c + dx)}{\tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}} dx$$

$$= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{\sqrt{a + ia \tan(c + dx)}\left(\frac{1}{2}a(5A + 3B) \tan(c + dx) + \frac{1}{2}a(5A - 3B)\right)}{a^2} dx}{a^2}$$

$$= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} - \frac{(5A + 3iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3ad} + \frac{(5A - 3iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3ad}$$

$$= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(7iA - 9B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{3ad} - \frac{(5A - 3iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3ad}$$

$$= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(7iA - 9B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{3ad} - \frac{(5A - 3iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3ad}$$

$$= \frac{(A + iB) \cot^{\frac{3}{2}}(c + dx)}{d\sqrt{a + ia \tan(c + dx)}} + \frac{(7iA - 9B)\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}{3ad} - \frac{(5A - 3iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3ad}$$

$$= \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ad}} + \frac{(A - iB) \cot^{\frac{3}{2}}(c + dx)\sqrt{a + ia \tan(c + dx)}}{3ad}$$

Mathematica [A] time = 4.05174, size = 166, normalized size = 0.79

$$\frac{\sqrt{\cot(c + dx)} \csc(c + dx) \sec(c + dx) \left((5A + 9iB) \cos(2(c + dx)) + \frac{3}{2}(A - iB)e^{-i(c+dx)} (-1 + e^{2i(c+dx)})^{3/2} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) \right)}{6d\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] (Sqrt[Cot[c + d*x]]*Csc[c + d*x]*Sec[c + d*x]*(-9*A - (9*I)*B + (3*(A - I*B)*(-1 + E^((2*I)*(c + d*x)))^(3/2)*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/(2*E^(I*(c + d*x))) + (5*A + (9*I)*B)*Cos[2*(c + d*x)] + (2*I)*A*Sin[2*(c + d*x)] - 6*B*Sin[2*(c + d*x)])/(6*d*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.709, size = 683, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)

[Out] (-1/6-1/6*I)/d/a*(-6*I*B*sin(d*x+c)*cos(d*x+c)-9*I*B*cos(d*x+c)^2+3*I*A*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+3*A*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+3*B*cos(d*x+c)*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-7*I*A+3*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-3*I*B*cos(d*x+c)^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-2*I*A*cos(d*x+c)*sin(d*x+c)-3*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+5*I*A*cos(d*x+c)^2+9*I*B-5*A*cos(d*x+c)^2-2*A*cos(d*x+c)*sin(d*x+c)-9*B*cos(d*x+c)^2+6*B*cos(d*x+c)*sin(d*x+c)+3*I*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+3*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+7*A+9*B)*sin(d*x+c)*(cos(d*x+c)/sin(d*x+c))^(5/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)/(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c)^2

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.68108, size = 1353, normalized size = 6.41

$$\sqrt{2}\left((14iA - 30B)e^{(4i dx + 4i c)} + (-36iA + 36B)e^{(2i dx + 2i c)} + 6iA - 6B\right)\sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}}\sqrt{\frac{i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}}e^{(i dx + i c)} + 3\left(a d e^{(4i dx + 4i c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] 1/12*(sqrt(2)*((14*I*A - 30*B)*e^(4*I*d*x + 4*I*c) + (-36*I*A + 36*B)*e^(2*I*d*x + 2*I*c) + 6*I*A - 6*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + 3*(a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*log((a*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*(a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*log(-(a*d*sqrt((-2*I*A^2 - 4*A*B + 2*I*B^2)/(a*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)))/(a*d*e^(4*I*d*x + 4*I*c) - a*d*e^(2*I*d*x + 2*I*c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{\sqrt{I a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/sqrt(I*a*tan(d*x + c) + a), x)
```

$$3.555 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=163

$$\frac{(A+iB)\sqrt{\cot(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} + \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \operatorname{tanh}}{\sqrt{ad}}$$

[Out] $((1/2 + I/2)*(A - I*B)*\operatorname{ArcTanh}(((1 + I)*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[\operatorname{Tan}[c + d*x]])/\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]])*\operatorname{Sqrt}[\operatorname{Cot}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Tan}[c + d*x]])/(\operatorname{Sqrt}[a]*d) + ((A + I*B)*\operatorname{Sqrt}[\operatorname{Cot}[c + d*x]])/(d*\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]]) - ((3*A + I*B)*\operatorname{Sqrt}[\operatorname{Cot}[c + d*x]]*\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]])/(a*d)$

Rubi [A] time = 0.495813, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3596, 3598, 12, 3544, 205}

$$\frac{(A+iB)\sqrt{\cot(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} + \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \operatorname{tanh}}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cot}[c + d*x]^{3/2}*(A + B*\operatorname{Tan}[c + d*x]))/\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]], x]$

[Out] $((1/2 + I/2)*(A - I*B)*\operatorname{ArcTanh}(((1 + I)*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[\operatorname{Tan}[c + d*x]])/\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]])*\operatorname{Sqrt}[\operatorname{Cot}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Tan}[c + d*x]])/(\operatorname{Sqrt}[a]*d) + ((A + I*B)*\operatorname{Sqrt}[\operatorname{Cot}[c + d*x]])/(d*\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]]) - ((3*A + I*B)*\operatorname{Sqrt}[\operatorname{Cot}[c + d*x]]*\operatorname{Sqrt}[a + I*a*\operatorname{Tan}[c + d*x]])/(a*d)$

Rule 4241

$\operatorname{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \operatorname{Dist}[(c*\operatorname{Cot}[a + b*x])^m*(c*\operatorname{Tan}[a + b*x])^m, \operatorname{Int}[\operatorname{ActivateTrig}[u]/(c*\operatorname{Tan}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3596

$\operatorname{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(a*A + b*B)*(a + b*\operatorname{Tan}[e + f*x])^m*(c + d*\operatorname{Tan}[e + f*x])^{(n+1)})/(2*f*m*(b*c - a*d)), x] + \operatorname{Dist}[1/(2*a*m*(b*c - a*d)), \operatorname{Int}[(a + b*\operatorname{Tan}[e + f*x])^{(m+1)}*(c + d*\operatorname{Tan}[e + f*x])^n*\operatorname{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\operatorname{Tan}[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

$\operatorname{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(A*d - B*c)*(a + b*\operatorname{Tan}[e + f*x])^m*(c + d*\operatorname{Tan}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 + d^2)), x] - \operatorname{Dist}[1/(a*(n+1)*(c^2 + d^2)), \operatorname{Int}[(a + b*\operatorname{Tan}[e + f*x])^m*(c + d*\operatorname{Tan}[e + f*x])^{(n+1)}*\operatorname{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m + n + 1)*\operatorname{Tan}[e + f*x], x], x], x] /;$ Fre

`Eq[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]`

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 3544

`Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rubi steps

$$\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx = \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx$$

$$= \frac{(A+iB)\sqrt{\cot(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{\sqrt{a+ia \tan(c+dx)}\left(\frac{1}{2}a(3A+iB)\cot^{\frac{3}{2}}(c+dx)\right)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx}{a^2}$$

$$= \frac{(A+iB)\sqrt{\cot(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} + \frac{(2\sqrt{a+ia \tan(c+dx)})\int \frac{\sqrt{a+ia \tan(c+dx)}\left(\frac{1}{2}a(3A+iB)\cot^{\frac{3}{2}}(c+dx)\right)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx}{a^2}$$

$$= \frac{(A+iB)\sqrt{\cot(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} + \frac{\left((iA+B)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{\sqrt{a+ia \tan(c+dx)}\left(\frac{1}{2}a(3A+iB)\cot^{\frac{3}{2}}(c+dx)\right)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx}{a^2}$$

$$= \frac{(A+iB)\sqrt{\cot(c+dx)}}{d\sqrt{a+ia \tan(c+dx)}} - \frac{(3A+iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{ad} - \frac{\left((iA+B)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{\sqrt{a+ia \tan(c+dx)}\left(\frac{1}{2}a(3A+iB)\cot^{\frac{3}{2}}(c+dx)\right)}{\tan^{\frac{3}{2}}(c+dx)\sqrt{a+ia \tan(c+dx)}} dx}{a^2}$$

$$= \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ad}} + \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{a^2}$$

Mathematica [A] time = 3.08865, size = 165, normalized size = 1.01

$$\frac{e^{-2i(c+dx)} \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\cot(c+dx)} \left((A-iB)e^{i(c+dx)} \sqrt{-1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) - 5Ae^{2i(c+dx)} + A-iB(-1+e^{2i(c+dx)}) \right)}{\sqrt{2ad}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] (Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*(A - 5*A*E^((2*I)*(c + d*x)) - I*B*(-1 + E^((2*I)*(c + d*x)))) + (A - I*B)*E^(I*(c + d*x))*Sqr

$$t[-1 + E^{((2*I)*(c + d*x))}] * \text{ArcTanh}[E^{(I*(c + d*x))} / \text{Sqrt}[-1 + E^{((2*I)*(c + d*x))}]] * \text{Sqrt}[\text{Cot}[c + d*x]] / (\text{Sqrt}[2] * a * d * E^{((2*I)*(c + d*x))})$$

Maple [B] time = 0.676, size = 484, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x)`

[Out] $(1/2+1/2*I)/d/a*(-I*A*\sin(d*x+c)*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I*B*\cos(d*x+c)*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-A*\cos(d*x+c)*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I*B*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}-A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}+2*I*A*\cos(d*x+c)-3*I*A*\sin(d*x+c)-I*B*\sin(d*x+c)-2*A*\cos(d*x+c)-3*A*\sin(d*x+c)+B*\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/\sin(d*x+c))^{(3/2)}*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.59125, size = 1176, normalized size = 7.21

$$\left(ad \sqrt{\frac{2iA^2+4AB-2iB^2}{ad^2}} e^{(2i dx+2i c)} \log \left(\frac{\left(i ad \sqrt{\frac{2iA^2+4AB-2iB^2}{ad^2}} e^{(2i dx+2i c)} + \sqrt{2} \left((iA+B) e^{(2i dx+2i c)} - iA-B \right) \sqrt{\frac{a}{e^{(2i dx+2i c)}+1}} \sqrt{\frac{i e^{(2i dx+2i c)}+i}{e^{(2i dx+2i c)}-1}} e^{(i dx+i c)} \right) e^{(-i dx-i c)}}{4iA+4B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] $1/4*(a*d*\text{sqrt}((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*e^{(2*I*d*x + 2*I*c)}*\log((I*a*d*\text{sqrt}((2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2))*e^{(2*I*d*x + 2*I*c)} + \text{sqrt}(2)*((I*A + B)*e^{(2*I*d*x + 2*I*c)} - I*A - B)*\text{sqrt}(a/(e^{(2*I*d*x + 2*I*c)} + 1))*\text{sqrt}((I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1))*e^{(I*d*x + 2*I*c)})$

$$I*c))e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - a*d*\sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2)}e^{(2*I*d*x + 2*I*c)}*\log((-I*a*d*\sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2)}e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} - I*A - B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})e^{(I*d*x + I*c)}e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - 2*\sqrt{2}*((5*A + I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)})*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})e^{(I*d*x + I*c)}e^{(-2*I*d*x - 2*I*c)/(a*d)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{\sqrt{I a \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*cot(dx + c)^(3/2)/sqrt(I*a*tan(dx + c) + a), x)

$$3.556 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=119

$$\frac{A + iB}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(A - iB)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] $((1/2 - I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[a]*d) + (A + I*B)/(d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.321207, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4241, 3596, 12, 3544, 205}

$$\frac{A + iB}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(A - iB)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]],x]

[Out] $((1/2 - I/2)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[a]*d) + (A + I*B)/(d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 12

Int[(a_.)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F

reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+ia \tan(c+dx)}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx \\ &= \frac{A+iB}{d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{a(A-iB)}{2}}{a^2} \\ &= \frac{A+iB}{d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} + \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right)}{2a} \\ &= \frac{A+iB}{d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{\left(ia(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right)}{2a} \\ &= -\frac{\left(\frac{1}{2} + \frac{i}{2}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ad}} + \end{aligned}$$

Mathematica [A] time = 2.35625, size = 156, normalized size = 1.31

$$\frac{e^{-2i(c+dx)} \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\cot(c+dx)} \left((B-iA)(-1+e^{2i(c+dx)}) - i(A-iB)e^{i(c+dx)} \sqrt{-1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) \right)}{\sqrt{2ad}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + I*a*Tan[c + d*x]], x]

[Out] (Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*(((-I)*A + B)*(-1 + E^((2*I)*(c + d*x))) - I*(A - I*B)*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]/(Sqrt[2]*a*d*E^((2*I)*(c + d*x)))

Maple [B] time = 0.584, size = 431, normalized size = 3.6

$$\frac{-\frac{1}{2} - \frac{i}{2}}{ad(i \sin(dx+c) + \cos(dx+c))} \left(iA \sin(dx+c) \arctan\left(\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt{\frac{\cos(dx+c)-1}{\sin(dx+c)}} \sqrt{2}\right) \sqrt{2} - iB \cos(dx+c) \arctan\left(\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt{\frac{\cos(dx+c)-1}{\sin(dx+c)}} \sqrt{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2), x)

[Out] (-1/2-1/2*I)/d/a*(I*A*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-I*B*cos(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)

$$\frac{1}{\sin(dx+c)} \sqrt{2} \sqrt{2} + I A \sin(dx+c) \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} + A \cos(dx+c) \arctan\left(\frac{1/2+1/2 I}{\left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{1/2}}\right) \sqrt{2} \sqrt{2} - I B \sin(dx+c) \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} + I B \arctan\left(\frac{1/2+1/2 I}{\left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{1/2}}\right) \sqrt{2} \sqrt{2} + B \sin(dx+c) \arctan\left(\frac{1/2+1/2 I}{\left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{1/2}}\right) \sqrt{2} \sqrt{2} - A \sin(dx+c) \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} - A \arctan\left(\frac{1/2+1/2 I}{\left(\frac{\cos(dx+c)-1}{\sin(dx+c)}\right)^{1/2}}\right) \sqrt{2} \sqrt{2} - B \sin(dx+c) \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2} \left(\frac{\cos(dx+c)}{\sin(dx+c)} \right)^{1/2} \frac{a(I \sin(dx+c) + \cos(dx+c))}{\cos(dx+c)} \sqrt{2} \sqrt{2} / (I \sin(dx+c) + \cos(dx+c)) / \left(\frac{\cos(dx+c)-1}{\sin(dx+c)} \right)^{1/2}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.72239, size = 1184, normalized size = 9.95

$$\left(ad \sqrt{\frac{-2i A^2 - 4AB + 2i B^2}{ad^2}} e^{(2i dx + 2i c)} \log \left(\frac{\left(ad \sqrt{\frac{-2i A^2 - 4AB + 2i B^2}{ad^2}} e^{(2i dx + 2i c)} + \sqrt{2} \left((i A + B) e^{(2i dx + 2i c)} - i A - B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}} e^{(i dx + i c)} \right) e^{(-i dx)}} \right)}{4i A + 4B}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(1/2),x, algorithm="fricas")

[Out]
$$-1/4 * (a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)}) * e^{(2 * I * d * x + 2 * I * c)} * \log\left(\frac{a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)} * e^{(2 * I * d * x + 2 * I * c)} + \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} - I * A - B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)} * e^{(I * d * x + I * c)}} * e^{(-I * d * x - I * c)} / (4 * I * A + 4 * B)\right) - a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)} * e^{(2 * I * d * x + 2 * I * c)} * \log\left(\frac{a * d * \sqrt{(-2 * I * A^2 - 4 * A * B + 2 * I * B^2) / (a * d^2)} * e^{(2 * I * d * x + 2 * I * c)} - \sqrt{2} * ((I * A + B) * e^{(2 * I * d * x + 2 * I * c)} - I * A - B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)} * e^{(I * d * x + I * c)}} * e^{(-I * d * x - I * c)} / (4 * I * A + 4 * B)\right) - \sqrt{2} * ((-2 * I * A + 2 * B) * e^{(2 * I * d * x + 2 * I * c)} + 2 * I * A - 2 * B) * \sqrt{a / (e^{(2 * I * d * x + 2 * I * c)} + 1)}} * \sqrt{(I * e^{(2 * I * d * x + 2 * I * c)} + I) / (e^{(2 * I * d * x + 2 * I * c)} - 1)}} * e^{(I * d * x + I * c)} * e^{(-2 * I * d * x - 2 * I * c)} / (a * d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\cot(c + dx)}}{\sqrt{a(i \tan(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(cot(c + d*x))/sqrt(a*(I*tan(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)\sqrt{\cot(dx + c)}}{\sqrt{ia \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/sqrt(I*a*tan(d*x + c) + a), x)

$$3.557 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} dx$$

Optimal. Leaf size=196

$$\frac{-B+iA}{d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt[4]{-1}B\sqrt{t}}{\sqrt{ad}}$$

[Out] $(-2*(-1)^{(1/4)}*B*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/(\text{Sqrt}[a]*d) - ((1/2 + I/2)*(A - I*B)*\text{ArcTanh}[(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/(\text{Sqrt}[a]*d) + (I*A - B)/(d*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])$

Rubi [A] time = 0.614583, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3595, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{-B+iA}{d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{2} + \frac{i}{2}\right)(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt[4]{-1}B\sqrt{t}}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[c + d*x])/(\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]), x]$

[Out] $(-2*(-1)^{(1/4)}*B*\text{ArcTan}[((-1)^{(3/4)}*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/(\text{Sqrt}[a]*d) - ((1/2 + I/2)*(A - I*B)*\text{ArcTanh}[(1 + I)*\text{Sqrt}[a]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]])/(\text{Sqrt}[a]*d) + (I*A - B)/(d*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + I*a*\text{Tan}[c + d*x]])$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)*(u_.)}, x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3595

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n]/(2*a*f*m), x] + \text{Dist}[1/(2*a^2*m), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m+1)}*(c + d*\text{Tan}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m-n) - a*A*(m+n))*\text{Tan}[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3601

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(A*b + a*B)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n, x], x] - \text{Dist}[B/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n*(a - b*\text{Tan}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a

$d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[A*b + a*B, 0]$

Rule 3544

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\tan[(e_) + (f_)*(x_)]]/\text{Sqrt}[(c_) + (d_)*\tan[(e_) + (f_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[(-2*a*b)/f, \text{Subst}[\text{Int}[1/(a*c - b*d - 2*a^2*x^2), x], x, \text{Sqrt}[c + d*\text{Tan}[e + f*x]]/\text{Sqrt}[a + b*\text{Tan}[e + f*x]]], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0]$

Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$
 $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 3599

$\text{Int}[(a_) + (b_)*\tan[(e_) + (f_)*(x_)]]^{(m_)}*((A_) + (B_)*\tan[(e_) + (f_)*(x_)])*((c_) + (d_)*\tan[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0] \ \&\& \ \text{EqQ}[A*b + a*B, 0]$

Rule 63

$\text{Int}[(a_) + (b_)*(x_)^{(m_)}]*((c_) + (d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /;$
 $\text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /;$
 $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{!GtQ}[a, 0]$

Rule 203

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$
 $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ \|\ \text{GtQ}[b, 0])$

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{\sqrt{\tan(c + dx)}(A + B \tan(c + dx))}{\sqrt{a + ia \tan(c + dx)}} dx$$

$$= \frac{iA - B}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} - \frac{(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\sqrt{a + ia \tan(c + dx)}}{a^2}}{a^2}$$

$$= \frac{iA - B}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} + \frac{(B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{(a - ia \tan(c + dx))}{a^2}}{a^2}$$

$$= \frac{iA - B}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} + \frac{(B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \text{Subst}\left(\int \frac{\sqrt{a + ia \tan(c + dx)}}{a^2}\right)}{d}$$

$$= -\frac{\left(\frac{1}{2} - \frac{i}{2}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ad}} + \frac{\sqrt{ad}}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}$$

$$= -\frac{\left(\frac{1}{2} - \frac{i}{2}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ad}} + \frac{\sqrt{ad}}{d\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}}$$

$$= -\frac{2\sqrt[4]{-1}B \tan^{-1}\left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ad}} - \frac{\left(\frac{1}{2} - \frac{i}{2}\right)(iA + B)}{\sqrt{ad}}$$

Mathematica [A] time = 4.10055, size = 227, normalized size = 1.16

$$\frac{e^{-2i(c+dx)} \sqrt{\frac{ae^{2i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{\cot(c + dx)} \left((A + iB) (-1 + e^{2i(c+dx)}) - (A - iB) e^{i(c+dx)} \sqrt{-1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right) - 2i\sqrt{2} \right)}{\sqrt{2ad}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]]),x]
```

```
[Out] (Sqrt[(a*E^((2*I)*(c + d*x)))/(1 + E^((2*I)*(c + d*x)))]*((A + I*B)*(-1 + E^((2*I)*(c + d*x))) - (A - I*B)*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]] - (2*I)*Sqrt[2]*B*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*ArcTanh[(Sqrt[2]*E^(I*(c + d*x)))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]/(Sqrt[2]*a*d*E^((2*I)*(c + d*x)))
```

Maple [B] time = 0.633, size = 805, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x)
```

```
[Out] (1/2+1/2*I)/d/a*(-I*A*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-I*B*ln(((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-I)+I*B*2^(1/2)*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-A*2^(1/2)*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+I*B*ln(((cos(d*x+c)-1)
```


$$\begin{aligned} & / \sin(d*x+c)^{(1/2)+1} - I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1}) \\ & + I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)-1}) - I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)-1}) \\ & + I*A*2^{(1/2)}*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)*2^{(1/2)}}) \\ & + B*2^{(1/2)}*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)*2^{(1/2)}}) \\ & + A*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+I*A*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)-1})} \\ & - I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+I}) + I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+I}) \\ & - B*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)*2^{(1/2)}}) - B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+I} \\ & - B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)-1}) + B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)+1}) \\ & - B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)-I}))*\cos(d*x+c)*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(I*\sin(d*x+c)+\cos(d*x+c))/\sin(d*x+c)/(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}/((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \end{aligned}$$

Maxima [F-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.70677, size = 2007, normalized size = 10.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/4*(a*d*\sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2)})*e^{(2*I*d*x + 2*I*c)}*\log \\ & ((I*a*d*\sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} - I*A - B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(4*I*A + 4*B)} - a*d*\sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log((-I*a*d*\sqrt{(2*I*A^2 + 4*A*B - 2*I*B^2)/(a*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} - I*A - B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)/(4*I*A + 4*B)}) - a*d*\sqrt{-4*I*B^2/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(1/605*(208*\sqrt{2}*(B*e^{(2*I*d*x + 2*I*c)} - B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*e^{(I*d*x + I*c)} + (156*I*a*d*e^{(2*I*d*x + 2*I*c)} - 52*I*a*d)*\sqrt{-4*I*B^2/(a*d^2)}))/(B*e^{(2*I*d*x + 2*I*c)} + B)) + a*d*\sqrt{-4*I*B^2/(a*d^2)}*e^{(2*I*d*x + 2*I*c)}*\log(1/605*(208*\sqrt{2}*(B*e^{(2*I*d*x + 2*I*c)} - B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*e^{(I*d*x + I*c)} + (-156*I*a*d*e^{(2*I*d*x + 2*I*c)} + 52*I*a*d)*\sqrt{-4*I*B^2/(a*d^2)}))/(B*e^{(2*I*d*x + 2*I*c)} + B)) - 2*\sqrt{2}*((A + I*B)*e^{(2*I*d*x + 2*I*c)} - A - I*B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)}*e^{(I*d*x + I*c)} \end{aligned}$$

$x + 2*I*c) - 1)) * e^{(I*d*x + I*c)} * e^{(-2*I*d*x - 2*I*c)} / (a*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a(i \tan(c + dx) + 1)} \sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))/(sqrt(a*(I*tan(c + d*x) + 1))*sqrt(cot(c + d*x))), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{ia \tan(dx + c) + a} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/(sqrt(I*a*tan(d*x + c) + a)*sqrt(cot(d*x + c))), x)

$$3.558 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=214

$$\frac{(25A + 7iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{6a^2d} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d}$$

[Out] $((1/4 + I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (A + I*B)*Sqrt[Cot[c + d*x]]/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((11*A + (5*I)*B)*Sqrt[Cot[c + d*x]])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) - ((25*A + (7*I)*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(6*a^2*d)$

Rubi [A] time = 0.725347, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3596, 3598, 12, 3544, 205}

$$\frac{(25A + 7iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{6a^2d} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] $((1/4 + I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (A + I*B)*Sqrt[Cot[c + d*x]]/(3*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((11*A + (5*I)*B)*Sqrt[Cot[c + d*x]])/(6*a*d*Sqrt[a + I*a*Tan[c + d*x]]) - ((25*A + (7*I)*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(6*a^2*d)$

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)/(f*(n +

```
1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f
*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m
+ a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; Fre
eQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0
] && LtQ[n, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\cot^3(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{3/2}} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{A + B \tan(c + dx)}{\tan^2(c + dx)(a + ia \tan(c + dx))^{3/2}} dx$$

$$= \frac{(A + iB)\sqrt{\cot(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{\left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{\frac{1}{2}a(7A+iB)-2a(iA-B) \tan(c + dx)}{\tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}} dx}{3a^2}$$

$$= \frac{(A + iB)\sqrt{\cot(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(11A + 5iB)\sqrt{\cot(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} + \frac{\left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{A + B \tan(c + dx)}{\tan^2(c + dx)\sqrt{a + ia \tan(c + dx)}} dx}{6a^2}$$

$$= \frac{(A + iB)\sqrt{\cot(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(11A + 5iB)\sqrt{\cot(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} - \frac{(25A + 7iB)\sqrt{\cot(c + dx)}}{6a^2}$$

$$= \frac{(A + iB)\sqrt{\cot(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(11A + 5iB)\sqrt{\cot(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} - \frac{(25A + 7iB)\sqrt{\cot(c + dx)}}{6a^2}$$

$$= \frac{(A + iB)\sqrt{\cot(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}} + \frac{(11A + 5iB)\sqrt{\cot(c + dx)}}{6ad\sqrt{a + ia \tan(c + dx)}} - \frac{(25A + 7iB)\sqrt{\cot(c + dx)}}{6a^2}$$

$$= \frac{\left(\frac{1}{4} - \frac{i}{4}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c + dx)}}{\sqrt{a + ia \tan(c + dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{a^{3/2}d} + \frac{(A + iB)\sqrt{\cot(c + dx)}}{3d(a + ia \tan(c + dx))^{3/2}}$$

Mathematica [A] time = 4.73117, size = 195, normalized size = 0.91

$$\frac{\cot^{\frac{3}{2}}(c + dx) \left(-3(A - iB)e^{3i(c + dx)}\sqrt{-1 + e^{2i(c + dx)}} \tanh^{-1}\left(\frac{e^{i(c + dx)}}{\sqrt{-1 + e^{2i(c + dx)}}}\right) + A(-13e^{2i(c + dx)} + 38e^{4i(c + dx)} - 1) + iB(-7e^{2i(c + dx)} + 13e^{4i(c + dx)} - 1)\right)}{3ad(1 + e^{2i(c + dx)})^2(\cot(c + dx) + i)\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] $-\left(\frac{I B (-1 - 7 E^{(2 I)(c + d x)} + 8 E^{(4 I)(c + d x)}) + A (-1 - 13 E^{(2 I)(c + d x)} + 38 E^{(4 I)(c + d x)}) - 3 (A - I B) E^{(3 I)(c + d x)}}{\sqrt{-1 + E^{(2 I)(c + d x)}}} \operatorname{ArcTanh}\left[\frac{E^{(I)(c + d x)}}{\sqrt{-1 + E^{(2 I)(c + d x)}}}\right]\right) \cot [c + d x]^{3 / 2} / \left(3 a d \left(1 + E^{(2 I)(c + d x)}\right)^2 (I + \cot [c + d x]) \sqrt{a + I a \tan [c + d x]}\right)$

Maple [B] time = 0.673, size = 648, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x)

[Out] $\left(-\frac{1}{12} - \frac{1}{12} I\right) / d a^2 \sin (d x+c) \left(\frac{\cos (d x+c)}{\sin (d x+c)}\right)^{3 / 2} \left(a \left(I \sin (d x+c)+\cos (d x+c)\right) / \cos (d x+c)\right)^{1 / 2} \left(25 A+7 B-25 I A-3 I A \sin (d x+c)\right)^2 \left(\frac{1}{2}\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} \arctan \left(\left(\frac{1}{2}+\frac{1}{2} I\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2}\right)^2 \left(\frac{1}{2}\right) + 4 I B \cos (d x+c)^3 \sin (d x+c) + 11 I A \cos (d x+c) \sin (d x+c) + 5 I B \sin (d x+c) \cos (d x+c) + 4 I A \cos (d x+c)^3 \sin (d x+c) + 4 I A \cos (d x+c)^4 + 9 I A \cos (d x+c)^2 - 3 I B \cos (d x+c)^2 - 4 I B \cos (d x+c)^4 - 3 I B \cos (d x+c)^2 \left(\frac{1}{2}\right) \arctan \left(\left(\frac{1}{2}+\frac{1}{2} I\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2}\right)^2 \left(\frac{1}{2}\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} - 9 A \cos (d x+c)^2 - 4 A \cos (d x+c)^4 + 11 A \cos (d x+c) \sin (d x+c) - 5 B \cos (d x+c) \sin (d x+c) - 4 B \cos (d x+c)^3 \sin (d x+c) + 4 A \cos (d x+c)^3 \sin (d x+c) + 3 A \cos (d x+c)^2 \left(\frac{1}{2}\right) \arctan \left(\left(\frac{1}{2}+\frac{1}{2} I\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2}\right)^2 \left(\frac{1}{2}\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} - 3 I B^2 \left(\frac{1}{2}\right) \arctan \left(\left(\frac{1}{2}+\frac{1}{2} I\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2}\right)^2 \left(\frac{1}{2}\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} - 3 B \sin (d x+c) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} \arctan \left(\left(\frac{1}{2}+\frac{1}{2} I\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2}\right)^2 \left(\frac{1}{2}\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} + 7 I B - 4 \cos (d x+c)^4 B - 3 B \cos (d x+c)^2 + 3 A \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} \arctan \left(\left(\frac{1}{2}+\frac{1}{2} I\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2}\right)^2 \left(\frac{1}{2}\right) \left(\frac{\cos (d x+c)-1}{\sin (d x+c)}\right)^{1 / 2} / \cos (d x+c)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.96903, size = 1299, normalized size = 6.07

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{i A^2+2 A B-i B^2}{a^3 d^2}} e^{(4 i d x+4 i c)} \log \left(\frac{\left(2 i \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{i A^2+2 A B-i B^2}{a^3 d^2}} e^{(2 i d x+2 i c)}+\sqrt{2}\left((i A+B) e^{(2 i d x+2 i c)}-i A-B\right) \sqrt{\frac{a}{e^{(2 i d x+2 i c)}+1}} \sqrt{\frac{i e^{(2 i d x+2 i c)}+i}{e^{(2 i d x+2 i c)}-1}} e^{(i d x+c)}\right)}{4 i A+4 B}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*(3*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log((2*I*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log((-2*I*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1)))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*(2*(19*A + 4*I*B)*e^(4*I*d*x + 4*I*c) - (13*A + 7*I*B)*e^(2*I*d*x + 2*I*c) - A - I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-4*I*d*x - 4*I*c)/(a^2*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(ia \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(I*a*tan(d*x + c) + a)^(3/2), x)
```

$$3.559 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=168

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{A + iB}{3d\sqrt{\cot(c+dx)}(a + ia \tan(c+dx))^{3/2}} + \frac{1}{6ad}$$

[Out] ((1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (A + I*B)/(3*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (7*A + I*B)/(6*a*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.53127, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4241, 3596, 12, 3544, 205}

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{A + iB}{3d\sqrt{\cot(c+dx)}(a + ia \tan(c+dx))^{3/2}} + \frac{1}{6ad}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]

[Out] ((1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (A + I*B)/(3*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (7*A + I*B)/(6*a*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 12

Int[(a_.)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_.) /; FreeQ[b, x]]

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{3/2}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{3/2}} dx \\ &= \frac{A+iB}{3d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}} + \frac{\left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{\frac{1}{2}a(5A)}{\sqrt{\tan(c+dx)}} dx}{3a^2} \\ &= \frac{A+iB}{3d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}} + \frac{7A+iB}{6ad\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{A+iB}{3d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}} + \frac{7A+iB}{6ad\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} \\ &= \frac{A+iB}{3d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}} + \frac{7A+iB}{6ad\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} \\ &= -\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{a^{3/2}d} + \frac{7A+iB}{3ad} \end{aligned}$$

Mathematica [A] time = 3.6629, size = 192, normalized size = 1.14

$$\frac{e^{-2i(c+dx)}\sqrt{\cot(c+dx)}\csc(c+dx)\sec(c+dx)\left((-1+e^{2i(c+dx)})\left(-iA(1+8e^{2i(c+dx)})+2Be^{2i(c+dx)}+B\right)-3i(A-iB)e^{3i(c+dx)}\right)}{12ad(\cot(c+dx)+i)\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(3/2), x]
```

```
[Out] (((-1 + E^((2*I)*(c + d*x)))*(B + 2*B*E^((2*I)*(c + d*x)) - I*A*(1 + 8*E^((2*I)*(c + d*x)))) - (3*I)*(A - I*B)*E^((3*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]*Csc[c + d*x]*Sec[c + d*x])/(12*a*d*E^((2*I)*(c + d*x))*(I + Cot[c + d*x])*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.595, size = 853, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{1/2} * (A+B*\tan(dx+c)) / (a+I*a*\tan(dx+c))^{3/2}, x)$

[Out] $(-1/12+1/12*I)/d/a^2*(-3*I*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2})*2^{1/2}+I*B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-3*I*B*2^{1/2}*\sin(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}))-3*I*A*2^{1/2}*\cos(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2})*2^{1/2}-I*B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)^2-6*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2})*\cos(dx+c)*\sin(dx+c)*2^{1/2}-9*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)-7*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}-3*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)+6*B*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2})*2^{1/2})*\cos(dx+c)^2*2^{1/2}+6*I*B*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2})*\cos(dx+c)*\sin(dx+c)*2^{1/2}-7*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)^2-9*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)+3*A*2^{1/2}*\sin(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}))-B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)^2+3*B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)*\sin(dx+c)-3*B*2^{1/2}*\cos(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}))+6*I*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2})*\cos(dx+c)^2*2^{1/2}+7*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\cos(dx+c)^2-3*B*2^{1/2}*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*2^{1/2}))+7*A*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}+B*((\cos(dx+c)-1)/\sin(dx+c))^{1/2})*(\cos(dx+c)/\sin(dx+c))^{1/2}*(a*(I*\sin(dx+c)+\cos(dx+c))/\cos(dx+c))^{1/2}/(2*I*\cos(dx+c)*\sin(dx+c)+2*\cos(dx+c)^2-1)/((\cos(dx+c)-1)/\sin(dx+c))^{1/2}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{1/2} * (A+B*\tan(dx+c)) / (a+I*a*\tan(dx+c))^{3/2}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.97366, size = 1293, normalized size = 7.7

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} ((i A + B) e^{(2i dx + 2i c)} - i A - B) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{i e^{(2i dx + 2i c)} + 1}{e^{(2i dx + 2i c)} - 1}} \right)}{4i A + 4B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{1/2} * (A+B*\tan(dx+c)) / (a+I*a*\tan(dx+c))^{3/2}, x, \text{algorithm}="fricas")$

[Out] $-1/12*(3*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(4*I*d*x + 4*I*c)}*\log((2*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)})*e^{(2*I*d*x + 2*I*c)} + \sqrt{2}*((I*A + B)*e^{(2*I*d*x + 2*I*c)} - I*A - B)*\sqrt{a/(e^{(2*I*d*x + 2*I*c)} + 1)}*\sqrt{(I*e^{(2*I*d*x + 2*I*c)} + I)/(e^{(2*I*d*x + 2*I*c)} - 1)})*e^{(I*d*x + I*c)})*e^{(-I*d*x - I*c)}/(4*I*A + 4*B)) - 3*\sqrt{1/2}*a^2*d*\sqrt{(-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2)}*e^{(4*I*d*x + 4*I*c)}*\log(\dots)$

$$-(2\sqrt{1/2})a^2d\sqrt{(-IA^2 - 2AB + IB^2)/(a^3d^2)}e^{(2I dx + 2Ic)} - \sqrt{2}((IA + B)e^{(2I dx + 2Ic)} - IA - B)\sqrt{a/(e^{(2I dx + 2Ic)} + 1)}\sqrt{(Ie^{(2I dx + 2Ic)} + I)/(e^{(2I dx + 2Ic)} - 1)}e^{(I dx + Ic)}e^{(-I dx - Ic)/(4IA + 4B)} - \sqrt{2}((-8IA + 2B)e^{(4I dx + 4Ic)} + (7IA - B)e^{(2I dx + 2Ic)} + IA - B)\sqrt{a/(e^{(2I dx + 2Ic)} + 1)}\sqrt{(Ie^{(2I dx + 2Ic)} + I)/(e^{(2I dx + 2Ic)} - 1)}e^{(I dx + Ic)}e^{(-4I dx - 4Ic)/(a^2d)}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**(3/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)\sqrt{\cot(dx + c)}}{(ia \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(1/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*sqrt(cot(dx + c))/(I*a*tan(dx + c) + a)^(3/2), x)

$$3.560 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=170

$$\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{-B + iA}{3d\sqrt{\cot(c+dx)}(a + ia \tan(c+dx))^{3/2}} + \dots$$

[Out] $((-1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (I*A - B)/(3*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (I*A + 5*B)/(6*a*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.531816, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3595, 3596, 12, 3544, 205}

$$\frac{\left(\frac{1}{4} + \frac{i}{4}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{-B + iA}{3d\sqrt{\cot(c+dx)}(a + ia \tan(c+dx))^{3/2}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)), x]

[Out] $((-1/4 - I/4)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (I*A - B)/(3*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (I*A + 5*B)/(6*a*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3595

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]

&& LtQ[m, 0] && !GtQ[n, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3544

Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{3/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\sqrt{\tan(c + dx)}(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{3/2}} dx \\ &= \frac{iA - B}{3d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{3/2}} - \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\frac{1}{2}a}{\sqrt{t}}}{3a^2} \\ &= \frac{iA - B}{3d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{iA + 5B}{6ad\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} \\ &= \frac{iA - B}{3d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{iA + 5B}{6ad\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} \\ &= \frac{iA - B}{3d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{3/2}} + \frac{iA + 5B}{6ad\sqrt{\cot(c + dx)}\sqrt{a + ia \tan(c + dx)}} \\ &= \frac{\left(\frac{1}{4} - \frac{i}{4} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{3/2}d} + \frac{1}{3} \end{aligned}$$

Mathematica [A] time = 4.1403, size = 190, normalized size = 1.12

$$\frac{e^{-2i(c+dx)} \sqrt{\cot(c + dx)} \csc(c + dx) \sec(c + dx) \left((-1 + e^{2i(c+dx)}) (2Ae^{2i(c+dx)} + A - iB(-1 + 4e^{2i(c+dx)})) - 3(A - iB)e^{3i(c+dx)} \right)}{12ad(\cot(c + dx) + i)\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)), x]

[Out] (((-1 + E^((2*I)*(c + d*x)))*(A + 2*A*E^((2*I)*(c + d*x)) - I*B*(-1 + 4*E^((2*I)*(c + d*x)))) - 3*(A - I*B)*E^((3*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))])*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sqrt[Cot[c + d*x]]*Csc[c + d*x]*Sec[c + d*x])/(12*a*d*E^((2*I)*(c + d*x))*(I + Cot[c

+ d*x])*Sqrt[a + I*a*Tan[c + d*x]])

Maple [B] time = 0.582, size = 867, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2), x)

[Out]
$$\begin{aligned} & (-1/12+1/12*I)/d/a^2*(3*I*B*2^{(1/2)}*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})-6*I*B*2^{(1/2)}*\cos(d*x+c)^2*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})-5*I*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+6*A*2^{(1/2)}*\cos(d*x+c)^2*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})+3*I*B*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}+6*I*A*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})+5*I*B*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+6*B*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})-3*I*A*\cos(d*x+c)*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-3*A*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}-A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2+3*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-3*I*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-3*B*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}-5*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2-3*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-3*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}-I*A*\cos(d*x+c)^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-3*I*A*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}+A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+5*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(2*I*\cos(d*x+c)*\sin(d*x+c)+2*\cos(d*x+c)^2-1)/\sin(d*x+c)/(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}/((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.92935, size = 1292, normalized size = 7.6

$$\left(3 \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^3 d^2}} e^{(4i dx + 4i c)} \log \left(\frac{\left(2i \sqrt{\frac{1}{2}} a^2 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^3 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} ((i A + B) e^{(2i dx + 2i c)} - i A - B) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}} \right)}{4i A + 4B} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] -1/12*(3*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log((2*I*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log((-2*I*sqrt(1/2)*a^2*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*(2*(A - 2*I*B)*e^(4*I*d*x + 4*I*c) - (A - 5*I*B)*e^(2*I*d*x + 2*I*c) - A - I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-4*I*d*x - 4*I*c)/(a^2*d)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**(3/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x + c))), x)
```

$$3.561 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=243

$$\frac{\left(\frac{1}{4} + \frac{i}{4}\right) (B + iA) \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{2(-1)^{3/4}B \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d}$$

[Out] (2*(-1)^(3/4)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + ((1/4 + I/4)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (I*A - B)/(3*d*Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)) + (A + (3*I)*B)/(2*a*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 0.8251, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3595, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{\left(\frac{1}{4} + \frac{i}{4}\right) (B + iA) \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d} + \frac{2(-1)^{3/4}B \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)), x]

[Out] (2*(-1)^(3/4)*B*ArcTan[(-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + ((1/4 + I/4)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(3/2)*d) + (I*A - B)/(3*d*Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)) + (A + (3*I)*B)/(2*a*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3595

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dis

```
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\tan^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{3/2}} dx \\
&= \frac{iA - B}{3d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} - \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{A + 3iB}{2ad \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}} dx}{3d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} \\
&= \frac{iA - B}{3d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{A + 3iB}{2ad \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}} \\
&= \frac{iA - B}{3d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{A + 3iB}{2ad \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}} \\
&= \frac{iA - B}{3d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{3/2}} + \frac{A + 3iB}{2ad \sqrt{\cot(c + dx)} \sqrt{a + ia \tan(c + dx)}} \\
&= \frac{\left(\frac{1}{4} + \frac{i}{4} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{3/2}d} + \frac{2(-1)^{3/4} B \tan^{-1} \left(\frac{(-1)^{3/4} \sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{3/2}d} + \frac{\left(\frac{1}{4} + \frac{i}{4} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 7.5004, size = 388, normalized size = 1.6

$$e^{-2i(c+dx)} \sqrt{\cot(c + dx)} \sec(c + dx) \left(3(B + iA)e^{3i(c+dx)} \sqrt{-1 + e^{2i(c+dx)}} \log \left(\sqrt{-1 + e^{2i(c+dx)}} + e^{i(c+dx)} \right) + 5iAe^{2i(c+dx)} - 4iA \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)), x]

[Out] (Sqrt[Cot[c + d*x]]*((-I)*A + B + (5*I)*A*E^((2*I)*(c + d*x)) - 11*B*E^((2*I)*(c + d*x)) - (4*I)*A*E^((4*I)*(c + d*x)) + 10*B*E^((4*I)*(c + d*x)) + 3*(I*A + B)*E^((3*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]] - 3*Sqrt[2]*B*E^((3*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]] + 3*Sqrt[2]*B*E^((3*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]*(A + B*Tan[c + d*x]))/(12*d*E^((2*I)*(c + d*x))*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(3/2))

Maple [B] time = 1.064, size = 1516, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(d*x+c))/\cot(d*x+c)^{(3/2)}/(a+I*a*\tan(d*x+c))^{(3/2)}, x)$

[Out] $(1/12+1/12*I)/d/a^2*(6*I*A^2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})-3*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}-3*I*A*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})+6*B*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})+3*I*B*2^{(1/2)}*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})-3*I*A*\cos(d*x+c)*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-6*I*B*2^{(1/2)}*\cos(d*x+c)^2*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})+5*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-11*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-5*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2+11*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2-3*A*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}-3*B*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}+6*A*2^{(1/2)}*\cos(d*x+c)^2*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})+3*I*B*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*2^{(1/2)})*2^{(1/2)}+6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)-6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)+6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)-6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+5*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+11*I*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-12*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+12*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)-12*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)+12*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)*\cos(d*x+c)-6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)*\cos(d*x+c)+6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)*\cos(d*x+c)-6*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*\cos(d*x+c)+3*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)+9*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-12*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)*\cos(d*x+c)*\sin(d*x+c)+12*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)*\cos(d*x+c)*\sin(d*x+c)-12*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)*\cos(d*x+c)*\sin(d*x+c)+12*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*\cos(d*x+c)*\sin(d*x+c)+9*I*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)-6*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)*\sin(d*x+c)+6*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)*\sin(d*x+c)-6*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)*\sin(d*x+c)-5*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2-11*I*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2+6*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)*\sin(d*x+c))*\cos(d*x+c)^2*(a*(I*\sin(d*x+c)+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(2*I*\cos(d*x+c)*\sin(d*x+c)+2*\cos(d*x+c)^2-1)/((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}/\sin(d*x+c)^2/(\cos(d*x+c)/\sin(d*x+c))^{(3/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(d*x+c))/\cot(d*x+c)^{(3/2)}/(a+I*a*\tan(d*x+c))^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.76993, size = 2129, normalized size = 8.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*(3*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log((2*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log(-(2*sqrt(1/2)*a^2*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^3*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 3*a^2*d*sqrt(4*I*B^2/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log(52/605*(4*sqrt(2)*(B*e^(2*I*d*x + 2*I*c) - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) + (3*a^2*d*e^(2*I*d*x + 2*I*c) - a^2*d)*sqrt(4*I*B^2/(a^3*d^2)))/(B*e^(2*I*d*x + 2*I*c) + B)) + 3*a^2*d*sqrt(4*I*B^2/(a^3*d^2))*e^(4*I*d*x + 4*I*c)*log(52/605*(4*sqrt(2)*(B*e^(2*I*d*x + 2*I*c) - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c) - (3*a^2*d*e^(2*I*d*x + 2*I*c) - a^2*d)*sqrt(4*I*B^2/(a^3*d^2)))/(B*e^(2*I*d*x + 2*I*c) + B)) + sqrt(2)*((-4*I*A + 10*B)*e^(4*I*d*x + 4*I*c) + (5*I*A - 11*B)*e^(2*I*d*x + 2*I*c) - I*A + B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-4*I*d*x - 4*I*c)/(a^2*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(3/2)), x)
```

$$3.562 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=260

$$-\frac{(317A + 67iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{60a^3d} + \frac{(151A + 41iB)\sqrt{\cot(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{a^{5/2}}$$

[Out] $((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + ((A + I*B)*Sqrt[Cot[c + d*x]])/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((17*A + (7*I)*B)*Sqrt[Cot[c + d*x]])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((151*A + (41*I)*B)*Sqrt[Cot[c + d*x]])/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) - ((317*A + (67*I)*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d)$

Rubi [A] time = 0.96579, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3596, 3598, 12, 3544, 205}

$$-\frac{(317A + 67iB)\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}}{60a^3d} + \frac{(151A + 41iB)\sqrt{\cot(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{a^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]

[Out] $((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + ((A + I*B)*Sqrt[Cot[c + d*x]])/(5*d*(a + I*a*Tan[c + d*x])^(5/2)) + ((17*A + (7*I)*B)*Sqrt[Cot[c + d*x]])/(30*a*d*(a + I*a*Tan[c + d*x])^(3/2)) + ((151*A + (41*I)*B)*Sqrt[Cot[c + d*x]])/(60*a^2*d*Sqrt[a + I*a*Tan[c + d*x]]) - ((317*A + (67*I)*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])/(60*a^3*d)$

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]

Rule 3598

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3544

Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{A+B \tan(c+dx)}{\tan^3(c+dx)(a+ia \tan(c+dx))^{5/2}} dx \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\frac{1}{2}a(11A+iB)-3a(iA-11B)}{\tan^3(c+dx)(a+ia \tan(c+dx))^{5/2}} dx}{5a^2} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(17A+7iB)\sqrt{\cot(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{15A+11B}{\tan^3(c+dx)(a+ia \tan(c+dx))^{5/2}} dx}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(17A+7iB)\sqrt{\cot(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(151A+41iB)\sqrt{\cot(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(17A+7iB)\sqrt{\cot(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(151A+41iB)\sqrt{\cot(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(17A+7iB)\sqrt{\cot(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(151A+41iB)\sqrt{\cot(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{(A+iB)\sqrt{\cot(c+dx)}}{5d(a+ia \tan(c+dx))^{5/2}} + \frac{(17A+7iB)\sqrt{\cot(c+dx)}}{30ad(a+ia \tan(c+dx))^{3/2}} + \frac{(151A+41iB)\sqrt{\cot(c+dx)}}{60a^2d\sqrt{a+ia \tan(c+dx)}} \\
&= \frac{\left(\frac{1}{8}-\frac{i}{8}\right)(iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{a^{5/2}d} + \frac{1}{5a^2}
\end{aligned}$$

Mathematica [A] time = 8.75032, size = 200, normalized size = 0.77

$$\frac{\cot^3(c+dx)\sec(c+dx)\left(-20\csc(c+dx)((23A+4iB)\cos(2(c+dx))-17A-4iB)+\sec(c+dx)((86B-466iA)\cos(2(c+dx))\right)}{60a^2d(\cot(c+dx)+i)^2\sqrt{a+ia\tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] (Cot[c + d*x]^(3/2)*Sec[c + d*x]*(-20*(-17*A - (4*I)*B + (23*A + (4*I)*B)*Cos[2*(c + d*x)])*Csc[c + d*x] + 15*(A - I*B)*E^((2*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]]*Csc[2*(c + d*x)] + ((-149*I)*A + 19*B + ((-466*I)*A + 86*B)*Cos[2*(c + d*x)])*Sec[c + d*x]))/(60*a^2*d*(I + Cot[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])]
```

Maple [B] time = 0.541, size = 764, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x)
```

```
[Out] (1/120+1/120*I)/d/a^3*sin(d*x+c)*(cos(d*x+c)/sin(d*x+c))^(3/2)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)*(-317*A-67*B+15*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*sin(d*x+c)*2^(1/2)-48*I*A*cos(d*x+c)^6+48*I*B*cos(d*x+c)^6-32*I*A*cos(d*x+c)^4-8*I*B*cos(d*x+c)^4-117*I*A*cos(d*x+c)^2+27*I*B*cos(d*x+c)^2+15*I*B*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+48*B*cos(d*x+c)^6+15*I*B*cos(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+117*A*cos(d*x+c)^2+32*A*cos(d*x+c)^4+48*A*cos(d*x+c)^6-151*A*cos(d*x+c)*sin(d*x+c)+48*B*cos(d*x+c)^5*sin(d*x+c)+41*B*cos(d*x+c)*sin(d*x+c)+16*B*cos(d*x+c)^3*sin(d*x+c)-48*A*cos(d*x+c)^5*sin(d*x+c)-56*A*cos(d*x+c)^3*sin(d*x+c)-48*I*A*cos(d*x+c)^5*sin(d*x+c)-48*I*B*cos(d*x+c)^5*sin(d*x+c)-56*I*A*cos(d*x+c)^3*sin(d*x+c)-16*I*B*cos(d*x+c)^3*sin(d*x+c)-151*I*A*cos(d*x+c)*sin(d*x+c)-41*I*B*sin(d*x+c)*cos(d*x+c)-15*A*cos(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+15*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+317*I*A-67*I*B-8*cos(d*x+c)^4*B+27*B*cos(d*x+c)^2-15*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2))/cos(d*x+c)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2), x, algorithm="maxima")
```

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.14662, size = 1365, normalized size = 5.25

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^5 d^2}} e^{(6 i d x + 6 i c)} \log \left(\frac{\left(2 i \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^5 d^2}} e^{(2 i d x + 2 i c)} + \sqrt{2} (i A + B) e^{(2 i d x + 2 i c)} - i A - B \right) \sqrt{\frac{a}{e^{(2 i d x + 2 i c)} + 1}} \sqrt{\frac{i e^{(2 i d x + 2 i c)} + i}{e^{(2 i d x + 2 i c)} - 1}} e^{(i d x + i c)}}{4 i A + 4 B} \right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x, algorithm="fricas")

[Out] 1/120*(15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*I*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((-2*I*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*((463*A + 83*I*B)*e^(6*I*d*x + 6*I*c) - 2*(97*A + 32*I*B)*e^(4*I*d*x + 4*I*c) - 2*(13*A + 8*I*B)*e^(2*I*d*x + 2*I*c) - 3*A - 3*I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A) \cot(dx+c)^{\frac{3}{2}}}{(i a \tan(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(3/2)*(A+B*tan(dx+c))/(a+I*a*tan(dx+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(dx+c) + A)*cot(dx+c)^(3/2)/(I*a*tan(dx+c) + a)^(5/2), x)

$$3.563 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=214

$$\frac{67A - 3iB}{60a^2 d \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} - \frac{i}{8}\right) (A - iB) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2} d} + \frac{5d\sqrt{\cot(c+dx)}}{5d\sqrt{\cot(c+dx)}}$$

[Out] $((1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + (A + I*B)/(5*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)) + (13*A + (3*I)*B)/(30*a*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (67*A - (3*I)*B)/(60*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.747459, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {4241, 3596, 12, 3544, 205}

$$\frac{67A - 3iB}{60a^2 d \sqrt{\cot(c+dx)} \sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} - \frac{i}{8}\right) (A - iB) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2} d} + \frac{5d\sqrt{\cot(c+dx)}}{5d\sqrt{\cot(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Cot}[c + d*x]]*(A + B*\text{Tan}[c + d*x]))/(a + I*a*\text{Tan}[c + d*x])^(5/2), x]$

[Out] $((1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + (A + I*B)/(5*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)) + (13*A + (3*I)*B)/(30*a*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (67*A - (3*I)*B)/(60*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x], x] /;$ $\text{FreeQ}[\{a, b, c, m\}, x] \ \&\amp; \ !\text{IntegerQ}[m] \ \&\amp; \ \text{KnownTangentIntegrandQ}[u, x]$

Rule 3596

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] \rightarrow \text{Simp}[(a*A + b*B)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + \text{Dist}[1/(2*a*m*(b*c - a*d)), \text{Int}[(a + b*\text{Tan}[e + f*x])^(m + 1)*(c + d*\text{Tan}[e + f*x])^n*\text{Simp}[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*\text{Tan}[e + f*x], x], x] /;$ $\text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \ \&\amp; \ \text{NeQ}[b*c - a*d, 0] \ \&\amp; \ \text{EqQ}[a^2 + b^2, 0] \ \&\amp; \ \text{LtQ}[m, 0] \ \&\amp; \ !\text{GtQ}[n, 0]$

Rule 12

$\text{Int}[(a_.)*(u_.), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ $\text{FreeQ}[a, x] \ \&\amp; \ !\text{MatchQ}[u, (b_.)*(v_.) /]; \ \text{FreeQ}[b, x]$

Rule 3544

```
Int[Sqrt[(a_) + (b_.)*tan[(e_) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*tan[(e_) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+ia \tan(c+dx))^{5/2}} dx = \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}} dx$$

$$= \frac{A+iB}{5d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{\left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{1}{\sqrt{\tan(c+dx)}(a+ia \tan(c+dx))^{5/2}} dx}{5a^2}$$

$$= \frac{A+iB}{5d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{13A+3iB}{30ad\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}}$$

$$= \frac{A+iB}{5d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{13A+3iB}{30ad\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}}$$

$$= \frac{A+iB}{5d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{13A+3iB}{30ad\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}}$$

$$= \frac{A+iB}{5d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{13A+3iB}{30ad\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}}$$

$$= \frac{A+iB}{5d\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{13A+3iB}{30ad\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right) (iA+B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{a^{5/2}d}$$

Mathematica [A] time = 6.61944, size = 167, normalized size = 0.78

$$\frac{\cot^3(c+dx) \sec^2(c+dx) \left(\frac{30(A-iB)e^{3i(c+dx)} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{\sqrt{-1+e^{2i(c+dx)}}} + 2((86A+6iB) \cos(2(c+dx)) + 80iA \sin(2(c+dx)) + 19) \right)}{120a^2d(\cot(c+dx) + i)^2\sqrt{a+ia \tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + I*a*Tan[c + d*x])^(5/2), x]
```

```
[Out] (Cot[c + d*x]^(3/2)*Sec[c + d*x]^2*((30*(A - I*B)*E^((3*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/Sqrt[-1 + E^((2*I)*(c + d*x))] + 2*(19*A + (9*I)*B + (86*A + (6*I)*B)*Cos[2*(c + d*x)] + (80*I)*A*Sin[2*(c + d*x)]))/(120*a^2*d*(I + Cot[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.636, size = 1078, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(dx+c)^{(1/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(5/2)}, x)$

[Out] $(-1/120+1/120*I)/d/a^3*(60*I*B*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}+67*A*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}+3*B*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}-30*I*B*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)*\sin(dx+c)*2^{(1/2)}+15*A*2^{(1/2)}*\sin(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}-45*B*2^{(1/2)}*\cos(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}+15*B*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}-160*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^3+160*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)+160*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^3-160*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)+67*I*A*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}+15*I*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*2^{(1/2)}-3*I*B*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}+60*B*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)^3*2^{(1/2)}-172*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)+12*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)-30*B*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)^2*2^{(1/2)}+60*I*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)^3*2^{(1/2)}-172*I*A*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)-30*I*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)^2*2^{(1/2)}-12*I*B*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)-45*I*A*2^{(1/2)}*\cos(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}-15*I*B*2^{(1/2)}*\sin(dx+c)*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}-60*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}+30*A*\arctan((1/2+1/2*I)*((\cos(dx+c)-1)/\sin(dx+c)))^{(1/2)}*2^{(1/2)}*\cos(dx+c)*\sin(dx+c)*2^{(1/2)}*(\cos(dx+c)/\sin(dx+c))^{(1/2)}*(a*(I*\sin(dx+c)+\cos(dx+c))/\cos(dx+c))^{(1/2)}/(4*I*\sin(dx+c)*\cos(dx+c)^2+4*\cos(dx+c)^3-I*\sin(dx+c)-3*\cos(dx+c))/((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^{(1/2)}*(A+B*\tan(dx+c))/(a+I*a*\tan(dx+c))^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.03007, size = 1358, normalized size = 6.35

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^5 d^2}} e^{(6i dx + 6i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^5 d^2}} e^{(2i dx + 2i c)} + \sqrt{2} (i A + B) e^{(2i dx + 2i c)} - i A - B \right) \sqrt{\frac{a}{e^{(2i dx + 2i c)} + 1}} \sqrt{\frac{i e^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}} \right)}{4i A + 4 B} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] -1/120*(15*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2)))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c)))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log(-(2*sqrt(1/2)*a^3*d*sqrt((-I*A^2 - 2*A*B + I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) - sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c)))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*((-83*I*A + 3*B)*e^(6*I*d*x + 6*I*c) + (64*I*A + 6*B)*e^(4*I*d*x + 4*I*c) + (16*I*A - 6*B)*e^(2*I*d*x + 2*I*c) + 3*I*A - 3*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(i a \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(I*a*tan(d*x + c) + a)^(5/2), x)
```

$$3.564 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=216

$$\frac{-13B + 3iA}{60a^2d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{1}{30a}$$

[Out] $((-1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + (I*A - B)/(5*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)) + ((3*I)*A + 7*B)/(30*a*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) - ((3*I)*A - 13*B)/(60*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rubi [A] time = 0.747181, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3595, 3596, 12, 3544, 205}

$$\frac{-13B + 3iA}{60a^2d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} - \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \frac{1}{30a}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] $((-1/8 - I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + (I*A - B)/(5*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(5/2)) + ((3*I)*A + 7*B)/(30*a*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) - ((3*I)*A - 13*B)/(60*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])$

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3595

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3596

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*(b*c - a*d)), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m -

```
b*d*(n + 1) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
&& LtQ[m, 0] && !GtQ[n, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)(a + ia \tan(c + dx))}^{5/2}} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{\sqrt{\tan(c + dx)}(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{5/2}} dx$$

$$= \frac{iA - B}{5d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}} - \frac{\left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int}{5a^2}$$

$$= \frac{iA - B}{5d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{3iA + 7B}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{iA - B}{5d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{3iA + 7B}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{iA - B}{5d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{3iA + 7B}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{iA - B}{5d\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}} + \frac{3iA + 7B}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= -\frac{\left(\frac{1}{8} - \frac{i}{8}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{a^{5/2}d}$$

Mathematica [A] time = 7.11435, size = 168, normalized size = 0.78

$$\frac{\cot^{\frac{3}{2}}(c + dx) \sec^2(c + dx) \left(2(2(7B + 3iA) \cos(2(c + dx)) + 9iA + 20iB \sin(2(c + dx))) + B \right) - \frac{30i(A-iB)e^{3i(c+dx)} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{\sqrt{-1+e^{2i(c+dx)}}}}{120a^2d(\cot(c + dx) + i)^2\sqrt{a + ia \tan(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(
5/2)),x]
```

```
[Out] (Cot[c + d*x]^(3/2)*Sec[c + d*x]^2*((-30*I)*(A - I*B)*E^((3*I)*(c + d*x))*
ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/Sqrt[-1 + E^((2*I)
*(c + d*x))] + 2*((9*I)*A + B + 2*((3*I)*A + 7*B)*Cos[2*(c + d*x)] + (20*I)
*B*Sin[2*(c + d*x)])))/(120*a^2*d*(I + Cot[c + d*x])^2*Sqrt[a + I*a*Tan[c +
d*x]])
```

Maple [B] time = 0.626, size = 1092, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2),x)
```

```
[Out] (-1/120+1/120*I)/d/a^3*(60*I*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arctan((1/2+
1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+3*A*sin(d*x+c)*((cos(d*x+
c)-1)/sin(d*x+c))^(1/2)+15*A*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))
^(1/2)*2^(1/2))*2^(1/2)+13*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-4
0*B*cos(d*x+c)^3*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+40*B*cos(d*x+c)*((cos(d*
x+c)-1)/sin(d*x+c))^(1/2)-30*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*arctan((1/2+1/
2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-30*I*A*cos(d*x+c)*sin(d*x+c
)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-60*
I*B*cos(d*x+c)^3*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/
2)*2^(1/2))-12*I*A*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2
)-28*I*B*cos(d*x+c)^2*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+30*I*B*c
os(d*x+c)^2*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^
(1/2))-15*I*A*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/
2)*2^(1/2))*2^(1/2)+45*I*B*cos(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+
c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+60*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arcta
n((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-45*A*cos(d*x+c)*ar
ctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-15*B*si
n(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1
/2)-30*A*2^(1/2)*cos(d*x+c)^2*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c)
)^(1/2)*2^(1/2))+12*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*
x+c)-28*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)+40*I*B*
cos(d*x+c)^3*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-3*I*A*sin(d*x+c)*((cos(d*x+c
)-1)/sin(d*x+c))^(1/2)-40*I*B*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+
13*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-15*I*B*arctan((1/2+1/2*
I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+60*A*cos(d*x+c)^3*2^(
1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*cos(d*x
+c)*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)/(4*I*sin(d*x+c)*cos(d*x+
c)^2+4*cos(d*x+c)^3-I*sin(d*x+c)-3*cos(d*x+c))/sin(d*x+c)/(cos(d*x+c)/sin(d
*x+c))^(1/2)/((cos(d*x+c)-1)/sin(d*x+c))^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2),x, alg
orithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 2.00075, size = 1359, normalized size = 6.29

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^5 d^2}} e^{(6 i d x + 6 i c)} \log \left(\frac{\left(2 i \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{i A^2 + 2 A B - i B^2}{a^5 d^2}} e^{(2 i d x + 2 i c)} + \sqrt{2} \left((i A + B) e^{(2 i d x + 2 i c)} - i A - B \right) \sqrt{\frac{a}{e^{(2 i d x + 2 i c)} + 1}} \sqrt{\frac{i e^{(2 i d x + 2 i c)} + i}{e^{(2 i d x + 2 i c)} - 1}} \right)}{4 i A + 4 B} \right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/120*(15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((2*I*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - 15*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(6*I*d*x + 6*I*c)*log((-2*I*sqrt(1/2)*a^3*d*sqrt((I*A^2 + 2*A*B - I*B^2)/(a^5*d^2))*e^(2*I*d*x + 2*I*c) + sqrt(2)*((I*A + B)*e^(2*I*d*x + 2*I*c) - I*A - B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-I*d*x - I*c)/(4*I*A + 4*B)) - sqrt(2)*((3*A - 17*I*B)*e^(6*I*d*x + 6*I*c) + 2*(3*A + 8*I*B)*e^(4*I*d*x + 4*I*c) - 2*(3*A - 2*I*B)*e^(2*I*d*x + 2*I*c) - 3*A - 3*I*B)*sqrt(a/(e^(2*I*d*x + 2*I*c) + 1))*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))*e^(I*d*x + I*c))*e^(-6*I*d*x - 6*I*c)/(a^3*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+I*a*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{5}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^(5/2)*sqrt(cot(d*x + c))), x)

$$3.565 \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=214

$$\frac{13A - 37iB}{60a^2d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \dots$$

```
[Out] ((1/8 + I/8)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(a^(5/2)*d) + (I*A - B)/(5*d*Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)) + (A + (11*I)*B)/(30*a*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (13*A - (37*I)*B)/(60*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])
```

Rubi [A] time = 0.757366, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {4241, 3595, 3596, 12, 3544, 205}

$$\frac{13A - 37iB}{60a^2d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)), x]
```

```
[Out] ((1/8 + I/8)*(I*A + B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(a^(5/2)*d) + (I*A - B)/(5*d*Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)) + (A + (11*I)*B)/(30*a*d*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^(3/2)) + (13*A - (37*I)*B)/(60*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3595

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]
```

Rule 3596

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((a*A + b*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(2*f*m*
```



```
(b*c - a*d), x] + Dist[1/(2*a*m*(b*c - a*d)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(b*c*m - a*d*(2*m + n + 1)) + B*(a*c*m - b*d*(n + 1)) + d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && !GtQ[n, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{\tan^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{5/2}} dx$$

$$= \frac{iA - B}{5d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} - \frac{\left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \dots}{\dots}$$

$$= \frac{iA - B}{5d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 11iB}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{iA - B}{5d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 11iB}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{iA - B}{5d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 11iB}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{iA - B}{5d \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 11iB}{30ad\sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^{5/2}}$$

$$= \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(iA + B) \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{a^{5/2}d} + \dots$$

Mathematica [A] time = 7.57418, size = 169, normalized size = 0.79

$$\cot^{\frac{3}{2}}(c + dx) \sec^2(c + dx) \left(40(B + iA) \sin(2(c + dx)) + 4(7A - 13iB) \cos(2(c + dx)) - \frac{30(A - iB)e^{3i(c+dx)} \tanh^{-1}\left(\frac{e^{i(c+dx)}}{\sqrt{-1+e^{2i(c+dx)}}}\right)}{\sqrt{-1+e^{2i(c+dx)}}} \right)$$

$$120a^2d(\cot(c + dx) + i)^2\sqrt{a + ia \tan(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(5/2)),x]
```

```
[Out] (Cot[c + d*x]^(3/2)*Sec[c + d*x]^2*(2*A + (22*I)*B - (30*(A - I*B)*E^((3*I)*(c + d*x))*ArcTanh[E^(I*(c + d*x))/Sqrt[-1 + E^((2*I)*(c + d*x))]])/Sqrt[-1 + E^((2*I)*(c + d*x))] + 4*(7*A - (13*I)*B)*Cos[2*(c + d*x)] + 40*(I*A + B)*Sin[2*(c + d*x)))/(120*a^2*d*(I + Cot[c + d*x])^2*Sqrt[a + I*a*Tan[c + d*x]])
```

Maple [B] time = 0.535, size = 1212, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x)
```

```
[Out] (1/120+1/120*I)/d/a^3*(60*I*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-13*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+15*A*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+37*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-40*B*cos(d*x+c)^3*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+40*B*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-30*B*2^(1/2)*cos(d*x+c)*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-30*I*A*cos(d*x+c)*sin(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-28*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2-52*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2-40*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^3+40*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)-60*I*B*cos(d*x+c)^3*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+30*I*B*cos(d*x+c)^2*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-15*I*A*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+45*I*B*cos(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+60*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))-45*A*cos(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-15*B*sin(d*x+c)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)-30*A*2^(1/2)*cos(d*x+c)^2*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))+28*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)-52*B*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^2*sin(d*x+c)-40*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*cos(d*x+c)^3+40*I*A*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+13*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+37*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)+40*I*B*cos(d*x+c)^3*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-40*I*B*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)-15*I*B*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*2^(1/2)+60*A*cos(d*x+c)^3*2^(1/2)*arctan((1/2+1/2*I)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*2^(1/2))*cos(d*x+c)^2*(a*(I*sin(d*x+c)+cos(d*x+c))/cos(d*x+c))^(1/2)/(4*I*sin(d*x+c)*cos(d*x+c)^2+4*cos(d*x+c)^3-I*sin(d*x+c)-3*cos(d*x+c))/sin(d*x+c)^2/(cos(d*x+c)/sin(d*x+c))^(3/2)/((cos(d*x+c)-1)/sin(d*x+c))^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.0327, size = 1359, normalized size = 6.35

$$\left(15 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^5 d^2}} e^{(6 i d x + 6 i c)} \log \left(\frac{\left(2 \sqrt{\frac{1}{2}} a^3 d \sqrt{\frac{-i A^2 - 2 A B + i B^2}{a^5 d^2}} e^{(2 i d x + 2 i c)} + \sqrt{2} \left((i A + B) e^{(2 i d x + 2 i c)} - i A - B \right) \sqrt{\frac{a}{e^{(2 i d x + 2 i c)} + 1}} \sqrt{\frac{i e^{(2 i d x + 2 i c)} + i}{e^{(2 i d x + 2 i c)} - 1}} \right)}{4 i A + 4 B} \right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] $\frac{1}{120} (15 \sqrt{1/2} a^3 d \sqrt{(-I A^2 - 2 A B + I B^2)/(a^5 d^2)}) e^{(6 I d x + 6 I c)} \log((2 \sqrt{1/2} a^3 d \sqrt{(-I A^2 - 2 A B + I B^2)/(a^5 d^2)}) e^{(2 I d x + 2 I c)} + \sqrt{2} ((I A + B) e^{(2 I d x + 2 I c)} - I A - B) \sqrt{a/(e^{(2 I d x + 2 I c)} + 1)}) \sqrt{(I e^{(2 I d x + 2 I c)} + I)/(e^{(2 I d x + 2 I c)} - 1)}) e^{(I d x + I c)} e^{(-I d x - I c)} / (4 I A + 4 B) - 15 \sqrt{1/2} a^3 d \sqrt{(-I A^2 - 2 A B + I B^2)/(a^5 d^2)} e^{(6 I d x + 6 I c)} \log(-2 \sqrt{1/2} a^3 d \sqrt{(-I A^2 - 2 A B + I B^2)/(a^5 d^2)}) e^{(2 I d x + 2 I c)} - \sqrt{2} ((I A + B) e^{(2 I d x + 2 I c)} - I A - B) \sqrt{a/(e^{(2 I d x + 2 I c)} + 1)}) \sqrt{(I e^{(2 I d x + 2 I c)} + I)/(e^{(2 I d x + 2 I c)} - 1)}) e^{(I d x + I c)} e^{(-I d x - I c)} / (4 I A + 4 B) + \sqrt{2} ((-17 I A - 23 B) e^{(6 I d x + 6 I c)} + (16 I A + 34 B) e^{(4 I d x + 4 I c)} + (4 I A - 14 B) e^{(2 I d x + 2 I c)} - 3 I A + 3 B) \sqrt{a/(e^{(2 I d x + 2 I c)} + 1)}) \sqrt{(I e^{(2 I d x + 2 I c)} + I)/(e^{(2 I d x + 2 I c)} - 1)}) e^{(I d x + I c)} e^{(-6 I d x - 6 I c)} / (a^3 d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+I*a*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+I*a*tan(d*x+c))^(5/2),x, alg  
orithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(  
3/2)), x)
```

$$3.566 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+ia \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=289

$$\frac{-7B + iA}{4a^2d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \dots$$

[Out] (2*(-1)^(1/4)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + ((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + (I*A - B)/(5*d*Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)) + (A + (3*I)*B)/(6*a*d*Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)) - (I*A - 7*B)/(4*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

Rubi [A] time = 1.0316, antiderivative size = 289, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {4241, 3595, 3601, 3544, 205, 3599, 63, 217, 203}

$$\frac{-7B + iA}{4a^2d\sqrt{\cot(c+dx)}\sqrt{a+ia \tan(c+dx)}} + \frac{\left(\frac{1}{8} + \frac{i}{8}\right)(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}}\right)}{a^{5/2}d} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] (2*(-1)^(1/4)*B*ArcTan[((-1)^(3/4)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + ((1/8 + I/8)*(A - I*B)*ArcTanh[((1 + I)*Sqrt[a]*Sqrt[Tan[c + d*x]])/Sqrt[a + I*a*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(a^(5/2)*d) + (I*A - B)/(5*d*Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)) + (A + (3*I)*B)/(6*a*d*Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^(3/2)) - (I*A - 7*B)/(4*a^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + I*a*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3595

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(2*a*f*m), x] + Dist[1/(2*a^2*m), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[A*(a*c*m + b*d*n) - B*(b*c*m + a*d*n) - d*(b*B*(m - n) - a*A*(m + n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0] && GtQ[n, 0]

Rule 3601

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3544

```
Int[Sqrt[(a_) + (b_)*tan[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*tan[(e_)
+ (f_)*(x_)]], x_Symbol] := Dist[(-2*a*b)/f, Subst[Int[1/(a*c - b*d - 2*a
^2*x^2), x], x, Sqrt[c + d*Tan[e + f*x]]/Sqrt[a + b*Tan[e + f*x]]], x] /; F
reeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && Ne
Q[c^2 + d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\tan^{\frac{5}{2}}(c + dx)(A + B \tan(c + dx))}{(a + ia \tan(c + dx))^{5/2}} dx \\
&= \frac{iA - B}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} - \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{1}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} dx}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
&= \frac{iA - B}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
&= \frac{iA - B}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
&= \frac{iA - B}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
&= \frac{iA - B}{5d \cot^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} + \frac{A + 3iB}{6ad \cot^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^{5/2}} \\
&= \frac{\left(\frac{1}{8} - \frac{i}{8} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{5/2}d} + \frac{\left(\frac{1}{8} - \frac{i}{8} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{5/2}d} \\
&= \frac{2\sqrt[4]{-1}B \tan^{-1} \left(\frac{(-1)^{3/4}\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{5/2}d} + \frac{\left(\frac{1}{8} - \frac{i}{8} \right) (iA + B) \tanh^{-1} \left(\frac{(1+i)\sqrt{a}\sqrt{\tan(c+dx)}}{\sqrt{a+ia \tan(c+dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{a^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 9.89122, size = 426, normalized size = 1.47

$$\frac{e^{-3i(c+dx)} \sqrt{\cot(c + dx)} \sec^2(c + dx) \left(15(A - iB) e^{5i(c+dx)} \sqrt{-1 + e^{2i(c+dx)}} \log \left(\sqrt{-1 + e^{2i(c+dx)}} + e^{i(c+dx)} \right) - 14A e^{2i(c+dx)} + 3 \right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^(5/2)), x]

[Out] (Sqrt[Cot[c + d*x]]*(3*A + (3*I)*B - 14*A*E^((2*I)*(c + d*x)) - (24*I)*B*E^((2*I)*(c + d*x)) + 34*A*E^((4*I)*(c + d*x)) + (144*I)*B*E^((4*I)*(c + d*x)) - 23*A*E^((6*I)*(c + d*x)) - (123*I)*B*E^((6*I)*(c + d*x)) + 15*(A - I*B)*E^((5*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Log[E^(I*(c + d*x)) + Sqrt[-1 + E^((2*I)*(c + d*x))]]) + (30*I)*Sqrt[2]*B*E^((5*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Log[1 - 3*E^((2*I)*(c + d*x)) - 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]]) - (30*I)*Sqrt[2]*B*E^((5*I)*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]*Log[1 - 3*E^((2*I)*(c + d*x)) + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[-1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^2*(A + B*Tan[c + d*x]))/(120*d*E^((3*I)*(c + d*x))*(A*Cos[c + d*x] + B*Sin[c + d*x])*(a + I*a*Tan[c + d*x])^(5/2))

Maple [B] time = 0.577, size = 2158, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(d*x+c))/\cot(d*x+c)^{(5/2)}/(a+I*a*\tan(d*x+c))^{(5/2)}, x)$

[Out] $(-1/120-1/120*I)/d/a^3*(60*I*B*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}-37*A*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+147*B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+240*B*\cos(d*x+c)^3*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-240*B*\cos(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-30*I*B*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}+15*A*2^{(1/2)}*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}-45*B*2^{(1/2)}*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}+15*B*2^{(1/2)}*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}-60*B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)+60*B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)-60*B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+60*B*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)+60*I*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)^3*2^{(1/2)}-30*I*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)^2*2^{(1/2)}-45*I*A*2^{(1/2)}*\cos(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}-15*I*B*2^{(1/2)}*\sin(d*x+c)*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}-60*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}+52*I*A*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2+252*I*B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2+40*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^3-40*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)+60*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)-60*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)+60*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)-60*I*B*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+52*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)-252*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)-30*B*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)^2*2^{(1/2)}-40*I*A*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^3+40*I*A*\cos(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+30*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}-120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)-37*I*A*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-180*I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)+180*I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)-180*I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+180*I*B*\cos(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)-240*I*B*\cos(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-147*I*B*\sin(d*x+c)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-240*B*\sin(d*x+c)*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)+15*I*A*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*2^{(1/2)}+60*B*\arctan((1/2+1/2*I)*((\cos(d*x+c)-1)/\sin(d*x+c)))^{(1/2)}*2^{(1/2)}*\cos(d*x+c)^3*2^{(1/2)}+240*B*\sin(d*x+c)*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)-240*B*\sin(d*x+c)*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+240*B*\sin(d*x+c)*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+120*B*\cos(d*x+c)*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)-120*B*\cos(d*x+c)*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)+120*B*\cos(d*x+c)*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)-120*B*\cos(d*x+c)*\sin(d*x+c)*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+240*I*B*\cos(d*x+c)^3*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)-240*I*B*\cos(d*x+c)^3*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)+240*I*B*\cos(d*x+c)^3*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)-240*I*B*\cos(d*x+c)^3*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+240*I*B*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*\cos(d*x+c)^3-120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)+120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+I)+120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-1)+120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)+120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}-I)+120*I*B*\cos(d*x+c)^2*\ln(((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}+1)$

$$\frac{1}{\sin(dx+c)^{1/2}+I} \cos(dx+c)^3 \frac{a(I\sin(dx+c)+\cos(dx+c))}{\cos(dx+c)^{1/2}} \frac{1}{4I\sin(dx+c)\cos(dx+c)^2+4\cos(dx+c)^3-I\sin(dx+c)-3\cos(dx+c)} \frac{1}{\sin(dx+c)^3} \frac{1}{(\cos(dx+c)/\sin(dx+c))^{5/2}} \frac{1}{((\cos(dx+c)-1)/\sin(dx+c))^{1/2}}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/cot(dx+c)^(5/2)/(a+I*a*tan(dx+c))^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.8468, size = 2233, normalized size = 7.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/cot(dx+c)^(5/2)/(a+I*a*tan(dx+c))^(5/2),x, algorithm="fricas")

[Out]
$$\frac{1}{120} (15\sqrt{1/2} a^3 d \sqrt{(I^2 A^2 + 2AB - IB^2)/(a^5 d^2)}) e^{(6I dx + 6Ic)} \log\left(\frac{2I\sqrt{1/2} a^3 d \sqrt{(I^2 A^2 + 2AB - IB^2)/(a^5 d^2)}}{e^{(2I dx + 2Ic)} + 1}\right) + \sqrt{2} \left((IA + B) e^{(2I dx + 2Ic)} - IA - B \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} \sqrt{\frac{I e^{(2I dx + 2Ic)} + I}{e^{(2I dx + 2Ic)} - 1}} e^{(I dx + Ic)} e^{(-I dx - Ic)} / (4IA + 4B) - 15\sqrt{1/2} a^3 d \sqrt{(I^2 A^2 + 2AB - IB^2)/(a^5 d^2)} e^{(6I dx + 6Ic)} \log\left(\frac{-2I\sqrt{1/2} a^3 d \sqrt{(I^2 A^2 + 2AB - IB^2)/(a^5 d^2)}}{e^{(2I dx + 2Ic)} + 1}\right) + \sqrt{2} \left((IA + B) e^{(2I dx + 2Ic)} - IA - B \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} \sqrt{\frac{I e^{(2I dx + 2Ic)} + I}{e^{(2I dx + 2Ic)} - 1}} e^{(I dx + Ic)} e^{(-I dx - Ic)} / (4IA + 4B) - 30 a^3 d \sqrt{-4IB^2/(a^5 d^2)} e^{(6I dx + 6Ic)} \log\left(\frac{1}{605} (208\sqrt{2} (B e^{(2I dx + 2Ic)} - B) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} \sqrt{\frac{I e^{(2I dx + 2Ic)} + I}{e^{(2I dx + 2Ic)} - 1}} e^{(I dx + Ic)} + (156 I a^3 d e^{(2I dx + 2Ic)} - 52 I a^3 d) \sqrt{-4IB^2/(a^5 d^2)}) / (B e^{(2I dx + 2Ic)} + B)\right) + 30 a^3 d \sqrt{-4IB^2/(a^5 d^2)} e^{(6I dx + 6Ic)} \log\left(\frac{1}{605} (208\sqrt{2} (B e^{(2I dx + 2Ic)} - B) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} \sqrt{\frac{I e^{(2I dx + 2Ic)} + I}{e^{(2I dx + 2Ic)} - 1}} e^{(I dx + Ic)} + (-156 I a^3 d e^{(2I dx + 2Ic)} + 52 I a^3 d) \sqrt{-4IB^2/(a^5 d^2)}) / (B e^{(2I dx + 2Ic)} + B)\right) - \sqrt{2} \left((23A + 123IB) e^{(6I dx + 6Ic)} - 2(17A + 72IB) e^{(4I dx + 4Ic)} + 2(7A + 12IB) e^{(2I dx + 2Ic)} - 3A - 3IB \right) \sqrt{\frac{a}{e^{(2I dx + 2Ic)} + 1}} \sqrt{\frac{I e^{(2I dx + 2Ic)} + I}{e^{(2I dx + 2Ic)} - 1}} e^{(I dx + Ic)} e^{(-6I dx - 6Ic)} / (a^3 d)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+I*a*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(i a \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+I*a*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((I*a*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(5/2)), x)

$$3.567 \quad \int \cot^m(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=179

$$\frac{iB \cot^{m-1}(c+dx)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}(1-m, 1-n, 2-m, -i \tan(c+dx))}{d(1-m)}$$

[Out] ((A - I*B)*AppellF1[1 - m, 1 - n, 1, 2 - m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Cot[c + d*x]^(-1 + m)*(a + I*a*Tan[c + d*x])^n)/(d*(1 - m)*(1 + I*Tan[c + d*x])^n) + (I*B*Cot[c + d*x]^(-1 + m)*Hypergeometric2F1[1 - m, 1 - n, 2 - m, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 - m)*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.428908, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {4241, 3601, 3564, 135, 133, 3599, 66, 64}

$$\frac{(A - iB) \cot^{m-1}(c+dx)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1(1-m; 1-n, 1; 2-m; -i \tan(c+dx), i \tan(c+dx))}{d(1-m)}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^m*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((A - I*B)*AppellF1[1 - m, 1 - n, 1, 2 - m, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*Cot[c + d*x]^(-1 + m)*(a + I*a*Tan[c + d*x])^n)/(d*(1 - m)*(1 + I*Tan[c + d*x])^n) + (I*B*Cot[c + d*x]^(-1 + m)*Hypergeometric2F1[1 - m, 1 - n, 2 - m, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 - m)*(1 + I*Tan[c + d*x])^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^n, x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m-1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 135

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_
Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart
[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x], x] /; FreeQ[{b, c, d, e,
f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]
```

Rule 133

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_
Symbol] := Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*
x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &
& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])
```

Rule 3599

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 66

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Dist[(c^IntPar
t[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*
x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ
[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -
2^(-1)]) && EqQ[c^2 - d^2, 0])) || !RationalQ[n])
```

Rule 64

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\begin{aligned} \int \cot^m(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx &= (\cot^m(c + dx) \tan^m(c + dx)) \int \tan^{-m}(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx \\ &= - \left(((-A + iB) \cot^m(c + dx) \tan^m(c + dx)) \int \tan^{-m}(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx \right) \\ &= - \frac{(ia^2(-A + iB) \cot^m(c + dx) \tan^m(c + dx)) \operatorname{Subst} \left(\int \frac{(-ix/a)}{1 + (ix/a) \tan(c + dx)} dx \right)}{d} \\ &= - \frac{(ia(-A + iB) \cot^m(c + dx)(1 + i \tan(c + dx))^{-n} \tan^m(c + dx))}{d} \\ &= \frac{(A - iB)F_1(1 - m; 1 - n, 1; 2 - m; -i \tan(c + dx), i \tan(c + dx))}{d} \end{aligned}$$

Mathematica [F] time = 18.9726, size = 0, normalized size = 0.

$$\int \cot^m(c + dx)(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^m*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^m*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 179.186, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^m (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \cot(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i dx + 2ic)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2ic)}}{e^{(2i dx + 2ic)} + 1} \right)^n \left(\frac{ie^{(2i dx + 2ic)} + i}{e^{(2i dx + 2ic)} - 1} \right)^m}{e^{(2i dx + 2ic)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))^m/(e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**m*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \cot(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^m*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^m, x)

$$3.568 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=247

$$\frac{2(1-2n)(-2An+3iB)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{3d\sqrt{\cot(c+dx)}}$$

[Out] $(-2*(3*B + (2*I)*A*n)*\text{Sqrt}[\text{Cot}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d) - (2*A*\text{Cot}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d) - (2*(A - I*B)*\text{AppellF1}[1/2, 1 - n, 1, 3/2, (-I)*\text{Tan}[c + d*x], I*\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^n)/(d*\text{Sqrt}[\text{Cot}[c + d*x]]*(1 + I*\text{Tan}[c + d*x])^n) - (2*(1 - 2*n)*((3*I)*B - 2*A*n)*\text{Hypergeometric2F1}[1/2, 1 - n, 3/2, (-I)*\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d*\text{Sqrt}[\text{Cot}[c + d*x]]*(1 + I*\text{Tan}[c + d*x])^n)$

Rubi [A] time = 0.826763, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {4241, 3598, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(A-iB)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d\sqrt{\cot(c+dx)}} - \frac{2(1-2n)(-2An+3iB)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{3d\sqrt{\cot(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(5/2)}*(a + I*a*\text{Tan}[c + d*x])^n*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $(-2*(3*B + (2*I)*A*n)*\text{Sqrt}[\text{Cot}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d) - (2*A*\text{Cot}[c + d*x]^{(3/2)}*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d) - (2*(A - I*B)*\text{AppellF1}[1/2, 1 - n, 1, 3/2, (-I)*\text{Tan}[c + d*x], I*\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^n)/(d*\text{Sqrt}[\text{Cot}[c + d*x]]*(1 + I*\text{Tan}[c + d*x])^n) - (2*(1 - 2*n)*((3*I)*B - 2*A*n)*\text{Hypergeometric2F1}[1/2, 1 - n, 3/2, (-I)*\text{Tan}[c + d*x]]*(a + I*a*\text{Tan}[c + d*x])^n)/(3*d*\text{Sqrt}[\text{Cot}[c + d*x]]*(1 + I*\text{Tan}[c + d*x])^n)$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x], x] /;$ FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3598

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(A*d - B*c)*(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}]/(f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(a*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^{(n+1)}*\text{Simp}[A*(b*d*m - a*c*(n+1)) - B*(b*c*m + a*d*(n+1)) - a*(B*c - A*d)*(m+n+1)*\text{Tan}[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3601

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dis}$

$$\int \frac{(A*b + a*B)/b \cdot \int (a + b*\tan[e + f*x])^m \cdot (c + d*\tan[e + f*x])^n \cdot x}{- \text{Dist}[B/b, \int (a + b*\tan[e + f*x])^m \cdot (c + d*\tan[e + f*x])^n \cdot (a - b*\tan[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[A*b + a*B, 0]$$

Rule 3564

$$\int ((a_) + (b_)*\tan[(e_) + (f_)*(x_)])^{(m_)} \cdot ((c_) + (d_)*\tan[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(a*b)/f, \text{Subst}[\int ((a + x)^{(m-1)} \cdot (c + (d*x)/b)^n) / (b^2 + a*x), x], x, b*\tan[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$$

Rule 130

$$\int ((e_)*(x_))^{(p_)} \cdot ((a_) + (b_)*(x_))^{(m_)} \cdot ((c_) + (d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \text{With}\{k = \text{Denominator}[p]\}, \text{Dist}[k/e, \text{Subst}[\int [x^{k*(p+1)-1} \cdot (a + (b*x^k)/e)^m \cdot (c + (d*x^k)/e)^n, x], x, (e*x)^{(1/k)}, x]] /; \text{FreeQ}\{a, b, c, d, e, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{FractionQ}[p] \&\& \text{IntegerQ}[m]$$

Rule 430

$$\int ((a_) + (b_)*(x_))^{(n_)} \cdot ((c_) + (d_)*(x_))^{(q_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]} \cdot (a + b*x^n)^{\text{FracPart}[p]}) / (1 + (b*x^n)/a)^{\text{FracPart}[p]}, \int (1 + (b*x^n)/a)^p \cdot (c + d*x^n)^q, x], x] /; \text{FreeQ}\{a, b, c, d, n, p, q\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n, -1] \&\& !(\text{IntegerQ}[p] \mid \mid \text{GtQ}[a, 0])$$

Rule 429

$$\int ((a_) + (b_)*(x_))^{(n_)} \cdot ((c_) + (d_)*(x_))^{(q_)}, x_Symbol] \rightarrow \text{Simp}[a^p \cdot c^q \cdot \text{AppellF1}[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; \text{FreeQ}\{a, b, c, d, n, p, q\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n, -1] \&\& (\text{IntegerQ}[p] \mid \mid \text{GtQ}[a, 0]) \&\& (\text{IntegerQ}[q] \mid \mid \text{GtQ}[c, 0])$$

Rule 3599

$$\int ((a_) + (b_)*\tan[(e_) + (f_)*(x_)])^{(m_)} \cdot ((A_) + (B_)*\tan[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b*B)/f, \text{Subst}[\int (a + b*x)^{(m-1)} \cdot (c + d*x)^n, x], x, \tan[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0] \&\& \text{EqQ}[A*b + a*B, 0]$$

Rule 66

$$\int ((b_)*(x_))^{(m_)} \cdot ((c_) + (d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(c^{\text{IntPart}[n]} \cdot (c + d*x)^{\text{FracPart}[n]}) / (1 + (d*x)/c)^{\text{FracPart}[n]}, \int (b*x)^m \cdot (1 + (d*x)/c)^n, x], x] /; \text{FreeQ}\{b, c, d, m, n\}, x\} \&\& !\text{IntegerQ}[m] \&\& !\text{IntegerQ}[n] \&\& !\text{GtQ}[c, 0] \&\& !\text{GtQ}[-(d/(b*c)), 0] \&\& ((\text{RationalQ}[m] \&\& !(\text{EqQ}[n, -2^{(-1)}] \&\& \text{EqQ}[c^2 - d^2, 0])) \mid \mid !\text{RationalQ}[n])$$

Rule 64

$$\int ((b_)*(x_))^{(m_)} \cdot ((c_) + (d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(c^n \cdot (b*x)^{(m+1)} \cdot \text{Hypergeometric2F1}[-n, m+1, m+2, -((d*x)/c)]) / (b*(m+1)), x] /; \text{FreeQ}\{b, c, d, m, n\}, x\} \&\& !\text{IntegerQ}[m] \&\& (\text{IntegerQ}[n] \mid \mid (\text{GtQ}[c, 0] \&\& !(\text{EqQ}[n, -2^{(-1)}] \&\& \text{EqQ}[c^2 - d^2, 0] \&\& \text{GtQ}[-(d/(b*c)), 0])))$$

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx \\
&= -\frac{2A \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n}{3d} + \frac{(2\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)))}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d} \\
&= -\frac{2(3B+2iAn)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{3d} - \frac{2A}{3d}
\end{aligned}$$

Mathematica [F] time = 11.2541, size = 0, normalized size = 0.

$$\int \cot^{\frac{5}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^(5/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.378, size = 0, normalized size = 0.

$$\int (\cot(dx+c))^{\frac{5}{2}}(a+ia \tan(dx+c))^n(A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^n \cot(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\left((A - iB)e^{(4i dx + 4i c)} + 2Ae^{(2i dx + 2i c)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n \sqrt{\frac{ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}}}{e^{(4i dx + 4i c)} - 2e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(-((A - I*B)*e^(4*I*d*x + 4*I*c) + 2*A*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(e^(4*I*d*x + 4*I*c) - 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(5/2)*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^(5/2), x)

$$3.569 \quad \int \cot^2(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=194

$$\frac{2iA(1-2n)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 1-n, \frac{3}{2}, -i \tan(c+dx)\right)}{d\sqrt{\cot(c+dx)}} + \frac{2(B+iA)}{d}$$

[Out] (-2*A*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/d + (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) - ((2*I)*A*(1 - 2*n)*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.5934, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {4241, 3598, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(B+iA)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d\sqrt{\cot(c+dx)}} - \frac{2iA(1-2n)(1+i \tan(c+dx))^{-n}(a+ia \tan(c+dx))^n}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] (-2*A*Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/d + (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) - ((2*I)*A*(1 - 2*n)*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3598

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((A*d - B*c)*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(a*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*(b*d*m - a*c*(n + 1)) - B*(b*c*m + a*d*(n + 1)) - a*(B*c - A*d)*(m + n + 1)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[n, -1]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]

- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[((a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0])) || !RationalQ[n]

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+ia \tan(c+dx))^n(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2A\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} + \frac{(2\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)))}{d} \\
&= -\frac{2A\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} + ((iA+B)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n) \\
&= -\frac{2A\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} + \frac{(ia^2(iA+B)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n)}{d} \\
&= -\frac{2A\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} - \frac{(2a^3(iA+B)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n)}{d} \\
&= -\frac{2A\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} - \frac{2iA(1-2n)\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} \\
&= -\frac{2A\sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n}{d} + \frac{2(iA+B)F_1\left(\frac{3}{2}, \frac{3}{2}, \frac{3}{2}, \cot(c+dx)\right)}{d}
\end{aligned}$$

Mathematica [F] time = 28.1499, size = 0, normalized size = 0.

$$\int \cot^{\frac{3}{2}}(c+dx)(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^(3/2)*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.38, size = 0, normalized size = 0.

$$\int (\cot(dx+c))^{\frac{3}{2}}(a+ia \tan(dx+c))^n(A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(ia \tan(dx+c) + a)^n \cot(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((iA + B)e^{2idx+2ic} + iA - B \right) \left(\frac{2ae^{2idx+2ic}}{e^{2idx+2ic}+1} \right)^n \sqrt{\frac{ie^{2idx+2ic}+i}{e^{2idx+2ic}-1}}}{e^{2idx+2ic} - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((I*A + B)*e^(2*I*d*x + 2*I*c) + I*A - B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(e^(2*I*d*x + 2*I*c) - 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*cot(d*x + c)^(3/2), x)

$$3.570 \quad \int \sqrt{\cot(c + dx)}(a + ia \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=158

$$\frac{2iB(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1 - n, \frac{3}{2}, -i \tan(c + dx)\right)}{d\sqrt{\cot(c + dx)}} + \frac{2(A - iB)(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n}{d\sqrt{\cot(c + dx)}}$$

[Out] (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) + ((2*I)*B*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.391409, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4241, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(A - iB)(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx), i \tan(c + dx)\right)}{d\sqrt{\cot(c + dx)}} + \frac{2iB(1 + i \tan(c + dx))^{-n}(a + ia \tan(c + dx))^n}{d\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cot[c + d*x]]*(a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) + ((2*I)*B*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3601

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

```
Int[((e_.)*(x_))^(p_)*((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_
Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)
*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a,
b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 3599

```
Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 66

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Dist[(c^IntPar
t[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*
x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ
[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -
2^(-1)]) && EqQ[c^2 - d^2, 0])) || !RationalQ[n])
```

Rule 64

```
Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+ia \tan(c+dx))^n}{\sqrt{\tan(c+dx)}} dx \\
&= -\left((-A+iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} \right) \int \frac{(a+ia \tan(c+dx))^n}{\sqrt{\tan(c+dx)}} dx \\
&= -\frac{(ia^2(-A+iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \frac{(a+ia \tan(c+dx))^n}{\sqrt{\tan(c+dx)}} dx, \frac{a+ia \tan(c+dx)}{\sqrt{\tan(c+dx)}}\right)}{d} \\
&= \frac{(2a^3(-A+iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \frac{(a+ia \tan(c+dx))^n}{\sqrt{\tan(c+dx)}} dx, \frac{a+ia \tan(c+dx)}{\sqrt{\tan(c+dx)}}\right)}{d} \\
&= \frac{2iB {}_2F_1\left(\frac{1}{2}, 1-n; \frac{3}{2}; -i \tan(c+dx)\right)(1+i \tan(c+dx))}{d\sqrt{\cot(c+dx)}} \\
&= \frac{2(A-iB)F_1\left(\frac{1}{2}; 1-n, 1; \frac{3}{2}; -i \tan(c+dx), i \tan(c+dx)\right)}{d\sqrt{\cot(c+dx)}}
\end{aligned}$$

Mathematica [F] time = 21.6215, size = 0, normalized size = 0.

$$\int \sqrt{\cot(c+dx)}(a+ia \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[Cot[c+d*x]]*(a+I*a*Tan[c+d*x])^n*(A+B*Tan[c+d*x]), x]

[Out] Integrate[Sqrt[Cot[c+d*x]]*(a+I*a*Tan[c+d*x])^n*(A+B*Tan[c+d*x]), x]

Maple [F] time = 0.412, size = 0, normalized size = 0.

$$\int \sqrt{\cot(dx+c)}(a+ia \tan(dx+c))^n(A+B \tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c)+A)(ia \tan(dx+c)+a)^n \sqrt{\cot(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*sqrt(cot(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i dx + 2i c)} + A + iB \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n \sqrt{\frac{ie^{(2i dx + 2i c)} + i}{e^{(2i dx + 2i c)} - 1}}}{e^{(2i dx + 2i c)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n*sqrt(cot(d*x + c)), x)

$$3.571 \quad \int \frac{(a+ia \tan(c+dx))^n (A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=215

$$\frac{2(2Bn + iA(2n + 1))(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 1 - n, \frac{3}{2}, -i \tan(c + dx)\right)}{d(2n + 1)\sqrt{\cot(c + dx)}} - 2$$

[Out] (2*B*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*Sqrt[Cot[c + d*x]]) - (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) + (2*(2*B*n + I*A*(1 + 2*n))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.598159, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {4241, 3597, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(B + iA)(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx), i \tan(c + dx)\right)}{d\sqrt{\cot(c + dx)}} + \frac{2(2Bn + iA(2n + 1))}{d(2n + 1)\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],x]

[Out] (2*B*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*Sqrt[Cot[c + d*x]]) - (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) + (2*(2*B*n + I*A*(1 + 2*n))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3597

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e

+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0])) || !RationalQ[n])

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)} (a + ia \tan(c + dx))^n dx \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(1 + 2n)\sqrt{\cot(c + dx)}} + \frac{(2\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + ia \tan(c + dx))^n}{a(1 + 2n)} dx}{a(1 + 2n)} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(1 + 2n)\sqrt{\cot(c + dx)}} - \left((iA + B) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{(a + ia \tan(c + dx))^n}{a(1 + 2n)} dx \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(1 + 2n)\sqrt{\cot(c + dx)}} - \frac{(ia^2(iA + B) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + ia \tan(c + dx))^n}{a(1 + 2n)} dx}{a(1 + 2n)} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(1 + 2n)\sqrt{\cot(c + dx)}} + \frac{(2a^3(iA + B) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + ia \tan(c + dx))^n}{a(1 + 2n)} dx}{a(1 + 2n)} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(1 + 2n)\sqrt{\cot(c + dx)}} + \frac{2(2Bn + iA(1 + 2n)) {}_2F_1\left(\frac{1}{2}, 1 - n; \frac{3}{2}; -i \tan(c + dx)\right)}{d(1 + 2n)} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(1 + 2n)\sqrt{\cot(c + dx)}} - \frac{2(iA + B) {}_2F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx)\right)}{d(1 + 2n)}
\end{aligned}$$

Mathematica [F] time = 13.8034, size = 0, normalized size = 0.

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

Maple [F] time = 0.411, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) \frac{1}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

[Out] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(ia \tan(dx + c) + a)^n}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/sqrt(cot(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{((-iA - B)e^{(4i dx + 4ic)} + 2Be^{(2i dx + 2ic)} + iA - B) \left(\frac{2ae^{(2i dx + 2ic)}}{e^{(2i dx + 2ic)} + 1} \right)^n \sqrt{\frac{ie^{(2i dx + 2ic)} + i}{e^{(2i dx + 2ic)} - 1}}}{e^{(4i dx + 4ic)} + 2e^{(2i dx + 2ic)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(((-I*A - B)*e^(4*I*d*x + 4*I*c) + 2*B*e^(2*I*d*x + 2*I*c) + I*A - B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(e^(4*I*d*x + 4*I*c) + 2*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/sqrt(cot(d*x + c)), x)

$$3.572 \quad \int \frac{(a+ia \tan(c+dx))^n (A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=291

$$\frac{2(2An(2n+3) - iB(4n^2 + 6n + 3))(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1 - n, \frac{3}{2}, -i \tan(c + dx)\right)}{d(2n+1)(2n+3)\sqrt{\cot(c+dx)}}$$

[Out] (2*B*(a + I*a*Tan[c + d*x])^n)/(d*(3 + 2*n)*Cot[c + d*x]^(3/2)) - (2*((2*I)*B*n - A*(3 + 2*n))*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*Sqrt[Cot[c + d*x]]) - (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) + (2*(2*A*n*(3 + 2*n) - I*B*(3 + 6*n + 4*n^2))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 0.895361, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {4241, 3597, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(A - iB)(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx), i \tan(c + dx)\right)}{d\sqrt{\cot(c+dx)}} + \frac{2(2An(2n+3) - iB(4n^2 + 6n + 3))(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, 1 - n, \frac{3}{2}, -i \tan(c + dx)\right)}{d(2n+1)(2n+3)\sqrt{\cot(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

[Out] (2*B*(a + I*a*Tan[c + d*x])^n)/(d*(3 + 2*n)*Cot[c + d*x]^(3/2)) - (2*((2*I)*B*n - A*(3 + 2*n))*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*Sqrt[Cot[c + d*x]]) - (2*(A - I*B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) + (2*(2*A*n*(3 + 2*n) - I*B*(3 + 6*n + 4*n^2))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_)]*(c_.))^m*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3597

Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^n, x_Symbol] := Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x]
- Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e
+ f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*
d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]
```

Rule 3564

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[((a + x)^(m - 1)*(c
+ (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x]], x] /; FreeQ[{a, b, c, d
, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^
2, 0]
```

Rule 130

```
Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_
Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)
*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x]] /; FreeQ[{a,
b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]
```

Rule 430

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 3599

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x]], x
] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a
^2 + b^2, 0] && EqQ[A*b + a*B, 0]
```

Rule 66

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPar
t[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*
x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ
[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -
2^(-1)] && EqQ[c^2 - d^2, 0])) || !RationalQ[n])
```

Rule 64

```
Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```


Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\cot^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \tan^{\frac{3}{2}}(c + dx) (a + ia \tan(c + dx))^n dx \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} + \frac{(2\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)} dx}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}} \\
&= \frac{2B(a + ia \tan(c + dx))^n}{d(3 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \frac{2(2iBn - A(3 + 2n))(a + ia \tan(c + dx))^n}{d(1 + 2n)(3 + 2n)\sqrt{\cot(c + dx)}}
\end{aligned}$$

Mathematica [F] time = 19.0712, size = 0, normalized size = 0.

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\cot^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

[Out] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

Maple [F] time = 0.375, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) (\cot(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)

[Out] int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/cot(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\left((A - iB)e^{6i dx + 6ic} - (A - 3iB)e^{4i dx + 4ic} - (A + 3iB)e^{2i dx + 2ic} + A + iB \right) \left(\frac{2ae^{2i dx + 2ic}}{e^{2i dx + 2ic} + 1} \right)^n \sqrt{\frac{ie^{2i dx + 2ic} + i}{e^{2i dx + 2ic} - 1}}}{e^{6i dx + 6ic} + 3e^{4i dx + 4ic} + 3e^{2i dx + 2ic} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(-((A - I*B)*e^(6*I*d*x + 6*I*c) - (A - 3*I*B)*e^(4*I*d*x + 4*I*c) - (A + 3*I*B)*e^(2*I*d*x + 2*I*c) + A + I*B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(e^(6*I*d*x + 6*I*c) + 3*e^(4*I*d*x + 4*I*c) + 3*e^(2*I*d*x + 2*I*c) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c))/cot(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="giac")

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/cot(d*x + c)^(3/2),  
x)
```

$$3.573 \quad \int \frac{(a+ia \tan(c+dx))^n (A+B \tan(c+dx))}{\cot^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=383

$$\frac{2(4Bn(2n^2 + 8n + 9) + iA(8n^3 + 32n^2 + 36n + 15))(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n \text{Hypergeometric2F1}}{d(2n + 1)(2n + 3)(2n + 5)\sqrt{\cot(c + dx)}}$$

[Out] (2*B*(a + I*a*Tan[c + d*x])^n)/(d*(5 + 2*n)*Cot[c + d*x]^(5/2)) - (2*((2*I)*B*n - A*(5 + 2*n))*(a + I*a*Tan[c + d*x])^n)/(d*(3 + 2*n)*(5 + 2*n)*Cot[c + d*x]^(3/2)) - (2*((2*I)*A*n*(5 + 2*n) + B*(15 + 10*n + 4*n^2))*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*(5 + 2*n)*Sqrt[Cot[c + d*x]]) + (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) - (2*(4*B*n*(9 + 8*n + 2*n^2) + I*A*(15 + 36*n + 32*n^2 + 8*n^3))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*(5 + 2*n)*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rubi [A] time = 1.26379, antiderivative size = 383, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {4241, 3597, 3601, 3564, 130, 430, 429, 3599, 66, 64}

$$\frac{2(B + iA)(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n F_1\left(\frac{1}{2}; 1 - n, 1; \frac{3}{2}; -i \tan(c + dx), i \tan(c + dx)\right)}{d\sqrt{\cot(c + dx)}} \quad 2(4Bn(2n^2 + 8n + 9) + iA(8n^3 + 32n^2 + 36n + 15))(1 + i \tan(c + dx))^{-n} (a + ia \tan(c + dx))^n \text{Hypergeometric2F1}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(5/2), x]

[Out] (2*B*(a + I*a*Tan[c + d*x])^n)/(d*(5 + 2*n)*Cot[c + d*x]^(5/2)) - (2*((2*I)*B*n - A*(5 + 2*n))*(a + I*a*Tan[c + d*x])^n)/(d*(3 + 2*n)*(5 + 2*n)*Cot[c + d*x]^(3/2)) - (2*((2*I)*A*n*(5 + 2*n) + B*(15 + 10*n + 4*n^2))*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*(5 + 2*n)*Sqrt[Cot[c + d*x]]) + (2*(I*A + B)*AppellF1[1/2, 1 - n, 1, 3/2, (-I)*Tan[c + d*x], I*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n) - (2*(4*B*n*(9 + 8*n + 2*n^2) + I*A*(15 + 36*n + 32*n^2 + 8*n^3))*Hypergeometric2F1[1/2, 1 - n, 3/2, (-I)*Tan[c + d*x]]*(a + I*a*Tan[c + d*x])^n)/(d*(1 + 2*n)*(3 + 2*n)*(5 + 2*n)*Sqrt[Cot[c + d*x]]*(1 + I*Tan[c + d*x])^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3597

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Simp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(a*(m + n)), Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n - 1)*Simp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (a*A*d*(m + n) - B*(b*d*m - a*c*n))*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c

- a*d, 0] && EqQ[a^2 + b^2, 0] && GtQ[n, 0]

Rule 3601

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(A*b + a*B)/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n, x], x] - Dist[B/b, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(a - b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[A*b + a*B, 0]

Rule 3564

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*b)/f, Subst[Int[(a + x)^(m - 1)*(c + (d*x)/b)^n]/(b^2 + a*x), x], x, b*Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 130

Int[((e_)*(x_))^(p_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 429

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 3599

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(b*B)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && EqQ[A*b + a*B, 0]

Rule 66

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c^IntPart[n]*(c + d*x)^FracPart[n])/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n, x], x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0] && !GtQ[-(d/(b*c)), 0] && ((RationalQ[m] && !(EqQ[n, -2^(-1)]) && EqQ[c^2 - d^2, 0])) || !RationalQ[n]

Rule 64

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(c^n*(b*x

```
)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*x)/c)]/(b*(m + 1)), x]
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b*c)), 0]))
```

Rubi steps

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\cot^{\frac{5}{2}}(c + dx)} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \tan^{\frac{5}{2}}(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} + \frac{(2\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \tan^{\frac{3}{2}}(c + dx)(a + ia \tan(c + dx))^n (A + B \tan(c + dx)) dx}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} + \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

$$= \frac{2B(a + ia \tan(c + dx))^n}{d(5 + 2n) \cot^{\frac{5}{2}}(c + dx)} - \frac{2(2iBn - A(5 + 2n))(a + ia \tan(c + dx))^n}{d(3 + 2n)(5 + 2n) \cot^{\frac{3}{2}}(c + dx)} - \dots$$

Mathematica [F] time = 22.8617, size = 0, normalized size = 0.

$$\int \frac{(a + ia \tan(c + dx))^n (A + B \tan(c + dx))}{\cot^{\frac{5}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(5/2), x]
```

```
[Out] Integrate[((a + I*a*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(5/2), x]
```

Maple [F] time = 0.392, size = 0, normalized size = 0.

$$\int (a + ia \tan(dx + c))^n (A + B \tan(dx + c)) (\cot(dx + c))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(5/2),x)`

[Out] `int((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(5/2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/cot(d*x + c)^(5/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((i A + B)e^{(8i dx + 8i c)} + (-2i A - 4B)e^{(6i dx + 6i c)} + 6Be^{(4i dx + 4i c)} + (2i A - 4B)e^{(2i dx + 2i c)} - i A + B \right) \left(\frac{2ae^{(2i dx + 2i c)}}{e^{(2i dx + 2i c)} + 1} \right)^n}{e^{(8i dx + 8i c)} + 4e^{(6i dx + 6i c)} + 6e^{(4i dx + 4i c)} + 4e^{(2i dx + 2i c)} + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(5/2),x, algorithm="fricas")`

[Out] `integral(((I*A + B)*e^(8*I*d*x + 8*I*c) + (-2*I*A - 4*B)*e^(6*I*d*x + 6*I*c) + 6*B*e^(4*I*d*x + 4*I*c) + (2*I*A - 4*B)*e^(2*I*d*x + 2*I*c) - I*A + B)*(2*a*e^(2*I*d*x + 2*I*c)/(e^(2*I*d*x + 2*I*c) + 1))^n*sqrt((I*e^(2*I*d*x + 2*I*c) + I)/(e^(2*I*d*x + 2*I*c) - 1))/(e^(8*I*d*x + 8*I*c) + 4*e^(6*I*d*x + 6*I*c) + 6*e^(4*I*d*x + 4*I*c) + 4*e^(2*I*d*x + 2*I*c) + 1), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(d*x+c))**n*(A+B*tan(d*x+c))/cot(d*x+c)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(i a \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(I*a*tan(d*x + c) + a)^n/cot(d*x + c)^(5/2), x)
```


$$3.574 \quad \int \cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=229

$$\frac{2(aB + Ab)\sqrt{\cot(c + dx)}}{d} + \frac{(a(A - B) - b(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d} - \frac{(a(A - B) - b(A + B))}{2\sqrt{2}d}$$

```
[Out] -(((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*(A*b + a*B)*Sqrt[Cot[c + d*x]])/d - (2*a*A*Cot[c + d*x]^(3/2))/(3*d) + ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.300146, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {3581, 3592, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(aB + Ab)\sqrt{\cot(c + dx)}}{d} + \frac{(a(A - B) - b(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d} - \frac{(a(A - B) - b(A + B))}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*(A*b + a*B)*Sqrt[Cot[c + d*x]])/d - (2*a*A*Cot[c + d*x]^(3/2))/(3*d) + ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3528

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2,
```

0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \int \sqrt{\cot(c+dx)}(b+a \cot(c+dx))(B+A \cot(c+dx)) dx \\
&= -\frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \int \sqrt{\cot(c+dx)}(-aA+bB+(Ab-aA \cot(c+dx))) dx \\
&= -\frac{2(Ab+aB)\sqrt{\cot(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \int \frac{-Aa \cot^{\frac{3}{2}}(c+dx)}{dx} \\
&= -\frac{2(Ab+aB)\sqrt{\cot(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{2 \operatorname{Subst}(\int \frac{-Aa \cot^{\frac{3}{2}}(c+dx)}{dx}}{d} \\
&= -\frac{2(Ab+aB)\sqrt{\cot(c+dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{(b(A-B)+a(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} + \frac{(a(A-B)+b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 0.922345, size = 198, normalized size = 0.86

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(6\sqrt{2}(a(A+B)+b(A-B))\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)\right)\right)}{\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*(6*Sqrt[2]*(b*(A - B) + a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + 3*Sqrt[2]*(a*(A - B) - b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - (8*a*A)/Tan[c + d*x]^(3/2) - (24*(A*b + a*B))/Sqrt[Tan[c + d*x]]*Sqrt[Tan[c + d*x]])/(12*d)

Maple [C] time = 0.45, size = 4418, normalized size = 19.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/6/d*2^(1/2)*(-3*I*A*sin(d*x+c)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*b+3*I*A*sin(d*x+c)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*a+3*I*A*sin(d*x+c)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)

$$\begin{aligned}
& (\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, 1/2*2^{\frac{1}{2}} \\
& (1/2)) * a-3*B*\sin(dx+c)*\cos(dx+c)*((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, \\
& 1/2*2^{\frac{1}{2}}) * b+3*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, \\
& 1/2+1/2*I, 1/2*2^{\frac{1}{2}}) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * a-3*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, \\
& 1/2+1/2*I, 1/2*2^{\frac{1}{2}}) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * b-6*A*\sin(dx+c)*\cos(dx+c)*((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * \text{EllipticF}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2*2^{\frac{1}{2}}) * a+3*A*\sin(dx+c)*\cos(dx+c) \\
& * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, 1/2*2^{\frac{1}{2}}) * a-3*A*\sin(dx+c) \\
& * \cos(dx+c)*((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, \\
& 1/2*2^{\frac{1}{2}}) * b-3*A*\sin(dx+c)*((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, 1/2*2^{\frac{1}{2}}) * b-6*A*\sin(dx+c) \\
& * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} \\
& * \text{EllipticF}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2*2^{\frac{1}{2}}) * a+3*A*\sin(dx+c) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, \\
& 1/2-1/2*I, 1/2*2^{\frac{1}{2}}) * a-3*B*\sin(dx+c)*\text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, \\
& 1/2+1/2*I, 1/2*2^{\frac{1}{2}}) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * b+6*B*\sin(dx+c) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * \text{EllipticF}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, \\
& 1/2*2^{\frac{1}{2}}) * b-3*B*\sin(dx+c) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, \\
& 1/2*2^{\frac{1}{2}}) * a-3*B*\sin(dx+c) * ((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} * ((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}} \\
& * ((\cos(dx+c)-1)/\sin(dx+c))^{\frac{1}{2}} * \text{EllipticPi}(((1-\cos(dx+c)+\sin(dx+c))/\sin(dx+c))^{\frac{1}{2}}, 1/2-1/2*I, \\
& 1/2*2^{\frac{1}{2}}) * b) * (\cos(dx+c)/\sin(dx+c))^{\frac{5}{2}} * \sin(dx+c)/\cos(dx+c)^3
\end{aligned}$$

Maxima [A] time = 1.56179, size = 265, normalized size = 1.16

$$6\sqrt{2}((A+B)a+(A-B)b)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+6\sqrt{2}((A+B)a+(A-B)b)\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="maxima")

```
[Out] 1/12*(6*sqrt(2)*((A + B)*a + (A - B)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 6*sqrt(2)*((A + B)*a + (A - B)*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - 3*sqrt(2)*((A - B)*a - (A + B)*b)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 3*sqrt(2)*((A - B)*a - (A + B)*b)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - 8*A*a/tan(d*x + c)^(3/2) - 24*(B*a + A*b)/sqrt(tan(d*x + c))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a) \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)*cot(d*x + c)^(5/2), x)
```

$$3.575 \quad \int \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=205

$$\frac{(a(A + B) + b(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(a(A + B) + b(A - B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d}$$

```
[Out] -(((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*a*A*Sqrt[Cot[c + d*x]])/d - ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.242498, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3581, 3592, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A + B) + b(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(a(A + B) + b(A - B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*a*A*Sqrt[Cot[c + d*x]])/d - ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3592

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(B*d*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A*c - B*d + (B*c + A*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \int \frac{(b+a \cot(c+dx))(B+A \cot(c+dx))}{\sqrt{\cot(c+dx)}} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}}{d} + \int \frac{-aA+bB+(Ab+aB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}}{d} + \frac{2 \operatorname{Subst}\left(\int \frac{aA-bB+(-Ab-aB)x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= -\frac{2aA\sqrt{\cot(c+dx)}}{d} + \frac{(b(A-B)+a(A+B)) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= -\frac{2aA\sqrt{\cot(c+dx)}}{d} - \frac{(b(A-B)+a(A+B)) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2\sqrt{2}d} \\
&= -\frac{2aA\sqrt{\cot(c+dx)}}{d} - \frac{(b(A-B)+a(A+B)) \log\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{2\sqrt{2}d} \\
&= -\frac{(a(A-B)-b(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} + \frac{(a(A-B)+b(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\cot(c+dx)}+1\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 0.465348, size = 179, normalized size = 0.87

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(2\sqrt{2}(a(A-B)-b(A+B))\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right)\right)\right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*(2*Sqrt[2]*(a*(A - B) - b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) - Sqrt[2]*(b*(A - B) + a*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - (8*a*A)/Sqrt[Tan[c + d*x]])*Sqrt[Tan[c + d*x]]/(4*d)

Maple [C] time = 0.436, size = 4158, normalized size = 20.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/2/d*2^(1/2)*(-B*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*a+B*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*b+2*B*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))*a-A*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*b-A*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*b

$$\begin{aligned} & n(d*x+c)/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2+1/2*I, 1/2*2^{\wedge}(1/2))*\cos(d*x+c)*a+B*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2+1/2*I, 1/2*2^{\wedge}(1/2))*\cos(d*x+c)*b+2*B*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticF}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2*2^{\wedge}(1/2))*\cos(d*x+c)*a-I*A*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2-1/2*I, 1/2*2^{\wedge}(1/2))*b-I*A*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2+1/2*I, 1/2*2^{\wedge}(1/2))*a-I*B*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2-1/2*I, 1/2*2^{\wedge}(1/2))*a-I*B*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2-1/2*I, 1/2*2^{\wedge}(1/2))*b+2*A*2^{\wedge}(1/2)*\cos(d*x+c)*a-B*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2-1/2*I, 1/2*2^{\wedge}(1/2))*a+B*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2-1/2*I, 1/2*2^{\wedge}(1/2))*b-A*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2+1/2*I, 1/2*2^{\wedge}(1/2))*a-A*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticPi}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2+1/2*I, 1/2*2^{\wedge}(1/2))*b+2*A*((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{\wedge}(1/2)*\text{EllipticF}(((1-\cos(d*x+c)+\sin(d*x+c))/\sin(d*x+c))^{\wedge}(1/2), 1/2*2^{\wedge}(1/2))*b*(\cos(d*x+c)/\sin(d*x+c))^{\wedge}(3/2)*\sin(d*x+c)/\cos(d*x+c)^2 \end{aligned}$$

Maxima [A] time = 1.78837, size = 240, normalized size = 1.17

$$2\sqrt{2}((A-B)a - (A+B)b) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}((A-B)a - (A+B)b) \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/4*(2*sqrt(2)*((A - B)*a - (A + B)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*((A - B)*a - (A + B)*b)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + sqrt(2)*((A + B)*a + (A - B)*b)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - sqrt(2)*((A + B)*a + (A - B)*b)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - 8*A*a/sqrt(tan(d*x + c))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a) \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)*cot(d*x + c)^(3/2), x)
```

$$3.576 \quad \int \sqrt{\cot(c + dx)(a + b \tan(c + dx))(A + B \tan(c + dx))} dx$$

Optimal. Leaf size=205

$$\frac{(a(A - B) - b(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(a(A - B) - b(A + B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx)})}{2\sqrt{2}d}$$

```
[Out] ((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d)
) - ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d)
+ (2*b*B)/(d*Sqrt[Cot[c + d*x]]) - ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
+ ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.241681, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {3581, 3591, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a(A - B) - b(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(a(A - B) - b(A + B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx)})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((b*(A - B) + a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d)
) - ((b*(A - B) + a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d)
+ (2*b*B)/(d*Sqrt[Cot[c + d*x]]) - ((a*(A - B) - b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
+ ((a*(A - B) - b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3591

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))(A+B \tan(c+dx)) dx &= \int \frac{(b+a \cot(c+dx))(B+A \cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2bB}{d\sqrt{\cot(c+dx)}} + \int \frac{Ab+aB+(aA-bB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx \\
&= \frac{2bB}{d\sqrt{\cot(c+dx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{-Ab-aB+(-aA+bB)x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= \frac{2bB}{d\sqrt{\cot(c+dx)}} - \frac{(b(A-B)+a(A+B)) \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= \frac{2bB}{d\sqrt{\cot(c+dx)}} - \frac{(b(A-B)+a(A+B)) \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x} dx, x, \sqrt{\cot(c+dx)}\right)}{2d} \\
&= \frac{2bB}{d\sqrt{\cot(c+dx)}} - \frac{(a(A-B)-b(A+B)) \log\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{2\sqrt{2}d} \\
&= \frac{(b(A-B)+a(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} - \frac{(b(A-B)-a(A+B)) \tan^{-1}\left(\sqrt{2}\sqrt{\cot(c+dx)}+1\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 0.209834, size = 178, normalized size = 0.87

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}(2\sqrt{2}(a(A+B)+b(A-B))(\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})-\tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)}+1))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]), x]

[Out] -(Sqrt[Cot[c + d*x]]*(2*Sqrt[2]*(b*(A - B) + a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + Sqrt[2]*(a*(A - B) - b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - 8*b*B*Sqrt[Tan[c + d*x]])*Sqrt[Tan[c + d*x]]/(4*d)

Maple [C] time = 0.47, size = 2187, normalized size = 10.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)), x)

[Out] -1/2/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(-I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*a+I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*b+I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*a-I*B*sin(d*x+c)

```

+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c)
)^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x
+c)+sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*b-I*B*sin(d*x+c)*
(cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/
2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+s
in(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*a-I*A*sin(d*x+c)*((cos(
d*x+c)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((
cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*
x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*b+I*A*sin(d*x+c)*((cos(d*x+c
)-1)/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d
*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c)
)/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*b+I*A*sin(d*x+c)*((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)
-1+sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(
d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*a+A*sin(d*x+c)*((1-cos(d*x+c)+sin(d*x+
c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*
x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c)
)^(1/2),1/2-1/2*I,1/2*2^(1/2))*a-A*sin(d*x+c)*((1-cos(d*x+c)+sin(d*x+c))/sin
(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)
/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2),
1/2-1/2*I,1/2*2^(1/2))*b+A*sin(d*x+c)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c)
)/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*((1-cos(d*x+c)+sin(d*x+c))/sin(d*
x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/si
n(d*x+c))^(1/2)*a-A*sin(d*x+c)*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*
x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(
1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c
))^(1/2)*b-2*A*sin(d*x+c)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((co
s(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*
EllipticF(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2),1/2*2^(1/2))*a-B*sin
(d*x+c)*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x
+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(((1-cos
(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*a-B*sin(d*x+c)
*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/si
n(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi(((1-cos(d*x+c)
+sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*b-B*sin(d*x+c)*Ellipt
icPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*((
1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d
*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*a-B*sin(d*x+c)*EllipticPi(((
1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*((1-cos(d
*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(
1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*b+2*B*sin(d*x+c)*((1-cos(d*x+c)+sin
(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((c
os(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticF(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x
+c))^(1/2),1/2*2^(1/2))*b-2*B*cos(d*x+c)*2^(1/2)*b+2*B*2^(1/2)*b)/cos(d*x+c
)/sin(d*x+c)^3

```

Maxima [A] time = 1.67797, size = 240, normalized size = 1.17

$$2\sqrt{2}((A+B)a+(A-B)b)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+2\sqrt{2}((A+B)a+(A-B)b)\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/4*(2*sqrt(2))*((A + B)*a + (A - B)*b)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqr

$$\frac{t(\tan(dx + c)) + 2\sqrt{2}((A + B)a + (A - B)b)\arctan(-1/2\sqrt{2}(\sqrt{2} - 2/\sqrt{\tan(dx + c)})) - \sqrt{2}((A - B)a - (A + B)b)\log(\sqrt{2}/\sqrt{\tan(dx + c)} + 1/\tan(dx + c) + 1) + \sqrt{2}((A - B)a - (A + B)b)\log(-\sqrt{2}/\sqrt{\tan(dx + c)} + 1/\tan(dx + c) + 1) - 8Bb\sqrt{\tan(dx + c)}}{d}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))\sqrt{\cot(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)**(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x)

[Out] Integral((A + B*tan(c + dx))*(a + b*tan(c + dx))*sqrt(cot(c + dx)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)\sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(1/2)*(a+b*tan(dx+c))*(A+B*tan(dx+c)),x, algorithm="giac")

[Out] integrate((B*tan(dx + c) + A)*(b*tan(dx + c) + a)*sqrt(cot(dx + c)), x)

$$3.577 \quad \int \frac{(a+b \tan(c+dx))(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=229

$$\frac{2(aB + Ab)}{d\sqrt{\cot(c+dx)}} + \frac{(a(A+B) + b(A-B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d} - \frac{(a(A+B) + b(A-B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d}$$

[Out] ((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + (2*b*B)/(3*d*Cot[c + d*x]^(3/2)) + (2*(A*b + a*B))/(d*Sqrt[Cot[c + d*x]]) + ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)

Rubi [A] time = 0.283349, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {3581, 3591, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(aB + Ab)}{d\sqrt{\cot(c+dx)}} + \frac{(a(A+B) + b(A-B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d} - \frac{(a(A+B) + b(A-B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] ((a*(A - B) - b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - ((a*(A - B) - b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + (2*b*B)/(3*d*Cot[c + d*x]^(3/2)) + (2*(A*b + a*B))/(d*Sqrt[Cot[c + d*x]]) + ((b*(A - B) + a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((b*(A - B) + a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3591

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[((b*c - a*d)*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*A*c + b*B*c + A*b*d - a*B*d - (A*b*c - a*B*c - a*A*d - b*B*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])

$^{(m+1)}\text{Simp}[a*c + b*d - (b*c - a*d)*\text{Tan}[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

$\text{Int}[\frac{(c_.) + (d_.)\text{tan}[e_.] + (f_.)x_]}{\sqrt{(b_.)\text{tan}[e_.] + (f_.)x_}}], x_Symbol] := \text{Dist}[2/f, \text{Subst}[\text{Int}[\frac{b*c + d*x^2}{b^2 + x^4}], x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x_^2}{(a_.) + (c_.)x_^4}], x_Symbol] := \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[\frac{d*q + a*e}{2*a*c}, \text{Int}[\frac{q + c*x^2}{a + c*x^4}], x], x] + \text{Dist}[\frac{d*q - a*e}{2*a*c}, \text{Int}[\frac{q - c*x^2}{a + c*x^4}], x], x] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x_^2}{(a_.) + (c_.)x_^4}], x_Symbol] := \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2], x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[\frac{(a_.) + (b_.)x_ + (c_.)x_^2}{(a_.) + (b_.)x_ + (c_.)x_^2}]^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2)], x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /;

FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[\frac{(a_.) + (b_.)x_^2}{(a_.) + (b_.)x_^2}]^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[-a, 2]}], \text{Rt}[-a, 2]*\text{Rt}[-b, 2]], x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x_^2}{(a_.) + (c_.)x_^4}], x_Symbol] := \text{With}[\{q = \text{Rt}[-2*d/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[\frac{q - 2*x}{\text{Simp}[d/e + q*x - x^2]}, x], x] + \text{Dist}[e/(2*c*q), \text{Int}[\frac{q + 2*x}{\text{Simp}[d/e - q*x - x^2]}, x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x_}{(a_.) + (b_.)x_ + (c_.)x_^2}], x_Symbol] := \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= \int \frac{(b + a \cot(c + dx))(B + A \cot(c + dx))}{\cot^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2bB}{3d \cot^{\frac{3}{2}}(c + dx)} + \int \frac{Ab + aB + (aA - bB) \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB)}{d\sqrt{\cot(c + dx)}} + \int \frac{aA - bB - (Ab + aB) \cot(c + dx)}{\sqrt{\cot(c + dx)}} dx \\
&= \frac{2bB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB)}{d\sqrt{\cot(c + dx)}} + \frac{2 \text{Subst}\left(\int \frac{-aA + bB + (Ab + aB)x^2}{1 + x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} \\
&= \frac{2bB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB)}{d\sqrt{\cot(c + dx)}} - \frac{(b(A - B) + a(A + B)) \text{Subst}\left(\int \frac{1 - x^2}{1 + x^2} dx, \frac{1}{\sqrt{\cot(c + dx)}}\right)}{d} \\
&= \frac{2bB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB)}{d\sqrt{\cot(c + dx)}} + \frac{(b(A - B) + a(A + B)) \text{Subst}\left(\int \frac{1}{-1 - x^2} dx, -\frac{1}{\sqrt{\cot(c + dx)}}\right)}{2\sqrt{2}d} \\
&= \frac{2bB}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB)}{d\sqrt{\cot(c + dx)}} + \frac{(b(A - B) + a(A + B)) \log(1 - \sqrt{2}\sqrt{\cot(c + dx)})}{2\sqrt{2}d} \\
&= \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}d} - \frac{(a(A - B) - b(A + B)) \tan^{-1}\left(\sqrt{2}\sqrt{\cot(c + dx)} + 1\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 0.502773, size = 198, normalized size = 0.86

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\left(6\sqrt{2}(a(A - B) - b(A + B))\left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)\right) - \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],x]

[Out] -(Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(6*Sqrt[2]*(a*(A - B) - b*(A + B))*
(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) - 3*Sqrt[2]*(b*(A - B) + a*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - 24*(A*b + a*B)*Sqrt[Tan[c + d*x]] - 8*b*B*Tan[c + d*x]^(3/2))/((12*d)

Maple [C] time = 0.489, size = 2365, normalized size = 10.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x)

[Out] 1/6/d*2^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(-3*I*B*sin(d*x+c)*cos(d*x+c)
*EllipticPi(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2)))*(((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2))*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*a-3*I*A*((cos(d*x+c)-1)/sin(d*x+c))^(1/2))*((1-cos(d*x+c)+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-3*I*B*sin(d*x+c)*cos(d*x+c)

Maxima [A] time = 1.68964, size = 267, normalized size = 1.17

$$6\sqrt{2}((A-B)a - (A+B)b) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 6\sqrt{2}((A-B)a - (A+B)b) \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")

[Out]
$$-1/12*(6*\sqrt{2}*((A - B)*a - (A + B)*b)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2/\sqrt{\tan(d*x + c)})) + 6*\sqrt{2}*((A - B)*a - (A + B)*b)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2/\sqrt{\tan(d*x + c)})) + 3*\sqrt{2}*((A + B)*a + (A - B)*b)*\log(\sqrt{2}/\sqrt{\tan(d*x + c)} + 1/\tan(d*x + c) + 1) - 3*\sqrt{2}*((A + B)*a + (A - B)*b)*\log(-\sqrt{2}/\sqrt{\tan(d*x + c)} + 1/\tan(d*x + c) + 1) - 8*(B*b + 3*(B*a + A*b)/\tan(d*x + c))*\tan(d*x + c)^{(3/2)}/d$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))/sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)/sqrt(cot(d*x + c)), x)

$$3.578 \quad \int \cot^2(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=326

$$\frac{2(a^2A - 2abB - Ab^2)\sqrt{\cot(c + dx)}}{d} + \frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B))\log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)}) + 1}{2\sqrt{2}d}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[Cot[c + d*x]]/d - (2*a*(7*A*b + 5*a*B)*Cot[c + d*x]^(3/2))/(15*d) - (2*a*A*Cot[c + d*x]^(3/2)*(b + a*Cot[c + d*x]))/(5*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.613995, antiderivative size = 326, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3581, 3607, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(a^2A - 2abB - Ab^2)\sqrt{\cot(c + dx)}}{d} + \frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B))\log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)}) + 1}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[Cot[c + d*x]]/d - (2*a*(7*A*b + 5*a*B)*Cot[c + d*x]^(3/2))/(15*d) - (2*a*A*Cot[c + d*x]^(3/2)*(b + a*Cot[c + d*x]))/(5*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
```

0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre

$eQ[\{a, c, d, e\}, x] \&\& EqQ[c*d^2 - a*e^2, 0] \&\& NegQ[d*e]$

Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

Rubi steps

$$\begin{aligned} \int \cot^{\frac{7}{2}}(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx &= \int \sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2(B + A \cot(c + dx)) \\ &= -\frac{2aA \cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))}{5d} - \frac{2}{5} \int \sqrt{\cot(c + dx)} \\ &= -\frac{2a(7Ab + 5aB) \cot^{\frac{3}{2}}(c + dx)}{15d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))}{5d} \\ &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\cot(c + dx)}}{d} - \frac{2a(7Ab + 5aB) \cot^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\cot(c + dx)}}{d} - \frac{2a(7Ab + 5aB) \cot^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\cot(c + dx)}}{d} - \frac{2a(7Ab + 5aB) \cot^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\cot(c + dx)}}{d} - \frac{2a(7Ab + 5aB) \cot^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\cot(c + dx)}}{d} - \frac{2a(7Ab + 5aB) \cot^{\frac{3}{2}}(c + dx)}{15d} \\ &= \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \tan^{-1}(1 - \sqrt{2} \sqrt{\cot(c + dx)})}{\sqrt{2}d} \end{aligned}$$

Mathematica [A] time = 1.85171, size = 255, normalized size = 0.78

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(30\sqrt{2} (a^2(A - B) - 2ab(A + B) + b^2(B - A)) (\tan^{-1}(1 - \sqrt{2} \sqrt{\tan(c + dx)}) - \tan^{-1}(\sqrt{2} \sqrt{\tan(c + dx)})) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] -(Sqrt[Cot[c + d*x]]*(30*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) - 2*a*b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]) - 15*Sqrt[2]*(2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) + (24*a^2*A)/Tan[c + d*x]^(5/2) + (40*a*(2*A*b + a*B))/Tan[c + d*x]^(3/2) - (120*(a^2*A - A*b^2 - 2*a*b*B))/Sqrt[Tan[c + d*x]]*Sqrt[Tan[c + d*x]])/(60*d)

Maple [C] time = 0.641, size = 13170, normalized size = 40.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [A] time = 1.71818, size = 377, normalized size = 1.16

$$30\sqrt{2}\left((A-B)a^2 - 2(A+B)ab - (A-B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 30\sqrt{2}\left((A-B)a^2 - 2(A+B)ab - (A-B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/60*(30*\sqrt{2}*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2/\sqrt{\tan(d*x + c)}))) + 30*\sqrt{2}*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2/\sqrt{\tan(d*x + c)}))) \\ & + 15*\sqrt{2}*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*\log(\sqrt{2}/\sqrt{\tan(d*x + c)} + 1/\tan(d*x + c) + 1) - 15*\sqrt{2}*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*\log(-\sqrt{2}/\sqrt{\tan(d*x + c)} + 1/\tan(d*x + c) + 1) + 24*A*a^2/\tan(d*x + c)^(5/2) - 120*(A*a^2 - 2*B*a*b - A*b^2)/\sqrt{\tan(d*x + c)} + 40*(B*a^2 + 2*A*a*b)/\tan(d*x + c)^(3/2))/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(7/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2*cot(d*x + c)^(7/2), x)
```

$$3.579 \quad \int \cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=294

$$\frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} - \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B))}{2\sqrt{2}d}$$

```
[Out] -(((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*a*(5*A*b + 3*a*B)*Sqrt[Cot[c + d*x]])/(3*d) - (2*a*A*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x]))/(3*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.545908, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3581, 3607, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} - \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B))}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*a*(5*A*b + 3*a*B)*Sqrt[Cot[c + d*x]])/(3*d) - (2*a*A*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x]))/(3*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
```

0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \int \frac{(b+a \cot(c+dx))^2(B+A \cot(c+dx))}{\sqrt{\cot(c+dx)}} dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} - \frac{2}{3} \int \frac{\frac{1}{2}b(aA-3bB)}{\sqrt{\cot(c+dx)}} dx \\
&= -\frac{2a(5Ab+3aB)\sqrt{\cot(c+dx)}}{3d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} \\
&= -\frac{2a(5Ab+3aB)\sqrt{\cot(c+dx)}}{3d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} \\
&= -\frac{2a(5Ab+3aB)\sqrt{\cot(c+dx)}}{3d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} \\
&= -\frac{2a(5Ab+3aB)\sqrt{\cot(c+dx)}}{3d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} \\
&= -\frac{2a(5Ab+3aB)\sqrt{\cot(c+dx)}}{3d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} \\
&= -\frac{2a(5Ab+3aB)\sqrt{\cot(c+dx)}}{3d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}{3d} \\
&= -\frac{(2ab(A-B)+a^2(A+B)-b^2(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 1.22596, size = 226, normalized size = 0.77

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(6\sqrt{2}\left(a^2(A+B)+2ab(A-B)-b^2(A+B)\right)\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*(6*Sqrt[2]*(2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))* (ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]) + 3*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) - 2*a*b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - (8*a^2*A)/Tan[c + d*x]^(3/2) - (24*a*(2*A*b + a*B))/Sqrt[Tan[c + d*x]]*Sqrt[Tan[c + d*x]])/(12*d)

Maple [C] time = 0.531, size = 6783, normalized size = 23.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [A] time = 1.75074, size = 340, normalized size = 1.16

$$6\sqrt{2}\left((A+B)a^2 + 2(A-B)ab - (A+B)b^2\right) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 6\sqrt{2}\left((A+B)a^2 + 2(A-B)ab - (A+B)b^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(6*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 6*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - 3*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 3*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - 8*A*a^2/tan(d*x + c)^(3/2) - 24*(B*a^2 + 2*A*a*b)/sqrt(tan(d*x + c))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(5/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2*cot(d*x + c)^(5/2), x)

$$3.580 \quad \int \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=276

$$\frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d}$$

[Out] -(((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + (2*b^2*B)/(d*Sqrt[Cot[c + d*x]]) - (2*a^2*A*Sqrt[Cot[c + d*x]])/d - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)

Rubi [A] time = 0.44283, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3581, 3604, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(a^2(A + B) + 2ab(A - B) - b^2(A + B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] -(((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + (2*b^2*B)/(d*Sqrt[Cot[c + d*x]]) - (2*a^2*A*Sqrt[Cot[c + d*x]])/d - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3604

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3630

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2(A+B \tan(c+dx)) dx &= \int \frac{(b+a \cot(c+dx))^2(B+A \cot(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2b^2B}{d\sqrt{\cot(c+dx)}} - \int \frac{-b(Ab+2aB) - (2aAb+a^2B-b^2B)\cot(c+dx)}{\sqrt{\cot(c+dx)}} dx \\
&= \frac{2b^2B}{d\sqrt{\cot(c+dx)}} - \frac{2a^2A\sqrt{\cot(c+dx)}}{d} - \int \frac{a^2A-b(Ab+2aB)\cot(c+dx)}{\sqrt{\cot(c+dx)}} dx \\
&= \frac{2b^2B}{d\sqrt{\cot(c+dx)}} - \frac{2a^2A\sqrt{\cot(c+dx)}}{d} - \frac{2 \operatorname{Subst}\left(\int \frac{-a^2A+b(Ab+2aB)\cot(c+dx)}{\sqrt{\cot(c+dx)}} dx\right)}{\sqrt{\cot(c+dx)}} \\
&= \frac{2b^2B}{d\sqrt{\cot(c+dx)}} - \frac{2a^2A\sqrt{\cot(c+dx)}}{d} + \frac{(a^2(A-B)-b^2(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2d}} \\
&= \frac{2b^2B}{d\sqrt{\cot(c+dx)}} - \frac{2a^2A\sqrt{\cot(c+dx)}}{d} + \frac{(a^2(A-B)-b^2(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2d}} \\
&= \frac{2b^2B}{d\sqrt{\cot(c+dx)}} - \frac{2a^2A\sqrt{\cot(c+dx)}}{d} - \frac{(2ab(A-B)+a^2(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2d}} \\
&= -\frac{(a^2(A-B)-b^2(A+B)-2ab(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2d}}
\end{aligned}$$

Mathematica [A] time = 0.842522, size = 221, normalized size = 0.8

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(2\sqrt{2}\left(a^2(A-B)-2ab(A+B)+b^2(B-A)\right)\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)\right)\right)}{\sqrt{2d}}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*(2*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) - 2*a*b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]) - Sqrt[2]*(2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - (8*a^2*A)/Sqrt[Tan[c + d*x]] + 8*b^2*B*Sqrt[Tan[c + d*x]])*Sqrt[Tan[c + d*x]]/(4*d)

Maple [C] time = 0.429, size = 6423, normalized size = 23.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [A] time = 1.7437, size = 329, normalized size = 1.19

$$8 B b^2 \sqrt{\tan(dx+c)} + 2 \sqrt{2} \left((A-B)a^2 - 2(A+B)ab - (A-B)b^2 \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) + 2 \sqrt{2} (A-B)a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/4*(8*B*b^2*sqrt(tan(d*x + c)) + 2*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - 8*A*a^2/sqrt(tan(d*x + c)))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a)^2 \cot(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2*cot(d*x + c)^(3/2), x)

$$3.581 \quad \int \sqrt{\cot(c + dx)}(a + b \tan(c + dx))^2(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=283

$$\frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d} + \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d}$$

```
[Out] ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*B)/(3*d*Cot[c + d*x]^(3/2)) + (2*b*(A*b + 2*a*B))/(d*Sqrt[Cot[c + d*x]]) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.433677, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3581, 3604, 3628, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d} + \frac{(a^2(A - B) - 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*B)/(3*d*Cot[c + d*x]^(3/2)) + (2*b*(A*b + 2*a*B))/(d*Sqrt[Cot[c + d*x]]) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) + ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3604

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3628

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+b\tan(c+dx))^2(A+B\tan(c+dx))dx &= \int \frac{(b+a\cot(c+dx))^2(B+A\cot(c+dx))}{\cot^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} - \int \frac{-b(Ab+2aB) - (2aAb+a^2B-b^2B)}{\cot^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)}{d\sqrt{\cot(c+dx)}} - \int \frac{-2aAb-a^2B+b^2B}{\cot^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)}{d\sqrt{\cot(c+dx)}} - \frac{2\text{Subst}\left(\int \frac{2aAb+a^2B-b^2B}{\cot^{\frac{3}{2}}(c+dx)}dx\right)}{\cot^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)}{d\sqrt{\cot(c+dx)}} + \frac{(a^2(A-B)-b^2(A-B))}{\cot^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)}{d\sqrt{\cot(c+dx)}} - \frac{(a^2(A-B)-b^2(A-B))}{\cot^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)}{d\sqrt{\cot(c+dx)}} - \frac{(a^2(A-B)-b^2(A-B))}{\cot^{\frac{3}{2}}(c+dx)} \\
&= \frac{2b^2B}{3d\cot^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)}{d\sqrt{\cot(c+dx)}} - \frac{(a^2(A-B)-b^2(A-B))}{\cot^{\frac{3}{2}}(c+dx)} \\
&= \frac{(2ab(A-B)+a^2(A+B)-b^2(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 0.542237, size = 226, normalized size = 0.8

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(6\sqrt{2}\left(a^2(A+B)+2ab(A-B)-b^2(A+B)\right)\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]), x]

[Out] -(Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(6*Sqrt[2]*(2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + 3*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) - 2*a*b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - 24*b*(A*b + 2*a*B)*Sqrt[Tan[c + d*x]] - 8*b^2*B*Tan[c + d*x]^(3/2))/(12*d)

Maple [C] time = 0.478, size = 3582, normalized size = 12.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)), x)

[Out] 1/6/d*2^(1/2)*(cos(d*x+c)-1)*(6*A*cos(d*x+c)^2*2^(1/2)*b^2+3*A*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))

$$\begin{aligned} & /2)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticPi((-\cos(d*x+c)- \\ & 1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*a*b+6*B*((\cos(d*x+c) \\ & -1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d \\ & *x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c) \\ &)/\sin(d*x+c))^{(1/2)},1/2-1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)*a*b+6*B*((\\ & \cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2) \\ &)*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticPi((-\cos(d*x+c)-1- \\ & \sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)* \\ & a*b-12*B*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d \\ & *x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticF((-\cos \\ & (d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2*2^{(1/2)})*\cos(d*x+c)*\sin(d*x+c)* \\ & a*b+6*A*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c)-1)/\sin(d* \\ & x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*EllipticPi((-\cos \\ & (d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2-1/2*I,1/2*2^{(1/2)})*\cos(d*x+c)*s \\ & \sin(d*x+c)*a*b+6*A*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c) \\ & -1)/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*Ellipti \\ & cPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2+1/2*I,1/2*2^{(1/2)})*co \\ & s(d*x+c)*\sin(d*x+c)*a*b-12*B*\cos(d*x+c)*2^{(1/2)}*a*b+12*B*\cos(d*x+c)^2*2^{(1/ \\ & 2)}*a*b+2*B*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}*b^2-6*A*\cos(d*x+c)*2^{(1/2)}*b^2-3*I \\ & *A*\cos(d*x+c)*\sin(d*x+c)*a^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}*((\cos(d*x+c) \\ & -1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1 \\ & /2)}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/2-1/2*I,1/2* \\ & 2^{(1/2)}))+3*I*A*\cos(d*x+c)*\sin(d*x+c)*b^2*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)}* \\ & ((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)}*(-(\cos(d*x+c)-1-\sin(d*x+c))/\si \\ & n(d*x+c))^{(1/2)}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)},1/ \\ & 2-1/2*I,1/2*2^{(1/2)}))*(\cos(d*x+c)+1)^2*(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}/\cos(d* \\ & x+c)^2/\sin(d*x+c)^3 \end{aligned}$$

Maxima [A] time = 1.58911, size = 343, normalized size = 1.21

$$6\sqrt{2}\left((A+B)a^2+2(A-B)ab-(A+B)b^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+6\sqrt{2}\left((A+B)a^2+2(A-B)ab-(A+B)b^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/12*(6*\sqrt{2})*((A+B)*a^2+2*(A-B)*a*b-(A+B)*b^2)*\arctan(1/2*\sqrt{2}*(\sqrt{2}+2/\sqrt{\tan(dx+c)})) \\ & +6*\sqrt{2}*((A+B)*a^2+2*(A-B)*a*b-(A+B)*b^2)*\arctan(-1/2*\sqrt{2}*(\sqrt{2}-2/\sqrt{\tan(dx+c)})) \\ & -3*\sqrt{2}*((A-B)*a^2-2*(A+B)*a*b-(A-B)*b^2)*\log(\sqrt{2}/\sqrt{\tan(dx+c)}+1/\tan(dx+c)+1) \\ & +3*\sqrt{2}*((A-B)*a^2-2*(A+B)*a*b-(A-B)*b^2)*\log(-\sqrt{2}/\sqrt{\tan(dx+c)}+1/\tan(dx+c)+1) \\ & -8*(B*b^2+3*(2*B*a*b+A*b^2)/\tan(dx+c))*\tan(dx+c)^{(3/2)}/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx))(a + b \tan(c + dx))^2 \sqrt{\cot(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+b*tan(d*x+c))**2*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2*sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^2 \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^2*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2*sqrt(cot(d*x + c)), x)

$$3.582 \quad \int \frac{(a+b \tan(c+dx))^2(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=317

$$\frac{2(a^2B + 2aAb - b^2B)}{d\sqrt{\cot(c+dx)}} + \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*B)/(5*d*Cot[c + d*x]^(5/2)) + (2*b*(A*b + 2*a*B))/(3*d*Cot[c + d*x]^(3/2)) + (2*(2*a*A*b + a^2*B - b^2*B))/(d*Sqrt[Cot[c + d*x]]) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d))
```

Rubi [A] time = 0.488767, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3581, 3604, 3628, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2(a^2B + 2aAb - b^2B)}{d\sqrt{\cot(c+dx)}} + \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{(a^2(A+B) + 2ab(A-B) - b^2(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^2*(A - B) - b^2*(A - B) - 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*B)/(5*d*Cot[c + d*x]^(5/2)) + (2*b*(A*b + 2*a*B))/(3*d*Cot[c + d*x]^(3/2)) + (2*(2*a*A*b + a^2*B - b^2*B))/(d*Sqrt[Cot[c + d*x]]) + ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) - ((2*a*b*(A - B) + a^2*(A + B) - b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d))
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p_]*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3604

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> -Simp[((B*c - A*d)*(b*c - a*d)^2*(c + d*Tan[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[B*(b*c - a*d)^2 + A*d*(a^2*c - b^2*c + 2*a*b*d) + d*(B*(a^2*c - b^2*c + 2*a*b*d) + A*(2*a*b*c - a^2*d + b^2*d))*Tan[e + f*x] + b^2*B*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]
```

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3529

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^2 (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= \int \frac{(b + a \cot(c + dx))^2 (B + A \cot(c + dx))}{\cot^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2b^2B}{5d \cot^{\frac{5}{2}}(c + dx)} - \int \frac{-b(Ab + 2aB) - (2aAb + a^2B - b^2B) \cot(c + dx)}{\cot^{\frac{5}{2}}(c + dx)} \\
&= \frac{2b^2B}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB)}{3d \cot^{\frac{3}{2}}(c + dx)} - \int \frac{-2aAb - a^2B + b^2B - (a^2A - b^2A) \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2B}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(2aAb + a^2B - b^2B)}{d\sqrt{\cot(c + dx)}} - \int \frac{-a^2A}{\cot^{\frac{1}{2}}(c + dx)} \\
&= \frac{2b^2B}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(2aAb + a^2B - b^2B)}{d\sqrt{\cot(c + dx)}} - \frac{2 \text{Subst}}{\sqrt{\cot(c + dx)}} \\
&= \frac{2b^2B}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(2aAb + a^2B - b^2B)}{d\sqrt{\cot(c + dx)}} - \frac{(a^2(A - B) - b^2(A - B) - 2ab(A + B)) \tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}d} \\
&= \frac{2b^2B}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB)}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(2aAb + a^2B - b^2B)}{d\sqrt{\cot(c + dx)}} + \frac{(2ab(A + B) - a^2(A - B) - b^2(A - B)) \tan^{-1}(1 + \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 1.14443, size = 255, normalized size = 0.8

$$\frac{\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(30\sqrt{2} (a^2(A - B) - 2ab(A + B) + b^2(B - A)) (\tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)}) - \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)})) \right)}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Tan[c + d*x])^2*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],
x]
```

```
[Out] -(Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(30*Sqrt[2]*(a^2*(A - B) + b^2*(-A
+ B) - 2*a*b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 +
Sqrt[2]*Sqrt[Tan[c + d*x]]]) - 15*Sqrt[2]*(2*a*b*(A - B) + a^2*(A + B) - b^
2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqr
t[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - 120*(2*a*A*b + a^2*B - b^2*B)*S
qrt[Tan[c + d*x]] - 40*b*(A*b + 2*a*B)*Tan[c + d*x]^(3/2) - 24*b^2*B*Tan[c
+ d*x]^(5/2)))/(60*d)
```

Maple [C] time = 0.521, size = 3748, normalized size = 11.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\tan(dx+c))^2*(A+B*\tan(dx+c))/\cot(dx+c)^{1/2}, x)$

[Out] $\frac{1}{30}d^{1/2}(\cos(dx+c)-1)*(20B\sin(dx+c)^2)^{1/2}\cos(dx+c)^2ab-15A\sin(dx+c)b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2I, 1/2)^{1/2}+15B\sin(dx+c)a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2I, 1/2)^{1/2}-15B\sin(dx+c)b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2I, 1/2)^{1/2}+15B\sin(dx+c)a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2I, 1/2)^{1/2}-15B\sin(dx+c)b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2I, 1/2)^{1/2}-30B\sin(dx+c)a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2)^{1/2}+30B\sin(dx+c)b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2)^{1/2}+15A\sin(dx+c)a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2I, 1/2)^{1/2}-15A\sin(dx+c)b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2I, 1/2)^{1/2}+15A\sin(dx+c)a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2I, 1/2)^{1/2}-20B\cos(dx+c)\sin(dx+c)^2)^{1/2}ab+30A\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2I, 1/2)^{1/2})*ab+30A\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2I, 1/2)^{1/2})*ab-60A\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2)^{1/2})*ab-30B\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c)^{1/2}\cos(dx+c)^2\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2I, 1/2)^{1/2})*ab+60A^2)^{1/2}\cos(dx+c)^3ab+10A\sin(dx+c)^2)^{1/2}b^2\cos(dx+c)^2-60A^2)^{1/2}\cos(dx+c)^2ab-10A\cos(dx+c)\sin(dx+c)^2)^{1/2}b^2-6b^2B^2)^{1/2}-36B^2)^{1/2}b^2\cos(dx+c)^3-30B^2)^{1/2}a^2\cos(dx+c)^2+36B^2)^{1/2}b^2\cos(dx+c)^2+6B\cos(dx+c)^2)^{1/2}b^2-30IAsin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}$

```

*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+
1/2*I,1/2*2^(1/2))*a*b+30*I*A*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*
((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/si
n(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x
+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*a*b-30*I*B*sin(d*x+c)*((cos(d*x+c)-1)/sin
(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1
-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(
d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))*a*b+30*I*B*sin(d*x+c)*((co
s(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*
(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-co
s(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))*a*b+30*B*2^
(1/2)*a^2*cos(d*x+c)^3-30*B*sin(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((
cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(
d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c
))^(1/2),1/2-1/2*I,1/2*2^(1/2))*a*b+15*I*A*sin(d*x+c)*a^2*((cos(d*x+c)-1)/s
in(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)
-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-si
n(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-15*I*A*sin(d*x+c)*b^2*((
cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2
)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-c
os(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))-15*I*A*si
n(d*x+c)*a^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/s
in(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2
*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^
(1/2))+15*I*A*sin(d*x+c)*b^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-
1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/
2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/
2-1/2*I,1/2*2^(1/2))-15*I*B*sin(d*x+c)*a^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2
)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/
sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d
*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+15*I*B*sin(d*x+c)*b^2*((cos(d*x+c)-1)/s
in(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)
-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-cos(d*x+c)-1-si
n(d*x+c))/sin(d*x+c))^(1/2),1/2+1/2*I,1/2*2^(1/2))+15*I*B*sin(d*x+c)*a^2*((
cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2
)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2*EllipticPi((-c
os(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^(1/2))-15*I*B*si
n(d*x+c)*b^2*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/s
in(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*cos(d*x+c)^2
*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),1/2-1/2*I,1/2*2^
(1/2)))*(cos(d*x+c)+1)^2/cos(d*x+c)^2/sin(d*x+c)^4/(cos(d*x+c)/sin(d*x+c))^(
1/2)

```

Maxima [A] time = 1.57241, size = 381, normalized size = 1.2

$$8 \left(3 B b^2 + \frac{5(2 B a b + A b^2)}{\tan(dx+c)} + \frac{15(B a^2 + 2 A a b - B b^2)}{\tan(dx+c)^2} \right) \tan(dx+c)^{\frac{5}{2}} - 30 \sqrt{2} \left((A-B)a^2 - 2(A+B)ab - (A-B)b^2 \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{\frac{A+B}{A-B}} \tan(dx+c) + 1 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/60*(8*(3*B*b^2 + 5*(2*B*a*b + A*b^2)/tan(d*x + c) + 15*(B*a^2 + 2*A*a*b - B*b^2)/tan(d*x + c)^2)*tan(d*x + c)^(5/2) - 30*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))

)) - 30*sqrt(2)*((A - B)*a^2 - 2*(A + B)*a*b - (A - B)*b^2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - 15*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 15*sqrt(2)*((A + B)*a^2 + 2*(A - B)*a*b - (A + B)*b^2)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^2}{\sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**2*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**2/sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^2}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^2*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^2/sqrt(cot(d*x + c)), x)

$$3.583 \quad \int \cot^{\frac{9}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=421

$$\frac{2a(7a^2A - 21abB - 18Ab^2) \cot^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3) \sqrt{\cot(c + dx)}}{d} - \frac{(-3a^2b(A + B) + a^3(A - B))}{d}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cot[c + d*x]])/d + (2*a*(7*a^2*A - 18*A*b^2 - 21*a*b*B)*Cot[c + d*x]^(3/2))/(21*d) - (2*a^2*(11*A*b + 7*a*B)*Cot[c + d*x]^(5/2))/(35*d) - (2*a*A*Cot[c + d*x]^(3/2)*(b + a*Cot[c + d*x])^2)/(7*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.861724, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3581, 3607, 3637, 3630, 3528, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2a(7a^2A - 21abB - 18Ab^2) \cot^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3) \sqrt{\cot(c + dx)}}{d} - \frac{(-3a^2b(A + B) + a^3(A - B))}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cot[c + d*x]])/d + (2*a*(7*a^2*A - 18*A*b^2 - 21*a*b*B)*Cot[c + d*x]^(3/2))/(21*d) - (2*a^2*(11*A*b + 7*a*B)*Cot[c + d*x]^(5/2))/(35*d) - (2*a*A*Cot[c + d*x]^(3/2)*(b + a*Cot[c + d*x])^2)/(7*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
```


+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3637

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]) + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]

Rule 3630

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)] + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3528

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(d*(a + b*Tan[e + f*x])^m)/(f*m), x] + Int[(a + b*Tan[e + f*x])^(m - 1)*Simp[a*c - b*d + (b*c + a*d)*Tan[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && GtQ[m, 0]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \cot^2(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx &= \int \sqrt{\cot(c+dx)}(b+a \cot(c+dx))^3(B+A \cot(c+dx)) dx \\
&= -\frac{2aA \cot^{\frac{3}{2}}(c+dx)(b+a \cot(c+dx))^2}{7d} - \frac{2}{7} \int \sqrt{\cot(c+dx)} \\
&= -\frac{2a^2(11Ab+7aB) \cot^{\frac{5}{2}}(c+dx)}{35d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)(b+a \cot(c+dx))}{7d} \\
&= \frac{2a(7a^2A-18Ab^2-21abB) \cot^{\frac{3}{2}}(c+dx)}{21d} - \frac{2a^2(11Ab+7aB)}{35d} \\
&= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\cot(c+dx)}}{d} + \frac{2a(7a^2A-18ab^2-21abB)}{35d} \\
&= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\cot(c+dx)}}{d} + \frac{2a(7a^2A-18ab^2-21abB)}{35d} \\
&= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\cot(c+dx)}}{d} + \frac{2a(7a^2A-18ab^2-21abB)}{35d} \\
&= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\cot(c+dx)}}{d} + \frac{2a(7a^2A-18ab^2-21abB)}{35d} \\
&= \frac{2(3a^2Ab-Ab^3+a^3B-3ab^2B) \sqrt{\cot(c+dx)}}{d} + \frac{2a(7a^2A-18ab^2-21abB)}{35d} \\
&= \frac{(3a^2b(A-B)-b^3(A-B)+a^3(A+B)-3ab^2(A+B)) \tan(c+dx)}{\sqrt{2}d}
\end{aligned}$$

Mathematica [A] time = 3.74665, size = 326, normalized size = 0.77

$$2\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(\frac{a(a^2A-3abB-3Ab^2)}{3\tan^{\frac{3}{2}}(c+dx)} - \frac{(3a^2b(A-B)+a^3(A+B)-3ab^2(A+B)+b^3(B-A))(\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})-\tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)}))}{2\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] (2*Sqrt[Cot[c + d*x]]*(-((3*a^2*b*(A - B) + b^3*(-A + B) + a^3*(A + B) - 3*a*b^2*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(2*Sqrt[2]) - ((a^3*(A - B) + 3*a*b^2*(-A + B) - 3*a^2*b*(A + B) + b^3*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(4*Sqrt[2]) - (a^3*A)/(7*Tan[c + d*x]^(7/2)) - (a^2*(3*A*b + a*B))/(5*Tan[c + d*x]^(5/2)) + (a*(a^2*A - 3*A*b^2 - 3*a*b*B))/(3*Tan[c + d*x]^(3/2)) + (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)/Sqrt[Tan[c + d*x]]*Sqrt[Tan[c + d*x]]/d

Maple [C] time = 1.012, size = 18631, normalized size = 44.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [A] time = 1.5499, size = 494, normalized size = 1.17

$$210\sqrt{2}\left((A+B)a^3+3(A-B)a^2b-3(A+B)ab^2-(A-B)b^3\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+210\sqrt{2}\left((A+B)a^3+3(A-B)a^2b-3(A+B)ab^2-(A-B)b^3\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] -1/420*(210*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 210*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - 105*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 105*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 120*A*a^3/tan(d*x + c)^(7/2) - 840*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)/sqrt(tan(d*x + c)) - 280*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)/tan(d*x + c)^(3/2) + 168*(B*a^3 + 3*A*a^2*b)/tan(d*x + c)^(5/2)/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(9/2)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*cot(d*x + c)^(9/2), x)

$$3.584 \quad \int \cot^{\frac{7}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=380

$$\frac{2a(5a^2A - 15abB - 14Ab^2)\sqrt{\cot(c + dx)}}{5d} + \frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) - b^3(A - B))\log(\cot(c + dx))}{2\sqrt{2}d}$$

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*a*(5*a^2*A - 14*A*b^2 - 15*a*b*B)*Sqrt[Cot[c + d*x]]/(5*d) - (2*a^2*(9*A*b + 5*a*B)*Cot[c + d*x]^(3/2))/(15*d) - (2*a*A*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])^2)/(5*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d))
```

Rubi [A] time = 0.769157, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3581, 3607, 3637, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2a(5a^2A - 15abB - 14Ab^2)\sqrt{\cot(c + dx)}}{5d} + \frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) - b^3(A - B))\log(\cot(c + dx))}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*a*(5*a^2*A - 14*A*b^2 - 15*a*b*B)*Sqrt[Cot[c + d*x]]/(5*d) - (2*a^2*(9*A*b + 5*a*B)*Cot[c + d*x]^(3/2))/(15*d) - (2*a*A*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])^2)/(5*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d))
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_)]*(g_.))^p_*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^m_*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^n_*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^n, x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
```

```
[e + f*x]]^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3637

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]) + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]
```

Rule 3630

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]) + (C_)*tan[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]
```

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned} \int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^3(A+B \tan(c+dx)) dx &= \int \frac{(b+a \cot(c+dx))^3(B+A \cot(c+dx))}{\sqrt{\cot(c+dx)}} dx \\ &= -\frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))^2}{5d} - \frac{2}{5} \int \frac{(b+a \cot(c+dx))^3}{\sqrt{\cot(c+dx)}} dx \\ &= -\frac{2a^2(9Ab+5aB) \cot^{\frac{3}{2}}(c+dx)}{15d} - \frac{2aA\sqrt{\cot(c+dx)}(b+a \cot(c+dx))^2}{5d} \\ &= \frac{2a(5a^2A-14Ab^2-15abB)\sqrt{\cot(c+dx)}}{5d} - \frac{2a^2(9Ab+5aB)\sqrt{\cot(c+dx)}}{5d} \\ &= \frac{2a(5a^2A-14Ab^2-15abB)\sqrt{\cot(c+dx)}}{5d} - \frac{2a^2(9Ab+5aB)\sqrt{\cot(c+dx)}}{5d} \\ &= \frac{2a(5a^2A-14Ab^2-15abB)\sqrt{\cot(c+dx)}}{5d} - \frac{2a^2(9Ab+5aB)\sqrt{\cot(c+dx)}}{5d} \\ &= \frac{2a(5a^2A-14Ab^2-15abB)\sqrt{\cot(c+dx)}}{5d} - \frac{2a^2(9Ab+5aB)\sqrt{\cot(c+dx)}}{5d} \\ &= \frac{2a(5a^2A-14Ab^2-15abB)\sqrt{\cot(c+dx)}}{5d} - \frac{2a^2(9Ab+5aB)\sqrt{\cot(c+dx)}}{5d} \\ &= \frac{(a^3(A-B)-3ab^2(A-B)-3a^2b(A+B)+b^3(A+B))\sqrt{\cot(c+dx)}}{\sqrt{2d}} \end{aligned}$$

Mathematica [A] time = 2.33852, size = 286, normalized size = 0.75

$$2\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(-\frac{(-3a^2b(A+B)+a^3(A-B)+3ab^2(B-A)+b^3(A+B))(\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})-\tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)+1}))}{2\sqrt{2}}+\frac{a(a^2A+b^3(A+B))\sqrt{\cot(c+dx)}}{\sqrt{2d}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (2*sqrt[Cot[c + d*x]]*(-((a^3*(A - B) + 3*a*b^2*(-A + B) - 3*a^2*b*(A + B) + b^3*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(2*sqrt[2]) + ((3*a^2*b*(A - B) + b^3*(-A + B) + a^3

$$\begin{aligned} &*(A + B) - 3*a*b^2*(A + B))*(\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d \\ &*x]] - \text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Tan}[c + d*x]] + \text{Tan}[c + d*x]])/(4*\text{Sqrt}[2]) - (\\ &a^3*A)/(5*\text{Tan}[c + d*x]^{(5/2)}) - (a^2*(3*A*b + a*B))/(3*\text{Tan}[c + d*x]^{(3/2)}) \\ &+ (a*(a^2*A - 3*A*b^2 - 3*a*b*B))/\text{Sqrt}[\text{Tan}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d \end{aligned}$$

Maple [C] time = 0.796, size = 17628, normalized size = 46.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [A] time = 1.70487, size = 446, normalized size = 1.17

$$30\sqrt{2}\left((A-B)a^3 - 3(A+B)a^2b - 3(A-B)ab^2 + (A+B)b^3\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 30\sqrt{2}\left((A-B)a^3 - 3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} &-1/60*(30*\text{sqrt}(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B) \\ &)*b^3)*\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2) + 2/\text{sqrt}(\tan(d*x + c)))) + 30*\text{sqrt}(2)*((\\ &A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*\arctan(-1/2*s \\ &\text{qrt}(2)*(\text{sqrt}(2) - 2/\text{sqrt}(\tan(d*x + c)))) + 15*\text{sqrt}(2)*((A + B)*a^3 + 3*(A - \\ &B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*\log(\text{sqrt}(2)/\text{sqrt}(\tan(d*x + c)) + \\ &1/\tan(d*x + c) + 1) - 15*\text{sqrt}(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B) \\ &)*a*b^2 - (A - B)*b^3)*\log(-\text{sqrt}(2)/\text{sqrt}(\tan(d*x + c)) + 1/\tan(d*x + c) + 1 \\ &) + 24*A*a^3/\tan(d*x + c)^{(5/2)} - 120*(A*a^3 - 3*B*a^2*b - 3*A*a*b^2)/\text{sqrt}(\tan(d*x + c)) + 40*(B*a^3 + 3*A*a^2*b)/\tan(d*x + c)^{(3/2)}/d \end{aligned}$$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*cot(d*x + c)^(7/2), x)

$$3.585 \quad \int \cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=374

$$\frac{2a(a^2B + 3aAb + 2b^2B)\sqrt{\cot(c + dx)}}{d} + \frac{(-3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) + b^3(A + B))\log(\cot(c + dx) - \sqrt{\cot(c + dx)})}{2\sqrt{2}d}$$

```
[Out] -((((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d)) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*a*(3*a*A*b + a^2*B + 2*b^2*B)*Sqrt[Cot[c + d*x]])/d - (2*a^2*(a*A + 3*b*B)*Cot[c + d*x]^(3/2))/(3*d) + (2*b*B*(b + a*Cot[c + d*x])^2)/(d*Sqrt[Cot[c + d*x]]) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.769716, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3581, 3605, 3637, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2a(a^2B + 3aAb + 2b^2B)\sqrt{\cot(c + dx)}}{d} + \frac{(-3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) + b^3(A + B))\log(\cot(c + dx) - \sqrt{\cot(c + dx)})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d)) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*a*(3*a*A*b + a^2*B + 2*b^2*B)*Sqrt[Cot[c + d*x]])/d - (2*a^2*(a*A + 3*b*B)*Cot[c + d*x]^(3/2))/(3*d) + (2*b*B*(b + a*Cot[c + d*x])^2)/(d*Sqrt[Cot[c + d*x]]) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
```

+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3637

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]) + (C_)*tan[(e_) + (f_)*(x_)^2), x_Symbol] := Simp[(b*C*Tan[e + f*x]*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 2)), x] - Dist[1/(d*(n + 2)), Int[(c + d*Tan[e + f*x])^n*Simp[b*c*C - a*A*d*(n + 2) - (A*b + a*B - b*C)*d*(n + 2)*Tan[e + f*x] - (a*C*d*(n + 2) - b*(c*C - B*d*(n + 2)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && !LtQ[n, -1]

Rule 3630

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)]) + (C_)*tan[(e_) + (f_)*(x_)^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Simp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

Rule 3534

Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\int \cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx = \int \frac{(b + a \cot(c + dx))^3(B + A \cot(c + dx))}{\cot^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2bB(b + a \cot(c + dx))^2}{d\sqrt{\cot(c + dx)}} - 2 \int \frac{(b + a \cot(c + dx)) \left(-\frac{1}{2}b(Ab + a^2)\cot^{\frac{3}{2}}(c + dx)\right)}{d\sqrt{\cot(c + dx)}} dx$$

$$= -\frac{2a^2(aA + 3bB) \cot^{\frac{3}{2}}(c + dx)}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{d\sqrt{\cot(c + dx)}} - \frac{2a(3aAb + a^2B + 2b^2B) \sqrt{\cot(c + dx)}}{d} - \frac{2a^2(aA + 3bB) \cot^{\frac{3}{2}}(c + dx)}{3d}$$

$$= -\frac{2a(3aAb + a^2B + 2b^2B) \sqrt{\cot(c + dx)}}{d} - \frac{2a^2(aA + 3bB) \cot^{\frac{3}{2}}(c + dx)}{3d}$$

$$= -\frac{2a(3aAb + a^2B + 2b^2B) \sqrt{\cot(c + dx)}}{d} - \frac{2a^2(aA + 3bB) \cot^{\frac{3}{2}}(c + dx)}{3d}$$

$$= -\frac{2a(3aAb + a^2B + 2b^2B) \sqrt{\cot(c + dx)}}{d} - \frac{2a^2(aA + 3bB) \cot^{\frac{3}{2}}(c + dx)}{3d}$$

$$= -\frac{2a(3aAb + a^2B + 2b^2B) \sqrt{\cot(c + dx)}}{d} - \frac{2a^2(aA + 3bB) \cot^{\frac{3}{2}}(c + dx)}{3d}$$

$$= -\frac{(3a^2b(A - B) - b^3(A - B) + a^3(A + B) - 3ab^2(A + B)) \tan^{\frac{5}{2}}(c + dx)}{\sqrt{2}d}$$

Mathematica [A] time = 2.10353, size = 270, normalized size = 0.72

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) + b^3(B-A))(\tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)}) - \tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)+1}))}{2\sqrt{2}} + \frac{(-3a^2b(A+B) - b^3(A+B) + a^3(A+B)) \tan^{\frac{5}{2}}(c + dx)}{\sqrt{2}d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

[Out] (2*Sqrt[Cot[c + d*x]]*(((3*a^2*b*(A - B) + b^3*(-A + B) + a^3*(A + B) - 3*a*b^2*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (3*a^2*b*(A + B) + b^3*(A + B) - a^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (3*a^2*b*(A + B) + b^3*(A + B) - a^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]])

$$\frac{\sqrt{\tan[c + dx]}}{(2\sqrt{2})} + \left((a^3(A - B) + 3ab^2(-A + B) - 3a^2b(A + B) + b^3(A + B)) \cdot (\log[1 - \sqrt{2}\sqrt{\tan[c + dx]} + \tan[c + dx]] - \log[1 + \sqrt{2}\sqrt{\tan[c + dx]} + \tan[c + dx]]) \right) / (4\sqrt{2}) - (a^3A) / (3\tan[c + dx]^{3/2}) - (a^2(3Ab + aB)) / \sqrt{\tan[c + dx]} + b^3B\sqrt{\tan[c + dx]} / d$$

Maple [C] time = 0.577, size = 9099, normalized size = 24.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(dx+c)^(5/2)*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x)

[Out] result too large to display

Maxima [A] time = 1.67002, size = 424, normalized size = 1.13

$$24Bb^3\sqrt{\tan(dx+c)} + 6\sqrt{2}\left((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3\right) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="maxima")

[Out] $\frac{1}{12} \cdot (24Bb^3\sqrt{\tan(dx+c)} + 6\sqrt{2} \cdot ((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3) \cdot \arctan(\frac{1}{2}\sqrt{2} \cdot (\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}))) + 6\sqrt{2} \cdot ((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3) \cdot \arctan(-\frac{1}{2}\sqrt{2} \cdot (\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}))) - 3\sqrt{2} \cdot ((A-B)a^3 - 3(A+B)a^2b - 3(A-B)ab^2 + (A+B)b^3) \cdot \log(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1) + 3\sqrt{2} \cdot ((A-B)a^3 - 3(A+B)a^2b - 3(A-B)ab^2 + (A+B)b^3) \cdot \log(-\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1) - 8Aa^3/\tan(dx+c)^{3/2} - 24(Ba^3 + 3Aa^2b)/\sqrt{\tan(dx+c)}) / d$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a+b*tan(dx+c))^3*(A+B*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(5/2)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*cot(d*x + c)^(5/2), x)

$$3.586 \quad \int \cot^2(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=372

$$\frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) - b^3(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) - b^3(A - B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d}$$

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + (2*b^2*(3*A*b + 7*a*B))/(3*d*Sqrt[Cot[c + d*x]]) - (2*a^2*(3*a*A + b*B)*Sqrt[Cot[c + d*x]])/(3*d) + (2*b*B*(b + a*Cot[c + d*x])^2)/(3*d*Cot[c + d*x]^(3/2)) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.694769, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3581, 3605, 3635, 3630, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) - b^3(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) - b^3(A - B)) \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) + (2*b^2*(3*A*b + 7*a*B))/(3*d*Sqrt[Cot[c + d*x]]) - (2*a^2*(3*a*A + b*B)*Sqrt[Cot[c + d*x]])/(3*d) + (2*b*B*(b + a*Cot[c + d*x])^2)/(3*d*Cot[c + d*x]^(3/2)) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
```

```

b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3635

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]

```

Rule 3630

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Simp[(C*(a +
b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Int[(a + b*Tan[e + f*x])^m*Si
mp[A - C + B*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
NeQ[A*b^2 - a*b*B + a^2*C, 0] && !LeQ[m, -1]

```

Rule 3534

```

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

```

Rule 204

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[

```


`-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 1165

`Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]`

Rule 628

`Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

Rubi steps

$$\int \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx = \int \frac{(b + a \cot(c + dx))^3(B + A \cot(c + dx))}{\cot^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)} - \frac{2}{3} \int \frac{(b + a \cot(c + dx)) \left(-\frac{1}{2}b\right)}{\cot^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}b \left(-\frac{1}{2}b\right)}{\cot^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} - \frac{2a^2(3aA + bB)\sqrt{\cot(c + dx)}}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} - \frac{2a^2(3aA + bB)\sqrt{\cot(c + dx)}}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} - \frac{2a^2(3aA + bB)\sqrt{\cot(c + dx)}}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} - \frac{2a^2(3aA + bB)\sqrt{\cot(c + dx)}}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} - \frac{2a^2(3aA + bB)\sqrt{\cot(c + dx)}}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2b^2(3Ab + 7aB)}{3d\sqrt{\cot(c + dx)}} - \frac{2a^2(3aA + bB)\sqrt{\cot(c + dx)}}{3d} + \frac{2bB(b + a \cot(c + dx))^2}{3d \cot^{\frac{3}{2}}(c + dx)}$$

$$= \frac{(a^3(A - B) - 3ab^2(A - B) - 3a^2b(A + B) + b^3(A + B))}{\sqrt{2d}}$$

Mathematica [A] time = 2.07442, size = 270, normalized size = 0.73

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{(-3a^2b(A+B)+a^3(A-B)+3ab^2(B-A)+b^3(A+B))(\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})-\tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)+1}))}{2\sqrt{2}} - \frac{(3a^2b(A+B) - 3a^2b(A+B) + b^3(A+B))}{\sqrt{2d}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]), x]

```
[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((a^3*(A - B) + 3*a*b^2*(-A + B)
- 3*a^2*b*(A + B) + b^3*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] -
ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(2*Sqrt[2]) - ((3*a^2*b*(A - B) +
b^3*(-A + B) + a^3*(A + B) - 3*a*b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c +
d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]
))/(4*Sqrt[2]) - (a^3*A)/Sqrt[Tan[c + d*x]] + b^2*(A*b + 3*a*B)*Sqrt[Tan[c
+ d*x]] + (b^3*B*Tan[c + d*x]^(3/2))/3)/d
```

Maple [C] time = 0.63, size = 8955, normalized size = 24.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)
```

[Out] result too large to display

Maxima [A] time = 1.5331, size = 427, normalized size = 1.15

$$\frac{24 A a^3}{\sqrt{\tan(dx+c)}} - 6 \sqrt{2} \left((A - B) a^3 - 3 (A + B) a^2 b - 3 (A - B) a b^2 + (A + B) b^3 \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) - 6 \sqrt{2} \left((A - B) a^3 - 3 (A + B) a^2 b - 3 (A - B) a b^2 + (A + B) b^3 \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}} \right) \right) - 3 \sqrt{2} \left((A + B) a^3 + 3 (A - B) a^2 b - 3 (A + B) a b^2 - (A - B) b^3 \right) \log \left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1 \right) + 3 \sqrt{2} \left((A + B) a^3 + 3 (A - B) a^2 b - 3 (A + B) a b^2 - (A - B) b^3 \right) \log \left(-\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1 \right) - 8 (B b^3 + 3 (3 B a b^2 + A b^3) / \tan(dx+c)) \tan(dx+c)^{3/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm
="maxima")
```

```
[Out] -1/12*(24*A*a^3/sqrt(tan(d*x + c)) - 6*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2
*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(ta
n(d*x + c)))) - 6*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2
+ (A + B)*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - 3*sq
rt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*log(s
qrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 3*sqrt(2)*((A + B)*a^3 +
3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*log(-sqrt(2)/sqrt(tan(d*x
+ c)) + 1/tan(d*x + c) + 1) - 8*(B*b^3 + 3*(3*B*a*b^2 + A*b^3)/tan(d*x + c)
)*tan(d*x + c)^(3/2))/d
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm
="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*cot(d*x + c)^(3/2), x)

$$3.587 \quad \int \sqrt{\cot(c + dx)}(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx$$

Optimal. Leaf size=380

$$\frac{2b(14a^2B + 15aAb - 5b^2B)}{5d\sqrt{\cot(c + dx)}} - \frac{(-3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) + b^3(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{2\sqrt{2}d}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*(5*A*b + 9*a*B))/(15*d*Cot[c + d*x]^(3/2)) + (2*b*(15*A*b + 14*a^2*B - 5*b^2*B))/(5*d*Sqrt[Cot[c + d*x]]) + (2*b*B*(b + a*Cot[c + d*x])^2)/(5*d*Cot[c + d*x]^(5/2)) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d))
```

Rubi [A] time = 0.714132, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3581, 3605, 3635, 3628, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2b(14a^2B + 15aAb - 5b^2B)}{5d\sqrt{\cot(c + dx)}} - \frac{(-3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) + b^3(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*(5*A*b + 9*a*B))/(15*d*Cot[c + d*x]^(3/2)) + (2*b*(15*A*b + 14*a^2*B - 5*b^2*B))/(5*d*Sqrt[Cot[c + d*x]]) + (2*b*B*(b + a*Cot[c + d*x])^2)/(5*d*Cot[c + d*x]^(5/2)) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d))
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
```

Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3635

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c + d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 + d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Tan[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -1]

Rule 3628

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A - C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rule 3534

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\int \sqrt{\cot(c + dx)}(a + b \tan(c + dx))^3(A + B \tan(c + dx)) dx = \int \frac{(b + a \cot(c + dx))^3(B + A \cot(c + dx))}{\cot^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2bB(b + a \cot(c + dx))^2}{5d \cot^{\frac{5}{2}}(c + dx)} - \frac{2}{5} \int \frac{(b + a \cot(c + dx)) \left(-\frac{1}{2}b(5\right)}{\cot^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2b^2(5Ab + 9aB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2bB(b + a \cot(c + dx))^2}{5d \cot^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}b(15)}{\cot^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2(5Ab + 9aB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2b(15aAb + 14a^2B - 5b^2B)}{5d \sqrt{\cot(c + dx)}} + \frac{2bB(b + a \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2b^2(5Ab + 9aB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2b(15aAb + 14a^2B - 5b^2B)}{5d \sqrt{\cot(c + dx)}} + \frac{2bB(b + a \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2b^2(5Ab + 9aB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2b(15aAb + 14a^2B - 5b^2B)}{5d \sqrt{\cot(c + dx)}} + \frac{2bB(b + a \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2b^2(5Ab + 9aB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2b(15aAb + 14a^2B - 5b^2B)}{5d \sqrt{\cot(c + dx)}} + \frac{2bB(b + a \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2b^2(5Ab + 9aB)}{15d \cot^{\frac{3}{2}}(c + dx)} + \frac{2b(15aAb + 14a^2B - 5b^2B)}{5d \sqrt{\cot(c + dx)}} + \frac{2bB(b + a \cot(c + dx))}{5d \cot^{\frac{5}{2}}(c + dx)}$$

$$= \frac{(3a^2b(A - B) - b^3(A - B) + a^3(A + B) - 3ab^2(A + B)) \tan^{-1}\left(\frac{\sqrt{\tan(c + dx)}}{\sqrt{\cot(c + dx)}}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right)}{\sqrt{2}d} + b(3a^2B + \dots)$$

Mathematica [A] time = 1.26847, size = 287, normalized size = 0.76

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(-\frac{(3a^2b(A - B) + a^3(A + B) - 3ab^2(A + B) + b^3(B - A))(\tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)}) - \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)} + 1))}{2\sqrt{2}} + b(3a^2B + \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]),x]

[Out] $(2\sqrt{\cot[c + dx]}\sqrt{\tan[c + dx]}*((3a^2b(A - B) + b^3(-A + B) + a^3(A + B) - 3ab^2(A + B))*(\arctan[1 - \sqrt{2}\sqrt{\tan[c + dx]}] - \arctan[1 + \sqrt{2}\sqrt{\tan[c + dx]})]/(2\sqrt{2}) - ((a^3(A - B) + 3ab^2(-A + B) - 3a^2b(A + B) + b^3(A + B))*(\log[1 - \sqrt{2}\sqrt{\tan[c + dx]}] + \tan[c + dx]) - \log[1 + \sqrt{2}\sqrt{\tan[c + dx]}] + \tan[c + dx]))/(4\sqrt{2}) + b(3aAb + 3a^2B - b^2B)\sqrt{\tan[c + dx]} + (b^2(Ab + 3aB)\tan[c + dx]^{3/2})/3 + (b^3B\tan[c + dx]^{5/2})/5)/d$

Maple [C] time = 0.702, size = 4947, normalized size = 13.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x)

[Out] $1/30/dx^{1/2}*(\cos(dx+c)-1)*(90A^2^{1/2}\cos(dx+c)^3ab^2+90B^2^{1/2}\cos(dx+c)^3a^2b-45\sin(dx+c)B\cos(dx+c)^2b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2-1/2I,1/2*2^{1/2})*a+45\sin(dx+c)B\cos(dx+c)^2a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})*b-45\sin(dx+c)B\cos(dx+c)^2b^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})*a-90\sin(dx+c)B\cos(dx+c)^2a^2*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2*2^{1/2})*b+45\sin(dx+c)A\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2-1/2I,1/2*2^{1/2})*a^2b+45\sin(dx+c)A\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2-1/2I,1/2*2^{1/2})*ab^2+45\sin(dx+c)A\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})*a^2b+45\sin(dx+c)A\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2I,1/2*2^{1/2})*ab^2-90\sin(dx+c)A\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticF}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2*2^{1/2})*ab^2+45\sin(dx+c)B\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2-1/2I,1/2*2^{1/2})*a^2b-36*2^{1/2}B\cos(dx+c)^3b^3+6*2^{1/2}B\cos(dx+c)b^3+30*2^{1/2}B\cos(dx+c)^2\sin(dx+c)ab^2-6B^2^{1/2}b^3-90*2^{1/2}A\cos(dx+c)^2ab^2-10*2^{1/2}\sin(dx+c)A\cos(dx+c)b^3-90*2^{1/2}B\cos(dx+c)^2a^2b+15\sin(dx+c)B\cos(dx+c)^2*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*\text{EllipticPi}((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2-1/2I,1/2*2^{1/2})$

$$\begin{aligned} & x+c)/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1)/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2),1/2+1/2*I,1/2*2^{(1/2)}}*b^3-15*I*A*\cos(d*x+c)^2*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2),1/2-1/2*I,1/2*2^{(1/2)}}*a^3+15*I*A*\cos(d*x+c)^2*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2),1/2-1/2*I,1/2*2^{(1/2)}}*b^3+15*I*B*\cos(d*x+c)^2*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2),1/2+1/2*I,1/2*2^{(1/2)}}*a^3+15*I*B*\cos(d*x+c)^2*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2),1/2+1/2*I,1/2*2^{(1/2)}}*b^3-15*I*B*\cos(d*x+c)^2*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2),1/2+1/2*I,1/2*2^{(1/2)}}*b^3-15*I*B*\cos(d*x+c)^2*\sin(d*x+c)*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{(1/2)*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{(1/2)+10*2^{(1/2)}*A*\cos(d*x+c)^2*\sin(d*x+c)*b^3*(\cos(d*x+c)+1)^2*(\cos(d*x+c)/\sin(d*x+c))^{(1/2)/\cos(d*x+c)^3/\sin(d*x+c)^3} \end{aligned}$$

Maxima [A] time = 1.62235, size = 451, normalized size = 1.19

$$8 \left(3 B b^3 + \frac{5 (3 B a b^2 + A b^3)}{\tan(dx+c)} + \frac{15 (3 B a^2 b + 3 A a b^2 - B b^3)}{\tan(dx+c)^2} \right) \tan(dx+c)^{\frac{5}{2}} - 30 \sqrt{2} \left((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3 \right) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) - 30 \sqrt{2} \left((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3 \right) \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 15 \sqrt{2} \left((A-B)a^3 - 3(A+B)a^2b - 3(A-B)a*b^2 + (A+B)b^3 \right) \log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1\right) - 15 \sqrt{2} \left((A-B)a^3 - 3(A+B)a^2b - 3(A-B)a*b^2 + (A+B)b^3 \right) \log\left(-\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1\right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/60*(8*(3*B*b^3 + 5*(3*B*a*b^2 + A*b^3)/tan(d*x + c) + 15*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)/tan(d*x + c)^2)*tan(d*x + c)^(5/2) - 30*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) - 30*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + 15*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - 15*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1)/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) (a + b \tan(c + dx))^3 \sqrt{\cot(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+b*tan(d*x+c))**3*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3*sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^3 \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^3*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3*sqrt(cot(d*x + c)), x)

$$3.588 \quad \int \frac{(a+b \tan(c+dx))^3 (A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=421

$$\frac{2b(18a^2B + 21aAb - 7b^2B)}{21d \cot^{\frac{3}{2}}(c+dx)} + \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3)}{d\sqrt{\cot(c+dx)}} + \frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \operatorname{ArcTan}\left[\frac{1 - \sqrt{2}\sqrt{\cot(c+dx)}}{\sqrt{2}\sqrt{\cot(c+dx)}}\right] + (3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \operatorname{ArcTan}\left[\frac{1 + \sqrt{2}\sqrt{\cot(c+dx)}}{\sqrt{2}\sqrt{\cot(c+dx)}}\right]}{2\sqrt{2}d}$$

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*(7*A*b + 11*a*B))/(35*d*Cot[c + d*x]^(5/2)) + (2*b*(21*a*A*b + 18*a^2*B - 7*b^2*B))/(21*d*Cot[c + d*x]^(3/2)) + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B))/(d*Sqrt[Cot[c + d*x]]) + (2*b*B*(b + a*Cot[c + d*x])^2)/(7*d*Cot[c + d*x]^(7/2)) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.782665, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3581, 3605, 3635, 3628, 3529, 3534, 1168, 1162, 617, 204, 1165, 628}

$$\frac{2b(18a^2B + 21aAb - 7b^2B)}{21d \cot^{\frac{3}{2}}(c+dx)} + \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3)}{d\sqrt{\cot(c+dx)}} + \frac{(3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \operatorname{ArcTan}\left[\frac{1 - \sqrt{2}\sqrt{\cot(c+dx)}}{\sqrt{2}\sqrt{\cot(c+dx)}}\right] + (3a^2b(A-B) + a^3(A+B) - 3ab^2(A+B) - b^3(A-B)) \operatorname{ArcTan}\left[\frac{1 + \sqrt{2}\sqrt{\cot(c+dx)}}{\sqrt{2}\sqrt{\cot(c+dx)}}\right]}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) - 3*a^2*b*(A + B) + b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (2*b^2*(7*A*b + 11*a*B))/(35*d*Cot[c + d*x]^(5/2)) + (2*b*(21*a*A*b + 18*a^2*B - 7*b^2*B))/(21*d*Cot[c + d*x]^(3/2)) + (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B))/(d*Sqrt[Cot[c + d*x]]) + (2*b*B*(b + a*Cot[c + d*x])^2)/(7*d*Cot[c + d*x]^(7/2)) + ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d) - ((3*a^2*b*(A - B) - b^3*(A - B) + a^3*(A + B) - 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p_*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m_*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n_, x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m_*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])^n_, x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
```

```

b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3635

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.
)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(c^2*C - B*c*d + A*d^2)*(c +
d*Tan[e + f*x])^(n + 1))/(d^2*f*(n + 1)*(c^2 + d^2)), x] + Dist[1/(d*(c^2 +
d^2)), Int[(c + d*Tan[e + f*x])^(n + 1)*Simp[a*d*(A*c - c*C + B*d) + b*(c^
2*C - B*c*d + A*d^2) + d*(A*b*c + a*B*c - b*c*C - a*A*d + b*B*d + a*C*d)*Ta
n[e + f*x] + b*C*(c^2 + d^2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[c^2 + d^2, 0] && LtQ[n, -
1]

```

Rule 3628

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Simp[((A*b^2
- a*b*B + a^2*C)*(a + b*Tan[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 + b^2)), x
] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[b*B + a*(A -
C) - (A*b - a*B - b*C)*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && NeQ[A*b^2 - a*b*B + a^2*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

```

Rule 3529

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^(m + 1))
/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b*Tan[e + f*x])
^(m + 1)*Simp[a*c + b*d - (b*c - a*d)*Tan[e + f*x], x], x], x] /; FreeQ[{a,
b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && LtQ[m, -1]

```

Rule 3534

```

Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\int \frac{(a + b \tan(c + dx))^3 (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx = \int \frac{(b + a \cot(c + dx))^3 (B + A \cot(c + dx))}{\cot^{\frac{9}{2}}(c + dx)} dx$$

$$= \frac{2bB(b + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} - \frac{2}{7} \int \frac{(b + a \cot(c + dx)) \left(-\frac{1}{2}b(7Ab + 11aB)\right)}{\cot^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2b^2(7Ab + 11aB)}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2bB(b + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}b(21aAb + 18a^2B - 7b^2B)}{\cot^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2(7Ab + 11aB)}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B - 7b^2B)}{21d \cot^{\frac{3}{2}}(c + dx)} + \frac{2bB(b + a \cot(c + dx))^2}{7d \cot^{\frac{7}{2}}(c + dx)}$$

$$= \frac{2b^2(7Ab + 11aB)}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B - 7b^2B)}{21d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(3a^2Ab - Ab^3)}{d\sqrt{\cot(c + dx)}}$$

$$= \frac{2b^2(7Ab + 11aB)}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B - 7b^2B)}{21d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(3a^2Ab - Ab^3)}{d\sqrt{\cot(c + dx)}}$$

$$= \frac{2b^2(7Ab + 11aB)}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B - 7b^2B)}{21d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(3a^2Ab - Ab^3)}{d\sqrt{\cot(c + dx)}}$$

$$= \frac{2b^2(7Ab + 11aB)}{35d \cot^{\frac{5}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B - 7b^2B)}{21d \cot^{\frac{3}{2}}(c + dx)} + \frac{2(3a^2Ab - Ab^3)}{d\sqrt{\cot(c + dx)}}$$

$$= \frac{(a^3(A - B) - 3ab^2(A - B) - 3a^2b(A + B) + b^3(A + B)) \tan^{-1}\left(1 - \sqrt{\cot(c + dx)}\right)}{\sqrt{2d}}$$

Mathematica [A] time = 2.53018, size = 327, normalized size = 0.78

$$2\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(\frac{1}{3}b(3a^2B+3aAb-b^2B)\tan^{\frac{3}{2}}(c+dx)-\frac{(-3a^2b(A+B)+a^3(A-B)+3ab^2(B-A)+b^3(A+B))(\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})-\tan^{-1}(1+\sqrt{2}\sqrt{\tan(c+dx)})}{2\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^3*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-((a^3*(A - B) + 3*a*b^2*(-A + B) - 3*a^2*b*(A + B) + b^3*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(2*Sqrt[2]) + ((3*a^2*b*(A - B) + b^3*(-A + B) + a^3*(A + B) - 3*a*b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(4*Sqrt[2]) + (3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Tan[c + d*x]] + (b*(3*a*A*b + 3*a^2*B - b^2*B)*Tan[c + d*x]^(3/2))/3 + (b^2*(A*b + 3*a*B)*Tan[c + d*x]^(5/2))/5 + (b^3*B*Tan[c + d*x]^(7/2))/7)/d

Maple [C] time = 0.781, size = 5111, normalized size = 12.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

[Out] result too large to display

Maxima [A] time = 1.59752, size = 500, normalized size = 1.19

$$8\left(15Bb^3 + \frac{21(3Bab^2+Ab^3)}{\tan(dx+c)} + \frac{35(3Ba^2b+3Aab^2-Bb^3)}{\tan(dx+c)^2} + \frac{105(Ba^3+3Aa^2b-3Bab^2-Ab^3)}{\tan(dx+c)^3}\right)\tan(dx+c)^{\frac{7}{2}} - 210\sqrt{2}((A-B)a^3 - 3(A+B)a^2b - 3(A-B)ab^2 + (A+B)b^3)\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) - 210\sqrt{2}((A-B)a^3 - 3(A+B)a^2b - 3(A-B)ab^2 + (A+B)b^3)\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) - 105\sqrt{2}((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3)\log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1\right) + 105\sqrt{2}((A+B)a^3 + 3(A-B)a^2b - 3(A+B)ab^2 - (A-B)b^3)\log\left(-\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1\right)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x, algorithm="maxima")

[Out] 1/420*(8*(15*B*b^3 + 21*(3*B*a*b^2 + A*b^3)/tan(d*x + c) + 35*(3*B*a^2*b + 3*A*a*b^2 - B*b^3)/tan(d*x + c)^2 + 105*(B*a^3 + 3*A*a^2*b - 3*B*a*b^2 - A*b^3)/tan(d*x + c)^3)*tan(d*x + c)^(7/2) - 210*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) - 210*sqrt(2)*((A - B)*a^3 - 3*(A + B)*a^2*b - 3*(A - B)*a*b^2 + (A + B)*b^3)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - 105*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + 105*sqrt(2)*((A + B)*a^3 + 3*(A - B)*a^2*b - 3*(A + B)*a*b^2 - (A - B)*b^3)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^3}{\sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**3*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**3/sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^3}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^3*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^3/sqrt(cot(d*x + c)), x)

$$3.589 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=325

$$\frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} - \frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

```
[Out] ((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - (2*b^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]]/(a^(5/2)*(a^2 + b^2)*d) + (2*(A*b - a*B)*Sqrt[Cot[c + d*x]]/(a^2*d) - (2*A*Cot[c + d*x]^(3/2))/(3*a*d) + ((a*(A - B) + b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 1.12914, antiderivative size = 325, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3607, 3647, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} - \frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]
```

```
[Out] ((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - (2*b^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]]/(a^(5/2)*(a^2 + b^2)*d) + (2*(A*b - a*B)*Sqrt[Cot[c + d*x]]/(a^2*d) - (2*A*Cot[c + d*x]^(3/2))/(3*a*d) + ((a*(A - B) + b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
```


$(A*b + a*B)*d*(m + n)*\text{Tan}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] & & (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

$\text{Int}[\text{((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}^{(m_.)} * \text{((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}^{(n_.)} * \text{((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{tan}[(e_.) + (f_.)*(x_.)]^2)}, x_Symbol] :> \text{Simp}[(C*(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^{(n + 1)}) / (d*f*(m + n + 1)), x] + \text{Dist}[1 / (d*(m + n + 1)), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m - 1)} * (c + d*\text{Tan}[e + f*x])^n * \text{Simp}[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*\text{Tan}[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*\text{Tan}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

$\text{Int}[\text{(((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}^{(n_.)} * \text{((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{tan}[(e_.) + (f_.)*(x_.)]^2)}) / \text{((a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])}, x_Symbol] :> \text{Dist}[1 / (a^2 + b^2), \text{Int}[(c + d*\text{Tan}[e + f*x])^n * \text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\text{Tan}[e + f*x], x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C) / (a^2 + b^2), \text{Int}[\text{((c + d*\text{Tan}[e + f*x])^n * (1 + \text{Tan}[e + f*x]^2))} / (a + b*\text{Tan}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

$\text{Int}[\text{((c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)])} / \text{Sqrt}[(b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]], x_Symbol] :> \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2) / (b^2 + x^4), x], x, \text{Sqrt}[b*\text{Tan}[e + f*x]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[\text{((d_.) + (e_.)*(x_.)^2)} / \text{((a_.) + (c_.)*(x_.)^4)}, x_Symbol] :> \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e) / (2*a*c), \text{Int}[(q + c*x^2) / (a + c*x^4), x], x] + \text{Dist}[(d*q - a*e) / (2*a*c), \text{Int}[(q - c*x^2) / (a + c*x^4), x], x] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[\text{((d_.) + (e_.)*(x_.)^2)} / \text{((a_.) + (c_.)*(x_.)^4)}, x_Symbol] :> \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e / (2*c), \text{Int}[1 / \text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e / (2*c), \text{Int}[1 / \text{Simp}[d/e - q*x + x^2, x], x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[\text{((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)}^{-1}, x_Symbol] :> \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1 / (q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /;

FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2]), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx &= \int \frac{\cot^{\frac{5}{2}}(c+dx)(B+A \cot(c+dx))}{b+a \cot(c+dx)} dx \\
&= -\frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} - \frac{2 \int \frac{\sqrt{\cot(c+dx)} \left(\frac{3Ab}{2} + \frac{3}{2} aA \cot(c+dx) + \frac{3}{2} (Ab-aB) \cot^2(c+dx) \right)}{b+a \cot(c+dx)} dx}{3a} \\
&= \frac{2(Ab-aB)\sqrt{\cot(c+dx)}}{a^2d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} + \frac{4 \int \frac{\frac{3}{4}b(Ab-aB) - \frac{3}{4}a^2B \cot(c+dx) - \frac{3}{4}a^2(Ab-aB)\cot^2(c+dx)}{\sqrt{\cot(c+dx)}(b+a \cot(c+dx))} dx}{3a^2} \\
&= \frac{2(Ab-aB)\sqrt{\cot(c+dx)}}{a^2d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} + \frac{4 \int \frac{\frac{3}{4}a^2(Ab-aB) - \frac{3}{4}a^2(aA+bB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx}{3a^2(a^2+b^2)} \\
&= \frac{2(Ab-aB)\sqrt{\cot(c+dx)}}{a^2d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} + \frac{8 \operatorname{Subst} \left(\int \frac{-\frac{3}{4}a^2(Ab-aB) + \frac{3}{4}a^2(aA+bB) \cot(c+dx)}{1+x^4} dx \right)}{3a^2(a^2+b^2)} \\
&= \frac{2(Ab-aB)\sqrt{\cot(c+dx)}}{a^2d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} - \frac{(2b^3(Ab-aB)) \operatorname{Subst} \left(\int \frac{1}{b+x^2} dx \right)}{a^2(a^2+b^2)} \\
&= -\frac{2b^{5/2}(Ab-aB) \tan^{-1} \left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}} \right)}{a^{5/2}(a^2+b^2)d} + \frac{2(Ab-aB)\sqrt{\cot(c+dx)}}{a^2d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} \\
&= -\frac{2b^{5/2}(Ab-aB) \tan^{-1} \left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}} \right)}{a^{5/2}(a^2+b^2)d} + \frac{2(Ab-aB)\sqrt{\cot(c+dx)}}{a^2d} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad} \\
&= \frac{(b(A-B) - a(A+B)) \tan^{-1} \left(1 - \sqrt{2}\sqrt{\cot(c+dx)} \right)}{\sqrt{2}(a^2+b^2)d} - \frac{(b(A-B) - a(A+B)) \cot^{\frac{3}{2}}(c+dx)}{\sqrt{2}a^2}
\end{aligned}$$

Mathematica [A] time = 1.64012, size = 272, normalized size = 0.84

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(\frac{24b^{5/2}(aB-Ab) \tan^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}} \right)}{a^{5/2}(a^2+b^2)} - \frac{6\sqrt{2}(a(A+B)+b(B-A))(\tan^{-1}(1-\sqrt{2}\sqrt{\tan(c+dx)})-\tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)}))}{a^2+b^2} \right)$$

12d

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] -(Sqrt[Cot[c + d*x]]*((-6*Sqrt[2]*(b*(-A + B) + a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(a^2 + b^2) + (24*b^(5/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)) - (3*Sqrt[2]*(a*(A - B) + b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(a^2 + b^2) + (8*A)/(a*Tan[c + d*x]^(3/2)) + (24*(-(A*b) + a*B))/(a^2*Sqrt[Tan[c + d*x]]))*Sqrt[Tan[c + d*x]]/(12*d)

Maple [C] time = 1.073, size = 22300, normalized size = 68.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/(b*tan(d*x + c) + a), x)`

$$3.590 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=297

$$\frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} - \frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

```
[Out] -(((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*b^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*S
qrt[Cot[c + d*x]])/Sqrt[b]])/(a^(3/2)*(a^2 + b^2)*d) - (2*A*Sqrt[Cot[c + d*
x]])/(a*d) + ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] +
Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 +
Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 0.771008, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3581, 3607, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} - \frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] -(((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*b^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*S
qrt[Cot[c + d*x]])/Sqrt[b]])/(a^(3/2)*(a^2 + b^2)*d) - (2*A*Sqrt[Cot[c + d*
x]])/(a*d) + ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] +
Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 +
Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(
x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist
[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*
Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ
[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
```

0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2]))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[(((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S

imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((A_) + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx))}{a + b \tan(c + dx)} dx &= \int \frac{\cot^{\frac{3}{2}}(c + dx)(B + A \cot(c + dx))}{b + a \cot(c + dx)} dx \\ &= -\frac{2A\sqrt{\cot(c + dx)}}{ad} - \frac{2 \int \frac{\frac{Ab}{2} + \frac{1}{2}aA \cot(c+dx) + \frac{1}{2}(Ab-aB) \cot^2(c+dx)}{\sqrt{\cot(c+dx)}(b+a \cot(c+dx))} dx}{a} \\ &= -\frac{2A\sqrt{\cot(c + dx)}}{ad} - \frac{2 \int \frac{\frac{1}{2}a(aA+bB) + \frac{1}{2}a(Ab-aB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx}{a(a^2 + b^2)} - \frac{(b^2(Ab - aB)) \int \frac{1}{a} dx}{a} \\ &= -\frac{2A\sqrt{\cot(c + dx)}}{ad} - \frac{4 \text{Subst}\left(\int \frac{-\frac{1}{2}a(aA+bB) - \frac{1}{2}a(Ab-aB)x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{a(a^2 + b^2)d} \\ &= -\frac{2A\sqrt{\cot(c + dx)}}{ad} + \frac{(2b^2(Ab - aB)) \text{Subst}\left(\int \frac{1}{b+ax^2} dx, x, \sqrt{\cot(c + dx)}\right)}{a(a^2 + b^2)d} \\ &= \frac{2b^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{3/2}(a^2 + b^2)d} - \frac{2A\sqrt{\cot(c + dx)}}{ad} + \frac{(b(A - B) - a(A - B)) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{3/2}(a^2 + b^2)d} \\ &= \frac{2b^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{3/2}(a^2 + b^2)d} - \frac{2A\sqrt{\cot(c + dx)}}{ad} + \frac{(b(A - B) - a(A - B)) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{3/2}(a^2 + b^2)d} \\ &= -\frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d} + \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(\sqrt{2}\sqrt{\cot(c + dx)} + 1\right)}{\sqrt{2}(a^2 + b^2)d} \end{aligned}$$

Mathematica [A] time = 0.876817, size = 249, normalized size = 0.84

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{8b^{3/2}(aB - Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}(a^2 + b^2)} + \frac{2\sqrt{2}(a(A - B) + b(A + B))(\tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c+dx)}) - \tan^{-1}(\sqrt{2}\sqrt{\tan(c+dx)} + 1))}{a^2 + b^2} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*((2*Sqrt[2]*(a*(A - B) + b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(a^2 + b^2) + (8*b^(3/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(3/2)*(a^2 + b^2)) - (Sqrt[2]*(b*(-A + B) + a*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(a^2 + b^2) - (8*A)/(a*Sqrt[Tan[c + d*x]]))*Sqrt[Tan[c + d*x]])/(4*d)
```

Maple [C] time = 0.668, size = 20614, normalized size = 69.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a), x)

$$3.591 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=278

$$\frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} + \frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

[Out] -(((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*Sqrt[b]*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(Sqrt[a]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)

Rubi [A] time = 0.459772, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3581, 3612, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} + \frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -(((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - (2*Sqrt[b]*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(Sqrt[a]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3612

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]])/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[Simp[A*(a*c + b*d) + B*(b*c - a*d) - (A*(b*c - a*d) - B*(a*c + b*d))*Tan[e + f*x], x]/Sqrt[c + d*Tan[e + f*x]], x], x] - Dist[((b*c - a*d)*(B*a - A*b))/(a^2 + b^2), Int[(1 + Tan[e + f*x]^2)/((a + b*Tan[e + f*x])*Sqrt[c + d*Tan[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3534

```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_
)]]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)^2]), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{a+b \tan(c+dx)} dx &= \int \frac{\sqrt{\cot(c+dx)}(B+A \cot(c+dx))}{b+a \cot(c+dx)} dx \\
 &= \frac{\int \frac{-Ab+aB+(aA+bB) \cot(c+dx)}{\sqrt{\cot(c+dx)}} dx}{a^2+b^2} + \frac{(b(Ab-aB)) \int \frac{1+\cot^2(c+dx)}{\sqrt{\cot(c+dx)}(b+a \cot(c+dx))} dx}{a^2+b^2} \\
 &= \frac{2 \operatorname{Subst}\left(\int \frac{Ab-aB+(-aA-bB)x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{(a^2+b^2)d} + \frac{(b(Ab-aB)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, \sqrt{\cot(c+dx)}\right)}{(a^2+b^2)d} \\
 &= -\frac{(2b(Ab-aB)) \operatorname{Subst}\left(\int \frac{1}{b+ax^2} dx, x, \sqrt{\cot(c+dx)}\right)}{(a^2+b^2)d} + \frac{(b(A-B)-a(A+B)) \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2x}} dx, x, \sqrt{\cot(c+dx)}\right)}{2(a^2+b^2)d} \\
 &= -\frac{2\sqrt{b}(Ab-aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{\sqrt{a}(a^2+b^2)d} + \frac{(b(A-B)-a(A+B)) \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2x}} dx, x, \sqrt{\cot(c+dx)}\right)}{2(a^2+b^2)d} \\
 &= -\frac{2\sqrt{b}(Ab-aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{\sqrt{a}(a^2+b^2)d} - \frac{(a(A-B)+b(A+B)) \log\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{2\sqrt{2}(a^2+b^2)d} \\
 &= -\frac{(b(A-B)-a(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}(a^2+b^2)d} + \frac{(b(A-B)-a(A+B)) \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2x}} dx, x, \sqrt{\cot(c+dx)}\right)}{\sqrt{2}(a^2+b^2)d}
 \end{aligned}$$

Mathematica [A] time = 0.376939, size = 215, normalized size = 0.77

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(-2\sqrt{2}(a(A+B)+b(B-A)) \left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c+dx)}+1\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] (Sqrt[Cot[c + d*x]]*(-2*Sqrt[2]*(b*(-A + B) + a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (8*Sqrt[b]*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[a] - Sqrt[2]*(a*(A - B) + b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))*Sqrt[Tan[c + d*x]])/(4*(a^2 + b^2)*d)

Maple [C] time = 0.438, size = 4107, normalized size = 14.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.


```

sin(d*x+c))/sin(d*x+c))^(1/2), -a/(-b+(a^2+b^2)^(1/2)-a), 1/2*2^(1/2))*B*b*(a
^2+b^2)^(1/2)+I*B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2),
1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)*a^2+I*B*EllipticPi((-cos(d*x+c)-1-s
in(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a^4+3*I
*B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2
^(1/2))*(a^2+b^2)^(1/2)*a^2*b^2+I*A*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/
sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b+I*B*Elliptic
Pi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^
2+b^2)^(3/2)*a*b+I*B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/
2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a*b^3-I*A*EllipticPi((-cos(d*x+c)
)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)*a*
b-I*A*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/
2*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b-I*A*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))
/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a^2*b^2-I*A*Ellip
ticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*
(a^2+b^2)^(1/2)*a*b^3-3*I*B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)
c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b-3*I*B*EllipticPi((-
cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)
^(1/2)*a^2*b^2-I*B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)
, 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a*b^3-I*B*EllipticPi((-cos(d*x+c)-
1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)*a*b+
3*I*B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/
2*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b+I*A*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))
/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)*a*b-4*A*EllipticF
((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))*(a^2+b^2)^(1/2)
*a^3*b-4*A*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1
/2))*(a^2+b^2)^(1/2)*a^2*b^2-4*A*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(
d*x+c))^(1/2), 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a*b^3-A*EllipticPi((-cos(d*x+c)
-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)*a*b
+3*A*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2
*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b-2*a^2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c)
)/sin(d*x+c))^(1/2), -a/(-b+(a^2+b^2)^(1/2)-a), 1/2*2^(1/2))*A*b^2*(a^2+b^2)^(
1/2)+2*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), -a/(-b+(a^
2+b^2)^(1/2)-a), 1/2*2^(1/2))*b^3*A*(a^2+b^2)^(1/2)*a-B*EllipticPi((-cos(d*
x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)
*a*b-B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1
/2*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b+B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/
sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a^2*b^2+B*Elliptic
Pi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*(a^
2+b^2)^(1/2)*a*b^3-B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/
2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(3/2)*a*b-B*EllipticPi((-cos(d*x+c)-1-
sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a^3*b+
B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^
(1/2))*(a^2+b^2)^(1/2)*a^2*b^2+B*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin
(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*(a^2+b^2)^(1/2)*a*b^3+2*a^3*EllipticP
i((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), a/(a+b+(a^2+b^2)^(1/2)), 1/2
*2^(1/2))*B*b*(a^2+b^2)^(1/2)/sin(d*x+c)^2/cos(d*x+c)*(cos(d*x+c)+1)^2

```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="
maxima")

```

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\cot(c + dx)}}{a + b \tan(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(cot(c + d*x))/(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a), x)

$$3.592 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))}} dx$$

Optimal. Leaf size=278

$$-\frac{(b(A-B)-a(A+B)) \log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)}+1)}{2\sqrt{2}d(a^2+b^2)} + \frac{(b(A-B)-a(A+B)) \log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2+b^2)}$$

[Out] ((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*Sqrt[a]*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(Sqrt[b]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)

Rubi [A] time = 0.46298, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3581, 3613, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$-\frac{(b(A-B)-a(A+B)) \log(\cot(c+dx)-\sqrt{2}\sqrt{\cot(c+dx)}+1)}{2\sqrt{2}d(a^2+b^2)} + \frac{(b(A-B)-a(A+B)) \log(\cot(c+dx)+\sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])),x]

[Out] ((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*Sqrt[a]*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(Sqrt[b]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d) + ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3613

Int[(((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))/((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n*Simp[a*A + b*B - (A*b - a*B)*Tan[e + f*x], x], x] + Dist[(b*(A*b - a*B))/(a^2 + b^2), Int[(((c + d*Tan[e + f*x])^n*(1 + Tan[e + f*x]^2))/(a + b*Tan[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3534


```
Int[((c_) + (d_)*tan[(e_) + (f_)*(x_)])/Sqrt[(b_)*tan[(e_) + (f_)*(x_)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqrt[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)}(a + b \tan(c + dx))} dx &= \int \frac{B + A \cot(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} dx \\
 &= \frac{\int \frac{aA + bB + (Ab - aB) \cot(c + dx)}{\sqrt{\cot(c + dx)}} dx}{a^2 + b^2} - \frac{(a(Ab - aB)) \int \frac{1 + \cot^2(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} dx}{a^2 + b^2} \\
 &= \frac{2 \operatorname{Subst}\left(\int \frac{-aA - bB + (-Ab + aB)x^2}{1 + x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{(a^2 + b^2)d} - \frac{(a(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - x^2}} dx, x, \sqrt{\cot(c + dx)}\right)}{(a^2 + b^2)d} \\
 &= \frac{(2a(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{b + ax^2} dx, x, \sqrt{\cot(c + dx)}\right)}{(a^2 + b^2)d} + \frac{(b(A - B) - a(A + B)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - x^2}} dx, x, \sqrt{\cot(c + dx)}\right)}{(a^2 + b^2)d} \\
 &= \frac{2\sqrt{a}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{\sqrt{b}(a^2 + b^2)d} - \frac{(b(A - B) - a(A + B)) \operatorname{Subst}\left(\int \frac{\sqrt{2} + 2x}{-1 - \sqrt{2}x - x^2} dx, x, \sqrt{\cot(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2)d} \\
 &= \frac{2\sqrt{a}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{\sqrt{b}(a^2 + b^2)d} - \frac{(b(A - B) - a(A + B)) \log\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{2\sqrt{2}(a^2 + b^2)d} \\
 &= \frac{(a(A - B) + b(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d} - \frac{(a(A - B) + b(A + B)) \log\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d}
 \end{aligned}$$

Mathematica [A] time = 0.402428, size = 215, normalized size = 0.77

$$\frac{\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(2\sqrt{2}(a(A - B) + b(A + B)) \left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\tan(c + dx)}\right) - \tan^{-1}\left(\sqrt{2}\sqrt{\tan(c + dx)} + 1\right) \right) \right)}{\sqrt{2}(a^2 + b^2)d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])),x]

[Out] -(Sqrt[Cot[c + d*x]]*(2*Sqrt[2]*(a*(A - B) + b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (8*Sqrt[a]*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[b] - Sqrt[2]*(b*(-A + B) + a*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))*Sqrt[Tan[c + d*x]])/(4*(a^2 + b^2)*d)

Maple [C] time = 0.43, size = 3684, normalized size = 13.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(d*x+c))/\cot(d*x+c)^{(1/2)/(a+b*\tan(d*x+c)),x)$

[Out] $\frac{1}{2}d^{1/2}/(a^2+b^2)^{3/2}/(a+b+(a^2+b^2)^{1/2})/(-b+(a^2+b^2)^{1/2}-a)*$
 $((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}$
 $*(-(\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*(\cos(d*x+c)+1)^2*(\cos(d*x+c)-1)$
 $*(-3*I*A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2})$
 $*(a^2+b^2)^{1/2}*a*b^2-2*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $-a/(-b+(a^2+b^2)^{1/2}-a),1/2*2^{1/2})*a^4+2*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $a/(a+b+(a^2+b^2)^{1/2}),1/2*2^{1/2})*a^4+3*I*A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^2*b+B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*b-B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^3-B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3+B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*a+B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*b-B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^3-B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3-2*B*(a^2+b^2)^{1/2}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $a/(a+b+(a^2+b^2)^{1/2}),1/2*2^{1/2})*a^3-2*B*(a^2+b^2)^{1/2}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $-a/(-b+(a^2+b^2)^{1/2}-a),1/2*2^{1/2})*a^3+2*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $a/(a+b+(a^2+b^2)^{1/2}),1/2*2^{1/2})*a^2*b^2-2*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $-a/(-b+(a^2+b^2)^{1/2}-a),1/2*2^{1/2})*a^2*b^2+I*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*a+I*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3-A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a*b^2-I*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*b-I*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*a-I*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*a-I*B*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3-A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^2*b+A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a*b^2+2*A*(a^2+b^2)^{1/2}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $a/(a+b+(a^2+b^2)^{1/2}),1/2*2^{1/2})*a^2*b-2*A*(a^2+b^2)^{1/2}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $a/(a+b+(a^2+b^2)^{1/2}),1/2*2^{1/2})*a*b^2+2*A*(a^2+b^2)^{1/2}*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $-a/(-b+(a^2+b^2)^{1/2}-a),1/2*2^{1/2})*a^2*b+A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*a-A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*b-A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^3+A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2+1/2*I,1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3+A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$
 $1/2-1/2*I,1/2*2^{1/2})*(a^2+b^2)^{3/2}*a-A*EllipticPi((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},$

$$\begin{aligned} & -1-\sin(dx+c)/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{3/2}*b- \\ & A*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2} \\ & (1/2))*(a^2+b^2)^{1/2}*a^3+A*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx \\ & +c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3-2*A*EllipticPi((-\cos \\ & (dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, a/(a+b+(a^2+b^2)^{1/2}), 1/2*2^{1/2} \\ &)*a^3*b-2*A*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, a/(a+b \\ & +(a^2+b^2)^{1/2}), 1/2*2^{1/2})*a*b^3+2*A*EllipticPi((-\cos(dx+c)-1-\sin(dx \\ & +c))/\sin(dx+c))^{1/2}, -a/(-b+(a^2+b^2)^{1/2}-a), 1/2*2^{1/2})*a^3*b+2*A*Ell \\ & ipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, -a/(-b+(a^2+b^2)^{1/2} \\ &)-a), 1/2*2^{1/2})*a*b^3+B*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c) \\ &)^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{3/2}*a+3*I*A*EllipticPi((-\cos(dx \\ & +c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2} \\ & *a*b^2+I*B*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2 \\ & *I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*a*b^2-3*I*A*EllipticPi((-\cos(dx+c)-1-\sin(\\ & dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^2*b-I*B* \\ & EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2} \\ & (1/2))*(a^2+b^2)^{1/2}*a*b^2-I*B*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(d \\ & *x+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^2*b+I*B*EllipticPi((\\ & -\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})*(a^2+b^2 \\ &)^{1/2}*a^2*b-2*A*(a^2+b^2)^{1/2}*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin \\ & (dx+c))^{1/2}, -a/(-b+(a^2+b^2)^{1/2}-a), 1/2*2^{1/2})*a*b^2-3*B*EllipticPi \\ & ((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})*(a^2+ \\ & b^2)^{1/2}*a^2*b-3*B*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2} \\ & (1/2), 1/2+1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*a*b^2-3*B*EllipticPi((-\cos(dx+c) \\ &)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*a^ \\ & 2*b-3*B*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, \\ & 1/2*2^{1/2})*(a^2+b^2)^{1/2}*a*b^2+2*B*(a^2+b^2)^{1/2}*EllipticPi((-\cos(dx \\ & +c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, a/(a+b+(a^2+b^2)^{1/2}), 1/2*2^{1/2})*a \\ & ^2*b+I*A*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I \\ & , 1/2*2^{1/2})*(a^2+b^2)^{3/2}*a+I*A*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/ \\ & \sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{3/2}*b+I*A*EllipticPi((\\ & -\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2-1/2*I, 1/2*2^{1/2})*(a^2+b^ \\ & 2)^{1/2}*a^3+I*A*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1 \\ & /2-1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{1/2}*b^3+I*B*EllipticPi((-\cos(dx+c)-1-si \\ & n(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2})*(a^2+b^2)^{3/2}*b+I*B*El \\ & lipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}, 1/2+1/2*I, 1/2*2^{1/2} \\ &))*(a^2+b^2)^{1/2}*a^3/\sin(dx+c)^3/(\cos(dx+c)/\sin(dx+c))^{1/2} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(dx+c))/cot(dx+c)^(1/2)/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="
fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx)) \sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] Integral((A + B*tan(c + d*x))/((a + b*tan(c + d*x))*sqrt(cot(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a) \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)*sqrt(cot(d*x + c))), x
)
```

$$3.593 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=297

$$\frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} - \frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

```
[Out] ((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - (2*a^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]]/(b^(3/2)*(a^2 + b^2)*d) + (2*B)/(b*d*Sqrt[Cot[c + d*x]]) + ((a*(A - B) + b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 0.760464, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3581, 3609, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)} - \frac{(a(A-B) + b(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)})}{2\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])),x]
```

```
[Out] ((b*(A - B) - a*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)*d) - (2*a^(3/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]]/(b^(3/2)*(a^2 + b^2)*d) + (2*B)/(b*d*Sqrt[Cot[c + d*x]]) + ((a*(A - B) + b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d) - ((a*(A - B) + b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
```

NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
 & (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
 || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
 + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.)
 + (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
 *Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
 A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^(1 + Tan[e
 + f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
 , n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
 !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_)
]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
 t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
 NeQ[c^2 + d^2, 0]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
 a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
 ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
 c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
 c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
 (2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
 /(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
 & EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
 Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
 -a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
 a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
 (-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
 x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
 eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))} dx \\
&= \frac{2B}{bd\sqrt{\cot(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(Ab - aB) - \frac{1}{2}bB \cot(c + dx) - \frac{1}{2}aB \cot^2(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} dx}{b} \\
&= \frac{2B}{bd\sqrt{\cot(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}b(Ab - aB) - \frac{1}{2}b(aA + bB) \cot(c + dx)}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)} + \frac{(a^2(Ab - aB)) \int \frac{1}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)} \\
&= \frac{2B}{bd\sqrt{\cot(c + dx)}} + \frac{4 \operatorname{Subst}\left(\int \frac{-\frac{1}{2}b(Ab - aB) + \frac{1}{2}b(aA + bB)x^2}{1 + x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{b(a^2 + b^2)d} + \frac{(a^2(Ab - aB)) \int \frac{1}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)} \\
&= \frac{2B}{bd\sqrt{\cot(c + dx)}} - \frac{(2a^2(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{b + ax^2} dx, x, \sqrt{\cot(c + dx)}\right)}{b(a^2 + b^2)d} - \frac{(b(A - B) - a(A + B)) \int \frac{1}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)} \\
&= -\frac{2a^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{b^{3/2}(a^2 + b^2)d} + \frac{2B}{bd\sqrt{\cot(c + dx)}} - \frac{(b(A - B) - a(A + B)) \int \frac{1}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)} \\
&= -\frac{2a^{3/2}(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{b^{3/2}(a^2 + b^2)d} + \frac{2B}{bd\sqrt{\cot(c + dx)}} + \frac{(a(A - B) + b(A + B)) \int \frac{1}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)} \\
&= \frac{(b(A - B) - a(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)d} - \frac{(b(A - B) - a(A + B)) \int \frac{1}{\sqrt{\cot(c + dx)}} dx}{\sqrt{2}(a^2 + b^2)}
\end{aligned}$$

Mathematica [A] time = 0.549299, size = 251, normalized size = 0.85

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\left(8a^{3/2}(aB - Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right) - 8\sqrt{b}B(a^2 + b^2)\sqrt{\tan(c + dx)} + 2\sqrt{2}b^{3/2}(b(A - B) - a(A + B))\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])),x]
```

```
[Out] -(Sqrt[Cot[c + d*x]]*(2*Sqrt[2]*b^(3/2)*(b*(A - B) - a*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + 8*a^(3/2)*(-A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]] - Sqrt[2]*b^(3/2)*(a*(A - B) + b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - 8*Sqrt[b]*(a^2 + b^2)*B*Sqrt[Tan[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*b^(3/2)*(a^2 + b^2)*d)
```

Maple [C] time = 0.401, size = 9867, normalized size = 33.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a) \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)*cot(d*x + c)^(3/2)), x
)
```

$$3.594 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=325

$$\frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d(a^2+b^2)} - \frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d(a^2+b^2)}$$

```
[Out] -(((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*a^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*S
qrt[Cot[c + d*x]])/Sqrt[b]])/(b^(5/2)*(a^2 + b^2)*d) + (2*B)/(3*b*d*Cot[c +
d*x]^(3/2)) + (2*(A*b - a*B))/(b^2*d*Sqrt[Cot[c + d*x]]) + ((b*(A - B) - a
*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a
^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]
+ Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rubi [A] time = 1.09039, antiderivative size = 325, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d(a^2+b^2)} - \frac{(b(A-B) - a(A+B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d(a^2+b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])), x]
```

```
[Out] -(((a*(A - B) + b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]
*(a^2 + b^2)*d) + ((a*(A - B) + b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c +
d*x]]])/(Sqrt[2]*(a^2 + b^2)*d) + (2*a^(5/2)*(A*b - a*B)*ArcTan[(Sqrt[a]*S
qrt[Cot[c + d*x]])/Sqrt[b]])/(b^(5/2)*(a^2 + b^2)*d) + (2*B)/(3*b*d*Cot[c +
d*x]^(3/2)) + (2*(A*b - a*B))/(b^2*d*Sqrt[Cot[c + d*x]]) + ((b*(A - B) - a
*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a
^2 + b^2)*d) - ((b*(A - B) - a*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]
+ Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(
x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist
[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*
Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ
[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
```

```
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2))/(a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(b + a \cot(c + dx))} dx \\
 &= \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\frac{3}{2}(Ab - aB) - \frac{3}{2}bB \cot(c + dx) - \frac{3}{2}aB \cot^2(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))} dx}{3b} \\
 &= \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{b^2 d \sqrt{\cot(c + dx)}} + \frac{4 \int \frac{-\frac{3}{4}(aAb - a^2B + b^2B) - \frac{3}{4}Ab^2 \cot(c + dx) - \frac{3}{4}a(Ab - aB)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} dx}{3b^2} \\
 &= \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{b^2 d \sqrt{\cot(c + dx)}} + \frac{4 \int \frac{-\frac{3}{4}b^2(aA + bB) - \frac{3}{4}b^2(Ab - aB) \cot(c + dx)}{\sqrt{\cot(c + dx)}} dx}{3b^2 (a^2 + b^2)} \\
 &= \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{b^2 d \sqrt{\cot(c + dx)}} + \frac{8 \text{Subst} \left(\int \frac{\frac{3}{4}b^2(aA + bB) + \frac{3}{4}b^2(Ab - aB)x^2}{1 + x^4} dx, x \right)}{3b^2 (a^2 + b^2) d} \\
 &= \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{b^2 d \sqrt{\cot(c + dx)}} + \frac{(2a^3(Ab - aB)) \text{Subst} \left(\int \frac{1}{b + ax^2} dx, x, \sqrt{\cot(c + dx)} \right)}{b^2 (a^2 + b^2) d} \\
 &= \frac{2a^{5/2}(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a} \sqrt{\cot(c + dx)}}{\sqrt{b}} \right)}{b^{5/2} (a^2 + b^2) d} + \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{b^2 d \sqrt{\cot(c + dx)}} + \dots \\
 &= \frac{2a^{5/2}(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a} \sqrt{\cot(c + dx)}}{\sqrt{b}} \right)}{b^{5/2} (a^2 + b^2) d} + \frac{2B}{3bd \cot^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB)}{b^2 d \sqrt{\cot(c + dx)}} + \dots \\
 &= -\frac{(a(A - B) + b(A + B)) \tan^{-1} (1 - \sqrt{2} \sqrt{\cot(c + dx)})}{\sqrt{2} (a^2 + b^2) d} + \frac{(a(A - B) + b(A + B)) \tan^{-1} (\sqrt{2} \sqrt{\cot(c + dx)} + 1)}{\sqrt{2} (a^2 + b^2) d}
 \end{aligned}$$

Mathematica [A] time = 0.997929, size = 272, normalized size = 0.84

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(\frac{24a^{5/2}(aB - Ab) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a}} \right)}{b^{5/2}(a^2 + b^2)} + \frac{6\sqrt{2}(a(A - B) + b(A + B))(\tan^{-1}(1 - \sqrt{2}\sqrt{\tan(c + dx)}) - \tan^{-1}(\sqrt{2}\sqrt{\tan(c + dx)} + 1))}{a^2 + b^2} \right)$$

12d

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])), x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*((6*Sqrt[2]*(a*(A - B) + b*(A + B))*
(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]) - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d
*x]]]))/(a^2 + b^2) + (24*a^(5/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c
+ d*x]])/Sqrt[a]])/(b^(5/2)*(a^2 + b^2)) - (3*Sqrt[2]*(b*(-A + B) + a*(A +
B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*
Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(a^2 + b^2) + (24*(A*b - a*B)*Sqrt[Tan
[c + d*x]])/b^2 + (8*B*Tan[c + d*x]^(3/2))/b)/(12*d)
```

Maple [C] time = 0.772, size = 12107, normalized size = 37.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a) \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)*cot(d*x + c)^(5/2)), x)
```

$$3.595 \quad \int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=438

$$\frac{b(Ab - aB) \cot^{\frac{3}{2}}(c + dx)}{ad(a^2 + b^2)(a \cot(c + dx) + b)} - \frac{(2a^2A - abB + 3Ab^2) \sqrt{\cot(c + dx)}}{a^2d(a^2 + b^2)} + \frac{(a^2(-(A + B)) + 2ab(A - B) + b^2(A + B)) \log(\dots)}{2\sqrt{2}d(a^2 + b^2)}$$

```
[Out] -(((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[
c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((a^2*(A - B) - b^2*(A - B) + 2*a*
b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d
) + (b^(3/2)*(7*a^2*A*b + 3*A*b^3 - 5*a^3*B - a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt
[Cot[c + d*x]])/Sqrt[b]])/(a^(5/2)*(a^2 + b^2)^2*d) - ((2*a^2*A + 3*A*b^2 -
a*b*B)*Sqrt[Cot[c + d*x]])/(a^2*(a^2 + b^2)*d) + (b*(A*b - a*B)*Cot[c + d*
x]^(3/2))/(a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])) + ((2*a*b*(A - B) - a^2*(A
+ B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2
*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Lo
g[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*
d)
```

Rubi [A] time = 1.29836, antiderivative size = 438, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3605, 3647, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b(Ab - aB) \cot^{\frac{3}{2}}(c + dx)}{ad(a^2 + b^2)(a \cot(c + dx) + b)} - \frac{(2a^2A - abB + 3Ab^2) \sqrt{\cot(c + dx)}}{a^2d(a^2 + b^2)} + \frac{(a^2(-(A + B)) + 2ab(A - B) + b^2(A + B)) \log(\dots)}{2\sqrt{2}d(a^2 + b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]
```

```
[Out] -(((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[
c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((a^2*(A - B) - b^2*(A - B) + 2*a*
b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d
) + (b^(3/2)*(7*a^2*A*b + 3*A*b^3 - 5*a^3*B - a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt
[Cot[c + d*x]])/Sqrt[b]])/(a^(5/2)*(a^2 + b^2)^2*d) - ((2*a^2*A + 3*A*b^2 -
a*b*B)*Sqrt[Cot[c + d*x]])/(a^2*(a^2 + b^2)*d) + (b*(A*b - a*B)*Cot[c + d*
x]^(3/2))/(a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])) + ((2*a*b*(A - B) - a^2*(A
+ B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2
*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Lo
g[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*
d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(
x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist
[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*
Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ
[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3605


```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3647

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.
) + (f_.)*(x_)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int((((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2)/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &&
EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx &= \int \frac{\cot^{\frac{5}{2}}(c+dx)(B+A \cot(c+dx))}{(b+a \cot(c+dx))^2} dx \\
&= \frac{b(Ab-aB) \cot^{\frac{3}{2}}(c+dx)}{a(a^2+b^2)d(b+a \cot(c+dx))} - \int \frac{\sqrt{\cot(c+dx)} \left(-\frac{3}{2}b(Ab-aB)+a(Ab-aB) \cot(c+dx) - \frac{1}{2} \right)}{b+a \cot(c+dx)} \frac{1}{a(a^2+b^2)} dx \\
&= -\frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d} + \frac{b(Ab-aB) \cot^{\frac{3}{2}}(c+dx)}{a(a^2+b^2)d(b+a \cot(c+dx))} + \dots \\
&= -\frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d} + \frac{b(Ab-aB) \cot^{\frac{3}{2}}(c+dx)}{a(a^2+b^2)d(b+a \cot(c+dx))} + \dots \\
&= -\frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d} + \frac{b(Ab-aB) \cot^{\frac{3}{2}}(c+dx)}{a(a^2+b^2)d(b+a \cot(c+dx))} + \dots \\
&= -\frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d} + \frac{b(Ab-aB) \cot^{\frac{3}{2}}(c+dx)}{a(a^2+b^2)d(b+a \cot(c+dx))} + \dots \\
&= \frac{b^{3/2}(7a^2Ab+3Ab^3-5a^3B-ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{5/2}(a^2+b^2)^2 d} - \frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d} \\
&= \frac{b^{3/2}(7a^2Ab+3Ab^3-5a^3B-ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{5/2}(a^2+b^2)^2 d} - \frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d} \\
&= -\frac{(a^2(A-B)-b^2(A-B)+2ab(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^2 d} + \frac{(2a^2A+3Ab^2-abB) \sqrt{\cot(c+dx)}}{a^2(a^2+b^2)d}
\end{aligned}$$

Mathematica [A] time = 5.55864, size = 383, normalized size = 0.87

$$\sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \left(\frac{4b^{3/2}(aB-Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2+b^2)} - \frac{8b^{3/2}(3a^2Ab-2a^3B+Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{5/2}(a^2+b^2)^2} + \frac{2\sqrt{2}(a^2(A-B)+2ab(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*((2*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) + 2*a*b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(a^2 + b^2)^2 + (4*b^(3/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)) - (8*b^(3/2)*(3*a^2*A*b + A*b^3 - 2*a^3*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(a^(5/2)*(a^2 + b^2)^2 - (Sqrt[2]*(2*a*b*(-A + B) + a^2*(A + B) - b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(a^2 + b^2)^2 - (8*A)/(a^2*Sqrt[Tan[c + d*x]]) + (4*b^2*(-(A*b) + a*B)*Sqrt[Tan[c + d*x]])/(a^2*(a^2 + b^2)*(a + b*Tan[c + d*x])))/(4*d)

Maple [C] time = 1.804, size = 57937, normalized size = 132.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^2, x)
```

$$3.596 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=392

$$\frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{ad(a^2 + b^2)(a \cot(c + dx) + b)} - \frac{(a^2(A - B) + 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2} + \frac{a^2}{ad(a^2 + b^2)}$$

[Out] -(((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) - (Sqrt[b]*(5*a^2*A*b + A*b^3 - 3*a^3*B + a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(a^(3/2)*(a^2 + b^2)^2*d) + (b*(A*b - a*B)*Sqrt[Cot[c + d*x]])/(a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d)

Rubi [A] time = 0.940141, antiderivative size = 392, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3581, 3605, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{ad(a^2 + b^2)(a \cot(c + dx) + b)} - \frac{(a^2(A - B) + 2ab(A + B) - b^2(A - B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2} + \frac{a^2}{ad(a^2 + b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2,x]

[Out] -(((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) - (Sqrt[b]*(5*a^2*A*b + A*b^3 - 3*a^3*B + a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(a^(3/2)*(a^2 + b^2)^2*d) + (b*(A*b - a*B)*Sqrt[Cot[c + d*x]])/(a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p]*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Simp[(b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n, x]

```

])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
  Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3653

```

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int[(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Di
st[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```

Int[(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

```

Rule 204

```

Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

Rule 1165

```

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],

```

$x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 3634

$\text{Int}[\frac{((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2)}{x_Symbol}] \rightarrow \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, C, m, n\}, x] \ \&\& \ \text{EqQ}[A, C]$

Rule 63

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})}{x_Symbol}] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^2)^{-1}}{x_Symbol}] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^2} dx &= \int \frac{\cot^{\frac{3}{2}}(c+dx)(B+A \cot(c+dx))}{(b+a \cot(c+dx))^2} dx \\
&= \frac{b(Ab-aB)\sqrt{\cot(c+dx)}}{a(a^2+b^2)d(b+a \cot(c+dx))} - \frac{\int \frac{-\frac{1}{2}b(Ab-aB)+a(Ab-aB)\cot(c+dx)-\frac{1}{2}(2a^2A+Ab^2)}{\sqrt{\cot(c+dx)}(b+a \cot(c+dx))}}{a(a^2+b^2)} \\
&= \frac{b(Ab-aB)\sqrt{\cot(c+dx)}}{a(a^2+b^2)d(b+a \cot(c+dx))} - \frac{\int \frac{a(2aAb-a^2B+b^2B)-a(a^2A-Ab^2+2abB)\cot(c+dx)}{\sqrt{\cot(c+dx)}}}{a(a^2+b^2)^2} \\
&= \frac{b(Ab-aB)\sqrt{\cot(c+dx)}}{a(a^2+b^2)d(b+a \cot(c+dx))} - \frac{2 \operatorname{Subst}\left(\int \frac{-a(2aAb-a^2B+b^2B)+a(a^2A-Ab^2+2abB)}{1+x^4}\right)}{a(a^2+b^2)^2 d} \\
&= \frac{b(Ab-aB)\sqrt{\cot(c+dx)}}{a(a^2+b^2)d(b+a \cot(c+dx))} - \frac{(b(5a^2Ab+Ab^3-3a^3B+ab^2B)) \operatorname{Subst}}{a(a^2+b^2)^2} \\
&= -\frac{\sqrt{b}(5a^2Ab+Ab^3-3a^3B+ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{3/2}(a^2+b^2)^2 d} + \frac{b(Ab-aB)}{a(a^2+b^2)d} \\
&= -\frac{\sqrt{b}(5a^2Ab+Ab^3-3a^3B+ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{a^{3/2}(a^2+b^2)^2 d} + \frac{b(Ab-aB)}{a(a^2+b^2)d} \\
&= -\frac{(2ab(A-B)-a^2(A+B)+b^2(A+B)) \tan^{-1}(1-\sqrt{2}\sqrt{\cot(c+dx)})}{\sqrt{2}(a^2+b^2)^2 d} + \frac{(2ab(A-B)-a^2(A+B)+b^2(A+B))}{\sqrt{2}(a^2+b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 2.62431, size = 341, normalized size = 0.87

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(\frac{4\sqrt{b}(a^2+b^2)(Ab-aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}} + 2\sqrt{2}(a^2(-A+B)+2ab(A-B)+b^2(A+B)) \left(\tan^{-1}\left(\frac{1-\sqrt{2}\sqrt{\cot(c+dx)}}{1+\sqrt{2}\sqrt{\cot(c+dx)}}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^2, x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(2*Sqrt[2]*(2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (4*Sqrt[b]*(a^2 + b^2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/a^(3/2) + (8*Sqrt[b]*(2*a*A*b - a^2*B + b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[a] - Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) + 2*a*b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) + (4*b*(a^2 + b^2)*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a + b*Tan[c + d*x])))/(4*(a^2 + b^2)^2*d)

Maple [C] time = 1.192, size = 36048, normalized size = 92.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^2, x)
```

$$3.597 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))^2}} dx$$

Optimal. Leaf size=390

$$\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{d(a^2 + b^2)(a \cot(c + dx) + b)} - \frac{(a^2(-(A + B)) + 2ab(A - B) + b^2(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2}$$

```
[Out] ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) + ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(Sqrt[a]*Sqrt[b]*(a^2 + b^2)^2*d) - ((A*b - a*B)*Sqrt[Cot[c + d*x]])/((a^2 + b^2)*d*(b + a*Cot[c + d*x])) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d)
```

Rubi [A] time = 0.9201, antiderivative size = 390, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3581, 3608, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{d(a^2 + b^2)(a \cot(c + dx) + b)} - \frac{(a^2(-(A + B)) + 2ab(A - B) + b^2(A + B)) \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^2), x]
```

```
[Out] ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]])/(Sqrt[2]*(a^2 + b^2)^2*d) + ((3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(Sqrt[a]*Sqrt[b]*(a^2 + b^2)^2*d) - ((A*b - a*B)*Sqrt[Cot[c + d*x]])/((a^2 + b^2)*d*(b + a*Cot[c + d*x])) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p_)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n_, x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])^n_, x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) +
```

$A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*\tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*\tan[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3653

$\text{Int}[\frac{((c_.) + (d_.)\tan[(e_.) + (f_.)x])^{(n_.)}((A_.) + (B_.)\tan[(e_.) + (f_.)x]) + (C_.)\tan[(e_.) + (f_.)x]^2)}{(a_.) + (b_.)\tan[(e_.) + (f_.)x]}], x_Symbol] :> \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n * \text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\tan[e + f*x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n*(1 + \tan[e + f*x]^2)]/(a + b*\tan[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

$\text{Int}[\frac{(c_.) + (d_.)\tan[(e_.) + (f_.)x]}{\sqrt{(b_.)\tan[(e_.) + (f_.)x]}}], x_Symbol] :> \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \sqrt{b*\tan[e + f*x]}], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] :> \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x]] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] :> \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[\frac{(a_.) + (b_.)x + (c_.)x^2}{(a_.) + (b_.)x + (c_.)x^2}^{-1}, x_Symbol] :> \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[\frac{(a_.) + (b_.)x^2}{(a_.) + (b_.)x^2}^{-1}, x_Symbol] :> -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] :> \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)(a + b \tan(c + dx))^2}} dx &= \int \frac{\sqrt{\cot(c + dx)}(B + A \cot(c + dx))}{(b + a \cot(c + dx))^2} dx \\
 &= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{(a^2 + b^2)d(b + a \cot(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(Ab - aB) + a(aA + bB)\cot(c + dx) + \frac{1}{2}a(Ab - aB)\cot(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} dx}{a(a^2 + b^2)} \\
 &= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{(a^2 + b^2)d(b + a \cot(c + dx))} + \frac{\int \frac{a(a^2A - Ab^2 + 2abB) + a(2aAb - a^2B + b^2B)\cot(c + dx)}{\sqrt{\cot(c + dx)}} dx}{a(a^2 + b^2)^2} \\
 &= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{(a^2 + b^2)d(b + a \cot(c + dx))} + \frac{2 \operatorname{Subst}\left(\int \frac{-a(a^2A - Ab^2 + 2abB) - a(2aAb - a^2B + b^2B)}{1 + x^4} dx\right)}{a(a^2 + b^2)^2 d} \\
 &= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{(a^2 + b^2)d(b + a \cot(c + dx))} + \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \operatorname{Subst}\left(\int \frac{1}{1 + x^4} dx\right)}{(a^2 + b^2)^2 d} \\
 &= \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}(a^2 + b^2)^2 d} - \frac{(Ab - aB)\sqrt{\cot(c + dx)}}{(a^2 + b^2)d(b + a \cot(c + dx))} \\
 &= \frac{(3a^2Ab - Ab^3 - a^3B + 3ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}(a^2 + b^2)^2 d} - \frac{(Ab - aB)\sqrt{\cot(c + dx)}}{(a^2 + b^2)d(b + a \cot(c + dx))} \\
 &= \frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} - \frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d}
 \end{aligned}$$

Mathematica [A] time = 2.86223, size = 336, normalized size = 0.86

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(-\frac{4(a^2+b^2)(aB-Ab)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a}\sqrt{b}}+2\sqrt{2}\left(a^2(A-B)+2ab(A+B)+b^2(B-A)\right)\left(\tan^{-1}\left(1-\sqrt{2}\sqrt{\tan(c+dx)}\right)-\tan^{-1}\left(1+\sqrt{2}\sqrt{\tan(c+dx)}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^2), x]

[Out] -(Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(2*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) + 2*a*b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) - (4*(a^2 + b^2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*Sqrt[b]) + (8*Sqrt[b]*(a^2*A - A*b^2 + 2*a*b*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/Sqrt[a] + Sqrt[2]*(2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) - (4*(a^2 + b^2)*(-(A*b) + a*B)*Sqrt[Tan[c + d*x]])/(a + b*Tan[c + d*x]))/(4*(a^2 + b^2)^2*d)

Maple [C] time = 0.824, size = 40736, normalized size = 104.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{(a + b \tan(c + dx))^2 \sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c))**2,x)

[Out] Integral((A + B*tan(c + d*x))/((a + b*tan(c + d*x))**2*sqrt(cot(c + d*x))),
x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^2 \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^2*sqrt(cot(d*x + c))),
x)

$$3.598 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=392

$$\frac{a(Ab - aB)\sqrt{\cot(c+dx)}}{bd(a^2 + b^2)(a \cot(c+dx) + b)} + \frac{(a^2(A - B) + 2ab(A + B) - b^2(A - B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2} - \frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2}$$

[Out] ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) - (Sqrt[a]*(a^2*A*b - 3*A*b^3 + a^3*B + 5*a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]]/Sqrt[b])]/(b^(3/2)*(a^2 + b^2)^2*d) + (a*(A*b - a*B)*Sqrt[Cot[c + d*x]]/(b*(a^2 + b^2)*d*(b + a*Cot[c + d*x])) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d))

Rubi [A] time = 0.916095, antiderivative size = 392, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.394$, Rules used = {3581, 3609, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a(Ab - aB)\sqrt{\cot(c+dx)}}{bd(a^2 + b^2)(a \cot(c+dx) + b)} + \frac{(a^2(A - B) + 2ab(A + B) - b^2(A - B)) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2} - \frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)} + 1)}{2\sqrt{2}d(a^2 + b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2), x]

[Out] ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^2*d) - (Sqrt[a]*(a^2*A*b - 3*A*b^3 + a^3*B + 5*a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]]/Sqrt[b])]/(b^(3/2)*(a^2 + b^2)^2*d) + (a*(A*b - a*B)*Sqrt[Cot[c + d*x]]/(b*(a^2 + b^2)*d*(b + a*Cot[c + d*x])) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^2*d))

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Si


```

mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2])/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[(((c + d*Tan[e + f*x])^(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int[(((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```

Int[(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

```

Rule 204

```

Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

Rule 1165

```

Int[(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[

```

```
(-2*d)/e, 2]], Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^2} dx &= \int \frac{B + A \cot(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2} dx \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{b(a^2 + b^2)d(b + a \cot(c + dx))} - \frac{\int \frac{\frac{1}{2}(-aAb - a^2B - 2b^2B) - b(Ab - aB)\cot(c + dx) + \frac{1}{2}a(Ab - aB)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} dx}{b(a^2 + b^2)} \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{b(a^2 + b^2)d(b + a \cot(c + dx))} - \frac{\int \frac{-b(2aAb - a^2B + b^2B) + b(a^2A - Ab^2 + 2abB)\cot(c + dx)}{\sqrt{\cot(c + dx)}} dx}{b(a^2 + b^2)^2} \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{b(a^2 + b^2)d(b + a \cot(c + dx))} - \frac{2 \operatorname{Subst}\left(\int \frac{b(2aAb - a^2B + b^2B) - b(a^2A - Ab^2 + 2abB)}{1 + x^4} dx\right)}{b(a^2 + b^2)^2 d} \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{b(a^2 + b^2)d(b + a \cot(c + dx))} - \frac{(a(a^2Ab - 3Ab^3 + a^3B + 5ab^2B)) \operatorname{Subst}\left(\int \frac{1}{1 + x^4} dx\right)}{b(a^2 + b^2)^2 d} \\
&= -\frac{\sqrt{a}(a^2Ab - 3Ab^3 + a^3B + 5ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{b^{3/2}(a^2 + b^2)^2 d} + \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{b(a^2 + b^2)d(b + a \cot(c + dx))} \\
&= -\frac{\sqrt{a}(a^2Ab - 3Ab^3 + a^3B + 5ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{b^{3/2}(a^2 + b^2)^2 d} + \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{b(a^2 + b^2)d(b + a \cot(c + dx))} \\
&= \frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} - \frac{(2ab(A - B) - a^2(A + B) + b^2(A + B)) \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 2.552, size = 342, normalized size = 0.87

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{4\sqrt{a}(a^2 + b^2)(Ab - aB) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{b^{3/2}} - 2\sqrt{2}(a^2(-A + B) + 2ab(A - B) + b^2(A + B)) \left(\tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right) - \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c + dx)}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/((Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^2), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-2*Sqrt[2]*(2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]) + (4*Sqrt[a]*(a^2 + b^2)*(A*b - a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/b^(3/2) + (8*Sqrt[a]*(-2*A*b^3 + a*(a^2 + 3*b^2)*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/b^(3/2) + Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) + 2*a*b*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]) + (4*a*(a^2 + b^2)*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(b*(a + b*Tan[c + d*x])))/(4*(a^2 + b^2)^2*d)

Maple [C] time = 0.675, size = 40734, normalized size = 103.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^2*cot(d*x + c)^(3/2)), x)
```

$$3.599 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^2} dx$$

Optimal. Leaf size=437

$$\frac{a(Ab - aB)}{bd(a^2 + b^2)\sqrt{\cot(c+dx)}(a \cot(c+dx) + b)} - \frac{-3a^2B + aAb - 2b^2B}{b^2d(a^2 + b^2)\sqrt{\cot(c+dx)}} + \frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B))}{2\sqrt{2}d}$$

```
[Out] -(((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) - (a^(3/2)*(a^2*A*b + 5*A*b^3 - 3*a^3*B - 7*a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(b^(5/2)*(a^2 + b^2)^2*d) - (a*A*b - 3*a^2*B - 2*b^2*B)/(b^2*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]) + (a*(A*b - a*B))/(b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d)
```

Rubi [A] time = 1.28165, antiderivative size = 437, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a(Ab - aB)}{bd(a^2 + b^2)\sqrt{\cot(c+dx)}(a \cot(c+dx) + b)} - \frac{-3a^2B + aAb - 2b^2B}{b^2d(a^2 + b^2)\sqrt{\cot(c+dx)}} + \frac{(a^2(-(A+B)) + 2ab(A-B) + b^2(A+B))}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2), x]
```

```
[Out] -(((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d)) + ((a^2*(A - B) - b^2*(A - B) + 2*a*b*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^2*d) - (a^(3/2)*(a^2*A*b + 5*A*b^3 - 3*a^3*B - 7*a*b^2*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(b^(5/2)*(a^2 + b^2)^2*d) - (a*A*b - 3*a^2*B - 2*b^2*B)/(b^2*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]) + (a*(A*b - a*B))/(b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])) + ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d) - ((2*a*b*(A - B) - a^2*(A + B) + b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^2*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Si
```

```

mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3653

```

Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]

```

Rule 3534

```

Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]

```

Rule 1168

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]

```

Rule 1162

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^2} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))^2} dx \\
 &= \frac{a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)}(b + a \cot(c + dx))} - \int \frac{\frac{1}{2}(aAb - 3a^2B - 2b^2B) - b(Ab - aB) \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))^2} dx \\
 &= -\frac{aAb - 3a^2B - 2b^2B}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
 &= -\frac{aAb - 3a^2B - 2b^2B}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
 &= -\frac{aAb - 3a^2B - 2b^2B}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
 &= -\frac{aAb - 3a^2B - 2b^2B}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
 &= -\frac{a^{\frac{3}{2}}(a^2Ab + 5Ab^3 - 3a^3B - 7ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{b^{\frac{5}{2}}(a^2 + b^2)^2 d} - \frac{aAb - 3a^2B - 2b^2B}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}} \\
 &= -\frac{a^{\frac{3}{2}}(a^2Ab + 5Ab^3 - 3a^3B - 7ab^2B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{b^{\frac{5}{2}}(a^2 + b^2)^2 d} - \frac{aAb - 3a^2B - 2b^2B}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}} \\
 &= -\frac{(a^2(A - B) - b^2(A - B) + 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2 d} + \frac{a^2(A - B) - b^2(A - B) + 2ab(A + B)}{b^2(a^2 + b^2) d \sqrt{\cot(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 3.36217, size = 390, normalized size = 0.89

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(\frac{4a^{\frac{3}{2}}(aB - Ab) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{\frac{5}{2}}(a^2 + b^2)} + \frac{8a^{\frac{3}{2}}(a^2Ab - 2a^3B - 4ab^2B + 3Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{b^{\frac{5}{2}}(a^2 + b^2)^2} + \frac{2\sqrt{2}(a^2(A - B) + 2ab(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^2), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*((2*Sqrt[2]*(a^2*(A - B) + b^2*(-A + B) + 2*a*b*(A + B))*(ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(a^2 + b^2)^2 + (4*a^(3/2)*(-(A*b) + a*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(b^(5/2)*(a^2 + b^2)) + (8*a^(3/2)*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(b^(5/2)*(a^2 + b^2)^2) - (Sqrt[2]*(2*a*b*(-A + B) + a^2*(A + B) - b^2*(A + B))*(Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(a^2 + b^2)^2 + (8*B*Sqrt[Tan[c + d*x]])/b^2 + (4*a^2*(-(A*b) + a*B)*Sqrt[Tan[c + d*x]])/(b^2*(a^2 + b^2)*(a + b*Tan[c + d*x])))/(4*d)

Maple [C] time = 0.888, size = 42723, normalized size = 97.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^2,x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^2,x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+b*tan(d*x+c))**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^2 \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^2*cot(d*x + c)^(5/2)), x)
```

$$3.600 \quad \int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=601

$$\frac{b(Ab - aB) \cot^{\frac{5}{2}}(c + dx)}{2ad(a^2 + b^2)(a \cot(c + dx) + b)^2} + \frac{b(13a^2Ab - 9a^3B - ab^2B + 5Ab^3) \cot^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 + b^2)^2(a \cot(c + dx) + b)} - \frac{(31a^2Ab^2 + 8a^4A - 11a^3bB - 4a^3d(a^2 + b^2)) \cot^{\frac{3}{2}}(c + dx)}{4a^3d(a^2 + b^2)^2(a \cot(c + dx) + b)}$$

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + (b^(3/2)*(63*a^4*A*b + 46*a^2*A*b^3 + 15*A*b^5 - 35*a^5*B - 6*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*a^(7/2)*(a^2 + b^2)^3*d) - ((8*a^4*A + 31*a^2*A*b^2 + 15*A*b^4 - 11*a^3*b*B - 3*a*b^3*B)*Sqrt[Cot[c + d*x]])/(4*a^3*(a^2 + b^2)^2*d) + (b*(A*b - a*B)*Cot[c + d*x]^(5/2))/(2*a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) + (b*(13*a^2*A*b + 5*A*b^3 - 9*a^3*B - a*b^2*B)*Cot[c + d*x]^(3/2))/(4*a^2*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rubi [A] time = 1.84497, antiderivative size = 601, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 15, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {3581, 3605, 3645, 3647, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b(Ab - aB) \cot^{\frac{5}{2}}(c + dx)}{2ad(a^2 + b^2)(a \cot(c + dx) + b)^2} + \frac{b(13a^2Ab - 9a^3B - ab^2B + 5Ab^3) \cot^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 + b^2)^2(a \cot(c + dx) + b)} - \frac{(31a^2Ab^2 + 8a^4A - 11a^3bB - 4a^3d(a^2 + b^2)) \cot^{\frac{3}{2}}(c + dx)}{4a^3d(a^2 + b^2)^2(a \cot(c + dx) + b)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]
```

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + (b^(3/2)*(63*a^4*A*b + 46*a^2*A*b^3 + 15*A*b^5 - 35*a^5*B - 6*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*a^(7/2)*(a^2 + b^2)^3*d) - ((8*a^4*A + 31*a^2*A*b^2 + 15*A*b^4 - 11*a^3*b*B - 3*a*b^3*B)*Sqrt[Cot[c + d*x]])/(4*a^3*(a^2 + b^2)^2*d) + (b*(A*b - a*B)*Cot[c + d*x]^(5/2))/(2*a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) + (b*(13*a^2*A*b + 5*A*b^3 - 9*a^3*B - a*b^2*B)*Cot[c + d*x]^(3/2))/(4*a^2*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist
```

$[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e+f*x])^{(p-m-n)}*(b+a*\text{Cot}[e+f*x])^m*(d+c*\text{Cot}[e+f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3605

$\text{Int}[(a + b*\tan[e + f*x])^m * ((c + d*\tan[e + f*x])^n), x_Symbol] := \text{Simp}[(b*c - a*d)*(B*c - A*d)*(a + b*\tan[e + f*x])^{(m-1)}*(c + d*\tan[e + f*x])^{(n+1)} / (d*f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(d*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\tan[e + f*x])^{(m-2)}*(c + d*\tan[e + f*x])^{(n+1)} * \text{Simp}[a*A*d*(b*d*(m-1) - a*c*(n+1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m-1) + a*d*(n+1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n+1)*\tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m+n) - b*B*(c^2*(m-1) - d^2*(n+1)))*\tan[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

$\text{Int}[(a + b*\tan[e + f*x])^m * ((c + d*\tan[e + f*x])^n * ((A + B*\tan[e + f*x]) + (C + f*(x))^2)), x_Symbol] := \text{Simp}[(A*d^2 + c*(c*C - B*d))*(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{(n+1)} / (d*f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(d*(n+1)*(c^2 + d^2)), \text{Int}[(a + b*\tan[e + f*x])^{(m-1)}*(c + d*\tan[e + f*x])^{(n+1)} * \text{Simp}[A*d*(b*d*m - a*c*(n+1)) + (c*C - B*d)*(b*c*m + a*d*(n+1)) - d*(n+1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*\tan[e + f*x] - b*(d*(B*c - A*d)*(m+n+1) - C*(c^2*m - d^2*(n+1)))*\tan[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3647

$\text{Int}[(a + b*\tan[e + f*x])^m * ((c + d*\tan[e + f*x])^n * ((A + B*\tan[e + f*x]) + (C + f*(x))^2)), x_Symbol] := \text{Simp}[(C*(a + b*\tan[e + f*x])^m * (c + d*\tan[e + f*x])^{(n+1)} / (d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\tan[e + f*x])^{(m-1)}*(c + d*\tan[e + f*x])^n * \text{Simp}[a*A*d*(m+n+1) - C*(b*c*m + a*d*(n+1)) + d*(A*b + a*B - b*C)*(m+n+1)*\tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m+n+1))*\tan[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

$\text{Int}[(c + d*\tan[e + f*x])^n * ((A + B*\tan[e + f*x]) + (C + f*(x))^2) / ((a + b*\tan[e + f*x]) + (f*(x))^2), x_Symbol] := \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n * \text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\tan[e + f*x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n * (1 + \tan[e + f*x]^2) / (a + b*\tan[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

$\text{Int}[(c + d*\tan[e + f*x]) / \text{Sqrt}[(b*\tan[e + f*x])^2 + (f*(x))^2], x_Symbol] := \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \text{Sqr}$

$\text{t}[b*\text{Tan}[e + f*x]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x]] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] :> \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /;

FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/\text{Rt}[-a, 2]*\text{Rt}[-b, 2], x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[-2*d/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_))])^{(m_)*((c_ + (d_)*\text{tan}[(e_ + (f_)*(x_))])^{(n_)*((A_ + (C_)*\text{tan}[(e_ + (f_)*(x_))])^2)}, x_Symbol] :> \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)*((c_ + (d_)*(x_))^{(n_)}, x_Symbol] :> \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx &= \int \frac{\cot^{\frac{7}{2}}(c+dx)(B+A \cot(c+dx))}{(b+a \cot(c+dx))^3} dx \\
&= \frac{b(Ab-aB) \cot^{\frac{5}{2}}(c+dx)}{2a(a^2+b^2)d(b+a \cot(c+dx))^2} - \int \frac{\cot^{\frac{3}{2}}(c+dx) \left(-\frac{5}{2}b(Ab-aB) + 2a(Ab-aB) \cot(c+dx) - \frac{1}{2} \right)}{(b+a \cot(c+dx))^2} \frac{1}{2a(a^2+b^2)} dx \\
&= \frac{b(Ab-aB) \cot^{\frac{5}{2}}(c+dx)}{2a(a^2+b^2)d(b+a \cot(c+dx))^2} + \frac{b(13a^2Ab+5Ab^3-9a^3B-ab^2B) \cot^{\frac{3}{2}}(c+dx)}{4a^2(a^2+b^2)^2 d(b+a \cot(c+dx))} \\
&= -\frac{(8a^4A+31a^2Ab^2+15Ab^4-11a^3bB-3ab^3B) \sqrt{\cot(c+dx)}}{4a^3(a^2+b^2)^2 d} + \frac{b(Ab-aB)}{2a(a^2+b^2)d} \\
&= -\frac{(8a^4A+31a^2Ab^2+15Ab^4-11a^3bB-3ab^3B) \sqrt{\cot(c+dx)}}{4a^3(a^2+b^2)^2 d} + \frac{b(Ab-aB)}{2a(a^2+b^2)d} \\
&= -\frac{(8a^4A+31a^2Ab^2+15Ab^4-11a^3bB-3ab^3B) \sqrt{\cot(c+dx)}}{4a^3(a^2+b^2)^2 d} + \frac{b(Ab-aB)}{2a(a^2+b^2)d} \\
&= -\frac{(8a^4A+31a^2Ab^2+15Ab^4-11a^3bB-3ab^3B) \sqrt{\cot(c+dx)}}{4a^3(a^2+b^2)^2 d} + \frac{b(Ab-aB)}{2a(a^2+b^2)d} \\
&= \frac{b^{3/2}(63a^4Ab+46a^2Ab^3+15Ab^5-35a^5B-6a^3b^2B-3ab^4B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{4a^{7/2}(a^2+b^2)^3 d} \\
&= \frac{b^{3/2}(63a^4Ab+46a^2Ab^3+15Ab^5-35a^5B-6a^3b^2B-3ab^4B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{4a^{7/2}(a^2+b^2)^3 d} \\
&= -\frac{(a^3(A-B)-3ab^2(A-B)+3a^2b(A+B)-b^3(A+B)) \tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^3 d}
\end{aligned}$$

Mathematica [A] time = 6.46933, size = 602, normalized size = 1.

$$2\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(-\frac{3b^2(Ab-aB) \left(\frac{\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}} + \frac{\sqrt{\tan(c+dx)}}{a(a+b \tan(c+dx))} \right)}{8a^2(a^2+b^2)} - \frac{b^{3/2}(3a^2Ab-2a^3B+Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{2a^{7/2}(a^2+b^2)^2} - \frac{b^{3/2}(3a^2Ab-2a^3B+Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{2a^{7/2}(a^2+b^2)^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

```
[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((a^3*(A - B) - 3*a*b^2*(A - B) +
3*a^2*b*(A + B) - b^3*(A + B))*(Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*
x]]] - Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(4*(a^2 + b^2)^3) -
(b^(3/2)*(3*a^2*A*b + A*b^3 - 2*a^3*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])
/Sqrt[a]])/(2*a^(7/2)*(a^2 + b^2)^2) - (b^(3/2)*(6*a^4*A*b + 3*a^2*A*b^3 +
A*b^5 - 3*a^5*B + a^3*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/
(a^(7/2)*(a^2 + b^2)^3) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3
*a*b^2*(A + B))*(Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]
- Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(8*(a^2 + b
^2)^3) - A/(a^3*Sqrt[Tan[c + d*x]]) - (b^2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/
(4*a^2*(a^2 + b^2)*(a + b*Tan[c + d*x])^2) - (b^2*(3*a^2*A*b + A*b^3 - 2*a^
3*B)*Sqrt[Tan[c + d*x]])/(2*a^3*(a^2 + b^2)^2*(a + b*Tan[c + d*x])) - (3*b^
2*(A*b - a*B)*(ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]/(a^(3/2)*Sqrt[b
]) + Sqrt[Tan[c + d*x]]/(a*(a + b*Tan[c + d*x]))))/(8*a^2*(a^2 + b^2)))/d
```

Maple [C] time = 4.692, size = 159192, normalized size = 264.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)
```

```
[Out] result too large to display
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^3, x)

$$3.601 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=534

$$\frac{b(Ab - aB) \cot^{\frac{3}{2}}(c + dx)}{2ad(a^2 + b^2)(a \cot(c + dx) + b)^2} + \frac{b(11a^2Ab - 7a^3B + ab^2B + 3Ab^3) \sqrt{\cot(c + dx)}}{4a^2d(a^2 + b^2)^2(a \cot(c + dx) + b)} - \frac{(3a^2b(A + B) + a^3(A - B) - 3b^3(A - B)) \operatorname{ArcTan}\left[\frac{\sqrt{2} \sqrt{\cot(c + dx)}}{a^2 + b^2}\right] + ((3a^2b(A - B) - b^3(A - B) - a^3(A + B) + 3ab^2(A + B)) \operatorname{ArcTan}\left[\frac{1 + \sqrt{2} \sqrt{\cot(c + dx)}}{a^2 + b^2}\right])}{(a^2 + b^2)^3 d} - \frac{(3a^2b(A + B) + a^3(A - B) - 3b^3(A - B)) \operatorname{ArcTan}\left[\frac{\sqrt{a} \sqrt{\cot(c + dx)}}{\sqrt{b}}\right]}{(4a^{5/2}(a^2 + b^2)^3 d) + (b(Ab - aB) \cot(c + dx)^{3/2}) / (2a(a^2 + b^2)d(b + a \cot(c + dx))^2) + (b(11a^2Ab + 3Ab^3 - 7a^3B + ab^2B) \operatorname{ArcTan}\left[\frac{\sqrt{\cot(c + dx)}}{\sqrt{b}}\right]) / (4a^2(a^2 + b^2)^2 d(b + a \cot(c + dx))) - ((a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B)) \operatorname{Log}\left[1 - \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx)\right]) / (2\sqrt{2}(a^2 + b^2)^3 d) + ((a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B)) \operatorname{Log}\left[1 + \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx)\right]) / (2\sqrt{2}(a^2 + b^2)^3 d)}$$

[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d)) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - (Sqrt[b]*(35*a^4*A*b + 6*a^2*A*b^3 + 3*A*b^5 - 15*a^5*B + 18*a^3*b^2*B + a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*a^(5/2)*(a^2 + b^2)^3*d) + (b*(A*b - a*B)*Cot[c + d*x]^(3/2))/(2*a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) + (b*(11*a^2*A*b + 3*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Cot[c + d*x]])/(4*a^2*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d)

Rubi [A] time = 1.36501, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3605, 3645, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b(Ab - aB) \cot^{\frac{3}{2}}(c + dx)}{2ad(a^2 + b^2)(a \cot(c + dx) + b)^2} + \frac{b(11a^2Ab - 7a^3B + ab^2B + 3Ab^3) \sqrt{\cot(c + dx)}}{4a^2d(a^2 + b^2)^2(a \cot(c + dx) + b)} - \frac{(3a^2b(A + B) + a^3(A - B) - 3b^3(A - B)) \operatorname{ArcTan}\left[\frac{\sqrt{2} \sqrt{\cot(c + dx)}}{a^2 + b^2}\right] + ((3a^2b(A - B) - b^3(A - B) - a^3(A + B) + 3ab^2(A + B)) \operatorname{ArcTan}\left[\frac{1 + \sqrt{2} \sqrt{\cot(c + dx)}}{a^2 + b^2}\right])}{(a^2 + b^2)^3 d} - \frac{(3a^2b(A + B) + a^3(A - B) - 3b^3(A - B)) \operatorname{ArcTan}\left[\frac{\sqrt{a} \sqrt{\cot(c + dx)}}{\sqrt{b}}\right]}{(4a^{5/2}(a^2 + b^2)^3 d) + (b(Ab - aB) \cot(c + dx)^{3/2}) / (2a(a^2 + b^2)d(b + a \cot(c + dx))^2) + (b(11a^2Ab + 3Ab^3 - 7a^3B + ab^2B) \operatorname{ArcTan}\left[\frac{\sqrt{\cot(c + dx)}}{\sqrt{b}}\right]) / (4a^2(a^2 + b^2)^2 d(b + a \cot(c + dx))) - ((a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B)) \operatorname{Log}\left[1 - \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx)\right]) / (2\sqrt{2}(a^2 + b^2)^3 d) + ((a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B)) \operatorname{Log}\left[1 + \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx)\right]) / (2\sqrt{2}(a^2 + b^2)^3 d)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3,x]

[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d)) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - (Sqrt[b]*(35*a^4*A*b + 6*a^2*A*b^3 + 3*A*b^5 - 15*a^5*B + 18*a^3*b^2*B + a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*a^(5/2)*(a^2 + b^2)^3*d) + (b*(A*b - a*B)*Cot[c + d*x]^(3/2))/(2*a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) + (b*(11*a^2*A*b + 3*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Cot[c + d*x]])/(4*a^2*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d)

Rule 3581

Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ

[p] && IntegerQ[m] && IntegerQ[n]

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a
c)]
```

Rule 1162

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
```

$\int \frac{1}{(2c) \sqrt{d/e - qx + x^2}} dx$; FreeQ[{a, c, d, e}, x] & EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

$\int ((a_.) + (b_.)x + (c_.)x^2)^{-1} dx$:> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\int ((a_.) + (b_.)x^2)^{-1} dx$:> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

$\int ((d_.) + (e_.)x^2)/((a_.) + (c_.)x^4) dx$:> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\int ((d_.) + (e_.)x)/((a_.) + (b_.)x + (c_.)x^2) dx$:> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

$\int ((a_.) + (b_.)\tan[(e_.) + (f_.)x])^{(m_.)} ((c_.) + (d_.)\tan[(e_.) + (f_.)x])^{(n_.)} ((A_.) + (C_.)\tan[(e_.) + (f_.)x])^2 dx$:> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

$\int ((a_.) + (b_.)x)^{(m_.)} ((c_.) + (d_.)x)^{(n_.)} dx$:> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

$\int ((a_.) + (b_.)x^2)^{-1} dx$:> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cot(c+dx)}(A+B\tan(c+dx))}{(a+b\tan(c+dx))^3} dx &= \int \frac{\cot^{\frac{5}{2}}(c+dx)(B+A\cot(c+dx))}{(b+a\cot(c+dx))^3} dx \\
&= \frac{b(Ab-aB)\cot^{\frac{3}{2}}(c+dx)}{2a(a^2+b^2)d(b+a\cot(c+dx))^2} - \int \frac{\sqrt{\cot(c+dx)}\left(-\frac{3}{2}b(Ab-aB)+2a(Ab-aB)\cot(c+dx)-\frac{1}{2}a^2\cot^2(c+dx)\right)}{(b+a\cot(c+dx))^2} \frac{1}{2a(a^2+b^2)} dx \\
&= \frac{b(Ab-aB)\cot^{\frac{3}{2}}(c+dx)}{2a(a^2+b^2)d(b+a\cot(c+dx))^2} + \frac{b(11a^2Ab+3Ab^3-7a^3B+ab^2B)\sqrt{\cot(c+dx)}}{4a^2(a^2+b^2)^2d(b+a\cot(c+dx))} \\
&= \frac{b(Ab-aB)\cot^{\frac{3}{2}}(c+dx)}{2a(a^2+b^2)d(b+a\cot(c+dx))^2} + \frac{b(11a^2Ab+3Ab^3-7a^3B+ab^2B)\sqrt{\cot(c+dx)}}{4a^2(a^2+b^2)^2d(b+a\cot(c+dx))} \\
&= \frac{b(Ab-aB)\cot^{\frac{3}{2}}(c+dx)}{2a(a^2+b^2)d(b+a\cot(c+dx))^2} + \frac{b(11a^2Ab+3Ab^3-7a^3B+ab^2B)\sqrt{\cot(c+dx)}}{4a^2(a^2+b^2)^2d(b+a\cot(c+dx))} \\
&= \frac{b(Ab-aB)\cot^{\frac{3}{2}}(c+dx)}{2a(a^2+b^2)d(b+a\cot(c+dx))^2} + \frac{b(11a^2Ab+3Ab^3-7a^3B+ab^2B)\sqrt{\cot(c+dx)}}{4a^2(a^2+b^2)^2d(b+a\cot(c+dx))} \\
&= -\frac{\sqrt{b}(35a^4Ab+6a^2Ab^3+3Ab^5-15a^5B+18a^3b^2B+ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{4a^{5/2}(a^2+b^2)^3d} \\
&= -\frac{\sqrt{b}(35a^4Ab+6a^2Ab^3+3Ab^5-15a^5B+18a^3b^2B+ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c+dx)}}{\sqrt{b}}\right)}{4a^{5/2}(a^2+b^2)^3d} \\
&= -\frac{(3a^2b(A-B)-b^3(A-B)-a^3(A+B)+3ab^2(A+B))\tan^{-1}\left(1-\sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}(a^2+b^2)^3d}
\end{aligned}$$

Mathematica [A] time = 6.38155, size = 566, normalized size = 1.06

$$2\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(\frac{3b(Ab-aB) \left(\frac{\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}} + \frac{\sqrt{\tan(c+dx)}}{a(a+b\tan(c+dx))} \right)}{8a(a^2+b^2)} + \frac{(3a^2b(A-B)+a^3(-(A+B))+3ab^2(A+B)-b^3(A-B))(\sqrt{2}\tan^{-1}(1-\sqrt{2}\sqrt{\cot(c+dx)}))}{4(a^2+b^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^3, x]

[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*(Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(4*(a^2 + b^2)^3) + (Sqrt[b]*(2*a*A*b - a^2*B + b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(2*a^(3/2)*(a^2 + b^2)^2) + (Sqrt[b]*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)^3) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*(Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(8*(a^2 + b^2)^3) + (b*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(4*a*(a^2 + b^2)*(a + b*Tan[c + d*x])^2) + (b*(2*a*

$$\frac{A*b - a^2*B + b^2*B)*\text{Sqrt}[\text{Tan}[c + d*x]]/(2*a*(a^2 + b^2)^2*(a + b*\text{Tan}[c + d*x])) + (3*b*(A*b - a*B)*(\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a]]/(a^{(3/2)*\text{Sqrt}[b]} + \text{Sqrt}[\text{Tan}[c + d*x]]/(a*(a + b*\text{Tan}[c + d*x])))))/(8*a*(a^2 + b^2)))/d$$

Maple [C] time = 2.611, size = 100786, normalized size = 188.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^3, x)

$$3.602 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=534

$$\frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2ad(a^2 + b^2)(a \cot(c + dx) + b)^2} - \frac{(9a^2Ab - 5a^3B + 3ab^2B + Ab^3)\sqrt{\cot(c + dx)}}{4ad(a^2 + b^2)^2(a \cot(c + dx) + b)} - \frac{(3a^2b(A - B) + a^3(-(A + B)) + \dots)}{\dots}$$

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + ((15*a^4*A*b - 18*a^2*A*b^3 - A*b^5 - 3*a^5*B + 26*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]]/(4*a^(3/2)*Sqrt[b]*(a^2 + b^2)^3*d) + (b*(A*b - a*B)*Sqrt[Cot[c + d*x]]/(2*a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) - ((9*a^2*A*b + A*b^3 - 5*a^3*B + 3*a*b^2*B)*Sqrt[Cot[c + d*x]]/(4*a*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rubi [A] time = 1.38785, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3605, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2ad(a^2 + b^2)(a \cot(c + dx) + b)^2} - \frac{(9a^2Ab - 5a^3B + 3ab^2B + Ab^3)\sqrt{\cot(c + dx)}}{4ad(a^2 + b^2)^2(a \cot(c + dx) + b)} - \frac{(3a^2b(A - B) + a^3(-(A + B)) + \dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) + ((15*a^4*A*b - 18*a^2*A*b^3 - A*b^5 - 3*a^5*B + 26*a^3*b^2*B - 3*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]]/(4*a^(3/2)*Sqrt[b]*(a^2 + b^2)^3*d) + (b*(A*b - a*B)*Sqrt[Cot[c + d*x]]/(2*a*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) - ((9*a^2*A*b + A*b^3 - 5*a^3*B + 3*a*b^2*B)*Sqrt[Cot[c + d*x]]/(4*a*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^p_*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ
```

[p] && IntegerQ[m] && IntegerQ[n]

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)])^2)/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] :> Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] :> Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Di
st[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[
```


$(2*d)/e, 2]$, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :=> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :=> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :=> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] :=> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^3} dx &= \int \frac{\cot^{\frac{3}{2}}(c + dx)(B + A \cot(c + dx))}{(b + a \cot(c + dx))^3} dx \\
 &= \frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2a(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{\int \frac{-\frac{1}{2}b(Ab - aB) + 2a(Ab - aB)\cot(c + dx) - \frac{1}{2}(4a^2A + Ab^2 - \sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2)}{2a(a^2 + b^2)} dx}{2a(a^2 + b^2)} \\
 &= \frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2a(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{(9a^2Ab + Ab^3 - 5a^3B + 3ab^2B)\sqrt{\cot(c + dx)}}{4a(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
 &= \frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2a(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{(9a^2Ab + Ab^3 - 5a^3B + 3ab^2B)\sqrt{\cot(c + dx)}}{4a(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
 &= \frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2a(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{(9a^2Ab + Ab^3 - 5a^3B + 3ab^2B)\sqrt{\cot(c + dx)}}{4a(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
 &= \frac{b(Ab - aB)\sqrt{\cot(c + dx)}}{2a(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{(9a^2Ab + Ab^3 - 5a^3B + 3ab^2B)\sqrt{\cot(c + dx)}}{4a(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
 &= \frac{(15a^4Ab - 18a^2Ab^3 - Ab^5 - 3a^5B + 26a^3b^2B - 3ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4a^{3/2}\sqrt{b}(a^2 + b^2)^3d} + \frac{(15a^4Ab - 18a^2Ab^3 - Ab^5 - 3a^5B + 26a^3b^2B - 3ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4a^{3/2}\sqrt{b}(a^2 + b^2)^3d} \\
 &= \frac{(a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B))\tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^3d}
 \end{aligned}$$

Mathematica [A] time = 6.34164, size = 558, normalized size = 1.04

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{3(Ab - aB) \left(\frac{\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}} + \frac{\sqrt{\tan(c + dx)}}{a(a + b \tan(c + dx))} \right)}{8(a^2 + b^2)} - \frac{(3a^2b(A + B) + a^3(A - B) - 3ab^2(A - B) - b^3(A + B))(\sqrt{2}\tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c + dx)}))}{4(a^2 + b^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^3), x]

[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*(Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]) - Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(4*(a^2 + b^2)^3) - (Sqrt[b]*(a^2*A - A*b^2 + 2*a*b*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(2*a^(3/2)*(a^2 + b^2)^2) - (Sqrt[b]*(a^3*A - 3*a*A*b^2 + 3*a^2*b*B - b^3*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)^3) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*(Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])/(8*(a^2 + b^2)^3) - ((A*b - a*B)*Sqrt[Tan[c + d*x]])/(4*(a^2 + b^2)*(a + b*Tan[c + d*x])^2) - (b*(a^2*A -

$$\frac{A*b^2 + 2*a*b*B)*\text{Sqrt}[\text{Tan}[c + d*x]]/(2*a*(a^2 + b^2)^2*(a + b*\text{Tan}[c + d*x]) - (3*(A*b - a*B)*(\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a]]/(a^{3/2})*\text{Sqrt}[b]) + \text{Sqrt}[\text{Tan}[c + d*x]]/(a*(a + b*\text{Tan}[c + d*x]))))/(8*(a^2 + b^2))}{d}$$

Maple [C] time = 1.905, size = 102181, normalized size = 191.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^3,x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^3 \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^3*sqrt(cot(d*x + c))), x)
```

$$3.603 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=530

$$\frac{(Ab - aB)\sqrt{\cot(c+dx)}}{2d(a^2 + b^2)(a \cot(c+dx) + b)^2} + \frac{(5a^2Ab + a^3(-B) + 7ab^2B - 3Ab^3)\sqrt{\cot(c+dx)}}{4bd(a^2 + b^2)^2(a \cot(c+dx) + b)} + \frac{(3a^2b(A+B) + a^3(A-B) - b^3(A-B) - a^3(A+B) + 3ab^2(A+B))\sqrt{\cot(c+dx)}}{2d(a^2 + b^2)(a \cot(c+dx) + b)^2}$$

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^4*A*b - 26*a^2*A*b^3 + 3*A*b^5 + a^5*B + 18*a^3*b^2*B - 15*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*Sqrt[a]*b^(3/2)*(a^2 + b^2)^3*d) - ((A*b - a*B)*Sqrt[Cot[c + d*x]]/(2*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) + ((5*a^2*A*b - 3*A*b^3 - a^3*B + 7*a*b^2*B)*Sqrt[Cot[c + d*x]]/(4*b*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rubi [A] time = 1.42535, antiderivative size = 530, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3608, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{(Ab - aB)\sqrt{\cot(c+dx)}}{2d(a^2 + b^2)(a \cot(c+dx) + b)^2} + \frac{(5a^2Ab + a^3(-B) + 7ab^2B - 3Ab^3)\sqrt{\cot(c+dx)}}{4bd(a^2 + b^2)^2(a \cot(c+dx) + b)} + \frac{(3a^2b(A+B) + a^3(A-B) - b^3(A-B) - a^3(A+B) + 3ab^2(A+B))\sqrt{\cot(c+dx)}}{2d(a^2 + b^2)(a \cot(c+dx) + b)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*(a^2 + b^2)^3*d) - ((3*a^4*A*b - 26*a^2*A*b^3 + 3*A*b^5 + a^5*B + 18*a^3*b^2*B - 15*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*Sqrt[a]*b^(3/2)*(a^2 + b^2)^3*d) - ((A*b - a*B)*Sqrt[Cot[c + d*x]]/(2*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) + ((5*a^2*A*b - 3*A*b^3 - a^3*B + 7*a*b^2*B)*Sqrt[Cot[c + d*x]]/(4*b*(a^2 + b^2)^2*d*(b + a*Cot[c + d*x])) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m
+ 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e +
f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) +
A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[
e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[
{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && N
eQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegersQ
[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])]; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] := Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^3} dx &= \int \frac{\sqrt{\cot(c + dx)}(B + A \cot(c + dx))}{(b + a \cot(c + dx))^3} dx \\
&= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{2(a^2 + b^2)d(b + a \cot(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(Ab - aB) + 2a(aA + bB)\cot(c + dx) + \frac{3}{2}a(Ab - aB)\cot^3(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2} dx}{2a(a^2 + b^2)} \\
&= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{2(a^2 + b^2)d(b + a \cot(c + dx))^2} + \frac{(5a^2Ab - 3Ab^3 - a^3B + 7ab^2B)\sqrt{\cot(c + dx)}}{4b(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{2(a^2 + b^2)d(b + a \cot(c + dx))^2} + \frac{(5a^2Ab - 3Ab^3 - a^3B + 7ab^2B)\sqrt{\cot(c + dx)}}{4b(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{2(a^2 + b^2)d(b + a \cot(c + dx))^2} + \frac{(5a^2Ab - 3Ab^3 - a^3B + 7ab^2B)\sqrt{\cot(c + dx)}}{4b(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= -\frac{(Ab - aB)\sqrt{\cot(c + dx)}}{2(a^2 + b^2)d(b + a \cot(c + dx))^2} + \frac{(5a^2Ab - 3Ab^3 - a^3B + 7ab^2B)\sqrt{\cot(c + dx)}}{4b(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= -\frac{(3a^4Ab - 26a^2Ab^3 + 3Ab^5 + a^5B + 18a^3b^2B - 15ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4\sqrt{ab^3/2}(a^2 + b^2)^3d} \\
&= -\frac{(3a^4Ab - 26a^2Ab^3 + 3Ab^5 + a^5B + 18a^3b^2B - 15ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4\sqrt{ab^3/2}(a^2 + b^2)^3d} \\
&= \frac{(3a^2b(A - B) - b^3(A - B) - a^3(A + B) + 3ab^2(A + B))\tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c + dx)})}{\sqrt{2}(a^2 + b^2)^3d}
\end{aligned}$$

Mathematica [A] time = 6.39349, size = 568, normalized size = 1.07

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{3(Ab - aB) \left(\frac{\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right) + \frac{\sqrt{\tan(c + dx)}}{a + b \tan(c + dx)}}{\sqrt{a}\sqrt{b}} \right)}{8b(a^2 + b^2)} - \frac{(3a^2b(A - B) + a^3(-A + B) + 3ab^2(A + B) - b^3(A - B))(\sqrt{2}\tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c + dx)}) - \sqrt{2}\sqrt{\cot(c + dx)})}{4(a^2 + b^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^3), x]

[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*(Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(4*(a^2 + b^2)^3) - (Sqrt[b]*(3*a^2*A*b - A*b^3 - a^3*B + 3*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(Sqrt[a]*(a^2 + b^2)^3) - ((2*A*b^3 - a*(a^2 + 3*b^2)*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)*(a^2 + b^2)^2) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*(Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]]))/(8*(a^2 + b^2)^3) + (a*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(4*b*(a^2 + b^2)*(a + b*Tan[c + d*x])^2) - ((2

$$\frac{*A*b^3 - a*(a^2 + 3*b^2)*B)*\text{Sqrt}[\text{Tan}[c + d*x]]/(2*b*(a^2 + b^2)^2*(a + b*\text{Tan}[c + d*x])) + (3*(A*b - a*B)*(\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a]])/(\text{Sqrt}[a]*\text{Sqrt}[b]) + \text{Sqrt}[\text{Tan}[c + d*x]]/(a + b*\text{Tan}[c + d*x])))/(8*b*(a^2 + b^2)))/d$$

Maple [C] time = 1.521, size = 102237, normalized size = 192.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^3*cot(d*x + c)^(3/2)), x)

$$3.604 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=534

$$\frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2bd(a^2 + b^2)(a \cot(c + dx) + b)^2} - \frac{a(a^2Ab + 3a^3B + 11ab^2B - 7Ab^3)\sqrt{\cot(c + dx)}}{4b^2d(a^2 + b^2)^2(a \cot(c + dx) + b)} + \frac{(3a^2b(A - B) + a^3(-(A + B)))}{2bd(a^2 + b^2)(a \cot(c + dx) + b)^2}$$

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1
- Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d)) + ((a^3*(A - B)
- 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[
Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - (Sqrt[a]*(a^4*A*b + 18*a^2*A*b^
3 - 15*A*b^5 + 3*a^5*B + 6*a^3*b^2*B + 35*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot
[c + d*x]])/Sqrt[b]])/(4*b^(5/2)*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Sqrt[Cot
[c + d*x]])/(2*b*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) - (a*(a^2*A*b - 7*A*
b^3 + 3*a^3*B + 11*a*b^2*B)*Sqrt[Cot[c + d*x]])/(4*b^2*(a^2 + b^2)^2*d*(b +
a*Cot[c + d*x])) + (((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2
*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a
^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A
+ B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2
+ b^2)^3*d)
```

Rubi [A] time = 1.37878, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2bd(a^2 + b^2)(a \cot(c + dx) + b)^2} - \frac{a(a^2Ab + 3a^3B + 11ab^2B - 7Ab^3)\sqrt{\cot(c + dx)}}{4b^2d(a^2 + b^2)^2(a \cot(c + dx) + b)} + \frac{(3a^2b(A - B) + a^3(-(A + B)))}{2bd(a^2 + b^2)(a \cot(c + dx) + b)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] -(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1
- Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d)) + ((a^3*(A - B)
- 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[
Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - (Sqrt[a]*(a^4*A*b + 18*a^2*A*b^
3 - 15*A*b^5 + 3*a^5*B + 6*a^3*b^2*B + 35*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot
[c + d*x]])/Sqrt[b]])/(4*b^(5/2)*(a^2 + b^2)^3*d) + (a*(A*b - a*B)*Sqrt[Cot
[c + d*x]])/(2*b*(a^2 + b^2)*d*(b + a*Cot[c + d*x])^2) - (a*(a^2*A*b - 7*A*
b^3 + 3*a^3*B + 11*a*b^2*B)*Sqrt[Cot[c + d*x]])/(4*b^2*(a^2 + b^2)^2*d*(b +
a*Cot[c + d*x])) + (((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2
*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a
^2 + b^2)^3*d) - ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A
+ B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2
+ b^2)^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(
x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist
[g^(m + n), Int[(g*Cot[e + f*x])^(p - m - n)*(b + a*Cot[e + f*x])^m*(d + c*
Cot[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ
```

[p] && IntegerQ[m] && IntegerQ[n]

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1)
)/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^
2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n +
2) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &&
(IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3653

```
Int[(((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.)
+ (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2))/((a_.) + (b_.)*tan[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[1/(a^2 + b^2), Int[(c + d*Tan[e + f*x])^n
*Simp[b*B + a*(A - C) + (a*B - b*(A - C))*Tan[e + f*x], x], x] + Dist[(
A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), Int[((c + d*Tan[e + f*x])^n*(1 + Tan[e
+ f*x]^2))/(a + b*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C
, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] &&
!GtQ[n, 0] && !LeQ[n, -1]
```

Rule 3534

```
Int[((c_) + (d_.)*tan[(e_.) + (f_.)*(x_)])/Sqrt[(b_.)*tan[(e_.) + (f_.)*(x_
)]], x_Symbol] := Dist[2/f, Subst[Int[(b*c + d*x^2)/(b^2 + x^4), x], x, Sqr
t[b*Tan[e + f*x]]], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] &&
NeQ[c^2 + d^2, 0]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Di
st[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
```

$(2*d)/e, 2]$, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :=> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] :=> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :=> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 3634

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2, x_Symbol] :=> Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^3} dx &= \int \frac{B + A \cot(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))^3} dx \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2b(a^2 + b^2)d(b + a \cot(c + dx))^2} - \int \frac{\frac{1}{2}(-aAb - 3a^2B - 4b^2B) - 2b(Ab - aB)\cot(c + dx) + \frac{3}{2}a(Ab - aB)\cot^2(c + dx)}{\sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2} dx \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2b(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B)\sqrt{\cot(c + dx)}}{4b^2(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2b(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B)\sqrt{\cot(c + dx)}}{4b^2(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2b(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B)\sqrt{\cot(c + dx)}}{4b^2(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= \frac{a(Ab - aB)\sqrt{\cot(c + dx)}}{2b(a^2 + b^2)d(b + a \cot(c + dx))^2} - \frac{a(a^2Ab - 7Ab^3 + 3a^3B + 11ab^2B)\sqrt{\cot(c + dx)}}{4b^2(a^2 + b^2)^2d(b + a \cot(c + dx))} \\
&= \frac{\sqrt{a}(a^4Ab + 18a^2Ab^3 - 15Ab^5 + 3a^5B + 6a^3b^2B + 35ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4b^{5/2}(a^2 + b^2)^3d} \\
&= \frac{\sqrt{a}(a^4Ab + 18a^2Ab^3 - 15Ab^5 + 3a^5B + 6a^3b^2B + 35ab^4B)\tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4b^{5/2}(a^2 + b^2)^3d} \\
&= \frac{(a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B))\tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^3d}
\end{aligned}$$

Mathematica [A] time = 6.44473, size = 592, normalized size = 1.11

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{\sqrt{a}(a^2Ab - 2a^3B - 4ab^2B + 3Ab^3)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{2b^{5/2}(a^2 + b^2)^2} + \frac{\sqrt{a}(a^2Ab^3 + 3a^3b^2B + a^5B + 6ab^4B - 3Ab^5)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{b^{5/2}(a^2 + b^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^3), x]

[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*(Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(4*(a^2 + b^2)^3) + (Sqrt[a]*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(2*b^(5/2)*(a^2 + b^2)^2) + (Sqrt[a]*(a^2*A*b^3 - 3*A*b^5 + a^5*B + 3*a^3*b^2*B + 6*a*b^4*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(b^(5/2)*(a^2 + b^2)^3) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*(Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]] - Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Tan[c + d*x]] + Tan[c + d*x]])))/(8*(a^2 + b^2)^3) - (a^2*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(4*b^2*(a^2 + b^2)

$$\begin{aligned} &)*(a + b*\text{Tan}[c + d*x])^2) + (a*(a^2*A*b + 3*A*b^3 - 2*a^3*B - 4*a*b^2*B)*\text{Sqrt}[\text{Tan}[c + d*x]])/(2*b^2*(a^2 + b^2)^2*(a + b*\text{Tan}[c + d*x])) - (3*(A*b - a*B)*((\text{Sqrt}[a]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a]])/\text{Sqrt}[b] + (a*\text{Sqrt}[\text{Tan}[c + d*x]])/(a + b*\text{Tan}[c + d*x]))) / (8*b^2*(a^2 + b^2)))/d \end{aligned}$$

Maple [C] time = 1.564, size = 102109, normalized size = 191.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^3,x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+b*tan(d*x+c))**3,x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+b*tan(d*x+c))**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^3*cot(d*x + c)^(5/2)), x)

$$3.605 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^3} dx$$

Optimal. Leaf size=600

$$\frac{a(a^2Ab - 5a^3B - 13ab^2B + 9Ab^3)}{4b^2d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}(a \cot(c+dx) + b)} + \frac{a(Ab - aB)}{2bd(a^2 + b^2) \sqrt{\cot(c+dx)}(a \cot(c+dx) + b)^2} - \frac{3a^3Ab - 31a^2b^2B}{4b^3d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}(a \cot(c+dx) + b)^3}$$

```
[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - (a^(3/2)*(3*a^4*A*b + 6*a^2*A*b^3 + 35*A*b^5 - 15*a^5*B - 46*a^3*b^2*B - 63*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*b^(7/2)*(a^2 + b^2)^3*d) - (3*a^3*A*b + 11*a*A*b^3 - 15*a^4*B - 31*a^2*b^2*B - 8*b^4*B)/(4*b^3*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]) + (a*(A*b - a*B))/(2*b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])^2) + (a*(a^2*A*b + 9*A*b^3 - 5*a^3*B - 13*a*b^2*B))/(4*b^2*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rubi [A] time = 1.82465, antiderivative size = 600, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 14, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.424$, Rules used = {3581, 3609, 3649, 3653, 3534, 1168, 1162, 617, 204, 1165, 628, 3634, 63, 205}

$$\frac{a(a^2Ab - 5a^3B - 13ab^2B + 9Ab^3)}{4b^2d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}(a \cot(c+dx) + b)} + \frac{a(Ab - aB)}{2bd(a^2 + b^2) \sqrt{\cot(c+dx)}(a \cot(c+dx) + b)^2} - \frac{3a^3Ab - 31a^2b^2B}{4b^3d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}(a \cot(c+dx) + b)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^3), x]
```

```
[Out] -(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) + ((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*(a^2 + b^2)^3*d) - (a^(3/2)*(3*a^4*A*b + 6*a^2*A*b^3 + 35*A*b^5 - 15*a^5*B - 46*a^3*b^2*B - 63*a*b^4*B)*ArcTan[(Sqrt[a]*Sqrt[Cot[c + d*x]])/Sqrt[b]])/(4*b^(7/2)*(a^2 + b^2)^3*d) - (3*a^3*A*b + 11*a*A*b^3 - 15*a^4*B - 31*a^2*b^2*B - 8*b^4*B)/(4*b^3*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]) + (a*(A*b - a*B))/(2*b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])^2) + (a*(a^2*A*b + 9*A*b^3 - 5*a^3*B - 13*a*b^2*B))/(4*b^2*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*(b + a*Cot[c + d*x])) - ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d) + ((a^3*(A - B) - 3*a*b^2*(A - B) + 3*a^2*b*(A + B) - b^3*(A + B))*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*(a^2 + b^2)^3*d)
```

Rule 3581

```
Int[(cot[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist
```

$[g^{(m+n)}, \text{Int}[(g*\text{Cot}[e+f*x])^{(p-m-n)}*(b+a*\text{Cot}[e+f*x])^m*(d+c*\text{Cot}[e+f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3609

$\text{Int}[(a_+ + (b_+)*\tan[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\tan[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] :> \text{Simp}[(b*(A*b - a*B)*(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^{(n+1)})/(f*(m+1)*(b*c - a*d)*(a^2 + b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 + b^2)), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^n*\text{Simp}[b*B*(b*c*(m+1) + a*d*(n+1)) + A*(a*(b*c - a*d)*(m+1) - b^2*d*(m+n+2)) - (A*b - a*B)*(b*c - a*d)*(m+1)*\tan[e + f*x] - b*d*(A*b - a*B)*(m+n+2)*\tan[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

$\text{Int}[(a_+ + (b_+)*\tan[(e_+) + (f_+)*(x_+)])^{(m_+)}*((c_+) + (d_+)*\tan[(e_+) + (f_+)*(x_+)])^{(n_+)}*((A_+) + (B_+)*\tan[(e_+) + (f_+)*(x_+)]) + (C_+)*\tan[(e_+) + (f_+)*(x_+)]^2, x_Symbol] :> \text{Simp}[(A*b^2 - a*(b*B - a*C))*(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^{(n+1)})/(f*(m+1)*(b*c - a*d)*(a^2 + b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 + b^2)), \text{Int}[(a + b*\tan[e + f*x])^{(m+1)}*(c + d*\tan[e + f*x])^n*\text{Simp}[A*(a*(b*c - a*d)*(m+1) - b^2*d*(m+n+2)) + (b*B - a*C)*(b*c*(m+1) + a*d*(n+1)) - (m+1)*(b*c - a*d)*(A*b - a*B - b*C)*\tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m+n+2)*\tan[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3653

$\text{Int}[(c_+ + (d_+)*\tan[(e_+) + (f_+)*(x_+)])^{(n_+)}*((A_+) + (B_+)*\tan[(e_+) + (f_+)*(x_+)]) + (C_+)*\tan[(e_+) + (f_+)*(x_+)]^2)/(a_+ + (b_+)*\tan[(e_+) + (f_+)*(x_+)]), x_Symbol] :> \text{Dist}[1/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n*\text{Simp}[b*B + a*(A - C) + (a*B - b*(A - C))*\tan[e + f*x], x], x], x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2 + b^2), \text{Int}[(c + d*\tan[e + f*x])^n*(1 + \tan[e + f*x]^2)/(a + b*\tan[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && !GtQ[n, 0] && !LeQ[n, -1]

Rule 3534

$\text{Int}[(c_+ + (d_+)*\tan[(e_+) + (f_+)*(x_+)])/ \text{Sqrt}[(b_+)*\tan[(e_+) + (f_+)*(x_+)]], x_Symbol] :> \text{Dist}[2/f, \text{Subst}[\text{Int}[(b*c + d*x^2)/(b^2 + x^4), x], x, \text{Sqrt}[b*\tan[e + f*x]], x] /;$ FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NeQ[c^2 + d^2, 0]

Rule 1168

$\text{Int}[(d_+ + (e_+)*(x_+)^2)/((a_+ + (c_+)*(x_+)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /;$ FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 3634

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (C_)*tan[(e_) + (f_)*(x_)])^2), x_Symbol] :=
Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; F
reeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{7}{2}}(c + dx)(a + b \tan(c + dx))^3} dx &= \int \frac{B + A \cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))^3} dx \\
&= \frac{a(Ab - aB)}{2b(a^2 + b^2)d\sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2} - \frac{\int \frac{\frac{1}{2}(aAb - 5a^2B - 4b^2B) - 2b(Ab - aB)\cot(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(b + a \cot(c + dx))^3} dx}{2b(a^2 + b^2)} \\
&= \frac{a(Ab - aB)}{2b(a^2 + b^2)d\sqrt{\cot(c + dx)}(b + a \cot(c + dx))^2} + \frac{a(a^2Ab + 9Ab^3 - 5a^3b^2)}{4b^2(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} \\
&= -\frac{3a^3Ab + 11aAb^3 - 15a^4B - 31a^2b^2B - 8b^4B}{4b^3(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 + b^2)d\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
&= -\frac{3a^3Ab + 11aAb^3 - 15a^4B - 31a^2b^2B - 8b^4B}{4b^3(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 + b^2)d\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
&= -\frac{3a^3Ab + 11aAb^3 - 15a^4B - 31a^2b^2B - 8b^4B}{4b^3(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 + b^2)d\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
&= -\frac{3a^3Ab + 11aAb^3 - 15a^4B - 31a^2b^2B - 8b^4B}{4b^3(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 + b^2)d\sqrt{\cot(c + dx)}(b + a \cot(c + dx))} \\
&= -\frac{a^{3/2}(3a^4Ab + 6a^2Ab^3 + 35Ab^5 - 15a^5B - 46a^3b^2B - 63ab^4B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4b^{7/2}(a^2 + b^2)^3d} \\
&= -\frac{a^{3/2}(3a^4Ab + 6a^2Ab^3 + 35Ab^5 - 15a^5B - 46a^3b^2B - 63ab^4B) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{4b^{7/2}(a^2 + b^2)^3d} \\
&= -\frac{(3a^2b(A - B) - b^3(A - B) - a^3(A + B) + 3ab^2(A + B)) \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}(a^2 + b^2)^3d}
\end{aligned}$$

Mathematica [A] time = 6.45795, size = 621, normalized size = 1.03

$$2\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(-\frac{a^{3/2}(2a^2Ab - 3a^3B - 5ab^2B + 4Ab^3) \tan^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right)}{2b^{7/2}(a^2 + b^2)^2} + \frac{a^{3/2}(3a^2Ab^3 + a^4Ab - 9a^3b^2B - 3a^5B - 10ab^4B + 6Ab^5) \tan^{-1}\left(\frac{\sqrt{a}\sqrt{\cot(c + dx)}}{\sqrt{b}}\right)}{b^{7/2}(a^2 + b^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^3), x]

[Out] (2*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((3*a^2*b*(A - B) - b^3*(A - B) - a^3*(A + B) + 3*a*b^2*(A + B))*(Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Tan[c + d*x]]] - Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Tan[c + d*x]]]))/(4*(a^2 + b^2)^3) - (a^(3/2)*(2*a^2*A*b + 4*A*b^3 - 3*a^3*B - 5*a*b^2*B)*ArcTan[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]])/(2*b^(7/2)*(a^2 + b^2)^2) + (a^(3/2)*(a^4*A*b + 3*a^2*A*b^3 + 6*A*b^5 - 3*a^5*B - 9*a^3*b^2*B - 10*a*b^4*B)*ArcTan[(Sqrt[b]*S

$$\frac{\sqrt{\tan[c + dx]}/\sqrt{a}}{(b^{7/2}(a^2 + b^2)^3 - ((a^3(A - B) - 3ab^2(A - B) + 3a^2b(A + B) - b^3(A + B))(\sqrt{2}\log[1 - \sqrt{2}\sqrt{\tan[c + dx]} + \tan[c + dx]] - \sqrt{2}\log[1 + \sqrt{2}\sqrt{\tan[c + dx]} + \tan[c + dx]])))/(8(a^2 + b^2)^3) + (B\sqrt{\tan[c + dx]})/b^3 + (a^3(Ab - aB)\sqrt{\tan[c + dx]})/(4b^3(a^2 + b^2)(a + b\tan[c + dx])^2) - (a^2(2a^2Ab + 4Ab^3 - 3a^3B - 5ab^2B)\sqrt{\tan[c + dx]})/(2b^3(a^2 + b^2)^2(a + b\tan[c + dx])) + (3(Ab - aB)((a^{3/2})\text{ArcTan}[(\sqrt{b}\sqrt{\tan[c + dx]})/\sqrt{a}])/\sqrt{b} + (a^2\sqrt{\tan[c + dx]})/(a + b\tan[c + dx])))/(8b^3(a^2 + b^2)))/d$$

Maple [C] time = 2.065, size = 104911, normalized size = 174.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+b*tan(d*x+c))^3,x)

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+b*tan(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+b*tan(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(7/2)/(a+b*tan(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^3 \cot(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(7/2)/(a+b*tan(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^3*cot(d*x + c)^(7/2)), x)

$$3.606 \quad \int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=156

$$\frac{2B \cot^2(c+dx)}{3d} + \frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \tan(c+dx)}{d}$$

[Out] -((B*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d)) + (B*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*B*Cot[c + d*x]^(3/2))/(3*d) + (B*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)

Rubi [A] time = 0.105383, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3473, 3476, 329, 297, 1162, 617, 204, 1165, 628}

$$\frac{2B \cot^2(c+dx)}{3d} + \frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \tan(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(5/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]

[Out] -((B*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d)) + (B*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]])/(Sqrt[2]*d) - (2*B*Cot[c + d*x]^(3/2))/(3*d) + (B*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3473

Int[((b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(b*(b*Tan[c + d*x])^(n - 1))/(d*(n - 1)), x] - Dist[b^2, Int[(b*Tan[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rule 3476

Int[((b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 329

Int[(c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 297

```
Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4
), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{5}{2}}(c+dx)(aB+bB\tan(c+dx))}{a+b\tan(c+dx)} dx &= B \int \cot^{\frac{5}{2}}(c+dx) dx \\
&= -\frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d} - B \int \sqrt{\cot(c+dx)} dx \\
&= -\frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1+x^2} dx, x, \cot(c+dx)\right)}{d} \\
&= -\frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{(2B) \operatorname{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= -\frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d} - \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2d} \\
&= -\frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2d} \\
&= -\frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d} + \frac{B \log\left(1 - \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d} - \frac{B \log\left(1 + \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d} \\
&= -\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} - \frac{2B \cot^{\frac{3}{2}}(c+dx)}{3d}
\end{aligned}$$

Mathematica [C] time = 0.0770606, size = 38, normalized size = 0.24

$$\frac{2B \cot^{\frac{3}{2}}(c+dx) \left(\operatorname{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\cot^2(c+dx)\right) - 1 \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (2*B*Cot[c + d*x]^(3/2)*(-1 + Hypergeometric2F1[3/4, 1, 7/4, -Cot[c + d*x]^2]))/(3*d)

Maple [C] time = 0.25, size = 1275, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] 1/6*B/d*2^(1/2)*(cos(d*x+c)-1)^2*(3*I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*sin(d*x+c)-3*I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*sin(d*x+c)+3*I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-

$$\begin{aligned} & \sin(dx+c)/\sin(dx+c)^{(1/2)}*\sin(dx+c)-3*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticPi((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})*\cos(dx+c)*\sin(dx+c)-3*I*EllipticPi((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*\sin(dx+c)-3*EllipticPi((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})*\cos(dx+c)*\sin(dx+c)*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}+6*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticF((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)})*\cos(dx+c)*\sin(dx+c)-3*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticPi((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2+1/2*I, 1/2*2^{(1/2)})*\sin(dx+c)-3*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*EllipticPi((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2-1/2*I, 1/2*2^{(1/2)})*\sin(dx+c)+6*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{(1/2)}*((\cos(dx+c)-1)/\sin(dx+c))^{(1/2)}*EllipticF((-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{(1/2)}, 1/2*2^{(1/2)})*\sin(dx+c)-2*2^{(1/2)}*\cos(dx+c)^2*(\cos(dx+c)+1)^2*(\cos(dx+c)/\sin(dx+c))^{(5/2)}/\cos(dx+c)^3/\sin(dx+c)^3 \end{aligned}$$

Maxima [A] time = 1.49383, size = 171, normalized size = 1.1

$$3\left(2\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+2\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)-\sqrt{2}\log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}}+\frac{1}{\tan(dx+c)}+1\right)\right)$$

12 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out] 1/12*(3*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2)+2/sqrt(tan(dx+c))))+2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2)-2/sqrt(tan(dx+c))))-sqrt(2)*log(sqrt(2)/sqrt(tan(dx+c))+1/tan(dx+c)+1)+sqrt(2)*log(-sqrt(2)/sqrt(tan(dx+c))+1/tan(dx+c)+1))*B-8*B/tan(dx+c)^(3/2))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(dx+c)^(5/2)*(a*B+b*B*tan(dx+c))/(a+b*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba) \cot(dx + c)^{\frac{5}{2}}}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)*cot(d*x + c)^(5/2)/(b*tan(d*x + c) + a), x)
```

$$3.607 \quad \int \frac{\cot^2(c+dx)(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=154

$$-\frac{2B\sqrt{\cot(c+dx)}}{d} - \frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \tan^{-1}(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d}$$

[Out] $-(B*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (\text{Sqrt}[2]*d) + (B*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (\text{Sqrt}[2]*d) - (2*B*\text{Sqrt}[\text{Cot}[c + d*x]]) / d - (B*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]]) / (2*\text{Sqrt}[2]*d) + (B*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]]) / (2*\text{Sqrt}[2]*d)$

Rubi [A] time = 0.103312, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3473, 3476, 329, 211, 1165, 628, 1162, 617, 204}

$$-\frac{2B\sqrt{\cot(c+dx)}}{d} - \frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \tan^{-1}(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cot}[c + d*x]^{3/2}*(a*B + b*B*\text{Tan}[c + d*x])) / (a + b*\text{Tan}[c + d*x]), x]$

[Out] $-(B*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (\text{Sqrt}[2]*d) + (B*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]]]) / (\text{Sqrt}[2]*d) - (2*B*\text{Sqrt}[\text{Cot}[c + d*x]]) / d - (B*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]]) / (2*\text{Sqrt}[2]*d) + (B*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[\text{Cot}[c + d*x]] + \text{Cot}[c + d*x]]) / (2*\text{Sqrt}[2]*d)$

Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_*)^{(m_*)})*((c_*) + (d_*)*(v_*)^{(n_*)}), x_Symbol] :> \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

Rule 3473

$\text{Int}[(b_*)*\text{tan}[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] :> \text{Simp}[(b*(b*\text{Tan}[c + d*x])^{(n-1)}) / (d*(n-1)), x] - \text{Dist}[b^2, \text{Int}[(b*\text{Tan}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1]$

Rule 3476

$\text{Int}[(b_*)*\text{tan}[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] :> \text{Dist}[b/d, \text{Subst}[\text{Int}[x^n / (b^2 + x^2), x], x, b*\text{Tan}[c + d*x]], x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 329

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] :> \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{(k*(m+1)-1)}*(a + (b*x^{(k*n)})/c^n)^p, x], x, (c*x)^{(1/k)}], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :=> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :=> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :=> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :=> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :=> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(aB+bB\tan(c+dx))}{a+b\tan(c+dx)} dx &= B \int \cot^{\frac{3}{2}}(c+dx) dx \\
&= -\frac{2B\sqrt{\cot(c+dx)}}{d} - B \int \frac{1}{\sqrt{\cot(c+dx)}} dx \\
&= -\frac{2B\sqrt{\cot(c+dx)}}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x(1+x^2)}} dx, x, \cot(c+dx)\right)}{d} \\
&= -\frac{2B\sqrt{\cot(c+dx)}}{d} + \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= -\frac{2B\sqrt{\cot(c+dx)}}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1+x}{1+x} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= -\frac{2B\sqrt{\cot(c+dx)}}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1+x} dx, x, \sqrt{\cot(c+dx)}\right)}{d} \\
&= -\frac{2B\sqrt{\cot(c+dx)}}{d} - \frac{B \log\left(1 - \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d} \\
&= -\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} - \frac{2B\sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.156989, size = 138, normalized size = 0.9

$$\frac{B\left(8\sqrt{\cot(c+dx)} + \sqrt{2}\log\left(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)} + 1\right) - \sqrt{2}\log\left(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)} + 1\right) + 2\sqrt{2}\tan^{-1}\left(\frac{\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)}}{1 - \sqrt{2}\sqrt{\cot(c+dx)}}\right) + 2\sqrt{2}\tan^{-1}\left(\frac{\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)}}{1 + \sqrt{2}\sqrt{\cot(c+dx)}}\right)\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] -(B*(2*Sqrt[2]*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]] - 2*Sqrt[2]*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]] + 8*Sqrt[Cot[c + d*x]] + Sqrt[2]*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]] - Sqrt[2]*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]))/(4*d)

Maple [C] time = 0.243, size = 969, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] -1/2*B/d*2^(1/2)*(I*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*cos(d*x+c)-I*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*cos(d*x+c)+I*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*cos(d*x+c)+I*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*cos(d*x+c)

$$\begin{aligned} & c)/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*\text{EllipticPi}((-\cos(d \\ & *x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2-1/2*I,1/2*2^{1/2})-I*((\cos(d*x+c) \\ & -1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*(-\cos(d \\ & *x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c) \\ &)/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2})-((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d \\ & *x+c))^{1/2}*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*(-\cos(d*x+c)-1-\sin(d*x+c))/ \\ & \sin(d*x+c))^{1/2}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}, \\ & 1/2-1/2*I,1/2*2^{1/2})*\cos(d*x+c)-(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} \\ & *((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1)/\sin(d*x+c) \\ &))^{1/2}*\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I \\ & ,1/2*2^{1/2})*\cos(d*x+c)-((\cos(d*x+c)-1+\sin(d*x+c))/\sin(d*x+c))^{1/2}*((\cos \\ & (d*x+c)-1)/\sin(d*x+c))^{1/2}*(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2} \\ & *\text{EllipticPi}((-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2-1/2*I,1/2*2^{1/2} \\ &)-(-\cos(d*x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1+\sin(d*x+c) \\ &))/\sin(d*x+c))^{1/2}*((\cos(d*x+c)-1)/\sin(d*x+c))^{1/2}*\text{EllipticPi}((-\cos(d* \\ & x+c)-1-\sin(d*x+c))/\sin(d*x+c))^{1/2},1/2+1/2*I,1/2*2^{1/2})+2*2^{1/2}*\cos(d \\ & *x+c))*(\cos(d*x+c)/\sin(d*x+c))^{3/2}*\sin(d*x+c)/\cos(d*x+c)^2 \end{aligned}$$

Maxima [A] time = 1.4975, size = 171, normalized size = 1.11

$$\frac{2\sqrt{2}B \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}B \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + \sqrt{2}B \log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="maxima")

[Out] 1/4*(2*sqrt(2)*B*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*B*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + sqrt(2)*B*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - sqrt(2)*B*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - 8*B/sqrt(tan(d*x + c)))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba) \cot(dx + c)^{\frac{3}{2}}}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*b*tan(d*x + c) + B*a)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a), x)

$$3.608 \quad \int \frac{\sqrt{\cot(c+dx)}(aB+bB \tan(c+dx))}{a+b \tan(c+dx)} dx$$

Optimal. Leaf size=138

$$\frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2}d}$$

```
[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.0966662, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {21, 3476, 329, 297, 1162, 617, 204, 1165, 628}

$$\frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cot[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]),x]
```

```
[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - (B*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) + (B*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 3476

```
Int[((b_.)*tan[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && ! IntegerQ[n]
```

Rule 329

```
Int[(c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cot(c+dx)}(aB + bB \tan(c+dx))}{a + b \tan(c+dx)} dx = B \int \sqrt{\cot(c+dx)} dx$$

$$= \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1+x^2} dx, x, \cot(c+dx)\right)}{d}$$

$$= \frac{(2B) \operatorname{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d}$$

$$= \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d} - \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\cot(c+dx)}\right)}{d}$$

$$= \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2d} - \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c+dx)}\right)}{2d}$$

$$= -\frac{B \log\left(1 - \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d}$$

$$= \frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} - \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c+dx)}\right)}{\sqrt{2}d} - \frac{B \log\left(1 - \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\cot(c+dx)} + \cot(c+dx)\right)}{2\sqrt{2}d}$$

Mathematica [C] time = 0.0214403, size = 36, normalized size = 0.26

$$\frac{2B \cot^{\frac{3}{2}}(c + dx) \text{Hypergeometric2F1}\left(\frac{3}{4}, 1, \frac{7}{4}, -\cot^2(c + dx)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x]), x]

[Out] (-2*B*Cot[c + d*x]^(3/2)*Hypergeometric2F1[3/4, 1, 7/4, -Cot[c + d*x]^2])/(3*d)

Maple [C] time = 0.21, size = 324, normalized size = 2.4

$$\frac{B\sqrt{2}(\cos(dx+c)-1)(\cos(dx+c)+1)^2}{2d(\sin(dx+c))^2\cos(dx+c)}\sqrt{\frac{\cos(dx+c)}{\sin(dx+c)}}\sqrt{\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}}\sqrt{\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x)

[Out] -1/2*B/d*2^(1/2)*(cos(d*x+c)/sin(d*x+c))^(1/2)*(cos(d*x+c)-1)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*(I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))-I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))-2*EllipticF((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2*2^(1/2))+EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))+EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))/sin(d*x+c)^2/cos(d*x+c)*(cos(d*x+c)+1)^2

Maxima [A] time = 1.46595, size = 153, normalized size = 1.11

$$\frac{\left(2\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2}+\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)+2\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2}-\frac{2}{\sqrt{\tan(dx+c)}}\right)\right)-\sqrt{2}\log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}}+\frac{1}{\tan(dx+c)}+1\right)\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)), x, algorithm="maxima")

[Out] -1/4*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) - sqrt(2)*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) + sqrt(2)*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))*B/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \sqrt{\cot(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x)
```

```
[Out] B*Integral(sqrt(cot(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba)\sqrt{\cot(dx + c)}}{b \tan(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a), x)
```

$$3.609 \quad \int \frac{aB + bB \tan(c+dx)}{\sqrt{\cot(c+dx)(a+b \tan(c+dx))}} dx$$

Optimal. Leaf size=138

$$\frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2}d}$$

```
[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rubi [A] time = 0.0922854, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {21, 3476, 329, 211, 1165, 628, 1162, 617, 204}

$$\frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(1 - \sqrt{2}\sqrt{\cot(c+dx)+1})}{\sqrt{2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])),x]
```

```
[Out] (B*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) - (B*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]]/(Sqrt[2]*d) + (B*Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d) - (B*Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]])/(2*Sqrt[2]*d)
```

Rule 21

```
Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3476

```
Int[((b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Dist[b/d, Subst[Int[x^n/(b^2 + x^2), x], x, b*Tan[c + d*x]], x] /; FreeQ[{b, c, d, n}, x] && ! IntegerQ[n]
```

Rule 329

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^(p), x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 211

```
Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]],
  s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Free
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \tan(c + dx)}{\sqrt{\cot(c + dx)}(a + b \tan(c + dx))} dx &= B \int \frac{1}{\sqrt{\cot(c + dx)}} dx \\ &= \frac{B \operatorname{Subst} \left(\int \frac{1}{\sqrt{x}(1+x^2)} dx, x, \cot(c + dx) \right)}{d} \\ &= \frac{(2B) \operatorname{Subst} \left(\int \frac{1}{1+x^4} dx, x, \sqrt{\cot(c + dx)} \right)}{d} \\ &= \frac{B \operatorname{Subst} \left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)} \right)}{d} - \frac{B \operatorname{Subst} \left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)} \right)}{d} \\ &= \frac{B \operatorname{Subst} \left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c + dx)} \right)}{2d} - \frac{B \operatorname{Subst} \left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c + dx)} \right)}{2d} \\ &= \frac{B \log \left(1 - \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx) \right)}{2\sqrt{2}d} - \frac{B \log \left(1 + \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx) \right)}{2\sqrt{2}d} \\ &= \frac{B \tan^{-1} \left(1 - \sqrt{2} \sqrt{\cot(c + dx)} \right)}{\sqrt{2}d} - \frac{B \tan^{-1} \left(1 + \sqrt{2} \sqrt{\cot(c + dx)} \right)}{\sqrt{2}d} + \frac{B \log \left(1 - \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx) \right)}{2\sqrt{2}d} - \frac{B \log \left(1 + \sqrt{2} \sqrt{\cot(c + dx)} + \cot(c + dx) \right)}{2\sqrt{2}d} \end{aligned}$$

Mathematica [A] time = 0.0318371, size = 110, normalized size = 0.8

$$\frac{B \left(\log \left(\cot(c + dx) - \sqrt{2} \sqrt{\cot(c + dx) + 1} \right) - \log \left(\cot(c + dx) + \sqrt{2} \sqrt{\cot(c + dx) + 1} \right) + 2 \tan^{-1} \left(1 - \sqrt{2} \sqrt{\cot(c + dx) + 1} \right) \right)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])), x]

[Out] (B*(2*ArcTan[1 - Sqrt[2]*Sqrt[Cot[c + d*x]]] - 2*ArcTan[1 + Sqrt[2]*Sqrt[Cot[c + d*x]]) + Log[1 - Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]] - Log[1 + Sqrt[2]*Sqrt[Cot[c + d*x]] + Cot[c + d*x]]))/(2*Sqrt[2]*d)

Maple [C] time = 0.261, size = 284, normalized size = 2.1

$$\frac{B\sqrt{2}(\cos(dx+c)+1)^2(\cos(dx+c)-1)}{2d(\sin(dx+c))^3} \sqrt{\frac{\cos(dx+c)-1}{\sin(dx+c)}} \sqrt{\frac{\cos(dx+c)-1+\sin(dx+c)}{\sin(dx+c)}} \sqrt{\frac{\cos(dx+c)-1-\sin(dx+c)}{\sin(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c)), x)

[Out] -1/2*B/d*2^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(cos(d*x+c)-1)*(I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))-I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))-EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))-EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2)))/sin(d*x+c)^3/(cos(d*x+c)/sin(d*x+c))^(1/2)

Maxima [A] time = 1.49622, size = 157, normalized size = 1.14

$$\frac{2\sqrt{2}B \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}B \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + \sqrt{2}B \log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c)), x, algorithm="maxima")

[Out] -1/4*(2*sqrt(2)*B*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(d*x + c)))) + 2*sqrt(2)*B*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(d*x + c)))) + sqrt(2)*B*log(sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1) - sqrt(2)*B*log(-sqrt(2)/sqrt(tan(d*x + c)) + 1/tan(d*x + c) + 1))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c)),x)
```

```
[Out] B*Integral(1/sqrt(cot(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)*sqrt(cot(d*x + c))), x)
```


$$3.610 \quad \int \frac{aB + bB \tan(c+dx)}{\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))} dx$$

Optimal. Leaf size=154

$$\frac{2B}{d\sqrt{\cot(c+dx)}} + \frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \tan^{-1}(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d}$$

[Out] $-\left(\frac{B \operatorname{ArcTan}\left[1 - \sqrt{2} \sqrt{\cot(c+dx)}\right]}{\sqrt{2}d}\right) + \left(\frac{B \operatorname{ArcTan}\left[1 + \sqrt{2} \sqrt{\cot(c+dx)}\right]}{\sqrt{2}d}\right) + \frac{(2B) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{d\sqrt{2}d} + \frac{(2B) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{d\sqrt{2}d} - \frac{B \operatorname{Log}\left[1 - \sqrt{2} \sqrt{\cot(c+dx)} + \cot(c+dx)\right]}{2\sqrt{2}d} - \frac{B \operatorname{Log}\left[1 + \sqrt{2} \sqrt{\cot(c+dx)} + \cot(c+dx)\right]}{2\sqrt{2}d}$

Rubi [A] time = 0.102262, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3474, 3476, 329, 297, 1162, 617, 204, 1165, 628}

$$\frac{2B}{d\sqrt{\cot(c+dx)}} + \frac{B \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} - \frac{B \tan^{-1}(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d} + \frac{B \tan^{-1}(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a*B + b*B*\operatorname{Tan}[c + d*x])/(\operatorname{Cot}[c + d*x]^{(3/2)}*(a + b*\operatorname{Tan}[c + d*x])), x]$

[Out] $-\left(\frac{B \operatorname{ArcTan}\left[1 - \sqrt{2} \sqrt{\cot(c+dx)}\right]}{\sqrt{2}d}\right) + \left(\frac{B \operatorname{ArcTan}\left[1 + \sqrt{2} \sqrt{\cot(c+dx)}\right]}{\sqrt{2}d}\right) + \frac{(2B) \log(\cot(c+dx) - \sqrt{2}\sqrt{\cot(c+dx)+1})}{d\sqrt{2}d} + \frac{(2B) \log(\cot(c+dx) + \sqrt{2}\sqrt{\cot(c+dx)+1})}{d\sqrt{2}d} - \frac{B \operatorname{Log}\left[1 - \sqrt{2} \sqrt{\cot(c+dx)} + \cot(c+dx)\right]}{2\sqrt{2}d} - \frac{B \operatorname{Log}\left[1 + \sqrt{2} \sqrt{\cot(c+dx)} + \cot(c+dx)\right]}{2\sqrt{2}d}$

Rule 21

$\operatorname{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Dist}[(b/d)^m, \operatorname{Int}[u*(c + d*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3474

$\operatorname{Int}[(b_.)*\operatorname{tan}[(c_.) + (d_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*\operatorname{Tan}[c + d*x])^{(n+1)}/(b*d*(n+1)), x] - \operatorname{Dist}[1/b^2, \operatorname{Int}[(b*\operatorname{Tan}[c + d*x])^{(n+2)}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1]

Rule 3476

$\operatorname{Int}[(b_.)*\operatorname{tan}[(c_.) + (d_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \operatorname{Dist}[b/d, \operatorname{Subst}[\operatorname{Int}[x^n/(b^2 + x^2), x], x, b*\operatorname{Tan}[c + d*x]], x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 329

$\operatorname{Int}[(c_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \operatorname{With}[\{k = \operatorname{Denominator}[m]\}, \operatorname{Dist}[k/c, \operatorname{Subst}[\operatorname{Int}[x^{(k*(m+1)-1)}*(a + (b*x^{(k*n))})/c^n]^{(p)}, x], x, (c*x)^{(1/k)}], x] /;$ FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4
), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))} dx &= B \int \frac{1}{\cot^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2B}{d\sqrt{\cot(c + dx)}} - B \int \sqrt{\cot(c + dx)} dx \\
&= \frac{2B}{d\sqrt{\cot(c + dx)}} + \frac{B \operatorname{Subst}\left(\int \frac{\sqrt{x}}{1+x^2} dx, x, \cot(c + dx)\right)}{d} \\
&= \frac{2B}{d\sqrt{\cot(c + dx)}} + \frac{(2B) \operatorname{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} \\
&= \frac{2B}{d\sqrt{\cot(c + dx)}} - \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} \\
&= \frac{2B}{d\sqrt{\cot(c + dx)}} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c + dx)}\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c + dx)}\right)}{2d} \\
&= \frac{2B}{d\sqrt{\cot(c + dx)}} + \frac{B \log\left(1 - \sqrt{2}\sqrt{\cot(c + dx)} + \cot(c + dx)\right)}{2\sqrt{2}d} - \frac{B \log\left(1 + \sqrt{2}\sqrt{\cot(c + dx)} + \cot(c + dx)\right)}{2\sqrt{2}d} \\
&= -\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}d} + \frac{2B}{d\sqrt{\cot(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 0.0322037, size = 34, normalized size = 0.22

$$\frac{2B \operatorname{Hypergeometric2F1}\left(-\frac{1}{4}, 1, \frac{3}{4}, -\cot^2(c + dx)\right)}{d\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])), x]
```

```
[Out] (2*B*Hypergeometric2F1[-1/4, 1, 3/4, -Cot[c + d*x]^2])/(d*Sqrt[Cot[c + d*x]])
```

Maple [C] time = 0.256, size = 658, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c)), x)
```

```
[Out] 1/2*B/d*2^(1/2)*(I*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*sin(d*x+c)-I*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*sin(d*x+c)+((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c)^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*sin(d*x+c)
```

$$c) - 1 - \sin(dx+c) / \sin(dx+c)^{1/2}, 1/2 - 1/2 * I, 1/2 * 2^{1/2}) * \sin(dx+c) + (-\cos(dx+c) - 1 - \sin(dx+c) / \sin(dx+c)^{1/2}) * ((\cos(dx+c) - 1 + \sin(dx+c) / \sin(dx+c))^{1/2} * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticPi}((- \cos(dx+c) - 1 - \sin(dx+c) / \sin(dx+c)^{1/2}, 1/2 + 1/2 * I, 1/2 * 2^{1/2}) * \sin(dx+c) - 2 * (-\cos(dx+c) - 1 - \sin(dx+c) / \sin(dx+c)^{1/2}) * ((\cos(dx+c) - 1 + \sin(dx+c) / \sin(dx+c))^{1/2}) * ((\cos(dx+c) - 1) / \sin(dx+c))^{1/2} * \text{EllipticF}((- \cos(dx+c) - 1 - \sin(dx+c) / \sin(dx+c)^{1/2}, 1/2 * 2^{1/2}) * \sin(dx+c) + 2 * 2^{1/2} * \cos(dx+c) - 2 * 2^{1/2}) * (\cos(dx+c) - 1) * \cos(dx+c) * (\cos(dx+c) + 1)^2 / (\cos(dx+c) / \sin(dx+c))^{3/2} / \sin(dx+c)^5$$

Maxima [A] time = 1.4845, size = 170, normalized size = 1.1

$$\frac{\left(2\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 2\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) - \sqrt{2}\log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)} + 1\right) + \sqrt{2}\log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} - \frac{1}{\tan(dx+c)} + 1\right)\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/cot(dx+c)^(3/2)/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out] 1/4*((2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(dx + c)))) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(dx + c)))) - sqrt(2)*log(sqrt(2)/sqrt(tan(dx + c)) + 1/tan(dx + c) + 1) + sqrt(2)*log(-sqrt(2)/sqrt(tan(dx + c)) + 1/tan(dx + c) + 1))*B + 8*B*sqrt(tan(dx + c)))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/cot(dx+c)^(3/2)/(a+b*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\cot^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/cot(dx+c)**(3/2)/(a+b*tan(dx+c)),x)

[Out] B*Integral(cot(c + d*x)**(-3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a) \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)*cot(d*x + c)^(3/2)), x)
```

$$3.611 \quad \int \frac{aB + bB \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))} dx$$

Optimal. Leaf size=156

$$\frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} - \frac{B \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{B \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} - \frac{B \tan^{-1}(1)}{2\sqrt{2}d}$$

[Out] $-\left(\frac{B \operatorname{ArcTan}\left[1 - \sqrt{2} \sqrt{\cot[c + d*x]}\right]}{\sqrt{2}d}\right) + \left(\frac{B \operatorname{ArcTan}\left[1 + \sqrt{2} \sqrt{\cot[c + d*x]}\right]}{\sqrt{2}d}\right) + \frac{(2B)}{3d \cot^{\frac{3}{2}}[c + d*x]} - \frac{B \log\left[1 - \sqrt{2} \sqrt{\cot[c + d*x] + \cot[c + d*x]}\right]}{2\sqrt{2}d} + \frac{B \log\left[1 + \sqrt{2} \sqrt{\cot[c + d*x] + \cot[c + d*x]}\right]}{2\sqrt{2}d}$

Rubi [A] time = 0.101635, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {21, 3474, 3476, 329, 211, 1165, 628, 1162, 617, 204}

$$\frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} - \frac{B \log(\cot(c + dx) - \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} + \frac{B \log(\cot(c + dx) + \sqrt{2}\sqrt{\cot(c + dx) + 1})}{2\sqrt{2}d} - \frac{B \tan^{-1}(1)}{2\sqrt{2}d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a*B + b*B*\operatorname{Tan}[c + d*x]) / (\operatorname{Cot}[c + d*x]^{(5/2)} * (a + b*\operatorname{Tan}[c + d*x])), x]$

[Out] $-\left(\frac{B \operatorname{ArcTan}\left[1 - \sqrt{2} \sqrt{\cot[c + d*x]}\right]}{\sqrt{2}d}\right) + \left(\frac{B \operatorname{ArcTan}\left[1 + \sqrt{2} \sqrt{\cot[c + d*x]}\right]}{\sqrt{2}d}\right) + \frac{(2B)}{3d \cot^{\frac{3}{2}}[c + d*x]} - \frac{B \log\left[1 - \sqrt{2} \sqrt{\cot[c + d*x] + \cot[c + d*x]}\right]}{2\sqrt{2}d} + \frac{B \log\left[1 + \sqrt{2} \sqrt{\cot[c + d*x] + \cot[c + d*x]}\right]}{2\sqrt{2}d}$

Rule 21

$\operatorname{Int}[(u_*) * ((a_*) + (b_*) * (v_*)^{(m_*)}) * ((c_*) + (d_*) * (v_*)^{(n_*)}), x_Symbol] \rightarrow \operatorname{Dist}[(b/d)^m, \operatorname{Int}[u * (c + d*v)^{(m+n)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, n\}, x$ && $\operatorname{EqQ}[b*c - a*d, 0]$ && $\operatorname{IntegerQ}[m]$ && $(\neg \operatorname{IntegerQ}[n] \parallel \operatorname{SimplerQ}[c + d*x, a + b*x])$

Rule 3474

$\operatorname{Int}[(b_*) * \operatorname{tan}[(c_*) + (d_*) * (x_*)]^{(n_*)}, x_Symbol] \rightarrow \operatorname{Simp}[(b * \operatorname{Tan}[c + d*x])^{(n+1)} / (b*d*(n+1)), x] - \operatorname{Dist}[1/b^2, \operatorname{Int}[(b * \operatorname{Tan}[c + d*x])^{(n+2)}, x], x] /;$ $\operatorname{FreeQ}\{b, c, d\}, x$ && $\operatorname{LtQ}[n, -1]$

Rule 3476

$\operatorname{Int}[(b_*) * \operatorname{tan}[(c_*) + (d_*) * (x_*)]^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[b/d, \operatorname{Subst}[\operatorname{Int}[x^n / (b^2 + x^2), x], x, b * \operatorname{Tan}[c + d*x]], x] /;$ $\operatorname{FreeQ}\{b, c, d, n\}, x$ && $\neg \operatorname{IntegerQ}[n]$

Rule 329

$\operatorname{Int}[(c_*) * (x_*)^{(m_*)} * ((a_*) + (b_*) * (x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \operatorname{With}\{k = \operatorname{Denominator}[m]\}, \operatorname{Dist}[k/c, \operatorname{Subst}[\operatorname{Int}[x^{(k*(m+1) - 1)} * (a + (b*x^{(k*n)})) / c^n]^{(p)}, x], x, (c*x)^{(1/k)}], x] /;$ $\operatorname{FreeQ}\{a, b, c, p\}, x$ && $\operatorname{IGtQ}[n, 0]$ && $\operatorname{FractionQ}[m]$ && $\operatorname{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))} dx &= B \int \frac{1}{\cot^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} - B \int \frac{1}{\sqrt{\cot(c + dx)}} dx \\
&= \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{B \operatorname{Subst}\left(\int \frac{1}{\sqrt{x(1+x^2)}} dx, x, \cot(c + dx)\right)}{d} \\
&= \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} \\
&= \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{B \operatorname{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} + \frac{B \operatorname{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, \sqrt{\cot(c + dx)}\right)}{d} \\
&= \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c + dx)}\right)}{2d} + \frac{B \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, \sqrt{\cot(c + dx)}\right)}{2d} \\
&= \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)} - \frac{B \log\left(1 - \sqrt{2}\sqrt{\cot(c + dx)} + \cot(c + dx)\right)}{2\sqrt{2}d} + \frac{B \log\left(1 + \sqrt{2}\sqrt{\cot(c + dx)} + \cot(c + dx)\right)}{2\sqrt{2}d} \\
&= -\frac{B \tan^{-1}\left(1 - \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}d} + \frac{B \tan^{-1}\left(1 + \sqrt{2}\sqrt{\cot(c + dx)}\right)}{\sqrt{2}d} + \frac{2B}{3d \cot^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 0.0320397, size = 36, normalized size = 0.23

$$\frac{2B \operatorname{Hypergeometric2F1}\left(-\frac{3}{4}, 1, \frac{1}{4}, -\cot^2(c + dx)\right)}{3d \cot^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])), x]

[Out] (2*B*Hypergeometric2F1[-3/4, 1, 1/4, -Cot[c + d*x]^2])/(3*d*Cot[c + d*x]^(3/2))

Maple [C] time = 0.263, size = 546, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c)), x)

[Out] 1/6*B/d*2^(1/2)*(cos(d*x+c)-1)*(3*I*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*cos(d*x+c)-3*I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*cos(d*x+c)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*((cos(d*x+c)-1+sin(d*x+c))/sin(d*x+c))^(1/2)*(-(cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2)*((cos(d*x+c)-1)/sin(d*x+c))^(1/2)*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2-1/2*I, 1/2*2^(1/2))*cos(d*x+c)-3*I*EllipticPi((-cos(d*x+c)-1-sin(d*x+c))/sin(d*x+c))^(1/2), 1/2+1/2*I, 1/2*2^(1/2))*cos(d*x+c)

$$c)/\sin(dx+c))^{1/2}-3*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2-1/2*I,1/2*2^{(1/2)})*\cos(dx+c)-3*(-(\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1+\sin(dx+c))/\sin(dx+c))^{1/2}*((\cos(dx+c)-1)/\sin(dx+c))^{1/2}*EllipticPi((-\cos(dx+c)-1-\sin(dx+c))/\sin(dx+c))^{1/2},1/2+1/2*I,1/2*2^{(1/2)})*\cos(dx+c)+2*2^{(1/2)}*\cos(dx+c)-2*2^{(1/2)})*\cos(dx+c)*(\cos(dx+c)+1)^2/\sin(dx+c)^5/(\cos(dx+c)/\sin(dx+c))^{5/2}$$

Maxima [A] time = 1.51639, size = 173, normalized size = 1.11

$$\frac{6\sqrt{2}B \arctan\left(\frac{1}{2}\sqrt{2}\left(\sqrt{2} + \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 6\sqrt{2}B \arctan\left(-\frac{1}{2}\sqrt{2}\left(\sqrt{2} - \frac{2}{\sqrt{\tan(dx+c)}}\right)\right) + 3\sqrt{2}B \log\left(\frac{\sqrt{2}}{\sqrt{\tan(dx+c)}} + \frac{1}{\tan(dx+c)}\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/cot(dx+c)^(5/2)/(a+b*tan(dx+c)),x, algorithm="maxima")

[Out] 1/12*(6*sqrt(2)*B*arctan(1/2*sqrt(2)*(sqrt(2) + 2/sqrt(tan(dx + c)))) + 6*sqrt(2)*B*arctan(-1/2*sqrt(2)*(sqrt(2) - 2/sqrt(tan(dx + c)))) + 3*sqrt(2)*B*log(sqrt(2)/sqrt(tan(dx + c)) + 1/tan(dx + c) + 1) - 3*sqrt(2)*B*log(-sqrt(2)/sqrt(tan(dx + c)) + 1/tan(dx + c) + 1) + 8*B*tan(dx + c)^(3/2))/d

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/cot(dx+c)^(5/2)/(a+b*tan(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(dx+c))/cot(dx+c)**(5/2)/(a+b*tan(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx+c) + Ba}{(b \tan(dx+c) + a) \cot(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)*cot(d*x + c)^(5/2)), x)
```

$$3.612 \quad \int \cot^2(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=354

$$\frac{2(35a^2A - 7abB + 4Ab^2) \cot^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}}{105a^2d} + \frac{2(35a^2Ab + 105a^3B + 14ab^2B - 8Ab^3) \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{105a^3d}$$

```
[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(35*a^2*A*b - 8*A*b^3 + 105*a^3*B + 14*a*b^2*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(105*a^3*d) + (2*(35*a^2*A + 4*A*b^2 - 7*a*b*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d) - (2*(A*b + 7*a*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(35*a*d) - (2*A*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(7*d)
```

Rubi [A] time = 1.48774, antiderivative size = 354, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(35a^2A - 7abB + 4Ab^2) \cot^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}}{105a^2d} + \frac{2(35a^2Ab + 105a^3B + 14ab^2B - 8Ab^3) \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{105a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(9/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]
```

```
[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(35*a^2*A*b - 8*A*b^3 + 105*a^3*B + 14*a*b^2*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(105*a^3*d) + (2*(35*a^2*A + 4*A*b^2 - 7*a*b*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d) - (2*(A*b + 7*a*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(35*a*d) - (2*A*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(7*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[
```

```
e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[
{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{9}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)}dx \\
&= -\frac{2A\cot^{\frac{7}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{7d} - \frac{1}{7}\left(2\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}\right) \\
&= -\frac{2(Ab+7aB)\cot^{\frac{5}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{35ad} - \frac{2A\cot^{\frac{7}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{7d} \\
&= \frac{2(35a^2A+4Ab^2-7abB)\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{105a^2d} \\
&= \frac{2(35a^2Ab-8Ab^3+105a^3B+14ab^2B)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{105a^3d} \\
&= \frac{2(35a^2Ab-8Ab^3+105a^3B+14ab^2B)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{105a^3d} \\
&= \frac{2(35a^2Ab-8Ab^3+105a^3B+14ab^2B)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{105a^3d} \\
&= \frac{2(35a^2Ab-8Ab^3+105a^3B+14ab^2B)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{105a^3d} \\
&= -\frac{\sqrt{ia-b}(iA-B)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 4.00942, size = 291, normalized size = 0.82

$$\cot^{\frac{7}{2}}(c+dx)\left(2\sqrt{a+b\tan(c+dx)}\left(a(35a^2A-7abB+4Ab^2)\tan^2(c+dx)+(35a^2Ab+105a^3B+14ab^2B-8Ab^3)\tan(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(9/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (Cot[c + d*x]^(7/2)*(105*(-1)^(3/4)*a^3*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[(((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]*Tan[c + d*x]^(7/2) - 105*(-1)^(1/4)*a^3*Sqrt[a - I*b]*(I*A + B)*ArcTanh[(((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]*Tan[c + d*x]^(7/2) + 2*Sqrt[a + b*Tan[c + d*x]]*(-15*a^3*A - 3*a^2*(A*b + 7*a*B)*Tan[c + d*x] + a*(35*a^2*A + 4*A*b^2 - 7*a*b*B)*Tan[c + d*x]^2 + (35*a^2*A*b - 8*A*b^3 + 105*a^3*B + 14*a*b^2*B)*Tan[c + d*x]^3))/(105*a^3*d)

Maple [C] time = 2.038, size = 43931, normalized size = 124.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(9/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(9/2)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(9/2), x)

$$3.613 \quad \int \cot^{\frac{7}{2}}(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=290

$$\frac{2(15a^2A - 5abB + 2Ab^2) \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{15a^2d} - \frac{2(5aB + Ab) \cot^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}}{15ad} + \frac{\sqrt{-b + \dots}}{\dots}$$

```
[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(15*a^2*A + 2*A*b^2 - 5*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d) - (2*(A*b + 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*a*d) - (2*A*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(5*d)
```

Rubi [A] time = 1.18744, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A - 5abB + 2Ab^2) \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{15a^2d} - \frac{2(5aB + Ab) \cot^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}}{15ad} + \frac{\sqrt{-b + \dots}}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]
```

```
[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(15*a^2*A + 2*A*b^2 - 5*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d) - (2*(A*b + 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*a*d) - (2*A*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(5*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{7}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)}dx \\
&= -\frac{2A\cot^{\frac{5}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{5d} - \frac{1}{5}\left(2\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}\right) \\
&= -\frac{2(Ab+5aB)\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{15ad} - \frac{2A\cot^{\frac{5}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{5d} \\
&= \frac{2(15a^2A+2Ab^2-5abB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A+2Ab^2-5abB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A+2Ab^2-5abB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A+2Ab^2-5abB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A+2Ab^2-5abB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{15a^2d} \\
&= \frac{\sqrt{ia-b}(A+iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 3.98638, size = 251, normalized size = 0.87

$$\cot^{\frac{5}{2}}(c+dx)\left(2\sqrt{a+b\tan(c+dx)}\left((-15a^2A+5abB-2Ab^2)\tan^2(c+dx)+3a^2A+a(5aB+Ab)\tan(c+dx)\right)+1\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] -(Cot[c + d*x]^(5/2)*(15*(-1)^(1/4)*a^2*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[(((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]*Tan[c + d*x]^(5/2) + 15*(-1)^(1/4)*a^2*Sqrt[a - I*b]*(A - I*B)*ArcTanh[(((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]*Tan[c + d*x]^(5/2) + 2*Sqrt[a + b*Tan[c + d*x]]*(3*a^2*A + a*(A*b + 5*a*B)*Tan[c + d*x] + (-15*a^2*A - 2*A*b^2 + 5*a*b*B)*Tan[c + d*x]^2))/(15*a^2*d)

Maple [C] time = 1.63, size = 42569, normalized size = 146.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(7/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(7/2), x)

$$3.614 \quad \int \cot^2(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=239

$$\frac{\sqrt{-b + ia}(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\tan^{-1}\left(\frac{\sqrt{-b + ia}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} - \frac{2(3aB + Ab)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{3ad}$$

[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*(A*b + 3*a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3*a*d) - (2*A*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3*d)

Rubi [A] time = 0.886644, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{\sqrt{-b + ia}(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\tan^{-1}\left(\frac{\sqrt{-b + ia}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} - \frac{2(3aB + Ab)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*(A*b + 3*a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3*a*d) - (2*A*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] :> Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)}dx \\
&= -\frac{2A\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{3d} - \frac{1}{3}\left(2\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}\right) \\
&= -\frac{2(Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3ad} - \frac{2A\cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3ad} - \frac{2A\cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3ad} - \frac{2A\cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3ad} - \frac{2A\cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{\sqrt{ia-b}(iA-B)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.56611, size = 216, normalized size = 0.9

$$\frac{\cot^{\frac{3}{2}}(c+dx)\left(-2\sqrt{a+b\tan(c+dx)}((3aB+Ab)\tan(c+dx)+aA)-3(-1)^{\frac{3}{4}}a\sqrt{-a-ib}(A+iB)\tan^{\frac{3}{2}}(c+dx)\tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (Cot[c + d*x]^(3/2)*(-3*(-1)^(3/4)*a*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) + 3*(-1)^(1/4)*a*Sqrt[a - I*b]*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(3/2) - 2*Sqrt[a + b*Tan[c + d*x]]*(a*A + (A*b + 3*a*B)*Tan[c + d*x]))/(3*a*d)

Maple [C] time = 1.144, size = 21562, normalized size = 90.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B\tan(dx+c)+A)\sqrt{b\tan(dx+c)+a}\cot(dx+c)^{\frac{5}{2}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(5/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(5/2), x)
```

$$3.615 \quad \int \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)} (A+B \tan(c+dx)) dx$$

Optimal. Leaf size=194

$$\frac{\sqrt{-b+ia}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} + \frac{\sqrt{b+ia}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

[Out] -((Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*A*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 0.663634, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4241, 3608, 3616, 3615, 93, 203, 206}

$$\frac{\sqrt{-b+ia}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} + \frac{\sqrt{b+ia}(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -((Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + (Sqrt[I*a + b]*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*A*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Di

st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \cot^2(c + dx) \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx))}{\tan^3(c + dx)} dx \\ &= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} - \left(2 \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \\ &= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} - \frac{1}{2} \left((ia - b)(A + iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \\ &= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} - \frac{((ia - b)(A + iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{2} \\ &= -\frac{2A \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}{d} - \frac{((ia - b)(A + iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{2} \\ &= -\frac{\sqrt{ia - b}(A + iB) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.688871, size = 188, normalized size = 0.97

$$\frac{\sqrt{\cot(c + dx)} \left(\sqrt[4]{-1} \sqrt{-a - ib} (A + iB) \sqrt{\tan(c + dx)} \tanh^{-1} \left(\frac{\sqrt[4]{-1} \sqrt{-a - ib} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) + \sqrt[4]{-1} \sqrt{-a - ib} (A - iB) \sqrt{\tan(c + dx)} \tanh^{-1} \left(\frac{\sqrt[4]{-1} \sqrt{-a - ib} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),
x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*((-1)^(1/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[((-1)^(1/4)
)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Tan[c +
d*x]] + (-1)^(1/4)*Sqrt[a - I*b]*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*
b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Tan[c + d*x]] - 2*A*S
qrt[a + b*Tan[c + d*x]))/d
```

Maple [C] time = 0.872, size = 21142, normalized size = 109.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algor
ithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(3/2),
x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algor
ithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(3/2), x)
```

$$3.616 \quad \int \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)} (A + B \tan(c + dx)) dx$$

Optimal. Leaf size=229

$$\frac{\sqrt{-b + ia}(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b + ia}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} - \frac{\sqrt{b + ia}(B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}}{d}$$

[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + (2*Sqrt[b]*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d

Rubi [A] time = 0.734432, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3614, 3616, 3615, 93, 203, 206, 3634, 63, 217}

$$\frac{\sqrt{-b + ia}(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b + ia}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{d} - \frac{\sqrt{b + ia}(B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]),x]

[Out] -((Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + (2*Sqrt[b]*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3614

Int[(Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]]*(A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])]/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]], x_Symbol] := Int[Simp[a*A - b*B + (A*b + a*B)*Tan[e + f*x], x]/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x] + Dist[b*B, Int[(1 + Tan[e + f*x]^2)/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan

$\int \frac{1}{\sqrt{e + f x}} dx + \text{Dist}\left[\frac{A - I B}{2}, \int (a + b \tan[e + f x])^m (c + d \tan[e + f x])^n (1 + I \tan[e + f x]) dx, x\right] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

$\int ((a_.) + (b_.) \tan[(e_.) + (f_.) (x_.)])^{(m_.)} ((A_.) + (B_.) \tan[(e_.) + (f_.) (x_.)])^{(n_.)} dx$ Symbol \rightarrow Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

$\int ((a_.) + (b_.) (x_.)^{(m_.)})^{(n_.)} ((c_.) + (d_.) (x_.)^{(n_.)})^{(m_.)} dx$ Symbol \rightarrow With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

$\int ((a_.) + (b_.) (x_.)^2)^{-1} dx$ Symbol \rightarrow Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

$\int ((a_.) + (b_.) (x_.)^2)^{-1} dx$ Symbol \rightarrow Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3634

$\int ((a_.) + (b_.) \tan[(e_.) + (f_.) (x_.)])^{(m_.)} ((c_.) + (d_.) \tan[(e_.) + (f_.) (x_.)])^{(n_.)} (A_.) + (C_.) \tan[(e_.) + (f_.) (x_.)]^2 dx$ Symbol \rightarrow Dist[A/f, Subst[Int[(a + b*x)^m*(c + d*x)^n, x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

$\int ((a_.) + (b_.) (x_.)^{(m_.)})^{(n_.)} ((c_.) + (d_.) (x_.)^{(n_.)})^{(m_.)} dx$ Symbol \rightarrow With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

$\int \frac{1}{\sqrt{(a_.) + (b_.) (x_.)^2}} dx$ Symbol \rightarrow Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\sqrt{a+b\tan(c+dx)}(A+B\tan(c+dx))}{\sqrt{\tan(c+dx)}}dx \\
&= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{aA-bB+(Ab+aB)\tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}}dx \\
&= \frac{1}{2} \left((a-ib)(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} \right) \int \frac{1}{\sqrt{\tan(c+dx)}}dx \\
&= \frac{\left((a-ib)(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} \right) \operatorname{Subst} \left(\int \frac{1}{\sqrt{u}}du \right)}{2d} \\
&= \frac{\left((a-ib)(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} \right) \operatorname{Subst} \left(\int \frac{1}{\sqrt{u}}du \right)}{d} \\
&= -\frac{\sqrt{ia-b}(iA-B)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.763458, size = 256, normalized size = 1.12

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left((-1)^{3/4}\sqrt{-a-ib}(A+iB)\sqrt{a+b\tan(c+dx)}\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)-\sqrt[4]{-1}\sqrt{-a-ib}\right)}{d\sqrt{a+b\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*((-1)^(3/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[a + b*Tan[c + d*x]] - (-1)^(1/4)*Sqrt[a - I*b]*(I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*Sqrt[a]*Sqrt[b]*B*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/d*Sqrt[a + b*Tan[c + d*x]])

Maple [C] time = 0.621, size = 8336, normalized size = 36.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B\tan(dx+c)+A)\sqrt{b\tan(dx+c)+a}\sqrt{\cot(dx+c)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*sqrt(cot(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)} \sqrt{\cot(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c)),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))*sqrt(cot(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)*sqrt(cot(d*x + c)), x)

$$3.617 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=261

$$\frac{\sqrt{-b+ia}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(aB+2Ab)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{bd}}\right)}{\sqrt{bd}}$$

```
[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a +
b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((2*A*b + a*B)
*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c
+ d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[b]*d) - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[
(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d
*x]]*Sqrt[Tan[c + d*x]])/d + (B*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Cot[c + d
*x]])
```

Rubi [A] time = 1.51116, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3610, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{\sqrt{-b+ia}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(aB+2Ab)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a+b \tan(c+dx)}}{\sqrt{bd}}\right)}{\sqrt{bd}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] (Sqrt[I*a - b]*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a +
b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((2*A*b + a*B)
*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c
+ d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[b]*d) - (Sqrt[I*a + b]*(A - I*B)*ArcTanh[
(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d
*x]]*Sqrt[Tan[c + d*x]])/d + (B*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Cot[c + d
*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a
+ b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x
]
```

Rule 3610

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Si
mp[(B*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n)/(f*(m + n)), x] + Dist
[1/(m + n), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n - 1)*S
imp[a*A*c*(m + n) - B*(b*c*m + a*d*n) + (A*b*c + a*B*c + a*A*d - b*B*d)*(m
+ n)*Tan[e + f*x] + (A*b*d*(m + n) + B*(a*d*m + b*c*n))*Tan[e + f*x]^2, x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a
^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[0, m, 1] && LtQ[0, n, 1]
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x]] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx)) dx \\
&= \frac{B\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{-\frac{aB}{2} + (aA - bB)\tan(c+dx)}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{B\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \frac{-\frac{aB}{2} + (aA - bB)\tan(x)}{\sqrt{\tan(x)}} dx, \tan(x) = \tan(c+dx)\right)}{d} \\
&= \frac{B\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \left(\frac{2Ab}{2\sqrt{x}} + (aA - bB)\right) dx, \tan(x) = \tan(c+dx)\right)}{d} \\
&= \frac{B\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \frac{Ab+aB}{\sqrt{x}\sqrt{a}} dx, \tan(x) = \tan(c+dx)\right)}{d} \\
&= \frac{B\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \left(\frac{aA-b}{2(i-\sqrt{x})} + \frac{aA-b}{2(i+\sqrt{x})}\right) dx, \tan(x) = \tan(c+dx)\right)}{d} \\
&= \frac{B\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{((a-ib)(A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)})}{2d} \\
&= \frac{(2Ab+aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{bd}} + \frac{B\sqrt{a+b \tan(c+dx)}}{d} \\
&= \frac{\sqrt{ia-b}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{d} + \frac{B\sqrt{a+b \tan(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 3.26747, size = 295, normalized size = 1.13

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(-\sqrt[4]{-1}\sqrt{-a-ib}(A+iB)\sqrt{a+b \tan(c+dx)} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) - \sqrt[4]{-1}\sqrt{-a-ib}(A+iB) \right) dx$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-((-1)^(1/4)*Sqrt[-a - I*b]*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[a + b*Tan[c + d*x]]) - (-1)^(1/4)*Sqrt[a - I*b]*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[a + b*Tan[c + d*x]] + B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]) + ((2*A*b + a*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*(a + b*Tan[c + d*x]))/(Sqrt[a]*Sqrt[b]*Sqrt[1 + (b*Tan[c + d*x])/a]))/(d*Sqrt[a + b*Tan[c + d*x]])

Maple [C] time = 0.998, size = 23606, normalized size = 90.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)/sqrt(cot(d*x + c)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)}}{\sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))/sqrt(cot(c + d*x)), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.618 \quad \int \frac{\sqrt{a+b \tan(c+dx)}(A+B \tan(c+dx))}{\cot^2(c+dx)} dx$$

Optimal. Leaf size=324

$$\frac{(a^2(-B) + 4aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4b^{3/2}d} + \frac{\sqrt{-b+ia}(-B+ia) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)}}{d}$$

```
[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((4*a*A*b - a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(4*b^(3/2)*d) + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((4*A*b - a*B)*Sqrt[a + b*Tan[c + d*x]])/(4*b*d*Sqrt[Cot[c + d*x]]) + (B*(a + b*Tan[c + d*x])^(3/2))/(2*b*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 1.99145, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(a^2(-B) + 4aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4b^{3/2}d} + \frac{\sqrt{-b+ia}(-B+ia) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[I*a - b]*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((4*a*A*b - a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(4*b^(3/2)*d) + (Sqrt[I*a + b]*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((4*A*b - a*B)*Sqrt[a + b*Tan[c + d*x]])/(4*b*d*Sqrt[Cot[c + d*x]]) + (B*(a + b*Tan[c + d*x])^(3/2))/(2*b*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
```

& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
)]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx))}{\cot^{\frac{3}{2}}(c + dx)} dx = (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}(A + B \tan(c + dx)) dx$$

$$= \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx}{2b}$$

$$= \frac{(4Ab - aB)\sqrt{a + b \tan(c + dx)}}{4bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx}{2b}$$

$$= \frac{(4Ab - aB)\sqrt{a + b \tan(c + dx)}}{4bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx}{2b}$$

$$= \frac{(4Ab - aB)\sqrt{a + b \tan(c + dx)}}{4bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx}{2b}$$

$$= \frac{(4Ab - aB)\sqrt{a + b \tan(c + dx)}}{4bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} - \frac{(\sqrt{\cot(c + dx)}) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx}{2b}$$

$$= \frac{(4Ab - aB)\sqrt{a + b \tan(c + dx)}}{4bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} - \frac{(\sqrt{\cot(c + dx)}) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx}{2b}$$

$$= \frac{(4Ab - aB)\sqrt{a + b \tan(c + dx)}}{4bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{3/2}}{2bd\sqrt{\cot(c + dx)}} - \frac{((i a + b) \int \frac{\sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx)}{2b}$$

$$= \frac{(4aAb - a^2B - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{4b^{3/2}d}$$

$$= \frac{\sqrt{ia - b}(iA - B) \tan^{-1}\left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d}$$

Mathematica [A] time = 4.73364, size = 356, normalized size = 1.1

$$\frac{\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(- (a^2B - 4aAb + 8b^2B) (a + b \tan(c + dx)) \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a}}\right) + \sqrt{a}\sqrt{b}\sqrt{\frac{b \tan(c + dx)}{a}} + 1 \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Tan[c + d*x]]*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-((-4*a*A*b + a^2*B + 8*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*(a + b*Tan[c + d*x])) + Sqrt[a]*S

```

qrt[b]*Sqrt[1 + (b*Tan[c + d*x])/a]*(-4*(-1)^(3/4)*Sqrt[-a - I*b]*b*(A + I*
B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c
+ d*x]])*Sqrt[a + b*Tan[c + d*x]] + 4*(-1)^(1/4)*Sqrt[a - I*b]*b*(I*A + B)*
ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*
x]])*Sqrt[a + b*Tan[c + d*x]] + Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])*(4*
A*b + a*B + 2*b*B*Tan[c + d*x])))/(4*Sqrt[a]*b^(3/2)*d*Sqrt[a + b*Tan[c +
d*x]]*Sqrt[1 + (b*Tan[c + d*x])/a])

```

Maple [C] time = 1.514, size = 28218, normalized size = 87.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{b \tan(dx + c) + a}}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x, algor
ithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(b*tan(d*x + c) + a)/cot(d*x + c)^(3/2),
x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x, algor
ithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{a + b \tan(c + dx)}}{\cot^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(3/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))*sqrt(a + b*tan(c + d*x))/cot(c + d*x)**(3/2),  
x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(1/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algor  
ithm="giac")
```

```
[Out] Timed out
```

$$3.619 \quad \int \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=422

$$\frac{2(21a^2A - 24abB - Ab^2) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105ad} + \frac{2(126a^2Ab + 105a^3B - 9ab^2B + 4Ab^3) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{315a^2d}$$

[Out] $((I*a - b)^{(3/2)}*(I*A - B)*\text{ArcTan}[(\text{Sqrt}[I*a - b]*\text{Sqrt}[\text{Tan}[c + d*x]])]/\text{Sqrt}[a + b*\text{Tan}[c + d*x]])*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d - ((I*a + b)^{(3/2)}*(I*A + B)*\text{ArcTanh}[(\text{Sqrt}[I*a + b]*\text{Sqrt}[\text{Tan}[c + d*x]])]/\text{Sqrt}[a + b*\text{Tan}[c + d*x]])*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d - (2*(315*a^4*A - 63*a^2*A*b^2 + 8*A*b^4 - 420*a^3*b*B - 18*a*b^3*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(315*a^3*d) + (2*(126*a^2*A*b + 4*A*b^3 + 105*a^3*B - 9*a*b^2*B)*\text{Cot}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(315*a^2*d) + (2*(21*a^2*A - A*b^2 - 24*a*b*B)*\text{Cot}[c + d*x]^{(5/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(105*a*d) - (2*(10*A*b + 9*a*B)*\text{Cot}[c + d*x]^{(7/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(63*d) - (2*a*A*\text{Cot}[c + d*x]^{(9/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(9*d)$

Rubi [A] time = 2.02452, antiderivative size = 422, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(21a^2A - 24abB - Ab^2) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105ad} + \frac{2(126a^2Ab + 105a^3B - 9ab^2B + 4Ab^3) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{315a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cot}[c + d*x]^{(11/2)}*(a + b*\text{Tan}[c + d*x])^{(3/2)}*(A + B*\text{Tan}[c + d*x]), x]$

[Out] $((I*a - b)^{(3/2)}*(I*A - B)*\text{ArcTan}[(\text{Sqrt}[I*a - b]*\text{Sqrt}[\text{Tan}[c + d*x]])]/\text{Sqrt}[a + b*\text{Tan}[c + d*x]])*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d - ((I*a + b)^{(3/2)}*(I*A + B)*\text{ArcTanh}[(\text{Sqrt}[I*a + b]*\text{Sqrt}[\text{Tan}[c + d*x]])]/\text{Sqrt}[a + b*\text{Tan}[c + d*x]])*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d - (2*(315*a^4*A - 63*a^2*A*b^2 + 8*A*b^4 - 420*a^3*b*B - 18*a*b^3*B)*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(315*a^3*d) + (2*(126*a^2*A*b + 4*A*b^3 + 105*a^3*B - 9*a*b^2*B)*\text{Cot}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(315*a^2*d) + (2*(21*a^2*A - A*b^2 - 24*a*b*B)*\text{Cot}[c + d*x]^{(5/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(105*a*d) - (2*(10*A*b + 9*a*B)*\text{Cot}[c + d*x]^{(7/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(63*d) - (2*a*A*\text{Cot}[c + d*x]^{(9/2)}*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(9*d)$

Rule 4241

$\text{Int}[(\cot[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x_Symbol] \rightarrow \text{Dist}[(c*\text{Cot}[a + b*x])^m*(c*\text{Tan}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Tan}[a + b*x])^m, x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{!IntegerQ}[m] \&\& \text{KnownTangentIntegrandQ}[u, x]$

Rule 3605

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*(B*c - A*d)*(a + b*\text{Tan}[e + f*x])^{(m-1)}*(c + d*\text{Tan}[e + f*x])^{(n+1)}]/(d*f*(n+1)*(c^2 + d^2)), x] - \text{Dist}[1/(d*(n+1)*(c^2 + d^2)),$


```

Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{9}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{9d} + \frac{1}{9} \left(2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx \\
&= -\frac{2(10Ab+9aB) \cot^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{63d} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2(21a^2A - Ab^2 - 24abB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105ad} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2(126a^2Ab + 4Ab^3 + 105a^3B - 9ab^2B) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{315a^2d} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2(315a^4A - 63a^2Ab^2 + 8Ab^4 - 420a^3bB - 18ab^3B) \sqrt{\cot(c+dx)}}{315a^3d} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{2(315a^4A - 63a^2Ab^2 + 8Ab^4 - 420a^3bB - 18ab^3B) \sqrt{\cot(c+dx)}}{315a^3d} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{2(315a^4A - 63a^2Ab^2 + 8Ab^4 - 420a^3bB - 18ab^3B) \sqrt{\cot(c+dx)}}{315a^3d} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{2(315a^4A - 63a^2Ab^2 + 8Ab^4 - 420a^3bB - 18ab^3B) \sqrt{\cot(c+dx)}}{315a^3d} - \frac{2aA}{9d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{(a+ib)^2(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{\sqrt{ia-bd}}
\end{aligned}$$

Mathematica [A] time = 6.59843, size = 495, normalized size = 1.17

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} - \frac{bB\sqrt{a+b\tan(c+dx)}}{4d\tan^{\frac{9}{2}}(c+dx)} + \frac{1}{4} - \frac{(8aA-9bB)\sqrt{a+b\tan(c+dx)}}{9d\tan^{\frac{9}{2}}(c+dx)} + \frac{2}{7} - \frac{4a(9aB+10Ab)\sqrt{a+b\tan(c+dx)}}{7d\tan^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(11/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-(b*B*Sqrt[a + b*Tan[c + d*x]]))/(4*d*Tan[c + d*x]^(9/2)) + (-((8*a*A - 9*b*B)*Sqrt[a + b*Tan[c + d*x]])/(9*d*Tan[c + d*x]^(9/2)))

$$\begin{aligned} & n[c + d*x]^{(9/2)} + (2*((-4*a*(10*A*b + 9*a*B)*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(7 \\ & *d*\text{Tan}[c + d*x]^{(7/2)}) - (2*((-6*a*(21*a^2*A - A*b^2 - 24*a*b*B)*\text{Sqrt}[a + b \\ & *\text{Tan}[c + d*x]])/(5*d*\text{Tan}[c + d*x]^{(5/2)}) - (2*((a*(126*a^2*A*b + 4*A*b^3 + \\ & 105*a^3*B - 9*a*b^2*B)*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(d*\text{Tan}[c + d*x]^{(3/2)}) - (\\ & 2*((945*a^4*((-1)^{(1/4)}*(-a - I*b)^{(3/2)}*(A + I*B)*\text{ArcTanh}[((-1)^{(1/4)}*\text{Sqrt} \\ & [-a - I*b]*\text{Sqrt}[\text{Tan}[c + d*x]])/\text{Sqrt}[a + b*\text{Tan}[c + d*x]]) - (-1)^{(1/4)}*(a - \\ & I*b)^{(3/2)}*(A - I*B)*\text{ArcTanh}[((-1)^{(1/4)}*\text{Sqrt}[a - I*b]*\text{Sqrt}[\text{Tan}[c + d*x]])/ \\ & \text{Sqrt}[a + b*\text{Tan}[c + d*x]])))/(4*d) + (3*a*(315*a^4*A - 63*a^2*A*b^2 + 8*A*b^4 \\ & - 420*a^3*b*B - 18*a*b^3*B)*\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(2*d*\text{Sqrt}[\text{Tan}[c + d \\ & *x]])))/(3*a)))/(5*a)))/(7*a)))/(9*a))/4 \end{aligned}$$

Maple [C] time = 2.586, size = 74462, normalized size = 176.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(11/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(11/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algo  
rithm="giac")
```

```
[Out] Timed out
```

$$3.620 \quad \int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=351

$$\frac{2(35a^2A - 42abB - 3Ab^2) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{105ad} + \frac{2(140a^2Ab + 105a^3B - 21ab^2B + 6Ab^3) \sqrt{\cot(c+dx)} \sqrt{a}}{105a^2d}$$

```
[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(140*a^2*A*b + 6*A*b^3 + 105*a^3*B - 21*a*b^2*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d) + (2*(35*a^2*A - 3*A*b^2 - 42*a*b*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d) - (2*(8*A*b + 7*a*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(7*d)
```

Rubi [A] time = 1.64417, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(35a^2A - 42abB - 3Ab^2) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{105ad} + \frac{2(140a^2Ab + 105a^3B - 21ab^2B + 6Ab^3) \sqrt{\cot(c+dx)} \sqrt{a}}{105a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(140*a^2*A*b + 6*A*b^3 + 105*a^3*B - 21*a*b^2*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(105*a^2*d) + (2*(35*a^2*A - 3*A*b^2 - 42*a*b*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(105*a*d) - (2*(8*A*b + 7*a*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(7*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
```

+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int((((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{7d} + \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}\right) \\
&= -\frac{2(8Ab+7aB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{35d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105ad} \\
&= \frac{2(35a^2A-3Ab^2-42abB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105ad} \\
&= \frac{2(140a^2Ab+6Ab^3+105a^3B-21ab^2B) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{105a^2d} \\
&= \frac{2(140a^2Ab+6Ab^3+105a^3B-21ab^2B) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{105a^2d} \\
&= \frac{2(140a^2Ab+6Ab^3+105a^3B-21ab^2B) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{105a^2d} \\
&= \frac{2(140a^2Ab+6Ab^3+105a^3B-21ab^2B) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{105a^2d} \\
&= -\frac{(ia-b)^{3/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 5.03103, size = 346, normalized size = 0.99

$$\frac{\cot^{\frac{7}{2}}(c+dx) \left(a \tan(c+dx) \left(-2(140a^2Ab+105a^3B-21ab^2B+6Ab^3) \tan^2(c+dx) \sqrt{a+b \tan(c+dx)} - 2a(35a^2A-3Ab^2-42abB) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)} \right) \right)}{105a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] -(Cot[c + d*x]^(7/2)*(35*a^3*b*B*Sqrt[a + b*Tan[c + d*x]] + 5*a^3*(6*a*A - 7*b*B)*Sqrt[a + b*Tan[c + d*x]] + a*Tan[c + d*x]*(105*(-1)^(3/4)*a^2*((-a - I*b)^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + (a - I*b)^(3/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]))*Tan[c + d*x]^(5/2) + 6*a^2*(8*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]] - 2*a*(35*a^2*A - 3*A*b^2 - 42*a*b*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]] - 2*(140*a^2*A*b + 6*A*b^3 + 105*a^3*B - 21*a*b^2*B)*Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(105*a^3*d)

Maple [C] time = 2.154, size = 49857, normalized size = 142.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(9/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(9/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.621 \quad \int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=299

$$\frac{2(15a^2A - 20abB - 3Ab^2) \sqrt{\cot(c+dx)} \sqrt{a+b \tan(c+dx)}}{15ad} - \frac{2(5aB + 6Ab) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{15d} + \frac{(a+ib)^2}{15d}$$

[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(15*a^2*A - 3*A*b^2 - 20*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*a*d) - (2*(6*A*b + 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*d) - (2*a*A*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(5*d)

Rubi [A] time = 1.30531, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A - 20abB - 3Ab^2) \sqrt{\cot(c+dx)} \sqrt{a+b \tan(c+dx)}}{15ad} - \frac{2(5aB + 6Ab) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{15d} + \frac{(a+ib)^2}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(15*a^2*A - 3*A*b^2 - 20*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*a*d) - (2*(6*A*b + 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*d) - (2*a*A*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(5*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&

LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{3/2}(A-B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{5d} + \frac{1}{5} \left(2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}\right) \\
&= -\frac{2(6Ab+5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15d} - \frac{2aA \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15d} \\
&= \frac{2(15a^2A-3Ab^2-20abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15ad} \\
&= \frac{2(15a^2A-3Ab^2-20abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15ad} \\
&= \frac{2(15a^2A-3Ab^2-20abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15ad} \\
&= \frac{2(15a^2A-3Ab^2-20abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15ad} \\
&= \frac{(a+ib)^2(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{\sqrt{ia-bd}}
\end{aligned}$$

Mathematica [A] time = 2.28585, size = 286, normalized size = 0.96

$$\cot^{\frac{5}{2}}(c+dx) \left(-4(15a^2A-20abB-3Ab^2) \tan^2(c+dx) \sqrt{a+b \tan(c+dx)} + 4a(5aB+6Ab) \tan(c+dx) \sqrt{a+b \tan(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] -(Cot[c + d*x]^(5/2)*(-30*(-1)^(1/4)*a*((-a - I*b)^(3/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) - (a - I*b)^(3/2)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])*Tan[c + d*x]^(5/2) + 15*a*b*B*Sqrt[a + b*Tan[c + d*x]] + 3*a*(4*a*A - 5*b*B)*Sqrt[a + b*Tan[c + d*x]] + 4*a*(6*A*b + 5*a*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]] - 4*(15*a^2*A - 3*A*b^2 - 20*a*b*B)*Tan[c + d*x]^2*Sqrt[a + b*Tan[c + d*x]])/(30*a*d)

Maple [C] time = 1.624, size = 48329, normalized size = 161.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(7/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.622 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=236

$$\frac{(-b+ia)^{3/2}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} - \frac{2(3aB+4Ab)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3d}$$

[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d - (2*(4*A*b + 3*a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3*d) - (2*a*A*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3*d)

Rubi [A] time = 1.09749, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{(-b+ia)^{3/2}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} - \frac{2(3aB+4Ab)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d - (2*(4*A*b + 3*a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3*d) - (2*a*A*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int((((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{\frac{3}{2}}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{3d} + \frac{1}{3} \left(2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}\right) \\
&= -\frac{2(4Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{3d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(4Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{3d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(4Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{3d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(4Ab+3aB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{3d} - \frac{2aA \cot^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{(ia-b)^{\frac{3}{2}}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.985477, size = 244, normalized size = 1.03

$$\sqrt{\cot(c+dx)} \left(-2(3aB+4Ab)\sqrt{a+b \tan(c+dx)} + 3\sqrt[4]{-1}\sqrt{\tan(c+dx)} \left(i(-a-ib)^{\frac{3}{2}}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*(3*(-1)^(1/4)*(I*(-a - I*b))^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + (a - I*b)^(3/2)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Tan[c + d*x]] - 2*(4*A*b + 3*a*B)*Sqrt[a + b*Tan[c + d*x]] - 3*b*B*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]] + (-2*a*A + 3*b*B)*Cot[c + d*x]*Sqrt[a + b*Tan[c + d*x]])/(3*d)

Maple [C] time = 1.155, size = 24544, normalized size = 104.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx+c) + A)(b \tan(dx+c) + a)^{\frac{3}{2}} \cot(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(5/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.623 \quad \int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=269

$$\frac{(a+ib)^2(-B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(b+ia)^{3/2}(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

[Out] -(((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (2*b^(3/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a*A*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rubi [A] time = 1.863, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3605, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(a+ib)^2(-B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(b+ia)^{3/2}(B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] -(((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (2*b^(3/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a*A*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&

LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x]] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{3}{2}}(c+dx)(a+b\tan(c+dx))^{3/2}(A+B\tan(c+dx))dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \left(2\sqrt{\cot(c+dx)}\right) \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{(2\sqrt{\cot(c+dx)})}{d} \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{(2\sqrt{\cot(c+dx)})}{d} \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{(\sqrt{\cot(c+dx)})}{d} \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} + \frac{(\sqrt{\cot(c+dx)})}{d} \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= -\frac{2aA\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d} - \frac{((a-ib)^2(A-ib))}{d} \int \frac{(a+b\tan(c+dx))^{3/2}(A-B\tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2b^{3/2}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{d} \\
&= -\frac{(a+ib)^2(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}}
\end{aligned}$$

Mathematica [C] time = 31.956, size = 114092, normalized size = 424.13

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]

[Out] Result too large to show

Maple [C] time = 1.145, size = 41906, normalized size = 155.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)
```

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

[Out] Timed out

3.624 $\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx$

Optimal. Leaf size=264

$$\frac{(-b+ia)^{3/2}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{d} + \frac{\sqrt{b}(3aB+2Ab)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{d}$$

```
[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (Sqrt[b]*(2*A*b + 3*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b*B*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 1.83747, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3607, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(-b+ia)^{3/2}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{d} + \frac{\sqrt{b}(3aB+2Ab)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (Sqrt[b]*(2*A*b + 3*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b*B*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx)) dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{bB\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx \\
&= \frac{bB\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx}{d} \\
&= \frac{bB\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx}{d} \\
&= \frac{bB\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx}{d} \\
&= \frac{bB\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx}{d} \\
&= \frac{bB\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} + \frac{((a+ib)^2(iA-B)\sqrt{\cot(c+dx)}) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx}{d} \\
&= \frac{\sqrt{b}(2Ab+3aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}}{d} \\
&= \frac{(ia-b)^{3/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.17978, size = 263, normalized size = 1.

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(-(-1)^{3/4}(-a-ib)^{3/2}(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) - \sqrt[4]{-1}(a-ib)^{3/2}(B+iA) \tanh^{-1}\left(\frac{\sqrt{a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-((-1)^(3/4)*(-a - I*b)^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]) - (-1)^(1/4)*(a - I*b)^(3/2)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + b*B*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + (Sqrt[a]*Sqrt[b]*(2*A*b + 3*a*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/Sqrt[a + b*Tan[c + d*x]])/d

Maple [C] time = 1.099, size = 27748, normalized size = 105.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x + c)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(1/2)*(a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.625 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=328

$$\frac{(3a^2B + 12aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4\sqrt{bd}} + \frac{(a+ib)^2(-B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d\sqrt{-b+ia}}$$

```
[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b
*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) +
((12*a*A*b + 3*a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a
+ b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*Sqrt[b]*d) +
((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[
a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + (b*B*Sqrt[a
+ b*Tan[c + d*x]])/(2*d*Cot[c + d*x]^(3/2)) + ((4*A*b + 5*a*B)*Sqrt[a + b*
Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 2.39289, antiderivative size = 328, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(3a^2B + 12aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4\sqrt{bd}} + \frac{(a+ib)^2(-B+iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d\sqrt{-b+ia}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] ((a + I*b)^2*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b
*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) +
((12*a*A*b + 3*a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a
+ b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(4*Sqrt[b]*d) +
((I*a + b)^(3/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[
a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + (b*B*Sqrt[a
+ b*Tan[c + d*x]])/(2*d*Cot[c + d*x]^(3/2)) + ((4*A*b + 5*a*B)*Sqrt[a + b*
Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a
+ b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x
]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
```

& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2)]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff, x]] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx = (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{1}{2} (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}) \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx}{\sqrt{\cot(c + dx)}}$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}) \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx}{\sqrt{\cot(c + dx)}}$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)}) \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx}{\sqrt{\cot(c + dx)}}$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} - \frac{(\sqrt{\cot(c + dx)}) \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx}{\sqrt{\cot(c + dx)}}$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} - \frac{(\sqrt{\cot(c + dx)}) \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^{3/2}(A + B \tan(c + dx)) dx}{\sqrt{\cot(c + dx)}}$$

$$= \frac{bB\sqrt{a + b \tan(c + dx)}}{2d \cot^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \tan(c + dx)}}{4d\sqrt{\cot(c + dx)}} + \frac{((a - ib)^2 (12aAb + 3a^2B - 8b^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)})}{4\sqrt{bd}}$$

$$= \frac{(a + ib)^2 (iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ia - bd}} + \dots$$

Mathematica [A] time = 3.08431, size = 310, normalized size = 0.95

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{\sqrt{a}(3a^2B + 12aAb - 8b^2B) \sqrt{\frac{b \tan(c+dx)}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{b}\sqrt{a+b\tan(c+dx)}} + (5aB + 4Ab)\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

```
[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(4*(-1)^(1/4)*(-a - I*b)^(3/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] - 4*(-1)^(1/4)*(a - I*b)^(3/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] + (4*A*b + 5*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*b*B*Tan[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]] + (Sqrt[a]*(12*a*A*b + 3*a^2*B - 8*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])))/(4*d)
```

Maple [C] time = 1.454, size = 30720, normalized size = 93.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)/sqrt(cot(d*x + c)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algo  
ithm="giac")
```

```
[Out] Timed out
```

$$3.626 \quad \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\cot^2(c+dx)} dx$$

Optimal. Leaf size=383

$$\frac{(a^2(-B) + 6aAb - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6a^2Ab + a^3(-B) - 24ab^2B - 16Ab^3) \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tanh}{8b^{3/2}d}$$

```
[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((6*a^2*A*b - 16*A*b^3 - a^3*B - 24*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(8*b^(3/2)*d) + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((6*a*A*b - a^2*B - 8*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(8*b*d*Sqrt[Cot[c + d*x]]) + ((6*A*b - a*B)*(a + b*Tan[c + d*x])^(3/2))/(12*b*d*Sqrt[Cot[c + d*x]]) + (B*(a + b*Tan[c + d*x])^(5/2))/(3*b*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 2.53248, antiderivative size = 383, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(a^2(-B) + 6aAb - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6a^2Ab + a^3(-B) - 24ab^2B - 16Ab^3) \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tanh}{8b^{3/2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]
```

```
[Out] ((I*a - b)^(3/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((6*a^2*A*b - 16*A*b^3 - a^3*B - 24*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(8*b^(3/2)*d) + ((I*a + b)^(3/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/d + ((6*a*A*b - a^2*B - 8*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(8*b*d*Sqrt[Cot[c + d*x]]) + ((6*A*b - a*B)*(a + b*Tan[c + d*x])^(3/2))/(12*b*d*Sqrt[Cot[c + d*x]]) + (B*(a + b*Tan[c + d*x])^(5/2))/(3*b*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
```

f, A, B, n, x && $\text{NeQ}[b*c - a*d, 0]$ && $\text{NeQ}[a^2 + b^2, 0]$ && $\text{NeQ}[c^2 + d^2, 0]$ && $\text{GtQ}[m, 1]$ && $(\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2*m, 2*n])$ && $!(\text{IGtQ}[n, 1] \&\& (\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3647

$\text{Int}[(a + b \tan(e + f x))^m ((c + d \tan(e + f x))^n + (f x)^2), x_Symbol] \rightarrow \text{Simp}[(C(a + b \tan[e + f x])^m (c + d \tan[e + f x])^{n+1}) / (d f (m + n + 1)), x] + \text{Dist}[1 / (d (m + n + 1)), \text{Int}[(a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^n \text{Simp}[a A d (m + n + 1) - C (b c m + a d (n + 1)) + d (A b + a B - b C) (m + n + 1) \tan[e + f x] - (C m (b c - a d) - b B d (m + n + 1)) \tan[e + f x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 0] \&\& !(\text{IGtQ}[n, 0] \&\& (\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3655

$\text{Int}[(a + b \tan(e + f x))^m ((c + d \tan(e + f x))^n + (f x)^2), x_Symbol] \rightarrow \text{With}\{ff = \text{FreeFactors}[\tan[e + f x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[(a + b ff x)^m (c + d ff x)^n (A + B ff x + C ff^2 x^2)] / (1 + ff^2 x^2), x], x, \tan[e + f x] / ff, x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 6725

$\text{Int}(u / ((a + b x)^n), x_Symbol] \rightarrow \text{With}\{v = \text{RationalFunctionExpand}[u / (a + b x^n), x]\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}\{a, b\}, x \&\& \text{IGtQ}[n, 0]$

Rule 63

$\text{Int}[(a + b x)^m ((c + d x)^n), x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p(m+1)-1} (c - (a d)/b + (d x^p)/b)^n, x], x, (a + b x)^{1/p}], x] /; \text{FreeQ}\{a, b, c, d\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\sqrt{(a + b x)^2}, x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b x^2), x], x, x/\sqrt{a + b x^2}] /; \text{FreeQ}\{a, b\}, x \&\& !\text{GtQ}[a, 0]$

Rule 206

$\text{Int}[(a + b x)^2^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2] * x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$

Rule 93

$\text{Int}[(a + b x)^m ((c + d x)^n) / ((e + f x)^q), x_Symbol] \rightarrow \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{q(m+1)-1} / (b e - a f - (d e - c f) x^q), x], x, (a + b x)^{1/q} / (c + d x)^{1/q}], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n]$

&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^{3/2} (A + B \tan(c + dx))}{\cot^2(c + dx)} dx &= (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \tan^2(c + dx) (a + b \tan(c + dx))^{3/2} \\
 &= \frac{B(a + b \tan(c + dx))^{5/2}}{3bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{3/2}}{\cot(c + dx)} dx}{3bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{5/2}}{3bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{3/2}}{\cot(c + dx)} dx}{3bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6aAb - a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6aAb - a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6aAb - a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6aAb - a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6aAb - a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6aAb - a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8bd\sqrt{\cot(c + dx)}} + \frac{(6Ab - aB)(a + b \tan(c + dx))^{3/2}}{12bd\sqrt{\cot(c + dx)}} \\
 &= \frac{(6a^2Ab - 16Ab^3 - a^3B - 24ab^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{8b^{3/2}d} \\
 &= \frac{(ia - b)^{3/2} (A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 5.61411, size = 367, normalized size = 0.96

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(-3(a^2B - 6aAb + 8b^2B) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)} - \frac{3\sqrt{a}(-6a^2Ab + a^3B + 24ab^2B + 16Ab^3) \sqrt{\cot(c + dx)}}{\sqrt{b}\sqrt{a + b \tan(c + dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Tan[c + d*x])^(3/2)*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2),x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(24*(-1)^(3/4)*(-a - I*b)^(3/2)*b*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] + 24*(-1)^(1/4)*(a - I*b)^(3/2)*b*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] - 3*(-6*a*A*b + a^2*B + 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*(6*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) + 8*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2) - (3*Sqrt[a]*(-6*a^2*A*b + 16*A*b^3 + a^3*B + 24*a*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])))/(24*b*d)
```

Maple [C] time = 2.793, size = 34370, normalized size = 89.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{3}{2}}}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(3/2)/cot(d*x + c)^(3/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(3/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.627 \quad \int \cot^{\frac{13}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=500

$$\frac{2(99a^2A - 209abB - 113Ab^2) \cot^{\frac{7}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{693d} + \frac{2(495a^2Ab + 231a^3B - 275ab^2B - 5Ab^3) \cot^{\frac{5}{2}}(c+dx)}{1155ad}$$

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*(8085*a^4*A*b - 495*a^2*A*b^3 + 40*A*b^5 + 3465*a^5*B - 5313*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3465*a^3*d) - (2*(1155*a^4*A - 1485*a^2*A*b^2 - 20*A*b^4 - 2541*a^3*b*B + 55*a*b^3*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3465*a^2*d) + (2*(495*a^2*A*b - 5*A*b^3 + 231*a^3*B - 275*a*b^2*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(1155*a*d) + (2*(99*a^2*A - 113*A*b^2 - 209*a*b*B)*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(693*d) - (2*a*(14*A*b + 11*a*B)*Cot[c + d*x]^(9/2)*Sqrt[a + b*Tan[c + d*x]])/(99*d) - (2*a*A*Cot[c + d*x]^(11/2)*(a + b*Tan[c + d*x])^(3/2))/(11*d)
```

Rubi [A] time = 2.47043, antiderivative size = 500, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4241, 3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(99a^2A - 209abB - 113Ab^2) \cot^{\frac{7}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{693d} + \frac{2(495a^2Ab + 231a^3B - 275ab^2B - 5Ab^3) \cot^{\frac{5}{2}}(c+dx)}{1155ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(13/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*(8085*a^4*A*b - 495*a^2*A*b^3 + 40*A*b^5 + 3465*a^5*B - 5313*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3465*a^3*d) - (2*(1155*a^4*A - 1485*a^2*A*b^2 - 20*A*b^4 - 2541*a^3*b*B + 55*a*b^3*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3465*a^2*d) + (2*(495*a^2*A*b - 5*A*b^3 + 231*a^3*B - 275*a*b^2*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(1155*a*d) + (2*(99*a^2*A - 113*A*b^2 - 209*a*b*B)*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(693*d) - (2*a*(14*A*b + 11*a*B)*Cot[c + d*x]^(9/2)*Sqrt[a + b*Tan[c + d*x]])/(99*d) - (2*a*A*Cot[c + d*x]^(11/2)*(a + b*Tan[c + d*x])^(3/2))/(11*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x
])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),
Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &&
(!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0]))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \cot^{\frac{13}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx = \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{13}{2}}(c+dx)} dx$$

$$= -\frac{2aA \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}}{11d} + \frac{1}{11} \left(2\sqrt{\cot(c+dx)}\right)$$

$$= -\frac{2a(14Ab+11aB) \cot^{\frac{9}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{99d} - \frac{2a}{99d}$$

$$= \frac{2(99a^2A-113Ab^2-209abB) \cot^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{693d}$$

$$= \frac{2(495a^2Ab-5Ab^3+231a^3B-275ab^2B) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{1155ad}$$

$$= -\frac{2(1155a^4A-1485a^2Ab^2-20Ab^4-2541a^3bB+55ab^3)}{3465a^2d}$$

$$= -\frac{2(8085a^4Ab-495a^2Ab^3+40Ab^5+3465a^5B-5313a^3B)}{3465a^3d}$$

$$= -\frac{2(8085a^4Ab-495a^2Ab^3+40Ab^5+3465a^5B-5313a^3B)}{3465a^3d}$$

$$= -\frac{2(8085a^4Ab-495a^2Ab^3+40Ab^5+3465a^5B-5313a^3B)}{3465a^3d}$$

$$= -\frac{(ia-b)^{5/2}(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}$$

Mathematica [A] time = 6.98571, size = 653, normalized size = 1.31

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} - \frac{bB(a + b \tan(c + dx))^{3/2}}{4d \tan^{\frac{11}{2}}(c + dx)} + \frac{1}{4} - \frac{b(5aB + 8Ab)\sqrt{a + b \tan(c + dx)}}{10d \tan^{\frac{11}{2}}(c + dx)} + \frac{1}{5} - \frac{(80a^2A - 165)}{10d \tan^{\frac{11}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cot[c + d*x]^(13/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-(b*B*(a + b*Tan[c + d*x])^(3/2))/(4*d*Tan[c + d*x]^(11/2)) + (-b*(8*A*b + 5*a*B)*Sqrt[a + b*Tan[c + d*x]])/(10*d*Tan[c + d*x]^(11/2)) + (-((80*a^2*A - 88*A*b^2 - 165*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(22*d*Tan[c + d*x]^(11/2)) - (2*((5*a*(184*a*A*b + 88*a^2*B - 99*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(18*d*Tan[c + d*x]^(9/2)) - (2*((10*a^2*(99*a^2*A - 113*A*b^2 - 209*a*b*B)*Sqrt[a + b*Tan[c + d*x]])/(7*d*Tan[c + d*x]^(7/2)) - (2*((-3*a^2*(495*a^2*A*b - 5*A*b^3 + 231*a^3*B - 275*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(d*Tan[c + d*x]^(5/2)) - (2*((-5*a^2*(1155*a^4*A - 1485*a^2*A*b^2 - 20*A*b^4 - 2541*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Tan[c + d*x]])/(2*d*Tan[c + d*x]^(3/2)) - (2*((51975*a^5*((-1)^(3/4)*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]) - (-1)^(3/4)*(a - I*b)^(5/2)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])))/(8*d + (15*a^2*(8085*a^4*A*b - 495*a^2*A*b^3 + 40*A*b^5 + 3465*a^5*B - 5313*a^3*b^2*B - 110*a*b^4*B)*Sqrt[a + b*Tan[c + d*x]])/(4*d*Sqrt[Tan[c + d*x]])))/(3*a)))/(5*a)))/(7*a)))/(9*a)))/(11*a))/5)/4
```

Maple [C] time = 3.986, size = 103896, normalized size = 207.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cot(d*x+c)^(13/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(13/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(13/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(13/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)), x, algorithm="fricas")
```


[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(13/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(13/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.628 \quad \int \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=418

$$\frac{2(21a^2A - 45abB - 25Ab^2) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105d} + \frac{2(231a^2Ab + 105a^3B - 135ab^2B - 5Ab^3) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{315ad}$$

[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*(315*a^4*A - 483*a^2*A*b^2 - 10*A*b^4 - 735*a^3*b*B + 45*a*b^3*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(315*a^2*d) + (2*(231*a^2*A*b - 5*A*b^3 + 105*a^3*B - 135*a*b^2*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(315*a*d) + (2*(21*a^2*A - 25*A*b^2 - 45*a*b*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(105*d) - (2*a*(4*A*b + 3*a*B)*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(21*d) - (2*a*A*Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^(3/2))/(9*d)

Rubi [A] time = 2.03452, antiderivative size = 418, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4241, 3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(21a^2A - 45abB - 25Ab^2) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105d} + \frac{2(231a^2Ab + 105a^3B - 135ab^2B - 5Ab^3) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{315ad}$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(11/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*(315*a^4*A - 483*a^2*A*b^2 - 10*A*b^4 - 735*a^3*b*B + 45*a*b^3*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(315*a^2*d) + (2*(231*a^2*A*b - 5*A*b^3 + 105*a^3*B - 135*a*b^2*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(315*a*d) + (2*(21*a^2*A - 25*A*b^2 - 45*a*b*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(105*d) - (2*a*(4*A*b + 3*a*B)*Cot[c + d*x]^(7/2)*Sqrt[a + b*Tan[c + d*x]])/(21*d) - (2*a*A*Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^(3/2))/(9*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)),

```

Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(
b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e
+ f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
+ 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

Rule 3645

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cot^{\frac{11}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{11}{2}}(c+dx)} dx \\
&= -\frac{2aA \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}}{9d} + \frac{1}{9} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx \\
&= -\frac{2a(4Ab+3aB) \cot^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{21d} - \frac{2aA}{21d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2(21a^2A-25Ab^2-45abB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105d} \\
&= \frac{2(231a^2Ab-5Ab^3+105a^3B-135ab^2B) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{315ad} \\
&= -\frac{2(315a^4A-483a^2Ab^2-10Ab^4-735a^3bB+45ab^3B)}{315a^2d} \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
&= -\frac{2(315a^4A-483a^2Ab^2-10Ab^4-735a^3bB+45ab^3B)}{315a^2d} \int \frac{(a+b \tan(c+dx))^{1/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= -\frac{2(315a^4A-483a^2Ab^2-10Ab^4-735a^3bB+45ab^3B)}{315a^2d} \int \frac{(a+b \tan(c+dx))^{1/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{\tan^{\frac{1}{2}}(c+dx)} dx \\
&= \frac{(ia-b)^{5/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 6.74684, size = 564, normalized size = 1.35

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} - \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \tan^{\frac{9}{2}}(c + dx)} + \frac{1}{3} - \frac{3b(aB + 2Ab)\sqrt{a + b \tan(c + dx)}}{8d \tan^{\frac{9}{2}}(c + dx)} + \frac{1}{4} - \frac{(16a^2A - 33ab^2)}{8d \tan^{\frac{9}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(11/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]

[Out] Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-(b*B*(a + b*Tan[c + d*x])^(3/2))/(3*d*Tan[c + d*x]^(9/2)) + ((-3*b*(2*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]])/(8*

$$d \cdot \tan[c + d \cdot x]^{(9/2)} + (-((16 \cdot a^2 \cdot A - 18 \cdot A \cdot b^2 - 33 \cdot a \cdot b \cdot B) \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]})) / (6 \cdot d \cdot \tan[c + d \cdot x]^{(9/2)}) - (2 \cdot ((6 \cdot a \cdot (38 \cdot a \cdot A \cdot b + 18 \cdot a^2 \cdot B - 21 \cdot b^2 \cdot B) \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]})) / (7 \cdot d \cdot \tan[c + d \cdot x]^{(7/2)}) - (2 \cdot ((18 \cdot a^2 \cdot (21 \cdot a^2 \cdot A - 25 \cdot A \cdot b^2 - 45 \cdot a \cdot b \cdot B) \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]})) / (5 \cdot d \cdot \tan[c + d \cdot x]^{(5/2)}) - (2 \cdot ((-3 \cdot a^2 \cdot (231 \cdot a^2 \cdot A \cdot b - 5 \cdot A \cdot b^3 + 105 \cdot a^3 \cdot B - 135 \cdot a \cdot b^2 \cdot B) \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]})) / (d \cdot \tan[c + d \cdot x]^{(3/2)}) - (2 \cdot ((2835 \cdot a^4 \cdot ((-1)^{(1/4)} \cdot (-a - I \cdot b)^{(5/2)} \cdot (A + I \cdot B) \cdot \operatorname{ArcTanh}[((-1)^{(1/4)} \cdot \sqrt{-a - I \cdot b}] \cdot \sqrt{\tan[c + d \cdot x]}]) / \sqrt{a + b \cdot \tan[c + d \cdot x]})) + (-1)^{(1/4)} \cdot (a - I \cdot b)^{(5/2)} \cdot (A - I \cdot B) \cdot \operatorname{ArcTanh}[((-1)^{(1/4)} \cdot \sqrt{a - I \cdot b}] \cdot \sqrt{\tan[c + d \cdot x]}]) / \sqrt{a + b \cdot \tan[c + d \cdot x]}])) / (4 \cdot d) - (9 \cdot a^2 \cdot (315 \cdot a^4 \cdot A - 483 \cdot a^2 \cdot A \cdot b^2 - 10 \cdot A \cdot b^4 - 735 \cdot a^3 \cdot b \cdot B + 45 \cdot a \cdot b^3 \cdot B) \cdot \sqrt{a + b \cdot \tan[c + d \cdot x]})) / (2 \cdot d \cdot \sqrt{\tan[c + d \cdot x]})) / (3 \cdot a)) / (5 \cdot a)) / (7 \cdot a)) / (9 \cdot a)) / 4) / 3$$

Maple [C] time = 3.115, size = 101204, normalized size = 242.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{5/2} \cot(dx + c)^{11/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(11/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(11/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(11/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algo  
rithm="giac")
```

```
[Out] Timed out
```

$$3.629 \quad \int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=349

$$\frac{2(35a^2A - 77abB - 45Ab^2) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{105d} + \frac{2(245a^2Ab + 105a^3B - 161ab^2B - 15Ab^3) \sqrt{\cot(c+dx)}}{105ad}$$

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(245*a^2*A*b - 15*A*b^3 + 105*a^3*B - 161*a*b^2*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(105*a*d) + (2*(35*a^2*A - 45*A*b^2 - 77*a*b*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(105*d) - (2*a*(10*A*b + 7*a*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^(3/2))/(7*d)
```

Rubi [A] time = 1.65267, antiderivative size = 349, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4241, 3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(35a^2A - 77abB - 45Ab^2) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{105d} + \frac{2(245a^2Ab + 105a^3B - 161ab^2B - 15Ab^3) \sqrt{\cot(c+dx)}}{105ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(245*a^2*A*b - 15*A*b^3 + 105*a^3*B - 161*a*b^2*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(105*a*d) + (2*(35*a^2*A - 45*A*b^2 - 77*a*b*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(105*d) - (2*a*(10*A*b + 7*a*B)*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(35*d) - (2*a*A*Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^(3/2))/(7*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n
```


+ 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int((((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{9}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{9}{2}}(c+dx)} dx \\
 &= -\frac{2aA \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}}{7d} + \frac{1}{7} \left(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{7}{2}}(c+dx)} dx \\
 &= -\frac{2a(10Ab+7aB) \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{35d} - \frac{2aA}{35d} \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{5}{2}}(c+dx)} dx \\
 &= \frac{2(35a^2A-45Ab^2-77abB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{105d} - \frac{2aA}{105d} \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\
 &= \frac{2(245a^2Ab-15Ab^3+105a^3B-161ab^2B)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{105ad} - \frac{2aA}{105ad} \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
 &= \frac{2(245a^2Ab-15Ab^3+105a^3B-161ab^2B)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{105ad} - \frac{2aA}{105ad} \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
 &= \frac{2(245a^2Ab-15Ab^3+105a^3B-161ab^2B)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{105ad} - \frac{2aA}{105ad} \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
 &= \frac{2(245a^2Ab-15Ab^3+105a^3B-161ab^2B)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{105ad} - \frac{2aA}{105ad} \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\tan^{\frac{1}{2}}(c+dx)} dx \\
 &= \frac{(ia-b)^{5/2}(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 5.17812, size = 386, normalized size = 1.11

$$\cot^{\frac{7}{2}}(c+dx) \left(6a(28a^2B+60aAb-35b^2B) \tan(c+dx)\sqrt{a+b \tan(c+dx)} + 5a(24a^2A-49abB-28Ab^2)\sqrt{a+b \tan(c+dx)}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(9/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] -(Cot[c + d*x]^(7/2)*(35*a*b*(4*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]] + 5*a*(24*a^2*A - 28*A*b^2 - 49*a*b*B)*Sqrt[a + b*Tan[c + d*x]] + 6*a*(60*a*A*b + 28*a^2*B - 35*b^2*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]] + 210*a*b*B*(a + b*Tan[c + d*x])^(3/2) - 4*Tan[c + d*x]^2*(105*(-1)^(1/4)*a*(I*(-a - I*b))^(5/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] - (a - I*b)^(5/2)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a

$$\frac{-I*b*\sqrt{\tan[c+d*x]}/\sqrt{a+b*\tan[c+d*x]})*\tan[c+d*x]^{3/2} + 2*a*(35*a^2*A - 45*A*b^2 - 77*a*b*B)*\sqrt{a+b*\tan[c+d*x]} + 2*(245*a^2*A*b - 15*A*b^3 + 105*a^3*B - 161*a*b^2*B)*\tan[c+d*x]*\sqrt{a+b*\tan[c+d*x]}}{420*a*d}$$

Maple [C] time = 2.56, size = 67683, normalized size = 193.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{5/2} \cot(dx + c)^{9/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(9/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(9/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(9/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.630 \quad \int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=287

$$\frac{2(15a^2A - 35abB - 23Ab^2) \sqrt{\cot(c+dx)} \sqrt{a+b \tan(c+dx)}}{15d} - \frac{2a(5aB + 8Ab) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{15d} -$$

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(15*a^2*A - 23*A*b^2 - 35*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*d) - (2*a*(8*A*b + 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*d) - (2*a*A*Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(3/2))/(5*d)
```

Rubi [A] time = 1.30528, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4241, 3605, 3645, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A - 35abB - 23Ab^2) \sqrt{\cot(c+dx)} \sqrt{a+b \tan(c+dx)}}{15d} - \frac{2a(5aB + 8Ab) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{15d} -$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*(15*a^2*A - 23*A*b^2 - 35*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*d) - (2*a*(8*A*b + 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*d) - (2*a*A*Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(3/2))/(5*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
```

LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{7}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}}{\tan^{\frac{7}{2}}(c+dx)} dx \\
 &= -\frac{2aA \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}}{5d} + \frac{1}{5} \left(2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}\right) \\
 &= -\frac{2a(8Ab+5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15d} - \frac{2a(15a^2A-23Ab^2-35abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15d} \\
 &= \frac{2(15a^2A-23Ab^2-35abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15d} \\
 &= \frac{2(15a^2A-23Ab^2-35abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15d} \\
 &= \frac{2(15a^2A-23Ab^2-35abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15d} \\
 &= \frac{2(15a^2A-23Ab^2-35abB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15d} \\
 &= \frac{(ia-b)^{5/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)\sqrt{\cot(c+dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 3.31861, size = 321, normalized size = 1.12

$$\cot^{\frac{5}{2}}(c+dx) \left(-3(8a^2A-15abB-10Ab^2)\sqrt{a+b \tan(c+dx)}-4 \tan(c+dx)\left(-2(15a^2A-35abB-23Ab^2) \tan(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cot[c + d*x]^(7/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (Cot[c + d*x]^(5/2)*(15*b*(-2*A*b + a*B)*Sqrt[a + b*Tan[c + d*x]] - 3*(8*a^2*A - 10*A*b^2 - 15*a*b*B)*Sqrt[a + b*Tan[c + d*x]] - 60*b*B*(a + b*Tan[c + d*x])^(3/2) - 4*Tan[c + d*x]*(15*(-1)^(1/4)*((-a - I*b)^(5/2)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + (a - I*b)^(5/2)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])*Tan[c + d*x]^(3/2) + (22*a*A*b + 10*a^2*B - 15*b^2*B)*Sqrt[a + b*Tan[c + d*x]] - 2*(15*a^2*A - 23*A*b^2 - 35*a*b*B)*Tan[c + d*x]*Sqrt[a + b*Tan[c + d*x]]))/(60*d)

Maple [C] time = 2.023, size = 65903, normalized size = 229.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(7/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(7/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cot(d*x+c)^(7/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.631 \quad \int \cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=300

$$\frac{(-b+ia)^{5/2}(-B+IA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} - \frac{2a(aB+2Ab)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d}$$

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*b^(5/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a*(2*A*b + a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rubi [A] time = 2.28855, antiderivative size = 300, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3605, 3645, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(-b+ia)^{5/2}(-B+IA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d} - \frac{2a(aB+2Ab)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (2*b^(5/2)*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - (2*a*(2*A*b + a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/d - (2*a*A*Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2))/(3*d)
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
```

+ 1))) * Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3645

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_) + (C_.)*tan[(e_.) + (f_.)*(x_)^2], x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int((((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]

```
&& LtQ[-1, m, 0] && SimplifierQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^{5/2}(A + B \tan(c + dx)) dx &= \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{(a + b \tan(c + dx))^{5/2}(A - B \tan(c + dx))}{\tan^{\frac{5}{2}}(c + dx)} dx \\
 &= -\frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} + \frac{1}{3} \left(2\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}\right) \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= -\frac{2a(2Ab + aB)\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{d} - \frac{2aA \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}{3d} \\
 &= \frac{2b^{5/2}B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \\
 &= -\frac{(ia - b)^{5/2}(iA - B) \tan^{-1}\left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d}
 \end{aligned}$$

Mathematica [C] time = 40.15, size = 130606, normalized size = 435.35

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

[Out] Result too large to show

Maple [C] time = 2.002, size = 46754, normalized size = 155.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(5/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(5/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.632 \quad \int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=301

$$\frac{b^{3/2}(5aB + 2Ab)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(-b+ia)^{5/2}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

```
[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b^(3/2)*(2*A*b + 5*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b*(2*a*A + b*B)*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]]) - (2*a*A*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/d
```

Rubi [A] time = 2.44632, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3605, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{b^{3/2}(5aB + 2Ab)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} + \frac{(-b+ia)^{5/2}(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]
```

```
[Out] ((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b^(3/2)*(2*A*b + 5*a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d - ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b*(2*a*A + b*B)*Sqrt[a + b*Tan[c + d*x]])/(d*Sqrt[Cot[c + d*x]]) - (2*a*A*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2))/d
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n
```

```
+ 1))) * Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3647

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
```


&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}}{\tan^{\frac{3}{2}}(c+dx)} dx \\
 &= -\frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} + \left(2\sqrt{\cot(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}}{\tan^{\frac{3}{2}}(c+dx)} dx \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b(2aA+bB)\sqrt{a+b \tan(c+dx)}}{d\sqrt{\cot(c+dx)}} - \frac{2aA\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}{d} \\
 &= \frac{b^3/2(2Ab+5aB) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d} \\
 &= \frac{(ia-b)^{5/2}(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}
 \end{aligned}$$

Mathematica [C] time = 40.6348, size = 196709, normalized size = 653.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] Result too large to show

Maple [C] time = 2.99, size = 57755, normalized size = 191.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

3.633 $\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx$

Optimal. Leaf size=320

$$\frac{\sqrt{b}(15a^2B + 20aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4d} + \frac{(-b+ia)^{5/2}(-B+iA) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)}}{d}$$

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (Sqrt[b]*(20*a*A*b + 15*a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(4*d) + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b*(4*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]]) + (b*B*(a + b*Tan[c + d*x])^(3/2))/(2*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 2.17532, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{\sqrt{b}(15a^2B + 20aAb - 8b^2B) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{4d} + \frac{(-b+ia)^{5/2}(-B+iA) \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]),x]
```

```
[Out] ((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (Sqrt[b]*(20*a*A*b + 15*a^2*B - 8*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(4*d) + ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + (b*(4*A*b + 7*a*B)*Sqrt[a + b*Tan[c + d*x]])/(4*d*Sqrt[Cot[c + d*x]]) + (b*B*(a + b*Tan[c + d*x])^(3/2))/(2*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
```

0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
& (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3647

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3655

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)] + (C_.)*tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))/((e_.) + (f_.)*(x_.)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx)) dx = \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

$$= \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}} + \frac{1}{2} \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^{3/2}(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{b(4Ab+7aB)\sqrt{a+b \tan(c+dx)}}{4d\sqrt{\cot(c+dx)}} + \frac{bB(a+b \tan(c+dx))^{3/2}}{2d\sqrt{\cot(c+dx)}}$$

$$= \frac{\sqrt{b} \left(20aAb+15a^2B-8b^2B\right) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{4d} + \frac{(ia-b)^{5/2}(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{d}$$

Mathematica [A] time = 3.32832, size = 311, normalized size = 0.97

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(\frac{\sqrt{a}\sqrt{b}(15a^2B+20aAb-8b^2B)\sqrt{\frac{b \tan(c+dx)}{a}+1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a}}\right)}{\sqrt{a+b \tan(c+dx)}} + b(7aB+4Ab)\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(4*(-1)^(3/4)*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])

$$c + d*x]]] - 4*(-1)^{(1/4)}*(a - I*b)^{(5/2)}*(I*A + B)*ArcTanh[((-1)^{(1/4)}*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]] + b*(4*A*b + 7*a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 2*b*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^{(3/2)} + (Sqrt[a]*Sqrt[b]*(20*a*A*b + 15*a^2*B - 8*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/Sqrt[a + b*Tan[c + d*x]])/(4*d)$$

Maple [C] time = 1.924, size = 32501, normalized size = 101.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^{5/2} \sqrt{\cot(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)*sqrt(cot(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.634 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=376

$$\frac{(5a^2B + 14aAb - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{(30a^2Ab + 5a^3B - 40ab^2B - 16Ab^3) \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tanh^{-1}}{8\sqrt{bd}}$$

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt
[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + ((30*a^2*
A*b - 16*A*b^3 + 5*a^3*B - 40*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])
/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(8*Sqrt[b
]*d) + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])
]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((14
*a*A*b + 5*a^2*B - 8*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(8*d*Sqrt[Cot[c + d*x
]]) + (b*B*(a + b*Tan[c + d*x])^(3/2))/(3*d*Cot[c + d*x]^(3/2)) + ((2*A*b +
3*a*B)*(a + b*Tan[c + d*x])^(3/2))/(4*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 2.96984, antiderivative size = 376, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(5a^2B + 14aAb - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{(30a^2Ab + 5a^3B - 40ab^2B - 16Ab^3) \sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \tanh^{-1}}{8\sqrt{bd}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]
```

```
[Out] -(((I*a - b)^(5/2)*(A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt
[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d) + ((30*a^2*
A*b - 16*A*b^3 + 5*a^3*B - 40*a*b^2*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])
/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(8*Sqrt[b
]*d) + ((I*a + b)^(5/2)*(A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])
]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((14
*a*A*b + 5*a^2*B - 8*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(8*d*Sqrt[Cot[c + d*x
]]) + (b*B*(a + b*Tan[c + d*x])^(3/2))/(3*d*Cot[c + d*x]^(3/2)) + ((2*A*b +
3*a*B)*(a + b*Tan[c + d*x])^(3/2))/(4*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a
+ b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_.)]*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Si
mp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
```

f, A, B, n, x && $\text{NeQ}[b*c - a*d, 0]$ && $\text{NeQ}[a^2 + b^2, 0]$ && $\text{NeQ}[c^2 + d^2, 0]$ && $\text{GtQ}[m, 1]$ && $(\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2*m, 2*n])$ && $!(\text{IGtQ}[n, 1] \&\& (\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3647

$\text{Int}[(a + b \tan(e + f x))^m ((c + d \tan(e + f x))^n + (f x)^2), x_Symbol] \rightarrow \text{Simp}[(C(a + b \tan[e + f x])^m (c + d \tan[e + f x])^{n+1}) / (d f (m + n + 1)), x] + \text{Dist}[1 / (d (m + n + 1)), \text{Int}[(a + b \tan[e + f x])^{m-1} (c + d \tan[e + f x])^n \text{Simp}[a A d (m + n + 1) - C (b c m + a d (n + 1)) + d (A b + a B - b C) (m + n + 1) \tan[e + f x] - (C m (b c - a d) - b B d (m + n + 1)) \tan[e + f x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0] \&\& \text{GtQ}[m, 0] \&\& !(IGtQ[n, 0] \&\& (\text{IntegerQ}[m] \mid\mid (\text{EqQ}[c, 0] \&\& \text{NeQ}[a, 0])))$

Rule 3655

$\text{Int}[(a + b \tan(e + f x))^m ((c + d \tan(e + f x))^n + (f x)^2), x_Symbol] \rightarrow \text{With}\{ff = \text{FreeFactors}[\tan[e + f x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[(a + b ff x)^m (c + d ff x)^n (A + B ff x + C ff^2 x^2)] / (1 + ff^2 x^2), x], x, \tan[e + f x] / ff, x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 6725

$\text{Int}(u / ((a + b x)^n), x_Symbol] \rightarrow \text{With}\{v = \text{RationalFunctionExpand}[u / (a + b x^n), x]\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}\{a, b\}, x \&\& \text{IGtQ}[n, 0]$

Rule 63

$\text{Int}[(a + b x)^m ((c + d x)^n), x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p(m+1)-1} (c - (a d)/b + (d x^p)/b)^n, x], x, (a + b x)^{1/p}], x] /; \text{FreeQ}\{a, b, c, d\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[a + b x^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b x^2), x], x, x/\text{Sqrt}[a + b x^2]] /; \text{FreeQ}\{a, b\}, x \&\& !\text{GtQ}[a, 0]$

Rule 206

$\text{Int}[(a + b x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2] * x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$

Rule 93

$\text{Int}[(a + b x)^m ((c + d x)^n) / ((e + f x)^q), x_Symbol] \rightarrow \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{q(m+1)-1} / (b e - a f - (d e - c f) x^q), x], x, (a + b x)^{1/q} / (c + d x)^{1/q}], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n]$

&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^{5/2} \\
 &= \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} + \frac{1}{3} (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)} \\
 &= \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} + \frac{(2Ab + 3aB)(a + b \tan(c + dx))^{3/2}}{4d \sqrt{\cot(c + dx)}} + \frac{1}{4d} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(14aAb + 5a^2B - 8b^2B) \sqrt{a + b \tan(c + dx)}}{8d \sqrt{\cot(c + dx)}} + \frac{bB(a + b \tan(c + dx))^{3/2}}{3d \cot^2(c + dx)} \\
 &= \frac{(30a^2Ab - 16Ab^3 + 5a^3B - 40ab^2B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c+dx)}}{8\sqrt{bd}} \\
 &= -\frac{(ia - b)^{5/2} (A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 4.95521, size = 365, normalized size = 0.97

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(3 (5a^2B + 14aAb - 8b^2B) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)} + \frac{3\sqrt{a}(30a^2Ab + 5a^3B - 40ab^2B - 16Ab^3)}{\sqrt{b}\sqrt{a+b\tan(c+dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-24*(-1)^(1/4)*(-a - I*b)^(5/2)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) - 24*(-1)^(1/4)*(a - I*b)^(5/2)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]) + 3*(14*a*A*b + 5*a^2*B - 8*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] + 6*(2*A*b + 3*a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) + 8*b*B*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2) + (3*Sqrt[a]*(30*a^2*A*b - 16*A*b^3 + 5*a^3*B - 40*a*b^2*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])))/(24*d)
```

Maple [C] time = 2.418, size = 36039, normalized size = 95.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)/sqrt(cot(d*x + c)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.635 \quad \int \frac{(a+b \tan(c+dx))^{5/2}(A+B \tan(c+dx))}{\cot^2(c+dx)} dx$$

Optimal. Leaf size=457

$$\frac{(-5a^2B + 40aAb - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(40a^2Ab - 5a^3B - 112ab^2B - 64Ab^3)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40a^3Ab - 5a^4B - 112ab^3B - 64Ab^4)}{64bd\sqrt{\cot(c + dx)}}$$

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((40*a^3*A*b - 320*a*A*b^3 - 5*a^4*B - 240*a^2*b^2*B + 128*b^4*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(64*b^(3/2)*d) - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((40*a^2*A*b - 64*A*b^3 - 5*a^3*B - 112*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(64*b*d*Sqrt[Cot[c + d*x]]) + ((40*a*A*b - 5*a^2*B - 48*b^2*B)*(a + b*Tan[c + d*x])^(3/2))/(96*b*d*Sqrt[Cot[c + d*x]]) + ((8*A*b - a*B)*(a + b*Tan[c + d*x])^(5/2))/(24*b*d*Sqrt[Cot[c + d*x]]) + (B*(a + b*Tan[c + d*x])^(7/2))/(4*b*d*Sqrt[Cot[c + d*x]])
```

Rubi [A] time = 3.01098, antiderivative size = 457, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3607, 3647, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(-5a^2B + 40aAb - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(40a^2Ab - 5a^3B - 112ab^2B - 64Ab^3)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40a^3Ab - 5a^4B - 112ab^3B - 64Ab^4)}{64bd\sqrt{\cot(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]
```

```
[Out] -(((I*a - b)^(5/2)*(I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((40*a^3*A*b - 320*a*A*b^3 - 5*a^4*B - 240*a^2*b^2*B + 128*b^4*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(64*b^(3/2)*d) - ((I*a + b)^(5/2)*(I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d + ((40*a^2*A*b - 64*A*b^3 - 5*a^3*B - 112*a*b^2*B)*Sqrt[a + b*Tan[c + d*x]])/(64*b*d*Sqrt[Cot[c + d*x]]) + ((40*a*A*b - 5*a^2*B - 48*b^2*B)*(a + b*Tan[c + d*x])^(3/2))/(96*b*d*Sqrt[Cot[c + d*x]]) + ((8*A*b - a*B)*(a + b*Tan[c + d*x])^(5/2))/(24*b*d*Sqrt[Cot[c + d*x]]) + (B*(a + b*Tan[c + d*x])^(7/2))/(4*b*d*Sqrt[Cot[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3607

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m
```

```

+ n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan
[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m
+ n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*
(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e,
f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2,
0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] &
& ( !IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3647

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := Simp[(C*(a + b*Tan[e + f*x])^m*(c + d*Tan[
e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a +
b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^n*Simp[a*A*d*(m + n + 1) - C*
(b*c*m + a*d*(n + 1)) + d*(A*b + a*B - b*C)*(m + n + 1)*Tan[e + f*x] - (C*m
*(b*c - a*d) - b*B*d*(m + n + 1))*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b,
c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] &&
NeQ[c^2 + d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[c
, 0] && NeQ[a, 0])))

```

Rule 3655

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
)/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x]] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]

```

Rule 6725

```

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 93

```

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))/(e_. + (f_.)*(x

```

```

_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{\cot^2(c + dx)} dx &= (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \tan^{\frac{3}{2}}(c + dx) (a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx)) dx \\
&= \frac{B(a + b \tan(c + dx))^{7/2}}{4bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{B(a + b \tan(c + dx))^{7/2}}{4bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= \frac{(40a^3Ab - 320aAb^3 - 5a^4B - 240a^2b^2B + 128b^4B) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right)}{64b^{3/2}d} + \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b} \\
&= -\frac{(ia - b)^{5/2}(iA - B) \tan^{-1}\left(\frac{\sqrt{ia - b}\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}}\right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{d} + \frac{(40a^2Ab - 64Ab^3 - 5a^3B - 112ab^2B)\sqrt{a + b \tan(c + dx)}}{64bd\sqrt{\cot(c + dx)}} + \frac{(40aAb - 5a^2B - 48b^2B)(a + b \tan(c + dx))^{3/2}}{96bd\sqrt{\cot(c + dx)}} + \frac{(8Ab - aB)(a + b \tan(c + dx))^{5/2}}{24bd\sqrt{\cot(c + dx)}} + \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \frac{(a + b \tan(c + dx))^{5/2} (A + B \tan(c + dx))}{4b} dx}{4b}
\end{aligned}$$

Mathematica [A] time = 5.32911, size = 431, normalized size = 0.94

$$\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(-2(5a^2B-40aAb+48b^2B)\sqrt{\tan(c+dx)}(a+b\tan(c+dx))^{3/2}-3(-40a^2Ab+5a^3B+\dots)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Tan[c + d*x])^(5/2)*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-192*(-1)^(3/4)*(-a - I*b)^(5/2)*b*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] + 192*(-1)^(1/4)*(a - I*b)^(5/2)*b*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]] - 3*(-40*a^2*A*b + 64*A*b^3 + 5*a^3*B + 112*a*b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]] - 2*(-40*a*A*b + 5*a^2*B + 48*b^2*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(3/2) + 8*(8*A*b - a*B)*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(5/2) + 48*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^(7/2) - (3*Sqrt[a]*(-40*a^3*A*b + 320*a*A*b^3 + 5*a^4*B + 240*a^2*b^2*B - 128*b^4*B)*ArcSinh[Sqrt[b]*Sqrt[Tan[c + d*x]]]/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/Sqrt[b]*Sqrt[a + b*Tan[c + d*x]])))/(192*b*d)

Maple [C] time = 3.753, size = 39339, normalized size = 86.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^{5/2}}{\cot(dx + c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^(5/2)/cot(d*x + c)^(3/2), x)

Ericas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))**(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^(5/2)*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.636 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=296

$$\frac{2(15a^2A + 10abB - 8Ab^2) \sqrt{\cot(c+dx)} \sqrt{a+b \tan(c+dx)}}{15a^3d} + \frac{2(4Ab - 5aB) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{15a^2d} + \frac{(-B)}{15a^2d}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a + b]*d) + (2*(15*a^2*A - 8*A*b^2 + 10*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*a^3*d) + (2*(4*A*b - 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d) - (2*A*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(5*a*d)

Rubi [A] time = 1.15661, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(15a^2A + 10abB - 8Ab^2) \sqrt{\cot(c+dx)} \sqrt{a+b \tan(c+dx)}}{15a^3d} + \frac{2(4Ab - 5aB) \cot^{\frac{3}{2}}(c+dx) \sqrt{a+b \tan(c+dx)}}{15a^2d} + \frac{(-B)}{15a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(7/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a + b]*d) + (2*(15*a^2*A - 8*A*b^2 + 10*a*b*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(15*a^3*d) + (2*(4*A*b - 5*a*B)*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(15*a^2*d) - (2*A*Cot[c + d*x]^(5/2)*Sqrt[a + b*Tan[c + d*x]])/(5*a*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]))

|| (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{7}{2}}(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\tan^{\frac{7}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx \\
&= -\frac{2A \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{5ad} - \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{1}{2} \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}} dx}{5ad} \\
&= \frac{2(4Ab-5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15a^2d} - \frac{2A \cot^{\frac{5}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{5ad} \\
&= \frac{2(15a^2A-8Ab^2+10abB) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15a^3d} + \frac{2(4Ab-5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A-8Ab^2+10abB) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15a^3d} + \frac{2(4Ab-5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A-8Ab^2+10abB) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15a^3d} + \frac{2(4Ab-5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15a^2d} \\
&= \frac{2(15a^2A-8Ab^2+10abB) \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{15a^3d} + \frac{2(4Ab-5aB) \cot^{\frac{3}{2}}(c+dx)\sqrt{a+b \tan(c+dx)}}{15a^2d} \\
&= \frac{(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}} - \frac{(iA+B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}}
\end{aligned}$$

Mathematica [A] time = 5.91789, size = 244, normalized size = 0.82

$$\sqrt{\cot(c+dx)} \left(-\frac{2\sqrt{a+b \tan(c+dx)}(3a^2A \cot^2(c+dx) - 15a^2A + a(5aB - 4Ab) \cot(c+dx) - 10abB + 8Ab^2)}{a^3} + \frac{15\sqrt[4]{-1}(A+iB)\sqrt{\tan(c+dx)} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-i}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)$$

15d

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(7/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] (Sqrt[Cot[c + d*x]]*((15*(-1)^(1/4)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Tan[c + d*x]])/Sqrt[-a - I*b] - (15*(-1)^(1/4)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Tan[c + d*x]])/Sqrt[a - I*b] - (2*(-15*a^2*A + 8*A*b^2 - 10*a*b*B + a*(-4*A*b + 5*a*B)*Cot[c + d*x] + 3*a^2*A*Cot[c + d*x]^2)*Sqrt[a + b*Tan[c + d*x]])/a^3)/(15*d)

Maple [C] time = 1.385, size = 28811, normalized size = 97.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{7}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(7/2)/sqrt(b*tan(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{7}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(7/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(7/2)/sqrt(b*tan(d*x + c) + a), x)

$$3.637 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=243

$$\frac{2(2Ab - 3aB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{3a^2d} - \frac{(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(A -$$

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d) + (2*(2*A*b - 3*a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3*a^2*d) - (2*A*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3*a*d)

Rubi [A] time = 0.862046, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(2Ab - 3aB)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}{3a^2d} - \frac{(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{(A -$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d) + (2*(2*A*b - 3*a*B)*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(3*a^2*d) - (2*A*Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]])/(3*a*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B\tan(c+dx))}{\sqrt{a+b\tan(c+dx)}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B\tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}} dx \\
&= -\frac{2A\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{3ad} - \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{1}{\sqrt{a+b\tan(c+dx)}} dx}{3ad} \\
&= \frac{2(2Ab-3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3a^2d} - \frac{2A\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{3ad} \\
&= \frac{2(2Ab-3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3a^2d} - \frac{2A\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{3ad} \\
&= \frac{2(2Ab-3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3a^2d} - \frac{2A\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{3ad} \\
&= \frac{2(2Ab-3aB)\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}}{3a^2d} - \frac{2A\cot^{\frac{3}{2}}(c+dx)\sqrt{a+b\tan(c+dx)}}{3ad} \\
&= \frac{(A+iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}} - \frac{(A-iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}}
\end{aligned}$$

Mathematica [A] time = 2.28816, size = 213, normalized size = 0.88

$$\sqrt{\cot(c+dx)} \left(-\frac{2\sqrt{a+b\tan(c+dx)}(aA\cot(c+dx)+3aB-2Ab)}{a^2} + \frac{3(-1)^{3/4}(A+iB)\sqrt{\tan(c+dx)}\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{3\sqrt[4]{-1}(B+iA)\sqrt{\tan(c+dx)}}{\sqrt{-a-ib}} \right) / 3d$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] (Sqrt[Cot[c + d*x]]*((3*(-1)^(3/4)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Tan[c + d*x]])/Sqrt[-a - I*b] + (3*(-1)^(1/4)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Tan[c + d*x]])/Sqrt[a - I*b] - (2*(-2*A*b + 3*a*B + a*A*Cot[c + d*x])*Sqrt[a + b*Tan[c + d*x]])/a^2))/ (3*d)

Maple [C] time = 0.957, size = 14642, normalized size = 60.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/sqrt(b*tan(d*x + c) + a), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/sqrt(b*tan(d*x + c) + a), x)
```

$$3.638 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=199

$$\frac{(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b + ia}} + \frac{(B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b + ia}}$$

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*A*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(a*d)

Rubi [A] time = 0.630331, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4241, 3609, 3616, 3615, 93, 203, 206}

$$\frac{(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b + ia}} + \frac{(B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b + ia}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d) - (2*A*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(a*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{\cot^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx = \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{A + B \tan(c + dx)}{\tan^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} dx$$

$$= -\frac{2A\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{ad} - \frac{(2\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\frac{a}{2}}{\sqrt{\tan(c + dx)}} dx}{a}$$

$$= -\frac{2A\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{ad} - \frac{1}{2} \left((iA - B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)} \right)$$

$$= -\frac{2A\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{ad} - \frac{((iA - B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)})}{ad}$$

$$= -\frac{2A\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}}{ad} - \frac{((iA - B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)})}{ad}$$

$$= -\frac{(iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b \tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ia - bd}} + \frac{(iA + B) \tanh^{-1} \left(\frac{\sqrt{ia - b \tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ia - bd}}$$

Mathematica [A] time = 1.40517, size = 193, normalized size = 0.97

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(\frac{\sqrt[4]{-1}(A+iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{\sqrt{-a-ib}} - \frac{\sqrt[4]{-1}(A-iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b}\tan(c+dx)}\right)}{\sqrt{-a-ib}} + \frac{2A\sqrt{a+b}\tan(c+dx)}{a\sqrt{\tan(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]

[Out] -((Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((-1)^(1/4)*(A + I*B)*ArcTanh[(((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/Sqrt[-a - I*b] - ((-1)^(1/4)*(A - I*B)*ArcTanh[(((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/Sqrt[a - I*b] + (2*A*Sqrt[a + b*Tan[c + d*x]])/(a*Sqrt[Tan[c + d*x]])))/d)

Maple [C] time = 0.749, size = 14212, normalized size = 71.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/sqrt(b*tan(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/sqrt(b*tan(d*x + c) + a), x)

$$3.639 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=163

$$\frac{(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.480017, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4241, 3616, 3615, 93, 203, 206}

$$\frac{(A+iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{(A-iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]],x]

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a + b]*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{\sqrt{a+b \tan(c+dx)}} dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx \\ &= \frac{1}{2} ((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{1+i \tan(c+dx)}{\sqrt{\tan(c+dx)}\sqrt{a+b \tan(c+dx)}} dx \\ &= \frac{((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \frac{1}{(1-ix)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d} \\ &= \frac{((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \operatorname{Subst}\left(\int \frac{1}{1-(ia+b)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \\ &= \frac{(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}} + \frac{(A-iB) \operatorname{tanh}^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}} \end{aligned}$$

Mathematica [A] time = 0.36196, size = 157, normalized size = 0.96

$$\frac{\sqrt[4]{-1}\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(\frac{(B-iA) \operatorname{tanh}^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{(B+iA) \operatorname{tanh}^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/Sqrt[a + b*Tan[c + d*x]], x]
```

```
[Out] ((-1)^(1/4)*(((((-I)*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] - ((I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/d
```

Maple [C] time = 0.604, size = 3483, normalized size = 21.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cot(dx+c)^{1/2} * (A+B*\tan(dx+c)) / (a+b*\tan(dx+c))^{1/2}, x)$

[Out]
$$-1/d/a/(I*a+(a^2+b^2)^{1/2}-b)/(I*a-(a^2+b^2)^{1/2}+b)*2^{1/2}*(\cos(dx+c)/\sin(dx+c))^{1/2}*(1/\cos(dx+c)*(a*\cos(dx+c)+b*\sin(dx+c)))^{1/2}*(-I*B*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a-(a^2+b^2)^{1/2}+b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*b+I*B*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, (-b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*b+2*I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, (-b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a*b*(a^2+b^2)^{1/2}-I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, (-b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^3+I*B*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a-(a^2+b^2)^{1/2}+b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*(a^2+b^2)^{1/2}-2*I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, (-b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a*b^2-2*I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a-(a^2+b^2)^{1/2}+b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a*b*(a^2+b^2)^{1/2}+2*I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a-(a^2+b^2)^{1/2}+b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a*b^2+I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^3-I*B*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, (-b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*(a^2+b^2)^{1/2}-A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, (-b+(a^2+b^2)^{1/2})/(I*a+(a^2+b^2)^{1/2}-b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*(a^2+b^2)^{1/2}+A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a-(a^2+b^2)^{1/2}+b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*b-2*I*A*EllipticPi((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, -(b+(a^2+b^2)^{1/2})/(I*a-(a^2+b^2)^{1/2}+b), 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*b+2*A*EllipticF((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*(a^2+b^2)^{1/2}+4*A*EllipticF((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*b^2*(a^2+b^2)^{1/2}-4*A*EllipticF((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*a^2*b-4*A*EllipticF((-(a^2+b^2)^{1/2}*\sin(dx+c)+b*\sin(dx+c)+a*\cos(dx+c)-a)/\sin(dx+c)/(-b+(a^2+b^2)^{1/2})))^{1/2}, 1/2*2^{1/2}*((-b+(a^2+b^2)^{1/2})/(a^2+b^2)^{1/2})^{1/2}*b^3-2*B*EllipticPi((-(a^2+b^2)^{1/2}*\sin$$

```
(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2)
, (-b+(a^2+b^2)^(1/2))/(I*a+(a^2+b^2)^(1/2)-b), 1/2*2^(1/2)*((-b+(a^2+b^2)^(1/2)))/(a^2+b^2)^(1/2))^(1/2)*a*b*(a^2+b^2)^(1/2)+B*EllipticPi((-(-a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2), (-b+(a^2+b^2)^(1/2))/(I*a+(a^2+b^2)^(1/2)-b), 1/2*2^(1/2)*((-b+(a^2+b^2)^(1/2)))/(a^2+b^2)^(1/2))^(1/2)*a^3+2*B*EllipticPi((-(-a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2), (-b+(a^2+b^2)^(1/2))/(I*a+(a^2+b^2)^(1/2)-b), 1/2*2^(1/2)*((-b+(a^2+b^2)^(1/2)))/(a^2+b^2)^(1/2))^(1/2)*a*b^2-2*B*EllipticPi((-(-a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2), (-b+(a^2+b^2)^(1/2))/(I*a-(a^2+b^2)^(1/2)+b), 1/2*2^(1/2)*((-b+(a^2+b^2)^(1/2)))/(a^2+b^2)^(1/2))^(1/2)*a*b*(a^2+b^2)^(1/2)+B*EllipticPi((-(-a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2), (-b+(a^2+b^2)^(1/2))/(I*a-(a^2+b^2)^(1/2)+b), 1/2*2^(1/2)*((-b+(a^2+b^2)^(1/2)))/(a^2+b^2)^(1/2))^(1/2)*a^3+2*B*EllipticPi((-(-a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2), (-b+(a^2+b^2)^(1/2))/(I*a-(a^2+b^2)^(1/2)+b), 1/2*2^(1/2)*((-b+(a^2+b^2)^(1/2)))/(a^2+b^2)^(1/2))^(1/2)*a*b^2*(a*(cos(d*x+c)-1)/(-b+(a^2+b^2)^(1/2)))/sin(d*x+c))^(1/2)*(((a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/(a^2+b^2)^(1/2)/sin(d*x+c))^(1/2)*(-(-a^2+b^2)^(1/2)*sin(d*x+c)+b*sin(d*x+c)+a*cos(d*x+c)-a)/sin(d*x+c)/(-b+(a^2+b^2)^(1/2)))^(1/2)*sin(d*x+c)^2/(cos(d*x+c)-1)/(a*cos(d*x+c)+b*sin(d*x+c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/sqrt(b*tan(d*x + c) + a), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\cot(c + dx)}}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(1/2),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(cot(c + d*x))/sqrt(a + b*tan(c + d*x)),
x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)\sqrt{\cot(dx + c)}}{\sqrt{b \tan(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/sqrt(b*tan(d*x + c) + a),
x)

$$3.640 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=228

$$\frac{(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b + ia}} - \frac{(B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b + ia}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.69991, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3614, 3616, 3615, 93, 203, 206, 3634, 63, 217}

$$\frac{(-B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b + ia}} - \frac{(B + iA)\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{b + ia}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]), x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a - b]*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[b]*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(Sqrt[I*a + b]*d)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3614

Int[(Sqrt[(a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]])*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]))/Sqrt[(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]], x_Symbol] :> Int[Simp[a*A - b*B + (A*b + a*B)*Tan[e + f*x], x]/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x] + Dist[b*B, Int[(1 + Tan[e + f*x]^2)/(Sqrt[a + b*Tan[e + f*x]]*Sqrt[c + d*Tan[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan

$n[e + f*x], x], x] + \text{Dist}[(A - I*B)/2, \text{Int}[(a + b*\text{Tan}[e + f*x])^m*(c + d*\text{Tan}[e + f*x])^n*(1 + I*\text{Tan}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] := \text{Dist}[A^2/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

$\text{Int}[(a + b*x)^m*(c + d*x)^n/((e + f*x)), x_Symbol] := \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{q*(m+1)-1}/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{1/q}/(c + d*x)^{1/q}], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3634

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + C*\text{tan}[(e + f*x)])^n), x_Symbol] := \text{Dist}[A/f, \text{Subst}[\text{Int}[(a + b*x)^m*(c + d*x)^n, x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, C, m, n}, x] && EqQ[A, C]

Rule 63

$\text{Int}[(a + b*x)^m*(c + d*x)^n, x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p*(m+1)-1}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

$\text{Int}[1/\text{Sqrt}[(a + b*x^2)], x_Symbol] := \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rubi steps

$$\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)}\sqrt{a + b \tan(c + dx)}} dx = (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\sqrt{\tan(c + dx)}(A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx$$

$$= (\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{-B + A \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx + (B\sqrt{\cot(c + dx)}) \int \frac{1}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx$$

$$= \frac{1}{2} ((-iA - B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{1 + i \tan(c + dx)}{\sqrt{\tan(c + dx)}\sqrt{a + b \tan(c + dx)}} dx + \frac{(-iA - B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{2d} \text{Subst} \left(\int \frac{1}{(1-ix)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx) \right)$$

$$= \frac{(-iA - B)\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{d} \text{Subst} \left(\int \frac{1}{1-(ia+b)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right)$$

$$= \frac{(iA - B) \tan^{-1} \left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ia - bd}} + \frac{2B \tanh^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ia - bd}}$$

Mathematica [A] time = 1.60344, size = 228, normalized size = 1.

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{\sqrt[4]{-1}(A+iB) \tanh^{-1} \left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right)}{\sqrt{-a-ib}} - \frac{\sqrt[4]{-1}(A-iB) \tanh^{-1} \left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right)}{\sqrt{-a-ib}} + \frac{2\sqrt{a}B \sqrt{\frac{b \tan(c+dx)}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} \right)}{\sqrt{b}\sqrt{a+b \tan(c+dx)}} \right) / d$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]), x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((-1)^(1/4)*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ((-1)^(1/4)*(A - I*B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b] + (2*Sqrt[a]*B*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]]))/d
```

Maple [C] time = 0.574, size = 6696, normalized size = 29.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2), x)
```

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a}\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*sqrt(cot(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(c + dx)}{\sqrt{a + b \tan(c + dx)} \sqrt{\cot(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*tan(c + d*x))/(sqrt(a + b*tan(c + d*x))*sqrt(cot(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*sqrt(cot(d*x + c))), x)
```

$$3.641 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)\sqrt{a+b \tan(c+dx)}} dx$$

Optimal. Leaf size=266

$$\frac{(2Ab - aB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{b^{3/2}d} - \frac{(A + iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}}$$

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((2*A*b - a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(b^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d) + (B*Sqrt[a + b*Tan[c + d*x]])/(b*d*Sqrt[Cot[c + d*x]])

Rubi [A] time = 1.46149, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3607, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{(2Ab - aB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{b^{3/2}d} - \frac{(A + iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d\sqrt{-b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]), x]

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + ((2*A*b - a*B)*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(b^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d) + (B*Sqrt[a + b*Tan[c + d*x]])/(b*d*Sqrt[Cot[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_.), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3607

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[(b*B*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^n*Simp[a^2*A*d*(m + n) - b*B*(b*c*(m - 1) + a*d*(n + 1)) + d*(m + n)*(2*a*A*b + B*(a^2 - b^2))*Tan[e + f*x] - (b*B*(b*c - a*d)*(m - 1) - b*(A*b + a*B)*d*(m + n))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2)))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff, x]] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx) \sqrt{a + b \tan(c + dx)}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\tan^{\frac{3}{2}}(c + dx) (A + B \tan(c + dx))}{\sqrt{a + b \tan(c + dx)}} dx \\
&= \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} + \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{-\frac{aB}{2} - bB \tan(c + dx) + \frac{1}{2}(2Ab - aB)}{\sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)}} dx}{b} \\
&= \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} + \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \text{Subst} \left(\int \frac{-\frac{aB}{2} - bBx + \frac{1}{2}(2Ab - aB)}{\sqrt{x} \sqrt{a + bx} (1 + x^2)} dx \right)}{bd} \\
&= \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} + \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \text{Subst} \left(\int \left(\frac{2Ab - aB}{2\sqrt{x} \sqrt{a + bx}} - \frac{1}{\sqrt{x}} \right) dx \right)}{bd} \\
&= \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} - \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \text{Subst} \left(\int \frac{Ab + bBx}{\sqrt{x} \sqrt{a + bx} (1 + x^2)} dx \right)}{bd} \\
&= \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} - \frac{\left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \text{Subst} \left(\int \left(\frac{iAb - bB}{2(i-x)\sqrt{x} \sqrt{a + bx}} + \frac{1}{(i-x)\sqrt{x}} \right) dx \right)}{bd} \\
&= \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} - \frac{\left((iA - B) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \text{Subst} \left(\int \frac{1}{(i-x)\sqrt{x}} dx \right)}{2d} \\
&= \frac{(2Ab - aB) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{b^{3/2} d} + \frac{B \sqrt{a + b \tan(c + dx)}}{bd \sqrt{\cot(c + dx)}} \\
&= -\frac{(A + iB) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{\sqrt{ia - b} d} + \frac{(2Ab - aB) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{b^{3/2} d}
\end{aligned}$$

Mathematica [A] time = 4.04006, size = 263, normalized size = 0.99

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(\frac{\sqrt{b} B \sqrt{\tan(c + dx)} (a + b \tan(c + dx)) - \sqrt{a} (aB - 2Ab) \sqrt{\frac{b \tan(c + dx)}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a}} \right)}{b^{3/2} \sqrt{a + b \tan(c + dx)}} + \frac{(-1)^{3/4} (A + iB) \tanh^{-1} \left(\frac{\sqrt[4]{-1} \sqrt{-a}}{\sqrt{a + b \tan(c + dx)}} \right)}{\sqrt{-a - ib}} \right)$$

d

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*Sqrt[a + b*Tan[c + d*x]]),x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((−1)^(3/4)*(A + I*B)*ArcTanh[((−1)^(1/4)*Sqrt[−a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[−a − I*b] + ((−1)^(1/4)*(I*A + B)*ArcTanh[((−1)^(1/4)*Sqrt[a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a − I*b] + (Sqrt[b]*B*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x]) − Sqrt[a]*(-2*A*b + a*B)*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(b^(3/2)*Sqrt[a + b*Tan[c + d*x]]))/d

Maple [C] time = 0.959, size = 21197, normalized size = 79.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(1/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(3/2)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{\sqrt{b \tan(dx + c) + a} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)/(sqrt(b*tan(d*x + c) + a)*cot(d*x + c)^(3/2)), x)`

$$3.642 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=316

$$\frac{2b(5a^2Ab - 3a^3B - 6ab^2B + 8Ab^3)}{3a^3d(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab - 3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan(c+dx)}{d(-b + ia)^{3/2}}$$

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(3/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*b*(5*a^2*A*b + 8*A*b^3 - 3*a^3*B - 6*a*b^2*B))/(3*a^3*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) + (2*(4*A*b - 3*a*B)*Sqrt[Cot[c + d*x]])/(3*a^2*d*Sqrt[a + b*Tan[c + d*x]]) - (2*A*Cot[c + d*x]^(3/2))/(3*a*d*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 1.3177, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(5a^2Ab - 3a^3B - 6ab^2B + 8Ab^3)}{3a^3d(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab - 3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan(c+dx)}{d(-b + ia)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(3/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*b*(5*a^2*A*b + 8*A*b^3 - 3*a^3*B - 6*a*b^2*B))/(3*a^3*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) + (2*(4*A*b - 3*a*B)*Sqrt[Cot[c + d*x]])/(3*a^2*d*Sqrt[a + b*Tan[c + d*x]]) - (2*A*Cot[c + d*x]^(3/2))/(3*a*d*Sqrt[a + b*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&

NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
 & (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
 || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
 (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
 + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
 + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
 b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
 x])^(m + 1)(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
 m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
 *(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
 [e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
 b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
 (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
 (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
 st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
 [e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
 an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
 B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
 (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
 st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
 NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x
 _)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
 - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
 && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
 [a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
 , 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
 Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
 Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad\sqrt{a+b \tan(c+dx)}} - \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\frac{1}{2}(4Ab-3aB)+\frac{3}{2}aA \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}} dx}{3a} \\
&= \frac{2(4Ab-3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad\sqrt{a+b \tan(c+dx)}} + \frac{(4\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{1}{2}(4Ab-3aB)+\frac{3}{2}aA \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{3}{2}}} dx}{3a} \\
&= \frac{2b(5a^2Ab+8Ab^3-3a^3B-6ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab-3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} \\
&= \frac{2b(5a^2Ab+8Ab^3-3a^3B-6ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab-3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} \\
&= \frac{2b(5a^2Ab+8Ab^3-3a^3B-6ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab-3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} \\
&= \frac{2b(5a^2Ab+8Ab^3-3a^3B-6ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2(4Ab-3aB)\sqrt{\cot(c+dx)}}{3a^2d\sqrt{a+b \tan(c+dx)}} \\
&= \frac{(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} - (iA+B) \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{(ia-b)^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 3.95511, size = 301, normalized size = 0.95

$$\sqrt{\cot(c+dx)} \left(\frac{2b(5a^2Ab-3a^3B-6ab^2B+8Ab^3) \tan(c+dx)}{a^2(a^2+b^2)\sqrt{a+b \tan(c+dx)}} + \frac{3\sqrt[4]{-1}a\sqrt{\tan(c+dx)} \left(\frac{(b+ia)(A+iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{(a+ib)(B+iA) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{a^2+b^2} \right)$$

3ad

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (Sqrt[Cot[c + d*x]]*((3*(-1)^(1/4)*a*((I*a + b)*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])]/Sqrt[-a - I*b] + ((a + I*b)*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b])*Sqrt[Tan[c + d*x]])/(a^2 + b^2) + (8*A*b - 6*a*B)/(a*Sqrt[a + b*Tan[c + d*x]]) - (2*A*Cot[c + d*x])/Sqrt[a + b*Tan[c + d*x]] + (2*b*(5*a^2*A*b + 8*A*b^3 - 3*a^3*B - 6*a*b^2*B)*Tan[c + d*x])/(a^2*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]])/(3*a*d)

Maple [C] time = 1.119, size = 19553, normalized size = 61.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/(b*tan(d*x + c) + a)^(3/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/(b*tan(d*x + c) + a)^(3/2), x)
```


$$3.643 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=256

$$\frac{2b(a^2A - abB + 2Ab^2)}{a^2d(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a + b \tan(c+dx)}} + \frac{(A + iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}}$$

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(3/2)*d) - (2*b*(a^2*A + 2*A*b^2 - a*b*B))/(a^2*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) - (2*A*Sqrt[Cot[c + d*x]])/(a*d*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 0.970065, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(a^2A - abB + 2Ab^2)}{a^2d(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a + b \tan(c+dx)}} + \frac{(A + iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]
```

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(3/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(3/2)*d) - (2*b*(a^2*A + 2*A*b^2 - a*b*B))/(a^2*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]) - (2*A*Sqrt[Cot[c + d*x]])/(a*d*Sqrt[a + b*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B\tan(c+dx))}{(a+b\tan(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B\tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b\tan(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{2A\sqrt{\cot(c+dx)}}{ad\sqrt{a+b\tan(c+dx)}} - \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\frac{1}{2}(2Ab-aB)+\frac{1}{2}aA\tan}{\sqrt{\tan(c+dx)}(a+b\tan(c+dx))^{\frac{3}{2}}} dx}{a} \\
&= -\frac{2b(a^2A+2Ab^2-abB)}{a^2(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}} - \frac{2A\sqrt{\cot(c+dx)}}{ad\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2b(a^2A+2Ab^2-abB)}{a^2(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}} - \frac{2A\sqrt{\cot(c+dx)}}{ad\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2b(a^2A+2Ab^2-abB)}{a^2(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}} - \frac{2A\sqrt{\cot(c+dx)}}{ad\sqrt{a+b\tan(c+dx)}} \\
&= -\frac{2b(a^2A+2Ab^2-abB)}{a^2(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b\tan(c+dx)}} - \frac{2A\sqrt{\cot(c+dx)}}{ad\sqrt{a+b\tan(c+dx)}} \\
&= \frac{(A+iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} - (A-iB)\tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{\frac{3}{2}}d}
\end{aligned}$$

Mathematica [A] time = 2.63963, size = 256, normalized size = 1.

$$\sqrt{\cot(c+dx)} \left(\frac{2b(a^2A-abB+2Ab^2)\tan(c+dx)}{a(a^2+b^2)\sqrt{a+b\tan(c+dx)}} + \frac{\sqrt[4]{-1a}\sqrt{\tan(c+dx)} \left(\frac{(a-ib)(A+iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{(a+ib)(A-iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{a-ib}} \right)}{a^2+b^2} \right)$$

ad

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] -((Sqrt[Cot[c + d*x]]*(((−1)^(1/4)*a*(((a − I*b)*(A + I*B)*ArcTanh[(((−1)^(1/4)*Sqrt[−a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[−a − I*b] − ((a + I*b)*(A − I*B)*ArcTanh[(((−1)^(1/4)*Sqrt[a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a − I*b]*Sqrt[Tan[c + d*x]])/(a^2 + b^2) + (2*A)/Sqrt[a + b*Tan[c + d*x]] + (2*b*(a^2*A + 2*A*b^2 − a*b*B)*Tan[c + d*x])/(a*(a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]])))/(a*d))

Maple [C] time = 0.802, size = 18733, normalized size = 73.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(3/2), x)

$$3.644 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=215

$$\frac{2b(Ab - aB)}{ad(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b+ia)^{3/2}} + \frac{(B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b+ia)^{3/2}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(3/2)*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(3/2)*d) + (2*b*(A*b - a*B))/(a*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.715714, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4241, 3609, 3616, 3615, 93, 203, 206}

$$\frac{2b(Ab - aB)}{ad(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b+ia)^{3/2}} + \frac{(B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b+ia)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(3/2)*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(3/2)*d) + (2*b*(A*b - a*B))/(a*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3609

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Di

st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{3/2}} dx \\ &= \frac{2b(Ab-aB)}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)})}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} \\ &= \frac{2b(Ab-aB)}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{((a+ib)(A-ib)\sqrt{\cot(c+dx)})}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} \\ &= \frac{2b(Ab-aB)}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{((a+ib)(A-ib)\sqrt{\cot(c+dx)})}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} \\ &= \frac{2b(Ab-aB)}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{((a+ib)(A-ib)\sqrt{\cot(c+dx)})}{a(a^2+b^2)d\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} \\ &= \frac{(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{3/2}d} + \frac{(iA+B) \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{3/2}d} \end{aligned}$$

Mathematica [A] time = 1.16728, size = 222, normalized size = 1.03

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(\frac{2b(Ab-aB)\sqrt{\tan(c+dx)}}{a\sqrt{a+b\tan(c+dx)}} + \frac{\sqrt[4]{-1}(a-ib)(B-iA)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{\sqrt[4]{-1}(b-ia)(A-iB)\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{-a-ib}}\right)}{d(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((-1)^(1/4)*(a - I*b)*((-I)*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]))/Sqrt[-a - I*b] + ((-1)^(1/4)*((-I)*a + b)*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]]))/Sqrt[a - I*b] + (2*b*(A*b - a*B)*Sqrt[Tan[c + d*x]]/(a*Sqrt[a + b*Tan[c + d*x]])))/(a^2 + b^2)*d)

Maple [C] time = 0.773, size = 9704, normalized size = 45.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx+c) + A)\sqrt{\cot(dx+c)}}{(b \tan(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx)) \sqrt{\cot(c + dx)}}{(a + b \tan(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2),x)

[Out] Integral((A + B*tan(c + d*x))*sqrt(cot(c + d*x))/(a + b*tan(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^(3/2), x)

$$3.645 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=210

$$\frac{2(Ab - aB)}{d(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(A + iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} + \frac{(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b-ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b - ia)^{3/2}}$$

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(3/2)*d)) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(3/2)*d) - (2*(A*b - a*B))/((a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 0.742442, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4241, 3608, 3616, 3615, 93, 203, 206}

$$\frac{2(Ab - aB)}{d(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(A + iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} + \frac{(A - iB)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \tan^{-1}\left(\frac{\sqrt{-b-ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b - ia)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)),x]

[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(3/2)*d)) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(3/2)*d) - (2*(A*b - a*B))/((a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3608

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Di

st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)(a + b \tan(c + dx))}^{3/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\sqrt{\tan(c + dx)}(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} - \frac{(2\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{b \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} + \frac{((ia + b)(A + iB) \sqrt{\cot(c + dx)})}{b \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} + \frac{((ia + b)(A + iB) \sqrt{\cot(c + dx)})}{b \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\ &= -\frac{2(Ab - aB)}{(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} + \frac{((ia + b)(A + iB) \sqrt{\cot(c + dx)})}{b \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\ &= -\frac{(A + iB) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{(ia - b)^{3/2} d} + \frac{(A - iB) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{(ia - b)^{3/2} d} \end{aligned}$$

Mathematica [A] time = 2.03343, size = 259, normalized size = 1.23

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\left(\frac{2b(Ab-aB)\tan^3(c+dx)}{\sqrt{a+b\tan(c+dx)}}+2(aB-Ab)\sqrt{\tan(c+dx)}\sqrt{a+b\tan(c+dx)}+\frac{\sqrt[4]{-1}a(a-ib)(A+iB)\tanh^{-1}\left(\frac{\sqrt{a+b\tan(c+dx)}}{\sqrt{-a-b\tan(c+dx)}}\right)}{\sqrt{-a-b\tan(c+dx)}}\right)}{ad(a^2+b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((−1)^(1/4)*a*(a − I*b)*(A + I*B)*ArcTanh[((−1)^(1/4)*Sqrt[−a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[−a − I*b] − ((−1)^(1/4)*a*(a + I*b)*(A − I*B)*ArcTanh[((−1)^(1/4)*Sqrt[a − I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a − I*b] + (2*b*(A*b − a*B)*Tan[c + d*x]^(3/2))/Sqrt[a + b*Tan[c + d*x]] + 2*(−(A*b) + a*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]]))/(a*(a^2 + b^2)*d)

Maple [C] time = 0.705, size = 9576, normalized size = 45.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x + c))), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x + c))), x)

$$3.646 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=279

$$\frac{2a(Ab - aB)}{bd(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} - \frac{(B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}}$$

```
[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(3/2)*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(b^(3/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*a*(A*b - a*B))/(b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.90488, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4241, 3605, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{2a(Ab - aB)}{bd(a^2 + b^2)\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}} - \frac{(B + iA)\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d(-b + ia)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]
```

```
[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(3/2)*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(b^(3/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(3/2)*d) + (2*a*(A*b - a*B))/(b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3605

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
```

$\text{LtQ}[n, -1] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegersQ}[2*m, 2*n])$

Rule 3655

$\text{Int}[(a_. + (b_.)*\tan[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\tan[(e_.) + (f_.)*(x_.)] + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \ :> \ \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \ \text{Dist}[ff/f, \ \text{Subst}[\text{Int}[(a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2)]/(1 + ff^2*x^2), x], x, \ \text{Tan}[e + f*x]/ff], x]] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, m, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 + b^2, 0] \ \&\& \ \text{NeQ}[c^2 + d^2, 0]$

Rule 6725

$\text{Int}[(u_)/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \ :> \ \text{With}[\{v = \text{RationalFunctionExpand}[u/(a + b*x^n), x]\}, \ \text{Int}[v, x] \ /; \ \text{SumQ}[v]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rule 63

$\text{Int}[(a_. + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_)^{(n_.)}), x_Symbol] \ :> \ \text{With}[\{p = \text{Denominator}[m]\}, \ \text{Dist}[p/b, \ \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, \ (a + b*x)^{(1/p)}], x]] \ /; \ \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \ \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \ :> \ \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 93

$\text{Int}[(a_. + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_)^{(n_.)}))/((e_.) + (f_.)*(x_.)), x_Symbol] \ :> \ \text{With}[\{q = \text{Denominator}[m]\}, \ \text{Dist}[q, \ \text{Subst}[\text{Int}[x^{(q*(m+1)-1)}]/(b*e - a*f - (d*e - c*f)*x^q), x], x, \ (a + b*x)^{(1/q)}/(c + d*x)^{(1/q)}], x]] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{EqQ}[m + n + 1, 0] \ \&\& \ \text{RationalQ}[n] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{SimplerQ}[a + b*x, c + d*x]$

Rule 205

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^2(c + dx)(a + b \tan(c + dx))^{3/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\tan^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{3/2}} dx \\
&= \frac{2a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} + \frac{(2\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} + \frac{(2\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} + \frac{(2\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} - \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} - \frac{(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)})}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2a(Ab - aB)}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} - \frac{((ia + b)(A + iB) \sqrt{\cot(c + dx)})}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= \frac{2B \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{b^{3/2} d} + \frac{2B \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}} \\
&= -\frac{(iA - B) \tan^{-1} \left(\frac{\sqrt{ia - b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{(ia - b)^{3/2} d} + \frac{2B \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} \right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{b(a^2 + b^2) d \sqrt{\cot(c + dx)} \sqrt{a + b \tan(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 40.0231, size = 167374, normalized size = 599.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)),x]

[Out] Result too large to show

Maple [C] time = 0.937, size = 21787, normalized size = 78.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorith
ithm="maxima")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(3/2)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorith
ithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2),x, algorith
ithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(3/2)), x)
```


$$3.647 \quad \int \frac{\cot^2(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=399

$$\frac{2b(30a^2Ab^3 + 8a^4Ab - 17a^3b^2B - 3a^5B - 8ab^4B + 16Ab^5)}{3a^4d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2b(7a^2Ab - 3a^3B - 4ab^2B + 8Ab^3)}{3a^3d(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2(a^2 - b^2)}{a^2d}$$

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) + (2*b*(7*a^2*A*b + 8*A*b^3 - 3*a^3*B - 4*a*b^2*B))/(3*a^3*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*A*b - a*B)*Sqrt[Cot[c + d*x]])/(a^2*d*(a + b*Tan[c + d*x])^(3/2)) - (2*A*Cot[c + d*x]^(3/2))/(3*a*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^4*A*b + 30*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B - 17*a^3*b^2*B - 8*a*b^4*B))/(3*a^4*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.7451, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(30a^2Ab^3 + 8a^4Ab - 17a^3b^2B - 3a^5B - 8ab^4B + 16Ab^5)}{3a^4d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{2b(7a^2Ab - 3a^3B - 4ab^2B + 8Ab^3)}{3a^3d(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2(a^2 - b^2)}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) + (2*b*(7*a^2*A*b + 8*A*b^3 - 3*a^3*B - 4*a*b^2*B))/(3*a^3*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*A*b - a*B)*Sqrt[Cot[c + d*x]])/(a^2*d*(a + b*Tan[c + d*x])^(3/2)) - (2*A*Cot[c + d*x]^(3/2))/(3*a*d*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^4*A*b + 30*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B - 17*a^3*b^2*B - 8*a*b^4*B))/(3*a^4*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), x]
```

```

2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B
*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)
) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n +
2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
& (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
|| (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3649

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

```

Rule 3616

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Ta
n[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

```

Rule 3615

```

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

```

Rule 93

```

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{\frac{5}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{\frac{5}{2}}} dx &= (\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{A+B \tan(c+dx)}{\tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{\frac{5}{2}}} dx \\
 &= -\frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad(a+b \tan(c+dx))^{\frac{3}{2}}} - \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\frac{3}{2}(2Ab-aB)+\frac{3}{2}a}{\tan^{\frac{3}{2}}(c+dx)}}{3a} \\
 &= \frac{2(2Ab-aB)\sqrt{\cot(c+dx)}}{a^2d(a+b \tan(c+dx))^{\frac{3}{2}}} - \frac{2A \cot^{\frac{3}{2}}(c+dx)}{3ad(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{(4\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{3}{2}(2Ab-aB)+\frac{3}{2}a}{\tan^{\frac{3}{2}}(c+dx)}}{3a} \\
 &= \frac{2b(7a^2Ab+8Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{2(2Ab-aB)\sqrt{\cot(c+dx)}}{a^2d(a+b \tan(c+dx))^{\frac{3}{2}}} \\
 &= \frac{2b(7a^2Ab+8Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{2(2Ab-aB)\sqrt{\cot(c+dx)}}{a^2d(a+b \tan(c+dx))^{\frac{3}{2}}} \\
 &= \frac{2b(7a^2Ab+8Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{2(2Ab-aB)\sqrt{\cot(c+dx)}}{a^2d(a+b \tan(c+dx))^{\frac{3}{2}}} \\
 &= \frac{2b(7a^2Ab+8Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{2(2Ab-aB)\sqrt{\cot(c+dx)}}{a^2d(a+b \tan(c+dx))^{\frac{3}{2}}} \\
 &= \frac{2b(7a^2Ab+8Ab^3-3a^3B-4ab^2B)}{3a^3(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{2(2Ab-aB)\sqrt{\cot(c+dx)}}{a^2d(a+b \tan(c+dx))^{\frac{3}{2}}} \\
 &= \frac{(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{\frac{5}{2}}d} + \frac{(A-iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{\frac{5}{2}}d}
 \end{aligned}$$

Mathematica [A] time = 3.91508, size = 385, normalized size = 0.96

$$\sqrt{\cot(c+dx)} \left[\frac{6b(7a^2Ab-3a^3B-4ab^2B+8Ab^3) \tan(c+dx)}{a^2(a^2+b^2)(a+b \tan(c+dx))^{\frac{3}{2}}} + \frac{\sqrt{\tan(c+dx)} \left(\frac{6b(30a^2Ab^3+8a^4Ab-17a^3b^2B-3a^5B-8ab^4B+16Ab^5) \sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} + 9(-1)^{\frac{3}{4}} a^4 \frac{(a-ib)^2}{a^3(a^2+b^2)} \right)}{a^3(a^2+b^2)} \right]$$

9ad

Antiderivative was successfully verified.

[In] Integrate[(Cot[c + d*x]^(5/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] (Sqrt[Cot[c + d*x]]*((6*(6*A*b - 3*a*B))/(a*(a + b*Tan[c + d*x]))^(3/2)) - (6*A*Cot[c + d*x]))/(a + b*Tan[c + d*x])^(3/2) + (6*b*(7*a^2*A*b + 8*A*b^3 - 3*a^3*B - 4*a*b^2*B)*Tan[c + d*x])/(a^2*(a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2)) + (Sqrt[Tan[c + d*x]]*(9*(-1)^(3/4)*a^4*((a - I*b)^2*(A + I*B)*ArcTan h[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]) /Sqrt[-a - I*b] + ((a + I*b)^2*(A - I*B)*ArcTan h[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]) /Sqrt[a - I*b]) + (6*b*(8*a^4*A*b + 30*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B - 17*a^3*b^2*B - 8*a*b^4*B)*Sqrt[T

$\text{an}[c + d*x]])/\text{Sqrt}[a + b*\text{Tan}[c + d*x]])/(a^3*(a^2 + b^2)^2))/(9*a*d)$

Maple [C] time = 3.816, size = 80979, normalized size = 203.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(dx+c)^{(5/2)}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c))^{(5/2)}, x)$

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^{(5/2)}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c))^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((B*\tan(dx + c) + A)*\cot(dx + c)^{(5/2))/(b*\tan(dx + c) + a)^{(5/2)}, x)$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)^{(5/2)}*(A+B*\tan(dx+c))/(a+b*\tan(dx+c))^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cot(dx+c)**(5/2)*(A+B*\tan(dx+c))/(a+b*\tan(dx+c))**(5/2), x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{5}{2}}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(5/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(5/2)/(b*tan(d*x + c) + a)^(5/2), x)

$$3.648 \quad \int \frac{\cot^3(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=341

$$\frac{2b(17a^2Ab^2 + 3a^4A - 8a^3bB - 2ab^3B + 8Ab^4)}{3a^3d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{2b(3a^2A - abB + 4Ab^2)}{3a^2d(a^2 + b^2) \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{3a^2d(a^2 + b^2) \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}$$

```
[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) - (2*b*(3*a^2*A + 4*A*b^2 - a*b*B))/(3*a^2*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) - (2*A*Sqrt[Cot[c + d*x]])/(a*d*(a + b*Tan[c + d*x])^(3/2)) - (2*b*(3*a^4*A + 17*a^2*A*b^2 + 8*A*b^4 - 8*a^3*b*B - 2*a*b^3*B))/(3*a^3*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.33548, antiderivative size = 341, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(17a^2Ab^2 + 3a^4A - 8a^3bB - 2ab^3B + 8Ab^4)}{3a^3d(a^2 + b^2)^2 \sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{2b(3a^2A - abB + 4Ab^2)}{3a^2d(a^2 + b^2) \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{3a^2d(a^2 + b^2) \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]]*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) - (2*b*(3*a^2*A + 4*A*b^2 - a*b*B))/(3*a^2*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) - (2*A*Sqrt[Cot[c + d*x]])/(a*d*(a + b*Tan[c + d*x])^(3/2)) - (2*b*(3*a^4*A + 17*a^2*A*b^2 + 8*A*b^4 - 8*a^3*b*B - 2*a*b^3*B))/(3*a^3*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] &&
```

NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] &
 & (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]
 || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
 (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
 + (f_.)*(x_)])^2, x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
 + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
 b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
 x])^(m + 1)(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
 m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
 *(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
 [e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
 b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
 (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
 (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
 st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
 [e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
 an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
 B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
 (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
 st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
 NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
 _)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
 - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
 && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
 [a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
 , 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
 Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
 Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{\frac{3}{2}}(c+dx)(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}} dx \\
 &= -\frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} - \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{\frac{1}{2}(4Ab-abB)+\frac{1}{2}aA \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}} dx}{a} \\
 &= -\frac{2b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} \\
 &= -\frac{2b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} \\
 &= -\frac{2b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} \\
 &= -\frac{2b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} \\
 &= -\frac{2b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} \\
 &= -\frac{2b(3a^2A+4Ab^2-abB)}{3a^2(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2A\sqrt{\cot(c+dx)}}{ad(a+b \tan(c+dx))^{3/2}} \\
 &= -\frac{(iA-B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)} + (iA+B) \tanh^{-1}\left(\frac{\sqrt{a-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-b}(a+ib)^2d}
 \end{aligned}$$

Mathematica [A] time = 3.8793, size = 334, normalized size = 0.98

$$\sqrt{\cot(c+dx)} \left(\frac{2b(3a^2A-abB+4Ab^2) \tan(c+dx)}{a(a^2+b^2)(a+b \tan(c+dx))^{3/2}} + \frac{\sqrt{\tan(c+dx)} \left(-\frac{2b(17a^2Ab^2+3a^4A-8a^3bB-2ab^3B+8Ab^4)\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}} - 3\sqrt[4]{-1}a^3 \left(\frac{(a-ib)^2(A+iB) \tanh^{-1}\left(\frac{\sqrt{-1}\sqrt{-a-b}}{\sqrt{a+ib}}\right)}{\sqrt{-a-ib}} \right) \right)}{a^2(a^2+b^2)^2} \right)$$

3ad

Antiderivative was successfully verified.

```
[In] Integrate[(Cot[c + d*x]^(3/2)*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] (Sqrt[Cot[c + d*x]]*((-6*A)/(a + b*Tan[c + d*x])^(3/2) - (2*b*(3*a^2*A + 4*A*b^2 - a*b*B)*Tan[c + d*x])/(a*(a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2))) + (Sqrt[Tan[c + d*x]]*(-3*(-1)^(1/4)*a^3*(((a - I*b)^2*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] - ((a + I*b)^2*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b]) - (2*b*(3*a^4*A + 17*a^2*A*b^2 + 8*A*b^4 - 8*a^3*b*B - 2*a*b^3*B)*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]))/(a^2*(a^2 + b^2)^2)/(3*a*d)
```

Maple [C] time = 2.572, size = 54573, normalized size = 160.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(5/2), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cot(d*x+c)**(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \cot(dx + c)^{\frac{3}{2}}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*cot(d*x + c)^(3/2)/(b*tan(d*x + c) + a)^(5/2), x)
```

$$3.649 \quad \int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=287

$$\frac{2b(Ab - aB)}{3ad(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab - 5a^3B + ab^2B + 2Ab^3)}{3a^2d(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(A+iB)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}$$

```
[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) + (2*b*(A*b - a*B))/(3*a*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b + 2*A*b^3 - 5*a^3*B + a*b^2*B))/(3*a^2*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.07648, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3609, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2b(Ab - aB)}{3ad(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab - 5a^3B + ab^2B + 2Ab^3)}{3a^2d(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(A+iB)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]
```

```
[Out] -(((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) - ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) + (2*b*(A*b - a*B))/(3*a*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b + 2*A*b^3 - 5*a^3*B + a*b^2*B))/(3*a^2*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3609

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(b*(A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[b*B*(b*c*(m + 1) + a*d*(n + 1)) + A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) - (A*b - a*B)*(b*c - a*d)*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 2)*Tan[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) && !(ILtQ[n, -1] && (!IntegerQ[m]))
```

|| (EqQ[c, 0] && NeQ[a, 0]))))

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)] + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cot(c+dx)}(A+B \tan(c+dx))}{(a+b \tan(c+dx))^{5/2}} dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{A+B \tan(c+dx)}{\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^{5/2}} dx \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{(2\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)})}{3a^2(a^2+b^2)^2d\sqrt{\cot(c+dx)}} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab+2A^2)}{3a^2(a^2+b^2)^2d\sqrt{\cot(c+dx)}} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab+2A^2)}{3a^2(a^2+b^2)^2d\sqrt{\cot(c+dx)}} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab+2A^2)}{3a^2(a^2+b^2)^2d\sqrt{\cot(c+dx)}} \\
&= \frac{2b(Ab-aB)}{3a(a^2+b^2)d\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab+2A^2)}{3a^2(a^2+b^2)^2d\sqrt{\cot(c+dx)}} \\
&= -\frac{(A+iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{5/2}d} - \frac{(A-iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{(ia-b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 3.48594, size = 293, normalized size = 1.02

$$\frac{\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)} \left(\frac{2b(a^2+b^2)(Ab-aB)\sqrt{\tan(c+dx)}}{a(a+b \tan(c+dx))^{3/2}} + \frac{2b(8a^2Ab-5a^3B+a^2B+2Ab^3)\sqrt{\tan(c+dx)}}{a^2\sqrt{a+b \tan(c+dx)}} - 3\sqrt[4]{-1} \left(\frac{i(a-ib)^2(A+iB) \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-b \tan(c+dx)}} \right) \right)}{3d(a^2+b^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(A + B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(5/2), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(-3*(-1)^(1/4)*((I*(a - I*b)^2*(A + I*B)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] + ((a + I*b)^2*(I*A + B)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b]) + (2*b*(a^2 + b^2)*(A*b - a*B)*Sqrt[Tan[c + d*x]])/(a*(a + b*Tan[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b + 2*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Tan[c + d*x]])/(a^2*Sqrt[a + b*Tan[c + d*x]]))/((3*(a^2 + b^2)^2*d)

Maple [C] time = 2.378, size = 40999, normalized size = 142.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^(5/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A) \sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(A+B*tan(d*x+c))/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^(5/2), x)

$$3.650 \quad \int \frac{A+B \tan(c+dx)}{\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=284

$$\frac{2(Ab - aB)}{3d(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2(5a^2Ab - 2a^3B + 4ab^2B - Ab^3)}{3ad(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

```
[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) - (2*(A*b - a*B))/(3*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B + 4*a*b^2*B))/(3*a*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rubi [A] time = 1.12521, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3608, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2(Ab - aB)}{3d(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} - \frac{2(5a^2Ab - 2a^3B + 4ab^2B - Ab^3)}{3ad(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} - \frac{(-B + iA)\sqrt{\tan(c+dx)}}{3ad(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)), x]
```

```
[Out] -(((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a - b)^(5/2)*d) + ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/((I*a + b)^(5/2)*d) - (2*(A*b - a*B))/(3*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B + 4*a*b^2*B))/(3*a*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])
```

Rule 4241

```
Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]
```

Rule 3608

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((A*b - a*B)*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n)/(f*(m + 1)*(a^2 + b^2)), x] + Dist[1/(b*(m + 1)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n - 1)*Simp[b*B*(b*c*(m + 1) + a*d*n) + A*b*(a*c*(m + 1) - b*d*n) - b*(A*(b*c - a*d) - B*(a*c + b*d))*(m + 1)*Tan[e + f*x] - b*d*(A*b - a*B)*(m + n + 1)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

Rule 3649

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e
+ f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 +
b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f
*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(
m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)
*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan
[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[
b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && !
(ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))
```

Rule 3616

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan
[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*T
an[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A,
B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]
```

Rule 3615

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Di
st[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n)/(A - B*x), x], x, Tan[e + f*x
]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{5/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\sqrt{\tan(c + dx)}(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx \\
&= -\frac{2(Ab - aB)}{3(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{(2\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)})}{3a(a^2 + b^2)^2 d\sqrt{\cot(c + dx)}} \\
&= -\frac{2(Ab - aB)}{3(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2(5a^2Ab - Ab^3)}{3a(a^2 + b^2)^2 d\sqrt{\cot(c + dx)}} \\
&= -\frac{2(Ab - aB)}{3(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2(5a^2Ab - Ab^3)}{3a(a^2 + b^2)^2 d\sqrt{\cot(c + dx)}} \\
&= -\frac{2(Ab - aB)}{3(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2(5a^2Ab - Ab^3)}{3a(a^2 + b^2)^2 d\sqrt{\cot(c + dx)}} \\
&= -\frac{2(Ab - aB)}{3(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} - \frac{2(5a^2Ab - Ab^3)}{3a(a^2 + b^2)^2 d\sqrt{\cot(c + dx)}} \\
&= \frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{\sqrt{ia - b}(a + ib)^2 d} + \frac{(iA + B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{\sqrt{ia - b}(a + ib)^2 d}
\end{aligned}$$

Mathematica [A] time = 4.24602, size = 340, normalized size = 1.2

$$\sqrt{\tan(c + dx)} \sqrt{\cot(c + dx)} \left(\frac{6b(a^2(-B) + 2aAb + b^2B) \tan^{\frac{3}{2}}(c + dx)}{(a^2 + b^2) \sqrt{a + b \tan(c + dx)}} + \frac{3 \left(2(a^2B - 2aAb - b^2B) \sqrt{\tan(c + dx)} \sqrt{a + b \tan(c + dx)} + \frac{\sqrt[4]{-1} a(a - ib)^2 (A + iB) \tanh^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{a - ib}} \right)}{a^2 + b^2} \right)$$

$$3ad(a^2 + b^2)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(5/2)), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*((2*b*(A*b - a*B)*Tan[c + d*x]^(3/2))/(a + b*Tan[c + d*x])^(3/2) + (6*b*(2*a*A*b - a^2*B + b^2*B)*Tan[c + d*x]^(3/2))/((a^2 + b^2)*Sqrt[a + b*Tan[c + d*x]]) + (3*((-1)^(1/4)*a*(a - I*b)^2*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ((-1)^(1/4)*a*(a + I*b)^2*(A - I*B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b] + 2*(-2*a*A*b + a^2*B - b^2*B)*Sqrt[Tan[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])/(a^2 + b^2))/(3*a*(a^2 + b^2)*d)

Maple [C] time = 2.156, size = 40367, normalized size = 142.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*sqrt(cot(d*x + c))), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*sqrt(cot(d*x + c))), x)`

$$3.651 \quad \int \frac{A+B \tan(c+dx)}{\cot^2(c+dx)(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=284

$$\frac{2a(Ab - aB)}{3bd(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2(2a^2Ab + a^3B + 7ab^2B - 4Ab^3)}{3bd(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(A+iB)\sqrt{\tan(c+dx)}}{3bd(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*a^2*A*b - 4*A*b^3 + a^3*B + 7*a*b^2*B))/(3*b*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 1.11573, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4241, 3605, 3649, 3616, 3615, 93, 203, 206}

$$\frac{2a(Ab - aB)}{3bd(a^2 + b^2)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^{3/2}} + \frac{2(2a^2Ab + a^3B + 7ab^2B - 4Ab^3)}{3bd(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(A+iB)\sqrt{\tan(c+dx)}}{3bd(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)), x]

[Out] ((A + I*B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(5/2)*d) + ((A - I*B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)) + (2*(2*a^2*A*b - 4*A*b^3 + a^3*B + 7*a*b^2*B))/(3*b*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n + 1)))*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&

LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

Rule 3649

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b^2 - a*(b*B - a*C))*(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 + b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 + b^2)), Int[(a + b*Tan[e + f*x])^(m + 1)*(c + d*Tan[e + f*x])^n*Simp[A*(a*(b*c - a*d)*(m + 1) - b^2*d*(m + n + 2)) + (b*B - a*C)*(b*c*(m + 1) + a*d*(n + 1)) - (m + 1)*(b*c - a*d)*(A*b - a*B - b*C)*Tan[e + f*x] - d*(A*b^2 - a*(b*B - a*C))*(m + n + 2)*Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && LtQ[m, -1] && ! (ILtQ[n, -1] && (!IntegerQ[m] || (EqQ[c, 0] && NeQ[a, 0])))

Rule 3616

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[A^2 + B^2, 0]

Rule 3615

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && EqQ[A^2 + B^2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{5/2}} dx &= \left(\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}\right) \int \frac{\tan^{\frac{3}{2}}(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx \\
&= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} + \frac{(2\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)})}{3b(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} \\
&= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} + \frac{2(2a^2Ab - 4Ab^3)}{3b(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} \\
&= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} + \frac{2(2a^2Ab - 4Ab^3)}{3b(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} \\
&= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} + \frac{2(2a^2Ab - 4Ab^3)}{3b(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} \\
&= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d\sqrt{\cot(c + dx)}(a + b \tan(c + dx))^{3/2}} + \frac{2(2a^2Ab - 4Ab^3)}{3b(a^2 + b^2)^2d\sqrt{\cot(c + dx)}} \\
&= \frac{(A + iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{(ia - b)^{5/2}d} + \frac{(A - iB) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{(ia - b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 3.57, size = 328, normalized size = 1.15

$$\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{(a^2B + 2aAb + 3b^2B)\sqrt{\tan(c+dx)}}{(a^2 + b^2)(a + b \tan(c+dx))^{3/2}} + \frac{\frac{2(2a^2Ab + a^3B + 7ab^2B - 4Ab^3)\sqrt{\tan(c+dx)}}{\sqrt{a + b \tan(c+dx)}} + 3\sqrt[4]{-1}b}{(a^2 + b^2)^2} \right) \frac{i(a - ib)^2(A + iB) \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a - ib}\sqrt{\tan(c+dx)}}{\sqrt{a + b \tan(c+dx)}}\right)}{\sqrt{-a - ib}}$$

3bd

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[c + d*x])/((Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(5/2)), x]

[Out] (Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*((-3*B*Sqrt[Tan[c + d*x]])/(a + b*Tan[c + d*x])^(3/2) + ((2*a*A*b + a^2*B + 3*b^2*B)*Sqrt[Tan[c + d*x]])/((a^2 + b^2)*(a + b*Tan[c + d*x])^(3/2)) + (3*(-1)^(1/4)*b*((I*(a - I*b)^2*(A + I*B)*ArcTanh[((-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[-a - I*b] + ((a + I*b)^2*(I*A + B)*ArcTanh[((-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]]])/Sqrt[a - I*b]) + (2*(2*a^2*A*b - 4*A*b^3 + a^3*B + 7*a*b^2*B)*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/(a^2 + b^2)^2)/(3*b*d)

Maple [C] time = 2.073, size = 40379, normalized size = 142.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(3/2)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(3/2)), x)`

$$3.652 \quad \int \frac{A+B \tan(c+dx)}{\cot^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^{5/2}} dx$$

Optimal. Leaf size=342

$$\frac{2a(Ab - aB)}{3bd(a^2 + b^2)\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}} + \frac{2a(2Ab^3 - aB(a^2 + 3b^2))}{b^2d(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{b^2d(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(5/2)*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(b^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^2*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rubi [A] time = 2.45785, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4241, 3605, 3645, 3655, 6725, 63, 217, 206, 93, 205, 208}

$$\frac{2a(Ab - aB)}{3bd(a^2 + b^2)\cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^{3/2}} + \frac{2a(2Ab^3 - aB(a^2 + 3b^2))}{b^2d(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}} + \frac{(-B + iA)\sqrt{\tan(c+dx)}}{b^2d(a^2 + b^2)^2\sqrt{\cot(c+dx)}\sqrt{a+b \tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(5/2)), x]

[Out] ((I*A - B)*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a - b)^(5/2)*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/(b^(5/2)*d) - ((I*A + B)*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]/((I*a + b)^(5/2)*d) + (2*a*(A*b - a*B))/(3*b*(a^2 + b^2)*d*Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)) + (2*a*(2*A*b^3 - a*(a^2 + 3*b^2)*B))/(b^2*(a^2 + b^2)^2*d*Sqrt[Cot[c + d*x]]*Sqrt[a + b*Tan[c + d*x]])

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3605

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((b*c - a*d)*(B*c - A*d)*(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dist[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 2)*(c + d*Tan[e + f*x])^(n + 1)*Simp[a*A*d*(b*d*(m - 1) - a*c*(n + 1)) + (b*B*c - (A*b + a*B)*d)*(b*c*(m - 1) + a*d*(n + 1)) - d*((a*A - b*B)*(b*c - a*d) + (A*b + a*B)*(a*c + b*d))*(n + 1)*Tan[e + f*x] - b*(d*(A*b*c + a*B*c - a*A*d)*(m + n) - b*B*(c^2*(m - 1) - d^2*(n

```
+ 1))) * Tan[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 1] &&
LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 3645

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := Simp[((A*d^2 + c*(c*C - B*d))*(a + b*Tan[e
+ f*x])^m*(c + d*Tan[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 + d^2)), x] - Dis
t[1/(d*(n + 1)*(c^2 + d^2)), Int[(a + b*Tan[e + f*x])^(m - 1)*(c + d*Tan[e
+ f*x])^(n + 1)*Simp[A*d*(b*d*m - a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(
n + 1)) - d*(n + 1)*((A - C)*(b*c - a*d) + B*(a*c + b*d))*Tan[e + f*x] - b*
(d*(B*c - A*d)*(m + n + 1) - C*(c^2*m - d^2*(n + 1)))*Tan[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[
a^2 + b^2, 0] && NeQ[c^2 + d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3655

```
Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*tan[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)]) + (C_.)*tan[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, D
ist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n*(A + B*ff*x + C*ff^2*x^2
))/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f,
A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 +
d^2, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
```


&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \tan(c + dx)}{\cot^{\frac{5}{2}}(c + dx)(a + b \tan(c + dx))^{5/2}} dx &= \left(\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} \right) \int \frac{\tan^{\frac{5}{2}}(c + dx)(A + B \tan(c + dx))}{(a + b \tan(c + dx))^{5/2}} dx \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{(2\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)})^2}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2a(Ab - aB)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} + \frac{2a(2Ab^3 - a^2)}{b^2(a^2 + b^2)^2 d \sqrt{\cot(c + dx)}} \\
 &= \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{b^{5/2}d} + \frac{2a(2Ab^3 - a^2)}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}} \\
 &= -\frac{(iA - B) \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{\sqrt{ia - b}(a + ib)^2d} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}}{3b(a^2 + b^2)d \cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{3/2}}
 \end{aligned}$$

Mathematica [C] time = 32.6799, size = 250233, normalized size = 731.68

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Tan[c + d*x])/(Cot[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^(5/2)),x]

[Out] Result too large to show

Maple [C] time = 3.756, size = 76827, normalized size = 224.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(5/2)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)**(5/2)/(a+b*tan(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(dx + c) + A}{(b \tan(dx + c) + a)^{\frac{5}{2}} \cot(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(d*x+c))/cot(d*x+c)^(5/2)/(a+b*tan(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)/((b*tan(d*x + c) + a)^(5/2)*cot(d*x + c)^(5/2)), x)
```

$$3.653 \quad \int \frac{\sqrt{\cot(c+dx)}(aB+bB \tan(c+dx))}{(a+b \tan(c+dx))^{3/2}} dx$$

Optimal. Leaf size=151

$$\frac{B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] (B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.214753, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {21, 4241, 3575, 912, 93, 205, 208}

$$\frac{B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{B\sqrt{\tan(c+dx)}\sqrt{\cot(c+dx)}\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cot[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] (B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 4241

Int[(cot[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3575

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 912

Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_))/((a_) + (c_)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n, 1/(a + c*x^2)

2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c*d^2 + a*e^2, 0] &
 & !IntegerQ[m] && !IntegerQ[n]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{\sqrt{\cot(c+dx)}(aB + bB \tan(c+dx))}{(a + b \tan(c+dx))^{3/2}} dx = B \int \frac{\sqrt{\cot(c+dx)}}{\sqrt{a + b \tan(c+dx)}} dx$$

$$= (B\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \int \frac{1}{\sqrt{\tan(c+dx)}\sqrt{a + b \tan(c+dx)}} dx$$

$$= \frac{(B\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \text{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx(1+x^2)}} dx, x, \tan(c+dx)\right)}{d}$$

$$= \frac{(B\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \text{Subst}\left(\int \left(\frac{i}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{i}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c+dx)\right)}{d}$$

$$= \frac{(iB\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \text{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c+dx)\right)}{2d}$$

$$= \frac{(iB\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}) \text{Subst}\left(\int \frac{1}{i-(-a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d}$$

$$= \frac{B \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}} + \frac{B \tanh^{-1}\left(\frac{\sqrt{ia+b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}}{\sqrt{ia-bd}}$$

Mathematica [A] time = 0.193956, size = 145, normalized size = 0.96

$$\frac{(-1)^{3/4} B \sqrt{\tan(c+dx)} \sqrt{\cot(c+dx)} \left(-\frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cot[c + d*x]]*(a*B + b*B*Tan[c + d*x]))/(a + b*Tan[c + d*x])^(3/2), x]

[Out] ((-1)^(3/4)*B*(-(ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b]) - ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*

$\text{Sqrt}[\text{Tan}[c + d*x]]/\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b])*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d$

Maple [C] time = 0.593, size = 2054, normalized size = 13.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cot(d*x+c)^{(1/2)}*(a*B+b*B*\tan(d*x+c))/(a+b*\tan(d*x+c))^{(3/2)}, x)$

[Out] $B/d/(-I*a+(a^2+b^2)^{(1/2)}-b)/(I*a+(a^2+b^2)^{(1/2)}-b)/a^{2^{(1/2)}}*(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}*(1/\cos(d*x+c)*(a*\cos(d*x+c)+b*\sin(d*x+c)))^{(1/2)}*(2*I*\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a+(a^2+b^2)^{(1/2)}-b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a*b*(a^2+b^2)^{(1/2)}-2*I*\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a-(a^2+b^2)^{(1/2)}+b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a*b*(a^2+b^2)^{(1/2)}-I*\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a+(a^2+b^2)^{(1/2)}-b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a^3-2*I*\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a+(a^2+b^2)^{(1/2)}-b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a*b^2+I*\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a-(a^2+b^2)^{(1/2)}+b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a^3+2*I*\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a-(a^2+b^2)^{(1/2)}+b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a*b^2+2*\text{EllipticF}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*(a^2+b^2)^{(1/2)}*a^2+4*\text{EllipticF}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*(a^2+b^2)^{(1/2)}*b^2-\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a+(a^2+b^2)^{(1/2)}-b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a^2*(a^2+b^2)^{(1/2)}-4*\text{EllipticF}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a^2*b-4*\text{EllipticF}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*b^3+\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a+(a^2+b^2)^{(1/2)}-b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a^2*b+\text{EllipticPi}(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}, \frac{(-b+(a^2+b^2)^{(1/2)})}{(I*a-(a^2+b^2)^{(1/2)}+b)}, 1/2*2^{(1/2)}*(\frac{(-b+(a^2+b^2)^{(1/2)})}{(a^2+b^2)^{(1/2)})^{(1/2)}}*a^2*b*(a*(\cos(d*x+c)-1)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}*(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)+b*\sin(d*x+c)+a*\cos(d*x+c)-a)}{(a^2+b^2)^{(1/2)}/\sin(d*x+c)}^{(1/2)}*(\frac{((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)}{(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c)}^{(1/2)}*\sin(d*x+c)^2/(\cos(d*x+c)-1)/(a*\cos(d*x+c)+b*\sin(d*x+c)))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba)\sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*tan(d*x + c) + B*a)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sqrt{\cot(c + dx)}}{\sqrt{a + b \tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))**(3/2), x)

[Out] B*Integral(sqrt(cot(c + d*x))/sqrt(a + b*tan(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \tan(dx + c) + Ba)\sqrt{\cot(dx + c)}}{(b \tan(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a*B+b*B*tan(d*x+c))/(a+b*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*tan(d*x + c) + B*a)*sqrt(cot(d*x + c))/(b*tan(d*x + c) + a)^(3/2), x)

$$3.654 \quad \int \frac{aB + bB \tan(c + dx)}{\sqrt{\cot(c + dx)(a + b \tan(c + dx))^{3/2}} dx$$

Optimal. Leaf size=157

$$\frac{iB\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{iB\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

[Out] (I*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) - (I*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.217849, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {21, 4241, 3575, 910, 93, 205, 208}

$$\frac{iB\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} - \frac{iB\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\tanh^{-1}\left(\frac{\sqrt{b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{b+ia}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] (I*B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) - (I*B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 4241

Int[(cot[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3575

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && NeQ[c^2 + d^2, 0]

Rule 910

Int[((d_) + (e_)*(x_))^(m_)/(Sqrt[(f_) + (g_)*(x_)]*((a_) + (c_)*(x_)^2)), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f + g*x]), (d

$+ e*x)^{(m + 1/2)}/(a + c*x^2), x], x] /;$ FreeQ[{a, c, d, e, f, g}, x] && NeQ [c*d^2 + a*e^2, 0] && IGtQ[m + 1/2, 0]

Rule 93

Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \tan(c + dx)}{\sqrt{\cot(c + dx)(a + b \tan(c + dx))^{3/2}} dx &= B \int \frac{1}{\sqrt{\cot(c + dx)\sqrt{a + b \tan(c + dx)}} dx \\ &= (B\sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}) \int \frac{\sqrt{\tan(c + dx)}}{\sqrt{a + b \tan(c + dx)}} dx \\ &= \frac{(B\sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}) \operatorname{Subst}\left(\int \frac{\sqrt{x}}{\sqrt{a+bx}(1+x^2)} dx, x, \tan(c + dx)\right)}{d} \\ &= \frac{(B\sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}) \operatorname{Subst}\left(\int \left(-\frac{1}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{1}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c + dx)\right)}{d} \\ &= \frac{(B\sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}) \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(B\sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}) \operatorname{Subst}\left(\int \frac{1}{i-(-a+ib)x^2} dx, x, \frac{\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{d} \\ &= \frac{iB \tan^{-1}\left(\frac{\sqrt{ia-b \tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}}{\sqrt{ia - bd}} - \frac{iB \tanh^{-1}\left(\frac{\sqrt{ia+b \tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)\sqrt{\tan(c + dx)}}}{\sqrt{ia - bd}} \end{aligned}$$

Mathematica [A] time = 0.174486, size = 144, normalized size = 0.92

$$\frac{\sqrt[4]{-1}B\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)}\left(\frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] ((-1)^(1/4)*B*(ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] - ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqr

$t[\text{Tan}[c + d*x]]/\text{Sqrt}[a + b*\text{Tan}[c + d*x]]/\text{Sqrt}[a - I*b]]*\text{Sqrt}[\text{Cot}[c + d*x]]*\text{Sqrt}[\text{Tan}[c + d*x]]/d$

Maple [C] time = 0.572, size = 1631, normalized size = 10.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a*B+b*B*\text{tan}(d*x+c))/\text{cot}(d*x+c)^{(1/2)}/(a+b*\text{tan}(d*x+c))^{(3/2)}, x)$

[Out] $-B/d/(I*a-(a^2+b^2)^{(1/2)}+b)/(I*a+(a^2+b^2)^{(1/2)}-b)*(I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, -(-b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*a*(a^2+b^2)^{(1/2)}-I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*a*(a^2+b^2)^{(1/2)}-I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, -(-b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*a*b+I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*a*b-2*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, -(-b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*b*(a^2+b^2)^{(1/2)}-2*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*a^2+2*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, -(-b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*b^2+\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*a^2+2*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)})*b^2*\cos(d*x+c)*\sin(d*x+c)*(1/\cos(d*x+c))*(a*\cos(d*x+c)+b*\sin(d*x+c))^{(1/2)}*(a*(\cos(d*x+c)-1)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}*((a^2+b^2)^{(1/2)}*\sin(d*x+c)+b*\sin(d*x+c)+a*\cos(d*x+c)-a)/(a^2+b^2)^{(1/2)}/\sin(d*x+c))^{(1/2)}*((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}*2^{(1/2)}/(a*\cos(d*x+c)+b*\sin(d*x+c))/(\cos(d*x+c)-1)/(\cos(d*x+c)/\sin(d*x+c))^{(1/2)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)^2 \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, a
lgorithm="maxima")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x
+ c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, a
lgorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)**(1/2)/(a+b*tan(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)^{\frac{3}{2}} \sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(1/2)/(a+b*tan(d*x+c))^(3/2),x, a
lgorithm="giac")
```

```
[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)^(3/2)*sqrt(cot(d*x
+ c))), x)
```

$$3.655 \quad \int \frac{aB + bB \tan(c + dx)}{\cot^2(c + dx)(a + b \tan(c + dx))^{3/2}} dx$$

Optimal. Leaf size=215

$$\frac{B\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{2B\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{B\sqrt{\tan(c + dx)}}{d}$$

[Out] -((B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[b]*d) - (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rubi [A] time = 0.259455, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {21, 4241, 3575, 910, 63, 217, 206, 912, 93, 205, 208}

$$\frac{B\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tan^{-1}\left(\frac{\sqrt{-b+ia}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{d\sqrt{-b+ia}} + \frac{2B\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b\tan(c+dx)}}\right)}{\sqrt{bd}} - \frac{B\sqrt{\tan(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] -((B*ArcTan[(Sqrt[I*a - b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a - b]*d) + (2*B*ArcTanh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[b]*d) - (B*ArcTanh[(Sqrt[I*a + b]*Sqrt[Tan[c + d*x]])/Sqrt[a + b*Tan[c + d*x]])*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]])/(Sqrt[I*a + b]*d)

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 4241

Int[(cot[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3575

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/f, Subst[Int[((a + b*ff*x)^m*(c + d*ff*x)^n]/(1 + ff^2*x^2), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && NeQ[b*c - a*

$d, 0] \&\& \text{NeQ}[a^2 + b^2, 0] \&\& \text{NeQ}[c^2 + d^2, 0]$

Rule 910

$\text{Int}[\frac{(d_.) + (e_.) \cdot (x_.)^m}{(\text{Sqrt}[(f_.) + (g_.) \cdot (x_.)] \cdot ((a_.) + (c_.) \cdot (x_.)^2))}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[1/(\text{Sqrt}[d + e \cdot x] \cdot \text{Sqrt}[f + g \cdot x]), (d + e \cdot x)^{m + 1/2}/(a + c \cdot x^2), x], x] /;$ $\text{FreeQ}\{a, c, d, e, f, g\}, x] \&\& \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \&\& \text{IGtQ}[m + 1/2, 0]$

Rule 63

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^m \cdot ((c_.) + (d_.) \cdot (x_.)^n)}{x_Symbol} \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p \cdot (m + 1) - 1) \cdot (c - (a \cdot d)/b + (d \cdot x^p)/b)^n}, x], x, (a + b \cdot x)^{1/p}], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.) \cdot (x_.)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /;$ $\text{FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a, 0]$

Rule 206

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^2)^{-1}}{x_Symbol} \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[(\text{Rt}[-b, 2] \cdot x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /;$ $\text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 912

$\text{Int}[\frac{((d_.) + (e_.) \cdot (x_.)^m) \cdot ((f_.) + (g_.) \cdot (x_.)^n)}{((a_.) + (c_.) \cdot (x_.)^2)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e \cdot x)^m \cdot (f + g \cdot x)^n, 1/(a + c \cdot x^2), x], x] /;$ $\text{FreeQ}\{a, c, d, e, f, g, m, n\}, x] \&\& \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \&\& \text{!IntegerQ}[m] \&\& \text{!IntegerQ}[n]$

Rule 93

$\text{Int}[\frac{((a_.) + (b_.) \cdot (x_.)^m) \cdot ((c_.) + (d_.) \cdot (x_.)^n)}{((e_.) + (f_.) \cdot (x_.)^q)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q \cdot (m + 1) - 1)/(b \cdot e - a \cdot f - (d \cdot e - c \cdot f) \cdot x^q)}, x], x, (a + b \cdot x)^{1/q}/(c + d \cdot x)^{1/q}], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n] \&\& \text{LtQ}[-1, m, 0] \&\& \text{SimplerQ}[a + b \cdot x, c + d \cdot x]$

Rule 205

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^2)^{-1}}{x_Symbol} \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ $\text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 208

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^2)^{-1}}{x_Symbol} \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ $\text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \tan(c + dx)}{\cot^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^{\frac{3}{2}}} dx &= B \int \frac{1}{\cot^{\frac{3}{2}}(c + dx)\sqrt{a + b \tan(c + dx)}} dx \\
&= (B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \int \frac{\tan^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \tan(c + dx)}} dx \\
&= \frac{(B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{x^{3/2}}{\sqrt{a+bx}(1+x^2)} dx, x, \tan(c + dx)\right)}{d} \\
&= \frac{(B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \left(\frac{1}{\sqrt{x}\sqrt{a+bx}} - \frac{1}{\sqrt{x}\sqrt{a+bx}(1+x^2)}\right) dx, x, \tan(c + dx)\right)}{d} \\
&= \frac{(B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{1}{\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{d} - \frac{(B\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \left(\frac{i}{2(i-x)\sqrt{x}\sqrt{a+bx}} + \frac{i}{2\sqrt{x}(i+x)\sqrt{a+bx}}\right) dx, x, \tan(c + dx)\right)}{d} \\
&= -\frac{(iB\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} - \frac{(iB\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{1}{(i+x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\
&= \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{bd}} - \frac{(iB\sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{1}{(i-x)\sqrt{x}\sqrt{a+bx}} dx, x, \tan(c + dx)\right)}{2d} \\
&= -\frac{B \tan^{-1}\left(\frac{\sqrt{ia-b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{ia - bd}} + \frac{2B \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right) \sqrt{\cot(c + dx)}\sqrt{\tan(c + dx)}}{\sqrt{bd}}
\end{aligned}$$

Mathematica [A] time = 1.10548, size = 213, normalized size = 0.99

$$\frac{B\sqrt{\tan(c + dx)}\sqrt{\cot(c + dx)} \left(\frac{(-1)^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{-a-ib}} + \frac{(-1)^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{-a-ib}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{a-ib}} + \frac{2\sqrt{a}\sqrt{\frac{b \tan(c+dx)}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}\sqrt{\tan(c+dx)}}{\sqrt{a+b \tan(c+dx)}}\right)}{\sqrt{b}\sqrt{a+b \tan(c+dx)}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Tan[c + d*x])/(Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^(3/2)), x]

[Out] (B*Sqrt[Cot[c + d*x]]*Sqrt[Tan[c + d*x]]*(((-1)^(3/4)*ArcTanh[(-1)^(1/4)*Sqrt[-a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[-a - I*b] + ((-1)^(3/4)*ArcTanh[(-1)^(1/4)*Sqrt[a - I*b]*Sqrt[Tan[c + d*x]]]/Sqrt[a + b*Tan[c + d*x]])/Sqrt[a - I*b] + (2*Sqrt[a]*ArcSinh[(Sqrt[b]*Sqrt[Tan[c + d*x]])/Sqrt[a]]*Sqrt[1 + (b*Tan[c + d*x])/a])/(Sqrt[b]*Sqrt[a + b*Tan[c + d*x]]))/d

Maple [C] time = 0.498, size = 4640, normalized size = 21.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2), x)

$$\begin{aligned} & / \sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(-b+(a^2+b^2)^{(1/2)}+a), 1/2*2^{(1/2)}* \\ & ((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*b^4-\text{EllipticPi}(((a^2+b^2)^{(1/2)} \\ & *\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c) \\ &)^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(-b+(a^2+b^2)^{(1/2)}-a), 1/2*2^{(1/2)}*((-b+(a^2+b^2) \\ & ^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a^4+3*(a^2+b^2)^{(1/2)}*\text{EllipticPi}(((a^2+ \\ & b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin \\ & (d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(-b+(a^2+b^2)^{(1/2)}-a), 1/2*2^{(1/2)}*((-b \\ & +(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a^2*b-2*(a^2+b^2)^{(1/2)}*\text{EllipticP} \\ & i(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/ \\ & \sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(-b+(a^2+b^2)^{(1/2)}-a), 1/2*2^{(1/2)}* \\ & ((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a*b^2-2*\text{EllipticPi}(((a^2+ \\ & b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/s \\ & in(d*x+c))^{(1/2)}, -(b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}* \\ & ((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a*b^2*(a^2+b^2)^{(1/2)}-2*\text{Ellip} \\ & ticPi(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2) \\ & ^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/ \\ & 2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a*b^2*(a^2+b^2)^{(1/2)} \\ & -3*(a^2+b^2)^{(1/2)}*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a \\ & *\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/ \\ & (-b+(a^2+b^2)^{(1/2)}+a), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)} \\ & *a^2*b-2*(a^2+b^2)^{(1/2)}*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin \\ & (d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2) \\ & ^{(1/2)})/(-b+(a^2+b^2)^{(1/2)}+a), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2) \\ & ^{(1/2)})^{(1/2)}*a*b^2+I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c) \\ & -a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)} \\ &)/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)} \\ &)^{(1/2)}*a^2*b*(a^2+b^2)^{(1/2)}-I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b* \\ & \sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, -(b+(a^2 \\ & +b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2 \\ & +b^2)^{(1/2)})^{(1/2)}*a^2*b*(a^2+b^2)^{(1/2)}+4*I*\text{EllipticPi}(((a^2+b^2)^{(1/2)}* \\ & \sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin(d*x+c))^{(1/2)}, \\ & (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)}*((-b+(a^2+b^2) \\ & ^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*b^3*(a^2+b^2)^{(1/2)}-4*I*\text{EllipticPi}(((a^2+b \\ & ^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/\sin \\ & (d*x+c))^{(1/2)}, -(b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)}*((- \\ & b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*b^3*(a^2+b^2)^{(1/2)}-3*I*\text{Elliptic} \\ & Pi(((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/ \\ & \sin(d*x+c))^{(1/2)}, (-b+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}-b), 1/2*2 \\ & ^{(1/2)}*((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a^2*b^2+3*I*\text{EllipticPi} \\ & (((a^2+b^2)^{(1/2)}*\sin(d*x+c)-b*\sin(d*x+c)-a*\cos(d*x+c)+a)/(-b+(a^2+b^2)^{(1/2)})/ \\ & \sin(d*x+c))^{(1/2)}, -(b+(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}+b), 1/2*2^{(1/2)} \\ & *((-b+(a^2+b^2)^{(1/2)})/(a^2+b^2)^{(1/2)})^{(1/2)}*a^2*b^2*(1/\cos(d*x+c)* \\ & (a*\cos(d*x+c)+b*\sin(d*x+c)))^{(1/2)}*\cos(d*x+c)^2/(a*\cos(d*x+c)+b*\sin(d*x+c)) \\ & /(\cos(d*x+c)-1)/(\cos(d*x+c)/\sin(d*x+c))^{(3/2)} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2), x, a
lgorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)**(3/2)/(a+b*tan(d*x+c))**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \tan(dx + c) + Ba}{(b \tan(dx + c) + a)^{\frac{3}{2}} \cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*tan(d*x+c))/cot(d*x+c)^(3/2)/(a+b*tan(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*tan(d*x + c) + B*a)/((b*tan(d*x + c) + a)^(3/2)*cot(d*x + c)^(3/2)), x)

3.656 $\int \cot^m(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$

Optimal. Leaf size=195

$$\frac{(A+iB) \cot^{m-1}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(1-m; -n, 1; 2-m; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(1-m)} + \dots$$

[Out] ((A + I*B)*AppellF1[1 - m, -n, 1, 2 - m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Cot[c + d*x]^(-1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 - m)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1 - m, -n, 1, 2 - m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Cot[c + d*x]^(-1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 - m)*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.440167, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4241, 3603, 3602, 135, 133}

$$\frac{(A+iB) \cot^{m-1}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(1-m; -n, 1; 2-m; -\frac{b \tan(c+dx)}{a}, -i \tan(c+dx)\right)}{2d(1-m)} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^m*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((A + I*B)*AppellF1[1 - m, -n, 1, 2 - m, -((b*Tan[c + d*x])/a), (-I)*Tan[c + d*x]]*Cot[c + d*x]^(-1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 - m)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1 - m, -n, 1, 2 - m, -((b*Tan[c + d*x])/a), I*Tan[c + d*x]]*Cot[c + d*x]^(-1 + m)*(a + b*Tan[c + d*x])^n)/(2*d*(1 - m)*(1 + (b*Tan[c + d*x])/a)^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] :> Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] :> Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n]

&& EqQ[A^2 + B^2, 0]

Rule 135

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_ Symbol] :> Dist[(c^IntPart[n]*(c + d*x)^FracPart[n]/(1 + (d*x)/c)^FracPart[n], Int[(b*x)^m*(1 + (d*x)/c)^n*(e + f*x)^p, x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !GtQ[c, 0]

Rule 133

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_)*((e_) + (f_.)*(x_))^(p_), x_ Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])

Rubi steps

$$\begin{aligned} \int \cot^m(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx &= (\cot^m(c + dx) \tan^m(c + dx)) \int \tan^{-m}(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx \\ &= \frac{1}{2} ((A - iB) \cot^m(c + dx) \tan^m(c + dx)) \int (1 + i \tan(c + dx))^n(A + B \tan(c + dx)) dx \\ &= \frac{((A - iB) \cot^m(c + dx) \tan^m(c + dx)) \operatorname{Subst}\left(\int \frac{x^{-m}(a+bx)^n(A+Bx)}{1-ix} dx\right)}{2d} \\ &= \frac{((A - iB) \cot^m(c + dx) \tan^m(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)))}{2d} \\ &= \frac{(A + iB)F_1\left(1 - m; -n, 1; 2 - m; -\frac{b \tan(c+dx)}{a}, -i \tan(c + dx)\right)}{2d} \end{aligned}$$

Mathematica [F] time = 6.2417, size = 0, normalized size = 0.

$$\int \cot^m(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^m*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^m*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.397, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^m (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

[Out] int(cot(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**m*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^m*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^m, x)

$$3.657 \quad \int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=169

$$\frac{(A+iB)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d} (A-iB)$$

[Out] -(((A + I*B)*AppellF1[-1/2, 1, -n, 1/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n)/(d*(1 + (b*Tan[c + d*x])/a)^n)) - ((A - I*B)*AppellF1[-1/2, 1, -n, 1/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n)/(d*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.487656, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4241, 3603, 3602, 130, 511, 510}

$$\frac{(A+iB)\sqrt{\cot(c+dx)}(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d} (A-iB)$$

Antiderivative was successfully verified.

[In] Int[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] -(((A + I*B)*AppellF1[-1/2, 1, -n, 1/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n)/(d*(1 + (b*Tan[c + d*x])/a)^n)) - ((A - I*B)*AppellF1[-1/2, 1, -n, 1/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n)/(d*(1 + (b*Tan[c + d*x])/a)^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^m*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^n, x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && N

$eQ[a^2 + b^2, 0] \&\& !IntegerQ[m] \&\& !IntegerQ[n] \&\& !IntegersQ[2*m, 2*n]$
 $\&\& EqQ[A^2 + B^2, 0]$

Rule 130

$Int[((e_.)*(x_))^{(p_)}*((a_)+(b_.)*(x_))^{(m_)}*((c_)+(d_.)*(x_))^{(n_)}, x_Symbol] \rightarrow With[\{k = Denominator[p]\}, Dist[k/e, Subst[Int[x^{k*(p+1)-1}*(a+(b*x^k)/e)^m*(c+(d*x^k)/e)^n, x], x, (e*x)^{(1/k)}], x]] /; FreeQ[\{a, b, c, d, e, m, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& FractionQ[p] \&\& IntegerQ[m]$

Rule 511

$Int[((e_.)*(x_))^{(m_)}*((a_)+(b_.)*(x_))^{(n_)}]^{(p_)}*((c_)+(d_.)*(x_))^{(n_)}]^{(q_)}, x_Symbol] \rightarrow Dist[(a^{IntPart[p]}*(a+b*x^n)^{FracPart[p]})/(1+(b*x^n)/a)^{FracPart[p]}, Int[(e*x)^m*(1+(b*x^n)/a)^p*(c+d*x^n)^q, x], x] /; FreeQ[\{a, b, c, d, e, m, n, p, q\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[m, -1] \&\& NeQ[m, n - 1] \&\& !(IntegerQ[p] || GtQ[a, 0])$

Rule 510

$Int[((e_.)*(x_))^{(m_)}*((a_)+(b_.)*(x_))^{(n_)}]^{(p_)}*((c_)+(d_.)*(x_))^{(n_)}]^{(q_)}, x_Symbol] \rightarrow Simp[(a^p*c^q*(e*x)^{(m+1)}*AppellF1[(m+1)/n, -p, -q, 1+(m+1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m+1)), x] /; FreeQ[\{a, b, c, d, e, m, n, p, q\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[m, -1] \&\& NeQ[m, n - 1] \&\& (IntegerQ[p] || GtQ[a, 0]) \&\& (IntegerQ[q] || GtQ[c, 0])$

Rubi steps

$$\begin{aligned} \int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^n(A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{1}{2} \left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(1+i \tan(c+dx))^n}{\tan(c+dx)} dx \\ &= \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \text{Subst}\left(\int \frac{(a+bx)^n}{(1-ix)^{3/2}} dx\right)}{2d} \\ &= \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \text{Subst}\left(\int \frac{(a+bx^2)^n}{x^2(1-ix^2)} dx\right)}{d} \\ &= \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^n\left(1-\frac{b \tan(c+dx)}{a}\right)\sqrt{\cot(c+dx)}\right)}{d} \\ &= \frac{(A+iB)F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)\sqrt{\cot(c+dx)}}{d} \end{aligned}$$

Mathematica [F] time = 8.40279, size = 0, normalized size = 0.

$$\int \cot^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Cot[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.4, size = 0, normalized size = 0.

$$\int (\cot(dx + c))^{\frac{3}{2}} (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cot(dx + c) \tan(dx + c) + A \cot(dx + c))(b \tan(dx + c) + a)^n \sqrt{\cot(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cot(d*x + c)*tan(d*x + c) + A*cot(d*x + c))*(b*tan(d*x + c) + a)^n*sqrt(cot(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(3/2)*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \cot(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*cot(d*x + c)^(3/2), x)
```


$$3.658 \quad \int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=167

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d\sqrt{\cot(c+dx)}} + \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d\sqrt{\cot(c+dx)}}$$

[Out] ((A + I*B)*AppellF1[1/2, 1, -n, 3/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1/2, 1, -n, 3/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.432217, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4241, 3603, 3602, 130, 430, 429}

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d\sqrt{\cot(c+dx)}} + \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d\sqrt{\cot(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] ((A + I*B)*AppellF1[1/2, 1, -n, 3/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1/2, 1, -n, 3/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Cot[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && N

$eQ[a^2 + b^2, 0] \&\& !IntegerQ[m] \&\& !IntegerQ[n] \&\& !IntegersQ[2*m, 2*n]$
 $\&\& EqQ[A^2 + B^2, 0]$

Rule 130

$Int[((e_.)*(x_))^{(p_)}*((a_)+(b_.)*(x_))^{(m_)}*((c_)+(d_.)*(x_))^{(n_)}, x_Symbol]$
 $:= With[\{k = Denominator[p]\}, Dist[k/e, Subst[Int[x^{k*(p+1)-1}*(a+(b*x^k)/e)^m*(c+(d*x^k)/e)^n, x], x, (e*x)^{(1/k)}], x]] /;$
 $FreeQ[\{a, b, c, d, e, m, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& FractionQ[p] \&\& IntegerQ[m]$

Rule 430

$Int[((a_)+(b_.)*(x_))^{(n_)}]^{(p_)}*((c_)+(d_.)*(x_))^{(q_)}, x_Symbol]$
 $:= Dist[(a^{IntPart[p]}*(a+b*x^n)^{FracPart[p]})/(1+(b*x^n)/a)^{FracPart[p]}, Int[(1+(b*x^n)/a)^p*(c+d*x^n)^q, x], x] /;$
 $FreeQ[\{a, b, c, d, n, p, q\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[n, -1] \&\& !(IntegerQ[p] || GtQ[a, 0])$

Rule 429

$Int[((a_)+(b_.)*(x_))^{(n_)}]^{(p_)}*((c_)+(d_.)*(x_))^{(q_)}, x_Symbol]$
 $:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1+1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /;$
 $FreeQ[\{a, b, c, d, n, p, q\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[n, -1] \&\& (IntegerQ[p] || GtQ[a, 0]) \&\& (IntegerQ[q] || GtQ[c, 0])$

Rubi steps

$$\begin{aligned} \int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx &= \left(\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(a+b \tan(c+dx))^n(A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx \\ &= \frac{1}{2} \left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \int \frac{(1+i \tan(c+dx))^n}{\sqrt{\tan(c+dx)}} dx \\ &= \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \text{Subst}\left(\int \frac{(a+bx)^n}{(1-ix)\sqrt{x}} dx\right)}{2d} \\ &= \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}\right) \text{Subst}\left(\int \frac{(a+bx^2)^n}{1-ix^2} dx\right)}{d} \\ &= \frac{\left((A-iB)\sqrt{\cot(c+dx)}\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^n\right)}{d} \\ &= \frac{(A+iB)F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)(a+b \tan(c+dx))^n}{d\sqrt{\cot(c+dx)}} \end{aligned}$$

Mathematica [F] time = 9.53169, size = 0, normalized size = 0.

$$\int \sqrt{\cot(c+dx)}(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Sqrt[Cot[c + d*x]]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.419, size = 0, normalized size = 0.

$$\int \sqrt{\cot(dx+c)} (a+b\tan(dx+c))^n (A+B\tan(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

[Out] int(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B\tan(dx+c)+A)(b\tan(dx+c)+a)^n \sqrt{\cot(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*sqrt(cot(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B\tan(dx+c)+A)(b\tan(dx+c)+a)^n \sqrt{\cot(dx+c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*sqrt(cot(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cot(d*x+c)**(1/2)*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B\tan(dx+c)+A)(b\tan(dx+c)+a)^n \sqrt{\cot(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cot(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*sqrt(cot(d*x + c)), x)
```

$$3.659 \quad \int \frac{(a+b \tan(c+dx))^n (A+B \tan(c+dx))}{\sqrt{\cot(c+dx)}} dx$$

Optimal. Leaf size=173

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{3d \cot^{\frac{3}{2}}(c+dx)}$$

[Out] ((A + I*B)*AppellF1[3/2, 1, -n, 5/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(3*d*Cot[c + d*x]^(3/2)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[3/2, 1, -n, 5/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(3*d*Cot[c + d*x]^(3/2)*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.463324, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4241, 3603, 3602, 130, 511, 510}

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{3d \cot^{\frac{3}{2}}(c+dx)} + \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{3d \cot^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]],x]

[Out] ((A + I*B)*AppellF1[3/2, 1, -n, 5/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(3*d*Cot[c + d*x]^(3/2)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[3/2, 1, -n, 5/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(3*d*Cot[c + d*x]^(3/2)*(1 + (b*Tan[c + d*x])/a)^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]]

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n]

&& EqQ[A^2 + B^2, 0]

Rule 130

Int[((e_.)*(x_))^(p_)*((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] :> With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 511

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_))^(n_))^(p_)*((c_) + (d_.)*(x_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_))^(n_))^(p_)*((c_) + (d_.)*(x_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a + b \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx &= (\sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx \\ &= \frac{1}{2} ((A - iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \int (1 + i \tan(c + dx)) \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^n dx \\ &= \frac{((A - iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{x^{a+bx^2}}{1-ix} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{((A - iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)}) \operatorname{Subst}\left(\int \frac{x^{a+bx^2}}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{((A - iB) \sqrt{\cot(c + dx)} \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^n \left(1 + \frac{b \tan(c + dx)}{a}\right)}{d} \\ &= \frac{(A + iB) F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; -i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right) (a + b \tan(c + dx))^n}{3d \cot^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [F] time = 15.1959, size = 0, normalized size = 0.

$$\int \frac{(a + b \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\cot(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

[Out] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Cot[c + d*x]], x]

Maple [F] time = 0.438, size = 0, normalized size = 0.

$$\int (a + b \tan(dx + c))^n (A + B \tan(dx + c)) \frac{1}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

[Out] int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/sqrt(cot(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\sqrt{\cot(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/sqrt(cot(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**n*(A+B*tan(d*x+c))/cot(d*x+c)**(1/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\sqrt{\cot(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/sqrt(cot(d*x + c)), x)
```


$$3.660 \quad \int \frac{(a+b \tan(c+dx))^n (A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=173

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d \cot^{\frac{5}{2}}(c+dx)} + \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d \cot^{\frac{5}{2}}(c+dx)}$$

[Out] ((A + I*B)*AppellF1[5/2, 1, -n, 7/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(5*d*Cot[c + d*x]^(5/2)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[5/2, 1, -n, 7/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(5*d*Cot[c + d*x]^(5/2)*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.46238, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4241, 3603, 3602, 130, 511, 510}

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d \cot^{\frac{5}{2}}(c+dx)} + \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d \cot^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

[Out] ((A + I*B)*AppellF1[5/2, 1, -n, 7/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(5*d*Cot[c + d*x]^(5/2)*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[5/2, 1, -n, 7/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(5*d*Cot[c + d*x]^(5/2)*(1 + (b*Tan[c + d*x])/a)^n)

Rule 4241

Int[(cot[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Cot[a + b*x])^m*(c*Tan[a + b*x])^m, Int[ActivateTrig[u]/(c*Tan[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownTangentIntegrandQ[u, x]

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && N

$eQ[a^2 + b^2, 0] \&\& !IntegerQ[m] \&\& !IntegerQ[n] \&\& !IntegersQ[2*m, 2*n]$
 $\&\& EqQ[A^2 + B^2, 0]$

Rule 130

$Int[((e_.)*(x_))^{(p_)}*((a_)+(b_.)*(x_))^{(m_)}*((c_)+(d_.)*(x_))^{(n_)}, x_Symbol] \rightarrow With[\{k = Denominator[p]\}, Dist[k/e, Subst[Int[x^{(k*(p+1)-1)}*(a+(b*x^k)/e)^m*(c+(d*x^k)/e)^n, x], x, (e*x)^{(1/k)}], x]] /; FreeQ[\{a, b, c, d, e, m, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& FractionQ[p] \&\& IntegerQ[m]$

Rule 511

$Int[((e_.)*(x_))^{(m_)}*((a_)+(b_.)*(x_))^{(n_)}((c_)+(d_.)*(x_))^{(q_)}, x_Symbol] \rightarrow Dist[(a^{IntPart[p]}*(a+b*x^n)^{FracPart[p]})/(1+(b*x^n)/a)^{FracPart[p]}, Int[(e*x)^m*(1+(b*x^n)/a)^p*(c+d*x^n)^q, x], x] /; FreeQ[\{a, b, c, d, e, m, n, p, q\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[m, -1] \&\& NeQ[m, n-1] \&\& !(IntegerQ[p] || GtQ[a, 0])$

Rule 510

$Int[((e_.)*(x_))^{(m_)}*((a_)+(b_.)*(x_))^{(n_)}((c_)+(d_.)*(x_))^{(q_)}, x_Symbol] \rightarrow Simp[(a^p*c^q*(e*x)^{(m+1)}*AppellF1[(m+1)/n, -p, -q, 1+(m+1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m+1)), x] /; FreeQ[\{a, b, c, d, e, m, n, p, q\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[m, -1] \&\& NeQ[m, n-1] \&\& (IntegerQ[p] || GtQ[a, 0]) \&\& (IntegerQ[q] || GtQ[c, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(a+b \tan(c+dx))^n (A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx &= \left(\sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}\right) \int \tan^{\frac{3}{2}}(c+dx) (a+b \tan(c+dx))^n (A+B \tan(c+dx)) dx \\ &= \frac{1}{2} \left((A-iB) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}\right) \int (1+i \tan(c+dx)) \tan^{\frac{3}{2}}(c+dx) (a+b \tan(c+dx))^n (A+B \tan(c+dx)) dx \\ &= \frac{\left((A-iB) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}\right) \text{Subst}\left(\int \frac{x^{\frac{3}{2}}(a+bx)^n}{1-ix} dx, x, \tan(c+dx)\right)}{2d} \\ &= \frac{\left((A-iB) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)}\right) \text{Subst}\left(\int \frac{x^{\frac{3}{2}}(a+bx)^n}{1-ix^2} dx, x, \sqrt{\tan(c+dx)}\right)}{d} \\ &= \frac{\left((A-iB) \sqrt{\cot(c+dx)} \sqrt{\tan(c+dx)} (a+b \tan(c+dx))^n \left(1 + \frac{b \tan(c+dx)}{a}\right)\right)}{d} \\ &= \frac{(A+iB) F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right) (a+b \tan(c+dx))^n}{5d \cot^{\frac{5}{2}}(c+dx)} \end{aligned}$$

Mathematica [F] time = 15.4057, size = 0, normalized size = 0.

$$\int \frac{(a+b \tan(c+dx))^n (A+B \tan(c+dx))}{\cot^{\frac{3}{2}}(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

[Out] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Cot[c + d*x]^(3/2), x]

Maple [F] time = 0.394, size = 0, normalized size = 0.

$$\int (a + b \tan(dx + c))^n (A + B \tan(dx + c)) (\cot(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)

[Out] int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/cot(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/cot(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*tan(d*x+c))**n*(A+B*tan(d*x+c))/cot(d*x+c)**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\cot(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/cot(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/cot(d*x + c)^(3/2), x)
```

$$3.661 \quad \int \tan^{\frac{3}{2}}(c+dx)(a+b \tan(c+dx))^n(A+B \tan(c+dx)) dx$$

Optimal. Leaf size=173

$$\frac{(A+iB) \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d} + \frac{(A-iB) \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d}$$

[Out] ((A + I*B)*AppellF1[5/2, 1, -n, 7/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^n)/(5*d*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[5/2, 1, -n, 7/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^n)/(5*d*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.366916, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3603, 3602, 130, 511, 510}

$$\frac{(A+iB) \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d} + \frac{(A-iB) \tan^{\frac{5}{2}}(c+dx)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((A + I*B)*AppellF1[5/2, 1, -n, 7/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^n)/(5*d*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[5/2, 1, -n, 7/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(5/2)*(a + b*Tan[c + d*x])^n)/(5*d*(1 + (b*Tan[c + d*x])/a)^n)

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 130

Int[(e_.)*(x_)^(p_)*((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)

$*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^{(1/k)], x]] /; \text{FreeQ}\{a, b, c, d, e, m, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{FractionQ}[p] \ \&\& \ \text{IntegerQ}[m]$

Rule 511

$\text{Int}[(e._)*(x._)]^{(m._)}*((a._) + (b._)*(x._)^{(n._)})^{(p._)}*((c._) + (d._)*(x._)^{(n._)})^{(q._)}, x_Symbol] \ :> \ \text{Dist}[(a^{\text{IntPart}[p]}*(a + b*x^n)^{\text{FracPart}[p]})/(1 + (b*x^n)/a)^{\text{FracPart}[p]}, \text{Int}[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{NeQ}[m, n - 1] \ \&\& \ !(\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0])$

Rule 510

$\text{Int}[(e._)*(x._)]^{(m._)}*((a._) + (b._)*(x._)^{(n._)})^{(p._)}*((c._) + (d._)*(x._)^{(n._)})^{(q._)}, x_Symbol] \ :> \ \text{Simp}[(a^p*c^q*(e*x)^{(m+1)}*\text{AppellF1}[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)])/(e*(m+1)), x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{NeQ}[m, n - 1] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0]) \ \&\& \ (\text{IntegerQ}[q] \ || \ \text{GtQ}[c, 0])$

Rubi steps

$$\begin{aligned} \int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx &= \frac{1}{2}(A - iB) \int (1 + i \tan(c + dx)) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n dx \\ &= \frac{(A - iB) \text{Subst}\left(\int \frac{x^{3/2}(a+bx)^n}{1-ix} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \text{Subst}\left(\int \frac{x^{3/2}(a+bx)^n}{1+ix} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(A - iB) \text{Subst}\left(\int \frac{x^4(a+bx^2)^n}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} + \frac{(A + iB) \text{Subst}\left(\int \frac{x^4(a+bx^2)^n}{1+ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{\left((A - iB)(a + b \tan(c + dx))^n \left(1 + \frac{b \tan(c + dx)}{a}\right)^{-n}\right) \text{Subst}\left(\int \frac{x^4(a+bx^2)^n}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{(A + iB)F_1\left(\frac{5}{2}; 1, -n; \frac{7}{2}; -i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right) \tan^{\frac{5}{2}}(c)}{5d} \end{aligned}$$

Mathematica [F] time = 2.62131, size = 0, normalized size = 0.

$$\int \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n(A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.371, size = 0, normalized size = 0.

$$\int (\tan(dx + c))^{\frac{3}{2}} (a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

[Out] `int(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \tan(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*tan(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \tan(dx + c)^2 + A \tan(dx + c)\right)(b \tan(dx + c) + a)^n \sqrt{\tan(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*tan(d*x + c)^2 + A*tan(d*x + c))*(b*tan(d*x + c) + a)^n*sqrt(tan(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(3/2)*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(3/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Exception raised: RuntimeError

3.662 $\int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$

Optimal. Leaf size=173

$$\frac{(A + iB) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n \left(\frac{b \tan(c + dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; -i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right)}{3d} + \frac{(A - iB) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n \left(\frac{b \tan(c + dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right)}{3d}$$

[Out] ((A + I*B)*AppellF1[3/2, 1, -n, 5/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n)/(3*d*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[3/2, 1, -n, 5/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n)/(3*d*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.363423, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3603, 3602, 130, 511, 510}

$$\frac{(A + iB) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n \left(\frac{b \tan(c + dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; -i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right)}{3d} + \frac{(A - iB) \tan^{\frac{3}{2}}(c + dx)(a + b \tan(c + dx))^n \left(\frac{b \tan(c + dx)}{a} + 1\right)^{-n} F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]),x]

[Out] ((A + I*B)*AppellF1[3/2, 1, -n, 5/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n)/(3*d*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[3/2, 1, -n, 5/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Tan[c + d*x]^(3/2)*(a + b*Tan[c + d*x])^n)/(3*d*(1 + (b*Tan[c + d*x])/a)^n)

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[A^2/f, Subst[Int[((a + b*x)^m*(c + d*x)^n]/(A - B*x), x], x, Tan[e + f*x]] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 130

Int[((e_.)*(x_))^(p_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)]] /; FreeQ[{a,

b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 511

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rubi steps

$$\begin{aligned} \int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx &= \frac{1}{2}(A - iB) \int (1 + i \tan(c + dx)) \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^n dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{\sqrt{x(a+bx)^n}}{1-ix} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{\sqrt{x(a+bx)^n}}{1+ix} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{x^2(a+bx^2)^n}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{x^2(a+bx^2)^n}{1+ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{\left((A - iB)(a + b \tan(c + dx))^n \left(1 + \frac{b \tan(c+dx)}{a}\right)^{-n}\right) \operatorname{Subst}\left(\int \frac{x^2(a+bx^2)^n}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &+ \frac{\left((A + iB)(a + b \tan(c + dx))^n \left(1 - \frac{b \tan(c+dx)}{a}\right)^{-n}\right) \operatorname{Subst}\left(\int \frac{x^2(a+bx^2)^n}{1+ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{(A + iB)F_1\left(\frac{3}{2}; 1, -n; \frac{5}{2}; -i \tan(c + dx), -\frac{b \tan(c+dx)}{a}\right) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [F] time = 1.91191, size = 0, normalized size = 0.

$$\int \sqrt{\tan(c + dx)}(a + b \tan(c + dx))^n (A + B \tan(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

[Out] Integrate[Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]), x]

Maple [F] time = 0.399, size = 0, normalized size = 0.

$$\int \sqrt{\tan(dx + c)}(a + b \tan(dx + c))^n (A + B \tan(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

[Out] `int(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \sqrt{\tan(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*sqrt(tan(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \tan(dx + c) + A)(b \tan(dx + c) + a)^n \sqrt{\tan(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n*sqrt(tan(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)**(1/2)*(a+b*tan(d*x+c))**n*(A+B*tan(d*x+c)),x)`

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tan(d*x+c)^(1/2)*(a+b*tan(d*x+c))^n*(A+B*tan(d*x+c)),x, algorithm="giac")`

[Out] Exception raised: RuntimeError

$$3.663 \quad \int \frac{(a+b \tan(c+dx))^n (A+B \tan(c+dx))}{\sqrt{\tan(c+dx)}} dx$$

Optimal. Leaf size=167

$$\frac{(A+iB)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d} + \frac{(A-iB)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; i \tan(c+dx), \frac{b \tan(c+dx)}{a}\right)}{d}$$

[Out] ((A + I*B)*AppellF1[1/2, 1, -n, 3/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n/(d*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1/2, 1, -n, 3/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n/(d*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.331004, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3603, 3602, 130, 430, 429}

$$\frac{(A+iB)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d} + \frac{(A-iB)\sqrt{\tan(c+dx)}(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; i \tan(c+dx), \frac{b \tan(c+dx)}{a}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]], x]

[Out] ((A + I*B)*AppellF1[1/2, 1, -n, 3/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n/(d*(1 + (b*Tan[c + d*x])/a)^n) + ((A - I*B)*AppellF1[1/2, 1, -n, 3/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*Sqrt[Tan[c + d*x]]*(a + b*Tan[c + d*x])^n/(d*(1 + (b*Tan[c + d*x])/a)^n)

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 130

Int[(e_.)*(x_.)^(p_.)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a,

b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
  Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx &= \frac{1}{2}(A - iB) \int \frac{(1 + i \tan(c + dx))(a + b \tan(c + dx))^n}{\sqrt{\tan(c + dx)}} dx + \frac{1}{2}(A + iB) \int \frac{(1 - i \tan(c + dx))(a + b \tan(c + dx))^n}{\sqrt{\tan(c + dx)}} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{(a+bx)^n}{(1-ix)\sqrt{x}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{(a+bx)^n}{(1+ix)\sqrt{x}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{(a+bx^2)^n}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{(a+bx^2)^n}{1+ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{\left((A - iB)(a + b \tan(c + dx))^n \left(1 + \frac{b \tan(c + dx)}{a}\right)^{-n}\right) \operatorname{Subst}\left(\int \frac{\left(1 + \frac{bx^2}{a}\right)^n}{1-ix^2} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{(A + iB) F_1\left(\frac{1}{2}; 1, -n; \frac{3}{2}; -i \tan(c + dx), -\frac{b \tan(c + dx)}{a}\right) \sqrt{\tan(c + dx)} (a + b \tan(c + dx))^n}{d} \end{aligned}$$

Mathematica [F] time = 1.35454, size = 0, normalized size = 0.

$$\int \frac{(a + b \tan(c + dx))^n (A + B \tan(c + dx))}{\sqrt{\tan(c + dx)}} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],
x]
```

```
[Out] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Sqrt[Tan[c + d*x]],
x]
```

Maple [F] time = 0.405, size = 0, normalized size = 0.

$$\int (a + b \tan(dx + c))^n (A + B \tan(dx + c)) \frac{1}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)`

[Out] `int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x)`

Maxima [F-1] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\sqrt{\tan(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/sqrt(tan(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^n}{\sqrt{\tan(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))**n*(A+B*tan(d*x+c))/tan(d*x+c)**(1/2),x)`

[Out] `Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**n/sqrt(tan(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\sqrt{\tan(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(1/2),x, algorithm="giac")`

[Out] `integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/sqrt(tan(d*x + c)), x)`

$$3.664 \quad \int \frac{(a+b \tan(c+dx))^n (A+B \tan(c+dx))}{\tan^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=169

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d \sqrt{\tan(c+dx)}} - \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d \sqrt{\tan(c+dx)}}$$

[Out] -(((A + I*B)*AppellF1[-1/2, 1, -n, 1/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Tan[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n)) - ((A - I*B)*AppellF1[-1/2, 1, -n, 1/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Tan[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n)

Rubi [A] time = 0.375159, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3603, 3602, 130, 511, 510}

$$\frac{(A+iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; -i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d \sqrt{\tan(c+dx)}} - \frac{(A-iB)(a+b \tan(c+dx))^n \left(\frac{b \tan(c+dx)}{a} + 1\right)^{-n} F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; i \tan(c+dx), -\frac{b \tan(c+dx)}{a}\right)}{d \sqrt{\tan(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] -(((A + I*B)*AppellF1[-1/2, 1, -n, 1/2, (-I)*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Tan[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n)) - ((A - I*B)*AppellF1[-1/2, 1, -n, 1/2, I*Tan[c + d*x], -((b*Tan[c + d*x])/a)]*(a + b*Tan[c + d*x])^n)/(d*Sqrt[Tan[c + d*x]]*(1 + (b*Tan[c + d*x])/a)^n)

Rule 3603

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(A + I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 - I*Tan[e + f*x]), x], x] + Dist[(A - I*B)/2, Int[(a + b*Tan[e + f*x])^m*(c + d*Tan[e + f*x])^n*(1 + I*Tan[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && NeQ[A^2 + B^2, 0]

Rule 3602

Int[((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*tan[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[A^2/f, Subst[Int[(a + b*x)^m*(c + d*x)^n/(A - B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 + b^2, 0] && !IntegerQ[m] && !IntegerQ[n] && !IntegersQ[2*m, 2*n] && EqQ[A^2 + B^2, 0]

Rule 130

Int[((e_.)*(x_.))^(p_.)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[{k = Denominator[p]}, Dist[k/e, Subst[Int[x^(k*(p + 1) - 1)*(a + (b*x^k)/e)^m*(c + (d*x^k)/e)^n, x], x, (e*x)^(1/k)], x] /; FreeQ[{a,

b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && FractionQ[p] && IntegerQ[m]

Rule 511

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a + b \tan(c + dx))^n (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx &= \frac{1}{2} (A - iB) \int \frac{(1 + i \tan(c + dx))(a + b \tan(c + dx))^n}{\tan^{\frac{3}{2}}(c + dx)} dx + \frac{1}{2} (A + iB) \int \frac{(1 - i \tan(c + dx))(a + b \tan(c + dx))^n}{\tan^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{(a+bx)^n}{(1-ix)x^{3/2}} dx, x, \tan(c + dx)\right)}{2d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{(a+bx)^n}{(1+ix)x^{3/2}} dx, x, \tan(c + dx)\right)}{2d} \\ &= \frac{(A - iB) \operatorname{Subst}\left(\int \frac{(a+bx^2)^n}{x^2(1-ix^2)} dx, x, \sqrt{\tan(c + dx)}\right)}{d} + \frac{(A + iB) \operatorname{Subst}\left(\int \frac{(a+bx^2)^n}{x^2(1+ix^2)} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= \frac{\left((A - iB)(a + b \tan(c + dx))^n \left(1 + \frac{b \tan(c+dx)}{a}\right)^{-n}\right) \operatorname{Subst}\left(\int \frac{\left(1 + \frac{bx^2}{a}\right)^n}{x^2(1-ix^2)} dx, x, \sqrt{\tan(c + dx)}\right)}{d} \\ &= -\frac{(A + iB)F_1\left(-\frac{1}{2}; 1, -n; \frac{1}{2}; -i \tan(c + dx), -\frac{b \tan(c+dx)}{a}\right) (a + b \tan(c + dx))}{d \sqrt{\tan(c + dx)}} \end{aligned}$$

Mathematica [F] time = 2.3891, size = 0, normalized size = 0.

$$\int \frac{(a + b \tan(c + dx))^n (A + B \tan(c + dx))}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

[Out] Integrate[((a + b*Tan[c + d*x])^n*(A + B*Tan[c + d*x]))/Tan[c + d*x]^(3/2), x]

Maple [F] time = 0.373, size = 0, normalized size = 0.

$$\int (a + b \tan(dx + c))^n (A + B \tan(dx + c)) (\tan(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x)`

[Out] `int((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\tan^{\frac{3}{2}}(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] `integral((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/tan(d*x + c)^(3/2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(c + dx))(a + b \tan(c + dx))^n}{\tan^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tan(d*x+c))**n*(A+B*tan(d*x+c))/tan(d*x+c)**(3/2),x)`

[Out] `Integral((A + B*tan(c + d*x))*(a + b*tan(c + d*x))**n/tan(c + d*x)**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(dx + c) + A)(b \tan(dx + c) + a)^n}{\tan^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*tan(d*x+c))^n*(A+B*tan(d*x+c))/tan(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(d*x + c) + A)*(b*tan(d*x + c) + a)^n/tan(d*x + c)^(3/2), x )
```

$$3.665 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^n dx$$

Optimal. Leaf size=63

$$\frac{a(B + iA)(c - ic \tan(e + fx))^n}{fn} - \frac{aB(c - ic \tan(e + fx))^{n+1}}{cf(n+1)}$$

[Out] (a*(I*A + B)*(c - I*c*Tan[e + f*x])^n)/(f*n) - (a*B*(c - I*c*Tan[e + f*x])^(1 + n))/(c*f*(1 + n))

Rubi [A] time = 0.0944794, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{a(B + iA)(c - ic \tan(e + fx))^n}{fn} - \frac{aB(c - ic \tan(e + fx))^{n+1}}{cf(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n,x]

[Out] (a*(I*A + B)*(c - I*c*Tan[e + f*x])^n)/(f*n) - (a*B*(c - I*c*Tan[e + f*x])^(1 + n))/(c*f*(1 + n))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^n dx &= \frac{(ac) \text{Subst} \left(\int (A + Bx)(c - icx)^{-1+n} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left((A - iB)(c - icx)^{-1+n} + \frac{iB(c - icx)^n}{c} \right) dx \right)}{f} \\ &= \frac{a(iA + B)(c - ic \tan(e + fx))^n}{fn} - \frac{aB(c - ic \tan(e + fx))^{n+1}}{cf(1+n)} \end{aligned}$$

Mathematica [A] time = 3.82473, size = 75, normalized size = 1.19

$$\frac{ia(c \sec(e + fx))^n (An + A + Bn \tan(e + fx) - iB) \exp(n(-\log(c \sec(e + fx)) + \log(c - ic \tan(e + fx)))}{fn(n+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n,x]
```

```
[Out] (I*a*E^(n*(-Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*(c*Sec[e + f*x])^n*(A - I*B + A*n + B*n*Tan[e + f*x]))/(f*n*(1 + n))
```

Maple [B] time = 0.347, size = 128, normalized size = 2.

$$\frac{i e^{n \ln(c - i c \tan(fx + e))} A a}{f(1 + n)} + \frac{i e^{n \ln(c - i c \tan(fx + e))} A a}{f n(1 + n)} + \frac{e^{n \ln(c - i c \tan(fx + e))} a B}{f n(1 + n)} + \frac{i B a \tan(fx + e) e^{n \ln(c - i c \tan(fx + e))}}{f(1 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)
```

```
[Out] I/f/(1+n)*exp(n*ln(c-I*c*tan(f*x+e)))*A*a+I/f/n/(1+n)*exp(n*ln(c-I*c*tan(f*x+e)))*A*a+1/f/n/(1+n)*exp(n*ln(c-I*c*tan(f*x+e)))*a*B+I*a*B/f/(1+n)*tan(f*x+e)*exp(n*ln(c-I*c*tan(f*x+e)))
```

Maxima [B] time = 2.09935, size = 420, normalized size = 6.67

$$\frac{((A - i B) a c^n n + (A - i B) a c^n) 2^n \cos(-2 f x + n \arctan(\sin(2 f x + 2 e), \cos(2 f x + 2 e) + 1) - 2 e) + ((A + i B) a c^n n + (A + i B) a c^n) 2^n \cos(2 f x + n \arctan(\sin(2 f x + 2 e), \cos(2 f x + 2 e) + 1) - 2 e)}{f n^2 + f n + (f n^2 + f n) e^{2 i f x + 2 i e}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="maxima")
```

```
[Out] (((A - I*B)*a*c^n*n + (A - I*B)*a*c^n)*2^n*cos(-2*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 2*e) + ((A + I*B)*a*c^n*n + (A - I*B)*a*c^n)*2^n*cos(n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1)) - ((I*A + B)*a*c^n*n + (I*A + B)*a*c^n)*2^n*sin(-2*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 2*e) - ((I*A - B)*a*c^n*n + (I*A + B)*a*c^n)*2^n*sin(n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1)))/((-I*n^2 + (-I*n^2 - I*n)*cos(2*f*x + 2*e) + (n^2 + n)*sin(2*f*x + 2*e) - I*n)*(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1)^(1/2*n)*f)
```

Fricas [A] time = 1.40102, size = 225, normalized size = 3.57

$$\frac{\left((i A - B) a n + (i A + B) a + ((i A + B) a n + (i A + B) a) e^{(2 i f x + 2 i e)} \right) \left(\frac{2 c}{e^{(2 i f x + 2 i e)} + 1} \right)^n}{f n^2 + f n + (f n^2 + f n) e^{(2 i f x + 2 i e)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="fricas")
```

```
[Out] ((I*A - B)*a*n + (I*A + B)*a + ((I*A + B)*a*n + (I*A + B)*a)*e^(2*I*f*x + 2*I*e))*
(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n/(f*n^2 + f*n + (f*n^2 + f*n)*e^(2*I*f*x + 2*I*e))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)(-ic \tan(fx + e) + c)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^n, x)
```

$$3.666 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^4 dx$$

Optimal. Leaf size=59

$$\frac{ac^4(B + iA)(1 - i \tan(e + fx))^4}{4f} - \frac{aBc^4(1 - i \tan(e + fx))^5}{5f}$$

[Out] (a*(I*A + B)*c^4*(1 - I*Tan[e + f*x])^4)/(4*f) - (a*B*c^4*(1 - I*Tan[e + f*x])^5)/(5*f)

Rubi [A] time = 0.0835138, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{ac^4(B + iA)(1 - i \tan(e + fx))^4}{4f} - \frac{aBc^4(1 - i \tan(e + fx))^5}{5f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4,x]

[Out] (a*(I*A + B)*c^4*(1 - I*Tan[e + f*x])^4)/(4*f) - (a*B*c^4*(1 - I*Tan[e + f*x])^5)/(5*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^4 dx &= \frac{(ac) \text{Subst} \left(\int (A + Bx)(c - icx)^3 dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left((A - iB)(c - icx)^3 + \frac{iB(c - icx)^4}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{a(iA + B)c^4(1 - i \tan(e + fx))^4}{4f} - \frac{aBc^4(1 - i \tan(e + fx))^5}{5f} \end{aligned}$$

Mathematica [B] time = 3.47291, size = 226, normalized size = 3.83

$ac^4 \sec(e) \sec^5(e + fx)(5(3B - 5iA) \cos(2e + fx) + 5(3B - 5iA) \cos(fx) - 25A \sin(2e + fx) + 15A \sin(2e + 3fx) - 10$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4,x]

[Out] (a*c^4*Sec[e]*Sec[e + f*x]^5*(5*((-5*I)*A + 3*B)*Cos[f*x] + 5*((-5*I)*A + 3*B)*Cos[2*e + f*x] - (10*I)*A*Cos[2*e + 3*f*x] + 10*B*Cos[2*e + 3*f*x] - (10*I)*A*Cos[4*e + 3*f*x] + 10*B*Cos[4*e + 3*f*x] + 25*A*Sin[f*x] + (15*I)*B*Sin[f*x] - 25*A*Sin[2*e + f*x] - (15*I)*B*Sin[2*e + f*x] + 15*A*Sin[2*e + 3*f*x] + (5*I)*B*Sin[2*e + 3*f*x] - 10*A*Sin[4*e + 3*f*x] - (10*I)*B*Sin[4*e + 3*f*x] + 5*A*Sin[4*e + 5*f*x] + (3*I)*B*Sin[4*e + 5*f*x]))/(40*f)

Maple [A] time = 0.012, size = 99, normalized size = 1.7

$$\frac{ac^4}{f} \left(\frac{i}{5} B (\tan(fx + e))^5 + \frac{i}{4} A (\tan(fx + e))^4 - iB (\tan(fx + e))^3 - \frac{3B (\tan(fx + e))^4}{4} - \frac{3i}{2} A (\tan(fx + e))^2 - A (\tan(fx + e)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x)

[Out] 1/f*a*c^4*(1/5*I*B*tan(f*x+e)^5+1/4*I*A*tan(f*x+e)^4-I*B*tan(f*x+e)^3-3/4*B*tan(f*x+e)^4-3/2*I*A*tan(f*x+e)^2-A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 2.18342, size = 131, normalized size = 2.22

$$\frac{12iBac^4 \tan(fx + e)^5 - 15(-iA + 3B)ac^4 \tan(fx + e)^4 - (60A + 60iB)ac^4 \tan(fx + e)^3 - 30(3iA - B)ac^4 \tan(fx + e)^2 + 60Aac^4 \tan(fx + e)}{60f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="maxima")

[Out] 1/60*(12*I*B*a*c^4*tan(f*x + e)^5 - 15*(-I*A + 3*B)*a*c^4*tan(f*x + e)^4 - (60*A + 60*I*B)*a*c^4*tan(f*x + e)^3 - 30*(3*I*A - B)*a*c^4*tan(f*x + e)^2 + 60*A*a*c^4*tan(f*x + e))/f

Fricas [B] time = 1.29535, size = 282, normalized size = 4.78

$$\frac{(20iA + 20B)ac^4 e^{(2i fx + 2ie)} + (20iA - 12B)ac^4}{5 \left(f e^{(10i fx + 10ie)} + 5 f e^{(8i fx + 8ie)} + 10 f e^{(6i fx + 6ie)} + 10 f e^{(4i fx + 4ie)} + 5 f e^{(2i fx + 2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="fricas")

[Out] $1/5*((20*I*A + 20*B)*a*c^4*e^{(2*I*f*x + 2*I*e)} + (20*I*A - 12*B)*a*c^4)/(f*e^{(10*I*f*x + 10*I*e)} + 5*f*e^{(8*I*f*x + 8*I*e)} + 10*f*e^{(6*I*f*x + 6*I*e)} + 10*f*e^{(4*I*f*x + 4*I*e)} + 5*f*e^{(2*I*f*x + 2*I*e)} + f)$

Sympy [B] time = 15.0631, size = 148, normalized size = 2.51

$$\frac{\frac{(4iAac^4+4Bac^4)e^{-8ie}e^{2ifx}}{f} + \frac{(20iAac^4-12Bac^4)e^{-10ie}}{5f}}{e^{10ifx} + 5e^{-2ie}e^{8ifx} + 10e^{-4ie}e^{6ifx} + 10e^{-6ie}e^{4ifx} + 5e^{-8ie}e^{2ifx} + e^{-10ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**4,x)`

[Out] $((4*I*A*a*c**4 + 4*B*a*c**4)*exp(-8*I*e)*exp(2*I*f*x)/f + (20*I*A*a*c**4 - 12*B*a*c**4)*exp(-10*I*e)/(5*f))/(exp(10*I*f*x) + 5*exp(-2*I*e)*exp(8*I*f*x) + 10*exp(-4*I*e)*exp(6*I*f*x) + 10*exp(-6*I*e)*exp(4*I*f*x) + 5*exp(-8*I*e)*exp(2*I*f*x) + exp(-10*I*e))$

Giac [B] time = 1.72624, size = 161, normalized size = 2.73

$$\frac{20iAac^4e^{(2ifx+2ie)} + 20Bac^4e^{(2ifx+2ie)} + 20iAac^4 - 12Bac^4}{5\left(fe^{(10ifx+10ie)} + 5fe^{(8ifx+8ie)} + 10fe^{(6ifx+6ie)} + 10fe^{(4ifx+4ie)} + 5fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="giac")`

[Out] $1/5*(20*I*A*a*c^4*e^{(2*I*f*x + 2*I*e)} + 20*B*a*c^4*e^{(2*I*f*x + 2*I*e)} + 20*I*A*a*c^4 - 12*B*a*c^4)/(f*e^{(10*I*f*x + 10*I*e)} + 5*f*e^{(8*I*f*x + 8*I*e)} + 10*f*e^{(6*I*f*x + 6*I*e)} + 10*f*e^{(4*I*f*x + 4*I*e)} + 5*f*e^{(2*I*f*x + 2*I*e)} + f)$

$$3.667 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^3 dx$$

Optimal. Leaf size=59

$$\frac{ac^3(B + iA)(1 - i \tan(e + fx))^3}{3f} - \frac{aBc^3(1 - i \tan(e + fx))^4}{4f}$$

[Out] (a*(I*A + B)*c^3*(1 - I*Tan[e + f*x])^3)/(3*f) - (a*B*c^3*(1 - I*Tan[e + f*x])^4)/(4*f)

Rubi [A] time = 0.0932845, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{ac^3(B + iA)(1 - i \tan(e + fx))^3}{3f} - \frac{aBc^3(1 - i \tan(e + fx))^4}{4f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3,x]

[Out] (a*(I*A + B)*c^3*(1 - I*Tan[e + f*x])^3)/(3*f) - (a*B*c^3*(1 - I*Tan[e + f*x])^4)/(4*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^3 dx &= \frac{(ac) \text{Subst}\left(\int (A + Bx)(c - icx)^2 dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left((A - iB)(c - icx)^2 + \frac{iB(c - icx)^3}{c}\right) dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{a(iA + B)c^3(1 - i \tan(e + fx))^3}{3f} - \frac{aBc^3(1 - i \tan(e + fx))^4}{4f} \end{aligned}$$

Mathematica [B] time = 3.47084, size = 161, normalized size = 2.73

$$ac^3 \sec(e) \sec^4(e + fx)(3(B - iA) \cos(e + 2fx) + 3(B - 2iA) \cos(e) + 5A \sin(e + 2fx) - 3A \sin(3e + 2fx) + 2A \sin(3e + 2fx))$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3,x]
```

```
[Out] (a*c^3*Sec[e]*Sec[e + f*x]^4*(3*((-2*I)*A + B)*Cos[e] + 3*((-I)*A + B)*Cos[e + 2*f*x] - (3*I)*A*Cos[3*e + 2*f*x] + 3*B*Cos[3*e + 2*f*x] - 6*A*Sin[e] - (3*I)*B*Sin[e] + 5*A*Sin[e + 2*f*x] + I*B*Sin[e + 2*f*x] - 3*A*Sin[3*e + 2*f*x] - (3*I)*B*Sin[3*e + 2*f*x] + 2*A*Sin[3*e + 4*f*x] + I*B*Sin[3*e + 4*f*x]))/(12*f)
```

Maple [A] time = 0.011, size = 75, normalized size = 1.3

$$\frac{ac^3}{f} \left(-\frac{2i}{3} B (\tan(fx + e))^3 - \frac{B (\tan(fx + e))^4}{4} - iA (\tan(fx + e))^2 - \frac{A (\tan(fx + e))^3}{3} + \frac{B (\tan(fx + e))^2}{2} + A \tan(fx + e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x)
```

```
[Out] 1/f*a*c^3*(-2/3*I*B*tan(f*x+e)^3-1/4*B*tan(f*x+e)^4-I*A*tan(f*x+e)^2-1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))
```

Maxima [A] time = 1.70329, size = 99, normalized size = 1.68

$$\frac{3Bac^3 \tan(fx + e)^4 + (4A + 8iB)ac^3 \tan(fx + e)^3 - 6(-2iA + B)ac^3 \tan(fx + e)^2 - 12Aac^3 \tan(fx + e)}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")
```

```
[Out] -1/12*(3*B*a*c^3*tan(f*x + e)^4 + (4*A + 8*I*B)*a*c^3*tan(f*x + e)^3 - 6*(-2*I*A + B)*a*c^3*tan(f*x + e)^2 - 12*A*a*c^3*tan(f*x + e))/f
```

Fricas [A] time = 1.36608, size = 236, normalized size = 4.

$$\frac{(8iA + 8B)ac^3e^{(2ifx+2ie)} + (8iA - 4B)ac^3}{3 \left(fe^{(8ifx+8ie)} + 4fe^{(6ifx+6ie)} + 6fe^{(4ifx+4ie)} + 4fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")
```

```
[Out] 1/3*((8*I*A + 8*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (8*I*A - 4*B)*a*c^3)/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [B] time = 9.01819, size = 133, normalized size = 2.25

$$\frac{\frac{(8iAac^3-4Bac^3)e^{-8ie}}{3f} + \frac{(8iAac^3+8Bac^3)e^{-6ie}e^{2ifx}}{3f}}{e^{8ifx} + 4e^{-2ie}e^{6ifx} + 6e^{-4ie}e^{4ifx} + 4e^{-6ie}e^{2ifx} + e^{-8ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x)

[Out] ((8*I*A*a*c**3 - 4*B*a*c**3)*exp(-8*I*e)/(3*f) + (8*I*A*a*c**3 + 8*B*a*c**3)*exp(-6*I*e)*exp(2*I*f*x)/(3*f))/(exp(8*I*f*x) + 4*exp(-2*I*e)*exp(6*I*f*x) + 6*exp(-4*I*e)*exp(4*I*f*x) + 4*exp(-6*I*e)*exp(2*I*f*x) + exp(-8*I*e))

Giac [B] time = 1.59732, size = 143, normalized size = 2.42

$$\frac{8iAac^3e^{(2ifx+2ie)} + 8Bac^3e^{(2ifx+2ie)} + 8iAac^3 - 4Bac^3}{3\left(fe^{(8ifx+8ie)} + 4fe^{(6ifx+6ie)} + 6fe^{(4ifx+4ie)} + 4fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="giac")

[Out] 1/3*(8*I*A*a*c^3*e^(2*I*f*x + 2*I*e) + 8*B*a*c^3*e^(2*I*f*x + 2*I*e) + 8*I*A*a*c^3 - 4*B*a*c^3)/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)

$$3.668 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^2 dx$$

Optimal. Leaf size=66

$$-\frac{ac^2(-B + iA) \tan^2(e + fx)}{2f} + \frac{aAc^2 \tan(e + fx)}{f} - \frac{iaBc^2 \tan^3(e + fx)}{3f}$$

[Out] (a*A*c^2*Tan[e + f*x])/f - (a*(I*A - B)*c^2*Tan[e + f*x]^2)/(2*f) - ((I/3)*a*B*c^2*Tan[e + f*x]^3)/f

Rubi [A] time = 0.0852537, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$-\frac{ac^2(-B + iA) \tan^2(e + fx)}{2f} + \frac{aAc^2 \tan(e + fx)}{f} - \frac{iaBc^2 \tan^3(e + fx)}{3f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2,x]

[Out] (a*A*c^2*Tan[e + f*x])/f - (a*(I*A - B)*c^2*Tan[e + f*x]^2)/(2*f) - ((I/3)*a*B*c^2*Tan[e + f*x]^3)/f

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^2 dx &= \frac{(ac) \text{Subst}\left(\int (A + Bx)(c - icx) dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int (Ac + (-iA + B)cx - iBcx^2) dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{aAc^2 \tan(e + fx)}{f} - \frac{a(iA - B)c^2 \tan^2(e + fx)}{2f} - \frac{iaBc^2 \tan^3(e + fx)}{3f} \end{aligned}$$

Mathematica [A] time = 2.34587, size = 109, normalized size = 1.65

$$\frac{ac^2 \sec(e) \sec^3(e + fx)(3(B - iA) \cos(2e + fx) + 3(B - iA) \cos(fx) - 3A \sin(2e + fx) + 3A \sin(2e + 3fx) + 6A \sin(fx))}{12f}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2,x]
```

```
[Out] (a*c^2*Sec[e]*Sec[e + f*x]^3*(3*((-I)*A + B)*Cos[f*x] + 3*((-I)*A + B)*Cos[2*e + f*x] + 6*A*Sin[f*x] - 3*A*Sin[2*e + f*x] - (3*I)*B*Sin[2*e + f*x] + 3*A*Sin[2*e + 3*f*x] + I*B*Sin[2*e + 3*f*x]))/(12*f)
```

Maple [A] time = 0.012, size = 53, normalized size = 0.8

$$\frac{ac^2}{f} \left(-\frac{i}{3} B (\tan(fx + e))^3 - \frac{i}{2} A (\tan(fx + e))^2 + \frac{B (\tan(fx + e))^2}{2} + A \tan(fx + e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x)
```

```
[Out] 1/f*a*c^2*(-1/3*I*B*tan(f*x+e)^3-1/2*I*A*tan(f*x+e)^2+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))
```

Maxima [A] time = 1.72229, size = 74, normalized size = 1.12

$$\frac{-2iBac^2 \tan(fx + e)^3 - 3(iA - B)ac^2 \tan(fx + e)^2 + 6Aac^2 \tan(fx + e)}{6f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] 1/6*(-2*I*B*a*c^2*tan(f*x + e)^3 - 3*(I*A - B)*a*c^2*tan(f*x + e)^2 + 6*A*a*c^2*tan(f*x + e))/f
```

Fricas [A] time = 1.28905, size = 201, normalized size = 3.05

$$\frac{(6iA + 6B)ac^2e^{(2ifx+2ie)} + (6iA - 2B)ac^2}{3 \left(fe^{(6ifx+6ie)} + 3fe^{(4ifx+4ie)} + 3fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] 1/3*((6*I*A + 6*B)*a*c^2*e^(2*I*f*x + 2*I*e) + (6*I*A - 2*B)*a*c^2)/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [B] time = 5.57772, size = 114, normalized size = 1.73

$$\frac{\frac{(2iAac^2+2Bac^2)e^{-4ie}e^{2ifx}}{f} + \frac{(6iAac^2-2Bac^2)e^{-6ie}}{3f}}{e^{6ifx} + 3e^{-2ie}e^{4ifx} + 3e^{-4ie}e^{2ifx} + e^{-6ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**2,x)

[Out] ((2*I*A*a*c**2 + 2*B*a*c**2)*exp(-4*I*e)*exp(2*I*f*x)/f + (6*I*A*a*c**2 - 2*B*a*c**2)*exp(-6*I*e)/(3*f))/(exp(6*I*f*x) + 3*exp(-2*I*e)*exp(4*I*f*x) + 3*exp(-4*I*e)*exp(2*I*f*x) + exp(-6*I*e))

Giac [A] time = 1.50044, size = 126, normalized size = 1.91

$$\frac{6i Aac^2 e^{(2i f x + 2i e)} + 6 Bac^2 e^{(2i f x + 2i e)} + 6i Aac^2 - 2 Bac^2}{3 \left(f e^{(6i f x + 6i e)} + 3 f e^{(4i f x + 4i e)} + 3 f e^{(2i f x + 2i e)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="giac")

[Out] 1/3*(6*I*A*a*c^2*e^(2*I*f*x + 2*I*e) + 6*B*a*c^2*e^(2*I*f*x + 2*I*e) + 6*I*A*a*c^2 - 2*B*a*c^2)/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)

$$3.669 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx)) dx$$

Optimal. Leaf size=32

$$\frac{aAc \tan(e + fx)}{f} + \frac{aBc \tan^2(e + fx)}{2f}$$

[Out] (a*A*c*Tan[e + f*x])/f + (a*B*c*Tan[e + f*x]^2)/(2*f)

Rubi [A] time = 0.0398157, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.027$, Rules used = {3588}

$$\frac{aAc \tan(e + fx)}{f} + \frac{aBc \tan^2(e + fx)}{2f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]),x]

[Out] (a*A*c*Tan[e + f*x])/f + (a*B*c*Tan[e + f*x]^2)/(2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx)) dx &= \frac{(ac) \text{Subst}(\int (A + Bx) dx, x, \tan(e + fx))}{f} \\ &= \frac{aAc \tan(e + fx)}{f} + \frac{aBc \tan^2(e + fx)}{2f} \end{aligned}$$

Mathematica [A] time = 0.0414586, size = 32, normalized size = 1.

$$\frac{aAc \tan(e + fx)}{f} + \frac{aBc \sec^2(e + fx)}{2f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]),x]

[Out] (a*B*c*Sec[e + f*x]^2)/(2*f) + (a*A*c*Tan[e + f*x])/f

Maple [A] time = 0.011, size = 27, normalized size = 0.8

$$\frac{ac}{f} \left(\frac{B(\tan(fx + e))^2}{2} + A \tan(fx + e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x)

[Out] 1/f*a*c*(1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.74679, size = 39, normalized size = 1.22

$$\frac{Bac \tan(fx + e)^2 + 2Aac \tan(fx + e)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorithm="maxima")

[Out] 1/2*(B*a*c*tan(f*x + e)^2 + 2*A*a*c*tan(f*x + e))/f

Fricas [C] time = 1.31214, size = 144, normalized size = 4.5

$$\frac{(2iA + 2B)ace^{(2ifx+2ie)} + 2iAac}{fe^{(4ifx+4ie)} + 2fe^{(2ifx+2ie)} + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorithm="fricas")

[Out] ((2*I*A + 2*B)*a*c*e^(2*I*f*x + 2*I*e) + 2*I*A*a*c)/(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [C] time = 2.80183, size = 82, normalized size = 2.56

$$\frac{\frac{2iAace^{-4ie}}{f} + \frac{(2iAac+2Bac)e^{-2ie}e^{2ifx}}{f}}{e^{4ifx} + 2e^{-2ie}e^{2ifx} + e^{-4ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x)

[Out] (2*I*A*a*c*exp(-4*I*e)/f + (2*I*A*a*c + 2*B*a*c)*exp(-2*I*e)*exp(2*I*f*x)/f)/(exp(4*I*f*x) + 2*exp(-2*I*e)*exp(2*I*f*x) + exp(-4*I*e))

Giac [B] time = 1.42013, size = 153, normalized size = 4.78

$$\frac{Bac \tan(fx)^2 \tan(e)^2 - 2Aac \tan(fx)^2 \tan(e) - 2Aac \tan(fx) \tan(e)^2 + Bac \tan(fx)^2 + Bac \tan(e)^2 + 2Aac \tan(fx)}{2(f \tan(fx)^2 \tan(e)^2 - 2f \tan(fx) \tan(e) + f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorithm="giac")

[Out] 1/2*(B*a*c*tan(f*x)^2*tan(e)^2 - 2*A*a*c*tan(f*x)^2*tan(e) - 2*A*a*c*tan(f*x)*tan(e)^2 + B*a*c*tan(f*x)^2 + B*a*c*tan(e)^2 + 2*A*a*c*tan(f*x) + 2*A*a*c*tan(e) + B*a*c)/(f*tan(f*x)^2*tan(e)^2 - 2*f*tan(f*x)*tan(e) + f)

3.670 $\int (a + ia \tan(e + fx))(A + B \tan(e + fx)) dx$

Optimal. Leaf size=46

$$-\frac{a(B + iA) \log(\cos(e + fx))}{f} + ax(A - iB) + \frac{iaB \tan(e + fx)}{f}$$

[Out] $a*(A - I*B)*x - (a*(I*A + B)*\text{Log}[\text{Cos}[e + f*x]])/f + (I*a*B*\text{Tan}[e + f*x])/f$

Rubi [A] time = 0.0308762, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {3525, 3475}

$$-\frac{a(B + iA) \log(\cos(e + fx))}{f} + ax(A - iB) + \frac{iaB \tan(e + fx)}{f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x]), x]$

[Out] $a*(A - I*B)*x - (a*(I*A + B)*\text{Log}[\text{Cos}[e + f*x]])/f + (I*a*B*\text{Tan}[e + f*x])/f$

Rule 3525

$\text{Int}[(a + b*\text{tan}[(e + f*x)])*(c + d*\text{tan}[(e + f*x)])*(x), x_Symbol] \rightarrow \text{Simp}[(a*c - b*d)*x, x] + (\text{Dist}[b*c + a*d, \text{Int}[\text{Tan}[e + f*x], x], x] + \text{Simp}[(b*d*\text{Tan}[e + f*x])/f, x]) /;$ $\text{FreeQ}\{a, b, c, d, e, f, x\}$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{NeQ}[b*c + a*d, 0]$

Rule 3475

$\text{Int}[\text{tan}[(c + d*x)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx)) dx &= a(A - iB)x + \frac{iaB \tan(e + fx)}{f} + (a(iA + B)) \int \tan(e + fx) dx \\ &= a(A - iB)x - \frac{a(iA + B) \log(\cos(e + fx))}{f} + \frac{iaB \tan(e + fx)}{f} \end{aligned}$$

Mathematica [A] time = 0.0328826, size = 66, normalized size = 1.43

$$-\frac{iaA \log(\cos(e + fx))}{f} + aAx - \frac{iaB \tan^{-1}(\tan(e + fx))}{f} + \frac{iaB \tan(e + fx)}{f} - \frac{aB \log(\cos(e + fx))}{f}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x]), x]$

[Out] $a*A*x - (I*a*B*\text{ArcTan}[\text{Tan}[e + f*x]])/f - (I*a*A*\text{Log}[\text{Cos}[e + f*x]])/f - (a*B*\text{Log}[\text{Cos}[e + f*x]])/f + (I*a*B*\text{Tan}[e + f*x])/f$

Maple [A] time = 0.013, size = 81, normalized size = 1.8

$$\frac{iBa \tan(fx + e)}{f} + \frac{\frac{i}{2}a \ln\left(1 + (\tan(fx + e))^2\right)A}{f} + \frac{a \ln\left(1 + (\tan(fx + e))^2\right)B}{2f} - \frac{iBa \arctan(\tan(fx + e))}{f} + \frac{Aa \arctan(\tan(fx + e))}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x)

[Out] I*a*B*tan(f*x+e)/f+1/2*I/f*a*ln(1+tan(f*x+e)^2)*A+1/2/f*a*ln(1+tan(f*x+e)^2)*B-I/f*a*B*arctan(tan(f*x+e))+1/f*a*A*arctan(tan(f*x+e))

Maxima [A] time = 1.73303, size = 68, normalized size = 1.48

$$\frac{2(fx + e)(A - iB)a - (-iA - B)a \log\left(\tan(fx + e)^2 + 1\right) + 2iBa \tan(fx + e)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x, algorithm="maxima")

[Out] 1/2*(2*(f*x + e)*(A - I*B)*a - (-I*A - B)*a*log(tan(f*x + e)^2 + 1) + 2*I*B*a*tan(f*x + e))/f

Fricas [A] time = 1.37139, size = 161, normalized size = 3.5

$$\frac{2Ba - \left((-iA - B)ae^{(2ifx+2ie)} + (-iA - B)a\right) \log\left(e^{(2ifx+2ie)} + 1\right)}{fe^{(2ifx+2ie)} + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x, algorithm="fricas")

[Out] -(2*B*a - ((-I*A - B)*a*e^(2*I*f*x + 2*I*e) + (-I*A - B)*a)*log(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(2*I*f*x + 2*I*e) + f)

Sympy [A] time = 2.49454, size = 58, normalized size = 1.26

$$\frac{2Bae^{-2ie}}{f(e^{2ifx} + e^{-2ie})} - \frac{a(iA + B) \log(e^{2ifx} + e^{-2ie})}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x)

[Out] -2*B*a*exp(-2*I*e)/(f*(exp(2*I*f*x) + exp(-2*I*e))) - a*(I*A + B)*log(exp(2*I*f*x) + exp(-2*I*e))/f

Giac [B] time = 1.33419, size = 149, normalized size = 3.24

$$\frac{-i A a e^{(2i f x + 2i e)} \log\left(e^{(2i f x + 2i e)} + 1\right) - B a e^{(2i f x + 2i e)} \log\left(e^{(2i f x + 2i e)} + 1\right) - i A a \log\left(e^{(2i f x + 2i e)} + 1\right) - B a \log\left(e^{(2i f x + 2i e)} + 1\right)}{f e^{(2i f x + 2i e)} + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x, algorithm="giac")

[Out] (-I*A*a*e^(2*I*f*x + 2*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - B*a*e^(2*I*f*x + 2*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - I*A*a*log(e^(2*I*f*x + 2*I*e) + 1) - B*a*log(e^(2*I*f*x + 2*I*e) + 1) - 2*B*a)/(f*e^(2*I*f*x + 2*I*e) + f)

$$3.671 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx$$

Optimal. Leaf size=54

$$\frac{a(A-iB)}{cf(\tan(e+fx)+i)} + \frac{aB \log(\cos(e+fx))}{cf} + \frac{iaBx}{c}$$

[Out] (I*a*B*x)/c + (a*B*Log[Cos[e + f*x]])/(c*f) + (a*(A - I*B))/(c*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.0880086, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{a(A-iB)}{cf(\tan(e+fx)+i)} + \frac{aB \log(\cos(e+fx))}{cf} + \frac{iaBx}{c}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x]),x]

[Out] (I*a*B*x)/c + (a*B*Log[Cos[e + f*x]])/(c*f) + (a*(A - I*B))/(c*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^(n-1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(c-icx)^2} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{-A+iB}{c^2(i+x)^2} - \frac{B}{c^2(i+x)}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{iaBx}{c} + \frac{aB \log(\cos(e+fx))}{cf} + \frac{a(A-iB)}{cf(i+\tan(e+fx))} \end{aligned}$$

Mathematica [B] time = 1.74528, size = 123, normalized size = 2.28

$$\frac{a(\sin(e+fx) - i \cos(e+fx))(\cos(e+fx)(A + iB \log(\cos^2(e+fx)) - 4Bfx - iB) + \sin(e+fx)(iA + B \log(\cos^2(e+fx))))}{2cf}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x]),x]
```

```
[Out] (a*((-I)*Cos[e + f*x] + Sin[e + f*x])*(Cos[e + f*x]*(A - I*B - 4*B*f*x + I*B*Log[Cos[e + f*x]^2]) + 2*B*ArcTan[Tan[2*e + f*x]]*(Cos[e + f*x] - I*Sin[e + f*x]) + (I*A + B + (4*I)*B*f*x + B*Log[Cos[e + f*x]^2])*Sin[e + f*x]))/(2*c*f)
```

Maple [A] time = 0.038, size = 64, normalized size = 1.2

$$\frac{-iBa}{cf(\tan(fx + e) + i)} + \frac{Aa}{cf(\tan(fx + e) + i)} - \frac{aB \ln(\tan(fx + e) + i)}{cf}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)
```

```
[Out] -I/f*a/c/(tan(f*x+e)+I)*B+1/f*a/c/(tan(f*x+e)+I)*A-1/f*a/c*B*ln(tan(f*x+e)+I)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.45096, size = 112, normalized size = 2.07

$$\frac{(-iA - B)ae^{(2ifx+2ie)} + 2Ba \log(e^{(2ifx+2ie)} + 1)}{2cf}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/2*((-I*A - B)*a*e^(2*I*f*x + 2*I*e) + 2*B*a*log(e^(2*I*f*x + 2*I*e) + 1))/(c*f)
```

Sympy [A] time = 1.52932, size = 90, normalized size = 1.67

$$\frac{Ba \log(e^{2ifx} + e^{-2ie})}{cf} + \begin{cases} \frac{(-iAae^{2ie} - Bae^{2ie})e^{2ifx}}{2cf} & \text{for } 2cf \neq 0 \\ \frac{x(Aae^{2ie} - iBae^{2ie})}{c} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)
```

```
[Out] B*a*log(exp(2*I*f*x) + exp(-2*I*e))/(c*f) + Piecewise((( -I*A*a*exp(2*I*e) - B*a*exp(2*I*e))*exp(2*I*f*x)/(2*c*f), Ne(2*c*f, 0)), (x*(A*a*exp(2*I*e) - I*B*a*exp(2*I*e))/c, True))
```

Giac [B] time = 1.54162, size = 184, normalized size = 3.41

$$\frac{2Ba \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i\right)}{c} - \frac{Ba \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{c} - \frac{Ba \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{c} - \frac{3Ba \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 2Aa \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 8iBa \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)}{c\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] -(2*B*a*log(tan(1/2*f*x + 1/2*e) + I)/c - B*a*log(abs(tan(1/2*f*x + 1/2*e) + 1))/c - B*a*log(abs(tan(1/2*f*x + 1/2*e) - 1))/c - (3*B*a*tan(1/2*f*x + 1/2*e)^2 - 2*A*a*tan(1/2*f*x + 1/2*e) + 8*I*B*a*tan(1/2*f*x + 1/2*e) - 3*B*a)/(c*(tan(1/2*f*x + 1/2*e) + I)^2))/f
```

$$3.672 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx$$

Optimal. Leaf size=46

$$\frac{a(A+B \tan(e+fx))^2}{2c^2 f(B+iA)(1-i \tan(e+fx))^2}$$

[Out] (a*(A + B*Tan[e + f*x])^2)/(2*(I*A + B)*c^2*f*(1 - I*Tan[e + f*x])^2)

Rubi [A] time = 0.0752459, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 37}

$$\frac{a(A+B \tan(e+fx))^2}{2c^2 f(B+iA)(1-i \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^2, x]

[Out] (a*(A + B*Tan[e + f*x])^2)/(2*(I*A + B)*c^2*f*(1 - I*Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 37

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(c-icx)^3} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{a(A+B \tan(e+fx))^2}{2(iA+B)c^2 f(1-i \tan(e+fx))^2} \end{aligned}$$

Mathematica [A] time = 1.83373, size = 62, normalized size = 1.35

$$\frac{a(\cos(3(e+fx)) + i \sin(3(e+fx)))(B-3iA) \cos(e+fx) - (A+3iB) \sin(e+fx)}{8c^2 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^2,x]

[Out] (a*(((−3*I)*A + B)*Cos[e + f*x] - (A + (3*I)*B)*Sin[e + f*x])*(Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)]))/(8*c^2*f)

Maple [A] time = 0.043, size = 46, normalized size = 1.

$$\frac{a}{fc^2} \left(-\frac{-iA - B}{2(\tan(fx + e) + i)^2} + \frac{iB}{\tan(fx + e) + i} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x)

[Out] 1/f*a/c^2*(-1/2*(-I*A-B)/(tan(f*x+e)+I)^2+I*B/(tan(f*x+e)+I))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.36832, size = 117, normalized size = 2.54

$$\frac{(-iA - B)ae^{(4i fx + 4ie)} + (-2iA + 2B)ae^{(2i fx + 2ie)}}{8c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/8*((-I*A - B)*a*e^(4*I*f*x + 4*I*e) + (-2*I*A + 2*B)*a*e^(2*I*f*x + 2*I*e))/(c^2*f)

Sympy [A] time = 1.49322, size = 155, normalized size = 3.37

$$\begin{cases} \frac{(-8iAac^2fe^{2ie} + 8Bac^2fe^{2ie})e^{2ifx} + (-4iAac^2fe^{4ie} - 4Bac^2fe^{4ie})e^{4ifx}}{32c^4f^2} & \text{for } 32c^4f^2 \neq 0 \\ \frac{x(Aae^{4ie} + Aae^{2ie} - iBae^{4ie} + iBae^{2ie})}{2c^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x)

[Out] Piecewise((((-8*I*A*a*c**2*f*exp(2*I*e) + 8*B*a*c**2*f*exp(2*I*e))*exp(2*I*f*x) + (-4*I*A*a*c**2*f*exp(4*I*e) - 4*B*a*c**2*f*exp(4*I*e))*exp(4*I*f*x))/(32*c**4*f**2), Ne(32*c**4*f**2, 0)), (x*(A*a*exp(4*I*e) + A*a*exp(2*I*e) - I*B*a*exp(4*I*e) + I*B*a*exp(2*I*e))/(2*c**2), True))

Giac [B] time = 1.40107, size = 113, normalized size = 2.46

$$\frac{2 \left(Aa \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 + i Aa \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - Ba \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - Aa \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) \right)}{c^2 f \left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="giac")

[Out] -2*(A*a*tan(1/2*f*x + 1/2*e)^3 + I*A*a*tan(1/2*f*x + 1/2*e)^2 - B*a*tan(1/2*f*x + 1/2*e)^2 - A*a*tan(1/2*f*x + 1/2*e))/(c^2*f*(tan(1/2*f*x + 1/2*e) + I)^4)

$$3.673 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx$$

Optimal. Leaf size=55

$$-\frac{a(A-iB)}{3c^3 f(\tan(e+fx)+i)^3} - \frac{aB}{2c^3 f(\tan(e+fx)+i)^2}$$

[Out] $-(a*(A - I*B))/(3*c^3*f*(I + \text{Tan}[e + f*x])^3) - (a*B)/(2*c^3*f*(I + \text{Tan}[e + f*x])^2)$

Rubi [A] time = 0.0867701, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$-\frac{a(A-iB)}{3c^3 f(\tan(e+fx)+i)^3} - \frac{aB}{2c^3 f(\tan(e+fx)+i)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^3, x]$

[Out] $-(a*(A - I*B))/(3*c^3*f*(I + \text{Tan}[e + f*x])^3) - (a*B)/(2*c^3*f*(I + \text{Tan}[e + f*x])^2)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)]) + (c + d*\text{tan}[(e + f*x)])^n), x_Symbol] :> \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(c-icx)^4} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{A-iB}{c^4(i+x)^4} + \frac{B}{c^4(i+x)^3} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{a(A-iB)}{3c^3 f(i+\tan(e+fx))^3} - \frac{aB}{2c^3 f(i+\tan(e+fx))^2} \end{aligned}$$

Mathematica [A] time = 1.29339, size = 72, normalized size = 1.31

$$\frac{a(\cos(4(e+fx)) + i \sin(4(e+fx)))(-2(A+2iB) \sin(2(e+fx)) + 2(B-2iA) \cos(2(e+fx)) - 3iA)}{24c^3 f}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^3,x]
```

```
[Out] (a*((-3*I)*A + 2*((-2*I)*A + B)*Cos[2*(e + f*x)] - 2*(A + (2*I)*B)*Sin[2*(e + f*x)])*(Cos[4*(e + f*x)] + I*Sin[4*(e + f*x)])/(24*c^3*f)
```

Maple [A] time = 0.043, size = 43, normalized size = 0.8

$$\frac{a}{fc^3} \left(-\frac{B}{2(\tan(fx+e)+i)^2} - \frac{A-iB}{3(\tan(fx+e)+i)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x)
```

```
[Out] 1/f*a/c^3*(-1/2*B/(tan(f*x+e)+I)^2-1/3*(A-I*B)/(tan(f*x+e)+I)^3)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.40369, size = 159, normalized size = 2.89

$$\frac{(-iA - B)ae^{(6ifx+6ie)} - 3iAae^{(4ifx+4ie)} + (-3iA + 3B)ae^{(2ifx+2ie)}}{24c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")
```

```
[Out] 1/24*((-I*A - B)*a*e^(6*I*f*x + 6*I*e) - 3*I*A*a*e^(4*I*f*x + 4*I*e) + (-3*I*A + 3*B)*a*e^(2*I*f*x + 2*I*e))/(c^3*f)
```

Sympy [A] time = 1.94791, size = 202, normalized size = 3.67

$$\begin{cases} \frac{-192iAac^6f^2e^{4ie}e^{4ifx} + (-192iAac^6f^2e^{2ie} + 192Bac^6f^2e^{2ie})e^{2ifx} + (-64iAac^6f^2e^{6ie} - 64Bac^6f^2e^{6ie})e^{6ifx}}{1536c^9f^3} & \text{for } 1536c^9f^3 \neq 0 \\ \frac{x(Aae^{6ie} + 2Aae^{4ie} + Aae^{2ie} - iBae^{6ie} + iBae^{2ie})}{4c^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x)

[Out] Piecewise(((((-192*I*A*a*c**6*f**2*exp(4*I*e))*exp(4*I*f*x) + (-192*I*A*a*c**6*f**2*exp(2*I*e) + 192*B*a*c**6*f**2*exp(2*I*e))*exp(2*I*f*x) + (-64*I*A*a*c**6*f**2*exp(6*I*e) - 64*B*a*c**6*f**2*exp(6*I*e))*exp(6*I*f*x))/(1536*c**9*f**3), Ne(1536*c**9*f**3, 0)), (x*(A*a*exp(6*I*e) + 2*A*a*exp(4*I*e) + A*a*exp(2*I*e) - I*B*a*exp(6*I*e) + I*B*a*exp(2*I*e))/(4*c**3), True))

Giac [B] time = 1.37792, size = 201, normalized size = 3.65

$$\frac{2 \left(3 A a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^5 + 6 i A a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^4 - 3 B a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^4 - 10 A a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^3 - 2 i B a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^3 \right)}{3 c^3 f \left(\tan \left(\frac{1}{2} f x + \frac{1}{2} e \right) + i \right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorith="giac")

[Out] -2/3*(3*A*a*tan(1/2*f*x + 1/2*e)^5 + 6*I*A*a*tan(1/2*f*x + 1/2*e)^4 - 3*B*a*tan(1/2*f*x + 1/2*e)^4 - 10*A*a*tan(1/2*f*x + 1/2*e)^3 - 2*I*B*a*tan(1/2*f*x + 1/2*e)^3 - 6*I*A*a*tan(1/2*f*x + 1/2*e)^2 + 3*B*a*tan(1/2*f*x + 1/2*e)^2 + 3*A*a*tan(1/2*f*x + 1/2*e))/(c^3*f*(tan(1/2*f*x + 1/2*e) + I)^6)

$$3.674 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx$$

Optimal. Leaf size=57

$$\frac{a(B+iA)}{4c^4 f(\tan(e+fx)+i)^4} - \frac{iaB}{3c^4 f(\tan(e+fx)+i)^3}$$

[Out] $-(a*(I*A + B))/(4*c^4*f*(I + \tan[e + f*x])^4) - ((I/3)*a*B)/(c^4*f*(I + \tan[e + f*x])^3)$

Rubi [A] time = 0.0878122, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{a(B+iA)}{4c^4 f(\tan(e+fx)+i)^4} - \frac{iaB}{3c^4 f(\tan(e+fx)+i)^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\tan[e + f*x])*(A + B*\tan[e + f*x])]/(c - I*c*\tan[e + f*x])^4, x]$

[Out] $-(a*(I*A + B))/(4*c^4*f*(I + \tan[e + f*x])^4) - ((I/3)*a*B)/(c^4*f*(I + \tan[e + f*x])^3)$

Rule 3588

$\text{Int}[(a_ + (b_)*\tan[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\tan[(e_) + (f_)*(x_)])^{(n_)}], x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \tan[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 43

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_) + (d_)*(x_))^{(n_)}], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n + 1), 0] || \text{GtQ}[m + n + 2, 0])]$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(c-icx)^5} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{iA+B}{c^5(i+x)^5} + \frac{iB}{c^5(i+x)^4} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{a(iA+B)}{4c^4 f(i+\tan(e+fx))^4} - \frac{iaB}{3c^4 f(i+\tan(e+fx))^3} \end{aligned}$$

Mathematica [A] time = 1.53203, size = 97, normalized size = 1.7

$$\frac{a(\cos(5(e+fx)) + i \sin(5(e+fx)))(-3A + 5iB)(2 \sin(e+fx) + 3 \sin(3(e+fx))) + 2(B - 15iA) \cos(e+fx) + 3(3B - 192c^4 f)}{192c^4 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^4, x]

[Out] (a*(2*((-15*I)*A + B)*Cos[e + f*x] + 3*((-5*I)*A + 3*B)*Cos[3*(e + f*x)] - (3*A + (5*I)*B)*(2*Sin[e + f*x] + 3*Sin[3*(e + f*x)]))*(Cos[5*(e + f*x)] + I*Sin[5*(e + f*x)])/(192*c^4*f)

Maple [A] time = 0.045, size = 44, normalized size = 0.8

$$\frac{a}{fc^4} \left(-\frac{iA + B}{4(\tan(fx + e) + i)^4} - \frac{\frac{i}{3}B}{(\tan(fx + e) + i)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4, x)

[Out] 1/f*a/c^4*(-1/4*(I*A+B)/(tan(f*x+e)+I)^4-1/3*I*B/(tan(f*x+e)+I)^3)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4, x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.4196, size = 236, normalized size = 4.14

$$\frac{(-3iA - 3B)ae^{(8ifx+8ie)} + (-12iA - 4B)ae^{(6ifx+6ie)} + (-18iA + 6B)ae^{(4ifx+4ie)} + (-12iA + 12B)ae^{(2ifx+2ie)}}{192c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4, x, algorithm="fricas")

[Out] 1/192*((-3*I*A - 3*B)*a*e^(8*I*f*x + 8*I*e) + (-12*I*A - 4*B)*a*e^(6*I*f*x + 6*I*e) + (-18*I*A + 6*B)*a*e^(4*I*f*x + 4*I*e) + (-12*I*A + 12*B)*a*e^(2*I*f*x + 2*I*e))/(c^4*f)

Sympy [B] time = 2.75311, size = 306, normalized size = 5.37

$$\frac{\left(\frac{(-98304iAac^{12}f^3e^{2ie}+98304Bac^{12}f^3e^{2ie})e^{2ifx}+(-147456iAac^{12}f^3e^{4ie}+49152Bac^{12}f^3e^{4ie})e^{4ifx}+(-98304iAac^{12}f^3e^{6ie}-32768Bac^{12}f^3e^{6ie})e^{6ifx}+(-24576iAac^{12}f^3e^{8ie}-16384Bac^{12}f^3e^{8ie})e^{8ifx}}{1572864c^{16}f^4} \right)}{8c^4} x(Aae^{8ie}+3Aae^{6ie}+3Aae^{4ie}+Aae^{2ie}-iBae^{8ie}-iBae^{6ie}+iBae^{4ie}+iBae^{2ie})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**4,x)
```

```
[Out] Piecewise(((((-98304*I*A*a*c**12*f**3*exp(2*I*e) + 98304*B*a*c**12*f**3*exp(
2*I*e))*exp(2*I*f*x) + (-147456*I*A*a*c**12*f**3*exp(4*I*e) + 49152*B*a*c**
12*f**3*exp(4*I*e))*exp(4*I*f*x) + (-98304*I*A*a*c**12*f**3*exp(6*I*e) - 32
768*B*a*c**12*f**3*exp(6*I*e))*exp(6*I*f*x) + (-24576*I*A*a*c**12*f**3*exp(
8*I*e) - 24576*B*a*c**12*f**3*exp(8*I*e))*exp(8*I*f*x))/(1572864*c**16*f**4
), Ne(1572864*c**16*f**4, 0)), (x*(A*a*exp(8*I*e) + 3*A*a*exp(6*I*e) + 3*A*
a*exp(4*I*e) + A*a*exp(2*I*e) - I*B*a*exp(8*I*e) - I*B*a*exp(6*I*e) + I*B*a
*exp(4*I*e) + I*B*a*exp(2*I*e))/(8*c**4), True))
```

Giac [B] time = 1.39136, size = 288, normalized size = 5.05

$$2 \left(3 A a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^7 + 9 i A a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^6 - 3 B a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^6 - 21 A a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^5 - 4 i B a \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algor
ithm="giac")
```

```
[Out] -2/3*(3*A*a*tan(1/2*f*x + 1/2*e)^7 + 9*I*A*a*tan(1/2*f*x + 1/2*e)^6 - 3*B*a
*tan(1/2*f*x + 1/2*e)^6 - 21*A*a*tan(1/2*f*x + 1/2*e)^5 - 4*I*B*a*tan(1/2*f
*x + 1/2*e)^5 - 24*I*A*a*tan(1/2*f*x + 1/2*e)^4 + 8*B*a*tan(1/2*f*x + 1/2*e
)^4 + 21*A*a*tan(1/2*f*x + 1/2*e)^3 + 4*I*B*a*tan(1/2*f*x + 1/2*e)^3 + 9*I*
A*a*tan(1/2*f*x + 1/2*e)^2 - 3*B*a*tan(1/2*f*x + 1/2*e)^2 - 3*A*a*tan(1/2*f
*x + 1/2*e))/(c^4*f*(tan(1/2*f*x + 1/2*e) + I)^8)
```

$$3.675 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx$$

Optimal. Leaf size=55

$$\frac{a(A-iB)}{5c^5 f(\tan(e+fx)+i)^5} + \frac{aB}{4c^5 f(\tan(e+fx)+i)^4}$$

[Out] (a*(A - I*B))/(5*c^5*f*(I + Tan[e + f*x])^5) + (a*B)/(4*c^5*f*(I + Tan[e + f*x])^4)

Rubi [A] time = 0.0889989, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{a(A-iB)}{5c^5 f(\tan(e+fx)+i)^5} + \frac{aB}{4c^5 f(\tan(e+fx)+i)^4}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^5, x]

[Out] (a*(A - I*B))/(5*c^5*f*(I + Tan[e + f*x])^5) + (a*B)/(4*c^5*f*(I + Tan[e + f*x])^4)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(c-icx)^6} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(\frac{-A+iB}{c^6(i+x)^6} - \frac{B}{c^6(i+x)^5}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{a(A-iB)}{5c^5 f(i+\tan(e+fx))^5} + \frac{aB}{4c^5 f(i+\tan(e+fx))^4} \end{aligned}$$

Mathematica [B] time = 2.84203, size = 124, normalized size = 2.25

$$\frac{ia(\cos(6(e+fx)) + i \sin(6(e+fx)))(5(6A+iB) \cos(2(e+fx)) + 4(3A+2iB) \cos(4(e+fx)) - 10iA \sin(2(e+fx)) - 8)}{320c^5 f}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^5,x]
```

```
[Out] ((-I/320)*a*(20*A + 5*(6*A + I*B)*Cos[2*(e + f*x)] + 4*(3*A + (2*I)*B)*Cos[4*(e + f*x)] - (10*I)*A*Sin[2*(e + f*x)] + 15*B*Sin[2*(e + f*x)] - (8*I)*A*Sin[4*(e + f*x)] + 12*B*Sin[4*(e + f*x)]*(Cos[6*(e + f*x)] + I*Sin[6*(e + f*x)]))/(c^5*f)
```

Maple [A] time = 0.047, size = 45, normalized size = 0.8

$$\frac{a}{f c^5} \left(\frac{B}{4 (\tan(fx + e) + i)^4} - \frac{-A + iB}{5 (\tan(fx + e) + i)^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x)
```

```
[Out] 1/f*a/c^5*(1/4*B/(tan(f*x+e)+I)^4-1/5*(-A+I*B)/(tan(f*x+e)+I)^5)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 1.34209, size = 282, normalized size = 5.13

$$\frac{(-2iA - 2B)ae^{(10ifx+10ie)} + (-10iA - 5B)ae^{(8ifx+8ie)} - 20iAae^{(6ifx+6ie)} + (-20iA + 10B)ae^{(4ifx+4ie)} + (-10iA + 10B)ae^{(2ifx+2ie)}}{320c^5f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")
```

```
[Out] 1/320*((-2*I*A - 2*B)*a*e^(10*I*f*x + 10*I*e) + (-10*I*A - 5*B)*a*e^(8*I*f*x + 8*I*e) - 20*I*A*a*e^(6*I*f*x + 6*I*e) + (-20*I*A + 10*B)*a*e^(4*I*f*x + 4*I*e) + (-10*I*A + 10*B)*a*e^(2*I*f*x + 2*I*e))/(c^5*f)
```

Sympy [B] time = 2.1803, size = 350, normalized size = 6.36

$$\frac{\left\{ \begin{array}{l} -10485760iAac^{20}f^4e^{6ie}e^{6ifx} + (-5242880iAac^{20}f^4e^{2ie} + 5242880Bac^{20}f^4e^{2ie})e^{2ifx} + (-10485760iAac^{20}f^4e^{4ie} + 5242880Bac^{20}f^4e^{4ie})e^{4ifx} + (-5242880iAac^{20}f^4e^{8ie} + 5242880Bac^{20}f^4e^{8ie})e^{8ifx} \\ x(Aae^{10ie} + 4Aae^{8ie} + 6Aae^{6ie} + 4Aae^{4ie} + Aae^{2ie} - iBae^{10ie} - 2iBae^{8ie} + 2iBae^{4ie} + iBae^{2ie}) \end{array} \right.}{16c^5} \cdot \frac{1}{167772160c^{25}f^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**5,x)
```

```
[Out] Piecewise(((((-10485760*I*A*a*c**20*f**4*exp(6*I*e))*exp(6*I*f*x) + (-5242880*I*A*a*c**20*f**4*exp(2*I*e) + 5242880*B*a*c**20*f**4*exp(2*I*e))*exp(2*I*f*x) + (-10485760*I*A*a*c**20*f**4*exp(4*I*e) + 5242880*B*a*c**20*f**4*exp(4*I*e))*exp(4*I*f*x) + (-5242880*I*A*a*c**20*f**4*exp(8*I*e) - 2621440*B*a*c**20*f**4*exp(8*I*e))*exp(8*I*f*x) + (-10485760*I*A*a*c**20*f**4*exp(10*I*e) - 1048576*B*a*c**20*f**4*exp(10*I*e))*exp(10*I*f*x))/(167772160*c**25*f**5), Ne(167772160*c**25*f**5, 0)), (x*(A*a*exp(10*I*e) + 4*A*a*exp(8*I*e) + 6*A*a*exp(6*I*e) + 4*A*a*exp(4*I*e) + A*a*exp(2*I*e) - I*B*a*exp(10*I*e) - 2*I*B*a*exp(8*I*e) + 2*I*B*a*exp(4*I*e) + I*B*a*exp(2*I*e))/(16*c**5), True))
```

Giac [B] time = 1.49759, size = 374, normalized size = 6.8

$$2 \left(5 Aa \tan\left(\frac{1}{2} fx + \frac{1}{2} e\right)^9 + 20i Aa \tan\left(\frac{1}{2} fx + \frac{1}{2} e\right)^8 - 5 Ba \tan\left(\frac{1}{2} fx + \frac{1}{2} e\right)^8 - 60 Aa \tan\left(\frac{1}{2} fx + \frac{1}{2} e\right)^7 - 10i Ba \tan\left(\frac{1}{2} fx + \frac{1}{2} e\right)^7 \right) / (c^5 f^5 (\tan(\frac{1}{2} fx + \frac{1}{2} e) + I)^{10})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorith="giac")
```

```
[Out] -2/5*(5*A*a*tan(1/2*f*x + 1/2*e)^9 + 20*I*A*a*tan(1/2*f*x + 1/2*e)^8 - 5*B*a*tan(1/2*f*x + 1/2*e)^8 - 60*A*a*tan(1/2*f*x + 1/2*e)^7 - 10*I*B*a*tan(1/2*f*x + 1/2*e)^7 - 100*I*A*a*tan(1/2*f*x + 1/2*e)^6 + 25*B*a*tan(1/2*f*x + 1/2*e)^6 + 126*A*a*tan(1/2*f*x + 1/2*e)^5 + 24*I*B*a*tan(1/2*f*x + 1/2*e)^5 + 100*I*A*a*tan(1/2*f*x + 1/2*e)^4 - 25*B*a*tan(1/2*f*x + 1/2*e)^4 - 60*A*a*tan(1/2*f*x + 1/2*e)^3 - 10*I*B*a*tan(1/2*f*x + 1/2*e)^3 - 20*I*A*a*tan(1/2*f*x + 1/2*e)^2 + 5*B*a*tan(1/2*f*x + 1/2*e)^2 + 5*A*a*tan(1/2*f*x + 1/2*e))/(c^5*f*(tan(1/2*f*x + 1/2*e) + I)^10)
```

$$3.676 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) (c - ic \tan(e + fx))^n dx$$

Optimal. Leaf size=109

$$\frac{2a^2(B + iA)(c - ic \tan(e + fx))^n}{fn} - \frac{a^2(3B + iA)(c - ic \tan(e + fx))^{n+1}}{cf(n+1)} + \frac{a^2B(c - ic \tan(e + fx))^{n+2}}{c^2f(n+2)}$$

[Out] (2*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^n)/(f*n) - (a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(1 + n))/(c*f*(1 + n)) + (a^2*B*(c - I*c*Tan[e + f*x])^(2 + n))/(c^2*f*(2 + n))

Rubi [A] time = 0.163657, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{2a^2(B + iA)(c - ic \tan(e + fx))^n}{fn} - \frac{a^2(3B + iA)(c - ic \tan(e + fx))^{n+1}}{cf(n+1)} + \frac{a^2B(c - ic \tan(e + fx))^{n+2}}{c^2f(n+2)}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n, x]

[Out] (2*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^n)/(f*n) - (a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(1 + n))/(c*f*(1 + n)) + (a^2*B*(c - I*c*Tan[e + f*x])^(2 + n))/(c^2*f*(2 + n))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) (c - ic \tan(e + fx))^n dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx)(c - icx)^{-1+n} dx, f \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB)(c - icx)^{-1+n} - \frac{a(A - 3iB)}{c} \right) dx, f \right)}{f} \\ &= \frac{2a^2(iA + B)(c - ic \tan(e + fx))^n}{fn} - \frac{a^2(iA + 3B)}{c} \end{aligned}$$

Mathematica [A] time = 6.62668, size = 146, normalized size = 1.34

$$\frac{a^2 \sec^2(e + fx)(c \sec(e + fx))^n \left((B(n^2 + 2n + 4) + iA(n + 2)^2) \cos(2(e + fx)) - n(A(n + 2) - iB(n + 4)) \sin(2(e + fx)) \right)}{2fn(n + 1)(n + 2)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n,x]

[Out] (a^2*E^(n*(-Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Sec[e + f*x]^2*(c*Sec[e + f*x])^n*((2 + n)*(-B*(-2 + n)) + I*A*(2 + n)) + (I*A*(2 + n)^2 + B*(4 + 2*n + n^2))*Cos[2*(e + f*x)] - n*(A*(2 + n) - I*B*(4 + n))*Sin[2*(e + f*x)])/(2*f*n*(1 + n)*(2 + n))

Maple [B] time = 0.49, size = 280, normalized size = 2.6

$$\frac{ine^{n \ln(c-ic \tan(fx+e))} Aa^2}{f(1+n)(2+n)} + \frac{4ie^{n \ln(c-ic \tan(fx+e))} Aa^2}{f(1+n)(2+n)} + \frac{4ie^{n \ln(c-ic \tan(fx+e))} Aa^2}{fn(1+n)(2+n)} + \frac{e^{n \ln(c-ic \tan(fx+e))} a^2 B}{f(1+n)(2+n)} + 4 \frac{e^{n \ln(c-ic \tan(fx+e))}}{fn(1+n)(2+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)

[Out] I/f*n/(1+n)/(2+n)*exp(n*ln(c-I*c*tan(f*x+e)))*A*a^2+4*I/f/(1+n)/(2+n)*exp(n*ln(c-I*c*tan(f*x+e)))*A*a^2+4*I/f/n/(1+n)/(2+n)*exp(n*ln(c-I*c*tan(f*x+e)))*a^2*B+4/f/n/(1+n)/(2+n)*exp(n*ln(c-I*c*tan(f*x+e)))*a^2*B-a^2*B/f/(2+n)*tan(f*x+e)^2*exp(n*ln(c-I*c*tan(f*x+e)))-a^2*(-I*B*n+A*n-4*I*B+2*A)/f/(1+n)/(2+n)*tan(f*x+e)*exp(n*ln(c-I*c*tan(f*x+e)))

Maxima [B] time = 2.42606, size = 902, normalized size = 8.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="maxima")

[Out] (((2*A + 2*I*B)*a^2*c^n*n^2 + 8*A*a^2*c^n*n + (8*A - 8*I*B)*a^2*c^n)*2^n*cos(-2*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 2*e) + ((2*A - 2*I*B)*a^2*c^n*n^2 + (6*A - 6*I*B)*a^2*c^n*n + (4*A - 4*I*B)*a^2*c^n)*2^n*cos(-4*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 4*e) + ((2*A + 2*I*B)*a^2*c^n*n + (4*A - 4*I*B)*a^2*c^n)*2^n*cos(n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1)) - 2*((I*A - B)*a^2*c^n*n^2 + 4*I*A*a^2*c^n*n + 4*(I*A + B)*a^2*c^n)*2^n*sin(-2*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 2*e) - 2*((I*A + B)*a^2*c^n*n^2 + 3*(I*A + B)*a^2*c^n*n + 2*(I*A + B)*a^2*c^n)*2^n*sin(-4*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 4*e) - 2*((I*A - B)*a^2*c^n*n + 2*(I*A + B)*a^2*c^n)*2^n*sin(n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1)))/((-I*n^3 - 3*I*n^2 - 2*I*n)*(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1)^(1/2*n)*cos(4*f*x + 4*e) + (n^3 + 3*n^2 + 2*n)*(cos(2*f*x + 2*e)^2 + sin(

$$2*f*x + 2*e)^2 + 2*\cos(2*f*x + 2*e) + 1)^{(1/2*n)}*\sin(4*f*x + 4*e) + (-I*n^3 - 3*I*n^2 + (-2*I*n^3 - 6*I*n^2 - 4*I*n)*\cos(2*f*x + 2*e) + 2*(n^3 + 3*n^2 + 2*n)*\sin(2*f*x + 2*e) - 2*I*n)*(\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2*\cos(2*f*x + 2*e) + 1)^{(1/2*n)})*f)$$

Fricas [B] time = 1.43118, size = 498, normalized size = 4.57

$$\frac{\left((2iA - 2B)a^{2n} + (4iA + 4B)a^2 + \left((2iA + 2B)a^{2n^2} + (6iA + 6B)a^{2n} + (4iA + 4B)a^2 \right) e^{(4ifx+4ie)} + \left((2iA - 2B)a^{2n} + (4iA + 4B)a^2 + \left((2iA + 2B)a^{2n^2} + (6iA + 6B)a^{2n} + (4iA + 4B)a^2 \right) e^{(4ifx+4ie)} + 2 \left(fn^3 + 3fn^2 + 2fn + (fn^3 + 3fn^2 + 2fn) e^{(4ifx+4ie)} + 2 \left(fn^3 + 3fn^2 + 2fn \right) \right) \right)}{fn^3 + 3fn^2 + 2fn + (fn^3 + 3fn^2 + 2fn) e^{(4ifx+4ie)} + 2 \left(fn^3 + 3fn^2 + 2fn \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="fricas")

[Out] ((2*I*A - 2*B)*a^2*n + (4*I*A + 4*B)*a^2 + ((2*I*A + 2*B)*a^2*n^2 + (6*I*A + 6*B)*a^2*n + (4*I*A + 4*B)*a^2)*e^(4*I*f*x + 4*I*e) + ((2*I*A - 2*B)*a^2*n^2 + 8*I*A*a^2*n + (8*I*A + 8*B)*a^2)*e^(2*I*f*x + 2*I*e))*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n/(f*n^3 + 3*f*n^2 + 2*f*n + (f*n^3 + 3*f*n^2 + 2*f*n)*e^(4*I*f*x + 4*I*e) + 2*(f*n^3 + 3*f*n^2 + 2*f*n)*e^(2*I*f*x + 2*I*e))

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^2 (-ic \tan(fx + e) + c)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2*(-I*c*tan(f*x + e) + c)^n, x)

$$3.677 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^5 dx$$

Optimal. Leaf size=99

$$\frac{a^2 c^5 (3B + iA)(1 - i \tan(e + fx))^6}{6f} + \frac{2a^2 c^5 (B + iA)(1 - i \tan(e + fx))^5}{5f} + \frac{a^2 B c^5 (1 - i \tan(e + fx))^7}{7f}$$

[Out] (2*a^2*(I*A + B)*c^5*(1 - I*Tan[e + f*x])^5)/(5*f) - (a^2*(I*A + 3*B)*c^5*(1 - I*Tan[e + f*x])^6)/(6*f) + (a^2*B*c^5*(1 - I*Tan[e + f*x])^7)/(7*f)

Rubi [A] time = 0.167718, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^2 c^5 (3B + iA)(1 - i \tan(e + fx))^6}{6f} + \frac{2a^2 c^5 (B + iA)(1 - i \tan(e + fx))^5}{5f} + \frac{a^2 B c^5 (1 - i \tan(e + fx))^7}{7f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5, x]

[Out] (2*a^2*(I*A + B)*c^5*(1 - I*Tan[e + f*x])^5)/(5*f) - (a^2*(I*A + 3*B)*c^5*(1 - I*Tan[e + f*x])^6)/(6*f) + (a^2*B*c^5*(1 - I*Tan[e + f*x])^7)/(7*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^5 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx)(c - icx)^4 dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB)(c - icx)^4 - \frac{a(A - 3iB)(c - icx)^5}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{2a^2(iA + B)c^5(1 - i \tan(e + fx))^5}{5f} - \frac{a^2(iA + 3B)c^5}{7f} \end{aligned}$$

Mathematica [B] time = 9.04328, size = 254, normalized size = 2.57

$$\frac{a^2 c^5 \sec(e) \sec^7(e + fx) (35(3B - 7iA) \cos(2e + fx) + 35(3B - 7iA) \cos(fx) - 245A \sin(2e + fx) + 189A \sin(2e + 3fx))}{(840fx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5, x]

[Out] (a^2*c^5*Sec[e]*Sec[e + f*x]^7*(35*((-7*I)*A + 3*B)*Cos[f*x] + 35*((-7*I)*A + 3*B)*Cos[2*e + f*x] - (105*I)*A*Cos[2*e + 3*f*x] + 105*B*Cos[2*e + 3*f*x] - (105*I)*A*Cos[4*e + 3*f*x] + 105*B*Cos[4*e + 3*f*x] + 245*A*Sin[f*x] + (105*I)*B*Sin[f*x] - 245*A*Sin[2*e + f*x] - (105*I)*B*Sin[2*e + f*x] + 189*A*Sin[2*e + 3*f*x] + (21*I)*B*Sin[2*e + 3*f*x] - 105*A*Sin[4*e + 3*f*x] - (105*I)*B*Sin[4*e + 3*f*x] + 98*A*Sin[4*e + 5*f*x] + (42*I)*B*Sin[4*e + 5*f*x] + 14*A*Sin[6*e + 7*f*x] + (6*I)*B*Sin[6*e + 7*f*x]))/(840*f)

Maple [A] time = 0.011, size = 147, normalized size = 1.5

$$\frac{c^5 a^2}{f} \left(\frac{i}{7} B (\tan(fx + e))^7 + \frac{i}{6} A (\tan(fx + e))^6 - \frac{2i}{5} B (\tan(fx + e))^5 - \frac{B (\tan(fx + e))^6}{2} - \frac{i}{2} A (\tan(fx + e))^4 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x)

[Out] 1/f*c^5*a^2*(1/7*I*B*tan(f*x+e)^7+1/6*I*A*tan(f*x+e)^6-2/5*I*B*tan(f*x+e)^5-1/2*B*tan(f*x+e)^6-1/2*I*A*tan(f*x+e)^4-3/5*A*tan(f*x+e)^5-I*B*tan(f*x+e)^3-1/2*B*tan(f*x+e)^4-3/2*I*A*tan(f*x+e)^2-2/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.7265, size = 201, normalized size = 2.03

$$\frac{-60iBa^2c^5 \tan(fx + e)^7 - 70(iA - 3B)a^2c^5 \tan(fx + e)^6 + (252A + 168iB)a^2c^5 \tan(fx + e)^5 - 210(-iA - B)a^2c^5 \tan(fx + e)^4 + (280A + 420iB)a^2c^5 \tan(fx + e)^3 - 210*(-3iA + B)a^2c^5 \tan(fx + e)^2 - 420Aa^2c^5 \tan(fx + e)}{420}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")

[Out] -1/420*(-60*I*B*a^2*c^5*tan(f*x + e)^7 - 70*(I*A - 3*B)*a^2*c^5*tan(f*x + e)^6 + (252*A + 168*I*B)*a^2*c^5*tan(f*x + e)^5 - 210*(-I*A - B)*a^2*c^5*tan(f*x + e)^4 + (280*A + 420*I*B)*a^2*c^5*tan(f*x + e)^3 - 210*(-3*I*A + B)*a^2*c^5*tan(f*x + e)^2 - 420*A*a^2*c^5*tan(f*x + e))/f

Fricas [A] time = 1.2768, size = 441, normalized size = 4.45

$$\frac{(1344iA + 1344B)a^2c^5e^{4ifx+4ie} + (1568iA - 672B)a^2c^5e^{2ifx+2ie} + (224iA - 96B)a^2c^5}{105 \left(fe^{14ifx+14ie} + 7fe^{12ifx+12ie} + 21fe^{10ifx+10ie} + 35fe^{8ifx+8ie} + 35fe^{6ifx+6ie} + 21fe^{4ifx+4ie} + 7fe^{2ifx+2ie} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")

[Out] 1/105*((1344*I*A + 1344*B)*a^2*c^5*e^(4*I*f*x + 4*I*e) + (1568*I*A - 672*B)*a^2*c^5*e^(2*I*f*x + 2*I*e) + (224*I*A - 96*B)*a^2*c^5)/(f*e^(14*I*f*x + 14*I*e) + 7*f*e^(12*I*f*x + 12*I*e) + 21*f*e^(10*I*f*x + 10*I*e) + 35*f*e^(8*I*f*x + 8*I*e) + 35*f*e^(6*I*f*x + 6*I*e) + 21*f*e^(4*I*f*x + 4*I*e) + 7*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [B] time = 71.3342, size = 231, normalized size = 2.33

$$\frac{\frac{(64iAa^2c^5+64Ba^2c^5)e^{-10ie}e^{4ifx}}{5f} + \frac{(224iAa^2c^5-96Ba^2c^5)e^{-12ie}e^{2ifx}}{15f} + \frac{(224iAa^2c^5-96Ba^2c^5)e^{-14ie}}{105f}}{e^{14ifx} + 7e^{-2ie}e^{12ifx} + 21e^{-4ie}e^{10ifx} + 35e^{-6ie}e^{8ifx} + 35e^{-8ie}e^{6ifx} + 21e^{-10ie}e^{4ifx} + 7e^{-12ie}e^{2ifx} + e^{-14ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x)

[Out] ((64*I*A*a**2*c**5 + 64*B*a**2*c**5)*exp(-10*I*e)*exp(4*I*f*x)/(5*f) + (224*I*A*a**2*c**5 - 96*B*a**2*c**5)*exp(-12*I*e)*exp(2*I*f*x)/(15*f) + (224*I*A*a**2*c**5 - 96*B*a**2*c**5)*exp(-14*I*e)/(105*f))/(exp(14*I*f*x) + 7*exp(-2*I*e)*exp(12*I*f*x) + 21*exp(-4*I*e)*exp(10*I*f*x) + 35*exp(-6*I*e)*exp(8*I*f*x) + 35*exp(-8*I*e)*exp(6*I*f*x) + 21*exp(-10*I*e)*exp(4*I*f*x) + 7*exp(-12*I*e)*exp(2*I*f*x) + exp(-14*I*e))

Giac [B] time = 2.17806, size = 258, normalized size = 2.61

$$\frac{1344iAa^2c^5e^{(4ifx+4ie)} + 1344Ba^2c^5e^{(4ifx+4ie)} + 1568iAa^2c^5e^{(2ifx+2ie)} - 672Ba^2c^5e^{(2ifx+2ie)} + 224iAa^2c^5 - 96Ba^2c^5}{105\left(fe^{(14ifx+14ie)} + 7fe^{(12ifx+12ie)} + 21fe^{(10ifx+10ie)} + 35fe^{(8ifx+8ie)} + 35fe^{(6ifx+6ie)} + 21fe^{(4ifx+4ie)} + 7fe^{(2ifx+2ie)} + e^{-14ie}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x, algorithm="giac")

[Out] 1/105*(1344*I*A*a^2*c^5*e^(4*I*f*x + 4*I*e) + 1344*B*a^2*c^5*e^(4*I*f*x + 4*I*e) + 1568*I*A*a^2*c^5*e^(2*I*f*x + 2*I*e) - 672*B*a^2*c^5*e^(2*I*f*x + 2*I*e) + 224*I*A*a^2*c^5 - 96*B*a^2*c^5)/(f*e^(14*I*f*x + 14*I*e) + 7*f*e^(12*I*f*x + 12*I*e) + 21*f*e^(10*I*f*x + 10*I*e) + 35*f*e^(8*I*f*x + 8*I*e) + 35*f*e^(6*I*f*x + 6*I*e) + 21*f*e^(4*I*f*x + 4*I*e) + 7*f*e^(2*I*f*x + 2*I*e) + f)

$$3.678 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) (c - ic \tan(e + fx))^4 dx$$

Optimal. Leaf size=99

$$-\frac{a^2 c^4 (3B + iA)(1 - i \tan(e + fx))^5}{5f} + \frac{a^2 c^4 (B + iA)(1 - i \tan(e + fx))^4}{2f} + \frac{a^2 B c^4 (1 - i \tan(e + fx))^6}{6f}$$

[Out] (a^2*(I*A + B)*c^4*(1 - I*Tan[e + f*x])^4)/(2*f) - (a^2*(I*A + 3*B)*c^4*(1 - I*Tan[e + f*x])^5)/(5*f) + (a^2*B*c^4*(1 - I*Tan[e + f*x])^6)/(6*f)

Rubi [A] time = 0.155122, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{a^2 c^4 (3B + iA)(1 - i \tan(e + fx))^5}{5f} + \frac{a^2 c^4 (B + iA)(1 - i \tan(e + fx))^4}{2f} + \frac{a^2 B c^4 (1 - i \tan(e + fx))^6}{6f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4, x]

[Out] (a^2*(I*A + B)*c^4*(1 - I*Tan[e + f*x])^4)/(2*f) - (a^2*(I*A + 3*B)*c^4*(1 - I*Tan[e + f*x])^5)/(5*f) + (a^2*B*c^4*(1 - I*Tan[e + f*x])^6)/(6*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) (c - ic \tan(e + fx))^4 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx)(c - icx)^3 dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB)(c - icx)^3 - \frac{a(A - 3iB)(c - icx)^4}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{a^2(iA + B)c^4(1 - i \tan(e + fx))^4}{2f} - \frac{a^2(iA + 3B)c^4(1 - i \tan(e + fx))^5}{5f} + \frac{a^2 B c^4 (1 - i \tan(e + fx))^6}{6f} \end{aligned}$$

Mathematica [A] time = 5.80774, size = 177, normalized size = 1.79

$$\frac{a^2 c^4 \sec(e) \sec^6(e + fx) (15(B - iA) \cos(e + 2fx) + 10(B - 3iA) \cos(e) + 30A \sin(e + 2fx) - 15A \sin(3e + 2fx) + 18A \sin(5e + 2fx) + 6A \sin(3e + 4fx) + 3A \sin(5e + 6fx))}{120f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4,x]

[Out] (a^2*c^4*Sec[e]*Sec[e + f*x]^6*(10*((-3*I)*A + B)*Cos[e] + 15*((-I)*A + B)*Cos[e + 2*f*x] - (15*I)*A*Cos[3*e + 2*f*x] + 15*B*Cos[3*e + 2*f*x] - 30*A*Sin[e] - (10*I)*B*Sin[e] + 30*A*Sin[e + 2*f*x] - 15*A*Sin[3*e + 2*f*x] - (15*I)*B*Sin[3*e + 2*f*x] + 18*A*Sin[3*e + 4*f*x] + (6*I)*B*Sin[3*e + 4*f*x] + 3*A*Sin[5*e + 6*f*x] + I*B*Sin[5*e + 6*f*x]))/(120*f)

Maple [A] time = 0.011, size = 101, normalized size = 1.

$$\frac{a^2 c^4}{f} \left(-\frac{2i}{5} B (\tan(fx + e))^5 - \frac{B (\tan(fx + e))^6}{6} - \frac{i}{2} A (\tan(fx + e))^4 - \frac{A (\tan(fx + e))^5}{5} - \frac{2i}{3} B (\tan(fx + e))^3 - iA \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x)

[Out] 1/f*a^2*c^4*(-2/5*I*B*tan(f*x+e)^5-1/6*B*tan(f*x+e)^6-1/2*I*A*tan(f*x+e)^4-1/5*A*tan(f*x+e)^5-2/3*I*B*tan(f*x+e)^3-I*A*tan(f*x+e)^2+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 2.43102, size = 158, normalized size = 1.6

$$\frac{10Ba^2c^4 \tan^6(fx + e) + (12A + 24iB)a^2c^4 \tan^5(fx + e) + 30iAa^2c^4 \tan^4(fx + e) + 40iBa^2c^4 \tan^3(fx + e) + 30(2iA - B)a^2c^4 \tan^2(fx + e) - 60Aa^2c^4 \tan(fx + e)}{60f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="maxima")

[Out] -1/60*(10*B*a^2*c^4*tan(f*x + e)^6 + (12*A + 24*I*B)*a^2*c^4*tan(f*x + e)^5 + 30*I*A*a^2*c^4*tan(f*x + e)^4 + 40*I*B*a^2*c^4*tan(f*x + e)^3 + 30*(2*I*A - B)*a^2*c^4*tan(f*x + e)^2 - 60*A*a^2*c^4*tan(f*x + e))/f

Fricas [A] time = 1.4085, size = 393, normalized size = 3.97

$$\frac{(120iA + 120B)a^2c^4e^{(4ifx+4ie)} + (144iA - 48B)a^2c^4e^{(2ifx+2ie)} + (24iA - 8B)a^2c^4}{15 \left(fe^{(12ifx+12ie)} + 6fe^{(10ifx+10ie)} + 15fe^{(8ifx+8ie)} + 20fe^{(6ifx+6ie)} + 15fe^{(4ifx+4ie)} + 6fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="fricas")

[Out] 1/15*((120*I*A + 120*B)*a^2*c^4*e^(4*I*f*x + 4*I*e) + (144*I*A - 48*B)*a^2*c^4*e^(2*I*f*x + 2*I*e) + (24*I*A - 8*B)*a^2*c^4)/(f*e^(12*I*f*x + 12*I*e) + 6*f*e^(10*I*f*x + 10*I*e) + 15*f*e^(8*I*f*x + 8*I*e) + 20*f*e^(6*I*f*x + 6*I*e) + 15*f*e^(4*I*f*x + 4*I*e) + 6*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [B] time = 40.7263, size = 212, normalized size = 2.14

$$\frac{\frac{(8iAa^2c^4+8Ba^2c^4)e^{-8ie}e^{4ifx}}{f} + \frac{(24iAa^2c^4-8Ba^2c^4)e^{-12ie}}{15f} + \frac{(48iAa^2c^4-16Ba^2c^4)e^{-10ie}e^{2ifx}}{5f}}{e^{12ifx} + 6e^{-2ie}e^{10ifx} + 15e^{-4ie}e^{8ifx} + 20e^{-6ie}e^{6ifx} + 15e^{-8ie}e^{4ifx} + 6e^{-10ie}e^{2ifx} + e^{-12ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x)

[Out] ((8*I*A*a**2*c**4 + 8*B*a**2*c**4)*exp(-8*I*e)*exp(4*I*f*x)/f + (24*I*A*a**2*c**4 - 8*B*a**2*c**4)*exp(-12*I*e)/(15*f) + (48*I*A*a**2*c**4 - 16*B*a**2*c**4)*exp(-10*I*e)*exp(2*I*f*x)/(5*f))/(exp(12*I*f*x) + 6*exp(-2*I*e)*exp(10*I*f*x) + 15*exp(-4*I*e)*exp(8*I*f*x) + 20*exp(-6*I*e)*exp(6*I*f*x) + 15*exp(-8*I*e)*exp(4*I*f*x) + 6*exp(-10*I*e)*exp(2*I*f*x) + exp(-12*I*e))

Giac [B] time = 1.85636, size = 240, normalized size = 2.42

$$\frac{120iAa^2c^4e^{(4ifx+4ie)} + 120Ba^2c^4e^{(4ifx+4ie)} + 144iAa^2c^4e^{(2ifx+2ie)} - 48Ba^2c^4e^{(2ifx+2ie)} + 24iAa^2c^4 - 8Ba^2c^4}{15\left(fe^{(12ifx+12ie)} + 6fe^{(10ifx+10ie)} + 15fe^{(8ifx+8ie)} + 20fe^{(6ifx+6ie)} + 15fe^{(4ifx+4ie)} + 6fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="giac")

[Out] 1/15*(120*I*A*a^2*c^4*e^(4*I*f*x + 4*I*e) + 120*B*a^2*c^4*e^(4*I*f*x + 4*I*e) + 144*I*A*a^2*c^4*e^(2*I*f*x + 2*I*e) - 48*B*a^2*c^4*e^(2*I*f*x + 2*I*e) + 24*I*A*a^2*c^4 - 8*B*a^2*c^4)/(f*e^(12*I*f*x + 12*I*e) + 6*f*e^(10*I*f*x + 10*I*e) + 15*f*e^(8*I*f*x + 8*I*e) + 20*f*e^(6*I*f*x + 6*I*e) + 15*f*e^(4*I*f*x + 4*I*e) + 6*f*e^(2*I*f*x + 2*I*e) + f)

$$3.679 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^3 dx$$

Optimal. Leaf size=99

$$\frac{a^2 c^3 (3B + iA)(1 - i \tan(e + fx))^4}{4f} + \frac{2a^2 c^3 (B + iA)(1 - i \tan(e + fx))^3}{3f} + \frac{a^2 B c^3 (1 - i \tan(e + fx))^5}{5f}$$

[Out] (2*a^2*(I*A + B)*c^3*(1 - I*Tan[e + f*x])^3)/(3*f) - (a^2*(I*A + 3*B)*c^3*(1 - I*Tan[e + f*x])^4)/(4*f) + (a^2*B*c^3*(1 - I*Tan[e + f*x])^5)/(5*f)

Rubi [A] time = 0.150024, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^2 c^3 (3B + iA)(1 - i \tan(e + fx))^4}{4f} + \frac{2a^2 c^3 (B + iA)(1 - i \tan(e + fx))^3}{3f} + \frac{a^2 B c^3 (1 - i \tan(e + fx))^5}{5f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3, x]

[Out] (2*a^2*(I*A + B)*c^3*(1 - I*Tan[e + f*x])^3)/(3*f) - (a^2*(I*A + 3*B)*c^3*(1 - I*Tan[e + f*x])^4)/(4*f) + (a^2*B*c^3*(1 - I*Tan[e + f*x])^5)/(5*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^3 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx)(c - icx)^2 dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB)(c - icx)^2 - \frac{a(A - 3iB)(c - icx)^3}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{2a^2(iA + B)c^3(1 - i \tan(e + fx))^3}{3f} - \frac{a^2(iA + 3B)c^3}{5f} \end{aligned}$$

Mathematica [A] time = 5.69938, size = 146, normalized size = 1.47

$$\frac{a^2 c^3 \sec(e) \sec^5(e + fx)(15(B - iA) \cos(2e + fx) + 15(B - iA) \cos(fx) - 15A \sin(2e + fx) + 25A \sin(2e + 3fx) + 5A \sin(2e + 5fx))}{120f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3,x]

[Out] (a^2*c^3*Sec[e]*Sec[e + f*x]^5*(15*((-I)*A + B)*Cos[f*x] + 15*((-I)*A + B)*Cos[2*e + f*x] + 35*A*Sin[f*x] - (5*I)*B*Sin[f*x] - 15*A*Sin[2*e + f*x] - (15*I)*B*Sin[2*e + f*x] + 25*A*Sin[2*e + 3*f*x] + (5*I)*B*Sin[2*e + 3*f*x] + 5*A*Sin[4*e + 5*f*x] + I*B*Sin[4*e + 5*f*x]))/(120*f)

Maple [A] time = 0.012, size = 101, normalized size = 1.

$$\frac{c^3 a^2}{f} \left(-\frac{i}{5} B (\tan(fx + e))^5 - \frac{i}{4} A (\tan(fx + e))^4 - \frac{i}{3} B (\tan(fx + e))^3 + \frac{B (\tan(fx + e))^4}{4} - \frac{i}{2} A (\tan(fx + e))^2 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x)

[Out] 1/f*c^3*a^2*(-1/5*I*B*tan(f*x+e)^5-1/4*I*A*tan(f*x+e)^4-1/3*I*B*tan(f*x+e)^3+1/4*B*tan(f*x+e)^4-1/2*I*A*tan(f*x+e)^2+1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.90972, size = 139, normalized size = 1.4

$$\frac{12iBa^2c^3 \tan(fx + e)^5 - 15(-iA + B)a^2c^3 \tan(fx + e)^4 - (20A - 20iB)a^2c^3 \tan(fx + e)^3 - 30(-iA + B)a^2c^3 \tan(fx + e)^2 + 60Aa^2c^3 \tan(fx + e)}{60f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")

[Out] -1/60*(12*I*B*a^2*c^3*tan(f*x + e)^5 - 15*(-I*A + B)*a^2*c^3*tan(f*x + e)^4 - (20*A - 20*I*B)*a^2*c^3*tan(f*x + e)^3 - 30*(-I*A + B)*a^2*c^3*tan(f*x + e)^2 - 60*A*a^2*c^3*tan(f*x + e))/f

Fricas [A] time = 1.38537, size = 351, normalized size = 3.55

$$\frac{(80iA + 80B)a^2c^3e^{(4ifx+4ie)} + (100iA - 20B)a^2c^3e^{(2ifx+2ie)} + (20iA - 4B)a^2c^3}{15 \left(fe^{(10ifx+10ie)} + 5fe^{(8ifx+8ie)} + 10fe^{(6ifx+6ie)} + 10fe^{(4ifx+4ie)} + 5fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")

[Out] $\frac{1}{15} * ((80 * I * A + 80 * B) * a^2 * c^3 * e^{(4 * I * f * x + 4 * I * e)} + (100 * I * A - 20 * B) * a^2 * c^3 * e^{(2 * I * f * x + 2 * I * e)} + (20 * I * A - 4 * B) * a^2 * c^3) / (f * e^{(10 * I * f * x + 10 * I * e)} + 5 * f * e^{(8 * I * f * x + 8 * I * e)} + 10 * f * e^{(6 * I * f * x + 6 * I * e)} + 10 * f * e^{(4 * I * f * x + 4 * I * e)} + 5 * f * e^{(2 * I * f * x + 2 * I * e)} + f)$

Sympy [B] time = 18.0525, size = 197, normalized size = 1.99

$$\frac{\frac{(16iAa^2c^3+16Ba^2c^3)e^{-6ie}e^{4ifx}}{3f} + \frac{(20iAa^2c^3-4Ba^2c^3)e^{-8ie}e^{2ifx}}{3f} + \frac{(20iAa^2c^3-4Ba^2c^3)e^{-10ie}}{15f}}{e^{10ifx} + 5e^{-2ie}e^{8ifx} + 10e^{-4ie}e^{6ifx} + 10e^{-6ie}e^{4ifx} + 5e^{-8ie}e^{2ifx} + e^{-10ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x)

[Out] $((16 * I * A * a^{**2} * c^{**3} + 16 * B * a^{**2} * c^{**3}) * \exp(-6 * I * e) * \exp(4 * I * f * x) / (3 * f) + (20 * I * A * a^{**2} * c^{**3} - 4 * B * a^{**2} * c^{**3}) * \exp(-8 * I * e) * \exp(2 * I * f * x) / (3 * f) + (20 * I * A * a^{**2} * c^{**3} - 4 * B * a^{**2} * c^{**3}) * \exp(-10 * I * e) / (15 * f)) / (\exp(10 * I * f * x) + 5 * \exp(-2 * I * e) * \exp(8 * I * f * x) + 10 * \exp(-4 * I * e) * \exp(6 * I * f * x) + 10 * \exp(-6 * I * e) * \exp(4 * I * f * x) + 5 * \exp(-8 * I * e) * \exp(2 * I * f * x) + \exp(-10 * I * e))$

Giac [A] time = 1.69948, size = 223, normalized size = 2.25

$$\frac{80iAa^2c^3e^{(4ifx+4ie)} + 80Ba^2c^3e^{(4ifx+4ie)} + 100iAa^2c^3e^{(2ifx+2ie)} - 20Ba^2c^3e^{(2ifx+2ie)} + 20iAa^2c^3 - 4Ba^2c^3}{15 \left(fe^{(10ifx+10ie)} + 5fe^{(8ifx+8ie)} + 10fe^{(6ifx+6ie)} + 10fe^{(4ifx+4ie)} + 5fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="giac")

[Out] $\frac{1}{15} * (80 * I * A * a^2 * c^3 * e^{(4 * I * f * x + 4 * I * e)} + 80 * B * a^2 * c^3 * e^{(4 * I * f * x + 4 * I * e)} + 100 * I * A * a^2 * c^3 * e^{(2 * I * f * x + 2 * I * e)} - 20 * B * a^2 * c^3 * e^{(2 * I * f * x + 2 * I * e)} + 20 * I * A * a^2 * c^3 - 4 * B * a^2 * c^3) / (f * e^{(10 * I * f * x + 10 * I * e)} + 5 * f * e^{(8 * I * f * x + 8 * I * e)} + 10 * f * e^{(6 * I * f * x + 6 * I * e)} + 10 * f * e^{(4 * I * f * x + 4 * I * e)} + 5 * f * e^{(2 * I * f * x + 2 * I * e)} + f)$

$$3.680 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^2 dx$$

Optimal. Leaf size=62

$$\frac{a^2 Ac^2 \tan^3(e + fx)}{3f} + \frac{a^2 Ac^2 \tan(e + fx)}{f} + \frac{a^2 Bc^2 \sec^4(e + fx)}{4f}$$

[Out] (a^2*B*c^2*Sec[e + f*x]^4)/(4*f) + (a^2*A*c^2*Tan[e + f*x])/f + (a^2*A*c^2*Tan[e + f*x]^3)/(3*f)

Rubi [A] time = 0.109028, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 73, 641}

$$\frac{a^2 Ac^2 \tan^3(e + fx)}{3f} + \frac{a^2 Ac^2 \tan(e + fx)}{f} + \frac{a^2 Bc^2 \sec^4(e + fx)}{4f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2, x]

[Out] (a^2*B*c^2*Sec[e + f*x]^4)/(4*f) + (a^2*A*c^2*Tan[e + f*x])/f + (a^2*A*c^2*Tan[e + f*x]^3)/(3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 73

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m] && IntegerQ[m]

Rule 641

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) (c - ic \tan(e + fx))^2 dx &= \frac{(ac) \text{Subst}\left(\int (a + iax)(A + Bx)(c - icx) dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{(ac) \text{Subst}\left(\int (A + Bx)(ac + acx^2) dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{a^2 Bc^2 \sec^4(e + fx)}{4f} + \frac{(aAc) \text{Subst}\left(\int (ac + acx^2) dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{a^2 Bc^2 \sec^4(e + fx)}{4f} + \frac{a^2 Ac^2 \tan(e + fx)}{f} + \frac{a^2 Ac^2 \tan^3(e + fx)}{3f}
\end{aligned}$$

Mathematica [A] time = 0.15596, size = 53, normalized size = 0.85

$$\frac{a^2 Ac^2 \left(\frac{1}{3} \tan^3(e + fx) + \tan(e + fx) \right)}{f} + \frac{a^2 Bc^2 \sec^4(e + fx)}{4f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2,x]

[Out] (a^2*B*c^2*Sec[e + f*x]^4)/(4*f) + (a^2*A*c^2*(Tan[e + f*x] + Tan[e + f*x]^3))/f

Maple [A] time = 0.011, size = 53, normalized size = 0.9

$$\frac{a^2 c^2}{f} \left(\frac{B (\tan(fx + e))^4}{4} + \frac{A (\tan(fx + e))^3}{3} + \frac{B (\tan(fx + e))^2}{2} + A \tan(fx + e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x)

[Out] 1/f*a^2*c^2*(1/4*B*tan(f*x+e)^4+1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.65437, size = 97, normalized size = 1.56

$$\frac{3Ba^2c^2 \tan(fx + e)^4 + 4Aa^2c^2 \tan(fx + e)^3 + 6Ba^2c^2 \tan(fx + e)^2 + 12Aa^2c^2 \tan(fx + e)}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] 1/12*(3*B*a^2*c^2*tan(f*x + e)^4 + 4*A*a^2*c^2*tan(f*x + e)^3 + 6*B*a^2*c^2*tan(f*x + e)^2 + 12*A*a^2*c^2*tan(f*x + e))/f

Fricas [C] time = 1.35671, size = 284, normalized size = 4.58

$$\frac{(12iA + 12B)a^2c^2e^{(4ifx+4ie)} + 16iAa^2c^2e^{(2ifx+2ie)} + 4iAa^2c^2}{3\left(fe^{(8ifx+8ie)} + 4fe^{(6ifx+6ie)} + 6fe^{(4ifx+4ie)} + 4fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/3*((12*I*A + 12*B)*a^2*c^2*e^(4*I*f*x + 4*I*e) + 16*I*A*a^2*c^2*e^(2*I*f*x + 2*I*e) + 4*I*A*a^2*c^2)/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [C] time = 10.5884, size = 158, normalized size = 2.55

$$\frac{\frac{16iAa^2c^2e^{-6ie}e^{2ifx}}{3f} + \frac{4iAa^2c^2e^{-8ie}}{3f} + \frac{(4iAa^2c^2+4Ba^2c^2)e^{-4ie}e^{4ifx}}{f}}{e^{8ifx} + 4e^{-2ie}e^{6ifx} + 6e^{-4ie}e^{4ifx} + 4e^{-6ie}e^{2ifx} + e^{-8ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**2,x)

[Out] (16*I*A*a**2*c**2*exp(-6*I*e)*exp(2*I*f*x)/(3*f) + 4*I*A*a**2*c**2*exp(-8*I*e)/(3*f) + (4*I*A*a**2*c**2 + 4*B*a**2*c**2)*exp(-4*I*e)*exp(4*I*f*x)/f)/(exp(8*I*f*x) + 4*exp(-2*I*e)*exp(6*I*f*x) + 6*exp(-4*I*e)*exp(4*I*f*x) + 4*exp(-6*I*e)*exp(2*I*f*x) + exp(-8*I*e))

Giac [B] time = 1.68467, size = 555, normalized size = 8.95

$$\frac{3Ba^2c^2 \tan^4(fx) \tan^4(e) - 12Aa^2c^2 \tan^4(fx) \tan^3(e) - 12Aa^2c^2 \tan^3(fx) \tan^4(e) + 6Ba^2c^2 \tan^4(fx) \tan^2(e) + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="giac")

[Out] 1/12*(3*B*a^2*c^2*tan(f*x)^4*tan(e)^4 - 12*A*a^2*c^2*tan(f*x)^4*tan(e)^3 - 12*A*a^2*c^2*tan(f*x)^3*tan(e)^4 + 6*B*a^2*c^2*tan(f*x)^4*tan(e)^2 + 6*B*a^2*c^2*tan(f*x)^2*tan(e)^4 - 4*A*a^2*c^2*tan(f*x)^4*tan(e) + 24*A*a^2*c^2*tan(f*x)^3*tan(e)^2 + 24*A*a^2*c^2*tan(f*x)^2*tan(e)^3 - 4*A*a^2*c^2*tan(f*x)*tan(e)^4 + 3*B*a^2*c^2*tan(f*x)^4 + 12*B*a^2*c^2*tan(f*x)^2*tan(e)^2 + 3*B*a^2*c^2*tan(e)^4 + 4*A*a^2*c^2*tan(f*x)^3 - 24*A*a^2*c^2*tan(f*x)^2*tan(e) - 24*A*a^2*c^2*tan(f*x)*tan(e)^2 + 4*A*a^2*c^2*tan(e)^3 + 6*B*a^2*c^2*tan(f*x)^2 + 6*B*a^2*c^2*tan(e)^2 + 12*A*a^2*c^2*tan(f*x) + 12*A*a^2*c^2*tan(e) + 3*B*a^2*c^2)/(f*tan(f*x)^4*tan(e)^4 - 4*f*tan(f*x)^3*tan(e)^3 + 6*f*tan(f*x)^2*tan(e)^2 - 4*f*tan(f*x)*tan(e) + f)

$$3.681 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx)) dx$$

Optimal. Leaf size=64

$$\frac{a^2 c (B + iA) \tan^2(e + fx)}{2f} + \frac{a^2 A c \tan(e + fx)}{f} + \frac{ia^2 B c \tan^3(e + fx)}{3f}$$

[Out] (a²*A*c*Tan[e + f*x])/f + (a²*(I*A + B)*c*Tan[e + f*x]^2)/(2*f) + ((I/3)*a²*B*c*Tan[e + f*x]^3)/f

Rubi [A] time = 0.0823462, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{a^2 c (B + iA) \tan^2(e + fx)}{2f} + \frac{a^2 A c \tan(e + fx)}{f} + \frac{ia^2 B c \tan^3(e + fx)}{3f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]),x]

[Out] (a²*A*c*Tan[e + f*x])/f + (a²*(I*A + B)*c*Tan[e + f*x]^2)/(2*f) + ((I/3)*a²*B*c*Tan[e + f*x]^3)/f

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx)) dx &= \frac{(ac) \text{Subst}(\int (a + iax)(A + Bx) dx, x, \tan(e + fx))}{f} \\ &= \frac{(ac) \text{Subst}(\int (aA + a(iA + B)x + iaBx^2) dx, x, \tan(e + fx))}{f} \\ &= \frac{a^2 A c \tan(e + fx)}{f} + \frac{a^2 (iA + B) c \tan^2(e + fx)}{2f} + \frac{ia^2 B c \tan^3(e + fx)}{3f} \end{aligned}$$

Mathematica [A] time = 2.61344, size = 109, normalized size = 1.7

$$\frac{a^2 c \sec(e) \sec^3(e + fx)(3(B + iA) \cos(2e + fx) + 3(B + iA) \cos(fx) - 3A \sin(2e + fx) + 3A \sin(2e + 3fx) + 6A \sin(fx))}{12f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]),x]

[Out] (a^2*c*Sec[e]*Sec[e + f*x]^3*(3*(I*A + B)*Cos[f*x] + 3*(I*A + B)*Cos[2*e + f*x] + 6*A*Sin[f*x] - 3*A*Sin[2*e + f*x] + (3*I)*B*Sin[2*e + f*x] + 3*A*Sin[2*e + 3*f*x] - I*B*Sin[2*e + 3*f*x]))/(12*f)

Maple [A] time = 0.01, size = 53, normalized size = 0.8

$$\frac{a^2c}{f} \left(\frac{i}{3}B(\tan(fx+e))^3 + \frac{i}{2}A(\tan(fx+e))^2 + \frac{B(\tan(fx+e))^2}{2} + A\tan(fx+e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x)

[Out] 1/f*a^2*c*(1/3*I*B*tan(f*x+e)^3+1/2*I*A*tan(f*x+e)^2+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.59281, size = 72, normalized size = 1.12

$$\frac{-2iBa^2c\tan(fx+e)^3 - 3(iA+B)a^2c\tan(fx+e)^2 - 6Aa^2c\tan(fx+e)}{6f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorithm="maxima")

[Out] -1/6*(-2*I*B*a^2*c*tan(f*x + e)^3 - 3*(I*A + B)*a^2*c*tan(f*x + e)^2 - 6*A*a^2*c*tan(f*x + e))/f

Fricas [A] time = 1.25207, size = 262, normalized size = 4.09

$$\frac{(12iA + 12B)a^2ce^{4ifx+4ie} + (18iA + 6B)a^2ce^{2ifx+2ie} + (6iA + 2B)a^2c}{3\left(fe^{6ifx+6ie} + 3fe^{4ifx+4ie} + 3fe^{2ifx+2ie} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/3*((12*I*A + 12*B)*a^2*c*e^(4*I*f*x + 4*I*e) + (18*I*A + 6*B)*a^2*c*e^(2*I*f*x + 2*I*e) + (6*I*A + 2*B)*a^2*c)/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [B] time = 6.42124, size = 150, normalized size = 2.34

$$\frac{\frac{(4iAa^2c+4Ba^2c)e^{-2ie}e^{4ifx}}{f} + \frac{(6iAa^2c+2Ba^2c)e^{-4ie}e^{2ifx}}{f} + \frac{(6iAa^2c+2Ba^2c)e^{-6ie}}{3f}}{e^{6ifx} + 3e^{-2ie}e^{4ifx} + 3e^{-4ie}e^{2ifx} + e^{-6ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x)

[Out] ((4*I*A*a**2*c + 4*B*a**2*c)*exp(-2*I*e)*exp(4*I*f*x)/f + (6*I*A*a**2*c + 2*B*a**2*c)*exp(-4*I*e)*exp(2*I*f*x)/f + (6*I*A*a**2*c + 2*B*a**2*c)*exp(-6*I*e)/(3*f))/(exp(6*I*f*x) + 3*exp(-2*I*e)*exp(4*I*f*x) + 3*exp(-4*I*e)*exp(2*I*f*x) + exp(-6*I*e))

Giac [B] time = 1.48197, size = 171, normalized size = 2.67

$$\frac{12iAa^2ce^{(4ifx+4ie)} + 12Ba^2ce^{(4ifx+4ie)} + 18iAa^2ce^{(2ifx+2ie)} + 6Ba^2ce^{(2ifx+2ie)} + 6iAa^2c + 2Ba^2c}{3\left(fe^{(6ifx+6ie)} + 3fe^{(4ifx+4ie)} + 3fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorithm="giac")

[Out] 1/3*(12*I*A*a^2*c*e^(4*I*f*x + 4*I*e) + 12*B*a^2*c*e^(4*I*f*x + 4*I*e) + 18*I*A*a^2*c*e^(2*I*f*x + 2*I*e) + 6*B*a^2*c*e^(2*I*f*x + 2*I*e) + 6*I*A*a^2*c + 2*B*a^2*c)/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)

3.682 $\int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) dx$

Optimal. Leaf size=80

$$-\frac{a^2(A - iB) \tan(e + fx)}{f} - \frac{2a^2(B + iA) \log(\cos(e + fx))}{f} + 2a^2x(A - iB) + \frac{B(a + ia \tan(e + fx))^2}{2f}$$

[Out] $2*a^2*(A - I*B)*x - (2*a^2*(I*A + B)*\text{Log}[\text{Cos}[e + f*x]])/f - (a^2*(A - I*B)*\text{Tan}[e + f*x])/f + (B*(a + I*a*\text{Tan}[e + f*x])^2)/(2*f)$

Rubi [A] time = 0.0696908, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3527, 3477, 3475}

$$-\frac{a^2(A - iB) \tan(e + fx)}{f} - \frac{2a^2(B + iA) \log(\cos(e + fx))}{f} + 2a^2x(A - iB) + \frac{B(a + ia \tan(e + fx))^2}{2f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x]), x]$

[Out] $2*a^2*(A - I*B)*x - (2*a^2*(I*A + B)*\text{Log}[\text{Cos}[e + f*x]])/f - (a^2*(A - I*B)*\text{Tan}[e + f*x])/f + (B*(a + I*a*\text{Tan}[e + f*x])^2)/(2*f)$

Rule 3527

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m, x] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3477

$\text{Int}[(a + b*\text{Tan}[c + d*x])^2, x] \rightarrow \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /;$ FreeQ[{a, b, c, d}, x]

Rule 3475

$\text{Int}[\text{Tan}[c + d*x], x] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]], x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx)) dx &= \frac{B(a + ia \tan(e + fx))^2}{2f} - (-A + iB) \int (a + ia \tan(e + fx))^2 dx \\ &= 2a^2(A - iB)x - \frac{a^2(A - iB) \tan(e + fx)}{f} + \frac{B(a + ia \tan(e + fx))^2}{2f} + \dots \\ &= 2a^2(A - iB)x - \frac{2a^2(iA + B) \log(\cos(e + fx))}{f} - \frac{a^2(A - iB) \tan(e + fx)}{f} \end{aligned}$$

Mathematica [B] time = 2.20088, size = 263, normalized size = 3.29

$a^2 \sec(e) \sec^2(e + fx) (\cos(2fx) + i \sin(2fx)) (-8(A - iB) \cos(e) \cos^2(e + fx) \tan^{-1}(\tan(3e + fx)) - i((B + iA) \cos(e + fx)))$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]),x]

[Out] (a^2*Sec[e]*Sec[e + f*x]^2*(Cos[2*f*x] + I*Sin[2*f*x])*(-8*(A - I*B)*ArcTan[Tan[3*e + f*x]]*Cos[e]*Cos[e + f*x]^2 - I*((4*I)*A*f*x*Cos[3*e + 2*f*x] + 4*B*f*x*Cos[3*e + 2*f*x] + (I*A + B)*Cos[e + 2*f*x]*(4*f*x - I*Log[Cos[e + f*x]^2]) + A*Cos[3*e + 2*f*x]*Log[Cos[e + f*x]^2] - I*B*Cos[3*e + 2*f*x]*Log[Cos[e + f*x]^2] + 2*Cos[e]*((-I)*B + (4*I)*A*f*x + 4*B*f*x + (A - I*B)*Log[Cos[e + f*x]^2]) + (2*I)*A*Sin[e] + 4*B*Sin[e] - (2*I)*A*Sin[e + 2*f*x] - 4*B*Sin[e + 2*f*x]))/(4*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.011, size = 123, normalized size = 1.5

$$-\frac{a^2 B (\tan(fx + e))^2}{2f} + \frac{2ia^2 B \tan(fx + e)}{f} - \frac{a^2 A \tan(fx + e)}{f} + \frac{ia^2 A \ln\left(1 + (\tan(fx + e))^2\right)}{f} + \frac{a^2 B \ln\left(1 + (\tan(fx + e))^2\right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)),x)

[Out] -1/2/f*a^2*B*tan(f*x+e)^2+2*I/f*a^2*B*tan(f*x+e)-1/f*a^2*A*tan(f*x+e)+I/f*a^2*A*ln(1+tan(f*x+e)^2)+1/f*a^2*B*ln(1+tan(f*x+e)^2)-2*I/f*a^2*B*arctan(tan(f*x+e))+2/f*a^2*A*arctan(tan(f*x+e))

Maxima [A] time = 1.61246, size = 100, normalized size = 1.25

$$\frac{Ba^2 \tan(fx + e)^2 - 2(fx + e)(2A - 2iB)a^2 - 2(iA + B)a^2 \log(\tan(fx + e)^2 + 1) + (2A - 4iB)a^2 \tan(fx + e)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)),x, algorithm="maxima")

[Out] -1/2*(B*a^2*tan(f*x + e)^2 - 2*(f*x + e)*(2*A - 2*I*B)*a^2 - 2*(I*A + B)*a^2*log(tan(f*x + e)^2 + 1) + (2*A - 4*I*B)*a^2*tan(f*x + e))/f

Fricas [A] time = 1.46747, size = 339, normalized size = 4.24

$$\frac{(-2iA - 6B)a^2 e^{(2i fx + 2ie)} + (-2iA - 4B)a^2 + \left((-2iA - 2B)a^2 e^{(4i fx + 4ie)} + (-4iA - 4B)a^2 e^{(2i fx + 2ie)} + (-2iA - 2B)a^2\right)}{f e^{(4i fx + 4ie)} + 2 f e^{(2i fx + 2ie)} + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)),x, algorithm="fricas")

[Out] ((-2*I*A - 6*B)*a^2*e^(2*I*f*x + 2*I*e) + (-2*I*A - 4*B)*a^2 + ((-2*I*A - 2*B)*a^2*e^(4*I*f*x + 4*I*e) + (-4*I*A - 4*B)*a^2*e^(2*I*f*x + 2*I*e) + (-2*I*A - 2*B)*a^2)*log(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(4*I*f*x + 4*I*e) + 2*f

$$e^{(2iAfx + 2ie)} + f$$

Sympy [A] time = 3.55835, size = 121, normalized size = 1.51

$$-\frac{2a^2 (iA + B) \log(e^{2ifx} + e^{-2ie})}{f} + \frac{-\frac{(2iAa^2+4Ba^2)e^{-4ie}}{f} - \frac{(2iAa^2+6Ba^2)e^{-2ie}e^{2ifx}}{f}}{e^{4ifx} + 2e^{-2ie}e^{2ifx} + e^{-4ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e)),x)

[Out] -2*a**2*(I*A + B)*log(exp(2*I*f*x) + exp(-2*I*e))/f + (-(2*I*A*a**2 + 4*B*a**2)*exp(-4*I*e)/f - (2*I*A*a**2 + 6*B*a**2)*exp(-2*I*e)*exp(2*I*f*x)/f)/(exp(4*I*f*x) + 2*exp(-2*I*e)*exp(2*I*f*x) + exp(-4*I*e))

Giac [B] time = 1.48404, size = 309, normalized size = 3.86

$$\frac{-2iAa^2e^{(4ifx+4ie)}\log(e^{(2ifx+2ie)}+1) - 2Ba^2e^{(4ifx+4ie)}\log(e^{(2ifx+2ie)}+1) - 4iAa^2e^{(2ifx+2ie)}\log(e^{(2ifx+2ie)}+1) - \dots}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)),x, algorithm="giac")

[Out] (-2*I*A*a^2*e^(4*I*f*x + 4*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - 2*B*a^2*e^(4*I*f*x + 4*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - 4*I*A*a^2*e^(2*I*f*x + 2*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - 4*B*a^2*e^(2*I*f*x + 2*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - 2*I*A*a^2*e^(2*I*f*x + 2*I*e) - 6*B*a^2*e^(2*I*f*x + 2*I*e) - 2*I*A*a^2*log(e^(2*I*f*x + 2*I*e) + 1) - 2*B*a^2*log(e^(2*I*f*x + 2*I*e) + 1) - 2*I*A*a^2 - 4*B*a^2)/(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)

$$3.683 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx$$

Optimal. Leaf size=93

$$\frac{2a^2(A-iB)}{cf(\tan(e+fx)+i)} + \frac{a^2(3B+iA)\log(\cos(e+fx))}{cf} - \frac{a^2x(A-3iB)}{c} - \frac{ia^2B \tan(e+fx)}{cf}$$

[Out] $-(a^2(A - (3*I)*B)*x)/c + (a^2(I*A + 3*B)*\text{Log}[\text{Cos}[e + f*x]])/(c*f) - (I*a^2*B*\text{Tan}[e + f*x])/(c*f) + (2*a^2*(A - I*B))/(c*f*(I + \text{Tan}[e + f*x]))$

Rubi [A] time = 0.155555, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{2a^2(A-iB)}{cf(\tan(e+fx)+i)} + \frac{a^2(3B+iA)\log(\cos(e+fx))}{cf} - \frac{a^2x(A-3iB)}{c} - \frac{ia^2B \tan(e+fx)}{cf}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])}{(c - I*c*\text{Tan}[e + f*x])}, x]$

[Out] $-(a^2(A - (3*I)*B)*x)/c + (a^2(I*A + 3*B)*\text{Log}[\text{Cos}[e + f*x]])/(c*f) - (I*a^2*B*\text{Tan}[e + f*x])/(c*f) + (2*a^2*(A - I*B))/(c*f*(I + \text{Tan}[e + f*x]))$

Rule 3588

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_.)]}]^{(m_.)} * ((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[\frac{a*c}{f}, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)}{(c_.) + (d_.)*(x_.)}]^{(n_.)} * ((e_.) + (f_.)*(x_.)^{(p_.)})^{(q_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, n\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ ((\text{ILtQ}[n, 0] \ \&\& \ \text{ILtQ}[p, 0]) \ || \ \text{EqQ}[p, 1]) \ || \ (\text{IGtQ}[p, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{LeQ}[9*p + 5*(n + 2), 0]) \ || \ \text{GeQ}[n + p + 1, 0]) \ || \ (\text{GeQ}[n + p + 2, 0] \ \&\& \ \text{RationalQ}[a, b, c, d, e, f]))$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^2(A + B \tan(e + fx))}{c - ic \tan(e + fx)} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^2} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(-\frac{iaB}{c^2} - \frac{2a(A-iB)}{c^2(i+x)^2} - \frac{ia(A-3iB)}{c^2(i+x)} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{a^2(A-3iB)x}{c} + \frac{a^2(iA+3B)\log(\cos(e+fx))}{cf} - \frac{ia^2B \tan(e+fx)}{cf} + \dots \end{aligned}$$

Mathematica [B] time = 5.07876, size = 418, normalized size = 4.49

$$a^2 \sec(e)(\sin(e + fx) - i \cos(e + fx))^2 (A + B \tan(e + fx)) (2fx(A - 3iB) \cos^3(e) \cos(e + fx) + \cos(e) \cos(e + fx)) (-i$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x]),x]

[Out] (a^2*Sec[e]*(2*(A - (3*I)*B)*f*x*Cos[e]^3*Cos[e + f*x] + A*f*x*Cos[3*e]*Cos[e + f*x] + (2*I)*A*f*x*Cos[2*e]*Cos[e + f*x]*Sin[e] + 6*B*f*x*Cos[2*e]*Cos[e + f*x]*Sin[e] - (2*I)*Cos[e]^2*Cos[e + f*x]*((5*A - (9*I)*B)*f*x + ((-I)*A - 3*B)*Log[Cos[e + f*x]^2])*Sin[e] + (2*I)*A*f*x*Cos[e + f*x]*Sin[e]^3 + 6*B*f*x*Cos[e + f*x]*Sin[e]^3 - 2*(A - (3*I)*B)*ArcTan[Tan[3*e + f*x]]*Cos[e]*Cos[e + f*x]*(Cos[2*e] - I*Sin[2*e]) - (6*I)*B*f*x*Cos[e + f*x]*Sin[e]*Sin[2*e] + (2*I)*B*Cos[2*e]*Sin[f*x] + 2*B*Sin[2*e]*Sin[f*x] + Cos[e]*Cos[e + f*x]*(A*f*x + 2*(I*A + B)*Cos[2*f*x] - I*Cos[2*e]*(6*B*f*x + (A - (3*I)*B)*Log[Cos[e + f*x]^2]) - 2*A*f*x*Sin[e]^2 + (18*I)*B*f*x*Sin[e]^2 - 6*B*f*x*Sin[2*e] - 2*A*Sin[2*f*x] + (2*I)*B*Sin[2*f*x]))*((-I)*Cos[e + f*x] + Sin[e + f*x])^2*(A + B*Tan[e + f*x]))/(2*c*f*(Cos[f*x] + I*Sin[f*x])^2*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.04, size = 113, normalized size = 1.2

$$\frac{-ia^2B \tan(fx + e)}{cf} - \frac{2iBa^2}{cf(\tan(fx + e) + i)} + 2 \frac{a^2A}{cf(\tan(fx + e) + i)} - \frac{iAa^2 \ln(\tan(fx + e) + i)}{cf} - 3 \frac{a^2B \ln(\tan(fx + e) + i)}{cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)

[Out] -I*a^2*B*tan(f*x+e)/c/f-2*I/f*a^2/c/(tan(f*x+e)+I)*B+2/f*a^2/c/(tan(f*x+e)+I)*A-I/f*a^2/c*A*ln(tan(f*x+e)+I)-3/f*a^2/c*B*ln(tan(f*x+e)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorith="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.47812, size = 275, normalized size = 2.96

$$\frac{(-iA - B)a^2 e^{(4ifx+4ie)} + (-iA - B)a^2 e^{(2ifx+2ie)} + 2Ba^2 + ((iA + 3B)a^2 e^{(2ifx+2ie)} + (iA + 3B)a^2) \log(e^{(2ifx+2ie)} + 1)}{cfe^{(2ifx+2ie)} + cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="fricas")

[Out] ((-I*A - B)*a^2*e^(4*I*f*x + 4*I*e) + (-I*A - B)*a^2*e^(2*I*f*x + 2*I*e) + 2*B*a^2 + ((I*A + 3*B)*a^2*e^(2*I*f*x + 2*I*e) + (I*A + 3*B)*a^2)*log(e^(2*I*f*x + 2*I*e) + 1))/(c*f*e^(2*I*f*x + 2*I*e) + c*f)

Sympy [A] time = 1.77546, size = 144, normalized size = 1.55

$$\frac{2Ba^2e^{-2ie}}{cf(e^{2ifx} + e^{-2ie})} + \frac{a^2(iA + 3B)\log(e^{2ifx} + e^{-2ie})}{cf} + \frac{\begin{cases} -\frac{iAa^2e^{2ie}e^{2ifx}}{f} - \frac{Ba^2e^{2ie}e^{2ifx}}{f} & \text{for } f \neq 0 \\ x(2Aa^2e^{2ie} - 2iBa^2e^{2ie}) & \text{otherwise} \end{cases}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)

[Out] 2*B*a**2*exp(-2*I*e)/(c*f*(exp(2*I*f*x) + exp(-2*I*e))) + a**2*(I*A + 3*B)*log(exp(2*I*f*x) + exp(-2*I*e))/(c*f) + Piecewise((-I*A*a**2*exp(2*I*e)*exp(2*I*f*x)/f - B*a**2*exp(2*I*e)*exp(2*I*f*x)/f, Ne(f, 0)), (x*(2*A*a**2*exp(2*I*e) - 2*I*B*a**2*exp(2*I*e)), True))/c

Giac [B] time = 1.44234, size = 385, normalized size = 4.14

$$\frac{2(-iAa^2-3Ba^2)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+i\right)}{c} + \frac{(iAa^2+3Ba^2)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{c} - \frac{(-iAa^2-3Ba^2)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{c} - \frac{iAa^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^2+3Ba^2}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="giac")

[Out] (2*(-I*A*a^2 - 3*B*a^2)*log(tan(1/2*f*x + 1/2*e) + I)/c + (I*A*a^2 + 3*B*a^2)*log(abs(tan(1/2*f*x + 1/2*e) + 1))/c - (-I*A*a^2 - 3*B*a^2)*log(abs(tan(1/2*f*x + 1/2*e) - 1))/c - (I*A*a^2*tan(1/2*f*x + 1/2*e)^2 + 3*B*a^2*tan(1/2*f*x + 1/2*e)^2 - 2*I*B*a^2*tan(1/2*f*x + 1/2*e) - I*A*a^2 - 3*B*a^2)/((tan(1/2*f*x + 1/2*e)^2 - 1)*c) - (-3*I*A*a^2*tan(1/2*f*x + 1/2*e)^2 - 9*B*a^2*tan(1/2*f*x + 1/2*e)^2 + 10*A*a^2*tan(1/2*f*x + 1/2*e) - 22*I*B*a^2*tan(1/2*f*x + 1/2*e) + 3*I*A*a^2 + 9*B*a^2)/(c*(tan(1/2*f*x + 1/2*e) + I)^2))/f

$$3.684 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx$$

Optimal. Leaf size=91

$$-\frac{a^2(A-3iB)}{c^2f(\tan(e+fx)+i)} + \frac{a^2(B+iA)}{c^2f(\tan(e+fx)+i)^2} - \frac{a^2B \log(\cos(e+fx))}{c^2f} - \frac{ia^2Bx}{c^2}$$

[Out] $((-I)*a^2*B*x)/c^2 - (a^2*B*Log[Cos[e + f*x]])/(c^2*f) + (a^2*(I*A + B))/(c^2*f*(I + Tan[e + f*x])^2) - (a^2*(A - (3*I)*B))/(c^2*f*(I + Tan[e + f*x]))$

Rubi [A] time = 0.151359, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{a^2(A-3iB)}{c^2f(\tan(e+fx)+i)} + \frac{a^2(B+iA)}{c^2f(\tan(e+fx)+i)^2} - \frac{a^2B \log(\cos(e+fx))}{c^2f} - \frac{ia^2Bx}{c^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])}{(c - I*c*\text{Tan}[e + f*x])^2}, x]$

[Out] $((-I)*a^2*B*x)/c^2 - (a^2*B*Log[Cos[e + f*x]])/(c^2*f) + (a^2*(I*A + B))/(c^2*f*(I + Tan[e + f*x])^2) - (a^2*(A - (3*I)*B))/(c^2*f*(I + Tan[e + f*x]))$

Rule 3588

$\text{Int}[\frac{(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)]) + (c + d*\text{tan}[(e + f*x)])^n)}{f}, x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x$ && $\text{EqQ}[b*c + a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[\frac{(a + b*x)^m * ((c + d*x)^n * ((e + f*x)^p + (e + f*x)^q)]}{f}, x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, n\}, x$ && $\text{NeQ}[b*c - a*d, 0]$ && $(\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \mid \mid \text{EqQ}[p, 1] \mid \mid (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \mid \mid \text{LeQ}[9*p + 5*(n + 2), 0] \mid \mid \text{GeQ}[n + p + 1, 0] \mid \mid (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^2(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^2} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^3} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(-\frac{2ia(A-iB)}{c^3(i+x)^3} + \frac{a(A-3iB)}{c^3(i+x)^2} + \frac{aB}{c^3(i+x)}\right) dx, x, \tan(e + fx)\right)}{f} \\ &= -\frac{ia^2Bx}{c^2} - \frac{a^2B \log(\cos(e + fx))}{c^2f} + \frac{a^2(iA + B)}{c^2f(i + \tan(e + fx))^2} - \frac{a^2(A - (3i)B)}{c^2f(i + \tan(e + fx))} \end{aligned}$$

Mathematica [B] time = 3.16926, size = 184, normalized size = 2.02

$$\frac{a^2(\cos(2(e + 2fx)) + i\sin(2(e + 2fx)))(-i\cos(2(e + fx))(A - 2iB\log(\cos^2(e + fx)) + 8Bfx - iB) + A\sin(2(e + fx)) -$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^2,x]

[Out] (a^2*(4*B - I*Cos[2*(e + f*x)]*(A - I*B + 8*B*f*x - (2*I)*B*Log[Cos[e + f*x]^2]) + A*Sin[2*(e + f*x)] - I*B*Sin[2*(e + f*x)] - 8*B*f*x*Sin[2*(e + f*x)] + (2*I)*B*Log[Cos[e + f*x]^2]*Sin[2*(e + f*x)] + 4*B*ArcTan[Tan[3*e + f*x]]*(I*Cos[2*(e + f*x)] + Sin[2*(e + f*x)]))*(Cos[2*(e + 2*f*x)] + I*Sin[2*(e + 2*f*x)]))/(4*c^2*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.044, size = 116, normalized size = 1.3

$$\frac{3ia^2B}{fc^2(\tan(fx + e) + i)} - \frac{a^2A}{fc^2(\tan(fx + e) + i)} + \frac{iAa^2}{fc^2(\tan(fx + e) + i)^2} + \frac{a^2B}{fc^2(\tan(fx + e) + i)^2} + \frac{a^2B \ln(\tan(fx + e))}{fc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x)

[Out] 3*I/f*a^2/c^2/(tan(f*x+e)+I)*B-1/f*a^2/c^2/(tan(f*x+e)+I)*A+I/f*a^2/c^2/(tan(f*x+e)+I)^2*A+1/f*a^2/c^2/(tan(f*x+e)+I)^2*B+1/f*a^2/c^2*B*ln(tan(f*x+e)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.50054, size = 161, normalized size = 1.77

$$\frac{(-iA - B)a^2e^{4ifx+4ie} + 4Ba^2e^{2ifx+2ie} - 4Ba^2 \log(e^{2ifx+2ie} + 1)}{4c^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{4} * ((-I * A - B) * a^2 * e^{(4 * I * f * x + 4 * I * e)} + 4 * B * a^2 * e^{(2 * I * f * x + 2 * I * e)} - 4 * B * a^2 * \log(e^{(2 * I * f * x + 2 * I * e)} + 1)) / (c^2 * f)$

Sympy [A] time = 1.13304, size = 162, normalized size = 1.78

$$-\frac{Ba^2 \log(e^{2ifx} + e^{-2ie})}{c^2 f} + \begin{cases} \frac{4Ba^2c^2fe^{2ie}e^{2ifx} + (-iAa^2c^2fe^{4ie} - Ba^2c^2fe^{4ie})e^{4ifx}}{4c^4f^2} & \text{for } 4c^4f^2 \neq 0 \\ \frac{x(Aa^2e^{4ie} - iBa^2e^{4ie} + 2iBa^2e^{2ie})}{c^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**2,x)

[Out] $-B * a^{**2} * \log(\exp(2 * I * f * x) + \exp(-2 * I * e)) / (c^{**2} * f) + \text{Piecewise}(((4 * B * a^{**2} * c^{**2} * f * \exp(2 * I * e) * \exp(2 * I * f * x) + (-I * A * a^{**2} * c^{**2} * f * \exp(4 * I * e) - B * a^{**2} * c^{**2} * f * \exp(4 * I * e)) * \exp(4 * I * f * x)) / (4 * c^{**4} * f^{**2}), \text{Ne}(4 * c^{**4} * f^{**2}, 0)), (x * (A * a^{**2} * \exp(4 * I * e) - I * B * a^{**2} * \exp(4 * I * e) + 2 * I * B * a^{**2} * \exp(2 * I * e)) / c^{**2}, \text{True}))$

Giac [B] time = 1.53521, size = 275, normalized size = 3.02

$$\frac{12Ba^2 \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i\right)}{c^2} - \frac{6Ba^2 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{c^2} - \frac{6Ba^2 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{c^2} - \frac{25Ba^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 12Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 + 12Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 + 12Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 12Aa^2}{c^2}$$

6f

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="giac")

[Out] $\frac{1}{6} * (12 * B * a^2 * \log(\tan(1/2 * f * x + 1/2 * e) + I) / c^2 - 6 * B * a^2 * \log(\text{abs}(\tan(1/2 * f * x + 1/2 * e) + 1)) / c^2 - 6 * B * a^2 * \log(\text{abs}(\tan(1/2 * f * x + 1/2 * e) - 1)) / c^2 - (25 * B * a^2 * \tan(1/2 * f * x + 1/2 * e)^4 + 12 * A * a^2 * \tan(1/2 * f * x + 1/2 * e)^3 + 112 * I * B * a^2 * \tan(1/2 * f * x + 1/2 * e)^2 - 198 * B * a^2 * \tan(1/2 * f * x + 1/2 * e) - 112 * I * B * a^2 * \tan(1/2 * f * x + 1/2 * e) + 25 * B * a^2) / (c^2 * (\tan(1/2 * f * x + 1/2 * e) + I)^4)) / f$

$$3.685 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx$$

Optimal. Leaf size=93

$$-\frac{a^2(3B+iA)}{2c^3f(\tan(e+fx)+i)^2} - \frac{2a^2(A-iB)}{3c^3f(\tan(e+fx)+i)^3} - \frac{ia^2B}{c^3f(\tan(e+fx)+i)}$$

[Out] $(-2*a^2*(A - I*B))/(3*c^3*f*(I + \text{Tan}[e + f*x])^3) - (a^2*(I*A + 3*B))/(2*c^3*f*(I + \text{Tan}[e + f*x])^2) - (I*a^2*B)/(c^3*f*(I + \text{Tan}[e + f*x]))$

Rubi [A] time = 0.152321, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{a^2(3B+iA)}{2c^3f(\tan(e+fx)+i)^2} - \frac{2a^2(A-iB)}{3c^3f(\tan(e+fx)+i)^3} - \frac{ia^2B}{c^3f(\tan(e+fx)+i)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^3, x]$

[Out] $(-2*a^2*(A - I*B))/(3*c^3*f*(I + \text{Tan}[e + f*x])^3) - (a^2*(I*A + 3*B))/(2*c^3*f*(I + \text{Tan}[e + f*x])^2) - (I*a^2*B)/(c^3*f*(I + \text{Tan}[e + f*x]))$

Rule 3588

$\text{Int}[(a + (b_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] :> \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a + (b_*)*(x_*)*((c_*) + (d_*)*(x_*)^{(n_*)}*((e_*) + (f_*)*(x_*)^{(p_*)}), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) || \text{EqQ}[p, 1] || (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] || \text{LeQ}[9*p + 5*(n + 2), 0] || \text{GeQ}[n + p + 1, 0] || (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^2(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^3} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^4} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{2a(A-iB)}{c^4(i+x)^4} + \frac{a(iA+3B)}{c^4(i+x)^3} + \frac{iaB}{c^4(i+x)^2} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{2a^2(A-iB)}{3c^3f(i + \tan(e + fx))^3} - \frac{a^2(iA + 3B)}{2c^3f(i + \tan(e + fx))^2} - \frac{ia^2B}{c^3f(i + \tan(e + fx))} \end{aligned}$$

Mathematica [A] time = 2.68653, size = 81, normalized size = 0.87

$$\frac{a^2(\cos(5e + 7fx) + i \sin(5e + 7fx))((B - 5iA) \cos(e + fx) - (A + 5iB) \sin(e + fx))}{24c^3 f(\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^3, x]

[Out] (a^2*(((5*I)*A + B)*Cos[e + f*x] - (A + (5*I)*B)*Sin[e + f*x])*(Cos[5*e + 7*f*x] + I*Sin[5*e + 7*f*x]))/(24*c^3*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.047, size = 69, normalized size = 0.7

$$\frac{a^2}{fc^3} \left(-\frac{2A - 2iB}{3(\tan(fx + e) + i)^3} - \frac{iB}{\tan(fx + e) + i} - \frac{iA + 3B}{2(\tan(fx + e) + i)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x)

[Out] 1/f*a^2/c^3*(-1/3*(2*A-2*I*B)/(tan(f*x+e)+I)^3-I*B/(tan(f*x+e)+I)-1/2*(I*A+3*B)/(tan(f*x+e)+I)^2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.41494, size = 130, normalized size = 1.4

$$\frac{(-2iA - 2B)a^2e^{(6i fx + 6ie)} + (-3iA + 3B)a^2e^{(4i fx + 4ie)}}{24c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/24*((-2*I*A - 2*B)*a^2*e^(6*I*f*x + 6*I*e) + (-3*I*A + 3*B)*a^2*e^(4*I*f*x + 4*I*e))/(c^3*f)

Sympy [A] time = 1.36629, size = 168, normalized size = 1.81

$$\begin{cases} \frac{(-12iAa^2c^3fe^{4ie}+12Ba^2c^3fe^{4ie})e^{Aifx}+(-8iAa^2c^3fe^{6ie}-8Ba^2c^3fe^{6ie})e^{6ifx}}{96c^6f^2} & \text{for } 96c^6f^2 \neq 0 \\ \frac{x(Aa^2e^{6ie}+Aa^2e^{4ie}-iBa^2e^{6ie}+iBa^2e^{4ie})}{2c^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**3,x)

[Out] Piecewise(((((-12*I*A*a**2*c**3*f*exp(4*I*e) + 12*B*a**2*c**3*f*exp(4*I*e))*exp(4*I*f*x) + (-8*I*A*a**2*c**3*f*exp(6*I*e) - 8*B*a**2*c**3*f*exp(6*I*e))*exp(6*I*f*x))/(96*c**6*f**2), Ne(96*c**6*f**2, 0)), (x*(A*a**2*exp(6*I*e) + A*a**2*exp(4*I*e) - I*B*a**2*exp(6*I*e) + I*B*a**2*exp(4*I*e))/(2*c**3), True))

Giac [B] time = 1.55278, size = 223, normalized size = 2.4

$$\frac{2\left(3Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 + 3iAa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 - 3Ba^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 - 8Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 + 2iBa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3\right)}{3c^3f\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="giac")

[Out] -2/3*(3*A*a^2*tan(1/2*f*x + 1/2*e)^5 + 3*I*A*a^2*tan(1/2*f*x + 1/2*e)^4 - 3*B*a^2*tan(1/2*f*x + 1/2*e)^4 - 8*A*a^2*tan(1/2*f*x + 1/2*e)^3 + 2*I*B*a^2*tan(1/2*f*x + 1/2*e)^3 - 3*I*A*a^2*tan(1/2*f*x + 1/2*e)^2 + 3*B*a^2*tan(1/2*f*x + 1/2*e)^2 + 3*A*a^2*tan(1/2*f*x + 1/2*e))/(c^3*f*(tan(1/2*f*x + 1/2*e) + I)^6)

$$3.686 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx$$

Optimal. Leaf size=91

$$\frac{a^2(A-3iB)}{3c^4 f(\tan(e+fx)+i)^3} - \frac{a^2(B+iA)}{2c^4 f(\tan(e+fx)+i)^4} + \frac{a^2B}{2c^4 f(\tan(e+fx)+i)^2}$$

[Out] $-(a^2(I*A + B))/(2*c^4*f*(I + \text{Tan}[e + f*x])^4) + (a^2*(A - (3*I)*B))/(3*c^4*f*(I + \text{Tan}[e + f*x])^3) + (a^2*B)/(2*c^4*f*(I + \text{Tan}[e + f*x])^2)$

Rubi [A] time = 0.149692, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^2(A-3iB)}{3c^4 f(\tan(e+fx)+i)^3} - \frac{a^2(B+iA)}{2c^4 f(\tan(e+fx)+i)^4} + \frac{a^2B}{2c^4 f(\tan(e+fx)+i)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])}{(c - I*c*\text{Tan}[e + f*x])^4}, x]$

[Out] $-(a^2(I*A + B))/(2*c^4*f*(I + \text{Tan}[e + f*x])^4) + (a^2*(A - (3*I)*B))/(3*c^4*f*(I + \text{Tan}[e + f*x])^3) + (a^2*B)/(2*c^4*f*(I + \text{Tan}[e + f*x])^2)$

Rule 3588

$\text{Int}[\frac{(a + b*\text{tan}[(e + f*x]))^m * ((A + B*\text{tan}[(e + f*x]))^n)}{(c + d*\text{tan}[(e + f*x]))^n}, x_Symbol] :> \text{Dist}[\frac{a*c}{f}, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[\frac{(a + b*x)^m * ((c + d*x)^n * ((e + f*x)^p)}{(c + d*x)^n}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^{A+Bx}}{(c-icx)^5} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{2a(iA+B)}{c^5(i+x)^5} - \frac{a(A-3iB)}{c^5(i+x)^4} - \frac{aB}{c^5(i+x)^3}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{a^2(iA+B)}{2c^4 f(i+\tan(e+fx))^4} + \frac{a^2(A-3iB)}{3c^4 f(i+\tan(e+fx))^3} + \frac{a^2B}{2c^4 f(i+\tan(e+fx))^2} \end{aligned}$$

Mathematica [A] time = 2.79376, size = 91, normalized size = 1.

$$\frac{a^2(\cos(6e + 8fx) + i \sin(6e + 8fx))(-3(A + 3iB) \sin(2(e + fx)) + 3(B - 3iA) \cos(2(e + fx)) - 8iA)}{96c^4 f(\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^4,x]

[Out] (a^2*((-8*I)*A + 3*((-3*I)*A + B)*Cos[2*(e + f*x)] - 3*(A + (3*I)*B)*Sin[2*(e + f*x)])*(Cos[6*e + 8*f*x] + I*Sin[6*e + 8*f*x])/(96*c^4*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.047, size = 68, normalized size = 0.8

$$\frac{a^2}{fc^4} \left(-\frac{2B + 2iA}{4(\tan(fx + e) + i)^4} - \frac{-A + 3iB}{3(\tan(fx + e) + i)^3} + \frac{B}{2(\tan(fx + e) + i)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x)

[Out] 1/f*a^2/c^4*(-1/4*(2*B+2*I*A)/(tan(f*x+e)+I)^4-1/3*(-A+3*I*B)/(tan(f*x+e)+I)^3+1/2*B/(tan(f*x+e)+I)^2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.3503, size = 173, normalized size = 1.9

$$\frac{(-3iA - 3B)a^2e^{(8ifx+8ie)} - 8iAa^2e^{(6ifx+6ie)} + (-6iA + 6B)a^2e^{(4ifx+4ie)}}{96c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorithm="fricas")

[Out] 1/96*((-3*I*A - 3*B)*a^2*e^(8*I*f*x + 8*I*e) - 8*I*A*a^2*e^(6*I*f*x + 6*I*e) + (-6*I*A + 6*B)*a^2*e^(4*I*f*x + 4*I*e))/(c^4*f)

Sympy [A] time = 1.83493, size = 219, normalized size = 2.41

$$\begin{cases} \frac{-512iAa^2c^8f^2e^{6ie}e^{6ifx} + (-384iAa^2c^8f^2e^{4ie} + 384Ba^2c^8f^2e^{4ie})e^{4ifx} + (-192iAa^2c^8f^2e^{8ie} - 192Ba^2c^8f^2e^{8ie})e^{8ifx}}{6144c^{12}f^3} & \text{for } 6144c^{12}f^3 \neq 0 \\ \frac{x(Aa^2e^{8ie} + 2Aa^2e^{6ie} + Aa^2e^{4ie} - iBa^2e^{8ie} + iBa^2e^{4ie})}{4c^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**4,x)

[Out] Piecewise(((−512*I*A*a**2*c**8*f**2*exp(6*I*e)*exp(6*I*f*x) + (−384*I*A*a**2*c**8*f**2*exp(4*I*e) + 384*B*a**2*c**8*f**2*exp(4*I*e))*exp(4*I*f*x) + (−192*I*A*a**2*c**8*f**2*exp(8*I*e) − 192*B*a**2*c**8*f**2*exp(8*I*e))*exp(8*I*f*x))/(6144*c**12*f**3), Ne(6144*c**12*f**3, 0)), (x*(A*a**2*exp(8*I*e) + 2*A*a**2*exp(6*I*e) + A*a**2*exp(4*I*e) − I*B*a**2*exp(8*I*e) + I*B*a**2*exp(4*I*e))/(4*c**4), True))

Giac [B] time = 1.48193, size = 271, normalized size = 2.98

$$\frac{2\left(3Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 + 6iAa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 3Ba^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 17Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 - 16iAa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 6iBa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 17Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 + 6iAa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 3Ba^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 3Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)\right)}{(c^4f(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + I)^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorithm="giac")

[Out] −2/3*(3*A*a^2*tan(1/2*f*x + 1/2*e)^7 + 6*I*A*a^2*tan(1/2*f*x + 1/2*e)^6 − 3*B*a^2*tan(1/2*f*x + 1/2*e)^6 − 17*A*a^2*tan(1/2*f*x + 1/2*e)^5 − 16*I*A*a^2*tan(1/2*f*x + 1/2*e)^4 + 6*B*a^2*tan(1/2*f*x + 1/2*e)^4 + 17*A*a^2*tan(1/2*f*x + 1/2*e)^3 + 6*I*A*a^2*tan(1/2*f*x + 1/2*e)^2 − 3*B*a^2*tan(1/2*f*x + 1/2*e)^2 − 3*A*a^2*tan(1/2*f*x + 1/2*e))/(c^4*f*(tan(1/2*f*x + 1/2*e) + I)^8)

$$3.687 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx$$

Optimal. Leaf size=95

$$\frac{a^2(3B+iA)}{4c^5 f(\tan(e+fx)+i)^4} + \frac{2a^2(A-iB)}{5c^5 f(\tan(e+fx)+i)^5} + \frac{ia^2B}{3c^5 f(\tan(e+fx)+i)^3}$$

[Out] (2*a^2*(A - I*B))/(5*c^5*f*(I + Tan[e + f*x])^5) + (a^2*(I*A + 3*B))/(4*c^5*f*(I + Tan[e + f*x])^4) + ((I/3)*a^2*B)/(c^5*f*(I + Tan[e + f*x])^3)

Rubi [A] time = 0.152285, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^2(3B+iA)}{4c^5 f(\tan(e+fx)+i)^4} + \frac{2a^2(A-iB)}{5c^5 f(\tan(e+fx)+i)^5} + \frac{ia^2B}{3c^5 f(\tan(e+fx)+i)^3}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^5, x]

[Out] (2*a^2*(A - I*B))/(5*c^5*f*(I + Tan[e + f*x])^5) + (a^2*(I*A + 3*B))/(4*c^5*f*(I + Tan[e + f*x])^4) + ((I/3)*a^2*B)/(c^5*f*(I + Tan[e + f*x])^3)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^2(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^5} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^6} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \operatorname{Subst} \left(\int \left(-\frac{2a(A-iB)}{c^6(i+x)^6} - \frac{ia(A-3iB)}{c^6(i+x)^5} - \frac{iaB}{c^6(i+x)^4} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{2a^2(A-iB)}{5c^5 f(i + \tan(e + fx))^5} + \frac{a^2(iA + 3B)}{4c^5 f(i + \tan(e + fx))^4} + \frac{ia^2B}{3c^5 f(i + \tan(e + fx))^3} \end{aligned}$$

Mathematica [A] time = 3.62902, size = 116, normalized size = 1.22

$$\frac{a^2(\cos(7e + 9fx) + i\sin(7e + 9fx))(-3A + 7iB)(5\sin(e + fx) + 6\sin(3(e + fx))) + 5(B - 21iA)\cos(e + fx) + 6(3B - 21iA)\sin(e + fx)}{960c^5f(\cos(fx) + i\sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^5,x]

[Out] (a^2*(5*((-21*I)*A + B)*Cos[e + f*x] + 6*((-7*I)*A + 3*B)*Cos[3*(e + f*x)] - (3*A + (7*I)*B)*(5*Sin[e + f*x] + 6*Sin[3*(e + f*x)]))*(Cos[7*e + 9*f*x] + I*Sin[7*e + 9*f*x])/(960*c^5*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.051, size = 69, normalized size = 0.7

$$\frac{a^2}{fc^5} \left(-\frac{-iA - 3B}{4(\tan(fx + e) + i)^4} - \frac{-2A + 2iB}{5(\tan(fx + e) + i)^5} + \frac{\frac{i}{3}B}{(\tan(fx + e) + i)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x)

[Out] 1/f*a^2/c^5*(-1/4*(-I*A-3*B)/(tan(f*x+e)+I)^4-1/5*(-2*A+2*I*B)/(tan(f*x+e)+I)^5+1/3*I*B/(tan(f*x+e)+I)^3)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.42725, size = 255, normalized size = 2.68

$$\frac{(-12iA - 12B)a^2e^{(10ifx+10ie)} + (-45iA - 15B)a^2e^{(8ifx+8ie)} + (-60iA + 20B)a^2e^{(6ifx+6ie)} + (-30iA + 30B)a^2e^{(4ifx+4ie)}}{960c^5f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")

[Out] 1/960*((-12*I*A - 12*B)*a^2*e^(10*I*f*x + 10*I*e) + (-45*I*A - 15*B)*a^2*e^(8*I*f*x + 8*I*e) + (-60*I*A + 20*B)*a^2*e^(6*I*f*x + 6*I*e) + (-30*I*A + 30*B)*a^2*e^(4*I*f*x + 4*I*e))/(c^5*f)

Sympy [A] time = 1.81099, size = 333, normalized size = 3.51

$$\frac{\left(\frac{-245760iAa^2c^{15}f^3e^{4ie} + 245760Ba^2c^{15}f^3e^{4ie}}{8c^5} \right) e^{4ifx} + \left(\frac{-491520iAa^2c^{15}f^3e^{6ie} + 163840Ba^2c^{15}f^3e^{6ie}}{7864320c^{20}f^4} \right) e^{6ifx} + \left(\frac{-368640iAa^2c^{15}f^3e^{8ie} - 122880Ba^2c^{15}f^3e^{8ie}}{7864320c^{20}f^4} \right) e^{8ifx} + \left(\frac{x(Aa^2e^{10ie} + 3Aa^2e^{8ie} + 3Aa^2e^{6ie} + Aa^2e^{4ie} - iBa^2e^{10ie} - iBa^2e^{8ie} + iBa^2e^{6ie} + iBa^2e^{4ie})}{8c^5} \right) e^{10ifx}}{7864320c^{20}f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**5,x)

[Out] Piecewise(((((-245760*I*A*a**2*c**15*f**3*exp(4*I*e) + 245760*B*a**2*c**15*f**3*exp(4*I*e))*exp(4*I*f*x) + (-491520*I*A*a**2*c**15*f**3*exp(6*I*e) + 163840*B*a**2*c**15*f**3*exp(6*I*e))*exp(6*I*f*x) + (-368640*I*A*a**2*c**15*f**3*exp(8*I*e) - 122880*B*a**2*c**15*f**3*exp(8*I*e))*exp(8*I*f*x) + (-98304*I*A*a**2*c**15*f**3*exp(10*I*e) - 98304*B*a**2*c**15*f**3*exp(10*I*e))*exp(10*I*f*x))/(7864320*c**20*f**4), Ne(7864320*c**20*f**4, 0)), (x*(A*a**2*exp(10*I*e) + 3*A*a**2*exp(8*I*e) + 3*A*a**2*exp(6*I*e) + A*a**2*exp(4*I*e) - I*B*a**2*exp(10*I*e) - I*B*a**2*exp(8*I*e) + I*B*a**2*exp(6*I*e) + I*B*a**2*exp(4*I*e))/(8*c**5), True))

Giac [B] time = 1.56321, size = 417, normalized size = 4.39

$$2 \left(15 Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^9 + 45i Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^8 - 15 Ba^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^8 - 150 Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 - 10i B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="giac")

[Out] -2/15*(15*A*a^2*tan(1/2*f*x + 1/2*e)^9 + 45*I*A*a^2*tan(1/2*f*x + 1/2*e)^8 - 15*B*a^2*tan(1/2*f*x + 1/2*e)^8 - 150*A*a^2*tan(1/2*f*x + 1/2*e)^7 - 10*I*B*a^2*tan(1/2*f*x + 1/2*e)^7 - 225*I*A*a^2*tan(1/2*f*x + 1/2*e)^6 + 55*B*a^2*tan(1/2*f*x + 1/2*e)^6 + 306*A*a^2*tan(1/2*f*x + 1/2*e)^5 + 24*I*B*a^2*tan(1/2*f*x + 1/2*e)^5 + 225*I*A*a^2*tan(1/2*f*x + 1/2*e)^4 - 55*B*a^2*tan(1/2*f*x + 1/2*e)^4 - 150*A*a^2*tan(1/2*f*x + 1/2*e)^3 - 10*I*B*a^2*tan(1/2*f*x + 1/2*e)^3 - 45*I*A*a^2*tan(1/2*f*x + 1/2*e)^2 + 15*B*a^2*tan(1/2*f*x + 1/2*e)^2 + 15*A*a^2*tan(1/2*f*x + 1/2*e))/(c^5*f*(tan(1/2*f*x + 1/2*e) + I)^10)

$$3.688 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^6} dx$$

Optimal. Leaf size=91

$$-\frac{a^2(A-3iB)}{5c^6 f(\tan(e+fx)+i)^5} + \frac{a^2(B+iA)}{3c^6 f(\tan(e+fx)+i)^6} - \frac{a^2B}{4c^6 f(\tan(e+fx)+i)^4}$$

[Out] (a^2*(I*A + B))/(3*c^6*f*(I + Tan[e + f*x])^6) - (a^2*(A - (3*I)*B))/(5*c^6*f*(I + Tan[e + f*x])^5) - (a^2*B)/(4*c^6*f*(I + Tan[e + f*x])^4)

Rubi [A] time = 0.149589, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{a^2(A-3iB)}{5c^6 f(\tan(e+fx)+i)^5} + \frac{a^2(B+iA)}{3c^6 f(\tan(e+fx)+i)^6} - \frac{a^2B}{4c^6 f(\tan(e+fx)+i)^4}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^6, x]

[Out] (a^2*(I*A + B))/(3*c^6*f*(I + Tan[e + f*x])^6) - (a^2*(A - (3*I)*B))/(5*c^6*f*(I + Tan[e + f*x])^5) - (a^2*B)/(4*c^6*f*(I + Tan[e + f*x])^4)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^2(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^6} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^7} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(-\frac{2ia(A-iB)}{c^7(i+x)^7} + \frac{a(A-3iB)}{c^7(i+x)^6} + \frac{aB}{c^7(i+x)^5}\right) dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{a^2(iA + B)}{3c^6 f(i + \tan(e + fx))^6} - \frac{a^2(A - 3iB)}{5c^6 f(i + \tan(e + fx))^5} - \frac{a^2B}{4c^6 f(i + \tan(e + fx))^4} \end{aligned}$$

Mathematica [A] time = 4.82706, size = 143, normalized size = 1.57

$$\frac{ia^2(\cos(8e + 10fx) + i\sin(8e + 10fx))(8(8A + iB)\cos(2(e + fx)) + 10(2A + iB)\cos(4(e + fx)) - 16iA\sin(2(e + fx)) - 960c^6f(\cos(fx) + i\sin(fx))^2)}{960c^6f(\cos(fx) + i\sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^6,x]

[Out] ((-I/960)*a^2*(45*A + 8*(8*A + I*B)*Cos[2*(e + f*x)] + 10*(2*A + I*B)*Cos[4*(e + f*x)] - (16*I)*A*Sin[2*(e + f*x)] + 32*B*Sin[2*(e + f*x)] - (10*I)*A*Sin[4*(e + f*x)] + 20*B*Sin[4*(e + f*x)]*(Cos[8*e + 10*f*x] + I*Sin[8*e + 10*f*x]))/(c^6*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.048, size = 66, normalized size = 0.7

$$\frac{a^2}{fc^6} \left(-\frac{A - 3iB}{5(\tan(fx + e) + i)^5} - \frac{B}{4(\tan(fx + e) + i)^4} - \frac{-2B - 2iA}{6(\tan(fx + e) + i)^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x)

[Out] 1/f*a^2/c^6*(-1/5*(A-3*I*B)/(tan(f*x+e)+I)^5-1/4*B/(tan(f*x+e)+I)^4-1/6*(-2*B-2*I*A)/(tan(f*x+e)+I)^6)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.32842, size = 300, normalized size = 3.3

$$\frac{(-5iA - 5B)a^2e^{(12ifx+12ie)} + (-24iA - 12B)a^2e^{(10ifx+10ie)} - 45iAa^2e^{(8ifx+8ie)} + (-40iA + 20B)a^2e^{(6ifx+6ie)} + (-15iA - 15B)a^2e^{(4ifx+4ie)}}{960c^6f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x, algorithm="fricas")

[Out] 1/960*((-5*I*A - 5*B)*a^2*e^(12*I*f*x + 12*I*e) + (-24*I*A - 12*B)*a^2*e^(10*I*f*x + 10*I*e) - 45*I*A*a^2*e^(8*I*f*x + 8*I*e) + (-40*I*A + 20*B)*a^2*e^(6*I*f*x + 6*I*e) + (-15*I*A - 15*B)*a^2*e^(4*I*f*x + 4*I*e))

$$\frac{(6I^2fx + 6I^2e) + (-15IA + 15B)a^2e^{(4I^2fx + 4I^2e)}}{(c^6f)}$$

Sympy [A] time = 2.27928, size = 381, normalized size = 4.19

$$\frac{\left\{ \begin{array}{l} -141557760iAa^2c^{24}f^4e^{8ie}e^{8ifx} + (-47185920iAa^2c^{24}f^4e^{4ie} + 47185920Ba^2c^{24}f^4e^{4ie})e^{4ifx} + (-125829120iAa^2c^{24}f^4e^{6ie} + 62914560Ba^2c^{24}f^4e^{6ie})e^{6ifx} + (-75497472IAa^2c^{24}f^4e^{10ie} + 37748736Ba^2c^{24}f^4e^{10ie})e^{10ifx} + (-15728640IAa^2c^{24}f^4e^{12ie} + 15728640Ba^2c^{24}f^4e^{12ie})e^{12ifx} \\ x(Aa^2e^{12ie} + 4Aa^2e^{10ie} + 6Aa^2e^{8ie} + 4Aa^2e^{6ie} + Aa^2e^{4ie} - iBa^2e^{12ie} - 2iBa^2e^{10ie} + 2iBa^2e^{8ie} + iBa^2e^{4ie}) \end{array} \right.}{3019898880c^{30}f^5 \cdot 16c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**6,x)

[Out] Piecewise(((−141557760*I*A*a**2*c**24*f**4*exp(8*I*e)*exp(8*I*f*x) + (−47185920*I*A*a**2*c**24*f**4*exp(4*I*e) + 47185920*B*a**2*c**24*f**4*exp(4*I*e))*exp(4*I*f*x) + (−125829120*I*A*a**2*c**24*f**4*exp(6*I*e) + 62914560*B*a**2*c**24*f**4*exp(6*I*e))*exp(6*I*f*x) + (−75497472*I*A*a**2*c**24*f**4*exp(10*I*e) − 37748736*B*a**2*c**24*f**4*exp(10*I*e))*exp(10*I*f*x) + (−15728640*I*A*a**2*c**24*f**4*exp(12*I*e) − 15728640*B*a**2*c**24*f**4*exp(12*I*e))*exp(12*I*f*x))/(3019898880*c**30*f**5), Ne(3019898880*c**30*f**5, 0)), (x*(A*a**2*exp(12*I*e) + 4*A*a**2*exp(10*I*e) + 6*A*a**2*exp(8*I*e) + 4*A*a**2*exp(6*I*e) + A*a**2*exp(4*I*e) − I*B*a**2*exp(12*I*e) − 2*I*B*a**2*exp(10*I*e) + 2*I*B*a**2*exp(6*I*e) + I*B*a**2*exp(4*I*e))/(16*c**6), True))

Giac [B] time = 1.62622, size = 514, normalized size = 5.65

$$2 \left(15 Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{11} + 60i Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{10} - 15 Ba^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{10} - 235 Aa^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^9 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x, algorithm="giac")

[Out]
$$\frac{-2/15*(15Aa^2\tan(1/2fx + 1/2e)^{11} + 60IAa^2\tan(1/2fx + 1/2e)^{10} - 15Ba^2\tan(1/2fx + 1/2e)^{10} - 235Aa^2\tan(1/2fx + 1/2e)^9 - 20IBa^2\tan(1/2fx + 1/2e)^9 - 480IAa^2\tan(1/2fx + 1/2e)^8 + 90B^2a^2\tan(1/2fx + 1/2e)^8 + 822Aa^2\tan(1/2fx + 1/2e)^7 + 84IBa^2\tan(1/2fx + 1/2e)^7 + 904IAa^2\tan(1/2fx + 1/2e)^6 - 158B^2a^2\tan(1/2fx + 1/2e)^6 - 822Aa^2\tan(1/2fx + 1/2e)^5 - 84IBa^2\tan(1/2fx + 1/2e)^5 - 480IAa^2\tan(1/2fx + 1/2e)^4 + 90B^2a^2\tan(1/2fx + 1/2e)^4 + 235Aa^2\tan(1/2fx + 1/2e)^3 + 20IBa^2\tan(1/2fx + 1/2e)^3 + 60IAa^2\tan(1/2fx + 1/2e)^2 - 15B^2a^2\tan(1/2fx + 1/2e)^2 - 15Aa^2\tan(1/2fx + 1/2e))}{(c^6f*(\tan(1/2fx + 1/2e) + I)^{12})}$$

$$3.689 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^n dx$$

Optimal. Leaf size=151

$$\frac{a^3(5B + iA)(c - ic \tan(e + fx))^{n+2}}{c^2 f(n+2)} + \frac{4a^3(B + iA)(c - ic \tan(e + fx))^n}{fn} - \frac{4a^3(2B + iA)(c - ic \tan(e + fx))^{n+1}}{cf(n+1)} - \frac{a^3B(c - ic \tan(e + fx))^{n+1}}{cf(n+1)}$$

[Out] (4*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^n)/(f*n) - (4*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(1 + n))/(c*f*(1 + n)) + (a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(2 + n))/(c^2*f*(2 + n)) - (a^3*B*(c - I*c*Tan[e + f*x])^(3 + n))/(c^3*f*(3 + n))

Rubi [A] time = 0.190707, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3(5B + iA)(c - ic \tan(e + fx))^{n+2}}{c^2 f(n+2)} + \frac{4a^3(B + iA)(c - ic \tan(e + fx))^n}{fn} - \frac{4a^3(2B + iA)(c - ic \tan(e + fx))^{n+1}}{cf(n+1)} - \frac{a^3B(c - ic \tan(e + fx))^{n+1}}{cf(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n, x]

[Out] (4*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^n)/(f*n) - (4*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(1 + n))/(c*f*(1 + n)) + (a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(2 + n))/(c^2*f*(2 + n)) - (a^3*B*(c - I*c*Tan[e + f*x])^(3 + n))/(c^3*f*(3 + n))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^n dx = \frac{(ac) \operatorname{Subst} \left(\int (a + iax)^2 (A + Bx)(c - icx)^{-1+n} dx \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(4a^2(A - iB)(c - icx)^{-1+n} - \frac{4a^2(A - iB)c}{c - icx} \right) dx \right)}{fn}$$

$$= \frac{4a^3(iA + B)(c - ic \tan(e + fx))^n}{fn} - \frac{4a^3(iA + B)c}{fn}$$

Mathematica [B] time = 13.1288, size = 822, normalized size = 5.44

$$\cos^4(e + fx) \left(- \frac{i \sec(e) (B e^{n(ifx - \log(c \sec(e+fx)) + \log(c - ic \tan(e+fx))) - ifnx} \cos(3e) - i B e^{n(ifx - \log(c \sec(e+fx)) + \log(c - ic \tan(e+fx))) - ifnx} \sin(3e)) \sin(fx) \sec^3(e)}{n+3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n,x]

[Out] (Cos[e + f*x]^4*((Sec[e]*Sec[e + f*x]^2*(3*A*Cos[e] - (9*I)*B*Cos[e] + A*n*Cos[e] - (2*I)*B*n*Cos[e] + 2*B*Sin[e] + B*n*Sin[e])*((-I)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Cos[3*e] - E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Sin[3*e]))/((2 + n)*(3 + n)) + (Sec[e]*((12*I)*A*Cos[e] + 12*B*Cos[e] + (13*I)*A*n*Cos[e] + 9*B*n*Cos[e] + (6*I)*A*n^2*Cos[e] + 6*B*n^2*Cos[e] + I*A*n^3*Cos[e] + B*n^3*Cos[e] - 9*A*n*Sin[e] + (13*I)*B*n*Sin[e] - 6*A*n^2*Sin[e] + (6*I)*B*n^2*Sin[e] - A*n^3*Sin[e] + I*B*n^3*Sin[e])*((2)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Cos[3*e])/n - ((2*I)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Sin[3*e])/n)/((1 + n)*(2 + n)*(3 + n)) + ((9*A - (13*I)*B + 6*A*n - (6*I)*B*n + A*n^2 - I*B*n^2)*Sec[e]*Sec[e + f*x]*(-2)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Cos[3*e] + (2*I)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Sin[3*e])*Sin[f*x])/((1 + n)*(2 + n)*(3 + n)) - (I*Sec[e]*Sec[e + f*x]^3*(B)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Cos[3*e] - I*B)*E^((-I)*f*n*x + n*(I*f*x - Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*Sin[3*e])*Sin[f*x]/(3 + n))*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(n - (n*(-Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))/Log[c - I*c*Tan[e + f*x]])/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [C] time = 0.656, size = 4339, normalized size = 28.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)

[Out] 4*a^3/(3+n)/f/(exp(2*I*(f*x+e))+1)^3/(1+n)/(2+n)/n*(-2*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*B*n*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*n*(csgn(I*c/(exp(2*I*(f*x+e))+1))-csgn(I/(exp(2*I*(f*x+e))+1))))*(-csgn(I*c/(exp(2*I*(f*x+e))+1))

$$\begin{aligned}
& *I*(f*x+e)+1))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(6*I*f*x)*exp(6*I*e)+2*I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*A^n^2*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(2*I*f*x)*exp(2*I*e)+12*I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*n*A*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(2*I*f*x)*exp(2*I*e)+8*I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*A^n^2*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(4*I*f*x)*exp(4*I*e)+21*I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*n*A*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(4*I*f*x)*exp(4*I*e)+11*I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*n*A*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(6*I*f*x)*exp(6*I*e)+6*I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*A^n^2*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(6*I*f*x)*exp(6*I*e)+I*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*A^n^3*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(4*I*f*x)*exp(4*I*e)+2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*B^n^3*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(6*I*f*x)*exp(6*I*e)+6*2^n*c^n/((exp(2*I*(f*x+e))+1)^n)*B^n^2*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))^3*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I*c)*n)*exp(1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1)))^2*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(-1/2*I*Pi*csgn(I*c/(exp(2*I*(f*x+e))+1))*csgn(I*c)*csgn(I/(exp(2*I*(f*x+e))+1))^n)*exp(6*I*f*x)*exp(6*I*e)
\end{aligned}$$

Maxima [B] time = 2.70683, size = 1435, normalized size = 9.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="maxima")

[Out] (((8*A + 8*I*B)*a^3*c^n*n^2 + 48*A*a^3*c^n*n + (72*A - 72*I*B)*a^3*c^n)*2^n*cos(-2*f*x + n*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e) + 1) - 2*e) + ((4*A + 4*I*B)*a^3*c^n*n^3 + (32*A + 8*I*B)*a^3*c^n*n^2 + (84*A - 36*I*B)*a^3

$$\begin{aligned}
& *c^n * n + (72*A - 72*I*B) * a^3 * c^n * 2^n * \cos(-4*f*x + n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) - 4*e) + ((4*A - 4*I*B) * a^3 * c^n * n^3 + (24*A - 24*I*B) * a^3 * c^n * n^2 + (44*A - 44*I*B) * a^3 * c^n * n + (24*A - 24*I*B) * a^3 * c^n) * 2^n * \cos(-6*f*x + n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) - 6*e) + ((8*A + 8*I*B) * a^3 * c^n * n + (24*A - 24*I*B) * a^3 * c^n) * 2^n * \cos(n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1)) - 8 * ((I*A - B) * a^3 * c^n * n^2 + 6 * I * A * a^3 * c^n * n + 9 * (I*A + B) * a^3 * c^n) * 2^n * \sin(-2*f*x + n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) - 2*e) - 4 * ((I*A - B) * a^3 * c^n * n^3 + 2 * (4 * I * A - B) * a^3 * c^n * n^2 + 3 * (7 * I * A + 3 * B) * a^3 * c^n * n + 18 * (I*A + B) * a^3 * c^n) * 2^n * \sin(-4*f*x + n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) - 4*e) - 4 * ((I*A + B) * a^3 * c^n * n^3 + 6 * (I*A + B) * a^3 * c^n * n^2 + 11 * (I*A + B) * a^3 * c^n * n + 6 * (I*A + B) * a^3 * c^n) * 2^n * \sin(-6*f*x + n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) - 6*e) - 8 * ((I*A - B) * a^3 * c^n * n + 3 * (I*A + B) * a^3 * c^n) * 2^n * \sin(n * \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1))) / (((-I * n^4 - 6 * I * n^3 - 11 * I * n^2 - 6 * I * n) * (\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2 * \cos(2*f*x + 2*e) + 1))^(1/2 * n) * \cos(6*f*x + 6*e) + (-3 * I * n^4 - 18 * I * n^3 - 33 * I * n^2 - 18 * I * n) * (\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2 * \cos(2*f*x + 2*e) + 1))^(1/2 * n) * \cos(4*f*x + 4*e) + (n^4 + 6 * n^3 + 11 * n^2 + 6 * n) * (\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2 * \cos(2*f*x + 2*e) + 1))^(1/2 * n) * \sin(6*f*x + 6*e) + 3 * (n^4 + 6 * n^3 + 11 * n^2 + 6 * n) * (\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2 * \cos(2*f*x + 2*e) + 1))^(1/2 * n) * \sin(4*f*x + 4*e) + (-I * n^4 - 6 * I * n^3 - 11 * I * n^2 + (-3 * I * n^4 - 18 * I * n^3 - 33 * I * n^2 - 18 * I * n) * \cos(2*f*x + 2*e) + 3 * (n^4 + 6 * n^3 + 11 * n^2 + 6 * n) * \sin(2*f*x + 2*e) - 6 * I * n) * (\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2 * \cos(2*f*x + 2*e) + 1))^(1/2 * n) * f)
\end{aligned}$$

Fricas [B] time = 1.55552, size = 830, normalized size = 5.5

$$\frac{\left((8i A - 8B) a^3 n + (24i A + 24B) a^3 + \left((4i A + 4B) a^3 n^3 + (24i A + 24B) a^3 n^2 + (44i A + 44B) a^3 n + (24i A + 24B) a^3 \right) e^{(6i f x + 6i e)} \right)}{f n^4 + 6 f n^3 + 11 f n^2 + 6 f n + (f n^4 + 6 f n^3 + 11 f n^2 + 6 f n) e^{(4i f x + 4i e)} + 3 (f n^4 + 6 f n^3 + 11 f n^2 + 6 f n) e^{(2i f x + 2i e)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="fricas")

[Out] ((8*I*A - 8*B) * a^3 * n + (24*I*A + 24*B) * a^3 + ((4*I*A + 4*B) * a^3 * n^3 + (24*I*A + 24*B) * a^3 * n^2 + (44*I*A + 44*B) * a^3 * n + (24*I*A + 24*B) * a^3) * e^(6*I*f*x + 6*I*e) + ((4*I*A - 4*B) * a^3 * n^3 + (32*I*A - 8*B) * a^3 * n^2 + (84*I*A + 36*B) * a^3 * n + (72*I*A + 72*B) * a^3) * e^(4*I*f*x + 4*I*e) + ((8*I*A - 8*B) * a^3 * n^2 + 48*I*A * a^3 * n + (72*I*A + 72*B) * a^3) * e^(2*I*f*x + 2*I*e)) * (2*c / (e^(2*I*f*x + 2*I*e) + 1))^n / (f * n^4 + 6 * f * n^3 + 11 * f * n^2 + 6 * f * n + (f * n^4 + 6 * f * n^3 + 11 * f * n^2 + 6 * f * n) * e^(6*I*f*x + 6*I*e) + 3 * (f * n^4 + 6 * f * n^3 + 11 * f * n^2 + 6 * f * n) * e^(4*I*f*x + 4*I*e) + 3 * (f * n^4 + 6 * f * n^3 + 11 * f * n^2 + 6 * f * n) * e^(2*I*f*x + 2*I*e))

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan (fx + e) + A)(ia \tan (fx + e) + a)^3 (-ic \tan (fx + e) + c)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3*(-I*c*tan(f*x + e) + c)^n, x)

$$3.690 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^6 dx$$

Optimal. Leaf size=135

$$\frac{a^3 c^6 (5B + iA)(1 - i \tan(e + fx))^8}{8f} - \frac{4a^3 c^6 (2B + iA)(1 - i \tan(e + fx))^7}{7f} + \frac{2a^3 c^6 (B + iA)(1 - i \tan(e + fx))^6}{3f} - \frac{a^3 B c^6 (1 - i \tan(e + fx))^5}{5f}$$

[Out] $(2*a^3*(I*A + B)*c^6*(1 - I*\tan[e + f*x])^6)/(3*f) - (4*a^3*(I*A + 2*B)*c^6*(1 - I*\tan[e + f*x])^7)/(7*f) + (a^3*(I*A + 5*B)*c^6*(1 - I*\tan[e + f*x])^8)/(8*f) - (a^3*B*c^6*(1 - I*\tan[e + f*x])^9)/(9*f)$

Rubi [A] time = 0.202544, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3 c^6 (5B + iA)(1 - i \tan(e + fx))^8}{8f} - \frac{4a^3 c^6 (2B + iA)(1 - i \tan(e + fx))^7}{7f} + \frac{2a^3 c^6 (B + iA)(1 - i \tan(e + fx))^6}{3f} - \frac{a^3 B c^6 (1 - i \tan(e + fx))^5}{5f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])^6, x]$

[Out] $(2*a^3*(I*A + B)*c^6*(1 - I*\tan[e + f*x])^6)/(3*f) - (4*a^3*(I*A + 2*B)*c^6*(1 - I*\tan[e + f*x])^7)/(7*f) + (a^3*(I*A + 5*B)*c^6*(1 - I*\tan[e + f*x])^8)/(8*f) - (a^3*B*c^6*(1 - I*\tan[e + f*x])^9)/(9*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a + b*x)*(c + d*x)^n*((e + f*x))^p], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ ((\text{ILtQ}[n, 0] \ \&\& \ \text{ILtQ}[p, 0]) \ || \ \text{EqQ}[p, 1] \ || \ (\text{IGtQ}[p, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{LeQ}[9*p + 5*(n + 2), 0] \ || \ \text{GeQ}[n + p + 1, 0] \ || \ (\text{GeQ}[n + p + 2, 0] \ \&\& \ \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^6 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^2 (A + Bx)(c - icx)^5 dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(4a^2(A - iB)(c - icx)^5 - \frac{4a^2(A - 2iB)(c - icx)^4}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{2a^3(iA + B)c^6(1 - i \tan(e + fx))^6}{3f} - \frac{4a^3(iA + 2B)c^5(1 - i \tan(e + fx))^5}{5f} \end{aligned}$$

Mathematica [A] time = 11.34, size = 262, normalized size = 1.94

$$\frac{a^3 c^6 \sec(e) \sec^9(e + fx) (63(B - 3iA) \cos(2e + fx) + 63(B - 3iA) \cos(fx) - 189A \sin(2e + fx) + 168A \sin(2e + 3fx))}{1008f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^6,x]

[Out] (a^3*c^6*Sec[e]*Sec[e + f*x]^9*(63*((-3*I)*A + B)*Cos[f*x] + 63*((-3*I)*A + B)*Cos[2*e + f*x] - (84*I)*A*Cos[2*e + 3*f*x] + 84*B*Cos[2*e + 3*f*x] - (84*I)*A*Cos[4*e + 3*f*x] + 84*B*Cos[4*e + 3*f*x] + 189*A*Sin[f*x] + (63*I)*B*Sin[f*x] - 189*A*Sin[2*e + f*x] - (63*I)*B*Sin[2*e + f*x] + 168*A*Sin[2*e + 3*f*x] - 84*A*Sin[4*e + 3*f*x] - (84*I)*B*Sin[4*e + 3*f*x] + 108*A*Sin[4*e + 5*f*x] + (36*I)*B*Sin[4*e + 5*f*x] + 27*A*Sin[6*e + 7*f*x] + (9*I)*B*Sin[6*e + 7*f*x] + 3*A*Sin[8*e + 9*f*x] + I*B*Sin[8*e + 9*f*x]))/(1008*f)

Maple [A] time = 0.012, size = 193, normalized size = 1.4

$$\frac{c^6 a^3}{f} \left(-iB (\tan(fx + e))^3 + \frac{i}{8} A (\tan(fx + e))^8 - \frac{5i}{4} A (\tan(fx + e))^4 - \frac{3B (\tan(fx + e))^8}{8} - \frac{i}{6} A (\tan(fx + e))^6 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^6,x)

[Out] 1/f*c^6*a^3*(-I*B*tan(f*x+e)^3+1/8*I*A*tan(f*x+e)^8-5/4*I*A*tan(f*x+e)^4-3/8*B*tan(f*x+e)^8-1/6*I*A*tan(f*x+e)^6-3/7*A*tan(f*x+e)^7+1/9*I*B*tan(f*x+e)^9-5/6*B*tan(f*x+e)^6-3/2*I*A*tan(f*x+e)^2-A*tan(f*x+e)^5-I*B*tan(f*x+e)^5-1/4*B*tan(f*x+e)^4-1/7*I*B*tan(f*x+e)^7-1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.68577, size = 266, normalized size = 1.97

$$\frac{280iBa^3c^6 \tan(fx + e)^9 - 315(-iA + 3B)a^3c^6 \tan(fx + e)^8 - (1080A + 360iB)a^3c^6 \tan(fx + e)^7 - 420(iA + 5B)a^3c^6 \tan(fx + e)^6 - (2520A + 2520iB)a^3c^6 \tan(fx + e)^5 - 630(5iA + B)a^3c^6 \tan(fx + e)^4 - (840A + 2520iB)a^3c^6 \tan(fx + e)^3 - 1260(3iA - B)a^3c^6 \tan(fx + e)^2 + 2520Aa^3c^6 \tan(fx + e)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^6,x, algorithm="maxima")

[Out] 1/2520*(280*I*B*a^3*c^6*tan(f*x + e)^9 - 315*(-I*A + 3*B)*a^3*c^6*tan(f*x + e)^8 - (1080*A + 360*I*B)*a^3*c^6*tan(f*x + e)^7 - 420*(I*A + 5*B)*a^3*c^6*tan(f*x + e)^6 - (2520*A + 2520*I*B)*a^3*c^6*tan(f*x + e)^5 - 630*(5*I*A + B)*a^3*c^6*tan(f*x + e)^4 - (840*A + 2520*I*B)*a^3*c^6*tan(f*x + e)^3 - 1260*(3*I*A - B)*a^3*c^6*tan(f*x + e)^2 + 2520*A*a^3*c^6*tan(f*x + e))/f

Fricas [A] time = 1.2893, size = 586, normalized size = 4.34

$$\frac{(2688i A + 2688 B)a^3 c^6 e^{(6i f x + 6i e)} + (3456i A - 1152 B)a^3 c^6 e^{(4i f x + 4i e)} + (864i A - 288 B)a^3 c^6 e^{(2i f x + 2i e)}}{63 \left(f e^{(18i f x + 18i e)} + 9 f e^{(16i f x + 16i e)} + 36 f e^{(14i f x + 14i e)} + 84 f e^{(12i f x + 12i e)} + 126 f e^{(10i f x + 10i e)} + 126 f e^{(8i f x + 8i e)} + 84 f e^{(6i f x + 6i e)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^6,x, algorithm="fricas")

[Out] 1/63*((2688*I*A + 2688*B)*a^3*c^6*e^(6*I*f*x + 6*I*e) + (3456*I*A - 1152*B)*a^3*c^6*e^(4*I*f*x + 4*I*e) + (864*I*A - 288*B)*a^3*c^6*e^(2*I*f*x + 2*I*e) + (96*I*A - 32*B)*a^3*c^6)/(f*e^(18*I*f*x + 18*I*e) + 9*f*e^(16*I*f*x + 16*I*e) + 36*f*e^(14*I*f*x + 14*I*e) + 84*f*e^(12*I*f*x + 12*I*e) + 126*f*e^(10*I*f*x + 10*I*e) + 126*f*e^(8*I*f*x + 8*I*e) + 84*f*e^(6*I*f*x + 6*I*e) + 36*f*e^(4*I*f*x + 4*I*e) + 9*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^6,x)

[Out] Timed out

Giac [B] time = 2.64786, size = 344, normalized size = 2.55

$$\frac{2688i Aa^3 c^6 e^{(6i f x + 6i e)} + 2688 B a^3 c^6 e^{(6i f x + 6i e)} + 3456i Aa^3 c^6 e^{(4i f x + 4i e)} - 1152 B a^3 c^6 e^{(4i f x + 4i e)} + 864i Aa^3 c^6 e^{(2i f x + 2i e)} - 288 B a^3 c^6 e^{(2i f x + 2i e)}}{63 \left(f e^{(18i f x + 18i e)} + 9 f e^{(16i f x + 16i e)} + 36 f e^{(14i f x + 14i e)} + 84 f e^{(12i f x + 12i e)} + 126 f e^{(10i f x + 10i e)} + 126 f e^{(8i f x + 8i e)} + 84 f e^{(6i f x + 6i e)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^6,x, algorithm="giac")

[Out] 1/63*(2688*I*A*a^3*c^6*e^(6*I*f*x + 6*I*e) + 2688*B*a^3*c^6*e^(6*I*f*x + 6*I*e) + 3456*I*A*a^3*c^6*e^(4*I*f*x + 4*I*e) - 1152*B*a^3*c^6*e^(4*I*f*x + 4*I*e) + 864*I*A*a^3*c^6*e^(2*I*f*x + 2*I*e) - 288*B*a^3*c^6*e^(2*I*f*x + 2*I*e) + 96*I*A*a^3*c^6 - 32*B*a^3*c^6)/(f*e^(18*I*f*x + 18*I*e) + 9*f*e^(16*I*f*x + 16*I*e) + 36*f*e^(14*I*f*x + 14*I*e) + 84*f*e^(12*I*f*x + 12*I*e) + 126*f*e^(10*I*f*x + 10*I*e) + 126*f*e^(8*I*f*x + 8*I*e) + 84*f*e^(6*I*f*x + 6*I*e) + 36*f*e^(4*I*f*x + 4*I*e) + 9*f*e^(2*I*f*x + 2*I*e) + f)

$$3.691 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^5 dx$$

Optimal. Leaf size=135

$$\frac{a^3 c^5 (5B + iA)(1 - i \tan(e + fx))^7}{7f} - \frac{2a^3 c^5 (2B + iA)(1 - i \tan(e + fx))^6}{3f} + \frac{4a^3 c^5 (B + iA)(1 - i \tan(e + fx))^5}{5f} - \frac{a^3 B c^5}{f}$$

[Out] (4*a^3*(I*A + B)*c^5*(1 - I*Tan[e + f*x])^5)/(5*f) - (2*a^3*(I*A + 2*B)*c^5*(1 - I*Tan[e + f*x])^6)/(3*f) + (a^3*(I*A + 5*B)*c^5*(1 - I*Tan[e + f*x])^7)/(7*f) - (a^3*B*c^5*(1 - I*Tan[e + f*x])^8)/(8*f)

Rubi [A] time = 0.190149, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3 c^5 (5B + iA)(1 - i \tan(e + fx))^7}{7f} - \frac{2a^3 c^5 (2B + iA)(1 - i \tan(e + fx))^6}{3f} + \frac{4a^3 c^5 (B + iA)(1 - i \tan(e + fx))^5}{5f} - \frac{a^3 B c^5}{f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5, x]

[Out] (4*a^3*(I*A + B)*c^5*(1 - I*Tan[e + f*x])^5)/(5*f) - (2*a^3*(I*A + 2*B)*c^5*(1 - I*Tan[e + f*x])^6)/(3*f) + (a^3*(I*A + 5*B)*c^5*(1 - I*Tan[e + f*x])^7)/(7*f) - (a^3*B*c^5*(1 - I*Tan[e + f*x])^8)/(8*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^5 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^2 (A + Bx)(c - icx)^4 dx, x \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(4a^2 (A - iB)(c - icx)^4 - \frac{4a^2 (A - 2iB)}{c} (c - icx)^3 \right) dx, x \right)}{f} \\ &= \frac{4a^3 (iA + B)c^5 (1 - i \tan(e + fx))^5}{5f} - \frac{2a^3 (iA + 2B)c^5}{f} \end{aligned}$$

Mathematica [A] time = 10.4736, size = 215, normalized size = 1.59

$$\frac{a^3 c^5 \sec(e) \sec^8(e + fx) (70(B - iA) \cos(e + 2fx) + 35(B - 4iA) \cos(e) + 154A \sin(e + 2fx) - 70A \sin(3e + 2fx) + 112A \sin(4e + 2fx) - (70I)A \cos[3e + 2fx] + 70B \cos[3e + 2fx] - 140A \sin[e] - (35I)B \sin[e] + 154A \sin[e + 2fx] - (14I)B \sin[e + 2fx] - 70A \sin[3e + 2fx] - (70I)B \sin[3e + 2fx] + 112A \sin[3e + 4fx] + (28I)B \sin[3e + 4fx] + 32A \sin[5e + 6fx] + (8I)B \sin[5e + 6fx] + 4A \sin[7e + 8fx] + I B \sin[7e + 8fx])}{(840f)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5,x]

[Out] (a^3*c^5*Sec[e]*Sec[e + f*x]^8*(35*((-4*I)*A + B)*Cos[e] + 70*((-I)*A + B)*Cos[e + 2*f*x] - (70*I)*A*Cos[3*e + 2*f*x] + 70*B*Cos[3*e + 2*f*x] - 140*A*Sin[e] - (35*I)*B*Sin[e] + 154*A*Sin[e + 2*f*x] - (14*I)*B*Sin[e + 2*f*x] - 70*A*Sin[3*e + 2*f*x] - (70*I)*B*Sin[3*e + 2*f*x] + 112*A*Sin[3*e + 4*f*x] + (28*I)*B*Sin[3*e + 4*f*x] + 32*A*Sin[5*e + 6*f*x] + (8*I)*B*Sin[5*e + 6*f*x] + 4*A*Sin[7*e + 8*f*x] + I*B*Sin[7*e + 8*f*x]))/(840*f)

Maple [A] time = 0.012, size = 169, normalized size = 1.3

$$\frac{a^3 c^5}{f} \left(-\frac{2i}{7} B (\tan(fx + e))^7 - \frac{B (\tan(fx + e))^8}{8} - \frac{i}{3} A (\tan(fx + e))^6 - \frac{A (\tan(fx + e))^7}{7} - \frac{4i}{5} B (\tan(fx + e))^5 - \frac{B (\tan(fx + e))^6}{6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x)

[Out] 1/f*a^3*c^5*(-2/7*I*B*tan(f*x+e)^7-1/8*B*tan(f*x+e)^8-1/3*I*A*tan(f*x+e)^6-1/7*A*tan(f*x+e)^7-4/5*I*B*tan(f*x+e)^5-1/6*B*tan(f*x+e)^6-I*A*tan(f*x+e)^4-1/5*A*tan(f*x+e)^5-2/3*I*B*tan(f*x+e)^3+1/4*B*tan(f*x+e)^4-I*A*tan(f*x+e)^2+1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.70261, size = 230, normalized size = 1.7

$$\frac{105 B a^3 c^5 \tan(fx + e)^8 + (120 A + 240 i B) a^3 c^5 \tan(fx + e)^7 - 140 (-2 i A - B) a^3 c^5 \tan(fx + e)^6 + (168 A + 672 i B) a^3 c^5 \tan(fx + e)^5 - 210 (-4 i A + B) a^3 c^5 \tan(fx + e)^4 - (280 A - 560 i B) a^3 c^5 \tan(fx + e)^3 - 420 (-2 i A + B) a^3 c^5 \tan(fx + e)^2 - 840 A a^3 c^5 \tan(fx + e)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")

[Out] -1/840*(105*B*a^3*c^5*tan(f*x + e)^8 + (120*A + 240*I*B)*a^3*c^5*tan(f*x + e)^7 - 140*(-2*I*A - B)*a^3*c^5*tan(f*x + e)^6 + (168*A + 672*I*B)*a^3*c^5*tan(f*x + e)^5 - 210*(-4*I*A + B)*a^3*c^5*tan(f*x + e)^4 - (280*A - 560*I*B)*a^3*c^5*tan(f*x + e)^3 - 420*(-2*I*A + B)*a^3*c^5*tan(f*x + e)^2 - 840*A*a^3*c^5*tan(f*x + e))/f

Fricas [A] time = 1.29634, size = 547, normalized size = 4.05

$$\frac{(2688i A + 2688 B) a^3 c^5 e^{(6i fx + 6ie)} + (3584i A - 896 B) a^3 c^5 e^{(4i fx + 4ie)} + (1024i A - 256 B) a^3 c^5 e^{(2i fx + 2ie)} + (128i A - 64 B) a^3 c^5 e^{(i fx + ie)} + 105 \left(f e^{(16i fx + 16ie)} + 8 f e^{(14i fx + 14ie)} + 28 f e^{(12i fx + 12ie)} + 56 f e^{(10i fx + 10ie)} + 70 f e^{(8i fx + 8ie)} + 56 f e^{(6i fx + 6ie)} + 28 f e^{(4i fx + 4ie)} + 10 f e^{(2i fx + 2ie)} + f e^{(i fx + ie)} \right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")

[Out] 1/105*((2688*I*A + 2688*B)*a^3*c^5*e^(6*I*f*x + 6*I*e) + (3584*I*A - 896*B)*a^3*c^5*e^(4*I*f*x + 4*I*e) + (1024*I*A - 256*B)*a^3*c^5*e^(2*I*f*x + 2*I*e) + (128*I*A - 32*B)*a^3*c^5)/(f*e^(16*I*f*x + 16*I*e) + 8*f*e^(14*I*f*x + 14*I*e) + 28*f*e^(12*I*f*x + 12*I*e) + 56*f*e^(10*I*f*x + 10*I*e) + 70*f*e^(8*I*f*x + 8*I*e) + 56*f*e^(6*I*f*x + 6*I*e) + 28*f*e^(4*I*f*x + 4*I*e) + 8*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x)

[Out] Timed out

Giac [B] time = 2.41563, size = 327, normalized size = 2.42

$$\frac{2688i Aa^3c^5e^{(6ifx+6ie)} + 2688 Ba^3c^5e^{(6ifx+6ie)} + 3584i Aa^3c^5e^{(4ifx+4ie)} - 896 Ba^3c^5e^{(4ifx+4ie)} + 1024i Aa^3c^5e^{(2ifx+2ie)}}{105 \left(fe^{(16ifx+16ie)} + 8 fe^{(14ifx+14ie)} + 28 fe^{(12ifx+12ie)} + 56 fe^{(10ifx+10ie)} + 70 fe^{(8ifx+8ie)} + 56 fe^{(6ifx+6ie)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5,x, algorithm="giac")

[Out] 1/105*(2688*I*A*a^3*c^5*e^(6*I*f*x + 6*I*e) + 2688*B*a^3*c^5*e^(6*I*f*x + 6*I*e) + 3584*I*A*a^3*c^5*e^(4*I*f*x + 4*I*e) - 896*B*a^3*c^5*e^(4*I*f*x + 4*I*e) + 1024*I*A*a^3*c^5*e^(2*I*f*x + 2*I*e) - 256*B*a^3*c^5*e^(2*I*f*x + 2*I*e) + 128*I*A*a^3*c^5 - 32*B*a^3*c^5)/(f*e^(16*I*f*x + 16*I*e) + 8*f*e^(14*I*f*x + 14*I*e) + 28*f*e^(12*I*f*x + 12*I*e) + 56*f*e^(10*I*f*x + 10*I*e) + 70*f*e^(8*I*f*x + 8*I*e) + 56*f*e^(6*I*f*x + 6*I*e) + 28*f*e^(4*I*f*x + 4*I*e) + 8*f*e^(2*I*f*x + 2*I*e) + f)

$$3.692 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^4 dx$$

Optimal. Leaf size=132

$$\frac{a^3 c^4 (5B + iA)(1 - i \tan(e + fx))^6}{6f} - \frac{4a^3 c^4 (2B + iA)(1 - i \tan(e + fx))^5}{5f} + \frac{a^3 c^4 (B + iA)(1 - i \tan(e + fx))^4}{f} - \frac{a^3 B c^4 (1 - i \tan(e + fx))^3}{f}$$

[Out] (a^3*(I*A + B)*c^4*(1 - I*Tan[e + f*x])^4)/f - (4*a^3*(I*A + 2*B)*c^4*(1 - I*Tan[e + f*x])^5)/(5*f) + (a^3*(I*A + 5*B)*c^4*(1 - I*Tan[e + f*x])^6)/(6*f) - (a^3*B*c^4*(1 - I*Tan[e + f*x])^7)/(7*f)

Rubi [A] time = 0.178058, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3 c^4 (5B + iA)(1 - i \tan(e + fx))^6}{6f} - \frac{4a^3 c^4 (2B + iA)(1 - i \tan(e + fx))^5}{5f} + \frac{a^3 c^4 (B + iA)(1 - i \tan(e + fx))^4}{f} - \frac{a^3 B c^4 (1 - i \tan(e + fx))^3}{f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4, x]

[Out] (a^3*(I*A + B)*c^4*(1 - I*Tan[e + f*x])^4)/f - (4*a^3*(I*A + 2*B)*c^4*(1 - I*Tan[e + f*x])^5)/(5*f) + (a^3*(I*A + 5*B)*c^4*(1 - I*Tan[e + f*x])^6)/(6*f) - (a^3*B*c^4*(1 - I*Tan[e + f*x])^7)/(7*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^4 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^2 (A + Bx)(c - icx)^3 dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(4a^2 (A - iB)(c - icx)^3 - \frac{4a^2 (A - 2iB)(c - icx)^2}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{a^3 (iA + B)c^4 (1 - i \tan(e + fx))^4}{f} - \frac{4a^3 (iA + 2B)c^4}{f} \end{aligned}$$

Mathematica [A] time = 7.02557, size = 172, normalized size = 1.3

$$\frac{a^3 c^4 \sec(e) \sec^7(e + fx)(70(B - iA) \cos(2e + fx) + 70(B - iA) \cos(fx) - 70A \sin(2e + fx) + 147A \sin(2e + 3fx) + 49A \sin(4e + 5fx) + 7A \sin(6e + 7fx) + I B \sin(6e + 7fx))}{840 f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4,x]

[Out] (a^3*c^4*Sec[e]*Sec[e + f*x]^7*(70*((-I)*A + B)*Cos[f*x] + 70*((-I)*A + B)*Cos[2*e + f*x] + 175*A*Sin[f*x] - (35*I)*B*Sin[f*x] - 70*A*Sin[2*e + f*x] - (70*I)*B*Sin[2*e + f*x] + 147*A*Sin[2*e + 3*f*x] + (21*I)*B*Sin[2*e + 3*f*x] + 49*A*Sin[4*e + 5*f*x] + (7*I)*B*Sin[4*e + 5*f*x] + 7*A*Sin[6*e + 7*f*x] + I*B*Sin[6*e + 7*f*x]))/(840*f)

Maple [A] time = 0.012, size = 147, normalized size = 1.1

$$\frac{a^3 c^4}{f} \left(-\frac{i}{7} B (\tan(fx + e))^7 - \frac{i}{6} A (\tan(fx + e))^6 - \frac{2i}{5} B (\tan(fx + e))^5 + \frac{B (\tan(fx + e))^6}{6} - \frac{i}{2} A (\tan(fx + e))^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x)

[Out] 1/f*a^3*c^4*(-1/7*I*B*tan(f*x+e)^7-1/6*I*A*tan(f*x+e)^6-2/5*I*B*tan(f*x+e)^5+1/6*B*tan(f*x+e)^6-1/2*I*A*tan(f*x+e)^4+1/5*A*tan(f*x+e)^5-1/3*I*B*tan(f*x+e)^3+1/2*B*tan(f*x+e)^4-1/2*I*A*tan(f*x+e)^2+2/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.676, size = 204, normalized size = 1.55

$$\frac{-60i B a^3 c^4 \tan(fx + e)^7 - 70(i A - B) a^3 c^4 \tan(fx + e)^6 + (84 A - 168i B) a^3 c^4 \tan(fx + e)^5 - 210(i A - B) a^3 c^4 \tan(fx + e)^4 + (280 A - 140i B) a^3 c^4 \tan(fx + e)^3 - 210(i A - B) a^3 c^4 \tan(fx + e)^2 + 420 A a^3 c^4 \tan(fx + e)}{420 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="maxima")

[Out] 1/420*(-60*I*B*a^3*c^4*tan(f*x + e)^7 - 70*(I*A - B)*a^3*c^4*tan(f*x + e)^6 + (84*A - 168*I*B)*a^3*c^4*tan(f*x + e)^5 - 210*(I*A - B)*a^3*c^4*tan(f*x + e)^4 + (280*A - 140*I*B)*a^3*c^4*tan(f*x + e)^3 - 210*(I*A - B)*a^3*c^4*tan(f*x + e)^2 + 420*A*a^3*c^4*tan(f*x + e))/f

Fricas [A] time = 1.28456, size = 506, normalized size = 3.83

$$\frac{(1680i A + 1680 B) a^3 c^4 e^{(6i fx + 6i e)} + (2352i A - 336 B) a^3 c^4 e^{(4i fx + 4i e)} + (784i A - 112 B) a^3 c^4 e^{(2i fx + 2i e)} + (112i A - 16 B) e^{(14i fx + 14i e)} + 7 f e^{(12i fx + 12i e)} + 21 f e^{(10i fx + 10i e)} + 35 f e^{(8i fx + 8i e)} + 35 f e^{(6i fx + 6i e)} + 21 f e^{(4i fx + 4i e)} + 7 f e^{(2i fx + 2i e)}}{420 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="fricas")

[Out] $\frac{1}{105}((1680IA + 1680B)a^3c^4e^{(6Ifx + 6Ie)} + (2352IA - 336B)a^3c^4e^{(4Ifx + 4Ie)} + (784IA - 112B)a^3c^4e^{(2Ifx + 2Ie)} + (112IA - 16B)a^3c^4)/(f e^{(14Ifx + 14Ie)} + 7f e^{(12Ifx + 12Ie)} + 21f e^{(10Ifx + 10Ie)} + 35f e^{(8Ifx + 8Ie)} + 35f e^{(6Ifx + 6Ie)} + 21f e^{(4Ifx + 4Ie)} + 7f e^{(2Ifx + 2Ie)} + f)$

Sympy [B] time = 107.986, size = 270, normalized size = 2.05

$$\frac{(16iAa^3c^4+16Ba^3c^4)e^{-8ie}e^{6ifx}}{f} + \frac{(112iAa^3c^4-16Ba^3c^4)e^{-10ie}e^{4ifx}}{5f} + \frac{(112iAa^3c^4-16Ba^3c^4)e^{-12ie}e^{2ifx}}{15f} + \frac{(112iAa^3c^4-16Ba^3c^4)e^{-14ie}}{105f}$$

$$e^{14ifx} + 7e^{-2ie}e^{12ifx} + 21e^{-4ie}e^{10ifx} + 35e^{-6ie}e^{8ifx} + 35e^{-8ie}e^{6ifx} + 21e^{-10ie}e^{4ifx} + 7e^{-12ie}e^{2ifx} + e^{-14ie}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x)

[Out] $((16IAa^3c^4 + 16B a^3c^4) \exp(-8Ie) \exp(6Ifx) / f + (112IAa^3c^4 - 16B a^3c^4) \exp(-10Ie) \exp(4Ifx) / (5f) + (112IAa^3c^4 - 16B a^3c^4) \exp(-12Ie) \exp(2Ifx) / (15f) + (112IAa^3c^4 - 16B a^3c^4) \exp(-14Ie) / (105f)) / (\exp(14Ifx) + 7 \exp(-2Ie) \exp(12Ifx) + 21 \exp(-4Ie) \exp(10Ifx) + 35 \exp(-6Ie) \exp(8Ifx) + 35 \exp(-8Ie) \exp(6Ifx) + 21 \exp(-10Ie) \exp(4Ifx) + 7 \exp(-12Ie) \exp(2Ifx) + \exp(-14Ie))$

Giac [B] time = 2.08271, size = 309, normalized size = 2.34

$$\frac{1680iAa^3c^4e^{(6ifx+6ie)} + 1680Ba^3c^4e^{(6ifx+6ie)} + 2352iAa^3c^4e^{(4ifx+4ie)} - 336Ba^3c^4e^{(4ifx+4ie)} + 784iAa^3c^4e^{(2ifx+2ie)} - 112Ba^3c^4e^{(2ifx+2ie)}}{105 \left(fe^{(14ifx+14ie)} + 7fe^{(12ifx+12ie)} + 21fe^{(10ifx+10ie)} + 35fe^{(8ifx+8ie)} + 35fe^{(6ifx+6ie)} + 21fe^{(4ifx+4ie)} + fe^{-14ie} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4,x, algorithm="giac")

[Out] $\frac{1}{105}((1680IAa^3c^4e^{(6Ifx + 6Ie)} + 1680B a^3c^4e^{(6Ifx + 6Ie)} + 2352IAa^3c^4e^{(4Ifx + 4Ie)} - 336B a^3c^4e^{(4Ifx + 4Ie)} + 784IAa^3c^4e^{(2Ifx + 2Ie)} - 112B a^3c^4e^{(2Ifx + 2Ie)} + 112IAa^3c^4 - 16B a^3c^4)/(f e^{(14Ifx + 14Ie)} + 7f e^{(12Ifx + 12Ie)} + 21f e^{(10Ifx + 10Ie)} + 35f e^{(8Ifx + 8Ie)} + 35f e^{(6Ifx + 6Ie)} + 21f e^{(4Ifx + 4Ie)} + 7f e^{(2Ifx + 2Ie)} + f)$

$$3.693 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^3 dx$$

Optimal. Leaf size=84

$$\frac{a^3 Ac^3 \tan^5(e + fx)}{5f} + \frac{2a^3 Ac^3 \tan^3(e + fx)}{3f} + \frac{a^3 Ac^3 \tan(e + fx)}{f} + \frac{a^3 Bc^3 \sec^6(e + fx)}{6f}$$

[Out] (a^3*B*c^3*Sec[e + f*x]^6)/(6*f) + (a^3*A*c^3*Tan[e + f*x])/f + (2*a^3*A*c^3*Tan[e + f*x]^3)/(3*f) + (a^3*A*c^3*Tan[e + f*x]^5)/(5*f)

Rubi [A] time = 0.12589, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {3588, 73, 641, 194}

$$\frac{a^3 Ac^3 \tan^5(e + fx)}{5f} + \frac{2a^3 Ac^3 \tan^3(e + fx)}{3f} + \frac{a^3 Ac^3 \tan(e + fx)}{f} + \frac{a^3 Bc^3 \sec^6(e + fx)}{6f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3, x]

[Out] (a^3*B*c^3*Sec[e + f*x]^6)/(6*f) + (a^3*A*c^3*Tan[e + f*x])/f + (2*a^3*A*c^3*Tan[e + f*x]^3)/(3*f) + (a^3*A*c^3*Tan[e + f*x]^5)/(5*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 73

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m] && IntegerQ[m]

Rule 641

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 194

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^3 dx &= \frac{(ac) \operatorname{Subst}\left(\int (a + iax)^2 (A + Bx)(c - icx)^2 dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{(ac) \operatorname{Subst}\left(\int (A + Bx)(ac + acx^2)^2 dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{a^3 Bc^3 \sec^6(e + fx)}{6f} + \frac{(aAc) \operatorname{Subst}\left(\int (ac + acx^2)^2 dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{a^3 Bc^3 \sec^6(e + fx)}{6f} + \frac{(aAc) \operatorname{Subst}\left(\int (a^2c^2 + 2a^2cx^2 + a^2c^2x^4) dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{a^3 Bc^3 \sec^6(e + fx)}{6f} + \frac{a^3 Ac^3 \tan(e + fx)}{f} + \frac{2a^3 Ac^3 \tan^3(e + fx)}{3f}
\end{aligned}$$

Mathematica [A] time = 0.259436, size = 65, normalized size = 0.77

$$\frac{a^3 Ac^3 \left(\frac{1}{5} \tan^5(e + fx) + \frac{2}{3} \tan^3(e + fx) + \tan(e + fx) \right)}{f} + \frac{a^3 Bc^3 \sec^6(e + fx)}{6f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3,x]

[Out] (a^3*B*c^3*Sec[e + f*x]^6)/(6*f) + (a^3*A*c^3*(Tan[e + f*x] + (2*Tan[e + f*x]^3)/3 + Tan[e + f*x]^5/5))/f

Maple [A] time = 0.012, size = 75, normalized size = 0.9

$$\frac{a^3 c^3}{f} \left(\frac{B (\tan(fx + e))^6}{6} + \frac{A (\tan(fx + e))^5}{5} + \frac{B (\tan(fx + e))^4}{2} + \frac{2A (\tan(fx + e))^3}{3} + \frac{B (\tan(fx + e))^2}{2} + A \tan(fx + e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x)

[Out] 1/f*a^3*c^3*(1/6*B*tan(f*x+e)^6+1/5*A*tan(f*x+e)^5+1/2*B*tan(f*x+e)^4+2/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.67341, size = 143, normalized size = 1.7

$$\frac{5Ba^3c^3 \tan(fx + e)^6 + 6Aa^3c^3 \tan(fx + e)^5 + 15Ba^3c^3 \tan(fx + e)^4 + 20Aa^3c^3 \tan(fx + e)^3 + 15Ba^3c^3 \tan(fx + e)^2 + Aa^3c^3 \tan(fx + e)}{30f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")

[Out] $\frac{1}{30}(5B^3a^3c^3\tan(fx+e)^6 + 6A^3a^3c^3\tan(fx+e)^5 + 15B^3a^3c^3\tan(fx+e)^4 + 20A^3a^3c^3\tan(fx+e)^3 + 15B^3a^3c^3\tan(fx+e)^2 + 30A^3a^3c^3\tan(fx+e))/f$

Fricas [C] time = 1.35219, size = 420, normalized size = 5.

$$\frac{(160iA + 160B)a^3c^3e^{(6ifx+6ie)} + 240iAa^3c^3e^{(4ifx+4ie)} + 96iAa^3c^3e^{(2ifx+2ie)} + 16iAa^3c^3}{15\left(fe^{(12ifx+12ie)} + 6fe^{(10ifx+10ie)} + 15fe^{(8ifx+8ie)} + 20fe^{(6ifx+6ie)} + 15fe^{(4ifx+4ie)} + 6fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")

[Out] $\frac{1}{15}((160IA + 160B)a^3c^3e^{(6If*x + 6I*e)} + 240IAa^3c^3e^{(4If*x + 4I*e)} + 96IAa^3c^3e^{(2If*x + 2I*e)} + 16IAa^3c^3)/(fe^{(12If*x + 12I*e)} + 6f*fe^{(10If*x + 10I*e)} + 15f*fe^{(8If*x + 8I*e)} + 20f*fe^{(6If*x + 6I*e)} + 15f*fe^{(4If*x + 4I*e)} + 6f*fe^{(2If*x + 2I*e)} + f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**3,x)

[Out] Timed out

Giac [B] time = 2.64689, size = 1071, normalized size = 12.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3,x, algorithm="giac")

[Out] $\frac{1}{30}(5B^3a^3c^3\tan(fx)^6\tan(e)^6 - 30A^3a^3c^3\tan(fx)^6\tan(e)^5 - 30A^3a^3c^3\tan(fx)^5\tan(e)^6 + 15B^3a^3c^3\tan(fx)^6\tan(e)^4 + 15B^3a^3c^3\tan(fx)^4\tan(e)^6 - 20A^3a^3c^3\tan(fx)^6\tan(e)^3 + 90A^3a^3c^3\tan(fx)^5\tan(e)^4 + 90A^3a^3c^3\tan(fx)^4\tan(e)^5 - 20A^3a^3c^3\tan(fx)^3\tan(e)^6 + 15B^3a^3c^3\tan(fx)^6\tan(e)^2 + 45B^3a^3c^3\tan(fx)^4\tan(e)^4 + 15B^3a^3c^3\tan(fx)^2\tan(e)^6 - 6A^3a^3c^3\tan(fx)^6\tan(e) + 30A^3a^3c^3\tan(fx)^5\tan(e)^2 - 180A^3a^3c^3\tan(fx)^4\tan(e)^3 - 180A^3a^3c^3\tan(fx)^3\tan(e)^4 + 30A^3a^3c^3\tan(fx)^2\tan(e)^5 - 6A^3a^3c^3\tan(fx)\tan(e)^6 + 5B^3a^3c^3\tan(fx)^6 + 45B^3a^3c^3\tan(fx)^4\tan(e)^2 + 45B^3a^3c^3\tan(fx)^2\tan(e)^4 + 5B^3a^3c^3\tan(e)^6 + 6A^3a^3c^3\tan(fx)^5 - 30A^3a^3c^3\tan(fx)^4\tan(e) + 180A^3a^3c^3\tan(fx)^3\tan(e)^2 + 180A^3a^3c^3\tan(fx)^2\tan(e)^3 - 30A^3a^3c^3\tan(fx)$

$$\begin{aligned} & * \tan(e)^4 + 6Aa^3c^3 \tan(e)^5 + 15Ba^3c^3 \tan(fx)^4 + 45Ba^3c^3 \tan(fx)^2 \tan(e)^2 \\ & + 15Ba^3c^3 \tan(e)^4 + 20Aa^3c^3 \tan(fx)^3 - 90Aa^3c^3 \tan(fx)^2 \tan(e) - 90Aa^3c^3 \tan(fx) \tan(e)^2 \\ & + 20Aa^3c^3 \tan(e)^3 + 15Ba^3c^3 \tan(fx)^2 + 15Ba^3c^3 \tan(e)^2 + 30Aa^3c^3 \tan(fx) \\ & + 30Aa^3c^3 \tan(e) + 5Ba^3c^3 / (f \tan(fx)^6 \tan(e)^6 - 6f \tan(fx)^5 \tan(e)^5 \\ & + 15f \tan(fx)^4 \tan(e)^4 - 20f \tan(fx)^3 \tan(e)^3 + 15f \tan(fx)^2 \tan(e)^2 - 6f \tan(fx) \tan(e) + f) \end{aligned}$$

$$3.694 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^2 dx$$

Optimal. Leaf size=101

$$\frac{a^3 c^2 (-3B + iA)(1 + i \tan(e + fx))^4}{4f} - \frac{2a^3 c^2 (-B + iA)(1 + i \tan(e + fx))^3}{3f} + \frac{a^3 B c^2 (1 + i \tan(e + fx))^5}{5f}$$

[Out] $(-2*a^3*(I*A - B)*c^2*(1 + I*\text{Tan}[e + f*x])^3)/(3*f) + (a^3*(I*A - 3*B)*c^2*(1 + I*\text{Tan}[e + f*x])^4)/(4*f) + (a^3*B*c^2*(1 + I*\text{Tan}[e + f*x])^5)/(5*f)$

Rubi [A] time = 0.148442, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3 c^2 (-3B + iA)(1 + i \tan(e + fx))^4}{4f} - \frac{2a^3 c^2 (-B + iA)(1 + i \tan(e + fx))^3}{3f} + \frac{a^3 B c^2 (1 + i \tan(e + fx))^5}{5f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])^2, x]$

[Out] $(-2*a^3*(I*A - B)*c^2*(1 + I*\text{Tan}[e + f*x])^3)/(3*f) + (a^3*(I*A - 3*B)*c^2*(1 + I*\text{Tan}[e + f*x])^4)/(4*f) + (a^3*B*c^2*(1 + I*\text{Tan}[e + f*x])^5)/(5*f)$

Rule 3588

$\text{Int}[(a + (b_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] := \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[(a + (b_*)*(x_*)^{(p_*)})*((c + (d_*)*(x_*)^{(q_*)})^{(n_*)}*((e + (f_*)*(x_*)^{(p_*)})^{(p_*)}), x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^2 dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^2 (A + Bx)(c - icx) dx, x, t \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2(A + iB)c(a + iax)^2 - \frac{(A + 3iB)c(a + iax)}{a} \right) dx, x, t \right)}{f} \\ &= -\frac{2a^3(iA - B)c^2(1 + i \tan(e + fx))^3}{3f} + \frac{a^3(iA - 3B)c^2(1 + i \tan(e + fx))^5}{5f} \end{aligned}$$

Mathematica [A] time = 5.12569, size = 146, normalized size = 1.45

$$\frac{a^3 c^2 \sec(e) \sec^5(e + fx) (15(B + iA) \cos(2e + fx) + 15(B + iA) \cos(fx) - 15A \sin(2e + fx) + 25A \sin(2e + 3fx) + 5A \sin(2e + 5fx))}{120f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2,x]

[Out] (a^3*c^2*Sec[e]*Sec[e + f*x]^5*(15*(I*A + B)*Cos[f*x] + 15*(I*A + B)*Cos[2*e + f*x] + 35*A*Sin[f*x] + (5*I)*B*Sin[f*x] - 15*A*Sin[2*e + f*x] + (15*I)*B*Sin[2*e + f*x] + 25*A*Sin[2*e + 3*f*x] - (5*I)*B*Sin[2*e + 3*f*x] + 5*A*Sin[4*e + 5*f*x] - I*B*Sin[4*e + 5*f*x]))/(120*f)

Maple [A] time = 0.011, size = 101, normalized size = 1.

$$\frac{c^2 a^3}{f} \left(\frac{i}{5} B (\tan(fx + e))^5 + \frac{i}{4} A (\tan(fx + e))^4 + \frac{i}{3} B (\tan(fx + e))^3 + \frac{B (\tan(fx + e))^4}{4} + \frac{i}{2} A (\tan(fx + e))^2 + \frac{A (\tan(fx + e))^4}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x)

[Out] 1/f*c^2*a^3*(1/5*I*B*tan(f*x+e)^5+1/4*I*A*tan(f*x+e)^4+1/3*I*B*tan(f*x+e)^3+1/4*B*tan(f*x+e)^4+1/2*I*A*tan(f*x+e)^2+1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e)^4)

Maxima [A] time = 1.61037, size = 143, normalized size = 1.42

$$\frac{12iBa^3c^2 \tan(fx + e)^5 - 15(-iA - B)a^3c^2 \tan(fx + e)^4 + (20A + 20iB)a^3c^2 \tan(fx + e)^3 - 30(-iA - B)a^3c^2 \tan(fx + e)^2 + 60Aa^3c^2 \tan(fx + e)}{60f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] 1/60*(12*I*B*a^3*c^2*tan(f*x + e)^5 - 15*(-I*A - B)*a^3*c^2*tan(f*x + e)^4 + (20*A + 20*I*B)*a^3*c^2*tan(f*x + e)^3 - 30*(-I*A - B)*a^3*c^2*tan(f*x + e)^2 + 60*A*a^3*c^2*tan(f*x + e))/f

Fricas [A] time = 1.38261, size = 417, normalized size = 4.13

$$\frac{(120iA + 120B)a^3c^2e^{(6ifx+6ie)} + (200iA + 40B)a^3c^2e^{(4ifx+4ie)} + (100iA + 20B)a^3c^2e^{(2ifx+2ie)} + (20iA + 4B)a^3c^2e^{(2ifx+2ie)}}{15 \left(fe^{(10ifx+10ie)} + 5fe^{(8ifx+8ie)} + 10fe^{(6ifx+6ie)} + 10fe^{(4ifx+4ie)} + 5fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/15*((120*I*A + 120*B)*a^3*c^2*e^(6*I*f*x + 6*I*e) + (200*I*A + 40*B)*a^3*c^2*e^(4*I*f*x + 4*I*e) + (100*I*A + 20*B)*a^3*c^2*e^(2*I*f*x + 2*I*e) + (20*I*A + 4*B)*a^3*c^2)/(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [B] time = 36.3931, size = 236, normalized size = 2.34

$$\frac{\frac{(8iAa^3c^2+8Ba^3c^2)e^{-4ie}e^{6ifx}}{f} + \frac{(20iAa^3c^2+4Ba^3c^2)e^{-8ie}e^{2ifx}}{3f} + \frac{(20iAa^3c^2+4Ba^3c^2)e^{-10ie}}{15f} + \frac{(40iAa^3c^2+8Ba^3c^2)e^{-6ie}e^{4ifx}}{3f}}{e^{10ifx} + 5e^{-2ie}e^{8ifx} + 10e^{-4ie}e^{6ifx} + 10e^{-6ie}e^{4ifx} + 5e^{-8ie}e^{2ifx} + e^{-10ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x)

[Out] ((8*I*A*a**3*c**2 + 8*B*a**3*c**2)*exp(-4*I*e)*exp(6*I*f*x)/f + (20*I*A*a**3*c**2 + 4*B*a**3*c**2)*exp(-8*I*e)*exp(2*I*f*x)/(3*f) + (20*I*A*a**3*c**2 + 4*B*a**3*c**2)*exp(-10*I*e)/(15*f) + (40*I*A*a**3*c**2 + 8*B*a**3*c**2)*exp(-6*I*e)*exp(4*I*f*x)/(3*f))/(exp(10*I*f*x) + 5*exp(-2*I*e)*exp(8*I*f*x) + 10*exp(-4*I*e)*exp(6*I*f*x) + 10*exp(-6*I*e)*exp(4*I*f*x) + 5*exp(-8*I*e)*exp(2*I*f*x) + exp(-10*I*e))

Giac [B] time = 1.71265, size = 274, normalized size = 2.71

$$\frac{120iAa^3c^2e^{(6ifx+6ie)} + 120Ba^3c^2e^{(6ifx+6ie)} + 200iAa^3c^2e^{(4ifx+4ie)} + 40Ba^3c^2e^{(4ifx+4ie)} + 100iAa^3c^2e^{(2ifx+2ie)} + 20iAa^3c^2e^{(2ifx+2ie)}}{15\left(fe^{(10ifx+10ie)} + 5fe^{(8ifx+8ie)} + 10fe^{(6ifx+6ie)} + 10fe^{(4ifx+4ie)} + 5fe^{(2ifx+2ie)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2,x, algorithm="giac")

[Out] 1/15*(120*I*A*a^3*c^2*e^(6*I*f*x + 6*I*e) + 120*B*a^3*c^2*e^(6*I*f*x + 6*I*e) + 200*I*A*a^3*c^2*e^(4*I*f*x + 4*I*e) + 40*B*a^3*c^2*e^(4*I*f*x + 4*I*e) + 100*I*A*a^3*c^2*e^(2*I*f*x + 2*I*e) + 20*B*a^3*c^2*e^(2*I*f*x + 2*I*e) + 20*I*A*a^3*c^2 + 4*B*a^3*c^2)/(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)

$$3.695 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx)) dx$$

Optimal. Leaf size=61

$$-\frac{a^3 c(-B + iA)(1 + i \tan(e + fx))^3}{3f} - \frac{a^3 Bc(1 + i \tan(e + fx))^4}{4f}$$

[Out] $-(a^3(I*A - B)*c*(1 + I*\text{Tan}[e + f*x])^3)/(3*f) - (a^3*B*c*(1 + I*\text{Tan}[e + f*x])^4)/(4*f)$

Rubi [A] time = 0.0874857, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$-\frac{a^3 c(-B + iA)(1 + i \tan(e + fx))^3}{3f} - \frac{a^3 Bc(1 + i \tan(e + fx))^4}{4f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x]), x]$

[Out] $-(a^3(I*A - B)*c*(1 + I*\text{Tan}[e + f*x])^3)/(3*f) - (a^3*B*c*(1 + I*\text{Tan}[e + f*x])^4)/(4*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] := \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 43

$\text{Int}[(a + b*x)^m*(c + d*x)^n, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ $\text{FreeQ}\{a, b, c, d, n\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{!IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0]) \ || \ \text{GtQ}[m + n + 2, 0])$

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx)) dx &= \frac{(ac) \text{Subst}\left(\int (a + iax)^2 (A + Bx) dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left((A + iB)(a + iax)^2 - \frac{iB(a + iax)^3}{a}\right) dx, x\right)}{f} \\ &= -\frac{a^3(iA - B)c(1 + i \tan(e + fx))^3}{3f} - \frac{a^3 Bc(1 + i \tan(e + fx))^4}{4f} \end{aligned}$$

Mathematica [B] time = 3.61148, size = 161, normalized size = 2.64

$$a^3 c \sec(e) \sec^4(e + fx)(3(B + iA) \cos(e + 2fx) + 3(B + 2iA) \cos(e) + 5A \sin(e + 2fx) - 3A \sin(3e + 2fx) + 2A \sin(3e +$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]), x]

[Out] (a^3*c*Sec[e]*Sec[e + f*x]^4*(3*((2*I)*A + B)*Cos[e] + 3*(I*A + B)*Cos[e + 2*f*x] + (3*I)*A*Cos[3*e + 2*f*x] + 3*B*Cos[3*e + 2*f*x] - 6*A*Sin[e] + (3*I)*B*Sin[e] + 5*A*Sin[e + 2*f*x] - I*B*Sin[e + 2*f*x] - 3*A*Sin[3*e + 2*f*x] + (3*I)*B*Sin[3*e + 2*f*x] + 2*A*Sin[3*e + 4*f*x] - I*B*Sin[3*e + 4*f*x]))/(12*f)

Maple [A] time = 0.012, size = 75, normalized size = 1.2

$$\frac{a^3 c}{f} \left(\frac{2i}{3} B (\tan(fx + e))^3 - \frac{B (\tan(fx + e))^4}{4} + iA (\tan(fx + e))^2 - \frac{A (\tan(fx + e))^3}{3} + \frac{B (\tan(fx + e))^2}{2} + A \tan(fx + e) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)), x)

[Out] 1/f*a^3*c*(2/3*I*B*tan(f*x+e)^3-1/4*B*tan(f*x+e)^4+I*A*tan(f*x+e)^2-1/3*A*tan(f*x+e)^3+1/2*B*tan(f*x+e)^2+A*tan(f*x+e))

Maxima [A] time = 1.65207, size = 99, normalized size = 1.62

$$\frac{3Ba^3c \tan(fx + e)^4 + (4A - 8iB)a^3c \tan(fx + e)^3 - 6(2iA + B)a^3c \tan(fx + e)^2 - 12Aa^3c \tan(fx + e)}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)), x, algorith="maxima")

[Out] -1/12*(3*B*a^3*c*tan(f*x + e)^4 + (4*A - 8*I*B)*a^3*c*tan(f*x + e)^3 - 6*(2*I*A + B)*a^3*c*tan(f*x + e)^2 - 12*A*a^3*c*tan(f*x + e))/f

Fricas [B] time = 1.32911, size = 358, normalized size = 5.87

$$\frac{(24iA + 24B)a^3ce^{(6ifx+6ie)} + (48iA + 24B)a^3ce^{(4ifx+4ie)} + (32iA + 16B)a^3ce^{(2ifx+2ie)} + (8iA + 4B)a^3c}{3 \left(fe^{(8ifx+8ie)} + 4fe^{(6ifx+6ie)} + 6fe^{(4ifx+4ie)} + 4fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)), x, algorith="fricas")

[Out] 1/3*((24*I*A + 24*B)*a^3*c*e^(6*I*f*x + 6*I*e) + (48*I*A + 24*B)*a^3*c*e^(4*I*f*x + 4*I*e) + (32*I*A + 16*B)*a^3*c*e^(2*I*f*x + 2*I*e) + (8*I*A + 4*B)*a^3*c)/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x +

$$4*I*e) + 4*f*e^{(2*I*f*x + 2*I*e) + f}$$

Sympy [B] time = 50.1462, size = 204, normalized size = 3.34

$$\frac{\frac{(8iAa^3c+4Ba^3c)e^{-8ie}}{3f} + \frac{(8iAa^3c+8Ba^3c)e^{-2ie}e^{6ifx}}{f} + \frac{(16iAa^3c+8Ba^3c)e^{-4ie}e^{4ifx}}{f} + \frac{(32iAa^3c+16Ba^3c)e^{-6ie}e^{2ifx}}{3f}}{e^{8ifx} + 4e^{-2ie}e^{6ifx} + 6e^{-4ie}e^{4ifx} + 4e^{-6ie}e^{2ifx} + e^{-8ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x)

[Out] ((8*I*A*a**3*c + 4*B*a**3*c)*exp(-8*I*e)/(3*f) + (8*I*A*a**3*c + 8*B*a**3*c)*exp(-2*I*e)*exp(6*I*f*x)/f + (16*I*A*a**3*c + 8*B*a**3*c)*exp(-4*I*e)*exp(4*I*f*x)/f + (32*I*A*a**3*c + 16*B*a**3*c)*exp(-6*I*e)*exp(2*I*f*x)/(3*f))/(exp(8*I*f*x) + 4*exp(-2*I*e)*exp(6*I*f*x) + 6*exp(-4*I*e)*exp(4*I*f*x) + 4*exp(-6*I*e)*exp(2*I*f*x) + exp(-8*I*e))

Giac [B] time = 1.60286, size = 235, normalized size = 3.85

$$\frac{24iAa^3ce^{(6ifx+6ie)} + 24Ba^3ce^{(6ifx+6ie)} + 48iAa^3ce^{(4ifx+4ie)} + 24Ba^3ce^{(4ifx+4ie)} + 32iAa^3ce^{(2ifx+2ie)} + 16Ba^3ce^{(2ifx+2ie)}}{3\left(fe^{(8ifx+8ie)} + 4fe^{(6ifx+6ie)} + 6fe^{(4ifx+4ie)} + 4fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e)),x, algorith="giac")

[Out] 1/3*(24*I*A*a^3*c*e^{(6*I*f*x + 6*I*e)} + 24*B*a^3*c*e^{(6*I*f*x + 6*I*e)} + 48*I*A*a^3*c*e^{(4*I*f*x + 4*I*e)} + 24*B*a^3*c*e^{(4*I*f*x + 4*I*e)} + 32*I*A*a^3*c*e^{(2*I*f*x + 2*I*e)} + 16*B*a^3*c*e^{(2*I*f*x + 2*I*e)} + 8*I*A*a^3*c + 4*B*a^3*c)/(f*e^{(8*I*f*x + 8*I*e)} + 4*f*e^{(6*I*f*x + 6*I*e)} + 6*f*e^{(4*I*f*x + 4*I*e)} + 4*f*e^{(2*I*f*x + 2*I*e)} + f)

3.696 $\int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx)) dx$

Optimal. Leaf size=110

$$\frac{2a^3(A - iB) \tan(e + fx)}{f} - \frac{4a^3(B + iA) \log(\cos(e + fx))}{f} + 4a^3x(A - iB) + \frac{a(B + iA)(a + ia \tan(e + fx))^2}{2f} + \frac{B(a + ia \tan(e + fx))}{3f}$$

[Out] $4*a^3*(A - I*B)*x - (4*a^3*(I*A + B)*\text{Log}[\text{Cos}[e + f*x]])/f - (2*a^3*(A - I*B)*\text{Tan}[e + f*x])/f + (a*(I*A + B)*(a + I*a*\text{Tan}[e + f*x])^2)/(2*f) + (B*(a + I*a*\text{Tan}[e + f*x])^3)/(3*f)$

Rubi [A] time = 0.093102, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {3527, 3478, 3477, 3475}

$$\frac{2a^3(A - iB) \tan(e + fx)}{f} - \frac{4a^3(B + iA) \log(\cos(e + fx))}{f} + 4a^3x(A - iB) + \frac{a(B + iA)(a + ia \tan(e + fx))^2}{2f} + \frac{B(a + ia \tan(e + fx))}{3f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x]), x]$

[Out] $4*a^3*(A - I*B)*x - (4*a^3*(I*A + B)*\text{Log}[\text{Cos}[e + f*x]])/f - (2*a^3*(A - I*B)*\text{Tan}[e + f*x])/f + (a*(I*A + B)*(a + I*a*\text{Tan}[e + f*x])^2)/(2*f) + (B*(a + I*a*\text{Tan}[e + f*x])^3)/(3*f)$

Rule 3527

$\text{Int}[(a + (b_*)\text{tan}[(e_*) + (f_*)(x_*)])^m * ((c_*) + (d_*)\text{tan}[(e_*) + (f_*)(x_*)]), x_Symbol] \rightarrow \text{Simp}[(d*(a + b*\text{Tan}[e + f*x])^m)/(f*m), x] + \text{Dist}[(b*c + a*d)/b, \text{Int}[(a + b*\text{Tan}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && !LtQ[m, 0]

Rule 3478

$\text{Int}[(a + (b_*)\text{tan}[(c_*) + (d_*)(x_*)])^n, x_Symbol] \rightarrow \text{Simp}[(b*(a + b*\text{Tan}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[2*a, \text{Int}[(a + b*\text{Tan}[c + d*x])^{n-1}, x], x] /;$ FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && GtQ[n, 1]

Rule 3477

$\text{Int}[(a + (b_*)\text{tan}[(c_*) + (d_*)(x_*)])^2, x_Symbol] \rightarrow \text{Simp}[(a^2 - b^2)*x, x] + (\text{Dist}[2*a*b, \text{Int}[\text{Tan}[c + d*x], x], x] + \text{Simp}[(b^2*\text{Tan}[c + d*x])/d, x]) /;$ FreeQ[{a, b, c, d}, x]

Rule 3475

$\text{Int}[\text{tan}[(c_*) + (d_*)(x_*)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx)) dx &= \frac{B(a + ia \tan(e + fx))^3}{3f} - (-A + iB) \int (a + ia \tan(e + fx))^3 dx \\
&= \frac{a(iA + B)(a + ia \tan(e + fx))^2}{2f} + \frac{B(a + ia \tan(e + fx))^3}{3f} + (2a(A - iB)) \\
&= 4a^3(A - iB)x - \frac{2a^3(A - iB) \tan(e + fx)}{f} + \frac{a(iA + B)(a + ia \tan(e + fx))^2}{2f} \\
&= 4a^3(A - iB)x - \frac{4a^3(iA + B) \log(\cos(e + fx))}{f} - \frac{2a^3(A - iB) \tan(e + fx)}{f}
\end{aligned}$$

Mathematica [B] time = 3.91998, size = 331, normalized size = 3.01

$$\frac{a^3 \sec(e) \sec^3(e + fx) \left(3 \cos(fx) \left((-3B - 3iA) \log(\cos^2(e + fx)) + 6Afx - iA - 6iBfx - 3B \right) + 3 \cos(2e + fx) \left((-3B - 3iA) \log(\cos^2(e + fx)) + 6Afx - iA - 6iBfx - 3B \right) \right)}{6f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]), x]

[Out] (a^3*Sec[e]*Sec[e + f*x]^3*(6*A*f*x*Cos[2*e + 3*f*x] - (6*I)*B*f*x*Cos[2*e + 3*f*x] + 6*A*f*x*Cos[4*e + 3*f*x] - (6*I)*B*f*x*Cos[4*e + 3*f*x] - (3*I)*A*Cos[2*e + 3*f*x]*Log[Cos[e + f*x]^2] - 3*B*Cos[2*e + 3*f*x]*Log[Cos[e + f*x]^2] - (3*I)*A*Cos[4*e + 3*f*x]*Log[Cos[e + f*x]^2] - 3*B*Cos[4*e + 3*f*x]*Log[Cos[e + f*x]^2] + 3*Cos[f*x]*((-I)*A - 3*B + 6*A*f*x - (6*I)*B*f*x + ((-3*I)*A - 3*B)*Log[Cos[e + f*x]^2]) + 3*Cos[2*e + f*x]*((-I)*A - 3*B + 6*A*f*x - (6*I)*B*f*x + ((-3*I)*A - 3*B)*Log[Cos[e + f*x]^2]) - 18*A*Sin[f*x] + (24*I)*B*Sin[f*x] + 9*A*Sin[2*e + f*x] - (15*I)*B*Sin[2*e + f*x] - 9*A*Sin[2*e + 3*f*x] + (13*I)*B*Sin[2*e + 3*f*x]))/(12*f)

Maple [A] time = 0.013, size = 160, normalized size = 1.5

$$\frac{-\frac{i}{3}a^3B(\tan(fx + e))^3}{f} - \frac{\frac{i}{2}a^3A(\tan(fx + e))^2}{f} + \frac{4ia^3B \tan(fx + e)}{f} - \frac{3Ba^3(\tan(fx + e))^2}{2f} - 3\frac{Aa^3 \tan(fx + e)}{f} + \frac{2}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)), x)

[Out] -1/3*I/f*a^3*B*tan(f*x+e)^3-1/2*I/f*a^3*A*tan(f*x+e)^2+4*I/f*a^3*B*tan(f*x+e)-3/2/f*a^3*B*tan(f*x+e)^2-3/f*a^3*A*tan(f*x+e)+2*I/f*a^3*A*ln(1+tan(f*x+e)^2)+2/f*a^3*B*ln(1+tan(f*x+e)^2)-4*I/f*a^3*B*arctan(tan(f*x+e))+4/f*a^3*A*arctan(tan(f*x+e))

Maxima [A] time = 1.63728, size = 131, normalized size = 1.19

$$\frac{2iBa^3 \tan(fx + e)^3 + 3(iA + 3B)a^3 \tan(fx + e)^2 - 6(fx + e)(4A - 4iB)a^3 + 12(-iA - B)a^3 \log(\tan(fx + e)^2 + 1)}{6f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)),x, algorithm="maxima")

[Out]
$$\frac{-1/6*(2*I*B*a^3*\tan(f*x + e)^3 + 3*(I*A + 3*B)*a^3*\tan(f*x + e)^2 - 6*(f*x + e)*(4*A - 4*I*B)*a^3 + 12*(-I*A - B)*a^3*\log(\tan(f*x + e)^2 + 1) + (18*A - 24*I*B)*a^3*\tan(f*x + e))/f}$$

Fricas [A] time = 1.31866, size = 509, normalized size = 4.63

$$\frac{(-24iA - 48B)a^3e^{(4ifx+4ie)} + (-42iA - 66B)a^3e^{(2ifx+2ie)} + (-18iA - 26B)a^3 + \left((-12iA - 12B)a^3e^{(6ifx+6ie)} + (-36iA - 36B)a^3e^{(4ifx+4ie)} + (-36iA - 36B)a^3e^{(2ifx+2ie)} \right)}{3\left(fe^{(6ifx+6ie)} + 3fe^{(4ifx+4ie)} + 3fe^{(2ifx+2ie)} \right) + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)),x, algorithm="fricas")

[Out]
$$\frac{1/3*((-24*I*A - 48*B)*a^3*e^{(4*I*f*x + 4*I*e)} + (-42*I*A - 66*B)*a^3*e^{(2*I*f*x + 2*I*e)} + (-18*I*A - 26*B)*a^3 + ((-12*I*A - 12*B)*a^3*e^{(6*I*f*x + 6*I*e)} + (-36*I*A - 36*B)*a^3*e^{(4*I*f*x + 4*I*e)} + (-36*I*A - 36*B)*a^3*e^{(2*I*f*x + 2*I*e)} + (-12*I*A - 12*B)*a^3)*\log(e^{(2*I*f*x + 2*I*e)} + 1))/(f*e^{(6*I*f*x + 6*I*e)} + 3*f*e^{(4*I*f*x + 4*I*e)} + 3*f*e^{(2*I*f*x + 2*I*e)} + f)}$$

Sympy [A] time = 10.5045, size = 172, normalized size = 1.56

$$\frac{4a^3(iA + B)\log(e^{2ifx} + e^{-2ie})}{f} + \frac{-\frac{(8iAa^3+16Ba^3)e^{-2ie}e^{4ifx}}{f} - \frac{(14iAa^3+22Ba^3)e^{-4ie}e^{2ifx}}{f} - \frac{(18iAa^3+26Ba^3)e^{-6ie}}{3f}}{e^{6ifx} + 3e^{-2ie}e^{4ifx} + 3e^{-4ie}e^{2ifx} + e^{-6ie}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e)),x)

[Out]
$$-4*a**3*(I*A + B)*\log(\exp(2*I*f*x) + \exp(-2*I*e))/f + (- (8*I*A*a**3 + 16*B*a**3)*\exp(-2*I*e)*\exp(4*I*f*x)/f - (14*I*A*a**3 + 22*B*a**3)*\exp(-4*I*e)*\exp(2*I*f*x)/f - (18*I*A*a**3 + 26*B*a**3)*\exp(-6*I*e)/(3*f))/(\exp(6*I*f*x) + 3*\exp(-2*I*e)*\exp(4*I*f*x) + 3*\exp(-4*I*e)*\exp(2*I*f*x) + \exp(-6*I*e))$$

Giac [B] time = 1.47258, size = 450, normalized size = 4.09

$$\frac{-12iAa^3e^{(6ifx+6ie)}\log\left(e^{(2ifx+2ie)} + 1\right) - 12Ba^3e^{(6ifx+6ie)}\log\left(e^{(2ifx+2ie)} + 1\right) - 36iAa^3e^{(4ifx+4ie)}\log\left(e^{(2ifx+2ie)} + 1\right)}{3\left(fe^{(6ifx+6ie)} + 3fe^{(4ifx+4ie)} + 3fe^{(2ifx+2ie)} \right) + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)),x, algorithm="giac")

[Out]
$$\frac{1/3*(-12*I*A*a^3*e^{(6*I*f*x + 6*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) - 12*B*a^3*e^{(6*I*f*x + 6*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) - 36*I*A*a^3*e^{(4*I*f*x + 4*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) - 36*B*a^3*e^{(4*I*f*x + 4*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) - 36*I*A*a^3*e^{(2*I*f*x + 2*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) + (18*A - 24*I*B)*a^3*\tan(f*x + e))/f}$$

$$\begin{aligned}
& I*e) + 1) - 36*B*a^3*e^{(2*I*f*x + 2*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) - 24* \\
& I*A*a^3*e^{(4*I*f*x + 4*I*e)} - 48*B*a^3*e^{(4*I*f*x + 4*I*e)} - 42*I*A*a^3*e^{(\\
& 2*I*f*x + 2*I*e)} - 66*B*a^3*e^{(2*I*f*x + 2*I*e)} - 12*I*A*a^3*\log(e^{(2*I*f*x \\
& + 2*I*e)} + 1) - 12*B*a^3*\log(e^{(2*I*f*x + 2*I*e)} + 1) - 18*I*A*a^3 - 26*B* \\
& a^3)/(f*e^{(6*I*f*x + 6*I*e)} + 3*f*e^{(4*I*f*x + 4*I*e)} + 3*f*e^{(2*I*f*x + 2* \\
& I*e)} + f)
\end{aligned}$$

$$3.697 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx$$

Optimal. Leaf size=119

$$\frac{a^3(A-4iB) \tan(e+fx)}{cf} + \frac{4a^3(A-iB)}{cf(\tan(e+fx)+i)} + \frac{4a^3(2B+iA) \log(\cos(e+fx))}{cf} - \frac{4a^3x(A-2iB)}{c} + \frac{a^3B \tan^2(e+fx)}{2cf}$$

[Out] $(-4*a^3*(A - (2*I)*B)*x)/c + (4*a^3*(I*A + 2*B)*\text{Log}[\text{Cos}[e + f*x]])/(c*f) + (a^3*(A - (4*I)*B)*\text{Tan}[e + f*x])/(c*f) + (a^3*B*\text{Tan}[e + f*x]^2)/(2*c*f) + (4*a^3*(A - I*B))/(c*f*(I + \text{Tan}[e + f*x]))$

Rubi [A] time = 0.17192, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3(A-4iB) \tan(e+fx)}{cf} + \frac{4a^3(A-iB)}{cf(\tan(e+fx)+i)} + \frac{4a^3(2B+iA) \log(\cos(e+fx))}{cf} - \frac{4a^3x(A-2iB)}{c} + \frac{a^3B \tan^2(e+fx)}{2cf}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x]), x]$

[Out] $(-4*a^3*(A - (2*I)*B)*x)/c + (4*a^3*(I*A + 2*B)*\text{Log}[\text{Cos}[e + f*x]])/(c*f) + (a^3*(A - (4*I)*B)*\text{Tan}[e + f*x])/(c*f) + (a^3*B*\text{Tan}[e + f*x]^2)/(2*c*f) + (4*a^3*(A - I*B))/(c*f*(I + \text{Tan}[e + f*x]))$

Rule 3588

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{c-ic \tan(e+fx)} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^2} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{a^2(A-4iB)}{c^2} + \frac{a^2Bx}{c^2} - \frac{4a^2(A-iB)}{c^2(i+x)^2} - \frac{4ia^2(A-2iB)}{c^2(i+x)} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{4a^3(A-2iB)x}{c} + \frac{4a^3(iA+2B) \log(\cos(e+fx))}{cf} + \frac{a^3(A-4iB) \tan(e+fx)}{cf} \end{aligned}$$

Mathematica [B] time = 9.46192, size = 944, normalized size = 7.93

$$x \left(-\frac{2A \cos^3(e)}{c} + \frac{4iB \cos^3(e)}{c} + \frac{8iA \sin(e) \cos^2(e)}{c} + \frac{16B \sin(e) \cos^2(e)}{c} + \frac{12A \sin^2(e) \cos(e)}{c} - \frac{24iB \sin^2(e) \cos(e)}{c} + \frac{2A \cos(e)}{c} - \frac{4iB \cos(e)}{c} - \frac{8iA \sin(e)}{c} + \frac{16B \sin(e)}{c} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x]),x]

[Out] ((A - I*B)*Cos[2*f*x]*Cos[e + f*x]^4*((-2*I)*Cos[e])/c - (2*Sin[e])/c)*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^2*((B*Cos[3*e])/(2*c) - ((I/2)*B*Sin[3*e])/c)*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - (2*I)*B)*Cos[e + f*x]^4*((-4*f*x*Cos[3*e])/c + ((4*I)*f*x*Sin[3*e])/c)*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((I*A + 2*B)*Cos[e + f*x]^4*((2*Cos[3*e])*Log[Cos[e + f*x]^2])/c - ((2*I)*Log[Cos[e + f*x]^2]*Sin[3*e])/c)*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^3*(Cos[3*e]/c - (I*Sin[3*e])/c)*(A*Sin[f*x] - (4*I)*B*Sin[f*x])*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[e/2] - Sin[e/2])*(Cos[e/2] + Sin[e/2])*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - I*B)*Cos[e + f*x]^4*((2*Cos[e])/c - ((2*I)*Sin[e])/c)*Sin[2*f*x]*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (x*Cos[e + f*x]^4*((2*A*Cos[e])/c - ((4*I)*B*Cos[e])/c - (2*A*Cos[e]^3)/c + ((4*I)*B*Cos[e]^3)/c - ((4*I)*A*Sin[e])/c - (8*B*Sin[e])/c + ((8*I)*A*Cos[e]^2*Sin[e])/c + (16*B*Cos[e]^2*Sin[e])/c + (12*A*Cos[e]*Sin[e]^2)/c - ((24*I)*B*Cos[e]*Sin[e]^2)/c - ((8*I)*A*Sin[e]^3)/c - (16*B*Sin[e]^3)/c - (2*A*Sin[e]*Tan[e])/c + ((4*I)*B*Sin[e]*Tan[e])/c - (2*A*Sin[e]^3*Tan[e])/c + ((4*I)*B*Sin[e]^3*Tan[e])/c - I*(A - (2*I)*B)*((4*Cos[3*e])/c - ((4*I)*Sin[3*e])/c)*Tan[e])*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/((Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.044, size = 150, normalized size = 1.3

$$\frac{Aa^3 \tan(fx + e)}{cf} - \frac{4iBa^3 \tan(fx + e)}{cf} + \frac{Ba^3 (\tan(fx + e))^2}{2cf} - \frac{4iBa^3}{cf (\tan(fx + e) + i)} + 4 \frac{Aa^3}{cf (\tan(fx + e) + i)} - \frac{4ia^3}{cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)

[Out] 1/f*a^3/c*A*tan(f*x+e)-4*I/f*a^3/c*B*tan(f*x+e)+1/2*a^3*B*tan(f*x+e)^2/c/f-4*I/f*a^3/c/(tan(f*x+e)+I)*B+4/f*a^3/c/(tan(f*x+e)+I)*A-4*I/f*a^3/c*A*ln(tan(f*x+e)+I)-8/f*a^3/c*B*ln(tan(f*x+e)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.26026, size = 439, normalized size = 3.69

$$\frac{(-2iA - 2B)a^3 e^{(6ifx+6ie)} + (-4iA - 4B)a^3 e^{(4ifx+4ie)} + 8Ba^3 e^{(2ifx+2ie)} + (2iA + 8B)a^3 + ((4iA + 8B)a^3 e^{(4ifx+4ie)} + cfe^{(4ifx+4ie)} + 2cfe^{(2ifx+2ie)} + cf)}{cfe^{(4ifx+4ie)} + 2cfe^{(2ifx+2ie)} + cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="fricas")

[Out] $((-2iA - 2B)a^3 e^{(6ifx+6ie)} + (-4iA - 4B)a^3 e^{(4ifx+4ie)} + 8Ba^3 e^{(2ifx+2ie)} + (2iA + 8B)a^3 + ((4iA + 8B)a^3 e^{(4ifx+4ie)} + cfe^{(4ifx+4ie)} + 2cfe^{(2ifx+2ie)} + cf) \log(e^{(2ifx+2ie)} + 1)) / (cfe^{(4ifx+4ie)} + 2cfe^{(2ifx+2ie)} + cf)$

Sympy [A] time = 5.58664, size = 209, normalized size = 1.76

$$\frac{4a^3 (iA + 2B) \log(e^{2ifx} + e^{-2ie})}{cf} + \frac{\frac{(2iAa^3 + 8Ba^3)e^{-4ie}}{cf} + \frac{(2iAa^3 + 10Ba^3)e^{-2ie}e^{2ifx}}{cf}}{e^{4ifx} + 2e^{-2ie}e^{2ifx} + e^{-4ie}} + \begin{cases} \frac{-2iAa^3 e^{2ie} e^{2ifx}}{f} - \frac{2Ba^3 e^{2ie} e^{2ifx}}{f} & \text{for } f \neq 0 \\ x(4Aa^3 e^{2ie} - 4iBa^3 e^{2ie}) & \text{otherwise} \end{cases} / c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)

[Out] $4a^3(IA + 2B) \log(\exp(2ifx) + \exp(-2ie)) / (cf) + ((2iAa^3 + 8Ba^3) \exp(-4ie) / (cf) + (2iAa^3 + 10Ba^3) \exp(-2ie) \exp(2ifx) / (cf)) / (\exp(4ifx) + 2 \exp(-2ie) \exp(2ifx) + \exp(-4ie)) + \text{Piecewise}((-2iAa^3 \exp(2ie) \exp(2ifx) / f - 2Ba^3 \exp(2ie) \exp(2ifx) / f, \text{Ne}(f, 0)), (x(4Aa^3 \exp(2ie) - 4iBa^3 \exp(2ie))), \text{True}) / c$

Giac [B] time = 1.68214, size = 437, normalized size = 3.67

$$2 \left[\frac{4(iAa^3 + 2Ba^3) \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i\right)}{c} - \frac{(2iAa^3 + 4Ba^3) \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{c} + \frac{2(-iAa^3 - 2Ba^3) \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{c} + \frac{5Aa^3 \tan\left(\frac{1}{2}fx\right)}{c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="giac")

```
[Out] -2*(4*(I*A*a^3 + 2*B*a^3)*log(tan(1/2*f*x + 1/2*e) + I)/c - (2*I*A*a^3 + 4*
B*a^3)*log(abs(tan(1/2*f*x + 1/2*e) + 1))/c + 2*(-I*A*a^3 - 2*B*a^3)*log(ab
s(tan(1/2*f*x + 1/2*e) - 1))/c + (5*A*a^3*tan(1/2*f*x + 1/2*e)^5 - 8*I*B*a^
3*tan(1/2*f*x + 1/2*e)^5 + 2*I*A*a^3*tan(1/2*f*x + 1/2*e)^4 + 7*B*a^3*tan(1
/2*f*x + 1/2*e)^4 - 10*A*a^3*tan(1/2*f*x + 1/2*e)^3 + 14*I*B*a^3*tan(1/2*f*
x + 1/2*e)^3 - 2*I*A*a^3*tan(1/2*f*x + 1/2*e)^2 - 7*B*a^3*tan(1/2*f*x + 1/2
*e)^2 + 5*A*a^3*tan(1/2*f*x + 1/2*e) - 8*I*B*a^3*tan(1/2*f*x + 1/2*e))/((ta
n(1/2*f*x + 1/2*e)^3 + I*tan(1/2*f*x + 1/2*e)^2 - tan(1/2*f*x + 1/2*e) - I)
^2*c))/f
```

$$3.698 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx$$

Optimal. Leaf size=123

$$-\frac{4a^3(A-2iB)}{c^2f(\tan(e+fx)+i)} + \frac{2a^3(B+iA)}{c^2f(\tan(e+fx)+i)^2} - \frac{a^3(5B+iA)\log(\cos(e+fx))}{c^2f} + \frac{a^3x(A-5iB)}{c^2} + \frac{ia^3B \tan(e+fx)}{c^2f}$$

[Out] (a^3*(A - (5*I)*B)*x)/c^2 - (a^3*(I*A + 5*B)*Log[Cos[e + f*x]])/(c^2*f) + (I*a^3*B*Tan[e + f*x])/(c^2*f) + (2*a^3*(I*A + B))/(c^2*f*(I + Tan[e + f*x]))^2 - (4*a^3*(A - (2*I)*B))/(c^2*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.178271, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{4a^3(A-2iB)}{c^2f(\tan(e+fx)+i)} + \frac{2a^3(B+iA)}{c^2f(\tan(e+fx)+i)^2} - \frac{a^3(5B+iA)\log(\cos(e+fx))}{c^2f} + \frac{a^3x(A-5iB)}{c^2} + \frac{ia^3B \tan(e+fx)}{c^2f}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^2, x]

[Out] (a^3*(A - (5*I)*B)*x)/c^2 - (a^3*(I*A + 5*B)*Log[Cos[e + f*x]])/(c^2*f) + (I*a^3*B*Tan[e + f*x])/(c^2*f) + (2*a^3*(I*A + B))/(c^2*f*(I + Tan[e + f*x]))^2 - (4*a^3*(A - (2*I)*B))/(c^2*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^(n-1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^2} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^3} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{ia^2B}{c^3} - \frac{4ia^2(A-iB)}{c^3(i+x)^3} + \frac{4a^2(A-2iB)}{c^3(i+x)^2} + \frac{a^2(iA+5B)}{c^3(i+x)}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{a^3(A-5iB)x}{c^2} - \frac{a^3(iA+5B)\log(\cos(e+fx))}{c^2f} + \frac{ia^3B \tan(e+fx)}{c^2f} + \end{aligned}$$

Mathematica [B] time = 9.54447, size = 1063, normalized size = 8.64

$$x \left(\frac{A \cos^3(e)}{2c^2} - \frac{5iB \cos^3(e)}{2c^2} - \frac{2iA \sin(e) \cos^2(e)}{c^2} - \frac{10B \sin(e) \cos^2(e)}{c^2} - \frac{3A \sin^2(e) \cos(e)}{c^2} + \frac{15iB \sin^2(e) \cos(e)}{c^2} - \frac{A \cos(e)}{2c^2} + \frac{5iB \cos(e)}{2c^2} + \frac{2iA \sin^3(e)}{c^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^2, x]

[Out] ((I*A + 3*B)*Cos[2*f*x]*Cos[e + f*x]^4*(Cos[e]/c^2 - (I*Sin[e])/c^2)*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - I*B)*Cos[4*f*x]*Cos[e + f*x]^4*((-I/2)*Cos[e])/c^2 + Sin[e]/(2*c^2))*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - (5*I)*B)*Cos[e + f*x]^4*((f*x*Cos[3*e])/c^2 - (I*f*x*Sin[3*e])/c^2)*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - (5*I)*B)*Cos[e + f*x]^4*((-I/2)*Cos[3*e]*Log[Cos[e + f*x]^2])/c^2 - (Log[Cos[e + f*x]^2]*Sin[3*e])/(2*c^2))*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (I*B*Cos[e + f*x]^3*(Cos[3*e]/c^2 - (I*Sin[3*e])/c^2)*Sin[f*x]*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[e/2] - Sin[e/2])*(Cos[e/2] + Sin[e/2])*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - (3*I)*B)*Cos[e + f*x]^4*(-(Cos[e]/c^2) + (I*Sin[e])/c^2)*Sin[2*f*x]*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + ((A - I*B)*Cos[e + f*x]^4*(Cos[e]/(2*c^2) + ((I/2)*Sin[e])/c^2)*Sin[4*f*x]*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (x*Cos[e + f*x]^4*(-(A*Cos[e])/(2*c^2) + (((5*I)/2)*B*Cos[e])/c^2 + (A*Cos[e]^3)/(2*c^2) - (((5*I)/2)*B*Cos[e]^3)/c^2 + (I*A*Sin[e])/c^2 + (5*B*Sin[e])/c^2 - ((2*I)*A*Cos[e]^2*Sin[e])/c^2 - (10*B*Cos[e]^2*Sin[e])/c^2 - (3*A*Cos[e]*Sin[e]^2)/c^2 + ((15*I)*B*Cos[e]*Sin[e]^2)/c^2 + ((2*I)*A*Sin[e]^3)/c^2 + (10*B*Sin[e]^3)/c^2 + (A*Sin[e]*Tan[e])/(2*c^2) - (((5*I)/2)*B*Sin[e]*Tan[e])/c^2 + (A*Sin[e]^3*Tan[e])/(2*c^2) - (((5*I)/2)*B*Sin[e]^3*Tan[e])/c^2 + I*(A - (5*I)*B)*(Cos[3*e]/c^2 - (I*Sin[3*e])/c^2)*Tan[e])*(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/((Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.043, size = 160, normalized size = 1.3

$$\frac{iBa^3 \tan(fx + e)}{c^2 f} + \frac{8ia^3 B}{c^2 f (\tan(fx + e) + i)} - 4 \frac{Aa^3}{c^2 f (\tan(fx + e) + i)} + \frac{iAa^3 \ln(\tan(fx + e) + i)}{c^2 f} + 5 \frac{Ba^3 \ln(\tan(fx + e) + i)}{c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2, x)

[Out] I*a^3*B*tan(f*x+e)/c^2/f+8*I/f*a^3/c^2/(tan(f*x+e)+I)*B-4/f*a^3/c^2/(tan(f*x+e)+I)*A+I/f*a^3/c^2*A*ln(tan(f*x+e)+I)+5/f*a^3/c^2*B*ln(tan(f*x+e)+I)+2*I/f*a^3/c^2/(tan(f*x+e)+I)^2*A+2/f*a^3/c^2/(tan(f*x+e)+I)^2*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.42335, size = 352, normalized size = 2.86

$$\frac{(-iA - B)a^3e^{(6ifx+6ie)} + (iA + 5B)a^3e^{(4ifx+4ie)} + (2iA + 6B)a^3e^{(2ifx+2ie)} - 4Ba^3 + \left((-2iA - 10B)a^3e^{(2ifx+2ie)} + (-\right)}{2\left(c^2fe^{(2ifx+2ie)} + c^2f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/2*((-I*A - B)*a^3*e^(6*I*f*x + 6*I*e) + (I*A + 5*B)*a^3*e^(4*I*f*x + 4*I*e) + (2*I*A + 6*B)*a^3*e^(2*I*f*x + 2*I*e) - 4*B*a^3 + ((-2*I*A - 10*B)*a^3*e^(2*I*f*x + 2*I*e) + (-2*I*A - 10*B)*a^3)*log(e^(2*I*f*x + 2*I*e) + 1))/(c^2*f*e^(2*I*f*x + 2*I*e) + c^2*f)

Sympy [A] time = 4.13402, size = 228, normalized size = 1.85

$$\frac{2Ba^3e^{-2ie}}{c^2f(e^{2ifx} + e^{-2ie})} - \frac{a^3(iA + 5B)\log(e^{2ifx} + e^{-2ie})}{c^2f} + \begin{cases} -\frac{iAa^3e^{4ie}e^{4ifx}}{2f} + \frac{iAa^3e^{2ie}e^{2ifx}}{f} - \frac{Ba^3e^{4ie}e^{4ifx}}{2f} + \frac{3Ba^3e^{2ie}e^{2ifx}}{f} & \text{for } f \neq 0 \\ x(2Aa^3e^{4ie} - 2Aa^3e^{2ie} - 2iBa^3e^{4ie} + 6iBa^3e^{2ie}) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**2,x)

[Out] -2*B*a**3*exp(-2*I*e)/(c**2*f*(exp(2*I*f*x) + exp(-2*I*e))) - a**3*(I*A + 5*B)*log(exp(2*I*f*x) + exp(-2*I*e))/(c**2*f) + Piecewise((-I*A*a**3*exp(4*I*e)*exp(4*I*f*x)/(2*f) + I*A*a**3*exp(2*I*e)*exp(2*I*f*x)/f - B*a**3*exp(4*I*e)*exp(4*I*f*x)/(2*f) + 3*B*a**3*exp(2*I*e)*exp(2*I*f*x)/f, Ne(f, 0)), (x*(2*A*a**3*exp(4*I*e) - 2*A*a**3*exp(2*I*e) - 2*I*B*a**3*exp(4*I*e) + 6*I*B*a**3*exp(2*I*e)), True))/c**2

Giac [B] time = 1.5781, size = 485, normalized size = 3.94

$$\frac{12(iAa^3+5Ba^3)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+i\right)}{c^2} + \frac{6(-Aa^3-5Ba^3)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{c^2} - \frac{6(iAa^3+5Ba^3)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{c^2} - \frac{6\left(-iAa^3\tan\left(\frac{1}{2}fx\right)\right)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="giac")
```

```
[Out] 1/6*(12*(I*A*a^3 + 5*B*a^3)*log(tan(1/2*f*x + 1/2*e) + I)/c^2 + 6*(-I*A*a^3 - 5*B*a^3)*log(abs(tan(1/2*f*x + 1/2*e) + 1))/c^2 - 6*(I*A*a^3 + 5*B*a^3)*log(abs(tan(1/2*f*x + 1/2*e) - 1))/c^2 - 6*(-I*A*a^3*tan(1/2*f*x + 1/2*e)^2 - 5*B*a^3*tan(1/2*f*x + 1/2*e)^2 + 2*I*B*a^3*tan(1/2*f*x + 1/2*e) + I*A*a^3 + 5*B*a^3)/((tan(1/2*f*x + 1/2*e)^2 - 1)*c^2) - (25*I*A*a^3*tan(1/2*f*x + 1/2*e)^4 + 125*B*a^3*tan(1/2*f*x + 1/2*e)^4 - 100*A*a^3*tan(1/2*f*x + 1/2*e)^3 + 548*I*B*a^3*tan(1/2*f*x + 1/2*e)^3 - 198*I*A*a^3*tan(1/2*f*x + 1/2*e)^2 - 894*B*a^3*tan(1/2*f*x + 1/2*e)^2 + 100*A*a^3*tan(1/2*f*x + 1/2*e) - 548*I*B*a^3*tan(1/2*f*x + 1/2*e) + 25*I*A*a^3 + 125*B*a^3)/(c^2*(tan(1/2*f*x + 1/2*e) + I)^4))/f
```

$$3.699 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^3} dx$$

Optimal. Leaf size=129

$$\frac{a^3(B+iA)(1+i \tan(e+fx))^3}{6c^3f(1-i \tan(e+fx))^3} - \frac{4ia^3B}{c^3f(\tan(e+fx)+i)} - \frac{2a^3B}{c^3f(\tan(e+fx)+i)^2} + \frac{a^3B \log(\cos(e+fx))}{c^3f} + \frac{ia^3Bx}{c^3}$$

[Out] (I*a^3*B*x)/c^3 + (a^3*B*Log[Cos[e + f*x]])/(c^3*f) - (a^3*(I*A + B)*(1 + I*Tan[e + f*x])^3)/(6*c^3*f*(1 - I*Tan[e + f*x])^3) - (2*a^3*B)/(c^3*f*(I + Tan[e + f*x])^2) - ((4*I)*a^3*B)/(c^3*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.153866, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 78, 43}

$$\frac{a^3(B+iA)(1+i \tan(e+fx))^3}{6c^3f(1-i \tan(e+fx))^3} - \frac{4ia^3B}{c^3f(\tan(e+fx)+i)} - \frac{2a^3B}{c^3f(\tan(e+fx)+i)^2} + \frac{a^3B \log(\cos(e+fx))}{c^3f} + \frac{ia^3Bx}{c^3}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^3, x]

[Out] (I*a^3*B*x)/c^3 + (a^3*B*Log[Cos[e + f*x]])/(c^3*f) - (a^3*(I*A + B)*(1 + I*Tan[e + f*x])^3)/(6*c^3*f*(1 - I*Tan[e + f*x])^3) - (2*a^3*B)/(c^3*f*(I + Tan[e + f*x])^2) - ((4*I)*a^3*B)/(c^3*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^3 (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^2 (A+Bx)}{(c-icx)^4} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{a^3(iA + B)(1 + i \tan(e + fx))^3}{6c^3 f(1 - i \tan(e + fx))^3} + \frac{(iaB) \operatorname{Subst} \left(\int \frac{(a+iax)^2}{(c-icx)^3} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{a^3(iA + B)(1 + i \tan(e + fx))^3}{6c^3 f(1 - i \tan(e + fx))^3} + \frac{(iaB) \operatorname{Subst} \left(\int \left(-\frac{4ia^2}{c^3(i+x)^3} + \frac{4a^2}{c^3(i+x)^2} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{ia^3 Bx}{c^3} + \frac{a^3 B \log(\cos(e + fx))}{c^3 f} - \frac{a^3(iA + B)(1 + i \tan(e + fx))^3}{6c^3 f(1 - i \tan(e + fx))^3} - \frac{a^3 B}{c^3 f}$$

Mathematica [A] time = 4.28417, size = 167, normalized size = 1.29

$$\frac{a^3(\cos(3(e + 2fx)) + i \sin(3(e + 2fx))) (\cos(3(e + fx)) (-iA + 3B \log(\cos^2(e + fx)) + 6iBfx - B) + A \sin(3(e + fx)) + i \cos(3(e + fx)))}{6c^3 f(\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^3,x]

[Out] (a^3*(-3*B*Cos[e + f*x] + Cos[3*(e + f*x)]*((-I)*A - B + (6*I)*B*f*x + 3*B*Log[Cos[e + f*x]^2]) + (9*I)*B*Sin[e + f*x] + A*Sin[3*(e + f*x)] - I*B*Sin[3*(e + f*x)] + 6*B*f*x*Sin[3*(e + f*x)] - (3*I)*B*Log[Cos[e + f*x]^2]*Sin[3*(e + f*x)]*(Cos[3*(e + 2*f*x)] + I*Sin[3*(e + 2*f*x)]))/(6*c^3*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.052, size = 164, normalized size = 1.3

$$\frac{\frac{4i}{3} a^3 B}{f c^3 (\tan(fx + e) + i)^3} - \frac{4 A a^3}{3 f c^3 (\tan(fx + e) + i)^3} - \frac{5 i B a^3}{f c^3 (\tan(fx + e) + i)} + \frac{A a^3}{f c^3 (\tan(fx + e) + i)} - \frac{B a^3 \ln(\tan(fx + e))}{f c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x)

[Out] 4/3*I/f*a^3/c^3/(tan(f*x+e)+I)^3*B-4/3/f*a^3/c^3/(tan(f*x+e)+I)^3*A-5*I/f*a^3/c^3/(tan(f*x+e)+I)*B+1/f*a^3/c^3/(tan(f*x+e)+I)*A-1/f*a^3/c^3*B*ln(tan(f*x+e)+I)-2*I/f*a^3/c^3/(tan(f*x+e)+I)^2*A-4*a^3*B/c^3/f/(tan(f*x+e)+I)^2

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.454, size = 201, normalized size = 1.56

$$\frac{(-iA - B)a^3 e^{(6ifx+6ie)} + 3Ba^3 e^{(4ifx+4ie)} - 6Ba^3 e^{(2ifx+2ie)} + 6Ba^3 \log\left(e^{(2ifx+2ie)} + 1\right)}{6c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/6*((-I*A - B)*a^3*e^(6*I*f*x + 6*I*e) + 3*B*a^3*e^(4*I*f*x + 4*I*e) - 6*B*a^3*e^(2*I*f*x + 2*I*e) + 6*B*a^3*log(e^(2*I*f*x + 2*I*e) + 1))/(c^3*f)

Sympy [A] time = 2.66081, size = 214, normalized size = 1.66

$$\frac{Ba^3 \log\left(e^{2ifx} + e^{-2ie}\right)}{c^3 f} + \begin{cases} \frac{6Ba^3 c^6 f^2 e^{Aie} e^{Aifx} - 12Ba^3 c^6 f^2 e^{2ie} e^{2ifx} + (-2iAa^3 c^6 f^2 e^{6ie} - 2Ba^3 c^6 f^2 e^{6ie}) e^{6ifx}}{12c^9 f^3} & \text{for } 12c^9 f^3 \neq 0 \\ \frac{x(Aa^3 e^{6ie} - iBa^3 e^{6ie} + 2iBa^3 e^{Aie} - 2iBa^3 e^{2ie})}{c^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**3,x)

[Out] B*a**3*log(exp(2*I*f*x) + exp(-2*I*e))/(c**3*f) + Piecewise(((6*B*a**3*c**6*f**2*exp(4*I*e)*exp(4*I*f*x) - 12*B*a**3*c**6*f**2*exp(2*I*e)*exp(2*I*f*x) + (-2*I*A*a**3*c**6*f**2*exp(6*I*e) - 2*B*a**3*c**6*f**2*exp(6*I*e))*exp(6*I*f*x))/(12*c**9*f**3), Ne(12*c**9*f**3, 0)), (x*(A*a**3*exp(6*I*e) - I*B*a**3*exp(6*I*e) + 2*I*B*a**3*exp(4*I*e) - 2*I*B*a**3*exp(2*I*e))/c**3, True))

Giac [B] time = 1.63729, size = 348, normalized size = 2.7

$$\frac{60Ba^3 \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + i\right)}{c^3} - \frac{30Ba^3 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{c^3} - \frac{30Ba^3 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{c^3} - \frac{147Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 60Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 + 942Ia^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 200Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 - 3620Ia^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 60Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 942Ia^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 147Ba^3}{c^3 \left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right)^6} / f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorithm="giac")

[Out] -1/30*(60*B*a^3*log(tan(1/2*f*x + 1/2*e) + I)/c^3 - 30*B*a^3*log(abs(tan(1/2*f*x + 1/2*e) + 1))/c^3 - 30*B*a^3*log(abs(tan(1/2*f*x + 1/2*e) - 1))/c^3 - (147*B*a^3*tan(1/2*f*x + 1/2*e)^6 - 60*A*a^3*tan(1/2*f*x + 1/2*e)^5 + 942*I*B*a^3*tan(1/2*f*x + 1/2*e)^4 - 2445*B*a^3*tan(1/2*f*x + 1/2*e)^3 + 200*A*a^3*tan(1/2*f*x + 1/2*e)^2 - 3620*I*B*a^3*tan(1/2*f*x + 1/2*e) + 942*I*B*a^3*tan(1/2*f*x + 1/2*e) - 147*B*a^3)/(c^3*(tan(1/2*f*x + 1/2*e) + I)^6))/f

$$3.700 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^4} dx$$

Optimal. Leaf size=99

$$\frac{a^3(-7B+iA)(1+i \tan(e+fx))^3}{48c^4f(1-i \tan(e+fx))^3} - \frac{a^3(B+iA)(1+i \tan(e+fx))^3}{8c^4f(1-i \tan(e+fx))^4}$$

[Out] $-(a^3*(I*A + B)*(1 + I*\text{Tan}[e + f*x])^3)/(8*c^4*f*(1 - I*\text{Tan}[e + f*x])^4) - (a^3*(I*A - 7*B)*(1 + I*\text{Tan}[e + f*x])^3)/(48*c^4*f*(1 - I*\text{Tan}[e + f*x])^3)$

Rubi [A] time = 0.138471, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 78, 37}

$$\frac{a^3(-7B+iA)(1+i \tan(e+fx))^3}{48c^4f(1-i \tan(e+fx))^3} - \frac{a^3(B+iA)(1+i \tan(e+fx))^3}{8c^4f(1-i \tan(e+fx))^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^4, x]$

[Out] $-(a^3*(I*A + B)*(1 + I*\text{Tan}[e + f*x])^3)/(8*c^4*f*(1 - I*\text{Tan}[e + f*x])^4) - (a^3*(I*A - 7*B)*(1 + I*\text{Tan}[e + f*x])^3)/(48*c^4*f*(1 - I*\text{Tan}[e + f*x])^3)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((c + d*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x_Symbol] \rightarrow -\text{Simp}[(b*e - a*f)*(c + d*x)^{n+1}*(e + f*x)^{p+1}]/(f*(p+1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n+1) - b*(d*e*(n+1) + c*f*(p+1))]/(f*(p+1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^{p+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x\} \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 37

$\text{Int}[(a + b*x)^m*(c + d*x)^n, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1}*(c + d*x)^{n+1}]/((b*c - a*d)*(m+1)), x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[m + n + 2, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^3 (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^4} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^2 (A+Bx)}{(c-icx)^5} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{a^3 (iA + B)(1 + i \tan(e + fx))^3}{8c^4 f (1 - i \tan(e + fx))^4} + \frac{(a(A + 7iB)) \operatorname{Subst} \left(\int \frac{(a+iax)^2}{(c-icx)^4} dx \right)}{8f}$$

$$= -\frac{a^3 (iA + B)(1 + i \tan(e + fx))^3}{8c^4 f (1 - i \tan(e + fx))^4} - \frac{a^3 (iA - 7B)(1 + i \tan(e + fx))^3}{48c^4 f (1 - i \tan(e + fx))^3}$$

Mathematica [A] time = 3.24733, size = 81, normalized size = 0.82

$$\frac{a^3 (\cos(7e + 10fx) + i \sin(7e + 10fx)) (B - 7iA) \cos(e + fx) - (A + 7iB) \sin(e + fx)}{48c^4 f (\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^4, x]

[Out] (a^3*(((7*I)*A + B)*Cos[e + f*x] - (A + (7*I)*B)*Sin[e + f*x])*(Cos[7*e + 10*f*x] + I*Ssin[7*e + 10*f*x]))/(48*c^4*f*(Cos[f*x] + I*Ssin[f*x])^3)

Maple [A] time = 0.056, size = 90, normalized size = 0.9

$$\frac{a^3}{fc^4} \left(-\frac{8iB - 4A}{3(\tan(fx + e) + i)^3} - \frac{4iA + 4B}{4(\tan(fx + e) + i)^4} + \frac{iB}{\tan(fx + e) + i} - \frac{-5B - iA}{2(\tan(fx + e) + i)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4, x)

[Out] 1/f*a^3/c^4*(-1/3*(8*I*B-4*A)/(tan(f*x+e)+I)^3-1/4*(4*I*A+4*B)/(tan(f*x+e)+I)^4+I*B/(tan(f*x+e)+I)-1/2*(-5*B-I*A)/(tan(f*x+e)+I)^2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4, x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.32667, size = 130, normalized size = 1.31

$$\frac{(-3iA - 3B)a^3 e^{(8i fx + 8ie)} + (-4iA + 4B)a^3 e^{(6i fx + 6ie)}}{48c^4 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorithm="fricas")

[Out] 1/48*((-3*I*A - 3*B)*a^3*e^(8*I*f*x + 8*I*e) + (-4*I*A + 4*B)*a^3*e^(6*I*f*x + 6*I*e))/(c^4*f)

Sympy [A] time = 2.02219, size = 168, normalized size = 1.7

$$\begin{cases} \frac{(-16iAa^3c^4fe^{6ie}+16Ba^3c^4fe^{6ie})e^{6ifx}+(-12iAa^3c^4fe^{8ie}-12Ba^3c^4fe^{8ie})e^{8ifx}}{192c^8f^2} & \text{for } 192c^8f^2 \neq 0 \\ \frac{x(Aa^3e^{8ie}+Aa^3e^{6ie}-iBa^3e^{8ie}+iBa^3e^{6ie})}{2c^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x)

[Out] Piecewise(((((-16*I*A*a**3*c**4*f*exp(6*I*e) + 16*B*a**3*c**4*f*exp(6*I*e))*exp(6*I*f*x) + (-12*I*A*a**3*c**4*f*exp(8*I*e) - 12*B*a**3*c**4*f*exp(8*I*e))*exp(8*I*f*x))/(192*c**8*f**2), Ne(192*c**8*f**2, 0)), (x*(A*a**3*exp(8*I*e) + A*a**3*exp(6*I*e) - I*B*a**3*exp(8*I*e) + I*B*a**3*exp(6*I*e))/(2*c**4), True))

Giac [B] time = 1.6331, size = 320, normalized size = 3.23

$$2\left(3Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 + 3iAa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 3Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 17Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 + 4iBa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorithm="giac")

[Out] -2/3*(3*A*a^3*tan(1/2*f*x + 1/2*e)^7 + 3*I*A*a^3*tan(1/2*f*x + 1/2*e)^6 - 3*B*a^3*tan(1/2*f*x + 1/2*e)^6 - 17*A*a^3*tan(1/2*f*x + 1/2*e)^5 + 4*I*B*a^3*tan(1/2*f*x + 1/2*e)^5 - 10*I*A*a^3*tan(1/2*f*x + 1/2*e)^4 + 10*B*a^3*tan(1/2*f*x + 1/2*e)^4 + 17*A*a^3*tan(1/2*f*x + 1/2*e)^3 - 4*I*B*a^3*tan(1/2*f*x + 1/2*e)^3 + 3*I*A*a^3*tan(1/2*f*x + 1/2*e)^2 - 3*B*a^3*tan(1/2*f*x + 1/2*e)^2 - 3*A*a^3*tan(1/2*f*x + 1/2*e))/(c^4*f*(tan(1/2*f*x + 1/2*e) + I)^8)

$$3.701 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx$$

Optimal. Leaf size=122

$$-\frac{a^3(A-5iB)}{3c^5 f(\tan(e+fx)+i)^3} + \frac{a^3(2B+iA)}{c^5 f(\tan(e+fx)+i)^4} + \frac{4a^3(A-iB)}{5c^5 f(\tan(e+fx)+i)^5} - \frac{a^3B}{2c^5 f(\tan(e+fx)+i)^2}$$

[Out] (4*a^3*(A - I*B))/(5*c^5*f*(I + Tan[e + f*x])^5) + (a^3*(I*A + 2*B))/(c^5*f*(I + Tan[e + f*x])^4) - (a^3*(A - (5*I)*B))/(3*c^5*f*(I + Tan[e + f*x])^3) - (a^3*B)/(2*c^5*f*(I + Tan[e + f*x])^2)

Rubi [A] time = 0.175211, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{a^3(A-5iB)}{3c^5 f(\tan(e+fx)+i)^3} + \frac{a^3(2B+iA)}{c^5 f(\tan(e+fx)+i)^4} + \frac{4a^3(A-iB)}{5c^5 f(\tan(e+fx)+i)^5} - \frac{a^3B}{2c^5 f(\tan(e+fx)+i)^2}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^5, x]

[Out] (4*a^3*(A - I*B))/(5*c^5*f*(I + Tan[e + f*x])^5) + (a^3*(I*A + 2*B))/(c^5*f*(I + Tan[e + f*x])^4) - (a^3*(A - (5*I)*B))/(3*c^5*f*(I + Tan[e + f*x])^3) - (a^3*B)/(2*c^5*f*(I + Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^5} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^6} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(-\frac{4a^2(A-iB)}{c^6(i+x)^6} - \frac{4ia^2(A-2iB)}{c^6(i+x)^5} + \frac{a^2(A-5iB)}{c^6(i+x)^4} + \frac{a^2B}{c^6(i+x)^3}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{4a^3(A-iB)}{5c^5 f(i+\tan(e+fx))^5} + \frac{a^3(iA+2B)}{c^5 f(i+\tan(e+fx))^4} - \frac{a^3(A-5iB)}{3c^5 f(i+\tan(e+fx))^3} + \frac{a^3B}{2c^5 f(i+\tan(e+fx))^2} \end{aligned}$$

Mathematica [A] time = 3.91606, size = 91, normalized size = 0.75

$$\frac{a^3(\cos(8e + 11fx) + i \sin(8e + 11fx))(-4(A + 4iB) \sin(2(e + fx)) + 4(B - 4iA) \cos(2(e + fx)) - 15iA)}{240c^5 f(\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^5,x]

[Out] (a^3*((-15*I)*A + 4*((-4*I)*A + B)*Cos[2*(e + f*x)] - 4*(A + (4*I)*B)*Sin[2*(e + f*x)])*(Cos[8*e + 11*f*x] + I*Sin[8*e + 11*f*x])/(240*c^5*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.052, size = 87, normalized size = 0.7

$$\frac{a^3}{f c^5} \left(-\frac{-4iA - 8B}{4(\tan(fx + e) + i)^4} - \frac{A - 5iB}{3(\tan(fx + e) + i)^3} - \frac{B}{2(\tan(fx + e) + i)^2} - \frac{4iB - 4A}{5(\tan(fx + e) + i)^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x)

[Out] 1/f*a^3/c^5*(-1/4*(-4*I*A-8*B)/(tan(f*x+e)+I)^4-1/3*(A-5*I*B)/(tan(f*x+e)+I)^3-1/2*B/(tan(f*x+e)+I)^2-1/5*(4*I*B-4*A)/(tan(f*x+e)+I)^5)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.27815, size = 181, normalized size = 1.48

$$\frac{(-6iA - 6B)a^3 e^{(10i fx + 10ie)} - 15iAa^3 e^{(8i fx + 8ie)} + (-10iA + 10B)a^3 e^{(6i fx + 6ie)}}{240c^5 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")

[Out] 1/240*((-6*I*A - 6*B)*a^3*e^(10*I*f*x + 10*I*e) - 15*I*A*a^3*e^(8*I*f*x + 8*I*e) + (-10*I*A + 10*B)*a^3*e^(6*I*f*x + 6*I*e))/(c^5*f)

Sympy [A] time = 2.51532, size = 219, normalized size = 1.8

$$\begin{cases} \frac{-960iAa^3c^{10}f^2e^{8ie}e^{8ifx} + (-640iAa^3c^{10}f^2e^{6ie} + 640Ba^3c^{10}f^2e^{6ie})e^{6ifx} + (-384iAa^3c^{10}f^2e^{10ie} - 384Ba^3c^{10}f^2e^{10ie})e^{10ifx}}{15360c^{15}f^3} & \text{for } 15360c^{15}f^3 \neq 0 \\ \frac{x(Aa^3e^{10ie} + 2Aa^3e^{8ie} + Aa^3e^{6ie} - iBa^3e^{10ie} + iBa^3e^{6ie})}{4c^5} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**5,x)

[Out] Piecewise(((−960*I*A*a**3*c**10*f**2*exp(8*I*e)*exp(8*I*f*x) + (−640*I*A*a*
*3*c**10*f**2*exp(6*I*e) + 640*B*a**3*c**10*f**2*exp(6*I*e))*exp(6*I*f*x) +
(−384*I*A*a**3*c**10*f**2*exp(10*I*e) − 384*B*a**3*c**10*f**2*exp(10*I*e))
*exp(10*I*f*x))/(15360*c**15*f**3), Ne(15360*c**15*f**3, 0)), (x*(A*a**3*exp
p(10*I*e) + 2*A*a**3*exp(8*I*e) + A*a**3*exp(6*I*e) − I*B*a**3*exp(10*I*e)
+ I*B*a**3*exp(6*I*e))/(4*c**5), True))

Giac [B] time = 1.67002, size = 417, normalized size = 3.42

$$2 \left(15 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^9 + 30i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^8 - 15 Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^8 - 140 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 + 10i Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 - 15 Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 + 10i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 170i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 + 65 Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 + 282 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 - 12i B a^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 170i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 - 65 B a^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 - 140 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 + 10i B a^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 30i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 + 15 B a^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 + 15 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) \right) / (c^5 f (\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + I)^{10})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5,x, algorithm="giac")

[Out] −2/15*(15*A*a^3*tan(1/2*f*x + 1/2*e)^9 + 30*I*A*a^3*tan(1/2*f*x + 1/2*e)^8
− 15*B*a^3*tan(1/2*f*x + 1/2*e)^8 − 140*A*a^3*tan(1/2*f*x + 1/2*e)^7 + 10*I
*B*a^3*tan(1/2*f*x + 1/2*e)^7 − 170*I*A*a^3*tan(1/2*f*x + 1/2*e)^6 + 65*B*a
^3*tan(1/2*f*x + 1/2*e)^6 + 282*A*a^3*tan(1/2*f*x + 1/2*e)^5 − 12*I*B*a^3*t
an(1/2*f*x + 1/2*e)^5 + 170*I*A*a^3*tan(1/2*f*x + 1/2*e)^4 − 65*B*a^3*tan(1
/2*f*x + 1/2*e)^4 − 140*A*a^3*tan(1/2*f*x + 1/2*e)^3 + 10*I*B*a^3*tan(1/2*f
*x + 1/2*e)^3 − 30*I*A*a^3*tan(1/2*f*x + 1/2*e)^2 + 15*B*a^3*tan(1/2*f*x +
1/2*e)^2 + 15*A*a^3*tan(1/2*f*x + 1/2*e))/(c^5*f*(tan(1/2*f*x + 1/2*e) + I)
^10)

$$3.702 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^6} dx$$

Optimal. Leaf size=127

$$-\frac{a^3(5B+iA)}{4c^6 f(\tan(e+fx)+i)^4} - \frac{4a^3(A-2iB)}{5c^6 f(\tan(e+fx)+i)^5} + \frac{2a^3(B+iA)}{3c^6 f(\tan(e+fx)+i)^6} - \frac{ia^3B}{3c^6 f(\tan(e+fx)+i)^3}$$

[Out] (2*a^3*(I*A + B))/(3*c^6*f*(I + Tan[e + f*x])^6) - (4*a^3*(A - (2*I)*B))/(5*c^6*f*(I + Tan[e + f*x])^5) - (a^3*(I*A + 5*B))/(4*c^6*f*(I + Tan[e + f*x])^4) - ((I/3)*a^3*B)/(c^6*f*(I + Tan[e + f*x])^3)

Rubi [A] time = 0.176473, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{a^3(5B+iA)}{4c^6 f(\tan(e+fx)+i)^4} - \frac{4a^3(A-2iB)}{5c^6 f(\tan(e+fx)+i)^5} + \frac{2a^3(B+iA)}{3c^6 f(\tan(e+fx)+i)^6} - \frac{ia^3B}{3c^6 f(\tan(e+fx)+i)^3}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^6,x]

[Out] (2*a^3*(I*A + B))/(3*c^6*f*(I + Tan[e + f*x])^6) - (4*a^3*(A - (2*I)*B))/(5*c^6*f*(I + Tan[e + f*x])^5) - (a^3*(I*A + 5*B))/(4*c^6*f*(I + Tan[e + f*x])^4) - ((I/3)*a^3*B)/(c^6*f*(I + Tan[e + f*x])^3)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0]) || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^6} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^7} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(-\frac{4ia^2(A-iB)}{c^7(i+x)^7} + \frac{4a^2(A-2iB)}{c^7(i+x)^6} + \frac{a^2(iA+5B)}{c^7(i+x)^5} + \frac{ia^2B}{c^7(i+x)^4} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{2a^3(iA+B)}{3c^6 f(i+\tan(e+fx))^6} - \frac{4a^3(A-2iB)}{5c^6 f(i+\tan(e+fx))^5} - \frac{a^3(iA+5B)}{4c^6 f(i+\tan(e+fx))^4} + \frac{ia^3B}{3c^6 f(i+\tan(e+fx))^3} \end{aligned}$$

Mathematica [A] time = 6.05873, size = 112, normalized size = 0.88

$$\frac{a^3(\cos(9e + 12fx) + i\sin(9e + 12fx))(-A + 3iB)(9\sin(e + fx) + 10\sin(3(e + fx))) + 3(B - 27iA)\cos(e + fx) + 10(A + 3iB)\sin(e + fx)}{960c^6f(\cos(fx) + i\sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^6, x]

[Out] (a^3*(3*((-27*I)*A + B)*Cos[e + f*x] + 10*((-3*I)*A + B)*Cos[3*(e + f*x)] - (A + (3*I)*B)*(9*Sin[e + f*x] + 10*Sin[3*(e + f*x)]))*(Cos[9*e + 12*f*x] + I*Sin[9*e + 12*f*x])/(960*c^6*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.052, size = 90, normalized size = 0.7

$$\frac{a^3}{fc^6} \left(\frac{-\frac{i}{3}B}{(\tan(fx + e) + i)^3} - \frac{-4iA - 4B}{6(\tan(fx + e) + i)^6} - \frac{iA + 5B}{4(\tan(fx + e) + i)^4} - \frac{-8iB + 4A}{5(\tan(fx + e) + i)^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x)

[Out] 1/f*a^3/c^6*(-1/3*I*B/(tan(f*x+e)+I)^3-1/6*(-4*I*A-4*B)/(tan(f*x+e)+I)^6-1/4*(I*A+5*B)/(tan(f*x+e)+I)^4-1/5*(-8*I*B+4*A)/(tan(f*x+e)+I)^5)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.38637, size = 258, normalized size = 2.03

$$\frac{(-10iA - 10B)a^3e^{(12ifx+12ie)} + (-36iA - 12B)a^3e^{(10ifx+10ie)} + (-45iA + 15B)a^3e^{(8ifx+8ie)} + (-20iA + 20B)a^3e^{(6ifx+6ie)}}{960c^6f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x, algorithm="fricas")

[Out] 1/960*((-10*I*A - 10*B)*a^3*e^(12*I*f*x + 12*I*e) + (-36*I*A - 12*B)*a^3*e^(10*I*f*x + 10*I*e) + (-45*I*A + 15*B)*a^3*e^(8*I*f*x + 8*I*e) + (-20*I*A + 20*B)*a^3*e^(6*I*f*x + 6*I*e))/(c^6*f)

Sympy [A] time = 3.60087, size = 333, normalized size = 2.62

$$\left\{ \frac{(-491520iAa^3c^{18}f^3e^{6ie} + 491520Ba^3c^{18}f^3e^{6ie})e^{6ifx} + (-1105920iAa^3c^{18}f^3e^{8ie} + 368640Ba^3c^{18}f^3e^{8ie})e^{8ifx} + (-884736iAa^3c^{18}f^3e^{10ie} - 294912Ba^3c^{18}f^3e^{10ie})e^{10ifx}}{23592960c^{24}f^4} \right. \\ \left. x \frac{(Aa^3e^{12ie} + 3Aa^3e^{10ie} + 3Aa^3e^{8ie} + Aa^3e^{6ie} - iBa^3e^{12ie} - iBa^3e^{10ie} + iBa^3e^{8ie} + iBa^3e^{6ie})}{8c^6} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**6,x)

[Out] Piecewise(((((-491520*I*A*a**3*c**18*f**3*exp(6*I*e) + 491520*B*a**3*c**18*f**3*exp(6*I*e))*exp(6*I*f*x) + (-1105920*I*A*a**3*c**18*f**3*exp(8*I*e) + 368640*B*a**3*c**18*f**3*exp(8*I*e))*exp(8*I*f*x) + (-884736*I*A*a**3*c**18*f**3*exp(10*I*e) - 294912*B*a**3*c**18*f**3*exp(10*I*e))*exp(10*I*f*x) + (-245760*I*A*a**3*c**18*f**3*exp(12*I*e) - 245760*B*a**3*c**18*f**3*exp(12*I*e))*exp(12*I*f*x))/(23592960*c**24*f**4), Ne(23592960*c**24*f**4, 0)), (x*(A*a**3*exp(12*I*e) + 3*A*a**3*exp(10*I*e) + 3*A*a**3*exp(8*I*e) + A*a**3*exp(6*I*e) - I*B*a**3*exp(12*I*e) - I*B*a**3*exp(10*I*e) + I*B*a**3*exp(8*I*e) + I*B*a**3*exp(6*I*e))/(8*c**6), True))

Giac [B] time = 1.64067, size = 466, normalized size = 3.67

$$2 \left(15 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{11} + 45i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{10} - 15 Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{10} - 215 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^9 - 390i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^8 + 90 Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^8 + 738 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 + 24i B^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^7 + 746i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 158 B^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 738 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 - 24i B^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^5 - 390i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 90 B^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 215 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 + 45i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 15 B^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 15 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) \right) / (c^6 f (\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + I)^{12})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^6,x, algorithm="giac")

[Out] -2/15*(15*A*a^3*tan(1/2*f*x + 1/2*e)^11 + 45*I*A*a^3*tan(1/2*f*x + 1/2*e)^10 - 15*B*a^3*tan(1/2*f*x + 1/2*e)^10 - 215*A*a^3*tan(1/2*f*x + 1/2*e)^9 - 390*I*A*a^3*tan(1/2*f*x + 1/2*e)^8 + 90*B*a^3*tan(1/2*f*x + 1/2*e)^8 + 738*A*a^3*tan(1/2*f*x + 1/2*e)^7 + 24*I*B^3*tan(1/2*f*x + 1/2*e)^7 + 746*I*A*a^3*tan(1/2*f*x + 1/2*e)^6 - 158*B^3*tan(1/2*f*x + 1/2*e)^6 - 738*A*a^3*tan(1/2*f*x + 1/2*e)^5 - 24*I*B^3*tan(1/2*f*x + 1/2*e)^5 - 390*I*A*a^3*tan(1/2*f*x + 1/2*e)^4 + 90*B^3*tan(1/2*f*x + 1/2*e)^4 + 215*A*a^3*tan(1/2*f*x + 1/2*e)^3 + 45*I*A*a^3*tan(1/2*f*x + 1/2*e)^2 - 15*B^3*tan(1/2*f*x + 1/2*e)^2 - 15*A*a^3*tan(1/2*f*x + 1/2*e))/(c^6*f*(tan(1/2*f*x + 1/2*e) + I)^12)

$$3.703 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^7} dx$$

Optimal. Leaf size=125

$$\frac{a^3(A-5iB)}{5c^7 f(\tan(e+fx)+i)^5} - \frac{2a^3(2B+iA)}{3c^7 f(\tan(e+fx)+i)^6} - \frac{4a^3(A-iB)}{7c^7 f(\tan(e+fx)+i)^7} + \frac{a^3B}{4c^7 f(\tan(e+fx)+i)^4}$$

[Out] $(-4*a^3*(A - I*B))/(7*c^7*f*(I + \text{Tan}[e + f*x])^7) - (2*a^3*(I*A + 2*B))/(3*c^7*f*(I + \text{Tan}[e + f*x])^6) + (a^3*(A - (5*I)*B))/(5*c^7*f*(I + \text{Tan}[e + f*x])^5) + (a^3*B)/(4*c^7*f*(I + \text{Tan}[e + f*x])^4)$

Rubi [A] time = 0.174468, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3(A-5iB)}{5c^7 f(\tan(e+fx)+i)^5} - \frac{2a^3(2B+iA)}{3c^7 f(\tan(e+fx)+i)^6} - \frac{4a^3(A-iB)}{7c^7 f(\tan(e+fx)+i)^7} + \frac{a^3B}{4c^7 f(\tan(e+fx)+i)^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^7, x]$

[Out] $(-4*a^3*(A - I*B))/(7*c^7*f*(I + \text{Tan}[e + f*x])^7) - (2*a^3*(I*A + 2*B))/(3*c^7*f*(I + \text{Tan}[e + f*x])^6) + (a^3*(A - (5*I)*B))/(5*c^7*f*(I + \text{Tan}[e + f*x])^5) + (a^3*B)/(4*c^7*f*(I + \text{Tan}[e + f*x])^4)$

Rule 3588

$\text{Int}[(a + b*\tan(e + f*x))^m * ((c + d*\tan(e + f*x))^n * (A + B*\tan(e + f*x)))^p, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^7} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^8} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{4a^2(A-iB)}{c^8(i+x)^8} + \frac{4a^2(iA+2B)}{c^8(i+x)^7} - \frac{a^2(A-5iB)}{c^8(i+x)^6} - \frac{a^2B}{c^8(i+x)^5}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{4a^3(A-iB)}{7c^7 f(i+\tan(e+fx))^7} - \frac{2a^3(iA+2B)}{3c^7 f(i+\tan(e+fx))^6} + \frac{a^3(A-5iB)}{5c^7 f(i+\tan(e+fx))^5} + \frac{a^3B}{4c^7 f(i+\tan(e+fx))^4} \end{aligned}$$

Mathematica [A] time = 7.54606, size = 143, normalized size = 1.14

$$\frac{ia^3(\cos(10e + 13fx) + i\sin(10e + 13fx))(35(10A + iB)\cos(2(e + fx)) + 20(5A + 2iB)\cos(4(e + fx)) - 70iA\sin(2(e + fx)))}{6720c^7f(\cos(fx) + i\sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^7,x]

[Out] ((-I/6720)*a^3*(252*A + 35*(10*A + I*B)*Cos[2*(e + f*x)] + 20*(5*A + (2*I)*B)*Cos[4*(e + f*x)] - (70*I)*A*Sin[2*(e + f*x)] + 175*B*Sin[2*(e + f*x)] - (40*I)*A*Sin[4*(e + f*x)] + 100*B*Sin[4*(e + f*x)])*(Cos[10*e + 13*f*x] + I*Sin[10*e + 13*f*x]))/(c^7*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.053, size = 89, normalized size = 0.7

$$\frac{a^3}{fc^7} \left(-\frac{-A + 5iB}{5(\tan(fx + e) + i)^5} - \frac{-4iB + 4A}{7(\tan(fx + e) + i)^7} - \frac{4iA + 8B}{6(\tan(fx + e) + i)^6} + \frac{B}{4(\tan(fx + e) + i)^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^7,x)

[Out] 1/f*a^3/c^7*(-1/5*(-A+5*I*B)/(tan(f*x+e)+I)^5-1/7*(-4*I*B+4*A)/(tan(f*x+e)+I)^7-1/6*(4*I*A+8*B)/(tan(f*x+e)+I)^6+1/4*B/(tan(f*x+e)+I)^4)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^7,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.38774, size = 312, normalized size = 2.5

$$\frac{(-30iA - 30B)a^3e^{(14ifx+14ie)} + (-140iA - 70B)a^3e^{(12ifx+12ie)} - 252iAa^3e^{(10ifx+10ie)} + (-210iA + 105B)a^3e^{(8ifx+8ie)}}{6720c^7f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^7,x, algorithm="fricas")

[Out] 1/6720*((-30*I*A - 30*B)*a^3*e^(14*I*f*x + 14*I*e) + (-140*I*A - 70*B)*a^3*e^(12*I*f*x + 12*I*e) - 252*I*A*a^3*e^(10*I*f*x + 10*I*e) + (-210*I*A + 105

$(B)a^3e^{(8I*fx + 8I*e)} + (-70*I*A + 70*B)a^3e^{(6I*fx + 6I*e)} / (c^7*f)$

Sympy [A] time = 4.88956, size = 381, normalized size = 3.05

$$\frac{\left\{ \begin{array}{l} -396361728iAa^3c^{28}f^4e^{10ie}e^{10ifx} + (-110100480iAa^3c^{28}f^4e^{6ie} + 110100480Ba^3c^{28}f^4e^{6ie})e^{6ifx} + (-330301440iAa^3c^{28}f^4e^{8ie} + 165150720Ba^3c^{28}f^4e^{8ie})e^{8ifx} + \\ x(Aa^3e^{14ie} + 4Aa^3e^{12ie} + 6Aa^3e^{10ie} + 4Aa^3e^{8ie} + Aa^3e^{6ie} - iBa^3e^{14ie} - 2iBa^3e^{12ie} + 2iBa^3e^{8ie} + iBa^3e^{6ie}) \end{array} \right.}{16c^7} \cdot 10569646080c^{35}f^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**7,x)

[Out] Piecewise(((-396361728*I*A*a**3*c**28*f**4*exp(10*I*e)*exp(10*I*f*x) + (-110100480*I*A*a**3*c**28*f**4*exp(6*I*e) + 110100480*B*a**3*c**28*f**4*exp(6*I*e))*exp(6*I*f*x) + (-330301440*I*A*a**3*c**28*f**4*exp(8*I*e) + 165150720*B*a**3*c**28*f**4*exp(8*I*e))*exp(8*I*f*x) + (-220200960*I*A*a**3*c**28*f**4*exp(12*I*e) - 110100480*B*a**3*c**28*f**4*exp(12*I*e))*exp(12*I*f*x) + (-47185920*I*A*a**3*c**28*f**4*exp(14*I*e) - 47185920*B*a**3*c**28*f**4*exp(14*I*e))*exp(14*I*f*x))/(10569646080*c**35*f**5), Ne(10569646080*c**35*f**5, 0)), (x*(A*a**3*exp(14*I*e) + 4*A*a**3*exp(12*I*e) + 6*A*a**3*exp(10*I*e) + 4*A*a**3*exp(8*I*e) + A*a**3*exp(6*I*e) - I*B*a**3*exp(14*I*e) - 2*I*B*a**3*exp(12*I*e) + 2*I*B*a**3*exp(8*I*e) + I*B*a**3*exp(6*I*e))/(16*c**7), True))

Giac [B] time = 1.65522, size = 612, normalized size = 4.9

$$2 \left(105 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{13} + 420i Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{12} - 105 Ba^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{12} - 2170 Aa^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^{11} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^7,x, algorithm="giac")

[Out] $-2/105*(105*A*a^3*\tan(1/2*f*x + 1/2*e)^{13} + 420*I*A*a^3*\tan(1/2*f*x + 1/2*e)^{12} - 105*B*a^3*\tan(1/2*f*x + 1/2*e)^{12} - 2170*A*a^3*\tan(1/2*f*x + 1/2*e)^{11} - 70*I*B*a^3*\tan(1/2*f*x + 1/2*e)^{11} - 5180*I*A*a^3*\tan(1/2*f*x + 1/2*e)^{10} + 875*B*a^3*\tan(1/2*f*x + 1/2*e)^{10} + 11431*A*a^3*\tan(1/2*f*x + 1/2*e)^9 + 700*I*B*a^3*\tan(1/2*f*x + 1/2*e)^9 + 15904*I*A*a^3*\tan(1/2*f*x + 1/2*e)^8 - 2380*B*a^3*\tan(1/2*f*x + 1/2*e)^8 - 19436*A*a^3*\tan(1/2*f*x + 1/2*e)^7 - 1340*I*B*a^3*\tan(1/2*f*x + 1/2*e)^7 - 15904*I*A*a^3*\tan(1/2*f*x + 1/2*e)^6 + 2380*B*a^3*\tan(1/2*f*x + 1/2*e)^6 + 11431*A*a^3*\tan(1/2*f*x + 1/2*e)^5 + 700*I*B*a^3*\tan(1/2*f*x + 1/2*e)^5 + 5180*I*A*a^3*\tan(1/2*f*x + 1/2*e)^4 - 875*B*a^3*\tan(1/2*f*x + 1/2*e)^4 - 2170*A*a^3*\tan(1/2*f*x + 1/2*e)^3 - 70*I*B*a^3*\tan(1/2*f*x + 1/2*e)^3 - 420*I*A*a^3*\tan(1/2*f*x + 1/2*e)^2 + 105*B*a^3*\tan(1/2*f*x + 1/2*e)^2 + 105*A*a^3*\tan(1/2*f*x + 1/2*e))/(c^7*f*(\tan(1/2*f*x + 1/2*e) + I)^{14})$

$$3.704 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^8} dx$$

Optimal. Leaf size=127

$$\frac{a^3(5B+iA)}{6c^8 f(\tan(e+fx)+i)^6} + \frac{4a^3(A-2iB)}{7c^8 f(\tan(e+fx)+i)^7} - \frac{a^3(B+iA)}{2c^8 f(\tan(e+fx)+i)^8} + \frac{ia^3B}{5c^8 f(\tan(e+fx)+i)^5}$$

[Out] $-(a^3(I*A+B))/(2*c^8*f*(I+\tan[e+f*x])^8) + (4*a^3*(A-(2*I)*B))/(7*c^8*f*(I+\tan[e+f*x])^7) + (a^3*(I*A+5*B))/(6*c^8*f*(I+\tan[e+f*x])^6) + ((I/5)*a^3*B)/(c^8*f*(I+\tan[e+f*x])^5)$

Rubi [A] time = 0.182177, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{a^3(5B+iA)}{6c^8 f(\tan(e+fx)+i)^6} + \frac{4a^3(A-2iB)}{7c^8 f(\tan(e+fx)+i)^7} - \frac{a^3(B+iA)}{2c^8 f(\tan(e+fx)+i)^8} + \frac{ia^3B}{5c^8 f(\tan(e+fx)+i)^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\tan[e + f*x])^3*(A + B*\tan[e + f*x])]/(c - I*c*\tan[e + f*x])^8, x]$

[Out] $-(a^3(I*A+B))/(2*c^8*f*(I+\tan[e+f*x])^8) + (4*a^3*(A-(2*I)*B))/(7*c^8*f*(I+\tan[e+f*x])^7) + (a^3*(I*A+5*B))/(6*c^8*f*(I+\tan[e+f*x])^6) + ((I/5)*a^3*B)/(c^8*f*(I+\tan[e+f*x])^5)$

Rule 3588

$\text{Int}[(a_+ + (b_+)*\tan[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\tan[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \tan[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a_+ + (b_+)*(x_+))*((c_+) + (d_+)*(x_+))^{(n_+)}*((e_+) + (f_+)*(x_+))^{(p_+)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^8} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^9} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{4a^2(iA+B)}{c^9(i+x)^9} - \frac{4a^2(A-2iB)}{c^9(i+x)^8} - \frac{ia^2(A-5iB)}{c^9(i+x)^7} - \frac{ia^2B}{c^9(i+x)^6} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{a^3(iA+B)}{2c^8 f(i+\tan(e+fx))^8} + \frac{4a^3(A-2iB)}{7c^8 f(i+\tan(e+fx))^7} + \frac{a^3(iA+5B)}{6c^8 f(i+\tan(e+fx))^6} \end{aligned}$$

Mathematica [A] time = 9.59929, size = 182, normalized size = 1.43

$$\frac{ia^3(\cos(11e + 14fx) + i\sin(11e + 14fx))(56(55A + iB)\cos(e + fx) + 30(55A + 9iB)\cos(3(e + fx)) - 280iA\sin(e +$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^8, x]

[Out] ((-I/53760)*a^3*(56*(55*A + I*B)*Cos[e + f*x] + 30*(55*A + (9*I)*B)*Cos[3*(e + f*x)] + 385*A*Cos[5*(e + f*x)] + (175*I)*B*Cos[5*(e + f*x)] - (280*I)*A*Sin[e + f*x] + 616*B*Sin[e + f*x] - (450*I)*A*Sin[3*(e + f*x)] + 990*B*Sin[3*(e + f*x)] - (175*I)*A*Sin[5*(e + f*x)] + 385*B*Sin[5*(e + f*x)])*(Cos[11*e + 14*f*x] + I*Sin[11*e + 14*f*x]))/(c^8*f*(Cos[f*x] + I*Sin[f*x])^8)

Maple [A] time = 0.051, size = 90, normalized size = 0.7

$$\frac{a^3}{fc^8} \left(\frac{\frac{i}{5}B}{(\tan(fx + e) + i)^5} - \frac{8iB - 4A}{7(\tan(fx + e) + i)^7} - \frac{-5B - iA}{6(\tan(fx + e) + i)^6} - \frac{4iA + 4B}{8(\tan(fx + e) + i)^8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^8,x)

[Out] 1/f*a^3/c^8*(1/5*I*B/(tan(f*x+e)+I)^5-1/7*(8*I*B-4*A)/(tan(f*x+e)+I)^7-1/6*(-5*B-I*A)/(tan(f*x+e)+I)^6-1/8*(4*I*A+4*B)/(tan(f*x+e)+I)^8)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^8,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.42378, size = 402, normalized size = 3.17

$$\frac{(-105iA - 105B)a^3e^{(16ifx+16ie)} + (-600iA - 360B)a^3e^{(14ifx+14ie)} + (-1400iA - 280B)a^3e^{(12ifx+12ie)} + (-1680iA + 53760c^8f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^8,x, algorithm="fricas")

[Out] 1/53760*((-105*I*A - 105*B)*a^3*e^(16*I*f*x + 16*I*e) + (-600*I*A - 360*B)*a^3*e^(14*I*f*x + 14*I*e) + (-1400*I*A - 280*B)*a^3*e^(12*I*f*x + 12*I*e) +

$$\frac{(-1680*I*A + 336*B)*a^3*e^{(10*I*f*x + 10*I*e)} + (-1050*I*A + 630*B)*a^3*e^{(8*I*f*x + 8*I*e)} + (-280*I*A + 280*B)*a^3*e^{(6*I*f*x + 6*I*e)}}{(c^8*f)}$$

Sympy [A] time = 6.14805, size = 498, normalized size = 3.92

$$\left\{ \frac{(-1803886264320iAa^3c^{40}f^5e^{6ie} + 1803886264320Ba^3c^{40}f^5e^{6ie})e^{6ifx} + (-6764573491200iAa^3c^{40}f^5e^{8ie} + 4058744094720Ba^3c^{40}f^5e^{8ie})e^{8ifx} + (-10823317585920iAa^3c^{40}f^5e^{10ie} + 10823317585920Ba^3c^{40}f^5e^{10ie})e^{10ifx}}{32c^8} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**8,x)

[Out] Piecewise(((((-1803886264320*I*A*a**3*c**40*f**5*exp(6*I*e) + 1803886264320*B*a**3*c**40*f**5*exp(6*I*e))*exp(6*I*f*x) + (-6764573491200*I*A*a**3*c**40*f**5*exp(8*I*e) + 4058744094720*B*a**3*c**40*f**5*exp(8*I*e))*exp(8*I*f*x) + (-10823317585920*I*A*a**3*c**40*f**5*exp(10*I*e) + 2164663517184*B*a**3*c**40*f**5*exp(10*I*e))*exp(10*I*f*x) + (-9019431321600*I*A*a**3*c**40*f**5*exp(12*I*e) - 1803886264320*B*a**3*c**40*f**5*exp(12*I*e))*exp(12*I*f*x) + (-3865470566400*I*A*a**3*c**40*f**5*exp(14*I*e) - 2319282339840*B*a**3*c**40*f**5*exp(14*I*e))*exp(14*I*f*x) + (-676457349120*I*A*a**3*c**40*f**5*exp(16*I*e) - 676457349120*B*a**3*c**40*f**5*exp(16*I*e))*exp(16*I*f*x))/(346346162749440*c**48*f**6), Ne(346346162749440*c**48*f**6, 0)), (x*(A*a**3*exp(16*I*e) + 5*A*a**3*exp(14*I*e) + 10*A*a**3*exp(12*I*e) + 10*A*a**3*exp(10*I*e) + 5*A*a**3*exp(8*I*e) + A*a**3*exp(6*I*e) - I*B*a**3*exp(16*I*e) - 3*I*B*a**3*exp(14*I*e) - 2*I*B*a**3*exp(12*I*e) + 2*I*B*a**3*exp(10*I*e) + 3*I*B*a**3*exp(8*I*e) + I*B*a**3*exp(6*I*e))/(32*c**8), True))

Giac [B] time = 1.66941, size = 709, normalized size = 5.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^8,x, algorithm="giac")

[Out]
$$\begin{aligned} & -2/105*(105*A*a^3*\tan(1/2*f*x + 1/2*e)^{15} + 525*I*A*a^3*\tan(1/2*f*x + 1/2*e)^{14} - 105*B*a^3*\tan(1/2*f*x + 1/2*e)^{14} - 2975*A*a^3*\tan(1/2*f*x + 1/2*e)^{13} \\ & - 140*I*B*a^3*\tan(1/2*f*x + 1/2*e)^{13} - 8750*I*A*a^3*\tan(1/2*f*x + 1/2*e)^{12} + 1190*B*a^3*\tan(1/2*f*x + 1/2*e)^{12} + 22365*A*a^3*\tan(1/2*f*x + 1/2*e)^{11} \\ & + 1596*I*B*a^3*\tan(1/2*f*x + 1/2*e)^{11} + 39235*I*A*a^3*\tan(1/2*f*x + 1/2*e)^{10} - 4711*B*a^3*\tan(1/2*f*x + 1/2*e)^{10} - 58075*A*a^3*\tan(1/2*f*x + 1/2*e)^9 \\ & - 4600*I*B*a^3*\tan(1/2*f*x + 1/2*e)^9 - 63300*I*A*a^3*\tan(1/2*f*x + 1/2*e)^8 + 7380*B*a^3*\tan(1/2*f*x + 1/2*e)^8 + 58075*A*a^3*\tan(1/2*f*x + 1/2*e)^7 \\ & + 4600*I*B*a^3*\tan(1/2*f*x + 1/2*e)^7 + 39235*I*A*a^3*\tan(1/2*f*x + 1/2*e)^6 - 4711*B*a^3*\tan(1/2*f*x + 1/2*e)^6 - 22365*A*a^3*\tan(1/2*f*x + 1/2*e)^5 \\ & - 1596*I*B*a^3*\tan(1/2*f*x + 1/2*e)^5 - 8750*I*A*a^3*\tan(1/2*f*x + 1/2*e)^4 + 1190*B*a^3*\tan(1/2*f*x + 1/2*e)^4 + 2975*A*a^3*\tan(1/2*f*x + 1/2*e)^3 \\ & + 140*I*B*a^3*\tan(1/2*f*x + 1/2*e)^3 + 525*I*A*a^3*\tan(1/2*f*x + 1/2*e)^2 - 105*B*a^3*\tan(1/2*f*x + 1/2*e)^2 - 105*A*a^3*\tan(1/2*f*x + 1/2*e)) / (c^8*f*(\tan(1/2*f*x + 1/2*e) + I)^{16}) \end{aligned}$$

$$3.705 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^n}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=115

$$\frac{(B(n+1) + iA(1-n))(c - ic \tan(e+fx))^n \text{Hypergeometric2F1}\left(1, n, n+1, \frac{1}{2}(1 - i \tan(e+fx))\right)}{4afn} + \frac{(-B + iA)(c - ic \tan(e+fx))^n}{2af(1 + i \tan(e+fx))}$$

[Out] ((I*A*(1 - n) + B*(1 + n))*Hypergeometric2F1[1, n, 1 + n, (1 - I*Tan[e + f*x])/2]*(c - I*c*Tan[e + f*x])^n)/(4*a*f*n) + ((I*A - B)*(c - I*c*Tan[e + f*x])^n)/(2*a*f*(1 + I*Tan[e + f*x]))

Rubi [A] time = 0.17909, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 78, 68}

$$\frac{(B(n+1) + iA(1-n))(c - ic \tan(e+fx))^n {}_2F_1\left(1, n; n+1; \frac{1}{2}(1 - i \tan(e+fx))\right)}{4afn} + \frac{(-B + iA)(c - ic \tan(e+fx))^n}{2af(1 + i \tan(e+fx))}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n)/(a + I*a*Tan[e + f*x]), x]

[Out] ((I*A*(1 - n) + B*(1 + n))*Hypergeometric2F1[1, n, 1 + n, (1 - I*Tan[e + f*x])/2]*(c - I*c*Tan[e + f*x])^n)/(4*a*f*n) + ((I*A - B)*(c - I*c*Tan[e + f*x])^n)/(2*a*f*(1 + I*Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])/((b*c - a*d)^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^n}{a + ia \tan(e + fx)} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^{-1+n}}{(a+iax)^2} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^n}{2af(1 + i \tan(e + fx))} + \frac{(c(A(1 - n) - iB(1 + n))) \operatorname{Subst} \left(\int \frac{(c-iax)^{-1+n}}{a} dx, x, \tan(e + fx) \right)}{2f}$$

$$= \frac{(iA(1 - n) + B(1 + n)) {}_2F_1 \left(1, n; 1 + n; \frac{1}{2}(1 - i \tan(e + fx)) \right) (c - ic \tan(e + fx))^n}{4afn}$$

Mathematica [A] time = 63.2637, size = 111, normalized size = 0.97

$$\frac{2^{n-1} \left(\frac{c}{1 + e^{2i(e+fx)}} \right)^n \left((A(n-1) + iB(n+1)) e^{2i(e+fx)} \operatorname{Hypergeometric2F1} \left(1, 1-n, 2-n, 1 + e^{2i(e+fx)} \right) + (n-1)(A + iB) \right)}{af(n-1)(\tan(e + fx) - i)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n)/(a + I*a*Tan[e + f*x]), x]

[Out] (2^(-1 + n)*(c/(1 + E^((2*I)*(e + f*x))))^n*((A + I*B)*(-1 + n) + E^((2*I)*(e + f*x))*(A*(-1 + n) + I*B*(1 + n))*Hypergeometric2F1[1, 1 - n, 2 - n, 1 + E^((2*I)*(e + f*x))]))/(a*f*(-1 + n)*(-I + Tan[e + f*x]))

Maple [F] time = 0.823, size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(fx + e))(c - ic \tan(fx + e))^n}{a + ia \tan(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e)), x)

[Out] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e)), x, algor ithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i f x + 2i e)} + A + iB \right) \left(\frac{2c}{e^{(2i f x + 2i e)} + 1} \right)^n e^{(-2i f x - 2i e)}}{2a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e)),x, algorithm="fricas")

[Out] integral(1/2*((A - I*B)*e^(2*I*f*x + 2*I*e) + A + I*B)*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n*e^(-2*I*f*x - 2*I*e)/a, x)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^n}{ia \tan(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^n/(I*a*tan(f*x + e) + a), x)

$$3.706 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^4}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=157

$$-\frac{c^4(-5B+iA) \tan^2(e+fx)}{2af} + \frac{c^4(5A+12iB) \tan(e+fx)}{af} - \frac{8c^4(A+iB)}{af(-\tan(e+fx)+i)} - \frac{4c^4(-5B+3iA) \log(\cos(e+fx))}{af}$$

[Out] $(-4*(3*A + (5*I)*B)*c^4*x)/a - (4*((3*I)*A - 5*B)*c^4*\text{Log}[\text{Cos}[e + f*x]])/(a*f) - (8*(A + I*B)*c^4)/(a*f*(I - \text{Tan}[e + f*x])) + ((5*A + (12*I)*B)*c^4*\text{Tan}[e + f*x])/(a*f) - ((I*A - 5*B)*c^4*\text{Tan}[e + f*x]^2)/(2*a*f) - ((I/3)*B*c^4*\text{Tan}[e + f*x]^3)/(a*f)$

Rubi [A] time = 0.215932, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{c^4(-5B+iA) \tan^2(e+fx)}{2af} + \frac{c^4(5A+12iB) \tan(e+fx)}{af} - \frac{8c^4(A+iB)}{af(-\tan(e+fx)+i)} - \frac{4c^4(-5B+3iA) \log(\cos(e+fx))}{af}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])^4/(a + I*a*\text{Tan}[e + f*x]), x]$

[Out] $(-4*(3*A + (5*I)*B)*c^4*x)/a - (4*((3*I)*A - 5*B)*c^4*\text{Log}[\text{Cos}[e + f*x]])/(a*f) - (8*(A + I*B)*c^4)/(a*f*(I - \text{Tan}[e + f*x])) + ((5*A + (12*I)*B)*c^4*\text{Tan}[e + f*x])/(a*f) - ((I*A - 5*B)*c^4*\text{Tan}[e + f*x]^2)/(2*a*f) - ((I/3)*B*c^4*\text{Tan}[e + f*x]^3)/(a*f)$

Rule 3588

$\text{Int}[(a + (b_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\text{tan}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a + (b_*)*(x_*)*((c_*) + (d_*)*(x_*)^{(n_*)}*((e_*) + (f_*)*(x_*)^{(p_*)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, n\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ ((\text{ILtQ}[n, 0] \ \&\& \ \text{ILtQ}[p, 0]) \ || \ \text{EqQ}[p, 1] \ || \ (\text{IGtQ}[p, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{LeQ}[9*p + 5*(n + 2), 0] \ || \ \text{GeQ}[n + p + 1, 0] \ || \ (\text{GeQ}[n + p + 2, 0] \ \&\& \ \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^4}{a + ia \tan(e + fx)} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^3}{(a+iax)^2} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{(5A+12iB)c^3}{a^2} + \frac{(-iA+5B)c^3x}{a^2} - \frac{iBc^3x^2}{a^2} - \frac{8(A+iB)c^3}{a^2(-i+x)^2} + \frac{4i(3A+5B)c^3}{a^2(-i+x)^3} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{4(3A + 5iB)c^4x}{a} - \frac{4(3iA - 5B)c^4 \log(\cos(e + fx))}{af} - \frac{8(A + iB)c^4}{af(i - \tan(e + fx))}$$

Mathematica [A] time = 3.76031, size = 260, normalized size = 1.66

$$c^4(\cos(fx) + i \sin(fx))(A + B \tan(e + fx)) \left(24(A + iB)(\sin(e) + i \cos(e)) \cos(2fx) + 24(A + iB)(\cos(e) - i \sin(e)) \sin(2fx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4)/(a + I*a*Tan[e + f*x]), x]

[Out] (c^4*(Cos[f*x] + I*Sin[f*x])*(12*((-3*I)*A + 5*B)*Log[Cos[e + f*x]^2]*(Cos[e/2] + I*Sin[e/2])^2 - 24*(3*A + (5*I)*B)*ArcTan[Tan[f*x]]*(Cos[e] + I*Sin[e]) + 24*(A + I*B)*Cos[2*f*x]*(I*Cos[e] + Sin[e]) + 24*(A + I*B)*(Cos[e] - I*Sin[e])*Sin[2*f*x] + 2*(15*A + (37*I)*B)*Sec[e + f*x]*Sin[f*x]*(1 + I*Tan[e]) + 2*B*Sec[e + f*x]^3*Sin[f*x]*(-I + Tan[e]) + Cos[e]*Sec[e + f*x]^2*(-I + Tan[e])*(3*(A + (5*I)*B) + 2*B*Tan[e]))*(A + B*Tan[e + f*x]))/(6*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x]))

Maple [A] time = 0.046, size = 193, normalized size = 1.2

$$\frac{5Bc^4(\tan(fx + e))^2}{2af} - \frac{iBc^4(\tan(fx + e))^3}{af} + 5\frac{Ac^4 \tan(fx + e)}{af} - \frac{i c^4 A (\tan(fx + e))^2}{af} + \frac{12ic^4 B \tan(fx + e)}{af} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e)), x)

[Out] 5/2/f*c^4/a*B*tan(f*x+e)^2-1/3*I*B*c^4*tan(f*x+e)^3/a/f+5/f*c^4/a*A*tan(f*x+e)-1/2*I/f*c^4/a*A*tan(f*x+e)^2+12*I/f*c^4/a*B*tan(f*x+e)+8*I/f*c^4/a/(tan(f*x+e)-I)*B+8/f*c^4/a/(tan(f*x+e)-I)*A+12*I/f*c^4/a*A*ln(tan(f*x+e)-I)-20/f*c^4/a*B*ln(tan(f*x+e)-I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e)), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.44351, size = 817, normalized size = 5.2

$$24(3A + 5iB)c^4fxe^{(8ifx+8ie)} - (12iA - 12B)c^4 + (72(3A + 5iB)c^4fx - (36iA - 60B)c^4)e^{(6ifx+6ie)} + (72(3A + 5iB)c^4fx - (36iA - 60B)c^4)e^{(6ifx+6ie)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e)),x, algo_rithm="fricas")

$$\begin{aligned} & -1/3*(24*(3*A + 5*I*B)*c^4*f*x*e^{(8*I*f*x + 8*I*e)} - (12*I*A - 12*B)*c^4 + \\ & (72*(3*A + 5*I*B)*c^4*f*x - (36*I*A - 60*B)*c^4)*e^{(6*I*f*x + 6*I*e)} + (72*(3*A + 5*I*B)*c^4*f*x - \\ & (90*I*A - 150*B)*c^4)*e^{(4*I*f*x + 4*I*e)} + (24*(3*A + 5*I*B)*c^4*f*x - (66*I*A - 110*B)*c^4)*e^{(2*I*f*x + 2*I*e)} - \\ & ((-36*I*A + 60*B)*c^4*e^{(8*I*f*x + 8*I*e)} + (-108*I*A + 180*B)*c^4*e^{(6*I*f*x + 6*I*e)} + (-108*I*A + 180*B)*c^4*e^{(4*I*f*x + 4*I*e)} + \\ & (-36*I*A + 60*B)*c^4*e^{(2*I*f*x + 2*I*e)}) * \log(e^{(2*I*f*x + 2*I*e)} + 1) / (a*f*e^{(8*I*f*x + 8*I*e)} + 3*a*f*e^{(6*I*f*x + 6*I*e)} + \\ & 3*a*f*e^{(4*I*f*x + 4*I*e)} + a*f*e^{(2*I*f*x + 2*I*e)}) \end{aligned}$$

Sympy [A] time = 11.4177, size = 301, normalized size = 1.92

$$\frac{\frac{(8iAc^4-16Bc^4)e^{-2ie}e^{4ifx}}{af} + \frac{(18iAc^4-38Bc^4)e^{-4ie}e^{2ifx}}{af} + \frac{(30iAc^4-74Bc^4)e^{-6ie}}{3af}}{e^{6ifx} + 3e^{-2ie}e^{4ifx} + 3e^{-4ie}e^{2ifx} + e^{-6ie}} + \frac{c^4(-12iA + 20B)\log(e^{2ifx} + e^{-2ie})}{af} - \frac{\left(\begin{cases} 24Ac^4xe^{2ie} - 4iA \\ x(24Ac^4e^{2ie} - 8 \end{cases} \right)}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**4/(a+I*a*tan(f*x+e)),x)

$$\begin{aligned} & ((8*I*A*c**4 - 16*B*c**4)*exp(-2*I*e)*exp(4*I*f*x)/(a*f) + (18*I*A*c**4 - 3 \\ & 8*B*c**4)*exp(-4*I*e)*exp(2*I*f*x)/(a*f) + (30*I*A*c**4 - 74*B*c**4)*exp(-6 \\ & *I*e)/(3*a*f))/(exp(6*I*f*x) + 3*exp(-2*I*e)*exp(4*I*f*x) + 3*exp(-4*I*e)* \\ & xp(2*I*f*x) + exp(-6*I*e)) + c**4*(-12*I*A + 20*B)*log(exp(2*I*f*x) + exp(- \\ & 2*I*e))/(a*f) - Piecewise((24*A*c**4*x*exp(2*I*e) - 4*I*A*c**4*exp(-2*I*f*x) \\ &)/f + 40*I*B*c**4*x*exp(2*I*e) + 4*B*c**4*exp(-2*I*f*x)/f, Ne(f, 0)), (x*(2 \\ & 4*A*c**4*exp(2*I*e) - 8*A*c**4 + 40*I*B*c**4*exp(2*I*e) - 8*I*B*c**4), True \\ &))*exp(-2*I*e)/a \end{aligned}$$

Giac [B] time = 1.53566, size = 602, normalized size = 3.83

$$2 \left(\frac{12(-3iAc^4+5Bc^4)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-i\right)}{a} - \frac{6(-3iAc^4+5Bc^4)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{a} + \frac{6(3iAc^4-5Bc^4)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{a} - \frac{3(-18iAc^4\text{ta}}{a} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out]
$$-2/3*(12*(-3I*Ac^4 + 5B*c^4)*\log(\tan(1/2*f*x + 1/2*e) - I)/a - 6*(-3I*Ac^4 + 5B*c^4)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a + 6*(3I*Ac^4 - 5B*c^4)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a - 3*(-18I*Ac^4*\tan(1/2*f*x + 1/2*e)^2 + 30B*c^4*\tan(1/2*f*x + 1/2*e)^2 - 44*Ac^4*\tan(1/2*f*x + 1/2*e) - 68I*B*c^4*\tan(1/2*f*x + 1/2*e) + 18I*Ac^4 - 30B*c^4)/(a*(\tan(1/2*f*x + 1/2*e) - I)^2) + (-33I*Ac^4*\tan(1/2*f*x + 1/2*e)^6 + 55B*c^4*\tan(1/2*f*x + 1/2*e)^6 + 15*Ac^4*\tan(1/2*f*x + 1/2*e)^5 + 36I*B*c^4*\tan(1/2*f*x + 1/2*e)^5 + 102I*Ac^4*\tan(1/2*f*x + 1/2*e)^4 - 180B*c^4*\tan(1/2*f*x + 1/2*e)^4 - 30*Ac^4*\tan(1/2*f*x + 1/2*e)^3 - 76I*B*c^4*\tan(1/2*f*x + 1/2*e)^3 - 102I*Ac^4*\tan(1/2*f*x + 1/2*e)^2 + 180B*c^4*\tan(1/2*f*x + 1/2*e)^2 + 15*Ac^4*\tan(1/2*f*x + 1/2*e) + 36I*B*c^4*\tan(1/2*f*x + 1/2*e) + 33I*Ac^4 - 55B*c^4)/((\tan(1/2*f*x + 1/2*e)^2 - 1)^3*a))/f$$

$$3.707 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=121

$$\frac{c^3(A+4iB) \tan(e+fx)}{af} - \frac{4c^3(A+iB)}{af(-\tan(e+fx)+i)} - \frac{4c^3(-2B+iA) \log(\cos(e+fx))}{af} - \frac{4c^3x(A+2iB)}{a} + \frac{Bc^3 \tan^2(e+fx)}{2af}$$

[Out] $(-4*(A+(2*I)*B)*c^3*x)/a - (4*(I*A-2*B)*c^3*\text{Log}[\text{Cos}[e+f*x]])/(a*f) - (4*(A+I*B)*c^3)/(a*f*(I-\text{Tan}[e+f*x])) + ((A+(4*I)*B)*c^3*\text{Tan}[e+f*x])/ (a*f) + (B*c^3*\text{Tan}[e+f*x]^2)/(2*a*f)$

Rubi [A] time = 0.18277, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{c^3(A+4iB) \tan(e+fx)}{af} - \frac{4c^3(A+iB)}{af(-\tan(e+fx)+i)} - \frac{4c^3(-2B+iA) \log(\cos(e+fx))}{af} - \frac{4c^3x(A+2iB)}{a} + \frac{Bc^3 \tan^2(e+fx)}{2af}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A+B*\text{Tan}[e+f*x])*(c-I*c*\text{Tan}[e+f*x])^3/(a+I*a*\text{Tan}[e+f*x]), x]$

[Out] $(-4*(A+(2*I)*B)*c^3*x)/a - (4*(I*A-2*B)*c^3*\text{Log}[\text{Cos}[e+f*x]])/(a*f) - (4*(A+I*B)*c^3)/(a*f*(I-\text{Tan}[e+f*x])) + ((A+(4*I)*B)*c^3*\text{Tan}[e+f*x])/ (a*f) + (B*c^3*\text{Tan}[e+f*x]^2)/(2*a*f)$

Rule 3588

$\text{Int}[(a_+ + (b_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a+b*x)^{(m-1)}*(c+d*x)^{(n-1)}*(A+B*x), x], x, \text{Tan}[e+f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a_+ + (b_+)*(x_+))*((c_+) + (d_+)*(x_+))^{(n_+)}*((e_+) + (f_+)*(x_+))^{(p_+)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a+b*x)*(c+d*x)^n*(e+f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) || \text{EqQ}[p, 1] || (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] || \text{LeQ}[9*p + 5*(n+2), 0] || \text{GeQ}[n+p+1, 0] || (\text{GeQ}[n+p+2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{a+ia \tan(e+fx)} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(A+Bx)(c-icx)^2}{(a+iax)^2} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{(A+4iB)c^2}{a^2} + \frac{Bc^2x}{a^2} - \frac{4(A+iB)c^2}{a^2(-i+x)^2} + \frac{4i(A+2iB)c^2}{a^2(-i+x)} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{4(A+2iB)c^3x}{a} - \frac{4(iA-2B)c^3 \log(\cos(e+fx))}{af} - \frac{4(A+iB)c^3}{af(i-\tan(e+fx))} \end{aligned}$$

Mathematica [A] time = 5.75274, size = 212, normalized size = 1.75

$$\frac{c^3(\cos(fx) + i \sin(fx))(A + B \tan(e + fx)) \left(4(A + iB)(\sin(e) + i \cos(e)) \cos(2fx) + 4(A + iB)(\cos(e) - i \sin(e)) \sin(2fx) \right)}{a + I a \tan(e + fx)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3)/(a + I*a*Tan[e + f*x]),x]

[Out] (c^3*(Cos[f*x] + I*Sin[f*x])*(-8*(A + (2*I)*B)*ArcTan[Tan[f*x]]*(Cos[e] + I*Sin[e]) + 4*((-I)*A + 2*B)*Log[Cos[e + f*x]^2*(Cos[e] + I*Sin[e]) + B*Sec[e + f*x]^2*(Cos[e] + I*Sin[e]) + 4*(A + I*B)*Cos[2*f*x]*(I*Cos[e] + Sin[e]) + 4*(A + I*B)*(Cos[e] - I*Sin[e])*Sin[2*f*x] + 2*(A + (4*I)*B)*Sec[e + f*x]*Sin[f*x]*(1 + I*Tan[e])*(A + B*Tan[e + f*x]))/(2*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x]))

Maple [A] time = 0.042, size = 150, normalized size = 1.2

$$\frac{Ac^3 \tan(fx + e)}{af} + \frac{4iBc^3 \tan(fx + e)}{af} + \frac{Bc^3 (\tan(fx + e))^2}{2af} + \frac{4iBc^3}{af (\tan(fx + e) - i)} + 4 \frac{Ac^3}{af (\tan(fx + e) - i)} + \frac{4}{af (\tan(fx + e) - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e)),x)

[Out] 1/f*c^3/a*A*tan(f*x+e)+4*I/f*c^3/a*B*tan(f*x+e)+1/2*B*c^3*tan(f*x+e)^2/a/f+4*I/f*c^3/a/(tan(f*x+e)-I)*B+4/f*c^3/a/(tan(f*x+e)-I)*A+4*I/f*c^3/a*A*ln(tan(f*x+e)-I)-8/f*c^3/a*B*ln(tan(f*x+e)-I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e)),x, algorith="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.41752, size = 587, normalized size = 4.85

$$\frac{8(A + 2iB)c^3 f x e^{(6i f x + 6i e)} - (2iA - 2B)c^3 + (16(A + 2iB)c^3 f x - (4iA - 8B)c^3) e^{(4i f x + 4i e)} + (8(A + 2iB)c^3 f x - (6iA - 6B)c^3) e^{(2i f x + 2i e)}}{a f e^{(6i f x + 6i e)} + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e)),x, algorith="fricas")

[Out] $-(8*(A + 2*I*B)*c^3*f*x*e^{(6*I*f*x + 6*I*e)} - (2*I*A - 2*B)*c^3 + (16*(A + 2*I*B)*c^3*f*x - (4*I*A - 8*B)*c^3)*e^{(4*I*f*x + 4*I*e)} + (8*(A + 2*I*B)*c^3*f*x - (6*I*A - 12*B)*c^3)*e^{(2*I*f*x + 2*I*e)} - ((-4*I*A + 8*B)*c^3*e^{(6*I*f*x + 6*I*e)} + (-8*I*A + 16*B)*c^3*e^{(4*I*f*x + 4*I*e)} + (-4*I*A + 8*B)*c^3*e^{(2*I*f*x + 2*I*e)})*\log(e^{(2*I*f*x + 2*I*e)} + 1))/(a*f*e^{(6*I*f*x + 6*I*e)} + 2*a*f*e^{(4*I*f*x + 4*I*e)} + a*f*e^{(2*I*f*x + 2*I*e)})$

Sympy [A] time = 6.18212, size = 248, normalized size = 2.05

$$\frac{\frac{(2iAc^3-8Bc^3)e^{-4ie}}{af} + \frac{(2iAc^3-6Bc^3)e^{-2ie}e^{2ifx}}{af}}{e^{4ifx} + 2e^{-2ie}e^{2ifx} + e^{-4ie}} + \frac{4c^3(-iA + 2B)\log(e^{2ifx} + e^{-2ie})}{af} - \frac{\left\{ \begin{array}{l} 8Ac^3xe^{2ie} - \frac{2iAc^3e^{-2ifx}}{f} + 16iBc^3xe^{2ie} + \frac{2Bc^3e^{-2ifx}}{f} \\ x(8Ac^3e^{2ie} - 4Ac^3 + 16iBc^3e^{2ie} - 4iBc^3) \end{array} \right.}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**3/(a+I*a*tan(f*x+e)),x)

[Out] $((2*I*A*c**3 - 8*B*c**3)*\exp(-4*I*e)/(a*f) + (2*I*A*c**3 - 6*B*c**3)*\exp(-2*I*e)*\exp(2*I*f*x)/(a*f))/(\exp(4*I*f*x) + 2*\exp(-2*I*e)*\exp(2*I*f*x) + \exp(-4*I*e)) + 4*c**3*(-I*A + 2*B)*\log(\exp(2*I*f*x) + \exp(-2*I*e))/(a*f) - \text{Piecewise}((8*A*c**3*x*\exp(2*I*e) - 2*I*A*c**3*\exp(-2*I*f*x)/f + 16*I*B*c**3*x*\exp(2*I*e) + 2*B*c**3*\exp(-2*I*f*x)/f, \text{Ne}(f, 0)), (x*(8*A*c**3*\exp(2*I*e) - 4*A*c**3 + 16*I*B*c**3*\exp(2*I*e) - 4*I*B*c**3), \text{True}))*\exp(-2*I*e)/a$

Giac [B] time = 1.52244, size = 437, normalized size = 3.61

$$2 \left(\frac{4(-iAc^3+2Bc^3)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-i\right)}{a} - \frac{2(-iAc^3+2Bc^3)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{a} - \frac{(-2iAc^3+4Bc^3)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{a} + \frac{5Ac^3\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e)),x, alghm="giac")

[Out] $-2*(4*(-I*A*c^3 + 2*B*c^3)*\log(\tan(1/2*f*x + 1/2*e) - I)/a - 2*(-I*A*c^3 + 2*B*c^3)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a - (-2*I*A*c^3 + 4*B*c^3)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a + (5*A*c^3*\tan(1/2*f*x + 1/2*e)^5 + 8*I*B*c^3*\tan(1/2*f*x + 1/2*e)^5 - 2*I*A*c^3*\tan(1/2*f*x + 1/2*e)^4 + 7*B*c^3*\tan(1/2*f*x + 1/2*e)^4 - 10*A*c^3*\tan(1/2*f*x + 1/2*e)^3 - 14*I*B*c^3*\tan(1/2*f*x + 1/2*e)^3 + 2*I*A*c^3*\tan(1/2*f*x + 1/2*e)^2 - 7*B*c^3*\tan(1/2*f*x + 1/2*e)^2 + 5*A*c^3*\tan(1/2*f*x + 1/2*e) + 8*I*B*c^3*\tan(1/2*f*x + 1/2*e))/((\tan(1/2*f*x + 1/2*e)^3 - I*\tan(1/2*f*x + 1/2*e)^2 - \tan(1/2*f*x + 1/2*e) + I)^2*a))/f$

$$3.708 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=96

$$-\frac{2c^2(A+iB)}{af(-\tan(e+fx)+i)} - \frac{c^2(-3B+iA)\log(\cos(e+fx))}{af} - \frac{c^2x(A+3iB)}{a} + \frac{iBc^2 \tan(e+fx)}{af}$$

[Out] -(((A + (3*I)*B)*c^2*x)/a) - ((I*A - 3*B)*c^2*Log[Cos[e + f*x]])/(a*f) - (2*(A + I*B)*c^2)/(a*f*(I - Tan[e + f*x])) + (I*B*c^2*Tan[e + f*x])/(a*f)

Rubi [A] time = 0.159317, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{2c^2(A+iB)}{af(-\tan(e+fx)+i)} - \frac{c^2(-3B+iA)\log(\cos(e+fx))}{af} - \frac{c^2x(A+3iB)}{a} + \frac{iBc^2 \tan(e+fx)}{af}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2)/(a + I*a*Tan[e + f*x]), x]

[Out] -(((A + (3*I)*B)*c^2*x)/a) - ((I*A - 3*B)*c^2*Log[Cos[e + f*x]])/(a*f) - (2*(A + I*B)*c^2)/(a*f*(I - Tan[e + f*x])) + (I*B*c^2*Tan[e + f*x])/(a*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{a+ia \tan(e+fx)} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)}{(a+iax)^2} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(\frac{iBc}{a^2} - \frac{2(A+iB)c}{a^2(-i+x)^2} + \frac{i(A+3iB)c}{a^2(-i+x)}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{(A+3iB)c^2x}{a} - \frac{(iA-3B)c^2 \log(\cos(e+fx))}{af} - \frac{2(A+iB)c^2}{af(i-\tan(e+fx))} \end{aligned}$$

Mathematica [A] time = 3.61088, size = 184, normalized size = 1.92

$$\frac{c^2(\cos(fx) + i\sin(fx))(A + B\tan(e + fx))\left(2(A + iB)(\sin(e) + i\cos(e))\cos(2fx) + 2(A + iB)(\cos(e) - i\sin(e))\sin(2fx)\right)}{2f(a + ia\tan(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2)/(a + I*a*Tan[e + f*x]),x]

[Out] (c^2*(Cos[f*x] + I*Sin[f*x])*(-2*(A + (3*I)*B)*ArcTan[Tan[f*x]]*(Cos[e] + I*Sin[e]) + ((-I)*A + 3*B)*Log[Cos[e + f*x]^2]*(Cos[e] + I*Sin[e]) + 2*(A + I*B)*Cos[2*f*x]*(I*Cos[e] + Sin[e]) + 2*(A + I*B)*(Cos[e] - I*Sin[e])*Sin[2*f*x] - 2*B*Sec[e + f*x]*Sin[f*x]*(-I + Tan[e]))*(A + B*Tan[e + f*x]))/(2*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x]))

Maple [A] time = 0.04, size = 113, normalized size = 1.2

$$\frac{iBc^2 \tan(fx + e)}{af} + \frac{2iBc^2}{af(\tan(fx + e) - i)} + 2\frac{Ac^2}{af(\tan(fx + e) - i)} + \frac{iAc^2 \ln(\tan(fx + e) - i)}{af} - 3\frac{Bc^2 \ln(\tan(fx + e))}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e)),x)

[Out] I*B*c^2*tan(f*x+e)/a/f+2*I/f*c^2/a/(tan(f*x+e)-I)*B+2/f*c^2/a/(tan(f*x+e)-I)*A+I/f*c^2/a*A*ln(tan(f*x+e)-I)-3/f*c^2/a*B*ln(tan(f*x+e)-I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.74628, size = 387, normalized size = 4.03

$$\frac{2(A + 3iB)c^2fxe^{(4ifx+4ie)} - (iA - B)c^2 + (2(A + 3iB)c^2fx - (iA - 3B)c^2)e^{(2ifx+2ie)} - ((-iA + 3B)c^2e^{(4ifx+4ie)} + (-iA + 3B)c^2e^{(2ifx+2ie)})}{afe^{(4ifx+4ie)} + afe^{(2ifx+2ie)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e)),x, algorithm="fricas")

[Out] $-(2*(A + 3*I*B)*c^2*f*x*e^{(4*I*f*x + 4*I*e)} - (I*A - B)*c^2 + (2*(A + 3*I*B)*c^2*f*x - (I*A - 3*B)*c^2)*e^{(2*I*f*x + 2*I*e)} - ((-I*A + 3*B)*c^2*e^{(4*I*f*x + 4*I*e)} + (-I*A + 3*B)*c^2*e^{(2*I*f*x + 2*I*e)})*\log(e^{(2*I*f*x + 2*I*e)} + 1))/(a*f*e^{(4*I*f*x + 4*I*e)} + a*f*e^{(2*I*f*x + 2*I*e)})$

Sympy [A] time = 5.1859, size = 184, normalized size = 1.92

$$-\frac{2Bc^2e^{-2ie}}{af(e^{2ifx} + e^{-2ie})} + \frac{c^2(-iA + 3B)\log(e^{2ifx} + e^{-2ie})}{af} - \frac{\begin{cases} 2Ac^2xe^{2ie} - \frac{iAc^2e^{-2ifx}}{f} + 6iBc^2xe^{2ie} + \frac{Bc^2e^{-2ifx}}{f} & \text{for } f \neq 0 \\ x(2Ac^2e^{2ie} - 2Ac^2 + 6iBc^2e^{2ie} - 2iBc^2) & \text{otherwise} \end{cases}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**2/(a+I*a*tan(f*x+e)),x)

[Out] $-2*B*c**2*\exp(-2*I*e)/(a*f*(\exp(2*I*f*x) + \exp(-2*I*e))) + c**2*(-I*A + 3*B)*\log(\exp(2*I*f*x) + \exp(-2*I*e))/(a*f) - \text{Piecewise}((2*A*c**2*x*\exp(2*I*e) - I*A*c**2*\exp(-2*I*f*x)/f + 6*I*B*c**2*x*\exp(2*I*e) + B*c**2*\exp(-2*I*f*x)/f, \text{Ne}(f, 0)), (x*(2*A*c**2*\exp(2*I*e) - 2*A*c**2 + 6*I*B*c**2*\exp(2*I*e) - 2*I*B*c**2), \text{True}))*\exp(-2*I*e)/a$

Giac [B] time = 1.33605, size = 385, normalized size = 4.01

$$\frac{2(iAc^2-3Bc^2)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-i\right)}{a} + \frac{(-iAc^2+3Bc^2)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{a} - \frac{(iAc^2-3Bc^2)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{a} - \frac{-iAc^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^2}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out] $(2*(I*A*c^2 - 3*B*c^2)*\log(\tan(1/2*f*x + 1/2*e) - I)/a + (-I*A*c^2 + 3*B*c^2)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a - (I*A*c^2 - 3*B*c^2)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a - (-I*A*c^2*\tan(1/2*f*x + 1/2*e)^2 + 3*B*c^2*\tan(1/2*f*x + 1/2*e)^2 + 2*I*B*c^2*\tan(1/2*f*x + 1/2*e) + I*A*c^2 - 3*B*c^2)/((\tan(1/2*f*x + 1/2*e)^2 - 1)*a) - (3*I*A*c^2*\tan(1/2*f*x + 1/2*e)^2 - 9*B*c^2*\tan(1/2*f*x + 1/2*e)^2 + 10*A*c^2*\tan(1/2*f*x + 1/2*e) + 22*I*B*c^2*\tan(1/2*f*x + 1/2*e) - 3*I*A*c^2 + 9*B*c^2)/(a*(\tan(1/2*f*x + 1/2*e) - I)^2))/f$

$$3.709 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=57

$$-\frac{c(A+iB)}{af(-\tan(e+fx)+i)} + \frac{Bc \log(\cos(e+fx))}{af} - \frac{iBcx}{a}$$

[Out] $((-I)*B*c*x)/a + (B*c*Log[Cos[e + f*x]])/(a*f) - ((A + I*B)*c)/(a*f*(I - Tan[e + f*x]))$

Rubi [A] time = 0.090516, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$-\frac{c(A+iB)}{af(-\tan(e+fx)+i)} + \frac{Bc \log(\cos(e+fx))}{af} - \frac{iBcx}{a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])]/(a + I*a*\text{Tan}[e + f*x]), x]$

[Out] $((-I)*B*c*x)/a + (B*c*Log[Cos[e + f*x]])/(a*f) - ((A + I*B)*c)/(a*f*(I - Tan[e + f*x]))$

Rule 3588

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

$\text{Int}[(a_.) + (b_.)*(x_.)^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{a+ia \tan(e+fx)} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^2} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{-A-iB}{a^2(-i+x)^2} - \frac{B}{a^2(-i+x)} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{iBcx}{a} + \frac{Bc \log(\cos(e+fx))}{af} - \frac{(A+iB)c}{af(i-\tan(e+fx))} \end{aligned}$$

Mathematica [B] time = 1.39471, size = 124, normalized size = 2.18

$$\frac{c \cos(e+fx)(A+B \tan(e+fx))(\tan(e+fx)(-iA+B \log(\cos^2(e+fx))+B)+A-2iB \tan^{-1}(\tan(fx))(\tan(e+fx)))}{2af(\tan(e+fx)-i)(A \cos(e+fx)+B \sin(e+fx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]))/(a + I*a*Tan[e + f*x]),x]
```

```
[Out] (c*cos[e + f*x]*(A + B*Tan[e + f*x])*(A + I*B - I*B*Log[Cos[e + f*x]^2] + (-I)*A + B + B*Log[Cos[e + f*x]^2])*Tan[e + f*x] - (2*I)*B*ArcTan[Tan[f*x]]*(-I + Tan[e + f*x]))/(2*a*f*(A*cos[e + f*x] + B*sin[e + f*x])*(-I + Tan[e + f*x]))
```

Maple [A] time = 0.042, size = 64, normalized size = 1.1

$$\frac{iBc}{af(\tan(fx + e) - i)} + \frac{Ac}{af(\tan(fx + e) - i)} - \frac{Bc \ln(\tan(fx + e) - i)}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e)),x)
```

```
[Out] I/f*c/a/(tan(f*x+e)-I)*B+1/f*c/a/(tan(f*x+e)-I)*A-1/f*c/a*B*ln(tan(f*x+e)-I)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.72784, size = 186, normalized size = 3.26

$$\frac{\left(-4iBcfx e^{(2ifx+2ie)} + 2Bce^{(2ifx+2ie)} \log\left(e^{(2ifx+2ie)} + 1\right) + (iA - B)c\right) e^{(-2ifx-2ie)}}{2af}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/2*(-4*I*B*c*f*x*e^(2*I*f*x + 2*I*e) + 2*B*c*e^(2*I*f*x + 2*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) + (I*A - B)*c)*e^(-2*I*f*x - 2*I*e)/(a*f)
```

Sympy [A] time = 1.4868, size = 114, normalized size = 2.

$$-\frac{2iBcx}{a} + \frac{Bc \log(e^{2ifx} + e^{-2ie})}{af} + \begin{cases} \frac{(iAc - Bc)e^{-2ie}e^{-2ifx}}{2af} & \text{for } 2afe^{2ie} \neq 0 \\ x \left(\frac{2iBc}{a} + \frac{(Ac - 2iBce^{2ie} + iBc)e^{-2ie}}{a} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e)),x)

[Out] $-2*I*B*c*x/a + B*c*\log(\exp(2*I*f*x) + \exp(-2*I*e))/(a*f) + \text{Piecewise}(((I*A*c - B*c)*\exp(-2*I*e)*\exp(-2*I*f*x)/(2*a*f), \text{Ne}(2*a*f*\exp(2*I*e), 0)), (x*(2*I*B*c/a + (A*c - 2*I*B*c*\exp(2*I*e) + I*B*c)*\exp(-2*I*e)/a), \text{True}))$

Giac [B] time = 1.38725, size = 184, normalized size = 3.23

$$\frac{2Bc \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - i\right)}{a} - \frac{Bc \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{a} - \frac{Bc \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{a} - \frac{3Bc \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - 2Ac \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 8iBc \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)}{a\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - i\right)^2}$$

f

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out] $-(2*B*c*\log(\tan(1/2*f*x + 1/2*e) - I)/a - B*c*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a - B*c*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a - (3*B*c*\tan(1/2*f*x + 1/2*e)^2 - 2*A*c*\tan(1/2*f*x + 1/2*e) - 8*I*B*c*\tan(1/2*f*x + 1/2*e) - 3*B*c)/(a*(\tan(1/2*f*x + 1/2*e) - I)^2))/f$

$$3.710 \quad \int \frac{A+B \tan(e+fx)}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=47

$$\frac{-B+iA}{2f(a+ia \tan(e+fx))} + \frac{x(A-iB)}{2a}$$

[Out] ((A - I*B)*x)/(2*a) + (I*A - B)/(2*f*(a + I*a*Tan[e + f*x]))

Rubi [A] time = 0.0451566, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {3526, 8}

$$\frac{-B+iA}{2f(a+ia \tan(e+fx))} + \frac{x(A-iB)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/(a + I*a*Tan[e + f*x]),x]

[Out] ((A - I*B)*x)/(2*a) + (I*A - B)/(2*f*(a + I*a*Tan[e + f*x]))

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{A+B \tan(e+fx)}{a+ia \tan(e+fx)} dx &= \frac{iA-B}{2f(a+ia \tan(e+fx))} + \frac{(A-iB) \int 1 dx}{2a} \\ &= \frac{(A-iB)x}{2a} + \frac{iA-B}{2f(a+ia \tan(e+fx))} \end{aligned}$$

Mathematica [B] time = 0.453828, size = 102, normalized size = 2.17

$$\frac{\cos(e+fx)(A+B \tan(e+fx))((A(2fx-i)-2iBfx+B) \tan(e+fx)-2iAfx+A+B(-2fx+i))}{4af(\tan(e+fx)-i)(A \cos(e+fx)+B \sin(e+fx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/(a + I*a*Tan[e + f*x]),x]

[Out] (Cos[e + f*x]*(A + B*Tan[e + f*x])*(A - (2*I)*A*f*x + B*(I - 2*f*x) + (B - (2*I)*B*f*x + A*(-I + 2*f*x))*Tan[e + f*x]))/(4*a*f*(A*Cos[e + f*x] + B*Sin

$[e + f*x])*(-I + \text{Tan}[e + f*x]))$

Maple [B] time = 0.04, size = 121, normalized size = 2.6

$$\frac{A}{2af(\tan(fx+e)-i)} + \frac{\frac{i}{2}B}{af(\tan(fx+e)-i)} - \frac{\frac{i}{4}\ln(\tan(fx+e)-i)A}{af} - \frac{\ln(\tan(fx+e)-i)B}{4af} + \frac{B\ln(\tan(fx+e)-i)}{4af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x)`

[Out] $\frac{1}{2} \frac{f}{a} \frac{1}{(\tan(fx+e)-I)} * A + \frac{1}{2} \frac{I}{f} \frac{1}{a} \frac{1}{(\tan(fx+e)-I)} * B - \frac{1}{4} \frac{I}{f} \frac{1}{a} * \ln(\tan(fx+e)-I) * A - \frac{1}{4} \frac{f}{a} * \ln(\tan(fx+e)-I) * B + \frac{1}{4} \frac{f}{a} * B * \ln(\tan(fx+e)+I) + \frac{1}{4} \frac{I}{f} \frac{1}{a} * A * \ln(\tan(fx+e)+I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.57428, size = 108, normalized size = 2.3

$$\frac{(2(A-iB)fxe^{2ifx+2ie} + iA-B)e^{(-2ifx-2ie)}}{4af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="fricas")`

[Out] $\frac{1}{4} * (2 * (A - I * B) * f * x * e^{(2 * I * f * x + 2 * I * e)} + I * A - B) * e^{(-2 * I * f * x - 2 * I * e)} / (a * f)$

Sympy [A] time = 0.732325, size = 88, normalized size = 1.87

$$\begin{cases} \frac{(iA-B)e^{-2ie}e^{-2ifx}}{4af} & \text{for } 4afe^{2ie} \neq 0 \\ x \left(-\frac{A-iB}{2a} + \frac{(Ae^{2ie}+A-iBe^{2ie}+iB)e^{-2ie}}{2a} \right) & \text{otherwise} \end{cases} + \frac{x(A-iB)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x)`

```
[Out] Piecewise(((I*A - B)*exp(-2*I*e)*exp(-2*I*f*x)/(4*a*f), Ne(4*a*f*exp(2*I*e)
, 0)), (x*(-(A - I*B)/(2*a) + (A*exp(2*I*e) + A - I*B*exp(2*I*e) + I*B)*exp
(-2*I*e)/(2*a)), True)) + x*(A - I*B)/(2*a)
```

Giac [B] time = 1.35319, size = 122, normalized size = 2.6

$$\frac{\frac{(iA+B)\log(\tan(fx+e)-i)}{a} + \frac{(-iA-B)\log(-i\tan(fx+e)+1)}{a} + \frac{-iA\tan(fx+e)-B\tan(fx+e)-3A-iB}{a(\tan(fx+e)-i)}}{4f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] -1/4*((I*A + B)*log(tan(f*x + e) - I)/a + (-I*A - B)*log(-I*tan(f*x + e) +
1)/a + (-I*A*tan(f*x + e) - B*tan(f*x + e) - 3*A - I*B)/(a*(tan(f*x + e) -
I)))/f
```

$$3.711 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))} dx$$

Optimal. Leaf size=45

$$\frac{Ax}{2ac} - \frac{\cos^2(e+fx)(B-A \tan(e+fx))}{2acf}$$

[Out] (A*x)/(2*a*c) - (Cos[e + f*x]^2*(B - A*Tan[e + f*x]))/(2*a*c*f)

Rubi [A] time = 0.127554, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {3588, 73, 639, 205}

$$\frac{Ax}{2ac} - \frac{\cos^2(e+fx)(B-A \tan(e+fx))}{2acf}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])),x]

[Out] (A*x)/(2*a*c) - (Cos[e + f*x]^2*(B - A*Tan[e + f*x]))/(2*a*c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 73

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[(a*c + b*d*x^2)^(m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m] && IntegerQ[m]

Rule 639

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((a*e - c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[(d*(2*p + 3))/(2*a*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))(c - ic \tan(e + fx))} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^2} dx, x, \tan(e + fx) \right)}{f} \\
&= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(ac+acx^2)^2} dx, x, \tan(e + fx) \right)}{f} \\
&= -\frac{\cos^2(e + fx)(B - A \tan(e + fx))}{2acf} + \frac{A \operatorname{Subst} \left(\int \frac{1}{ac+acx^2} dx, x, \tan(e + fx) \right)}{2f} \\
&= \frac{Ax}{2ac} - \frac{\cos^2(e + fx)(B - A \tan(e + fx))}{2acf}
\end{aligned}$$

Mathematica [A] time = 0.0813218, size = 43, normalized size = 0.96

$$\frac{A(2(e + fx) + \sin(2(e + fx))) - 2B \cos^2(e + fx)}{4acf}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])), x]

[Out] (-2*B*Cos[e + f*x]^2 + A*(2*(e + f*x) + Sin[2*(e + f*x)]))/(4*a*c*f)

Maple [C] time = 0.062, size = 142, normalized size = 3.2

$$\frac{-\frac{i}{4}A \ln(\tan(fx + e) - i)}{afc} + \frac{A}{4afc(\tan(fx + e) - i)} + \frac{\frac{i}{4}B}{afc(\tan(fx + e) - i)} + \frac{\frac{i}{4}A \ln(\tan(fx + e) + i)}{afc} + \frac{B}{4afc(\tan(fx + e) + i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e)), x)

[Out] -1/4*I/f/a/c*A*ln(tan(f*x+e)-I)+1/4/f/a/c/(tan(f*x+e)-I)*A+1/4*I/f/a/c/(tan(f*x+e)-I)*B+1/4*I/f/a/c*A*ln(tan(f*x+e)+I)+1/4/f/a/c/(tan(f*x+e)+I)*A-1/4*I/f/a/c/(tan(f*x+e)+I)*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e)), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [C] time = 1.69623, size = 144, normalized size = 3.2

$$\frac{\left(4 A f x e^{(2 i f x+2 i e)}+(-i A-B) e^{(4 i f x+4 i e)}+i A-B\right) e^{(-2 i f x-2 i e)}}{8 a c f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/8*(4*A*f*x*e^(2*I*f*x + 2*I*e) + (-I*A - B)*e^(4*I*f*x + 4*I*e) + I*A - B)*e^(-2*I*f*x - 2*I*e)/(a*c*f)

Sympy [A] time = 0.933316, size = 167, normalized size = 3.71

$$\frac{Ax}{2ac} + \begin{cases} \frac{\left(\left(8iAacf-8Bacf\right)e^{-2ifx}+\left(-8iAacfe^{4ie}-8Bacfe^{4ie}\right)e^{2ifx}\right)e^{-2ie}}{64a^2c^2f^2} & \text{for } 64a^2c^2f^2e^{2ie} \neq 0 \\ x\left(-\frac{A}{2ac} + \frac{\left(Ae^{4ie}+2Ae^{2ie}+A-iBe^{4ie}+iB\right)e^{-2ie}}{4ac}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e)),x)

[Out] A*x/(2*a*c) + Piecewise((((8*I*A*a*c*f - 8*B*a*c*f)*exp(-2*I*f*x) + (-8*I*A*a*c*f*exp(4*I*e) - 8*B*a*c*f*exp(4*I*e))*exp(2*I*f*x))*exp(-2*I*e)/(64*a**2*c**2*f**2), Ne(64*a**2*c**2*f**2*exp(2*I*e), 0)), (x*(-A/(2*a*c) + (A*exp(4*I*e) + 2*A*exp(2*I*e) + A - I*B*exp(4*I*e) + I*B)*exp(-2*I*e)/(4*a*c)), True))

Giac [A] time = 1.45036, size = 72, normalized size = 1.6

$$\frac{\frac{(fx+e)A}{ac} + \frac{A \tan(fx+e)-B}{\left(\tan(fx+e)^2+1\right)ac}}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e)),x, algorithm="giac")

[Out] 1/2*((f*x + e)*A/(a*c) + (A*tan(f*x + e) - B)/((tan(f*x + e)^2 + 1)*a*c))/f

$$3.712 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^2} dx$$

Optimal. Leaf size=113

$$-\frac{A+iB}{8ac^2 f(-\tan(e+fx)+i)} + \frac{B+iA}{8ac^2 f(\tan(e+fx)+i)^2} + \frac{x(3A+iB)}{8ac^2} + \frac{A}{4ac^2 f(\tan(e+fx)+i)}$$

[Out] $((3A + I*B)*x)/(8*a*c^2) - (A + I*B)/(8*a*c^2*f*(I - \tan[e + f*x])) + (I*A + B)/(8*a*c^2*f*(I + \tan[e + f*x])^2) + A/(4*a*c^2*f*(I + \tan[e + f*x]))$

Rubi [A] time = 0.189822, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$-\frac{A+iB}{8ac^2 f(-\tan(e+fx)+i)} + \frac{B+iA}{8ac^2 f(\tan(e+fx)+i)^2} + \frac{x(3A+iB)}{8ac^2} + \frac{A}{4ac^2 f(\tan(e+fx)+i)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2), x]

[Out] $((3A + I*B)*x)/(8*a*c^2) - (A + I*B)/(8*a*c^2*f*(I - \tan[e + f*x])) + (I*A + B)/(8*a*c^2*f*(I + \tan[e + f*x])^2) + A/(4*a*c^2*f*(I + \tan[e + f*x]))$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))(c - ic \tan(e + fx))^2} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^3} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{-A-iB}{8a^2c^3(-i+x)^2} - \frac{i(A-iB)}{4a^2c^3(i+x)^3} - \frac{A}{4a^2c^3(i+x)^2} + \frac{3A+iB}{8a^2c^3(1+x^2)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{A + iB}{8ac^2 f(i - \tan(e + fx))} + \frac{iA + B}{8ac^2 f(i + \tan(e + fx))^2} + \frac{A}{4ac^2 f(i + \tan(e + fx))}$$

$$= \frac{(3A + iB)x}{8ac^2} - \frac{A + iB}{8ac^2 f(i - \tan(e + fx))} + \frac{iA + B}{8ac^2 f(i + \tan(e + fx))^2} + \frac{A}{4ac^2 f(i + \tan(e + fx))}$$

Mathematica [A] time = 2.23363, size = 166, normalized size = 1.47

$$\frac{(\cos(2(e + fx)) + i \sin(2(e + fx)))(A + B \tan(e + fx))(2(A(-3 - 6ifx) + B(2fx + i)) \cos(e + fx) + (A + 3iB) \cos(3(e + fx)))}{32ac^2 f(\tan(e + fx) - i)(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2), x]

[Out] ((2*(A*(-3 - (6*I)*f*x) + B*(I + 2*f*x))*Cos[e + f*x] + (A + (3*I)*B)*Cos[3*(e + f*x)] - ((9*I)*A + B + 12*A*f*x + (4*I)*B*f*x + ((6*I)*A - 2*B)*Cos[2*(e + f*x)])*Sin[e + f*x]*(Cos[2*(e + f*x)] + I*Sin[2*(e + f*x)]*(A + B*Tan[e + f*x]))/(32*a*c^2*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(-I + Tan[e + f*x]))

Maple [B] time = 0.07, size = 209, normalized size = 1.9

$$\frac{A}{8afc^2(\tan(fx + e) - i)} + \frac{\frac{i}{8}B}{afc^2(\tan(fx + e) - i)} - \frac{\frac{3i}{16} \ln(\tan(fx + e) - i)A}{afc^2} + \frac{\ln(\tan(fx + e) - i)B}{16afc^2} + \frac{A}{4afc^2(\tan(fx + e) + i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x)

[Out] 1/8/f/a/c^2/(tan(f*x+e)-I)*A+1/8*I/f/a/c^2/(tan(f*x+e)-I)*B-3/16*I/f/a/c^2*ln(tan(f*x+e)-I)*A+1/16/f/a/c^2*ln(tan(f*x+e)-I)*B+1/4*A/a/c^2/f/(tan(f*x+e)+I)+3/16*I/f/a/c^2*ln(tan(f*x+e)+I)*A-1/16/f/a/c^2*ln(tan(f*x+e)+I)*B+1/8*I/f/a/c^2/(tan(f*x+e)+I)^2*A+1/8/f/a/c^2/(tan(f*x+e)+I)^2*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.72389, size = 217, normalized size = 1.92

$$\frac{\left(4(3A + iB)fxe^{(2ifx+2ie)} + (-iA - B)e^{(6ifx+6ie)} + (-6iA - 2B)e^{(4ifx+4ie)} + 2iA - 2B\right)e^{(-2ifx-2ie)}}{32ac^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorith="fricas")

[Out] 1/32*(4*(3*A + I*B)*f*x*e^(2*I*f*x + 2*I*e) + (-I*A - B)*e^(6*I*f*x + 6*I*e) + (-6*I*A - 2*B)*e^(4*I*f*x + 4*I*e) + 2*I*A - 2*B)*e^(-2*I*f*x - 2*I*e)/(a*c^2*f)

Sympy [A] time = 1.63348, size = 286, normalized size = 2.53

$$\begin{cases} \frac{\left(\left(\left(512iAa^2c^4f^2-512Ba^2c^4f^2\right)e^{-2ifx}+\left(-1536iAa^2c^4f^2e^{4ie}-512Ba^2c^4f^2e^{4ie}\right)e^{2ifx}+\left(-256iAa^2c^4f^2e^{6ie}-256Ba^2c^4f^2e^{6ie}\right)e^{4ifx}\right)e^{-2ie}}{8192a^3c^6f^3} & \text{for } 8192a^3c^6f^3e^2 \\ x\left(-\frac{3A+iB}{8ac^2}+\frac{\left(Ae^{6ie}+3Ae^{4ie}+3Ae^{2ie}+A-iBe^{6ie}-iBe^{4ie}+iBe^{2ie}+iB\right)e^{-2ie}}{8ac^2}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x)

[Out] Piecewise((((512*I*A*a**2*c**4*f**2 - 512*B*a**2*c**4*f**2)*exp(-2*I*f*x) + (-1536*I*A*a**2*c**4*f**2*exp(4*I*e) - 512*B*a**2*c**4*f**2*exp(4*I*e))*exp(2*I*f*x) + (-256*I*A*a**2*c**4*f**2*exp(6*I*e) - 256*B*a**2*c**4*f**2*exp(6*I*e))*exp(4*I*f*x))*exp(-2*I*e)/(8192*a**3*c**6*f**3), Ne(8192*a**3*c**6*f**3*exp(2*I*e), 0)), (x*(-(3*A + I*B)/(8*a*c**2) + (A*exp(6*I*e) + 3*A*exp(4*I*e) + 3*A*exp(2*I*e) + A - I*B*exp(6*I*e) - I*B*exp(4*I*e) + I*B*exp(2*I*e) + I*B)*exp(-2*I*e)/(8*a*c**2)), True)) + x*(3*A + I*B)/(8*a*c**2)

Giac [A] time = 1.43216, size = 228, normalized size = 2.02

$$\frac{\frac{2(3iA-B)\log(\tan(fx+e)+i)}{ac^2} + \frac{2(-3iA+B)\log(\tan(fx+e)-i)}{ac^2} - \frac{2(3A\tan(fx+e)+iB\tan(fx+e)-5iA+3B)}{ac^2(i\tan(fx+e)+1)} + \frac{-9iA\tan(fx+e)^2+3B\tan(fx+e)^2+2e}{ac^2(\tan(fx+e)+i)^2}}{32f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^2,x, algorith="giac")

[Out] 1/32*(2*(3*I*A - B)*log(tan(f*x + e) + I)/(a*c^2) + 2*(-3*I*A + B)*log(tan(f*x + e) - I)/(a*c^2) - 2*(3*A*tan(f*x + e) + I*B*tan(f*x + e) - 5*I*A + 3*B)/(a*c^2*(I*tan(f*x + e) + 1)) + (-9*I*A*tan(f*x + e)^2 + 3*B*tan(f*x + e)^2 + 26*A*tan(f*x + e) + 6*I*B*tan(f*x + e) + 21*I*A + B)/(a*c^2*(tan(f*x + e) + I)^2))/f

$$3.713 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^3} dx$$

Optimal. Leaf size=149

$$-\frac{A+iB}{16ac^3f(-\tan(e+fx)+i)} + \frac{3A+iB}{16ac^3f(\tan(e+fx)+i)} - \frac{A-iB}{12ac^3f(\tan(e+fx)+i)^3} + \frac{x(2A+iB)}{8ac^3} + \frac{iA}{8ac^3f(\tan(e+fx)+i)}$$

[Out] $((2*A + I*B)*x)/(8*a*c^3) - (A + I*B)/(16*a*c^3*f*(I - \tan[e + f*x])) - (A - I*B)/(12*a*c^3*f*(I + \tan[e + f*x])^3) + ((I/8)*A)/(a*c^3*f*(I + \tan[e + f*x])^2) + (3*A + I*B)/(16*a*c^3*f*(I + \tan[e + f*x]))$

Rubi [A] time = 0.215936, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$-\frac{A+iB}{16ac^3f(-\tan(e+fx)+i)} + \frac{3A+iB}{16ac^3f(\tan(e+fx)+i)} - \frac{A-iB}{12ac^3f(\tan(e+fx)+i)^3} + \frac{x(2A+iB)}{8ac^3} + \frac{iA}{8ac^3f(\tan(e+fx)+i)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3), x]

[Out] $((2*A + I*B)*x)/(8*a*c^3) - (A + I*B)/(16*a*c^3*f*(I - \tan[e + f*x])) - (A - I*B)/(12*a*c^3*f*(I + \tan[e + f*x])^3) + ((I/8)*A)/(a*c^3*f*(I + \tan[e + f*x])^2) + (3*A + I*B)/(16*a*c^3*f*(I + \tan[e + f*x]))$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))(c - ic \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^4} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{-A-iB}{16a^2c^4(-i+x)^2} + \frac{A-iB}{4a^2c^4(i+x)^4} - \frac{iA}{4a^2c^4(i+x)^3} + \frac{-3A-iB}{16a^2c^4(i+x)^2} + \frac{i}{8a^2c^4(i+x)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{A + iB}{16ac^3 f(i - \tan(e + fx))} - \frac{A - iB}{12ac^3 f(i + \tan(e + fx))^3} + \frac{i}{8ac^3 f(i + \tan(e + fx))}$$

$$= \frac{(2A + iB)x}{8ac^3} - \frac{A + iB}{16ac^3 f(i - \tan(e + fx))} - \frac{A - iB}{12ac^3 f(i + \tan(e + fx))^3} + \frac{i}{8ac^3 f(i + \tan(e + fx))}$$

Mathematica [A] time = 2.4001, size = 203, normalized size = 1.36

$$\frac{(\cos(3(e + fx)) + i \sin(3(e + fx)))(A + B \tan(e + fx))(3(A(-2 - 8ifx) + B(4fx + i)) \cos(2(e + fx)) + 2(A + 2iB) \cos(e + fx))}{96ac^3 f(\tan(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3), x]

[Out] ((Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)])*(-18*A + 3*(A*(-2 - (8*I)*f*x) + B*(I + 4*f*x))*Cos[2*(e + f*x)] + 2*(A + (2*I)*B)*Cos[4*(e + f*x)] - (6*I)*A*Sin[2*(e + f*x)] - 3*B*Sin[2*(e + f*x)] - 24*A*f*x*Sin[2*(e + f*x)] - (12*I)*B*f*x*Sin[2*(e + f*x)] - (4*I)*A*Sin[4*(e + f*x)] + 2*B*Sin[4*(e + f*x)])*(A + B*Tan[e + f*x]))/(96*a*c^3*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(-I + Tan[e + f*x]))

Maple [A] time = 0.068, size = 257, normalized size = 1.7

$$\frac{\frac{i}{16}B}{afc^3(\tan(fx + e) - i)} + \frac{A}{16afc^3(\tan(fx + e) - i)} + \frac{\ln(\tan(fx + e) - i)B}{16afc^3} - \frac{\frac{i}{8}\ln(\tan(fx + e) - i)A}{afc^3} + \frac{1}{afc^3(\tan(fx + e) + i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x)

[Out] 1/16*I/f/a/c^3/(tan(f*x+e)-I)*B+1/16/f/a/c^3/(tan(f*x+e)-I)*A+1/16/f/a/c^3*ln(tan(f*x+e)-I)*B-1/8*I/f/a/c^3*ln(tan(f*x+e)-I)*A+1/8*I*A/a/c^3/f/(tan(f*x+e)+I)^2-1/12/f/a/c^3/(tan(f*x+e)+I)^3*A+1/12*I/f/a/c^3/(tan(f*x+e)+I)^3*B+3/16/f/a/c^3/(tan(f*x+e)+I)*A+1/16*I/f/a/c^3/(tan(f*x+e)+I)*B-1/16/f/a/c^3*ln(tan(f*x+e)+I)*B+1/8*I/f/a/c^3*ln(tan(f*x+e)+I)*A

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorith="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.1169, size = 258, normalized size = 1.73

$$\frac{\left(12(2A+iB)fxe^{(2ifx+2ie)} + (-iA-B)e^{(8ifx+8ie)} + (-6iA-3B)e^{(6ifx+6ie)} - 18iAe^{(4ifx+4ie)} + 3iA-3B\right)e^{(-2ifx-2ie)}}{96ac^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorith="fricas")

[Out] 1/96*(12*(2*A + I*B)*f*x*e^(2*I*f*x + 2*I*e) + (-I*A - B)*e^(8*I*f*x + 8*I*e) + (-6*I*A - 3*B)*e^(6*I*f*x + 6*I*e) - 18*I*A*e^(4*I*f*x + 4*I*e) + 3*I*A - 3*B)*e^(-2*I*f*x - 2*I*e)/(a*c^3*f)

Sympy [A] time = 2.75076, size = 330, normalized size = 2.21

$$\left\{ \begin{array}{l} \frac{(-294912iAa^3c^9f^3e^{4ie}e^{2ifx} + (49152iAa^3c^9f^3 - 49152Ba^3c^9f^3)e^{-2ifx} + (-98304iAa^3c^9f^3e^{6ie} - 49152Ba^3c^9f^3e^{6ie})e^{4ifx} + (-16384iAa^3c^9f^3e^{8ie} - 16384Ba^3c^9f^3e^{8ie})e^{4ifx} + 1572864a^4c^{12}f^4}{16ac^3} \\ x \left(-\frac{2A+iB}{8ac^3} + \frac{(Ae^{8ie} + 4Ae^{6ie} + 6Ae^{4ie} + 4Ae^{2ie} + A - iBe^{8ie} - 2iBe^{6ie} + 2iBe^{2ie} + iB)e^{-2ie}}{16ac^3} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x)

[Out] Piecewise(((((-294912*I*A*a**3*c**9*f**3*exp(4*I*e)*exp(2*I*f*x) + (49152*I*A*a**3*c**9*f**3 - 49152*B*a**3*c**9*f**3)*exp(-2*I*f*x) + (-98304*I*A*a**3*c**9*f**3*exp(6*I*e) - 49152*B*a**3*c**9*f**3*exp(6*I*e))*exp(4*I*f*x) + (-16384*I*A*a**3*c**9*f**3*exp(8*I*e) - 16384*B*a**3*c**9*f**3*exp(8*I*e))*exp(6*I*f*x))*exp(-2*I*e)/(1572864*a**4*c**12*f**4), Ne(1572864*a**4*c**12*f**4*exp(2*I*e), 0)), (x*(-(2*A + I*B)/(8*a*c**3) + (A*exp(8*I*e) + 4*A*exp(6*I*e) + 6*A*exp(4*I*e) + 4*A*exp(2*I*e) + A - I*B*exp(8*I*e) - 2*I*B*exp(6*I*e) + 2*I*B*exp(2*I*e) + I*B)*exp(-2*I*e)/(16*a*c**3)), True)) + x*(2*A + I*B)/(8*a*c**3)

Giac [A] time = 1.50393, size = 259, normalized size = 1.74

$$\frac{6(-2iA+B)\log(\tan(fx+e)+i)}{ac^3} + \frac{6(2iA-B)\log(\tan(fx+e)-i)}{ac^3} + \frac{6(-2iA\tan(fx+e)+B\tan(fx+e)-3A-2iB)}{ac^3(\tan(fx+e)-i)} + \frac{22iA\tan(fx+e)^3-11B\tan(fx+e)^3-84}{96f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^3,x, algorith="giac")

```
[Out] -1/96*(6*(-2*I*A + B)*log(tan(f*x + e) + I)/(a*c^3) + 6*(2*I*A - B)*log(tan
(f*x + e) - I)/(a*c^3) + 6*(-2*I*A*tan(f*x + e) + B*tan(f*x + e) - 3*A - 2*
I*B)/(a*c^3*(tan(f*x + e) - I)) + (22*I*A*tan(f*x + e)^3 - 11*B*tan(f*x + e
)^3 - 84*A*tan(f*x + e)^2 - 39*I*B*tan(f*x + e)^2 - 114*I*A*tan(f*x + e) +
45*B*tan(f*x + e) + 60*A + 9*I*B)/(a*c^3*(tan(f*x + e) + I)^3))/f
```

$$3.714 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^4} dx$$

Optimal. Leaf size=181

$$\frac{A+iB}{32ac^4f(-\tan(e+fx)+i)} + \frac{2A+iB}{16ac^4f(\tan(e+fx)+i)} + \frac{-B+3iA}{32ac^4f(\tan(e+fx)+i)^2} - \frac{B+iA}{16ac^4f(\tan(e+fx)+i)^4} + \frac{x(5A}{32}$$

[Out] ((5*A + (3*I)*B)*x)/(32*a*c^4) - (A + I*B)/(32*a*c^4*f*(I - Tan[e + f*x])) - (I*A + B)/(16*a*c^4*f*(I + Tan[e + f*x])^4) - A/(12*a*c^4*f*(I + Tan[e + f*x])^3) + ((3*I)*A - B)/(32*a*c^4*f*(I + Tan[e + f*x])^2) + (2*A + I*B)/(16*a*c^4*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.240197, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{A+iB}{32ac^4f(-\tan(e+fx)+i)} + \frac{2A+iB}{16ac^4f(\tan(e+fx)+i)} + \frac{-B+3iA}{32ac^4f(\tan(e+fx)+i)^2} - \frac{B+iA}{16ac^4f(\tan(e+fx)+i)^4} + \frac{x(5A}{32}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4), x]

[Out] ((5*A + (3*I)*B)*x)/(32*a*c^4) - (A + I*B)/(32*a*c^4*f*(I - Tan[e + f*x])) - (I*A + B)/(16*a*c^4*f*(I + Tan[e + f*x])^4) - A/(12*a*c^4*f*(I + Tan[e + f*x])^3) + ((3*I)*A - B)/(32*a*c^4*f*(I + Tan[e + f*x])^2) + (2*A + I*B)/(16*a*c^4*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))(c - ic \tan(e + fx))^4} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^5} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{-A-iB}{32a^2c^5(-i+x)^2} + \frac{iA+B}{4a^2c^5(i+x)^5} + \frac{A}{4a^2c^5(i+x)^4} + \frac{-3iA+B}{16a^2c^5(i+x)^3} + \frac{1}{16a^2c^5(i+x)^2} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{A + iB}{32ac^4 f(i - \tan(e + fx))} - \frac{iA + B}{16ac^4 f(i + \tan(e + fx))^4} - \frac{12ac^4 f(i + \tan(e + fx))}{(5A + 3iB)x} - \frac{A + iB}{32ac^4 f(i - \tan(e + fx))} - \frac{iA + B}{16ac^4 f(i + \tan(e + fx))^4}$$

Mathematica [A] time = 2.60032, size = 221, normalized size = 1.22

$$\sec(e + fx)(\cos(4(e + fx)) + i \sin(4(e + fx)))(-12(15A + iB) \cos(e + fx) + 4(-30iAfx - 5A + 18Bfx + 3iB) \cos(3(e + fx)))$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4), x]

[Out] (Sec[e + f*x]*(Cos[4*(e + f*x)] + I*Sin[4*(e + f*x)])*(-12*(15*A + I*B)*Cos[e + f*x] + 4*(-5*A + (3*I)*B - (30*I)*A*f*x + 18*B*f*x)*Cos[3*(e + f*x)] + 9*A*Cos[5*(e + f*x)] + (15*I)*B*Cos[5*(e + f*x)] + (60*I)*A*Sin[e + f*x] - 36*B*Sin[e + f*x] - (20*I)*A*Sin[3*(e + f*x)] - 12*B*Sin[3*(e + f*x)] - 120*A*f*x*Sin[3*(e + f*x)] - (72*I)*B*f*x*Sin[3*(e + f*x)] - (15*I)*A*Sin[5*(e + f*x)] + 9*B*Sin[5*(e + f*x)])/(768*a*c^4*f*(-I + Tan[e + f*x]))

Maple [A] time = 0.073, size = 303, normalized size = 1.7

$$\frac{A}{32afc^4(\tan(fx + e) - i)} + \frac{\frac{i}{32}B}{afc^4(\tan(fx + e) - i)} - \frac{\frac{5i}{64} \ln(\tan(fx + e) - i)A}{afc^4} + \frac{3 \ln(\tan(fx + e) - i)B}{64afc^4} + \frac{1}{afc^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x)

[Out] 1/32/f/a/c^4/(tan(f*x+e)-I)*A+1/32*I/f/a/c^4/(tan(f*x+e)-I)*B-5/64*I/f/a/c^4*ln(tan(f*x+e)-I)*A+3/64/f/a/c^4*ln(tan(f*x+e)-I)*B+1/16*I/f/a/c^4/(tan(f*x+e)+I)*B+1/8/f/a/c^4/(tan(f*x+e)+I)*A+5/64*I/f/a/c^4*ln(tan(f*x+e)+I)*A-3/64/f/a/c^4*ln(tan(f*x+e)+I)*B-1/12*A/a/c^4/f/(tan(f*x+e)+I)^3+3/32*I/f/a/c^4/(tan(f*x+e)+I)^2*A-1/32/f/a/c^4/(tan(f*x+e)+I)^2*B-1/16*I/f/a/c^4/(tan(f*x+e)+I)^4*A-1/16/f/a/c^4/(tan(f*x+e)+I)^4*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorith="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.05957, size = 343, normalized size = 1.9

$$\frac{(24(5A + 3iB)fxe^{(2ifx+2ie)} + (-3iA - 3B)e^{(10ifx+10ie)} + (-20iA - 12B)e^{(8ifx+8ie)} + (-60iA - 12B)e^{(6ifx+6ie)} + (-120iA - 12B)e^{(4ifx+4ie)})}{768ac^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorith="fricas")

[Out] 1/768*(24*(5*A + 3*I*B)*f*x*e^(2*I*f*x + 2*I*e) + (-3*I*A - 3*B)*e^(10*I*f*x + 10*I*e) + (-20*I*A - 12*B)*e^(8*I*f*x + 8*I*e) + (-60*I*A - 12*B)*e^(6*I*f*x + 6*I*e) + (-120*I*A + 24*B)*e^(4*I*f*x + 4*I*e) + 12*I*A - 12*B)*e^(-2*I*f*x - 2*I*e)/(a*c^4*f)

Sympy [A] time = 3.73697, size = 440, normalized size = 2.43

$$\left\{ \frac{\left((100663296iAa^4c^{16}f^4 - 100663296Ba^4c^{16}f^4) e^{-2ifx} + (-1006632960iAa^4c^{16}f^4e^{4ie} + 201326592Ba^4c^{16}f^4e^{4ie}) e^{2ifx} + (-503316480iAa^4c^{16}f^4e^{6ie} - 100663296Ba^4c^{16}f^4e^{6ie}) e^{4ifx} + (-167772160iAa^4c^{16}f^4e^{8ie} - 100663296Ba^4c^{16}f^4e^{8ie}) e^{2ifx} + (-25165824iAa^4c^{16}f^4e^{10ie} - 25165824Ba^4c^{16}f^4e^{10ie}) e^{4ifx} + (-6442450944a^5c^{20}f^5) e^{-2ie} \right)}{6442450944a^5c^{20}f^5} x \left(-\frac{5A+3iB}{32ac^4} + \frac{(Ae^{10ie}+5Ae^{8ie}+10Ae^{6ie}+10Ae^{4ie}+5Ae^{2ie}+A-iBe^{10ie}-3iBe^{8ie}-2iBe^{6ie}+2iBe^{4ie}+3iBe^{2ie}+iB)e^{-2ie}}{32ac^4} \right) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))**4,x)

[Out] Piecewise((((100663296*I*A*a**4*c**16*f**4 - 100663296*B*a**4*c**16*f**4)*exp(-2*I*f*x) + (-1006632960*I*A*a**4*c**16*f**4*exp(4*I*e) + 201326592*B*a**4*c**16*f**4*exp(4*I*e))*exp(2*I*f*x) + (-503316480*I*A*a**4*c**16*f**4*exp(6*I*e) - 100663296*B*a**4*c**16*f**4*exp(6*I*e))*exp(4*I*f*x) + (-167772160*I*A*a**4*c**16*f**4*exp(8*I*e) - 100663296*B*a**4*c**16*f**4*exp(8*I*e))*exp(6*I*f*x) + (-25165824*I*A*a**4*c**16*f**4*exp(10*I*e) - 25165824*B*a**4*c**16*f**4*exp(10*I*e))*exp(8*I*f*x))*exp(-2*I*e)/(6442450944*a**5*c**20*f**5), Ne(6442450944*a**5*c**20*f**5*exp(2*I*e), 0)), (x*(-(5*A + 3*I*B)/(32*a*c**4) + (A*exp(10*I*e) + 5*A*exp(8*I*e) + 10*A*exp(6*I*e) + 10*A*exp(4*I*e) + 5*A*exp(2*I*e) + A - I*B*exp(10*I*e) - 3*I*B*exp(8*I*e) - 2*I*B*exp(6*I*e) + 2*I*B*exp(4*I*e) + 3*I*B*exp(2*I*e) + I*B)*exp(-2*I*e)/(32*a*c**4)), True)) + x*(5*A + 3*I*B)/(32*a*c**4)

Giac [A] time = 1.43888, size = 298, normalized size = 1.65

$$\frac{12(5iA-3B)\log(\tan(fx+e)+i)}{ac^4} + \frac{12(-5iA+3B)\log(\tan(fx+e)-i)}{ac^4} + \frac{12(5A\tan(fx+e)+3iB\tan(fx+e)-7iA+5B)}{ac^4(-i\tan(fx+e)-1)} + \frac{-125iA\tan(fx+e)^4+75B\tan(fx+e)^4}{768f}$$

768 f

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^4,x, algorithm="giac")

[Out] $\frac{1}{768} \left(12(5IA - 3B) \log(\tan(fx + e) + I) / (ac^4) + 12(-5IA + 3B) \log(\tan(fx + e) - I) / (ac^4) + 12(5A \tan(fx + e) + 3IB \tan(fx + e) - 7IA + 5B) / (ac^4(-I \tan(fx + e) - 1)) + (-125IA \tan(fx + e)^4 + 75B \tan(fx + e)^4 + 596A \tan(fx + e)^3 + 348IB \tan(fx + e)^3 + 1110IA \tan(fx + e)^2 - 618B \tan(fx + e)^2 - 996A \tan(fx + e) - 492IB \tan(fx + e) - 405IA + 99B) / (ac^4(\tan(fx + e) + I)^4) \right) / f$

$$3.715 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^n}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=115

$$\frac{(B(n+2) + iA(2-n))(c - ic \tan(e+fx))^n \text{Hypergeometric2F1}\left(2, n, n+1, \frac{1}{2}(1 - i \tan(e+fx))\right)}{16a^2fn} + \frac{(-B + iA)(c - ic \tan(e+fx))^n}{4a^2f(1 + i \tan(e+fx))^2}$$

[Out] ((I*A*(2 - n) + B*(2 + n))*Hypergeometric2F1[2, n, 1 + n, (1 - I*Tan[e + f*x])/2]*(c - I*c*Tan[e + f*x])^n)/(16*a^2*f*n) + ((I*A - B)*(c - I*c*Tan[e + f*x])^n)/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rubi [A] time = 0.17342, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 78, 68}

$$\frac{(B(n+2) + iA(2-n))(c - ic \tan(e+fx))^n {}_2F_1\left(2, n; n+1; \frac{1}{2}(1 - i \tan(e+fx))\right)}{16a^2fn} + \frac{(-B + iA)(c - ic \tan(e+fx))^n}{4a^2f(1 + i \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n)/(a + I*a*Tan[e + f*x])^2, x]

[Out] ((I*A*(2 - n) + B*(2 + n))*Hypergeometric2F1[2, n, 1 + n, (1 - I*Tan[e + f*x])/2]*(c - I*c*Tan[e + f*x])^n)/(16*a^2*f*n) + ((I*A - B)*(c - I*c*Tan[e + f*x])^n)/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^n}{(a + ia \tan(e + fx))^2} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^{-1+n}}{(a+iax)^3} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^n}{4a^2 f (1 + i \tan(e + fx))^2} + \frac{(c(A(2 - n) - iB(2 + n))) \operatorname{Subst} \left(\int \frac{1}{4f} \right)}{4f}$$

$$= \frac{(iA(2 - n) + B(2 + n)) {}_2F_1 \left(2, n; 1 + n; \frac{1}{2}(1 - i \tan(e + fx)) \right) (c - ic \tan(e + fx))^n}{16a^2 f n}$$

Mathematica [F] time = 180.002, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n)/(a + I*a*Tan[e + f*x])^2,x]

[Out] \$Aborted

Maple [F] time = 1.252, size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(fx + e))(c - ic \tan(fx + e))^n}{(a + ia \tan(fx + e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^2,x)

[Out] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{\left((A - iB)e^{(4ifx+4ie)} + 2Ae^{(2ifx+2ie)} + A + iB \right) \left(\frac{2c}{e^{(2ifx+2ie)} + 1} \right)^n e^{(-4ifx-4ie)}}{4a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] integral(1/4*((A - I*B)*e^(4*I*f*x + 4*I*e) + 2*A*e^(2*I*f*x + 2*I*e) + A + I*B)*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n*e^(-4*I*f*x - 4*I*e)/a^2, x)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^2,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^n}{(ia \tan(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^n/(I*a*tan(f*x + e) + a)^2, x)
```

$$3.716 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^5}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=194

$$\frac{c^5(-7B + iA) \tan^2(e + fx)}{2a^2f} - \frac{c^5(7A + 24iB) \tan(e + fx)}{a^2f} + \frac{16c^5(2A + 3iB)}{a^2f(-\tan(e + fx) + i)} - \frac{8c^5(-B + iA)}{a^2f(-\tan(e + fx) + i)^2} + \frac{8c^5(-B + iA)}{a^2f(-\tan(e + fx) + i)^3}$$

[Out] (8*(3*A + (7*I)*B)*c^5*x)/a^2 + (8*((3*I)*A - 7*B)*c^5*Log[Cos[e + f*x]])/(a^2*f) - (8*(I*A - B)*c^5)/(a^2*f*(I - Tan[e + f*x])^2) + (16*(2*A + (3*I)*B)*c^5)/(a^2*f*(I - Tan[e + f*x])) - ((7*A + (24*I)*B)*c^5*Tan[e + f*x])/(a^2*f) + ((I*A - 7*B)*c^5*Tan[e + f*x]^2)/(2*a^2*f) + ((I/3)*B*c^5*Tan[e + f*x]^3)/(a^2*f)

Rubi [A] time = 0.248915, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{c^5(-7B + iA) \tan^2(e + fx)}{2a^2f} - \frac{c^5(7A + 24iB) \tan(e + fx)}{a^2f} + \frac{16c^5(2A + 3iB)}{a^2f(-\tan(e + fx) + i)} - \frac{8c^5(-B + iA)}{a^2f(-\tan(e + fx) + i)^2} + \frac{8c^5(-B + iA)}{a^2f(-\tan(e + fx) + i)^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5)/(a + I*a*Tan[e + f*x])^2, x]

[Out] (8*(3*A + (7*I)*B)*c^5*x)/a^2 + (8*((3*I)*A - 7*B)*c^5*Log[Cos[e + f*x]])/(a^2*f) - (8*(I*A - B)*c^5)/(a^2*f*(I - Tan[e + f*x])^2) + (16*(2*A + (3*I)*B)*c^5)/(a^2*f*(I - Tan[e + f*x])) - ((7*A + (24*I)*B)*c^5*Tan[e + f*x])/(a^2*f) + ((I*A - 7*B)*c^5*Tan[e + f*x]^2)/(2*a^2*f) + ((I/3)*B*c^5*Tan[e + f*x]^3)/(a^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^5}{(a + ia \tan(e + fx))^2} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^4}{(a+iax)^3} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(-\frac{(7A+24iB)c^4}{a^3} + \frac{i(A+7iB)c^4x}{a^3} + \frac{iBc^4x^2}{a^3} + \frac{16i(A+iB)c^4}{a^3(-i+x)^3} + \frac{16(2A+3iB)c^4}{a^3(-i+x)^3} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{8(3A + 7iB)c^5x}{a^2} + \frac{8(3iA - 7B)c^5 \log(\cos(e + fx))}{a^2f} - \frac{8(iA - B)c^5}{a^2f(i - \tan(e + fx))}$$

Mathematica [B] time = 11.1381, size = 1357, normalized size = 6.99

$$\frac{4(5B - 3iA) \cos(2fx) \sec(e + fx) (\cos(fx) + i \sin(fx))^2 (A + B \tan(e + fx))^5}{f(A \cos(e + fx) + B \sin(e + fx))(i \tan(e + fx)a + a)^2} - \frac{4(3A + 5iB) \sec(e + fx) (\cos(fx) + i \sin(fx))}{f(A \cos(e + fx) + B \sin(e + fx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5)/(a + I*a*Tan[e + f*x])^2,x]

[Out] (4*((-3*I)*A + 5*B)*c^5*Cos[2*f*x]*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e + f*x]*(3*A*c^5*Cos[e] + (7*I)*B*c^5*Cos[e] + (3*I)*A*c^5*Sin[e] - 7*B*c^5*Sin[e])*(8*ArcTan[Tan[f*x]]*Cos[e] + (8*I)*ArcTan[Tan[f*x]]*Sin[e]))*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e + f*x]*(3*A*c^5*Cos[e] + (7*I)*B*c^5*Cos[e] + (3*I)*A*c^5*Sin[e] - 7*B*c^5*Sin[e]))*(4*I*Cos[e]*Log[Cos[e + f*x]^2] - 4*Log[Cos[e + f*x]^2]*Sin[e])*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e]*Sec[e + f*x]^3*(3*A*Cos[e] + (21*I)*B*Cos[e] + 2*B*Sin[e]))*(I/6)*c^5*Cos[2*e] - (c^5*Sin[2*e])/6)*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + ((A + I*B)*Cos[4*f*x]*Sec[e + f*x]*((2*I)*c^5*Cos[2*e] + 2*c^5*Sin[2*e]))*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + ((3*A + (7*I)*B)*Sec[e + f*x]*(8*c^5*f*x*Cos[2*e] + (8*I)*c^5*f*x*Sin[2*e]))*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) - (4*(3*A + (5*I)*B)*c^5*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*Sin[2*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + ((A + I*B)*Sec[e + f*x]*(2*c^5*Cos[2*e] - (2*I)*c^5*Sin[2*e]))*(Cos[f*x] + I*Sin[f*x])^2*Sin[4*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e]*Sec[e + f*x]^2*(Cos[f*x] + I*Sin[f*x])^2*(((-21*I)/2)*A*c^5*Cos[2*e - f*x] + (73*B*c^5*Cos[2*e - f*x])/2 + ((21*I)/2)*A*c^5*Cos[2*e + f*x] - (73*B*c^5*Cos[2*e + f*x])/2 + (21*A*c^5*Sin[2*e - f*x])/2 + ((73*I)/2)*B*c^5*Sin[2*e - f*x] - (21*A*c^5*Sin[2*e + f*x])/2 - ((73*I)/2)*B*c^5*Sin[2*e + f*x]))*(A + B*Tan[e + f*x]))/(3*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (x*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*(-4*A*c^5 - (56*I)*B*c^5 - (24*I)*A*c^5*Tan[e] + 56*B*c^5*Tan[e] + ((-3*I)*A + 7*B)*(8*c^5*Cos[2*e] + (8*I)*c^5*Sin[2*e])*Tan[e]))*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2)

Maple [A] time = 0.06, size = 240, normalized size = 1.2

$$\frac{\frac{i}{3}Bc^5(\tan(fx+e))^3}{a^2f} + \frac{\frac{i}{2}c^5A(\tan(fx+e))^2}{a^2f} - \frac{24ic^5B\tan(fx+e)}{a^2f} - \frac{7Bc^5(\tan(fx+e))^2}{2a^2f} - 7\frac{Ac^5\tan(fx+e)}{a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^2,x)

[Out] $\frac{1}{3}I*B*c^5*\tan(f*x+e)^3/a^2/f + \frac{1}{2}I/f*c^5/a^2*A*\tan(f*x+e)^2 - 24*I/f*c^5/a^2*B*\tan(f*x+e) - 7/2/f*c^5/a^2*B*\tan(f*x+e)^2 - 7/f*c^5/a^2*A*\tan(f*x+e) - 48*I/f*c^5/a^2/(tan(f*x+e)-I)*B - 32/f*c^5/a^2/(tan(f*x+e)-I)*A - 8*I/f*c^5/a^2/(tan(f*x+e)-I)^2*A + 8/f*c^5/a^2/(tan(f*x+e)-I)^2*B - 24*I/f*c^5/a^2*A*\ln(tan(f*x+e)-I) + 56/f*c^5/a^2*B*\ln(tan(f*x+e)-I)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.16834, size = 898, normalized size = 4.63

$$48(3A+7iB)c^5fxe^{(10ifx+10ie)} + (-18iA+42B)c^5e^{(2ifx+2ie)} + (6iA-6B)c^5 + (144(3A+7iB)c^5fx + (-72iA+168B)c^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{3}*(48*(3*A+7*I*B)*c^5*f*x*e^{(10*I*f*x+10*I*e)} + (-18*I*A+42*B)*c^5*e^{(2*I*f*x+2*I*e)} + (6*I*A-6*B)*c^5 + (144*(3*A+7*I*B)*c^5*f*x + (-72*I*A+168*B)*c^5)*e^{(8*I*f*x+8*I*e)} + (144*(3*A+7*I*B)*c^5*f*x + (-180*I*A+420*B)*c^5)*e^{(6*I*f*x+6*I*e)} + (48*(3*A+7*I*B)*c^5*f*x + (-132*I*A+308*B)*c^5)*e^{(4*I*f*x+4*I*e)} + ((72*I*A-168*B)*c^5*e^{(10*I*f*x+10*I*e)} + (216*I*A-504*B)*c^5*e^{(8*I*f*x+8*I*e)} + (216*I*A-504*B)*c^5*e^{(6*I*f*x+6*I*e)} + (72*I*A-168*B)*c^5*e^{(4*I*f*x+4*I*e)})*\log(e^{(2*I*f*x+2*I*e)}+1)/(a^2*f*e^{(10*I*f*x+10*I*e)}+3*a^2*f*e^{(8*I*f*x+8*I*e)}+3*a^2*f*e^{(6*I*f*x+6*I*e)}+a^2*f*e^{(4*I*f*x+4*I*e)})$

Sympy [A] time = 14.6862, size = 389, normalized size = 2.01

$$\frac{\frac{(12iAc^5-36Bc^5)e^{-2ie}e^{4ifx}}{a^2f} - \frac{(26iAc^5-82Bc^5)e^{-4ie}e^{2ifx}}{a^2f} - \frac{(42iAc^5-146Bc^5)e^{-6ie}}{3a^2f}}{e^{6ifx} + 3e^{-2ie}e^{4ifx} + 3e^{-4ie}e^{2ifx} + e^{-6ie}} + \frac{c^5(24iA-56B)\log(e^{2ifx}+e^{-2ie})}{a^2f} + \frac{\left\{ \begin{array}{l} 48Ac^5xe^{4ie} \\ x(48Ac^5e^{4ie}) \end{array} \right.}{a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**5/(a+I*a*tan(f*x+e))**2,x)

[Out]
$$\begin{aligned} & -(12IAc^5 - 36Bc^5)\exp(-2Ie)\exp(4Ifx)/(a^2f) - (26IAc^5 - 82Bc^5)\exp(-4Ie)\exp(2Ifx)/(a^2f) - (42IAc^5 - 146Bc^5)\exp(-6Ie)/(3a^2f) \\ & /(\exp(6Ifx) + 3\exp(-2Ie)\exp(4Ifx) + 3\exp(-4Ie)\exp(2Ifx) + \exp(-6Ie)) + c^5(24IA - 56B)\log(\exp(2Ifx) + \exp(-2Ie))/(a^2f) \\ & + \text{Piecewise}((48Ac^5x\exp(4Ie) - 12IAc^5\exp(2Ie)\exp(-2Ifx)/f + 2IAc^5\exp(-4Ifx)/f + 112IBc^5x\exp(4Ie) \\ & + 20Bc^5\exp(2Ie)\exp(-2Ifx)/f - 2Bc^5\exp(-4Ifx)/f, \text{Ne}(f, 0)), (x(48Ac^5\exp(4Ie) - 24Ac^5\exp(2Ie) + 8Ac^5 + 112IBc^5\exp(4Ie) - 40IBc^5\exp(2Ie) + 8IBc^5), \text{True}))\exp(-4Ie)/a^2 \end{aligned}$$

Giac [B] time = 1.88084, size = 698, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -2/3(24(3IAc^5 - 7Bc^5)\log(\tan(1/2fx + 1/2e) - I)/a^2 - 12(3IAc^5 - 7Bc^5)\log(\text{abs}(\tan(1/2fx + 1/2e) + 1))/a^2 + 12(-3IAc^5 + 7Bc^5)\log(\text{abs}(\tan(1/2fx + 1/2e) - 1))/a^2 \\ & + (66IAc^5\tan(1/2fx + 1/2e)^6 - 154Bc^5\tan(1/2fx + 1/2e)^6 - 21Ac^5\tan(1/2fx + 1/2e)^5 - 72IBc^5\tan(1/2fx + 1/2e)^5 - 201IAc^5\tan(1/2fx + 1/2e)^4 \\ & + 483Bc^5\tan(1/2fx + 1/2e)^4 + 42Ac^5\tan(1/2fx + 1/2e)^3 + 148IBc^5\tan(1/2fx + 1/2e)^3 + 201IAc^5\tan(1/2fx + 1/2e)^2 - 483Bc^5\tan(1/2fx + 1/2e)^2 \\ & - 21Ac^5\tan(1/2fx + 1/2e) - 72IBc^5\tan(1/2fx + 1/2e) - 66IAc^5 + 154Bc^5)/((\tan(1/2fx + 1/2e)^2 - 1)^3a^2) \\ & + (-150IAc^5\tan(1/2fx + 1/2e)^4 + 350Bc^5\tan(1/2fx + 1/2e)^4 - 648Ac^5\tan(1/2fx + 1/2e)^3 - 1496IBc^5\tan(1/2fx + 1/2e)^3 \\ & + 1044IAc^5\tan(1/2fx + 1/2e)^2 - 2340Bc^5\tan(1/2fx + 1/2e)^2 + 648Ac^5\tan(1/2fx + 1/2e) + 1496IBc^5\tan(1/2fx + 1/2e) - 150IAc^5 + 350Bc^5)/(a^2(\tan(1/2fx + 1/2e) - I)^4)/f \end{aligned}$$

$$3.717 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^4}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=158

$$-\frac{c^4(A+6iB) \tan(e+fx)}{a^2 f} + \frac{4c^4(3A+5iB)}{a^2 f(-\tan(e+fx)+i)} - \frac{4c^4(-B+iA)}{a^2 f(-\tan(e+fx)+i)^2} + \frac{6c^4(-3B+iA) \log(\cos(e+fx))}{a^2 f} + \frac{6c^4(-3B+iA) \log(\cos(e+fx))}{a^2 f} + \frac{6c^4(-3B+iA) \log(\cos(e+fx))}{a^2 f}$$

```
[Out] (6*(A + (3*I)*B)*c^4*x)/a^2 + (6*(I*A - 3*B)*c^4*Log[Cos[e + f*x]])/(a^2*f)
- (4*(I*A - B)*c^4)/(a^2*f*(I - Tan[e + f*x])^2) + (4*(3*A + (5*I)*B)*c^4)
/(a^2*f*(I - Tan[e + f*x])) - ((A + (6*I)*B)*c^4*Tan[e + f*x])/(a^2*f) - (B
*c^4*Tan[e + f*x]^2)/(2*a^2*f)
```

Rubi [A] time = 0.210053, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$-\frac{c^4(A+6iB) \tan(e+fx)}{a^2 f} + \frac{4c^4(3A+5iB)}{a^2 f(-\tan(e+fx)+i)} - \frac{4c^4(-B+iA)}{a^2 f(-\tan(e+fx)+i)^2} + \frac{6c^4(-3B+iA) \log(\cos(e+fx))}{a^2 f} + \frac{6c^4(-3B+iA) \log(\cos(e+fx))}{a^2 f} + \frac{6c^4(-3B+iA) \log(\cos(e+fx))}{a^2 f}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4)/(a + I*a*Tan[e + f*x])^2, x]
```

```
[Out] (6*(A + (3*I)*B)*c^4*x)/a^2 + (6*(I*A - 3*B)*c^4*Log[Cos[e + f*x]])/(a^2*f)
- (4*(I*A - B)*c^4)/(a^2*f*(I - Tan[e + f*x])^2) + (4*(3*A + (5*I)*B)*c^4)
/(a^2*f*(I - Tan[e + f*x])) - ((A + (6*I)*B)*c^4*Tan[e + f*x])/(a^2*f) - (B
*c^4*Tan[e + f*x]^2)/(2*a^2*f)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 77

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_
.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0]
&& ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p +
5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,
c, d, e, f])))
```

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^4}{(a + ia \tan(e + fx))^2} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^3}{(a+iax)^3} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(-\frac{(A+6iB)c^3}{a^3} - \frac{Bc^3x}{a^3} + \frac{8i(A+iB)c^3}{a^3(-i+x)^3} + \frac{4(3A+5iB)c^3}{a^3(-i+x)^2} + \frac{6(-iA+3B)c^3}{a^3(-i+x)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{6(A + 3iB)c^4x}{a^2} + \frac{6(iA - 3B)c^4 \log(\cos(e + fx))}{a^2f} - \frac{4(iA - B)c^4}{a^2f(i - \tan(e + fx))}$$

Mathematica [B] time = 9.05899, size = 1079, normalized size = 6.83

$$c^4 \left(\frac{\left(-\frac{1}{2}B \cos(2e) - \frac{1}{2}iB \sin(2e) \right) (\cos(fx) + i \sin(fx))^2 (A + B \tan(e + fx)) \sec^3(e + fx)}{f(A \cos(e + fx) + B \sin(e + fx))(i \tan(e + fx)a + a)^2} + \frac{\sec(e)(\cos(fx) + i \sin(fx))^2}{f} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4)/(a + I*a*Tan[e + f*x])^2,x]

[Out] c^4*((4*((-I)*A + 2*B)*Cos[2*f*x]*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e + f*x]*(A*Cos[e] + (3*I)*B*Cos[e] + I*A*Sin[e] - 3*B*Sin[e]))*(6*ArcTan[Tan[f*x]]*Cos[e] + (6*I)*ArcTan[Tan[f*x]]*Sin[e])*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e + f*x]*(A*Cos[e] + (3*I)*B*Cos[e] + I*A*Sin[e] - 3*B*Sin[e]))*((3*I)*Cos[e]*Log[Cos[e + f*x]^2] - 3*Log[Cos[e + f*x]^2]*Sin[e])*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + ((A + I*B)*Cos[4*f*x]*Sec[e + f*x]*(I*Cos[2*e] + Sin[2*e])*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e + f*x]^3*(-(B*Cos[2*e])/2 - (I/2)*B*Sin[2*e])*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + ((A + (3*I)*B)*Sec[e + f*x]*(6*f*x*Cos[2*e] + (6*I)*f*x*Sin[2*e])*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) - (4*(A + (2*I)*B)*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*Sin[2*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + ((A + I*B)*Sec[e + f*x]*(Cos[2*e] - I*Sin[2*e])*(Cos[f*x] + I*Sin[f*x])^2*Sin[4*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (Sec[e]*Sec[e + f*x]^2*(Cos[f*x] + I*Sin[f*x])^2*((-I/2)*A*Cos[2*e - f*x] + 3*B*Cos[2*e - f*x] + (I/2)*A*Cos[2*e + f*x] - 3*B*Cos[2*e + f*x] + (A*Sin[2*e - f*x])/2 + (3*I)*B*Sin[2*e - f*x] - (A*Sin[2*e + f*x])/2 - (3*I)*B*Sin[2*e + f*x])*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2) + (x*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*(-6*A - (18*I)*B - (6*I)*A*Tan[e] + 18*B*Tan[e] + ((-I)*A + 3*B)*(6*Cos[2*e] + (6*I)*Sin[2*e])*Tan[e])*(A + B*Tan[e + f*x]))/((A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2))

Maple [A] time = 0.043, size = 198, normalized size = 1.3

$$-\frac{Bc^4(\tan(fx + e))^2}{2a^2f} - \frac{6ic^4B \tan(fx + e)}{a^2f} - \frac{Ac^4 \tan(fx + e)}{a^2f} - \frac{20ic^4B}{a^2f(\tan(fx + e) - i)} - 12 \frac{Ac^4}{a^2f(\tan(fx + e) - i)} - \frac{6}{a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^2,x)`

[Out]
$$-1/2*B*c^4*\tan(f*x+e)^2/a^2/f-6*I/f*c^4/a^2*B*\tan(f*x+e)-1/f*c^4/a^2*A*\tan(f*x+e)-20*I/f*c^4/a^2/(\tan(f*x+e)-I)*B-12/f*c^4/a^2/(\tan(f*x+e)-I)*A-6*I/f*c^4/a^2*A*\ln(\tan(f*x+e)-I)+18/f*c^4/a^2*B*\ln(\tan(f*x+e)-I)-4*I/f*c^4/a^2/(\tan(f*x+e)-I)^2*A+4/f*c^4/a^2/(\tan(f*x+e)-I)^2*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.06549, size = 651, normalized size = 4.12

$$\frac{12(A+3iB)c^4fxe^{(8ifx+8ie)} + (-2iA+6B)c^4e^{(2ifx+2ie)} + (iA-B)c^4 + (24(A+3iB)c^4fx + (-6iA+18B)c^4)e^{(6ifx+6ie)}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")`

[Out]
$$(12*(A+3*I*B)*c^4*f*x*e^{(8*I*f*x+8*I*e)} + (-2*I*A+6*B)*c^4*e^{(2*I*f*x+2*I*e)} + (I*A-B)*c^4 + (24*(A+3*I*B)*c^4*f*x + (-6*I*A+18*B)*c^4)*e^{(6*I*f*x+6*I*e)} + (12*(A+3*I*B)*c^4*f*x + (-9*I*A+27*B)*c^4)*e^{(4*I*f*x+4*I*e)} + ((6*I*A-18*B)*c^4*e^{(8*I*f*x+8*I*e)} + (12*I*A-36*B)*c^4*e^{(6*I*f*x+6*I*e)} + (6*I*A-18*B)*c^4*e^{(4*I*f*x+4*I*e)})*\log(e^{(2*I*f*x+2*I*e)}+1))/(a^2*f*e^{(8*I*f*x+8*I*e)}+2*a^2*f*e^{(6*I*f*x+6*I*e)}+a^2*f*e^{(4*I*f*x+4*I*e)})$$

Sympy [A] time = 8.28398, size = 332, normalized size = 2.1

$$\frac{\frac{(2iAc^4-12Bc^4)e^{-4ie}}{a^2f} - \frac{(2iAc^4-10Bc^4)e^{-2ie}e^{2ifx}}{a^2f}}{e^{4ifx} + 2e^{-2ie}e^{2ifx} + e^{-4ie}} + \frac{6c^4(iA-3B)\log(e^{2ifx} + e^{-2ie})}{a^2f} + \frac{\left\{ \begin{array}{l} 12Ac^4xe^{4ie} - \frac{4iAc^4e^{2ie}e^{-2ifx}}{f} + \frac{iAc^4e^{-4ifx}}{f} \\ x(12Ac^4e^{4ie} - 8Ac^4e^{2ie} + 4Ac^4 + 36iBc^4) \end{array} \right.}{a^2f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**4/(a+I*a*tan(f*x+e))**2,x)`

[Out]
$$(-2*I*A*c**4 - 12*B*c**4)*\exp(-4*I*e)/(a**2*f) - (2*I*A*c**4 - 10*B*c**4)*\exp(-2*I*e)*\exp(2*I*f*x)/(a**2*f)/(\exp(4*I*f*x) + 2*\exp(-2*I*e)*\exp(2*I*f*x))$$

$x) + \exp(-4Ie)) + 6c^{**4}(IA - 3B) \cdot \log(\exp(2Ifx) + \exp(-2Ie)) / (a^{**2}f) + \text{Piecewise}((12A^{**4}x \cdot \exp(4Ie) - 4IA^{**4} \cdot \exp(2Ie) \cdot \exp(-2Ifx) / f + IA^{**4} \cdot \exp(-4Ifx) / f + 36IB^{**4}x \cdot \exp(4Ie) + 8B^{**4} \cdot \exp(2Ie) \cdot \exp(-2Ifx) / f - B^{**4} \cdot \exp(-4Ifx) / f, \text{Ne}(f, 0)), (x(12A^{**4} \cdot \exp(4Ie) - 8A^{**4} \cdot \exp(2Ie) + 4A^{**4} + 36IB^{**4} \cdot \exp(4Ie) - 16IB^{**4} \cdot \exp(2Ie) + 4IB^{**4}), \text{True})) \cdot \exp(-4Ie) / a^{**2}$

Giac [B] time = 2.09514, size = 601, normalized size = 3.8

$$\frac{12(iAc^4 - 3Bc^4) \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - i\right)}{a^2} - \frac{6(iAc^4 - 3Bc^4) \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{a^2} + \frac{6(-iAc^4 + 3Bc^4) \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{a^2} + \frac{9iAc^4 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] $-(12(IAc^4 - 3Bc^4) \cdot \log(\tan(1/2fx + 1/2e) - I) / a^2 - 6(IAc^4 - 3Bc^4) \cdot \log(\text{abs}(\tan(1/2fx + 1/2e) + 1)) / a^2 + 6(-IAc^4 + 3Bc^4) \cdot \log(\text{abs}(\tan(1/2fx + 1/2e) - 1)) / a^2 + (9IAc^4 \cdot \tan(1/2fx + 1/2e)^4 - 27Bc^4 \cdot \tan(1/2fx + 1/2e)^4 - 2A^{**4} \cdot \tan(1/2fx + 1/2e)^3 - 12IB^{**4} \cdot \tan(1/2fx + 1/2e)^3 - 18IA^{**4} \cdot \tan(1/2fx + 1/2e)^2 + 56B^{**4} \cdot \tan(1/2fx + 1/2e)^2 + 2A^{**4} \cdot \tan(1/2fx + 1/2e) + 12IB^{**4} \cdot \tan(1/2fx + 1/2e) + 9IA^{**4} - 27B^{**4}) / ((\tan(1/2fx + 1/2e)^2 - 1)^2 \cdot a^2) + (-25IA^{**4} \cdot \tan(1/2fx + 1/2e)^4 + 75B^{**4} \cdot \tan(1/2fx + 1/2e)^4 - 108A^{**4} \cdot \tan(1/2fx + 1/2e)^3 - 324IB^{**4} \cdot \tan(1/2fx + 1/2e)^3 + 182IA^{**4} \cdot \tan(1/2fx + 1/2e)^2 - 514B^{**4} \cdot \tan(1/2fx + 1/2e)^2 + 108A^{**4} \cdot \tan(1/2fx + 1/2e) + 324IB^{**4} \cdot \tan(1/2fx + 1/2e) - 25IA^{**4} + 75B^{**4}) / (a^2 \cdot (\tan(1/2fx + 1/2e) - I)^4) / f$

$$3.718 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=128

$$\frac{4c^3(A+2iB)}{a^2 f(-\tan(e+fx)+i)} - \frac{2c^3(-B+iA)}{a^2 f(-\tan(e+fx)+i)^2} + \frac{c^3(-5B+iA) \log(\cos(e+fx))}{a^2 f} + \frac{c^3 x(A+5iB)}{a^2} - \frac{iBc^3 \tan(e+fx)}{a^2 f}$$

[Out] ((A + (5*I)*B)*c^3*x)/a^2 + ((I*A - 5*B)*c^3*Log[Cos[e + f*x]])/(a^2*f) - (2*(I*A - B)*c^3)/(a^2*f*(I - Tan[e + f*x])^2) + (4*(A + (2*I)*B)*c^3)/(a^2*f*(I - Tan[e + f*x])) - (I*B*c^3*Tan[e + f*x])/(a^2*f)

Rubi [A] time = 0.180117, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{4c^3(A+2iB)}{a^2 f(-\tan(e+fx)+i)} - \frac{2c^3(-B+iA)}{a^2 f(-\tan(e+fx)+i)^2} + \frac{c^3(-5B+iA) \log(\cos(e+fx))}{a^2 f} + \frac{c^3 x(A+5iB)}{a^2} - \frac{iBc^3 \tan(e+fx)}{a^2 f}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3)/(a + I*a*Tan[e + f*x])^2, x]

[Out] ((A + (5*I)*B)*c^3*x)/a^2 + ((I*A - 5*B)*c^3*Log[Cos[e + f*x]])/(a^2*f) - (2*(I*A - B)*c^3)/(a^2*f*(I - Tan[e + f*x])^2) + (4*(A + (2*I)*B)*c^3)/(a^2*f*(I - Tan[e + f*x])) - (I*B*c^3*Tan[e + f*x])/(a^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m-1)*(c + d*x)^(n-1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{(a+ia \tan(e+fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^2}{(a+iax)^3} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(-\frac{iBc^2}{a^3} + \frac{4i(A+iB)c^2}{a^3(-i+x)^3} + \frac{4(A+2iB)c^2}{a^3(-i+x)^2} + \frac{(-iA+5B)c^2}{a^3(-i+x)}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(A+5iB)c^3 x}{a^2} + \frac{(iA-5B)c^3 \log(\cos(e+fx))}{a^2 f} - \frac{2(iA-B)c^3}{a^2 f(i-\tan(e+fx))} \end{aligned}$$

Mathematica [B] time = 6.79035, size = 413, normalized size = 3.23

$$\frac{c^3 \sec(e) \sec^2(e + fx) (\cos(fx) + i \sin(fx))^2 (i(A + 5iB) \cos^3(e) \log(\cos^2(e + fx)) + \cos(e) (\cos(2e)(2fx(A + 5iB) + (A$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3)/(a + I*a*Tan[e + f*x])^2,x]

[Out]
$$-(c^3 \sec[e] \sec[e + f*x]^2 (\cos[f*x] + I \sin[f*x])^2 (I(A + (5I)B) \cos[e]^3 \log[\cos[e + f*x]^2] - 2(A + (5I)B) \cos[e]^2 \log[\cos[e + f*x]^2] \sin[e] + 2(A + (5I)B) \operatorname{ArcTan}[\tan[f*x]] \cos[e] (\cos[2e] + I \sin[2e]) + \cos[e] (-2A f*x - (10I)B f*x - (2I)A \cos[2f*x] + 6B \cos[2f*x] - I A \log[\cos[e + f*x]^2] \sin[e]^2 + 5B \log[\cos[e + f*x]^2] \sin[e]^2 + (2I)A f*x \sin[2e] - 10B f*x \sin[2e] + A \cos[4f*x] \sin[2e] + I B \cos[4f*x] \sin[2e] - 2A \sin[2f*x] - (6I)B \sin[2f*x] - I A \sin[2e] \sin[4f*x] + B \sin[2e] \sin[4f*x] + \cos[2e] (2(A + (5I)B) f*x + I(A + I B) \cos[4f*x] + (A + I B) \sin[4f*x])) + \sec[e + f*x] (\cos[e] + I \sin[e]) (B \cos[e - f*x] - B \cos[e + f*x] + 2 \cos[e] (I(A f*x + B(-1 + (5I)f*x)) \sin[f*x] + ((-I)A + 5B) f*x \sin[2e + f*x])))) / (2a^2 f (-I + \tan[e + f*x])^2)$$

Maple [A] time = 0.044, size = 160, normalized size = 1.3

$$\frac{-iBc^3 \tan(fx + e)}{a^2 f} - \frac{8ic^3 B}{a^2 f (\tan(fx + e) - i)} - 4 \frac{Ac^3}{a^2 f (\tan(fx + e) - i)} - \frac{iAc^3 \ln(\tan(fx + e) - i)}{a^2 f} + 5 \frac{Bc^3 \ln(\tan(fx + e) - i)}{a^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^2,x)

[Out]
$$-I*B*c^3*\tan(f*x+e)/a^2/f-8*I/f*c^3/a^2/(\tan(f*x+e)-I)*B-4/f*c^3/a^2/(\tan(f*x+e)-I)*A-I/f*c^3/a^2*A*\ln(\tan(f*x+e)-I)+5/f*c^3/a^2*B*\ln(\tan(f*x+e)-I)-2*I/f*c^3/a^2/(\tan(f*x+e)-I)^2*A+2/f*c^3/a^2/(\tan(f*x+e)-I)^2*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.1135, size = 460, normalized size = 3.59

$$\frac{4(A + 5iB)c^3 f x e^{(6i f x + 6i e)} + (-iA + 5B)c^3 e^{(2i f x + 2i e)} + (iA - B)c^3 + (4(A + 5iB)c^3 f x + (-2iA + 10B)c^3) e^{(4i f x + 4i e)} + (2(a^2 f e^{(6i f x + 6i e)} + a^2 f e^{(4i f x + 4i e)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{2}*(4*(A + 5*I*B)*c^3*f*x*e^{(6*I*f*x + 6*I*e)} + (-I*A + 5*B)*c^3*e^{(2*I*f*x + 2*I*e)} + (I*A - B)*c^3 + (4*(A + 5*I*B)*c^3*f*x + (-2*I*A + 10*B)*c^3)*e^{(4*I*f*x + 4*I*e)} + ((2*I*A - 10*B)*c^3*e^{(6*I*f*x + 6*I*e)} + (2*I*A - 10*B)*c^3*e^{(4*I*f*x + 4*I*e)})*\log(e^{(2*I*f*x + 2*I*e)} + 1))/(a^2*f*e^{(6*I*f*x + 6*I*e)} + a^2*f*e^{(4*I*f*x + 4*I*e)})$

Sympy [A] time = 8.06495, size = 269, normalized size = 2.1

$$\frac{2Bc^3e^{-2ie}}{a^2f(e^{2ifx} + e^{-2ie})} + \frac{c^3(iA - 5B)\log(e^{2ifx} + e^{-2ie})}{a^2f} + \frac{\left(\begin{array}{l} 2Ac^3xe^{4ie} - \frac{iAc^3e^{2ie}e^{-2ifx}}{f} + \frac{iAc^3e^{-4ifx}}{2f} + 10iBc^3xe^{4ie} + \frac{3Bc^3e^{2ie}e^{-2ifx}}{f} \\ x(2Ac^3e^{4ie} - 2Ac^3e^{2ie} + 2Ac^3 + 10iBc^3e^{4ie} - 6iBc^3e^{2ie} + 2iBc^3) \end{array} \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^2,x)

[Out] $2*B*c**3*\exp(-2*I*e)/(a**2*f*(\exp(2*I*f*x) + \exp(-2*I*e))) + c**3*(I*A - 5*B)*\log(\exp(2*I*f*x) + \exp(-2*I*e))/(a**2*f) + \text{Piecewise}((2*A*c**3*x*\exp(4*I*e) - I*A*c**3*\exp(2*I*e)*\exp(-2*I*f*x)/f + I*A*c**3*\exp(-4*I*f*x)/(2*f) + 10*I*B*c**3*x*\exp(4*I*e) + 3*B*c**3*\exp(2*I*e)*\exp(-2*I*f*x)/f - B*c**3*\exp(-4*I*f*x)/(2*f), \text{Ne}(f, 0)), (x*(2*A*c**3*\exp(4*I*e) - 2*A*c**3*\exp(2*I*e) + 2*A*c**3 + 10*I*B*c**3*\exp(4*I*e) - 6*I*B*c**3*\exp(2*I*e) + 2*I*B*c**3), \text{True}))*\exp(-4*I*e)/a**2$

Giac [B] time = 1.94927, size = 485, normalized size = 3.79

$$\frac{12(-iAc^3+5Bc^3)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-i\right)}{a^2} + \frac{6(iAc^3-5Bc^3)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{a^2} - \frac{6(-iAc^3+5Bc^3)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{a^2} - \frac{6\left(iAc^3\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] $\frac{1}{6}*(12*(-I*A*c^3 + 5*B*c^3)*\log(\tan(1/2*f*x + 1/2*e) - I)/a^2 + 6*(I*A*c^3 - 5*B*c^3)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a^2 - 6*(-I*A*c^3 + 5*B*c^3)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a^2 - 6*(I*A*c^3*\tan(1/2*f*x + 1/2*e)^2 - 5*B*c^3*\tan(1/2*f*x + 1/2*e)^2 - 2*I*B*c^3*\tan(1/2*f*x + 1/2*e) - I*A*c^3 + 5*B*c^3)/((\tan(1/2*f*x + 1/2*e)^2 - 1)*a^2) - (-25*I*A*c^3*\tan(1/2*f*x + 1/2*e)^4 + 125*B*c^3*\tan(1/2*f*x + 1/2*e)^4 - 100*A*c^3*\tan(1/2*f*x + 1/2*e)^3 - 548*I*B*c^3*\tan(1/2*f*x + 1/2*e)^3 + 198*I*A*c^3*\tan(1/2*f*x + 1/2*e)^2 - 894*B*c^3*\tan(1/2*f*x + 1/2*e)^2 + 100*A*c^3*\tan(1/2*f*x + 1/2*e) + 548*I*B*c^3*\tan(1/2*f*x + 1/2*e) - 25*I*A*c^3 + 125*B*c^3)/(a^2*(\tan(1/2*f*x + 1/2*e) - I)^4)/f$

$$3.719 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=97

$$\frac{c^2(A+3iB)}{a^2f(-\tan(e+fx)+i)} - \frac{c^2(-B+iA)}{a^2f(-\tan(e+fx)+i)^2} - \frac{Bc^2 \log(\cos(e+fx))}{a^2f} + \frac{iBc^2x}{a^2}$$

[Out] (I*B*c^2*x)/a^2 - (B*c^2*Log[Cos[e + f*x]])/(a^2*f) - ((I*A - B)*c^2)/(a^2*f*(I - Tan[e + f*x])^2) + ((A + (3*I)*B)*c^2)/(a^2*f*(I - Tan[e + f*x]))

Rubi [A] time = 0.151759, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{c^2(A+3iB)}{a^2f(-\tan(e+fx)+i)} - \frac{c^2(-B+iA)}{a^2f(-\tan(e+fx)+i)^2} - \frac{Bc^2 \log(\cos(e+fx))}{a^2f} + \frac{iBc^2x}{a^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2)/(a + I*a*Tan[e + f*x])^2, x]

[Out] (I*B*c^2*x)/a^2 - (B*c^2*Log[Cos[e + f*x]])/(a^2*f) - ((I*A - B)*c^2)/(a^2*f*(I - Tan[e + f*x])^2) + ((A + (3*I)*B)*c^2)/(a^2*f*(I - Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{(a+ia \tan(e+fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)}{(a+iax)^3} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(\frac{2i(A+iB)c}{a^3(-i+x)^3} + \frac{(A+3iB)c}{a^3(-i+x)^2} + \frac{Bc}{a^3(-i+x)}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{iBc^2x}{a^2} - \frac{Bc^2 \log(\cos(e+fx))}{a^2f} - \frac{(iA-B)c^2}{a^2f(i-\tan(e+fx))^2} + \frac{(A+3iB)c^2}{a^2f(i-\tan(e+fx))} \end{aligned}$$

Mathematica [A] time = 2.45383, size = 140, normalized size = 1.44

$$\frac{c^2 \sec^2(e + fx) (\cos(2(e + fx)) (-iA + 2B \log(\cos^2(e + fx)) + B) - A \sin(2(e + fx)) - iB \sin(2(e + fx)) + 2iB \sin(2(e + fx)))}{4a^2 f (\tan(e + fx) - i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2)/(a + I*a*Tan[e + f*x])^2,x]

[Out] (c^2*Sec[e + f*x]^2*(-4*B + Cos[2*(e + f*x)]*((-I)*A + B + 2*B*Log[Cos[e + f*x]^2]) - A*Sin[2*(e + f*x)] - I*B*Sin[2*(e + f*x)] + (2*I)*B*Log[Cos[e + f*x]^2]*Sin[2*(e + f*x)] + 4*B*ArcTan[Tan[f*x]]*((-I)*Cos[2*(e + f*x)] + Sin[2*(e + f*x)])))/(4*a^2*f*(-I + Tan[e + f*x])^2)

Maple [A] time = 0.044, size = 116, normalized size = 1.2

$$\frac{-3ic^2B}{fa^2(\tan(fx+e)-i)} - \frac{Ac^2}{fa^2(\tan(fx+e)-i)} + \frac{Bc^2 \ln(\tan(fx+e)-i)}{fa^2} - \frac{iAc^2}{fa^2(\tan(fx+e)-i)^2} + \frac{Bc^2}{fa^2(\tan(fx+e)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^2,x)

[Out] -3*I/f*c^2/a^2/(tan(f*x+e)-I)*B-1/f*c^2/a^2/(tan(f*x+e)-I)*A+1/f*c^2/a^2*B*ln(tan(f*x+e)-I)-I/f*c^2/a^2/(tan(f*x+e)-I)^2*A+1/f*c^2/a^2/(tan(f*x+e)-I)^2*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.10993, size = 236, normalized size = 2.43

$$\frac{(8iBc^2fxe^{(4ifx+4ie)} - 4Bc^2e^{(4ifx+4ie)} \log(e^{(2ifx+2ie)} + 1) + 4Bc^2e^{(2ifx+2ie)} + (iA - B)c^2)e^{(-4ifx-4ie)}}{4a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{4}*(8*I*B*c^2*f*x*e^{(4*I*f*x + 4*I*e)} - 4*B*c^2*e^{(4*I*f*x + 4*I*e)}*\log(e^{(2*I*f*x + 2*I*e)} + 1) + 4*B*c^2*e^{(2*I*f*x + 2*I*e)} + (I*A - B)*c^2)*e^{(-4*I*f*x - 4*I*e)}/(a^2*f)$

Sympy [A] time = 1.76239, size = 207, normalized size = 2.13

$$\frac{2iBc^2x}{a^2} - \frac{Bc^2 \log(e^{2ifx} + e^{-2ie})}{a^2 f} + \begin{cases} \frac{(4Ba^2c^2fe^{4ie}e^{-2ifx} + (iAa^2c^2fe^{2ie} - Ba^2c^2fe^{2ie})e^{-4ifx})e^{-6ie}}{4a^4f^2} & \text{for } 4a^4f^2e^{6ie} \neq 0 \\ x \left(-\frac{2iBc^2}{a^2} + \frac{(Ac^2 + 2iBc^2e^{4ie} - 2iBc^2e^{2ie} + iBc^2)e^{-4ie}}{a^2} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**2/(a+I*a*tan(f*x+e))**2,x)

[Out] $2*I*B*c**2*x/a**2 - B*c**2*\log(\exp(2*I*f*x) + \exp(-2*I*e))/(a**2*f) + \text{Piecewise}(((4*B*a**2*c**2*f*\exp(4*I*e)*\exp(-2*I*f*x) + (I*A*a**2*c**2*f*\exp(2*I*e) - B*a**2*c**2*f*\exp(2*I*e))*\exp(-4*I*f*x))*\exp(-6*I*e)/(4*a**4*f**2), \text{Ne}(4*a**4*f**2*\exp(6*I*e), 0)), (x*(-2*I*B*c**2/a**2 + (A*c**2 + 2*I*B*c**2*\exp(4*I*e) - 2*I*B*c**2*\exp(2*I*e) + I*B*c**2)*\exp(-4*I*e)/a**2), \text{True}))$

Giac [B] time = 1.24559, size = 275, normalized size = 2.84

$$\frac{12Bc^2 \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - i\right)}{a^2} - \frac{6Bc^2 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{a^2} - \frac{6Bc^2 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{a^2} - \frac{25Bc^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^4 + 12Ac^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^3 - 112iBc^2}{6f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] $\frac{1}{6}*(12*B*c^2*\log(\tan(1/2*f*x + 1/2*e) - I)/a^2 - 6*B*c^2*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a^2 - 6*B*c^2*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a^2 - (25*B*c^2*\tan(1/2*f*x + 1/2*e)^4 + 12*A*c^2*\tan(1/2*f*x + 1/2*e)^3 - 112*I*B*c^2*\tan(1/2*f*x + 1/2*e)^3 - 198*B*c^2*\tan(1/2*f*x + 1/2*e)^2 - 12*A*c^2*\tan(1/2*f*x + 1/2*e) + 112*I*B*c^2*\tan(1/2*f*x + 1/2*e) + 25*B*c^2)/(a^2*(\tan(1/2*f*x + 1/2*e) - I)^4))/f$

$$3.720 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=48

$$-\frac{c(A+B \tan(e+fx))^2}{2a^2 f(-B+iA)(1+i \tan(e+fx))^2}$$

[Out] $-(c*(A + B*\text{Tan}[e + f*x])^2)/(2*a^2*(I*A - B)*f*(1 + I*\text{Tan}[e + f*x])^2)$

Rubi [A] time = 0.0813494, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 37}

$$-\frac{c(A+B \tan(e+fx))^2}{2a^2 f(-B+iA)(1+i \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])]/(a + I*a*\text{Tan}[e + f*x])^2, x]$

[Out] $-(c*(A + B*\text{Tan}[e + f*x])^2)/(2*a^2*(I*A - B)*f*(1 + I*\text{Tan}[e + f*x])^2)$

Rule 3588

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)]]^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 37

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}]/((b*c - a*d)*(m+1)), x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[m + n + 2, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{(a+ia \tan(e+fx))^2} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(a+iax)^3} dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{c(A+B \tan(e+fx))^2}{2a^2(iA-B)f(1+i \tan(e+fx))^2} \end{aligned}$$

Mathematica [A] time = 1.44238, size = 58, normalized size = 1.21

$$\frac{(c-ic \tan(e+fx))((A-3iB) \tan(e+fx)-3iA-B)}{8a^2 f(\tan(e+fx)-i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^2,x]

[Out] (((-3*I)*A - B + (A - (3*I)*B)*Tan[e + f*x])*(c - I*c*Tan[e + f*x]))/(8*a^2*f*(-I + Tan[e + f*x])^2)

Maple [A] time = 0.043, size = 46, normalized size = 1.

$$\frac{c}{fa^2} \left(\frac{-iB}{\tan(fx + e) - i} - \frac{iA - B}{2(\tan(fx + e) - i)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x)

[Out] 1/f*c/a^2*(-I*B/(tan(f*x+e)-I)-1/2*(I*A-B)/(tan(f*x+e)-I)^2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.15748, size = 116, normalized size = 2.42

$$\frac{\left((2iA + 2B)ce^{(2ifx+2ie)} + (iA - B)c \right) e^{(-4ifx-4ie)}}{8a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/8*((2*I*A + 2*B)*c*e^(2*I*f*x + 2*I*e) + (I*A - B)*c)*e^(-4*I*f*x - 4*I*e)/(a^2*f)

Sympy [A] time = 1.52294, size = 160, normalized size = 3.33

$$\begin{cases} \frac{\left((4iAa^2cfe^{2ie} - 4Ba^2cfe^{2ie})e^{-4ifx} + (8iAa^2cfe^{4ie} + 8Ba^2cfe^{4ie})e^{-2ifx} \right) e^{-6ie}}{32a^4f^2} & \text{for } 32a^4f^2e^{6ie} \neq 0 \\ \frac{x(Ace^{2ie} + Ac - iBce^{2ie} + iBc)e^{-4ie}}{2a^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))**2,x)

[Out] Piecewise((((4*I*A*a**2*c*f*exp(2*I*e) - 4*B*a**2*c*f*exp(2*I*e))*exp(-4*I*f*x) + (8*I*A*a**2*c*f*exp(4*I*e) + 8*B*a**2*c*f*exp(4*I*e))*exp(-2*I*f*x))*exp(-6*I*e)/(32*a**4*f**2), Ne(32*a**4*f**2*exp(6*I*e), 0)), (x*(A*c*exp(2*I*e) + A*c - I*B*c*exp(2*I*e) + I*B*c)*exp(-4*I*e)/(2*a**2), True))

Giac [A] time = 1.29276, size = 113, normalized size = 2.35

$$\frac{2 \left(A c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^3 - i A c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^2 - B c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right) - A c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right) \right)}{a^2 f \left(\tan \left(\frac{1}{2} f x + \frac{1}{2} e \right) - i \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] -2*(A*c*tan(1/2*f*x + 1/2*e)^3 - I*A*c*tan(1/2*f*x + 1/2*e)^2 - B*c*tan(1/2*f*x + 1/2*e)^2 - A*c*tan(1/2*f*x + 1/2*e))/(a^2*f*(tan(1/2*f*x + 1/2*e) - I)^4)

$$3.721 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=80

$$\frac{B+iA}{4f(a^2+ia^2 \tan(e+fx))} + \frac{x(A-iB)}{4a^2} + \frac{-B+iA}{4f(a+ia \tan(e+fx))^2}$$

[Out] ((A - I*B)*x)/(4*a^2) + (I*A - B)/(4*f*(a + I*a*Tan[e + f*x])^2) + (I*A + B)/(4*f*(a^2 + I*a^2*Tan[e + f*x]))

Rubi [A] time = 0.0653431, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3526, 3479, 8}

$$\frac{B+iA}{4f(a^2+ia^2 \tan(e+fx))} + \frac{x(A-iB)}{4a^2} + \frac{-B+iA}{4f(a+ia \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/(a + I*a*Tan[e + f*x])^2,x]

[Out] ((A - I*B)*x)/(4*a^2) + (I*A - B)/(4*f*(a + I*a*Tan[e + f*x])^2) + (I*A + B)/(4*f*(a^2 + I*a^2*Tan[e + f*x]))

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2} dx &= \frac{iA-B}{4f(a+ia \tan(e+fx))^2} + \frac{(A-iB) \int \frac{1}{a+ia \tan(e+fx)} dx}{2a} \\ &= \frac{iA-B}{4f(a+ia \tan(e+fx))^2} + \frac{iA+B}{4f(a^2+ia^2 \tan(e+fx))} + \frac{(A-iB) \int 1 dx}{4a^2} \\ &= \frac{(A-iB)x}{4a^2} + \frac{iA-B}{4f(a+ia \tan(e+fx))^2} + \frac{iA+B}{4f(a^2+ia^2 \tan(e+fx))} \end{aligned}$$

Mathematica [A] time = 0.503802, size = 94, normalized size = 1.18

$$\frac{\sec^2(e + fx)((4iAfx + A + 4Bfx + iB) \sin(2(e + fx)) + (A(4fx + i) + B(-1 - 4ifx)) \cos(2(e + fx)) + 4iA)}{16a^2 f (\tan(e + fx) - i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/(a + I*a*Tan[e + f*x])^2,x]

[Out] -(Sec[e + f*x]^2*((4*I)*A + (B*(-1 - (4*I)*f*x) + A*(I + 4*f*x))*Cos[2*(e + f*x)] + (A + I*B + (4*I)*A*f*x + 4*B*f*x)*Sin[2*(e + f*x)])/(16*a^2*f*(-I + Tan[e + f*x])^2)

Maple [B] time = 0.042, size = 162, normalized size = 2.

$$\frac{A}{4fa^2(\tan(fx+e)-i)} - \frac{\frac{i}{4}B}{fa^2(\tan(fx+e)-i)} - \frac{\frac{i}{8}\ln(\tan(fx+e)-i)A}{fa^2} - \frac{\ln(\tan(fx+e)-i)B}{8fa^2} - \frac{\frac{i}{4}A}{fa^2(\tan(fx+e)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x)

[Out] 1/4/f/a^2/(tan(f*x+e)-I)*A-1/4*I/f/a^2/(tan(f*x+e)-I)*B-1/8*I/f/a^2*ln(tan(f*x+e)-I)*A-1/8/f/a^2*ln(tan(f*x+e)-I)*B-1/4*I/f/a^2/(tan(f*x+e)-I)^2*A+1/4/f/a^2/(tan(f*x+e)-I)^2*B+1/8/f/a^2*B*ln(tan(f*x+e)+I)+1/8*I/f/a^2*A*ln(tan(f*x+e)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.0329, size = 150, normalized size = 1.88

$$\frac{\left(4(A-iB)fxe^{(4ifx+4ie)} + 4iAe^{(2ifx+2ie)} + iA-B\right)e^{(-4ifx-4ie)}}{16a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/16*(4*(A - I*B)*f*x*e^(4*I*f*x + 4*I*e) + 4*I*A*e^(2*I*f*x + 2*I*e) + I*A - B)*e^(-4*I*f*x - 4*I*e)/(a^2*f)

Sympy [A] time = 1.18336, size = 163, normalized size = 2.04

$$\begin{cases} \frac{(16iAa^2 f e^{4ie} e^{-2ifx} + (4iAa^2 f e^{2ie} - 4Ba^2 f e^{2ie}) e^{-4ifx}) e^{-6ie}}{64a^4 f^2} & \text{for } 64a^4 f^2 e^{6ie} \neq 0 \\ x \left(-\frac{A-iB}{4a^2} + \frac{(Ae^{4ie} + 2Ae^{2ie} + A-iB e^{4ie} + iB) e^{-4ie}}{4a^2} \right) & \text{otherwise} \end{cases} + \frac{x(A-iB)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**2,x)
```

```
[Out] Piecewise((((16*I*A*a**2*f*exp(4*I*e)*exp(-2*I*f*x) + (4*I*A*a**2*f*exp(2*I*e) - 4*B*a**2*f*exp(2*I*e))*exp(-4*I*f*x))*exp(-6*I*e)/(64*a**4*f**2), Ne(64*a**4*f**2*exp(6*I*e), 0)), (x*(-(A - I*B)/(4*a**2) + (A*exp(4*I*e) + 2*A*exp(2*I*e) + A - I*B*exp(4*I*e) + I*B)*exp(-4*I*e)/(4*a**2)), True)) + x*(A - I*B)/(4*a**2)
```

Giac [A] time = 1.34665, size = 158, normalized size = 1.98

$$\frac{2(-iA-B)\log(\tan(fx+e)+i)}{a^2} - \frac{2(-iA-B)\log(\tan(fx+e)-i)}{a^2} - \frac{3iA \tan(fx+e)^2 + 3B \tan(fx+e)^2 + 10A \tan(fx+e) - 10iB \tan(fx+e) - 11iA - 3B}{a^2(\tan(fx+e)-i)^2}$$

16 f

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")
```

```
[Out] -1/16*(2*(-I*A - B)*log(tan(f*x + e) + I)/a^2 - 2*(-I*A - B)*log(tan(f*x + e) - I)/a^2 - (3*I*A*tan(f*x + e)^2 + 3*B*tan(f*x + e)^2 + 10*A*tan(f*x + e) - 10*I*B*tan(f*x + e) - 11*I*A - 3*B)/(a^2*(tan(f*x + e) - I)^2))/f
```


$$3.722 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))} dx$$

Optimal. Leaf size=117

$$\frac{A-iB}{8a^2cf(\tan(e+fx)+i)} - \frac{-B+iA}{8a^2cf(-\tan(e+fx)+i)^2} + \frac{x(3A-iB)}{8a^2c} - \frac{A}{4a^2cf(-\tan(e+fx)+i)}$$

[Out] $((3A - I*B)*x)/(8*a^2*c) - (I*A - B)/(8*a^2*c*f*(I - \tan[e + f*x])^2) - A/(4*a^2*c*f*(I - \tan[e + f*x])) + (A - I*B)/(8*a^2*c*f*(I + \tan[e + f*x]))$

Rubi [A] time = 0.186812, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{A-iB}{8a^2cf(\tan(e+fx)+i)} - \frac{-B+iA}{8a^2cf(-\tan(e+fx)+i)^2} + \frac{x(3A-iB)}{8a^2c} - \frac{A}{4a^2cf(-\tan(e+fx)+i)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])), x]

[Out] $((3A - I*B)*x)/(8*a^2*c) - (I*A - B)/(8*a^2*c*f*(I - \tan[e + f*x])^2) - A/(4*a^2*c*f*(I - \tan[e + f*x])) + (A - I*B)/(8*a^2*c*f*(I + \tan[e + f*x]))$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^3 (c-icx)^2} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{i(A+iB)}{4a^3 c^2 (-i+x)^3} - \frac{A}{4a^3 c^2 (-i+x)^2} + \frac{-A+iB}{8a^3 c^2 (i+x)^2} + \frac{3A-iB}{8a^3 c^2 (1+x^2)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA - B}{8a^2 c f (i - \tan(e + fx))^2} - \frac{A}{4a^2 c f (i - \tan(e + fx))} + \frac{A - iB}{8a^2 c f (i + \tan(e + fx))^2}$$

$$= \frac{(3A - iB)x}{8a^2 c} - \frac{iA - B}{8a^2 c f (i - \tan(e + fx))^2} - \frac{A}{4a^2 c f (i - \tan(e + fx))} + \frac{A - iB}{8a^2 c f (i + \tan(e + fx))^2}$$

Mathematica [A] time = 2.03392, size = 129, normalized size = 1.1

$$\frac{2(A - 3iB) \cos(2(e + fx)) + (B + 3iA) \sin(3(e + fx)) \sec(e + fx) - 12Afx \tan(e + fx) + 6iA \tan(e + fx) + 12iAfx - 7}{32a^2 c f (\tan(e + fx) - i)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])),x]

[Out]
$$\frac{-(-7A + IB + (12I)Afx + 4Bfx + 2(A - (3I)B)\cos[2(e + fx)] + ((3I)A + B)\sec[e + fx]\sin[3(e + fx)] + (6I)A \tan[e + fx] - 2B \tan[e + fx] - 12Afx \tan[e + fx] + (4I)Bfx \tan[e + fx])}{(32a^2 c f (\tan[e + fx] - i))}$$

Maple [B] time = 0.089, size = 209, normalized size = 1.8

$$\frac{B}{8fa^2c(\tan(fx + e) - i)^2} - \frac{\frac{i}{8}A}{fa^2c(\tan(fx + e) - i)^2} + \frac{A}{4fa^2c(\tan(fx + e) - i)} - \frac{\frac{3i}{16} \ln(\tan(fx + e) - i)A}{fa^2c} - \frac{\ln(\tan(fx + e) - i)A}{fa^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e)),x)

[Out]
$$\frac{1}{8} \frac{B}{fa^2c} \frac{1}{(\tan(fx+e)-i)^2} - \frac{1}{8} \frac{IA}{fa^2c} \frac{1}{(\tan(fx+e)-i)^2} + \frac{A}{4fa^2c} \frac{1}{(\tan(fx+e)-i)} - \frac{3i}{16} \frac{A \ln(\tan(fx+e)-i)}{fa^2c} - \frac{A \ln(\tan(fx+e)-i)}{fa^2c} + \frac{1}{8} \frac{B}{fa^2c} \frac{1}{(\tan(fx+e)+i)^2} + \frac{1}{8} \frac{IA}{fa^2c} \frac{1}{(\tan(fx+e)+i)^2} + \frac{A}{4fa^2c} \frac{1}{(\tan(fx+e)+i)} + \frac{3i}{16} \frac{A \ln(\tan(fx+e)+i)}{fa^2c} + \frac{A \ln(\tan(fx+e)+i)}{fa^2c}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.07083, size = 216, normalized size = 1.85

$$\frac{\left(4(3A - iB)fxe^{(4ifx+4ie)} + (-2iA - 2B)e^{(6ifx+6ie)} + (6iA - 2B)e^{(2ifx+2ie)} + iA - B\right)e^{(-4ifx-4ie)}}{32a^2cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/32*(4*(3*A - I*B)*f*x*e^(4*I*f*x + 4*I*e) + (-2*I*A - 2*B)*e^(6*I*f*x + 6*I*e) + (6*I*A - 2*B)*e^(2*I*f*x + 2*I*e) + I*A - B)*e^(-4*I*f*x - 4*I*e)/(a^2*c*f)

Sympy [A] time = 2.54824, size = 298, normalized size = 2.55

$$\begin{cases} \frac{\left(\left(\left(256iAa^4c^2f^2e^{2ie}-256Ba^4c^2f^2e^{2ie}\right)e^{-4ifx}+\left(1536iAa^4c^2f^2e^{4ie}-512Ba^4c^2f^2e^{4ie}\right)e^{-2ifx}+\left(-512iAa^4c^2f^2e^{8ie}-512Ba^4c^2f^2e^{8ie}\right)e^{2ifx}\right)e^{-6ie}}{8192a^6c^3f^3} & \text{for } 8192a^6c^3 \\ x\left(-\frac{3A-iB}{8a^2c} + \frac{\left(Ae^{6ie}+3Ae^{4ie}+3Ae^{2ie}+A-iBe^{6ie}-iBe^{4ie}+iBe^{2ie}+iB\right)e^{-4ie}}{8a^2c}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e)),x)

[Out] Piecewise((((256*I*A*a**4*c**2*f**2*exp(2*I*e) - 256*B*a**4*c**2*f**2*exp(2*I*e))*exp(-4*I*f*x) + (1536*I*A*a**4*c**2*f**2*exp(4*I*e) - 512*B*a**4*c**2*f**2*exp(4*I*e))*exp(-2*I*f*x) + (-512*I*A*a**4*c**2*f**2*exp(8*I*e) - 512*B*a**4*c**2*f**2*exp(8*I*e))*exp(2*I*f*x))*exp(-6*I*e)/(8192*a**6*c**3*f**3), Ne(8192*a**6*c**3*f**3*exp(6*I*e), 0)), (x*(-(3*A - I*B)/(8*a**2*c) + (A*exp(6*I*e) + 3*A*exp(4*I*e) + 3*A*exp(2*I*e) + A - I*B*exp(6*I*e) - I*B*exp(4*I*e) + I*B*exp(2*I*e) + I*B)*exp(-4*I*e)/(8*a**2*c)), True)) + x*(3*A - I*B)/(8*a**2*c)

Giac [A] time = 1.38387, size = 228, normalized size = 1.95

$$\frac{\frac{2(3iA+B)\log(\tan(fx+e)+i)}{a^2c} + \frac{2(-3iA-B)\log(\tan(fx+e)-i)}{a^2c} - \frac{2(3A\tan(fx+e)-iB\tan(fx+e)+5iA+3B)}{a^2c(-i\tan(fx+e)+1)} + \frac{9iA\tan(fx+e)^2+3B\tan(fx+e)^2+26iA}{a^2c(\tan(fx+e)-i)^2}}{32f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e)),x, algorithm="giac")

[Out] 1/32*(2*(3*I*A + B)*log(tan(f*x + e) + I)/(a^2*c) + 2*(-3*I*A - B)*log(tan(f*x + e) - I)/(a^2*c) - 2*(3*A*tan(f*x + e) - I*B*tan(f*x + e) + 5*I*A + 3*B)/(a^2*c*(-I*tan(f*x + e) + 1)) + (9*I*A*tan(f*x + e)^2 + 3*B*tan(f*x + e)^2 + 26*A*tan(f*x + e) - 6*I*B*tan(f*x + e) - 21*I*A + B)/(a^2*c*(tan(f*x + e) - I)^2))/f

$$3.723 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^2} dx$$

Optimal. Leaf size=71

$$-\frac{\cos^4(e+fx)(B-A \tan(e+fx))}{4a^2c^2f} + \frac{3A \sin(e+fx) \cos(e+fx)}{8a^2c^2f} + \frac{3Ax}{8a^2c^2}$$

[Out] (3*A*x)/(8*a^2*c^2) + (3*A*Cos[e + f*x]*Sin[e + f*x])/(8*a^2*c^2*f) - (Cos[e + f*x]^4*(B - A*Tan[e + f*x]))/(4*a^2*c^2*f)

Rubi [A] time = 0.138077, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {3588, 73, 639, 199, 205}

$$-\frac{\cos^4(e+fx)(B-A \tan(e+fx))}{4a^2c^2f} + \frac{3A \sin(e+fx) \cos(e+fx)}{8a^2c^2f} + \frac{3Ax}{8a^2c^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^2), x]

[Out] (3*A*x)/(8*a^2*c^2) + (3*A*Cos[e + f*x]*Sin[e + f*x])/(8*a^2*c^2*f) - (Cos[e + f*x]^4*(B - A*Tan[e + f*x]))/(4*a^2*c^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 73

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m] && IntegerQ[m]

Rule 639

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(a*e - c*d*x)*(a + c*x^2)^(p + 1)/(2*a*c*(p + 1)), x] + Dist[(d*(2*p + 3))/(2*a*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 199

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^2} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^3 (c-icx)^3} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(ac+acx^2)^3} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{\cos^4(e + fx)(B - A \tan(e + fx))}{4a^2c^2f} + \frac{(3A) \operatorname{Subst} \left(\int \frac{1}{(ac+acx^2)^2} dx, x \right)}{4f} \\ &= \frac{3A \cos(e + fx) \sin(e + fx)}{8a^2c^2f} - \frac{\cos^4(e + fx)(B - A \tan(e + fx))}{4a^2c^2f} + \frac{3A \operatorname{Subst} \left(\int \frac{1}{(ac+acx^2)^2} dx, x \right)}{4f} \\ &= \frac{3Ax}{8a^2c^2} + \frac{3A \cos(e + fx) \sin(e + fx)}{8a^2c^2f} - \frac{\cos^4(e + fx)(B - A \tan(e + fx))}{4a^2c^2f} \end{aligned}$$

Mathematica [A] time = 0.124274, size = 53, normalized size = 0.75

$$\frac{A(12(e + fx) + 8 \sin(2(e + fx)) + \sin(4(e + fx))) - 8B \cos^4(e + fx)}{32a^2c^2f}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^2), x]

[Out] (-8*B*Cos[e + f*x]^4 + A*(12*(e + f*x) + 8*Sin[2*(e + f*x)] + Sin[4*(e + f*x)]))/(32*a^2*c^2*f)

Maple [C] time = 0.06, size = 236, normalized size = 3.3

$$\frac{3A}{16fa^2c^2(\tan(fx + e) - i)} + \frac{\frac{i}{16}B}{fa^2c^2(\tan(fx + e) - i)} - \frac{\frac{i}{16}A}{fa^2c^2(\tan(fx + e) - i)^2} + \frac{B}{16fa^2c^2(\tan(fx + e) - i)^2} - \frac{3}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^2,x)

[Out] 3/16/f/a^2/c^2/(tan(f*x+e)-I)*A+1/16*I/f/a^2/c^2/(tan(f*x+e)-I)*B-1/16*I/f/a^2/c^2/(tan(f*x+e)-I)^2*A+1/16/f/a^2/c^2/(tan(f*x+e)-I)^2*B-3/16*I/f/a^2/c^2*A*ln(tan(f*x+e)-I)+3/16/f/a^2/c^2/(tan(f*x+e)+I)*A-1/16*I/f/a^2/c^2/(tan(f*x+e)+I)*B+3/16*I/f/a^2/c^2*A*ln(tan(f*x+e)+I)+1/16*I/f/a^2/c^2/(tan(f*x+e)+I)^2*A+1/16/f/a^2/c^2/(tan(f*x+e)+I)^2*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [C] time = 1.1672, size = 251, normalized size = 3.54

$$\frac{\left(24 A f x e^{4 i f x+4 i e}\right)+(-i A-B) e^{8 i f x+8 i e}+(-8 i A-4 B) e^{6 i f x+6 i e}+(8 i A-4 B) e^{2 i f x+2 i e}+i A-B\right) e^{-4 i f x-4 i e}}{64 a^2 c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/64*(24*A*f*x*e^(4*I*f*x + 4*I*e) + (-I*A - B)*e^(8*I*f*x + 8*I*e) + (-8*I*A - 4*B)*e^(6*I*f*x + 6*I*e) + (8*I*A - 4*B)*e^(2*I*f*x + 2*I*e) + I*A - B)*e^(-4*I*f*x - 4*I*e)/(a^2*c^2*f)

Sympy [A] time = 3.35578, size = 362, normalized size = 5.1

$$\frac{3Ax}{8a^2c^2} + \left\{ x \left(-\frac{3A}{8a^2c^2} + \frac{(Ae^{8ie} + 4Ac^{6ie} + 6Ae^{4ie} + 4Ac^{2ie} + A - iBe^{8ie} - 2iBe^{6ie} + 2iBe^{2ie} + iB)e^{-4ie}}{16a^2c^2} \right) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^2,x)

[Out] 3*A*x/(8*a**2*c**2) + Piecewise((((16384*I*A*a**6*c**6*f**3*exp(2*I*e) - 16384*B*a**6*c**6*f**3*exp(2*I*e))*exp(-4*I*f*x) + (131072*I*A*a**6*c**6*f**3*exp(4*I*e) - 65536*B*a**6*c**6*f**3*exp(4*I*e))*exp(-2*I*f*x) + (-131072*I*A*a**6*c**6*f**3*exp(8*I*e) - 65536*B*a**6*c**6*f**3*exp(8*I*e))*exp(2*I*f*x) + (-16384*I*A*a**6*c**6*f**3*exp(10*I*e) - 16384*B*a**6*c**6*f**3*exp(10*I*e))*exp(4*I*f*x))*exp(-6*I*e)/(1048576*a**8*c**8*f**4), Ne(1048576*a**8*c**8*f**4*exp(6*I*e), 0)), (x*(-3*A/(8*a**2*c**2) + (A*exp(8*I*e) + 4*A*exp(6*I*e) + 6*A*exp(4*I*e) + 4*A*exp(2*I*e) + A - I*B*exp(8*I*e) - 2*I*B*exp(6*I*e) + 2*I*B*exp(2*I*e) + I*B)*exp(-4*I*e)/(16*a**2*c**2)), True))

Giac [A] time = 1.33025, size = 90, normalized size = 1.27

$$\frac{\frac{3(fx+e)A}{a^2c^2} + \frac{3A \tan(fx+e)^3 + 5A \tan(fx+e) - 2B}{(\tan(fx+e)^2 + 1)^2 a^2c^2}}{8f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^2,x, alg  
orithm="giac")
```

```
[Out] 1/8*(3*(f*x + e)*A/(a^2*c^2) + (3*A*tan(f*x + e)^3 + 5*A*tan(f*x + e) - 2*B  
)/((tan(f*x + e)^2 + 1)^2*a^2*c^2))/f
```

$$3.724 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^3} dx$$

Optimal. Leaf size=183

$$\frac{2A+iB}{16a^2c^3f(-\tan(e+fx)+i)} - \frac{-B+iA}{32a^2c^3f(-\tan(e+fx)+i)^2} + \frac{B+3iA}{32a^2c^3f(\tan(e+fx)+i)^2} - \frac{A-iB}{24a^2c^3f(\tan(e+fx)+i)^3} +$$

[Out] ((5*A + I*B)*x)/(16*a^2*c^3) - (I*A - B)/(32*a^2*c^3*f*(I - Tan[e + f*x])^2) - (2*A + I*B)/(16*a^2*c^3*f*(I - Tan[e + f*x])) - (A - I*B)/(24*a^2*c^3*f*(I + Tan[e + f*x])^3) + ((3*I)*A + B)/(32*a^2*c^3*f*(I + Tan[e + f*x])^2) + (3*A)/(16*a^2*c^3*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.238882, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{2A+iB}{16a^2c^3f(-\tan(e+fx)+i)} - \frac{-B+iA}{32a^2c^3f(-\tan(e+fx)+i)^2} + \frac{B+3iA}{32a^2c^3f(\tan(e+fx)+i)^2} - \frac{A-iB}{24a^2c^3f(\tan(e+fx)+i)^3} +$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^3), x]

[Out] ((5*A + I*B)*x)/(16*a^2*c^3) - (I*A - B)/(32*a^2*c^3*f*(I - Tan[e + f*x])^2) - (2*A + I*B)/(16*a^2*c^3*f*(I - Tan[e + f*x])) - (A - I*B)/(24*a^2*c^3*f*(I + Tan[e + f*x])^3) + ((3*I)*A + B)/(32*a^2*c^3*f*(I + Tan[e + f*x])^2) + (3*A)/(16*a^2*c^3*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^3 (c-icx)^4} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{i(A+iB)}{16a^3 c^4 (-i+x)^3} + \frac{-2A-iB}{16a^3 c^4 (-i+x)^2} + \frac{A-iB}{8a^3 c^4 (i+x)^4} - \frac{i(3A-iB)}{16a^3 c^4 (i+x)^3} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA - B}{32a^2 c^3 f (i - \tan(e + fx))^2} - \frac{2A + iB}{16a^2 c^3 f (i - \tan(e + fx))} - \frac{24a^2 c^3 f}{16a^2 c^3}$$

$$= \frac{(5A + iB)x}{16a^2 c^3} - \frac{iA - B}{32a^2 c^3 f (i - \tan(e + fx))^2} - \frac{2A + iB}{16a^2 c^3 f (i - \tan(e + fx))}$$

Mathematica [A] time = 2.16704, size = 217, normalized size = 1.19

$$\frac{\sec^2(e + fx)(\cos(3(e + fx)) + i \sin(3(e + fx)))(12(A(-10fx + 5i) - 2iBfx + B) \cos(e + fx) + 3(9B - 5iA) \cos(3(e + fx)))}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^3), x]

[Out] (Sec[e + f*x]^2*(Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)])*(12*(B - (2*I)*B*f*x + A*(5*I - 10*f*x))*Cos[e + f*x] + 3*((-5*I)*A + 9*B)*Cos[3*(e + f*x)] - I*A*Cos[5*(e + f*x)] + 5*B*Cos[5*(e + f*x)] - 60*A*Sin[e + f*x] + (12*I)*B*Sin[e + f*x] + (120*I)*A*f*x*Sin[e + f*x] - 24*B*f*x*Sin[e + f*x] - 45*A*Sin[3*(e + f*x)] - (9*I)*B*Sin[3*(e + f*x)] - 5*A*Sin[5*(e + f*x)] - I*B*Sin[5*(e + f*x)])/(384*a^2*c^3*f*(-I + Tan[e + f*x])^2)

Maple [A] time = 0.075, size = 303, normalized size = 1.7

$$\frac{\frac{i}{16}B}{fa^2c^3(\tan(fx + e) - i)} + \frac{A}{8fa^2c^3(\tan(fx + e) - i)} + \frac{B}{32fa^2c^3(\tan(fx + e) - i)^2} - \frac{\frac{i}{32}A}{fa^2c^3(\tan(fx + e) - i)^2} - \frac{5i}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^3,x)

[Out] 1/16*I/f/a^2/c^3/(tan(f*x+e)-I)*B+1/8/f/a^2/c^3/(tan(f*x+e)-I)*A+1/32/f/a^2/c^3/(tan(f*x+e)-I)^2*B-1/32*I/f/a^2/c^3/(tan(f*x+e)-I)^2*A-5/32*I/f/a^2/c^3*ln(tan(f*x+e)-I)*A+1/32/f/a^2/c^3*ln(tan(f*x+e)-I)*B+3/16*A/a^2/c^3/f/(tan(f*x+e)+I)+5/32*I/f/a^2/c^3*ln(tan(f*x+e)+I)*A-1/32/f/a^2/c^3*ln(tan(f*x+e)+I)*B-1/24/f/a^2/c^3/(tan(f*x+e)+I)^3*A+1/24*I/f/a^2/c^3/(tan(f*x+e)+I)^3*B+3/32*I/f/a^2/c^3/(tan(f*x+e)+I)^2*A+1/32/f/a^2/c^3/(tan(f*x+e)+I)^2*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.11237, size = 336, normalized size = 1.84

$$\frac{\left(24(5A + iB)fxe^{(4ifx+4ie)} + (-2iA - 2B)e^{(10ifx+10ie)} + (-15iA - 9B)e^{(8ifx+8ie)} + (-60iA - 12B)e^{(6ifx+6ie)} + (30iA - 18B)e^{(2ifx+2ie)} + 3iA - 3B\right)e^{-4ifx}}{384a^2c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/384*(24*(5*A + I*B)*f*x*e^(4*I*f*x + 4*I*e) + (-2*I*A - 2*B)*e^(10*I*f*x + 10*I*e) + (-15*I*A - 9*B)*e^(8*I*f*x + 8*I*e) + (-60*I*A - 12*B)*e^(6*I*f*x + 6*I*e) + (30*I*A - 18*B)*e^(2*I*f*x + 2*I*e) + 3*I*A - 3*B)*e^(-4*I*f*x - 4*I*e)/(a^2*c^3*f)

Sympy [A] time = 4.87608, size = 456, normalized size = 2.49

$$\left\{ \frac{\left((50331648iAa^8c^{12}f^4e^{2ie} - 50331648Ba^8c^{12}f^4e^{2ie})e^{-4ifx} + (503316480iAa^8c^{12}f^4e^{4ie} - 301989888Ba^8c^{12}f^4e^{4ie})e^{-2ifx} + (-1006632960iAa^8c^{12}f^4e^{8ie} - 201326592Ba^8c^{12}f^4e^{8ie})e^{-ifx} + (6442450944a^{10}c^{15})e^{-6ifx} \right)}{6442450944a^{10}c^{15}}, x \left(-\frac{5A+iB}{16a^2c^3} + \frac{(Ae^{10ie}+5Ae^{8ie}+10Ae^{6ie}+10Ae^{4ie}+5Ae^{2ie}+A-iBe^{10ie}-3iBe^{8ie}-2iBe^{6ie}+2iBe^{4ie}+3iBe^{2ie}+iB)e^{-4ie}}{32a^2c^3} \right) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**2/(c-I*c*tan(f*x+e))**3,x)

[Out] Piecewise((((50331648*I*A*a**8*c**12*f**4*exp(2*I*e) - 50331648*B*a**8*c**12*f**4*exp(2*I*e))*exp(-4*I*f*x) + (503316480*I*A*a**8*c**12*f**4*exp(4*I*e) - 301989888*B*a**8*c**12*f**4*exp(4*I*e))*exp(-2*I*f*x) + (-1006632960*I*A*a**8*c**12*f**4*exp(8*I*e) - 201326592*B*a**8*c**12*f**4*exp(8*I*e))*exp(2*I*f*x) + (-251658240*I*A*a**8*c**12*f**4*exp(10*I*e) - 150994944*B*a**8*c**12*f**4*exp(10*I*e))*exp(4*I*f*x) + (-33554432*I*A*a**8*c**12*f**4*exp(12*I*e) - 33554432*B*a**8*c**12*f**4*exp(12*I*e))*exp(6*I*f*x))*exp(-6*I*e)/(6442450944*a**10*c**15*f**5), Ne(6442450944*a**10*c**15*f**5*exp(6*I*e), 0)), (x*(-(5*A + I*B)/(16*a**2*c**3) + (A*exp(10*I*e) + 5*A*exp(8*I*e) + 10*A*exp(6*I*e) + 10*A*exp(4*I*e) + 5*A*exp(2*I*e) + A - I*B*exp(10*I*e) - 3*I*B*exp(8*I*e) - 2*I*B*exp(6*I*e) + 2*I*B*exp(4*I*e) + 3*I*B*exp(2*I*e) + I*B)*exp(-4*I*e)/(32*a**2*c**3)), True)) + x*(5*A + I*B)/(16*a**2*c**3)

Giac [A] time = 1.39957, size = 296, normalized size = 1.62

$$\frac{6(-5iA+B)\log(\tan(fx+e)+i)}{a^2c^3} + \frac{6(5iA-B)\log(\tan(fx+e)-i)}{a^2c^3} + \frac{3\left(15iA\tan(fx+e)^2-3B\tan(fx+e)^2+38A\tan(fx+e)+10iB\tan(fx+e)-25iA+9B\right)}{a^2c^3(i\tan(fx+e)+1)^2} + \frac{192f}{a^2c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^3,x, algorithm="giac")

[Out]
$$\frac{-1/192*(6*(-5*I*A + B)*\log(\tan(f*x + e) + I)/(a^2*c^3) + 6*(5*I*A - B)*\log(\tan(f*x + e) - I)/(a^2*c^3) + 3*(15*I*A*\tan(f*x + e)^2 - 3*B*\tan(f*x + e)^2 + 38*A*\tan(f*x + e) + 10*I*B*\tan(f*x + e) - 25*I*A + 9*B)/(a^2*c^3*(I*\tan(f*x + e) + 1)^2) + (55*I*A*\tan(f*x + e)^3 - 11*B*\tan(f*x + e)^3 - 201*A*\tan(f*x + e)^2 - 33*I*B*\tan(f*x + e)^2 - 255*I*A*\tan(f*x + e) + 27*B*\tan(f*x + e) + 117*A - 3*I*B)/(a^2*c^3*(\tan(f*x + e) + I)^3))/f}$$

$$3.725 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^4} dx$$

Optimal. Leaf size=221

$$\frac{5A + 3iB}{64a^2c^4f(-\tan(e+fx)+i)} + \frac{5A + iB}{32a^2c^4f(\tan(e+fx)+i)} - \frac{-B + iA}{64a^2c^4f(-\tan(e+fx)+i)^2} - \frac{3A - iB}{48a^2c^4f(\tan(e+fx)+i)^3}$$

[Out] (5*(3*A + I*B)*x)/(64*a^2*c^4) - (I*A - B)/(64*a^2*c^4*f*(I - Tan[e + f*x])^2) - (5*A + (3*I)*B)/(64*a^2*c^4*f*(I - Tan[e + f*x])) - (I*A + B)/(32*a^2*c^4*f*(I + Tan[e + f*x])^4) - (3*A - I*B)/(48*a^2*c^4*f*(I + Tan[e + f*x])^3) + (((3*I)/32)*A)/(a^2*c^4*f*(I + Tan[e + f*x])^2) + (5*A + I*B)/(32*a^2*c^4*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.26789, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{5A + 3iB}{64a^2c^4f(-\tan(e+fx)+i)} + \frac{5A + iB}{32a^2c^4f(\tan(e+fx)+i)} - \frac{-B + iA}{64a^2c^4f(-\tan(e+fx)+i)^2} - \frac{3A - iB}{48a^2c^4f(\tan(e+fx)+i)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^4), x]

[Out] (5*(3*A + I*B)*x)/(64*a^2*c^4) - (I*A - B)/(64*a^2*c^4*f*(I - Tan[e + f*x])^2) - (5*A + (3*I)*B)/(64*a^2*c^4*f*(I - Tan[e + f*x])) - (I*A + B)/(32*a^2*c^4*f*(I + Tan[e + f*x])^4) - (3*A - I*B)/(48*a^2*c^4*f*(I + Tan[e + f*x])^3) + (((3*I)/32)*A)/(a^2*c^4*f*(I + Tan[e + f*x])^2) + (5*A + I*B)/(32*a^2*c^4*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^4} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^3 (c-icx)^5} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{i(A+iB)}{32a^3c^5(-i+x)^3} + \frac{-5A-3iB}{64a^3c^5(-i+x)^2} + \frac{iA+B}{8a^3c^5(i+x)^5} + \frac{3A-iB}{16a^3c^5(i+x)^4} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA - B}{64a^2c^4 f(i - \tan(e + fx))^2} - \frac{5A + 3iB}{64a^2c^4 f(i - \tan(e + fx))} - \frac{32a^2c^4 f}{32a^2c^4 f}$$

$$= \frac{5(3A + iB)x}{64a^2c^4} - \frac{iA - B}{64a^2c^4 f(i - \tan(e + fx))^2} - \frac{5A + 3iB}{64a^2c^4 f(i - \tan(e + fx))}$$

Mathematica [A] time = 2.57616, size = 232, normalized size = 1.05

$$\frac{\sec^2(e + fx)(\sin(4(e + fx)) - i \cos(4(e + fx)))(30(A(-3 - 12ifx) + B(4fx + i)) \cos(2(e + fx)) + 16(3A + 4iB) \cos(4(e + fx)))}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^4), x]

[Out] (Sec[e + f*x]^2*((-I)*Cos[4*(e + f*x)] + Sin[4*(e + f*x)])*(-240*A + 30*(A*(-3 - (12*I)*f*x) + B*(I + 4*f*x))*Cos[2*(e + f*x)] + 16*(3*A + (4*I)*B)*Cos[4*(e + f*x)] + 3*A*Cos[6*(e + f*x)] + (9*I)*B*Cos[6*(e + f*x)] - (90*I)*A*Sin[2*(e + f*x)] - 30*B*Sin[2*(e + f*x)] - 360*A*f*x*Sin[2*(e + f*x)] - (120*I)*B*f*x*Sin[2*(e + f*x)] - (96*I)*A*Sin[4*(e + f*x)] + 32*B*Sin[4*(e + f*x)] - (9*I)*A*Sin[6*(e + f*x)] + 3*B*Sin[6*(e + f*x)])/(1536*a^2*c^4*f*(-I + Tan[e + f*x])^2)

Maple [A] time = 0.073, size = 351, normalized size = 1.6

$$\frac{5A}{64fa^2c^4(\tan(fx + e) - i)} + \frac{\frac{3i}{64}B}{fa^2c^4(\tan(fx + e) - i)} - \frac{\frac{i}{64}A}{fa^2c^4(\tan(fx + e) - i)^2} + \frac{B}{64fa^2c^4(\tan(fx + e) - i)^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^4,x)

[Out] 5/64/f/a^2/c^4/(tan(f*x+e)-I)*A+3/64*I/f/a^2/c^4/(tan(f*x+e)-I)*B-1/64*I/f/a^2/c^4/(tan(f*x+e)-I)^2*A+1/64/f/a^2/c^4/(tan(f*x+e)-I)^2*B+5/128/f/a^2/c^4*ln(tan(f*x+e)-I)*B-15/128*I/f/a^2/c^4*ln(tan(f*x+e)-I)*A-1/32*I/f/a^2/c^4/(tan(f*x+e)+I)^4*A-1/32/f/a^2/c^4/(tan(f*x+e)+I)^4*B+5/32/f/a^2/c^4/(tan(f*x+e)+I)*A+1/32*I/f/a^2/c^4/(tan(f*x+e)+I)*B-5/128/f/a^2/c^4*ln(tan(f*x+e)+I)*B+15/128*I/f/a^2/c^4*ln(tan(f*x+e)+I)*A-1/16/f/a^2/c^4/(tan(f*x+e)+I)^3*A+1/48*I/f/a^2/c^4/(tan(f*x+e)+I)^3*B+3/32*I*A/a^2/c^4/f/(tan(f*x+e)+I)^2

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^4,x, alg
orithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.08907, size = 383, normalized size = 1.73

$$\frac{(120(3A + iB)fxe^{(4ifx+4ie)} + (-3iA - 3B)e^{(12ifx+12ie)} + (-24iA - 16B)e^{(10ifx+10ie)} + (-90iA - 30B)e^{(8ifx+8ie)} - 240)}{1536a^2c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^4,x, alg
orithm="fricas")

[Out] 1/1536*(120*(3*A + I*B)*f*x*e^(4*I*f*x + 4*I*e) + (-3*I*A - 3*B)*e^(12*I*f*x + 12*I*e) + (-24*I*A - 16*B)*e^(10*I*f*x + 10*I*e) + (-90*I*A - 30*B)*e^(8*I*f*x + 8*I*e) - 240*I*A*e^(6*I*f*x + 6*I*e) + (72*I*A - 48*B)*e^(2*I*f*x + 2*I*e) + 6*I*A - 6*B)*e^(-4*I*f*x - 4*I*e)/(a^2*c^4*f)

Sympy [A] time = 5.56188, size = 500, normalized size = 2.26

$$\left\{ \begin{array}{l} (-2061584302080iAa^{10}c^{20}f^5e^{8ie}e^{2ifx} + (51539607552iAa^{10}c^{20}f^5e^{2ie} - 51539607552Ba^{10}c^{20}f^5e^{2ie})e^{-4ifx} + (618475290624iAa^{10}c^{20}f^5e^{4ie} - 412316860416Ba^{10}c^{20}f^5e^{4ie})e^{-8ifx} \\ x \left(-\frac{15A+5iB}{64a^2c^4} + \frac{(Ae^{12ie}+6Ae^{10ie}+15Ae^{8ie}+20Ae^{6ie}+15Ae^{4ie}+6Ae^{2ie}+A-iBe^{12ie}-4iBe^{10ie}-5iBe^{8ie}+5iBe^{4ie}+4iBe^{2ie}+iB)e^{-4ie}}{64a^2c^4} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^4,x)

[Out] Piecewise(((-2061584302080*I*A*a**10*c**20*f**5*exp(8*I*e)*exp(2*I*f*x) + (51539607552*I*A*a**10*c**20*f**5*exp(2*I*e) - 51539607552*B*a**10*c**20*f**5*exp(2*I*e))*exp(-4*I*f*x) + (618475290624*I*A*a**10*c**20*f**5*exp(4*I*e) - 412316860416*B*a**10*c**20*f**5*exp(4*I*e))*exp(-2*I*f*x) + (-773094113280*I*A*a**10*c**20*f**5*exp(10*I*e) - 257698037760*B*a**10*c**20*f**5*exp(10*I*e))*exp(4*I*f*x) + (-2061584302080*I*A*a**10*c**20*f**5*exp(12*I*e) - 137438953472*B*a**10*c**20*f**5*exp(12*I*e))*exp(6*I*f*x) + (-257698037760*I*A*a**10*c**20*f**5*exp(14*I*e) - 257698037760*B*a**10*c**20*f**5*exp(14*I*e))*exp(8*I*f*x))*exp(-6*I*e)/(13194139533312*a**12*c**24*f**6), Ne(13194139533312*a**12*c**24*f**6*exp(6*I*e), 0)), (x*(-(15*A + 5*I*B)/(64*a**2*c**4) + (A*exp(12*I*e) + 6*A*exp(10*I*e) + 15*A*exp(8*I*e) + 20*A*exp(6*I*e) + 15*A*exp(4*I*e) + 6*A*exp(2*I*e) + A - I*B*exp(12*I*e) - 4*I*B*exp(10*I*e) - 5*I*B*exp(8*I*e) + 5*I*B*exp(4*I*e) + 4*I*B*exp(2*I*e) + I*B)*exp(-4*I*e)/(64*a**2*c**4)), True)) + x*(15*A + 5*I*B)/(64*a**2*c**4)

Giac [A] time = 1.23693, size = 328, normalized size = 1.48

$$\frac{12(15iA-5B)\log(\tan(fx+e)+i)}{a^2c^4} + \frac{12(-15iA+5B)\log(\tan(fx+e)-i)}{a^2c^4} - \frac{6(-45iA\tan(fx+e)^2+15B\tan(fx+e)^2-110A\tan(fx+e)-42iB\tan(fx+e)+69i)}{a^2c^4(\tan(fx+e)-i)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^4,x, algorithm="giac")
```

```
[Out] 1/1536*(12*(15*I*A - 5*B)*log(tan(f*x + e) + I)/(a^2*c^4) + 12*(-15*I*A + 5*B)*log(tan(f*x + e) - I)/(a^2*c^4) - 6*(-45*I*A*tan(f*x + e)^2 + 15*B*tan(f*x + e)^2 - 110*A*tan(f*x + e) - 42*I*B*tan(f*x + e) + 69*I*A - 31*B)/(a^2*c^4*(tan(f*x + e) - I)^2) + (-375*I*A*tan(f*x + e)^4 + 125*B*tan(f*x + e)^4 + 1740*A*tan(f*x + e)^3 + 548*I*B*tan(f*x + e)^3 + 3114*I*A*tan(f*x + e)^2 - 894*B*tan(f*x + e)^2 - 2604*A*tan(f*x + e) - 612*I*B*tan(f*x + e) - 903*I*A + 93*B)/(a^2*c^4*(tan(f*x + e) + I)^4))/f
```

$$3.726 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^5} dx$$

Optimal. Leaf size=251

$$-\frac{3A+2iB}{64a^2c^5f(-\tan(e+fx)+i)} + \frac{5(3A+iB)}{128a^2c^5f(\tan(e+fx)+i)} - \frac{-B+iA}{128a^2c^5f(-\tan(e+fx)+i)^2} + \frac{-B+5iA}{64a^2c^5f(\tan(e+fx)+i)^2}$$

[Out] (3*(7*A + (3*I)*B)*x)/(128*a^2*c^5) - (I*A - B)/(128*a^2*c^5*f*(I - Tan[e + f*x])^2) - (3*A + (2*I)*B)/(64*a^2*c^5*f*(I - Tan[e + f*x])) + (A - I*B)/(40*a^2*c^5*f*(I + Tan[e + f*x])^5) - ((3*I)*A + B)/(64*a^2*c^5*f*(I + Tan[e + f*x])^4) - A/(16*a^2*c^5*f*(I + Tan[e + f*x])^3) + ((5*I)*A - B)/(64*a^2*c^5*f*(I + Tan[e + f*x])^2) + (5*(3*A + I*B))/(128*a^2*c^5*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.304617, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$-\frac{3A+2iB}{64a^2c^5f(-\tan(e+fx)+i)} + \frac{5(3A+iB)}{128a^2c^5f(\tan(e+fx)+i)} - \frac{-B+iA}{128a^2c^5f(-\tan(e+fx)+i)^2} + \frac{-B+5iA}{64a^2c^5f(\tan(e+fx)+i)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^5), x]

[Out] (3*(7*A + (3*I)*B)*x)/(128*a^2*c^5) - (I*A - B)/(128*a^2*c^5*f*(I - Tan[e + f*x])^2) - (3*A + (2*I)*B)/(64*a^2*c^5*f*(I - Tan[e + f*x])) + (A - I*B)/(40*a^2*c^5*f*(I + Tan[e + f*x])^5) - ((3*I)*A + B)/(64*a^2*c^5*f*(I + Tan[e + f*x])^4) - A/(16*a^2*c^5*f*(I + Tan[e + f*x])^3) + ((5*I)*A - B)/(64*a^2*c^5*f*(I + Tan[e + f*x])^2) + (5*(3*A + I*B))/(128*a^2*c^5*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^5} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^3 (c-icx)^6} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{i(A+iB)}{64a^3c^6(-i+x)^3} + \frac{-3A-2iB}{64a^3c^6(-i+x)^2} + \frac{-A+iB}{8a^3c^6(i+x)^6} + \frac{3iA+B}{16a^3c^6(i+x)^5} \right) dx \right)}{f}$$

$$= -\frac{iA - B}{128a^2c^5 f(i - \tan(e + fx))^2} - \frac{3A + 2iB}{64a^2c^5 f(i - \tan(e + fx))} + \frac{40a^2c^5}{128a^2c^5}$$

$$= \frac{3(7A + 3iB)x}{128a^2c^5} - \frac{iA - B}{128a^2c^5 f(i - \tan(e + fx))^2} - \frac{3A + 2iB}{64a^2c^5 f(i - \tan(e + fx))}$$

Mathematica [A] time = 3.24652, size = 274, normalized size = 1.09

$$\frac{\sec^2(e + fx)(\cos(5(e + fx)) + i \sin(5(e + fx)))(50i(21A + iB) \cos(e + fx) + 20(A(-42fx + 7i) + 3B(1 - 6ifx)) \cos(3(e + fx)))}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^5}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^5), x]

[Out] (Sec[e + f*x]^2*(Cos[5*(e + f*x)] + I*Sin[5*(e + f*x)])*((50*I)*(21*A + I*B)*Cos[e + f*x] + 20*(A*(7*I - 42*f*x) + 3*B*(1 - (6*I)*f*x))*Cos[3*(e + f*x)] - (105*I)*A*Cos[5*(e + f*x)] + 125*B*Cos[5*(e + f*x)] - (6*I)*A*Cos[7*(e + f*x)] + 14*B*Cos[7*(e + f*x)] + 350*A*Sin[e + f*x] + (150*I)*B*Sin[e + f*x] - 140*A*Sin[3*(e + f*x)] + (60*I)*B*Sin[3*(e + f*x)] + (840*I)*A*f*x*Sin[3*(e + f*x)] - 360*B*f*x*Sin[3*(e + f*x)] - 175*A*Sin[5*(e + f*x)] - (75*I)*B*Sin[5*(e + f*x)] - 14*A*Sin[7*(e + f*x)] - (6*I)*B*Sin[7*(e + f*x)]))/((5120*a^2*c^5*f*(-I + Tan[e + f*x])^2)

Maple [A] time = 0.088, size = 397, normalized size = 1.6

$$\frac{\frac{5i}{64}A}{fa^2c^5(\tan(fx + e) + i)^2} + \frac{3A}{64fa^2c^5(\tan(fx + e) - i)} + \frac{\frac{21i}{256} \ln(\tan(fx + e) + i)A}{fa^2c^5} + \frac{9 \ln(\tan(fx + e) - i)B}{256fa^2c^5} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^5, x)

[Out] 5/64*I/f/a^2/c^5/(tan(f*x+e)+I)^2*A+3/64/f/a^2/c^5/(tan(f*x+e)-I)*A+21/256*I/f/a^2/c^5*ln(tan(f*x+e)+I)*A+9/256/f/a^2/c^5*ln(tan(f*x+e)-I)*B+1/128/f/a^2/c^5/(tan(f*x+e)-I)^2*B+5/128*I/f/a^2/c^5/(tan(f*x+e)+I)*B+1/40/f/a^2/c^5/(tan(f*x+e)+I)^5*A-3/64*I/f/a^2/c^5/(tan(f*x+e)+I)^4*A-1/40*I/f/a^2/c^5/(tan(f*x+e)+I)^5*B-1/64/f/a^2/c^5/(tan(f*x+e)+I)^4*B+15/128/f/a^2/c^5/(tan(f*x+e)+I)*A+1/32*I/f/a^2/c^5/(tan(f*x+e)-I)*B-1/128*I/f/a^2/c^5/(tan(f*x+e)-I)^2*A-9/256/f/a^2/c^5*ln(tan(f*x+e)+I)*B-1/16*A/a^2/c^5/f/(tan(f*x+e)+I)^3-21/256*I/f/a^2/c^5*ln(tan(f*x+e)-I)*A-1/64/f/a^2/c^5/(tan(f*x+e)+I)^2*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.10827, size = 464, normalized size = 1.85

$$\frac{(120(7A + 3iB)fxe^{4ifx+4ie} + (-4iA - 4B)e^{14ifx+14ie} + (-35iA - 25B)e^{12ifx+12ie} + (-140iA - 60B)e^{10ifx+10ie})}{5120a^2c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")

[Out] 1/5120*(120*(7*A + 3*I*B)*f*x*e^(4*I*f*x + 4*I*e) + (-4*I*A - 4*B)*e^(14*I*f*x + 14*I*e) + (-35*I*A - 25*B)*e^(12*I*f*x + 12*I*e) + (-140*I*A - 60*B)*e^(10*I*f*x + 10*I*e) + (-350*I*A - 50*B)*e^(8*I*f*x + 8*I*e) + (-700*I*A + 100*B)*e^(6*I*f*x + 6*I*e) + (140*I*A - 100*B)*e^(2*I*f*x + 2*I*e) + 10*I*A - 10*B)*e^(-4*I*f*x - 4*I*e)/(a^2*c^5*f)

Sympy [A] time = 6.26768, size = 607, normalized size = 2.42

$$\left\{ \begin{array}{l} \left(\frac{((11258999068426240iAa^{12}c^{30}f^6e^{2ie} - 11258999068426240Ba^{12}c^{30}f^6e^{2ie})e^{-4ifx} + (157625986957967360iAa^{12}c^{30}f^6e^{4ie} - 112589990684262400Ba^{12}c^{30}f^6e^{4ie})e^{-10ifx}}{128a^2c^5} + \frac{(Ae^{14ie} + 7Ae^{12ie} + 21Ae^{10ie} + 35Ae^{8ie} + 35Ae^{6ie} + 21Ae^{4ie} + 7Ae^{2ie} + A - iBe^{14ie} - 5iBe^{12ie} - 9iBe^{10ie} - 5iBe^{8ie} + 5iBe^{6ie} + 9iBe^{4ie} + 5iBe^{2ie} + iB)e^{-4ie}}{128a^2c^5} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^5,x)

[Out] Piecewise((((11258999068426240*I*A*a**12*c**30*f**6*exp(2*I*e) - 11258999068426240*B*a**12*c**30*f**6*exp(2*I*e))*exp(-4*I*f*x) + (157625986957967360*I*A*a**12*c**30*f**6*exp(4*I*e) - 112589990684262400*B*a**12*c**30*f**6*exp(4*I*e))*exp(-2*I*f*x) + (-788129934789836800*I*A*a**12*c**30*f**6*exp(8*I*e) + 112589990684262400*B*a**12*c**30*f**6*exp(8*I*e))*exp(2*I*f*x) + (-394064967394918400*I*A*a**12*c**30*f**6*exp(10*I*e) - 56294995342131200*B*a**12*c**30*f**6*exp(10*I*e))*exp(4*I*f*x) + (-157625986957967360*I*A*a**12*c**30*f**6*exp(12*I*e) - 67553994410557440*B*a**12*c**30*f**6*exp(12*I*e))*exp(6*I*f*x) + (-39406496739491840*I*A*a**12*c**30*f**6*exp(14*I*e) - 28147497671065600*B*a**12*c**30*f**6*exp(14*I*e))*exp(8*I*f*x) + (-4503599627370496*I*A*a**12*c**30*f**6*exp(16*I*e) - 4503599627370496*B*a**12*c**30*f**6*exp(16*I*e))*exp(10*I*f*x))*exp(-6*I*e)/(5764607523034234880*a**14*c**35*f**7), Ne(5764607523034234880*a**14*c**35*f**7*exp(6*I*e), 0)), (x*(-(21*A + 9*I*B)/(128*a**2*c**5) + (A*exp(14*I*e) + 7*A*exp(12*I*e) + 21*A*exp(10*I*e) + 35*A*exp(8*I*e) + 35*A*exp(6*I*e) + 21*A*exp(4*I*e) + 7*A*exp(2*I*e) + A - I*B*exp(14*I*e) - 5*I*B*exp(12*I*e) - 9*I*B*exp(10*I*e) - 5*I*B*exp(8*I*e)

+ 5*I*B*exp(6*I*e) + 9*I*B*exp(4*I*e) + 5*I*B*exp(2*I*e) + I*B)*exp(-4*I*e)/(128*a**2*c**5)), True)) + x*(21*A + 9*I*B)/(128*a**2*c**5)

Giac [A] time = 1.31843, size = 363, normalized size = 1.45

$$\frac{20(-21iA+9B)\log(\tan(fx+e)+i)}{a^2c^5} + \frac{20(21iA-9B)\log(\tan(fx+e)-i)}{a^2c^5} + \frac{10(63iA\tan(fx+e)^2-27B\tan(fx+e)^2+150A\tan(fx+e)+70iB\tan(fx+e))}{a^2c^5(-i\tan(fx+e)-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^5,x, algorithm="giac")

[Out] -1/5120*(20*(-21*I*A + 9*B)*log(tan(f*x + e) + I)/(a^2*c^5) + 20*(21*I*A - 9*B)*log(tan(f*x + e) - I)/(a^2*c^5) + 10*(63*I*A*tan(f*x + e)^2 - 27*B*tan(f*x + e)^2 + 150*A*tan(f*x + e) + 70*I*B*tan(f*x + e) - 91*I*A + 47*B)/(a^2*c^5*(-I*tan(f*x + e) - 1)^2) + (959*I*A*tan(f*x + e)^5 - 411*B*tan(f*x + e)^5 - 5395*A*tan(f*x + e)^4 - 2255*I*B*tan(f*x + e)^4 - 12390*I*A*tan(f*x + e)^3 + 4990*B*tan(f*x + e)^3 + 14710*A*tan(f*x + e)^2 + 5550*I*B*tan(f*x + e)^2 + 9275*I*A*tan(f*x + e) - 3015*B*tan(f*x + e) - 2647*A - 483*I*B)/(a^2*c^5*(tan(f*x + e) + I)^5))/f

$$3.727 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^n}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=115

$$\frac{(B(n+3) + iA(3-n))(c-ic \tan(e+fx))^n \text{Hypergeometric2F1}\left(3, n, n+1, \frac{1}{2}(1-i \tan(e+fx))\right)}{48a^3fn} + \frac{(-B+iA)(c-ic \tan(e+fx))^n}{6a^3f(1+i \tan(e+fx))}$$

[Out] ((I*A*(3 - n) + B*(3 + n))*Hypergeometric2F1[3, n, 1 + n, (1 - I*Tan[e + f*x])/2]*(c - I*c*Tan[e + f*x])^n)/(48*a^3*f*n) + ((I*A - B)*(c - I*c*Tan[e + f*x])^n)/(6*a^3*f*(1 + I*Tan[e + f*x])^3)

Rubi [A] time = 0.170665, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 78, 68}

$$\frac{(B(n+3) + iA(3-n))(c-ic \tan(e+fx))^n {}_2F_1\left(3, n; n+1; \frac{1}{2}(1-i \tan(e+fx))\right)}{48a^3fn} + \frac{(-B+iA)(c-ic \tan(e+fx))^n}{6a^3f(1+i \tan(e+fx))^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n)/(a + I*a*Tan[e + f*x])^3, x]

[Out] ((I*A*(3 - n) + B*(3 + n))*Hypergeometric2F1[3, n, 1 + n, (1 - I*Tan[e + f*x])/2]*(c - I*c*Tan[e + f*x])^n)/(48*a^3*f*n) + ((I*A - B)*(c - I*c*Tan[e + f*x])^n)/(6*a^3*f*(1 + I*Tan[e + f*x])^3)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])/((b*(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^n}{(a + ia \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{-1+n}}{(a+iax)^4} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^n}{6a^3 f (1 + i \tan(e + fx))^3} + \frac{(c(A(3 - n) - iB(3 + n))) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{-1+n}}{(a+iax)^4} dx, x, \tan(e + fx)\right)}{6f}$$

$$= \frac{(iA(3 - n) + B(3 + n)) {}_2F_1\left(3, n; 1 + n; \frac{1}{2}(1 - i \tan(e + fx))\right) (c - ic \tan(e + fx))^n}{48a^3 f n}$$

Mathematica [F] time = 180.005, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n)/(a + I*a*Tan[e + f*x])^3,x]

[Out] \$Aborted

Maple [F] time = 2.055, size = 0, normalized size = 0.

$$\int \frac{(A + B \tan(fx + e))(c - ic \tan(fx + e))^n}{(a + ia \tan(fx + e))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^3,x)

[Out] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\left((A - iB)e^{(6i fx + 6ie)} + (3A - iB)e^{(4i fx + 4ie)} + (3A + iB)e^{(2i fx + 2ie)} + A + iB\right)\left(\frac{2c}{e^{(2i fx + 2ie)} + 1}\right)^n e^{(-6i fx - 6ie)}}{8a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")
```

```
[Out] integral(1/8*((A - I*B)*e^(6*I*f*x + 6*I*e) + (3*A - I*B)*e^(4*I*f*x + 4*I*e) + (3*A + I*B)*e^(2*I*f*x + 2*I*e) + A + I*B)*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n*e^(-6*I*f*x - 6*I*e)/a^3, x)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^3,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^n}{(ia \tan(fx + e) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^n/(I*a*tan(f*x + e) + a)^3, x)
```

$$3.728 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^5}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=191

$$\frac{c^5(A+8iB) \tan(e+fx)}{a^3 f} - \frac{8c^5(3A+7iB)}{a^3 f(-\tan(e+fx)+i)} + \frac{8c^5(-3B+2iA)}{a^3 f(-\tan(e+fx)+i)^2} + \frac{16c^5(A+iB)}{3a^3 f(-\tan(e+fx)+i)^3} - \frac{8c^5(-4B-iA)}{3a^3 f(-\tan(e+fx)+i)^3}$$

[Out] $(-8*(A+(4*I)*B)*c^5*x)/a^3 - (8*(I*A-4*B)*c^5*\text{Log}[\text{Cos}[e+f*x]])/(a^3*f) + (16*(A+I*B)*c^5)/(3*a^3*f*(I-\text{Tan}[e+f*x])^3) + (8*((2*I)*A-3*B)*c^5)/(a^3*f*(I-\text{Tan}[e+f*x])^2) - (8*(3*A+(7*I)*B)*c^5)/(a^3*f*(I-\text{Tan}[e+f*x])) + ((A+(8*I)*B)*c^5*\text{Tan}[e+f*x])/(a^3*f) + (B*c^5*\text{Tan}[e+f*x]^2)/(2*a^3*f)$

Rubi [A] time = 0.244538, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{c^5(A+8iB) \tan(e+fx)}{a^3 f} - \frac{8c^5(3A+7iB)}{a^3 f(-\tan(e+fx)+i)} + \frac{8c^5(-3B+2iA)}{a^3 f(-\tan(e+fx)+i)^2} + \frac{16c^5(A+iB)}{3a^3 f(-\tan(e+fx)+i)^3} - \frac{8c^5(-4B-iA)}{3a^3 f(-\tan(e+fx)+i)^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A+B*\text{Tan}[e+f*x])*(c-I*c*\text{Tan}[e+f*x])^5]/(a+I*a*\text{Tan}[e+f*x])^3, x]$

[Out] $(-8*(A+(4*I)*B)*c^5*x)/a^3 - (8*(I*A-4*B)*c^5*\text{Log}[\text{Cos}[e+f*x]])/(a^3*f) + (16*(A+I*B)*c^5)/(3*a^3*f*(I-\text{Tan}[e+f*x])^3) + (8*((2*I)*A-3*B)*c^5)/(a^3*f*(I-\text{Tan}[e+f*x])^2) - (8*(3*A+(7*I)*B)*c^5)/(a^3*f*(I-\text{Tan}[e+f*x])) + ((A+(8*I)*B)*c^5*\text{Tan}[e+f*x])/(a^3*f) + (B*c^5*\text{Tan}[e+f*x]^2)/(2*a^3*f)$

Rule 3588

$\text{Int}[(a_+ + (b_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a+b*x)^{(m-1)}*(c+d*x)^{(n-1)}*(A+B*x), x], x, \text{Tan}[e+f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[(a_+ + (b_+)*(x_+))*((c_+) + (d_+)*(x_+))^{(n_+)}*((e_+) + (f_+)*(x_+))^{(p_+)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a+b*x)*(c+d*x)^n*(e+f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n+2), 0] || GeQ[n+p+1, 0] || (GeQ[n+p+2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^5}{(a + ia \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^4}{(a+iax)^4} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{(A+8iB)c^4}{a^4} + \frac{Bc^4x}{a^4} + \frac{16(A+iB)c^4}{a^4(-i+x)^4} + \frac{16(-2iA+3B)c^4}{a^4(-i+x)^3} - \frac{8(3A+7iB)c^4}{a^4(-i+x)^2} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{8(A + 4iB)c^5x}{a^3} - \frac{8(iA - 4B)c^5 \log(\cos(e + fx))}{a^3 f} + \frac{16(A + iB)c^5}{3a^3 f(i - \tan(e + fx))}$$

Mathematica [B] time = 11.3296, size = 1496, normalized size = 7.83

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^5)/(a + I*a*Tan[e + f*x])^3,x]

[Out] ((A + (3*I)*B)*Cos[2*f*x]*Sec[e + f*x]^2*((6*I)*c^5*Cos[e] - 6*c^5*Sin[e])*
(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (((-I)*A + 2*B)*Cos[4*f*x]*Sec[e + f*x]^2*(2*c^5*Cos[e] - (2*I)*c^5*Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (Sec[e + f*x]^2*((-I)*A*c^5*Cos[(3*e)/2] + 4*B*c^5*Cos[(3*e)/2] + A*c^5*Sin[(3*e)/2] + (4*I)*B*c^5*Sin[(3*e)/2]))*(8*Cos[(3*e)/2]*Log[Cos[e + f*x]] + (8*I)*Log[Cos[e + f*x]*Sin[(3*e)/2]]*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + I*B)*Cos[6*f*x]*Sec[e + f*x]^2*((2*I)/3)*c^5*Cos[3*e] + (2*c^5*Sin[3*e])/3)*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (Sec[e + f*x]^4*((B*c^5*Cos[3*e])/2 + (I/2)*B*c^5*Sin[3*e])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + (4*I)*B)*Sec[e + f*x]^2*(-8*c^5*f*x*Cos[3*e] - (8*I)*c^5*f*x*Sin[3*e])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + (3*I)*B)*Sec[e + f*x]^2*(6*c^5*Cos[e] + (6*I)*c^5*Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*Sin[2*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + (2*I)*B)*Sec[e + f*x]^2*(-2*c^5*Cos[e] + (2*I)*c^5*Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*Sin[4*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + I*B)*Sec[e + f*x]^2*((2*c^5*Cos[3*e])/3 - ((2*I)/3)*c^5*Sin[3*e])*(Cos[f*x] + I*Sin[f*x])^3*Sin[6*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (Sec[e + f*x]^3*(Cos[f*x] + I*Sin[f*x])^3*((I/2)*A*c^5*Cos[3*e - f*x] - 4*B*c^5*Cos[3*e - f*x] - (I/2)*A*c^5*Cos[3*e + f*x] + 4*B*c^5*Cos[3*e + f*x] - (A*c^5*Sin[3*e - f*x])/2 - (4*I)*B*c^5*Sin[3*e - f*x] + (A*c^5*Sin[3*e + f*x])/2 + (4*I)*B*c^5*Sin[3*e + f*x])*(A + B*Tan[e + f*x]))/(f*(Cos[e/2] - Sin[e/2])*(Cos[e/2] + Sin[e/2])*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (x*Sec[e + f*x]^2*(Cos[f*x] + I*Sin[f*x])^3*(4*A*c^5*Cos[e] + (16*I)*B*c^5*Cos[e] - 4*A*c^5*Cos[e]^3 - (16*I)*B*c^5*Cos[e]^3 + (8*I)*A*c^5*Sin[e] - 32*B*c^5*Sin[e] - (16*I)*A*c^5*Cos[e]^2*Sin[e] + 64*B*c^5*Cos[e]^2*Sin[e] + 24*A*c^5*Cos[e]*Sin[e]^2 + (96*I)*B*c^5*Cos[e]*Sin[e]^2 + (16*I)*A*c^5*Sin[e]^3 - 64*B*c^5*Sin[e]^3 - 4*A*c^5*Sin[e]*Tan[e] - (16*I)*B*c^5*Sin[e]*Tan[e] - 4*A*c^5*Sin[e]^3*Tan[e] - (16*I)*B*c^5*Sin[e]^3*Tan[e] + I*(A + (4*I)*B)*(8*c^5*Cos[3*e] + (8*I)*c^5*Sin[3*e])*Tan[e]))*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3)

Maple [A] time = 0.066, size = 244, normalized size = 1.3

$$\frac{Ac^5 \tan(fx + e)}{fa^3} + \frac{8ic^5B \tan(fx + e)}{fa^3} + \frac{Bc^5 (\tan(fx + e))^2}{2fa^3} + \frac{56ic^5B}{fa^3 (\tan(fx + e) - i)} + 24 \frac{Ac^5}{fa^3 (\tan(fx + e) - i)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^3,x)
```

```
[Out] 1/f*c^5/a^3*A*tan(f*x+e)+8*I/f*c^5/a^3*B*tan(f*x+e)+1/2*B*c^5*tan(f*x+e)^2/a^3/f+56*I/f*c^5/a^3/(tan(f*x+e)-I)*B+24/f*c^5/a^3/(tan(f*x+e)-I)*A+16*I/f*c^5/a^3/(tan(f*x+e)-I)^2*A-24/f*c^5/a^3/(tan(f*x+e)-I)^2*B+8*I/f*c^5/a^3*A*ln(tan(f*x+e)-I)-32/f*c^5/a^3*B*ln(tan(f*x+e)-I)-16/3/f*c^5/a^3/(tan(f*x+e)-I)^3*A-16/3*I/f*c^5/a^3/(tan(f*x+e)-I)^3*B
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.11626, size = 736, normalized size = 3.85

$$48(A + 4iB)c^5 f x e^{(10i f x + 10i e)} - (8iA - 32B)c^5 e^{(4i f x + 4i e)} - (-2iA + 8B)c^5 e^{(2i f x + 2i e)} - (2iA - 2B)c^5 + (96(A + 4iB)c^5 f x e^{(10i f x + 10i e)} - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")
```

```
[Out] -1/3*(48*(A + 4*I*B)*c^5*f*x*e^(10*I*f*x + 10*I*e) - (8*I*A - 32*B)*c^5*e^(4*I*f*x + 4*I*e) - (-2*I*A + 8*B)*c^5*e^(2*I*f*x + 2*I*e) - (2*I*A - 2*B)*c^5 + (96*(A + 4*I*B)*c^5*f*x - (24*I*A - 96*B)*c^5)*e^(8*I*f*x + 8*I*e) + (48*(A + 4*I*B)*c^5*f*x - (36*I*A - 144*B)*c^5)*e^(6*I*f*x + 6*I*e) - ((-24*I*A + 96*B)*c^5*e^(10*I*f*x + 10*I*e) + (-48*I*A + 192*B)*c^5*e^(8*I*f*x + 8*I*e) + (-24*I*A + 96*B)*c^5*e^(6*I*f*x + 6*I*e))*log(e^(2*I*f*x + 2*I*e) + 1)/(a^3*f*e^(10*I*f*x + 10*I*e) + 2*a^3*f*e^(8*I*f*x + 8*I*e) + a^3*f*e^(6*I*f*x + 6*I*e))
```

Sympy [A] time = 12.5139, size = 415, normalized size = 2.17

$$\frac{(2iAc^5-16Bc^5)e^{-4ie}}{a^3f} + \frac{(2iAc^5-14Bc^5)e^{-2ie}e^{2ifx}}{a^3f} + \frac{8c^5(-iA+4B)\log(e^{2ifx}+e^{-2ie})}{a^3f} - \frac{\left\{ \begin{aligned} &16Ac^5xe^{6ie} - \frac{6iAc^5e^{4ie}e^{-2ifx}}{f} + \frac{2iAc^5e^{2ie}e^{-4ifx}}{f} \\ &x(16Ac^5e^{6ie} - 12Ac^5e^{4ie} + 8Ac^5e^{2ie} - 4Ac^5) \end{aligned} \right.}{a^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**5/(a+I*a*tan(f*x+e))**3,x)
```

```
[Out] ((2*I*A*c**5 - 16*B*c**5)*exp(-4*I*e)/(a**3*f) + (2*I*A*c**5 - 14*B*c**5)*exp(-2*I*e)*exp(2*I*f*x)/(a**3*f))/(exp(4*I*f*x) + 2*exp(-2*I*e)*exp(2*I*f*x) + exp(-4*I*e)) + 8*c**5*(-I*A + 4*B)*log(exp(2*I*f*x) + exp(-2*I*e))/(a**3*f) - Piecewise((16*A*c**5*x*exp(6*I*e) - 6*I*A*c**5*exp(4*I*e)*exp(-2*I*f*x)/f + 2*I*A*c**5*exp(2*I*e)*exp(-4*I*f*x)/f - 2*I*A*c**5*exp(-6*I*f*x)/(3*f) + 64*I*B*c**5*x*exp(6*I*e) + 18*B*c**5*exp(4*I*e)*exp(-2*I*f*x)/f - 4*B*c**5*exp(2*I*e)*exp(-4*I*f*x)/f + 2*B*c**5*exp(-6*I*f*x)/(3*f), Ne(f, 0)), (x*(16*A*c**5*exp(6*I*e) - 12*A*c**5*exp(4*I*e) + 8*A*c**5*exp(2*I*e) - 4*A*c**5 + 64*I*B*c**5*exp(6*I*e) - 36*I*B*c**5*exp(4*I*e) + 16*I*B*c**5*exp(2*I*e) - 4*I*B*c**5), True))*exp(-6*I*e)/a**3
```

Giac [B] time = 1.70212, size = 698, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^5/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")
```

```
[Out] -2/15*(120*(-I*A*c^5 + 4*B*c^5)*log(tan(1/2*f*x + 1/2*e) - I)/a^3 - 60*(-I*A*c^5 + 4*B*c^5)*log(abs(tan(1/2*f*x + 1/2*e) + 1))/a^3 + 60*(I*A*c^5 - 4*B*c^5)*log(abs(tan(1/2*f*x + 1/2*e) - 1))/a^3 - 15*(6*I*A*c^5*tan(1/2*f*x + 1/2*e)^4 - 24*B*c^5*tan(1/2*f*x + 1/2*e)^4 - A*c^5*tan(1/2*f*x + 1/2*e)^3 - 8*I*B*c^5*tan(1/2*f*x + 1/2*e)^3 - 12*I*A*c^5*tan(1/2*f*x + 1/2*e)^2 + 49*B*c^5*tan(1/2*f*x + 1/2*e)^2 + A*c^5*tan(1/2*f*x + 1/2*e) + 8*I*B*c^5*tan(1/2*f*x + 1/2*e) + 6*I*A*c^5 - 24*B*c^5)/((tan(1/2*f*x + 1/2*e)^2 - 1)^2*a^3) + (294*I*A*c^5*tan(1/2*f*x + 1/2*e)^6 - 1176*B*c^5*tan(1/2*f*x + 1/2*e)^6 + 1884*A*c^5*tan(1/2*f*x + 1/2*e)^5 + 7416*I*B*c^5*tan(1/2*f*x + 1/2*e)^5 - 4890*I*A*c^5*tan(1/2*f*x + 1/2*e)^4 + 19320*B*c^5*tan(1/2*f*x + 1/2*e)^4 - 6920*A*c^5*tan(1/2*f*x + 1/2*e)^3 - 26480*I*B*c^5*tan(1/2*f*x + 1/2*e)^3 + 4890*I*A*c^5*tan(1/2*f*x + 1/2*e)^2 - 19320*B*c^5*tan(1/2*f*x + 1/2*e)^2 + 1884*A*c^5*tan(1/2*f*x + 1/2*e) + 7416*I*B*c^5*tan(1/2*f*x + 1/2*e) - 294*I*A*c^5 + 1176*B*c^5)/(a^3*(tan(1/2*f*x + 1/2*e) - I)^6)/f
```

$$3.729 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^4}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=164

$$\frac{6c^4(A+3iB)}{a^3f(-\tan(e+fx)+i)} + \frac{2c^4(-5B+3iA)}{a^3f(-\tan(e+fx)+i)^2} + \frac{8c^4(A+iB)}{3a^3f(-\tan(e+fx)+i)^3} - \frac{c^4(-7B+iA)\log(\cos(e+fx))}{a^3f} - \frac{c^4}{a^3f}$$

```
[Out] -(((A + (7*I)*B)*c^4*x)/a^3) - ((I*A - 7*B)*c^4*Log[Cos[e + f*x]])/(a^3*f)
+ (8*(A + I*B)*c^4)/(3*a^3*f*(I - Tan[e + f*x])^3) + (2*((3*I)*A - 5*B)*c^4
)/(a^3*f*(I - Tan[e + f*x])^2) - (6*(A + (3*I)*B)*c^4)/(a^3*f*(I - Tan[e +
f*x])) + (I*B*c^4*Tan[e + f*x])/(a^3*f)
```

Rubi [A] time = 0.209634, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{6c^4(A+3iB)}{a^3f(-\tan(e+fx)+i)} + \frac{2c^4(-5B+3iA)}{a^3f(-\tan(e+fx)+i)^2} + \frac{8c^4(A+iB)}{3a^3f(-\tan(e+fx)+i)^3} - \frac{c^4(-7B+iA)\log(\cos(e+fx))}{a^3f} - \frac{c^4}{a^3f}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4)/(a + I*a*Tan[e + f*x])^3, x]
```

```
[Out] -(((A + (7*I)*B)*c^4*x)/a^3) - ((I*A - 7*B)*c^4*Log[Cos[e + f*x]])/(a^3*f)
+ (8*(A + I*B)*c^4)/(3*a^3*f*(I - Tan[e + f*x])^3) + (2*((3*I)*A - 5*B)*c^4
)/(a^3*f*(I - Tan[e + f*x])^2) - (6*(A + (3*I)*B)*c^4)/(a^3*f*(I - Tan[e +
f*x])) + (I*B*c^4*Tan[e + f*x])/(a^3*f)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 77

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_
.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0]
&& ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p +
5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,
c, d, e, f])))
```

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^4}{(a + ia \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^3}{(a+iax)^4} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{ibc^3}{a^4} + \frac{8(A+iB)c^3}{a^4(-i+x)^4} + \frac{4(-3iA+5B)c^3}{a^4(-i+x)^3} - \frac{6(A+3iB)c^3}{a^4(-i+x)^2} + \frac{i(A+7iB)c^3}{a^4(-i+x)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(A + 7iB)c^4 x}{a^3} - \frac{(iA - 7B)c^4 \log(\cos(e + fx))}{a^3 f} + \frac{8(A + iB)c^4}{3a^3 f(i - \tan(e + fx))}$$

Mathematica [B] time = 9.20892, size = 1239, normalized size = 7.55

$$c^4 \frac{\sec^3(e + fx) \left(-\frac{1}{2}B \cos(3e - fx) + \frac{1}{2}B \cos(3e + fx) - \frac{1}{2}iB \sin(3e - fx) + \frac{1}{2}iB \sin(3e + fx) \right) (A + B \tan(e + fx)) (\cos(e + fx) + \sin(e + fx)) (i \tan(e + fx) a + a^3)}{f \left(\cos\left(\frac{e}{2}\right) - \sin\left(\frac{e}{2}\right) \right) \left(\cos\left(\frac{e}{2}\right) + \sin\left(\frac{e}{2}\right) \right) (A \cos(e + fx) + B \sin(e + fx)) (i \tan(e + fx) a + a^3)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^4)/(a + I*a*Tan[e + f*x])^3,x]

[Out] c^4*(((A + (5*I)*B)*Cos[2*f*x]*Sec[e + f*x]^2*(I*Cos[e] - Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (((-I)*A + 3*B)*Cos[4*f*x]*Sec[e + f*x]^2*(Cos[e]/2 - (I/2)*Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (Sec[e + f*x]^2*((-I)*A*Cos[(3*e)/2] + 7*B*Cos[(3*e)/2] + A*Sin[(3*e)/2] + (7*I)*B*Sin[(3*e)/2])*(Cos[(3*e)/2]*Log[Cos[e + f*x]] + I*Log[Cos[e + f*x]]*Sin[(3*e)/2])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + I*B)*Cos[6*f*x]*Sec[e + f*x]^2*((I/3)*Cos[3*e] + Sin[3*e]/3)*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + (7*I)*B)*Sec[e + f*x]^2*(-(f*x*Cos[3*e]) - I*f*x*Sin[3*e])*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + (5*I)*B)*Sec[e + f*x]^2*(Cos[e] + I*Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*Sin[2*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + (3*I)*B)*Sec[e + f*x]^2*(-Cos[e]/2 + (I/2)*Sin[e])*(Cos[f*x] + I*Sin[f*x])^3*Sin[4*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + ((A + I*B)*Sec[e + f*x]^2*(Cos[3*e]/3 - (I/3)*Sin[3*e])*(Cos[f*x] + I*Sin[f*x])^3*Sin[6*f*x]*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (Sec[e + f*x]^3*(Cos[f*x] + I*Sin[f*x])^3*(-(B*Cos[3*e - f*x])/2 + (B*Cos[3*e + f*x])/2 - (I/2)*B*Sin[3*e - f*x] + (I/2)*B*Sin[3*e + f*x])*(A + B*Tan[e + f*x]))/(f*(Cos[e/2] - Sin[e/2])*(Cos[e/2] + Sin[e/2])*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3) + (x*Sec[e + f*x]^2*(Cos[f*x] + I*Sin[f*x])^3*((A*Cos[e])/2 + ((7*I)/2)*B*Cos[e] - (A*Cos[e]^3)/2 - ((7*I)/2)*B*Cos[e]^3 + I*A*Sin[e] - 7*B*Sin[e] - (2*I)*A*Cos[e]^2*Sin[e] + 14*B*Cos[e]^2*Sin[e] + 3*A*Cos[e]*Sin[e]^2 + (21*I)*B*Cos[e]*Sin[e]^2 + (2*I)*A*Sin[e]^3 - 14*B*Sin[e]^3 - (A*Sin[e]*Tan[e])/2 - ((7*I)/2)*B*Sin[e]*Tan[e] - (A*Sin[e]^3*Tan[e])/2 - ((7*I)/2)*B*Sin[e]^3*Tan[e] + I*(A + (7*I)*B)*(Cos[3*e] + I*Sin[3*e])*Tan[e])*(A + B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3)

Maple [A] time = 0.048, size = 207, normalized size = 1.3

$$\frac{iBc^4 \tan(fx + e)}{a^3 f} - \frac{8Ac^4}{3a^3 f (\tan(fx + e) - i)^3} - \frac{\frac{8i}{3}c^4 B}{a^3 f (\tan(fx + e) - i)^3} + \frac{18ic^4 B}{a^3 f (\tan(fx + e) - i)} + 6 \frac{Ac^4}{a^3 f (\tan(fx + e) - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^3,x)

[Out] I*B*c^4*tan(f*x+e)/a^3/f-8/3/f*c^4/a^3/(tan(f*x+e)-I)^3*A-8/3*I/f*c^4/a^3/(tan(f*x+e)-I)^3*B+18*I/f*c^4/a^3/(tan(f*x+e)-I)*B+6/f*c^4/a^3/(tan(f*x+e)-I)*A+6*I/f*c^4/a^3/(tan(f*x+e)-I)^2*A-10/f*c^4/a^3/(tan(f*x+e)-I)^2*B+I/f*c^4/a^3*A*ln(tan(f*x+e)-I)-7/f*c^4/a^3*B*ln(tan(f*x+e)-I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.09455, size = 527, normalized size = 3.21

$$\frac{12(A+7iB)c^4 f x e^{(8i f x + 8i e)} - (3iA - 21B)c^4 e^{(4i f x + 4i e)} - (-iA + 7B)c^4 e^{(2i f x + 2i e)} - (2iA - 2B)c^4 + (12(A+7iB)c^4)}{6(a^3 f e^{(8i f x + 8i e)} + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] -1/6*(12*(A+7*I*B)*c^4*f*x*e^(8*I*f*x+8*I*e)-(3*I*A-21*B)*c^4*e^(4*I*f*x+4*I*e)-(-I*A+7*B)*c^4*e^(2*I*f*x+2*I*e)-(2*I*A-2*B)*c^4+(12*(A+7*I*B)*c^4*f*x-(6*I*A-42*B)*c^4)*e^(6*I*f*x+6*I*e)-((-6*I*A+42*B)*c^4*e^(8*I*f*x+8*I*e)+(-6*I*A+42*B)*c^4*e^(6*I*f*x+6*I*e))*log(e^(2*I*f*x+2*I*e)+1)/(a^3*f*e^(8*I*f*x+8*I*e)+a^3*f*e^(6*I*f*x+6*I*e))

Sympy [A] time = 10.7475, size = 348, normalized size = 2.12

$$\frac{2Bc^4 e^{-2ie}}{a^3 f (e^{2ifx} + e^{-2ie})} + \frac{c^4 (-iA + 7B) \log(e^{2ifx} + e^{-2ie})}{a^3 f} - \frac{\left(\begin{aligned} &2Ac^4 x e^{6ie} - \frac{iAc^4 e^{4ie} e^{-2ifx}}{f} + \frac{iAc^4 e^{2ie} e^{-4ifx}}{2f} - \frac{iAc^4 e^{-6ifx}}{3f} + 14iBc^4 x \\ &x(2Ac^4 e^{6ie} - 2Ac^4 e^{4ie} + 2Ac^4 e^{2ie} - 2Ac^4 + 14iBc^4 e^{6ie} - 10 \end{aligned} \right)}{a^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**4/(a+I*a*tan(f*x+e))**3,x)

[Out] $-2*B*c**4*\exp(-2*I*e)/(a**3*f*(\exp(2*I*f*x) + \exp(-2*I*e))) + c**4*(-I*A + 7*B)*\log(\exp(2*I*f*x) + \exp(-2*I*e))/(a**3*f) - \text{Piecewise}((2*A*c**4*x*\exp(6*I*e) - I*A*c**4*\exp(4*I*e)*\exp(-2*I*f*x)/f + I*A*c**4*\exp(2*I*e)*\exp(-4*I*f*x)/(2*f) - I*A*c**4*\exp(-6*I*f*x)/(3*f) + 14*I*B*c**4*x*\exp(6*I*e) + 5*B*c**4*\exp(4*I*e)*\exp(-2*I*f*x)/f - 3*B*c**4*\exp(2*I*e)*\exp(-4*I*f*x)/(2*f) + B*c**4*\exp(-6*I*f*x)/(3*f), \text{Ne}(f, 0)), (x*(2*A*c**4*\exp(6*I*e) - 2*A*c**4*\exp(4*I*e) + 2*A*c**4*\exp(2*I*e) - 2*A*c**4 + 14*I*B*c**4*\exp(6*I*e) - 10*I*B*c**4*\exp(4*I*e) + 6*I*B*c**4*\exp(2*I*e) - 2*I*B*c**4), \text{True}))*\exp(-6*I*e)/a**3$

Giac [B] time = 1.59241, size = 582, normalized size = 3.55

$$\frac{60(iAc^4-7Bc^4)\log\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-i\right)}{a^3} + \frac{30(-iAc^4+7Bc^4)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)+1\right|\right)}{a^3} - \frac{30(iAc^4-7Bc^4)\log\left(\left|\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-1\right|\right)}{a^3} - \frac{30\left(-iAc^4\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^4/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")

[Out] $\frac{1}{30}*(60*(I*A*c^4 - 7*B*c^4)*\log(\tan(1/2*f*x + 1/2*e) - I)/a^3 + 30*(-I*A*c^4 + 7*B*c^4)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) + 1))/a^3 - 30*(I*A*c^4 - 7*B*c^4)*\log(\text{abs}(\tan(1/2*f*x + 1/2*e) - 1))/a^3 - 30*(-I*A*c^4*\tan(1/2*f*x + 1/2*e)^2 + 7*B*c^4*\tan(1/2*f*x + 1/2*e)^2 + 2*I*B*c^4*\tan(1/2*f*x + 1/2*e) + I*A*c^4 - 7*B*c^4)/((\tan(1/2*f*x + 1/2*e)^2 - 1)*a^3) - (147*I*A*c^4*\tan(1/2*f*x + 1/2*e)^6 - 1029*B*c^4*\tan(1/2*f*x + 1/2*e)^6 + 1002*A*c^4*\tan(1/2*f*x + 1/2*e)^5 + 6534*I*B*c^4*\tan(1/2*f*x + 1/2*e)^5 - 2445*I*A*c^4*\tan(1/2*f*x + 1/2*e)^4 + 17115*B*c^4*\tan(1/2*f*x + 1/2*e)^4 - 3820*A*c^4*\tan(1/2*f*x + 1/2*e)^3 - 23860*I*B*c^4*\tan(1/2*f*x + 1/2*e)^3 + 2445*I*A*c^4*\tan(1/2*f*x + 1/2*e)^2 - 17115*B*c^4*\tan(1/2*f*x + 1/2*e)^2 + 1002*A*c^4*\tan(1/2*f*x + 1/2*e) + 6534*I*B*c^4*\tan(1/2*f*x + 1/2*e) - 147*I*A*c^4 + 1029*B*c^4)/(a^3*(\tan(1/2*f*x + 1/2*e) - I)^6))/f$

$$3.730 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^3}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=135

$$\frac{c^3(-B+iA)(1-i \tan(e+fx))^3}{6a^3f(1+i \tan(e+fx))^3} - \frac{4iBc^3}{a^3f(-\tan(e+fx)+i)} - \frac{2Bc^3}{a^3f(-\tan(e+fx)+i)^2} + \frac{Bc^3 \log(\cos(e+fx))}{a^3f} - \frac{iBc^3x}{a^3}$$

[Out] $((-I)*B*c^3*x)/a^3 + (B*c^3*Log[Cos[e + f*x]])/(a^3*f) - (2*B*c^3)/(a^3*f*(I - Tan[e + f*x])^2) - ((4*I)*B*c^3)/(a^3*f*(I - Tan[e + f*x])) + ((I*A - B)*c^3*(1 - I*Tan[e + f*x])^3)/(6*a^3*f*(1 + I*Tan[e + f*x])^3)$

Rubi [A] time = 0.156834, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 78, 43}

$$\frac{c^3(-B+iA)(1-i \tan(e+fx))^3}{6a^3f(1+i \tan(e+fx))^3} - \frac{4iBc^3}{a^3f(-\tan(e+fx)+i)} - \frac{2Bc^3}{a^3f(-\tan(e+fx)+i)^2} + \frac{Bc^3 \log(\cos(e+fx))}{a^3f} - \frac{iBc^3x}{a^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])^3/(a + I*a*\text{Tan}[e + f*x])^3, x]$

[Out] $((-I)*B*c^3*x)/a^3 + (B*c^3*Log[Cos[e + f*x]])/(a^3*f) - (2*B*c^3)/(a^3*f*(I - Tan[e + f*x])^2) - ((4*I)*B*c^3)/(a^3*f*(I - Tan[e + f*x])) + ((I*A - B)*c^3*(1 - I*Tan[e + f*x])^3)/(6*a^3*f*(1 + I*Tan[e + f*x])^3)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a + b*x)^m * ((c + d*x)^n * (e + f*x)^p), x_Symbol] \rightarrow -\text{Simp}[(b*e - a*f)*(c + d*x)^{n+1} * (e + f*x)^{p+1} / (f*(p+1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n+1) * (e + f*x)^{p+1} + c*f*(p+1)] / (f*(p+1)*(c*f - d*e)), \text{Int}[(c + d*x)^n * (e + f*x)^{p+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 43

$\text{Int}[(a + b*x)^m * ((c + d*x)^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n+1), 0] || \text{GtQ}[m + n + 2, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^3}{(a + ia \tan(e + fx))^3} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^2}{(a+iax)^4} dx, x, \tan(e + fx) \right)}{f} \\
&= \frac{(iA - B)c^3(1 - i \tan(e + fx))^3}{6a^3 f(1 + i \tan(e + fx))^3} - \frac{(iBc) \operatorname{Subst} \left(\int \frac{(c-icx)^2}{(a+iax)^3} dx, x, \tan(e + fx) \right)}{f} \\
&= \frac{(iA - B)c^3(1 - i \tan(e + fx))^3}{6a^3 f(1 + i \tan(e + fx))^3} - \frac{(iBc) \operatorname{Subst} \left(\int \left(\frac{4ic^2}{a^3(-i+x)^3} + \frac{4c^2}{a^3(-i+x)^2} - \frac{4c^2}{a^3(-i+x)} \right) dx, x, \tan(e + fx) \right)}{f} \\
&= -\frac{iBc^3 x}{a^3} + \frac{Bc^3 \log(\cos(e + fx))}{a^3 f} - \frac{2Bc^3}{a^3 f(i - \tan(e + fx))^2} - \frac{4iBc^3}{a^3 f(i - \tan(e + fx))}
\end{aligned}$$

Mathematica [A] time = 3.60465, size = 145, normalized size = 1.07

$$\frac{c^3 \sec^3(e + fx)(-\cos(3(e + fx))(A - 6iB \log(\cos(e + fx)) - 6Bfx + iB) + iA \sin(3(e + fx)) + 9B \sin(e + fx) - B \sin(3(e + fx)))}{6a^3 f(\tan(e + fx) - i)^3}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^3)/(a + I*a*Tan[e + f*x])^3,x]

[Out] (c^3*Sec[e + f*x]^3*((-3*I)*B*Cos[e + f*x] - Cos[3*(e + f*x)]*(A + I*B - 6*B*f*x - (6*I)*B*Log[Cos[e + f*x]]) + 9*B*Sin[e + f*x] + I*A*Sin[3*(e + f*x)] - B*Sin[3*(e + f*x)] + (6*I)*B*f*x*Sin[3*(e + f*x)] - 6*B*Log[Cos[e + f*x]]*Sin[3*(e + f*x)]))/(6*a^3*f*(-I + Tan[e + f*x])^3)

Maple [A] time = 0.053, size = 164, normalized size = 1.2

$$\frac{5ic^3B}{fa^3(\tan(fx + e) - i)} + \frac{Ac^3}{fa^3(\tan(fx + e) - i)} - \frac{Bc^3 \ln(\tan(fx + e) - i)}{fa^3} + \frac{2ic^3A}{fa^3(\tan(fx + e) - i)^2} - 4 \frac{Bc^3}{fa^3(\tan(fx + e) - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^3,x)

[Out] 5*I/f*c^3/a^3/(tan(f*x+e)-I)*B+1/f*c^3/a^3/(tan(f*x+e)-I)*A-1/f*c^3/a^3*B*ln(tan(f*x+e)-I)+2*I/f*c^3/a^3/(tan(f*x+e)-I)^2*A-4/f*c^3/a^3/(tan(f*x+e)-I)^2*B-4/3*I/f*c^3/a^3/(tan(f*x+e)-I)^3*B-4/3/f*c^3/a^3/(tan(f*x+e)-I)^3*A

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.10689, size = 279, normalized size = 2.07

$$\frac{\left(-12i Bc^3 f x e^{(6i f x + 6i e)} + 6 Bc^3 e^{(6i f x + 6i e)} \log\left(e^{(2i f x + 2i e)} + 1\right) - 6 Bc^3 e^{(4i f x + 4i e)} + 3 Bc^3 e^{(2i f x + 2i e)} + (i A - B)c^3\right) e^{(-6i f x - 6i e)}}{6 a^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/6*(-12*I*B*c^3*f*x*e^(6*I*f*x + 6*I*e) + 6*B*c^3*e^(6*I*f*x + 6*I*e)*log(e^(2*I*f*x + 2*I*e) + 1) - 6*B*c^3*e^(4*I*f*x + 4*I*e) + 3*B*c^3*e^(2*I*f*x + 2*I*e) + (I*A - B)*c^3)*e^(-6*I*f*x - 6*I*e)/(a^3*f)

Sympy [A] time = 3.60864, size = 260, normalized size = 1.93

$$-\frac{2iBc^3x}{a^3} + \frac{Bc^3 \log\left(e^{2ifx} + e^{-2ie}\right)}{a^3 f} + \begin{cases} \frac{\left(-12Ba^6c^3f^2e^{10ie}e^{-2ifx} + 6Ba^6c^3f^2e^{8ie}e^{-4ifx} + (2iAa^6c^3f^2e^{6ie} - 2Ba^6c^3f^2e^{6ie})e^{-6ifx}\right)e^{-12ie}}{12a^9f^3} & \text{for } 12a^9f^3 \\ x\left(\frac{2iBc^3}{a^3} + \frac{(Ac^3 - 2iBc^3e^{6ie} + 2iBc^3e^{4ie} - 2iBc^3e^{2ie} + iBc^3)e^{-6ie}}{a^3}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^3,x)

[Out] -2*I*B*c**3*x/a**3 + B*c**3*log(exp(2*I*f*x) + exp(-2*I*e))/(a**3*f) + Piecewise(((-12*B*a**6*c**3*f**2*exp(10*I*e)*exp(-2*I*f*x) + 6*B*a**6*c**3*f**2*exp(8*I*e)*exp(-4*I*f*x) + (2*I*A*a**6*c**3*f**2*exp(6*I*e) - 2*B*a**6*c**3*f**2*exp(6*I*e))*exp(-6*I*f*x))*exp(-12*I*e)/(12*a**9*f**3), Ne(12*a**9*f**3*exp(12*I*e), 0)), (x*(2*I*B*c**3/a**3 + (A*c**3 - 2*I*B*c**3*exp(6*I*e) + 2*I*B*c**3*exp(4*I*e) - 2*I*B*c**3*exp(2*I*e) + I*B*c**3)*exp(-6*I*e)/a**3), True))

Giac [B] time = 1.54282, size = 348, normalized size = 2.58

$$\frac{60 Bc^3 \log\left(\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - i\right)}{a^3} - \frac{30 Bc^3 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) + 1\right|\right)}{a^3} - \frac{30 Bc^3 \log\left(\left|\tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - 1\right|\right)}{a^3} - \frac{147 Bc^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^6 - 60 Ac^3 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")

[Out] -1/30*(60*B*c^3*log(tan(1/2*f*x + 1/2*e) - I)/a^3 - 30*B*c^3*log(abs(tan(1/2*f*x + 1/2*e) + 1))/a^3 - 30*B*c^3*log(abs(tan(1/2*f*x + 1/2*e) - 1))/a^3 - (147*B*c^3*tan(1/2*f*x + 1/2*e)^6 - 60*A*c^3*tan(1/2*f*x + 1/2*e)^5 - 942*I*B*c^3*tan(1/2*f*x + 1/2*e)^5 - 2445*B*c^3*tan(1/2*f*x + 1/2*e)^4 + 200*A*c^3*tan(1/2*f*x + 1/2*e)^3 + 3620*I*B*c^3*tan(1/2*f*x + 1/2*e)^3 + 2445*B*c^3*tan(1/2*f*x + 1/2*e)^2 - 60*A*c^3*tan(1/2*f*x + 1/2*e) - 942*I*B*c^3*tan(1/2*f*x + 1/2*e) - 147*B*c^3)/(a^3*(tan(1/2*f*x + 1/2*e) - I)^6)/f

$$3.731 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=99

$$\frac{c^2(-3B+iA)}{2a^3f(-\tan(e+fx)+i)^2} + \frac{2c^2(A+iB)}{3a^3f(-\tan(e+fx)+i)^3} - \frac{iBc^2}{a^3f(-\tan(e+fx)+i)}$$

[Out] (2*(A + I*B)*c^2)/(3*a^3*f*(I - Tan[e + f*x])^3) + ((I*A - 3*B)*c^2)/(2*a^3*f*(I - Tan[e + f*x])^2) - (I*B*c^2)/(a^3*f*(I - Tan[e + f*x]))

Rubi [A] time = 0.156943, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 77}

$$\frac{c^2(-3B+iA)}{2a^3f(-\tan(e+fx)+i)^2} + \frac{2c^2(A+iB)}{3a^3f(-\tan(e+fx)+i)^3} - \frac{iBc^2}{a^3f(-\tan(e+fx)+i)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2)/(a + I*a*Tan[e + f*x])^3,x]

[Out] (2*(A + I*B)*c^2)/(3*a^3*f*(I - Tan[e + f*x])^3) + ((I*A - 3*B)*c^2)/(2*a^3*f*(I - Tan[e + f*x])^2) - (I*B*c^2)/(a^3*f*(I - Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^2}{(a+ia \tan(e+fx))^3} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)}{(a+iax)^4} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(\frac{2(A+iB)c}{a^4(-i+x)^4} + \frac{(-iA+3B)c}{a^4(-i+x)^3} - \frac{iBc}{a^4(-i+x)^2}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{2(A+iB)c^2}{3a^3f(i-\tan(e+fx))^3} + \frac{(iA-3B)c^2}{2a^3f(i-\tan(e+fx))^2} - \frac{iBc^2}{a^3f(i-\tan(e+fx))} \end{aligned}$$

Mathematica [A] time = 2.7558, size = 79, normalized size = 0.8

$$\frac{ic^2 \sec^2(e + fx)(\cos(2(e + fx)) - i \sin(2(e + fx)))(A - 5iB) \tan(e + fx) - 5iA - B}{24a^3 f (\tan(e + fx) - i)^3}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^2)/(a + I*a*Tan[e + f*x])^3, x]

[Out] ((-I/24)*c^2*Sec[e + f*x]^2*(Cos[2*(e + f*x)] - I*Sin[2*(e + f*x)])*((-5*I)*A - B + (A - (5*I)*B)*Tan[e + f*x]))/(a^3*f*(-I + Tan[e + f*x])^3)

Maple [A] time = 0.049, size = 69, normalized size = 0.7

$$\frac{c^2}{fa^3} \left(\frac{iB}{\tan(fx + e) - i} - \frac{-iA + 3B}{2(\tan(fx + e) - i)^2} - \frac{2iB + 2A}{3(\tan(fx + e) - i)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^3,x)

[Out] 1/f*c^2/a^3*(I*B/(tan(f*x+e)-I)-1/2*(-I*A+3*B)/(tan(f*x+e)-I)^2-1/3*(2*I*B+2*A)/(tan(f*x+e)-I)^3)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.051, size = 128, normalized size = 1.29

$$\frac{\left((3iA + 3B)c^2 e^{(2i fx + 2ie)} + (2iA - 2B)c^2 \right) e^{(-6i fx - 6ie)}}{24a^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/24*((3*I*A + 3*B)*c^2*e^(2*I*f*x + 2*I*e) + (2*I*A - 2*B)*c^2)*e^(-6*I*f*x - 6*I*e)/(a^3*f)

Sympy [A] time = 2.76566, size = 173, normalized size = 1.75

$$\begin{cases} \frac{((8iAa^3c^2fe^{4ie}-8Ba^3c^2fe^{4ie})e^{-6ifx}+(12iAa^3c^2fe^{6ie}+12Ba^3c^2fe^{6ie})e^{-4ifx})e^{-10ie}}{96a^6f^2} & \text{for } 96a^6f^2e^{10ie} \neq 0 \\ \frac{x(Ac^2e^{2ie}+Ac^2-iBc^2e^{2ie}+iBc^2)e^{-6ie}}{2a^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**2/(a+I*a*tan(f*x+e))**3,x)

[Out] Piecewise((((8*I*A*a**3*c**2*f*exp(4*I*e) - 8*B*a**3*c**2*f*exp(4*I*e))*exp(-6*I*f*x) + (12*I*A*a**3*c**2*f*exp(6*I*e) + 12*B*a**3*c**2*f*exp(6*I*e))*exp(-4*I*f*x))*exp(-10*I*e)/(96*a**6*f**2), Ne(96*a**6*f**2*exp(10*I*e), 0)), (x*(A*c**2*exp(2*I*e) + A*c**2 - I*B*c**2*exp(2*I*e) + I*B*c**2)*exp(-6*I*e)/(2*a**3), True))

Giac [B] time = 1.48839, size = 223, normalized size = 2.25

$$\frac{2\left(3Ac^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^5-3iAc^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^4-3Bc^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^4-8Ac^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^3-2iBc^2\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)^3\right)}{3a^3f\left(\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)-i\right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^2/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")

[Out] -2/3*(3*A*c^2*tan(1/2*f*x + 1/2*e)^5 - 3*I*A*c^2*tan(1/2*f*x + 1/2*e)^4 - 3*B*c^2*tan(1/2*f*x + 1/2*e)^4 - 8*A*c^2*tan(1/2*f*x + 1/2*e)^3 - 2*I*B*c^2*tan(1/2*f*x + 1/2*e)^3 + 3*I*A*c^2*tan(1/2*f*x + 1/2*e)^2 + 3*B*c^2*tan(1/2*f*x + 1/2*e)^2 + 3*A*c^2*tan(1/2*f*x + 1/2*e))/(a^3*f*(tan(1/2*f*x + 1/2*e) - I)^6)

$$3.732 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=59

$$\frac{c(A+iB)}{3a^3 f(-\tan(e+fx)+i)^3} - \frac{Bc}{2a^3 f(-\tan(e+fx)+i)^2}$$

[Out] ((A + I*B)*c)/(3*a^3*f*(I - Tan[e + f*x])^3) - (B*c)/(2*a^3*f*(I - Tan[e + f*x])^2)

Rubi [A] time = 0.0884157, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$, Rules used = {3588, 43}

$$\frac{c(A+iB)}{3a^3 f(-\tan(e+fx)+i)^3} - \frac{Bc}{2a^3 f(-\tan(e+fx)+i)^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^3, x]

[Out] ((A + I*B)*c)/(3*a^3*f*(I - Tan[e + f*x])^3) - (B*c)/(2*a^3*f*(I - Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))}{(a+ia \tan(e+fx))^3} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^4} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \operatorname{Subst}\left(\int \left(\frac{A+iB}{a^4(-i+x)^4} + \frac{B}{a^4(-i+x)^3}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(A+iB)c}{3a^3 f(i - \tan(e+fx))^3} - \frac{Bc}{2a^3 f(i - \tan(e+fx))^2} \end{aligned}$$

Mathematica [A] time = 1.21049, size = 81, normalized size = 1.37

$$\frac{c(\tan(e+fx)+i) \sec^2(e+fx)(-2(A-2iB) \sin(2(e+fx))+2(B+2iA) \cos(2(e+fx))+3iA)}{24a^3 f(\tan(e+fx)-i)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^3,x]
```

```
[Out] (c*Sec[e + f*x]^2*((3*I)*A + 2*((2*I)*A + B)*Cos[2*(e + f*x)] - 2*(A - (2*I)*B)*Sin[2*(e + f*x)])*(I + Tan[e + f*x])/((24*a^3*f*(-I + Tan[e + f*x]))^3)
```

Maple [A] time = 0.05, size = 43, normalized size = 0.7

$$\frac{c}{fa^3} \left(-\frac{B}{2(\tan(fx+e)-i)^2} - \frac{A+iB}{3(\tan(fx+e)-i)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x)
```

```
[Out] 1/f*c/a^3*(-1/2*B/(tan(f*x+e)-I)^2-1/3*(A+I*B)/(tan(f*x+e)-I)^3)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.03511, size = 158, normalized size = 2.68

$$\frac{\left((3iA + 3B)ce^{4ifx+4ie} + 3iAce^{2ifx+2ie} + (iA - B)c \right) e^{-6ifx-6ie}}{24a^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")
```

```
[Out] 1/24*((3*I*A + 3*B)*c*e^(4*I*f*x + 4*I*e) + 3*I*A*c*e^(2*I*f*x + 2*I*e) + (I*A - B)*c)*e^(-6*I*f*x - 6*I*e)/(a^3*f)
```

Sympy [A] time = 1.39956, size = 207, normalized size = 3.51

$$\begin{cases} \frac{(192iAa^6cf^2e^{8ie-4ifx} + (64iAa^6cf^2e^{6ie} - 64Ba^6cf^2e^{6ie})e^{-6ifx} + (192iAa^6cf^2e^{10ie} + 192Ba^6cf^2e^{10ie})e^{-2ifx})e^{-12ie}}{1536a^9f^3} & \text{for } 1536a^9f^3e^{12ie} \neq 0 \\ \frac{x(Ace^{4ie} + 2Ace^{2ie} + Ac - iBce^{4ie} + iBc)e^{-6ie}}{4a^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x)

[Out] Piecewise((((192*I*A*a**6*c*f**2*exp(8*I*e)*exp(-4*I*f*x) + (64*I*A*a**6*c*f**2*exp(6*I*e) - 64*B*a**6*c*f**2*exp(6*I*e))*exp(-6*I*f*x) + (192*I*A*a**6*c*f**2*exp(10*I*e) + 192*B*a**6*c*f**2*exp(10*I*e))*exp(-2*I*f*x))*exp(-12*I*e)/(1536*a**9*f**3), Ne(1536*a**9*f**3*exp(12*I*e), 0)), (x*(A*c*exp(4*I*e) + 2*A*c*exp(2*I*e) + A*c - I*B*c*exp(4*I*e) + I*B*c)*exp(-6*I*e)/(4*a**3), True))

Giac [B] time = 1.34081, size = 201, normalized size = 3.41

$$\frac{2 \left(3 A c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^5 - 6 i A c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^4 - 3 B c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^4 - 10 A c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^3 + 2 i B c \tan \left(\frac{1}{2} f x + \frac{1}{2} e \right)^3 \right)}{3 a^3 f \left(\tan \left(\frac{1}{2} f x + \frac{1}{2} e \right) - i \right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algo
ithm="giac")

[Out] -2/3*(3*A*c*tan(1/2*f*x + 1/2*e)^5 - 6*I*A*c*tan(1/2*f*x + 1/2*e)^4 - 3*B*c*tan(1/2*f*x + 1/2*e)^4 - 10*A*c*tan(1/2*f*x + 1/2*e)^3 + 2*I*B*c*tan(1/2*f*x + 1/2*e)^3 + 6*I*A*c*tan(1/2*f*x + 1/2*e)^2 + 3*B*c*tan(1/2*f*x + 1/2*e)^2 + 3*A*c*tan(1/2*f*x + 1/2*e))/(a^3*f*(tan(1/2*f*x + 1/2*e) - I)^6)

$$3.733 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=112

$$\frac{B+iA}{8f(a^3+ia^3 \tan(e+fx))} + \frac{x(A-iB)}{8a^3} + \frac{-B+iA}{6f(a+ia \tan(e+fx))^3} + \frac{B+iA}{8af(a+ia \tan(e+fx))^2}$$

[Out] ((A - I*B)*x)/(8*a^3) + (I*A - B)/(6*f*(a + I*a*Tan[e + f*x])^3) + (I*A + B)/(8*a*f*(a + I*a*Tan[e + f*x])^2) + (I*A + B)/(8*f*(a^3 + I*a^3*Tan[e + f*x]))

Rubi [A] time = 0.0850948, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {3526, 3479, 8}

$$\frac{B+iA}{8f(a^3+ia^3 \tan(e+fx))} + \frac{x(A-iB)}{8a^3} + \frac{-B+iA}{6f(a+ia \tan(e+fx))^3} + \frac{B+iA}{8af(a+ia \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/(a + I*a*Tan[e + f*x])^3,x]

[Out] ((A - I*B)*x)/(8*a^3) + (I*A - B)/(6*f*(a + I*a*Tan[e + f*x])^3) + (I*A + B)/(8*a*f*(a + I*a*Tan[e + f*x])^2) + (I*A + B)/(8*f*(a^3 + I*a^3*Tan[e + f*x]))

Rule 3526

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]

Rule 3479

Int[((a_) + (b_)*tan[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(a*(a + b*Tan[c + d*x])^n)/(2*b*d*n), x] + Dist[1/(2*a), Int[(a + b*Tan[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 + b^2, 0] && LtQ[n, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3} dx &= \frac{iA - B}{6f(a + ia \tan(e + fx))^3} + \frac{(A - iB) \int \frac{1}{(a + ia \tan(e + fx))^2} dx}{2a} \\
&= \frac{iA - B}{6f(a + ia \tan(e + fx))^3} + \frac{iA + B}{8af(a + ia \tan(e + fx))^2} + \frac{(A - iB) \int \frac{1}{a + ia \tan(e + fx)} dx}{4a^2} \\
&= \frac{iA - B}{6f(a + ia \tan(e + fx))^3} + \frac{iA + B}{8af(a + ia \tan(e + fx))^2} + \frac{iA + B}{8f(a^3 + ia^3 \tan(e + fx))} + \frac{(A - iB)x}{8a^3} \\
&= \frac{(A - iB)x}{8a^3} + \frac{iA - B}{6f(a + ia \tan(e + fx))^3} + \frac{iA + B}{8af(a + ia \tan(e + fx))^2} + \frac{iA + B}{8f(a^3 + ia^3 \tan(e + fx))}
\end{aligned}$$

Mathematica [A] time = 0.712872, size = 150, normalized size = 1.34

$$\frac{\sec^3(e + fx)((-27A + 3iB) \cos(e + fx) + 2(6iAfx - A + 6Bfx - iB) \cos(3(e + fx)) - 9iA \sin(e + fx) + 2iA \sin(3(e + fx)))}{96a^3 f(\tan(e + fx) - i)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/(a + I*a*Tan[e + f*x])^3,x]

[Out] (Sec[e + f*x]^3*((-27*A + (3*I)*B)*Cos[e + f*x] + 2*(-A - I*B + (6*I)*A*f*x + 6*B*f*x)*Cos[3*(e + f*x)] - (9*I)*A*Sin[e + f*x] - 9*B*Sin[e + f*x] + (2*I)*A*Sin[3*(e + f*x)] - 2*B*Sin[3*(e + f*x)] - 12*A*f*x*Sin[3*(e + f*x)] + (12*I)*B*f*x*Sin[3*(e + f*x)]))/(96*a^3*f*(-I + Tan[e + f*x])^3)

Maple [B] time = 0.046, size = 203, normalized size = 1.8

$$\frac{A}{8fa^3(\tan(fx + e) - i)} - \frac{\frac{i}{8}B}{fa^3(\tan(fx + e) - i)} - \frac{\frac{i}{8}A}{fa^3(\tan(fx + e) - i)^2} - \frac{B}{8fa^3(\tan(fx + e) - i)^2} - \frac{\frac{i}{16} \ln(\tan(fx + e) - i)}{fa^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x)

[Out] 1/8/f/a^3/(tan(f*x+e)-I)*A-1/8*I/f/a^3/(tan(f*x+e)-I)*B-1/8*I/f/a^3/(tan(f*x+e)-I)^2*A-1/8/f/a^3/(tan(f*x+e)-I)^2*B-1/16*I/f/a^3*ln(tan(f*x+e)-I)*A-1/16/f/a^3*ln(tan(f*x+e)-I)*B-1/6/f/a^3/(tan(f*x+e)-I)^3*A-1/6*I/f/a^3/(tan(f*x+e)-I)^3*B+1/16/f/a^3*B*ln(tan(f*x+e)+I)+1/16*I/f/a^3*A*ln(tan(f*x+e)+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.07208, size = 217, normalized size = 1.94

$$\frac{\left(12(A-iB)fxe^{(6ifx+6ie)} + (18iA+6B)e^{(4ifx+4ie)} + (9iA-3B)e^{(2ifx+2ie)} + 2iA-2B\right)e^{(-6ifx-6ie)}}{96a^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/96*(12*(A - I*B)*f*x*e^(6*I*f*x + 6*I*e) + (18*I*A + 6*B)*e^(4*I*f*x + 4*I*e) + (9*I*A - 3*B)*e^(2*I*f*x + 2*I*e) + 2*I*A - 2*B)*e^(-6*I*f*x - 6*I*e)/(a^3*f)

Sympy [A] time = 4.46947, size = 260, normalized size = 2.32

$$\begin{cases} \frac{\left(\left(512iAa^6f^2e^{6ie}-512Ba^6f^2e^{6ie}\right)e^{-6ifx}+\left(2304iAa^6f^2e^{8ie}-768Ba^6f^2e^{8ie}\right)e^{-4ifx}+\left(4608iAa^6f^2e^{10ie}+1536Ba^6f^2e^{10ie}\right)e^{-2ifx}\right)e^{-12ie}}{24576a^9f^3} & \text{for } 24576a^9f^3e^{12ie} \neq 0 \\ x\left(-\frac{A-iB}{8a^3}+\frac{\left(Ae^{6ie}+3Ae^{4ie}+3Ae^{2ie}+A-iBe^{6ie}-iBe^{4ie}+iBe^{2ie}+iB\right)e^{-6ie}}{8a^3}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**3,x)

[Out] Piecewise((((512*I*A*a**6*f**2*exp(6*I*e) - 512*B*a**6*f**2*exp(6*I*e))*exp(-6*I*f*x) + (2304*I*A*a**6*f**2*exp(8*I*e) - 768*B*a**6*f**2*exp(8*I*e))*exp(-4*I*f*x) + (4608*I*A*a**6*f**2*exp(10*I*e) + 1536*B*a**6*f**2*exp(10*I*e))*exp(-2*I*f*x))*exp(-12*I*e)/(24576*a**9*f**3), Ne(24576*a**9*f**3*exp(12*I*e), 0)), (x*(-(A - I*B)/(8*a**3) + (A*exp(6*I*e) + 3*A*exp(4*I*e) + 3*A*exp(2*I*e) + A - I*B*exp(6*I*e) - I*B*exp(4*I*e) + I*B*exp(2*I*e) + I*B)*exp(-6*I*e)/(8*a**3)), True)) + x*(A - I*B)/(8*a**3)

Giac [A] time = 1.22681, size = 189, normalized size = 1.69

$$\frac{\frac{6(iA+B)\log(\tan(fx+e)-i)}{a^3} + \frac{6(-iA-B)\log(i\tan(fx+e)-1)}{a^3} + \frac{-11iA\tan(fx+e)^3 - 11B\tan(fx+e)^3 - 45A\tan(fx+e)^2 + 45iB\tan(fx+e)^2 + 69iA\tan(fx+e)}{a^3(\tan(fx+e)-i)^3}}{96f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")

[Out] -1/96*(6*(I*A + B)*log(tan(f*x + e) - I)/a^3 + 6*(-I*A - B)*log(I*tan(f*x + e) - 1)/a^3 + (-11*I*A*tan(f*x + e)^3 - 11*B*tan(f*x + e)^3 - 45*A*tan(f*x + e)^2 + 45*I*B*tan(f*x + e)^2 + 69*I*A*tan(f*x + e) + 69*B*tan(f*x + e) + 51*A - 19*I*B)/(a^3*(tan(f*x + e) - I)^3))/f

$$3.734 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))} dx$$

Optimal. Leaf size=153

$$\frac{3A-iB}{16a^3cf(-\tan(e+fx)+i)} + \frac{A-iB}{16a^3cf(\tan(e+fx)+i)} + \frac{A+iB}{12a^3cf(-\tan(e+fx)+i)^3} + \frac{x(2A-iB)}{8a^3c} - \frac{iA}{8a^3cf(-\tan(e+fx)+i)}$$

[Out] ((2*A - I*B)*x)/(8*a^3*c) + (A + I*B)/(12*a^3*c*f*(I - Tan[e + f*x])^3) - ((I/8)*A)/(a^3*c*f*(I - Tan[e + f*x])^2) - (3*A - I*B)/(16*a^3*c*f*(I - Tan[e + f*x])) + (A - I*B)/(16*a^3*c*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.213472, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{3A-iB}{16a^3cf(-\tan(e+fx)+i)} + \frac{A-iB}{16a^3cf(\tan(e+fx)+i)} + \frac{A+iB}{12a^3cf(-\tan(e+fx)+i)^3} + \frac{x(2A-iB)}{8a^3c} - \frac{iA}{8a^3cf(-\tan(e+fx)+i)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])), x]

[Out] ((2*A - I*B)*x)/(8*a^3*c) + (A + I*B)/(12*a^3*c*f*(I - Tan[e + f*x])^3) - ((I/8)*A)/(a^3*c*f*(I - Tan[e + f*x])^2) - (3*A - I*B)/(16*a^3*c*f*(I - Tan[e + f*x])) + (A - I*B)/(16*a^3*c*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^2} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{A+iB}{4a^4 c^2 (-i+x)^4} + \frac{iA}{4a^4 c^2 (-i+x)^3} + \frac{-3A+iB}{16a^4 c^2 (-i+x)^2} + \frac{-A+iB}{16a^4 c^2 (-i+x)} + \frac{A-iB}{16a^4 c^2} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{A+iB}{12a^3 c f (i - \tan(e + fx))^3} - \frac{iA}{8a^3 c f (i - \tan(e + fx))^2} - \frac{3A-iB}{16a^3 c f (i - \tan(e + fx))} + \frac{(2A-iB)x}{8a^3 c} + \frac{A+iB}{12a^3 c f (i - \tan(e + fx))^3} - \frac{iA}{8a^3 c f (i - \tan(e + fx))^2} - \frac{3A-iB}{16a^3 c f (i - \tan(e + fx))}$$

Mathematica [A] time = 2.08965, size = 164, normalized size = 1.07

$$\frac{\sec^2(e + fx)(3(A(8fx + 2i) + B(-1 - 4ifx)) \cos(2(e + fx)) + (-4B - 2iA) \cos(4(e + fx)) + 24iAfx \sin(2(e + fx)) + 6A^2 \sin(4(e + fx)))}{96a^3 c f (\tan(e + fx) - i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])),x]

[Out] -(Sec[e + f*x]^2*((18*I)*A + 3*(B*(-1 - (4*I)*f*x) + A*(2*I + 8*f*x))*Cos[2*(e + f*x)] + ((-2*I)*A - 4*B)*Cos[4*(e + f*x)] + 6*A*Sin[2*(e + f*x)] + (3*I)*B*Sin[2*(e + f*x)] + (24*I)*A*f*x*Sin[2*(e + f*x)] + 12*B*f*x*Sin[2*(e + f*x)] + 4*A*Sin[4*(e + f*x)] - (2*I)*B*Sin[4*(e + f*x)]))/(96*a^3*c*f*(-I + Tan[e + f*x])^2)

Maple [A] time = 0.069, size = 257, normalized size = 1.7

$$\frac{-\frac{i}{8}A}{fa^3c(\tan(fx + e) - i)^2} + \frac{3A}{16fa^3c(\tan(fx + e) - i)} - \frac{\frac{i}{16}B}{fa^3c(\tan(fx + e) - i)} - \frac{A}{12fa^3c(\tan(fx + e) - i)^3} - \frac{A}{fa^3c(\tan(fx + e) + i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e)),x)

[Out] -1/8*I/f/a^3/c*A/(tan(f*x+e)-I)^2+3/16/f/a^3/c/(tan(f*x+e)-I)*A-1/16*I/f/a^3/c/(tan(f*x+e)-I)*B-1/12/f/a^3/c/(tan(f*x+e)-I)^3*A-1/12*I/f/a^3/c/(tan(f*x+e)-I)^3*B-1/16/f/a^3/c*ln(tan(f*x+e)-I)*B-1/8*I/f/a^3/c*ln(tan(f*x+e)-I)*A+1/16/f/a^3/c/(tan(f*x+e)+I)*A-1/16*I/f/a^3/c/(tan(f*x+e)+I)*B+1/16/f/a^3/c*ln(tan(f*x+e)+I)*B+1/8*I/f/a^3/c*ln(tan(f*x+e)+I)*A

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.05501, size = 257, normalized size = 1.68

$$\frac{\left(12(2A - iB)fxe^{(6ifx+6ie)} + (-3iA - 3B)e^{(8ifx+8ie)} + 18iAe^{(4ifx+4ie)} + (6iA - 3B)e^{(2ifx+2ie)} + iA - B\right)e^{(-6ifx-6ie)}}{96a^3cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e)),x, algorith="fricas")

[Out] 1/96*(12*(2*A - I*B)*f*x*e^(6*I*f*x + 6*I*e) + (-3*I*A - 3*B)*e^(8*I*f*x + 8*I*e) + 18*I*A*e^(4*I*f*x + 4*I*e) + (6*I*A - 3*B)*e^(2*I*f*x + 2*I*e) + I*A - B)*e^(-6*I*f*x - 6*I*e)/(a^3*c*f)

Sympy [A] time = 4.52343, size = 342, normalized size = 2.24

$$\left\{ \frac{\left(294912iAa^9c^3f^3e^{10ie}e^{-2ifx} + (16384iAa^9c^3f^3e^{6ie} - 16384Ba^9c^3f^3e^{6ie})e^{-6ifx} + (98304iAa^9c^3f^3e^{8ie} - 49152Ba^9c^3f^3e^{8ie})e^{-4ifx} + (-49152iAa^9c^3f^3e^{14ie} - 49152Ba^9c^3f^3e^{14ie})e^{-14ifx}\right)}{1572864a^{12}c^4f^4}, x \left(-\frac{2A-iB}{8a^3c} + \frac{(Ae^{8ie} + 4Ae^{6ie} + 6Ae^{4ie} + 4Ae^{2ie} + A - iBe^{8ie} - 2iBe^{6ie} + 2iBe^{2ie} + iB)e^{-6ie}}{16a^3c} \right) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e)),x)

[Out] Piecewise((((294912*I*A*a**9*c**3*f**3*exp(10*I*e)*exp(-2*I*f*x) + (16384*I*A*a**9*c**3*f**3*exp(6*I*e) - 16384*B*a**9*c**3*f**3*exp(6*I*e))*exp(-6*I*f*x) + (98304*I*A*a**9*c**3*f**3*exp(8*I*e) - 49152*B*a**9*c**3*f**3*exp(8*I*e))*exp(-4*I*f*x) + (-49152*I*A*a**9*c**3*f**3*exp(14*I*e) - 49152*B*a**9*c**3*f**3*exp(14*I*e))*exp(2*I*f*x))*exp(-12*I*e)/(1572864*a**12*c**4*f**4), Ne(1572864*a**12*c**4*f**4*exp(12*I*e), 0)), (x*(-(2*A - I*B)/(8*a**3*c) + (A*exp(8*I*e) + 4*A*exp(6*I*e) + 6*A*exp(4*I*e) + 4*A*exp(2*I*e) + A - I*B*exp(8*I*e) - 2*I*B*exp(6*I*e) + 2*I*B*exp(2*I*e) + I*B)*exp(-6*I*e)/(16*a**3*c)), True)) + x*(2*A - I*B)/(8*a**3*c)

Giac [A] time = 1.30702, size = 259, normalized size = 1.69

$$\frac{6(-2iA-B)\log(\tan(fx+e)+i)}{a^3c} + \frac{6(2iA+B)\log(\tan(fx+e)-i)}{a^3c} + \frac{6(2iA\tan(fx+e)+B\tan(fx+e)-3A+2iB)}{a^3c(\tan(fx+e)+i)} + \frac{-22iA\tan(fx+e)^3-11B\tan(fx+e)^3}{96f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e)),x, algorith="giac")

[Out] -1/96*(6*(-2*I*A - B)*log(tan(f*x + e) + I)/(a^3*c) + 6*(2*I*A + B)*log(tan(f*x + e) - I)/(a^3*c) + 6*(2*I*A*tan(f*x + e) + B*tan(f*x + e) - 3*A + 2*I*B)/(a^3*c*(tan(f*x + e) + I)) + (-22*I*A*tan(f*x + e)^3 - 11*B*tan(f*x + e)^3 - 84*A*tan(f*x + e)^2 + 39*I*B*tan(f*x + e)^2 + 114*I*A*tan(f*x + e) + 45*B*tan(f*x + e) + 60*A - 9*I*B)/(a^3*c*(tan(f*x + e) - I)^3))/f

$$3.735 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^2} dx$$

Optimal. Leaf size=185

$$\frac{2A - iB}{16a^3c^2f(\tan(e+fx) + i)} - \frac{-B + 3iA}{32a^3c^2f(-\tan(e+fx) + i)^2} + \frac{B + iA}{32a^3c^2f(\tan(e+fx) + i)^2} + \frac{A + iB}{24a^3c^2f(-\tan(e+fx) + i)^3} + \dots$$

[Out] $((5*A - I*B)*x)/(16*a^3*c^2) + (A + I*B)/(24*a^3*c^2*f*(I - \text{Tan}[e + f*x])^3) - ((3*I)*A - B)/(32*a^3*c^2*f*(I - \text{Tan}[e + f*x])^2) - (3*A)/(16*a^3*c^2*f*(I - \text{Tan}[e + f*x])) + (I*A + B)/(32*a^3*c^2*f*(I + \text{Tan}[e + f*x])^2) + (2*A - I*B)/(16*a^3*c^2*f*(I + \text{Tan}[e + f*x]))$

Rubi [A] time = 0.239247, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{2A - iB}{16a^3c^2f(\tan(e+fx) + i)} - \frac{-B + 3iA}{32a^3c^2f(-\tan(e+fx) + i)^2} + \frac{B + iA}{32a^3c^2f(\tan(e+fx) + i)^2} + \frac{A + iB}{24a^3c^2f(-\tan(e+fx) + i)^3} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])/((a + I*a*\text{Tan}[e + f*x])^3*(c - I*c*\text{Tan}[e + f*x])^2), x]$

[Out] $((5*A - I*B)*x)/(16*a^3*c^2) + (A + I*B)/(24*a^3*c^2*f*(I - \text{Tan}[e + f*x])^3) - ((3*I)*A - B)/(32*a^3*c^2*f*(I - \text{Tan}[e + f*x])^2) - (3*A)/(16*a^3*c^2*f*(I - \text{Tan}[e + f*x])) + (I*A + B)/(32*a^3*c^2*f*(I + \text{Tan}[e + f*x])^2) + (2*A - I*B)/(16*a^3*c^2*f*(I + \text{Tan}[e + f*x]))$

Rule 3588

$\text{Int}[(a + (b_*)\tan[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\tan[(e_*) + (f_*)(x_*)])^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[(a + (b_*)(x_*) * ((c_*) + (d_*)(x_*)^{(n_*)} * ((e_*) + (f_*)(x_*)^{(p_*)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

$\text{Int}[(a + (b_*)(x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^2} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^3} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{A+iB}{8a^4c^3(-i+x)^4} + \frac{i(3A+iB)}{16a^4c^3(-i+x)^3} - \frac{3A}{16a^4c^3(-i+x)^2} - \frac{i(A-iB)}{16a^4c^3(i+x)^3} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{A + iB}{24a^3c^2f(i - \tan(e + fx))^3} - \frac{3iA - B}{32a^3c^2f(i - \tan(e + fx))^2} - \frac{16a^3c^2f(i - \tan(e + fx))}{(5A - iB)x} + \frac{A + iB}{24a^3c^2f(i - \tan(e + fx))^3} - \frac{3iA - B}{32a^3c^2f(i - \tan(e + fx))^2}$$

Mathematica [A] time = 2.38725, size = 217, normalized size = 1.17

$$\frac{\sec^3(e + fx)(\cos(2(e + fx)) + i \sin(2(e + fx)))(12(A(-5 + 10ifx) + B(2fx - i)) \cos(e + fx) + 3(5A - 9iB) \cos(3(e + fx)))}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^2), x]

[Out] (Sec[e + f*x]^3*(Cos[2*(e + f*x)] + I*Sin[2*(e + f*x)])*(12*(A*(-5 + (10*I)*f*x) + B*(-I + 2*f*x))*Cos[e + f*x] + 3*(5*A - (9*I)*B)*Cos[3*(e + f*x)] + A*Cos[5*(e + f*x)] - (5*I)*B*Cos[5*(e + f*x)] + (60*I)*A*Sin[e + f*x] - 12*B*Sin[e + f*x] - 120*A*f*x*Sin[e + f*x] + (24*I)*B*f*x*Sin[e + f*x] + (45*I)*A*Sin[3*(e + f*x)] + 9*B*Sin[3*(e + f*x)] + (5*I)*A*Sin[5*(e + f*x)] + B*Sin[5*(e + f*x)]))/(384*a^3*c^2*f*(-I + Tan[e + f*x])^3)

Maple [A] time = 0.073, size = 303, normalized size = 1.6

$$\frac{3A}{16fa^3c^2(\tan(fx + e) - i)} - \frac{\frac{3i}{32}A}{fa^3c^2(\tan(fx + e) - i)^2} + \frac{B}{32fa^3c^2(\tan(fx + e) - i)^2} - \frac{\frac{5i}{32} \ln(\tan(fx + e) - i)A}{fa^3c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^2,x)

[Out] 3/16/f/a^3/c^2*A/(tan(f*x+e)-I)-3/32*I/f/a^3/c^2/(tan(f*x+e)-I)^2*A+1/32/f/a^3/c^2/(tan(f*x+e)-I)^2*B-5/32*I/f/a^3/c^2*ln(tan(f*x+e)-I)*A-1/32/f/a^3/c^2*ln(tan(f*x+e)-I)*B-1/24/f/a^3/c^2/(tan(f*x+e)-I)^3*A-1/24*I/f/a^3/c^2/(tan(f*x+e)-I)^3*B+1/32*I/f/a^3/c^2/(tan(f*x+e)+I)^2*A+1/32/f/a^3/c^2/(tan(f*x+e)+I)^2*B-1/16*I/f/a^3/c^2/(tan(f*x+e)+I)*B+1/8/f/a^3/c^2/(tan(f*x+e)+I)*A+5/32*I/f/a^3/c^2*ln(tan(f*x+e)+I)*A+1/32/f/a^3/c^2*ln(tan(f*x+e)+I)*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.06795, size = 335, normalized size = 1.81

$$\frac{(24(5A - iB)fxe^{(6ifx+6ie)} + (-3iA - 3B)e^{(10ifx+10ie)} + (-30iA - 18B)e^{(8ifx+8ie)} + (60iA - 12B)e^{(4ifx+4ie)} + (15iA - 9B)e^{(2ifx+2ie)} + 2IA - 2B)e^{-6ifx-6ie}}{384a^3c^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/384*(24*(5*A - I*B)*f*x*e^(6*I*f*x + 6*I*e) + (-3*I*A - 3*B)*e^(10*I*f*x + 10*I*e) + (-30*I*A - 18*B)*e^(8*I*f*x + 8*I*e) + (60*I*A - 12*B)*e^(4*I*f*x + 4*I*e) + (15*I*A - 9*B)*e^(2*I*f*x + 2*I*e) + 2*I*A - 2*B)*e^(-6*I*f*x - 6*I*e)/(a^3*c^2*f)

Sympy [A] time = 6.11453, size = 454, normalized size = 2.45

$$\left\{ \begin{array}{l} \frac{((33554432iAa^{12}c^8f^4e^{6ie} - 33554432Ba^{12}c^8f^4e^{6ie})e^{-6ifx} + (251658240iAa^{12}c^8f^4e^{8ie} - 150994944Ba^{12}c^8f^4e^{8ie})e^{-4ifx} + (1006632960iAa^{12}c^8f^4e^{10ie} - 2013265920Ba^{12}c^8f^4e^{10ie})e^{-2ifx} + 6442450944a^{15}c^{10}e^{12ie})}{6442450944a^{15}c^{10}e^{12ie}} \\ x \left(-\frac{5A-iB}{16a^3c^2} + \frac{(Ae^{10ie}+5Ae^{8ie}+10Ae^{6ie}+10Ae^{4ie}+5Ae^{2ie}+A-iBe^{10ie}-3iBe^{8ie}-2iBe^{6ie}+2iBe^{4ie}+3iBe^{2ie}+iB)e^{-6ie}}{32a^3c^2} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^2,x)

[Out] Piecewise((((33554432*I*A*a**12*c**8*f**4*exp(6*I*e) - 33554432*B*a**12*c**8*f**4*exp(6*I*e))*exp(-6*I*f*x) + (251658240*I*A*a**12*c**8*f**4*exp(8*I*e) - 150994944*B*a**12*c**8*f**4*exp(8*I*e))*exp(-4*I*f*x) + (1006632960*I*A*a**12*c**8*f**4*exp(10*I*e) - 201326592*B*a**12*c**8*f**4*exp(10*I*e))*exp(-2*I*f*x) + (-503316480*I*A*a**12*c**8*f**4*exp(14*I*e) - 301989888*B*a**12*c**8*f**4*exp(14*I*e))*exp(2*I*f*x) + (-50331648*I*A*a**12*c**8*f**4*exp(16*I*e) - 50331648*B*a**12*c**8*f**4*exp(16*I*e))*exp(4*I*f*x))*exp(-12*I*e)/(6442450944*a**15*c**10*f**5), Ne(6442450944*a**15*c**10*f**5*exp(12*I*e), 0)), (x*(-(5*A - I*B)/(16*a**3*c**2) + (A*exp(10*I*e) + 5*A*exp(8*I*e) + 10*A*exp(6*I*e) + 10*A*exp(4*I*e) + 5*A*exp(2*I*e) + A - I*B*exp(10*I*e) - 3*I*B*exp(8*I*e) - 2*I*B*exp(6*I*e) + 2*I*B*exp(4*I*e) + 3*I*B*exp(2*I*e) + I*B)*exp(-6*I*e)/(32*a**3*c**2)), True)) + x*(5*A - I*B)/(16*a**3*c**2)

Giac [A] time = 1.27442, size = 296, normalized size = 1.6

$$\frac{6(-5iA-B)\log(\tan(fx+e)+i)}{a^3c^2} + \frac{6(5iA+B)\log(\tan(fx+e)-i)}{a^3c^2} + \frac{3(-15iA\tan(fx+e)^2-3B\tan(fx+e)^2+38A\tan(fx+e)-10iB\tan(fx+e)+25iA+9B)}{a^3c^2(-i\tan(fx+e)+1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^2,x, algorithm="giac")

[Out]
$$\frac{-1/192*(6*(-5*I*A - B)*\log(\tan(f*x + e) + I)/(a^3*c^2) + 6*(5*I*A + B)*\log(\tan(f*x + e) - I)/(a^3*c^2) + 3*(-15*I*A*\tan(f*x + e)^2 - 3*B*\tan(f*x + e)^2 + 38*A*\tan(f*x + e) - 10*I*B*\tan(f*x + e) + 25*I*A + 9*B)/(a^3*c^2*(-I*\tan(f*x + e) + 1)^2) + (-55*I*A*\tan(f*x + e)^3 - 11*B*\tan(f*x + e)^3 - 201*A*\tan(f*x + e)^2 + 33*I*B*\tan(f*x + e)^2 + 255*I*A*\tan(f*x + e) + 27*B*\tan(f*x + e) + 117*A + 3*I*B)/(a^3*c^2*(\tan(f*x + e) - I)^3))/f}$$

$$3.736 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^3} dx$$

Optimal. Leaf size=99

$$-\frac{\cos^6(e+fx)(B-A \tan(e+fx))}{6a^3c^3f} + \frac{5A \sin(e+fx) \cos^3(e+fx)}{24a^3c^3f} + \frac{5A \sin(e+fx) \cos(e+fx)}{16a^3c^3f} + \frac{5Ax}{16a^3c^3}$$

[Out] (5*A*x)/(16*a^3*c^3) + (5*A*Cos[e + f*x]*Sin[e + f*x])/(16*a^3*c^3*f) + (5*A*Cos[e + f*x]^3*Sin[e + f*x])/(24*a^3*c^3*f) - (Cos[e + f*x]^6*(B - A*Tan[e + f*x]))/(6*a^3*c^3*f)

Rubi [A] time = 0.14586, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {3588, 73, 639, 199, 205}

$$-\frac{\cos^6(e+fx)(B-A \tan(e+fx))}{6a^3c^3f} + \frac{5A \sin(e+fx) \cos^3(e+fx)}{24a^3c^3f} + \frac{5A \sin(e+fx) \cos(e+fx)}{16a^3c^3f} + \frac{5Ax}{16a^3c^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^3), x]

[Out] (5*A*x)/(16*a^3*c^3) + (5*A*Cos[e + f*x]*Sin[e + f*x])/(16*a^3*c^3*f) + (5*A*Cos[e + f*x]^3*Sin[e + f*x])/(24*a^3*c^3*f) - (Cos[e + f*x]^6*(B - A*Tan[e + f*x]))/(6*a^3*c^3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 73

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[(a*c + b*d*x^2)^(m)*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m] && IntegerQ[m]

Rule 639

Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((a*e - c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[(d*(2*p + 3))/(2*a*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 199

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 205

$\text{Int}[(a + b \cdot x^2)^{-1}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^3} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^4} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(ac+acx^2)^4} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{\cos^6(e + fx)(B - A \tan(e + fx))}{6a^3c^3f} + \frac{(5A) \text{Subst} \left(\int \frac{1}{(ac+acx^2)^3} dx, x \right)}{6f} \\ &= \frac{5A \cos^3(e + fx) \sin(e + fx)}{24a^3c^3f} - \frac{\cos^6(e + fx)(B - A \tan(e + fx))}{6a^3c^3f} + \\ &= \frac{5A \cos(e + fx) \sin(e + fx)}{16a^3c^3f} + \frac{5A \cos^3(e + fx) \sin(e + fx)}{24a^3c^3f} - \frac{\cos^6(e + fx)(B - A \tan(e + fx))}{6a^3c^3f} \\ &= \frac{5Ax}{16a^3c^3} + \frac{5A \cos(e + fx) \sin(e + fx)}{16a^3c^3f} + \frac{5A \cos^3(e + fx) \sin(e + fx)}{24a^3c^3f} \end{aligned}$$

Mathematica [A] time = 0.144557, size = 63, normalized size = 0.64

$$\frac{A(45 \sin(2(e + fx)) + 9 \sin(4(e + fx)) + \sin(6(e + fx)) + 60e + 60fx) - 32B \cos^6(e + fx)}{192a^3c^3f}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^3), x]

[Out] (-32*B*Cos[e + f*x]^6 + A*(60*e + 60*f*x + 45*Sin[2*(e + f*x)] + 9*Sin[4*(e + f*x)] + Sin[6*(e + f*x)]))/(192*a^3*c^3*f)

Maple [C] time = 0.07, size = 330, normalized size = 3.3

$$\frac{-\frac{5i}{32}A \ln(\tan(fx + e) - i)}{fa^3c^3} + \frac{5A}{32fa^3c^3(\tan(fx + e) - i)} + \frac{\frac{i}{32}B}{fa^3c^3(\tan(fx + e) - i)} - \frac{\frac{i}{48}B}{fa^3c^3(\tan(fx + e) - i)^3} - \frac{1}{48fa^3c^3(\tan(fx + e) - i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^3, x)

[Out] -5/32*I/f/a^3/c^3*A*ln(tan(f*x+e)-I)+5/32/f/a^3/c^3/(tan(f*x+e)-I)*A+1/32*I/f/a^3/c^3/(tan(f*x+e)-I)*B-1/48*I/f/a^3/c^3/(tan(f*x+e)-I)^3*B-1/48/f/a^3/c^3/(tan(f*x+e)-I)^3*A+1/32/f/a^3/c^3/(tan(f*x+e)-I)^2*B-1/16*I/f/a^3/c^3/(tan(f*x+e)-I)^2*A+5/32*I/f/a^3/c^3*A*ln(tan(f*x+e)+I)+5/32/f/a^3/c^3/(tan(f*x+e)+I)*A-1/32*I/f/a^3/c^3/(tan(f*x+e)+I)*B-1/48/f/a^3/c^3/(tan(f*x+e)+I)^3

$$3*A+1/48*I/f/a^3/c^3/(\tan(f*x+e)+I)^3*B+1/32/f/a^3/c^3/(\tan(f*x+e)+I)^2*B+1/16*I/f/a^3/c^3/(\tan(f*x+e)+I)^2*A$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [C] time = 1.10016, size = 363, normalized size = 3.67

$$\frac{(120 A f x e^{(6i f x+6i e)} + (-i A - B) e^{(12i f x+12i e)} + (-9i A - 6 B) e^{(10i f x+10i e)} + (-45i A - 15 B) e^{(8i f x+8i e)} + (45i A - 15 B) e^{(4i f x+4i e)})}{384 a^3 c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/384*(120*A*f*x*e^(6*I*f*x + 6*I*e) + (-I*A - B)*e^(12*I*f*x + 12*I*e) + (-9*I*A - 6*B)*e^(10*I*f*x + 10*I*e) + (-45*I*A - 15*B)*e^(8*I*f*x + 8*I*e) + (45*I*A - 15*B)*e^(4*I*f*x + 4*I*e) + (9*I*A - 6*B)*e^(2*I*f*x + 2*I*e) + I*A - B)*e^(-6*I*f*x - 6*I*e)/(a^3*c^3*f)

Sympy [A] time = 5.92886, size = 510, normalized size = 5.15

$$\frac{5Ax}{16a^3c^3} + \left\{ \frac{((103079215104iAa^{15}c^{15}f^5e^{6ie}-103079215104Ba^{15}c^{15}f^5e^{6ie})e^{-6ifx}+(927712935936iAa^{15}c^{15}f^5e^{8ie}-618475290624Ba^{15}c^{15}f^5e^{8ie})e^{-4ifx}+(4638564679680iAa^{15}c^{15}f^5e^{10ie}-1546188226560Ba^{15}c^{15}f^5e^{10ie})e^{-2ifx}+(4638564679680iAa^{15}c^{15}f^5e^{12ie}-1546188226560Ba^{15}c^{15}f^5e^{12ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{14ie}-1546188226560Ba^{15}c^{15}f^5e^{14ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{16ie}-1546188226560Ba^{15}c^{15}f^5e^{16ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{18ie}-1546188226560Ba^{15}c^{15}f^5e^{18ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{20ie}-1546188226560Ba^{15}c^{15}f^5e^{20ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{22ie}-1546188226560Ba^{15}c^{15}f^5e^{22ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{24ie}-1546188226560Ba^{15}c^{15}f^5e^{24ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{26ie}-1546188226560Ba^{15}c^{15}f^5e^{26ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{28ie}-1546188226560Ba^{15}c^{15}f^5e^{28ie})e^{-ifx}+(4638564679680iAa^{15}c^{15}f^5e^{30ie}-1546188226560Ba^{15}c^{15}f^5e^{30ie})e^{-ifx}}{64a^3c^3} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^3,x)

[Out] 5*A*x/(16*a**3*c**3) + Piecewise((((103079215104*I*A*a**15*c**15*f**5*exp(6*I*e) - 103079215104*B*a**15*c**15*f**5*exp(6*I*e))*exp(-6*I*f*x) + (927712935936*I*A*a**15*c**15*f**5*exp(8*I*e) - 618475290624*B*a**15*c**15*f**5*exp(8*I*e))*exp(-4*I*f*x) + (4638564679680*I*A*a**15*c**15*f**5*exp(10*I*e) - 1546188226560*B*a**15*c**15*f**5*exp(10*I*e))*exp(-2*I*f*x) + (-4638564679680*I*A*a**15*c**15*f**5*exp(14*I*e) - 1546188226560*B*a**15*c**15*f**5*exp(14*I*e))*exp(2*I*f*x) + (-927712935936*I*A*a**15*c**15*f**5*exp(16*I*e) - 618475290624*B*a**15*c**15*f**5*exp(16*I*e))*exp(4*I*f*x) + (-103079215104*I*A*a**15*c**15*f**5*exp(18*I*e) - 103079215104*B*a**15*c**15*f**5*exp(18*I*e))*exp(6*I*f*x))*exp(-12*I*e)/(39582418599936*a**18*c**18*f**6), Ne(39582418599936*a**18*c**18*f**6*exp(12*I*e), 0)), (x*(-5*A/(16*a**3*c**3) + (A*exp(12*I*e) + 6*A*exp(10*I*e) + 15*A*exp(8*I*e) + 20*A*exp(6*I*e) + 15*A*exp

```
(4*I*e) + 6*A*exp(2*I*e) + A - I*B*exp(12*I*e) - 4*I*B*exp(10*I*e) - 5*I*B*
exp(8*I*e) + 5*I*B*exp(4*I*e) + 4*I*B*exp(2*I*e) + I*B)*exp(-6*I*e)/(64*a**
3*c**3)), True))
```

Giac [A] time = 1.33634, size = 107, normalized size = 1.08

$$\frac{\frac{15(fx+e)A}{a^3c^3} + \frac{15A \tan(fx+e)^5 + 40A \tan(fx+e)^3 + 33A \tan(fx+e) - 8B}{(\tan(fx+e)^2 + 1)^3 a^3c^3}}{48f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^3,x, alg
orithm="giac")
```

```
[Out] 1/48*(15*(f*x + e)*A/(a^3*c^3) + (15*A*tan(f*x + e)^5 + 40*A*tan(f*x + e)^3
+ 33*A*tan(f*x + e) - 8*B)/((tan(f*x + e)^2 + 1)^3*a^3*c^3))/f
```

$$3.737 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^4} dx$$

Optimal. Leaf size=251

$$\frac{5(3A + iB)}{128a^3c^4f(-\tan(e + fx) + i)} - \frac{-3B + 5iA}{128a^3c^4f(-\tan(e + fx) + i)^2} + \frac{B + 5iA}{64a^3c^4f(\tan(e + fx) + i)^2} + \frac{A + iB}{96a^3c^4f(-\tan(e + fx) + i)}$$

[Out] (5*(7*A + I*B)*x)/(128*a^3*c^4) + (A + I*B)/(96*a^3*c^4*f*(I - Tan[e + f*x])^3) - ((5*I)*A - 3*B)/(128*a^3*c^4*f*(I - Tan[e + f*x])^2) - (5*(3*A + I*B))/(128*a^3*c^4*f*(I - Tan[e + f*x])) - (I*A + B)/(64*a^3*c^4*f*(I + Tan[e + f*x])^4) - (2*A - I*B)/(48*a^3*c^4*f*(I + Tan[e + f*x])^3) + ((5*I)*A + B)/(64*a^3*c^4*f*(I + Tan[e + f*x])^2) + (5*A)/(32*a^3*c^4*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.30624, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$\frac{5(3A + iB)}{128a^3c^4f(-\tan(e + fx) + i)} - \frac{-3B + 5iA}{128a^3c^4f(-\tan(e + fx) + i)^2} + \frac{B + 5iA}{64a^3c^4f(\tan(e + fx) + i)^2} + \frac{A + iB}{96a^3c^4f(-\tan(e + fx) + i)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^4), x]

[Out] (5*(7*A + I*B)*x)/(128*a^3*c^4) + (A + I*B)/(96*a^3*c^4*f*(I - Tan[e + f*x])^3) - ((5*I)*A - 3*B)/(128*a^3*c^4*f*(I - Tan[e + f*x])^2) - (5*(3*A + I*B))/(128*a^3*c^4*f*(I - Tan[e + f*x])) - (I*A + B)/(64*a^3*c^4*f*(I + Tan[e + f*x])^4) - (2*A - I*B)/(48*a^3*c^4*f*(I + Tan[e + f*x])^3) + ((5*I)*A + B)/(64*a^3*c^4*f*(I + Tan[e + f*x])^2) + (5*A)/(32*a^3*c^4*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^4} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^5} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{A+iB}{32a^4c^5(-i+x)^4} + \frac{i(5A+3iB)}{64a^4c^5(-i+x)^3} - \frac{5(3A+iB)}{128a^4c^5(-i+x)^2} + \frac{iA+B}{16a^4c^5(-i+x)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{A + iB}{96a^3c^4 f (i - \tan(e + fx))^3} - \frac{5iA - 3B}{128a^3c^4 f (i - \tan(e + fx))^2} - \frac{5(3A + iB)}{128a^3c^4 f (i - \tan(e + fx))} + \frac{iA + B}{16a^3c^4 f (i - \tan(e + fx))}$$

$$= \frac{5(7A + iB)x}{128a^3c^4} + \frac{A + iB}{96a^3c^4 f (i - \tan(e + fx))^3} - \frac{5iA - 3B}{128a^3c^4 f (i - \tan(e + fx))}$$

Mathematica [A] time = 3.21447, size = 267, normalized size = 1.06

$$\frac{\sec^3(e + fx)(-\cos(4(e + fx)) - i \sin(4(e + fx)))(60(A(-7 - 14ifx) + B(2fx + i)) \cos(e + fx) + 18(7A + 9iB) \cos(3(e + fx)))}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^4), x]

[Out] (Sec[e + f*x]^3*(-Cos[4*(e + f*x)] - I*Sin[4*(e + f*x)])*(60*(A*(-7 - (14*I)*f*x) + B*(I + 2*f*x))*Cos[e + f*x] + 18*(7*A + (9*I)*B)*Cos[3*(e + f*x)] + 14*A*Cos[5*(e + f*x)] + (50*I)*B*Cos[5*(e + f*x)] + A*Cos[7*(e + f*x)] + (7*I)*B*Cos[7*(e + f*x)] - (420*I)*A*Sin[e + f*x] - 60*B*Sin[e + f*x] - 840*A*f*x*Sin[e + f*x] - (120*I)*B*f*x*Sin[e + f*x] - (378*I)*A*Sin[3*(e + f*x)] + 54*B*Sin[3*(e + f*x)] - (70*I)*A*Sin[5*(e + f*x)] + 10*B*Sin[5*(e + f*x)] - (7*I)*A*Sin[7*(e + f*x)] + B*Sin[7*(e + f*x)])/(3072*a^3*c^4*f*(-I + Tan[e + f*x])^3)

Maple [A] time = 0.076, size = 397, normalized size = 1.6

$$\frac{15A}{128fa^3c^4(\tan(fx+e)-i)} - \frac{\frac{5i}{128}A}{fa^3c^4(\tan(fx+e)-i)^2} + \frac{\frac{35i}{256}\ln(\tan(fx+e)+i)A}{fa^3c^4} + \frac{3B}{128fa^3c^4(\tan(fx+e)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^4, x)

[Out] 15/128/f/a^3/c^4/(tan(f*x+e)-I)*A-5/128*I/f/a^3/c^4/(tan(f*x+e)-I)^2*A+35/256*I/f/a^3/c^4*ln(tan(f*x+e)+I)*A+3/128/f/a^3/c^4/(tan(f*x+e)-I)^2*B-1/96/f/a^3/c^4/(tan(f*x+e)-I)^3*A+5/128*I/f/a^3/c^4/(tan(f*x+e)-I)*B+5/64*I/f/a^3/c^4/(tan(f*x+e)+I)^2*A+5/256/f/a^3/c^4*ln(tan(f*x+e)-I)*B-1/64*I/f/a^3/c^4/(tan(f*x+e)+I)^4*A-1/64/f/a^3/c^4/(tan(f*x+e)+I)^4*B+5/32*A/a^3/c^4/f/(tan(f*x+e)+I)-1/96*I/f/a^3/c^4/(tan(f*x+e)-I)^3*B-5/256/f/a^3/c^4*ln(tan(f*x+e)+I)*B-35/256*I/f/a^3/c^4*ln(tan(f*x+e)-I)*A-1/24/f/a^3/c^4/(tan(f*x+e)+I)^3*A+1/48*I/f/a^3/c^4/(tan(f*x+e)+I)^3*B+1/64/f/a^3/c^4/(tan(f*x+e)+I)^2*B

$\exp(8*I*e) + 5*I*B*\exp(6*I*e) + 9*I*B*\exp(4*I*e) + 5*I*B*\exp(2*I*e) + I*B)*\exp(-6*I*e)/(128*a**3*c**4)), True)) + x*(35*A + 5*I*B)/(128*a**3*c**4)$

Giac [A] time = 1.50037, size = 366, normalized size = 1.46

$$\frac{12(35iA-5B)\log(\tan(fx+e)+i)}{a^3c^4} - \frac{12(35iA-5B)\log(-i\tan(fx+e)-1)}{a^3c^4} + \frac{2\left(385A\tan(fx+e)^3+55iB\tan(fx+e)^3-1335iA\tan(fx+e)^2+225B\tan(fx+e)^2-1575A\tan(fx+e)-321iB\tan(fx+e)+641iA-167B\right)}{a^3c^4(i\tan(fx+e)+1)^3} + \frac{(-875iA\tan(fx+e)^4+125B\tan(fx+e)^4+3980A\tan(fx+e)^3+500iB\tan(fx+e)^3+6930iA\tan(fx+e)^2-702B\tan(fx+e)^2-5548A\tan(fx+e)-340iB\tan(fx+e)-1771iA-35B)}{a^3c^4(\tan(fx+e)+1)^4}/f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^4,x, algorithm="giac")

[Out] 1/3072*(12*(35*I*A - 5*B)*log(tan(f*x + e) + I)/(a^3*c^4) - 12*(35*I*A - 5*B)*log(-I*tan(f*x + e) - 1)/(a^3*c^4) + 2*(385*A*tan(f*x + e)^3 + 55*I*B*tan(f*x + e)^3 - 1335*I*A*tan(f*x + e)^2 + 225*B*tan(f*x + e)^2 - 1575*A*tan(f*x + e) - 321*I*B*tan(f*x + e) + 641*I*A - 167*B)/(a^3*c^4*(I*tan(f*x + e) + 1)^3) + (-875*I*A*tan(f*x + e)^4 + 125*B*tan(f*x + e)^4 + 3980*A*tan(f*x + e)^3 + 500*I*B*tan(f*x + e)^3 + 6930*I*A*tan(f*x + e)^2 - 702*B*tan(f*x + e)^2 - 5548*A*tan(f*x + e) - 340*I*B*tan(f*x + e) - 1771*I*A - 35*B)/(a^3*c^4*(tan(f*x + e) + I)^4))/f

$$3.738 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^5} dx$$

Optimal. Leaf size=287

$$-\frac{3(7A+3iB)}{256a^3c^5f(-\tan(e+fx)+i)} + \frac{5(7A+iB)}{256a^3c^5f(\tan(e+fx)+i)} - \frac{-2B+3iA}{128a^3c^5f(-\tan(e+fx)+i)^2} + \frac{A+iB}{192a^3c^5f(-\tan(e+fx)+i)^3}$$

[Out] (7*(4*A + I*B)*x)/(128*a^3*c^5) + (A + I*B)/(192*a^3*c^5*f*(I - Tan[e + f*x])^3) - ((3*I)*A - 2*B)/(128*a^3*c^5*f*(I - Tan[e + f*x])^2) - (3*(7*A + (3*I)*B))/(256*a^3*c^5*f*(I - Tan[e + f*x])) + (A - I*B)/(80*a^3*c^5*f*(I + Tan[e + f*x])^5) - ((2*I)*A + B)/(64*a^3*c^5*f*(I + Tan[e + f*x])^4) - (5*A - I*B)/(96*a^3*c^5*f*(I + Tan[e + f*x])^3) + (((5*I)/64)*A)/(a^3*c^5*f*(I + Tan[e + f*x])^2) + (5*(7*A + I*B))/(256*a^3*c^5*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.337937, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$-\frac{3(7A+3iB)}{256a^3c^5f(-\tan(e+fx)+i)} + \frac{5(7A+iB)}{256a^3c^5f(\tan(e+fx)+i)} - \frac{-2B+3iA}{128a^3c^5f(-\tan(e+fx)+i)^2} + \frac{A+iB}{192a^3c^5f(-\tan(e+fx)+i)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^5), x]

[Out] (7*(4*A + I*B)*x)/(128*a^3*c^5) + (A + I*B)/(192*a^3*c^5*f*(I - Tan[e + f*x])^3) - ((3*I)*A - 2*B)/(128*a^3*c^5*f*(I - Tan[e + f*x])^2) - (3*(7*A + (3*I)*B))/(256*a^3*c^5*f*(I - Tan[e + f*x])) + (A - I*B)/(80*a^3*c^5*f*(I + Tan[e + f*x])^5) - ((2*I)*A + B)/(64*a^3*c^5*f*(I + Tan[e + f*x])^4) - (5*A - I*B)/(96*a^3*c^5*f*(I + Tan[e + f*x])^3) + (((5*I)/64)*A)/(a^3*c^5*f*(I + Tan[e + f*x])^2) + (5*(7*A + I*B))/(256*a^3*c^5*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^5} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^6} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{A+iB}{64a^4c^6(-i+x)^4} + \frac{i(3A+2iB)}{64a^4c^6(-i+x)^3} - \frac{3(7A+3iB)}{256a^4c^6(-i+x)^2} + \frac{-A+iB}{16a^4c^6(-i+x)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{A + iB}{192a^3c^5 f(i - \tan(e + fx))^3} - \frac{3iA - 2B}{128a^3c^5 f(i - \tan(e + fx))^2} - \frac{3iA - 2B}{256a^3c^5 f(i - \tan(e + fx))} - \frac{7(4A + iB)x}{128a^3c^5} + \frac{A + iB}{192a^3c^5 f(i - \tan(e + fx))^3} - \frac{3iA - 2B}{128a^3c^5 f(i - \tan(e + fx))^2} - \frac{3iA - 2B}{256a^3c^5 f(i - \tan(e + fx))}$$

Mathematica [A] time = 4.36775, size = 280, normalized size = 0.98

$$\frac{\sec^3(e + fx)(\cos(5(e + fx)) + i \sin(5(e + fx)))(210(4A(1 + 4ifx) - B(4fx + i)) \cos(2(e + fx)) - 560(A + iB) \cos(4(e + fx)))}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^5}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^5), x]

[Out] (Sec[e + f*x]^3*(Cos[5*(e + f*x)] + I*Sin[5*(e + f*x)])*(2100*A + 210*(4*A*(1 + (4*I)*f*x) - B*(I + 4*f*x))*Cos[2*(e + f*x)] - 560*(A + I*B)*Cos[4*(e + f*x)] - 60*A*Cos[6*(e + f*x)] - (135*I)*B*Cos[6*(e + f*x)] - 4*A*Cos[8*(e + f*x)] - (16*I)*B*Cos[8*(e + f*x)] + (840*I)*A*Sin[2*(e + f*x)] + 210*B*Sin[2*(e + f*x)] + 3360*A*f*x*Sin[2*(e + f*x)] + (840*I)*B*f*x*Sin[2*(e + f*x)] + (1120*I)*A*Sin[4*(e + f*x)] - 280*B*Sin[4*(e + f*x)] + (180*I)*A*Sin[6*(e + f*x)] - 45*B*Sin[6*(e + f*x)] + (16*I)*A*Sin[8*(e + f*x)] - 4*B*Sin[8*(e + f*x)]))/(15360*a^3*c^5*f*(-I + Tan[e + f*x])^3)

Maple [A] time = 0.078, size = 445, normalized size = 1.6

$$\frac{A}{192 f a^3 c^5 (\tan(fx + e) - i)^3} - \frac{\frac{7i}{64} \ln(\tan(fx + e) - i) A}{f a^3 c^5} + \frac{7 \ln(\tan(fx + e) - i) B}{256 f a^3 c^5} - \frac{\frac{i}{32} A}{f a^3 c^5 (\tan(fx + e) + i)^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^5,x)

[Out] -1/192/f/a^3/c^5/(tan(f*x+e)-I)^3*A-7/64*I/f/a^3/c^5*ln(tan(f*x+e)-I)*A+7/256/f/a^3/c^5*ln(tan(f*x+e)-I)*B-1/32*I/f/a^3/c^5/(tan(f*x+e)+I)^4*A+21/256/f/a^3/c^5/(tan(f*x+e)-I)*A-1/192*I/f/a^3/c^5/(tan(f*x+e)-I)^3*B+1/64/f/a^3/c^5/(tan(f*x+e)-I)^2*B-3/128*I/f/a^3/c^5/(tan(f*x+e)-I)^2*A+5/256*I/f/a^3/c^5/(tan(f*x+e)+I)*B+1/80/f/a^3/c^5/(tan(f*x+e)+I)^5*A+1/96*I/f/a^3/c^5/(tan(f*x+e)+I)^3*B-5/96/f/a^3/c^5/(tan(f*x+e)+I)^3*A+7/64*I/f/a^3/c^5*ln(tan(f*x+e)+I)*A+35/256/f/a^3/c^5/(tan(f*x+e)+I)*A+9/256*I/f/a^3/c^5/(tan(f*x+e)-I)*B-1/64/f/a^3/c^5/(tan(f*x+e)+I)^4*B+5/64*I*A/a^3/c^5/f/(tan(f*x+e)+I)^2-7/256/f/a^3/c^5*ln(tan(f*x+e)+I)*B-1/80*I/f/a^3/c^5/(tan(f*x+e)+I)^5*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^5,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.06409, size = 508, normalized size = 1.77

$$\left(840(4A + iB)fxe^{(6ifx+6ie)} + (-6iA - 6B)e^{(16ifx+16ie)} + (-60iA - 45B)e^{(14ifx+14ie)} + (-280iA - 140B)e^{(12ifx+12ie)} + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^5,x, algorithm="fricas")

[Out] $\frac{1}{15360} \cdot (840 \cdot (4A + I \cdot B) \cdot f \cdot x \cdot e^{(6I \cdot f \cdot x + 6I \cdot e)} + (-6I \cdot A - 6B) \cdot e^{(16I \cdot f \cdot x + 16I \cdot e)} + (-60I \cdot A - 45B) \cdot e^{(14I \cdot f \cdot x + 14I \cdot e)} + (-280I \cdot A - 140B) \cdot e^{(12I \cdot f \cdot x + 12I \cdot e)} + (-840I \cdot A - 210B) \cdot e^{(10I \cdot f \cdot x + 10I \cdot e)} - 2100I \cdot A \cdot e^{(8I \cdot f \cdot x + 8I \cdot e)} + (840I \cdot A - 420B) \cdot e^{(4I \cdot f \cdot x + 4I \cdot e)} + (120I \cdot A - 90B) \cdot e^{(2I \cdot f \cdot x + 2I \cdot e)} + 10I \cdot A - 10B) \cdot e^{(-6I \cdot f \cdot x - 6I \cdot e)} / (a^3 \cdot c^5 \cdot f)$

Sympy [A] time = 10.0078, size = 648, normalized size = 2.26

$$\left\{ \begin{array}{l} (-7263405479023135948800iAa^{21}c^{35}f^7e^{14ie}e^{2ifx} + (34587645138205409280iAa^{21}c^{35}f^7e^{6ie} - 34587645138205409280Ba^{21}c^{35}f^7e^{6ie})e^{-6ifx} + (415051741658464911360I \cdot A \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(8I \cdot e) - 311288806243848683520B \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(8I \cdot e)) \cdot \exp(-4I \cdot f \cdot x) + (2905362191609254379520I \cdot A \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(10I \cdot e) - 1452681095804627189760B \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(10I \cdot e)) \cdot \exp(-2I \cdot f \cdot x) + (-2905362191609254379520I \cdot A \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(16I \cdot e) - 726340547902313594880B \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(16I \cdot e)) \cdot \exp(4I \cdot f \cdot x) + (-968454063869751459840I \cdot A \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(18I \cdot e) - 484227031934875729920B \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(18I \cdot e)) \cdot \exp(6I \cdot f \cdot x) + (-207525870829232455680I \cdot A \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(20I \cdot e) - 155644403121924341760B \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(20I \cdot e)) \cdot \exp(8I \cdot f \cdot x) + (-20752587082923245568I \cdot A \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(22I \cdot e) - 20752587082923245568B \cdot a^{21} \cdot c^{35} \cdot f^7 \cdot \exp(22I \cdot e)) \cdot \exp(10I \cdot f \cdot x) \cdot \exp(-12I \cdot e) / (53126622932283508654080 \cdot a^{24} \cdot c^{40} \cdot f^8), \text{Ne}(53126622932283508654080 \cdot a^{24} \cdot c^{40} \cdot f^8 \cdot \exp(12I \cdot e), 0), (x \cdot (-28A + 7I \cdot B) / (128 \cdot a^{33} \cdot c^{55}) + (A \cdot \exp(16I \cdot e) + 8A \cdot \exp(14I \cdot e) + 28A \cdot \exp(12I \cdot e) + 56A \cdot \exp(10I \cdot e) + \dots)) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**3/(c-I*c*tan(f*x+e))**5,x)

[Out] Piecewise(((-7263405479023135948800 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(14 * I * e) * exp(2 * I * f * x) + (34587645138205409280 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(6 * I * e) - 34587645138205409280 * B * a ** 21 * c ** 35 * f ** 7 * exp(6 * I * e)) * exp(-6 * I * f * x) + (415051741658464911360 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(8 * I * e) - 311288806243848683520 * B * a ** 21 * c ** 35 * f ** 7 * exp(8 * I * e)) * exp(-4 * I * f * x) + (2905362191609254379520 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(10 * I * e) - 1452681095804627189760 * B * a ** 21 * c ** 35 * f ** 7 * exp(10 * I * e)) * exp(-2 * I * f * x) + (-2905362191609254379520 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(16 * I * e) - 726340547902313594880 * B * a ** 21 * c ** 35 * f ** 7 * exp(16 * I * e)) * exp(4 * I * f * x) + (-968454063869751459840 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(18 * I * e) - 484227031934875729920 * B * a ** 21 * c ** 35 * f ** 7 * exp(18 * I * e)) * exp(6 * I * f * x) + (-207525870829232455680 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(20 * I * e) - 155644403121924341760 * B * a ** 21 * c ** 35 * f ** 7 * exp(20 * I * e)) * exp(8 * I * f * x) + (-20752587082923245568 * I * A * a ** 21 * c ** 35 * f ** 7 * exp(22 * I * e) - 20752587082923245568 * B * a ** 21 * c ** 35 * f ** 7 * exp(22 * I * e)) * exp(10 * I * f * x) * exp(-12 * I * e) / (53126622932283508654080 * a ** 24 * c ** 40 * f ** 8), Ne(53126622932283508654080 * a ** 24 * c ** 40 * f ** 8 * exp(12 * I * e), 0)), (x * (-28 * A + 7 * I * B) / (128 * a ** 33 * c ** 55) + (A * exp(16 * I * e) + 8 * A * exp(14 * I * e) + 28 * A * exp(12 * I * e) + 56 * A * exp(10 * I * e) + ...))

$e) + 70A \exp(8Ie) + 56A \exp(6Ie) + 28A \exp(4Ie) + 8A \exp(2Ie) +$
 $A - I B \exp(16Ie) - 6I B \exp(14Ie) - 14I B \exp(12Ie) - 14I B \exp($
 $10Ie) + 14I B \exp(6Ie) + 14I B \exp(4Ie) + 6I B \exp(2Ie) + I B) \exp$
 $(-6Ie) / (256a^3c^5), \text{ True})) + x(28A + 7IB) / (128a^3c^5)$

Giac [A] time = 1.43331, size = 393, normalized size = 1.37

$$\frac{60(-28iA+7B)\log(\tan(fx+e)+i)}{a^3c^5} + \frac{60(28iA-7B)\log(\tan(fx+e)-i)}{a^3c^5} + \frac{10\left(-308iA\tan(fx+e)^3+77B\tan(fx+e)^3-1050A\tan(fx+e)^2-285iB\tan(fx+e)-\right)}{a^3c^5(\tan(fx+e)-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^5,x, algorithm="giac")

[Out] $-1/15360*(60*(-28I*A + 7*B)*\log(\tan(f*x + e) + I)/(a^3*c^5) + 60*(28I*A -$
 $7*B)*\log(\tan(f*x + e) - I)/(a^3*c^5) + 10*(-308I*A*\tan(f*x + e)^3 + 77*B*$
 $\tan(f*x + e)^3 - 1050*A*\tan(f*x + e)^2 - 285*I*B*\tan(f*x + e)^2 + 1212*I*A*$
 $\tan(f*x + e) - 363*B*\tan(f*x + e) + 478*A + 163*I*B)/(a^3*c^5*(\tan(f*x + e)$
 $- I)^3) + (3836*I*A*\tan(f*x + e)^5 - 959*B*\tan(f*x + e)^5 - 21280*A*\tan(f*$
 $x + e)^4 - 5095*I*B*\tan(f*x + e)^4 - 47960*I*A*\tan(f*x + e)^3 + 10790*B*\tan$
 $(f*x + e)^3 + 55360*A*\tan(f*x + e)^2 + 11230*I*B*\tan(f*x + e)^2 + 33260*I*A$
 $*\tan(f*x + e) - 5435*B*\tan(f*x + e) - 8608*A - 667*I*B)/(a^3*c^5*(\tan(f*x +$
 $e) + I)^5))/f$

$$3.739 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^6} dx$$

Optimal. Leaf size=319

$$-\frac{7(2A+iB)}{256a^3c^6f(-\tan(e+fx)+i)} + \frac{7(4A+iB)}{256a^3c^6f(\tan(e+fx)+i)} - \frac{-5B+7iA}{512a^3c^6f(-\tan(e+fx)+i)^2} + \frac{5(-B+7iA)}{512a^3c^6f(\tan(e+fx)+i)^2}$$

[Out] (7*(3*A + I*B)*x)/(128*a^3*c^6) + (A + I*B)/(384*a^3*c^6*f*(I - Tan[e + f*x])^3) - ((7*I)*A - 5*B)/(512*a^3*c^6*f*(I - Tan[e + f*x])^2) - (7*(2*A + I*B))/(256*a^3*c^6*f*(I - Tan[e + f*x])) + (I*A + B)/(96*a^3*c^6*f*(I + Tan[e + f*x])^6) + (2*A - I*B)/(80*a^3*c^6*f*(I + Tan[e + f*x])^5) - ((5*I)*A + B)/(128*a^3*c^6*f*(I + Tan[e + f*x])^4) - (5*A)/(96*a^3*c^6*f*(I + Tan[e + f*x])^3) + (5*((7*I)*A - B))/(512*a^3*c^6*f*(I + Tan[e + f*x])^2) + (7*(4*A + I*B))/(256*a^3*c^6*f*(I + Tan[e + f*x]))

Rubi [A] time = 0.380221, antiderivative size = 319, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {3588, 77, 203}

$$-\frac{7(2A+iB)}{256a^3c^6f(-\tan(e+fx)+i)} + \frac{7(4A+iB)}{256a^3c^6f(\tan(e+fx)+i)} - \frac{-5B+7iA}{512a^3c^6f(-\tan(e+fx)+i)^2} + \frac{5(-B+7iA)}{512a^3c^6f(\tan(e+fx)+i)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^6), x]

[Out] (7*(3*A + I*B)*x)/(128*a^3*c^6) + (A + I*B)/(384*a^3*c^6*f*(I - Tan[e + f*x])^3) - ((7*I)*A - 5*B)/(512*a^3*c^6*f*(I - Tan[e + f*x])^2) - (7*(2*A + I*B))/(256*a^3*c^6*f*(I - Tan[e + f*x])) + (I*A + B)/(96*a^3*c^6*f*(I + Tan[e + f*x])^6) + (2*A - I*B)/(80*a^3*c^6*f*(I + Tan[e + f*x])^5) - ((5*I)*A + B)/(128*a^3*c^6*f*(I + Tan[e + f*x])^4) - (5*A)/(96*a^3*c^6*f*(I + Tan[e + f*x])^3) + (5*((7*I)*A - B))/(512*a^3*c^6*f*(I + Tan[e + f*x])^2) + (7*(4*A + I*B))/(256*a^3*c^6*f*(I + Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0]) || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^6} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^7} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{A+iB}{128a^4 c^7 (-i+x)^4} + \frac{i(7A+5iB)}{256a^4 c^7 (-i+x)^3} - \frac{7(2A+iB)}{256a^4 c^7 (-i+x)^2} - \frac{i(A-iB)}{16a^4 c^7 (-i+x)} \right) dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{A + iB}{384a^3 c^6 f (i - \tan(e + fx))^3} - \frac{7iA - 5B}{512a^3 c^6 f (i - \tan(e + fx))^2} - \frac{256a^3 c^6 f (i - \tan(e + fx))}{7(3A + iB)x} + \frac{A + iB}{384a^3 c^6 f (i - \tan(e + fx))^3} - \frac{7iA - 5B}{512a^3 c^6 f (i - \tan(e + fx))^2}$$

Mathematica [A] time = 5.02441, size = 321, normalized size = 1.01

$$\frac{\sec^3(e + fx)(-\cos(6(e + fx)) - i \sin(6(e + fx)))(-210(27A + iB) \cos(e + fx) + 280(-18iAfx - 3A + 6Bfx + iB) \cos(e + fx))}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^6}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^6), x]

[Out] (Sec[e + f*x]^3*(-Cos[6*(e + f*x)] - I*Sin[6*(e + f*x)])*(-210*(27*A + I*B)*Cos[e + f*x] + 280*(-3*A + I*B - (18*I)*A*f*x + 6*B*f*x)*Cos[3*(e + f*x)] + 810*A*Cos[5*(e + f*x)] + (750*I)*B*Cos[5*(e + f*x)] + 81*A*Cos[7*(e + f*x)] + (147*I)*B*Cos[7*(e + f*x)] + 5*A*Cos[9*(e + f*x)] + (15*I)*B*Cos[9*(e + f*x)] + (1890*I)*A*Sin[e + f*x] - 630*B*Sin[e + f*x] - (840*I)*A*Sin[3*(e + f*x)] - 280*B*Sin[3*(e + f*x)] - 5040*A*f*x*Sin[3*(e + f*x)] - (1680*I)*B*f*x*Sin[3*(e + f*x)] - (1350*I)*A*Sin[5*(e + f*x)] + 450*B*Sin[5*(e + f*x)] - (189*I)*A*Sin[7*(e + f*x)] + 63*B*Sin[7*(e + f*x)] - (15*I)*A*Sin[9*(e + f*x)] + 5*B*Sin[9*(e + f*x)]))/(30720*a^3*c^6*f*(-I + Tan[e + f*x])^3)

Maple [A] time = 0.078, size = 491, normalized size = 1.5

$$\frac{-\frac{21i}{256} \ln(\tan(fx + e) - i)A}{fa^3c^6} + \frac{7A}{128fa^3c^6(\tan(fx + e) - i)} - \frac{\frac{i}{80}B}{fa^3c^6(\tan(fx + e) + i)^5} + \frac{7 \ln(\tan(fx + e) - i)B}{256fa^3c^6} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^6,x)

[Out] -21/256*I/f/a^3/c^6*ln(tan(f*x+e)-I)*A+7/128/f/a^3/c^6/(tan(f*x+e)-I)*A-1/80*I/f/a^3/c^6/(tan(f*x+e)+I)^5*B+7/256/f/a^3/c^6*ln(tan(f*x+e)-I)*B+5/512/f/a^3/c^6/(tan(f*x+e)-I)^2*B-5/128*I/f/a^3/c^6/(tan(f*x+e)+I)^4*A-1/384/f/a^3/c^6/(tan(f*x+e)-I)^3*A-1/384*I/f/a^3/c^6/(tan(f*x+e)-I)^3*B+35/512*I/f/a^3/c^6/(tan(f*x+e)+I)^2*A-5/512/f/a^3/c^6/(tan(f*x+e)+I)^2*B-7/512*I/f/a^3/c^6/(tan(f*x+e)-I)^2*A+1/40/f/a^3/c^6/(tan(f*x+e)+I)^5*A+21/256*I/f/a^3/c^6*ln(tan(f*x+e)+I)*A-1/128/f/a^3/c^6/(tan(f*x+e)+I)^4*B+7/64/f/a^3/c^6/(tan(f

$$*x+e)+I)*A+7/256*I/f/a^3/c^6/(\tan(f*x+e)-I)*B-5/96*A/a^3/c^6/f/(\tan(f*x+e)+I)^3+1/96*I/f/a^3/c^6/(\tan(f*x+e)+I)^6*A-7/256/f/a^3/c^6*\ln(\tan(f*x+e)+I)*B+7/256*I/f/a^3/c^6/(\tan(f*x+e)+I)*B+1/96/f/a^3/c^6/(\tan(f*x+e)+I)^6*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^6,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.07719, size = 586, normalized size = 1.84

$$(1680(3A + iB)fxe^{(6i fx+6ie)} + (-5iA - 5B)e^{(18i fx+18ie)} + (-54iA - 42B)e^{(16i fx+16ie)} + (-270iA - 150B)e^{(14i fx+14ie)}).$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^6,x, algorithm="fricas")

[Out] $\frac{1}{30720} * (1680 * (3 * A + I * B) * f * x * e^{(6 * I * f * x + 6 * I * e)} + (-5 * I * A - 5 * B) * e^{(18 * I * f * x + 18 * I * e)} + (-54 * I * A - 42 * B) * e^{(16 * I * f * x + 16 * I * e)} + (-270 * I * A - 150 * B) * e^{(14 * I * f * x + 14 * I * e)} + (-840 * I * A - 280 * B) * e^{(12 * I * f * x + 12 * I * e)} + (-1890 * I * A - 210 * B) * e^{(10 * I * f * x + 10 * I * e)} + (-3780 * I * A + 420 * B) * e^{(8 * I * f * x + 8 * I * e)} + (1080 * I * A - 600 * B) * e^{(4 * I * f * x + 4 * I * e)} + (135 * I * A - 105 * B) * e^{(2 * I * f * x + 2 * I * e)} + 10 * I * A - 10 * B) * e^{(-6 * I * f * x - 6 * I * e)} / (a^3 * c^6 * f)$

Sympy [A] time = 10.4687, size = 755, normalized size = 2.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^6,x)

[Out] Piecewise((((6800207735332289107722240*I*A*a**24*c**48*f**8*exp(6*I*e) - 6800207735332289107722240*B*a**24*c**48*f**8*exp(6*I*e))*exp(-6*I*f*x) + (91802804426985902954250240*I*A*a**24*c**48*f**8*exp(8*I*e) - 71402181220989035631083520*B*a**24*c**48*f**8*exp(8*I*e))*exp(-4*I*f*x) + (734422435415887223634001920*I*A*a**24*c**48*f**8*exp(10*I*e) - 408012464119937346463334400*B*a**24*c**48*f**8*exp(10*I*e))*exp(-2*I*f*x) + (-2570478523955605282719006720*I*A*a**24*c**48*f**8*exp(14*I*e) + 285608724883956142524334080*B*a**24*c**48*f**8*exp(14*I*e))*exp(2*I*f*x) + (-1285239261977802641359503360*I*A*a**24*c**48*f**8*exp(16*I*e) - 142804362441978071262167040*B*a**24*c**48*f**8*exp(16*I*e))*exp(4*I*f*x) + (-571217449767912285048668160*I*A*a**24*c**48*f**8*exp(18*I*e) - 190405816589304095016222720*B*a**24*c**48*f**8*exp(18*I


```
e))*exp(6*I*f*x) + (-183605608853971805908500480*I*A*a**24*c**48*f**8*exp(20*I*e) - 102003116029984336615833600*B*a**24*c**48*f**8*exp(20*I*e))*exp(8*I*f*x) + (-36721121770794361181700096*I*A*a**24*c**48*f**8*exp(22*I*e) - 28560872488395614252433408*B*a**24*c**48*f**8*exp(22*I*e))*exp(10*I*f*x) + (-3400103867666144553861120*I*A*a**24*c**48*f**8*exp(24*I*e) - 3400103867666144553861120*B*a**24*c**48*f**8*exp(24*I*e))*exp(12*I*f*x))*exp(-12*I*e)/(20890238162940792138922721280*a**27*c**54*f**9), Ne(20890238162940792138922721280*a**27*c**54*f**9*exp(12*I*e), 0)), (x*(-(21*A + 7*I*B)/(128*a**3*c**6) + (A*exp(18*I*e) + 9*A*exp(16*I*e) + 36*A*exp(14*I*e) + 84*A*exp(12*I*e) + 126*A*exp(10*I*e) + 126*A*exp(8*I*e) + 84*A*exp(6*I*e) + 36*A*exp(4*I*e) + 9*A*exp(2*I*e) + A - I*B*exp(18*I*e) - 7*I*B*exp(16*I*e) - 20*I*B*exp(14*I*e) - 28*I*B*exp(12*I*e) - 14*I*B*exp(10*I*e) + 14*I*B*exp(8*I*e) + 28*I*B*exp(6*I*e) + 20*I*B*exp(4*I*e) + 7*I*B*exp(2*I*e) + I*B)*exp(-6*I*e)/(512*a**3*c**6)), True)) + x*(21*A + 7*I*B)/(128*a**3*c**6)
```

Giac [A] time = 1.425, size = 431, normalized size = 1.35

$$\frac{60(21iA-7B)\log(\tan(fx+e)+i)}{a^3c^6} - \frac{60(21iA-7B)\log(i\tan(fx+e)+1)}{a^3c^6} - \frac{10(231A\tan(fx+e)^3+77iB\tan(fx+e)^3-777iA\tan(fx+e)^2+273B\tan(fx+e)^2-882A\tan(fx+e)-330iB\tan(fx+e)+340iA-138B)}{a^3c^6(-i\tan(fx+e)-1)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^6,x, algorithm="giac")
```

```
[Out] 1/15360*(60*(21*I*A - 7*B)*log(tan(f*x + e) + I)/(a^3*c^6) - 60*(21*I*A - 7*B)*log(I*tan(f*x + e) + 1)/(a^3*c^6) - 10*(231*A*tan(f*x + e)^3 + 77*I*B*tan(f*x + e)^3 - 777*I*A*tan(f*x + e)^2 + 273*B*tan(f*x + e)^2 - 882*A*tan(f*x + e) - 330*I*B*tan(f*x + e) + 340*I*A - 138*B)/(a^3*c^6*(-I*tan(f*x + e) - 1)^3) + (-3087*I*A*tan(f*x + e)^6 + 1029*B*tan(f*x + e)^6 + 20202*A*tan(f*x + e)^5 + 6594*I*B*tan(f*x + e)^5 + 55755*I*A*tan(f*x + e)^4 - 17685*B*tan(f*x + e)^4 - 83540*A*tan(f*x + e)^3 - 25380*I*B*tan(f*x + e)^3 - 72405*I*A*tan(f*x + e)^2 + 20415*B*tan(f*x + e)^2 + 35106*A*tan(f*x + e) + 8442*I*B*tan(f*x + e) + 7761*I*A - 1127*B)/(a^3*c^6*(tan(f*x + e) + I)^6))/f
```

$$3.740 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=62

$$\frac{2a(B + iA)(c - ic \tan(e + fx))^{7/2}}{7f} - \frac{2aB(c - ic \tan(e + fx))^{9/2}}{9cf}$$

[Out] (2*a*(I*A + B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f) - (2*a*B*(c - I*c*Tan[e + f*x])^(9/2))/(9*c*f)

Rubi [A] time = 0.106525, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2a(B + iA)(c - ic \tan(e + fx))^{7/2}}{7f} - \frac{2aB(c - ic \tan(e + fx))^{9/2}}{9cf}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (2*a*(I*A + B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f) - (2*a*B*(c - I*c*Tan[e + f*x])^(9/2))/(9*c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx &= \frac{(ac) \text{Subst}\left(\int (A + Bx)(c - icx)^{5/2} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left((A - iB)(c - icx)^{5/2} + \frac{iB(c - icx)^{7/2}}{c}\right) dx\right)}{f} \\ &= \frac{2a(iA + B)(c - ic \tan(e + fx))^{7/2}}{7f} - \frac{2aB(c - ic \tan(e + fx))^{9/2}}{9cf} \end{aligned}$$

Mathematica [A] time = 6.53682, size = 90, normalized size = 1.45

$$\frac{2ac^3 \sec^3(e + fx)(\cos(fx) - i \sin(fx))\sqrt{c - ic \tan(e + fx)}(\sin(3e + 2fx) + i \cos(3e + 2fx))(9A + 7B \tan(e + fx) - 2iB)}{63f}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]
```

```
[Out] (2*a*c^3*Sec[e + f*x]^3*(Cos[f*x] - I*Sin[f*x])*(I*Cos[3*e + 2*f*x] + Sin[3*e + 2*f*x])*(9*A - (2*I)*B + 7*B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(63*f)
```

Maple [A] time = 0.066, size = 55, normalized size = 0.9

$$\frac{2ia}{cf} \left(\frac{i}{9} B (c - ic \tan(fx + e))^{\frac{9}{2}} + \frac{-iBc + Ac}{7} (c - ic \tan(fx + e))^{\frac{7}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x)
```

```
[Out] 2*I/f*a/c*(1/9*I*B*(c-I*c*tan(f*x+e))^(9/2)+1/7*(-I*B*c+A*c)*(c-I*c*tan(f*x+e))^(7/2))
```

Maxima [A] time = 1.41209, size = 66, normalized size = 1.06

$$\frac{2i \left(7i (-ic \tan(fx + e) + c)^{\frac{9}{2}} Ba + (-ic \tan(fx + e) + c)^{\frac{7}{2}} (9A - 9iB)ac \right)}{63cf}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")
```

```
[Out] 2/63*I*(7*I*(-I*c*tan(f*x + e) + c)^(9/2)*B*a + (-I*c*tan(f*x + e) + c)^(7/2)*(9*A - 9*I*B)*a*c)/(c*f)
```

Fricas [B] time = 1.7984, size = 304, normalized size = 4.9

$$\frac{\sqrt{2} \left((144i A + 144 B) ac^3 e^{(2i fx + 2ie)} + (144i A - 80 B) ac^3 \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{63 \left(f e^{(8i fx + 8ie)} + 4 f e^{(6i fx + 6ie)} + 6 f e^{(4i fx + 4ie)} + 4 f e^{(2i fx + 2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="fricas")
```

```
[Out] 1/63*sqrt(2)*((144*I*A + 144*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (144*I*A - 80*B)*a*c^3)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.741 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=62

$$\frac{2a(B + iA)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{2aB(c - ic \tan(e + fx))^{7/2}}{7cf}$$

[Out] (2*a*(I*A + B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f) - (2*a*B*(c - I*c*Tan[e + f*x])^(7/2))/(7*c*f)

Rubi [A] time = 0.107791, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2a(B + iA)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{2aB(c - ic \tan(e + fx))^{7/2}}{7cf}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (2*a*(I*A + B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f) - (2*a*B*(c - I*c*Tan[e + f*x])^(7/2))/(7*c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \text{Subst}\left(\int (A + Bx)(c - icx)^{3/2} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left((A - iB)(c - icx)^{3/2} + \frac{iB(c - icx)^{5/2}}{c}\right) dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{2a(iA + B)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{2aB(c - ic \tan(e + fx))^{7/2}}{7cf} \end{aligned}$$

Mathematica [A] time = 4.41823, size = 88, normalized size = 1.42

$$\frac{2ac^2 \sec^2(e + fx)(\cos(fx) - i \sin(fx))\sqrt{c - ic \tan(e + fx)}(\sin(2e + fx) + i \cos(2e + fx))(7A + 5B \tan(e + fx) - 2iB)}{35f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (2*a*c^2*Sec[e + f*x]^2*(Cos[f*x] - I*Sin[f*x])*(I*Cos[2*e + f*x] + Sin[2*e + f*x])*(7*A - (2*I)*B + 5*B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(35*f)

Maple [A] time = 0.059, size = 55, normalized size = 0.9

$$\frac{2ia}{cf} \left(\frac{i}{7} B (c - ic \tan(fx + e))^{\frac{7}{2}} + \frac{-iBc + Ac}{5} (c - ic \tan(fx + e))^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 2*I/f*a/c*(1/7*I*B*(c-I*c*tan(f*x+e))^(7/2)+1/5*(-I*B*c+A*c)*(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.50115, size = 66, normalized size = 1.06

$$\frac{2i \left(5i \left(-ic \tan(fx + e) + c \right)^{\frac{7}{2}} Ba + \left(-ic \tan(fx + e) + c \right)^{\frac{5}{2}} (7A - 7iB)ac \right)}{35cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] 2/35*I*(5*I*(-I*c*tan(f*x + e) + c)^(7/2)*B*a + (-I*c*tan(f*x + e) + c)^(5/2)*(7*A - 7*I*B)*a*c)/(c*f)

Fricas [A] time = 1.40985, size = 265, normalized size = 4.27

$$\frac{\sqrt{2} \left((56iA + 56B)ac^2 e^{(2ifx+2ie)} + (56iA - 24B)ac^2 \right) \sqrt{\frac{c}{e^{(2ifx+2ie)} + 1}}}{35 \left(f e^{(6ifx+6ie)} + 3 f e^{(4ifx+4ie)} + 3 f e^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x, algorithm="fricas")

[Out] 1/35*sqrt(2)*((56*I*A + 56*B)*a*c^2*e^(2*I*f*x + 2*I*e) + (56*I*A - 24*B)*a*c^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan (fx + e) + A)(ia \tan (fx + e) + a)(-ic \tan (fx + e) + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.742 \quad \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=62

$$\frac{2a(B + iA)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{2aB(c - ic \tan(e + fx))^{5/2}}{5cf}$$

[Out] (2*a*(I*A + B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f) - (2*a*B*(c - I*c*Tan[e + f*x])^(5/2))/(5*c*f)

Rubi [A] time = 0.106542, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2a(B + iA)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{2aB(c - ic \tan(e + fx))^{5/2}}{5cf}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (2*a*(I*A + B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f) - (2*a*B*(c - I*c*Tan[e + f*x])^(5/2))/(5*c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \text{Subst}\left(\int (A + Bx)\sqrt{c - icx} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left((A - iB)\sqrt{c - icx} + \frac{iB(c - icx)^{3/2}}{c}\right) dx, x\right)}{f} \\ &= \frac{2a(iA + B)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{2aB(c - ic \tan(e + fx))^{5/2}}{5cf} \end{aligned}$$

Mathematica [A] time = 3.20934, size = 97, normalized size = 1.56

$$\frac{2ac(\cos(e) - i \sin(e))(\cos(fx) - i \sin(fx))\sqrt{c - ic \tan(e + fx)}(5iA + 3iB \tan(e + fx) + 2B)(A + B \tan(e + fx))}{15f(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (2*a*c*(Cos[e] - I*Sin[e])*(Cos[f*x] - I*Sin[f*x])*((5*I)*A + 2*B + (3*I)*B*Tan[e + f*x])*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(15*f*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.062, size = 55, normalized size = 0.9

$$\frac{2ia}{cf} \left(\frac{i}{5} B (c - ic \tan(fx + e))^{\frac{5}{2}} + \frac{-iBc + Ac}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x)

[Out] 2*I/f*a/c*(1/5*I*B*(c-I*c*tan(f*x+e))^(5/2)+1/3*(-I*B*c+A*c)*(c-I*c*tan(f*x+e))^(3/2))

Maxima [A] time = 1.18334, size = 66, normalized size = 1.06

$$\frac{2i \left(3i (-ic \tan(fx + e) + c)^{\frac{5}{2}} Ba + (-ic \tan(fx + e) + c)^{\frac{3}{2}} (5A - 5iB)ac \right)}{15cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] 2/15*I*(3*I*(-I*c*tan(f*x + e) + c)^(5/2)*B*a + (-I*c*tan(f*x + e) + c)^(3/2)*(5*A - 5*I*B)*a*c)/(c*f)

Fricas [A] time = 1.15164, size = 223, normalized size = 3.6

$$\frac{\sqrt{2} \left((20iA + 20B)ace^{(2ifx+2ie)} + (20iA - 4B)ac \right) \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{15 \left(fe^{(4ifx+4ie)} + 2fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="fricas")

[Out] 1/15*sqrt(2)*((20*I*A + 20*B)*a*c*e^(2*I*f*x + 2*I*e) + (20*I*A - 4*B)*a*c)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A c \sqrt{-i c \tan(e + f x) + c} dx + \int A c \sqrt{-i c \tan(e + f x) + c} \tan^2(e + f x) dx + \int B c \sqrt{-i c \tan(e + f x) + c} \tan(e + f x) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(3/2),x)

[Out] a*(Integral(A*c*sqrt(-I*c*tan(e + f*x) + c), x) + Integral(A*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**3, x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(i a \tan(fx + e) + a)(-i c \tan(fx + e) + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(3/2), x)

3.743 $\int (a+ia \tan(e+fx))(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}$

Optimal. Leaf size=60

$$\frac{2a(B+iA)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{2aB(c-ic \tan(e+fx))^{3/2}}{3cf}$$

[Out] (2*a*(I*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/f - (2*a*B*(c - I*c*Tan[e + f*x])^(3/2))/(3*c*f)

Rubi [A] time = 0.0989737, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2a(B+iA)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{2aB(c-ic \tan(e+fx))^{3/2}}{3cf}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (2*a*(I*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/f - (2*a*B*(c - I*c*Tan[e + f*x])^(3/2))/(3*c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int (a+ia \tan(e+fx))(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{\sqrt{c-icx}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{A-iB}{\sqrt{c-icx}} + \frac{iB\sqrt{c-icx}}{c}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{2a(iA+B)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{2aB(c-ic \tan(e+fx))^{3/2}}{3cf} \end{aligned}$$

Mathematica [A] time = 2.36431, size = 45, normalized size = 0.75

$$\frac{2a\sqrt{c-ic \tan(e+fx)}(3iA + iB \tan(e+fx) + 2B)}{3f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]],x]

[Out] (2*a*((3*I)*A + 2*B + I*B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(3*f)

Maple [A] time = 0.069, size = 66, normalized size = 1.1

$$\frac{2ia}{cf} \left(\frac{i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} - iBc \sqrt{c - ic \tan(fx + e)} + Ac \sqrt{c - ic \tan(fx + e)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x)

[Out] 2*I/f*a/c*(1/3*I*B*(c-I*c*tan(f*x+e))^(3/2)-I*B*c*(c-I*c*tan(f*x+e))^(1/2)+A*c*(c-I*c*tan(f*x+e))^(1/2))

Maxima [A] time = 1.19481, size = 66, normalized size = 1.1

$$\frac{2i \left(i (-ic \tan(fx + e) + c)^{\frac{3}{2}} Ba + \sqrt{-ic \tan(fx + e) + c} (3A - 3iB)ac \right)}{3cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x, algorithm="maxima")

[Out] 2/3*I*(I*(-I*c*tan(f*x + e) + c)^(3/2)*B*a + sqrt(-I*c*tan(f*x + e) + c)*(3*A - 3*I*B)*a*c)/(c*f)

Fricas [A] time = 1.10666, size = 177, normalized size = 2.95

$$\frac{\sqrt{2} \left((6iA + 6B)ae^{(2ifx+2ie)} + (6iA + 2B)a \right) \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{3 \left(fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/3*sqrt(2)*((6*I*A + 6*B)*a*e^(2*I*f*x + 2*I*e) + (6*I*A + 2*B)*a)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sqrt{-ic \tan(e + fx) + c} dx + \int B \sqrt{-ic \tan(e + fx) + c} \tan(e + fx) dx + \int iA \sqrt{-ic \tan(e + fx) + c} \tan(e + fx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x)
```

```
[Out] a*(Integral(A*sqrt(-I*c*tan(e + f*x) + c), x) + Integral(B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(I*A*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(I*B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a) \sqrt{-ic \tan(fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))*(A+B*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)*sqrt(-I*c*tan(f*x + e) + c), x)
```

$$3.744 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=58

$$-\frac{2a(B+iA)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{2aB\sqrt{c-ic \tan(e+fx)}}{cf}$$

[Out] $(-2*a*(I*A + B))/(f*sqrt[c - I*c*Tan[e + f*x]]) - (2*a*B*sqrt[c - I*c*Tan[e + f*x]])/(c*f)$

Rubi [A] time = 0.100029, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$-\frac{2a(B+iA)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{2aB\sqrt{c-ic \tan(e+fx)}}{cf}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x])}{\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]}, x]$

[Out] $(-2*a*(I*A + B))/(f*sqrt[c - I*c*Tan[e + f*x]]) - (2*a*B*sqrt[c - I*c*Tan[e + f*x]])/(c*f)$

Rule 3588

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])^{(n_.)}}{f}, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

$\text{Int}[\frac{(a_.) + (b_.)*(x_)}{(c_.) + (d_.)*(x_)}], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(c-icx)^{3/2}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{A-iB}{(c-icx)^{3/2}} + \frac{iB}{c\sqrt{c-icx}}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{2a(iA+B)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{2aB\sqrt{c-ic \tan(e+fx)}}{cf} \end{aligned}$$

Mathematica [A] time = 2.52525, size = 82, normalized size = 1.41

$$\frac{2a(\cos(fx) - i\sin(fx))\sqrt{c - ic\tan(e + fx)}(\sin(e + 2fx) - i\cos(e + 2fx))(-B\sin(e + fx) + (A - 2iB)\cos(e + fx))}{cf}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]],x]

[Out] (2*a*(Cos[f*x] - I*Sin[f*x])*((A - (2*I)*B)*Cos[e + f*x] - B*Sin[e + f*x])*((-I)*Cos[e + 2*f*x] + Sin[e + 2*f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(c*f)

Maple [A] time = 0.133, size = 53, normalized size = 0.9

$$\frac{2ia}{cf} \left(iB\sqrt{c - ic\tan(fx + e)} - c(A - iB) \frac{1}{\sqrt{c - ic\tan(fx + e)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x)

[Out] 2*I/f*a/c*(I*B*(c-I*c*tan(f*x+e))^(1/2)-c*(A-I*B)/(c-I*c*tan(f*x+e))^(1/2))

Maxima [A] time = 1.1618, size = 65, normalized size = 1.12

$$\frac{2i \left(i\sqrt{-ic\tan(fx + e)} + cBa - \frac{(A-iB)ac}{\sqrt{-ic\tan(fx+e)+c}} \right)}{cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="maxima")

[Out] 2*I*(I*sqrt(-I*c*tan(f*x + e) + c)*B*a - (A - I*B)*a*c/sqrt(-I*c*tan(f*x + e) + c))/(c*f)

Fricas [A] time = 1.06398, size = 136, normalized size = 2.34

$$\frac{\sqrt{2} \left((-iA - B)ae^{(2ifx+2ie)} + (-iA - 3B)a \right) \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="fricas")

[Out] $\sqrt{2} * ((-I * A - B) * a * e^{(2 * I * f * x + 2 * I * e)} + (-I * A - 3 * B) * a) * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} / (c * f)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sqrt{-ic \tan(e + fx) + c}} dx + \int \frac{B \tan(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx + \int \frac{iA \tan(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx + \int \frac{iB \tan^2(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2),x)`

[Out] `a*(Integral(A/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(B*tan(e + f*x)/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(I*A*tan(e + f*x)/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(I*B*tan(e + f*x)**2/sqrt(-I*c*tan(e + f*x) + c), x))`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)}{\sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)/sqrt(-I*c*tan(f*x + e) + c), x)`

$$3.745 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=60

$$\frac{2aB}{cf\sqrt{c-ic \tan(e+fx)}} - \frac{2a(B+ia)}{3f(c-ic \tan(e+fx))^{3/2}}$$

[Out] $(-2*a*(I*A + B))/(3*f*(c - I*c*\text{Tan}[e + f*x])^{(3/2)}) + (2*a*B)/(c*f*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])$

Rubi [A] time = 0.107126, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2aB}{cf\sqrt{c-ic \tan(e+fx)}} - \frac{2a(B+ia)}{3f(c-ic \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(3/2)}, x]$

[Out] $(-2*a*(I*A + B))/(3*f*(c - I*c*\text{Tan}[e + f*x])^{(3/2)}) + (2*a*B)/(c*f*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)]) + (c + d*\text{tan}[(e + f*x)])^n), x_Symbol] :> \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 43

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n + 1), 0] || \text{GtQ}[m + n + 2, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(c-icx)^{5/2}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{A-iB}{(c-icx)^{5/2}} + \frac{iB}{c(c-icx)^{3/2}}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{2a(iA+B)}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{2aB}{cf\sqrt{c-ic \tan(e+fx)}} \end{aligned}$$

Mathematica [A] time = 4.47424, size = 98, normalized size = 1.63

$$\frac{2a \cos(e+fx)(\cos(fx) - i \sin(fx))\sqrt{c-ic \tan(e+fx)}(\cos(2e+3fx) + i \sin(2e+3fx))((2B-iA) \cos(e+fx) - 3iB)}{3c^2 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (2*a*cos[e + f*x]*(cos[f*x] - I*sin[f*x])*((-I)*A + 2*B)*cos[e + f*x] - (3*I)*B*sin[e + f*x])*(cos[2*e + 3*f*x] + I*sin[2*e + 3*f*x])*sqrt[c - I*c*Tan[e + f*x]]/(3*c^2*f)

Maple [A] time = 0.067, size = 53, normalized size = 0.9

$$\frac{2ia}{cf} \left(-iB \frac{1}{\sqrt{c - ic \tan(fx + e)}} - \frac{c(A - iB)}{3} (c - ic \tan(fx + e))^{-\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x)

[Out] 2*I/f*a/c*(-I*B/(c-I*c*tan(f*x+e))^(1/2)-1/3*c*(A-I*B)/(c-I*c*tan(f*x+e))^(3/2))

Maxima [A] time = 1.15275, size = 61, normalized size = 1.02

$$\frac{2i(3i(-ic \tan(fx + e) + c)Ba + (A - iB)ac)}{3(-ic \tan(fx + e) + c)^{\frac{3}{2}}cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] -2/3*I*(3*I*(-I*c*tan(f*x + e) + c)*B*a + (A - I*B)*a*c)/((-I*c*tan(f*x + e) + c)^(3/2)*c*f)

Fricas [A] time = 1.0852, size = 197, normalized size = 3.28

$$\frac{\sqrt{2}((-iA - B)ae^{(4ifx+4ie)} + (-2iA + 4B)ae^{(2ifx+2ie)} + (-iA + 5B)a)\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{6c^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="fricas")

[Out] 1/6*sqrt(2)*((-I*A - B)*a*e^(4*I*f*x + 4*I*e) + (-2*I*A + 4*B)*a*e^(2*I*f*x + 2*I*e) + (-I*A + 5*B)*a)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^2*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)}{(-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)/(-I*c*tan(f*x + e) + c)^(3/2), x)

$$3.746 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=62

$$\frac{2aB}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{2a(B+ia)}{5f(c-ic \tan(e+fx))^{5/2}}$$

[Out] $(-2*a*(I*A + B))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (2*a*B)/(3*c*f*(c - I*c*Tan[e + f*x])^(3/2))$

Rubi [A] time = 0.105502, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2aB}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{2a(B+ia)}{5f(c-ic \tan(e+fx))^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^(5/2), x]$

[Out] $(-2*a*(I*A + B))/(5*f*(c - I*c*\text{Tan}[e + f*x])^(5/2)) + (2*a*B)/(3*c*f*(c - I*c*\text{Tan}[e + f*x])^(3/2))$

Rule 3588

$\text{Int}[(a + (b_*)*\text{tan}[(e_*) + (f_*)*(x_)])^(m_*)*((A_*) + (B_*)*\text{tan}[(e_*) + (f_*)*(x_)])*((c_*) + (d_*)*\text{tan}[(e_*) + (f_*)*(x_)])^(n_*), x_Symbol] :> \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^(m-1)*(c + d*x)^(n-1)*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 43

$\text{Int}[(a + (b_*)*(x_))^(m_*)*((c_*) + (d_*)*(x_))^(n_*), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(c-icx)^{7/2}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{A-iB}{(c-icx)^{7/2}} + \frac{iB}{c(c-icx)^{5/2}} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{2a(iA+B)}{5f(c-ic \tan(e+fx))^{5/2}} + \frac{2aB}{3cf(c-ic \tan(e+fx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 7.85796, size = 100, normalized size = 1.61

$$\frac{2a \cos^2(e+fx)(\cos(fx) - i \sin(fx))\sqrt{c-ic \tan(e+fx)}(\cos(3e+4fx) + i \sin(3e+4fx))((2B-3iA) \cos(e+fx) - 5iB \sin(e+fx))}{15c^3 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (2*a*cos[e + f*x]^2*(cos[f*x] - I*sin[f*x])*(((-3*I)*A + 2*B)*cos[e + f*x] - (5*I)*B*sin[e + f*x])*(cos[3*e + 4*f*x] + I*sin[3*e + 4*f*x])*sqrt[c - I*c*Tan[e + f*x]])/(15*c^3*f)

Maple [A] time = 0.069, size = 53, normalized size = 0.9

$$\frac{2ia}{cf} \left(-\frac{i}{3} B (c - ic \tan(fx + e))^{-\frac{3}{2}} - \frac{c(A - iB)}{5} (c - ic \tan(fx + e))^{-\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 2*I/f*a/c*(-1/3*I*B/(c-I*c*tan(f*x+e))^(3/2)-1/5*c*(A-I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.14671, size = 63, normalized size = 1.02

$$\frac{2i(5i(-ic \tan(fx + e) + c)Ba + (3A - 3iB)ac)}{15(-ic \tan(fx + e) + c)^{\frac{5}{2}}cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] -2/15*I*(5*I*(-I*c*tan(f*x + e) + c)*B*a + (3*A - 3*I*B)*a*c)/((-I*c*tan(f*x + e) + c)^(5/2)*c*f)

Fricas [A] time = 1.17192, size = 258, normalized size = 4.16

$$\frac{\sqrt{2} \left((-3iA - 3B)ae^{(6ifx+6ie)} + (-9iA + B)ae^{(4ifx+4ie)} + (-9iA + 11B)ae^{(2ifx+2ie)} + (-3iA + 7B)a \right) \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{60c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="fricas")

[Out] 1/60*sqrt(2)*((-3*I*A - 3*B)*a*e^(6*I*f*x + 6*I*e) + (-9*I*A + B)*a*e^(4*I*f*x + 4*I*e) + (-9*I*A + 11*B)*a*e^(2*I*f*x + 2*I*e) + (-3*I*A + 7*B)*a)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^3*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(5/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)}{(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)/(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.747 \quad \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=62

$$\frac{2aB}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{2a(B+ia)}{7f(c-ic \tan(e+fx))^{7/2}}$$

[Out] $(-2*a*(I*A + B))/(7*f*(c - I*c*\text{Tan}[e + f*x])^{(7/2)}) + (2*a*B)/(5*c*f*(c - I*c*\text{Tan}[e + f*x])^{(5/2)})$

Rubi [A] time = 0.103932, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {3588, 43}

$$\frac{2aB}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{2a(B+ia)}{7f(c-ic \tan(e+fx))^{7/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(7/2)}, x]$

[Out] $(-2*a*(I*A + B))/(7*f*(c - I*c*\text{Tan}[e + f*x])^{(7/2)}) + (2*a*B)/(5*c*f*(c - I*c*\text{Tan}[e + f*x])^{(5/2)})$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 43

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n + 1), 0] || \text{GtQ}[m + n + 2, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx &= \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(c-icx)^{9/2}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{A-iB}{(c-icx)^{9/2}} + \frac{iB}{c(c-icx)^{7/2}}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{2a(iA+B)}{7f(c-ic \tan(e+fx))^{7/2}} + \frac{2aB}{5cf(c-ic \tan(e+fx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 11.2774, size = 100, normalized size = 1.61

$$\frac{2a \cos^3(e+fx)(\cos(fx) - i \sin(fx))\sqrt{c-ic \tan(e+fx)}(\cos(4e+5fx) + i \sin(4e+5fx))((2B-5iA) \cos(e+fx) - 7i)}{35c^4f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (2*a*cos[e + f*x]^3*(cos[f*x] - I*sin[f*x])*((-5*I)*A + 2*B)*cos[e + f*x] - (7*I)*B*sin[e + f*x])*(cos[4*e + 5*f*x] + I*sin[4*e + 5*f*x])*sqrt[c - I*c*Tan[e + f*x]]/(35*c^4*f)

Maple [A] time = 0.071, size = 53, normalized size = 0.9

$$\frac{2ia}{cf} \left(-\frac{c(A-iB)}{7} (c-ic \tan(fx+e))^{-\frac{7}{2}} - \frac{i}{5} B (c-ic \tan(fx+e))^{-\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] 2*I/f*a/c*(-1/7*c*(A-I*B)/(c-I*c*tan(f*x+e))^(7/2)-1/5*I*B/(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.12567, size = 63, normalized size = 1.02

$$\frac{2i(7i(-ic \tan(fx+e) + c)Ba + (5A - 5iB)ac)}{35(-ic \tan(fx+e) + c)^{\frac{7}{2}}cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] -2/35*I*(7*I*(-I*c*tan(f*x + e) + c)*B*a + (5*A - 5*I*B)*a*c)/((-I*c*tan(f*x + e) + c)^(7/2)*c*f)

Fricas [B] time = 1.40384, size = 320, normalized size = 5.16

$$\frac{\sqrt{2}((-5iA - 5B)ae^{(8ifx+8ie)} + (-20iA - 6B)ae^{(6ifx+6ie)} + (-30iA + 12B)ae^{(4ifx+4ie)} + (-20iA + 22B)ae^{(2ifx+2ie)} + (-5iA - 5B)ae^{(8ifx+8ie)} + (-20iA - 6B)ae^{(6ifx+6ie)} + (-30iA + 12B)ae^{(4ifx+4ie)} + (-20iA + 22B)ae^{(2ifx+2ie)})}{280c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="fricas")

[Out] 1/280*sqrt(2)*((-5*I*A - 5*B)*a*e^(8*I*f*x + 8*I*e) + (-20*I*A - 6*B)*a*e^(6*I*f*x + 6*I*e) + (-30*I*A + 12*B)*a*e^(4*I*f*x + 4*I*e) + (-20*I*A + 22*B)*a*e^(2*I*f*x + 2*I*e) + (-5*I*A + 9*B)*a)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^4*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)}{(-ic \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)/(-I*c*tan(f*x + e) + c)^(7/2), x)

$$3.748 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=105

$$-\frac{2a^2(3B + iA)(c - ic \tan(e + fx))^{9/2}}{9cf} + \frac{4a^2(B + iA)(c - ic \tan(e + fx))^{7/2}}{7f} + \frac{2a^2B(c - ic \tan(e + fx))^{11/2}}{11c^2f}$$

[Out] (4*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f) - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(9/2))/(9*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(11/2))/(11*c^2*f)

Rubi [A] time = 0.183202, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$-\frac{2a^2(3B + iA)(c - ic \tan(e + fx))^{9/2}}{9cf} + \frac{4a^2(B + iA)(c - ic \tan(e + fx))^{7/2}}{7f} + \frac{2a^2B(c - ic \tan(e + fx))^{11/2}}{11c^2f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (4*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f) - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(9/2))/(9*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(11/2))/(11*c^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx)(c - icx)^{5/2} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB)(c - icx)^{5/2} - \frac{a(A - 3iB)(c - icx)}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{4a^2(iA + B)(c - ic \tan(e + fx))^{7/2}}{7f} - \frac{2a^2(iA + 3B)(c - ic \tan(e + fx))^{5/2}}{11c^2f} \end{aligned}$$

Mathematica [A] time = 11.1353, size = 119, normalized size = 1.13

$$\frac{a^2 c^3 \sec^5(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(3e + fx) - i \sin(3e + fx)) ((-77A + 105iB) \sin(2(e + fx)) + (93B + 121iA) \cos(2(e + fx)))}{693 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (a^2*c^3*Sec[e + f*x]^5*((121*I)*A - 33*B + ((121*I)*A + 93*B)*Cos[2*(e + f*x)] + (-77*A + (105*I)*B)*Sin[2*(e + f*x)])*(Cos[3*e + f*x] - I*Sin[3*e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(693*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.067, size = 83, normalized size = 0.8

$$\frac{-2ia^2}{fc^2} \left(\frac{i}{11} B (c - ic \tan(fx + e))^{\frac{11}{2}} + \frac{-3iBc + Ac}{9} (c - ic \tan(fx + e))^{\frac{9}{2}} - \frac{(-2iBc + 2Ac)c}{7} (c - ic \tan(fx + e))^{\frac{7}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x)

[Out] -2*I/f*a^2/c^2*(1/11*I*B*(c-I*c*tan(f*x+e))^(11/2)+1/9*(-3*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(9/2)-2/7*(-I*B*c+A*c)*c*(c-I*c*tan(f*x+e))^(7/2))

Maxima [A] time = 1.12907, size = 109, normalized size = 1.04

$$\frac{2i \left(63i (-ic \tan(fx + e) + c)^{\frac{11}{2}} Ba^2 + (-ic \tan(fx + e) + c)^{\frac{9}{2}} (77A - 231iB) a^2 c - (-ic \tan(fx + e) + c)^{\frac{7}{2}} (198A - 198iB) a^2 c^2 \right)}{693 c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] -2/693*I*(63*I*(-I*c*tan(f*x + e) + c)^(11/2)*B*a^2 + (-I*c*tan(f*x + e) + c)^(9/2)*(77*A - 231*I*B)*a^2*c - (-I*c*tan(f*x + e) + c)^(7/2)*(198*A - 198*I*B)*a^2*c^2)/(c^2*f)

Fricas [A] time = 2.336, size = 423, normalized size = 4.03

$$\frac{\sqrt{2} \left((3168iA + 3168B) a^2 c^3 e^{(4i fx + 4ie)} + (3872iA - 1056B) a^2 c^3 e^{(2i fx + 2ie)} + (704iA - 192B) a^2 c^3 \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{693 \left(f e^{(10i fx + 10ie)} + 5 f e^{(8i fx + 8ie)} + 10 f e^{(6i fx + 6ie)} + 10 f e^{(4i fx + 4ie)} + 5 f e^{(2i fx + 2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="fricas")

```
[Out] 1/693*sqrt(2)*((3168*I*A + 3168*B)*a^2*c^3*e^(4*I*f*x + 4*I*e) + (3872*I*A
- 1056*B)*a^2*c^3*e^(2*I*f*x + 2*I*e) + (704*I*A - 192*B)*a^2*c^3)*sqrt(c/(
e^(2*I*f*x + 2*I*e) + 1))/(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e
) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x +
2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2),
x)
```

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x,
algorithm="giac")
```

[Out] Timed out

$$3.749 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=105

$$\frac{2a^2(3B + iA)(c - ic \tan(e + fx))^{7/2}}{7cf} + \frac{4a^2(B + iA)(c - ic \tan(e + fx))^{5/2}}{5f} + \frac{2a^2B(c - ic \tan(e + fx))^{9/2}}{9c^2f}$$

[Out] (4*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f) - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(9/2))/(9*c^2*f)

Rubi [A] time = 0.180887, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^2(3B + iA)(c - ic \tan(e + fx))^{7/2}}{7cf} + \frac{4a^2(B + iA)(c - ic \tan(e + fx))^{5/2}}{5f} + \frac{2a^2B(c - ic \tan(e + fx))^{9/2}}{9c^2f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (4*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f) - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(9/2))/(9*c^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx)(c - icx)^{3/2} dx, f \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB)(c - icx)^{3/2} - \frac{a(A - 3iB)}{f} \right) dx, f \right)}{f} \\ &= \frac{4a^2(iA + B)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{2a^2(iA + 3iB)(c - ic \tan(e + fx))^{3/2}}{9c^2f} \end{aligned}$$

Mathematica [A] time = 7.13579, size = 112, normalized size = 1.07

$$\frac{a^2 c^2 (\sin(2e) + i \cos(2e)) \sec^4(e + fx) \sqrt{c - ic \tan(e + fx)} (5(13B + 9iA) \sin(2(e + fx)) + (81A - 61iB) \cos(2(e + fx)) + 8)}{315 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (a^2*c^2*Sec[e + f*x]^4*(I*Cos[2*e] + Sin[2*e])*(81*A + (9*I)*B + (81*A - (61*I)*B)*Cos[2*(e + f*x)] + 5*((9*I)*A + 13*B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(315*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.07, size = 83, normalized size = 0.8

$$\frac{-2ia^2}{fc^2} \left(\frac{i}{9} B (c - ic \tan(fx + e))^{\frac{9}{2}} + \frac{-3iBc + Ac}{7} (c - ic \tan(fx + e))^{\frac{7}{2}} - \frac{(-2iBc + 2Ac)c}{5} (c - ic \tan(fx + e))^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x)

[Out] -2*I/f*a^2/c^2*(1/9*I*B*(c-I*c*tan(f*x+e))^(9/2)+1/7*(-3*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(7/2)-2/5*(-I*B*c+A*c)*c*(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.19194, size = 109, normalized size = 1.04

$$\frac{2i \left(35i (-ic \tan(fx + e) + c)^{\frac{9}{2}} B a^2 + (-ic \tan(fx + e) + c)^{\frac{7}{2}} (45A - 135iB) a^2 c - (-ic \tan(fx + e) + c)^{\frac{5}{2}} (126A - 126iB) a^2 c^2 \right)}{315 c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] -2/315*I*(35*I*(-I*c*tan(f*x + e) + c)^(9/2)*B*a^2 + (-I*c*tan(f*x + e) + c)^(7/2)*(45*A - 135*I*B)*a^2*c - (-I*c*tan(f*x + e) + c)^(5/2)*(126*A - 126*I*B)*a^2*c^2)/(c^2*f)

Fricas [A] time = 1.61934, size = 379, normalized size = 3.61

$$\frac{\sqrt{2} \left((1008iA + 1008B) a^2 c^2 e^{(4i fx + 4ie)} + (1296iA - 144B) a^2 c^2 e^{(2i fx + 2ie)} + (288iA - 32B) a^2 c^2 \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{315 \left(f e^{(8i fx + 8ie)} + 4 f e^{(6i fx + 6ie)} + 6 f e^{(4i fx + 4ie)} + 4 f e^{(2i fx + 2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x, algorithm="fricas")

```
[Out] 1/315*sqrt(2)*((1008*I*A + 1008*B)*a^2*c^2*e^(4*I*f*x + 4*I*e) + (1296*I*A
- 144*B)*a^2*c^2*e^(2*I*f*x + 2*I*e) + (288*I*A - 32*B)*a^2*c^2)*sqrt(c/(e^
(2*I*f*x + 2*I*e) + 1))/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) +
6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2),
x)
```

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="giac")
```

[Out] Timed out

$$3.750 \quad \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=105

$$-\frac{2a^2(3B + iA)(c - ic \tan(e + fx))^{5/2}}{5cf} + \frac{4a^2(B + iA)(c - ic \tan(e + fx))^{3/2}}{3f} + \frac{2a^2B(c - ic \tan(e + fx))^{7/2}}{7c^2f}$$

[Out] (4*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f) - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(7/2))/(7*c^2*f)

Rubi [A] time = 0.181252, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$-\frac{2a^2(3B + iA)(c - ic \tan(e + fx))^{5/2}}{5cf} + \frac{4a^2(B + iA)(c - ic \tan(e + fx))^{3/2}}{3f} + \frac{2a^2B(c - ic \tan(e + fx))^{7/2}}{7c^2f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (4*a^2*(I*A + B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f) - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(7/2))/(7*c^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^2 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)(A + Bx) \sqrt{c - icx} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(2a(A - iB) \sqrt{c - icx} - \frac{a(A - 3iB)(c - icx)}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{4a^2(iA + B)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{2a^2(iA + 3B)(c - ic \tan(e + fx))^{5/2}}{5c} \end{aligned}$$

Mathematica [A] time = 5.7058, size = 116, normalized size = 1.1

$$\frac{a^2 c \sec^3(e + fx) \sqrt{c - ic \tan(e + fx)} (\sin(e - fx) + i \cos(e - fx)) (3(11B + 7iA) \sin(2(e + fx)) + (49A - 37iB) \cos(2(e + fx)))}{105f(\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (a^2*c*Sec[e + f*x]^3*(I*Cos[e - f*x] + Sin[e - f*x])*(49*A - (7*I)*B + (49*A - (37*I)*B)*Cos[2*(e + f*x)] + 3*((7*I)*A + 11*B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(105*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.066, size = 83, normalized size = 0.8

$$\frac{-2ia^2}{fc^2} \left(\frac{i}{7} B (c - ic \tan(fx + e))^{\frac{7}{2}} + \frac{-3iBc + Ac}{5} (c - ic \tan(fx + e))^{\frac{5}{2}} - \frac{(-2iBc + 2Ac)c}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x)

[Out] -2*I/f*a^2/c^2*(1/7*I*B*(c-I*c*tan(f*x+e))^(7/2)+1/5*(-3*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(5/2)-2/3*(-I*B*c+A*c)*c*(c-I*c*tan(f*x+e))^(3/2))

Maxima [A] time = 1.11722, size = 109, normalized size = 1.04

$$\frac{2i \left(15i (-ic \tan(fx + e) + c)^{\frac{7}{2}} B a^2 + (-ic \tan(fx + e) + c)^{\frac{5}{2}} (21A - 63iB) a^2 c - (-ic \tan(fx + e) + c)^{\frac{3}{2}} (70A - 70iB) a^2 c^2 \right)}{105c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] -2/105*I*(15*I*(-I*c*tan(f*x + e) + c)^(7/2)*B*a^2 + (-I*c*tan(f*x + e) + c)^(5/2)*(21*A - 63*I*B)*a^2*c - (-I*c*tan(f*x + e) + c)^(3/2)*(70*A - 70*I*B)*a^2*c^2)/(c^2*f)

Fricas [A] time = 1.30387, size = 331, normalized size = 3.15

$$\frac{\sqrt{2} \left((280iA + 280B) a^2 c e^{(4i fx + 4ie)} + (392iA + 56B) a^2 c e^{(2i fx + 2ie)} + (112iA + 16B) a^2 c \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{105 \left(f e^{(6i fx + 6ie)} + 3 f e^{(4i fx + 4ie)} + 3 f e^{(2i fx + 2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="fricas")

```
[Out] 1/105*sqrt(2)*((280*I*A + 280*B)*a^2*c*e^(4*I*f*x + 4*I*e) + (392*I*A + 56*B)*a^2*c*e^(2*I*f*x + 2*I*e) + (112*I*A + 16*B)*a^2*c)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int Ac \sqrt{-ic \tan(e + fx) + c} dx + \int Ac \sqrt{-ic \tan(e + fx) + c} \tan^2(e + fx) dx + \int Bc \sqrt{-ic \tan(e + fx) + c} \tan(e + fx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(3/2), x)
```

```
[Out] a**2*(Integral(A*c*sqrt(-I*c*tan(e + f*x) + c), x) + Integral(A*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**3, x) + Integral(I*A*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(I*A*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**3, x) + Integral(I*B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(I*B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**4, x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^2 (-ic \tan(fx + e) + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2*(-I*c*tan(f*x + e) + c)^(3/2), x)
```

3.751 $\int (a+ia \tan(e+fx))^2 (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}$

Optimal. Leaf size=103

$$\frac{2a^2(3B+iA)(c-ic \tan(e+fx))^{3/2}}{3cf} + \frac{4a^2(B+iA)\sqrt{c-ic \tan(e+fx)}}{f} + \frac{2a^2B(c-ic \tan(e+fx))^{5/2}}{5c^2f}$$

[Out] (4*a^2*(I*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/f - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(5/2))/(5*c^2*f)

Rubi [A] time = 0.163603, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^2(3B+iA)(c-ic \tan(e+fx))^{3/2}}{3cf} + \frac{4a^2(B+iA)\sqrt{c-ic \tan(e+fx)}}{f} + \frac{2a^2B(c-ic \tan(e+fx))^{5/2}}{5c^2f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (4*a^2*(I*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/f - (2*a^2*(I*A + 3*B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(5/2))/(5*c^2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a+ia \tan(e+fx))^2 (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)(A+Bx)}{\sqrt{c-icx}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \operatorname{Subst} \left(\int \left(\frac{2a(A-iB)}{\sqrt{c-icx}} - \frac{a(A-3iB)\sqrt{c-icx}}{c} - \frac{iaB(c-icx)}{c^2} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{4a^2(iA+B)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{2a^2(iA+3B)}{c} \end{aligned}$$

Mathematica [A] time = 4.49815, size = 83, normalized size = 0.81

$$\frac{a^2 \sec^2(e + fx) \sqrt{c - ic \tan(e + fx)} ((-5A + 9iB) \sin(2(e + fx)) + (21B + 25iA) \cos(2(e + fx)) + 5(3B + 5iA))}{15f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (a^2*Sec[e + f*x]^2*(5*((5*I)*A + 3*B) + ((25*I)*A + 21*B)*Cos[2*(e + f*x)] + (-5*A + (9*I)*B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(15*f)

Maple [A] time = 0.072, size = 83, normalized size = 0.8

$$\frac{-2ia^2}{fc^2} \left(\frac{i}{5} B (c - ic \tan(fx + e))^{\frac{5}{2}} + \frac{-3iBc + Ac}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} - 2(-iBc + Ac) c \sqrt{c - ic \tan(fx + e)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)), x)

[Out] -2*I/f*a^2/c^2*(1/5*I*B*(c-I*c*tan(f*x+e))^(5/2)+1/3*(-3*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(3/2)-2*(-I*B*c+A*c)*c*(c-I*c*tan(f*x+e))^(1/2))

Maxima [A] time = 1.16914, size = 109, normalized size = 1.06

$$\frac{2i \left(3i(-ic \tan(fx + e) + c)^{\frac{5}{2}} B a^2 + (-ic \tan(fx + e) + c)^{\frac{3}{2}} (5A - 15iB) a^2 c - \sqrt{-ic \tan(fx + e) + c} (30A - 30iB) a^2 c^2 \right)}{15c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)), x, algorithm="maxima")

[Out] -2/15*I*(3*I*(-I*c*tan(f*x + e) + c)^(5/2)*B*a^2 + (-I*c*tan(f*x + e) + c)^(3/2)*(5*A - 15*I*B)*a^2*c - sqrt(-I*c*tan(f*x + e) + c)*(30*A - 30*I*B)*a^2*c^2)/(c^2*f)

Fricas [A] time = 1.15521, size = 282, normalized size = 2.74

$$\frac{\sqrt{2} \left((60iA + 60B) a^2 e^{(4i fx + 4ie)} + (100iA + 60B) a^2 e^{(2i fx + 2ie)} + (40iA + 24B) a^2 \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{15 \left(f e^{(4i fx + 4ie)} + 2 f e^{(2i fx + 2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)), x, algorithm="fricas")

```
[Out] 1/15*sqrt(2)*((60*I*A + 60*B)*a^2*e^(4*I*f*x + 4*I*e) + (100*I*A + 60*B)*a^2*e^(2*I*f*x + 2*I*e) + (40*I*A + 24*B)*a^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sqrt{-ic \tan(e + fx) + c} dx + \int -A \sqrt{-ic \tan(e + fx) + c} \tan^2(e + fx) dx + \int B \sqrt{-ic \tan(e + fx) + c} \tan(e + fx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e)), x)
```

```
[Out] a**2*(Integral(A*sqrt(-I*c*tan(e + f*x) + c), x) + Integral(-A*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(-B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**3, x) + Integral(2*I*A*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + Integral(2*I*B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^2 \sqrt{-ic \tan(fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e)), x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2*sqrt(-I*c*tan(f*x + e) + c), x)
```

$$3.752 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=101

$$-\frac{2a^2(3B+iA)\sqrt{c-ic \tan(e+fx)}}{cf} - \frac{4a^2(B+iA)}{f\sqrt{c-ic \tan(e+fx)}} + \frac{2a^2B(c-ic \tan(e+fx))^{3/2}}{3c^2f}$$

[Out] $(-4*a^2*(I*A + B))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (2*a^2*(I*A + 3*B)*Sqrt[c - I*c*Tan[e + f*x]])/(c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(3/2))/(3*c^2*f)$

Rubi [A] time = 0.168383, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$-\frac{2a^2(3B+iA)\sqrt{c-ic \tan(e+fx)}}{cf} - \frac{4a^2(B+iA)}{f\sqrt{c-ic \tan(e+fx)}} + \frac{2a^2B(c-ic \tan(e+fx))^{3/2}}{3c^2f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])/Sqrt[c - I*c*\text{Tan}[e + f*x]], x]$

[Out] $(-4*a^2*(I*A + B))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (2*a^2*(I*A + 3*B)*Sqrt[c - I*c*Tan[e + f*x]])/(c*f) + (2*a^2*B*(c - I*c*Tan[e + f*x])^(3/2))/(3*c^2*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((c + d*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a + b*x)*(c + d*x)^n*((e + f*x))^p, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ ((\text{ILtQ}[n, 0] \ \&\& \ \text{ILtQ}[p, 0]) \ || \ \text{EqQ}[p, 1] \ || \ (\text{IGtQ}[p, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{LeQ}[9*p + 5*(n + 2), 0] \ || \ \text{GeQ}[n + p + 1, 0] \ || \ (\text{GeQ}[n + p + 2, 0] \ \&\& \ \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^{3/2}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{2a(A-iB)}{(c-icx)^{3/2}} - \frac{a(A-3iB)}{c\sqrt{c-icx}} - \frac{iaB\sqrt{c-icx}}{c^2} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{4a^2(iA+B)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{2a^2(iA+3B)\sqrt{c-ic \tan(e+fx)}}{cf} + \frac{2a^2B(c-ic \tan(e+fx))^{3/2}}{3c^2f} \end{aligned}$$

Mathematica [A] time = 4.86747, size = 138, normalized size = 1.37

$$\frac{a^2 \sqrt{c - ic \tan(e + fx)} (\sin(e + 3fx) - i \cos(e + 3fx)) (A + B \tan(e + fx)) ((-7B - 3iA) \sin(2(e + fx)) + (9A - 13iB) \cos(2(e + fx)))}{3cf (\cos(fx) + i \sin(fx))^2 (A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]],x]

[Out] (a^2*(9*A - (15*I)*B + (9*A - (13*I)*B)*Cos[2*(e + f*x)] + ((-3*I)*A - 7*B)*Sin[2*(e + f*x)])*((-I)*Cos[e + 3*f*x] + Sin[e + 3*f*x])*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(3*c*f*(Cos[f*x] + I*Sin[f*x])^2*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.117, size = 93, normalized size = 0.9

$$\frac{-2ia^2}{fc^2} \left(\frac{i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} - 3iBc \sqrt{c - ic \tan(fx + e)} + Ac \sqrt{c - ic \tan(fx + e)} + 2 \frac{c^2 (A - iB)}{\sqrt{c - ic \tan(fx + e)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x)

[Out] -2*I/f*a^2/c^2*(1/3*I*B*(c-I*c*tan(f*x+e))^(3/2)-3*I*B*c*(c-I*c*tan(f*x+e))^(1/2)+A*c*(c-I*c*tan(f*x+e))^(1/2)+2*c^2*(A-I*B)/(c-I*c*tan(f*x+e))^(1/2))

Maxima [A] time = 1.81695, size = 113, normalized size = 1.12

$$\frac{2i \left(\frac{3(2A-2iB)a^2c}{\sqrt{-ic \tan(fx+e)+c}} + \frac{i(-ic \tan(fx+e)+c)^{\frac{3}{2}} Ba^2 + \sqrt{-ic \tan(fx+e)+c} (3A-9iB)a^2c}{c} \right)}{3cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="maxima")

[Out] -2/3*I*(3*(2*A - 2*I*B)*a^2*c/sqrt(-I*c*tan(f*x + e) + c) + (I*(-I*c*tan(f*x + e) + c)^(3/2)*B*a^2 + sqrt(-I*c*tan(f*x + e) + c)*(3*A - 9*I*B)*a^2*c)/c)/(c*f)

Fricas [A] time = 1.11467, size = 251, normalized size = 2.49

$$\frac{\sqrt{2} \left((-6iA - 6B)a^2 e^{(4i fx + 4ie)} + (-18iA - 30B)a^2 e^{(2i fx + 2ie)} + (-12iA - 20B)a^2 \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{3 \left(c f e^{(2i fx + 2ie)} + c f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x,
algorithm="fricas")
```

```
[Out] 1/3*sqrt(2)*((-6*I*A - 6*B)*a^2*e^(4*I*f*x + 4*I*e) + (-18*I*A - 30*B)*a^2*
e^(2*I*f*x + 2*I*e) + (-12*I*A - 20*B)*a^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1
))/(c*f*e^(2*I*f*x + 2*I*e) + c*f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sqrt{-ic \tan(e + fx) + c}} dx + \int -\frac{A \tan^2(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx + \int \frac{B \tan(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx + \int -\frac{B \tan^3(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),
x)
```

```
[Out] a**2*(Integral(A/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(-A*tan(e + f*x)
**2/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(B*tan(e + f*x)/sqrt(-I*c*tan
(e + f*x) + c), x) + Integral(-B*tan(e + f*x)**3/sqrt(-I*c*tan(e + f*x) + c
), x) + Integral(2*I*A*tan(e + f*x)/sqrt(-I*c*tan(e + f*x) + c), x) + Integ
ral(2*I*B*tan(e + f*x)**2/sqrt(-I*c*tan(e + f*x) + c), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)^2}{\sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2/sqrt(-I*c*tan(f*x +
e) + c), x)
```


$$3.753 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=101

$$\frac{2a^2(3B+iA)}{cf\sqrt{c-ic \tan(e+fx)}} - \frac{4a^2(B+iA)}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{2a^2B\sqrt{c-ic \tan(e+fx)}}{c^2f}$$

[Out] $(-4*a^2*(I*A + B))/(3*f*(c - I*c*\text{Tan}[e + f*x])^{(3/2)}) + (2*a^2*(I*A + 3*B))/(c*f*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) + (2*a^2*B*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/(c^2*f)$

Rubi [A] time = 0.180032, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^2(3B+iA)}{cf\sqrt{c-ic \tan(e+fx)}} - \frac{4a^2(B+iA)}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{2a^2B\sqrt{c-ic \tan(e+fx)}}{c^2f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(3/2)}, x]$

[Out] $(-4*a^2*(I*A + B))/(3*f*(c - I*c*\text{Tan}[e + f*x])^{(3/2)}) + (2*a^2*(I*A + 3*B))/(c*f*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) + (2*a^2*B*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/(c^2*f)$

Rule 3588

$\text{Int}[(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.)^{(n_.)})*((e_.) + (f_.)*(x_.)^{(p_.)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^{5/2}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{2a(A-iB)}{(c-icx)^{5/2}} - \frac{a(A-3iB)}{c(c-icx)^{3/2}} - \frac{iaB}{c^2\sqrt{c-icx}}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{4a^2(iA+B)}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{2a^2(iA+3B)}{cf\sqrt{c-ic \tan(e+fx)}} + \frac{2a^2B\sqrt{c-ic}}{c^2} \end{aligned}$$

Mathematica [A] time = 8.50286, size = 112, normalized size = 1.11

$$\frac{a^2 \sqrt{c - ic \tan(e + fx)} (\cos(2(e + 2fx)) + i \sin(2(e + 2fx))) (3(A - 5iB) \sin(2(e + fx)) + (13B + iA) \cos(2(e + fx)) + iA + 3c^2 f (\cos(fx) + i \sin(fx))^2)}{3c^2 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (a^2*(I*A + 7*B + (I*A + 13*B)*Cos[2*(e + f*x)] + 3*(A - (5*I)*B)*Sin[2*(e + f*x)])*(Cos[2*(e + 2*f*x)] + I*SIN[2*(e + 2*f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(3*c^2*f*(Cos[f*x] + I*SIN[f*x])^2)

Maple [A] time = 0.075, size = 80, normalized size = 0.8

$$\frac{-2ia^2}{f^2} \left(iB \sqrt{c - ic \tan(fx + e)} - c(A - 3iB) \frac{1}{\sqrt{c - ic \tan(fx + e)}} + \frac{2c^2(A - iB)}{3} (c - ic \tan(fx + e))^{-\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x)

[Out] -2*I/f*a^2/c^2*(I*B*(c-I*c*tan(f*x+e))^(1/2)-c*(A-3*I*B)/(c-I*c*tan(f*x+e))^(1/2)+2/3*c^2*(A-I*B)/(c-I*c*tan(f*x+e))^(3/2))

Maxima [A] time = 1.55293, size = 111, normalized size = 1.1

$$\frac{2i \left(\frac{3i \sqrt{-ic \tan(fx+e)+c} Ba^2}{c} - \frac{(-ic \tan(fx+e)+c)(3A-9iB)a^2-(2A-2iB)a^2c}{(-ic \tan(fx+e)+c)^{\frac{3}{2}}} \right)}{3cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] -2/3*I*(3*I*sqrt(-I*c*tan(f*x + e) + c)*B*a^2/c - ((-I*c*tan(f*x + e) + c)*(3*A - 9*I*B)*a^2 - (2*A - 2*I*B)*a^2*c)/(-I*c*tan(f*x + e) + c)^(3/2))/(c*f)

Fricas [A] time = 1.13623, size = 204, normalized size = 2.02

$$\frac{\sqrt{2} \left((-iA - B)a^2 e^{(4i fx + 4ie)} + (iA + 7B)a^2 e^{(2i fx + 2ie)} + (2iA + 14B)a^2 \right) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}}}{3c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x,
algorithm="fricas")
```

```
[Out] 1/3*sqrt(2)*((-I*A - B)*a^2*e^(4*I*f*x + 4*I*e) + (I*A + 7*B)*a^2*e^(2*I*f*
x + 2*I*e) + (2*I*A + 14*B)*a^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^2*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^2}{(-i c \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2/(-I*c*tan(f*x + e)
+ c)^(3/2), x)
```

$$3.754 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=103

$$\frac{2a^2(3B+iA)}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{4a^2(B+iA)}{5f(c-ic \tan(e+fx))^{5/2}} - \frac{2a^2B}{c^2f\sqrt{c-ic \tan(e+fx)}}$$

[Out] $(-4*a^2*(I*A + B))/(5*f*(c - I*c*Tan[e + f*x])^{(5/2)}) + (2*a^2*(I*A + 3*B))/(3*c*f*(c - I*c*Tan[e + f*x])^{(3/2)}) - (2*a^2*B)/(c^2*f*sqrt[c - I*c*Tan[e + f*x]])$

Rubi [A] time = 0.179448, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^2(3B+iA)}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{4a^2(B+iA)}{5f(c-ic \tan(e+fx))^{5/2}} - \frac{2a^2B}{c^2f\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])}{(c - I*c*\text{Tan}[e + f*x])^{(5/2)}}, x]$

[Out] $(-4*a^2*(I*A + B))/(5*f*(c - I*c*Tan[e + f*x])^{(5/2)}) + (2*a^2*(I*A + 3*B))/(3*c*f*(c - I*c*Tan[e + f*x])^{(3/2)}) - (2*a^2*B)/(c^2*f*sqrt[c - I*c*Tan[e + f*x]])$

Rule 3588

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])^{(n_.)}}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]}, x_Symbol] \rightarrow \text{Dist}[\frac{(a*c)/f}{\text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]]}, x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[\frac{(a_.) + (b_.)*(x_)}{(c_.) + (d_.)*(x_)}^{(n_.)}*((e_.) + (f_.)*(x_))^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^{7/2}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{2a(A-iB)}{(c-icx)^{7/2}} - \frac{a(A-3iB)}{c(c-icx)^{5/2}} - \frac{iaB}{c^2(c-icx)^{3/2}} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{4a^2(iA+B)}{5f(c-ic \tan(e+fx))^{5/2}} + \frac{2a^2(iA+3B)}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{2a^2}{c^2f\sqrt{c-ic \tan(e+fx)}} \end{aligned}$$

Mathematica [A] time = 11.9614, size = 118, normalized size = 1.15

$$\frac{a^2 \cos(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(3e + 5fx) + i \sin(3e + 5fx)) (5(A + 3iB) \sin(2(e + fx)) + (-21B - iA) \cos(2(e + fx)))}{15c^3 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (a^2*Cos[e + f*x]*((-I)*A + 9*B + ((-I)*A - 21*B)*Cos[2*(e + f*x)] + 5*(A + (3*I)*B)*Sin[2*(e + f*x)])*(Cos[3*e + 5*f*x] + I*Sin[3*e + 5*f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(15*c^3*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.081, size = 80, normalized size = 0.8

$$\frac{-2ia^2}{fc^2} \left(-iB \frac{1}{\sqrt{c - ic \tan(fx + e)}} - \frac{c(A - 3iB)}{3} (c - ic \tan(fx + e))^{-\frac{3}{2}} + \frac{2c^2(A - iB)}{5} (c - ic \tan(fx + e))^{-\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x)

[Out] -2*I/f*a^2/c^2*(-I*B/(c-I*c*tan(f*x+e))^(1/2)-1/3*c*(A-3*I*B)/(c-I*c*tan(f*x+e))^(3/2)+2/5*c^2*(A-I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.15955, size = 107, normalized size = 1.04

$$\frac{2i \left(15i(-ic \tan(fx + e) + c)^2 Ba^2 + (-ic \tan(fx + e) + c)(5A - 15iB)a^2c - (6A - 6iB)a^2c^2 \right)}{15(-ic \tan(fx + e) + c)^{\frac{5}{2}} c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] 2/15*I*(15*I*(-I*c*tan(f*x + e) + c)^2*B*a^2 + (-I*c*tan(f*x + e) + c)*(5*A - 15*I*B)*a^2*c - (6*A - 6*I*B)*a^2*c^2)/((-I*c*tan(f*x + e) + c)^(5/2)*c^2*f)

Fricas [A] time = 1.18839, size = 266, normalized size = 2.58

$$\frac{\sqrt{2} \left((-3iA - 3B)a^2 e^{(6ifx+6ie)} + (-4iA + 6B)a^2 e^{(4ifx+4ie)} + (iA - 9B)a^2 e^{(2ifx+2ie)} + (2iA - 18B)a^2 \right) \sqrt{\frac{c}{e^{(2ifx+2ie)} + 1}}}{30c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="fricas")
```

```
[Out] 1/30*sqrt(2)*((-3*I*A - 3*B)*a^2*e^(6*I*f*x + 6*I*e) + (-4*I*A + 6*B)*a^2*e
^(4*I*f*x + 4*I*e) + (I*A - 9*B)*a^2*e^(2*I*f*x + 2*I*e) + (2*I*A - 18*B)*a
^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^5/2,
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)^2}{(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2/(-I*c*tan(f*x + e)
+ c)^(5/2), x)
```

$$3.755 \quad \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=105

$$\frac{2a^2(3B+iA)}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{4a^2(B+iA)}{7f(c-ic \tan(e+fx))^{7/2}} - \frac{2a^2B}{3c^2f(c-ic \tan(e+fx))^{3/2}}$$

[Out] $(-4*a^2*(I*A + B))/(7*f*(c - I*c*Tan[e + f*x])^(7/2)) + (2*a^2*(I*A + 3*B))/(5*c*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*a^2*B)/(3*c^2*f*(c - I*c*Tan[e + f*x])^(3/2))$

Rubi [A] time = 0.185856, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^2(3B+iA)}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{4a^2(B+iA)}{7f(c-ic \tan(e+fx))^{7/2}} - \frac{2a^2B}{3c^2f(c-ic \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^2*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{7/2}, x]$

[Out] $(-4*a^2*(I*A + B))/(7*f*(c - I*c*Tan[e + f*x])^(7/2)) + (2*a^2*(I*A + 3*B))/(5*c*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*a^2*B)/(3*c^2*f*(c - I*c*Tan[e + f*x])^(3/2))$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)]) + (f*x)) * ((c + d*\text{tan}[(e + f*x)]) + (f*x))^{n-1}], x]$ \rightarrow $\text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x$ && $\text{EqQ}[b*c + a*d, 0]$ && $\text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x]$ \rightarrow $\text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x], x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, n\}, x$ && $\text{NeQ}[b*c - a*d, 0]$ && $(\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \mid \mid \text{EqQ}[p, 1] \mid \mid (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \mid \mid \text{LeQ}[9*p + 5*(n + 2), 0] \mid \mid \text{GeQ}[n + p + 1, 0] \mid \mid (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^2(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)(A+Bx)}{(c-icx)^{9/2}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{2a(A-ib)}{(c-icx)^{9/2}} - \frac{a(A-3ib)}{c(c-icx)^{7/2}} - \frac{iaB}{c^2(c-icx)^{5/2}}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{4a^2(iA+B)}{7f(c-ic \tan(e+fx))^{7/2}} + \frac{2a^2(iA+3B)}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{2a^2B}{3c^2f(c-ic \tan(e+fx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 13.199, size = 122, normalized size = 1.16

$$\frac{a^2 \cos^2(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(4e + 6fx) + i \sin(4e + 6fx)) (7(3A + iB) \sin(2(e + fx)) + (-37B - 9iA) \cos(2(e + fx)))}{105c^4 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^2*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (a^2*Cos[e + f*x]^2*((-9*I)*A + 33*B + ((-9*I)*A - 37*B)*Cos[2*(e + f*x)] + 7*(3*A + I*B)*Sin[2*(e + f*x)])*(Cos[4*e + 6*f*x] + I*SIN[4*e + 6*f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(105*c^4*f*(Cos[f*x] + I*SIN[f*x])^2)

Maple [A] time = 0.077, size = 80, normalized size = 0.8

$$\frac{-2ia^2}{fc^2} \left(\frac{2c^2(A - iB)}{7} (c - ic \tan(fx + e))^{-\frac{7}{2}} - \frac{i}{3} B (c - ic \tan(fx + e))^{-\frac{3}{2}} - \frac{c(A - 3iB)}{5} (c - ic \tan(fx + e))^{-\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] -2*I/f*a^2/c^2*(2/7*c^2*(A-I*B)/(c-I*c*tan(f*x+e))^(7/2)-1/3*I*B/(c-I*c*tan(f*x+e))^(3/2)-1/5*c*(A-3*I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.1543, size = 107, normalized size = 1.02

$$\frac{2i \left(35i (-ic \tan(fx + e) + c)^2 B a^2 + (-ic \tan(fx + e) + c) (21A - 63iB) a^2 c - (30A - 30iB) a^2 c^2 \right)}{105 (-ic \tan(fx + e) + c)^{\frac{7}{2}} c^2 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] 2/105*I*(35*I*(-I*c*tan(f*x + e) + c)^2*B*a^2 + (-I*c*tan(f*x + e) + c)*(21*A - 63*I*B)*a^2*c - (30*A - 30*I*B)*a^2*c^2)/((-I*c*tan(f*x + e) + c)^(7/2)*c^2*f)

Fricas [A] time = 1.37346, size = 333, normalized size = 3.17

$$\frac{\sqrt{2} \left((-15iA - 15B) a^2 e^{(8ifx+8ie)} + (-39iA + 3B) a^2 e^{(6ifx+6ie)} + (-27iA + 29B) a^2 e^{(4ifx+4ie)} + (3iA - 11B) a^2 e^{(2ifx+2ie)} \right)}{420c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="fricas")


```
[Out] 1/420*sqrt(2)*((-15*I*A - 15*B)*a^2*e^(8*I*f*x + 8*I*e) + (-39*I*A + 3*B)*a^2*e^(6*I*f*x + 6*I*e) + (-27*I*A + 29*B)*a^2*e^(4*I*f*x + 4*I*e) + (3*I*A - 11*B)*a^2*e^(2*I*f*x + 2*I*e) + (6*I*A - 22*B)*a^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^4*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(7/2), x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^2}{(-ic \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^2*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^2/(-I*c*tan(f*x + e) + c)^(7/2), x)
```

$$3.756 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=144

$$\frac{2a^3(5B + iA)(c - ic \tan(e + fx))^{11/2}}{11c^2f} - \frac{8a^3(2B + iA)(c - ic \tan(e + fx))^{9/2}}{9cf} + \frac{8a^3(B + iA)(c - ic \tan(e + fx))^{7/2}}{7f} - \frac{2a^3B(c - ic \tan(e + fx))^{5/2}}{5cf}$$

[Out] (8*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f) - (8*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(9/2))/(9*c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(11/2))/(11*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(13/2))/(13*c^3*f)

Rubi [A] time = 0.210195, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^3(5B + iA)(c - ic \tan(e + fx))^{11/2}}{11c^2f} - \frac{8a^3(2B + iA)(c - ic \tan(e + fx))^{9/2}}{9cf} + \frac{8a^3(B + iA)(c - ic \tan(e + fx))^{7/2}}{7f} - \frac{2a^3B(c - ic \tan(e + fx))^{5/2}}{5cf}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (8*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f) - (8*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(9/2))/(9*c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(11/2))/(11*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(13/2))/(13*c^3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx = \frac{(ac) \operatorname{Subst} \left(\int (a + iax)^2 (A + Bx) (c - icx)^{5/2} dx \right)}{f}$$

$$= \frac{(ac) \operatorname{Subst} \left(\int \left(4a^2 (A - iB) (c - icx)^{5/2} - \frac{4a^2 (A - iB) (c - icx)^{3/2}}{2} \right) dx \right)}{f}$$

$$= \frac{8a^3 (iA + B) (c - ic \tan(e + fx))^{7/2}}{7f} - \frac{8a^3 (iA + B) (c - ic \tan(e + fx))^{3/2}}{7f}$$

Mathematica [A] time = 13.2048, size = 127, normalized size = 0.88

$$\frac{2a^3 c^3 (\cos(3e) - i \sin(3e)) \sec^5(e + fx) \sqrt{c - ic \tan(e + fx)} (7(169A - 86iB) \tan(e + fx) + \cos(2(e + fx))) (7(169A - 86iB) \tan(e + fx) + \cos(2(e + fx)))}{9009 f (\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2),x]

[Out] (-2*a^3*c^3*Sec[e + f*x]^5*(Cos[3*e] - I*Sin[3*e])*Sqrt[c - I*c*Tan[e + f*x]]*((-572*I)*A + 737*B + 7*(169*A - (86*I)*B)*Tan[e + f*x] + Cos[2*(e + f*x)])*((-1391*I)*A - 1279*B + 7*(169*A - (185*I)*B)*Tan[e + f*x]))/(9009*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.075, size = 121, normalized size = 0.8

$$\frac{2ia^3}{fc^3} \left(\frac{i}{13} B (c - ic \tan(fx + e))^{\frac{13}{2}} + \frac{-5iBc + Ac}{11} (c - ic \tan(fx + e))^{\frac{11}{2}} + \frac{-4(-iBc + Ac)c + 4iBc^2}{9} (c - ic \tan(fx + e))^{\frac{9}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x)

[Out] 2*I/f*a^3/c^3*(1/13*I*B*(c-I*c*tan(f*x+e))^(13/2)+1/11*(-5*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(11/2)+1/9*(-4*(-I*B*c+A*c)*c+4*I*B*c^2)*(c-I*c*tan(f*x+e))^(9/2)+4/7*(-I*B*c+A*c)*c^2*(c-I*c*tan(f*x+e))^(7/2))

Maxima [A] time = 1.21198, size = 146, normalized size = 1.01

$$\frac{2i \left(693i (-ic \tan(fx + e) + c)^{\frac{13}{2}} B a^3 + (-ic \tan(fx + e) + c)^{\frac{11}{2}} (819A - 4095iB) a^3 c - (-ic \tan(fx + e) + c)^{\frac{9}{2}} (4004A - 8008iB) a^3 c^2 + (-ic \tan(fx + e) + c)^{\frac{7}{2}} (5148A - 5148iB) a^3 c \right)}{9009 c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="maxima")

[Out] 2/9009*I*(693*I*(-I*c*tan(f*x + e) + c)^(13/2)*B*a^3 + (-I*c*tan(f*x + e) + c)^(11/2)*(819*A - 4095*I*B)*a^3*c - (-I*c*tan(f*x + e) + c)^(9/2)*(4004*A - 8008*I*B)*a^3*c^2 + (-I*c*tan(f*x + e) + c)^(7/2)*(5148*A - 5148*I*B)*a^3*c)

$$3c^3/(c^3f)$$

Fricas [A] time = 3.02649, size = 539, normalized size = 3.74

$$\frac{\sqrt{2}\left((82368iA + 82368B)a^3c^3e^{(6ifx+6ie)} + (118976iA - 9152B)a^3c^3e^{(4ifx+4ie)} + (43264iA - 3328B)a^3c^3e^{(2ifx+2ie)} + (6656iA - 512B)a^3c^3e^{(12ifx+12ie)} + (118976iA - 9152B)a^3c^3e^{(10ifx+10ie)} + (43264iA - 3328B)a^3c^3e^{(8ifx+8ie)} + (6656iA - 512B)a^3c^3e^{(4ifx+4ie)} + (6656iA - 512B)a^3c^3e^{(2ifx+2ie)} + (6656iA - 512B)a^3c^3\sqrt{c/(e^{(2ifx+2ie)} + 1)})\right)}{9009\left(fe^{(12ifx+12ie)} + 6fe^{(10ifx+10ie)} + 15fe^{(8ifx+8ie)} + 20fe^{(6ifx+6ie)} + 15fe^{(4ifx+4ie)} + 6fe^{(2ifx+2ie)} + f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x,
algorithm="fricas")
```

```
[Out] 1/9009*sqrt(2)*((82368*I*A + 82368*B)*a^3*c^3*e^(6*I*f*x + 6*I*e) + (118976
*I*A - 9152*B)*a^3*c^3*e^(4*I*f*x + 4*I*e) + (43264*I*A - 3328*B)*a^3*c^3*e
^(2*I*f*x + 2*I*e) + (6656*I*A - 512*B)*a^3*c^3)*sqrt(c/(e^(2*I*f*x + 2*I*
e) + 1))/(f*e^(12*I*f*x + 12*I*e) + 6*f*e^(10*I*f*x + 10*I*e) + 15*f*e^(8*I*
f*x + 8*I*e) + 20*f*e^(6*I*f*x + 6*I*e) + 15*f*e^(4*I*f*x + 4*I*e) + 6*f*e^
(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^7/2,
x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x,
algorithm="giac")
```

```
[Out] Timed out
```

$$3.757 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=144

$$\frac{2a^3(5B + iA)(c - ic \tan(e + fx))^{9/2}}{9c^2f} - \frac{8a^3(2B + iA)(c - ic \tan(e + fx))^{7/2}}{7cf} + \frac{8a^3(B + iA)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{2a^3B}{f}$$

[Out] (8*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f) - (8*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(9/2))/(9*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(11/2))/(11*c^3*f)

Rubi [A] time = 0.2003, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^3(5B + iA)(c - ic \tan(e + fx))^{9/2}}{9c^2f} - \frac{8a^3(2B + iA)(c - ic \tan(e + fx))^{7/2}}{7cf} + \frac{8a^3(B + iA)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{2a^3B}{f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (8*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f) - (8*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(9/2))/(9*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(11/2))/(11*c^3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^2 (A + Bx)(c - icx)^{3/2} dx \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(4a^2(A - iB)(c - icx)^{3/2} - \frac{4a^2(A - iB)(c - icx)}{2} \right) dx \right)}{f} \\ &= \frac{8a^3(iA + B)(c - ic \tan(e + fx))^{5/2}}{5f} - \frac{8a^3(iA + B)}{f} \end{aligned}$$

Mathematica [A] time = 11.8246, size = 139, normalized size = 0.97

$$\frac{2a^3c^2 \sec^4(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(2e - fx) - i \sin(2e - fx)) (5(121A - 74iB) \tan(e + fx) + \cos(2(e + fx))) ((605A - 396iB) \tan(e + fx) + \cos(2(e + fx)))}{3465f(\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (-2*a^3*c^2*Sec[e + f*x]^4*(Cos[2*e - f*x] - I*Sin[2*e - f*x])*Sqrt[c - I*c*Tan[e + f*x]]*(9*((-44*I)*A + 31*B) + 5*(121*A - (74*I)*B)*Tan[e + f*x] + Cos[2*(e + f*x)]*((-781*I)*A - 701*B + (605*A - (685*I)*B)*Tan[e + f*x]))/(3465*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.071, size = 121, normalized size = 0.8

$$\frac{2ia^3}{fc^3} \left(\frac{i}{11} B (c - ic \tan(fx + e))^{\frac{11}{2}} + \frac{-5iBc + Ac}{9} (c - ic \tan(fx + e))^{\frac{9}{2}} + \frac{-4(-iBc + Ac)c + 4iBc^2}{7} (c - ic \tan(fx + e))^{\frac{7}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 2*I/f*a^3/c^3*(1/11*I*B*(c-I*c*tan(f*x+e))^(11/2)+1/9*(-5*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(9/2)+1/7*(-4*(-I*B*c+A*c)*c+4*I*B*c^2)*(c-I*c*tan(f*x+e))^(7/2)+4/5*(-I*B*c+A*c)*c^2*(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.1458, size = 146, normalized size = 1.01

$$\frac{2i \left(315i (-ic \tan(fx + e) + c)^{\frac{11}{2}} Ba^3 + (-ic \tan(fx + e) + c)^{\frac{9}{2}} (385A - 1925iB) a^3 c - (-ic \tan(fx + e) + c)^{\frac{7}{2}} (1980A - 3960iB) a^3 c^2 + (-ic \tan(fx + e) + c)^{\frac{5}{2}} (2772A - 2772iB) a^3 c^3 \right)}{3465c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] 2/3465*I*(315*I*(-I*c*tan(f*x + e) + c)^(11/2)*B*a^3 + (-I*c*tan(f*x + e) + c)^(9/2)*(385*A - 1925*I*B)*a^3*c - (-I*c*tan(f*x + e) + c)^(7/2)*(1980*A - 3960*I*B)*a^3*c^2 + (-I*c*tan(f*x + e) + c)^(5/2)*(2772*A - 2772*I*B)*a^3*c^3)/(c^3*f)

Fricas [A] time = 2.05812, size = 498, normalized size = 3.46

$$\frac{\sqrt{2} \left((22176iA + 22176B) a^3 c^2 e^{(6i fx + 6ie)} + (34848iA + 3168B) a^3 c^2 e^{(4i fx + 4ie)} + (15488iA + 1408B) a^3 c^2 e^{(2i fx + 2ie)} + (28176iA + 28176B) a^3 c^2 e^{(0i fx + 0ie)} \right)}{3465 \left(f e^{(10i fx + 10ie)} + 5 f e^{(8i fx + 8ie)} + 10 f e^{(6i fx + 6ie)} + 10 f e^{(4i fx + 4ie)} + 5 f e^{(2i fx + 2ie)} + f e^{(0i fx + 0ie)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="fricas")
```

```
[Out] 1/3465*sqrt(2)*((22176*I*A + 22176*B)*a^3*c^2*e^(6*I*f*x + 6*I*e) + (34848*
I*A + 3168*B)*a^3*c^2*e^(4*I*f*x + 4*I*e) + (15488*I*A + 1408*B)*a^3*c^2*e^
(2*I*f*x + 2*I*e) + (2816*I*A + 256*B)*a^3*c^2)*sqrt(c/(e^(2*I*f*x + 2*I*e)
+ 1))/(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x
+ 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),
x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="giac")
```

```
[Out] Timed out
```

$$3.758 \quad \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=144

$$\frac{2a^3(5B + iA)(c - ic \tan(e + fx))^{7/2}}{7c^2f} - \frac{8a^3(2B + iA)(c - ic \tan(e + fx))^{5/2}}{5cf} + \frac{8a^3(B + iA)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{2a^3B(c - ic \tan(e + fx))^{1/2}}{c}$$

[Out] (8*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f) - (8*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(9/2))/(9*c^3*f)

Rubi [A] time = 0.200447, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^3(5B + iA)(c - ic \tan(e + fx))^{7/2}}{7c^2f} - \frac{8a^3(2B + iA)(c - ic \tan(e + fx))^{5/2}}{5cf} + \frac{8a^3(B + iA)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{2a^3B(c - ic \tan(e + fx))^{1/2}}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (8*a^3*(I*A + B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f) - (8*a^3*(I*A + 2*B)*(c - I*c*Tan[e + f*x])^(5/2))/(5*c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(7/2))/(7*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(9/2))/(9*c^3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^3 (A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^2 (A + Bx) \sqrt{c - icx} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(4a^2(A - iB) \sqrt{c - icx} - \frac{4a^2(A - 2iB)(c - icx)}{c} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{8a^3(iA + B)(c - ic \tan(e + fx))^{3/2}}{3f} - \frac{8a^3(iA + 2B)(c - ic \tan(e + fx))^{1/2}}{c} \end{aligned}$$

Mathematica [A] time = 8.49487, size = 130, normalized size = 0.9

$$\frac{2a^3c \sec^3(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(e - 2fx) - i \sin(e - 2fx)) ((81A - 62iB) \tan(e + fx) + \cos(2(e + fx))) ((81A - 62iB) \tan(e + fx) + \cos(2(e + fx)))}{315f(\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (-2*a^3*c*Sec[e + f*x]^3*(Cos[e - 2*f*x] - I*Sin[e - 2*f*x])*Sqrt[c - I*c*Tan[e + f*x]]*(7*((-12*I)*A + B) + (81*A - (62*I)*B)*Tan[e + f*x] + Cos[2*(e + f*x)]*((-129*I)*A - 113*B + (81*A - (97*I)*B)*Tan[e + f*x]))/(315*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.074, size = 121, normalized size = 0.8

$$\frac{2ia^3}{fc^3} \left(\frac{i}{9} B (c - ic \tan(fx + e))^{\frac{9}{2}} + \frac{-5iBc + Ac}{7} (c - ic \tan(fx + e))^{\frac{7}{2}} + \frac{-4(-iBc + Ac)c + 4iBc^2}{5} (c - ic \tan(fx + e))^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x)

[Out] 2*I/f*a^3/c^3*(1/9*I*B*(c-I*c*tan(f*x+e))^(9/2)+1/7*(-5*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(7/2)+1/5*(-4*(-I*B*c+A*c)*c+4*I*B*c^2)*(c-I*c*tan(f*x+e))^(5/2)+4/3*(-I*B*c+A*c)*c^2*(c-I*c*tan(f*x+e))^(3/2))

Maxima [A] time = 1.19415, size = 146, normalized size = 1.01

$$\frac{2i \left(35i (-ic \tan(fx + e) + c)^{\frac{9}{2}} Ba^3 + (-ic \tan(fx + e) + c)^{\frac{7}{2}} (45A - 225iB)a^3c - (-ic \tan(fx + e) + c)^{\frac{5}{2}} (252A - 504iB)a^3c^2 + (-ic \tan(fx + e) + c)^{\frac{3}{2}} (420A - 420iB)a^3c^3 \right)}{315c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] 2/315*I*(35*I*(-I*c*tan(f*x + e) + c)^(9/2)*B*a^3 + (-I*c*tan(f*x + e) + c)^(7/2)*(45*A - 225*I*B)*a^3*c - (-I*c*tan(f*x + e) + c)^(5/2)*(252*A - 504*I*B)*a^3*c^2 + (-I*c*tan(f*x + e) + c)^(3/2)*(420*A - 420*I*B)*a^3*c^3)/(c^3*f)

Fricas [A] time = 1.49056, size = 437, normalized size = 3.03

$$\frac{\sqrt{2} \left((1680iA + 1680B)a^3ce^{(6ifx+6ie)} + (3024iA + 1008B)a^3ce^{(4ifx+4ie)} + (1728iA + 576B)a^3ce^{(2ifx+2ie)} + (384iA + 384B)a^3ce^{(ifx+ie)} \right)}{315 \left(fe^{(8ifx+8ie)} + 4fe^{(6ifx+6ie)} + 6fe^{(4ifx+4ie)} + 4fe^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x,
algorithm="fricas")
```

```
[Out] 1/315*sqrt(2)*((1680*I*A + 1680*B)*a^3*c*e^(6*I*f*x + 6*I*e) + (3024*I*A +
1008*B)*a^3*c*e^(4*I*f*x + 4*I*e) + (1728*I*A + 576*B)*a^3*c*e^(2*I*f*x + 2
*I*e) + (384*I*A + 128*B)*a^3*c)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(8*
I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(
2*I*f*x + 2*I*e) + f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int Ac \sqrt{-ic \tan(e + fx) + c} dx + \int -Ac \sqrt{-ic \tan(e + fx) + c} \tan^4(e + fx) dx + \int Bc \sqrt{-ic \tan(e + fx) + c} \tan(e + fx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^3/2,
x)
```

```
[Out] a**3*(Integral(A*c*sqrt(-I*c*tan(e + f*x) + c), x) + Integral(-A*c*sqrt(-I*
c*tan(e + f*x) + c)*tan(e + f*x)**4, x) + Integral(B*c*sqrt(-I*c*tan(e + f*
x) + c)*tan(e + f*x), x) + Integral(-B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e
+ f*x)**5, x) + Integral(2*I*A*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x),
x) + Integral(2*I*A*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**3, x) + Int
egral(2*I*B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(2*
I*B*c*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**4, x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^3 (-ic \tan(fx + e) + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3*(-I*c*tan(f*x + e)
+ c)^(3/2), x)
```

3.759 $\int (a+ia \tan(e+fx))^3 (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}$

Optimal. Leaf size=142

$$\frac{2a^3(5B+iA)(c-ic \tan(e+fx))^{5/2}}{5c^2f} - \frac{8a^3(2B+iA)(c-ic \tan(e+fx))^{3/2}}{3cf} + \frac{8a^3(B+iA)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{2a^3B(c-ic \tan(e+fx))^{7/2}}{7c^3f}$$

[Out] $(8a^3(I*A + B)*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/f - (8a^3(I*A + 2*B)*(c - I*c*\text{Tan}[e + f*x])^{(3/2)})/(3*c*f) + (2a^3(I*A + 5*B)*(c - I*c*\text{Tan}[e + f*x])^{(5/2)})/(5*c^2*f) - (2a^3*B*(c - I*c*\text{Tan}[e + f*x])^{(7/2)})/(7*c^3*f)$

Rubi [A] time = 0.181702, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^3(5B+iA)(c-ic \tan(e+fx))^{5/2}}{5c^2f} - \frac{8a^3(2B+iA)(c-ic \tan(e+fx))^{3/2}}{3cf} + \frac{8a^3(B+iA)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{2a^3B(c-ic \tan(e+fx))^{7/2}}{7c^3f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]], x]$

[Out] $(8a^3(I*A + B)*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/f - (8a^3(I*A + 2*B)*(c - I*c*\text{Tan}[e + f*x])^{(3/2)})/(3*c*f) + (2a^3(I*A + 5*B)*(c - I*c*\text{Tan}[e + f*x])^{(5/2)})/(5*c^2*f) - (2a^3*B*(c - I*c*\text{Tan}[e + f*x])^{(7/2)})/(7*c^3*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m * ((A + B*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[(a + b*x)^m * ((c + d*x)^n * (e + f*x)^p), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int (a+ia \tan(e+fx))^3 (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2 (A+Bx)}{\sqrt{c-icx}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{4a^2(A-iB)}{\sqrt{c-icx}} - \frac{4a^2(A-2iB)\sqrt{c-icx}}{c} + \frac{a^2(A-iB)^2}{c} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{8a^3(iA+B)\sqrt{c-ic \tan(e+fx)}}{f} - \frac{8a^3(iA+2B)\sqrt{c-ic \tan(e+fx)}}{f} \end{aligned}$$

Mathematica [A] time = 6.78404, size = 124, normalized size = 0.87

$$\frac{a^3 \sec^2(e + fx)(\cos(3fx) + i \sin(3fx))\sqrt{c - ic \tan(e + fx)((-98A + 100iB) \tan(e + fx) + \cos(2(e + fx))((-98A + 130iB) \tan(e + fx) + \cos(2(e + fx)))}}{105f(\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (a^3*Sec[e + f*x]^2*(Cos[3*f*x] + I*Sin[3*f*x])*Sqrt[c - I*c*Tan[e + f*x]]*((280*I)*A + 170*B + (-98*A + (100*I)*B)*Tan[e + f*x] + Cos[2*(e + f*x)]*((322*I)*A + 290*B + (-98*A + (130*I)*B)*Tan[e + f*x]))/(105*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.085, size = 121, normalized size = 0.9

$$\frac{2ia^3}{fc^3} \left(\frac{i}{7} B (c - ic \tan(fx + e))^{\frac{7}{2}} + \frac{-5iBc + Ac}{5} (c - ic \tan(fx + e))^{\frac{5}{2}} + \frac{-4(-iBc + Ac)c + 4iBc^2}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)), x)

[Out] 2*I/f*a^3/c^3*(1/7*I*B*(c-I*c*tan(f*x+e))^(7/2)+1/5*(-5*I*B*c+A*c)*(c-I*c*tan(f*x+e))^(5/2)+1/3*(-4*(-I*B*c+A*c)*c+4*I*B*c^2)*(c-I*c*tan(f*x+e))^(3/2)+4*(-I*B*c+A*c)*c^2*(c-I*c*tan(f*x+e))^(1/2))

Maxima [A] time = 1.13744, size = 146, normalized size = 1.03

$$\frac{2i \left(15i(-ic \tan(fx + e) + c)^{\frac{7}{2}} B a^3 + (-ic \tan(fx + e) + c)^{\frac{5}{2}} (21A - 105iB) a^3 c - (-ic \tan(fx + e) + c)^{\frac{3}{2}} (140A - 280iB) a^3 c^2 + \sqrt{-ic \tan(fx + e) + c} (420A - 420iB) a^3 c^3 \right)}{105c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)), x, algorithm="maxima")

[Out] 2/105*I*(15*I*(-I*c*tan(f*x + e) + c)^(7/2)*B*a^3 + (-I*c*tan(f*x + e) + c)^(5/2)*(21*A - 105*I*B)*a^3*c - (-I*c*tan(f*x + e) + c)^(3/2)*(140*A - 280*I*B)*a^3*c^2 + sqrt(-I*c*tan(f*x + e) + c)*(420*A - 420*I*B)*a^3*c^3)/(c^3*f)

Fricas [A] time = 1.20107, size = 390, normalized size = 2.75

$$\frac{\sqrt{2} \left((840iA + 840B) a^3 e^{(6ifx+6ie)} + (1960iA + 1400B) a^3 e^{(4ifx+4ie)} + (1568iA + 1120B) a^3 e^{(2ifx+2ie)} + (448iA + 320B) a^3 e^{(0ifx+0ie)} \right)}{105 \left(f e^{(6ifx+6ie)} + 3 f e^{(4ifx+4ie)} + 3 f e^{(2ifx+2ie)} + f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)),x,
algorithm="fricas")
```

```
[Out] 1/105*sqrt(2)*((840*I*A + 840*B)*a^3*e^(6*I*f*x + 6*I*e) + (1960*I*A + 1400
*B)*a^3*e^(4*I*f*x + 4*I*e) + (1568*I*A + 1120*B)*a^3*e^(2*I*f*x + 2*I*e) +
(448*I*A + 320*B)*a^3)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(f*e^(6*I*f*x + 6
*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sqrt{-ic \tan(e + fx) + c} dx + \int -3A \sqrt{-ic \tan(e + fx) + c} \tan^2(e + fx) dx + \int B \sqrt{-ic \tan(e + fx) + c} \tan(e + fx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e)),
x)
```

```
[Out] a**3*(Integral(A*sqrt(-I*c*tan(e + f*x) + c), x) + Integral(-3*A*sqrt(-I*c*
tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(B*sqrt(-I*c*tan(e + f*x) +
c)*tan(e + f*x), x) + Integral(-3*B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*
x)**3, x) + Integral(3*I*A*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x), x) + I
ntegral(-I*A*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**3, x) + Integral(3*I
*B*sqrt(-I*c*tan(e + f*x) + c)*tan(e + f*x)**2, x) + Integral(-I*B*sqrt(-I*
c*tan(e + f*x) + c)*tan(e + f*x)**4, x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^3 \sqrt{-ic \tan(fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e)),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3*sqrt(-I*c*tan(f*x +
e) + c), x)
```

$$3.760 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=140

$$\frac{2a^3(5B+iA)(c-ic \tan(e+fx))^{3/2}}{3c^2f} - \frac{8a^3(2B+iA)\sqrt{c-ic \tan(e+fx)}}{cf} - \frac{8a^3(B+iA)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{2a^3B(c-ic \tan(e+fx))^{3/2}}{5c^3f}$$

[Out] $(-8*a^3*(I*A + B))/(f*sqrt[c - I*c*Tan[e + f*x]]) - (8*a^3*(I*A + 2*B)*sqrt[c - I*c*Tan[e + f*x]])/(c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(5/2))/(5*c^3*f)$

Rubi [A] time = 0.185085, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^3(5B+iA)(c-ic \tan(e+fx))^{3/2}}{3c^2f} - \frac{8a^3(2B+iA)\sqrt{c-ic \tan(e+fx)}}{cf} - \frac{8a^3(B+iA)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{2a^3B(c-ic \tan(e+fx))^{3/2}}{5c^3f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])/sqrt[c - I*c*\text{Tan}[e + f*x]], x]$

[Out] $(-8*a^3*(I*A + B))/(f*sqrt[c - I*c*Tan[e + f*x]]) - (8*a^3*(I*A + 2*B)*sqrt[c - I*c*Tan[e + f*x]])/(c*f) + (2*a^3*(I*A + 5*B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(5/2))/(5*c^3*f)$

Rule 3588

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] :> \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) || \text{EqQ}[p, 1] || (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] || \text{LeQ}[9*p + 5*(n + 2), 0] || \text{GeQ}[n + p + 1, 0] || (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^{3/2}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{4a^2(A-iB)}{(c-icx)^{3/2}} - \frac{4a^2(A-2iB)}{c\sqrt{c-icx}} + \frac{a^2(A-5iB)\sqrt{c-icx}}{c^2} + \frac{ia^2B(c-icx)^{3/2}}{c^3} \right) dx, x, \tan(e+fx) \right)}{f} \\ &= -\frac{8a^3(iA+B)}{f\sqrt{c-ic \tan(e+fx)}} - \frac{8a^3(iA+2B)\sqrt{c-ic \tan(e+fx)}}{cf} + \frac{2a^3(iA+B)}{5c^3} \end{aligned}$$

Mathematica [A] time = 7.09158, size = 152, normalized size = 1.09

$$\frac{2a^3\sqrt{c-ictan(e+fx)}(\cos(e+4fx)+i\sin(e+4fx))(A+B\tan(e+fx))((25A-38iB)\tan(e+fx)+\cos(2(e+fx)))}{15cf(\cos(fx)+i\sin(fx))^3(A\cos(e+fx)+B\sin(e+fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]],x]

[Out] (-2*a^3*(Cos[e + 4*f*x] + I*Sin[e + 4*f*x])*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]*((60*I)*A + 87*B + (25*A - (38*I)*B)*Tan[e + f*x] + Cos[2*(e + f*x)]*((55*I)*A + 71*B + (25*A - (41*I)*B)*Tan[e + f*x]))/(15*c*f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.115, size = 135, normalized size = 1.

$$\frac{2ia^3}{fc^3} \left(\frac{i}{5} B (c - ic \tan(fx + e))^{\frac{5}{2}} - \frac{5i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} c + \frac{Ac}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} + 8iBc^2 \sqrt{c - ic \tan(fx + e)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x)

[Out] 2*I/f*a^3/c^3*(1/5*I*B*(c-I*c*tan(f*x+e))^(5/2)-5/3*I*B*(c-I*c*tan(f*x+e))^(3/2)*c+1/3*A*(c-I*c*tan(f*x+e))^(3/2)*c+8*I*B*c^2*(c-I*c*tan(f*x+e))^(1/2)-4*A*c^2*(c-I*c*tan(f*x+e))^(1/2)-4*c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(1/2))

Maxima [A] time = 1.20867, size = 153, normalized size = 1.09

$$\frac{2i \left(\frac{15(4A-4iB)a^3c}{\sqrt{-ic \tan(fx+e)+c}} - \frac{3i(-ic \tan(fx+e)+c)^{\frac{5}{2}}Ba^3+(-ic \tan(fx+e)+c)^{\frac{3}{2}}(5A-25iB)a^3c-\sqrt{-ic \tan(fx+e)+c}(60A-120iB)a^3c^2}{c^2} \right)}{15cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="maxima")

[Out] -2/15*I*(15*(4*A - 4*I*B)*a^3*c/sqrt(-I*c*tan(f*x + e) + c) - (3*I*(-I*c*tan(f*x + e) + c)^(5/2)*B*a^3 + (-I*c*tan(f*x + e) + c)^(3/2)*(5*A - 25*I*B)*a^3*c - sqrt(-I*c*tan(f*x + e) + c)*(60*A - 120*I*B)*a^3*c^2)/c^2)/(c*f)

Fricas [A] time = 1.13645, size = 359, normalized size = 2.56

$$\frac{\sqrt{2} \left((-60iA - 60B)a^3e^{(6ifx+6ie)} + (-300iA - 420B)a^3e^{(4ifx+4ie)} + (-400iA - 560B)a^3e^{(2ifx+2ie)} + (-160iA - 224B)a^3e^{(0ifx+0ie)} \right)}{15 \left(cfe^{(4ifx+4ie)} + 2cfe^{(2ifx+2ie)} + cf \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x,
algorithm="fricas")
```

```
[Out] 1/15*sqrt(2)*((-60*I*A - 60*B)*a^3*e^(6*I*f*x + 6*I*e) + (-300*I*A - 420*B)
*a^3*e^(4*I*f*x + 4*I*e) + (-400*I*A - 560*B)*a^3*e^(2*I*f*x + 2*I*e) + (-1
60*I*A - 224*B)*a^3)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c*f*e^(4*I*f*x + 4*
I*e) + 2*c*f*e^(2*I*f*x + 2*I*e) + c*f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int \frac{A}{\sqrt{-ic \tan(e + fx) + c}} dx + \int -\frac{3A \tan^2(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx + \int \frac{B \tan(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx + \int -\frac{3B \tan^3(e + fx)}{\sqrt{-ic \tan(e + fx) + c}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2),
x)
```

```
[Out] a**3*(Integral(A/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(-3*A*tan(e + f*
x)**2/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(B*tan(e + f*x)/sqrt(-I*c*t
an(e + f*x) + c), x) + Integral(-3*B*tan(e + f*x)**3/sqrt(-I*c*tan(e + f*x)
+ c), x) + Integral(3*I*A*tan(e + f*x)/sqrt(-I*c*tan(e + f*x) + c), x) + I
ntegral(-I*A*tan(e + f*x)**3/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(3*I
*B*tan(e + f*x)**2/sqrt(-I*c*tan(e + f*x) + c), x) + Integral(-I*B*tan(e +
f*x)**4/sqrt(-I*c*tan(e + f*x) + c), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)^3}{\sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3/sqrt(-I*c*tan(f*x +
e) + c), x)
```


$$3.761 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=140

$$\frac{2a^3(5B+iA)\sqrt{c-ic \tan(e+fx)}}{c^2f} + \frac{8a^3(2B+iA)}{cf\sqrt{c-ic \tan(e+fx)}} - \frac{8a^3(B+iA)}{3f(c-ic \tan(e+fx))^{3/2}} - \frac{2a^3B(c-ic \tan(e+fx))^{3/2}}{3c^3f}$$

[Out] $(-8*a^3*(I*A + B))/(3*f*(c - I*c*Tan[e + f*x])^(3/2)) + (8*a^3*(I*A + 2*B))/(c*f*Sqrt[c - I*c*Tan[e + f*x]]) + (2*a^3*(I*A + 5*B)*Sqrt[c - I*c*Tan[e + f*x]])/(c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(3/2))/(3*c^3*f)$

Rubi [A] time = 0.198587, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$\frac{2a^3(5B+iA)\sqrt{c-ic \tan(e+fx)}}{c^2f} + \frac{8a^3(2B+iA)}{cf\sqrt{c-ic \tan(e+fx)}} - \frac{8a^3(B+iA)}{3f(c-ic \tan(e+fx))^{3/2}} - \frac{2a^3B(c-ic \tan(e+fx))^{3/2}}{3c^3f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(3/2)}, x]$

[Out] $(-8*a^3*(I*A + B))/(3*f*(c - I*c*Tan[e + f*x])^(3/2)) + (8*a^3*(I*A + 2*B))/(c*f*Sqrt[c - I*c*Tan[e + f*x]]) + (2*a^3*(I*A + 5*B)*Sqrt[c - I*c*Tan[e + f*x]])/(c^2*f) - (2*a^3*B*(c - I*c*Tan[e + f*x])^(3/2))/(3*c^3*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^m*((c + d*\text{tan}[(e + f*x)])^n), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[(a + b*x)^m*((c + d*x)^n*((e + f*x)^p), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx &= \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^{5/2}} dx, x, \tan(e+fx)\right)}{f} \\ &= \frac{(ac) \text{Subst}\left(\int \left(\frac{4a^2(A-iB)}{(c-icx)^{5/2}} - \frac{4a^2(A-2iB)}{c(c-icx)^{3/2}} + \frac{a^2(A-5iB)}{c^2\sqrt{c-icx}} + \frac{ia^2B\sqrt{c-icx}}{c^3}\right) dx, x, \tan(e+fx)\right)}{f} \\ &= -\frac{8a^3(iA+B)}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{8a^3(iA+2B)}{cf\sqrt{c-ic \tan(e+fx)}} + \frac{2a^3(iA+5B)}{3c^3} \end{aligned}$$

Mathematica [A] time = 12.1703, size = 168, normalized size = 1.2

$$\frac{a^3 \sqrt{c - ic \tan(e + fx)} (\cos(2e + 5fx) + i \sin(2e + 5fx)) (A + B \tan(e + fx)) (15(3B + iA) \cos(e + fx) + (23B + 7iA) \cos(3e + 5fx))}{3c^2 f (\cos(fx) + i \sin(fx))^3 (A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (a^3*(15*(I*A + 3*B)*Cos[e + f*x] + ((7*I)*A + 23*B)*Cos[3*(e + f*x)] + 2*(9*A - (26*I)*B + (9*A - (25*I)*B)*Cos[2*(e + f*x)])*Sin[e + f*x]*(Cos[2*e + 5*f*x] + I*Sin[2*e + 5*f*x])*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(3*c^2*f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.076, size = 118, normalized size = 0.8

$$\frac{2ia^3}{fc^3} \left(\frac{i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} - 5iBc \sqrt{c - ic \tan(fx + e)} + Ac \sqrt{c - ic \tan(fx + e)} + 4 \frac{c^2 (A - 2iB)}{\sqrt{c - ic \tan(fx + e)}} - \frac{4c^3 (A - 2iB)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x)

[Out] 2*I/f*a^3/c^3*(1/3*I*B*(c-I*c*tan(f*x+e))^(3/2)-5*I*B*c*(c-I*c*tan(f*x+e))^(1/2)+A*c*(c-I*c*tan(f*x+e))^(1/2)+4*c^2*(A-2*I*B)/(c-I*c*tan(f*x+e))^(1/2)-4/3*c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(3/2))

Maxima [A] time = 1.11399, size = 146, normalized size = 1.04

$$\frac{2i \left(\frac{(-ic \tan(fx+e)+c)(12A-24iB)a^3-(4A-4iB)a^3c}{(-ic \tan(fx+e)+c)^{\frac{3}{2}}} + \frac{i(-ic \tan(fx+e)+c)^{\frac{3}{2}}Ba^3+\sqrt{-ic \tan(fx+e)+c}(3A-15iB)a^3c}{c^2} \right)}{3cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] 2/3*I*(((I*c*tan(f*x + e) + c)*(12*A - 24*I*B)*a^3 - (4*A - 4*I*B)*a^3*c)/(I*c*tan(f*x + e) + c)^(3/2) + (I*(-I*c*tan(f*x + e) + c)^(3/2)*B*a^3 + sqrt(-I*c*tan(f*x + e) + c)*(3*A - 15*I*B)*a^3*c)/c^2)/(c*f)

Fricas [A] time = 1.18663, size = 309, normalized size = 2.21

$$\frac{\sqrt{2} \left((-2iA - 2B)a^3 e^{(6ifx+6ie)} + (6iA + 18B)a^3 e^{(4ifx+4ie)} + (24iA + 72B)a^3 e^{(2ifx+2ie)} + (16iA + 48B)a^3 \right) \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{3 \left(c^2 f e^{(2ifx+2ie)} + c^2 f \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x,
algorithm="fricas")
```

```
[Out] 1/3*sqrt(2)*((-2*I*A - 2*B)*a^3*e^(6*I*f*x + 6*I*e) + (6*I*A + 18*B)*a^3*e^(
4*I*f*x + 4*I*e) + (24*I*A + 72*B)*a^3*e^(2*I*f*x + 2*I*e) + (16*I*A + 48*
B)*a^3)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^2*f*e^(2*I*f*x + 2*I*e) + c^2*
f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^3}{(-i c \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3/(-I*c*tan(f*x + e)
+ c)^(3/2), x)
```

3.762
$$\int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=140

$$-\frac{2a^3(5B+iA)}{c^2f\sqrt{c-ic \tan(e+fx)}} + \frac{8a^3(2B+iA)}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{8a^3(B+iA)}{5f(c-ic \tan(e+fx))^{5/2}} - \frac{2a^3B\sqrt{c-ic \tan(e+fx)}}{c^3f}$$

[Out] $(-8*a^3*(I*A + B))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (8*a^3*(I*A + 2*B))/(3*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*a^3*(I*A + 5*B))/(c^2*f*sqrt[c - I*c*Tan[e + f*x]]) - (2*a^3*B*sqrt[c - I*c*Tan[e + f*x]])/(c^3*f)$

Rubi [A] time = 0.201367, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$-\frac{2a^3(5B+iA)}{c^2f\sqrt{c-ic \tan(e+fx)}} + \frac{8a^3(2B+iA)}{3cf(c-ic \tan(e+fx))^{3/2}} - \frac{8a^3(B+iA)}{5f(c-ic \tan(e+fx))^{5/2}} - \frac{2a^3B\sqrt{c-ic \tan(e+fx)}}{c^3f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])}{(c - I*c*\text{Tan}[e + f*x])^{5/2}}, x]$

[Out] $(-8*a^3*(I*A + B))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (8*a^3*(I*A + 2*B))/(3*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*a^3*(I*A + 5*B))/(c^2*f*sqrt[c - I*c*Tan[e + f*x]]) - (2*a^3*B*sqrt[c - I*c*Tan[e + f*x]])/(c^3*f)$

Rule 3588

$\text{Int}[\frac{(a_.) + (b_.)*\text{tan}[(e_.) + (f_.)*(x_)])^{(m_.)}*((A_.) + (B_.)*\text{tan}[(e_.) + (f_.)*(x_)])^{(n_.)}}{(c_.) + (d_.)*\text{tan}[(e_.) + (f_.)*(x_)]^{(n_.)}}, x_Symbol] :> \text{Dist}[\frac{a*c}{f}, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 77

$\text{Int}[\frac{(a_.) + (b_.)*(x_)}{(c_.) + (d_.)*(x_)}^{(n_.)}*((e_.) + (f_.)*(x_))^{(p_.)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0]) || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^3(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{5/2}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{4a^2(A-ib)}{(c-icx)^{7/2}} - \frac{4a^2(A-2ib)}{c(c-icx)^{5/2}} + \frac{a^2(A-5ib)}{c^2(c-icx)^{3/2}} + \frac{ia^2B}{c^3\sqrt{c-icx}} \right) dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{8a^3(iA + B)}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{8a^3(iA + 2B)}{3cf(c - ic \tan(e + fx))^{3/2}} - \frac{2a^3(iA + B)}{c^2f\sqrt{c - ic \tan(e + fx)}} \end{aligned}$$

Mathematica [A] time = 13.1025, size = 135, normalized size = 0.96

$$\frac{a^3 \sqrt{c - ic \tan(e + fx)} (\sin(3(e + 2fx)) - i \cos(3(e + 2fx))) (3(A - 11iB) \cos(e + fx) + (11A - 91iB) \cos(3(e + fx)) - 1)}{15c^3 f (\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (a^3*(3*(A - (11*I)*B)*Cos[e + f*x] + (11*A - (91*I)*B)*Cos[3*(e + f*x)] - (10*I)*(A - (14*I)*B + (A - (17*I)*B)*Cos[2*(e + f*x)])*Sin[e + f*x])*((-I)*Cos[3*(e + 2*f*x)] + Sin[3*(e + 2*f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(15*c^3*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.076, size = 105, normalized size = 0.8

$$\frac{2ia^3}{fc^3} \left(iB \sqrt{c - ic \tan(fx + e)} - c(A - 5iB) \frac{1}{\sqrt{c - ic \tan(fx + e)}} + \frac{4c^2(A - 2iB)}{3} (c - ic \tan(fx + e))^{-\frac{3}{2}} - \frac{4c^3(A - 2iB)}{5} (c - ic \tan(fx + e))^{-\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 2*I/f*a^3/c^3*(I*B*(c-I*c*tan(f*x+e))^(1/2)-c*(A-5*I*B)/(c-I*c*tan(f*x+e))^(1/2)+4/3*c^2*(A-2*I*B)/(c-I*c*tan(f*x+e))^(3/2)-4/5*c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.23794, size = 150, normalized size = 1.07

$$\frac{2i \left(-\frac{15i \sqrt{-ic \tan(fx+e)+c} Ba^3}{c^2} + \frac{(-ic \tan(fx+e)+c)^2 (15A-75iB)a^3 - (-ic \tan(fx+e)+c)(20A-40iB)a^3 c + (12A-12iB)a^3 c^2}{(-ic \tan(fx+e)+c)^{\frac{5}{2}} c} \right)}{15cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] -2/15*I*(-15*I*sqrt(-I*c*tan(f*x + e) + c)*B*a^3/c^2 + ((-I*c*tan(f*x + e) + c)^2*(15*A - 75*I*B)*a^3 - (-I*c*tan(f*x + e) + c)*(20*A - 40*I*B)*a^3*c + (12*A - 12*I*B)*a^3*c^2)/((-I*c*tan(f*x + e) + c)^(5/2)*c)/(c*f)

Fricas [A] time = 1.16856, size = 270, normalized size = 1.93

$$\frac{\sqrt{2} \left((-3iA - 3B)a^3 e^{(6ifx+6ie)} + (iA + 11B)a^3 e^{(4ifx+4ie)} + (-4iA - 44B)a^3 e^{(2ifx+2ie)} + (-8iA - 88B)a^3 \right) \sqrt{\frac{c}{e^{(2ifx+2ie)}}}}{15c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="fricas")
```

```
[Out] 1/15*sqrt(2)*((-3*I*A - 3*B)*a^3*e^(6*I*f*x + 6*I*e) + (I*A + 11*B)*a^3*e^(
4*I*f*x + 4*I*e) + (-4*I*A - 44*B)*a^3*e^(2*I*f*x + 2*I*e) + (-8*I*A - 88*B
)*a^3)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))/(c^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)^3}{(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3/(-I*c*tan(f*x + e)
+ c)^(5/2), x)
```

$$3.763 \quad \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=142

$$-\frac{2a^3(5B+iA)}{3c^2f(c-ic \tan(e+fx))^{3/2}} + \frac{8a^3(2B+iA)}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{8a^3(B+iA)}{7f(c-ic \tan(e+fx))^{7/2}} + \frac{2a^3B}{c^3f\sqrt{c-ic \tan(e+fx)}}$$

[Out] $(-8*a^3*(I*A + B))/(7*f*(c - I*c*Tan[e + f*x])^{(7/2)}) + (8*a^3*(I*A + 2*B))/(5*c*f*(c - I*c*Tan[e + f*x])^{(5/2)}) - (2*a^3*(I*A + 5*B))/(3*c^2*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a^3*B)/(c^3*f*Sqrt[c - I*c*Tan[e + f*x]])$

Rubi [A] time = 0.205122, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {3588, 77}

$$-\frac{2a^3(5B+iA)}{3c^2f(c-ic \tan(e+fx))^{3/2}} + \frac{8a^3(2B+iA)}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{8a^3(B+iA)}{7f(c-ic \tan(e+fx))^{7/2}} + \frac{2a^3B}{c^3f\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^3*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(7/2)}, x]$

[Out] $(-8*a^3*(I*A + B))/(7*f*(c - I*c*Tan[e + f*x])^{(7/2)}) + (8*a^3*(I*A + 2*B))/(5*c*f*(c - I*c*Tan[e + f*x])^{(5/2)}) - (2*a^3*(I*A + 5*B))/(3*c^2*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a^3*B)/(c^3*f*Sqrt[c - I*c*Tan[e + f*x]])$

Rule 3588

$\text{Int}[(a_+ + (b_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\text{tan}[(e_+) + (f_+)*(x_+)])^{(n_+)}, x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 77

$\text{Int}[(a_+ + (b_+)*(x_+))*((c_+) + (d_+)*(x_+))^{(n_+)}*((e_+) + (f_+)*(x_+))^{(p_+)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (\text{!IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

Rubi steps

$$\begin{aligned} \int \frac{(a+ia \tan(e+fx))^3(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^2(A+Bx)}{(c-icx)^{9/2}} dx, x, \tan(e+fx) \right)}{f} \\ &= \frac{(ac) \text{Subst} \left(\int \left(\frac{4a^2(A-iB)}{(c-icx)^{9/2}} - \frac{4a^2(A-2iB)}{c(c-icx)^{7/2}} + \frac{a^2(A-5iB)}{c^2(c-icx)^{5/2}} + \frac{ia^2B}{c^3(c-icx)^{3/2}} \right) dx, x \right)}{f} \\ &= -\frac{8a^3(iA+B)}{7f(c-ic \tan(e+fx))^{7/2}} + \frac{8a^3(iA+2B)}{5cf(c-ic \tan(e+fx))^{5/2}} - \frac{2a^3B}{3c^2f(c-ic \tan(e+fx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 13.3834, size = 141, normalized size = 0.99

$$\frac{a^3 \cos(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(4e + 7fx) + i \sin(4e + 7fx)) (i(A + 13iB) \cos(e + fx) + (89B - 23iA) \cos(3(e + fx)))}{105c^4 f (\cos(fx) + i \sin(fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^3*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (a^3*Cos[e + f*x]*(I*(A + (13*I)*B)*Cos[e + f*x] + ((-23*I)*A + 89*B)*Cos[3*(e + f*x)] + 14*(A - (2*I)*B) + (A - (17*I)*B)*Cos[2*(e + f*x)]*Sin[e + f*x])*(Cos[4*e + 7*f*x] + I*Sin[4*e + 7*f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(105*c^4*f*(Cos[f*x] + I*Sin[f*x])^3)

Maple [A] time = 0.08, size = 105, normalized size = 0.7

$$\frac{2ia^3}{fc^3} \left(-iB \frac{1}{\sqrt{c - ic \tan(fx + e)}} - \frac{4c^3(A - iB)}{7} (c - ic \tan(fx + e))^{-\frac{7}{2}} - \frac{c(A - 5iB)}{3} (c - ic \tan(fx + e))^{-\frac{3}{2}} + \frac{4c^2(A - iB)}{5} (c - ic \tan(fx + e))^{-\frac{1}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] 2*I/f*a^3/c^3*(-I*B/(c-I*c*tan(f*x+e))^(1/2)-4/7*c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(7/2)-1/3*c*(A-5*I*B)/(c-I*c*tan(f*x+e))^(3/2)+4/5*c^2*(A-2*I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [A] time = 1.17561, size = 143, normalized size = 1.01

$$\frac{2i \left(105i (-ic \tan(fx + e) + c)^3 Ba^3 + (-ic \tan(fx + e) + c)^2 (35A - 175iB) a^3 c - (-ic \tan(fx + e) + c) (84A - 168iB) a^3 c^2 + (60A - 60iB) a^3 c^3 \right)}{105 (-ic \tan(fx + e) + c)^{\frac{7}{2}} c^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] -2/105*I*(105*I*(-I*c*tan(f*x + e) + c)^3*B*a^3 + (-I*c*tan(f*x + e) + c)^2*(35*A - 175*I*B)*a^3*c - (-I*c*tan(f*x + e) + c)*(84*A - 168*I*B)*a^3*c^2 + (60*A - 60*I*B)*a^3*c^3)/((-I*c*tan(f*x + e) + c)^(7/2)*c^3*f)

Fricas [A] time = 1.17568, size = 333, normalized size = 2.35

$$\frac{\sqrt{2} \left((-15iA - 15B) a^3 e^{(8ifx+8ie)} + (-18iA + 24B) a^3 e^{(6ifx+6ie)} + (iA - 13B) a^3 e^{(4ifx+4ie)} + (-4iA + 52B) a^3 e^{(2ifx+2ie)} \right)}{210c^4 f}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x,
algorithm="fricas")
```

```
[Out] 1/210*sqrt(2)*((-15*I*A - 15*B)*a^3*e^(8*I*f*x + 8*I*e) + (-18*I*A + 24*B)*
a^3*e^(6*I*f*x + 6*I*e) + (I*A - 13*B)*a^3*e^(4*I*f*x + 4*I*e) + (-4*I*A +
52*B)*a^3*e^(2*I*f*x + 2*I*e) + (-8*I*A + 104*B)*a^3)*sqrt(c/(e^(2*I*f*x +
2*I*e) + 1))/(c^4*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),
x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^3}{(-ic \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^3*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^3/(-I*c*tan(f*x + e)
+ c)^(7/2), x)
```

$$3.764 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=220

$$\frac{2c^3(-9B+5iA)\sqrt{c-ic \tan(e+fx)}}{af} + \frac{c^2(-9B+5iA)(c-ic \tan(e+fx))^{3/2}}{3af} - \frac{2\sqrt{2}c^{7/2}(-9B+5iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{af}$$

[Out] (-2*Sqrt[2]*((5*I)*A - 9*B)*c^(7/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(a*f) + (2*((5*I)*A - 9*B)*c^3*Sqrt[c - I*c*Tan[e + f*x]])/(a*f) + (((5*I)*A - 9*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(3*a*f) + (((5*I)*A - 9*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(10*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(2*a*f*(1 + I*Tan[e + f*x]))

Rubi [A] time = 0.275552, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 50, 63, 208}

$$\frac{2c^3(-9B+5iA)\sqrt{c-ic \tan(e+fx)}}{af} + \frac{c^2(-9B+5iA)(c-ic \tan(e+fx))^{3/2}}{3af} - \frac{2\sqrt{2}c^{7/2}(-9B+5iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{af}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x]), x]

[Out] (-2*Sqrt[2]*((5*I)*A - 9*B)*c^(7/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(a*f) + (2*((5*I)*A - 9*B)*c^3*Sqrt[c - I*c*Tan[e + f*x]])/(a*f) + (((5*I)*A - 9*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(3*a*f) + (((5*I)*A - 9*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(10*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(2*a*f*(1 + I*Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[(b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ

`[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0])) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2}}{a + ia \tan(e + fx)} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{5/2}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{f} \\
 &= \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{2af(1 + i \tan(e + fx))} - \frac{((5A + 9iB)c) \operatorname{Subst}\left(\int \frac{(c-icx)^{5/2}}{a+iax} dx, x, \tan(e + fx)\right)}{4f} \\
 &= \frac{(5iA - 9B)c(c - ic \tan(e + fx))^{5/2}}{10af} + \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{2af(1 + i \tan(e + fx))} \\
 &= \frac{(5iA - 9B)c^2(c - ic \tan(e + fx))^{3/2}}{3af} + \frac{(5iA - 9B)c(c - ic \tan(e + fx))^{5/2}}{10af} \\
 &= \frac{2(5iA - 9B)c^3 \sqrt{c - ic \tan(e + fx)}}{af} + \frac{(5iA - 9B)c^2(c - ic \tan(e + fx))^{3/2}}{3af} \\
 &= \frac{2(5iA - 9B)c^3 \sqrt{c - ic \tan(e + fx)}}{af} + \frac{(5iA - 9B)c^2(c - ic \tan(e + fx))^{3/2}}{3af} \\
 &= -\frac{2\sqrt{2}(5iA - 9B)c^{7/2} \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{af} + \frac{2(5iA - 9B)c^3 \sqrt{c - ic \tan(e + fx)}}{af}
 \end{aligned}$$

Mathematica [F] time = 180.005, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x]),x]

[Out] \$Aborted

Maple [A] time = 0.097, size = 192, normalized size = 0.9

$$\frac{2ic}{af} \left(\frac{i}{5} B (c - ic \tan(fx + e))^{\frac{5}{2}} + iB (c - ic \tan(fx + e))^{\frac{3}{2}} c + \frac{Ac}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} + 8iBc^2 \sqrt{c - ic \tan(fx + e)} + 4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e)),x)

[Out] 2*I/f/a*c*(1/5*I*B*(c-I*c*tan(f*x+e))^(5/2)+I*B*(c-I*c*tan(f*x+e))^(3/2)*c+1/3*A*(c-I*c*tan(f*x+e))^(3/2)*c+8*I*B*c^2*(c-I*c*tan(f*x+e))^(1/2)+4*A*c^2*(c-I*c*tan(f*x+e))^(1/2)+4*c^3*((-1/2*A-1/2*I*B)*(c-I*c*tan(f*x+e))^(1/2)/(-c-I*c*tan(f*x+e))-1/4*(5*A+9*I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.28195, size = 1261, normalized size = 5.73

$$15 \sqrt{-\frac{(800A^2+2880iAB-2592B^2)c^7}{a^2f^2}} \left(afe^{(6ifx+6ie)} + 2afe^{(4ifx+4ie)} + afe^{(2ifx+2ie)} \right) \log \left(\frac{((-40iA+72B)c^4 + \sqrt{2} \sqrt{-\frac{(800A^2+2880iAB-2592B^2)c^7}{a^2f^2}})}{af} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/60*(15*sqrt(-(800*A^2 + 2880*I*A*B - 2592*B^2)*c^7/(a^2*f^2))*(a*f*e^(6*I*f*x + 6*I*e) + 2*a*f*e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))*log(((-40*I*A + 72*B)*c^4 + sqrt(2)*sqrt(-(800*A^2 + 2880*I*A*B - 2592*B^2)*c^7/(a^2*f^2))*(a*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))) * e^(-I*f*x - I*e)/(a*f)) - 15*sqrt(-(800*A^2 + 2880*I*A*B - 2592*B^2)*c^7/(a^2*f^2))*(a*f*e^(6*I*f*x + 6*I*e) + 2*a*f*e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))*log(((-40*I*A + 72*B)*c^4 - sqrt(2)*sqrt(-(800*A^2 + 2880*I*A*B - 2592*B^2)*c^7/(a^2*f^2))*(a*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))) * e^(-I*f*x - I*e)/(a*f)) + sqrt(2)*((600*I*A - 1080*B)*c^3*e^(6*I*f*x + 6*I*e) + (1400*I*A - 2520*B)*c^3*e^(4*I*f*x + 4*I*e) + (920*I*A - 1656*B)*c^3*e^(2*I*f*x + 2*I*e) + (120*I*A - 120*B)*c^3)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))/(a*f*e^(6*I*f*x + 6*I*e) + 2*a*f*e^(4*I*f*x + 4

$*I*e) + a*f*e^{(2*I*f*x + 2*I*e)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2)/(a+I*a*tan(f*x+e)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{7}{2}}}{ia \tan(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(7/2)/(I*a*tan(f*x + e) + a), x)

$$3.765 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=180

$$\frac{c^2(-7B+3iA)\sqrt{c-ic \tan(e+fx)}}{af} - \frac{\sqrt{2}c^{5/2}(-7B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{af} + \frac{c(-7B+3iA)(c-ic \tan(e+fx))^{3/2}}{6af}$$

[Out] -((Sqrt[2]*((3*I)*A - 7*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]]/(Sqrt[2]*Sqrt[c]))/(a*f)) + (((3*I)*A - 7*B)*c^2*Sqrt[c - I*c*Tan[e + f*x]]/(a*f) + (((3*I)*A - 7*B)*c*(c - I*c*Tan[e + f*x])^(3/2))/(6*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))/(2*a*f*(1 + I*Tan[e + f*x]))

Rubi [A] time = 0.239907, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 50, 63, 208}

$$\frac{c^2(-7B+3iA)\sqrt{c-ic \tan(e+fx)}}{af} - \frac{\sqrt{2}c^{5/2}(-7B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{af} + \frac{c(-7B+3iA)(c-ic \tan(e+fx))^{3/2}}{6af}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x]), x]

[Out] -((Sqrt[2]*((3*I)*A - 7*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]]/(Sqrt[2]*Sqrt[c]))/(a*f)) + (((3*I)*A - 7*B)*c^2*Sqrt[c - I*c*Tan[e + f*x]]/(a*f) + (((3*I)*A - 7*B)*c*(c - I*c*Tan[e + f*x])^(3/2))/(6*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))/(2*a*f*(1 + I*Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2}}{a + ia \tan(e + fx)} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{3/2}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{2af(1 + i \tan(e + fx))} - \frac{((3A + 7iB)c) \operatorname{Subst}\left(\int \frac{(c-icx)^{3/2}}{a+iax} dx, x, \tan(e + fx)\right)}{4f} \\ &= \frac{(3iA - 7B)c(c - ic \tan(e + fx))^{3/2}}{6af} + \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{2af(1 + i \tan(e + fx))} \\ &= \frac{(3iA - 7B)c^2 \sqrt{c - ic \tan(e + fx)}}{af} + \frac{(3iA - 7B)c(c - ic \tan(e + fx))^{5/2}}{6af} \\ &= \frac{(3iA - 7B)c^2 \sqrt{c - ic \tan(e + fx)}}{af} + \frac{(3iA - 7B)c(c - ic \tan(e + fx))^{5/2}}{6af} \\ &= -\frac{\sqrt{2}(3iA - 7B)c^{5/2} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{af} + \frac{(3iA - 7B)c^2 \sqrt{c - ic \tan(e + fx)}}{af} \end{aligned}$$

Mathematica [F] time = 180.007, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[
e + f*x]),x]
```

```
[Out] $Aborted
```

Maple [A] time = 0.101, size = 150, normalized size = 0.8

$$\frac{2ic}{af} \left(\frac{i}{3} B (c - ic \tan(fx + e))^{3/2} + 3iBc \sqrt{c - ic \tan(fx + e)} + Ac \sqrt{c - ic \tan(fx + e)} + 4c^2 \left(\frac{(-A/4 - i/4B) \sqrt{c - ic \tan(fx + e)}}{-c - ic \tan(fx + e)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e)),x)
```

```
[Out] 2*I/f/a*c*(1/3*I*B*(c-I*c*tan(f*x+e))^(3/2)+3*I*B*c*(c-I*c*tan(f*x+e))^(1/2)
)+A*c*(c-I*c*tan(f*x+e))^(1/2)+4*c^2*((-1/4*A-1/4*I*B)*(c-I*c*tan(f*x+e))^(
1/2)/(-c-I*c*tan(f*x+e))-1/8*(3*A+7*I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c
*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e)),x, a
lgorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.1653, size = 1057, normalized size = 5.87

$$3 \left(a f e^{4i f x + 4i e} + a f e^{2i f x + 2i e} \right) \sqrt{-\frac{(72 A^2 + 336i AB - 392 B^2)c^5}{a^2 f^2}} \log \left(\frac{\left((-12i A + 28 B)c^3 + \sqrt{2} \left(a f e^{2i f x + 2i e} + a f \right) \sqrt{-\frac{(72 A^2 + 336i AB - 392 B^2)c^5}{a^2 f^2}} \right) \sqrt{e^{2i f x}}}{a f} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e)),x, a
lgorithm="fricas")
```

```
[Out] 1/12*(3*(a*f*e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))*sqrt(-(72*A^2 +
336*I*A*B - 392*B^2)*c^5/(a^2*f^2))*log((( -12*I*A + 28*B)*c^3 + sqrt(2)*(a
*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(-(72*A^2 + 336*I*A*B - 392*B^2)*c^5/(a^2
*f^2))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-I*f*x - I*e)/(a*f)) - 3*(a*f*
e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))*sqrt(-(72*A^2 + 336*I*A*B -
392*B^2)*c^5/(a^2*f^2))*log((( -12*I*A + 28*B)*c^3 - sqrt(2)*(a*f*e^(2*I*f*x
+ 2*I*e) + a*f)*sqrt(-(72*A^2 + 336*I*A*B - 392*B^2)*c^5/(a^2*f^2))*sqrt(c
/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-I*f*x - I*e)/(a*f)) + sqrt(2)*((36*I*A - 8
4*B)*c^2*e^(4*I*f*x + 4*I*e) + (48*I*A - 112*B)*c^2*e^(2*I*f*x + 2*I*e) + (
12*I*A - 12*B)*c^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))/(a*f*e^(4*I*f*x + 4*
I*e) + a*f*e^(2*I*f*x + 2*I*e))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e)),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{5}{2}}}{ia \tan(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(5/2)/(I*a*tan(f*x + e) + a), x)

$$3.766 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=144

$$-\frac{c^{3/2}(-5B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{\sqrt{2}af} + \frac{c(-5B+iA)\sqrt{c-ic \tan(e+fx)}}{2af} + \frac{(-B+iA)(c-ic \tan(e+fx))^{3/2}}{2af(1+i \tan(e+fx))}$$

[Out] -(((I*A - 5*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(Sqrt[2]*a*f)) + ((I*A - 5*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(2*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(2*a*f*(1 + I*Tan[e + f*x]))

Rubi [A] time = 0.220348, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 50, 63, 208}

$$-\frac{c^{3/2}(-5B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{\sqrt{2}af} + \frac{c(-5B+iA)\sqrt{c-ic \tan(e+fx)}}{2af} + \frac{(-B+iA)(c-ic \tan(e+fx))^{3/2}}{2af(1+i \tan(e+fx))}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*x]), x]

[Out] -(((I*A - 5*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(Sqrt[2]*a*f)) + ((I*A - 5*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(2*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(2*a*f*(1 + I*Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}{a + ia \tan(e + fx)} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)\sqrt{c-icx}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{2af(1 + i \tan(e + fx))} - \frac{((A + 5iB)c) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{a+iax} dx, x, \tan(e + fx)\right)}{4f} \\ &= \frac{(iA - 5B)c\sqrt{c - ic \tan(e + fx)}}{2af} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{2af(1 + i \tan(e + fx))} \\ &= \frac{(iA - 5B)c\sqrt{c - ic \tan(e + fx)}}{2af} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{2af(1 + i \tan(e + fx))} \\ &= -\frac{(iA - 5B)c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{\sqrt{2}af} + \frac{(iA - 5B)c\sqrt{c - ic \tan(e + fx)}}{2af} \end{aligned}$$

Mathematica [F] time = 180.002, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[
e + f*x]),x]
```

```
[Out] $Aborted
```

Maple [A] time = 0.101, size = 109, normalized size = 0.8

$$\frac{2ic}{af} \left(iB\sqrt{c - ic \tan(fx + e)} + c \left(\frac{1}{-c - ic \tan(fx + e)} \left(-\frac{A}{2} - \frac{i}{2}B \right) \sqrt{c - ic \tan(fx + e)} - \frac{(A + 5iB)\sqrt{2}}{4} \operatorname{Arctanh}\left(\frac{\sqrt{2}}{2}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e)),x)
```

```
[Out] 2*I/f/a*c*(I*B*(c-I*c*tan(f*x+e))^(1/2)+c*((-1/2*A-1/2*I*B)*(c-I*c*tan(f*x+
e))^(1/2)/(-c-I*c*tan(f*x+e))-1/4*(A+5*I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-
I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.12786, size = 855, normalized size = 5.94

$$\left(af \sqrt{-\frac{(2A^2+20iAB-50B^2)c^3}{a^2f^2}} e^{(2ifx+2ie)} \log \left(\frac{(-2iA+10B)c^2 + \sqrt{2}(afe^{(2ifx+2ie)}+af) \sqrt{-\frac{(2A^2+20iAB-50B^2)c^3}{a^2f^2}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{af} \right) e^{(-ifx-ie)} \right) - af \sqrt{-\frac{(2A^2+20iAB-50B^2)c^3}{a^2f^2}} e^{(2ifx+2ie)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/4*(a*f*sqrt(-(2*A^2 + 20*I*A*B - 50*B^2)*c^3/(a^2*f^2))*e^(2*I*f*x + 2*I*e)*log(((2*I*A + 10*B)*c^2 + sqrt(2)*(a*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(-(2*A^2 + 20*I*A*B - 50*B^2)*c^3/(a^2*f^2))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))))*e^(-I*f*x - I*e)/(a*f) - a*f*sqrt(-(2*A^2 + 20*I*A*B - 50*B^2)*c^3/(a^2*f^2))*e^(2*I*f*x + 2*I*e)*log(((2*I*A + 10*B)*c^2 - sqrt(2)*(a*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(-(2*A^2 + 20*I*A*B - 50*B^2)*c^3/(a^2*f^2))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))))*e^(-I*f*x - I*e)/(a*f) + sqrt(2)*((2*I*A - 10*B)*c*e^(2*I*f*x + 2*I*e) + (2*I*A - 2*B)*c)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-2*I*f*x - 2*I*e)/(a*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{3}{2}}}{ia \tan(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(3/2)/(I*a*tan(f*x + e) + a), x)
```

$$3.767 \quad \int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{a+ia \tan(e+fx)} dx$$

Optimal. Leaf size=109

$$\frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{2af(1+i \tan(e+fx))} + \frac{\sqrt{c}(3B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{2\sqrt{2}af}$$

[Out] ((I*A + 3*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]) / (2*Sqrt[2]*a*f) + ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]]) / (2*a*f*(1 + I*Tan[e + f*x]))

Rubi [A] time = 0.185213, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {3588, 78, 63, 208}

$$\frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{2af(1+i \tan(e+fx))} + \frac{\sqrt{c}(3B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{2\sqrt{2}af}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x]), x]

[Out] ((I*A + 3*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]) / (2*Sqrt[2]*a*f) + ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]]) / (2*a*f*(1 + I*Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)}}{a + ia \tan(e + fx)} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^2\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{2af(1 + i \tan(e + fx))} + \frac{((A - 3iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax)\sqrt{c-icx}} dx\right)}{4f} \\ &= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{2af(1 + i \tan(e + fx))} + \frac{(iA + 3B) \operatorname{Subst}\left(\int \frac{1}{2a - \frac{ax^2}{c}} dx, x, \sqrt{c - ic \tan(e + fx)}\right)}{2f} \\ &= \frac{(iA + 3B)\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{2\sqrt{2}af} + \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{2af(1 + i \tan(e + fx))} \end{aligned}$$

Mathematica [A] time = 2.46795, size = 168, normalized size = 1.54

$$\frac{(\cos(fx) + i \sin(fx))(A + B \tan(e + fx)) \left(2(A + iB) \cos(e + fx) (\sin(fx) + i \cos(fx)) \sqrt{c - ic \tan(e + fx)} + \sqrt{2}\sqrt{c}(3B \cos(e + fx) + i(A + B \tan(e + fx))) \right)}{4f(a + ia \tan(e + fx))(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x]), x]

[Out] ((Cos[f*x] + I*Sin[f*x])*(A + B*Tan[e + f*x])*(Sqrt[2]*(I*A + 3*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]*(Cos[e] + I*Sin[e]) + 2*(A + I*B)*Cos[e + f*x]*(I*Cos[f*x] + Sin[f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(4*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x]))

Maple [A] time = 0.136, size = 88, normalized size = 0.8

$$\frac{2ic}{af} \left(\frac{1}{-c - ic \tan(fx + e)} \left(-\frac{A}{4} - \frac{i}{4}B \right) \sqrt{c - ic \tan(fx + e)} + \frac{(A - 3iB)\sqrt{2}}{8} \operatorname{Arctanh} \left(\frac{\sqrt{2}}{2} \sqrt{c - ic \tan(fx + e)} \frac{1}{\sqrt{c}} \right) \frac{1}{\sqrt{c}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)), x)

[Out] 2*I/f/a*c*((-1/4*A-1/4*I*B)*(c-I*c*tan(f*x+e))^(1/2)/(-c-I*c*tan(f*x+e))+1/8*(A-3*I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.09983, size = 841, normalized size = 7.72

$$\left(\sqrt{\frac{1}{2}}af\sqrt{-\frac{(A^2-6iAB-9B^2)c}{a^2f^2}}e^{(2ifx+2ie)}\log\left(\frac{\left(\sqrt{2}\sqrt{\frac{1}{2}}(afe^{(2ifx+2ie)}+af)\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}\sqrt{-\frac{(A^2-6iAB-9B^2)c}{a^2f^2}}+(iA+3B)c\right)e^{(-ifx-ie)}}{af}\right) \right) - \sqrt{\frac{1}{2}}af\sqrt{-\frac{(A^2-6iAB-9B^2)c}{a^2f^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/4*(sqrt(1/2)*a*f*sqrt(-(A^2 - 6*I*A*B - 9*B^2)*c/(a^2*f^2))*e^(2*I*f*x + 2*I*e)*log((sqrt(2)*sqrt(1/2)*(a*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 6*I*A*B - 9*B^2)*c/(a^2*f^2)) + (I*A + 3*B)*c)*e^(-I*f*x - I*e)/(a*f)) - sqrt(1/2)*a*f*sqrt(-(A^2 - 6*I*A*B - 9*B^2)*c/(a^2*f^2))*e^(2*I*f*x + 2*I*e)*log(-(sqrt(2)*sqrt(1/2)*(a*f*e^(2*I*f*x + 2*I*e) + a*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 6*I*A*B - 9*B^2)*c/(a^2*f^2)) - (I*A + 3*B)*c)*e^(-I*f*x - I*e)/(a*f)) + sqrt(2)*((I*A - B)*e^(2*I*f*x + 2*I*e) + I*A - B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-2*I*f*x - 2*I*e)/(a*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)\sqrt{-ic \tan(fx + e) + c}}{ia \tan(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*sqrt(-I*c*tan(f*x + e) + c)/(I*a*tan(f*x + e) + a), x)
```


$$3.768 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=141

$$\frac{-B+iA}{2af(1+i \tan(e+fx))\sqrt{c-ic \tan(e+fx)}} - \frac{B+3iA}{4af\sqrt{c-ic \tan(e+fx)}} + \frac{(B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a\sqrt{cf}}$$

[Out] (((3*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(4*Sqrt[2]*a*Sqrt[c]*f) - ((3*I)*A + B)/(4*a*f*Sqrt[c - I*c*Tan[e + f*x]]) + (I*A - B)/(2*a*f*(1 + I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.219454, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{-B+iA}{2af(1+i \tan(e+fx))\sqrt{c-ic \tan(e+fx)}} - \frac{B+3iA}{4af\sqrt{c-ic \tan(e+fx)}} + \frac{(B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a\sqrt{cf}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]), x]

[Out] (((3*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(4*Sqrt[2]*a*Sqrt[c]*f) - ((3*I)*A + B)/(4*a*f*Sqrt[c - I*c*Tan[e + f*x]]) + (I*A - B)/(2*a*f*(1 + I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 51

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))\sqrt{c - ic \tan(e + fx)}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{iA - B}{2af(1 + i \tan(e + fx))\sqrt{c - ic \tan(e + fx)}} + \frac{((3A - iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax)^2(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{2af(1 + i \tan(e + fx))\sqrt{c - ic \tan(e + fx)}} \\ &= -\frac{3iA + B}{4af\sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{2af(1 + i \tan(e + fx))\sqrt{c - ic \tan(e + fx)}} \\ &= -\frac{3iA + B}{4af\sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{2af(1 + i \tan(e + fx))\sqrt{c - ic \tan(e + fx)}} \\ &= \frac{(3iA + B) \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a\sqrt{c}f} - \frac{3iA + B}{4af\sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{2af(1 + i \tan(e + fx))\sqrt{c - ic \tan(e + fx)}} \end{aligned}$$

Mathematica [A] time = 3.62969, size = 160, normalized size = 1.13

$$\frac{e^{-2i(e+fx)} \sqrt{\frac{c}{1+e^{2i(e+fx)}}} \left((B + 3iA)e^{2i(e+fx)} \sqrt{1 + e^{2i(e+fx)}} \tanh^{-1}\left(\sqrt{1 + e^{2i(e+fx)}}\right) - i(1 + e^{2i(e+fx)}) \left(A(-1 + 2e^{2i(e+fx)}) - iB(1 + e^{2i(e+fx)}) \right) \right)}{4\sqrt{2}acf}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*Sqrt[c - I*c*Tan[e +
f*x]]), x]
```

```
[Out] (Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*((-I)*(1 + E^((2*I)*(e + f*x)))*(A*(-1 +
2*E^((2*I)*(e + f*x))) - I*B*(1 + 2*E^((2*I)*(e + f*x)))) + ((3*I)*A + B)*
E^((2*I)*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)
*(e + f*x))]]))/(4*Sqrt[2]*a*c*E^((2*I)*(e + f*x))*f)
```

Maple [A] time = 0.16, size = 121, normalized size = 0.9

$$\frac{2ic}{af} \left(-\frac{1}{4c} \left(\frac{1}{-c - ic \tan(fx + e)} \left(\frac{i}{2}B + \frac{A}{2} \right) \sqrt{c - ic \tan(fx + e)} - \frac{(3A - iB)\sqrt{2}}{4} \operatorname{Artanh} \left(\frac{\sqrt{2}}{2} \sqrt{c - ic \tan(fx + e)} \frac{1}{\sqrt{c}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e)),x)

[Out] $2*I/f/a*c*(-1/4/c*((1/2*I*B+1/2*A)*(c-I*c*tan(f*x+e))^(1/2)/(-c-I*c*tan(f*x+e))-1/4*(3*A-I*B)*2^(1/2)/c^(1/2)*\operatorname{arctanh}(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))-1/4/c*(A-I*B)/(c-I*c*tan(f*x+e))^(1/2))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.11735, size = 903, normalized size = 6.4

$$\left(\sqrt{\frac{1}{2}}acf \sqrt{-\frac{9A^2-6iAB-B^2}{a^2cf^2}} e^{(2ifx+2ie)} \log \left(\frac{\left(\sqrt{2}\sqrt{\frac{1}{2}}(afe^{(2ifx+2ie)}+af) \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} \sqrt{-\frac{9A^2-6iAB-B^2}{a^2cf^2}+3iA+B} \right) e^{(-ifx-ie)}}{2af} \right) - \sqrt{\frac{1}{2}}acf \sqrt{-\frac{9A^2-6iAB-B^2}{a^2cf^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e)),x, algorithm="fricas")

[Out] $1/8*(\operatorname{sqrt}(1/2)*a*c*f*\operatorname{sqrt}(-(9*A^2 - 6*I*A*B - B^2)/(a^2*c*f^2))*e^{(2*I*f*x + 2*I*e)}*\log(1/2*(\operatorname{sqrt}(2)*\operatorname{sqrt}(1/2)*(a*f*e^{(2*I*f*x + 2*I*e)} + a*f)*\operatorname{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))*\operatorname{sqrt}(-(9*A^2 - 6*I*A*B - B^2)/(a^2*c*f^2)) + 3*I*A + B)*e^{(-I*f*x - I*e)/(a*f)}) - \operatorname{sqrt}(1/2)*a*c*f*\operatorname{sqrt}(-(9*A^2 - 6*I*A*B - B^2)/(a^2*c*f^2))*e^{(2*I*f*x + 2*I*e)}*\log(-1/2*(\operatorname{sqrt}(2)*\operatorname{sqrt}(1/2)*(a*f*e^{(2*I*f*x + 2*I*e)} + a*f)*\operatorname{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))*\operatorname{sqrt}(-(9*A^2 - 6*I*A*B - B^2)/(a^2*c*f^2)) - 3*I*A - B)*e^{(-I*f*x - I*e)/(a*f)}) + \operatorname{sqrt}(2)*((-2*I*A - 2*B)*e^{(4*I*f*x + 4*I*e)} + (-I*A - 3*B)*e^{(2*I*f*x + 2*I*e)} + I*A - B)*\operatorname{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1)))*e^{(-2*I*f*x - 2*I*e)/(a*c*f)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2)/(a+I*a*tan(f*x+e)),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a) \sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e)),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)*sqrt(-I*c*tan(f*x + e) + c)), x)

$$3.769 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=184

$$\frac{(-B + 5iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}ac^{3/2}f} + \frac{-B + iA}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}} - \frac{-B + 5iA}{8acf\sqrt{c - ic \tan(e + fx)}} - \frac{12af}{12af}$$

```
[Out] (((5*I)*A - B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[2]*a*c^(3/2)*f) - ((5*I)*A - B)/(12*a*f*(c - I*c*Tan[e + f*x])^(3/2)) + (I*A - B)/(2*a*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)) - ((5*I)*A - B)/(8*a*c*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.26758, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{(-B + 5iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}ac^{3/2}f} + \frac{-B + iA}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}} - \frac{-B + 5iA}{8acf\sqrt{c - ic \tan(e + fx)}} - \frac{12af}{12af}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)), x]
```

```
[Out] (((5*I)*A - B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[2]*a*c^(3/2)*f) - ((5*I)*A - B)/(12*a*f*(c - I*c*Tan[e + f*x])^(3/2)) + (I*A - B)/(2*a*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)) - ((5*I)*A - B)/(8*a*c*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntegerQ[n] && !IntegerQ[m]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))(c - ic \tan(e + fx))^{3/2}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}} + \frac{((5A + iB)c) \text{Subst} \left(\int \frac{1}{(a+iax)^2(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{5iA - B}{12af(c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{5iA - B}{12af(c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{5iA - B}{12af(c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{(5iA - B) \tanh^{-1} \left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}} \right)}{8\sqrt{2}ac^{3/2}f} - \frac{5iA - B}{12af(c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 6.11132, size = 239, normalized size = 1.3

$$\frac{e^{-i(e+2fx)} \sqrt{\frac{c}{1+e^{2i(e+fx)}}} (\cos(fx) + i \sin(fx))(A + B \tan(e + fx)) \left((1 + e^{2i(e+fx)}) (iA (14e^{2i(e+fx)} + 2e^{4i(e+fx)} - 3) + B (2e^{2i(e+fx)} + 2e^{4i(e+fx)} - 3)) \right)}{24\sqrt{2}c^2 f (a + ia \tan(e + fx))(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)), x]
```

```
[Out] -(Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*((1 + E^((2*I)*(e + f*x)))*(B*(3 + 2*E^((2*I)*(e + f*x)) + 2*E^((4*I)*(e + f*x))) + I*A*(-3 + 14*E^((2*I)*(e + f*x)) + 2*E^((4*I)*(e + f*x)))) + 3*((-5*I)*A + B)*E^((2*I)*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]])*(Cos[f*x] + I*Sin[f*x])*(A + B*Tan[e + f*x]))/(24*Sqrt[2]*c^2*E^(I*(e + 2*f*x))*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x]))
```

Maple [A] time = 0.1, size = 141, normalized size = 0.8

$$\frac{2ic}{af} \left(-\frac{1}{4c^2} \left(\frac{1}{-c - ic \tan(fx + e)} \left(\frac{A}{4} + \frac{i}{4}B \right) \sqrt{c - ic \tan(fx + e)} - \frac{(5A + iB)\sqrt{2}}{8} \operatorname{Arctanh} \left(\frac{\sqrt{2}}{2} \sqrt{c - ic \tan(fx + e)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x)

[Out] 2*I/f/a*c*(-1/4/c^2*((1/4*A+1/4*I*B)*(c-I*c*tan(f*x+e))^(1/2)/(-c-I*c*tan(f*x+e))-1/8*(5*A+I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))-1/4*A/c^2/(c-I*c*tan(f*x+e))^(1/2)-1/12/c*(A-I*B)/(c-I*c*tan(f*x+e))^(3/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.21914, size = 1017, normalized size = 5.53

$$\left(3 \sqrt{\frac{1}{2}} ac^2 f \sqrt{-\frac{25A^2 + 10iAB - B^2}{a^2 c^3 f^2}} e^{(2ifx+2ie)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} (ac f e^{(2ifx+2ie)} + acf) \sqrt{\frac{c}{e^{(2ifx+2ie)} + 1}} \sqrt{-\frac{25A^2 + 10iAB - B^2}{a^2 c^3 f^2} + 5iA - B} \right) e^{(-ifx-ie)}}{4acf} \right) \right) - 3 \sqrt{\frac{1}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] 1/48*(3*sqrt(1/2)*a*c^2*f*sqrt(-(25*A^2 + 10*I*A*B - B^2)/(a^2*c^3*f^2))*e^(2*I*f*x + 2*I*e)*log(1/4*(sqrt(2)*sqrt(1/2)*(a*c*f*e^(2*I*f*x + 2*I*e) + a*c*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(25*A^2 + 10*I*A*B - B^2)/(a^2*c^3*f^2)) + 5*I*A - B)*e^(-I*f*x - I*e)/(a*c*f)) - 3*sqrt(1/2)*a*c^2*f*sqrt(-(25*A^2 + 10*I*A*B - B^2)/(a^2*c^3*f^2))*e^(2*I*f*x + 2*I*e)*log(-1/4*(sqrt(2)*sqrt(1/2)*(a*c*f*e^(2*I*f*x + 2*I*e) + a*c*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(25*A^2 + 10*I*A*B - B^2)/(a^2*c^3*f^2)) - 5*I*A + B)*e^(-I*f*x - I*e)/(a*c*f)) + sqrt(2)*((-2*I*A - 2*B)*e^(6*I*f*x + 6*I*e) + (-16*I*A - 4*B)*e^(4*I*f*x + 4*I*e) + (-11*I*A - 5*B)*e^(2*I*f*x + 2*I*e) + 3*I*A - 3*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-2*I*f*x - 2*I*e)/(a*c^2*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))**(3/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)(-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(3/2)), x)

$$3.770 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=223

$$\frac{-3B+7iA}{16ac^2f\sqrt{c-ic \tan(e+fx)}} + \frac{(-3B+7iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}ac^{5/2}f} - \frac{-3B+7iA}{24acf(c-ic \tan(e+fx))^{3/2}} - \frac{-3B+7iA}{20af(c-ic \tan(e+fx))^{5/2}}$$

[Out] (((7*I)*A - 3*B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(16*Sqrt[2]*a*c^(5/2)*f) - ((7*I)*A - 3*B)/(20*a*f*(c - I*c*Tan[e + f*x])^(5/2)) + (I*A - B)/(2*a*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2)) - ((7*I)*A - 3*B)/(24*a*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - ((7*I)*A - 3*B)/(16*a*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.288617, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{-3B+7iA}{16ac^2f\sqrt{c-ic \tan(e+fx)}} + \frac{(-3B+7iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}ac^{5/2}f} - \frac{-3B+7iA}{24acf(c-ic \tan(e+fx))^{3/2}} - \frac{-3B+7iA}{20af(c-ic \tan(e+fx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2)), x]

[Out] (((7*I)*A - 3*B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(16*Sqrt[2]*a*c^(5/2)*f) - ((7*I)*A - 3*B)/(20*a*f*(c - I*c*Tan[e + f*x])^(5/2)) + (I*A - B)/(2*a*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2)) - ((7*I)*A - 3*B)/(24*a*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - ((7*I)*A - 3*B)/(16*a*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 51

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ

`[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && IntLinearQ[a, b, c, d, m, n, x]`

Rule 63

`Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^2(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} + \frac{((7A + 3iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax)^2(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{7iA - 3B}{20af(c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{7iA - 3B}{20af(c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{7iA - 3B}{20af(c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{7iA - 3B}{20af(c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} \\ &= \frac{(7iA - 3B) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}ac^{5/2}f} - \frac{7iA - 3B}{20af(c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{2af(1 + i \tan(e + fx))(c - ic \tan(e + fx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 7.55901, size = 213, normalized size = 0.96

$$\frac{e^{-2i(e+fx)} \sqrt{\frac{c}{1+e^{2i(e+fx)}}} \left((1 + e^{2i(e+fx)}) \left(iA (116e^{2i(e+fx)} + 32e^{4i(e+fx)} + 6e^{6i(e+fx)} - 15) + 3B (-8e^{2i(e+fx)} + 4e^{4i(e+fx)} + 2e^{6i(e+fx)}) \right) \right)}{240\sqrt{2}ac^3f}$$

Antiderivative was successfully verified.

`[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2)), x]`

`[Out] -(Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*((1 + E^((2*I)*(e + f*x)))*(3*B*(5 - 8*E^((2*I)*(e + f*x)) + 4*E^((4*I)*(e + f*x)) + 2*E^((6*I)*(e + f*x))) + I*A*(-15 + 116*E^((2*I)*(e + f*x)) + 32*E^((4*I)*(e + f*x)) + 6*E^((6*I)*(e + f*x))) + 15*((-7*I)*A + 3*B)*E^((2*I)*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))])`

)]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]]]/(240*Sqrt[2]*a*c^3*E^((2*I)*(e + f*x))*f)

Maple [A] time = 0.103, size = 168, normalized size = 0.8

$$\frac{2ic}{af} \left(-\frac{1}{16c^3} \left(\frac{1}{-c - ic \tan(fx + e)} \left(\frac{i}{2}B + \frac{A}{2} \right) \sqrt{c - ic \tan(fx + e)} - \frac{(7A + 3iB)\sqrt{2}}{4} \operatorname{Arctanh} \left(\frac{\sqrt{2}}{2} \sqrt{c - ic \tan(fx + e)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x)

[Out] 2*I/f/a*c*(-1/16/c^3*((1/2*I*B+1/2*A)*(c-I*c*tan(f*x+e))^(1/2)/(-c-I*c*tan(f*x+e))-1/4*(7*A+3*I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))-1/12*A/c^2/(c-I*c*tan(f*x+e))^(3/2)-1/16/c^3*(3*A+I*B)/(c-I*c*tan(f*x+e))^(1/2)-1/20/c*(A-I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.36938, size = 1112, normalized size = 4.99

$$\left(15 \sqrt{\frac{1}{2}} ac^3 f \sqrt{-\frac{49A^2 + 42iAB - 9B^2}{a^2c^5f^2}} e^{(2ifx+2ie)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} (ac^2 f e^{(2ifx+2ie)} + ac^2 f) \sqrt{\frac{c}{e^{(2ifx+2ie)} + 1}} \sqrt{-\frac{49A^2 + 42iAB - 9B^2}{a^2c^5f^2} + 7iA - 3B} \right) e^{(-ifx-ie)}}{8ac^2f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] 1/480*(15*sqrt(1/2)*a*c^3*f*sqrt(-(49*A^2 + 42*I*A*B - 9*B^2)/(a^2*c^5*f^2))*e^(2*I*f*x + 2*I*e)*log(1/8*(sqrt(2)*sqrt(1/2)*(a*c^2*f*e^(2*I*f*x + 2*I*e) + a*c^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(49*A^2 + 42*I*A*B - 9*B^2)/(a^2*c^5*f^2)) + 7*I*A - 3*B)*e^(-I*f*x - I*e)/(a*c^2*f)) - 15*sqrt(1/2)*a*c^3*f*sqrt(-(49*A^2 + 42*I*A*B - 9*B^2)/(a^2*c^5*f^2))*e^(2*I*f*x + 2*I*e)*log(-1/8*(sqrt(2)*sqrt(1/2)*(a*c^2*f*e^(2*I*f*x + 2*I*e) + a*c^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(49*A^2 + 42*I*A*B - 9*B^2)/(a^2*c^5*f^2)) - 7*I*A + 3*B)*e^(-I*f*x - I*e)/(a*c^2*f)) + sqrt(2)*((-6*I*A - 6*B)*e^(8*I*f*x + 8*I*e) + (-38*I*A - 18*B)*e^(6*I*f*x + 6*I*e) + (-148*I*A + 12*B)*e^(4*I*f*x + 4*I*e) + (-101*I*A + 9*B)*e^(2*I*f*x + 2*I*e) + 15*I*A -

$15*B)*\text{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1)))*e^{(-2*I*f*x - 2*I*e)/(a*c^3*f)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))**(5/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(5/2)), x)

$$3.771 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{9/2}}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=275

$$\frac{7c^4(-13B+5iA)\sqrt{c-ic \tan(e+fx)}}{2a^2f} - \frac{7c^3(-13B+5iA)(c-ic \tan(e+fx))^{3/2}}{12a^2f} - \frac{7c^2(-13B+5iA)(c-ic \tan(e+fx))}{40a^2f}$$

[Out] (7*((5*I)*A - 13*B)*c^(9/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(Sqrt[2]*a^2*f) - (7*((5*I)*A - 13*B)*c^4*Sqrt[c - I*c*Tan[e + f*x]])/(2*a^2*f) - (7*((5*I)*A - 13*B)*c^3*(c - I*c*Tan[e + f*x])^(3/2))/(12*a^2*f) - (7*((5*I)*A - 13*B)*c^2*(c - I*c*Tan[e + f*x])^(5/2))/(40*a^2*f) - (((5*I)*A - 13*B)*c*(c - I*c*Tan[e + f*x])^(7/2))/(8*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(9/2))/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rubi [A] time = 0.301172, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {3588, 78, 47, 50, 63, 208}

$$\frac{7c^4(-13B+5iA)\sqrt{c-ic \tan(e+fx)}}{2a^2f} - \frac{7c^3(-13B+5iA)(c-ic \tan(e+fx))^{3/2}}{12a^2f} - \frac{7c^2(-13B+5iA)(c-ic \tan(e+fx))}{40a^2f}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2))/(a + I*a*Tan[e + f*x])^2, x]

[Out] (7*((5*I)*A - 13*B)*c^(9/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(Sqrt[2]*a^2*f) - (7*((5*I)*A - 13*B)*c^4*Sqrt[c - I*c*Tan[e + f*x]])/(2*a^2*f) - (7*((5*I)*A - 13*B)*c^3*(c - I*c*Tan[e + f*x])^(3/2))/(12*a^2*f) - (7*((5*I)*A - 13*B)*c^2*(c - I*c*Tan[e + f*x])^(5/2))/(40*a^2*f) - (((5*I)*A - 13*B)*c*(c - I*c*Tan[e + f*x])^(7/2))/(8*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(9/2))/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{9/2}}{(a + ia \tan(e + fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{7/2}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{(iA - B)(c - ic \tan(e + fx))^{9/2}}{4a^2 f(1 + i \tan(e + fx))^2} - \frac{((5A + 13iB)c) \operatorname{Subst}\left(\int \frac{(c-icx)^{7/2}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{8f} \\
&= -\frac{(5iA - 13B)c(c - ic \tan(e + fx))^{7/2}}{8a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{9/2}}{4a^2 f(1 + i \tan(e + fx))^2} \\
&= -\frac{7(5iA - 13B)c^2(c - ic \tan(e + fx))^{5/2}}{40a^2 f} - \frac{(5iA - 13B)c(c - ic \tan(e + fx))^{9/2}}{8a^2 f(1 + i \tan(e + fx))} \\
&= -\frac{7(5iA - 13B)c^3(c - ic \tan(e + fx))^{3/2}}{12a^2 f} - \frac{7(5iA - 13B)c^2(c - ic \tan(e + fx))^{9/2}}{40a^2 f} \\
&= -\frac{7(5iA - 13B)c^4 \sqrt{c - ic \tan(e + fx)}}{2a^2 f} - \frac{7(5iA - 13B)c^3(c - ic \tan(e + fx))^{9/2}}{12a^2 f} \\
&= -\frac{7(5iA - 13B)c^4 \sqrt{c - ic \tan(e + fx)}}{2a^2 f} - \frac{7(5iA - 13B)c^3(c - ic \tan(e + fx))^{9/2}}{12a^2 f} \\
&= \frac{7(5iA - 13B)c^{9/2} \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{\sqrt{2}a^2 f} - \frac{7(5iA - 13B)c^4 \sqrt{c - ic \tan(e + fx)}}{2a^2 f}
\end{aligned}$$

Mathematica [F] time = 180.005, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2))/(a + I*a*Tan[e + f*x])^2,x]

[Out] \$Aborted

Maple [A] time = 0.104, size = 221, normalized size = 0.8

$$\frac{-2ic^2}{fa^2} \left(\frac{i}{5} B (c - ic \tan(fx + e))^{\frac{5}{2}} + \frac{5i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} c + \frac{Ac}{3} (c - ic \tan(fx + e))^{\frac{3}{2}} + 18iBc^2 \sqrt{c - ic \tan(fx + e)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^2,x)

[Out] $-2I/f/a^2*c^2*(1/5*I*B*(c-I*c*tan(f*x+e))^{5/2}+5/3*I*B*(c-I*c*tan(f*x+e))^{3/2}*c+1/3*A*(c-I*c*tan(f*x+e))^{3/2}*c+18*I*B*c^2*(c-I*c*tan(f*x+e))^{1/2}+6*A*c^2*(c-I*c*tan(f*x+e))^{1/2}+8*c^3*((-21/16*I*B-13/16*A)*(c-I*c*tan(f*x+e))^{3/2}+(19/8*I*B*c+11/8*A*c)*(c-I*c*tan(f*x+e))^{1/2}))/(-c-I*c*tan(f*x+e))^{2-7/32*(13*I*B+5*A)*2^{1/2}/c^{1/2}*arctanh(1/2*(c-I*c*tan(f*x+e))^{1/2}*2^{1/2}/c^{1/2}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.68899, size = 1382, normalized size = 5.03

$$15 \sqrt{-\frac{(2450 A^2+12740i AB-16562 B^2)c^9}{a^4 f^2}} \left(a^2 f e^{(8i f x+8i e)} + 2 a^2 f e^{(6i f x+6i e)} + a^2 f e^{(4i f x+4i e)} \right) \log \left(\frac{(70i A-182 B)c^5+\sqrt{2}\sqrt{-(2450 A^2+12740i AB-16562 B^2)c^9}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

```
[Out] 1/60*(15*sqrt(-(2450*A^2 + 12740*I*A*B - 16562*B^2)*c^9/(a^4*f^2))*(a^2*f*e
^(8*I*f*x + 8*I*e) + 2*a^2*f*e^(6*I*f*x + 6*I*e) + a^2*f*e^(4*I*f*x + 4*I*
e))*log(((70*I*A - 182*B)*c^5 + sqrt(2)*sqrt(-(2450*A^2 + 12740*I*A*B - 1656
2*B^2)*c^9/(a^4*f^2))*(a^2*f*e^(2*I*f*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*
x + 2*I*e) + 1))))*e^(-I*f*x - I*e)/(a^2*f)) - 15*sqrt(-(2450*A^2 + 12740*I*
A*B - 16562*B^2)*c^9/(a^4*f^2))*(a^2*f*e^(8*I*f*x + 8*I*e) + 2*a^2*f*e^(6*I
*f*x + 6*I*e) + a^2*f*e^(4*I*f*x + 4*I*e))*log(((70*I*A - 182*B)*c^5 - sqrt
(2)*sqrt(-(2450*A^2 + 12740*I*A*B - 16562*B^2)*c^9/(a^4*f^2))*(a^2*f*e^(2*I
*f*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))))*e^(-I*f*x - I*e)/
(a^2*f)) + sqrt(2)*((-1050*I*A + 2730*B)*c^4*e^(8*I*f*x + 8*I*e) + (-2450*I
*A + 6370*B)*c^4*e^(6*I*f*x + 6*I*e) + (-1610*I*A + 4186*B)*c^4*e^(4*I*f*x
+ 4*I*e) + (-150*I*A + 390*B)*c^4*e^(2*I*f*x + 2*I*e) + (60*I*A - 60*B)*c^4
)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))/(a^2*f*e^(8*I*f*x + 8*I*e) + 2*a^2*f*e
^(6*I*f*x + 6*I*e) + a^2*f*e^(4*I*f*x + 4*I*e))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(9/2)/(a+I*a*tan(f*x+e))**2,
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{9}{2}}}{(ia \tan(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^2,x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(9/2)/(I*a*tan(f*x +
e) + a)^2, x)
```


$$3.772 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=238

$$\frac{5c^3(-11B+3iA)\sqrt{c-ic \tan(e+fx)}}{4a^2f} - \frac{5c^2(-11B+3iA)(c-ic \tan(e+fx))^{3/2}}{24a^2f} + \frac{5c^{7/2}(-11B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}}\right)}{2\sqrt{2}a^2f}$$

[Out] (5*((3*I)*A - 11*B)*c^(7/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(2*Sqrt[2]*a^2*f) - (5*((3*I)*A - 11*B)*c^3*Sqrt[c - I*c*Tan[e + f*x]])/(4*a^2*f) - (5*((3*I)*A - 11*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(24*a^2*f) - (((3*I)*A - 11*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(8*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rubi [A] time = 0.272166, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {3588, 78, 47, 50, 63, 208}

$$\frac{5c^3(-11B+3iA)\sqrt{c-ic \tan(e+fx)}}{4a^2f} - \frac{5c^2(-11B+3iA)(c-ic \tan(e+fx))^{3/2}}{24a^2f} + \frac{5c^{7/2}(-11B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}}\right)}{2\sqrt{2}a^2f}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^2, x]

[Out] (5*((3*I)*A - 11*B)*c^(7/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(2*Sqrt[2]*a^2*f) - (5*((3*I)*A - 11*B)*c^3*Sqrt[c - I*c*Tan[e + f*x]])/(4*a^2*f) - (5*((3*I)*A - 11*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(24*a^2*f) - (((3*I)*A - 11*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(8*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I

```

nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
  NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

```

Rule 50

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(
b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2}}{(a + ia \tan(e + fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{5/2}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{f} \\
&= \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{4a^2 f(1 + i \tan(e + fx))^2} - \frac{((3A + 11iB)c) \operatorname{Subst}\left(\int \frac{(c-icx)^{5/2}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{8f} \\
&= -\frac{(3iA - 11B)c(c - ic \tan(e + fx))^{5/2}}{8a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{4a^2 f(1 + i \tan(e + fx))^2} \\
&= -\frac{5(3iA - 11B)c^2(c - ic \tan(e + fx))^{3/2}}{24a^2 f} - \frac{(3iA - 11B)c(c - ic \tan(e + fx))^{5/2}}{8a^2 f(1 + i \tan(e + fx))} \\
&= -\frac{5(3iA - 11B)c^3 \sqrt{c - ic \tan(e + fx)}}{4a^2 f} - \frac{5(3iA - 11B)c^2(c - ic \tan(e + fx))^{3/2}}{24a^2 f} \\
&= -\frac{5(3iA - 11B)c^3 \sqrt{c - ic \tan(e + fx)}}{4a^2 f} - \frac{5(3iA - 11B)c^2(c - ic \tan(e + fx))^{3/2}}{24a^2 f} \\
&= \frac{5(3iA - 11B)c^{7/2} \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{2\sqrt{2}a^2 f} - \frac{5(3iA - 11B)c^3 \sqrt{c - ic \tan(e + fx)}}{4a^2 f}
\end{aligned}$$

Mathematica [F] time = 180.005, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^2,x]

[Out] \$Aborted

Maple [A] time = 0.112, size = 179, normalized size = 0.8

$$\frac{-2ic^2}{fa^2} \left(\frac{i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} + 5iBc \sqrt{c - ic \tan(fx + e)} + Ac \sqrt{c - ic \tan(fx + e)} + 2c^2 \left(\frac{1}{(-c - ic \tan(fx + e))} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^2,x)

[Out] $-2*I/f/a^2*c^2*(1/3*I*B*(c-I*c*tan(f*x+e))^{3/2}+5*I*B*c*(c-I*c*tan(f*x+e))^{1/2}+A*c*(c-I*c*tan(f*x+e))^{1/2}+2*c^2*((-17/8*I*B-9/8*A)*(c-I*c*tan(f*x+e))^{3/2}+(15/4*I*B*c+7/4*A*c)*(c-I*c*tan(f*x+e))^{1/2}))/(-c-I*c*tan(f*x+e))^2-5/16*(11*I*B+3*A)*2^{1/2}/c^{1/2}*arctanh(1/2*(c-I*c*tan(f*x+e))^{1/2})*2^{1/2}/c^{1/2}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.64429, size = 1215, normalized size = 5.11

$$3 \sqrt{\frac{1}{2}} \left(a^2 f e^{(6i f x + 6i e)} + a^2 f e^{(4i f x + 4i e)} \right) \sqrt{-\frac{(225 A^2 + 1650 i A B - 3025 B^2) c^7}{a^4 f^2}} \log \left(\frac{\left((15i A - 55 B) e^4 + \sqrt{2} \sqrt{\frac{1}{2}} \left(a^2 f e^{(2i f x + 2i e)} + a^2 f \right) \sqrt{-\frac{(225 A^2 + 1650 i A B - 3025 B^2) c^7}{a^4 f^2}} \right)}{a^2 f}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] $1/12*(3*\sqrt{1/2}*(a^2*f*e^{(6*I*f*x + 6*I*e)} + a^2*f*e^{(4*I*f*x + 4*I*e)})*\sqrt{-(225*A^2 + 1650*I*A*B - 3025*B^2)*c^7/(a^4*f^2)}*\log(((15*I*A - 55*B)*c^4 + \sqrt{2}*\sqrt{1/2}*(a^2*f*e^{(2*I*f*x + 2*I*e)} + a^2*f)*\sqrt{-(225*A^2 + 1650*I*A*B - 3025*B^2)*c^7/(a^4*f^2)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)})))*e^{(-I*f*x - I*e)}/(a^2*f) - 3*\sqrt{1/2}*(a^2*f*e^{(6*I*f*x + 6*I*e)} + a^2*f*$

$$e^{(4I*fx + 4I*e)} * \sqrt{-(225*A^2 + 1650*I*A*B - 3025*B^2)*c^7/(a^4*f^2)} \\ * \log(((15*I*A - 55*B)*c^4 - \sqrt{2}*\sqrt{1/2}*(a^2*f*e^{(2*I*fx + 2*I*e)} + \\ a^2*f)*\sqrt{-(225*A^2 + 1650*I*A*B - 3025*B^2)*c^7/(a^4*f^2)}*\sqrt{c/(e^{(2*I*fx + 2*I*e)} + 1)})) \\ * e^{(-I*fx - I*e)/(a^2*f)} + \sqrt{2}*((-45*I*A + 165*B) * c^3 * e^{(6*I*fx + 6*I*e)} + (-60*I*A + 220*B) * c^3 * e^{(4*I*fx + 4*I*e)} + (-9 * I*A + 33*B) * c^3 * e^{(2*I*fx + 2*I*e)} + (6*I*A - 6*B) * c^3) * \sqrt{c/(e^{(2*I*fx + 2*I*e)} + 1)}) \\ / (a^2*f*e^{(6*I*fx + 6*I*e)} + a^2*f*e^{(4*I*fx + 4*I*e)})$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2)/(a+I*a*tan(f*x+e))**2, x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-i c \tan(fx + e) + c)^{\frac{7}{2}}}{(i a \tan(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(7/2)/(I*a*tan(f*x + e) + a)^2, x)

$$3.773 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=199

$$-\frac{3c^2(-9B+iA)\sqrt{c-ic \tan(e+fx)}}{8a^2f} + \frac{3c^{5/2}(-9B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a^2f} - \frac{c(-9B+iA)(c-ic \tan(e+fx))^{3/2}}{8a^2f(1+i \tan(e+fx))}$$

```
[Out] (3*(I*A - 9*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])
]/(4*Sqrt[2]*a^2*f) - (3*(I*A - 9*B)*c^2*Sqrt[c - I*c*Tan[e + f*x]])/(8*a^
2*f) - ((I*A - 9*B)*c*(c - I*c*Tan[e + f*x])^(3/2))/(8*a^2*f*(1 + I*Tan[e +
f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))/(4*a^2*f*(1 + I*Tan[e +
f*x])^2)
```

Rubi [A] time = 0.24501, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {3588, 78, 47, 50, 63, 208}

$$-\frac{3c^2(-9B+iA)\sqrt{c-ic \tan(e+fx)}}{8a^2f} + \frac{3c^{5/2}(-9B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a^2f} - \frac{c(-9B+iA)(c-ic \tan(e+fx))^{3/2}}{8a^2f(1+i \tan(e+fx))}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f
x])^2, x]
```

```
[Out] (3*(I*A - 9*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])
]/(4*Sqrt[2]*a^2*f) - (3*(I*A - 9*B)*c^2*Sqrt[c - I*c*Tan[e + f*x]])/(8*a^
2*f) - ((I*A - 9*B)*c*(c - I*c*Tan[e + f*x])^(3/2))/(8*a^2*f*(1 + I*Tan[e +
f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))/(4*a^2*f*(1 + I*Tan[e +
f*x])^2)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 47

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
```

rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2}}{(a + ia \tan(e + fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{3/2}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{4a^2 f(1 + i \tan(e + fx))^2} - \frac{((A + 9iB)c) \operatorname{Subst}\left(\int \frac{(c-icx)^{3/2}}{(a+iax)^2} dx, x\right)}{8f} \\ &= -\frac{(iA - 9B)c(c - ic \tan(e + fx))^{3/2}}{8a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{4a^2 f(1 + i \tan(e + fx))^2} + \\ &= -\frac{3(iA - 9B)c^2 \sqrt{c - ic \tan(e + fx)}}{8a^2 f} - \frac{(iA - 9B)c(c - ic \tan(e + fx))^{3/2}}{8a^2 f(1 + i \tan(e + fx))} \\ &= -\frac{3(iA - 9B)c^2 \sqrt{c - ic \tan(e + fx)}}{8a^2 f} - \frac{(iA - 9B)c(c - ic \tan(e + fx))^{3/2}}{8a^2 f(1 + i \tan(e + fx))} \\ &= \frac{3(iA - 9B)c^{5/2} \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a^2 f} - \frac{3(iA - 9B)c^2 \sqrt{c - ic \tan(e + fx)}}{8a^2 f} \end{aligned}$$

Mathematica [F] time = 180.004, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x])^2, x]

[Out] \$Aborted

Maple [A] time = 0.108, size = 138, normalized size = 0.7

$$\frac{-2ic^2}{fa^2} \left(iB\sqrt{c-ic\tan(fx+e)} + c \left(\frac{1}{(-c-ic\tan(fx+e))^2} \left(\left(-\frac{13i}{8}B - \frac{5A}{8} \right) (c-ic\tan(fx+e))^{\frac{3}{2}} + \left(\frac{11i}{4}Bc + \frac{3Ac}{4} \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^2,x)

[Out] $-2*I/f/a^2*c^2*(I*B*(c-I*c*tan(f*x+e))^{1/2}+c*(((-13/8*I*B-5/8*A)*(c-I*c*tan(f*x+e))^{3/2}+(11/4*I*B*c+3/4*A*c)*(c-I*c*tan(f*x+e))^{1/2})/(-c-I*c*tan(f*x+e))^2-3/16*(9*I*B+A)*2^{1/2}/c^{1/2}*arctanh(1/2*(c-I*c*tan(f*x+e))^{1/2}*2^{1/2}/c^{1/2})))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.41553, size = 1011, normalized size = 5.08

$$\left(\sqrt{\frac{1}{2}} a^2 f \sqrt{-\frac{(9A^2+162iAB-729B^2)c^5}{a^4 f^2}} e^{(4i f x + 4i e)} \log \left(\frac{\left((3iA-27B)c^3 + \sqrt{2} \sqrt{\frac{1}{2}} (a^2 f e^{(2i f x + 2i e)} + a^2 f) \sqrt{-\frac{(9A^2+162iAB-729B^2)c^5}{a^4 f^2}} \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \right) e^{(-i f x - i e)}}{2 a^2 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] $1/8*(\text{sqrt}(1/2)*a^2*f*\text{sqrt}(-(9*A^2 + 162*I*A*B - 729*B^2)*c^5/(a^4*f^2)))*e^{(4*I*f*x + 4*I*e)}*\log(1/2*((3*I*A - 27*B)*c^3 + \text{sqrt}(2)*\text{sqrt}(1/2)*(a^2*f*e^{(2*I*f*x + 2*I*e)} + a^2*f)*\text{sqrt}(-(9*A^2 + 162*I*A*B - 729*B^2)*c^5/(a^4*f^2)))*\text{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))))*e^{(-I*f*x - I*e)/(a^2*f)} - \text{sqrt}(1/2)*a^2*f*\text{sqrt}(-(9*A^2 + 162*I*A*B - 729*B^2)*c^5/(a^4*f^2))*e^{(4*I*f*x + 4*I*e)}*\log(1/2*((3*I*A - 27*B)*c^3 - \text{sqrt}(2)*\text{sqrt}(1/2)*(a^2*f*e^{(2*I*f*x + 2*I*e)} + a^2*f)*\text{sqrt}(-(9*A^2 + 162*I*A*B - 729*B^2)*c^5/(a^4*f^2)))*\text{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))))*e^{(-I*f*x - I*e)/(a^2*f)} + \text{sqrt}(2)*((-3*I*A + 27*B)*c^2*e^{(4*I*f*x + 4*I*e)} + (-I*A + 9*B)*c^2*e^{(2*I*f*x + 2*I*e)} + (2*I*A - 2*B)*c^2)*\text{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))))*e^{(-4*I*f*x - 4*I*e)/(a^2*f)}$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2)/(a+I*a*tan(f*x+e))**2, x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{5}{2}}}{(ia \tan(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(5/2)/(I*a*tan(f*x + e) + a)^2, x)

$$3.774 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=160

$$\frac{c^{3/2}(7B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}a^2f} + \frac{c(7B+iA)\sqrt{c-ic \tan(e+fx)}}{8a^2f(1+i \tan(e+fx))} + \frac{(-B+iA)(c-ic \tan(e+fx))^{3/2}}{4a^2f(1+i \tan(e+fx))^2}$$

[Out] -((I*A + 7*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[2]*a^2*f) + ((I*A + 7*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(8*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rubi [A] time = 0.226024, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 47, 63, 208}

$$\frac{c^{3/2}(7B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}a^2f} + \frac{c(7B+iA)\sqrt{c-ic \tan(e+fx)}}{8a^2f(1+i \tan(e+fx))} + \frac{(-B+iA)(c-ic \tan(e+fx))^{3/2}}{4a^2f(1+i \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*x])^2, x]

[Out] -((I*A + 7*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[2]*a^2*f) + ((I*A + 7*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(8*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(4*a^2*f*(1 + I*Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &

& IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}{(a + ia \tan(e + fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)\sqrt{c-icx}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{4a^2 f(1 + i \tan(e + fx))^2} + \frac{((A - 7iB)c) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{8f} \\ &= \frac{(iA + 7B)c\sqrt{c - ic \tan(e + fx)}}{8a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{4a^2 f(1 + i \tan(e + fx))^2} - \frac{((iA - 7B)c) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{8f} \\ &= \frac{(iA + 7B)c\sqrt{c - ic \tan(e + fx)}}{8a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{4a^2 f(1 + i \tan(e + fx))^2} - \frac{((iA - 7B)c) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{(a+iax)^2} dx, x, \tan(e + fx)\right)}{8f} \\ &= -\frac{(iA + 7B)c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}a^2 f} + \frac{(iA + 7B)c\sqrt{c - ic \tan(e + fx)}}{8a^2 f(1 + i \tan(e + fx))} \end{aligned}$$

Mathematica [A] time = 3.86559, size = 205, normalized size = 1.28

$$\frac{\sec(e + fx)(\cos(fx) + i \sin(fx))^2(A + B \tan(e + fx))\left(\sqrt{2}c^{3/2}(A - 7iB)(\sin(2e) - i \cos(2e)) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right) + 2c\right)}{16f(a + ia \tan(e + fx))^2(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*x])^2, x]

[Out] (Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x])*(Sqrt[2]*(A - (7*I)*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]*((-I)*Cos[2*e] + Sin[2*e]) + 2*c*Cos[e + f*x]*(Cos[2*f*x] - I*Sin[2*f*x])*((3*I)*A + 5*B)*Cos[e + f*x] + (A + (9*I)*B)*Sin[e + f*x]*Sqrt[c - I*c*Tan[e + f*x]]))/(16*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2)

Maple [A] time = 0.099, size = 117, normalized size = 0.7

$$\frac{-2ic^2}{fa^2} \left(\frac{1}{(-c - ic \tan(fx + e))^2} \left(\left(-\frac{9i}{16}B - \frac{A}{16} \right) (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(\frac{7i}{8}Bc - \frac{Ac}{8} \right) \sqrt{c - ic \tan(fx + e)} \right) + \frac{(-7iB + A)c}{32} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^2,x)
```

```
[Out] -2*I/f/a^2*c^2*(((9/16*I*B-1/16*A)*(c-I*c*tan(f*x+e))^(3/2)+(7/8*I*B*c-1/8
*A*c)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^2+1/32*(-7*I*B+A)*2^(1/
2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^2,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.44929, size = 973, normalized size = 6.08

$$\left(\sqrt{\frac{1}{2}} a^2 f \sqrt{-\frac{(A^2 - 14iAB - 49B^2)c^3}{a^4 f^2}} e^{(4i f x + 4i e)} \log \left(\frac{\left((-iA - 7B)c^2 + \sqrt{2} \sqrt{\frac{1}{2}} (a^2 f e^{(2i f x + 2i e)} + a^2 f) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{-\frac{(A^2 - 14iAB - 49B^2)c^3}{a^4 f^2}} \right) e^{(-i f x - i e)}}{4 a^2 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^2,x,
algorithm="fricas")
```

```
[Out] 1/16*(sqrt(1/2)*a^2*f*sqrt(-(A^2 - 14*I*A*B - 49*B^2)*c^3/(a^4*f^2)))*e^(4*I
*f*x + 4*I*e)*log(1/4*((-I*A - 7*B)*c^2 + sqrt(2)*sqrt(1/2)*(a^2*f*e^(2*I*f
*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 14*I*A*
B - 49*B^2)*c^3/(a^4*f^2)))*e^(-I*f*x - I*e)/(a^2*f)) - sqrt(1/2)*a^2*f*sq
rt(-(A^2 - 14*I*A*B - 49*B^2)*c^3/(a^4*f^2))*e^(4*I*f*x + 4*I*e)*log(1/4*((-
I*A - 7*B)*c^2 - sqrt(2)*sqrt(1/2)*(a^2*f*e^(2*I*f*x + 2*I*e) + a^2*f)*sqrt
(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 14*I*A*B - 49*B^2)*c^3/(a^4*f^2)
))*e^(-I*f*x - I*e)/(a^2*f)) + sqrt(2)*((I*A + 7*B)*c*e^(4*I*f*x + 4*I*e) +
(3*I*A + 5*B)*c*e^(2*I*f*x + 2*I*e) + (2*I*A - 2*B)*c)*sqrt(c/(e^(2*I*f*x
+ 2*I*e) + 1)))*e^(-4*I*f*x - 4*I*e)/(a^2*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^2,
x)
```

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{3}{2}}}{(ia \tan(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^2,x,
algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(3/2)/(I*a*tan(f*x +
e) + a)^2, x)

$$3.775 \quad \int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=159

$$\frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{4a^2f(1+i \tan(e+fx))^2} + \frac{(5B+3iA)\sqrt{c-ic \tan(e+fx)}}{16a^2f(1+i \tan(e+fx))} + \frac{\sqrt{c}(5B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}a^2f}$$

[Out] (((3*I)*A + 5*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(16*Sqrt[2]*a^2*f) + ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(4*a^2*f*(1 + I*Tan[e + f*x])^2) + (((3*I)*A + 5*B)*Sqrt[c - I*c*Tan[e + f*x]])/(16*a^2*f*(1 + I*Tan[e + f*x]))

Rubi [A] time = 0.212286, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{4a^2f(1+i \tan(e+fx))^2} + \frac{(5B+3iA)\sqrt{c-ic \tan(e+fx)}}{16a^2f(1+i \tan(e+fx))} + \frac{\sqrt{c}(5B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}a^2f}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x])^2, x]

[Out] (((3*I)*A + 5*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(16*Sqrt[2]*a^2*f) + ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(4*a^2*f*(1 + I*Tan[e + f*x])^2) + (((3*I)*A + 5*B)*Sqrt[c - I*c*Tan[e + f*x]])/(16*a^2*f*(1 + I*Tan[e + f*x]))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 51

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I

ntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx)) \sqrt{c - ic \tan(e + fx)}}{(a + ia \tan(e + fx))^2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^3 \sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{4a^2 f (1 + i \tan(e + fx))^2} + \frac{((3A - 5iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax)^2 \sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{8f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{4a^2 f (1 + i \tan(e + fx))^2} + \frac{(3iA + 5B) \sqrt{c - ic \tan(e + fx)}}{16a^2 f (1 + i \tan(e + fx))} + \frac{((3A - 5iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax) \sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{8f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{4a^2 f (1 + i \tan(e + fx))^2} + \frac{(3iA + 5B) \sqrt{c - ic \tan(e + fx)}}{16a^2 f (1 + i \tan(e + fx))} + \frac{(3iA + 5B) \sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}a^2 f} + \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{4a^2 f (1 + i \tan(e + fx))^2} + \end{aligned}$$

Mathematica [A] time = 2.84846, size = 206, normalized size = 1.3

$$\frac{\sec(e + fx)(\cos(fx) + i \sin(fx))^2 (A + B \tan(e + fx)) \left(2 \cos(e + fx)(\cos(2fx) - i \sin(2fx)) \sqrt{c - ic \tan(e + fx)}((-3A + 5iB) \cos(e + fx) + (3A - 5iB) \sin(e + fx)) \right)}{32f(a + ia \tan(e + fx))^2 (A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x])^2,x]

[Out] (Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])^2*(A + B*Tan[e + f*x])*(Sqrt[2]*((3*I)*A + 5*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]*(Cos[2*e] + I*Sin[2*e]) + 2*Cos[e + f*x]*(Cos[2*f*x] - I*Sin[2*f*x])*(((7*I)*A + B)*Cos[e + f*x] + (-3*A + (5*I)*B)*Sin[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]))/(32*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^2)

Maple [A] time = 0.144, size = 121, normalized size = 0.8

$$\frac{-2ic^2}{fa^2} \left(\frac{1}{(-c - ic \tan(fx + e))^2} \left(\frac{3A - 5iB}{32c} (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(-\frac{5A}{16} + \frac{3iB}{16} \right) \sqrt{c - ic \tan(fx + e)} \right) - \frac{(3A - 5iB)}{64} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x)
```

```
[Out] -2*I/f/a^2*c^2*((1/32/c*(3*A-5*I*B)*(c-I*c*tan(f*x+e))^(3/2)+(-5/16*A+3/16*I*B)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^2-1/64/c^(3/2)*(3*A-5*I*B)*2^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x,
algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.43613, size = 961, normalized size = 6.04

$$\left(\sqrt{\frac{1}{2}} a^2 f \sqrt{-\frac{(9A^2 - 30iAB - 25B^2)c}{a^4 f^2}} e^{(4i f x + 4i e)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} \left(a^2 f e^{(2i f x + 2i e)} + a^2 f \right) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{-\frac{(9A^2 - 30iAB - 25B^2)c}{a^4 f^2}} + (3iA + 5B)c \right) e^{(-i f x - i e)}}{8 a^2 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x,
algorithm="fricas")
```

```
[Out] 1/32*(sqrt(1/2)*a^2*f*sqrt(-(9*A^2 - 30*I*A*B - 25*B^2)*c/(a^4*f^2)))*e^(4*I*f*x + 4*I*e)*log(1/8*(sqrt(2)*sqrt(1/2)*(a^2*f*e^(2*I*f*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(9*A^2 - 30*I*A*B - 25*B^2)*c/(a^4*f^2)) + (3*I*A + 5*B)*c)*e^(-I*f*x - I*e)/(a^2*f)) - sqrt(1/2)*a^2*f*sqrt(-(9*A^2 - 30*I*A*B - 25*B^2)*c/(a^4*f^2))*e^(4*I*f*x + 4*I*e)*log(-1/8*(sqrt(2)*sqrt(1/2)*(a^2*f*e^(2*I*f*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(9*A^2 - 30*I*A*B - 25*B^2)*c/(a^4*f^2)) - (3*I*A + 5*B)*c)*e^(-I*f*x - I*e)/(a^2*f)) + sqrt(2)*((5*I*A + 3*B)*e^(4*I*f*x + 4*I*e) + (7*I*A + B)*e^(2*I*f*x + 2*I*e) + 2*I*A - 2*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-4*I*f*x - 4*I*e)/(a^2*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**2,
x)
```

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{-ic \tan(fx + e) + c}}{(ia \tan(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x,
algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(-I*c*tan(f*x + e) + c)/(I*a*tan(f*x + e)
) + a)^2, x)

$$3.776 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2 \sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=195

$$\frac{-B+iA}{4a^2 f(1+i \tan(e+fx))^2 \sqrt{c-ic \tan(e+fx)}} - \frac{3(3B+5iA)}{32a^2 f \sqrt{c-ic \tan(e+fx)}} + \frac{3B+5iA}{16a^2 f(1+i \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}}$$

```
[Out] (3*((5*I)*A + 3*B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(
32*Sqrt[2]*a^2*Sqrt[c]*f) - (3*((5*I)*A + 3*B))/(32*a^2*f*Sqrt[c - I*c*Tan[
e + f*x]]) + (I*A - B)/(4*a^2*f*(1 + I*Tan[e + f*x])^2*Sqrt[c - I*c*Tan[e +
f*x]]) + ((5*I)*A + 3*B)/(16*a^2*f*(1 + I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e
+ f*x]])
```

Rubi [A] time = 0.247676, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{-B+iA}{4a^2 f(1+i \tan(e+fx))^2 \sqrt{c-ic \tan(e+fx)}} - \frac{3(3B+5iA)}{32a^2 f \sqrt{c-ic \tan(e+fx)}} + \frac{3B+5iA}{16a^2 f(1+i \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*Sqrt[c - I*c*Tan[e + f*x
]]),x]
```

```
[Out] (3*((5*I)*A + 3*B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(
32*Sqrt[2]*a^2*Sqrt[c]*f) - (3*((5*I)*A + 3*B))/(32*a^2*f*Sqrt[c - I*c*Tan[
e + f*x]]) + (I*A - B)/(4*a^2*f*(1 + I*Tan[e + f*x])^2*Sqrt[c - I*c*Tan[e +
f*x]]) + ((5*I)*A + 3*B)/(16*a^2*f*(1 + I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e
+ f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x],
x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
```

`[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && IntLinearQ[a, b, c, d, m, n, x]`

Rule 63

`Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^3(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} + \frac{((5A - 3iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax)^3(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{16a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} \\ &= \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} + \frac{5iA + 3B}{16a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} \\ &= -\frac{3(5iA + 3B)}{32a^2 f \sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} \\ &= -\frac{3(5iA + 3B)}{32a^2 f \sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} \\ &= \frac{3(5iA + 3B) \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{32\sqrt{2}a^2 \sqrt{c} f} - \frac{3(5iA + 3B)}{32a^2 f \sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 \sqrt{c - ic \tan(e + fx)}} \end{aligned}$$

Mathematica [A] time = 4.74789, size = 160, normalized size = 0.82

$$\frac{\sqrt{c - ic \tan(e + fx)}(\sin(e + fx) + i \cos(e + fx)) \left(3(5A - 3iB)e^{i(e+fx)} \sqrt{1 + e^{2i(e+fx)}} \tanh^{-1}\left(\sqrt{1 + e^{2i(e+fx)}}\right) - 2 \cos(e + fx) \right)}{64a^2 c f}$$

Antiderivative was successfully verified.

`[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*Sqrt[c - I*c*Tan[e + f*x]]), x]`

`[Out] ((I*Cos[e + f*x] + Sin[e + f*x])*(3*(5*A - (3*I)*B)*E^(I*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]] - 2*Cos[e + f*x]*(-9*A - I*B + 2*(3*A - (5*I)*B)*Cos[2*(e + f*x)] + 2*((5*I)*A + 3*B)*Sin[2*(e + f*x)]))*Sqrt[c - I*c*Tan[e + f*x]]/(64*a^2*c*f)`

Maple [A] time = 0.161, size = 152, normalized size = 0.8

$$\frac{-2ic^2}{fa^2} \left(\frac{1}{8c^2} \left(\frac{1}{(-c - ic \tan(fx + e))^2} \left(\left(-\frac{i}{8}B + \frac{7A}{8} \right) (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(-\frac{9Ac}{4} - \frac{i}{4}Bc \right) \sqrt{c - ic \tan(fx + e)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^2,x)

[Out] -2*I/f/a^2*c^2*(1/8/c^2*(((-1/8*I*B+7/8*A)*(c-I*c*tan(f*x+e))^(3/2)+(-9/4*A*c-1/4*I*B*c)*(c-I*c*tan(f*x+e))^(1/2)))/(-c-I*c*tan(f*x+e))^2-3/16*(-3*I*B+5*A)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))-1/8/c^2*(-A+I*B)/(c-I*c*tan(f*x+e))^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.54952, size = 1031, normalized size = 5.29

$$\left(\sqrt{\frac{1}{2}} a^2 c f \sqrt{-\frac{225 A^2 - 270 i A B - 81 B^2}{a^4 c f^2}} e^{(4i f x + 4i e)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} (a^2 f e^{(2i f x + 2i e)} + a^2 f) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{-\frac{225 A^2 - 270 i A B - 81 B^2}{a^4 c f^2} + 15 i A + 9 B} \right) e^{(-i f x - i e)}}{16 a^2 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/64*(sqrt(1/2)*a^2*c*f*sqrt(-(225*A^2 - 270*I*A*B - 81*B^2)/(a^4*c*f^2))*e^(4*I*f*x + 4*I*e)*log(1/16*(sqrt(2)*sqrt(1/2)*(a^2*f*e^(2*I*f*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(225*A^2 - 270*I*A*B - 81*B^2)/(a^4*c*f^2)) + 15*I*A + 9*B)*e^(-I*f*x - I*e)/(a^2*f)) - sqrt(1/2)*a^2*c*f*sqrt(-(225*A^2 - 270*I*A*B - 81*B^2)/(a^4*c*f^2))*e^(4*I*f*x + 4*I*e)*log(-1/16*(sqrt(2)*sqrt(1/2)*(a^2*f*e^(2*I*f*x + 2*I*e) + a^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(225*A^2 - 270*I*A*B - 81*B^2)/(a^4*c*f^2)) - 15*I*A - 9*B)*e^(-I*f*x - I*e)/(a^2*f)) + sqrt(2)*((-8*I*A - 8*B)*e^(6*I*f*x + 6*I*e) + (I*A - 9*B)*e^(4*I*f*x + 4*I*e) + (11*I*A - 3*B)*e^(2*I*f*x + 2*I*e) + 2*I*A - 2*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-4*I*f*x - 4*I*e)/(a^2*c*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2)/(a+I*a*tan(f*x+e))**2, x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^2 \sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^2*sqrt(-I*c*tan(f*x + e) + c)), x)

$$3.777 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=226

$$\frac{5(B+7iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{64\sqrt{2}a^2c^{3/2}f} + \frac{-B+iA}{4a^2f(1+i \tan(e+fx))^2(c-ic \tan(e+fx))^{3/2}} - \frac{5(B+7iA)}{64a^2cf\sqrt{c-ic \tan(e+fx)}} - 9$$

[Out] (5*((7*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(64 *Sqrt[2]*a^2*c^(3/2)*f) - (5*((7*I)*A + B))/(96*a^2*f*(c - I*c*Tan[e + f*x])^(3/2)) + (I*A - B)/(4*a^2*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(3/2)) + ((7*I)*A + B)/(16*a^2*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)) - (5*((7*I)*A + B))/(64*a^2*c*f*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.290363, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{5(B+7iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{64\sqrt{2}a^2c^{3/2}f} + \frac{-B+iA}{4a^2f(1+i \tan(e+fx))^2(c-ic \tan(e+fx))^{3/2}} - \frac{5(B+7iA)}{64a^2cf\sqrt{c-ic \tan(e+fx)}} - 9$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(3/2)), x]

[Out] (5*((7*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(64 *Sqrt[2]*a^2*c^(3/2)*f) - (5*((7*I)*A + B))/(96*a^2*f*(c - I*c*Tan[e + f*x])^(3/2)) + (I*A - B)/(4*a^2*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(3/2)) + ((7*I)*A + B)/(16*a^2*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)) - (5*((7*I)*A + B))/(64*a^2*c*f*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 51

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ

[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^3 (c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}} + \frac{((7A - iB)c) \text{Subst} \left(\int \frac{1}{(a+iax)^3 (c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{16a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}} + \frac{5(7iA + B)}{96a^2 f (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{5(7iA + B)}{96a^2 f (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{5(7iA + B)}{96a^2 f (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{5(7iA + B) \tanh^{-1} \left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}} \right)}{64\sqrt{2}a^2 c^{3/2} f} - \frac{5(7iA + B)}{96a^2 f (c - ic \tan(e + fx))^{3/2}} + \dots$$

Mathematica [A] time = 5.91634, size = 204, normalized size = 0.9

$$\frac{e^{-4i(e+fx)} \sqrt{c - ic \tan(e + fx)} \left(15(B + 7iA) e^{4i(e+fx)} \sqrt{1 + e^{2i(e+fx)}} \tanh^{-1} \left(\sqrt{1 + e^{2i(e+fx)}} \right) - i \left(1 + e^{2i(e+fx)} \right) \left(A \left(-39e^{2i(e+fx)} \right) \right) \right)}{384a^2 c^2 f}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(3/2)), x]

[Out] (((-I)*(1 + E^((2*I)*(e + f*x))))*(-I)*B*(6 + 15*E^((2*I)*(e + f*x)) + 32*E^((4*I)*(e + f*x)) + 8*E^((6*I)*(e + f*x)))) + A*(-6 - 39*E^((2*I)*(e + f*x)) + 80*E^((4*I)*(e + f*x)) + 8*E^((6*I)*(e + f*x)))) + 15*((7*I)*A + B)*E^((4*I)*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]]

+ f*x))]])*Sqrt[c - I*c*Tan[e + f*x]]/(384*a^2*c^2*E^((4*I)*(e + f*x))*f)

Maple [A] time = 0.109, size = 179, normalized size = 0.8

$$\frac{-2ic^2}{fa^2} \left(\frac{1}{16c^3} \left(\frac{1}{(-c - ic \tan(fx + e))^2} \left(\left(\frac{3i}{8}B + \frac{11A}{8} \right) (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(-\frac{13Ac}{4} - \frac{5i}{4}Bc \right) \sqrt{c - ic \tan(fx + e)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(3/2),x)

[Out] -2*I/f/a^2*c^2*(1/16/c^3*((3/8*I*B+11/8*A)*(c-I*c*tan(f*x+e))^(3/2)+(-13/4*A*c-5/4*I*B*c)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^2-5/16*(7*A-I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))-1/16/c^3*(-3*A+I*B)/(c-I*c*tan(f*x+e))^(1/2)-1/24/c^2*(-A+I*B)/(c-I*c*tan(f*x+e))^(3/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.53654, size = 1139, normalized size = 5.04

$$\left(3 \sqrt{\frac{1}{2}} a^2 c^2 f \sqrt{-\frac{1225 A^2 - 350 i A B - 25 B^2}{a^4 c^3 f^2}} e^{(4i f x + 4i e)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} (a^2 c f e^{(2i f x + 2i e)} + a^2 c f) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{-\frac{1225 A^2 - 350 i A B - 25 B^2}{a^4 c^3 f^2} + 35 i A + 5 B} \right) e^{(-i f x - i e)}}{32 a^2 c f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] 1/384*(3*sqrt(1/2)*a^2*c^2*f*sqrt(-(1225*A^2 - 350*I*A*B - 25*B^2)/(a^4*c^3*f^2))*e^(4*I*f*x + 4*I*e)*log(1/32*(sqrt(2)*sqrt(1/2)*(a^2*c*f*e^(2*I*f*x + 2*I*e) + a^2*c*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(1225*A^2 - 350*I*A*B - 25*B^2)/(a^4*c^3*f^2)) + 35*I*A + 5*B)*e^(-I*f*x - I*e)/(a^2*c*f)) - 3*sqrt(1/2)*a^2*c^2*f*sqrt(-(1225*A^2 - 350*I*A*B - 25*B^2)/(a^4*c^3*f^2))*e^(4*I*f*x + 4*I*e)*log(-1/32*(sqrt(2)*sqrt(1/2)*(a^2*c*f*e^(2*I*f*x + 2*I*e) + a^2*c*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(1225*A^2 - 350*I*A*B - 25*B^2)/(a^4*c^3*f^2)) - 35*I*A - 5*B)*e^(-I*f*x - I*e)/(a^2*c*f)) + sqrt(2)*((-8*I*A - 8*B)*e^(8*I*f*x + 8*I*e) + (-88*I*A - 40*B)*e^(6*I*f*x + 6*I*e) + (-41*I*A - 47*B)*e^(4*I*f*x + 4*I*e) + (45*I*A - 21*B)*e^(2*I*f*x

+ 2*I*e) + 6*I*A - 6*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-4*I*f*x - 4*I*e)/(a^2*c^2*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**2/(c-I*c*tan(f*x+e))**(3/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^2 (-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^2*(-I*c*tan(f*x + e) + c)^(3/2)), x)

$$3.778 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^2(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=273

$$\frac{7(-B+9iA)}{128a^2c^2f\sqrt{c-ic \tan(e+fx)}} + \frac{7(-B+9iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{128\sqrt{2}a^2c^{5/2}f} + \frac{-B+iA}{4a^2f(1+i \tan(e+fx))^2(c-ic \tan(e+fx))^{5/2}}$$

```
[Out] (7*((9*I)*A - B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(12
8*Sqrt[2]*a^2*c^(5/2)*f) - (7*((9*I)*A - B))/(160*a^2*f*(c - I*c*Tan[e + f*
x])^(5/2)) + (I*A - B)/(4*a^2*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x
])^(5/2)) + ((9*I)*A - B)/(16*a^2*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f
*x])^(5/2)) - (7*((9*I)*A - B))/(192*a^2*c*f*(c - I*c*Tan[e + f*x])^(3/2))
- (7*((9*I)*A - B))/(128*a^2*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.315856, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{7(-B+9iA)}{128a^2c^2f\sqrt{c-ic \tan(e+fx)}} + \frac{7(-B+9iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{128\sqrt{2}a^2c^{5/2}f} + \frac{-B+iA}{4a^2f(1+i \tan(e+fx))^2(c-ic \tan(e+fx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(
5/2)), x]
```

```
[Out] (7*((9*I)*A - B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(12
8*Sqrt[2]*a^2*c^(5/2)*f) - (7*((9*I)*A - B))/(160*a^2*f*(c - I*c*Tan[e + f*
x])^(5/2)) + (I*A - B)/(4*a^2*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x
])^(5/2)) + ((9*I)*A - B)/(16*a^2*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f
*x])^(5/2)) - (7*((9*I)*A - B))/(192*a^2*c*f*(c - I*c*Tan[e + f*x])^(3/2))
- (7*((9*I)*A - B))/(128*a^2*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
```

```
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^3(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}} + \frac{(9A + iB)c \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^3(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{16a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{16a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{7(9iA - B)}{160a^2 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{7(9iA - B)}{160a^2 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{7(9iA - B)}{160a^2 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{7(9iA - B)}{160a^2 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{4a^2 f (1 + i \tan(e + fx))^2 (c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{7(9iA - B) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{128\sqrt{2}a^2c^{5/2}f} - \frac{7(9iA - B)}{160a^2 f (c - ic \tan(e + fx))^{5/2}} +$$

Mathematica [A] time = 9.1252, size = 209, normalized size = 0.77

$$\frac{\sqrt{c - ic \tan(e + fx)}(\cos(e + fx) + i \sin(e + fx)) \left(105i(9A + iB)e^{-i(e+fx)}\sqrt{1 + e^{2i(e+fx)}} \tanh^{-1}\left(\sqrt{1 + e^{2i(e+fx)}}\right) + 2 \cos(e + fx)\right)}{160a^2 f (c - ic \tan(e + fx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^2*(c - I*c*Tan[e + f
*x])^(5/2)), x]
```

```
[Out] ((Cos[e + f*x] + I*Sin[e + f*x])*(((105*I)*(9*A + I*B)*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]])/E^(I*(e + f*x)) + 2*Cos[e + f*x]*((-864*I)*A - 64*B + ((87*I)*A - 223*B)*Cos[2*(e + f*x)] + (6*I)*(A + (9*I)*B)*Cos[4*(e + f*x)] + 423*A*Sin[2*(e + f*x)] + (47*I)*B*Sin[2*(e + f*x)] + 54*A*Sin[4*(e + f*x)] + (6*I)*B*Sin[4*(e + f*x)]))*Sqrt[c - I*c*Tan[e + f*x]]/(3840*a^2*c^3*f)
```

Maple [A] time = 0.118, size = 199, normalized size = 0.7

$$\frac{-2ic^2}{fa^2} \left(\frac{1}{16c^4} \left(\frac{1}{(-c - ic \tan(fx + e))^2} \left(\left(\frac{7i}{16}B + \frac{15A}{16} \right) (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(-\frac{9i}{8}Bc - \frac{17Ac}{8} \right) \sqrt{c - ic \tan(fx + e)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(5/2), x)
```

```
[Out] -2*I/f/a^2*c^2*(1/16/c^4*((7/16*I*B+15/16*A)*(c-I*c*tan(f*x+e))^(3/2)+(-9/8*I*B*c-17/8*A*c)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^2-7/32*(I*B+9*A)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))+3/16*A/c^4/(c-I*c*tan(f*x+e))^(1/2)-1/48/c^3*(-3*A+I*B)/(c-I*c*tan(f*x+e))^(3/2)-1/40/c^2*(-A+I*B)/(c-I*c*tan(f*x+e))^(5/2))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 1.82368, size = 1233, normalized size = 4.52

$$\left(15 \sqrt{\frac{1}{2}} a^2 c^3 f \sqrt{-\frac{3969 A^2 + 882 i A B - 49 B^2}{a^4 c^5 f^2}} e^{(4i f x + 4i e)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} \left(a^2 c^2 f e^{(2i f x + 2i e)} + a^2 c^2 f \right) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{-\frac{3969 A^2 + 882 i A B - 49 B^2}{a^4 c^5 f^2}} + 63 i A - 7 B \right) e^{(2i f x + 2i e)}}{64 a^2 c^2 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="fricas")
```

```
[Out] 1/3840*(15*sqrt(1/2)*a^2*c^3*f*sqrt(-(3969*A^2 + 882*I*A*B - 49*B^2)/(a^4*c^5*f^2))*e^(4*I*f*x + 4*I*e)*log(1/64*(sqrt(2)*sqrt(1/2)*(a^2*c^2*f*e^(2*I*f*x + 2*I*e) + a^2*c^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(3969*A^2 + 882*I*A*B - 49*B^2)/(a^4*c^5*f^2)) + 63*I*A - 7*B)*e^(-I*f*x - I*e)/(a^2*c^2*f) - 15*sqrt(1/2)*a^2*c^3*f*sqrt(-(3969*A^2 + 882*I*A*B - 49*B^2)/(a^4*c^5*f^2))
```

```
4*c^5*f^2))*e^(4*I*f*x + 4*I*e)*log(-1/64*(sqrt(2)*sqrt(1/2)*(a^2*c^2*f*e^(
2*I*f*x + 2*I*e) + a^2*c^2*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(3969
*A^2 + 882*I*A*B - 49*B^2)/(a^4*c^5*f^2)) - 63*I*A + 7*B)*e^(-I*f*x - I*e)/
(a^2*c^2*f)) + sqrt(2)*((-24*I*A - 24*B)*e^(10*I*f*x + 10*I*e) + (-192*I*A
- 112*B)*e^(8*I*f*x + 8*I*e) + (-1032*I*A - 152*B)*e^(6*I*f*x + 6*I*e) + (-
609*I*A - 199*B)*e^(4*I*f*x + 4*I*e) + (285*I*A - 165*B)*e^(2*I*f*x + 2*I*
e) + 30*I*A - 30*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-4*I*f*x - 4*I*e)/
(a^2*c^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**2/(c-I*c*tan(f*x+e))**(5/2),
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^2 (-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^2/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^2*(-I*c*tan(f*x + e)
+ c)^(5/2)), x)
```

$$3.779 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{9/2}}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=291

$$\frac{35c^4(-5B + iA)\sqrt{c - ic \tan(e + fx)}}{8a^3f} + \frac{35c^3(-5B + iA)(c - ic \tan(e + fx))^{3/2}}{48a^3f} + \frac{7c^2(-5B + iA)(c - ic \tan(e + fx))^{5/2}}{16a^3f(1 + i \tan(e + fx))}$$

[Out] (-35*(I*A - 5*B)*c^(9/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]/(4*Sqrt[2]*a^3*f) + (35*(I*A - 5*B)*c^4*Sqrt[c - I*c*Tan[e + f*x]]/(8 *a^3*f) + (35*(I*A - 5*B)*c^3*(c - I*c*Tan[e + f*x])^(3/2))/(48*a^3*f) + (7 *(I*A - 5*B)*c^2*(c - I*c*Tan[e + f*x])^(5/2))/(16*a^3*f*(1 + I*Tan[e + f*x])) - ((I*A - 5*B)*c*(c - I*c*Tan[e + f*x])^(7/2))/(8*a^3*f*(1 + I*Tan[e + f*x])^2) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(9/2))/(6*a^3*f*(1 + I*Tan[e + f*x])^3)

Rubi [A] time = 0.304555, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {3588, 78, 47, 50, 63, 208}

$$\frac{35c^4(-5B + iA)\sqrt{c - ic \tan(e + fx)}}{8a^3f} + \frac{35c^3(-5B + iA)(c - ic \tan(e + fx))^{3/2}}{48a^3f} + \frac{7c^2(-5B + iA)(c - ic \tan(e + fx))^{5/2}}{16a^3f(1 + i \tan(e + fx))}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2))/(a + I*a*Tan[e + f*x])^3, x]

[Out] (-35*(I*A - 5*B)*c^(9/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]/(4*Sqrt[2]*a^3*f) + (35*(I*A - 5*B)*c^4*Sqrt[c - I*c*Tan[e + f*x]]/(8 *a^3*f) + (35*(I*A - 5*B)*c^3*(c - I*c*Tan[e + f*x])^(3/2))/(48*a^3*f) + (7 *(I*A - 5*B)*c^2*(c - I*c*Tan[e + f*x])^(5/2))/(16*a^3*f*(1 + I*Tan[e + f*x])) - ((I*A - 5*B)*c*(c - I*c*Tan[e + f*x])^(7/2))/(8*a^3*f*(1 + I*Tan[e + f*x])^2) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(9/2))/(6*a^3*f*(1 + I*Tan[e + f*x])^3)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p _), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{9/2}}{(a + ia \tan(e + fx))^3} dx = \frac{(ac) \text{Subst}\left(\int \frac{(A+Bx)(c-icx)^{7/2}}{(a+iax)^4} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^{9/2}}{6a^3 f(1 + i \tan(e + fx))^3} - \frac{((A + 5iB)c) \text{Subst}\left(\int \frac{(c-icx)^{7/2}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{4f}$$

$$= -\frac{(iA - 5B)c(c - ic \tan(e + fx))^{7/2}}{8a^3 f(1 + i \tan(e + fx))^2} + \frac{(iA - B)(c - ic \tan(e + fx))^{9/2}}{6a^3 f(1 + i \tan(e + fx))^3} +$$

$$= \frac{7(iA - 5B)c^2(c - ic \tan(e + fx))^{5/2}}{16a^3 f(1 + i \tan(e + fx))} - \frac{(iA - 5B)c(c - ic \tan(e + fx))^{7/2}}{8a^3 f(1 + i \tan(e + fx))^2}$$

$$= \frac{35(iA - 5B)c^3(c - ic \tan(e + fx))^{3/2}}{48a^3 f} + \frac{7(iA - 5B)c^2(c - ic \tan(e + fx))^{7/2}}{16a^3 f(1 + i \tan(e + fx))}$$

$$= \frac{35(iA - 5B)c^4 \sqrt{c - ic \tan(e + fx)}}{8a^3 f} + \frac{35(iA - 5B)c^3(c - ic \tan(e + fx))^{7/2}}{48a^3 f}$$

$$= \frac{35(iA - 5B)c^4 \sqrt{c - ic \tan(e + fx)}}{8a^3 f} + \frac{35(iA - 5B)c^3(c - ic \tan(e + fx))^{7/2}}{48a^3 f}$$

$$= -\frac{35(iA - 5B)c^{9/2} \tanh^{-1}\left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}}\right)}{4\sqrt{2}a^3 f} + \frac{35(iA - 5B)c^4 \sqrt{c - ic \tan(e + fx)}}{8a^3 f}$$

Mathematica [F] time = 180.006, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2))/(a + I*a*Tan[e + f*x])^3,x]

[Out] \$Aborted

Maple [A] time = 0.116, size = 206, normalized size = 0.7

$$\frac{2ic^3}{fa^3} \left(\frac{i}{3} B (c - ic \tan(fx + e))^{\frac{3}{2}} + 7iBc \sqrt{c - ic \tan(fx + e)} + Ac \sqrt{c - ic \tan(fx + e)} + 8c^2 \left(\frac{1}{(-c - ic \tan(fx + e))^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^3,x)

[Out] $2*I/f/a^3*c^3*(1/3*I*B*(c-I*c*tan(f*x+e))^{3/2}+7*I*B*c*(c-I*c*tan(f*x+e))^{1/2}+A*c*(c-I*c*tan(f*x+e))^{1/2}+8*c^2*((-81/64*I*B-29/64*A)*(c-I*c*tan(f*x+e))^{5/2}+(53/12*I*B*c+17/12*A*c)*(c-I*c*tan(f*x+e))^{3/2}+(-63/16*I*B*c^2-19/16*A*c^2)*(c-I*c*tan(f*x+e))^{1/2})/(-c-I*c*tan(f*x+e))^3-35/128*(A+5*I*B)*2^{1/2}/c^{1/2}*arctanh(1/2*(c-I*c*tan(f*x+e))^{1/2}*2^{1/2}/c^{1/2}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.60265, size = 1305, normalized size = 4.48

$$3\sqrt{\frac{1}{2}} \left(a^3 f e^{(8ifx+8ie)} + a^3 f e^{(6ifx+6ie)} \right) \sqrt{-\frac{(1225A^2+12250iAB-30625B^2)c^9}{a^6f^2}} \log \left(\frac{\left((-35iA+175B)c^5 + \sqrt{2}\sqrt{\frac{1}{2}}(a^3 f e^{(2ifx+2ie)} + a^3 f) \right) \sqrt{-\frac{(1225A^2+12250iAB-30625B^2)c^9}{a^6f^2}}}{2a^3f}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

```
[Out] 1/24*(3*sqrt(1/2)*(a^3*f*e^(8*I*f*x + 8*I*e) + a^3*f*e^(6*I*f*x + 6*I*e))*sqrt(-(1225*A^2 + 12250*I*A*B - 30625*B^2)*c^9/(a^6*f^2))*log(1/2*((-35*I*A + 175*B)*c^5 + sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(-(1225*A^2 + 12250*I*A*B - 30625*B^2)*c^9/(a^6*f^2))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))))*e^(-I*f*x - I*e)/(a^3*f) - 3*sqrt(1/2)*(a^3*f*e^(8*I*f*x + 8*I*e) + a^3*f*e^(6*I*f*x + 6*I*e))*sqrt(-(1225*A^2 + 12250*I*A*B - 30625*B^2)*c^9/(a^6*f^2))*log(1/2*((-35*I*A + 175*B)*c^5 - sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(-(1225*A^2 + 12250*I*A*B - 30625*B^2)*c^9/(a^6*f^2))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))))*e^(-I*f*x - I*e)/(a^3*f) + sqrt(2)*((105*I*A - 525*B)*c^4*e^(8*I*f*x + 8*I*e) + (140*I*A - 700*B)*c^4*e^(6*I*f*x + 6*I*e) + (21*I*A - 105*B)*c^4*e^(4*I*f*x + 4*I*e) + (-6*I*A + 30*B)*c^4*e^(2*I*f*x + 2*I*e) + (8*I*A - 8*B)*c^4)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))/(a^3*f*e^(8*I*f*x + 8*I*e) + a^3*f*e^(6*I*f*x + 6*I*e))
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(9/2)/(a+I*a*tan(f*x+e))**3, x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{9}{2}}}{(ia \tan(fx + e) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^3, x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(9/2)/(I*a*tan(f*x + e) + a)^3, x)
```


$$3.780 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=252

$$\frac{5c^3(-13B+iA)\sqrt{c-ic \tan(e+fx)}}{16a^3f} + \frac{5c^2(-13B+iA)(c-ic \tan(e+fx))^{3/2}}{48a^3f(1+i \tan(e+fx))} - \frac{5c^{7/2}(-13B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}a^3f}$$

[Out] (-5*(I*A - 13*B)*c^(7/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[2]*a^3*f) + (5*(I*A - 13*B)*c^3*Sqrt[c - I*c*Tan[e + f*x]])/(16*a^3*f) + (5*(I*A - 13*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(48*a^3*f*(1 + I*Tan[e + f*x])) - ((I*A - 13*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(24*a^3*f*(1 + I*Tan[e + f*x])^2) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(6*a^3*f*(1 + I*Tan[e + f*x])^3)

Rubi [A] time = 0.271302, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {3588, 78, 47, 50, 63, 208}

$$\frac{5c^3(-13B+iA)\sqrt{c-ic \tan(e+fx)}}{16a^3f} + \frac{5c^2(-13B+iA)(c-ic \tan(e+fx))^{3/2}}{48a^3f(1+i \tan(e+fx))} - \frac{5c^{7/2}(-13B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}a^3f}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^3,x]

[Out] (-5*(I*A - 13*B)*c^(7/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[2]*a^3*f) + (5*(I*A - 13*B)*c^3*Sqrt[c - I*c*Tan[e + f*x]])/(16*a^3*f) + (5*(I*A - 13*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(48*a^3*f*(1 + I*Tan[e + f*x])) - ((I*A - 13*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(24*a^3*f*(1 + I*Tan[e + f*x])^2) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(6*a^3*f*(1 + I*Tan[e + f*x])^3)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I

```
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
  NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) &&
  !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
  & IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
  ((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
  (b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
  c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
  [m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
  + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
  {p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
  (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
  [b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
  ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
  Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2}}{(a + ia \tan(e + fx))^3} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{5/2}}{(a+iax)^4} dx, x, \tan(e + fx)\right)}{f} \\
 &= \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{6a^3 f (1 + i \tan(e + fx))^3} - \frac{((A + 13iB)c) \operatorname{Subst}\left(\int \frac{(c-icx)^{5/2}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{12f} \\
 &= -\frac{(iA - 13B)c(c - ic \tan(e + fx))^{5/2}}{24a^3 f (1 + i \tan(e + fx))^2} + \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{6a^3 f (1 + i \tan(e + fx))^3} \\
 &= \frac{5(iA - 13B)c^2(c - ic \tan(e + fx))^{3/2}}{48a^3 f (1 + i \tan(e + fx))} - \frac{(iA - 13B)c(c - ic \tan(e + fx))^{7/2}}{24a^3 f (1 + i \tan(e + fx))^2} \\
 &= \frac{5(iA - 13B)c^3 \sqrt{c - ic \tan(e + fx)}}{16a^3 f} + \frac{5(iA - 13B)c^2(c - ic \tan(e + fx))^{7/2}}{48a^3 f (1 + i \tan(e + fx))} \\
 &= \frac{5(iA - 13B)c^3 \sqrt{c - ic \tan(e + fx)}}{16a^3 f} + \frac{5(iA - 13B)c^2(c - ic \tan(e + fx))^{7/2}}{48a^3 f (1 + i \tan(e + fx))} \\
 &= -\frac{5(iA - 13B)c^{7/2} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{2}a^3 f} + \frac{5(iA - 13B)c^3 \sqrt{c - ic \tan(e + fx)}}{16a^3 f}
 \end{aligned}$$

Mathematica [F] time = 180.003, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^3,x]

[Out] \$Aborted

Maple [A] time = 0.119, size = 167, normalized size = 0.7

$$\frac{2ic^3}{fa^3} \left(iB\sqrt{c-ic\tan(fx+e)} + c \left(\frac{1}{(-c-ic\tan(fx+e))^3} \left(\left(-\frac{47i}{16}B - \frac{11A}{16} \right) (c-ic\tan(fx+e))^{\frac{5}{2}} + \left(\frac{29i}{3}Bc + \frac{5Ac}{3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^3,x)

[Out] 2*I/f/a^3*c^3*(I*B*(c-I*c*tan(f*x+e))^(1/2)+c*(((-47/16*I*B-11/16*A)*(c-I*c*tan(f*x+e))^(5/2)+(29/3*I*B*c+5/3*A*c)*(c-I*c*tan(f*x+e))^(3/2)+(-33/4*I*B*c^2-5/4*A*c^2)*(c-I*c*tan(f*x+e))^(1/2)))/(-c-I*c*tan(f*x+e))^3-5/32*(13*I*B+A)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.58213, size = 1092, normalized size = 4.33

$$\left(3\sqrt{\frac{1}{2}}a^3f\sqrt{\frac{(25A^2+650iAB-4225B^2)c^7}{a^6f^2}}e^{(6ifx+6ie)}\log\left(\frac{\left((-5iA+65B)c^4+\sqrt{2}\sqrt{\frac{1}{2}}\left(a^3fe^{(2ifx+2ie)}+a^3f\right)\sqrt{\frac{(25A^2+650iAB-4225B^2)c^7}{a^6f^2}}\sqrt{\frac{c}{e^{(2ifx+2ie)}}}\right)}{4a^3f}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/48*(3*sqrt(1/2)*a^3*f*sqrt(-(25*A^2 + 650*I*A*B - 4225*B^2)*c^7/(a^6*f^2))*e^(6*I*f*x + 6*I*e)*log(1/4*((-5*I*A + 65*B)*c^4 + sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(-(25*A^2 + 650*I*A*B - 4225*B^2)*c^7/(a^6*f^2)))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-I*f*x - I*e)/(a^3*f)) - 3*sqrt(1/2)*a^3*f*sqrt(-(25*A^2 + 650*I*A*B - 4225*B^2)*c^7/(a^6*f^2))*e^(6*I*f*x + 6*I*e)*log(1/4*((-5*I*A + 65*B)*c^4 - sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(-(25*A^2 + 650*I*A*B - 4225*B^2)*c^7/(a^6*f^2)))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-I*f*x - I*e)/(a^3*f))

```
I*f*x + 2*I*e) + a^3*f)*sqrt(-(25*A^2 + 650*I*A*B - 4225*B^2)*c^7/(a^6*f^2)
)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-I*f*x - I*e)/(a^3*f)) + sqrt(2)*((
15*I*A - 195*B)*c^3*e^(6*I*f*x + 6*I*e) + (5*I*A - 65*B)*c^3*e^(4*I*f*x + 4
*I*e) + (-2*I*A + 26*B)*c^3*e^(2*I*f*x + 2*I*e) + (8*I*A - 8*B)*c^3)*sqrt(c
/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-6*I*f*x - 6*I*e)/(a^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2)/(a+I*a*tan(f*x+e))**3,
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{7}{2}}}{(ia \tan(fx + e) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^3,x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(7/2)/(I*a*tan(f*x +
e) + a)^3, x)
```

$$3.781 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=213

$$-\frac{c^2(11B+iA)\sqrt{c-ic \tan(e+fx)}}{16a^3f(1+i \tan(e+fx))} + \frac{c^{5/2}(11B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}a^3f} + \frac{c(11B+iA)(c-ic \tan(e+fx))^{3/2}}{24a^3f(1+i \tan(e+fx))^2} + \frac{(-$$

```
[Out] ((I*A + 11*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])
)/(16*Sqrt[2]*a^3*f) - ((I*A + 11*B)*c^2*Sqrt[c - I*c*Tan[e + f*x]])/(16*a^
3*f*(1 + I*Tan[e + f*x])) + ((I*A + 11*B)*c*(c - I*c*Tan[e + f*x])^(3/2))/(
24*a^3*f*(1 + I*Tan[e + f*x])^2) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))
/(6*a^3*f*(1 + I*Tan[e + f*x])^3)
```

Rubi [A] time = 0.248603, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 47, 63, 208}

$$-\frac{c^2(11B+iA)\sqrt{c-ic \tan(e+fx)}}{16a^3f(1+i \tan(e+fx))} + \frac{c^{5/2}(11B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}a^3f} + \frac{c(11B+iA)(c-ic \tan(e+fx))^{3/2}}{24a^3f(1+i \tan(e+fx))^2} + \frac{(-$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f
x])^3, x]
```

```
[Out] ((I*A + 11*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])
)/(16*Sqrt[2]*a^3*f) - ((I*A + 11*B)*c^2*Sqrt[c - I*c*Tan[e + f*x]])/(16*a^
3*f*(1 + I*Tan[e + f*x])) + ((I*A + 11*B)*c*(c - I*c*Tan[e + f*x])^(3/2))/(
24*a^3*f*(1 + I*Tan[e + f*x])^2) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))
/(6*a^3*f*(1 + I*Tan[e + f*x])^3)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 47

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
```

rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
 & IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
 {p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
 (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
 [b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
 ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
 Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2}}{(a + ia \tan(e + fx))^3} dx = \frac{(ac) \text{Subst}\left(\int \frac{(A+Bx)(c-icx)^{3/2}}{(a+iax)^4} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{6a^3 f(1 + i \tan(e + fx))^3} + \frac{((A - 11iB)c) \text{Subst}\left(\int \frac{(c-icx)^{3/2}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{12f}$$

$$= \frac{(iA + 11B)c(c - ic \tan(e + fx))^{3/2}}{24a^3 f(1 + i \tan(e + fx))^2} + \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{6a^3 f(1 + i \tan(e + fx))^3}$$

$$= -\frac{(iA + 11B)c^2 \sqrt{c - ic \tan(e + fx)}}{16a^3 f(1 + i \tan(e + fx))} + \frac{(iA + 11B)c(c - ic \tan(e + fx))^{3/2}}{24a^3 f(1 + i \tan(e + fx))^2}$$

$$= -\frac{(iA + 11B)c^2 \sqrt{c - ic \tan(e + fx)}}{16a^3 f(1 + i \tan(e + fx))} + \frac{(iA + 11B)c(c - ic \tan(e + fx))^{3/2}}{24a^3 f(1 + i \tan(e + fx))^2}$$

$$= \frac{(iA + 11B)c^{5/2} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{16\sqrt{2}a^3 f} - \frac{(iA + 11B)c^2 \sqrt{c - ic \tan(e + fx)}}{16a^3 f(1 + i \tan(e + fx))}$$

Mathematica [A] time = 7.38131, size = 227, normalized size = 1.07

$$\frac{\sec^2(e + fx)(\cos(fx) + i \sin(fx))^3(A + B \tan(e + fx))\left(\frac{2}{3}c^2 \cos(e + fx)(\cos(3fx) - i \sin(3fx))\sqrt{c - ic \tan(e + fx)}((11A + 11B)c - ic \tan(e + fx))\right)}{32f(a + ia \tan(e + fx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x])^3,x]

[Out] (Sec[e + f*x]^2*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x])*(Sqrt[2]*(I*(A + 11*B)*c^(5/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c]])*(Cos[3*e] + I*Sin[3*e]) + (2*c^2*Cos[e + f*x]*(Cos[3*f*x] - I*Sin[3*f*x]))*((2*I)*A + 22*B + ((5*I)*A - 41*B)*Cos[2*(e + f*x)] + (11*A - (25*I)*B)*Sin[2*(e + f*x)]))*Sqrt[c - I*c*Tan[e + f*x]]/3)/(32*f*(A*cos[e + f*x] + B*sin[e + f*x]))*(a + I*a*Tan[e + f*x])^3)

Maple [A] time = 0.11, size = 146, normalized size = 0.7

$$\frac{2ic^3}{fa^3} \left(\frac{1}{(-c - ic \tan(fx + e))^3} \left(\left(-\frac{21i}{32}B - \frac{A}{32} \right) (c - ic \tan(fx + e))^{\frac{5}{2}} + \left(\frac{11i}{6}Bc - \frac{Ac}{6} \right) (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(-\frac{11i}{8} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^3,x)

[Out] 2*I/f/a^3*c^3*(((-21/32*I*B-1/32*A)*(c-I*c*tan(f*x+e))^(5/2)+(11/6*I*B*c-1/6*A*c)*(c-I*c*tan(f*x+e))^(3/2)+(-11/8*I*B*c^2+1/8*A*c^2)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^3+1/64*(-11*I*B+A)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.47521, size = 1054, normalized size = 4.95

$$\left(3 \sqrt{\frac{1}{2}} a^3 f \sqrt{-\frac{(A^2 - 22iAB - 121B^2)c^5}{a^6 f^2}} e^{(6ifx + 6ie)} \log \left(\frac{\left((iA + 11B)c^3 + \sqrt{2} \sqrt{\frac{1}{2}} (a^3 f e^{(2ifx + 2ie)} + a^3 f) \sqrt{\frac{c}{e^{(2ifx + 2ie)} + 1}} \sqrt{-\frac{(A^2 - 22iAB - 121B^2)c^5}{a^6 f^2}} \right) e^{(-ifx - ie)}}{8a^3 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/96*(3*sqrt(1/2)*a^3*f*sqrt(-(A^2 - 22*I*A*B - 121*B^2)*c^5/(a^6*f^2)))*e^(6*I*f*x + 6*I*e)*log(1/8*((I*A + 11*B)*c^3 + sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 22*I*A*B - 121*B^2)*c^5/(a^6*f^2)))*e^(-I*f*x - I*e)/(a^3*f)) - 3*sqrt(1/2)*a^3*f*sqrt(-(A^2 - 22*I*A*B - 121*B^2)*c^5/(a^6*f^2))*e^(6*I*f*x + 6*I*e)*log(1/8*((I*A + 11*B)*c^3 - sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 22*I*A*B - 121*B^2)*c^5/(a^6*f^2)))*e^(-I*f*x - I*e)/(a^3*f)) + sqrt(2)*((-3*I*A - 33*B)*c^2*e^(6*I*f*x + 6*I*e) + (-I*A - 11*B)*c^2*e^(4*I*f*x + 4*I*e) + (10*I*A + 14*B)*c^2*e^(2*I*f*x + 2*I*e) + (8*I*A - 8*B)*c^2)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-6*I*f*x - 6*I*e)/(a^3*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2)/(a+I*a*tan(f*x+e))**3, x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{5}{2}}}{(ia \tan(fx + e) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(5/2)/(I*a*tan(f*x + e) + a)^3, x)

$$3.782 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=211

$$\frac{c^{3/2}(3B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{32\sqrt{2}a^3f} - \frac{c(3B+iA)\sqrt{c-ic \tan(e+fx)}}{32a^3f(1+i \tan(e+fx))} + \frac{c(3B+iA)\sqrt{c-ic \tan(e+fx)}}{8a^3f(1+i \tan(e+fx))^2} + \frac{(-B+iA)}{6a^3f}$$

```
[Out] -((I*A + 3*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])
)/(32*Sqrt[2]*a^3*f) + ((I*A + 3*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(8*a^3*f*
(1 + I*Tan[e + f*x])^2) - ((I*A + 3*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(32*a^
3*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(6*a^3
*f*(1 + I*Tan[e + f*x])^3)
```

Rubi [A] time = 0.250308, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$, Rules used = {3588, 78, 47, 51, 63, 208}

$$\frac{c^{3/2}(3B+iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{32\sqrt{2}a^3f} - \frac{c(3B+iA)\sqrt{c-ic \tan(e+fx)}}{32a^3f(1+i \tan(e+fx))} + \frac{c(3B+iA)\sqrt{c-ic \tan(e+fx)}}{8a^3f(1+i \tan(e+fx))^2} + \frac{(-B+iA)}{6a^3f}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*
x])^3, x]
```

```
[Out] -((I*A + 3*B)*c^(3/2)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])
)/(32*Sqrt[2]*a^3*f) + ((I*A + 3*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(8*a^3*f*
(1 + I*Tan[e + f*x])^2) - ((I*A + 3*B)*c*Sqrt[c - I*c*Tan[e + f*x]])/(32*a^
3*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(6*a^3
*f*(1 + I*Tan[e + f*x])^3)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 47

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
```

rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

Rule 51

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}{(a + ia \tan(e + fx))^3} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)\sqrt{c-icx}}{(a+iax)^4} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{6a^3 f(1 + i \tan(e + fx))^3} + \frac{((A - 3iB)c) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{(a+iax)^3} dx, x, \tan(e + fx)\right)}{4f}$$

$$= \frac{(iA + 3B)c\sqrt{c - ic \tan(e + fx)}}{8a^3 f(1 + i \tan(e + fx))^2} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{6a^3 f(1 + i \tan(e + fx))^3} - \frac{(iA - B)c\sqrt{c - ic \tan(e + fx)}}{6a^3 f(1 + i \tan(e + fx))^3}$$

$$= \frac{(iA + 3B)c\sqrt{c - ic \tan(e + fx)}}{8a^3 f(1 + i \tan(e + fx))^2} - \frac{(iA + 3B)c\sqrt{c - ic \tan(e + fx)}}{32a^3 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{6a^3 f(1 + i \tan(e + fx))^3}$$

$$= \frac{(iA + 3B)c\sqrt{c - ic \tan(e + fx)}}{8a^3 f(1 + i \tan(e + fx))^2} - \frac{(iA + 3B)c\sqrt{c - ic \tan(e + fx)}}{32a^3 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{6a^3 f(1 + i \tan(e + fx))^3}$$

$$= -\frac{(iA + 3B)c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{32\sqrt{2}a^3 f} + \frac{(iA + 3B)c\sqrt{c - ic \tan(e + fx)}}{8a^3 f(1 + i \tan(e + fx))^2}$$

Mathematica [A] time = 5.54083, size = 224, normalized size = 1.06

$$\frac{\sec^2(e + fx)(\cos(fx) + i \sin(fx))^3(A + B \tan(e + fx))\left(\sqrt{2}c^{3/2}(A - 3iB)(\sin(3e) - i \cos(3e)) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right) + \frac{2}{3}c\right)}{64f(a + ia \tan(e + fx))^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[
e + f*x])^3,x]
```

[Out] $(\text{Sec}[e + f*x]^2 * (\text{Cos}[f*x] + I * \text{Sin}[f*x])^3 * (A + B * \text{Tan}[e + f*x]) * (\text{Sqrt}[2] * (A - (3*I)*B) * c^{3/2} * \text{ArcTanh}[\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]] / (\text{Sqrt}[2] * \text{Sqrt}[c])]) * ((-I) * \text{Cos}[3*e] + \text{Sin}[3*e]) + (2*c*\text{Cos}[e + f*x] * (\text{Cos}[3*f*x] - I*\text{Sin}[3*f*x]) * (2 * ((7*I)*A + 5*B) + ((11*I)*A + B) * \text{Cos}[2*(e + f*x)] + (5*A + (17*I)*B) * \text{Sin}[2 * (e + f*x)]) * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / 3)) / (64*f*(A*\text{Cos}[e + f*x] + B*\text{Sin}[e + f*x]) * (a + I*a*\text{Tan}[e + f*x])^3)$

Maple [A] time = 0.111, size = 140, normalized size = 0.7

$$\frac{2ic^3}{fa^3} \left(\frac{1}{(-c - ic \tan(fx + e))^3} \left(\frac{A - 3iB}{64c} (c - ic \tan(fx + e))^{\frac{5}{2}} + \left(-\frac{A}{12} - \frac{i}{12}B \right) (c - ic \tan(fx + e))^{\frac{3}{2}} - \frac{c(A - 3iB)}{16} \sqrt{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^3,x)`

[Out] $2*I/f/a^3*c^3*((1/64/c*(A-3*I*B)*(c-I*c*tan(f*x+e))^{5/2}+(-1/12*A-1/12*I*B)*(c-I*c*tan(f*x+e))^{3/2}-1/16*c*(A-3*I*B)*(c-I*c*tan(f*x+e))^{1/2})/(-c-I*c*tan(f*x+e))^3-1/128/c^{3/2}*(A-3*I*B)*2^{1/2}*\text{arctanh}(1/2*(c-I*c*tan(f*x+e))^{1/2}*2^{1/2}/c^{1/2}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 1.46579, size = 1030, normalized size = 4.88

$$\left(3 \sqrt{\frac{1}{2}} a^3 f \sqrt{-\frac{(A^2 - 6iAB - 9B^2)c^3}{a^6 f^2}} e^{6ifx + 6ie} \log \left(\frac{\left((-iA - 3B)c^2 + \sqrt{2} \sqrt{\frac{1}{2}} (a^3 f e^{2ifx + 2ie} + a^3 f) \sqrt{\frac{c}{e^{2ifx + 2ie} + 1}} \sqrt{-\frac{(A^2 - 6iAB - 9B^2)c^3}{a^6 f^2}} \right) e^{-ifx - ie}}{16a^3 f} \right) \right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")`

[Out] $1/192*(3*\text{sqrt}(1/2)*a^3*f*\text{sqrt}(-(A^2 - 6*I*A*B - 9*B^2)*c^3/(a^6*f^2))*e^{(6*I*f*x + 6*I*e)*\log(1/16*((-I*A - 3*B)*c^2 + \text{sqrt}(2)*\text{sqrt}(1/2)*(a^3*f*e^{(2*I*f*x + 2*I*e)} + a^3*f)*\text{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))*\text{sqrt}(-(A^2 - 6*I*A*B - 9*B^2)*c^3/(a^6*f^2)))*e^{(-I*f*x - I*e)/(a^3*f)} - 3*\text{sqrt}(1/2)*a^3*f*\text{sqrt}(-(A^2 - 6*I*A*B - 9*B^2)*c^3/(a^6*f^2))*e^{(6*I*f*x + 6*I*e)*\log(1/16*((-I*A - 3*B)*c^2 - \text{sqrt}(2)*\text{sqrt}(1/2)*(a^3*f*e^{(2*I*f*x + 2*I*e)} + a^3*f)*\text{sqrt}...$

```
t(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(A^2 - 6*I*A*B - 9*B^2)*c^3/(a^6*f^2))
)*e^(-I*f*x - I*e)/(a^3*f)) + sqrt(2)*((3*I*A + 9*B)*c*e^(6*I*f*x + 6*I*e)
+ (17*I*A + 19*B)*c*e^(4*I*f*x + 4*I*e) + (22*I*A + 2*B)*c*e^(2*I*f*x + 2*I
*e) + (8*I*A - 8*B)*c)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(-6*I*f*x - 6*I
*e)/(a^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(3/2)/(a+I*a*tan(f*x+e))**3,
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{3}{2}}}{(ia \tan(fx + e) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^3,x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(3/2)/(I*a*tan(f*x +
e) + a)^3, x)
```

$$3.783 \quad \int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^3} dx$$

Optimal. Leaf size=209

$$\frac{(-B+ia)\sqrt{c-ic \tan(e+fx)}}{6a^3f(1+i \tan(e+fx))^3} + \frac{(7B+5iA)\sqrt{c-ic \tan(e+fx)}}{64a^3f(1+i \tan(e+fx))} + \frac{(7B+5iA)\sqrt{c-ic \tan(e+fx)}}{48a^3f(1+i \tan(e+fx))^2} + \frac{\sqrt{c(7B+5iA)} \tan(e+fx)}{64a^3f}$$

```
[Out] (((5*I)*A + 7*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c
])])/(64*Sqrt[2]*a^3*f) + ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(6*a^3*f*(
1 + I*Tan[e + f*x])^3) + (((5*I)*A + 7*B)*Sqrt[c - I*c*Tan[e + f*x]])/(48*a
^3*f*(1 + I*Tan[e + f*x])^2) + (((5*I)*A + 7*B)*Sqrt[c - I*c*Tan[e + f*x]])
/(64*a^3*f*(1 + I*Tan[e + f*x]))
```

Rubi [A] time = 0.239506, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{(-B+ia)\sqrt{c-ic \tan(e+fx)}}{6a^3f(1+i \tan(e+fx))^3} + \frac{(7B+5iA)\sqrt{c-ic \tan(e+fx)}}{64a^3f(1+i \tan(e+fx))} + \frac{(7B+5iA)\sqrt{c-ic \tan(e+fx)}}{48a^3f(1+i \tan(e+fx))^2} + \frac{\sqrt{c(7B+5iA)} \tan(e+fx)}{64a^3f}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x]
)^3,x]
```

```
[Out] (((5*I)*A + 7*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c
])])/(64*Sqrt[2]*a^3*f) + ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(6*a^3*f*(
1 + I*Tan[e + f*x])^3) + (((5*I)*A + 7*B)*Sqrt[c - I*c*Tan[e + f*x]])/(48*a
^3*f*(1 + I*Tan[e + f*x])^2) + (((5*I)*A + 7*B)*Sqrt[c - I*c*Tan[e + f*x]])
/(64*a^3*f*(1 + I*Tan[e + f*x]))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x],
x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
```

`[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && IntLinearQ[a, b, c, d, m, n, x]`

Rule 63

`Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx)) \sqrt{c - ic \tan(e + fx)}}{(a + ia \tan(e + fx))^3} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 \sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{6a^3 f (1 + i \tan(e + fx))^3} + \frac{((5A - 7iB)c) \operatorname{Subst} \left(\int \frac{1}{(a+iax)^3 \sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{12f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{6a^3 f (1 + i \tan(e + fx))^3} + \frac{(5iA + 7B) \sqrt{c - ic \tan(e + fx)}}{48a^3 f (1 + i \tan(e + fx))^2} + \frac{((5A - 7iB)c)}{64a^3 f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{6a^3 f (1 + i \tan(e + fx))^3} + \frac{(5iA + 7B) \sqrt{c - ic \tan(e + fx)}}{48a^3 f (1 + i \tan(e + fx))^2} + \frac{(5iA + 7B)c}{64a^3 f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{6a^3 f (1 + i \tan(e + fx))^3} + \frac{(5iA + 7B) \sqrt{c - ic \tan(e + fx)}}{48a^3 f (1 + i \tan(e + fx))^2} + \frac{(5iA + 7B)c}{64a^3 f} \\ &= \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{6a^3 f (1 + i \tan(e + fx))^3} + \frac{(5iA + 7B) \sqrt{c - ic \tan(e + fx)}}{48a^3 f (1 + i \tan(e + fx))^2} + \frac{(5iA + 7B)c}{64a^3 f} \\ &= \frac{(5iA + 7B) \sqrt{c} \tanh^{-1} \left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2} \sqrt{c}} \right)}{64 \sqrt{2} a^3 f} + \frac{(iA - B) \sqrt{c - ic \tan(e + fx)}}{6a^3 f (1 + i \tan(e + fx))^3} + \end{aligned}$$

Mathematica [A] time = 3.70111, size = 225, normalized size = 1.08

$$\frac{\sec^2(e + fx) (\cos(fx) + i \sin(fx))^3 (A + B \tan(e + fx)) \left(\frac{2}{3} \cos(e + fx) (\sin(3fx) + i \cos(3fx)) \sqrt{c - ic \tan(e + fx)} (5(7B + 5iA) + 12f(a + ia \tan(e + fx))) \right)}{128f(a + ia \tan(e + fx))}$$

Antiderivative was successfully verified.

`[In] Integrate[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x])^3, x]`

`[Out] (Sec[e + f*x]^2*(Cos[f*x] + I*Sin[f*x])^3*(A + B*Tan[e + f*x])*(Sqrt[2]*((5*I)*A + 7*B)*Sqrt[c]*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])]*(Cos[3*e] + I*Sin[3*e]) + (2*Cos[e + f*x]*(I*Cos[3*f*x] + Sin[3*f*x])*(26*A + (2*I)*B + (41*A - (19*I)*B)*Cos[2*(e + f*x)] + 5*((5*I)*A + 7*B)*Sin[2*(e + f*x)]))*Sqrt[c - I*c*Tan[e + f*x]]/3)/(128*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^3)`

Maple [A] time = 0.146, size = 148, normalized size = 0.7

$$\frac{2ic^3}{fa^3} \left(\frac{1}{(-c - ic \tan(fx + e))^3} \left(-\frac{5A - 7iB}{128c^2} (c - ic \tan(fx + e))^{\frac{5}{2}} + \frac{5A - 7iB}{24c} (c - ic \tan(fx + e))^{\frac{3}{2}} + \left(-\frac{11A}{32} + \frac{9i}{32} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x)

[Out] 2*I/f/a^3*c^3*((-1/128/c^2*(5*A-7*I*B)*(c-I*c*tan(f*x+e))^(5/2)+1/24/c*(5*A-7*I*B)*(c-I*c*tan(f*x+e))^(3/2)+(-11/32*A+9/32*I*B)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^3+1/256/c^(5/2)*(5*A-7*I*B)*2^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.49838, size = 1035, normalized size = 4.95

$$\left(3 \sqrt{\frac{1}{2}} a^3 f \sqrt{-\frac{(25A^2 - 70iAB - 49B^2)c}{a^6 f^2}} e^{(6ifx + 6ie)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} (a^3 f e^{(2ifx + 2ie)} + a^3 f) \sqrt{\frac{c}{e^{(2ifx + 2ie)} + 1}} \sqrt{-\frac{(25A^2 - 70iAB - 49B^2)c}{a^6 f^2}} + (5iA + 7B)c \right) e^{(-ifx - ie)}}{32a^3 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/384*(3*sqrt(1/2)*a^3*f*sqrt(-(25*A^2 - 70*I*A*B - 49*B^2)*c/(a^6*f^2))*e^(6*I*f*x + 6*I*e)*log(1/32*(sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(25*A^2 - 70*I*A*B - 49*B^2)*c/(a^6*f^2)) + (5*I*A + 7*B)*c)*e^(-I*f*x - I*e)/(a^3*f)) - 3*sqrt(1/2)*a^3*f*sqrt(-(25*A^2 - 70*I*A*B - 49*B^2)*c/(a^6*f^2))*e^(6*I*f*x + 6*I*e)*log(-1/32*(sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(25*A^2 - 70*I*A*B - 49*B^2)*c/(a^6*f^2)) - (5*I*A + 7*B)*c)*e^(-I*f*x - I*e)/(a^3*f)) + sqrt(2)*((33*I*A + 27*B)*e^(6*I*f*x + 6*I*e) + (59*I*A + 25*B)*e^(4*I*f*x + 4*I*e) + (34*I*A - 10*B)*e^(2*I*f*x + 2*I*e) + 8*I*A - 8*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-6*I*f*x - 6*I*e)/(a^3*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**3, x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{-ic \tan(fx + e) + c}}{(ia \tan(fx + e) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(-I*c*tan(f*x + e) + c)/(I*a*tan(f*x + e) + a)^3, x)

$$3.784 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3 \sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=245

$$\frac{-B+iA}{6a^3 f(1+i \tan(e+fx))^3 \sqrt{c-ic \tan(e+fx)}} - \frac{5(5B+7iA)}{128a^3 f \sqrt{c-ic \tan(e+fx)}} + \frac{5(5B+7iA)}{192a^3 f(1+i \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}}$$

[Out] (5*((7*I)*A + 5*B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(128*Sqrt[2]*a^3*Sqrt[c]*f) - (5*((7*I)*A + 5*B))/(128*a^3*f*Sqrt[c - I*c*Tan[e + f*x]]) + (I*A - B)/(6*a^3*f*(1 + I*Tan[e + f*x])^3*Sqrt[c - I*c*Tan[e + f*x]]) + ((7*I)*A + 5*B)/(48*a^3*f*(1 + I*Tan[e + f*x])^2*Sqrt[c - I*c*Tan[e + f*x]]) + (5*((7*I)*A + 5*B))/(192*a^3*f*(1 + I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.273547, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{-B+iA}{6a^3 f(1+i \tan(e+fx))^3 \sqrt{c-ic \tan(e+fx)}} - \frac{5(5B+7iA)}{128a^3 f \sqrt{c-ic \tan(e+fx)}} + \frac{5(5B+7iA)}{192a^3 f(1+i \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*Sqrt[c - I*c*Tan[e + f*x]]), x]

[Out] (5*((7*I)*A + 5*B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(128*Sqrt[2]*a^3*Sqrt[c]*f) - (5*((7*I)*A + 5*B))/(128*a^3*f*Sqrt[c - I*c*Tan[e + f*x]]) + (I*A - B)/(6*a^3*f*(1 + I*Tan[e + f*x])^3*Sqrt[c - I*c*Tan[e + f*x]]) + ((7*I)*A + 5*B)/(48*a^3*f*(1 + I*Tan[e + f*x])^2*Sqrt[c - I*c*Tan[e + f*x]]) + (5*((7*I)*A + 5*B))/(192*a^3*f*(1 + I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 51

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)/((b*c - a*d)*(m + 1)), x] - Dist[(d*(

```
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(a+iax)^4(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}} + \frac{(7A - 5iB)c \text{Subst}\left(\int \frac{1}{(a+iax)^4(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{48a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}} + \frac{7iA + 5B}{48a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}} + \frac{7iA + 5B}{48a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{5(7iA + 5B)}{128a^3 f \sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{5(7iA + 5B)}{128a^3 f \sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}}$$

$$= \frac{5(7iA + 5B) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{128\sqrt{2}a^3\sqrt{c}f} - \frac{5(7iA + 5B)}{128a^3 f \sqrt{c - ic \tan(e + fx)}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 \sqrt{c - ic \tan(e + fx)}}$$

Mathematica [A] time = 5.547, size = 181, normalized size = 0.74

$$\frac{\sqrt{c - ic \tan(e + fx)}(\cos(2(e + fx)) - i \sin(2(e + fx))) \left(15(5B + 7iA)e^{2i(e+fx)}\sqrt{1 + e^{2i(e+fx)}} \tanh^{-1}\left(\sqrt{1 + e^{2i(e+fx)}}\right) + 2 \cos(2(e + fx))\right)}{768a^3 f \sqrt{c - ic \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*Sqrt[c - I*c*Tan[e
+ f*x]]),x]
```

```
[Out] ((Cos[2*(e + f*x)] - I*Sin[2*(e + f*x)])*(15*((7*I)*A + 5*B)*E^((2*I)*(e +
f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]])
```

$$+ 2*\text{Cos}[e + f*x]*(((125*I)*A + 7*B)*\text{Cos}[e + f*x] + ((-40*I)*A - 56*B)*\text{Cos}[3*(e + f*x)] + (7*A - (5*I)*B)*(-7*\text{Sin}[e + f*x] + 8*\text{Sin}[3*(e + f*x)])))*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]/(768*a^3*c*f)$$

Maple [A] time = 0.165, size = 179, normalized size = 0.7

$$\frac{2ic^3}{fa^3} \left(-\frac{1}{16c^3} \left(\frac{1}{(-c - ic \tan(fx + e))^3} \left(\left(-\frac{9i}{16}B + \frac{19A}{16} \right) (c - ic \tan(fx + e))^{\frac{5}{2}} + \left(\frac{7i}{3}Bc - \frac{17Ac}{3} \right) (c - ic \tan(fx + e)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^3,x)

[Out] 2*I/f/a^3*c^3*(-1/16/c^3*((-9/16*I*B+19/16*A)*(c-I*c*tan(f*x+e))^(5/2)+(7/3*I*B*c-17/3*A*c)*(c-I*c*tan(f*x+e))^(3/2)+(-7/4*I*B*c^2+29/4*A*c^2)*(c-I*c*tan(f*x+e))^(1/2)))/(-c-I*c*tan(f*x+e))^3-5/32*(-5*I*B+7*A)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))-1/16/c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.59236, size = 1118, normalized size = 4.56

$$\left(3 \sqrt{\frac{1}{2}} a^3 c f \sqrt{\frac{-1225 A^2 - 1750 i A B - 625 B^2}{a^6 c f^2}} e^{(6i f x + 6i e)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} \left(a^3 f e^{(2i f x + 2i e)} + a^3 f \right) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{\frac{-1225 A^2 - 1750 i A B - 625 B^2}{a^6 c f^2}} + 35 i A + 25 B \right) e^{(6i f x + 6i e)}}{64 a^3 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^3,x, algorithm="fricas")

[Out] 1/768*(3*sqrt(1/2)*a^3*c*f*sqrt(-(1225*A^2 - 1750*I*A*B - 625*B^2)/(a^6*c*f^2))*e^(6*I*f*x + 6*I*e)*log(1/64*(sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(1225*A^2 - 1750*I*A*B - 625*B^2)/(a^6*c*f^2)) + 35*I*A + 25*B)*e^(-I*f*x - I*e)/(a^3*f)) - 3*sqrt(1/2)*a^3*c*f*sqrt(-(1225*A^2 - 1750*I*A*B - 625*B^2)/(a^6*c*f^2))*e^(6*I*f*x + 6*I*e)*log(-1/64*(sqrt(2)*sqrt(1/2)*(a^3*f*e^(2*I*f*x + 2*I*e) + a^3*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(1225*A^2 - 1750*I*A*B - 625*B^2)/(a^6*c*f^2)) - 35*I*A - 25*B)*e^(-I*f*x - I*e)/(a^3*f)) + sqrt(2)*((-48*

```
I*A - 48*B)*e^(8*I*f*x + 8*I*e) + (39*I*A - 27*B)*e^(6*I*f*x + 6*I*e) + (12
5*I*A + 7*B)*e^(4*I*f*x + 4*I*e) + (46*I*A - 22*B)*e^(2*I*f*x + 2*I*e) + 8*
I*A - 8*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-6*I*f*x - 6*I*e)/(a^3*c*f
)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2)/(a+I*a*tan(f*x+e))**3,
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^3 \sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^3,x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^3*sqrt(-I*c*tan(f*x
+ e) + c)), x)
```

$$3.785 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=274

$$\frac{35(B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{256\sqrt{2}a^3c^{3/2}f} + \frac{-B+iA}{6a^3f(1+i \tan(e+fx))^3(c-ic \tan(e+fx))^{3/2}} - \frac{35(B+3iA)}{256a^3cf\sqrt{c-ic \tan(e+fx)}}$$

[Out] (35*((3*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(256*Sqrt[2]*a^3*c^(3/2)*f) - (35*((3*I)*A + B))/(384*a^3*f*(c - I*c*Tan[e + f*x])^(3/2)) + (I*A - B)/(6*a^3*f*(1 + I*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(3/2)) + ((3*I)*A + B)/(16*a^3*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(3/2)) + (7*((3*I)*A + B))/(64*a^3*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)) - (35*((3*I)*A + B))/(256*a^3*c*f*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.309907, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$\frac{35(B+3iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{256\sqrt{2}a^3c^{3/2}f} + \frac{-B+iA}{6a^3f(1+i \tan(e+fx))^3(c-ic \tan(e+fx))^{3/2}} - \frac{35(B+3iA)}{256a^3cf\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(3/2)), x]

[Out] (35*((3*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(256*Sqrt[2]*a^3*c^(3/2)*f) - (35*((3*I)*A + B))/(384*a^3*f*(c - I*c*Tan[e + f*x])^(3/2)) + (I*A - B)/(6*a^3*f*(1 + I*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(3/2)) + ((3*I)*A + B)/(16*a^3*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(3/2)) + (7*((3*I)*A + B))/(64*a^3*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2)) - (35*((3*I)*A + B))/(256*a^3*c*f*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 51

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^{5/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}} + \frac{((3A - iB)c) \operatorname{Subst}}{16a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{16a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{16a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{35(3iA + B)}{384a^3 f (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{35(3iA + B)}{384a^3 f (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}}$$

$$= -\frac{35(3iA + B)}{384a^3 f (c - ic \tan(e + fx))^{3/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{35(3iA + B) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{256\sqrt{2}a^3 c^{3/2} f} - \frac{35(3iA + B)}{384a^3 f (c - ic \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 7.99622, size = 206, normalized size = 0.75

$$\sqrt{c - ic \tan(e + fx)} (\sin(e + fx) + i \cos(e + fx)) \left(105(3A - iB) e^{i(e+fx)} \sqrt{1 + e^{2i(e+fx)}} \tanh^{-1}\left(\sqrt{1 + e^{2i(e+fx)}}\right) - 2 \cos(e + fx)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f
*x])^(3/2)), x]
```

```
[Out] ((I*cos[e + f*x] + Sin[e + f*x])*(105*(3*A - I*B)*E^(I*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]] - 2*Cos[e + f*x]*(-165*A - (9*I)*B + 2*(79*A - (69*I)*B)*Cos[2*(e + f*x)] + 8*(A - (3*I)*B)*Cos[4*(e + f*x)] + (258*I)*A*Sin[2*(e + f*x)] + 86*B*Sin[2*(e + f*x)] + (24*I)*A*Sin[4*(e + f*x)] + 8*B*Sin[4*(e + f*x)])) * Sqrt[c - I*c*Tan[e + f*x]] / (1536*a^3*c^2*f)
```

Maple [A] time = 0.115, size = 206, normalized size = 0.8

$$\frac{2ic^3}{fa^3} \left(-\frac{1}{16c^4} \left(\frac{1}{(-c - ic \tan(fx + e))^3} \left(\left(-\frac{3i}{32}B + \frac{41A}{32} \right) (c - ic \tan(fx + e))^{\frac{5}{2}} + \left(\frac{i}{6}Bc - \frac{35Ac}{6} \right) (c - ic \tan(fx + e))^{\frac{3}{2}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(3/2), x)
```

```
[Out] 2*I/f/a^3*c^3*(-1/16/c^4*((-3/32*I*B+41/32*A)*(c-I*c*tan(f*x+e))^(5/2)+(1/6*I*B*c-35/6*A*c)*(c-I*c*tan(f*x+e))^(3/2)+(55/8*A*c^2+3/8*I*B*c^2)*(c-I*c*tan(f*x+e))^(1/2))/(-c-I*c*tan(f*x+e))^3-35/64*(3*A-I*B)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))-1/16/c^4*(2*A-I*B)/(c-I*c*tan(f*x+e))^(1/2)-1/48/c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(3/2))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 1.51609, size = 1233, normalized size = 4.5

$$\left(3 \sqrt{\frac{1}{2}} a^3 c^2 f \sqrt{-\frac{11025 A^2 - 7350 i A B - 1225 B^2}{a^6 c^3 f^2}} e^{(6i f x + 6i e)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} \left(a^3 c f e^{(2i f x + 2i e)} + a^3 c f \right) \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} \sqrt{-\frac{11025 A^2 - 7350 i A B - 1225 B^2}{a^6 c^3 f^2}} + 105 i A \right)}{128 a^3 c f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="fricas")
```

```
[Out] 1/1536*(3*sqrt(1/2)*a^3*c^2*f*sqrt(-(11025*A^2 - 7350*I*A*B - 1225*B^2)/(a^6*c^3*f^2))*e^(6*I*f*x + 6*I*e)*log(1/128*(sqrt(2)*sqrt(1/2)*(a^3*c*f*e^(2*I*f*x + 2*I*e) + a^3*c*f)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(11025*A^2 - 7350*I*A*B - 1225*B^2)/(a^6*c^3*f^2)) + 105*I*A + 35*B)*e^(-I*f*x - I*e)/(a^3*c*f)) - 3*sqrt(1/2)*a^3*c^2*f*sqrt(-(11025*A^2 - 7350*I*A*B - 1225*B
```

$$\begin{aligned} &^2)/(a^6*c^3*f^2))*e^{(6*I*f*x + 6*I*e)*\log(-1/128*(\sqrt{2}*\sqrt{1/2}*(a^3*c \\ &*f*e^{(2*I*f*x + 2*I*e)} + a^3*c*f)*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)})*\sqrt{-(\\ &11025*A^2 - 7350*I*A*B - 1225*B^2)/(a^6*c^3*f^2)) - 105*I*A - 35*B)*e^{(-I*f \\ &*x - I*e)/(a^3*c*f)} + \sqrt{2}*((-16*I*A - 16*B)*e^{(10*I*f*x + 10*I*e)} + (- \\ &224*I*A - 128*B)*e^{(8*I*f*x + 8*I*e)} + (-43*I*A - 121*B)*e^{(6*I*f*x + 6*I*e \\ &) + (215*I*A - 35*B)*e^{(4*I*f*x + 4*I*e)} + (58*I*A - 34*B)*e^{(2*I*f*x + 2*I \\ &*e)} + 8*I*A - 8*B)*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)})*e^{(-6*I*f*x - 6*I*e)/ \\ &(a^3*c^2*f)} \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**3/(c-I*c*tan(f*x+e))**(3/2), x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^3 (-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^3*(-I*c*tan(f*x + e) + c)^(3/2)), x)

$$3.786 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^3(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=311

$$-\frac{21(B+11iA)}{512a^3c^2f\sqrt{c-ic \tan(e+fx)}} + \frac{21(B+11iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{512\sqrt{2}a^3c^{5/2}f} + \frac{-B+iA}{6a^3f(1+i \tan(e+fx))^3(c-ic \tan(e+fx))}$$

```
[Out] (21*((11*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(512*Sqrt[2]*a^3*c^(5/2)*f) - (21*((11*I)*A + B))/(640*a^3*f*(c - I*c*Tan[e + f*x])^(5/2)) + (I*A - B)/(6*a^3*f*(1 + I*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(5/2)) + ((11*I)*A + B)/(48*a^3*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(5/2)) + (3*((11*I)*A + B))/(64*a^3*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2)) - (7*((11*I)*A + B))/(256*a^3*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (21*((11*I)*A + B))/(512*a^3*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])]
```

Rubi [A] time = 0.349697, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {3588, 78, 51, 63, 208}

$$-\frac{21(B+11iA)}{512a^3c^2f\sqrt{c-ic \tan(e+fx)}} + \frac{21(B+11iA) \tanh^{-1}\left(\frac{\sqrt{c-ic \tan(e+fx)}}{\sqrt{2}\sqrt{c}}\right)}{512\sqrt{2}a^3c^{5/2}f} + \frac{-B+iA}{6a^3f(1+i \tan(e+fx))^3(c-ic \tan(e+fx))}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(5/2)), x]
```

```
[Out] (21*((11*I)*A + B)*ArcTanh[Sqrt[c - I*c*Tan[e + f*x]]/(Sqrt[2]*Sqrt[c])])/(512*Sqrt[2]*a^3*c^(5/2)*f) - (21*((11*I)*A + B))/(640*a^3*f*(c - I*c*Tan[e + f*x])^(5/2)) + (I*A - B)/(6*a^3*f*(1 + I*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(5/2)) + ((11*I)*A + B)/(48*a^3*f*(1 + I*Tan[e + f*x])^2*(c - I*c*Tan[e + f*x])^(5/2)) + (3*((11*I)*A + B))/(64*a^3*f*(1 + I*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2)) - (7*((11*I)*A + B))/(256*a^3*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (21*((11*I)*A + B))/(512*a^3*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])]
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || (EqQ[c, 0] || LtQ[p, n]))))
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[
n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^4 (c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}} + \frac{(11A - iB)c \text{Subst} \left(\int \frac{1}{(a+iax)^4 (c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{48a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{48a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{21(11iA + B)}{640a^3 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{21(11iA + B)}{640a^3 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{21(11iA + B)}{640a^3 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{21(11iA + B)}{640a^3 f (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{6a^3 f (1 + i \tan(e + fx))^3 (c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{21(11iA + B) \tanh^{-1} \left(\frac{\sqrt{c - ic \tan(e + fx)}}{\sqrt{2}\sqrt{c}} \right)}{512\sqrt{2}a^3 c^{5/2} f} - \frac{21(11iA + B)}{640a^3 f (c - ic \tan(e + fx))^{5/2}}$$

Mathematica [A] time = 12.2013, size = 256, normalized size = 0.82

$$e^{-6i(e+fx)} \sqrt{c - ic \tan(e + fx)} \left(315(B + 11iA) e^{6i(e+fx)} \sqrt{1 + e^{2i(e+fx)}} \tanh^{-1} \left(\sqrt{1 + e^{2i(e+fx)}} \right) - i(1 + e^{2i(e+fx)}) \left(A(-310e^{2i(e+fx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^3*(c - I*c*Tan[e + f*x])^(5/2)), x]

[Out] (((-I)*(1 + E^((2*I)*(e + f*x))))*(-I)*B*(40 + 190*E^((2*I)*(e + f*x)) + 315*E^((4*I)*(e + f*x)) + 688*E^((6*I)*(e + f*x)) + 256*E^((8*I)*(e + f*x)) + 48*E^((10*I)*(e + f*x))) + A*(-40 - 310*E^((2*I)*(e + f*x)) - 1335*E^((4*I)*(e + f*x)) + 2768*E^((6*I)*(e + f*x)) + 416*E^((8*I)*(e + f*x)) + 48*E^((10*I)*(e + f*x)))) + 315*((11*I)*A + B)*E^((6*I)*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(e + f*x))]])*Sqrt[c - I*c*Tan[e + f*x]]/(15360*a^3*c^3*E^((6*I)*(e + f*x))*f)

Maple [A] time = 0.117, size = 233, normalized size = 0.8

$$\frac{2ic^3}{fa^3} \left(-\frac{1}{32c^5} \left(\frac{1}{(-c - ic \tan(fx + e))} \right)^3 \left(\left(\frac{11i}{32}B + \frac{71A}{32} \right) (c - ic \tan(fx + e))^{\frac{5}{2}} + \left(-\frac{59Ac}{6} - \frac{11i}{6}Bc \right) (c - ic \tan(fx + e))^{\frac{3}{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 2*I/f/a^3*c^3*(-1/32/c^5*((11/32*I*B+71/32*A)*(c-I*c*tan(f*x+e))^(5/2)+(-59/6*A*c-11/6*I*B*c)*(c-I*c*tan(f*x+e))^(3/2)+(21/8*I*B*c^2+89/8*A*c^2)*(c-I*c*tan(f*x+e))^(1/2)))/(-c-I*c*tan(f*x+e))^3-21/64*(-I*B+11*A)*2^(1/2)/c^(1/2)*arctanh(1/2*(c-I*c*tan(f*x+e))^(1/2)*2^(1/2)/c^(1/2))-1/32/c^5*(5*A-I*B)/(c-I*c*tan(f*x+e))^(1/2)-1/48/c^4*(2*A-I*B)/(c-I*c*tan(f*x+e))^(3/2)-1/80/c^3*(A-I*B)/(c-I*c*tan(f*x+e))^(5/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.80242, size = 1319, normalized size = 4.24

$$\left(15 \sqrt{\frac{1}{2}} a^3 c^3 f \sqrt{\frac{53361 A^2 - 9702i AB - 441 B^2}{a^6 c^5 f^2}} e^{(6i fx + 6ie)} \log \left(\frac{\left(\sqrt{2} \sqrt{\frac{1}{2}} (a^3 c^2 f e^{(2i fx + 2ie)} + a^3 c^2 f) \sqrt{\frac{c}{e^{(2i fx + 2ie)} + 1}} \sqrt{\frac{53361 A^2 - 9702i AB - 441 B^2}{a^6 c^5 f^2}} + 231i \right)}{256 a^3 c^2 f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="fricas")
```

```
[Out] 1/15360*(15*sqrt(1/2)*a^3*c^3*f*sqrt(-(53361*A^2 - 9702*I*A*B - 441*B^2)/(a^6*c^5*f^2))
*e^(6*I*f*x + 6*I*e)*log(1/256*(sqrt(2)*sqrt(1/2)*(a^3*c^2*f*e^(2*I*f*x + 2*I*e) + a^3*c^2*f)
*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(53361*A^2 - 9702*I*A*B - 441*B^2)/(a^6*c^5*f^2)) + 231*I*A + 21*B)
*e^(-I*f*x - I*e)/(a^3*c^2*f)) - 15*sqrt(1/2)*a^3*c^3*f*sqrt(-(53361*A^2 - 9702*I*A*B - 441*B^2)/(a^6*c^5*f^2))
*e^(6*I*f*x + 6*I*e)*log(-1/256*(sqrt(2)*sqrt(1/2)*(a^3*c^2*f*e^(2*I*f*x + 2*I*e) + a^3*c^2*f)
*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(-(53361*A^2 - 9702*I*A*B - 441*B^2)/(a^6*c^5*f^2)) - 231*I*A - 21*B)
)*e^(-I*f*x - I*e)/(a^3*c^2*f)) + sqrt(2)*((-48*I*A - 48*B)*e^(12*I*f*x + 12*I*e) + (-464*I*A - 304*B)
*e^(10*I*f*x + 10*I*e) + (-3184*I*A - 944*B)*e^(8*I*f*x + 8*I*e) + (-1433*I*A - 1003*B)*e^(6*I*f*x + 6*I*e) + (1645*I*A - 505*B)
*e^(4*I*f*x + 4*I*e) + (350*I*A - 230*B)*e^(2*I*f*x + 2*I*e) + 40*I*A - 40*B)*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))
*e^(-6*I*f*x - 6*I*e)/(a^3*c^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(5/2),
x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^3 (-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^3/(c-I*c*tan(f*x+e))^(5/2),x,
algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^3*(-I*c*tan(f*x + e) + c)^(5/2)), x)
```

$$3.787 \quad \int \sqrt{a + ia \tan(e + fx)} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=272

$$\frac{5\sqrt{ac}^{7/2}(-3B + 4iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{4f} - \frac{5c^3(-3B + 4iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{8f} - \frac{5c^2(-3B + 4iA)}{4f}$$

[Out] (-5*Sqrt[a]*((4*I)*A - 3*B)*c^(7/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(4*f) - (5*((4*I)*A - 3*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(8*f) - (5*((4*I)*A - 3*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(24*f) - (((4*I)*A - 3*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2))/(12*f) + (B*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(7/2))/(4*f)

Rubi [A] time = 0.329006, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 50, 63, 217, 203}

$$\frac{5\sqrt{ac}^{7/2}(-3B + 4iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{4f} - \frac{5c^3(-3B + 4iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{8f} - \frac{5c^2(-3B + 4iA)}{4f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (-5*Sqrt[a]*((4*I)*A - 3*B)*c^(7/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(4*f) - (5*((4*I)*A - 3*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(8*f) - (5*((4*I)*A - 3*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(24*f) - (((4*I)*A - 3*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2))/(12*f) + (B*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(7/2))/(4*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\int \sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2} dx = \frac{(ac) \text{Subst} \left(\int \frac{(A+Bx)(c-icx)^{5/2}}{\sqrt{a+iax}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{B\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{7/2}}{4f} + \frac{(a(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2}}{4f}$$

$$= -\frac{(4iA - 3B)c\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{7/2}}{12f}$$

$$= -\frac{5(4iA - 3B)c^2\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{7/2}}{24f}$$

$$= -\frac{5(4iA - 3B)c^3\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{8f}$$

$$= -\frac{5(4iA - 3B)c^3\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{8f}$$

$$= -\frac{5(4iA - 3B)c^3\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{8f}$$

$$= -\frac{5\sqrt{a}(4iA - 3B)c^{7/2} \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{4f} - \frac{5(a(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2}}{4f}$$

Mathematica [A] time = 9.30935, size = 257, normalized size = 0.94

$$\sqrt{a + ia \tan(e + fx)(A + B \tan(e + fx))} \left(\frac{5c^4(3B - 4iA)e^{-i(e+fx)} \sqrt{\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}}} \tan^{-1}(e^{i(e+fx)})}{\sqrt{\frac{c}{1+e^{2i(e+fx)}}}} + \frac{1}{24}c^3 \sec^2(e + fx) \sqrt{c - ic \tan(e + fx)} \right)$$

$$4f \sec^2(e + fx)(A \cos^3(e + fx) + B \sin^3(e + fx))$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))*((5*((-4*I)*A + 3*B)*c^4*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))])/(E^(I*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))]) + (c^3*Sec[e + f*x]^(7/2)*(64*((-4*I)*A + 3*B)*Cos[e + f*x] + 96*((-I)*A + B)*Cos[3*(e + f*x)] - 6*(12*A + (13*I)*B + (12*A + (17*I)*B)*Cos[2*(e + f*x)])*Sin[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/24)/(4*f*Sec[e + f*x]^(3/2)*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.173, size = 349, normalized size = 1.3

$$\frac{c^3}{24f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(6iB(\tan(fx + e))^3 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} + 8iA(\tan(fx + e))^2 \sqrt{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x)

[Out] 1/24/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*c^3*(6*I*B*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+8*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+45*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-45*I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-24*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-88*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)+60*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-36*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+72*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c)^(1/2)/(a*c*(1+tan(f*x+e)^2))^(1/2)

Maxima [B] time = 7.75012, size = 1798, normalized size = 6.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] -((23040*A + 17280*I*B)*c^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (84480*A + 63360*I*B)*c^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (112128*A + 84096*I*B)*c^3*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))

```

cos(2*f*x + 2*e))) + (50688*A + 56448*I*B)*c^3*cos(1/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) + 5760*(4*I*A - 3*B)*c^3*sin(7/2*arctan2(sin(2*f*x
+ 2*e), cos(2*f*x + 2*e))) + 21120*(4*I*A - 3*B)*c^3*sin(5/2*arctan2(sin(2
*f*x + 2*e), cos(2*f*x + 2*e))) + 28032*(4*I*A - 3*B)*c^3*sin(3/2*arctan2(s
in(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1152*(44*I*A - 49*B)*c^3*sin(1/2*arct
an2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((11520*A + 8640*I*B)*c^3*cos(8*
f*x + 8*e) + (46080*A + 34560*I*B)*c^3*cos(6*f*x + 6*e) + (69120*A + 51840*
I*B)*c^3*cos(4*f*x + 4*e) + (46080*A + 34560*I*B)*c^3*cos(2*f*x + 2*e) + 28
80*(4*I*A - 3*B)*c^3*sin(8*f*x + 8*e) + 11520*(4*I*A - 3*B)*c^3*sin(6*f*x +
6*e) + 17280*(4*I*A - 3*B)*c^3*sin(4*f*x + 4*e) + 11520*(4*I*A - 3*B)*c^3*
sin(2*f*x + 2*e) + (11520*A + 8640*I*B)*c^3*arctan2(cos(1/2*arctan2(sin(2*
f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e)))) + 1) + ((11520*A + 8640*I*B)*c^3*cos(8*f*x + 8*e) + (46080*A + 34
560*I*B)*c^3*cos(6*f*x + 6*e) + (69120*A + 51840*I*B)*c^3*cos(4*f*x + 4*e)
+ (46080*A + 34560*I*B)*c^3*cos(2*f*x + 2*e) + 2880*(4*I*A - 3*B)*c^3*sin(8
*f*x + 8*e) + 11520*(4*I*A - 3*B)*c^3*sin(6*f*x + 6*e) + 17280*(4*I*A - 3*B
)*c^3*sin(4*f*x + 4*e) + 11520*(4*I*A - 3*B)*c^3*sin(2*f*x + 2*e) + (11520*
A + 8640*I*B)*c^3*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (1440*(4
*I*A - 3*B)*c^3*cos(8*f*x + 8*e) + 5760*(4*I*A - 3*B)*c^3*cos(6*f*x + 6*e)
+ 8640*(4*I*A - 3*B)*c^3*cos(4*f*x + 4*e) + 5760*(4*I*A - 3*B)*c^3*cos(2*f*
x + 2*e) - (5760*A + 4320*I*B)*c^3*sin(8*f*x + 8*e) - (23040*A + 17280*I*B)
*c^3*sin(6*f*x + 6*e) - (34560*A + 25920*I*B)*c^3*sin(4*f*x + 4*e) - (23040
*A + 17280*I*B)*c^3*sin(2*f*x + 2*e) + 1440*(4*I*A - 3*B)*c^3*log(cos(1/2*
arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x
+ 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*
x + 2*e)))) + 1) + (1440*(-4*I*A + 3*B)*c^3*cos(8*f*x + 8*e) + 5760*(-4*I*A
+ 3*B)*c^3*cos(6*f*x + 6*e) + 8640*(-4*I*A + 3*B)*c^3*cos(4*f*x + 4*e) + 57
60*(-4*I*A + 3*B)*c^3*cos(2*f*x + 2*e) + (5760*A + 4320*I*B)*c^3*sin(8*f*x
+ 8*e) + (23040*A + 17280*I*B)*c^3*sin(6*f*x + 6*e) + (34560*A + 25920*I*B)
*c^3*sin(4*f*x + 4*e) + (23040*A + 17280*I*B)*c^3*sin(2*f*x + 2*e) + 1440*(
-4*I*A + 3*B)*c^3*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))
^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(1/2*arc
tan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(-4608*I
*cos(8*f*x + 8*e) - 18432*I*cos(6*f*x + 6*e) - 27648*I*cos(4*f*x + 4*e) - 1
8432*I*cos(2*f*x + 2*e) + 4608*sin(8*f*x + 8*e) + 18432*sin(6*f*x + 6*e) +
27648*sin(4*f*x + 4*e) + 18432*sin(2*f*x + 2*e) - 4608*I))

```

Fricas [B] time = 1.61683, size = 1628, normalized size = 5.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2
),x, algorithm="fricas")

```

```

[Out] 1/48*(4*((-60*I*A + 45*B)*c^3*e^(6*I*f*x + 6*I*e) + (-220*I*A + 165*B)*c^3*
e^(4*I*f*x + 4*I*e) + (-292*I*A + 219*B)*c^3*e^(2*I*f*x + 2*I*e) + (-132*I*
A + 147*B)*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*
e) + 1))*e^(I*f*x + I*e) - 3*sqrt((400*A^2 + 600*I*A*B - 225*B^2)*a*c^7/f^2
)*(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*
e) + f)*log(2*(((80*I*A + 60*B)*c^3*e^(2*I*f*x + 2*I*e) + (-80*I*A + 60*B)*
c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^
(I*f*x + I*e) + 2*sqrt((400*A^2 + 600*I*A*B - 225*B^2)*a*c^7/f^2)*(f*e^(2*I
*f*x + 2*I*e) - f))/((-20*I*A + 15*B)*c^3*e^(2*I*f*x + 2*I*e) + (-20*I*A +
15*B)*c^3)) + 3*sqrt((400*A^2 + 600*I*A*B - 225*B^2)*a*c^7/f^2)*(f*e^(6*I*f

```



```
*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)*log(2*
((( -80*I*A + 60*B)*c^3*e^(2*I*f*x + 2*I*e) + (-80*I*A + 60*B)*c^3)*sqrt(a/(
e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)
- 2*sqrt((400*A^2 + 600*I*A*B - 225*B^2)*a*c^7/f^2)*(f*e^(2*I*f*x + 2*I*e)
- f))/((-20*I*A + 15*B)*c^3*e^(2*I*f*x + 2*I*e) + (-20*I*A + 15*B)*c^3)))/
(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e)
+ f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7
/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a(-ic \tan(fx + e) + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2
),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e
) + c)^(7/2), x)
```

$$3.788 \quad \int \sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=217

$$\frac{\sqrt{ac}^{5/2}(-2B + 3iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} - \frac{c^2(-2B + 3iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} - \frac{c(-2B + 3iA)\sqrt{a + ia \tan(e + fx)}}{2f}$$

[Out] -((Sqrt[a]*((3*I)*A - 2*B)*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/f - (((3*I)*A - 2*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) - (((3*I)*A - 2*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(6*f) + (B*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2))/(3*f)

Rubi [A] time = 0.295699, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 50, 63, 217, 203}

$$\frac{\sqrt{ac}^{5/2}(-2B + 3iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} - \frac{c^2(-2B + 3iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} - \frac{c(-2B + 3iA)\sqrt{a + ia \tan(e + fx)}}{2f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] -((Sqrt[a]*((3*I)*A - 2*B)*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/f - (((3*I)*A - 2*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) - (((3*I)*A - 2*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(6*f) + (B*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2))/(3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !IGtQ

[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)(c-icx)^{3/2}}{\sqrt{a+iax}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{B\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{5/2}}{3f} + \\ &= -\frac{(3iA - 2B)c\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{3/2}}{6f} \\ &= -\frac{(3iA - 2B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{(3iA - 2B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{(3iA - 2B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{\sqrt{a}(3iA - 2B)c^{5/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} \end{aligned}$$

Mathematica [A] time = 6.64861, size = 226, normalized size = 1.04

$$\frac{\sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx)) \left(\frac{c^3(2B - 3iA)e^{-i(e+fx)} \sqrt{\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}}} \tan^{-1}(e^{i(e+fx)})}{\sqrt{\frac{c}{1+e^{2i(e+fx)}}}} + \frac{1}{12} c^2 \sec^2(e + fx) \sqrt{c - ic \tan(e + fx)} \right)}{f \sec^{\frac{3}{2}}(e + fx)(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*((((-3*I)*A + 2*B)*c^3*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]/(E^(I*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])]) + (c^2*Sec[e + f*x]^(5/2)*((-12*I)*A + 8*B + 12*((-I)*A + B)*Cos[2*(e + f*x)] - 3*(A + (2*I)*B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/12)/(f*Sec[e + f*x]^(3/2)*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.154, size = 285, normalized size = 1.3

$$-\frac{c^2}{6f} \sqrt{a(1+i \tan(fx+e))} \sqrt{-c(-1+i \tan(fx+e))} \left(-6iB \ln \left(\left(ac \tan(fx+e) + \sqrt{ac(1+(\tan(fx+e))^2)} \sqrt{ac} \right) \frac{1}{\sqrt{ac}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x)

[Out] -1/6/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*c^2*(-6*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+6*I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+2*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+12*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)-9*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+3*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-10*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c)^(1/2)/(a*c*(1+tan(f*x+e)^2))^(1/2)

Maxima [B] time = 3.48267, size = 1455, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] -((216*A + 144*I*B)*c^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (576*A + 384*I*B)*c^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (360*A + 432*I*B)*c^2*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 72*(3*I*A - 2*B)*c^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 192*(3*I*A - 2*B)*c^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 72*(5*I*A - 6*B)*c^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((108*A + 72*I*B)*c^2*cos(6*f*x + 6*e) + (324*A + 216*I*B)*c^2*cos(4*f*x + 4*e) + (324*A + 216*I*B)*c^2*cos(2*f*x + 2*e) + 36*(3*I*A - 2*B)*c^2*sin(6*f*x + 6*e) + 108*(3*I*A - 2*B)*c^2*sin(4*f*x + 4*e) + 108*(3*I*A - 2*B)*c^2*sin(2*f*x + 2*e) + (108*A + 72*I*B)*c^2*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((108*A + 72*I*B)*c^2*cos(6*f*x + 6*e) + (324*A + 216*I*B)*c^2*cos(4*f*x + 4*e) + (324*A + 216*I*B)*c^2*cos(2*f*x + 2*e) + 36*(3*I*A - 2*B)*c^2*sin(6*f*x + 6*e) + 108*(3*I*A - 2*B)*c^2*sin(4*f*x + 4*e) + 108*(3*I*A - 2*B)*c^2*sin(2*f*x + 2*e) + (108*A + 72*I*B)*c^2*arctan2

$$\begin{aligned} & (\cos(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))), -\sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1) + (18(3IA - 2B) * c^2 \cos(6fx + 6e) + 54(3IA - 2B) * c^2 \cos(4fx + 4e) + 54(3IA - 2B) * c^2 \cos(2fx + 2e) - (54A + 36IB) * c^2 \sin(6fx + 6e) - (162A + 108IB) * c^2 \sin(4fx + 4e) - (162A + 108IB) * c^2 \sin(2fx + 2e) + 18(3IA - 2B) * c^2) * \log(\cos(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 + \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 + 2 * \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1) + (18(-3IA + 2B) * c^2 \cos(6fx + 6e) + 54(-3IA + 2B) * c^2 \cos(4fx + 4e) + 54(-3IA + 2B) * c^2 \cos(2fx + 2e) + (54A + 36IB) * c^2 \sin(6fx + 6e) + (162A + 108IB) * c^2 \sin(4fx + 4e) + (162A + 108IB) * c^2 \sin(2fx + 2e) + 18(-3IA + 2B) * c^2) * \log(\cos(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 + \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 - 2 * \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1) * \sqrt{a} * \sqrt{c} / (f * (-72I * \cos(6fx + 6e) - 216I * \cos(4fx + 4e) - 216I * \cos(2fx + 2e) + 72 * \sin(6fx + 6e) + 216 * \sin(4fx + 4e) + 216 * \sin(2fx + 2e) - 72I)) \end{aligned}$$

Fricas [B] time = 1.68716, size = 1413, normalized size = 6.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")
```

```
[Out] 1/12*(2*((-18*I*A + 12*B)*c^2*e^(4*I*f*x + 4*I*e) + (-48*I*A + 32*B)*c^2*e^(2*I*f*x + 2*I*e) + (-30*I*A + 36*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 3*sqrt((9*A^2 + 12*I*A*B - 4*B^2)*a*c^5/f^2)*(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((12*I*A + 8*B)*c^2*e^(2*I*f*x + 2*I*e) + (-12*I*A + 8*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((9*A^2 + 12*I*A*B - 4*B^2)*a*c^5/f^2)*(f*e^(2*I*f*x + 2*I*e) - f)))/((-3*I*A + 2*B)*c^2*e^(2*I*f*x + 2*I*e) + (-3*I*A + 2*B)*c^2) + 3*sqrt((9*A^2 + 12*I*A*B - 4*B^2)*a*c^5/f^2)*(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((12*I*A + 8*B)*c^2*e^(2*I*f*x + 2*I*e) + (-12*I*A + 8*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((9*A^2 + 12*I*A*B - 4*B^2)*a*c^5/f^2)*(f*e^(2*I*f*x + 2*I*e) - f)))/((-3*I*A + 2*B)*c^2*e^(2*I*f*x + 2*I*e) + (-3*I*A + 2*B)*c^2))/((f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.789 \quad \int \sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=164

$$\frac{\sqrt{ac}^{3/2}(-B + 2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} - \frac{c(-B + 2iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} + \frac{B\sqrt{a + ia \tan(e + fx)}}{2f}$$

[Out] -((Sqrt[a]*((2*I)*A - B)*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/f - (((2*I)*A - B)*c*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) + (B*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(2*f)

Rubi [A] time = 0.259342, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 50, 63, 217, 203}

$$\frac{\sqrt{ac}^{3/2}(-B + 2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} - \frac{c(-B + 2iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} + \frac{B\sqrt{a + ia \tan(e + fx)}}{2f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] -((Sqrt[a]*((2*I)*A - B)*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/f - (((2*I)*A - B)*c*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) + (B*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(2*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \sqrt{a + ia \tan(e + fx)} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)\sqrt{c-icx}}{\sqrt{a+iax}} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{B\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{3/2}}{2f} + \frac{(a(2iA - B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)})}{2f} \\ &= -\frac{(2iA - B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{(2iA - B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{(2iA - B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{\sqrt{a}(2iA - B)c^{3/2} \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{f} - \frac{(2iA - B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2f} \end{aligned}$$

Mathematica [A] time = 5.749, size = 159, normalized size = 0.97

$$\frac{c^2 e^{-ie} \left(\sin\left(\frac{e}{2}\right) - i \cos\left(\frac{e}{2}\right) \right) \sqrt{a + ia \tan(e + fx)} \left(\cos\left(\frac{e}{2} + fx\right) - i \sin\left(\frac{e}{2} + fx\right) \right) \left((4A + 2iB) \tan^{-1} \left(e^{i(e+fx)} \right) + \sec(e + fx) \right)}{2\sqrt{2}f \sqrt{\frac{c}{1+e^{2i(e+fx)}}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*(c - I*c*Tan[e +
f*x])^(3/2), x]
```

```
[Out] (c^2*((-I)*Cos[e/2] + Sin[e/2])*(Cos[e/2 + f*x] - I*Sin[e/2 + f*x])*((4*A +
(2*I)*B)*ArcTan[E^(I*(e + f*x))] + Sec[e + f*x]*(2*A + (2*I)*B + B*Sec[e]*
Sec[e + f*x]*Sin[f*x] + B*Tan[e]))*Sqrt[a + I*a*Tan[e + f*x]]/(2*Sqrt[2]*E
```


$$e^{(I*x)} \sqrt{c/(1 + E^{((2*I)*(e + f*x))})} * f$$

Maple [A] time = 0.202, size = 223, normalized size = 1.4

$$-\frac{c}{2f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(-iB \ln \left(\left(ac \tan(fx + e) + \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} \right) \frac{1}{\sqrt{ac}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x)

[Out] $-1/2/f*(a*(1+I*\tan(f*x+e)))^{1/2}*(-c*(-1+I*\tan(f*x+e)))^{1/2}*c*(-I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c+I*B*(a*c)^{1/2}*(a*c*(1+\tan(f*x+e)^2))^{1/2}*\tan(f*x+e)+2*I*A*(a*c)^{1/2}*(a*c*(1+\tan(f*x+e)^2))^{1/2}-2*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c-2*B*(a*c)^{1/2}*(a*c*(1+\tan(f*x+e)^2))^{1/2}))/((a*c*(1+\tan(f*x+e)^2))^{1/2}/(a*c)^{1/2})$

Maxima [B] time = 2.5161, size = 1040, normalized size = 6.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] $-((32*A + 16*I*B)*c*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (32*A + 48*I*B)*c*\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 16*(2*I*A - B)*c*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 16*(2*I*A - 3*B)*c*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + ((16*A + 8*I*B)*c*\cos(4*f*x + 4*e) + (32*A + 16*I*B)*c*\cos(2*f*x + 2*e) + 8*(2*I*A - B)*c*\sin(4*f*x + 4*e) + 16*(2*I*A - B)*c*\sin(2*f*x + 2*e) + (16*A + 8*I*B)*c)*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + ((16*A + 8*I*B)*c*\cos(4*f*x + 4*e) + (32*A + 16*I*B)*c*\cos(2*f*x + 2*e) + 8*(2*I*A - B)*c*\sin(4*f*x + 4*e) + 16*(2*I*A - B)*c*\sin(2*f*x + 2*e) + (16*A + 8*I*B)*c)*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), -\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + (4*(2*I*A - B)*c*\cos(4*f*x + 4*e) + 8*(2*I*A - B)*c*\cos(2*f*x + 2*e) - (8*A + 4*I*B)*c*\sin(4*f*x + 4*e) - (16*A + 8*I*B)*c*\sin(2*f*x + 2*e) + 4*(2*I*A - B)*c)*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 + 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + (4*(-2*I*A + B)*c*\cos(4*f*x + 4*e) + 8*(-2*I*A + B)*c*\cos(2*f*x + 2*e) + (8*A + 4*I*B)*c*\sin(4*f*x + 4*e) + (16*A + 8*I*B)*c*\sin(2*f*x + 2*e) + 4*(-2*I*A + B)*c)*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 - 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1)*\sqrt{a}*\sqrt{c}/(f*(-16*I*\cos(4*f*x + 4*e) - 32*I*\cos(2*f*x + 2*e) + 16*\sin(4*f*x + 4*e) + 32*\sin(2*f*x + 2*e) - 16*I))$

Fricas [B] time = 1.6182, size = 1179, normalized size = 7.19

$$2 \left((-4iA + 2B)ce^{(2ifx+2ie)} + (-4iA + 6B)c \right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)} - \sqrt{\frac{(4A^2+4iAB-B^2)ac^3}{f^2}} \left(fe^{(2ifx+2ie)} + f \right) \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] 1/4*(2*((-4*I*A + 2*B)*c*e^(2*I*f*x + 2*I*e) + (-4*I*A + 6*B)*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - sqrt((4*A^2 + 4*I*A*B - B^2)*a*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) + f)*log(2*((-8*I*A + 4*B)*c*e^(2*I*f*x + 2*I*e) + (-8*I*A + 4*B)*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((4*A^2 + 4*I*A*B - B^2)*a*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-2*I*A + B)*c*e^(2*I*f*x + 2*I*e) + (-2*I*A + B)*c) + sqrt((4*A^2 + 4*I*A*B - B^2)*a*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) + f)*log(2*((-8*I*A + 4*B)*c*e^(2*I*f*x + 2*I*e) + (-8*I*A + 4*B)*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((4*A^2 + 4*I*A*B - B^2)*a*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-2*I*A + B)*c*e^(2*I*f*x + 2*I*e) + (-2*I*A + B)*c))/(f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a(-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(3/2), x)

3.790 $\int \sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)}$

Optimal. Leaf size=104

$$\frac{B\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{f} - \frac{2i\sqrt{a}A\sqrt{c} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f}$$

[Out] $((-2*I)*\text{Sqrt}[a]*A*\text{Sqrt}[c]*\text{ArcTan}[(\text{Sqrt}[c]*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]])]/(\text{Sqrt}[a]*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]))/f + (B*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/f$

Rubi [A] time = 0.208421, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3588, 80, 63, 217, 203}

$$\frac{B\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{f} - \frac{2i\sqrt{a}A\sqrt{c} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]*(A + B*\text{Tan}[e + f*x])* \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]], x]$

[Out] $((-2*I)*\text{Sqrt}[a]*A*\text{Sqrt}[c]*\text{ArcTan}[(\text{Sqrt}[c]*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]])]/(\text{Sqrt}[a]*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]))/f + (B*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/f$

Rule 3588

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{EqQ}\{b*c + a*d, 0\} \&\& \text{EqQ}\{a^2 + b^2, 0\}$

Rule 80

$\text{Int}[(a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(b*(c + d*x)^{(n+1)}*(e + f*x)^{(p+1)})/(d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))]/(d*f*(n + p + 2)), \text{Int}[(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x\} \&\& \text{NeQ}\{n + p + 2, 0\}$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}\{a, b, c, d, m, n, x\}$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x\} \&\& !\text{GtQ}\{a, 0\}$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)} dx = \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{\sqrt{a+iax}\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{B\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{f} + \frac{(aAc) S}{f}$$

$$= \frac{B\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{f} - \frac{(2iAc) S}{f}$$

$$= \frac{B\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{f} - \frac{(2iAc) S}{f}$$

$$= -\frac{2i\sqrt{a}A\sqrt{c} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} + \frac{B\sqrt{a + ia \tan(e + fx)}}{f}$$

Mathematica [A] time = 3.3183, size = 102, normalized size = 0.98

$$\frac{\sqrt{2}e^{-i(e+fx)}\sqrt{\frac{c}{1+e^{2i(e+fx)}}}\sqrt{a + ia \tan(e + fx)}\left(Be^{i(e+fx)} - iA(1 + e^{2i(e+fx)})\tan^{-1}(e^{i(e+fx)})\right)}{f}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (Sqrt[2]*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*(B*E^(I*(e + f*x)) - I*A*(1 + E^((2*I)*(e + f*x))))*ArcTan[E^(I*(e + f*x))])*Sqrt[a + I*a*Tan[e + f*x]]/(E^(I*(e + f*x))*f)

Maple [A] time = 0.131, size = 121, normalized size = 1.2

$$\frac{1}{f}\sqrt{a(1 + i \tan(fx + e))}\sqrt{-c(-1 + i \tan(fx + e))}\left(A \ln\left(\left(ac \tan(fx + e) + \sqrt{ac(1 + (\tan(fx + e))^2)}\sqrt{ac}\right)\frac{1}{\sqrt{ac}}\right)ac + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(1/2)*(c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e)), x)

[Out] 1/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*(A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 2.25387, size = 609, normalized size = 5.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e)),x, algorithm="maxima")

[Out]
$$-\left((2A\cos(2fx+2e) + 2IA\sin(2fx+2e) + 2A)\arctan2(\cos(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))), \sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))), \cos(2fx+2e)) + 1\right) + (2A\cos(2fx+2e) + 2IA\sin(2fx+2e) + 2A)\arctan2(\cos(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))), -\sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))) + 1) + 4IB\cos(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))) - (-IA\cos(2fx+2e) + A\sin(2fx+2e) - IA)\log(\cos(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))))^2 + \sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e)))^2 + 2\sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))) + 1) - (IA\cos(2fx+2e) - A\sin(2fx+2e) + IA)\log(\cos(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))))^2 + \sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e)))^2 - 2\sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e))) + 1) - 4B\sin(1/2\arctan2(\sin(2fx+2e), \cos(2fx+2e)))\sqrt{a}\sqrt{c}/(f(-2I\cos(2fx+2e) + 2\sin(2fx+2e) - 2I))$$

Fricas [B] time = 1.48629, size = 751, normalized size = 7.22

$$4B\sqrt{\frac{a}{e^{2ifx+2ie}+1}}\sqrt{\frac{c}{e^{2ifx+2ie}+1}}e^{ifx+ie} - \sqrt{\frac{A^2ac}{f^2}}f\log\left(\frac{2\left(4\left(Ae^{(2ifx+2ie)+A}\right)\sqrt{\frac{a}{e^{2ifx+2ie}+1}}\sqrt{\frac{c}{e^{2ifx+2ie}+1}}e^{ifx+ie} + \sqrt{\frac{A^2ac}{f^2}}\left(2ife^{(2ifx+2ie)+A}\right)\right)}{Ae^{(2ifx+2ie)+A}}\right)$$

$2f$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e)),x, algorithm="fricas")

[Out]
$$\frac{1}{2}(4B\sqrt{a/(e^{2If*x+2I*e}+1)}\sqrt{c/(e^{2If*x+2I*e}+1)}e^{If*x+I*e} - \sqrt{A^2a*c/f^2}f\log(2(4(Ae^{2If*x+2I*e}+A)\sqrt{a/(e^{2If*x+2I*e}+1)}\sqrt{c/(e^{2If*x+2I*e}+1)}e^{If*x+I*e} + \sqrt{A^2a*c/f^2}(2If*fe^{2If*x+2I*e} - 2If)))/(Ae^{2If*x+2I*e}+A) + \sqrt{A^2a*c/f^2}f\log(2(4(Ae^{2If*x+2I*e}+A)\sqrt{a/(e^{2If*x+2I*e}+1)}\sqrt{c/(e^{2If*x+2I*e}+1)}e^{If*x+I*e} + \sqrt{A^2a*c/f^2}(-2If*fe^{2If*x+2I*e} + 2If)))/(Ae^{2If*x+2I*e}+A)))/f$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(i \tan(e+fx)+1)}\sqrt{-c(i \tan(e+fx)-1)}(A+B \tan(e+fx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e)),x)
```

```
[Out] Integral(sqrt(a*(I*tan(e + f*x) + 1))*sqrt(-c*(I*tan(e + f*x) - 1))*(A + B*tan(e + f*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a} \sqrt{-ic \tan(fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)*sqrt(-I*c*tan(f*x + e) + c), x)
```

$$3.791 \quad \int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=109

$$\frac{2\sqrt{a}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{(B+iA)\sqrt{a+ia \tan(e+fx)}}{f\sqrt{c-ic \tan(e+fx)}}$$

[Out] (2*sqrt[a]*B*ArcTan[(sqrt[c]*sqrt[a + I*a*Tan[e + f*x]])/(sqrt[a]*sqrt[c - I*c*Tan[e + f*x]])])/(sqrt[c]*f) - ((I*A + B)*sqrt[a + I*a*Tan[e + f*x]])/(f*sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.219721, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3588, 78, 63, 217, 203}

$$\frac{2\sqrt{a}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{(B+iA)\sqrt{a+ia \tan(e+fx)}}{f\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (2*sqrt[a]*B*ArcTan[(sqrt[c]*sqrt[a + I*a*Tan[e + f*x]])/(sqrt[a]*sqrt[c - I*c*Tan[e + f*x]])])/(sqrt[c]*f) - ((I*A + B)*sqrt[a + I*a*Tan[e + f*x]])/(f*sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\int \frac{\sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))}{\sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{\sqrt{a+iax(c-icx)^{3/2}}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{f\sqrt{c - ic \tan(e + fx)}} + \frac{(iaB) \text{Subst} \left(\int \frac{1}{\sqrt{a+iax}\sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{f\sqrt{c - ic \tan(e + fx)}} + \frac{(2B) \text{Subst} \left(\int \frac{1}{\sqrt{2c-\frac{cx^2}{a}}} dx, x, \sqrt{a + ia \tan(e + fx)} \right)}{f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{f\sqrt{c - ic \tan(e + fx)}} + \frac{(2B) \text{Subst} \left(\int \frac{1}{1+\frac{cx^2}{a}} dx, x, \frac{\sqrt{a+ia \tan(e+fx)}}{\sqrt{c-ic \tan(e+fx)}} \right)}{f}$$

$$= \frac{2\sqrt{a}B \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{\sqrt{c}f} - \frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{f\sqrt{c - ic \tan(e + fx)}}$$

Mathematica [A] time = 4.0114, size = 127, normalized size = 1.17

$$\frac{\sqrt{a + ia \tan(e + fx)} \left(\cos \left(\frac{1}{2}(e + fx) \right) - i \sin \left(\frac{1}{2}(e + fx) \right) \right) \left(\sin \left(\frac{1}{2}(e + fx) \right) - i \cos \left(\frac{1}{2}(e + fx) \right) \right) (A + 2B \tan^{-1} (e^{i(e+fx)}))}{f\sqrt{c - ic \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]],x]
```

```
[Out] ((Cos[(e + f*x)/2] - I*Sin[(e + f*x)/2])*((-I)*Cos[(e + f*x)/2] + Sin[(e + f*x)/2]))*(A - I*B + 2*B*ArcTan[E^(I*(e + f*x))]*(I*Cos[e + f*x] + Sin[e + f*x]))*Sqrt[a + I*a*Tan[e + f*x]]/(f*Sqrt[c - I*c*Tan[e + f*x]])
```

Maple [B] time = 0.233, size = 321, normalized size = 2.9

$$\frac{-i}{cf(\tan(fx + e) + i)^2} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(-2iB \ln \left(\left(ac \tan(fx + e) + \sqrt{ac(1 + (\tan(fx + e))^2)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2), x)
```



```
[Out] -I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/c*(-2*I*B*ln((
a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f
*x+e)*a*c-B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a
*c)^(1/2))*tan(f*x+e)^2*a*c+I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*ta
n(f*x+e)+I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+B*ln((a*c*tan(f*x+e)+
(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+B*(a*c*(1+tan(f*
x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(
1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^2/(a*c)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2
),x, algorithm="maxima")
```

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.53387, size = 830, normalized size = 7.61

$$cf \sqrt{-\frac{B^2 a}{cf^2}} \log \left(\frac{4 \left(2 \left(Be^{(2i f x + 2i e) + B} \right) \sqrt{\frac{a}{e^{(2i f x + 2i e) + 1}}} \sqrt{\frac{c}{e^{(2i f x + 2i e) + 1}}} e^{(i f x + i e)} + (c f e^{(2i f x + 2i e) - c f}) \sqrt{-\frac{B^2 a}{cf^2}} \right)}{Be^{(2i f x + 2i e) + B}} \right) - cf \sqrt{-\frac{B^2 a}{cf^2}} \log \left(\frac{4 \left(2 \left(Be^{(2i f x + 2i e)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2
),x, algorithm="fricas")
```

```
[Out] -1/2*(c*f*sqrt(-B^2*a/(c*f^2))*log(4*(2*(B*e^(2*I*f*x + 2*I*e) + B)*sqrt(a/
(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e
) + (c*f*e^(2*I*f*x + 2*I*e) - c*f)*sqrt(-B^2*a/(c*f^2)))/(B*e^(2*I*f*x + 2
*I*e) + B)) - c*f*sqrt(-B^2*a/(c*f^2))*log(4*(2*(B*e^(2*I*f*x + 2*I*e) + B)
*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f
*x + I*e) - (c*f*e^(2*I*f*x + 2*I*e) - c*f)*sqrt(-B^2*a/(c*f^2)))/(B*e^(2*I
*f*x + 2*I*e) + B)) - ((-2*I*A - 2*B)*e^(2*I*f*x + 2*I*e) - 2*I*A - 2*B)*sq
rt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x
+ I*e))/(c*f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(i \tan(e + fx) + 1)}(A + B \tan(e + fx))}{\sqrt{-c(i \tan(e + fx) - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1
/2),x)
```

[Out] Integral(sqrt(a*(I*tan(e + f*x) + 1))*(A + B*tan(e + f*x))/sqrt(-c*(I*tan(e + f*x) - 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a}}{\sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)/sqrt(-I*c*tan(f*x + e) + c), x)

$$3.792 \quad \int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=102

$$-\frac{(-2B+iA)\sqrt{a+ia \tan(e+fx)}}{3cf\sqrt{c-ic \tan(e+fx)}} - \frac{(B+iA)\sqrt{a+ia \tan(e+fx)}}{3f(c-ic \tan(e+fx))^{3/2}}$$

```
[Out] -((I*A + B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*f*(c - I*c*Tan[e + f*x])^(3/2))
- ((I*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*c*f*Sqrt[c - I*c*Tan[e + f*x]
])
```

Rubi [A] time = 0.218365, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$-\frac{(-2B+iA)\sqrt{a+ia \tan(e+fx)}}{3cf\sqrt{c-ic \tan(e+fx)}} - \frac{(B+iA)\sqrt{a+ia \tan(e+fx)}}{3f(c-ic \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x]
)^(3/2), x]
```

```
[Out] -((I*A + B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*f*(c - I*c*Tan[e + f*x])^(3/2))
- ((I*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*c*f*Sqrt[c - I*c*Tan[e + f*x]
])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 37

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{\sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{3/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{\sqrt{a+iax(c-icx)}^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{(a(A + 2iB)) \operatorname{Subst} \left(\int \frac{1}{\sqrt{a+iax(c-icx)}^{3/2}} dx, x, \tan(e + fx) \right)}{3f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{3f(c - ic \tan(e + fx))^{3/2}} - \frac{(iA - 2B)\sqrt{a + ia \tan(e + fx)}}{3cf\sqrt{c - ic \tan(e + fx)}}$$

Mathematica [A] time = 5.5783, size = 101, normalized size = 0.99

$$\frac{\cos(e + fx)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(2(e + fx)) + i \sin(2(e + fx)))(B - 2iA) \cos(e + fx) - (A + 2iB) \sin(e + fx)}{3c^2 f}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] (Cos[e + f*x]*(((−2*I)*A + B)*Cos[e + f*x] − (A + (2*I)*B)*Sin[e + f*x])*(Cos[2*(e + f*x)] + I*SIn[2*(e + f*x)])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c − I*c*Tan[e + f*x]])/(3*c^2*f)

Maple [A] time = 0.132, size = 100, normalized size = 1.

$$\frac{2iB(\tan(fx + e))^2 + 3iA \tan(fx + e) + A(\tan(fx + e))^2 - iB - 3B \tan(fx + e) - 2A \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(1 + i \tan(fx + e))}}{3fc^2(\tan(fx + e) + i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x)

[Out] 1/3/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/c^2*(2*I*B*tan(f*x+e)^2+3*I*A*tan(f*x+e)+A*tan(f*x+e)^2-I*B-3*B*tan(f*x+e)-2*A)/(tan(f*x+e)+I)^3

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.39564, size = 244, normalized size = 2.39

$$\frac{\left((-iA - B)e^{(4ifx+4ie)} + (-4iA + 2B)e^{(2ifx+2ie)} - 3iA + 3B\right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)}}{6c^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] 1/6*((-I*A - B)*e^(4*I*f*x + 4*I*e) + (-4*I*A + 2*B)*e^(2*I*f*x + 2*I*e) - 3*I*A + 3*B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^2*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a}}{(-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)/(-I*c*tan(f*x + e) + c)^(3/2), x)

$$3.793 \quad \int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=155

$$\frac{(-3B + 2iA)\sqrt{a + ia \tan(e + fx)}}{15c^2 f \sqrt{c - ic \tan(e + fx)}} - \frac{(-3B + 2iA)\sqrt{a + ia \tan(e + fx)}}{15cf(c - ic \tan(e + fx))^{3/2}} - \frac{(B + iA)\sqrt{a + ia \tan(e + fx)}}{5f(c - ic \tan(e + fx))^{5/2}}$$

```
[Out] -((I*A + B)*Sqrt[a + I*a*Tan[e + f*x]])/(5*f*(c - I*c*Tan[e + f*x])^(5/2))
- (((2*I)*A - 3*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*c*f*(c - I*c*Tan[e + f*x])
)^(3/2)) - (((2*I)*A - 3*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*c^2*f*Sqrt[c -
I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.246502, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{(-3B + 2iA)\sqrt{a + ia \tan(e + fx)}}{15c^2 f \sqrt{c - ic \tan(e + fx)}} - \frac{(-3B + 2iA)\sqrt{a + ia \tan(e + fx)}}{15cf(c - ic \tan(e + fx))^{3/2}} - \frac{(B + iA)\sqrt{a + ia \tan(e + fx)}}{5f(c - ic \tan(e + fx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])
)^(5/2), x]
```

```
[Out] -((I*A + B)*Sqrt[a + I*a*Tan[e + f*x]])/(5*f*(c - I*c*Tan[e + f*x])^(5/2))
- (((2*I)*A - 3*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*c*f*(c - I*c*Tan[e + f*x])
)^(3/2)) - (((2*I)*A - 3*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*c^2*f*Sqrt[c -
I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*S
implify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{\sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{5/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{\sqrt{a+iax(c-icx)^{7/2}}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{(a(2A + 3iB)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+iax(c-icx)}} dx, x, \tan(e + fx)\right)}{5f}$$

$$= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{5f(c - ic \tan(e + fx))^{5/2}} - \frac{(2iA - 3B)\sqrt{a + ia \tan(e + fx)}}{15cf(c - ic \tan(e + fx))^{3/2}} + \frac{(2iA - 3B)\sqrt{a + ia \tan(e + fx)}}{15cf(c - ic \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 9.35934, size = 114, normalized size = 0.74

$$\frac{\cos(e + fx)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(3(e + fx)) + i \sin(3(e + fx)))(-3(2A + 3iB) \sin(2(e + fx)) + 30c^3f)}{30c^3f}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e
+ f*x])^(5/2), x]
```

```
[Out] (Cos[e + f*x]*((-5*I)*A + ((-9*I)*A + 6*B)*Cos[2*(e + f*x)] - 3*(2*A + (3*I
)*B)*Sin[2*(e + f*x)])*(Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)])*Sqrt[a + I*a
*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(30*c^3*f)
```

Maple [A] time = 0.122, size = 125, normalized size = 0.8

$$\frac{-\frac{i}{15}\left(2iA(\tan(fx + e))^3 - 12iB(\tan(fx + e))^2 - 3B(\tan(fx + e))^3 - 13iA \tan(fx + e) - 8A(\tan(fx + e))^2 + 30c^3\right)}{fc^3(\tan(fx + e) + i)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x)
```

```
[Out] -1/15*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/c^3*(2*I*
A*tan(f*x+e)^3-12*I*B*tan(f*x+e)^2-3*B*tan(f*x+e)^3-13*I*A*tan(f*x+e)-8*A*t
an(f*x+e)^2+3*I*B+12*B*tan(f*x+e)+7*A)/(tan(f*x+e)+I)^4
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.36633, size = 308, normalized size = 1.99

$$\frac{\left((-3iA - 3B)e^{(6ifx+6ie)} + (-13iA - 3B)e^{(4ifx+4ie)} + (-25iA + 15B)e^{(2ifx+2ie)} - 15iA + 15B\right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}}{60c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")
```

```
[Out] 1/60*((-3*I*A - 3*B)*e^(6*I*f*x + 6*I*e) + (-13*I*A - 3*B)*e^(4*I*f*x + 4*I*e) + (-25*I*A + 15*B)*e^(2*I*f*x + 2*I*e) - 15*I*A + 15*B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(5/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a}}{(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)/(-I*c*tan(f*x + e) + c)^(5/2), x)
```


$$3.794 \quad \int \frac{\sqrt{a+ia \tan(e+fx)}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=208

$$\frac{2(-4B+3iA)\sqrt{a+ia \tan(e+fx)}}{105c^3 f \sqrt{c-ic \tan(e+fx)}} - \frac{2(-4B+3iA)\sqrt{a+ia \tan(e+fx)}}{105c^2 f (c-ic \tan(e+fx))^{3/2}} - \frac{(-4B+3iA)\sqrt{a+ia \tan(e+fx)}}{35cf (c-ic \tan(e+fx))^{5/2}} - \frac{(B+ia)}{7f(c-ic \tan(e+fx))^{7/2}}$$

```
[Out] -((I*A + B)*Sqrt[a + I*a*Tan[e + f*x]])/(7*f*(c - I*c*Tan[e + f*x])^(7/2))
- (((3*I)*A - 4*B)*Sqrt[a + I*a*Tan[e + f*x]])/(35*c*f*(c - I*c*Tan[e + f*x])^(5/2))
- (2*((3*I)*A - 4*B)*Sqrt[a + I*a*Tan[e + f*x]])/(105*c^2*f*(c - I*c*Tan[e + f*x])^(3/2))
- (2*((3*I)*A - 4*B)*Sqrt[a + I*a*Tan[e + f*x]])/(105*c^3*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.276411, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-4B+3iA)\sqrt{a+ia \tan(e+fx)}}{105c^3 f \sqrt{c-ic \tan(e+fx)}} - \frac{2(-4B+3iA)\sqrt{a+ia \tan(e+fx)}}{105c^2 f (c-ic \tan(e+fx))^{3/2}} - \frac{(-4B+3iA)\sqrt{a+ia \tan(e+fx)}}{35cf (c-ic \tan(e+fx))^{5/2}} - \frac{(B+ia)}{7f(c-ic \tan(e+fx))^{7/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]
```

```
[Out] -((I*A + B)*Sqrt[a + I*a*Tan[e + f*x]])/(7*f*(c - I*c*Tan[e + f*x])^(7/2))
- (((3*I)*A - 4*B)*Sqrt[a + I*a*Tan[e + f*x]])/(35*c*f*(c - I*c*Tan[e + f*x])^(5/2))
- (2*((3*I)*A - 4*B)*Sqrt[a + I*a*Tan[e + f*x]])/(105*c^2*f*(c - I*c*Tan[e + f*x])^(3/2))
- (2*((3*I)*A - 4*B)*Sqrt[a + I*a*Tan[e + f*x]])/(105*c^3*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
```

(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])

Rule 37

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + ia \tan(e + fx)}(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{7/2}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{\sqrt{a+iax}(c-icx)^{9/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{(a(3A + 4iB)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+iax}(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{7f} \\ &= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{7f(c - ic \tan(e + fx))^{7/2}} - \frac{(3iA - 4B)\sqrt{a + ia \tan(e + fx)}}{35cf(c - ic \tan(e + fx))^{5/2}} + \frac{2a}{10} \\ &= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{7f(c - ic \tan(e + fx))^{7/2}} - \frac{(3iA - 4B)\sqrt{a + ia \tan(e + fx)}}{35cf(c - ic \tan(e + fx))^{5/2}} - \frac{2(3a)}{10} \\ &= -\frac{(iA + B)\sqrt{a + ia \tan(e + fx)}}{7f(c - ic \tan(e + fx))^{7/2}} - \frac{(3iA - 4B)\sqrt{a + ia \tan(e + fx)}}{35cf(c - ic \tan(e + fx))^{5/2}} - \frac{2(3a)}{10} \end{aligned}$$

Mathematica [A] time = 12.329, size = 136, normalized size = 0.65

$$\frac{\cos(e + fx)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(4(e + fx)) + i \sin(4(e + fx)))(-3A + 4iB)(7 \sin(e + fx) + 15 \sin(3(e + fx)))}{420c^4 f}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + I*a*Tan[e + f*x]]*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (Cos[e + f*x]*(7*((-12*I)*A + B)*Cos[e + f*x] + 15*((-4*I)*A + 3*B)*Cos[3*(e + f*x)] - (3*A + (4*I)*B)*(7*Sin[e + f*x] + 15*Sin[3*(e + f*x)]))*(Cos[4*(e + f*x)] + I*Sin[4*(e + f*x)])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(420*c^4*f)

Maple [A] time = 0.129, size = 147, normalized size = 0.7

$$\frac{8iB(\tan(fx + e))^4 + 30iA(\tan(fx + e))^3 + 6A(\tan(fx + e))^4 - 84iB(\tan(fx + e))^2 - 40B(\tan(fx + e))^3 - 75iA}{105fc^4(\tan(fx + e) + i)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] 1/105/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/c^4*(8*I*B*tan(f*x+e)^4+30*I*A*tan(f*x+e)^3+6*A*tan(f*x+e)^4-84*I*B*tan(f*x+e)^2-40*B*

$$\frac{\tan(f*x+e)^3 - 75*I*A*\tan(f*x+e) - 63*A*\tan(f*x+e)^2 + 13*I*B + 65*B*\tan(f*x+e) + 36*A}{(\tan(f*x+e)+I)^5}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.42906, size = 373, normalized size = 1.79

$$\frac{\left((-15iA - 15B)e^{(8ifx+8ie)} + (-78iA - 36B)e^{(6ifx+6ie)} + (-168iA + 14B)e^{(4ifx+4ie)} + (-210iA + 140B)e^{(2ifx+2ie)}\right)}{840c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="fricas")

[Out] 1/840*((-15*I*A - 15*B)*e^(8*I*f*x + 8*I*e) + (-78*I*A - 36*B)*e^(6*I*f*x + 6*I*e) + (-168*I*A + 14*B)*e^(4*I*f*x + 4*I*e) + (-210*I*A + 140*B)*e^(2*I*f*x + 2*I*e) - 105*I*A + 105*B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^4*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{ia \tan(fx + e) + a}}{(-ic \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*sqrt(I*a*tan(f*x + e) + a)/(-I*c*tan(f*x + e) + c)^(7/2), x)
```

$$3.795 \quad \int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=279

$$\frac{a^{3/2} c^{7/2} (-2B + 5iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{ac^3 (5A + 2iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f}$$

[Out] $-(a^{3/2} * ((5*I)*A - 2*B) * c^{7/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (4*f) + (a*(5*A + (2*I)*B) * c^3 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (8*f) - ((5*I)*A - 2*B) * c^2 * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2} / (12*f) - (((5*I)*A - 2*B) * c * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (20*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{7/2}) / (5*f)$

Rubi [A] time = 0.336548, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{a^{3/2} c^{7/2} (-2B + 5iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{ac^3 (5A + 2iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{3/2} * (A + B*\text{Tan}[e + f*x]) * (c - I*c*\text{Tan}[e + f*x])^{7/2}, x]$

[Out] $-(a^{3/2} * ((5*I)*A - 2*B) * c^{7/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (4*f) + (a*(5*A + (2*I)*B) * c^3 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (8*f) - ((5*I)*A - 2*B) * c^2 * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2} / (12*f) - (((5*I)*A - 2*B) * c * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (20*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{7/2}) / (5*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{m} * ((c + d*\text{tan}[(e + f*x)])^{n}), x_Symbol] := \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x_Symbol] := \text{Simp}[(b*(c + d*x)^{n+1} * (e + f*x)^{p+1}) / (d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))) / (d*f*(n + p + 2)), \text{Int}[(c + d*x)^n * (e + f*x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 49

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(2*c*n)/(m + n + 1), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0] && IGtQ[n + 1/2, 0] && LtQ[m, n]
```

Rule 38

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
 \int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx &= \frac{(ac) \text{Subst}\left(\int \sqrt{a + ia x} (A + Bx) (c - icx)^{5/2} dx, x\right)}{f} \\
 &= \frac{B(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{7/2}}{5f} + \\
 &= -\frac{(5iA - 2B)c(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{7/2}}{20f} \\
 &= -\frac{(5iA - 2B)c^2 (a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{7/2}}{12f} \\
 &= \frac{a(5A + 2iB)c^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \\
 &= \frac{a(5A + 2iB)c^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \\
 &= \frac{a(5A + 2iB)c^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \\
 &= -\frac{a^{3/2} (5iA - 2B) c^{7/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{4f} + \frac{a^{3/2} (5iA - 2B) c^{7/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{4f} + \frac{a^{3/2} (5iA - 2B) c^{7/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{4f} + \dots
 \end{aligned}$$

Mathematica [A] time = 13.189, size = 257, normalized size = 0.92

$$(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) \left(\frac{c^4 (2B - 5iA) e^{-2i(e+fx)} \sqrt{\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}}} \tan^{-1}(e^{i(e+fx)})}{\sqrt{\frac{c}{1+e^{2i(e+fx)}}}} - \frac{1}{240} c^3 (\tan(e + fx) + i) \sec^2(e + fx) \right)$$

$$4f \sec^2(e + fx) (A \cos$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] ((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*((((-5*I)*A + 2*B)*c^4*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x))]]*ArcTan[E^(I*(e + f*x))])/(E^((2*I)*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])) - (c^3*Sec[e + f*x]^(7/2)*(320*(A + I*B)*Cos[2*(e + f*x)] + 30*(I*A + 6*B)*Sin[2*(e + f*x)] + (5*A + (2*I)*B)*(64 + (15*I)*Sin[4*(e + f*x)]))*(I + Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]/240))/(4*f*Sec[e + f*x]^(5/2)*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.115, size = 412, normalized size = 1.5

$$-\frac{ac^3}{120f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(60iB (\tan(fx + e))^3 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} + 24B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x)

[Out] -1/120/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*c^3*a*(60*I*B*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+24*B*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+80*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+30*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-30*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+30*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-32*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+80*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-75*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c-45*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-56*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 13.9878, size = 2215, normalized size = 7.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] -((144000*A + 57600*I*B)*a*c^3*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (672000*A + 268800*I*B)*a*c^3*cos(7/2*arctan2(sin(2*f*x + 2*e),

```

cos(2*f*x + 2*e))) + (1228800*A + 491520*I*B)*a*c^3*cos(5/2*arctan2(sin(2*f
*x + 2*e), cos(2*f*x + 2*e))) + (556800*A + 960000*I*B)*a*c^3*cos(3/2*arcta
n2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (144000*A + 57600*I*B)*a*c^3*cos(
1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 28800*(5*I*A - 2*B)*a*c^
3*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 134400*(5*I*A - 2*
B)*a*c^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 245760*(5*I
*A - 2*B)*a*c^3*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1920
0*(29*I*A - 50*B)*a*c^3*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))
) + 28800*(-5*I*A + 2*B)*a*c^3*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e))) + ((72000*A + 28800*I*B)*a*c^3*cos(10*f*x + 10*e) + (360000*A + 14
4000*I*B)*a*c^3*cos(8*f*x + 8*e) + (720000*A + 288000*I*B)*a*c^3*cos(6*f*x
+ 6*e) + (720000*A + 288000*I*B)*a*c^3*cos(4*f*x + 4*e) + (360000*A + 14400
0*I*B)*a*c^3*cos(2*f*x + 2*e) + 14400*(5*I*A - 2*B)*a*c^3*sin(10*f*x + 10*e
) + 72000*(5*I*A - 2*B)*a*c^3*sin(8*f*x + 8*e) + 144000*(5*I*A - 2*B)*a*c^3
*sin(6*f*x + 6*e) + 144000*(5*I*A - 2*B)*a*c^3*sin(4*f*x + 4*e) + 72000*(5*
I*A - 2*B)*a*c^3*sin(2*f*x + 2*e) + (72000*A + 28800*I*B)*a*c^3)*arctan2(co
s(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f
*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((72000*A + 28800*I*B)*a*c^3*cos(10*f*
x + 10*e) + (360000*A + 144000*I*B)*a*c^3*cos(8*f*x + 8*e) + (720000*A + 28
8000*I*B)*a*c^3*cos(6*f*x + 6*e) + (720000*A + 288000*I*B)*a*c^3*cos(4*f*x
+ 4*e) + (360000*A + 144000*I*B)*a*c^3*cos(2*f*x + 2*e) + 14400*(5*I*A - 2*
B)*a*c^3*sin(10*f*x + 10*e) + 72000*(5*I*A - 2*B)*a*c^3*sin(8*f*x + 8*e) +
144000*(5*I*A - 2*B)*a*c^3*sin(6*f*x + 6*e) + 144000*(5*I*A - 2*B)*a*c^3*si
n(4*f*x + 4*e) + 72000*(5*I*A - 2*B)*a*c^3*sin(2*f*x + 2*e) + (72000*A + 28
8000*I*B)*a*c^3)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))
), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (7200*(5*I*
A - 2*B)*a*c^3*cos(10*f*x + 10*e) + 36000*(5*I*A - 2*B)*a*c^3*cos(8*f*x + 8
*e) + 72000*(5*I*A - 2*B)*a*c^3*cos(6*f*x + 6*e) + 72000*(5*I*A - 2*B)*a*c^
3*cos(4*f*x + 4*e) + 36000*(5*I*A - 2*B)*a*c^3*cos(2*f*x + 2*e) - (36000*A
+ 14400*I*B)*a*c^3*sin(10*f*x + 10*e) - (180000*A + 72000*I*B)*a*c^3*sin(8*
f*x + 8*e) - (360000*A + 144000*I*B)*a*c^3*sin(6*f*x + 6*e) - (360000*A + 1
44000*I*B)*a*c^3*sin(4*f*x + 4*e) - (180000*A + 72000*I*B)*a*c^3*sin(2*f*x
+ 2*e) + 7200*(5*I*A - 2*B)*a*c^3)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), co
s(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2
+ 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (7200*(-5*
I*A + 2*B)*a*c^3*cos(10*f*x + 10*e) + 36000*(-5*I*A + 2*B)*a*c^3*cos(8*f*x
+ 8*e) + 72000*(-5*I*A + 2*B)*a*c^3*cos(6*f*x + 6*e) + 72000*(-5*I*A + 2*B)
*a*c^3*cos(4*f*x + 4*e) + 36000*(-5*I*A + 2*B)*a*c^3*cos(2*f*x + 2*e) + (36
000*A + 14400*I*B)*a*c^3*sin(10*f*x + 10*e) + (180000*A + 72000*I*B)*a*c^3*
sin(8*f*x + 8*e) + (360000*A + 144000*I*B)*a*c^3*sin(6*f*x + 6*e) + (360000
*A + 144000*I*B)*a*c^3*sin(4*f*x + 4*e) + (180000*A + 72000*I*B)*a*c^3*sin(
2*f*x + 2*e) + 7200*(-5*I*A + 2*B)*a*c^3)*log(cos(1/2*arctan2(sin(2*f*x + 2
*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2
*e)))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt
(a)*sqrt(c)/(f*(-115200*I*cos(10*f*x + 10*e) - 576000*I*cos(8*f*x + 8*e) -
1152000*I*cos(6*f*x + 6*e) - 1152000*I*cos(4*f*x + 4*e) - 576000*I*cos(2*f*
x + 2*e) + 115200*sin(10*f*x + 10*e) + 576000*sin(8*f*x + 8*e) + 1152000*si
n(6*f*x + 6*e) + 1152000*sin(4*f*x + 4*e) + 576000*sin(2*f*x + 2*e) - 11520
0*I))

```

Fricas [B] time = 1.65431, size = 1802, normalized size = 6.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2
),x, algorithm="fricas")

```



```
[Out] 1/240*(4*((-75*I*A + 30*B)*a*c^3*e^(8*I*f*x + 8*I*e) + (-350*I*A + 140*B)*a*c^3*e^(6*I*f*x + 6*I*e) + (-640*I*A + 256*B)*a*c^3*e^(4*I*f*x + 4*I*e) + (-290*I*A + 500*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (75*I*A - 30*B)*a*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 15*sqrt((25*A^2 + 20*I*A*B - 4*B^2)*a^3*c^7/f^2)*(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((20*I*A + 8*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (-20*I*A + 8*B)*a*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(I*f*x + I*e) + 2*sqrt((25*A^2 + 20*I*A*B - 4*B^2)*a^3*c^7/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-5*I*A + 2*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (-5*I*A + 2*B)*a*c^3) + 15*sqrt((25*A^2 + 20*I*A*B - 4*B^2)*a^3*c^7/f^2)*(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((20*I*A + 8*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (-20*I*A + 8*B)*a*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1)))*e^(I*f*x + I*e) - 2*sqrt((25*A^2 + 20*I*A*B - 4*B^2)*a^3*c^7/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-5*I*A + 2*B)*a*c^3*e^(2*I*f*x + 2*I*e) + (-5*I*A + 2*B)*a*c^3))/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^{\frac{3}{2}} (-i c \tan(fx + e) + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)*(-I*c*tan(f*x + e) + c)^(7/2), x)
```

$$3.796 \quad \int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=226

$$\frac{a^{3/2} c^{5/2} (-B + 4iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{ac^2 (4A + iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} - \frac{c(-B}{$$

[Out] $-(a^{3/2} * ((4*I)*A - B) * c^{5/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (4*f) + (a*(4*A + I*B) * c^2 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (8*f) - (((4*I) * A - B) * c * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (12*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (4*f)$

Rubi [A] time = 0.306304, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{a^{3/2} c^{5/2} (-B + 4iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{ac^2 (4A + iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} - \frac{c(-B}{$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{3/2} * (A + B*\text{Tan}[e + f*x]) * (c - I*c*\text{Tan}[e + f*x])^{5/2}, x]$

[Out] $-(a^{3/2} * ((4*I)*A - B) * c^{5/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (4*f) + (a*(4*A + I*B) * c^2 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (8*f) - (((4*I) * A - B) * c * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (12*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (4*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{m} * ((c + d*\text{tan}[(e + f*x)])^{n}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 80

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x_Symbol] \rightarrow \text{Simp}[(b*(c + d*x)^{n+1} * (e + f*x)^{p+1}) / (d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))] / (d*f*(n + p + 2)), \text{Int}[(c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{NeQ}[n + p + 2, 0]$

Rule 49

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1} * (c + d*x)^n / (b*(m + n + 1)), x] + \text{Dist}[(2*c*n) / (m + n + 1), \text{Int}[(a + b*x)^m * (c + d*x)^{n-1}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{IGtQ}[m + 1/2, 0] \&\& \text{IGtQ}[n + 1/2, 0] \&\& \text{LtQ}[m, n]$

Rule 38

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \text{Subst} \left(\int \sqrt{a + iax} (A + Bx) (c - icx)^{3/2} dx \right)}{f} \\
 &= \frac{B(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}}{4f} \\
 &= -\frac{(4iA - B)c(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}}{12f} \\
 &= \frac{a(4A + iB)c^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{8f} \\
 &= \frac{a(4A + iB)c^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{8f} \\
 &= \frac{a(4A + iB)c^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{8f} \\
 &= -\frac{a^{3/2} (4iA - B) c^{5/2} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \dots
 \end{aligned}$$

Mathematica [A] time = 10.4978, size = 241, normalized size = 1.07

$$(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) \left(\frac{c^3 (B - 4iA) e^{-2i(e + fx)} \sqrt{\frac{e^{i(e + fx)}}{1 + e^{2i(e + fx)}}} \tan^{-1}(e^{i(e + fx)})}{\sqrt{\frac{c}{1 + e^{2i(e + fx)}}}} + \frac{1}{12} c^2 (1 - i \tan(e + fx)) \sec^2(e + fx) \right)$$

$$4f \sec^2(e + fx) (A \cos(e + fx) + B \sin(e + fx))$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2),x]
```

```
[Out] ((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*((( (-4*I)*A + B)*c^3*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))])/(E^((2*I)*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])) + (c^2*Sec[e + f*x]^(3/2)*(1 - I*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]*(16*((-I)*A + B) + 3*(4*A - (3*I)*B + (4*A + I*B)*Cos[2*(e + f*x)])*Tan[e + f*x]))/12)/(4*f*Sec[e + f*x]^(5/2)*(A*Cos[e + f*x] + B*Sin[e + f*x]))
```

Maple [A] time = 0.094, size = 350, normalized size = 1.6

$$-\frac{ac^2}{24f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(6iB (\tan(fx + e))^3 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} + 8iA (\tan(fx + e)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x)
```

```
[Out] -1/24/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*c^2*a*(6*I*B*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+8*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-3*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+3*I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-8*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+8*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)-12*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c-12*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-8*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)
```

Maxima [B] time = 6.46989, size = 1843, normalized size = 8.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")
```

```
[Out] -((4608*A + 1152*I*B)*a*c^2*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (16896*A + 4224*I*B)*a*c^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (7680*A + 20352*I*B)*a*c^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (4608*A + 1152*I*B)*a*c^2*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1152*(4*I*A - B)*a*c^2*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 4224*(4*I*A - B)*a*c^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 384*(20*I*A - 53*B)*a*c^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1152*(-4*I*A + B)*a*c^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((2304*A + 576*I*B)*a*c^2*cos(8*f*x + 8*e) + (9216*A + 2304*I*B)*a*c^2*cos(6*f*x + 6*e) + (13824*A + 3456*I*B)*a*c^2*cos(4*f*x + 4*e) + (9216*A + 2304*I*B)*a*c^2*cos(2*f*x + 2*e) + 576*(4*I*A - B)*a*c^2*sin(8*f*x + 8*e) + 2304*(4*I*A - B)*a*c^2*sin(6*f*x + 6*e))
```

```

6*e) + 3456*(4*I*A - B)*a*c^2*sin(4*f*x + 4*e) + 2304*(4*I*A - B)*a*c^2*si
n(2*f*x + 2*e) + (2304*A + 576*I*B)*a*c^2)*arctan2(cos(1/2*arctan2(sin(2*f*x
+ 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x +
2*e))) + 1) + ((2304*A + 576*I*B)*a*c^2*cos(8*f*x + 8*e) + (9216*A + 2304*
I*B)*a*c^2*cos(6*f*x + 6*e) + (13824*A + 3456*I*B)*a*c^2*cos(4*f*x + 4*e) +
(9216*A + 2304*I*B)*a*c^2*cos(2*f*x + 2*e) + 576*(4*I*A - B)*a*c^2*sin(8*f
*x + 8*e) + 2304*(4*I*A - B)*a*c^2*sin(6*f*x + 6*e) + 3456*(4*I*A - B)*a*c^
2*sin(4*f*x + 4*e) + 2304*(4*I*A - B)*a*c^2*sin(2*f*x + 2*e) + (2304*A + 57
6*I*B)*a*c^2)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))),
-sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (288*(4*I*A -
B)*a*c^2*cos(8*f*x + 8*e) + 1152*(4*I*A - B)*a*c^2*cos(6*f*x + 6*e) + 1728
*(4*I*A - B)*a*c^2*cos(4*f*x + 4*e) + 1152*(4*I*A - B)*a*c^2*cos(2*f*x + 2*
e) - (1152*A + 288*I*B)*a*c^2*sin(8*f*x + 8*e) - (4608*A + 1152*I*B)*a*c^2*
sin(6*f*x + 6*e) - (6912*A + 1728*I*B)*a*c^2*sin(4*f*x + 4*e) - (4608*A + 1
152*I*B)*a*c^2*sin(2*f*x + 2*e) + 288*(4*I*A - B)*a*c^2)*log(cos(1/2*arctan
2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e)
, cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e)))) + 1) + (288*(-4*I*A + B)*a*c^2*cos(8*f*x + 8*e) + 1152*(-4*I*A + B)*a*
c^2*cos(6*f*x + 6*e) + 1728*(-4*I*A + B)*a*c^2*cos(4*f*x + 4*e) + 1152*(-4*
I*A + B)*a*c^2*cos(2*f*x + 2*e) + (1152*A + 288*I*B)*a*c^2*sin(8*f*x + 8*e)
+ (4608*A + 1152*I*B)*a*c^2*sin(6*f*x + 6*e) + (6912*A + 1728*I*B)*a*c^2*si
n(4*f*x + 4*e) + (4608*A + 1152*I*B)*a*c^2*sin(2*f*x + 2*e) + 288*(-4*I*A
+ B)*a*c^2)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + si
n(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(1/2*arctan2(si
n(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(-4608*I*cos(8*
f*x + 8*e) - 18432*I*cos(6*f*x + 6*e) - 27648*I*cos(4*f*x + 4*e) - 18432*I*
cos(2*f*x + 2*e) + 4608*sin(8*f*x + 8*e) + 18432*sin(6*f*x + 6*e) + 27648*s
in(4*f*x + 4*e) + 18432*sin(2*f*x + 2*e) - 4608*I))

```

Fricas [B] time = 1.69535, size = 1594, normalized size = 7.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2
),x, algorithm="fricas")

```

```

[Out] 1/48*(4*((-12*I*A + 3*B)*a*c^2*e^(6*I*f*x + 6*I*e) + (-44*I*A + 11*B)*a*c^2
*e^(4*I*f*x + 4*I*e) + (-20*I*A + 53*B)*a*c^2*e^(2*I*f*x + 2*I*e) + (12*I*A
- 3*B)*a*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e)
+ 1))*e^(I*f*x + I*e) - 3*sqrt((16*A^2 + 8*I*A*B - B^2)*a^3*c^5/f^2)*(f*e
^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)
*log(2*(((16*I*A + 4*B)*a*c^2*e^(2*I*f*x + 2*I*e) + (-16*I*A + 4*B)*a*c^2)
*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f
*x + I*e) + 2*sqrt((16*A^2 + 8*I*A*B - B^2)*a^3*c^5/f^2)*(f*e^(2*I*f*x + 2*
I*e) - f))/((-4*I*A + B)*a*c^2*e^(2*I*f*x + 2*I*e) + (-4*I*A + B)*a*c^2)) +
3*sqrt((16*A^2 + 8*I*A*B - B^2)*a^3*c^5/f^2)*(f*e^(6*I*f*x + 6*I*e) + 3*f*
e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((16*I*A + 4*B)*
a*c^2*e^(2*I*f*x + 2*I*e) + (-16*I*A + 4*B)*a*c^2)*sqrt(a/(e^(2*I*f*x + 2*I
*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((16*A^
2 + 8*I*A*B - B^2)*a^3*c^5/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-4*I*A + B)*
a*c^2*e^(2*I*f*x + 2*I*e) + (-4*I*A + B)*a*c^2))/(f*e^(6*I*f*x + 6*I*e) +
3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^{\frac{3}{2}}(-ic \tan(fx + e) + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)*(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.797 \quad \int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=157

$$-\frac{ia^{3/2}Ac^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} + \frac{aAc \tan(e+fx)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2f} + \frac{B(a+ia \tan(e+fx))^{3/2}}{3f}$$

[Out] ((-I)*a^(3/2)*A*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/f + (a*A*c*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) + (B*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f)

Rubi [A] time = 0.257173, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 38, 63, 217, 203}

$$-\frac{ia^{3/2}Ac^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{f} + \frac{aAc \tan(e+fx)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2f} + \frac{B(a+ia \tan(e+fx))^{3/2}}{3f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] ((-I)*a^(3/2)*A*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/f + (a*A*c*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) + (B*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 38

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt
[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \operatorname{Subst}\left(\int \sqrt{a + iax}(A + Bx)\sqrt{c - icx} dx, x, t\right)}{f} \\ &= \frac{B(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}}{3f} + \frac{aAc \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= \frac{aAc \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= \frac{aAc \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= \frac{aAc \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{ia^{3/2} Ac^{3/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{f} + \frac{aAc \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \end{aligned}$$

Mathematica [A] time = 7.02637, size = 109, normalized size = 0.69

$$\frac{iac^2(\tan(e + fx) - i)(\tan(e + fx) + i)^2 \sqrt{a + ia \tan(e + fx)} (3A \sin(2(e + fx)) - 12iA \cos^3(e + fx) \tan^{-1}(e^{i(e + fx)}) + 4B \cos(e + fx))}{12f \sqrt{c - ic \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e
+ f*x])^(3/2), x]
```

```
[Out] ((-I/12)*a*c^2*(4*B - (12*I)*A*ArcTan[E^(I*(e + f*x))]*Cos[e + f*x]^3 + 3*A
*Sin[2*(e + f*x)])*(-I + Tan[e + f*x])*(I + Tan[e + f*x])^2*Sqrt[a + I*a*Ta
n[e + f*x]]/(f*Sqrt[c - I*c*Tan[e + f*x]])
```


Maple [A] time = 0.099, size = 186, normalized size = 1.2

$$\frac{ac}{6f} \sqrt{a(1+i \tan(fx+e))} \sqrt{-c(-1+i \tan(fx+e))} \left(2B(\tan(fx+e))^2 \sqrt{ac(1+(\tan(fx+e))^2)} \sqrt{ac} + 3A \ln \left(\frac{ac}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x)

[Out] 1/6/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a*c*(2*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+3*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+3*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+2*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 2.46781, size = 1156, normalized size = 7.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] -(12*A*a*c*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 32*I*B*a*c*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 12*A*a*c*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 12*I*A*a*c*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 32*B*a*c*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 12*I*A*a*c*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (6*A*a*c*cos(6*f*x + 6*e) + 18*A*a*c*cos(4*f*x + 4*e) + 18*A*a*c*cos(2*f*x + 2*e) + 6*I*A*a*c*sin(6*f*x + 6*e) + 18*I*A*a*c*sin(4*f*x + 4*e) + 18*I*A*a*c*sin(2*f*x + 2*e) + 6*A*a*c)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (6*A*a*c*cos(6*f*x + 6*e) + 18*A*a*c*cos(4*f*x + 4*e) + 18*A*a*c*cos(2*f*x + 2*e) + 6*I*A*a*c*sin(6*f*x + 6*e) + 18*I*A*a*c*sin(4*f*x + 4*e) + 18*I*A*a*c*sin(2*f*x + 2*e) + 6*A*a*c)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (-3*I*A*a*c*cos(6*f*x + 6*e) - 9*I*A*a*c*cos(4*f*x + 4*e) - 9*I*A*a*c*cos(2*f*x + 2*e) + 3*A*a*c*sin(6*f*x + 6*e) + 9*A*a*c*sin(4*f*x + 4*e) + 9*A*a*c*sin(2*f*x + 2*e) - 3*I*A*a*c)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (3*I*A*a*c*cos(6*f*x + 6*e) + 9*I*A*a*c*cos(4*f*x + 4*e) + 9*I*A*a*c*cos(2*f*x + 2*e) - 3*A*a*c*sin(6*f*x + 6*e) - 9*A*a*c*sin(4*f*x + 4*e) - 9*A*a*c*sin(2*f*x + 2*e) + 3*I*A*a*c)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(-12*I*cos(6*f*x + 6*e) - 36*I*cos(4*f*x + 4*e) - 36*I*cos(2*f*x + 2*e) + 12*sin(6*f*x + 6*e) + 36*sin(4*f*x + 4*e) + 36*sin(2*f*x + 2*e) - 12*I))

Fricas [B] time = 1.50822, size = 1127, normalized size = 7.18

$$2\left(-6i Aace^{(4ifx+4ie)} + 16 Bace^{(2ifx+2ie)} + 6i Aac\right)\sqrt{\frac{a}{e^{(2ifx+2ie)}+1}}\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}e^{(ifx+ie)} - 3\sqrt{\frac{A^2a^3c^3}{f^2}}\left(fe^{(4ifx+4ie)} + 2fe^{(2ifx+2ie)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] 1/12*(2*(-6*I*A*a*c*e^(4*I*f*x + 4*I*e) + 16*B*a*c*e^(2*I*f*x + 2*I*e) + 6*I*A*a*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 3*sqrt(A^2*a^3*c^3/f^2)*(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)*log((8*(A*a*c*e^(2*I*f*x + 2*I*e) + A*a*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + sqrt(A^2*a^3*c^3/f^2)*(4*I*f*e^(2*I*f*x + 2*I*e) - 4*I*f))/(A*a*c*e^(2*I*f*x + 2*I*e) + A*a*c) + 3*sqrt(A^2*a^3*c^3/f^2)*(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)*log((8*(A*a*c*e^(2*I*f*x + 2*I*e) + A*a*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + sqrt(A^2*a^3*c^3/f^2)*(-4*I*f*e^(2*I*f*x + 2*I*e) + 4*I*f))/(A*a*c*e^(2*I*f*x + 2*I*e) + A*a*c)))/(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^{\frac{3}{2}}(-ic \tan(fx + e) + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)*(-I*c*tan(f*x + e) + c)^(3/2), x)

3.798 $\int (a+ia \tan(e+fx))^{3/2} (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}$

Optimal. Leaf size=160

$$\frac{a^{3/2} \sqrt{c} (B + 2iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a+ia \tan(e+fx)}}{\sqrt{a} \sqrt{c-ic \tan(e+fx)}} \right)}{f} + \frac{a(B + 2iA) \sqrt{a+ia \tan(e+fx)} \sqrt{c-ic \tan(e+fx)}}{2f} + \frac{B(a+ia \tan(e+fx))^{3/2} \sqrt{c-ic \tan(e+fx)}}{2f}$$

```
[Out] -((a^(3/2)*((2*I)*A + B)*Sqrt[c]*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/f + (a*((2*I)*A + B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) + (B*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])/(2*f)
```

Rubi [A] time = 0.261031, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 50, 63, 217, 203}

$$\frac{a^{3/2} \sqrt{c} (B + 2iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a+ia \tan(e+fx)}}{\sqrt{a} \sqrt{c-ic \tan(e+fx)}} \right)}{f} + \frac{a(B + 2iA) \sqrt{a+ia \tan(e+fx)} \sqrt{c-ic \tan(e+fx)}}{2f} + \frac{B(a+ia \tan(e+fx))^{3/2} \sqrt{c-ic \tan(e+fx)}}{2f}$$

Antiderivative was successfully verified.

```
[In] Int[(a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]
```

```
[Out] -((a^(3/2)*((2*I)*A + B)*Sqrt[c]*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/f + (a*((2*I)*A + B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*f) + (B*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])/(2*f)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 80

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 50

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && (!IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\int (a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) \sqrt{c - ic \tan(e + fx)} dx = \frac{(ac) \text{Subst} \left(\int \frac{\sqrt{a+iax(A+Bx)}}{\sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{B(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}}{2f} + \frac{a(2iA + B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f}$$

$$= \frac{a(2iA + B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f}$$

$$= \frac{a(2iA + B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f}$$

$$= \frac{a(2iA + B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f}$$

$$= -\frac{a^{3/2} (2iA + B) \sqrt{c} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{f} + \frac{a(2iA + B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f}$$

Mathematica [A] time = 6.4519, size = 220, normalized size = 1.38

$$\frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx)) \left(\frac{\cos(e) \tan(e + i) \sqrt{\sec(e + fx)} \sqrt{c - ic \tan(e + fx)} (2A + B \tan(e + fx) - 2iB)}{2 \cos(fx) + 2i \sin(fx)} - \frac{ic(2A - iB) e^{-2i(e + fx)} \sqrt{\frac{e^{i(e + fx)}}{1 + e^{2i(e + fx)}}}}{\sqrt{\frac{c}{1 + e^{2i(e + fx)}}}} \right)}{f \sec^2(e + fx) (A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]], x]
```

```
[Out] ((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x])*((( -I)*(2*A - I*B)*c*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))])/(E^((2*I)*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])) + (Cos[e]*Sqrt[Sec[e + f*x]]*(I + Tan[e])*(2*A - (2*I)*B + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x])
```

]])/(2*cos[f*x] + (2*I)*sin[f*x]))/(f*sec[e + f*x]^(5/2)*(A*cos[e + f*x] + B*sin[e + f*x]))

Maple [A] time = 0.098, size = 223, normalized size = 1.4

$$\frac{a}{2f} \sqrt{-c(-1 + i \tan(fx + e))} \sqrt{a(1 + i \tan(fx + e))} \left(iB\sqrt{ac} \sqrt{ac(1 + (\tan(fx + e))^2)} \tan(fx + e) - iB \ln \left(ac \tan \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e)),x)

[Out] 1/2/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*a*(I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+2*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)+2*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+2*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 2.2869, size = 1038, normalized size = 6.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e)),x, algorithm="maxima")

[Out] ((32*A - 48*I*B)*a*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (32*A - 16*I*B)*a*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 16*(2*I*A + 3*B)*a*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 16*(2*I*A + B)*a*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - ((16*A - 8*I*B)*a*cos(4*f*x + 4*e) + (32*A - 16*I*B)*a*cos(2*f*x + 2*e) - 8*(-2*I*A - B)*a*sin(4*f*x + 4*e) - 16*(-2*I*A - B)*a*sin(2*f*x + 2*e) + (16*A - 8*I*B)*a)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - ((16*A - 8*I*B)*a*cos(4*f*x + 4*e) + (32*A - 16*I*B)*a*cos(2*f*x + 2*e) - 8*(-2*I*A - B)*a*sin(4*f*x + 4*e) - 16*(-2*I*A - B)*a*sin(2*f*x + 2*e) + (16*A - 8*I*B)*a)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (4*(-2*I*A - B)*a*cos(4*f*x + 4*e) + 8*(-2*I*A - B)*a*cos(2*f*x + 2*e) + (8*A - 4*I*B)*a*sin(4*f*x + 4*e) + (16*A - 8*I*B)*a*sin(2*f*x + 2*e) + 4*(-2*I*A - B)*a)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1) + (4*(2*I*A + B)*a*cos(4*f*x + 4*e) + 8*(2*I*A + B)*a*cos(2*f*x + 2*e) - (8*A - 4*I*B)*a*sin(4*f*x + 4*e) - (16*A - 8*I*B)*a*sin(2*f*x + 2*e) + 4*(2*I*A + B)*a)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1)*sqrt(a)*sqrt(c)/(f*(-16*I*cos(4*f*x + 4*e) - 32*I*cos(2*f*x + 2*e) + 16*sin(4*f*x + 4*e) + 32*sin(2*f*x + 2*e) - 16*I))

Fricas [B] time = 1.56229, size = 1165, normalized size = 7.28

$$2 \left((4iA + 6B)ae^{(2ifx+2ie)} + (4iA + 2B)a \right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)} + \sqrt{\frac{(4A^2-4iAB-B^2)a^3c}{f^2}} \left(fe^{(2ifx+2ie)} + f \right) \log \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e)),x, algorithm="fricas")

[Out] 1/4*(2*((4*I*A + 6*B)*a*e^(2*I*f*x + 2*I*e) + (4*I*A + 2*B)*a)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + sqrt((4*A^2 - 4*I*A*B - B^2)*a^3*c/f^2)*(f*e^(2*I*f*x + 2*I*e) + f)*log(2*((8*I*A + 4*B)*a*e^(2*I*f*x + 2*I*e) + (8*I*A + 4*B)*a)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((4*A^2 - 4*I*A*B - B^2)*a^3*c/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((2*I*A + B)*a*e^(2*I*f*x + 2*I*e) + (2*I*A + B)*a) - sqrt((4*A^2 - 4*I*A*B - B^2)*a^3*c/f^2)*(f*e^(2*I*f*x + 2*I*e) + f)*log(2*((8*I*A + 4*B)*a*e^(2*I*f*x + 2*I*e) + (8*I*A + 4*B)*a)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((4*A^2 - 4*I*A*B - B^2)*a^3*c/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((2*I*A + B)*a*e^(2*I*f*x + 2*I*e) + (2*I*A + B)*a))/((f*e^(2*I*f*x + 2*I*e) + f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan (fx + e) + A) (i a \tan (fx + e) + a)^{\frac{3}{2}} \sqrt{-i c \tan (fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e)),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)*sqrt(-I*c*tan(f*x + e) + c), x)

$$3.799 \quad \int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=169

$$\frac{2a^{3/2}(2B+iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{a(2B+iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{cf} - \frac{(B+iA)(a+ia \tan(e+fx))}{f\sqrt{c-ic \tan(e+fx)}}$$

[Out] (2*a^(3/2)*(I*A + 2*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(Sqrt[c]*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (a*(I*A + 2*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c*f)

Rubi [A] time = 0.269004, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 50, 63, 217, 203}

$$\frac{2a^{3/2}(2B+iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{a(2B+iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{cf} - \frac{(B+iA)(a+ia \tan(e+fx))}{f\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (2*a^(3/2)*(I*A + 2*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(Sqrt[c]*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (a*(I*A + 2*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n

+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx))}{\sqrt{c - ic \tan(e + fx)}} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{\sqrt{a+iax(A+Bx)}}{(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{f \sqrt{c - ic \tan(e + fx)}} - \frac{(a(A - 2iB)) \operatorname{Subst} \left(\int \frac{\sqrt{a+iax}}{\sqrt{c-icx}} dx, \tan(e + fx) \right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{f \sqrt{c - ic \tan(e + fx)}} - \frac{a(iA + 2B) \sqrt{a + ia \tan(e + fx)} \sqrt{c}}{cf} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{f \sqrt{c - ic \tan(e + fx)}} - \frac{a(iA + 2B) \sqrt{a + ia \tan(e + fx)} \sqrt{c}}{cf} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{f \sqrt{c - ic \tan(e + fx)}} - \frac{a(iA + 2B) \sqrt{a + ia \tan(e + fx)} \sqrt{c}}{cf} \\ &= \frac{2a^{3/2} (iA + 2B) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{\sqrt{c} f} - \frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{f \sqrt{c - ic \tan(e + fx)}} \end{aligned}$$

Mathematica [A] time = 6.42171, size = 190, normalized size = 1.12

$$\frac{2ae^{-2i(e+fx)} \sqrt{\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}}} \sqrt{\frac{c}{1+e^{2i(e+fx)}}} (\tan(e + fx) - i) \sqrt{a + ia \tan(e + fx)} (e^{i(e+fx)} (A(1 + e^{2i(e+fx)}) - iB(2 + e^{2i(e+fx)})) - A)}{cf \sec^2(e + fx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]],x]


```
[Out] (2*a*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*(E^(I*(e + f*x))*(A*(1 + E^((2*I)*(e + f*x))) - I*B*(2 + E^((2*I)*(e + f*x)))) - (A - (2*I)*B)*(1 + E^((2*I)*(e + f*x)))*ArcTan[E^(I*(e + f*x))])*(-I + Tan[e + f*x])*Sqrt[a + I*a*Tan[e + f*x]]/(c*E^((2*I)*(e + f*x))*f*Sec[e + f*x]^(3/2))
```

Maple [B] time = 0.181, size = 497, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x)
```

```
[Out] 1/f*(2*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-2*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c-A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-2*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-4*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-4*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c-B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+2*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)+A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+2*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+3*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a/c/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^2/(a*c)^(1/2)
```

Maxima [B] time = 2.13346, size = 829, normalized size = 4.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="maxima")
```

```
[Out] (((2*A - 4*I*B)*a*cos(2*f*x + 2*e) - 2*(-I*A - 2*B)*a*sin(2*f*x + 2*e) + (2*A - 4*I*B)*a)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((2*A - 4*I*B)*a*cos(2*f*x + 2*e) - 2*(-I*A - 2*B)*a*sin(2*f*x + 2*e) + (2*A - 4*I*B)*a)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - ((4*A - 4*I*B)*a*cos(2*f*x + 2*e) + 4*(I*A + B)*a*sin(2*f*x + 2*e) + (4*A - 8*I*B)*a)*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((I*A + 2*B)*a*cos(2*f*x + 2*e) - (A - 2*I*B)*a*sin(2*f*x + 2*e) + (I*A + 2*B)*a)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((-I*A - 2*B)*a*cos(2*f*x + 2*e) + (A - 2*I*B)*a*sin(2*f*x + 2*e) + (-I*A - 2*B)*a)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (4*(I*A + B)*a*cos(2*f*x + 2*e) - (4*A - 4*I*B)*a*sin(2*f*x + 2*e) + 4*(I*A + 2*B)*a)*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)*sqrt(c)/((-2*I*c*cos(2*f*x + 2*e) +
```

$2*c*\sin(2*f*x + 2*e) - 2*I*c*f$

Fricas [B] time = 1.6406, size = 1112, normalized size = 6.58

$$c\sqrt{\frac{(4A^2-16iAB-16B^2)a^3}{cf^2}}f\log\left(\frac{2\left(\left((4iA+8B)ae^{(2ifx+2ie)}+(4iA+8B)a\right)\sqrt{\frac{a}{e^{(2ifx+2ie)}+1}}\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}e^{(ifx+ie)}+(cfe^{(2ifx+2ie)}-cf)\sqrt{\frac{(4A^2-16iAB-16B^2)a^3}{cf^2}}\right)}{(iA+2B)ae^{(2ifx+2ie)}+(iA+2B)a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="fricas")

[Out] $-1/4*(c*\sqrt{(4A^2-16iAB-16B^2)*a^3/(cf^2)})*f*\log(2*((4iA+8B)*a*e^{(2I*f*x+2I*e)}+(4iA+8B)*a)*\sqrt{a/(e^{(2I*f*x+2I*e)}+1)}*\sqrt{c/(e^{(2I*f*x+2I*e)}+1)}*e^{(I*f*x+I*e)}+(c*f*e^{(2I*f*x+2I*e)}-c*f)*\sqrt{(4A^2-16iAB-16B^2)*a^3/(cf^2)})/((I*A+2*B)*a*e^{(2I*f*x+2I*e)}+(I*A+2*B)*a)-c*\sqrt{(4A^2-16iAB-16B^2)*a^3/(cf^2)}*f*\log(2*((4iA+8B)*a*e^{(2I*f*x+2I*e)}+(4iA+8B)*a)*\sqrt{a/(e^{(2I*f*x+2I*e)}+1)}*\sqrt{c/(e^{(2I*f*x+2I*e)}+1)}*e^{(I*f*x+I*e)}-(c*f*e^{(2I*f*x+2I*e)}-c*f)*\sqrt{(4A^2-16iAB-16B^2)*a^3/(cf^2)})/((I*A+2*B)*a*e^{(2I*f*x+2I*e)}+(I*A+2*B)*a)-2*(-4iA-4B)*a*e^{(2I*f*x+2I*e)}+(-4iA-8B)*a*\sqrt{a/(e^{(2I*f*x+2I*e)}+1)}*\sqrt{c/(e^{(2I*f*x+2I*e)}+1)}*e^{(I*f*x+I*e)})/(c*f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{3}{2}}}{\sqrt{-i c \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)/sqrt(-I*c*tan(f*x + e) + c), x)

$$3.800 \quad \int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=155

$$-\frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{3/2}f} - \frac{(B+iA)(a+ia \tan(e+fx))^{3/2}}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{2aB\sqrt{a+ia \tan(e+fx)}}{cf\sqrt{c-ic \tan(e+fx)}}$$

[Out] $(-2*a^{(3/2)}*B*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])]/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])))/(c^{(3/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(3/2)})/(3*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a*B*Sqrt[a + I*a*Tan[e + f*x]])/(c*f*Sqrt[c - I*c*Tan[e + f*x]])$

Rubi [A] time = 0.264557, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 47, 63, 217, 203}

$$-\frac{2a^{3/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{3/2}f} - \frac{(B+iA)(a+ia \tan(e+fx))^{3/2}}{3f(c-ic \tan(e+fx))^{3/2}} + \frac{2aB\sqrt{a+ia \tan(e+fx)}}{cf\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{(3/2)}*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(3/2)}, x]$

[Out] $(-2*a^{(3/2)}*B*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])]/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])))/(c^{(3/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(3/2)})/(3*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a*B*Sqrt[a + I*a*Tan[e + f*x]])/(c*f*Sqrt[c - I*c*Tan[e + f*x]])$

Rule 3588

$\text{Int}[(a + b*\text{Tan}[e + f*x])^m * (c + d*\text{Tan}[e + f*x])^n * (A + B*\text{Tan}[e + f*x]), x] \text{ := Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n, x\} \ \&\& \ \text{EqQ}[b*c + a*d, 0] \ \&\& \ \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x] \text{ := -Simp}[(b*e - a*f)*(c + d*x)^{n+1} * (e + f*x)^{p+1}]/(f*(p+1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n+1) - b*(d*e*(n+1) + c*f*(p+1))]/(f*(p+1)*(c*f - d*e)), \text{Int}[(c + d*x)^n * (e + f*x)^{p+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, x\} \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (!\text{LtQ}[n, -1] \ || \ \text{IntegerQ}[p] \ || \ !(\text{IntegerQ}[n] \ || \ !(\text{EqQ}[e, 0] \ || \ !(\text{EqQ}[c, 0] \ || \ \text{LtQ}[p, n])))$

Rule 47

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x] \text{ := Simp}[(a + b*x)^{m+1} * (c + d*x)^n]/(b*(m+1)), x] - \text{Dist}[(d*n)/(b*(m+1)), \text{Int}[(a + b*x)^{m+1} * (c + d*x)^{n-1}, x], x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ !(\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ \&\& \ !(\text{ILeQ}[m + n + 2, 0] \ \&\& \ (\text{FractionQ}[m] \ || \ \text{GeQ}[2*n + m + 1, 0])) \ \&$

& IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{3/2}} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{\sqrt{a+iax}(A+Bx)}{(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{(iaB) \operatorname{Subst} \left(\int \frac{\sqrt{a+iax}}{(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2aB\sqrt{a + ia \tan(e + fx)}}{cf\sqrt{c - ic \tan(e + fx)}} - \frac{(ia^2B)}{cf\sqrt{c - ic \tan(e + fx)}} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2aB\sqrt{a + ia \tan(e + fx)}}{cf\sqrt{c - ic \tan(e + fx)}} - \frac{(ia^2B)}{cf\sqrt{c - ic \tan(e + fx)}} \quad (2aB) \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2aB\sqrt{a + ia \tan(e + fx)}}{cf\sqrt{c - ic \tan(e + fx)}} - \frac{(ia^2B)}{cf\sqrt{c - ic \tan(e + fx)}} \quad (2aB) \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2aB\sqrt{a + ia \tan(e + fx)}}{cf\sqrt{c - ic \tan(e + fx)}} - \frac{(ia^2B)}{cf\sqrt{c - ic \tan(e + fx)}} \\ &= -\frac{2a^{3/2}B \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{c^{3/2}f} - \frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \end{aligned}$$

Mathematica [A] time = 8.48806, size = 123, normalized size = 0.79

$$-\frac{ae^{-i(e+fx)}\sqrt{a+ia \tan(e+fx)}(iAe^{3i(e+fx)}+Be^{i(e+fx)}(-6+e^{2i(e+fx)})+6B \tan^{-1}(e^{i(e+fx)}))}{3\sqrt{2}cf\sqrt{\frac{c}{1+e^{2i(e+fx)}}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[
e + f*x])^(3/2), x]
```

```
[Out] -(a*(I*A*E^((3*I)*(e + f*x)) + B*E^(I*(e + f*x))*(-6 + E^((2*I)*(e + f*x)))
+ 6*B*ArcTan[E^(I*(e + f*x))])*Sqrt[a + I*a*Tan[e + f*x]])/(3*Sqrt[2]*c*E^
(I*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f)
```

Maple [B] time = 0.116, size = 406, normalized size = 2.6

$$-\frac{a}{3fc^2(\tan(fx+e)+i)^3}\sqrt{a(1+i\tan(fx+e))}\sqrt{-c(-1+i\tan(fx+e))}\left(3iB\ln\left(\left(ac\tan(fx+e)+\sqrt{ac(1+(\tan(fx+e)+i)^2}\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x)
```

```
[Out] -1/3/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a/c^2*(3*I*B
*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*
tan(f*x+e)^3*a*c-9*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c
)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c-7*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*
c)^(1/2)*tan(f*x+e)^2-9*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(
a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)
^2))^(1/2)*(a*c)^(1/2)+5*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+3*B*ln
((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*
c+12*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+A*(a*c*(1+tan(f*
x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^3/(
a*c)^(1/2)
```

Maxima [A] time = 2.20918, size = 232, normalized size = 1.5

$$\left(6Ba \arctan(\cos(fx+e), \sin(fx+e)+1) + 6Ba \arctan(\cos(fx+e), -\sin(fx+e)+1) - 2(-iA-B)a \cos(3fx+3e) - 12B^2a^3 \cos(fx+e) + 3I^2B^2a^3 \log(\cos(fx+e)^2 + \sin(fx+e)^2 + 2\sin(fx+e)+1) - 3I^2B^2a^3 \log(\cos(fx+e)^2 + \sin(fx+e)^2 - 2\sin(fx+e)+1) - (2A - 2I^2B)a^3 \sin(3fx+3e) - 12I^2B^2a^3 \sin(fx+e)\right) \sqrt{a}/(c^{3/2}f)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2
),x, algorithm="maxima")
```

```
[Out] -1/6*(6*B*a*arctan2(cos(f*x + e), sin(f*x + e) + 1) + 6*B*a*arctan2(cos(f*x
+ e), -sin(f*x + e) + 1) - 2*(-I*A - B)*a*cos(3*f*x + 3*e) - 12*B^2*a*cos(f*
x + e) + 3*I^2*B^2*a*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1)
- 3*I^2*B^2*a*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) - (2*A
- 2*I^2*B)*a*sin(3*f*x + 3*e) - 12*I^2*B^2*a*sin(f*x + e))*sqrt(a)/(c^(3/2)*f)
```

Fricas [B] time = 1.59669, size = 946, normalized size = 6.1

$$3c^2f\sqrt{-\frac{B^2a^3}{c^3f^2}}\log\left(\frac{4\left(2\left(Bae^{(2ifx+2ie)}+Ba\right)\sqrt{\frac{a}{e^{(2ifx+2ie)}+1}}\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}e^{(ifx+ie)}+(c^2fe^{(2ifx+2ie)}-c^2f)\sqrt{-\frac{B^2a^3}{c^3f^2}}\right)}{Bae^{(2ifx+2ie)}+Ba}\right)-3c^2f\sqrt{-\frac{B^2a^3}{c^3f^2}}\log\left(\frac{4\left(2\left(Bae^{(2ifx+2ie)}+Ba\right)\sqrt{\frac{a}{e^{(2ifx+2ie)}+1}}\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}e^{(ifx+ie)}+(c^2fe^{(2ifx+2ie)}-c^2f)\sqrt{-\frac{B^2a^3}{c^3f^2}}\right)}{Bae^{(2ifx+2ie)}+Ba}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/6*(3*c^2*f*sqrt(-B^2*a^3/(c^3*f^2))*log(4*(2*(B*a*e^(2*I*f*x + 2*I*e) + B*a)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (c^2*f*e^(2*I*f*x + 2*I*e) - c^2*f)*sqrt(-B^2*a^3/(c^3*f^2)))/(B*a*e^(2*I*f*x + 2*I*e) + B*a)) - 3*c^2*f*sqrt(-B^2*a^3/(c^3*f^2))*log(4*(2*(B*a*e^(2*I*f*x + 2*I*e) + B*a)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (c^2*f*e^(2*I*f*x + 2*I*e) - c^2*f)*sqrt(-B^2*a^3/(c^3*f^2)))/(B*a*e^(2*I*f*x + 2*I*e) + B*a)) + ((-2*I*A - 2*B)*a*e^(4*I*f*x + 4*I*e) + (-2*I*A + 10*B)*a*e^(2*I*f*x + 2*I*e) + 12*B*a)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))/(c^2*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(3/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{3}{2}}}{(-i c \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)/(-I*c*tan(f*x + e) + c)^(3/2), x)
```

$$3.801 \quad \int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=102

$$\frac{(-4B + iA)(a + ia \tan(e + fx))^{3/2}}{15cf(c - ic \tan(e + fx))^{3/2}} - \frac{(B + iA)(a + ia \tan(e + fx))^{3/2}}{5f(c - ic \tan(e + fx))^{5/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) - ((I*A - 4*B)*(a + I*a*Tan[e + f*x])^(3/2))/(15*c*f*(c - I*c*Tan[e + f*x])^(3/2))

Rubi [A] time = 0.233717, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$\frac{(-4B + iA)(a + ia \tan(e + fx))^{3/2}}{15cf(c - ic \tan(e + fx))^{3/2}} - \frac{(B + iA)(a + ia \tan(e + fx))^{3/2}}{5f(c - ic \tan(e + fx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) - ((I*A - 4*B)*(a + I*a*Tan[e + f*x])^(3/2))/(15*c*f*(c - I*c*Tan[e + f*x])^(3/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 37

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{5/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{\sqrt{a+iax(A+Bx)}}{(c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{(a(A + 4iB)) \operatorname{Subst} \left(\int \frac{\sqrt{a+iax}}{(c-icx)^{5/2}} dx \right)}{5f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{5f(c - ic \tan(e + fx))^{5/2}} - \frac{(iA - 4B)(a + ia \tan(e + fx))^{3/2}}{15cf(c - ic \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 11.6563, size = 117, normalized size = 1.15

$$\frac{a \cos(e + fx)(\cos(fx) - i \sin(fx))\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(4e + 5fx) + i \sin(4e + 5fx))((B - 4iA) \cos(e + fx) - (4iB + A) \sin(e + fx))}{15c^3 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (a*Cos[e + f*x]*(Cos[f*x] - I*Sin[f*x])*(((-4*I)*A + B)*Cos[e + f*x] - (A + (4*I)*B)*Sin[e + f*x])*(Cos[4*e + 5*f*x] + I*Sin[4*e + 5*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(15*c^3*f)

Maple [A] time = 0.106, size = 90, normalized size = 0.9

$$\frac{\frac{i}{15} a \left(1 + (\tan(fx + e))^2 \right) (-4A + iA \tan(fx + e) - iB - 4B \tan(fx + e))}{f c^3 (\tan(fx + e) + i)^4} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 1/15*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a/c^3*(1+tan(f*x+e)^2)*(-4*A+I*A*tan(f*x+e)-I*B-4*B*tan(f*x+e))/(tan(f*x+e)+I)^4

Maxima [A] time = 2.28958, size = 209, normalized size = 2.05

$$\frac{((90A - 90iB)a \cos(7fx + 7e) + (240A + 60iB)a \cos(5fx + 5e) + (150A + 150iB)a \cos(3fx + 3e) - 90(-iA - B) \sin(7fx + 7e) - 60(-4iA + B) \sin(5fx + 5e) - 150(-iA + B) \sin(3fx + 3e)) \operatorname{sqrt}(a) \operatorname{sqrt}(c)}{(-900i c^3 \cos(2fx + 2e) + 900 c^3 \sin(2fx + 2e) - 90}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] -((90*A - 90*I*B)*a*cos(7*f*x + 7*e) + (240*A + 60*I*B)*a*cos(5*f*x + 5*e) + (150*A + 150*I*B)*a*cos(3*f*x + 3*e) - 90*(-I*A - B)*a*sin(7*f*x + 7*e) - 60*(-4*I*A + B)*a*sin(5*f*x + 5*e) - 150*(-I*A + B)*a*sin(3*f*x + 3*e))*sqrt(a)*sqrt(c)/((-900*I*c^3*cos(2*f*x + 2*e) + 900*c^3*sin(2*f*x + 2*e) - 90

$0 \cdot I \cdot c^3 \cdot f$)

Fricas [A] time = 1.44042, size = 290, normalized size = 2.84

$$\frac{\left((-3iA - 3B)ae^{(6ifx+6ie)} + (-8iA + 2B)ae^{(4ifx+4ie)} + (-5iA + 5B)ae^{(2ifx+2ie)} \right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)}}{30c^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] 1/30*((-3*I*A - 3*B)*a*e^(6*I*f*x + 6*I*e) + (-8*I*A + 2*B)*a*e^(4*I*f*x + 4*I*e) + (-5*I*A + 5*B)*a*e^(2*I*f*x + 2*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^3*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)^{\frac{3}{2}}}{(-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)/(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.802 \quad \int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=155

$$\frac{(-5B+2iA)(a+ia \tan(e+fx))^{3/2}}{105c^2f(c-ic \tan(e+fx))^{3/2}} - \frac{(-5B+2iA)(a+ia \tan(e+fx))^{3/2}}{35cf(c-ic \tan(e+fx))^{5/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{3/2}}{7f(c-ic \tan(e+fx))^{7/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(7*f*(c - I*c*Tan[e + f*x])^(7/2)) - (((2*I)*A - 5*B)*(a + I*a*Tan[e + f*x])^(3/2))/(35*c*f*(c - I*c*Tan[e + f*x])^(5/2)) - (((2*I)*A - 5*B)*(a + I*a*Tan[e + f*x])^(3/2))/(105*c^2*f*(c - I*c*Tan[e + f*x])^(3/2))

Rubi [A] time = 0.262802, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{(-5B+2iA)(a+ia \tan(e+fx))^{3/2}}{105c^2f(c-ic \tan(e+fx))^{3/2}} - \frac{(-5B+2iA)(a+ia \tan(e+fx))^{3/2}}{35cf(c-ic \tan(e+fx))^{5/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{3/2}}{7f(c-ic \tan(e+fx))^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(7*f*(c - I*c*Tan[e + f*x])^(7/2)) - (((2*I)*A - 5*B)*(a + I*a*Tan[e + f*x])^(3/2))/(35*c*f*(c - I*c*Tan[e + f*x])^(5/2)) - (((2*I)*A - 5*B)*(a + I*a*Tan[e + f*x])^(3/2))/(105*c^2*f*(c - I*c*Tan[e + f*x])^(3/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])

Rule 37

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{7/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{\sqrt{a+iax}(A+Bx)}{(c-icx)^{9/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{(a(2A + 5iB)) \operatorname{Subst}\left(\int \frac{\sqrt{a+ia}}{(c-icx)^{5/2}} dx, x, \tan(e + fx)\right)}{7f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{7f(c - ic \tan(e + fx))^{7/2}} - \frac{(2iA - 5B)(a + ia \tan(e + fx))}{35cf(c - ic \tan(e + fx))^{5/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{7f(c - ic \tan(e + fx))^{7/2}} - \frac{(2iA - 5B)(a + ia \tan(e + fx))}{35cf(c - ic \tan(e + fx))^{5/2}}$$

Mathematica [A] time = 12.8315, size = 131, normalized size = 0.85

$$\frac{a \cos(e + fx)(\cos(fx) - i \sin(fx))\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(5e + 6fx) + i \sin(5e + 6fx))(-5(2A + B)\cos(2(e + fx)) - 5(2A + (5I)B)\sin(2(e + fx)))(\cos(5e + 6fx) + I\sin(5e + 6fx))\sqrt{a + I a \tan(e + fx)}\sqrt{c - I c \tan(e + fx)}}{210c^4 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (a*cos[e + f*x]*(Cos[f*x] - I*Sin[f*x])*((-21*I)*A + 5*((-5*I)*A + 2*B)*Cos[2*(e + f*x)] - 5*(2*A + (5*I)*B)*Sin[2*(e + f*x)]*(Cos[5*e + 6*f*x] + I*Sin[5*e + 6*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(210*c^4*f)

Maple [A] time = 0.111, size = 113, normalized size = 0.7

$$\frac{\frac{i}{105} a \left(1 + \left(\tan(fx + e)\right)^2\right) \left(5B - 25iB \tan(fx + e) - 5B \left(\tan(fx + e)\right)^2 - 23iA - 10A \tan(fx + e) + 2iA \left(\tan(fx + e)\right)^2\right)}{fc^4 \left(\tan(fx + e) + i\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] 1/105*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a/c^4*(1+tan(f*x+e)^2)*(5*B-25*I*B*tan(f*x+e)-5*B*tan(f*x+e)^2-23*I*A-10*A*tan(f*x+e)+2*I*A*tan(f*x+e)^2)/(tan(f*x+e)+I)^5

Maxima [A] time = 2.51571, size = 254, normalized size = 1.64

$$\left(15(-iA - B)a \cos\left(\frac{7}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) - 42iAa \cos\left(\frac{5}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="maxima")

[Out] 1/420*(15*(-I*A - B)*a*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 42*I*A*a*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 35*(-I*A + B)*a*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (15*A - 15*I*B)*a*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 42*A*a*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (35*A + 35*I*B)*a*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(7/2)*f)

Fricas [A] time = 1.27654, size = 355, normalized size = 2.29

$$\frac{\left((-15iA - 15B)ae^{(8ifx+8ie)} + (-57iA - 15B)ae^{(6ifx+6ie)} + (-77iA + 35B)ae^{(4ifx+4ie)} + (-35iA + 35B)ae^{(2ifx+2ie)}\right)\sqrt{-e}}{420c^4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="fricas")

[Out] 1/420*((-15*I*A - 15*B)*a*e^(8*I*f*x + 8*I*e) + (-57*I*A - 15*B)*a*e^(6*I*f*x + 6*I*e) + (-77*I*A + 35*B)*a*e^(4*I*f*x + 4*I*e) + (-35*I*A + 35*B)*a*e^(2*I*f*x + 2*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^4*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{3}{2}}}{(-i c \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)/(-I*c*tan(f*x + e) + c)^(7/2), x)
```

$$3.803 \quad \int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{9/2}} dx$$

Optimal. Leaf size=208

$$\frac{2(-2B+ia)(a+ia \tan(e+fx))^{3/2}}{315c^3 f(c-ic \tan(e+fx))^{3/2}} - \frac{2(-2B+ia)(a+ia \tan(e+fx))^{3/2}}{105c^2 f(c-ic \tan(e+fx))^{5/2}} - \frac{(-2B+ia)(a+ia \tan(e+fx))^{3/2}}{21cf(c-ic \tan(e+fx))^{7/2}} - \frac{(B+ia)}{9f(c-ic \tan(e+fx))^{9/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(9*f*(c - I*c*Tan[e + f*x])^(9/2)) - ((I*A - 2*B)*(a + I*a*Tan[e + f*x])^(3/2))/(21*c*f*(c - I*c*Tan[e + f*x])^(7/2)) - (2*(I*A - 2*B)*(a + I*a*Tan[e + f*x])^(3/2))/(105*c^2*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*(I*A - 2*B)*(a + I*a*Tan[e + f*x])^(3/2))/(315*c^3*f*(c - I*c*Tan[e + f*x])^(3/2))

Rubi [A] time = 0.282241, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-2B+ia)(a+ia \tan(e+fx))^{3/2}}{315c^3 f(c-ic \tan(e+fx))^{3/2}} - \frac{2(-2B+ia)(a+ia \tan(e+fx))^{3/2}}{105c^2 f(c-ic \tan(e+fx))^{5/2}} - \frac{(-2B+ia)(a+ia \tan(e+fx))^{3/2}}{21cf(c-ic \tan(e+fx))^{7/2}} - \frac{(B+ia)}{9f(c-ic \tan(e+fx))^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(9/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(9*f*(c - I*c*Tan[e + f*x])^(9/2)) - ((I*A - 2*B)*(a + I*a*Tan[e + f*x])^(3/2))/(21*c*f*(c - I*c*Tan[e + f*x])^(7/2)) - (2*(I*A - 2*B)*(a + I*a*Tan[e + f*x])^(3/2))/(105*c^2*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*(I*A - 2*B)*(a + I*a*Tan[e + f*x])^(3/2))/(315*c^3*f*(c - I*c*Tan[e + f*x])^(3/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler

Q[m, 1] || !SumSimplerQ[n, 1])

Rule 37

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{9/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{\sqrt{a+iax(A+Bx)}}{(c-icx)^{11/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{9f(c - ic \tan(e + fx))^{9/2}} + \frac{(a(A + 2iB)) \operatorname{Subst}\left(\int \frac{\sqrt{a+iax}}{(c-icx)^{9/2}} dx, x, \tan(e + fx)\right)}{3f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{9f(c - ic \tan(e + fx))^{9/2}} - \frac{(iA - 2B)(a + ia \tan(e + fx))^3}{21cf(c - ic \tan(e + fx))^{7/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{9f(c - ic \tan(e + fx))^{9/2}} - \frac{(iA - 2B)(a + ia \tan(e + fx))^3}{21cf(c - ic \tan(e + fx))^{7/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{9f(c - ic \tan(e + fx))^{9/2}} - \frac{(iA - 2B)(a + ia \tan(e + fx))^3}{21cf(c - ic \tan(e + fx))^{7/2}}$$

Mathematica [A] time = 8.81579, size = 148, normalized size = 0.71

$$\frac{a \cos(e + fx)(\cos(fx) - i \sin(fx))\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(6e + 7fx) + i \sin(6e + 7fx))(-A + 2iB)}{1260c^5 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(9/2), x]

[Out] (a*cos[e + f*x]*(Cos[f*x] - I*Sin[f*x])*(9*((-18*I)*A + B)*Cos[e + f*x] + 35*((-2*I)*A + B)*Cos[3*(e + f*x)] - (A + (2*I)*B)*(27*Sin[e + f*x] + 35*Sin[3*(e + f*x)]))*(Cos[6*e + 7*f*x] + I*Sin[6*e + 7*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(1260*c^5*f)

Maple [A] time = 0.117, size = 136, normalized size = 0.7

$$\frac{\frac{i}{315}a\left(1 + \left(\tan(fx + e)\right)^2\right)\left(2iA\left(\tan(fx + e)\right)^3 - 24iB\left(\tan(fx + e)\right)^2 - 4B\left(\tan(fx + e)\right)^3 - 33iA \tan(fx + e) - 33iB\right)}{fc^5\left(\tan(fx + e) + i\right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2), x)

[Out] 1/315*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a/c^5*(1+tan(f*x+e)^2)*(2*I*A*tan(f*x+e)^3-24*I*B*tan(f*x+e)^2-4*B*tan(f*x+e)^3-33*I

$*A*\tan(f*x+e)-12*A*\tan(f*x+e)^2+11*I*B+66*B*\tan(f*x+e)+58*A)/(\tan(f*x+e)+I)^6$

Maxima [A] time = 2.39516, size = 351, normalized size = 1.69

$(35(-iA - B)a \cos\left(\frac{9}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + 45(-3iA - B)a \cos\left(\frac{7}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + \dots)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="maxima")

[Out] 1/2520*(35*(-I*A - B)*a*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 45*(-3*I*A - B)*a*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 63*(-3*I*A + B)*a*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 105*(-I*A + B)*a*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (35*A - 35*I*B)*a*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (135*A - 45*I*B)*a*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (189*A + 63*I*B)*a*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (105*A + 105*I*B)*a*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(9/2)*f)

Fricas [A] time = 1.33321, size = 423, normalized size = 2.03

$((-35iA - 35B)ae^{(10ifx+10ie)} + (-170iA - 80B)ae^{(8ifx+8ie)} + (-324iA + 18B)ae^{(6ifx+6ie)} + (-294iA + 168B)ae^{(4ifx+4ie)}) / (2520c^5f)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="fricas")

[Out] 1/2520*((-35*I*A - 35*B)*a*e^(10*I*f*x + 10*I*e) + (-170*I*A - 80*B)*a*e^(8*I*f*x + 8*I*e) + (-324*I*A + 18*B)*a*e^(6*I*f*x + 6*I*e) + (-294*I*A + 168*B)*a*e^(4*I*f*x + 4*I*e) + (-105*I*A + 105*B)*a*e^(2*I*f*x + 2*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^5*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(ia \tan(fx + e) + a)^{\frac{3}{2}}}{(-ic \tan(fx + e) + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)/(-I*c*tan(f*x + e) + c)^(9/2), x)
```

$$3.804 \quad \int \frac{(a+ia \tan(e+fx))^{3/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{11/2}} dx$$

Optimal. Leaf size=261

$$\frac{2(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{3465c^4 f(c-ic \tan(e+fx))^{3/2}} - \frac{2(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{1155c^3 f(c-ic \tan(e+fx))^{5/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(11*f*(c - I*c*Tan[e + f*x])^(11/2)) - (((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(99*c*f*(c - I*c*Tan[e + f*x])^(9/2)) - (((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(231*c^2*f*(c - I*c*Tan[e + f*x])^(7/2)) - (2*((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(1155*c^3*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(3465*c^4*f*(c - I*c*Tan[e + f*x])^(3/2))

Rubi [A] time = 0.320727, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{3465c^4 f(c-ic \tan(e+fx))^{3/2}} - \frac{2(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{1155c^3 f(c-ic \tan(e+fx))^{5/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}} - \frac{(-7B+4iA)(a+ia \tan(e+fx))^{3/2}}{231c^2 f(c-ic \tan(e+fx))^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(11/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(3/2))/(11*f*(c - I*c*Tan[e + f*x])^(11/2)) - (((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(99*c*f*(c - I*c*Tan[e + f*x])^(9/2)) - (((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(231*c^2*f*(c - I*c*Tan[e + f*x])^(7/2)) - (2*((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(1155*c^3*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*((4*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(3/2))/(3465*c^4*f*(c - I*c*Tan[e + f*x])^(3/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I

```

LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])

```

Rule 37

```

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(e + fx))^{3/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{11/2}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{\sqrt{a+iax(A+Bx)}}{(c-icx)^{13/2}} dx, x, \tan(e + fx)\right)}{f} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{11f(c - ic \tan(e + fx))^{11/2}} + \frac{(a(4A + 7iB)) \operatorname{Subst}\left(\int \frac{\sqrt{a+iax(A+Bx)}}{(c-icx)^{13/2}} dx, x, \tan(e + fx)\right)}{11f} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(4iA - 7B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(4iA - 7B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(4iA - 7B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{3/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(4iA - 7B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}}
\end{aligned}$$

Mathematica [A] time = 12.7293, size = 179, normalized size = 0.69

$$\frac{ia \cos(e + fx)(\cos(fx) - i \sin(fx))\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(\cos(7e + 8fx) + i \sin(7e + 8fx))(308(7A + B) \cos(2(e + fx)) + 105(7A + (4I)B) \cos(4(e + fx)) - (616I)A \sin(2(e + fx)) + 1078B \sin(2(e + fx)) - (420I)A \sin(4(e + fx)) + 735B \sin(4(e + fx)))(\cos(7e + 8fx) + I \sin(7e + 8fx)) \operatorname{Sqrt}[a + I a \operatorname{Tan}[e + f x]] \operatorname{Sqrt}[c - I c \operatorname{Tan}[e + f x]]}{c^6 f}$$

Antiderivative was successfully verified.

```

[In] Integrate[((a + I*a*Tan[e + f*x])^(3/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(11/2), x]

```

```

[Out] ((-I/27720)*a*Cos[e + f*x]*(Cos[f*x] - I*Sin[f*x])*(1485*A + 308*(7*A + I*B)*Cos[2*(e + f*x)] + 105*(7*A + (4*I)*B)*Cos[4*(e + f*x)] - (616*I)*A*Sin[2*(e + f*x)] + 1078*B*Sin[2*(e + f*x)] - (420*I)*A*Sin[4*(e + f*x)] + 735*B*Sin[4*(e + f*x)]*(Cos[7*e + 8*f*x] + I*Sin[7*e + 8*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c^6*f)

```

Maple [A] time = 0.114, size = 158, normalized size = 0.6

$$\frac{a \left(1 + (\tan(fx + e))^2\right) \left(14iB (\tan(fx + e))^4 + 56iA (\tan(fx + e))^3 + 8A (\tan(fx + e))^4 - 315iB (\tan(fx + e))\right)}{3465fc^6 (\tan(fx + e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x)

[Out]
$$-1/3465/f*(a*(1+I*\tan(f*x+e)))^{1/2}*(-c*(-1+I*\tan(f*x+e)))^{1/2}*a/c^6*(1+\tan(f*x+e)^2)*(14*I*B*\tan(f*x+e)^4+56*I*A*\tan(f*x+e)^3+8*A*\tan(f*x+e)^4-315*I*B*\tan(f*x+e)^2-98*B*\tan(f*x+e)^3-364*I*A*\tan(f*x+e)-180*A*\tan(f*x+e)^2+91*I*B+637*B*\tan(f*x+e)+547*A)/(\tan(f*x+e)+I)^7$$

Maxima [A] time = 2.32133, size = 421, normalized size = 1.61

$$\left(315(-iA - B)a \cos\left(\frac{11}{2} \arctan\left(\sin(2fx + 2e), \cos(2fx + 2e)\right)\right) + 770(-2iA - B)a \cos\left(\frac{9}{2} \arctan\left(\sin(2fx + 2e), \cos(2fx + 2e)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="maxima")

[Out]
$$\frac{1}{55440} * (315 * (-I * A - B) * a * \cos(11/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + 770 * (-2 * I * A - B) * a * \cos(9/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e)))) - 2970 * I * A * a * \cos(7/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + 1386 * (-2 * I * A + B) * a * \cos(5/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + 1155 * (-I * A + B) * a * \cos(3/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + (315 * A - 315 * I * B) * a * \sin(11/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + (1540 * A - 770 * I * B) * a * \sin(9/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + 2970 * A * a * \sin(7/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + (2772 * A + 1386 * I * B) * a * \sin(5/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e))) + (1155 * A + 1155 * I * B) * a * \sin(3/2 * \arctan2(\sin(2 * f * x + 2 * e), \cos(2 * f * x + 2 * e)))) * \sqrt{a} / (c^{11/2} * f)$$

Fricas [A] time = 1.40657, size = 502, normalized size = 1.92

$$\left((-315iA - 315B)ae^{(12i fx + 12ie)} + (-1855iA - 1085B)ae^{(10i fx + 10ie)} + (-4510iA - 770B)ae^{(8i fx + 8ie)} + (-5742iA + 1386B)ae^{(6i fx + 6ie)} + (-3927iA + 2541B)ae^{(4i fx + 4ie)} + (-1155iA + 1155B)ae^{(2i fx + 2ie)}\right) * \sqrt{a} / (e^{(2I * f * x + 2 * I * e)} + 1) * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * e^{(I * f * x + I * e)} / (c^6 * f)$$

55440

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="fricas")

[Out]
$$\frac{1}{55440} * ((-315 * I * A - 315 * B) * a * e^{(12 * I * f * x + 12 * I * e)} + (-1855 * I * A - 1085 * B) * a * e^{(10 * I * f * x + 10 * I * e)} + (-4510 * I * A - 770 * B) * a * e^{(8 * I * f * x + 8 * I * e)} + (-5742 * I * A + 1386 * B) * a * e^{(6 * I * f * x + 6 * I * e)} + (-3927 * I * A + 2541 * B) * a * e^{(4 * I * f * x + 4 * I * e)} + (-1155 * I * A + 1155 * B) * a * e^{(2 * I * f * x + 2 * I * e)}) * \sqrt{a} / (e^{(2 * I * f * x + 2 * I * e)} + 1) * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * e^{(I * f * x + I * e)} / (c^6 * f)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{3}{2}}}{(-i c \tan(fx + e) + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(3/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(3/2)/(-I*c*tan(f*x + e) + c)^(11/2), x)

$$3.805 \quad \int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=288

$$\frac{a^{5/2} c^{7/2} (-B + 6iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{8f} + \frac{a^2 c^3 (6A + iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f} + \frac{ac^2}{f}$$

[Out] $-(a^{5/2} * ((6*I)*A - B) * c^{7/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (8*f) + (a^2 * (6*A + I*B) * c^3 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (16*f) + (a * (6*A + I*B) * c^2 * \text{Tan}[e + f*x] * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (24*f) - (((6*I)*A - B) * c * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (30*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{7/2}) / (6*f)$

Rubi [A] time = 0.329713, antiderivative size = 288, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{a^{5/2} c^{7/2} (-B + 6iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{8f} + \frac{a^2 c^3 (6A + iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f} + \frac{ac^2}{f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{5/2} * (A + B*\text{Tan}[e + f*x]) * (c - I*c*\text{Tan}[e + f*x])^{7/2}, x]$

[Out] $-(a^{5/2} * ((6*I)*A - B) * c^{7/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (8*f) + (a^2 * (6*A + I*B) * c^3 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (16*f) + (a * (6*A + I*B) * c^2 * \text{Tan}[e + f*x] * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (24*f) - (((6*I)*A - B) * c * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (30*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{7/2}) / (6*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{m} * ((A + B*\text{tan}[(e + f*x)])^{n} * (c + d*\text{tan}[(e + f*x)])^{n}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 80

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x_Symbol] \rightarrow \text{Simp}[(b*(c + d*x)^{n+1} * (e + f*x)^{p+1}) / (d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))) / (d*f*(n + p + 2)), \text{Int}[(c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{NeQ}[n + p + 2, 0]$

Rule 49

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(2*c*n)/(m + n + 1), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0] && IGtQ[n + 1/2, 0] && LtQ[m, n]

Rule 38

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx &= \frac{(ac) \operatorname{Subst}\left(\int (a + iax)^{3/2} (A + Bx)(c - icx)^{5/2} dx\right)}{f} \\
 &= \frac{B(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{7/2}}{6f} \\
 &= -\frac{(6iA - B)c(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{7/2}}{30f} \\
 &= \frac{a(6A + iB)c^2 \tan(e + fx)(a + ia \tan(e + fx))^{5/2}}{24f} \\
 &= \frac{a^2(6A + iB)c^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{16f} \\
 &= \frac{a^2(6A + iB)c^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{16f} \\
 &= \frac{a^2(6A + iB)c^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{16f} \\
 &= -\frac{a^{5/2}(6iA - B)c^{7/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{8f} + \dots
 \end{aligned}$$

Mathematica [A] time = 16.7947, size = 568, normalized size = 1.97

$$\cos^3(e + fx)(a + ia \tan(e + fx))^{5/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left(\sec(e) \left(\frac{1}{30}c^3 \cos(2e) \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (((-6*I)*A + B)*c^4*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(8*E^(I*(3*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(7/2)*(Cos[f*x] + I*Sin[f*x])^(5/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^3*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(Sec[e]*Sec[e + f*x]^4*((-6*I)*A*Cos[e] + 6*B*Cos[e] - (5*I)*B*Sin[e])*((c^3*Cos[2*e])/30 - (I/30)*c^3*Sin[2*e]) - I*B*c^3*Sec[e]*Sec[e + f*x]^5*(Cos[2*e]/6 - (I/6)*Sin[2*e])*Sin[f*x] + Sec[e]*Sec[e + f*x]^3*(Cos[2*e]/24 - (I/24)*Sin[2*e])*(6*A*c^3*Sin[f*x] + I*B*c^3*Sin[f*x]) + Sec[e]*Sec[e + f*x]*(Cos[2*e]/16 - (I/16)*Sin[2*e])*(6*A*c^3*Sin[f*x] + I*B*c^3*Sin[f*x]) + (6*A + I*B)*Sec[e + f*x]^2*((c^3*Cos[2*e])/24 - (I/24)*c^3*Sin[2*e])*Tan[e] + (6*A + I*B)*((c^3*Cos[2*e])/16 - (I/16)*c^3*Sin[2*e])*Tan[e])*(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^2*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [B] time = 0.102, size = 478, normalized size = 1.7

$$-\frac{a^2c^3}{240f}\sqrt{a(1+i\tan(fx+e))}\sqrt{-c(-1+i\tan(fx+e))}\left(40iB(\tan(fx+e))^5\sqrt{ac(1+(\tan(fx+e))^2)}\sqrt{ac}+48iA(\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x)

[Out] -1/240/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2*c^3*(40*I*B*tan(f*x+e)^5*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+48*I*A*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+70*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3-48*B*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+96*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2-60*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-15*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+15*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-96*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+48*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-90*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-150*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-48*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 31.2979, size = 2722, normalized size = 9.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="maxima")
```

```
[Out] -((1382400*A + 230400*I*B)*a^2*c^3*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (7833600*A + 1305600*I*B)*a^2*c^3*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (18247680*A + 3041280*I*B)*a^2*c^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (5345280*A + 20551680*I*B)*a^2*c^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (7833600*A + 1305600*I*B)*a^2*c^3*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (1382400*A + 230400*I*B)*a^2*c^3*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 230400*(6*I*A - B)*a^2*c^3*sin(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1305600*(6*I*A - B)*a^2*c^3*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 3041280*(6*I*A - B)*a^2*c^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 92160*(58*I*A - 223*B)*a^2*c^3*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1305600*(-6*I*A + B)*a^2*c^3*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 230400*(-6*I*A + B)*a^2*c^3*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((691200*A + 115200*I*B)*a^2*c^3*cos(12*f*x + 12*e) + (4147200*A + 691200*I*B)*a^2*c^3*cos(10*f*x + 10*e) + (10368000*A + 1728000*I*B)*a^2*c^3*cos(8*f*x + 8*e) + (13824000*A + 2304000*I*B)*a^2*c^3*cos(6*f*x + 6*e) + (10368000*A + 1728000*I*B)*a^2*c^3*cos(4*f*x + 4*e) + (4147200*A + 691200*I*B)*a^2*c^3*cos(2*f*x + 2*e) + 115200*(6*I*A - B)*a^2*c^3*sin(12*f*x + 12*e) + 691200*(6*I*A - B)*a^2*c^3*sin(10*f*x + 10*e) + 1728000*(6*I*A - B)*a^2*c^3*sin(8*f*x + 8*e) + 2304000*(6*I*A - B)*a^2*c^3*sin(6*f*x + 6*e) + 1728000*(6*I*A - B)*a^2*c^3*sin(4*f*x + 4*e) + 691200*(6*I*A - B)*a^2*c^3*sin(2*f*x + 2*e) + (691200*A + 115200*I*B)*a^2*c^3*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((691200*A + 115200*I*B)*a^2*c^3*cos(12*f*x + 12*e) + (4147200*A + 691200*I*B)*a^2*c^3*cos(10*f*x + 10*e) + (10368000*A + 1728000*I*B)*a^2*c^3*cos(8*f*x + 8*e) + (13824000*A + 2304000*I*B)*a^2*c^3*cos(6*f*x + 6*e) + (10368000*A + 1728000*I*B)*a^2*c^3*cos(4*f*x + 4*e) + (4147200*A + 691200*I*B)*a^2*c^3*cos(2*f*x + 2*e) + 115200*(6*I*A - B)*a^2*c^3*sin(12*f*x + 12*e) + 691200*(6*I*A - B)*a^2*c^3*sin(10*f*x + 10*e) + 1728000*(6*I*A - B)*a^2*c^3*sin(8*f*x + 8*e) + 2304000*(6*I*A - B)*a^2*c^3*sin(6*f*x + 6*e) + 1728000*(6*I*A - B)*a^2*c^3*sin(4*f*x + 4*e) + 691200*(6*I*A - B)*a^2*c^3*sin(2*f*x + 2*e) + (691200*A + 115200*I*B)*a^2*c^3*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (57600*(6*I*A - B)*a^2*c^3*cos(12*f*x + 12*e) + 345600*(6*I*A - B)*a^2*c^3*cos(10*f*x + 10*e) + 864000*(6*I*A - B)*a^2*c^3*cos(8*f*x + 8*e) + 1152000*(6*I*A - B)*a^2*c^3*cos(6*f*x + 6*e) + 864000*(6*I*A - B)*a^2*c^3*cos(4*f*x + 4*e) + 345600*(6*I*A - B)*a^2*c^3*cos(2*f*x + 2*e) - (345600*A + 57600*I*B)*a^2*c^3*sin(12*f*x + 12*e) - (2073600*A + 345600*I*B)*a^2*c^3*sin(10*f*x + 10*e) - (5184000*A + 864000*I*B)*a^2*c^3*sin(8*f*x + 8*e) - (6912000*A + 1152000*I*B)*a^2*c^3*sin(6*f*x + 6*e) - (5184000*A + 864000*I*B)*a^2*c^3*sin(4*f*x + 4*e) - (2073600*A + 345600*I*B)*a^2*c^3*sin(2*f*x + 2*e) + 57600*(6*I*A - B)*a^2*c^3*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1) + (57600*(-6*I*A + B)*a^2*c^3*cos(12*f*x + 12*e) + 345600*(-6*I*A + B)*a^2*c^3*cos(10*f*x + 10*e) + 864000*(-6*I*A + B)*a^2*c^3*cos(8*f*x + 8*e) + 1152000*(-6*I*A + B)*a^2*c^3*cos(6*f*x + 6*e) + 864000*(-6*I*A + B)*a^2*c^3*cos(4*f*x + 4*e) + 345600*(-6*I*A + B)*a^2*c^3*cos(2*f*x + 2*e) + (345600*A + 57600*I*B)*a^2*c^3*sin(12*f*x + 12*e) + (2073600*A + 345600*I*B)*a^2*c^3*sin(10*f*x + 10*e) + (5184000*A + 864000*I*B)*a^2*c^3*sin(8*f*x + 8*e) + (6912000*A + 1152000*I*B)*a^2*c^3*sin(6*f*x + 6*e) + (5184000*A + 864000*I*B)*a^2*c^3*sin(4*f*x + 4*e) + (2073600*A + 345600*I*B)*a^2*c^3*sin(2*f*x + 2*e) + 57600*(-6*I*A + B)*a^2*c^3*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2
```

```
2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1))*sqrt(a)*sqrt(c)/(f*(-1843200*I*cos(12*f*x + 12*e) - 11059200*I*cos(10*f*x + 10*e) - 27648000*I*cos(8*f*x + 8*e) - 36864000*I*cos(6*f*x + 6*e) - 27648000*I*cos(4*f*x + 4*e) - 11059200*I*cos(2*f*x + 2*e) + 1843200*sin(12*f*x + 12*e) + 11059200*sin(10*f*x + 10*e) + 27648000*sin(8*f*x + 8*e) + 36864000*sin(6*f*x + 6*e) + 27648000*sin(4*f*x + 4*e) + 11059200*sin(2*f*x + 2*e) - 1843200*I))
```

Fricas [B] time = 1.62099, size = 2005, normalized size = 6.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="fricas")
```

```
[Out] 1/480*(4*((-90*I*A + 15*B)*a^2*c^3*e^(10*I*f*x + 10*I*e) + (-510*I*A + 85*B)*a^2*c^3*e^(8*I*f*x + 8*I*e) + (-1188*I*A + 198*B)*a^2*c^3*e^(6*I*f*x + 6*I*e) + (-348*I*A + 1338*B)*a^2*c^3*e^(4*I*f*x + 4*I*e) + (510*I*A - 85*B)*a^2*c^3*e^(2*I*f*x + 2*I*e) + (90*I*A - 15*B)*a^2*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 15*sqrt((36*A^2 + 12*I*A*B - B^2)*a^5*c^7/f^2)*(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)*log(2*((-24*I*A + 4*B)*a^2*c^3*e^(2*I*f*x + 2*I*e) + (-24*I*A + 4*B)*a^2*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((36*A^2 + 12*I*A*B - B^2)*a^5*c^7/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-6*I*A + B)*a^2*c^3*e^(2*I*f*x + 2*I*e) + (-6*I*A + B)*a^2*c^3)) + 15*sqrt((36*A^2 + 12*I*A*B - B^2)*a^5*c^7/f^2)*(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)*log(2*((-24*I*A + 4*B)*a^2*c^3*e^(2*I*f*x + 2*I*e) + (-24*I*A + 4*B)*a^2*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((36*A^2 + 12*I*A*B - B^2)*a^5*c^7/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-6*I*A + B)*a^2*c^3*e^(2*I*f*x + 2*I*e) + (-6*I*A + B)*a^2*c^3))/(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^{\frac{5}{2}} (-i c \tan(fx + e) + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)*(-I*c*tan(f*x + e) + c)^(7/2), x)
```

$$3.806 \quad \int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=213

$$-\frac{3ia^{5/2}Ac^{5/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{4f} + \frac{3a^2Ac^2 \tan(e+fx)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{8f} + \frac{aAc \tan(e+fx)}{8f}$$

[Out] (((-3*I)/4)*a^(5/2)*A*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/f + (3*a^2*A*c^2*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(8*f) + (a*A*c*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(4*f) + (B*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f)

Rubi [A] time = 0.274512, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 38, 63, 217, 203}

$$-\frac{3ia^{5/2}Ac^{5/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{4f} + \frac{3a^2Ac^2 \tan(e+fx)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{8f} + \frac{aAc \tan(e+fx)}{8f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (((-3*I)/4)*a^(5/2)*A*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/f + (3*a^2*A*c^2*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(8*f) + (a*A*c*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(4*f) + (B*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))/(5*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 38

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \operatorname{Subst}\left(\int (a + iax)^{3/2} (A + Bx)(c - icx)^{3/2} dx\right)}{f} \\ &= \frac{B(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}}{5f} \\ &= \frac{aAc \tan(e + fx) (a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}}{4f} \\ &= \frac{3a^2 Ac^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \\ &= \frac{3a^2 Ac^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \\ &= \frac{3a^2 Ac^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \\ &= -\frac{3ia^{5/2} Ac^{5/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{4f} + \frac{3a^2 Ac^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} \end{aligned}$$

Mathematica [B] time = 13.9205, size = 459, normalized size = 2.15

$$\cos^3(e + fx) (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx) (c \cos(e + fx) - ic \sin(e + fx))} \left(Ac^2 \sec(e) \left(\frac{1}{4} \cos(e + fx) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e
+ f*x])^(5/2),x]
```

```
[Out] (((-3*I)/4)*A*c^3*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))]/(1 + E^((2*I)*(e + f
*x))))*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e +
```


$$\begin{aligned}
& x + 10e) + 150Aa^2c^2\cos(8fx + 8e) + 300Aa^2c^2\cos(6fx + 6e) \\
& + 300Aa^2c^2\cos(4fx + 4e) + 150Aa^2c^2\cos(2fx + 2e) + 30Ia^2c^2\sin(10fx + 10e) + 150Ia^2c^2\sin(8fx + 8e) + 300Ia^2c^2\sin(6fx + 6e) + 300Ia^2c^2\sin(4fx + 4e) + 150Ia^2c^2\sin(2fx + 2e) + 30Aa^2c^2\arctan2(\cos(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))), -\sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1) - (-15Ia^2c^2\cos(10fx + 10e) - 75Ia^2c^2\cos(8fx + 8e) - 150Ia^2c^2\cos(6fx + 6e) - 150Ia^2c^2\cos(4fx + 4e) - 75Ia^2c^2\cos(2fx + 2e) + 15Aa^2c^2\sin(10fx + 10e) + 75Aa^2c^2\sin(8fx + 8e) + 150Aa^2c^2\sin(6fx + 6e) + 150Aa^2c^2\sin(4fx + 4e) + 75Aa^2c^2\sin(2fx + 2e) - 15Ia^2c^2\log(\cos(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 + \sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 + 2\sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1) - (15Ia^2c^2\cos(10fx + 10e) + 75Ia^2c^2\cos(8fx + 8e) + 150Ia^2c^2\cos(6fx + 6e) + 150Ia^2c^2\cos(4fx + 4e) + 75Ia^2c^2\cos(2fx + 2e) - 15Aa^2c^2\sin(10fx + 10e) - 75Aa^2c^2\sin(8fx + 8e) - 150Aa^2c^2\sin(6fx + 6e) - 150Aa^2c^2\sin(4fx + 4e) - 75Aa^2c^2\sin(2fx + 2e) + 15Ia^2c^2\log(\cos(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 + \sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))))^2 - 2\sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1))\sqrt{a}\sqrt{c}/(f(-80I\cos(10fx + 10e) - 400I\cos(8fx + 8e) - 800I\cos(6fx + 6e) - 800I\cos(4fx + 4e) - 400I\cos(2fx + 2e) + 80\sin(10fx + 10e) + 400\sin(8fx + 8e) + 800\sin(6fx + 6e) + 800\sin(4fx + 4e) + 400\sin(2fx + 2e) - 80I))
\end{aligned}$$

Fricas [B] time = 1.60908, size = 1523, normalized size = 7.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& 1/80*(4*(-15Ia^2c^2e^{(8Ifx + 8Ie)} - 70Ia^2c^2e^{(6Ifx + 6Ie)} + 128Ba^2c^2e^{(4Ifx + 4Ie)} + 70Ia^2c^2e^{(2Ifx + 2Ie)} + 15Ia^2c^2)\sqrt{a/(e^{(2Ifx + 2Ie)} + 1)}\sqrt{c/(e^{(2Ifx + 2Ie)} + 1)}e^{(Ifx + Ie)} - 15\sqrt{A^2a^5c^5/f^2}(f e^{(8Ifx + 8Ie)} + 4f e^{(6Ifx + 6Ie)} + 6f e^{(4Ifx + 4Ie)} + 4f e^{(2Ifx + 2Ie)} + f)\log(1/4*(32*(Aa^2c^2e^{(2Ifx + 2Ie)} + Aa^2c^2)\sqrt{a/(e^{(2Ifx + 2Ie)} + 1)}\sqrt{c/(e^{(2Ifx + 2Ie)} + 1)}e^{(Ifx + Ie)} + \sqrt{A^2a^5c^5/f^2})(16If e^{(2Ifx + 2Ie)} - 16If)))/(Aa^2c^2e^{(2Ifx + 2Ie)} + Aa^2c^2) + 15\sqrt{A^2a^5c^5/f^2}(f e^{(8Ifx + 8Ie)} + 4f e^{(6Ifx + 6Ie)} + 6f e^{(4Ifx + 4Ie)} + 4f e^{(2Ifx + 2Ie)} + f)\log(1/4*(32*(Aa^2c^2e^{(2Ifx + 2Ie)} + Aa^2c^2)\sqrt{a/(e^{(2Ifx + 2Ie)} + 1)}\sqrt{c/(e^{(2Ifx + 2Ie)} + 1)}e^{(Ifx + Ie)} + \sqrt{A^2a^5c^5/f^2})(-16If e^{(2Ifx + 2Ie)} + 16If)))/(Aa^2c^2e^{(2Ifx + 2Ie)} + Aa^2c^2))/(f e^{(8Ifx + 8Ie)} + 4f e^{(6Ifx + 6Ie)} + 6f e^{(4Ifx + 4Ie)} + 4f e^{(2Ifx + 2Ie)} + f)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^{\frac{5}{2}}(-ic \tan(fx + e) + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)*(-I*c*tan(f*x + e) + c)^(5/2), x)
```


$$3.807 \quad \int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=222

$$\frac{a^{5/2} c^{3/2} (B + 4iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{a^2 c (4A - iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} + \frac{a(B + 4iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f}$$

```
[Out] -(a^(5/2)*((4*I)*A + B)*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(4*f) + (a^2*(4*A - I*B)*c*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(8*f) + (a*((4*I)*A + B)*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(12*f) + (B*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2))/(4*f)
```

Rubi [A] time = 0.304214, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{a^{5/2} c^{3/2} (B + 4iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{a^2 c (4A - iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} + \frac{a(B + 4iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f}$$

Antiderivative was successfully verified.

```
[In] Int[(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]
```

```
[Out] -(a^(5/2)*((4*I)*A + B)*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(4*f) + (a^2*(4*A - I*B)*c*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(8*f) + (a*((4*I)*A + B)*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(12*f) + (B*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2))/(4*f)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 80

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 49

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(2*c*n)/(m + n + 1), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0] && IGtQ[n + 1/2, 0] && LtQ[m, n]
```

Rule 38

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(x
*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a
+ b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b
*c + a*d, 0] && IGtQ[m + 1/2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^{3/2} (A + Bx) \sqrt{c - icx} dx, x \right)}{f} \\
&= \frac{B(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}}{4f} + \frac{a(4iA + B)(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}}{12f} \\
&= \frac{a^2(4A - iB)c \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c}}{8f} \\
&= \frac{a^2(4A - iB)c \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c}}{8f} \\
&= \frac{a^2(4A - iB)c \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c}}{8f} \\
&= -\frac{a^{5/2}(4iA + B)c^{3/2} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{a^2}{4f}
\end{aligned}$$

Mathematica [B] time = 11.9281, size = 460, normalized size = 2.07

$$\cos^3(e + fx)(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left(\sec(e) \left(\frac{1}{12} c \cos(2e) - \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]
```

```
[Out] ((-I/4)*(4*A - I*B)*c^2*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(E^(I*(3*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(7/2)*(Cos[f*x] + I*Sin[f*x])^(5/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^3*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(Sec[e]*Sec[e + f*x]^2*((4*I)*A*Cos[e] + 4*B*Cos[e] + (3*I)*B*Sin[e]))*((c*Cos[2*e])/12 - (I/12)*c*Sin[2*e]) + I*B*c*Sec[e]*Sec[e + f*x]^3*(Cos[2*e]/4 - (I/4)*Sin[2*e])*Sin[f*x] + Sec[e]*Sec[e + f*x]*(Cos[2*e]/8 - (I/8)*Sin[2*e])*((4*A*c*Sin[f*x] - I*B*c*Sin[f*x]) + (4*A - I*B)*((c*Cos[2*e])/8 - (I/8)*c*Sin[2*e])*Tan[e])*(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^2*(A*Cos[e + f*x] + B*Sin[e + f*x]))
```

Maple [A] time = 0.098, size = 350, normalized size = 1.6

$$\frac{a^2 c}{24 f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(6iB(\tan(fx + e))^3 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} + 8iA(\tan(fx + e)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x)
```

```
[Out] 1/24/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2*c*(6*I*B*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+8*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-3*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+3*I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+8*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+8*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)+12*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+12*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+8*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)
```

Maxima [B] time = 6.78353, size = 1845, normalized size = 8.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")
```

```
[Out] -((4608*A - 1152*I*B)*a^2*c*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (7680*A - 20352*I*B)*a^2*c*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (16896*A - 4224*I*B)*a^2*c*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (4608*A - 1152*I*B)*a^2*c*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 1152*(-4*I*A - B)*a^2*c*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 384*(20*I*A + 53*B)*a^2*c*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 4224*(4*I*A + B)*a^2*c*sin(3/2*arctan
```

```

2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 1152*(4*I*A + B)*a^2*c*sin(1/2*arc
tan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((2304*A - 576*I*B)*a^2*c*cos(8
*f*x + 8*e) + (9216*A - 2304*I*B)*a^2*c*cos(6*f*x + 6*e) + (13824*A - 3456*
I*B)*a^2*c*cos(4*f*x + 4*e) + (9216*A - 2304*I*B)*a^2*c*cos(2*f*x + 2*e) -
576*(-4*I*A - B)*a^2*c*sin(8*f*x + 8*e) - 2304*(-4*I*A - B)*a^2*c*sin(6*f*x
+ 6*e) - 3456*(-4*I*A - B)*a^2*c*sin(4*f*x + 4*e) - 2304*(-4*I*A - B)*a^2*
c*sin(2*f*x + 2*e) + (2304*A - 576*I*B)*a^2*c)*arctan2(cos(1/2*arctan2(sin(
2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f
*x + 2*e)))) + 1) + ((2304*A - 576*I*B)*a^2*c*cos(8*f*x + 8*e) + (9216*A - 2
304*I*B)*a^2*c*cos(6*f*x + 6*e) + (13824*A - 3456*I*B)*a^2*c*cos(4*f*x + 4*
e) + (9216*A - 2304*I*B)*a^2*c*cos(2*f*x + 2*e) - 576*(-4*I*A - B)*a^2*c*si
n(8*f*x + 8*e) - 2304*(-4*I*A - B)*a^2*c*sin(6*f*x + 6*e) - 3456*(-4*I*A -
B)*a^2*c*sin(4*f*x + 4*e) - 2304*(-4*I*A - B)*a^2*c*sin(2*f*x + 2*e) + (230
4*A - 576*I*B)*a^2*c)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x +
2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (288*
(-4*I*A - B)*a^2*c*cos(8*f*x + 8*e) + 1152*(-4*I*A - B)*a^2*c*cos(6*f*x + 6
*e) + 1728*(-4*I*A - B)*a^2*c*cos(4*f*x + 4*e) + 1152*(-4*I*A - B)*a^2*c*co
s(2*f*x + 2*e) + (1152*A - 288*I*B)*a^2*c*sin(8*f*x + 8*e) + (4608*A - 1152
*I*B)*a^2*c*sin(6*f*x + 6*e) + (6912*A - 1728*I*B)*a^2*c*sin(4*f*x + 4*e) +
(4608*A - 1152*I*B)*a^2*c*sin(2*f*x + 2*e) + 288*(-4*I*A - B)*a^2*c)*log(c
os(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin
(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), c
os(2*f*x + 2*e)))) + 1) - (288*(4*I*A + B)*a^2*c*cos(8*f*x + 8*e) + 1152*(4*
I*A + B)*a^2*c*cos(6*f*x + 6*e) + 1728*(4*I*A + B)*a^2*c*cos(4*f*x + 4*e) +
1152*(4*I*A + B)*a^2*c*cos(2*f*x + 2*e) - (1152*A - 288*I*B)*a^2*c*sin(8*f
*x + 8*e) - (4608*A - 1152*I*B)*a^2*c*sin(6*f*x + 6*e) - (6912*A - 1728*I*B
)*a^2*c*sin(4*f*x + 4*e) - (4608*A - 1152*I*B)*a^2*c*sin(2*f*x + 2*e) + 288
*(4*I*A + B)*a^2*c)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))
)^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 - 2*sin(1/2*ar
ctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(-4608*
I*cos(8*f*x + 8*e) - 18432*I*cos(6*f*x + 6*e) - 27648*I*cos(4*f*x + 4*e) -
18432*I*cos(2*f*x + 2*e) + 4608*sin(8*f*x + 8*e) + 18432*sin(6*f*x + 6*e) +
27648*sin(4*f*x + 4*e) + 18432*sin(2*f*x + 2*e) - 4608*I))

```

Fricas [B] time = 1.64753, size = 1581, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2
),x, algorithm="fricas")

```

```

[Out] 1/48*(4*((-12*I*A - 3*B)*a^2*c*e^(6*I*f*x + 6*I*e) + (20*I*A + 53*B)*a^2*c*
e^(4*I*f*x + 4*I*e) + (44*I*A + 11*B)*a^2*c*e^(2*I*f*x + 2*I*e) + (12*I*A +
3*B)*a^2*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e)
+ 1))*e^(I*f*x + I*e) + 3*sqrt((16*A^2 - 8*I*A*B - B^2)*a^5*c^3/f^2)*(f*e^(
6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)*l
og(2*(((16*I*A + 4*B)*a^2*c*e^(2*I*f*x + 2*I*e) + (16*I*A + 4*B)*a^2*c)*sq
rt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x +
I*e) + 2*sqrt((16*A^2 - 8*I*A*B - B^2)*a^5*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e)
- f))/((4*I*A + B)*a^2*c*e^(2*I*f*x + 2*I*e) + (4*I*A + B)*a^2*c)) - 3*sq
rt((16*A^2 - 8*I*A*B - B^2)*a^5*c^3/f^2)*(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I
*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((16*I*A + 4*B)*a^2*c*
e^(2*I*f*x + 2*I*e) + (16*I*A + 4*B)*a^2*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1
))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((16*A^2 - 8*I*
A*B - B^2)*a^5*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((4*I*A + B)*a^2*c*e^(

```

$$\frac{2*I*f*x + 2*I*e) + (4*I*A + B)*a^2*c)))/(f*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^{\frac{5}{2}} (-i c \tan(fx + e) + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)*(-I*c*tan(f*x + e) + c)^(3/2), x)

3.808 $\int (a+ia \tan(e+fx))^{5/2} (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}$

Optimal. Leaf size=217

$$\frac{a^{5/2} \sqrt{c} (2B + 3iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a+ia \tan(e+fx)}}{\sqrt{a} \sqrt{c-ic \tan(e+fx)}} \right)}{f} + \frac{a^2 (2B + 3iA) \sqrt{a+ia \tan(e+fx)} \sqrt{c-ic \tan(e+fx)}}{2f} + \frac{a(2B + 3iA)(a+ia \tan(e+fx))^{5/2} \sqrt{c-ic \tan(e+fx)}}{3f}$$

[Out] $-\left(\frac{a^{5/2} \left((3I)A + 2B\right) \sqrt{c} \operatorname{ArcTan}\left[\frac{\sqrt{c} \sqrt{a + I a \operatorname{Tan}[e + f x]}}{\sqrt{a} \sqrt{c - I c \operatorname{Tan}[e + f x]}}\right]}{\sqrt{a} \sqrt{c - I c \operatorname{Tan}[e + f x]}}\right)/f + \frac{a^2 \left((3I)A + 2B\right) \sqrt{a + I a \operatorname{Tan}[e + f x]} \sqrt{c - I c \operatorname{Tan}[e + f x]}}{2f} + \frac{a \left((3I)A + 2B\right) (a + I a \operatorname{Tan}[e + f x])^{3/2} \sqrt{c - I c \operatorname{Tan}[e + f x]}}{6f} + \frac{B (a + I a \operatorname{Tan}[e + f x])^{5/2} \sqrt{c - I c \operatorname{Tan}[e + f x]}}{3f}$

Rubi [A] time = 0.290031, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 50, 63, 217, 203}

$$\frac{a^{5/2} \sqrt{c} (2B + 3iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a+ia \tan(e+fx)}}{\sqrt{a} \sqrt{c-ic \tan(e+fx)}} \right)}{f} + \frac{a^2 (2B + 3iA) \sqrt{a+ia \tan(e+fx)} \sqrt{c-ic \tan(e+fx)}}{2f} + \frac{a(2B + 3iA)(a+ia \tan(e+fx))^{5/2} \sqrt{c-ic \tan(e+fx)}}{3f}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + I a \operatorname{Tan}[e + f x])^{5/2} (A + B \operatorname{Tan}[e + f x]) \sqrt{c - I c \operatorname{Tan}[e + f x]}, x]$

[Out] $-\left(\frac{a^{5/2} \left((3I)A + 2B\right) \sqrt{c} \operatorname{ArcTan}\left[\frac{\sqrt{c} \sqrt{a + I a \operatorname{Tan}[e + f x]}}{\sqrt{a} \sqrt{c - I c \operatorname{Tan}[e + f x]}}\right]}{\sqrt{a} \sqrt{c - I c \operatorname{Tan}[e + f x]}}\right)/f + \frac{a^2 \left((3I)A + 2B\right) \sqrt{a + I a \operatorname{Tan}[e + f x]} \sqrt{c - I c \operatorname{Tan}[e + f x]}}{2f} + \frac{a \left((3I)A + 2B\right) (a + I a \operatorname{Tan}[e + f x])^{3/2} \sqrt{c - I c \operatorname{Tan}[e + f x]}}{6f} + \frac{B (a + I a \operatorname{Tan}[e + f x])^{5/2} \sqrt{c - I c \operatorname{Tan}[e + f x]}}{3f}$

Rule 3588

$\operatorname{Int}[(a + b \operatorname{Tan}[e + f x])^m (c + d \operatorname{Tan}[e + f x])^n, x] \rightarrow \operatorname{Dist}\left[\frac{a^m c}{f}, \operatorname{Subst}\left[\operatorname{Int}[(a + b x)^{m-1} (c + d x)^{n-1} (A + B x), x], x, \operatorname{Tan}[e + f x]\right], x\right] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

$\operatorname{Int}[(a + b x)^m (c + d x)^n (e + f x)^p, x] \rightarrow \operatorname{Simp}\left[\frac{b(c + d x)^{n+1} (e + f x)^{p+1}}{d f (n + p + 2)}, x\right] + \operatorname{Dist}\left[\frac{a d f (n + p + 2) - b(d e (n + 1) + c f (p + 1))}{d f (n + p + 2)}, \operatorname{Int}[(c + d x)^n (e + f x)^p, x], x\right] /;$ FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 50

$\operatorname{Int}[(a + b x)^m (c + d x)^n, x] \rightarrow \operatorname{Simp}\left[\frac{(a + b x)^{m+1} (c + d x)^n}{b(m + n + 1)}, x\right] + \operatorname{Dist}\left[\frac{n(b c - a d)}{b(m + n + 1)}, \operatorname{Int}[(a + b x)^m (c + d x)^{n-1}, x], x\right] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n

+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) \sqrt{c - ic \tan(e + fx)} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{\sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{B(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}}{3f} + \frac{a(3iA + 2B)(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}}{6f} \\ &= \frac{a^2(3iA + 2B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= \frac{a^2(3iA + 2B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= \frac{a^2(3iA + 2B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{2f} \\ &= -\frac{a^{5/2}(3iA + 2B) \sqrt{c} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{f} + \end{aligned}$$

Mathematica [A] time = 8.35172, size = 253, normalized size = 1.17

$$\frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) \left(\frac{(\sin(2e) + i \cos(2e)) \sec^2(e + fx) \sqrt{c - ic \tan(e + fx)} ((6B + 3iA) \sin(2(e + fx)) + 12(A - iB) \cos(2(e + fx)))}{12(\cos(fx) + i \sin(fx))^2} \right)}{f \sec^2(e + fx) (A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]],x]
```

```
[Out] ((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*((( -I)*(3*A - (2*I)*B)*c*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))])/(E^((3*I)*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])) + (Sec[e + f*x]^(5/2)*(I*Cos[2*e] + Sin[2*e])*(12*A - (8*I)*B + 12*(A - I*B)*Cos[2*(e + f*x)] + ((3*I)*A + 6*B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]])/(12*(Cos[f*x] + I*Sin[f*x])^2)))/(f*Sec[e + f*x]^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x]))
```

Maple [A] time = 0.102, size = 285, normalized size = 1.3

$$\frac{a^2}{6f} \sqrt{-c(-1 + i \tan(fx + e))} \sqrt{a(1 + i \tan(fx + e))} \left(-6iB \ln \left(\left(ac \tan(fx + e) + \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} \right) \frac{1}{\sqrt{ac}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e)),x)
```

```
[Out] 1/6/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*a^2*(-6*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+6*I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-2*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+12*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)+9*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-3*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+10*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)
```

Maxima [B] time = 3.48748, size = 1457, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e)),x, algorithm="maxima")
```

```
[Out] ((360*A - 432*I*B)*a^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (576*A - 384*I*B)*a^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (216*A - 144*I*B)*a^2*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 72*(5*I*A + 6*B)*a^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 192*(3*I*A + 2*B)*a^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 72*(3*I*A + 2*B)*a^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - ((108*A - 72*I*B)*a^2*cos(6*f*x + 6*e) + (324*A - 216*I*B)*a^2*cos(4*f*x + 4*e) + (324*A - 216*I*B)*a^2*cos(2*f*x + 2*e) - 36*(-3*I*A - 2*B)*a^2*sin(6*f*x + 6*e) - 108*(-3*I*A - 2*B)*a^2*sin(4*f*x + 4*e) - 108*(-3*I*A - 2*B)*a^2*sin(2*f*x + 2*e) + (108*A - 72*I*B)*a^2)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - ((108*A - 72*I*B)*a^2*cos(6*f*x + 6*e) + (324*A - 216*I*B)*a^2*cos(4*f*x + 4*e) + (324*A - 216*I*B)*a^2*cos(2*f*x + 2*e) - 36*(-3*I*A - 2*B)*a^2*sin(6*f*x + 6*e) - 108*(-3*I*A - 2*B)*a^2*sin(4*f*x
```


$$\begin{aligned}
& + 4*e) - 108*(-3*I*A - 2*B)*a^2*\sin(2*f*x + 2*e) + (108*A - 72*I*B)*a^2*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), -\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + (18*(-3*I*A - 2*B)*a^2*\cos(6*f*x + 6*e) + 54*(-3*I*A - 2*B)*a^2*\cos(4*f*x + 4*e) + 54*(-3*I*A - 2*B)*a^2*\cos(2*f*x + 2*e) + (54*A - 36*I*B)*a^2*\sin(6*f*x + 6*e) + (162*A - 108*I*B)*a^2*\sin(4*f*x + 4*e) + (162*A - 108*I*B)*a^2*\sin(2*f*x + 2*e) + 18*(-3*I*A - 2*B)*a^2)*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 + 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + (18*(3*I*A + 2*B)*a^2*\cos(6*f*x + 6*e) + 54*(3*I*A + 2*B)*a^2*\cos(4*f*x + 4*e) + 54*(3*I*A + 2*B)*a^2*\cos(2*f*x + 2*e) - (54*A - 36*I*B)*a^2*\sin(6*f*x + 6*e) - (162*A - 108*I*B)*a^2*\sin(4*f*x + 4*e) - (162*A - 108*I*B)*a^2*\sin(2*f*x + 2*e) + 18*(3*I*A + 2*B)*a^2)*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 - 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1))*\sqrt{a}*\sqrt{c}/(f*(-72*I*\cos(6*f*x + 6*e) - 216*I*\cos(4*f*x + 4*e) - 216*I*\cos(2*f*x + 2*e) + 72*\sin(6*f*x + 6*e) + 216*\sin(4*f*x + 4*e) + 216*\sin(2*f*x + 2*e) - 72*I))
\end{aligned}$$

Fricas [B] time = 1.59996, size = 1399, normalized size = 6.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/12*(2*((30*I*A + 36*B)*a^2*e^(4*I*f*x + 4*I*e) + (48*I*A + 32*B)*a^2*e^(2*I*f*x + 2*I*e) + (18*I*A + 12*B)*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 3*sqrt((9*A^2 - 12*I*A*B - 4*B^2)*a^5*c/f^2)*(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((12*I*A + 8*B)*a^2*e^(2*I*f*x + 2*I*e) + (12*I*A + 8*B)*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((9*A^2 - 12*I*A*B - 4*B^2)*a^5*c/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((3*I*A + 2*B)*a^2*e^(2*I*f*x + 2*I*e) + (3*I*A + 2*B)*a^2)) - 3*sqrt((9*A^2 - 12*I*A*B - 4*B^2)*a^5*c/f^2)*(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((12*I*A + 8*B)*a^2*e^(2*I*f*x + 2*I*e) + (12*I*A + 8*B)*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((9*A^2 - 12*I*A*B - 4*B^2)*a^5*c/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((3*I*A + 2*B)*a^2*e^(2*I*f*x + 2*I*e) + (3*I*A + 2*B)*a^2)))/(f*e^(4*I*f*x + 4*I*e) + 2*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{5}{2}} \sqrt{-i c \tan(fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)*sqrt(-I*c*tan(f*x + e) + c), x)
```

$$3.809 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=227

$$\frac{3a^{5/2}(3B+2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{3a^2(3B+2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2cf} - \frac{a(3B+2iA)(a+ia \tan(e+fx))^{5/2}}{2cf}$$

```
[Out] (3*a^(5/2)*((2*I)*A + 3*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[c]*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (3*a^2*((2*I)*A + 3*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*c*f) - (a*((2*I)*A + 3*B)*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])/(2*c*f)
```

Rubi [A] time = 0.304716, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 50, 63, 217, 203}

$$\frac{3a^{5/2}(3B+2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{3a^2(3B+2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2cf} - \frac{a(3B+2iA)(a+ia \tan(e+fx))^{5/2}}{2cf}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]], x]
```

```
[Out] (3*a^(5/2)*((2*I)*A + 3*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[c]*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (3*a^2*((2*I)*A + 3*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*c*f) - (a*((2*I)*A + 3*B)*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])/(2*c*f)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 50

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !IGtQ
```

[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{5/2}(A + B \tan(e + fx))}{\sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^{3/2}(A+Bx)}{(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{(a(2A - 3iB)) \text{Subst}\left(\int \frac{(a+iax)^{3/2}}{\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{a(2iA + 3B)(a + ia \tan(e + fx))^{3/2}}{2cf}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{3a^2(2iA + 3B)\sqrt{a + ia \tan(e + fx)}}{2cf}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{3a^2(2iA + 3B)\sqrt{a + ia \tan(e + fx)}}{2cf}$$

$$= \frac{3a^{5/2}(2iA + 3B) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{c}f} - \frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{f\sqrt{c - ic \tan(e + fx)}}$$

Mathematica [A] time = 10.1899, size = 239, normalized size = 1.05

$$(a + ia \tan(e + fx))^{5/2}(A + B \tan(e + fx)) \left(\frac{3(3B+2iA)e^{-3i(e+fx)} \sqrt{\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}}} \tan^{-1}(e^{i(e+fx)})}{\sqrt{\frac{c}{1+e^{2i(e+fx)}}}} - \frac{(\tan(e+fx)+i)\sqrt{\sec(e+fx)}\sqrt{c-ic \tan(e+fx)}}{(-5i)\sqrt{c-ic \tan(e+fx)}} \right)$$

$$f \sec^2(e + fx)(A \cos(e + fx) + B \sin(e + fx))$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*
Tan[e + f*x]],x]
```

```
[Out] ((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*((3*((2*I)*A + 3*B)*Sqrt
[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))])/(E^((3
*I)*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])]) - (Sqrt[Sec[e + f*x]]*(5*
(2*A - (3*I)*B) + (10*A - (13*I)*B)*Cos[2*(e + f*x)] + ((-2*I)*A - 5*B)*Sin
[2*(e + f*x)]*(I + Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(4*c)))/(f*Se
c[e + f*x]^(7/2)*(A*Cos[e + f*x] + B*Ssin[e + f*x]))
```

Maple [B] time = 0.183, size = 565, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x)
```

```
[Out] 1/2*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2/c*(6*I*
A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))
*tan(f*x+e)^2*a*c+18*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a
*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+4*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(
a*c)^(1/2)*tan(f*x+e)^2+9*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)
*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-B*(a*c*(1+tan(f*x+e)^2))^(1/2)*
(a*c)^(1/2)*tan(f*x+e)^3-6*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1
/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-12*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c
)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c-2*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2)
)^(1/2)*(a*c)^(1/2)-14*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-9*B*ln(
(a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-
19*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+10*A*(a*c*(1+tan(f
*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^2/
(a*c)^(1/2)
```

Maxima [B] time = 2.81444, size = 1342, normalized size = 5.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2
),x, algorithm="maxima")
```

```
[Out] -((32*A - 112*I*B)*a^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))
+ 16*(2*I*A + 7*B)*a^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))
) - ((48*A - 72*I*B)*a^2*cos(4*f*x + 4*e) + (96*A - 144*I*B)*a^2*cos(2*f*x
+ 2*e) - 24*(-2*I*A - 3*B)*a^2*sin(4*f*x + 4*e) - 48*(-2*I*A - 3*B)*a^2*sin
(2*f*x + 2*e) + (48*A - 72*I*B)*a^2)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*
e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))
) + 1) - ((48*A - 72*I*B)*a^2*cos(4*f*x + 4*e) + (96*A - 144*I*B)*a^2*cos(2
*f*x + 2*e) - 24*(-2*I*A - 3*B)*a^2*sin(4*f*x + 4*e) - 48*(-2*I*A - 3*B)*a^
2*sin(2*f*x + 2*e) + (48*A - 72*I*B)*a^2)*arctan2(cos(1/2*arctan2(sin(2*f*x
+ 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x +
2*e)))) + 1) + ((64*A - 64*I*B)*a^2*cos(4*f*x + 4*e) + (128*A - 128*I*B)*a^
```

```

2*cos(2*f*x + 2*e) + 64*(I*A + B)*a^2*sin(4*f*x + 4*e) + 128*(I*A + B)*a^2*
sin(2*f*x + 2*e) + (96*A - 144*I*B)*a^2*cos(1/2*arctan2(sin(2*f*x + 2*e),
cos(2*f*x + 2*e))) + (12*(-2*I*A - 3*B)*a^2*cos(4*f*x + 4*e) + 24*(-2*I*A -
3*B)*a^2*cos(2*f*x + 2*e) + (24*A - 36*I*B)*a^2*sin(4*f*x + 4*e) + (48*A -
72*I*B)*a^2*sin(2*f*x + 2*e) + 12*(-2*I*A - 3*B)*a^2*log(cos(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e),
cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)
)) + 1) + (12*(2*I*A + 3*B)*a^2*cos(4*f*x + 4*e) + 24*(2*I*A + 3*B)*a^2*cos
(2*f*x + 2*e) - (24*A - 36*I*B)*a^2*sin(4*f*x + 4*e) - (48*A - 72*I*B)*a^2*
sin(2*f*x + 2*e) + 12*(2*I*A + 3*B)*a^2*log(cos(1/2*arctan2(sin(2*f*x + 2*
e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e)))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1) + (64*
(I*A + B)*a^2*cos(4*f*x + 4*e) + 128*(I*A + B)*a^2*cos(2*f*x + 2*e) - (64*A
- 64*I*B)*a^2*sin(4*f*x + 4*e) - (128*A - 128*I*B)*a^2*sin(2*f*x + 2*e) +
48*(2*I*A + 3*B)*a^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))
)*sqrt(a)*sqrt(c)/((-16*I*c*cos(4*f*x + 4*e) - 32*I*c*cos(2*f*x + 2*e) + 16*
c*sin(4*f*x + 4*e) + 32*c*sin(2*f*x + 2*e) - 16*I*c)*f)

```

Fricas [B] time = 1.61783, size = 1347, normalized size = 5.93

$$2 \left((-8iA - 8B)a^2 e^{(4ifx+4ie)} + (-20iA - 30B)a^2 e^{(2ifx+2ie)} + (-12iA - 18B)a^2 \right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)} - \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2
),x, algorithm="fricas")

```

```

[Out] 1/4*(2*((-8*I*A - 8*B)*a^2*e^(4*I*f*x + 4*I*e) + (-20*I*A - 30*B)*a^2*e^(2*
I*f*x + 2*I*e) + (-12*I*A - 18*B)*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sq
rt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - sqrt((36*A^2 - 108*I*A*B
- 81*B^2)*a^5/(c*f^2))*(c*f*e^(2*I*f*x + 2*I*e) + c*f)*log(2*((24*I*A + 36
*B)*a^2*e^(2*I*f*x + 2*I*e) + (24*I*A + 36*B)*a^2)*sqrt(a/(e^(2*I*f*x + 2*I
*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((36*A^
2 - 108*I*A*B - 81*B^2)*a^5/(c*f^2))*(c*f*e^(2*I*f*x + 2*I*e) - c*f))/((6*I
*A + 9*B)*a^2*e^(2*I*f*x + 2*I*e) + (6*I*A + 9*B)*a^2)) + sqrt((36*A^2 - 10
8*I*A*B - 81*B^2)*a^5/(c*f^2))*(c*f*e^(2*I*f*x + 2*I*e) + c*f)*log(2*((24*
I*A + 36*B)*a^2*e^(2*I*f*x + 2*I*e) + (24*I*A + 36*B)*a^2)*sqrt(a/(e^(2*I*f
*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sq
rt((36*A^2 - 108*I*A*B - 81*B^2)*a^5/(c*f^2))*(c*f*e^(2*I*f*x + 2*I*e) - c*f
))/((6*I*A + 9*B)*a^2*e^(2*I*f*x + 2*I*e) + (6*I*A + 9*B)*a^2))/(c*f*e^(2*
I*f*x + 2*I*e) + c*f)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1
/2),x)

```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{5}{2}}}{\sqrt{-i c \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/sqrt(-I*c*tan(f*x + e) + c), x)

$$3.810 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=226

$$-\frac{2a^{5/2}(4B+iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{3/2}f} + \frac{a^2(4B+iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{c^2f} + \frac{2a(4B+iA)(a+ia \tan(e+fx))}{3cf\sqrt{c-ic \tan(e+fx)}}$$

[Out] $(-2*a^{(5/2)}*(I*A + 4*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(c^{(3/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(5/2)})/(3*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a*(I*A + 4*B)*(a + I*a*Tan[e + f*x])^{(3/2)})/(3*c*f*Sqrt[c - I*c*Tan[e + f*x]]) + (a^2*(I*A + 4*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c^2*f)$

Rubi [A] time = 0.31489, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$-\frac{2a^{5/2}(4B+iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{3/2}f} + \frac{a^2(4B+iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{c^2f} + \frac{2a(4B+iA)(a+ia \tan(e+fx))}{3cf\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] $(-2*a^{(5/2)}*(I*A + 4*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(c^{(3/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(5/2)})/(3*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a*(I*A + 4*B)*(a + I*a*Tan[e + f*x])^{(3/2)})/(3*c*f*Sqrt[c - I*c*Tan[e + f*x]]) + (a^2*(I*A + 4*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c^2*f)$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m])

rQ[m] && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{3/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{3f(c - ic \tan(e + fx))^{3/2}} - \frac{(a(A - 4iB)) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2}}{(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{3f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2a(iA + 4B)(a + ia \tan(e + fx))}{3cf \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2a(iA + 4B)(a + ia \tan(e + fx))}{3cf \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2a(iA + 4B)(a + ia \tan(e + fx))}{3cf \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{3f(c - ic \tan(e + fx))^{3/2}} + \frac{2a(iA + 4B)(a + ia \tan(e + fx))}{3cf \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{2a^{5/2}(iA + 4B) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{c^{3/2} f} - \frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{3f(c - ic \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 13.928, size = 227, normalized size = 1.

$$(a + ia \tan(e + fx))^{5/2}(A + B \tan(e + fx)) \left(\sqrt{\sec(e + fx)} \sqrt{c - ic \tan(e + fx)} ((4A - 13iB) \sin(2(e + fx)) + (11B + 2iA) \cos(2(e + fx))) \right) \\ \frac{3c^2 f \sec^2(e + fx)(A \cos(e + fx) + B \sin(e + fx))}{}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]
```

```
[Out] ((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])*((( -6*I)*(A - (4*I)*B)*c*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))])/(E^((3*I)*(e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x))])) + Sqrt[Sec[e + f*x]]*((2*I)*A + 8*B + ((2*I)*A + 11*B)*Cos[2*(e + f*x)] + (4*A - (13*I)*B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]])/(3*c^2*f*Sec[e + f*x]^(7/2)*(A*Cos[e + f*x] + B*Ssin[e + f*x]))
```

Maple [B] time = 0.178, size = 667, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x)
```

```
[Out] 1/3/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2/c^2*(-12*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2)))*tan(f*x+e)^3*a*c+9*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+3*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^3*a*c+36*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+29*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2+36*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+3*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3-3*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-12*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-9*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c-8*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-19*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-12*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-45*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+4*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^3/(a*c)^(1/2)
```

Maxima [B] time = 2.15514, size = 1114, normalized size = 4.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2), x, algorithm="maxima")
```

```
[Out] -(((18*A - 72*I*B)*a^2*cos(2*f*x + 2*e) - 18*(-I*A - 4*B)*a^2*sin(2*f*x + 2
*e) + (18*A - 72*I*B)*a^2)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f
*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (
(18*A - 72*I*B)*a^2*cos(2*f*x + 2*e) - 18*(-I*A - 4*B)*a^2*sin(2*f*x + 2*e)
+ (18*A - 72*I*B)*a^2)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((1
2*A - 12*I*B)*a^2*cos(2*f*x + 2*e) - 12*(-I*A - B)*a^2*sin(2*f*x + 2*e) + (
12*A - 12*I*B)*a^2)*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) -
((36*A - 108*I*B)*a^2*cos(2*f*x + 2*e) + 36*(I*A + 3*B)*a^2*sin(2*f*x + 2*e
) + (36*A - 144*I*B)*a^2)*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e
))) - (9*(-I*A - 4*B)*a^2*cos(2*f*x + 2*e) + (9*A - 36*I*B)*a^2*sin(2*f*x +
2*e) + 9*(-I*A - 4*B)*a^2)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + 2*si
n(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (9*(I*A + 4*B)*a^
2*cos(2*f*x + 2*e) - (9*A - 36*I*B)*a^2*sin(2*f*x + 2*e) + 9*(I*A + 4*B)*a^
2)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arc
tan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 - 2*sin(1/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e)))) + 1) - (12*(-I*A - B)*a^2*cos(2*f*x + 2*e) + (12*
A - 12*I*B)*a^2*sin(2*f*x + 2*e) + 12*(-I*A - B)*a^2)*sin(3/2*arctan2(sin(2
*f*x + 2*e), cos(2*f*x + 2*e))) - (36*(I*A + 3*B)*a^2*cos(2*f*x + 2*e) - (3
6*A - 108*I*B)*a^2*sin(2*f*x + 2*e) + 36*(I*A + 4*B)*a^2)*sin(1/2*arctan2(s
in(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)*sqrt(c)/((-18*I*c^2*cos(2*f*x
+ 2*e) + 18*c^2*sin(2*f*x + 2*e) - 18*I*c^2)*f)
```

Fricas [B] time = 1.59042, size = 1237, normalized size = 5.47

$$3c^2 \sqrt{\frac{(4A^2 - 32iAB - 64B^2)a^5}{c^3 f^2}} f \log \left(\frac{2 \left(\left((4iA + 16B)a^2 e^{(2ifx+2ie)} + (4iA + 16B)a^2 \right) \sqrt{\frac{a}{e^{(2ifx+2ie)} + 1}} \sqrt{\frac{c}{e^{(2ifx+2ie)} + 1}} e^{(ifx+ie)} + \left(c^2 f e^{(2ifx+2ie)} - c^2 f \right) \sqrt{\frac{(4A^2 - 32iAB - 64B^2)a^5}{c^3 f^2}} \right)}{(iA + 4B)a^2 e^{(2ifx+2ie)} + (iA + 4B)a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2
),x, algorithm="fricas")
```

```
[Out] 1/12*(3*c^2*sqrt((4*A^2 - 32*I*A*B - 64*B^2)*a^5/(c^3*f^2))*f*log(2*(((4*I*
A + 16*B)*a^2*e^(2*I*f*x + 2*I*e) + (4*I*A + 16*B)*a^2)*sqrt(a/(e^(2*I*f*x
+ 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (c^2*f*e
^(2*I*f*x + 2*I*e) - c^2*f)*sqrt((4*A^2 - 32*I*A*B - 64*B^2)*a^5/(c^3*f^2)
))/((I*A + 4*B)*a^2*e^(2*I*f*x + 2*I*e) + (I*A + 4*B)*a^2)) - 3*c^2*sqrt((4*
A^2 - 32*I*A*B - 64*B^2)*a^5/(c^3*f^2))*f*log(2*(((4*I*A + 16*B)*a^2*e^(2*I
*f*x + 2*I*e) + (4*I*A + 16*B)*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(
c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (c^2*f*e^(2*I*f*x + 2*I*e) -
c^2*f)*sqrt((4*A^2 - 32*I*A*B - 64*B^2)*a^5/(c^3*f^2)))/((I*A + 4*B)*a^2*e
^(2*I*f*x + 2*I*e) + (I*A + 4*B)*a^2)) + 2*((-4*I*A - 4*B)*a^2*e^(4*I*f*x +
4*I*e) + (8*I*A + 32*B)*a^2*e^(2*I*f*x + 2*I*e) + (12*I*A + 48*B)*a^2)*sqr
t(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x +
I*e))/(c^2*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{5}{2}}}{(-i c \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/(-I*c*tan(f*x + e) + c)^(3/2), x)

$$3.811 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=203

$$\frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{5/2}f} - \frac{2a^2B\sqrt{a+ia \tan(e+fx)}}{c^2f\sqrt{c-ic \tan(e+fx)}} - \frac{(B+iA)(a+ia \tan(e+fx))^{5/2}}{5f(c-ic \tan(e+fx))^{5/2}} + \frac{2aB(a+ia \tan(e+fx))^{3/2}}{3cf(c-ic \tan(e+fx))^{3/2}}$$

```
[Out] (2*a^(5/2)*B*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(c^(5/2)*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (2*a*B*(a + I*a*Tan[e + f*x])^(3/2))/(3*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*a^2*B*Sqrt[a + I*a*Tan[e + f*x]])/(c^2*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.289427, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 47, 63, 217, 203}

$$\frac{2a^{5/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{5/2}f} - \frac{2a^2B\sqrt{a+ia \tan(e+fx)}}{c^2f\sqrt{c-ic \tan(e+fx)}} - \frac{(B+iA)(a+ia \tan(e+fx))^{5/2}}{5f(c-ic \tan(e+fx))^{5/2}} + \frac{2aB(a+ia \tan(e+fx))^{3/2}}{3cf(c-ic \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]
```

```
[Out] (2*a^(5/2)*B*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(c^(5/2)*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (2*a*B*(a + I*a*Tan[e + f*x])^(3/2))/(3*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*a^2*B*Sqrt[a + I*a*Tan[e + f*x]])/(c^2*f*Sqrt[c - I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 47

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m])
```

rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{5/2}} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{(c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{(iaB) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2}}{(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{2aB(a + ia \tan(e + fx))^{3/2}}{3cf(c - ic \tan(e + fx))^{3/2}} - \frac{(ia^2)}{c^2 f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{2aB(a + ia \tan(e + fx))^{3/2}}{3cf(c - ic \tan(e + fx))^{3/2}} - \frac{2a^2}{c^2 f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{2aB(a + ia \tan(e + fx))^{3/2}}{3cf(c - ic \tan(e + fx))^{3/2}} - \frac{2a^2}{c^2 f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{2aB(a + ia \tan(e + fx))^{3/2}}{3cf(c - ic \tan(e + fx))^{3/2}} - \frac{2a^2}{c^2 f} \\ &= \frac{2a^{5/2} B \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{c^{5/2} f} - \frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{5f(c - ic \tan(e + fx))^{5/2}} + \frac{2aB(a + ia \tan(e + fx))^{3/2}}{3cf(c - ic \tan(e + fx))^{3/2}} - \frac{2a^2}{c^2 f} \end{aligned}$$

Mathematica [A] time = 15.5644, size = 203, normalized size = 1.

$$\frac{a^2 \cos^2(e + fx) (\tan(e + fx) - i)^2 \sqrt{a + ia \tan(e + fx)} \left(\cos\left(\frac{1}{2}(e - 2fx)\right) - i \sin\left(\frac{1}{2}(e - 2fx)\right) \right) \left(\cos\left(\frac{1}{2}(e - 2fx)\right) + i \sin\left(\frac{1}{2}(e - 2fx)\right) \right)}{c^2 f}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2),x]

[Out] (a^2*cos[e + f*x]^2*(cos[(e - 2*f*x)/2] - I*sin[(e - 2*f*x)/2])*(cos[(e - 2*f*x)/2] + I*sin[(e - 2*f*x)/2]))*(-10*B + ((3*I)*A + 33*B)*cos[2*(e + f*x)] - 3*A*sin[2*(e + f*x)] - (27*I)*B*sin[2*(e + f*x)] - 30*B*ArcTan[E^(I*(e + f*x))]*(cos[3*(e + f*x)] - I*sin[3*(e + f*x)])))*(-I + Tan[e + f*x])^2*Sqrt[a + I*a*Tan[e + f*x]]/(15*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Maple [B] time = 0.131, size = 555, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x)

[Out] -1/15/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2/c^3*(-15*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^4*a*c+90*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+43*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3+60*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^3*a*c+3*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-3*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-15*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c-77*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-60*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)*a*c-97*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+3*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-3*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+23*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^4/(a*c)^(1/2)

Maxima [A] time = 2.35966, size = 290, normalized size = 1.43

$$\left(30 B a^2 \arctan(\cos(fx + e), \sin(fx + e) + 1) + 30 B a^2 \arctan(\cos(fx + e), -\sin(fx + e) + 1) - 6(i A + B) a^2 \cos \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")

[Out] 1/30*(30*B*a^2*arctan2(cos(f*x + e), sin(f*x + e) + 1) + 30*B*a^2*arctan2(cos(f*x + e), -sin(f*x + e) + 1) - 6*(I*A + B)*a^2*cos(5*f*x + 5*e) + 20*B*a^2*cos(3*f*x + 3*e) - 60*B*a^2*cos(f*x + e) + 15*I*B*a^2*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 15*I*B*a^2*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + (6*A - 6*I*B)*a^2*sin(5*f*x + 5*e) + 20*I*B*a^2*sin(3*f*x + 3*e) - 60*I*B*a^2*sin(f*x + e))*sqrt(a)/(c^(5/2)*f)

Fricas [B] time = 1.68933, size = 1023, normalized size = 5.04

$$15 c^3 f \sqrt{-\frac{B^2 a^5}{c^5 f^2}} \log \left(\frac{4 \left(2 \left(B a^2 e^{(2i f x + 2i e)} + B a^2 \right) \sqrt{\frac{a}{e^{(2i f x + 2i e)} + 1}} \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} e^{(i f x + i e)} + \left(c^3 f e^{(2i f x + 2i e)} - c^3 f \right) \sqrt{-\frac{B^2 a^5}{c^5 f^2}} \right)}{B a^2 e^{(2i f x + 2i e)} + B a^2} \right) - 15 c^3 f \sqrt{-\frac{B^2 a^5}{c^5 f^2}} \log \left(\frac{4 \left(2 \left(B a^2 e^{(2i f x + 2i e)} + B a^2 \right) \sqrt{\frac{a}{e^{(2i f x + 2i e)} + 1}} \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} e^{(i f x + i e)} + \left(c^3 f e^{(2i f x + 2i e)} - c^3 f \right) \sqrt{-\frac{B^2 a^5}{c^5 f^2}} \right)}{B a^2 e^{(2i f x + 2i e)} + B a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] -1/30*(15*c^3*f*sqrt(-B^2*a^5/(c^5*f^2))*log(4*(2*(B*a^2*e^(2*I*f*x + 2*I*e) + B*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (c^3*f*e^(2*I*f*x + 2*I*e) - c^3*f)*sqrt(-B^2*a^5/(c^5*f^2)))/(B*a^2*e^(2*I*f*x + 2*I*e) + B*a^2)) - 15*c^3*f*sqrt(-B^2*a^5/(c^5*f^2))*log(4*(2*(B*a^2*e^(2*I*f*x + 2*I*e) + B*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (c^3*f*e^(2*I*f*x + 2*I*e) - c^3*f)*sqrt(-B^2*a^5/(c^5*f^2)))/(B*a^2*e^(2*I*f*x + 2*I*e) + B*a^2)) - ((-6*I*A - 6*B)*a^2*e^(6*I*f*x + 6*I*e) + (-6*I*A + 14*B)*a^2*e^(4*I*f*x + 4*I*e) - 40*B*a^2*e^(2*I*f*x + 2*I*e) - 60*B*a^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))/(c^3*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan (f x + e) + A)(i a \tan (f x + e) + a)^{\frac{5}{2}}}{(-i c \tan (f x + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.812 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=102

$$\frac{(-6B + iA)(a + ia \tan(e + fx))^{5/2}}{35cf(c - ic \tan(e + fx))^{5/2}} - \frac{(B + iA)(a + ia \tan(e + fx))^{5/2}}{7f(c - ic \tan(e + fx))^{7/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(7*f*(c - I*c*Tan[e + f*x])^(7/2)) - ((I*A - 6*B)*(a + I*a*Tan[e + f*x])^(5/2))/(35*c*f*(c - I*c*Tan[e + f*x])^(5/2))

Rubi [A] time = 0.230742, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$\frac{(-6B + iA)(a + ia \tan(e + fx))^{5/2}}{35cf(c - ic \tan(e + fx))^{5/2}} - \frac{(B + iA)(a + ia \tan(e + fx))^{5/2}}{7f(c - ic \tan(e + fx))^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(7*f*(c - I*c*Tan[e + f*x])^(7/2)) - ((I*A - 6*B)*(a + I*a*Tan[e + f*x])^(5/2))/(35*c*f*(c - I*c*Tan[e + f*x])^(5/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 37

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{7/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{(c-icx)^{9/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{(a(A + 6iB)) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2}}{(c-icx)^{7/2}} dx \right)}{7f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{7f(c - ic \tan(e + fx))^{7/2}} - \frac{(iA - 6B)(a + ia \tan(e + fx))^{5/2}}{35cf(c - ic \tan(e + fx))^{5/2}}$$

Mathematica [A] time = 12.1307, size = 121, normalized size = 1.19

$$\frac{a^2 \cos(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)} (\cos(6e + 8fx) + i \sin(6e + 8fx)) ((B - 6iA) \cos(e + fx) - (A + 6iB) \sin(e + fx))}{35c^4 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (a^2*Cos[e + f*x]*((-6*I)*A + B)*Cos[e + f*x] - (A + (6*I)*B)*Sin[e + f*x])*(Cos[6*e + 8*f*x] + I*Sin[6*e + 8*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(35*c^4*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.108, size = 115, normalized size = 1.1

$$\frac{-\frac{i}{35}a^2 \left(1 + (\tan(fx + e))^2\right) \left(iA (\tan(fx + e))^2 + 5iB \tan(fx + e) - 6B (\tan(fx + e))^2 + 6iA - 5A \tan(fx + e) - B\right)}{fc^4 (\tan(fx + e) + i)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] -1/35*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2/c^4*(1+tan(f*x+e)^2)*(I*A*tan(f*x+e)^2+5*I*B*tan(f*x+e)-6*B*tan(f*x+e)^2+6*I*A-5*A*tan(f*x+e)-B)/(tan(f*x+e)+I)^5

Maxima [B] time = 2.45494, size = 225, normalized size = 2.21

$$\frac{((350A - 350iB)a^2 \cos(9fx + 9e) + (840A + 140iB)a^2 \cos(7fx + 7e) + (490A + 490iB)a^2 \cos(5fx + 5e) - 350(-I*A - B)a^2 \sin(9fx + 9e) - 140(-6*I*A + B)a^2 \sin(7fx + 7e) - 490(-I*A + B)a^2 \sin(5fx + 5e))}{(-4900i c^4 \cos(2fx + 2e) + 4900 c^4 \sin(2fx + 2e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")

[Out] -((350*A - 350*I*B)*a^2*cos(9*f*x + 9*e) + (840*A + 140*I*B)*a^2*cos(7*f*x + 7*e) + (490*A + 490*I*B)*a^2*cos(5*f*x + 5*e) - 350*(-I*A - B)*a^2*sin(9*f*x + 9*e) - 140*(-6*I*A + B)*a^2*sin(7*f*x + 7*e) - 490*(-I*A + B)*a^2*sin(5*f*x + 5*e))

$(5fx + 5e) \sqrt{a} \sqrt{c} / ((-4900Ic^4 \cos(2fx + 2e) + 4900c^4 \sin(2fx + 2e) - 4900Ic^4) f)$

Fricas [A] time = 1.39234, size = 300, normalized size = 2.94

$$\frac{\left((-5iA - 5B)a^2 e^{(8ifx+8ie)} + (-12iA + 2B)a^2 e^{(6ifx+6ie)} + (-7iA + 7B)a^2 e^{(4ifx+4ie)} \right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)}}{70c^4 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="fricas")

[Out] 1/70*((-5*I*A - 5*B)*a^2*e^(8*I*f*x + 8*I*e) + (-12*I*A + 2*B)*a^2*e^(6*I*f*x + 6*I*e) + (-7*I*A + 7*B)*a^2*e^(4*I*f*x + 4*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^4*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{5}{2}}}{(-ic \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/(-I*c*tan(f*x + e) + c)^(7/2), x)

$$3.813 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{9/2}} dx$$

Optimal. Leaf size=155

$$\frac{(-7B+2iA)(a+ia \tan(e+fx))^{5/2}}{315c^2f(c-ic \tan(e+fx))^{5/2}} - \frac{(-7B+2iA)(a+ia \tan(e+fx))^{5/2}}{63cf(c-ic \tan(e+fx))^{7/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{5/2}}{9f(c-ic \tan(e+fx))^{9/2}}$$

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(9*f*(c - I*c*Tan[e + f*x])^(9/2)) - (((2*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(5/2))/(63*c*f*(c - I*c*Tan[e + f*x])^(7/2)) - (((2*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(5/2))/(315*c^2*f*(c - I*c*Tan[e + f*x])^(5/2))
```

Rubi [A] time = 0.259379, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{(-7B+2iA)(a+ia \tan(e+fx))^{5/2}}{315c^2f(c-ic \tan(e+fx))^{5/2}} - \frac{(-7B+2iA)(a+ia \tan(e+fx))^{5/2}}{63cf(c-ic \tan(e+fx))^{7/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{5/2}}{9f(c-ic \tan(e+fx))^{9/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(9/2), x]
```

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(9*f*(c - I*c*Tan[e + f*x])^(9/2)) - (((2*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(5/2))/(63*c*f*(c - I*c*Tan[e + f*x])^(7/2)) - (((2*I)*A - 7*B)*(a + I*a*Tan[e + f*x])^(5/2))/(315*c^2*f*(c - I*c*Tan[e + f*x])^(5/2))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{9/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{(c-icx)^{11/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{9f(c - ic \tan(e + fx))^{9/2}} + \frac{(a(2A + 7iB)) \operatorname{Subst} \left(\int \frac{(a+iax)}{(c-icx)} dx, x, \tan(e + fx) \right)}{9f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{9f(c - ic \tan(e + fx))^{9/2}} - \frac{(2iA - 7B)(a + ia \tan(e + fx))}{63cf(c - ic \tan(e + fx))^{7/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{9f(c - ic \tan(e + fx))^{9/2}} - \frac{(2iA - 7B)(a + ia \tan(e + fx))}{63cf(c - ic \tan(e + fx))^{7/2}}$$

Mathematica [A] time = 10.0313, size = 135, normalized size = 0.87

$$\frac{a^2 \cos(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)} (\cos(7e + 9fx) + i \sin(7e + 9fx)) (-7(2A + 7iB) \sin(2(e + fx)) + i \cos(2(e + fx)))}{630c^5 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(9/2), x]

[Out] (a^2*Cos[e + f*x]*((-45*I)*A + 7*((-7*I)*A + 2*B)*Cos[2*(e + f*x)] - 7*(2*A + (7*I)*B)*Sin[2*(e + f*x)]*(Cos[7*e + 9*f*x] + I*SIN[7*e + 9*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(630*c^5*f*(Cos[f*x] + I*SIN[f*x])^2)

Maple [A] time = 0.119, size = 138, normalized size = 0.9

$$\frac{-\frac{i}{315} a^2 \left(1 + (\tan(fx + e))^2\right) \left(-47A - 33iA \tan(fx + e) - 12A (\tan(fx + e))^2 + 2iA (\tan(fx + e))^3 - 7iB - 42B \tan(fx + e)\right)}{fc^5 (\tan(fx + e) + i)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2), x)

[Out] -1/315*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2/c^5*(1+tan(f*x+e)^2)*(-47*A-33*I*A*tan(f*x+e)-12*A*tan(f*x+e)^2+2*I*A*tan(f*x+e)^3-7*I*B-42*B*tan(f*x+e)-42*I*B*tan(f*x+e)^2-7*B*tan(f*x+e)^3)/(tan(f*x+e)+I)^6

Maxima [A] time = 2.16504, size = 270, normalized size = 1.74

$$\frac{\left(35(-iA - B)a^2 \cos\left(\frac{9}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) - 90iAa^2 \cos\left(\frac{7}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right)\right)}{c^5 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="maxima")

[Out] 1/1260*(35*(-I*A - B)*a^2*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 90*I*A*a^2*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 63*(-I*A + B)*a^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (35*A - 35*I*B)*a^2*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 90*A*a^2*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (63*A + 63*I*B)*a^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(9/2)*f)

Fricas [A] time = 1.41018, size = 373, normalized size = 2.41

$$\frac{\left((-35iA - 35B)a^2 e^{(10i fx + 10ie)} + (-125iA - 35B)a^2 e^{(8i fx + 8ie)} + (-153iA + 63B)a^2 e^{(6i fx + 6ie)} + (-63iA + 63B)a^2 e^{(4i fx + 4ie)}\right)}{1260 c^5 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="fricas")

[Out] 1/1260*((-35*I*A - 35*B)*a^2*e^(10*I*f*x + 10*I*e) + (-125*I*A - 35*B)*a^2*e^(8*I*f*x + 8*I*e) + (-153*I*A + 63*B)*a^2*e^(6*I*f*x + 6*I*e) + (-63*I*A + 63*B)*a^2*e^(4*I*f*x + 4*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^5*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{5}{2}}}{(-i c \tan(fx + e) + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/(-I*c*tan(f*x + e) + c)^(9/2), x)
```

$$3.814 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{11/2}} dx$$

Optimal. Leaf size=208

$$\frac{2(-8B+3iA)(a+ia \tan(e+fx))^{5/2}}{3465c^3f(c-ic \tan(e+fx))^{5/2}} - \frac{2(-8B+3iA)(a+ia \tan(e+fx))^{5/2}}{693c^2f(c-ic \tan(e+fx))^{7/2}} - \frac{(-8B+3iA)(a+ia \tan(e+fx))^{5/2}}{99cf(c-ic \tan(e+fx))^{9/2}} - \frac{(B+ia \tan(e+fx))^{5/2}}{99cf(c-ic \tan(e+fx))^{9/2}}$$

[Out] $-\left(\frac{(I*A + B)*(a + I*a*Tan[e + f*x])^{5/2}}{(11*f*(c - I*c*Tan[e + f*x])^{11/2}} - \left(\frac{(3*I)*A - 8*B}{99*c*f*(c - I*c*Tan[e + f*x])^{9/2}}\right) - \left(\frac{2*((3*I)*A - 8*B)}{693*c^2*f*(c - I*c*Tan[e + f*x])^{7/2}}\right) - \left(\frac{2*((3*I)*A - 8*B)}{3465*c^3*f*(c - I*c*Tan[e + f*x])^{5/2}}\right)\right)$

Rubi [A] time = 0.291019, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-8B+3iA)(a+ia \tan(e+fx))^{5/2}}{3465c^3f(c-ic \tan(e+fx))^{5/2}} - \frac{2(-8B+3iA)(a+ia \tan(e+fx))^{5/2}}{693c^2f(c-ic \tan(e+fx))^{7/2}} - \frac{(-8B+3iA)(a+ia \tan(e+fx))^{5/2}}{99cf(c-ic \tan(e+fx))^{9/2}} - \frac{(B+ia \tan(e+fx))^{5/2}}{99cf(c-ic \tan(e+fx))^{9/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(a + I*a*Tan[e + f*x])^{5/2}*(A + B*Tan[e + f*x])}{(c - I*c*Tan[e + f*x])^{11/2}}, x]$

[Out] $-\left(\frac{(I*A + B)*(a + I*a*Tan[e + f*x])^{5/2}}{(11*f*(c - I*c*Tan[e + f*x])^{11/2}} - \left(\frac{(3*I)*A - 8*B}{99*c*f*(c - I*c*Tan[e + f*x])^{9/2}}\right) - \left(\frac{2*((3*I)*A - 8*B)}{693*c^2*f*(c - I*c*Tan[e + f*x])^{7/2}}\right) - \left(\frac{2*((3*I)*A - 8*B)}{3465*c^3*f*(c - I*c*Tan[e + f*x])^{5/2}}\right)\right)$

Rule 3588

$\text{Int}[\frac{(a + b*\tan[e + f*x])^{m+1}}{(c + d*\tan[e + f*x])^{n+1}}*(A + B*\tan[e + f*x])^{p+1}, x] \text{Symbol} \rightarrow \text{Dist}[\frac{(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1}*(c + d*x)^{n-1}*(A + B*x)^{p+1}, x], x, \tan[e + f*x]]}{f}, \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[\frac{(a + b*x)^{m+1}}{(c + d*x)^{n+1}}*(e + f*x)^{p+1}, x] \text{Symbol} \rightarrow -\text{Simp}[\frac{(b*e - a*f)*(c + d*x)^{n+1}*(e + f*x)^{p+1}}{f*(p+1)*(c*f - d*e)}, x] - \text{Dist}[\frac{(a*d*f*(n+p+2) - b*(d*e*(n+1) + c*f*(p+1)))}{f*(p+1)*(c*f - d*e)}, \text{Int}[(c + d*x)^n*(e + f*x)^{p+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 45

$\text{Int}[\frac{(a + b*x)^{m+1}}{(c + d*x)^{n+1}}*(e + f*x)^{p+1}, x] \text{Symbol} \rightarrow \text{Simp}[\frac{(a + b*x)^{m+1}*(c + d*x)^{n+1}}{(b*c - a*d)*(m+1)}, x] - \text{Dist}[\frac{d*Simplify[m + n + 2]}{(b*c - a*d)*(m+1)}, \text{Int}[(a + b*x)^{m+1}*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[\text{Simplify}[m + n + 2], 0] \&\& \text{NeQ}[m, -1] \&\& !(\text{LtQ}[m, -1] \&\& \text{LtQ}[n, -1] \&\& (\text{EqQ}[a, 0] || (\text{NeQ}[c, 0] \&\& \text{LtQ}[m - n, 0] \&\& \text{IntegerQ}[n]))) \&\& (\text{SumSimpler}$

Q[m, 1] || !SumSimplerQ[n, 1])

Rule 37

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{11/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{(c-icx)^{13/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{11f(c - ic \tan(e + fx))^{11/2}} + \frac{(a(3A + 8iB)) \operatorname{Subst} \left(\int \frac{(a+iax)}{(c-icx)} dx, x, \tan(e + fx) \right)}{11f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(3iA - 8B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(3iA - 8B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(3iA - 8B)(a + ia \tan(e + fx))}{99cf(c - ic \tan(e + fx))^{9/2}}$$

Mathematica [A] time = 13.4844, size = 156, normalized size = 0.75

$$\frac{a^2 \cos(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)} (\cos(8e + 10fx) + i \sin(8e + 10fx)) (-3A + 8iB) (55 \sin(e + fx))}{13860c^6 f (\cos(fx) + i \sin(fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(11/2), x]

[Out] (a^2*Cos[e + f*x]*(55*((-24*I)*A + B)*Cos[e + f*x] + 63*((-8*I)*A + 3*B)*Cos[3*(e + f*x)] - (3*A + (8*I)*B)*(55*Sin[e + f*x] + 63*Sin[3*(e + f*x)]))*(Cos[8*e + 10*f*x] + I*Sin[8*e + 10*f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(13860*c^6*f*(Cos[f*x] + I*Sin[f*x])^2)

Maple [A] time = 0.158, size = 161, normalized size = 0.8

$$\frac{-\frac{i}{3465} a^2 \left(1 + (\tan(fx + e))^2\right) \left(6iA (\tan(fx + e))^4 - 112iB (\tan(fx + e))^3 - 16B (\tan(fx + e))^4 - 135iA (\tan(fx + e))\right)}{fc^6 (\tan(fx + e))^{11/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2), x)

[Out] -1/3465*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^2/c^6*(1+tan(f*x+e)^2)*(6*I*A*tan(f*x+e)^4-112*I*B*tan(f*x+e)^3-16*B*tan(f*x+e)^4-135*I*A*tan(f*x+e))

$4-135IA\tan(fx+e)^2-42A\tan(fx+e)^3-427IB\tan(fx+e)+360B\tan(fx+e)^2-456IA+273A\tan(fx+e)+61B)/(\tan(fx+e)+I)^7$

Maxima [A] time = 2.46048, size = 373, normalized size = 1.79

$(315(-iA - B)a^2 \cos\left(\frac{11}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right)) + 385(-3iA - B)a^2 \cos\left(\frac{9}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right) + 495(-3IA + B)a^2 \cos\left(\frac{7}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right) + 693(-IA + B)a^2 \cos\left(\frac{5}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right) + (315A - 315IB)a^2 \sin\left(\frac{11}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right) + (1155A - 385IB)a^2 \sin\left(\frac{9}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right) + (1485A + 495IB)a^2 \sin\left(\frac{7}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right) + (693A + 693IB)a^2 \sin\left(\frac{5}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right)) \sqrt{a} / (c^{11/2} f)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="maxima")

[Out] 1/27720*(315*(-I*A - B)*a^2*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 385*(-3*I*A - B)*a^2*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 495*(-3*I*A + B)*a^2*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 693*(-I*A + B)*a^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (315*A - 315*I*B)*a^2*sin(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (1155*A - 385*I*B)*a^2*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (1485*A + 495*I*B)*a^2*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (693*A + 693*I*B)*a^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(11/2)*f)

Fricas [A] time = 1.41673, size = 451, normalized size = 2.17

$((-315iA - 315B)a^2 e^{(12i fx + 12ie)} + (-1470iA - 700B)a^2 e^{(10i fx + 10ie)} + (-2640iA + 110B)a^2 e^{(8i fx + 8ie)} + (-2178iA + 1188B)a^2 e^{(6i fx + 6ie)} + (-693iA + 693B)a^2 e^{(4i fx + 4ie)}) \sqrt{a} / (e^{(2I*fx + 2I*e)} + 1) \sqrt{c} / (e^{(2I*fx + 2I*e)} + 1) e^{(I*fx + I*e)} / (c^6 f)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="fricas")

[Out] 1/27720*((-315*I*A - 315*B)*a^2*e^(12*I*f*x + 12*I*e) + (-1470*I*A - 700*B)*a^2*e^(10*I*f*x + 10*I*e) + (-2640*I*A + 110*B)*a^2*e^(8*I*f*x + 8*I*e) + (-2178*I*A + 1188*B)*a^2*e^(6*I*f*x + 6*I*e) + (-693*I*A + 693*B)*a^2*e^(4*I*f*x + 4*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^6*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(a \tan(fx + e) + a)^{\frac{5}{2}}}{(-ic \tan(fx + e) + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/(-I*c*tan(f*x + e) + c)^(11/2), x)
```

$$3.815 \quad \int \frac{(a+ia \tan(e+fx))^{5/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{13/2}} dx$$

Optimal. Leaf size=261

$$\frac{2(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{15015c^4f(c-ic \tan(e+fx))^{5/2}} - \frac{2(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{3003c^3f(c-ic \tan(e+fx))^{7/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(13*f*(c - I*c*Tan[e + f*x])^(13/2)) - (((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(143*c*f*(c - I*c*Tan[e + f*x])^(11/2)) - (((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(429*c^2*f*(c - I*c*Tan[e + f*x])^(9/2)) - (2*((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(3003*c^3*f*(c - I*c*Tan[e + f*x])^(7/2)) - (2*((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(15015*c^4*f*(c - I*c*Tan[e + f*x])^(5/2))

Rubi [A] time = 0.321313, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{15015c^4f(c-ic \tan(e+fx))^{5/2}} - \frac{2(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{3003c^3f(c-ic \tan(e+fx))^{7/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-9B+4iA)(a+ia \tan(e+fx))^{5/2}}{429c^2f(c-ic \tan(e+fx))^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(13/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(5/2))/(13*f*(c - I*c*Tan[e + f*x])^(13/2)) - (((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(143*c*f*(c - I*c*Tan[e + f*x])^(11/2)) - (((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(429*c^2*f*(c - I*c*Tan[e + f*x])^(9/2)) - (2*((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(3003*c^3*f*(c - I*c*Tan[e + f*x])^(7/2)) - (2*((4*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(5/2))/(15015*c^4*f*(c - I*c*Tan[e + f*x])^(5/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^(n)*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I

`LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])`

Rule 37

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]`

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{13/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{3/2} (A+Bx)}{(c-icx)^{15/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{13f(c - ic \tan(e + fx))^{13/2}} + \frac{(a(4A + 9iB)) \operatorname{Subst} \left(\int \frac{(a+iax)}{(c-icx)} dx, x, \tan(e + fx) \right)}{13f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(4iA - 9B)(a + ia \tan(e + fx))}{143cf(c - ic \tan(e + fx))^{11/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(4iA - 9B)(a + ia \tan(e + fx))}{143cf(c - ic \tan(e + fx))^{11/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(4iA - 9B)(a + ia \tan(e + fx))}{143cf(c - ic \tan(e + fx))^{11/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{5/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(4iA - 9B)(a + ia \tan(e + fx))}{143cf(c - ic \tan(e + fx))^{11/2}}$$

Mathematica [B] time = 17.0542, size = 577, normalized size = 2.21

$$\frac{\cos^3(e + fx)(a + ia \tan(e + fx))^{5/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} (B - iA) \cos(4fx)}{1}$$

Antiderivative was successfully verified.

[In] `Integrate[((a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(13/2), x]`

[Out] `(Cos[e + f*x]^3*((-I)*A + B)*Cos[4*f*x]*(Cos[2*e]/(160*c^7) + ((I/160)*Sin[2*e])/c^7) + ((-27*I)*A + 17*B)*Cos[6*f*x]*(Cos[4*e]/(1120*c^7) + ((I/1120)*Sin[4*e])/c^7) + ((-13*I)*A + 3*B)*Cos[8*f*x]*(Cos[6*e]/(336*c^7) + ((I/336)*Sin[6*e])/c^7) + (17*A - (3*I)*B)*Cos[10*f*x]*(((I/528)*Cos[8*e])/c^7 + Sin[8*e]/(528*c^7)) + (63*A - (37*I)*B)*Cos[12*f*x]*(((I/4576)*Cos[10*e])/c^7 + Sin[10*e]/(4576*c^7)) + (A - I*B)*Cos[14*f*x]*(((I/416)*Cos[12*e])/c^7 + Sin[12*e]/(416*c^7)) + (A + I*B)*(Cos[2*e]/(160*c^7) + ((I/160)*Sin[2*e])/c^7)*Sin[4*f*x] + (27*A + (17*I)*B)*(Cos[4*e]/(1120*c^7) + ((I/1120)*Sin[4*e])/c^7)*Sin[6*f*x] + (13*A + (3*I)*B)*(Cos[6*e]/(336*c^7) + ((I/336)*Sin[6*e])/c^7)*Sin[8*f*x] + (17*A - (3*I)*B)*(Cos[8*e]/(528*c^7) + ((I/528)*Sin[8*e])/c^7)*Sin[10*f*x] + (63*A - (37*I)*B)*(Cos[10*e]/(4576*c^7) + ((I/4576)*Sin[10*e])/c^7)*Sin[12*f*x] + (A - I*B)*(Cos[12*e]/(416*c^7) + ((I/416)*Sin[12*e])/c^7)*Sin[14*f*x))*Sqrt[Sec[e + f*x]*(c*cos[e + f*x] - I*c*sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(5/2)*(A + B*Tan[e + f*x])]/(f*(Cos[f*`

$x] + I*\sin[f*x])^2*(A*\cos[e + f*x] + B*\sin[e + f*x]))$

Maple [A] time = 0.11, size = 183, normalized size = 0.7

$$a^2 \left(1 + (\tan(fx + e))^2\right) \left(18 iB (\tan(fx + e))^5 + 64 iA (\tan(fx + e))^4 + 8 A (\tan(fx + e))^5 - 531 iB (\tan(fx + e))^3 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(13/2),x)`

[Out] $\frac{1}{15015} \frac{1}{f} (a(1+I\tan(fx+e)))^{1/2} (-c(-1+I\tan(fx+e)))^{1/2} a^2/c^7 (1+\tan(fx+e)^2) (18IB\tan(fx+e)^5 + 64IA\tan(fx+e)^4 + 8A\tan(fx+e)^5 - 531iB\tan(fx+e)^3 - 1704IB\tan(fx+e) + 1224B\tan(fx+e)^2 - 1763IA + 911A\tan(fx+e) + 213B) / (\tan(fx+e)+I)^8$

Maxima [A] time = 2.53554, size = 448, normalized size = 1.72

$$\left(1155(-iA - B)a^2 \cos\left(\frac{13}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + 2730(-2iA - B)a^2 \cos\left(\frac{11}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(13/2),x, algorithm="maxima")`

[Out] $\frac{1}{240240} (1155(-IA - B)a^2 \cos(13/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + 2730(-2IA - B)a^2 \cos(11/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) - 10010IAa^2 \cos(9/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + 4290(-2IA + B)a^2 \cos(7/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + 3003(-IA + B)a^2 \cos(5/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + (1155A - 1155IB)a^2 \sin(13/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + (5460A - 2730IB)a^2 \sin(11/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + 10010Aa^2 \sin(9/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + (8580A + 4290IB)a^2 \sin(7/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + (3003A + 3003IB)a^2 \sin(5/2 \arctan2(\sin(2fx + 2e), \cos(2fx + 2e)))) \sqrt{a} / (c^{13/2} f)$

Fricas [A] time = 1.41336, size = 531, normalized size = 2.03

$$\left((-1155iA - 1155B)a^2 e^{(14ifx+14ie)} + (-6615iA - 3885B)a^2 e^{(12ifx+12ie)} + (-15470iA - 2730B)a^2 e^{(10ifx+10ie)} + (-1859 \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(13/2),x, algorithm="fricas")`

```
[Out] 1/240240*((-1155*I*A - 1155*B)*a^2*e^(14*I*f*x + 14*I*e) + (-6615*I*A - 3885*B)*a^2*e^(12*I*f*x + 12*I*e) + (-15470*I*A - 2730*B)*a^2*e^(10*I*f*x + 10*I*e) + (-18590*I*A + 4290*B)*a^2*e^(8*I*f*x + 8*I*e) + (-11583*I*A + 7293*B)*a^2*e^(6*I*f*x + 6*I*e) + (-3003*I*A + 3003*B)*a^2*e^(4*I*f*x + 4*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^7*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(13/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{5}{2}}}{(-i c \tan(fx + e) + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(5/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(13/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(5/2)/(-I*c*tan(f*x + e) + c)^(13/2), x)
```

$$3.816 \quad \int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{9/2} dx$$

Optimal. Leaf size=350

$$\frac{5a^{7/2}c^{9/2}(-B + 8iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{64f} + \frac{5a^3c^4(8A + iB) \tan(e + fx)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{128f} + 5$$

```
[Out] (-5*a^(7/2)*((8*I)*A - B)*c^(9/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(64*f) + (5*a^3*(8*A + I*B)*c^4*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(128*f) + (5*a^2*(8*A + I*B)*c^3*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(192*f) + (a*(8*A + I*B)*c^2*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))/(48*f) - (((8*I)*A - B)*c*(a + I*a*Tan[e + f*x])^(7/2)*(c - I*c*Tan[e + f*x])^(7/2))/(56*f) + (B*(a + I*a*Tan[e + f*x])^(7/2)*(c - I*c*Tan[e + f*x])^(9/2))/(8*f)
```

Rubi [A] time = 0.369121, antiderivative size = 350, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{5a^{7/2}c^{9/2}(-B + 8iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{64f} + \frac{5a^3c^4(8A + iB) \tan(e + fx)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{128f} + 5$$

Antiderivative was successfully verified.

```
[In] Int[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2), x]
```

```
[Out] (-5*a^(7/2)*((8*I)*A - B)*c^(9/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(64*f) + (5*a^3*(8*A + I*B)*c^4*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(128*f) + (5*a^2*(8*A + I*B)*c^3*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(192*f) + (a*(8*A + I*B)*c^2*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))/(48*f) - (((8*I)*A - B)*c*(a + I*a*Tan[e + f*x])^(7/2)*(c - I*c*Tan[e + f*x])^(7/2))/(56*f) + (B*(a + I*a*Tan[e + f*x])^(7/2)*(c - I*c*Tan[e + f*x])^(9/2))/(8*f)
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 80

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```


Rule 49

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(2*c*n)/(m + n + 1), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0] && IGtQ[n + 1/2, 0] && LtQ[m, n]
```

Rule 38

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{9/2} dx &= \frac{(ac) \operatorname{Subst} \left(\int (a + iax)^{5/2} (A + Bx)(c - icx)^{7/2} dx, x, \tan(e + fx) \right)}{f} \\
&= \frac{B(a + ia \tan(e + fx))^{7/2} (c - ic \tan(e + fx))^{9/2}}{8f} + \frac{(8iA - B)c(a + ia \tan(e + fx))^{7/2} (c - ic \tan(e + fx))^{9/2}}{56f} \\
&= \frac{a(8A + iB)c^2 \tan(e + fx)(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{9/2}}{48f} \\
&= \frac{5a^2(8A + iB)c^3 \tan(e + fx)(a + ia \tan(e + fx))^3 (c - ic \tan(e + fx))^{9/2}}{192f} \\
&= \frac{5a^3(8A + iB)c^4 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} (c - ic \tan(e + fx))^{9/2}}{128f} \\
&= \frac{5a^3(8A + iB)c^4 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} (c - ic \tan(e + fx))^{9/2}}{128f} \\
&= \frac{5a^3(8A + iB)c^4 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} (c - ic \tan(e + fx))^{9/2}}{128f} \\
&= -\frac{5a^{7/2}(8iA - B)c^{9/2} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{64f} + \frac{5a^3(8A + iB)c^4 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} (c - ic \tan(e + fx))^{9/2}}{128f}
\end{aligned}$$

Mathematica [A] time = 17.5257, size = 666, normalized size = 1.9

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left(\sec(e) \left(\frac{1}{56} c^4 \cos(3e) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2), x]

[Out] (5*((-8*I)*A + B)*c^5*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(64*E^(I*(4*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(9/2)*(Cos[f*x] + I*Sin[f*x])^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^4*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(Sec[e]*Sec[e + f*x]^6*((-8*I)*A*Cos[e] + 8*B*Cos[e] - (7*I)*B*Sin[e])*((c^4*Cos[3*e])/56 - (I/56)*c^4*Sin[3*e]) - I*B*c^4*Sec[e]*Sec[e + f*x]^7*(Cos[3*e]/8 - (I/8)*Sin[3*e])*Sin[f*x] + Sec[e]*Sec[e + f*x]^5*(Cos[3*e]/48 - (I/48)*Sin[3*e])*(8*A*c^4*Sin[f*x] + I*B*c^4*Sin[f*x]) + Sec[e]*Sec[e + f*x]^3*((5*Cos[3*e])/192 - ((5*I)/192)*Sin[3*e])*(8*A*c^4*Sin[f*x] + I*B*c^4*Sin[f*x]) + Sec[e]*Sec[e + f*x]*((5*Cos[3*e])/128 - ((5*I)/128)*Sin[3*e])*(8*A*c^4*Sin[f*x] + I*B*c^4*Sin[f*x]) + (8*A + I*B)*Sec[e + f*x]^4*((c^4*Cos[3*e])/48 - (I/48)*c^4*Sin[3*e])*Tan[e] + (8*A + I*B)*Sec[e + f*x]^2*((5*c^4*Cos[3*e])/192 - ((5*I)/192)*c^4*Sin[3*e])*Tan[e] + (8*A + I*B)*((5*c^4*Cos[3*e])/128 - ((5*I)/128)*c^4*Sin[3*e])*Tan[e])*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

$e + f*x]$)

Maple [B] time = 0.111, size = 604, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(f*x+e))^{7/2}*(A+B*\tan(f*x+e))*(c-I*c*\tan(f*x+e))^{9/2}, x)$

[Out]
$$-1/2688/f*(a*(1+I*\tan(f*x+e)))^{1/2}*(-c*(-1+I*\tan(f*x+e)))^{1/2}*a^3*c^4*(105*I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)+826*I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^3+384*I*A*\tan(f*x+e)^6*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}-384*B*\tan(f*x+e)^6*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}-105*I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c-448*A*\tan(f*x+e)^5*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}+336*I*B*\tan(f*x+e)^7*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}-1152*B*\tan(f*x+e)^4*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}+384*I*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}-1456*A*\tan(f*x+e)^3*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}+1152*I*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^4+1152*I*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^2-1152*B*\tan(f*x+e)^2*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}+952*I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^5-840*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c-1848*A*(a*c)^{1/2}*(a*c*(1+\tan(f*x+e)^2))^{1/2}*\tan(f*x+e)-384*B*(a*c)^{1/2}*(a*c*(1+\tan(f*x+e)^2))^{1/2}))/((a*c*(1+\tan(f*x+e)^2))^{1/2}))/((a*c)^{1/2})$$

Maxima [B] time = 124.471, size = 3482, normalized size = 9.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(f*x+e))^{7/2}*(A+B*\tan(f*x+e))*(c-I*c*\tan(f*x+e))^{9/2}, x, \text{algorithm}="maxima")$

[Out]
$$-((289013760*A + 36126720*I*B)*a^3*c^4*\cos(15/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (2215772160*A + 276971520*I*B)*a^3*c^4*\cos(13/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (7379484672*A + 922435584*I*B)*a^3*c^4*\cos(11/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (13908443136*A + 1738555392*I*B)*a^3*c^4*\cos(9/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + (3002990592*A + 15172878336*I*B)*a^3*c^4*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (7379484672*A + 922435584*I*B)*a^3*c^4*\cos(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (2215772160*A + 276971520*I*B)*a^3*c^4*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (289013760*A + 36126720*I*B)*a^3*c^4*\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 36126720*(8*I*A - B)*a^3*c^4*\sin(15/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 276971520*(8*I*A - B)*a^3*c^4*\sin(13/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 922435584*(8*I*A - B)*a^3*c^4*\sin(11/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1738555392*(8*I*A - B)*a^3*c^4*\sin(9/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 344064*(8728*I*A - 44099*B)*a^3*c^4*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 922435584*(-8*I*A + B)*a^3*c^4*\sin(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 276971520*(-8*I*A + B)*a^3*c^4*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))$$

$$\begin{aligned}
& x + 2e))) + 36126720*(-8*I*A + B)*a^3*c^4*\sin(1/2*\arctan2(\sin(2*f*x + 2*e) \\
& , \cos(2*f*x + 2*e))) + ((144506880*A + 18063360*I*B)*a^3*c^4*\cos(16*f*x + 1 \\
& 6*e) + (1156055040*A + 144506880*I*B)*a^3*c^4*\cos(14*f*x + 14*e) + (4046192 \\
& 640*A + 505774080*I*B)*a^3*c^4*\cos(12*f*x + 12*e) + (8092385280*A + 1011548 \\
& 160*I*B)*a^3*c^4*\cos(10*f*x + 10*e) + (10115481600*A + 1264435200*I*B)*a^3* \\
& c^4*\cos(8*f*x + 8*e) + (8092385280*A + 1011548160*I*B)*a^3*c^4*\cos(6*f*x + \\
& 6*e) + (4046192640*A + 505774080*I*B)*a^3*c^4*\cos(4*f*x + 4*e) + (115605504 \\
& 0*A + 144506880*I*B)*a^3*c^4*\cos(2*f*x + 2*e) + 18063360*(8*I*A - B)*a^3*c^ \\
& 4*\sin(16*f*x + 16*e) + 144506880*(8*I*A - B)*a^3*c^4*\sin(14*f*x + 14*e) + 5 \\
& 05774080*(8*I*A - B)*a^3*c^4*\sin(12*f*x + 12*e) + 1011548160*(8*I*A - B)*a^ \\
& 3*c^4*\sin(10*f*x + 10*e) + 1264435200*(8*I*A - B)*a^3*c^4*\sin(8*f*x + 8*e) \\
& + 1011548160*(8*I*A - B)*a^3*c^4*\sin(6*f*x + 6*e) + 505774080*(8*I*A - B)*a \\
& ^3*c^4*\sin(4*f*x + 4*e) + 144506880*(8*I*A - B)*a^3*c^4*\sin(2*f*x + 2*e) + \\
& (144506880*A + 18063360*I*B)*a^3*c^4)*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2 \\
& *e), \cos(2*f*x + 2*e))), \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) \\
&)) + 1) + ((144506880*A + 18063360*I*B)*a^3*c^4*\cos(16*f*x + 16*e) + (11560 \\
& 55040*A + 144506880*I*B)*a^3*c^4*\cos(14*f*x + 14*e) + (4046192640*A + 50577 \\
& 4080*I*B)*a^3*c^4*\cos(12*f*x + 12*e) + (8092385280*A + 1011548160*I*B)*a^3* \\
& c^4*\cos(10*f*x + 10*e) + (10115481600*A + 1264435200*I*B)*a^3*c^4*\cos(8*f*x \\
& + 8*e) + (8092385280*A + 1011548160*I*B)*a^3*c^4*\cos(6*f*x + 6*e) + (40461 \\
& 92640*A + 505774080*I*B)*a^3*c^4*\cos(4*f*x + 4*e) + (1156055040*A + 1445068 \\
& 80*I*B)*a^3*c^4*\cos(2*f*x + 2*e) + 18063360*(8*I*A - B)*a^3*c^4*\sin(16*f*x \\
& + 16*e) + 144506880*(8*I*A - B)*a^3*c^4*\sin(14*f*x + 14*e) + 505774080*(8*I \\
& *A - B)*a^3*c^4*\sin(12*f*x + 12*e) + 1011548160*(8*I*A - B)*a^3*c^4*\sin(10* \\
& f*x + 10*e) + 1264435200*(8*I*A - B)*a^3*c^4*\sin(8*f*x + 8*e) + 1011548160* \\
& (8*I*A - B)*a^3*c^4*\sin(6*f*x + 6*e) + 505774080*(8*I*A - B)*a^3*c^4*\sin(4* \\
& f*x + 4*e) + 144506880*(8*I*A - B)*a^3*c^4*\sin(2*f*x + 2*e) + (144506880*A \\
& + 18063360*I*B)*a^3*c^4)*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f* \\
& x + 2*e))), -\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + (9 \\
& 031680*(8*I*A - B)*a^3*c^4*\cos(16*f*x + 16*e) + 72253440*(8*I*A - B)*a^3*c^ \\
& 4*\cos(14*f*x + 14*e) + 252887040*(8*I*A - B)*a^3*c^4*\cos(12*f*x + 12*e) + 5 \\
& 05774080*(8*I*A - B)*a^3*c^4*\cos(10*f*x + 10*e) + 632217600*(8*I*A - B)*a^3 \\
& *c^4*\cos(8*f*x + 8*e) + 505774080*(8*I*A - B)*a^3*c^4*\cos(6*f*x + 6*e) + 25 \\
& 2887040*(8*I*A - B)*a^3*c^4*\cos(4*f*x + 4*e) + 72253440*(8*I*A - B)*a^3*c^4 \\
& *\cos(2*f*x + 2*e) - (72253440*A + 9031680*I*B)*a^3*c^4*\sin(16*f*x + 16*e) - \\
& (578027520*A + 72253440*I*B)*a^3*c^4*\sin(14*f*x + 14*e) - (2023096320*A + \\
& 252887040*I*B)*a^3*c^4*\sin(12*f*x + 12*e) - (4046192640*A + 505774080*I*B)* \\
& a^3*c^4*\sin(10*f*x + 10*e) - (5057740800*A + 632217600*I*B)*a^3*c^4*\sin(8*f \\
& *x + 8*e) - (4046192640*A + 505774080*I*B)*a^3*c^4*\sin(6*f*x + 6*e) - (2023 \\
& 096320*A + 252887040*I*B)*a^3*c^4*\sin(4*f*x + 4*e) - (578027520*A + 7225344 \\
& 0*I*B)*a^3*c^4*\sin(2*f*x + 2*e) + 9031680*(8*I*A - B)*a^3*c^4)*\log(\cos(1/2* \\
& \arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x \\
& + 2*e), \cos(2*f*x + 2*e)))^2 + 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f* \\
& x + 2*e)))) + 1) + (9031680*(-8*I*A + B)*a^3*c^4*\cos(16*f*x + 16*e) + 722534 \\
& 40*(-8*I*A + B)*a^3*c^4*\cos(14*f*x + 14*e) + 252887040*(-8*I*A + B)*a^3*c^4 \\
& *\cos(12*f*x + 12*e) + 505774080*(-8*I*A + B)*a^3*c^4*\cos(10*f*x + 10*e) + 6 \\
& 32217600*(-8*I*A + B)*a^3*c^4*\cos(8*f*x + 8*e) + 505774080*(-8*I*A + B)*a^3 \\
& *c^4*\cos(6*f*x + 6*e) + 252887040*(-8*I*A + B)*a^3*c^4*\cos(4*f*x + 4*e) + 7 \\
& 2253440*(-8*I*A + B)*a^3*c^4*\cos(2*f*x + 2*e) + (72253440*A + 9031680*I*B)* \\
& a^3*c^4*\sin(16*f*x + 16*e) + (578027520*A + 72253440*I*B)*a^3*c^4*\sin(14*f* \\
& x + 14*e) + (2023096320*A + 252887040*I*B)*a^3*c^4*\sin(12*f*x + 12*e) + (40 \\
& 46192640*A + 505774080*I*B)*a^3*c^4*\sin(10*f*x + 10*e) + (5057740800*A + 63 \\
& 2217600*I*B)*a^3*c^4*\sin(8*f*x + 8*e) + (4046192640*A + 505774080*I*B)*a^3* \\
& c^4*\sin(6*f*x + 6*e) + (2023096320*A + 252887040*I*B)*a^3*c^4*\sin(4*f*x + 4 \\
& *e) + (578027520*A + 72253440*I*B)*a^3*c^4*\sin(2*f*x + 2*e) + 9031680*(-8*I \\
& *A + B)*a^3*c^4)*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 \\
& + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))^2 - 2*\sin(1/2*\arcta \\
& n2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1))*\sqrt{a}*\sqrt{c}/(f*(-46242201 \\
& 6*I*\cos(16*f*x + 16*e) - 3699376128*I*\cos(14*f*x + 14*e) - 12947816448*I*co
\end{aligned}$$

```
s(12*f*x + 12*e) - 25895632896*I*cos(10*f*x + 10*e) - 32369541120*I*cos(8*f
*x + 8*e) - 25895632896*I*cos(6*f*x + 6*e) - 12947816448*I*cos(4*f*x + 4*e)
- 3699376128*I*cos(2*f*x + 2*e) + 462422016*sin(16*f*x + 16*e) + 369937612
8*sin(14*f*x + 14*e) + 12947816448*sin(12*f*x + 12*e) + 25895632896*sin(10*
f*x + 10*e) + 32369541120*sin(8*f*x + 8*e) + 25895632896*sin(6*f*x + 6*e) +
12947816448*sin(4*f*x + 4*e) + 3699376128*sin(2*f*x + 2*e) - 462422016*I))
```

Fricas [B] time = 1.8015, size = 2461, normalized size = 7.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2
),x, algorithm="fricas")
```

```
[Out] 1/5376*(4*((-840*I*A + 105*B)*a^3*c^4*e^(14*I*f*x + 14*I*e) + (-6440*I*A +
805*B)*a^3*c^4*e^(12*I*f*x + 12*I*e) + (-21448*I*A + 2681*B)*a^3*c^4*e^(10*
I*f*x + 10*I*e) + (-40424*I*A + 5053*B)*a^3*c^4*e^(8*I*f*x + 8*I*e) + (-872
8*I*A + 44099*B)*a^3*c^4*e^(6*I*f*x + 6*I*e) + (21448*I*A - 2681*B)*a^3*c^4
*e^(4*I*f*x + 4*I*e) + (6440*I*A - 805*B)*a^3*c^4*e^(2*I*f*x + 2*I*e) + (84
0*I*A - 105*B)*a^3*c^4)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*
x + 2*I*e) + 1))*e^(I*f*x + I*e) - 21*sqrt((1600*A^2 + 400*I*A*B - 25*B^2)*
a^7*c^9/f^2)*(f*e^(14*I*f*x + 14*I*e) + 7*f*e^(12*I*f*x + 12*I*e) + 21*f*e^
(10*I*f*x + 10*I*e) + 35*f*e^(8*I*f*x + 8*I*e) + 35*f*e^(6*I*f*x + 6*I*e) +
21*f*e^(4*I*f*x + 4*I*e) + 7*f*e^(2*I*f*x + 2*I*e) + f)*log(2*((( -160*I*A
+ 20*B)*a^3*c^4*e^(2*I*f*x + 2*I*e) + (-160*I*A + 20*B)*a^3*c^4)*sqrt(a/(e^
(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) +
2*sqrt((1600*A^2 + 400*I*A*B - 25*B^2)*a^7*c^9/f^2)*(f*e^(2*I*f*x + 2*I*e)
- f))/((-40*I*A + 5*B)*a^3*c^4*e^(2*I*f*x + 2*I*e) + (-40*I*A + 5*B)*a^3*c
^4) + 21*sqrt((1600*A^2 + 400*I*A*B - 25*B^2)*a^7*c^9/f^2)*(f*e^(14*I*f*x
+ 14*I*e) + 7*f*e^(12*I*f*x + 12*I*e) + 21*f*e^(10*I*f*x + 10*I*e) + 35*f*e
^(8*I*f*x + 8*I*e) + 35*f*e^(6*I*f*x + 6*I*e) + 21*f*e^(4*I*f*x + 4*I*e) +
7*f*e^(2*I*f*x + 2*I*e) + f)*log(2*((( -160*I*A + 20*B)*a^3*c^4*e^(2*I*f*x +
2*I*e) + (-160*I*A + 20*B)*a^3*c^4)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt
(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((1600*A^2 + 400*I*A*
B - 25*B^2)*a^7*c^9/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((-40*I*A + 5*B)*a^3*
c^4*e^(2*I*f*x + 2*I*e) + (-40*I*A + 5*B)*a^3*c^4)))/(f*e^(14*I*f*x + 14*I*
e) + 7*f*e^(12*I*f*x + 12*I*e) + 21*f*e^(10*I*f*x + 10*I*e) + 35*f*e^(8*I*f
*x + 8*I*e) + 35*f*e^(6*I*f*x + 6*I*e) + 21*f*e^(4*I*f*x + 4*I*e) + 7*f*e^(
2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(9
/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^{\frac{7}{2}} (-i c \tan(fx + e) + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)*(-I*c*tan(f*x + e) + c)^(9/2), x)
```

$$3.817 \quad \int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx$$

Optimal. Leaf size=267

$$\frac{5ia^{7/2}Ac^{7/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{8f} + \frac{5a^3Ac^3 \tan(e+fx)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{16f} + \frac{5a^2Ac^2 \tan(e+fx)}{16f}$$

[Out] (((-5*I)/8)*a^(7/2)*A*c^(7/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/f + (5*a^3*A*c^3*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(16*f) + (5*a^2*A*c^2*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(24*f) + (a*A*c*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))/(6*f) + (B*(a + I*a*Tan[e + f*x])^(7/2)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f)

Rubi [A] time = 0.297291, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 38, 63, 217, 203}

$$\frac{5ia^{7/2}Ac^{7/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{8f} + \frac{5a^3Ac^3 \tan(e+fx)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{16f} + \frac{5a^2Ac^2 \tan(e+fx)}{16f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] (((-5*I)/8)*a^(7/2)*A*c^(7/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/f + (5*a^3*A*c^3*Tan[e + f*x]*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(16*f) + (5*a^2*A*c^2*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2))/(24*f) + (a*A*c*Tan[e + f*x]*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))/(6*f) + (B*(a + I*a*Tan[e + f*x])^(7/2)*(c - I*c*Tan[e + f*x])^(7/2))/(7*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 38

```
Int[((a_) + (b_.)*(x_)^(m_))*((c_) + (d_.)*(x_)^(m_)), x_Symbol] := Simp[(x
*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a
+ b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b
*c + a*d, 0] && IGtQ[m + 1/2, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{7/2} dx = \frac{(ac) \text{Subst} \left(\int (a + iax)^{5/2} (A + Bx)(c - icx)^{5/2} dx, \right)}{f}$$

$$= \frac{B(a + ia \tan(e + fx))^{7/2} (c - ic \tan(e + fx))^{7/2}}{7f} + \frac{aAc \tan(e + fx) (a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{7/2}}{6f}$$

$$= \frac{5a^2 Ac^2 \tan(e + fx) (a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{7/2}}{24f}$$

$$= \frac{5a^3 Ac^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f}$$

$$= \frac{5a^3 Ac^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f}$$

$$= \frac{5a^3 Ac^3 \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f}$$

$$= -\frac{5ia^{7/2} Ac^{7/2} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{8f} + \frac{5a^3 Ac^3}{16f}$$

Mathematica [B] time = 17.073, size = 535, normalized size = 2.

$$\cos^4(e + fx) (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx) (c \cos(e + fx) - ic \sin(e + fx))} \left(Ac^3 \sec(e) \left(\frac{1}{6} \cos(3e + 3fx) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2), x]
```

```
[Out] (((-5*I)/8)*A*c^4*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(E^(I*(4*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(9/2)*(Cos[f*x] + I*Sin[f*x])^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^4*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(Sec[e + f*x]^6*(B*c^3*Cos[3*e])/7 - (I/7)*B*c^3*Sin[3*e]) + A*c^3*Sec[e]*Sec[e + f*x]^5*(Cos[3*e]/6 - (I/6)*Sin[3*e])*Sin[f*x] + A*c^3*Sec[e]*Sec[e + f*x]^3*((5*Cos[3*e])/24 - ((5*I)/24)*Sin[3*e])*Sin[f*x] + A*c^3*Sec[e]*Sec[e + f*x]*((5*Cos[3*e])/16 - ((5*I)/16)*Sin[3*e])*Sin[f*x] + Sec[e + f*x]^4*((A*c^3*Cos[3*e])/6 - (I/6)*A*c^3*Sin[3*e])*Tan[e] + Sec[e + f*x]^2*((5*A*c^3*Cos[3*e])/24 - ((5*I)/24)*A*c^3*Sin[3*e])*Tan[e] + ((5*A*c^3*Cos[3*e])/16 - ((5*I)/16)*A*c^3*Sin[3*e])*Tan[e])*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))
```

Maple [A] time = 0.105, size = 314, normalized size = 1.2

$$\frac{a^3 c^3}{336 f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(48 B (\tan(fx + e))^6 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} + 56 A \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x)
```

```
[Out] 1/336/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3*c^3*(48*B*tan(f*x+e)^6*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+56*A*tan(f*x+e)^5*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+144*B*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+182*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+144*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+105*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+231*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+48*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)
```

Maxima [B] time = 19.374, size = 2570, normalized size = 9.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2), x, algorithm="maxima")
```

```
[Out] -(420*A*a^3*c^3*cos(13/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 2800*A*a^3*c^3*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 7924*A*a^3*c^3*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 12288*I*B*a^3*c^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 7924*A*a^3*c^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 2800*A*a^3*c^3*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 420*A*a^3*c^3*cos(1/2*ar
```

```

ctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 420*I*A*a^3*c^3*sin(13/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 2800*I*A*a^3*c^3*sin(11/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 7924*I*A*a^3*c^3*sin(9/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 12288*B*a^3*c^3*sin(7/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 7924*I*A*a^3*c^3*sin(5/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 2800*I*A*a^3*c^3*sin(3/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 420*I*A*a^3*c^3*sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (210*A*a^3*c^3*cos(14*f*x + 14*e) +
1470*A*a^3*c^3*cos(12*f*x + 12*e) + 4410*A*a^3*c^3*cos(10*f*x + 10*e) +
7350*A*a^3*c^3*cos(8*f*x + 8*e) + 7350*A*a^3*c^3*cos(6*f*x + 6*e) +
4410*A*a^3*c^3*cos(4*f*x + 4*e) + 1470*A*a^3*c^3*cos(2*f*x + 2*e) +
210*I*A*a^3*c^3*sin(14*f*x + 14*e) + 1470*I*A*a^3*c^3*sin(12*f*x + 12*e) +
4410*I*A*a^3*c^3*sin(10*f*x + 10*e) + 7350*I*A*a^3*c^3*sin(8*f*x + 8*e) +
7350*I*A*a^3*c^3*sin(6*f*x + 6*e) + 4410*I*A*a^3*c^3*sin(4*f*x + 4*e) +
1470*I*A*a^3*c^3*sin(2*f*x + 2*e) + 210*A*a^3*c^3)*arctan2(cos(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (210*A*a^3*c^3*cos(14*f*x +
14*e) + 1470*A*a^3*c^3*cos(12*f*x + 12*e) + 4410*A*a^3*c^3*cos(10*f*x +
10*e) + 7350*A*a^3*c^3*cos(8*f*x + 8*e) + 7350*A*a^3*c^3*cos(6*f*x +
6*e) + 4410*A*a^3*c^3*cos(4*f*x + 4*e) + 1470*A*a^3*c^3*cos(2*f*x +
2*e) + 210*I*A*a^3*c^3*sin(14*f*x + 14*e) + 1470*I*A*a^3*c^3*sin(12*f*x +
12*e) + 4410*I*A*a^3*c^3*sin(10*f*x + 10*e) + 7350*I*A*a^3*c^3*sin(8*f*x +
8*e) + 7350*I*A*a^3*c^3*sin(6*f*x + 6*e) + 4410*I*A*a^3*c^3*sin(4*f*x +
4*e) + 1470*I*A*a^3*c^3*sin(2*f*x + 2*e) + 210*A*a^3*c^3)*arctan2(cos(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (-105*I*A*a^3*c^3*cos(14*f*x +
14*e) - 735*I*A*a^3*c^3*cos(12*f*x + 12*e) - 2205*I*A*a^3*c^3*cos(10*f*x +
10*e) - 3675*I*A*a^3*c^3*cos(8*f*x + 8*e) - 3675*I*A*a^3*c^3*cos(6*f*x +
6*e) - 2205*I*A*a^3*c^3*cos(4*f*x + 4*e) - 735*I*A*a^3*c^3*cos(2*f*x +
2*e) + 105*A*a^3*c^3*sin(14*f*x + 14*e) + 735*A*a^3*c^3*sin(12*f*x +
12*e) + 2205*A*a^3*c^3*sin(10*f*x + 10*e) + 3675*A*a^3*c^3*sin(8*f*x +
8*e) + 3675*A*a^3*c^3*sin(6*f*x + 6*e) + 2205*A*a^3*c^3*sin(4*f*x +
4*e) + 735*A*a^3*c^3*sin(2*f*x + 2*e) - 105*I*A*a^3*c^3)*log(cos(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (105*I*A*a^3*c^3*cos(14*f*x +
14*e) + 735*I*A*a^3*c^3*cos(12*f*x + 12*e) + 2205*I*A*a^3*c^3*cos(10*f*x +
10*e) + 3675*I*A*a^3*c^3*cos(8*f*x + 8*e) + 3675*I*A*a^3*c^3*cos(6*f*x +
6*e) + 2205*I*A*a^3*c^3*cos(4*f*x + 4*e) + 735*I*A*a^3*c^3*cos(2*f*x +
2*e) - 105*A*a^3*c^3*sin(14*f*x + 14*e) - 735*A*a^3*c^3*sin(12*f*x +
12*e) - 2205*A*a^3*c^3*sin(10*f*x + 10*e) - 3675*A*a^3*c^3*sin(8*f*x +
8*e) - 3675*A*a^3*c^3*sin(6*f*x + 6*e) - 2205*A*a^3*c^3*sin(4*f*x +
4*e) - 735*A*a^3*c^3*sin(2*f*x + 2*e) + 105*I*A*a^3*c^3)*log(cos(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(-672*I*cos(
14*f*x + 14*e) - 4704*I*cos(12*f*x + 12*e) - 14112*I*cos(10*f*x +
10*e) - 23520*I*cos(8*f*x + 8*e) - 23520*I*cos(6*f*x + 6*e) - 14112*I*cos(
4*f*x + 4*e) - 4704*I*cos(2*f*x + 2*e) + 672*sin(14*f*x + 14*e) +
4704*sin(12*f*x + 12*e) + 14112*sin(10*f*x + 10*e) + 23520*sin(8*f*x +
8*e) + 23520*sin(6*f*x + 6*e) + 14112*sin(4*f*x + 4*e) + 4704*sin(2*f*x +
2*e) - 672*I))

```

Fricas [B] time = 1.56795, size = 1883, normalized size = 7.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="fricas")

```

```
[Out] 1/672*(4*(-105*I*A*a^3*c^3*e^(12*I*f*x + 12*I*e) - 700*I*A*a^3*c^3*e^(10*I*f*x + 10*I*e) - 1981*I*A*a^3*c^3*e^(8*I*f*x + 8*I*e) + 3072*B*a^3*c^3*e^(6*I*f*x + 6*I*e) + 1981*I*A*a^3*c^3*e^(4*I*f*x + 4*I*e) + 700*I*A*a^3*c^3*e^(2*I*f*x + 2*I*e) + 105*I*A*a^3*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 105*sqrt(A^2*a^7*c^7/f^2)*(f*e^(12*I*f*x + 12*I*e) + 6*f*e^(10*I*f*x + 10*I*e) + 15*f*e^(8*I*f*x + 8*I*e) + 20*f*e^(6*I*f*x + 6*I*e) + 15*f*e^(4*I*f*x + 4*I*e) + 6*f*e^(2*I*f*x + 2*I*e) + f)*log(1/8*(64*(A*a^3*c^3*e^(2*I*f*x + 2*I*e) + A*a^3*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + sqrt(A^2*a^7*c^7/f^2)*(32*I*f*e^(2*I*f*x + 2*I*e) - 32*I*f))/(A*a^3*c^3*e^(2*I*f*x + 2*I*e) + A*a^3*c^3)) + 105*sqrt(A^2*a^7*c^7/f^2)*(f*e^(12*I*f*x + 12*I*e) + 6*f*e^(10*I*f*x + 10*I*e) + 15*f*e^(8*I*f*x + 8*I*e) + 20*f*e^(6*I*f*x + 6*I*e) + 15*f*e^(4*I*f*x + 4*I*e) + 6*f*e^(2*I*f*x + 2*I*e) + f)*log(1/8*(64*(A*a^3*c^3*e^(2*I*f*x + 2*I*e) + A*a^3*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + sqrt(A^2*a^7*c^7/f^2)*(-32*I*f*e^(2*I*f*x + 2*I*e) + 32*I*f))/(A*a^3*c^3*e^(2*I*f*x + 2*I*e) + A*a^3*c^3)))/(f*e^(12*I*f*x + 12*I*e) + 6*f*e^(10*I*f*x + 10*I*e) + 15*f*e^(8*I*f*x + 8*I*e) + 20*f*e^(6*I*f*x + 6*I*e) + 15*f*e^(4*I*f*x + 4*I*e) + 6*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}(-i c \tan(fx + e) + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)*(-I*c*tan(f*x + e) + c)^(7/2), x)
```

$$3.818 \quad \int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{5/2} dx$$

Optimal. Leaf size=284

$$\frac{a^{7/2} c^{5/2} (B + 6iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{8f} + \frac{a^3 c^2 (6A - iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f} + \frac{a^2 c (6A - iB) \tan(e + fx)}{16f}$$

[Out] $-(a^{7/2} * ((6*I)*A + B) * c^{5/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (8*f) + (a^3 * (6*A - I*B) * c^2 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (16*f) + (a^2 * (6*A - I*B) * c * \text{Tan}[e + f*x] * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (24*f) + (a * ((6*I)*A + B) * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (30*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{7/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (6*f)$

Rubi [A] time = 0.326534, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{a^{7/2} c^{5/2} (B + 6iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{8f} + \frac{a^3 c^2 (6A - iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{16f} + \frac{a^2 c (6A - iB) \tan(e + fx)}{16f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{7/2} * (A + B*\text{Tan}[e + f*x]) * (c - I*c*\text{Tan}[e + f*x])^{5/2}, x]$

[Out] $-(a^{7/2} * ((6*I)*A + B) * c^{5/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (8*f) + (a^3 * (6*A - I*B) * c^2 * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (16*f) + (a^2 * (6*A - I*B) * c * \text{Tan}[e + f*x] * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (24*f) + (a * ((6*I)*A + B) * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (30*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{7/2} * (c - I*c*\text{Tan}[e + f*x])^{5/2}) / (6*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{m} * ((A + B*\text{tan}[(e + f*x)])^{n} * (c + d*\text{tan}[(e + f*x)])^{n}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 80

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x_Symbol] \rightarrow \text{Simp}[(b*(c + d*x)^{n+1} * (e + f*x)^{p+1}) / (d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))] / (d*f*(n + p + 2)), \text{Int}[(c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{NeQ}[n + p + 2, 0]$

Rule 49

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(2*c*n)/(m + n + 1), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0] && IGtQ[n + 1/2, 0] && LtQ[m, n]

Rule 38

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{5/2} dx &= \frac{(ac) \operatorname{Subst} \left(\int (a + iax)^{5/2} (A + Bx) (c - icx)^{3/2} dx \right)}{f} \\
 &= \frac{B(a + ia \tan(e + fx))^{7/2} (c - ic \tan(e + fx))^{5/2}}{6f} \\
 &= \frac{a(6iA + B)(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}}{30f} \\
 &= \frac{a^2(6A - iB)c \tan(e + fx)(a + ia \tan(e + fx))^{5/2}}{24f} \\
 &= \frac{a^3(6A - iB)c^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{16f} \\
 &= \frac{a^3(6A - iB)c^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{16f} \\
 &= \frac{a^3(6A - iB)c^2 \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{16f} \\
 &= -\frac{a^{7/2}(6iA + B)c^{5/2} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{8f} + \dots
 \end{aligned}$$

Mathematica [B] time = 15.958, size = 572, normalized size = 2.01

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left(\sec(e) \left(\frac{1}{30}c^2 \cos(3e) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] ((-I/8)*(6*A - I*B)*c^3*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))]/(1 + E^((2*I)*(e + f*x))))*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(E^(I*(4*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(9/2)*(Cos[f*x] + I*Sin[f*x])^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^4*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(Sec[e]*Sec[e + f*x]^4*((6*I)*A*Cos[e] + 6*B*Cos[e] + (5*I)*B*Sin[e])*((c^2*Cos[3*e])/30 - (I/30)*c^2*Sin[3*e]) + I*B*c^2*Sec[e]*Sec[e + f*x]^5*(Cos[3*e]/6 - (I/6)*Sin[3*e])*Sin[f*x] + Sec[e]*Sec[e + f*x]^3*(Cos[3*e]/24 - (I/24)*Sin[3*e])*(6*A*c^2*Sin[f*x] - I*B*c^2*Sin[f*x]) + Sec[e]*Sec[e + f*x]*(Cos[3*e]/16 - (I/16)*Sin[3*e])*(6*A*c^2*Sin[f*x] - I*B*c^2*Sin[f*x]) + (6*A - I*B)*Sec[e + f*x]^2*((c^2*Cos[3*e])/24 - (I/24)*c^2*Sin[3*e])*Tan[e] + (6*A - I*B)*((c^2*Cos[3*e])/16 - (I/16)*c^2*Sin[3*e])*Tan[e])*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [B] time = 0.1, size = 478, normalized size = 1.7

$$\frac{a^3 c^2}{240 f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(40 i B (\tan(fx + e))^5 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} + 48 i A (\tan(fx + e))^5 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2), x)

[Out] 1/240/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3*c^2*(40*I*B*tan(f*x+e)^5*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+48*I*A*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+70*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3+48*B*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+96*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2+60*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-15*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+15*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+96*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+48*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+90*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+150*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+48*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 33.223, size = 2724, normalized size = 9.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")
```

```
[Out] -((1382400*A - 230400*I*B)*a^3*c^2*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (7833600*A - 1305600*I*B)*a^3*c^2*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (5345280*A - 20551680*I*B)*a^3*c^2*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (18247680*A - 3041280*I*B)*a^3*c^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (7833600*A - 1305600*I*B)*a^3*c^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (1382400*A - 230400*I*B)*a^3*c^2*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 230400*(-6*I*A - B)*a^3*c^2*sin(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 1305600*(-6*I*A - B)*a^3*c^2*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 92160*(58*I*A + 223*B)*a^3*c^2*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 3041280*(6*I*A + B)*a^3*c^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 1305600*(6*I*A + B)*a^3*c^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 230400*(6*I*A + B)*a^3*c^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((691200*A - 115200*I*B)*a^3*c^2*cos(12*f*x + 12*e) + (4147200*A - 691200*I*B)*a^3*c^2*cos(10*f*x + 10*e) + (10368000*A - 1728000*I*B)*a^3*c^2*cos(8*f*x + 8*e) + (13824000*A - 2304000*I*B)*a^3*c^2*cos(6*f*x + 6*e) + (10368000*A - 1728000*I*B)*a^3*c^2*cos(4*f*x + 4*e) + (4147200*A - 691200*I*B)*a^3*c^2*cos(2*f*x + 2*e) - 115200*(-6*I*A - B)*a^3*c^2*sin(12*f*x + 12*e) - 691200*(-6*I*A - B)*a^3*c^2*sin(10*f*x + 10*e) - 1728000*(-6*I*A - B)*a^3*c^2*sin(8*f*x + 8*e) - 2304000*(-6*I*A - B)*a^3*c^2*sin(6*f*x + 6*e) - 1728000*(-6*I*A - B)*a^3*c^2*sin(4*f*x + 4*e) - 691200*(-6*I*A - B)*a^3*c^2*sin(2*f*x + 2*e) + (691200*A - 115200*I*B)*a^3*c^2*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((691200*A - 115200*I*B)*a^3*c^2*cos(12*f*x + 12*e) + (4147200*A - 691200*I*B)*a^3*c^2*cos(10*f*x + 10*e) + (10368000*A - 1728000*I*B)*a^3*c^2*cos(8*f*x + 8*e) + (13824000*A - 2304000*I*B)*a^3*c^2*cos(6*f*x + 6*e) + (10368000*A - 1728000*I*B)*a^3*c^2*cos(4*f*x + 4*e) + (4147200*A - 691200*I*B)*a^3*c^2*cos(2*f*x + 2*e) - 115200*(-6*I*A - B)*a^3*c^2*sin(12*f*x + 12*e) - 691200*(-6*I*A - B)*a^3*c^2*sin(10*f*x + 10*e) - 1728000*(-6*I*A - B)*a^3*c^2*sin(8*f*x + 8*e) - 2304000*(-6*I*A - B)*a^3*c^2*sin(6*f*x + 6*e) - 1728000*(-6*I*A - B)*a^3*c^2*sin(4*f*x + 4*e) - 691200*(-6*I*A - B)*a^3*c^2*sin(2*f*x + 2*e) + (691200*A - 115200*I*B)*a^3*c^2*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (57600*(-6*I*A - B)*a^3*c^2*cos(12*f*x + 12*e) + 345600*(-6*I*A - B)*a^3*c^2*cos(10*f*x + 10*e) + 864000*(-6*I*A - B)*a^3*c^2*cos(8*f*x + 8*e) + 1152000*(-6*I*A - B)*a^3*c^2*cos(6*f*x + 6*e) + 864000*(-6*I*A - B)*a^3*c^2*cos(4*f*x + 4*e) + 345600*(-6*I*A - B)*a^3*c^2*cos(2*f*x + 2*e) + (345600*A - 57600*I*B)*a^3*c^2*sin(12*f*x + 12*e) + (2073600*A - 345600*I*B)*a^3*c^2*sin(10*f*x + 10*e) + (5184000*A - 864000*I*B)*a^3*c^2*sin(8*f*x + 8*e) + (6912000*A - 1152000*I*B)*a^3*c^2*sin(6*f*x + 6*e) + (5184000*A - 864000*I*B)*a^3*c^2*sin(4*f*x + 4*e) + (2073600*A - 345600*I*B)*a^3*c^2*sin(2*f*x + 2*e) + 57600*(-6*I*A - B)*a^3*c^2*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1) - (57600*(6*I*A + B)*a^3*c^2*cos(12*f*x + 12*e) + 345600*(6*I*A + B)*a^3*c^2*cos(10*f*x + 10*e) + 864000*(6*I*A + B)*a^3*c^2*cos(8*f*x + 8*e) + 1152000*(6*I*A + B)*a^3*c^2*cos(6*f*x + 6*e) + 864000*(6*I*A + B)*a^3*c^2*cos(4*f*x + 4*e) + 345600*(6*I*A + B)*a^3*c^2*cos(2*f*x + 2*e) - (345600*A - 57600*I*B)*a^3*c^2*sin(12*f*x + 12*e) - (2073600*A - 345600*I*B)*a^3*c^2*sin(10*f*x + 10*e) - (5184000*A - 864000*I*B)*a^3*c^2*sin(8*f*x + 8*e) - (6912000*A - 1152000*I*B)*a^3*c^2*sin(6*f*x + 6*e) - (5184000*A - 864000*I*B)*a^3*c^2*sin(4*f*x + 4*e) - (2073600*A - 345600*I*B)*a^3*c^2*sin(2*f*x + 2*e) + 57600*(6*I*A + B)*a^3*c^2*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))
```

```
*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*
sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1))*sqrt(a)*sqrt(c)/
(f*(-1843200*I*cos(12*f*x + 12*e) - 11059200*I*cos(10*f*x + 10*e) - 2764800
0*I*cos(8*f*x + 8*e) - 36864000*I*cos(6*f*x + 6*e) - 27648000*I*cos(4*f*x +
4*e) - 11059200*I*cos(2*f*x + 2*e) + 1843200*sin(12*f*x + 12*e) + 11059200
*sin(10*f*x + 10*e) + 27648000*sin(8*f*x + 8*e) + 36864000*sin(6*f*x + 6*e)
+ 27648000*sin(4*f*x + 4*e) + 11059200*sin(2*f*x + 2*e) - 1843200*I))
```

Fricas [B] time = 1.81744, size = 1991, normalized size = 7.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2
),x, algorithm="fricas")
```

```
[Out] 1/480*(4*((-90*I*A - 15*B)*a^3*c^2*e^(10*I*f*x + 10*I*e) + (-510*I*A - 85*B
)*a^3*c^2*e^(8*I*f*x + 8*I*e) + (348*I*A + 1338*B)*a^3*c^2*e^(6*I*f*x + 6*I
*e) + (1188*I*A + 198*B)*a^3*c^2*e^(4*I*f*x + 4*I*e) + (510*I*A + 85*B)*a^3
*c^2*e^(2*I*f*x + 2*I*e) + (90*I*A + 15*B)*a^3*c^2)*sqrt(a/(e^(2*I*f*x + 2*
I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 15*sqrt((36*
A^2 - 12*I*A*B - B^2)*a^7*c^5/f^2)*(f*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*
x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2
*I*f*x + 2*I*e) + f)*log(2*(((24*I*A + 4*B)*a^3*c^2*e^(2*I*f*x + 2*I*e) + (
24*I*A + 4*B)*a^3*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x
+ 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((36*A^2 - 12*I*A*B - B^2)*a^7*c^5/
f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((6*I*A + B)*a^3*c^2*e^(2*I*f*x + 2*I*e)
+ (6*I*A + B)*a^3*c^2)) - 15*sqrt((36*A^2 - 12*I*A*B - B^2)*a^7*c^5/f^2)*(f
*e^(10*I*f*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e)
+ 10*f*e^(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((24*I*A
+ 4*B)*a^3*c^2*e^(2*I*f*x + 2*I*e) + (24*I*A + 4*B)*a^3*c^2)*sqrt(a/(e^(2*I
*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*s
qrt((36*A^2 - 12*I*A*B - B^2)*a^7*c^5/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((6
*I*A + B)*a^3*c^2*e^(2*I*f*x + 2*I*e) + (6*I*A + B)*a^3*c^2)))/(f*e^(10*I*f
*x + 10*I*e) + 5*f*e^(8*I*f*x + 8*I*e) + 10*f*e^(6*I*f*x + 6*I*e) + 10*f*e^
(4*I*f*x + 4*I*e) + 5*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5
/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^{\frac{7}{2}} (-i c \tan(fx + e) + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)*(-I*c*tan(f*x + e) + c)^(5/2), x)
```

$$3.819 \quad \int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx$$

Optimal. Leaf size=279

$$\frac{a^{7/2} c^{3/2} (2B + 5iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{a^3 c (5A - 2iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} + \frac{a^2 (2B + 5iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f}$$

[Out] $-(a^{7/2} * ((5*I)*A + 2*B) * c^{3/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (4*f) + (a^3 * (5*A - (2*I)*B) * c * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (8*f) + (a^2 * ((5*I)*A + 2*B) * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (12*f) + (a * ((5*I)*A + 2*B) * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (20*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{7/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (5*f)$

Rubi [A] time = 0.328647, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 80, 49, 38, 63, 217, 203}

$$\frac{a^{7/2} c^{3/2} (2B + 5iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{a^3 c (5A - 2iB) \tan(e + fx) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f} + \frac{a^2 (2B + 5iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{7/2} * (A + B*\text{Tan}[e + f*x]) * (c - I*c*\text{Tan}[e + f*x])^{3/2}, x]$

[Out] $-(a^{7/2} * ((5*I)*A + 2*B) * c^{3/2} * \text{ArcTan}[(\text{Sqrt}[c] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]]) / (\text{Sqrt}[a] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])]) / (4*f) + (a^3 * (5*A - (2*I)*B) * c * \text{Tan}[e + f*x] * \text{Sqrt}[a + I*a*\text{Tan}[e + f*x]] * \text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]) / (8*f) + (a^2 * ((5*I)*A + 2*B) * (a + I*a*\text{Tan}[e + f*x])^{3/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (12*f) + (a * ((5*I)*A + 2*B) * (a + I*a*\text{Tan}[e + f*x])^{5/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (20*f) + (B * (a + I*a*\text{Tan}[e + f*x])^{7/2} * (c - I*c*\text{Tan}[e + f*x])^{3/2}) / (5*f)$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{m} * ((A + B*\text{tan}[(e + f*x)])^{n}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{m-1} * (c + d*x)^{n-1} * (A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 80

$\text{Int}[(a + b*x)^m * (c + d*x)^n * (e + f*x)^p, x_Symbol] \rightarrow \text{Simp}[(b*(c + d*x)^{n+1} * (e + f*x)^{p+1}) / (d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))) / (d*f*(n + p + 2)), \text{Int}[(c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{NeQ}[n + p + 2, 0]$

Rule 49

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(2*c*n)/(m + n + 1), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0] && IGtQ[n + 1/2, 0] && LtQ[m, n]

Rule 38

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{3/2} dx &= \frac{(ac) \operatorname{Subst}\left(\int (a + iax)^{5/2} (A + Bx) \sqrt{c - icx} dx\right)}{f} \\
 &= \frac{B(a + ia \tan(e + fx))^{7/2} (c - ic \tan(e + fx))^{3/2}}{5f} \\
 &= \frac{a(5iA + 2B)(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}}{20f} \\
 &= \frac{a^2(5iA + 2B)(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}}{12f} \\
 &= \frac{a^3(5A - 2iB)c \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{8f} \\
 &= \frac{a^3(5A - 2iB)c \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{8f} \\
 &= \frac{a^3(5A - 2iB)c \tan(e + fx) \sqrt{a + ia \tan(e + fx)}}{8f} \\
 &= -\frac{a^{7/2}(5iA + 2B)c^{3/2} \tan^{-1}\left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}}\right)}{4f}
 \end{aligned}$$

Mathematica [A] time = 13.1913, size = 507, normalized size = 1.82

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left(\sec(e) \left(\frac{1}{4} \cos(3e) - \frac{1}{4} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] ((-I/4)*(5*A - (2*I)*B)*c^2*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(E^(I*(4*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(9/2)*(Cos[f*x] + I*Sin[f*x])^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^4*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(Sec[e]*Sec[e + f*x]^2*((8*I)*A*Cos[e] + 8*B*Cos[e] - 3*A*Sin[e] + (6*I)*B*Sin[e])*((c*Cos[3*e])/12 - (I/12)*c*Sin[3*e]) + Sec[e + f*x]^4*(-(B*c*Cos[3*e])/5 + (I/5)*B*c*Sin[3*e]) + Sec[e]*Sec[e + f*x]*(Cos[3*e]/8 - (I/8)*Sin[3*e])*(5*A*c*Sin[f*x] - (2*I)*B*c*Sin[f*x]) + Sec[e]*Sec[e + f*x]^3*(Cos[3*e]/4 - (I/4)*Sin[3*e])*(-(A*c*Sin[f*x]) + (2*I)*B*c*Sin[f*x]) + (5*A - (2*I)*B)*((c*Cos[3*e])/8 - (I/8)*c*Sin[3*e])*Tan[e])*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.099, size = 412, normalized size = 1.5

$$\frac{a^3 c}{120 f} \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))} \left(60 i B (\tan(fx + e))^3 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} - 24 B (\tan(fx + e))^3 \sqrt{ac(1 + (\tan(fx + e))^2)} \sqrt{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2), x)

[Out] 1/120/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3*c*(60*I*B*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-24*B*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+80*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-30*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-30*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+30*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+32*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+80*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+75*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+45*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+56*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c)^(1/2)

Maxima [B] time = 14.7518, size = 2222, normalized size = 7.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] -((144000*A - 57600*I*B)*a^3*c*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (556800*A - 960000*I*B)*a^3*c*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (1228800*A - 491520*I*B)*a^3*c*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (672000*A - 268800*I*B)*a^3*c*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (144000*A - 57600*I*B)*a^3*c*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 28800*(-5*I*A - 2*B)*a^3*c*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 19200*(29*I*A + 50*B)*a^3*c*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 245760*(5*I*A + 2*B)*a^3*c*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 134400*(5*I*A + 2*B)*a^3*c*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 28800*(5*I*A + 2*B)*a^3*c*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((72000*A - 28800*I*B)*a^3*c*cos(10*f*x + 10*e) + (360000*A - 144000*I*B)*a^3*c*cos(8*f*x + 8*e) + (720000*A - 288000*I*B)*a^3*c*cos(6*f*x + 6*e) + (720000*A - 288000*I*B)*a^3*c*cos(4*f*x + 4*e) + (360000*A - 144000*I*B)*a^3*c*cos(2*f*x + 2*e) - 14400*(-5*I*A - 2*B)*a^3*c*sin(10*f*x + 10*e) - 72000*(-5*I*A - 2*B)*a^3*c*sin(8*f*x + 8*e) - 144000*(-5*I*A - 2*B)*a^3*c*sin(6*f*x + 6*e) - 144000*(-5*I*A - 2*B)*a^3*c*sin(4*f*x + 4*e) - 72000*(-5*I*A - 2*B)*a^3*c*sin(2*f*x + 2*e) + (72000*A - 28800*I*B)*a^3*c)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((72000*A - 28800*I*B)*a^3*c*cos(10*f*x + 10*e) + (360000*A - 144000*I*B)*a^3*c*cos(8*f*x + 8*e) + (720000*A - 288000*I*B)*a^3*c*cos(6*f*x + 6*e) + (720000*A - 288000*I*B)*a^3*c*cos(4*f*x + 4*e) + (360000*A - 144000*I*B)*a^3*c*cos(2*f*x + 2*e) - 14400*(-5*I*A - 2*B)*a^3*c*sin(10*f*x + 10*e) - 72000*(-5*I*A - 2*B)*a^3*c*sin(8*f*x + 8*e) - 144000*(-5*I*A - 2*B)*a^3*c*sin(6*f*x + 6*e) - 144000*(-5*I*A - 2*B)*a^3*c*sin(4*f*x + 4*e) - 72000*(-5*I*A - 2*B)*a^3*c*sin(2*f*x + 2*e) + (72000*A - 28800*I*B)*a^3*c)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) - sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (7200*(-5*I*A - 2*B)*a^3*c*cos(10*f*x + 10*e) + 36000*(-5*I*A - 2*B)*a^3*c*cos(8*f*x + 8*e) + 72000*(-5*I*A - 2*B)*a^3*c*cos(6*f*x + 6*e) + 72000*(-5*I*A - 2*B)*a^3*c*cos(4*f*x + 4*e) + 36000*(-5*I*A - 2*B)*a^3*c*cos(2*f*x + 2*e) + (36000*A - 14400*I*B)*a^3*c*sin(10*f*x + 10*e) + (180000*A - 72000*I*B)*a^3*c*sin(8*f*x + 8*e) + (360000*A - 144000*I*B)*a^3*c*sin(6*f*x + 6*e) + (360000*A - 144000*I*B)*a^3*c*sin(4*f*x + 4*e) + (180000*A - 72000*I*B)*a^3*c*sin(2*f*x + 2*e) + 7200*(-5*I*A - 2*B)*a^3*c)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - (7200*(5*I*A + 2*B)*a^3*c*cos(10*f*x + 10*e) + 36000*(5*I*A + 2*B)*a^3*c*cos(8*f*x + 8*e) + 72000*(5*I*A + 2*B)*a^3*c*cos(6*f*x + 6*e) + 72000*(5*I*A + 2*B)*a^3*c*cos(4*f*x + 4*e) + 36000*(5*I*A + 2*B)*a^3*c*cos(2*f*x + 2*e) - (36000*A - 14400*I*B)*a^3*c*sin(10*f*x + 10*e) - (180000*A - 72000*I*B)*a^3*c*sin(8*f*x + 8*e) - (360000*A - 144000*I*B)*a^3*c*sin(6*f*x + 6*e) - (360000*A - 144000*I*B)*a^3*c*sin(4*f*x + 4*e) - (180000*A - 72000*I*B)*a^3*c*sin(2*f*x + 2*e) + 7200*(5*I*A + 2*B)*a^3*c)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(-115200*I*cos(10*f*x + 10*e) - 576000*I*cos(8*f*x + 8*e) - 1152000*I*cos(6*f*x + 6*e) - 1152000*I*cos(4*f*x + 4*e) - 576000*I*cos(2*f*x + 2*e) + 115200*sin(10*f*x + 10*e) + 576000*sin(8*f*x + 8*e) + 1152000*sin(6*f*x + 6*e) + 1152000*sin(4*f*x + 4*e) + 576000*sin(2*f*x + 2*e) - 115200*I))

Fricas [B] time = 1.71096, size = 1787, normalized size = 6.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/240*(4*((-75*I*A - 30*B)*a^3*c*e^(8*I*f*x + 8*I*e) + (290*I*A + 500*B)*a^3*c*e^(6*I*f*x + 6*I*e) + (640*I*A + 256*B)*a^3*c*e^(4*I*f*x + 4*I*e) + (350*I*A + 140*B)*a^3*c*e^(2*I*f*x + 2*I*e) + (75*I*A + 30*B)*a^3*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 15*sqrt((25*A^2 - 20*I*A*B - 4*B^2)*a^7*c^3/f^2)*(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((20*I*A + 8*B)*a^3*c*e^(2*I*f*x + 2*I*e) + (20*I*A + 8*B)*a^3*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((25*A^2 - 20*I*A*B - 4*B^2)*a^7*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((5*I*A + 2*B)*a^3*c*e^(2*I*f*x + 2*I*e) + (5*I*A + 2*B)*a^3*c)) - 15*sqrt((25*A^2 - 20*I*A*B - 4*B^2)*a^7*c^3/f^2)*(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)*log(2*(((20*I*A + 8*B)*a^3*c*e^(2*I*f*x + 2*I*e) + (20*I*A + 8*B)*a^3*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((25*A^2 - 20*I*A*B - 4*B^2)*a^7*c^3/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((5*I*A + 2*B)*a^3*c*e^(2*I*f*x + 2*I*e) + (5*I*A + 2*B)*a^3*c)))/(f*e^(8*I*f*x + 8*I*e) + 4*f*e^(6*I*f*x + 6*I*e) + 6*f*e^(4*I*f*x + 4*I*e) + 4*f*e^(2*I*f*x + 2*I*e) + f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A) (i a \tan(fx + e) + a)^{\frac{7}{2}} (-i c \tan(fx + e) + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)*(-I*c*tan(f*x + e) + c)^(3/2), x)
```

3.820 $\int (a+ia \tan(e+fx))^{7/2} (A+B \tan(e+fx)) \sqrt{c-ic \tan(e+fx)}$

Optimal. Leaf size=272

$$\frac{5a^{7/2}\sqrt{c}(3B+4iA)\tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia\tan(e+fx)}}{\sqrt{a}\sqrt{c-ic\tan(e+fx)}}\right)}{4f} + \frac{5a^3(3B+4iA)\sqrt{a+ia\tan(e+fx)}\sqrt{c-ic\tan(e+fx)}}{8f} + \frac{5a^2(3B+4iA)}{4f}$$

[Out] $(-5a^{7/2}((4I)A + 3B)\sqrt{c}\text{ArcTan}[(\sqrt{c}\sqrt{a + I a \tan[e + f x]})/(\sqrt{a}\sqrt{c - I c \tan[e + f x]})])/(4f) + (5a^3((4I)A + 3B)\sqrt{a + I a \tan[e + f x]}\sqrt{c - I c \tan[e + f x]})/(8f) + (5a^2((4I)A + 3B)(a + I a \tan[e + f x])^{3/2}\sqrt{c - I c \tan[e + f x]})/(24f) + (a((4I)A + 3B)(a + I a \tan[e + f x])^{5/2}\sqrt{c - I c \tan[e + f x]})/(12f) + (B(a + I a \tan[e + f x])^{7/2}\sqrt{c - I c \tan[e + f x]})/(4f)$

Rubi [A] time = 0.320036, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 80, 50, 63, 217, 203}

$$\frac{5a^{7/2}\sqrt{c}(3B+4iA)\tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia\tan(e+fx)}}{\sqrt{a}\sqrt{c-ic\tan(e+fx)}}\right)}{4f} + \frac{5a^3(3B+4iA)\sqrt{a+ia\tan(e+fx)}\sqrt{c-ic\tan(e+fx)}}{8f} + \frac{5a^2(3B+4iA)}{4f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I a \tan[e + f x])^{7/2} (A + B \tan[e + f x]) \sqrt{c - I c \tan[e + f x]}, x]$

[Out] $(-5a^{7/2}((4I)A + 3B)\sqrt{c}\text{ArcTan}[(\sqrt{c}\sqrt{a + I a \tan[e + f x]})/(\sqrt{a}\sqrt{c - I c \tan[e + f x]})])/(4f) + (5a^3((4I)A + 3B)\sqrt{a + I a \tan[e + f x]}\sqrt{c - I c \tan[e + f x]})/(8f) + (5a^2((4I)A + 3B)(a + I a \tan[e + f x])^{3/2}\sqrt{c - I c \tan[e + f x]})/(24f) + (a((4I)A + 3B)(a + I a \tan[e + f x])^{5/2}\sqrt{c - I c \tan[e + f x]})/(12f) + (B(a + I a \tan[e + f x])^{7/2}\sqrt{c - I c \tan[e + f x]})/(4f)$

Rule 3588

$\text{Int}[(a + (b \tan[e + f x])^m)((c + (d \tan[e + f x])^n)), x] \text{ := Dist}[(a c)/f, \text{Subst}[\text{Int}[(a + b x)^{m-1}(c + d x)^{n-1}(A + B x), x], x, \tan[e + f x]], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b c + a d, 0] && EqQ[a^2 + b^2, 0]

Rule 80

$\text{Int}[(a + (b x)^p)((c + (d x)^q)^n), x] \text{ := Simp}[(b(c + d x)^{n+1}(e + f x)^{p+1})/(d f (n + p + 2)), x] + \text{Dist}[(a d f (n + p + 2) - b(d e (n + 1) + c f (p + 1)))/(d f (n + p + 2)), \text{Int}[(c + d x)^n (e + f x)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 50

$\text{Int}[(a + (b x)^m)((c + (d x)^n)), x] \text{ := Simp}[(a + b x)^{m+1}(c + d x)^n/(b(m + n + 1)), x] + \text{Dist}[(n(b c - a d))/$

```
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\int (a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) \sqrt{c - ic \tan(e + fx)} dx = \frac{(ac) \text{Subst} \left(\int \frac{(a+iax)^{5/2}(A+Bx)}{\sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{B(a + ia \tan(e + fx))^{7/2} \sqrt{c - ic \tan(e + fx)}}{4f} + \frac{(a(4A + 3B))^{7/2} \sqrt{c - ic \tan(e + fx)}}{4f}$$

$$= \frac{a(4iA + 3B)(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}}{12f}$$

$$= \frac{5a^2(4iA + 3B)(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}}{24f}$$

$$= \frac{5a^3(4iA + 3B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f}$$

$$= \frac{5a^3(4iA + 3B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f}$$

$$= \frac{5a^3(4iA + 3B) \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}}{8f}$$

$$= -\frac{5a^{7/2}(4iA + 3B) \sqrt{c} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f} + \frac{5a^{7/2}(4iA + 3B) \sqrt{c} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a + ia \tan(e + fx)}}{\sqrt{a} \sqrt{c - ic \tan(e + fx)}} \right)}{4f}$$

Mathematica [A] time = 11.427, size = 465, normalized size = 1.71

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))}\left(\sec(e)\left(-\frac{1}{12} \sin(3e)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]],x]

[Out] (((-5*I)/4)*(4*A - (3*I)*B)*c*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))]/(1 + E^((2*I)*(e + f*x))))*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])/(E^(I*(4*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(9/2)*(Cos[f*x] + I*Sin[f*x])^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^4*(Sec[e]*Sec[e + f*x]^2*(4*A*Cos[e] - (12*I)*B*Cos[e] + 3*B*Sin[e])*((-I/12)*Cos[3*e] - Sin[3*e]/12) + Sec[e]*((32*I)*A*Cos[e] + 32*B*Cos[e] - 12*A*Sin[e] + (17*I)*B*Sin[e])*(Cos[3*e]/8 - (I/8)*Sin[3*e]) - I*B*Sec[e]*Sec[e + f*x]^3*(Cos[3*e]/4 - (I/4)*Sin[3*e])*Sin[f*x] + Sec[e]*Sec[e + f*x]*(Cos[3*e]/8 - (I/8)*Sin[3*e])*(-12*A*Sin[f*x] + (17*I)*B*Sin[f*x]))*Sqrt[Sec[e + f*x]*(c*cos[e + f*x] - I*c*Sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.102, size = 349, normalized size = 1.3

$$-\frac{a^3}{24f}\sqrt{-c(-1 + i \tan(fx + e))}\sqrt{a(1 + i \tan(fx + e))}\left(6iB(\tan(fx + e))^3\sqrt{ac(1 + (\tan(fx + e))^2)}\sqrt{ac} + 8iA(\tan(fx + e))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e)),x)

[Out] -1/24/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*a^3*(6*I*B*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+8*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+45*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c-45*I*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+24*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-88*I*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)-60*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+36*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-72*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c)^(1/2)/(a*c*(1+tan(f*x+e)^2))^(1/2)

Maxima [B] time = 6.57883, size = 1800, normalized size = 6.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e)),x, algorithm="maxima")

```
[Out] ((50688*A - 56448*I*B)*a^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e))) + (112128*A - 84096*I*B)*a^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f
*x + 2*e))) + (84480*A - 63360*I*B)*a^3*cos(3/2*arctan2(sin(2*f*x + 2*e), c
os(2*f*x + 2*e))) + (23040*A - 17280*I*B)*a^3*cos(1/2*arctan2(sin(2*f*x + 2
*e), cos(2*f*x + 2*e))) + 1152*(44*I*A + 49*B)*a^3*sin(7/2*arctan2(sin(2*f*
x + 2*e), cos(2*f*x + 2*e))) + 28032*(4*I*A + 3*B)*a^3*sin(5/2*arctan2(sin(
2*f*x + 2*e), cos(2*f*x + 2*e))) + 21120*(4*I*A + 3*B)*a^3*sin(3/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 5760*(4*I*A + 3*B)*a^3*sin(1/2*arcta
n2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - ((11520*A - 8640*I*B)*a^3*cos(8*f
*x + 8*e) + (46080*A - 34560*I*B)*a^3*cos(6*f*x + 6*e) + (69120*A - 51840*I
*B)*a^3*cos(4*f*x + 4*e) + (46080*A - 34560*I*B)*a^3*cos(2*f*x + 2*e) - 288
0*(-4*I*A - 3*B)*a^3*sin(8*f*x + 8*e) - 11520*(-4*I*A - 3*B)*a^3*sin(6*f*x
+ 6*e) - 17280*(-4*I*A - 3*B)*a^3*sin(4*f*x + 4*e) - 11520*(-4*I*A - 3*B)*a
^3*sin(2*f*x + 2*e) + (11520*A - 8640*I*B)*a^3)*arctan2(cos(1/2*arctan2(sin
(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*
f*x + 2*e))) + 1) - ((11520*A - 8640*I*B)*a^3*cos(8*f*x + 8*e) + (46080*A -
34560*I*B)*a^3*cos(6*f*x + 6*e) + (69120*A - 51840*I*B)*a^3*cos(4*f*x + 4*
e) + (46080*A - 34560*I*B)*a^3*cos(2*f*x + 2*e) - 2880*(-4*I*A - 3*B)*a^3*s
in(8*f*x + 8*e) - 11520*(-4*I*A - 3*B)*a^3*sin(6*f*x + 6*e) - 17280*(-4*I*A
- 3*B)*a^3*sin(4*f*x + 4*e) - 11520*(-4*I*A - 3*B)*a^3*sin(2*f*x + 2*e) +
(11520*A - 8640*I*B)*a^3)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f
*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (
1440*(-4*I*A - 3*B)*a^3*cos(8*f*x + 8*e) + 5760*(-4*I*A - 3*B)*a^3*cos(6*f*
x + 6*e) + 8640*(-4*I*A - 3*B)*a^3*cos(4*f*x + 4*e) + 5760*(-4*I*A - 3*B)*a
^3*cos(2*f*x + 2*e) + (5760*A - 4320*I*B)*a^3*sin(8*f*x + 8*e) + (23040*A -
17280*I*B)*a^3*sin(6*f*x + 6*e) + (34560*A - 25920*I*B)*a^3*sin(4*f*x + 4*
e) + (23040*A - 17280*I*B)*a^3*sin(2*f*x + 2*e) + 1440*(-4*I*A - 3*B)*a^3)*
log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan
2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*
e), cos(2*f*x + 2*e)))) + 1) + (1440*(4*I*A + 3*B)*a^3*cos(8*f*x + 8*e) + 57
60*(4*I*A + 3*B)*a^3*cos(6*f*x + 6*e) + 8640*(4*I*A + 3*B)*a^3*cos(4*f*x +
4*e) + 5760*(4*I*A + 3*B)*a^3*cos(2*f*x + 2*e) - (5760*A - 4320*I*B)*a^3*si
n(8*f*x + 8*e) - (23040*A - 17280*I*B)*a^3*sin(6*f*x + 6*e) - (34560*A - 25
920*I*B)*a^3*sin(4*f*x + 4*e) - (23040*A - 17280*I*B)*a^3*sin(2*f*x + 2*e)
+ 1440*(4*I*A + 3*B)*a^3)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x +
2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(
1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/(f*(
-4608*I*cos(8*f*x + 8*e) - 18432*I*cos(6*f*x + 6*e) - 27648*I*cos(4*f*x + 4
*e) - 18432*I*cos(2*f*x + 2*e) + 4608*sin(8*f*x + 8*e) + 18432*sin(6*f*x +
6*e) + 27648*sin(4*f*x + 4*e) + 18432*sin(2*f*x + 2*e) - 4608*I))
```

Fricas [B] time = 1.73749, size = 1612, normalized size = 5.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e)
),x, algorithm="fricas")
```

```
[Out] 1/48*(4*((132*I*A + 147*B)*a^3*e^(6*I*f*x + 6*I*e) + (292*I*A + 219*B)*a^3*
e^(4*I*f*x + 4*I*e) + (220*I*A + 165*B)*a^3*e^(2*I*f*x + 2*I*e) + (60*I*A +
45*B)*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) +
1))*e^(I*f*x + I*e) + 3*sqrt((400*A^2 - 600*I*A*B - 225*B^2)*a^7*c/f^2)*(f
*e^(6*I*f*x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) +
f)*log(2*((80*I*A + 60*B)*a^3*e^(2*I*f*x + 2*I*e) + (80*I*A + 60*B)*a^3)*s
qrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x
```

```

+ I*e) + 2*sqrt((400*A^2 - 600*I*A*B - 225*B^2)*a^7*c/f^2)*(f*e^(2*I*f*x +
2*I*e) - f))/((20*I*A + 15*B)*a^3*e^(2*I*f*x + 2*I*e) + (20*I*A + 15*B)*a^
3)) - 3*sqrt((400*A^2 - 600*I*A*B - 225*B^2)*a^7*c/f^2)*(f*e^(6*I*f*x + 6*I
*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)*log(2*((80*I*
A + 60*B)*a^3*e^(2*I*f*x + 2*I*e) + (80*I*A + 60*B)*a^3)*sqrt(a/(e^(2*I*f*x
+ 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt(
(400*A^2 - 600*I*A*B - 225*B^2)*a^7*c/f^2)*(f*e^(2*I*f*x + 2*I*e) - f))/((2
0*I*A + 15*B)*a^3*e^(2*I*f*x + 2*I*e) + (20*I*A + 15*B)*a^3)))/(f*e^(6*I*f*
x + 6*I*e) + 3*f*e^(4*I*f*x + 4*I*e) + 3*f*e^(2*I*f*x + 2*I*e) + f)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+
e)),x)

```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(Ia \tan(fx + e) + a)^{\frac{7}{2}} \sqrt{-Ic \tan(fx + e) + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e)
),x, algorithm="giac")

```

```

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)*sqrt(-I*c*tan(f
*x + e) + c), x)

```

$$3.821 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=283

$$\frac{5a^{7/2}(4B+3iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{5a^3(4B+3iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2cf} - \frac{5a^2(4B+3iA)(a+ia \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}}$$

[Out] (5*a^(7/2)*((3*I)*A + 4*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[c]*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (5*a^3*((3*I)*A + 4*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*c*f) - (5*a^2*((3*I)*A + 4*B)*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])/(6*c*f) - (a*((3*I)*A + 4*B)*(a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]])/(3*c*f)

Rubi [A] time = 0.335987, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 50, 63, 217, 203}

$$\frac{5a^{7/2}(4B+3iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{cf}} - \frac{5a^3(4B+3iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2cf} - \frac{5a^2(4B+3iA)(a+ia \tan(e+fx))}{\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]], x]

[Out] (5*a^(7/2)*((3*I)*A + 4*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[c]*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(f*Sqrt[c - I*c*Tan[e + f*x]]) - (5*a^3*((3*I)*A + 4*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*c*f) - (5*a^2*((3*I)*A + 4*B)*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])/(6*c*f) - (a*((3*I)*A + 4*B)*(a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]])/(3*c*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[
m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))}{\sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{(a+iax)^{5/2}(A+Bx)}{(c-icx)^{3/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{(a(3A - 4iB)) \operatorname{Subst}\left(\int \frac{(a+iax)}{\sqrt{c-icx}}\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{a(3iA + 4B)(a + ia \tan(e + fx))}{3cf}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{5a^2(3iA + 4B)(a + ia \tan(e + fx))}{6cf}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{5a^3(3iA + 4B)\sqrt{a + ia \tan(e + fx)}}{2cf}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{5a^3(3iA + 4B)\sqrt{a + ia \tan(e + fx)}}{2cf}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}} - \frac{5a^3(3iA + 4B)\sqrt{a + ia \tan(e + fx)}}{2cf}$$

$$= \frac{5a^{7/2}(3iA + 4B) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{c}f} - \frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{f\sqrt{c - ic \tan(e + fx)}}$$

Mathematica [A] time = 13.4676, size = 481, normalized size = 1.7

$$\frac{\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))}}{(A - iB) \cos(2fx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/Sqrt[c - I*c*Tan[e + f*x]],x]

[Out] (5*((3*I)*A + 4*B)*Sqrt[E^(I*f*x)]*Sqrt[E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x)))]*ArcTan[E^(I*(e + f*x))]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(E^(I*(4*e + f*x))*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*f*Sec[e + f*x]^(9/2)*(Cos[f*x] + I*Sin[f*x])^(7/2)*(A*Cos[e + f*x] + B*Sin[e + f*x])) + (Cos[e + f*x]^4*((A - I*B)*Cos[2*f*x]*((-4*I)*Cos[e])/c - (4*Sin[e])/c) + Sec[e]*(16*A*Cos[e] - (24*I)*B*Cos[e] + I*A*Sin[e] + 4*B*Sin[e])*((-I/2)*Cos[3*e])/c - Sin[3*e]/(2*c)) + Sec[e + f*x]^2*((B*Cos[3*e])/(3*c) - ((I/3)*B*Sin[3*e])/c) + Sec[e]*Sec[e + f*x]*(Cos[3*e]/(2*c) - ((I/2)*Sin[3*e])/c)*(A*Sin[f*x] - (4*I)*B*Sin[f*x]) + (A - I*B)*((4*Cos[e])/c - ((4*I)*Sin[e])/c)*Sin[2*f*x]*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [B] time = 0.175, size = 627, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x)

[Out] -1/6/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3/c*(-60*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+8*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3-2*B*tan(f*x+e)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+90*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+18*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2+45*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-3*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+60*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+128*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+120*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+24*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-72*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-45*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-93*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-94*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^2/(a*c)^(1/2)

Maxima [B] time = 4.64865, size = 1794, normalized size = 6.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="maxima")
```

```
[Out] -((648*A - 1440*I*B)*a^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (1152*A - 2112*I*B)*a^3*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 72*(9*I*A + 20*B)*a^3*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 192*(6*I*A + 11*B)*a^3*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - ((540*A - 720*I*B)*a^3*cos(6*f*x + 6*e) + (1620*A - 2160*I*B)*a^3*cos(4*f*x + 4*e) + (1620*A - 2160*I*B)*a^3*cos(2*f*x + 2*e) - 180*(-3*I*A - 4*B)*a^3*sin(6*f*x + 6*e) - 540*(-3*I*A - 4*B)*a^3*sin(4*f*x + 4*e) - 540*(-3*I*A - 4*B)*a^3*sin(2*f*x + 2*e) + (540*A - 720*I*B)*a^3)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) - ((540*A - 720*I*B)*a^3*cos(6*f*x + 6*e) + (1620*A - 2160*I*B)*a^3*cos(4*f*x + 4*e) + (1620*A - 2160*I*B)*a^3*cos(2*f*x + 2*e) - 180*(-3*I*A - 4*B)*a^3*sin(6*f*x + 6*e) - 540*(-3*I*A - 4*B)*a^3*sin(4*f*x + 4*e) - 540*(-3*I*A - 4*B)*a^3*sin(2*f*x + 2*e) + (540*A - 720*I*B)*a^3)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + ((576*A - 576*I*B)*a^3*cos(6*f*x + 6*e) + (1728*A - 1728*I*B)*a^3*cos(4*f*x + 4*e) + (1728*A - 1728*I*B)*a^3*cos(2*f*x + 2*e) + 576*(I*A + B)*a^3*sin(6*f*x + 6*e) + 1728*(I*A + B)*a^3*sin(4*f*x + 4*e) + 1728*(I*A + B)*a^3*sin(2*f*x + 2*e)) + (1080*A - 1440*I*B)*a^3*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (90*(-3*I*A - 4*B)*a^3*cos(6*f*x + 6*e) + 270*(-3*I*A - 4*B)*a^3*cos(4*f*x + 4*e) + 270*(-3*I*A - 4*B)*a^3*cos(2*f*x + 2*e) + (270*A - 360*I*B)*a^3*sin(6*f*x + 6*e) + (810*A - 1080*I*B)*a^3*sin(4*f*x + 4*e) + (810*A - 1080*I*B)*a^3*sin(2*f*x + 2*e) + 90*(-3*I*A - 4*B)*a^3)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (90*(3*I*A + 4*B)*a^3*cos(6*f*x + 6*e) + 270*(3*I*A + 4*B)*a^3*cos(4*f*x + 4*e) + 270*(3*I*A + 4*B)*a^3*cos(2*f*x + 2*e) - (270*A - 360*I*B)*a^3*sin(6*f*x + 6*e) - (810*A - 1080*I*B)*a^3*sin(4*f*x + 4*e) - (810*A - 1080*I*B)*a^3*sin(2*f*x + 2*e) + 90*(3*I*A + 4*B)*a^3)*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (576*(I*A + B)*a^3*cos(6*f*x + 6*e) + 1728*(I*A + B)*a^3*cos(4*f*x + 4*e) + 1728*(I*A + B)*a^3*cos(2*f*x + 2*e) - (576*A - 576*I*B)*a^3*sin(6*f*x + 6*e) - (1728*A - 1728*I*B)*a^3*sin(4*f*x + 4*e) - (1728*A - 1728*I*B)*a^3*sin(2*f*x + 2*e) + 360*(3*I*A + 4*B)*a^3)*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)*sqrt(c)/((-72*I*c*cos(6*f*x + 6*e) - 216*I*c*cos(4*f*x + 4*e) - 216*I*c*cos(2*f*x + 2*e) + 72*c*sin(6*f*x + 6*e) + 216*c*sin(4*f*x + 4*e) + 216*c*sin(2*f*x + 2*e) - 72*I*c)*f)
```

Fricas [B] time = 1.5423, size = 1557, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="fricas")
```

```
[Out] 1/12*(2*((-48*I*A - 48*B)*a^3*e^(6*I*f*x + 6*I*e) + (-198*I*A - 264*B)*a^3*e^(4*I*f*x + 4*I*e) + (-240*I*A - 320*B)*a^3*e^(2*I*f*x + 2*I*e) + (-90*I*A - 120*B)*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 3*sqrt((225*A^2 - 600*I*A*B - 400*B^2)*a^7/(c*f^2))*((c*f*e^(4*I*f*x + 4*I*e) + 2*c*f*e^(2*I*f*x + 2*I*e) + c*f)*log(2*((60*I*A + 80*B)*a^3*e^(2*I*f*x + 2*I*e) + (60*I*A + 80*B)*a^3)*sqrt(a/(e^(2*I*f
```

```
*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*sqrt((225*A^2 - 600*I*A*B - 400*B^2)*a^7/(c*f^2))*(c*f*e^(2*I*f*x + 2*I*e) - c*f)/((15*I*A + 20*B)*a^3*e^(2*I*f*x + 2*I*e) + (15*I*A + 20*B)*a^3)) + 3*sqrt((225*A^2 - 600*I*A*B - 400*B^2)*a^7/(c*f^2))*(c*f*e^(4*I*f*x + 4*I*e) + 2*c*f*e^(2*I*f*x + 2*I*e) + c*f)*log(2*(((60*I*A + 80*B)*a^3*e^(2*I*f*x + 2*I*e) + (60*I*A + 80*B)*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*sqrt((225*A^2 - 600*I*A*B - 400*B^2)*a^7/(c*f^2))*(c*f*e^(2*I*f*x + 2*I*e) - c*f)/((15*I*A + 20*B)*a^3*e^(2*I*f*x + 2*I*e) + (15*I*A + 20*B)*a^3)))/(c*f*e^(4*I*f*x + 4*I*e) + 2*c*f*e^(2*I*f*x + 2*I*e) + c*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{\sqrt{-i c \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/sqrt(-I*c*tan(f*x + e) + c), x)
```


$$3.822 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=285

$$\frac{5a^{7/2}(5B+2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{3/2}f} + \frac{5a^3(5B+2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2c^2f} + \frac{5a^2(5B+2iA)}{c}$$

[Out] $(-5*a^{(7/2)}*((2*I)*A + 5*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(c^{(3/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(7/2)})/(3*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a*((2*I)*A + 5*B)*(a + I*a*Tan[e + f*x])^{(5/2)})/(3*c*f*Sqrt[c - I*c*Tan[e + f*x]]) + (5*a^3*((2*I)*A + 5*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*c^2*f) + (5*a^2*((2*I)*A + 5*B)*(a + I*a*Tan[e + f*x])^{(3/2)}*Sqrt[c - I*c*Tan[e + f*x]])/(6*c^2*f)$

Rubi [A] time = 0.34433, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$\frac{5a^{7/2}(5B+2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{3/2}f} + \frac{5a^3(5B+2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2c^2f} + \frac{5a^2(5B+2iA)}{c}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(3/2), x]

[Out] $(-5*a^{(7/2)}*((2*I)*A + 5*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(c^{(3/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(7/2)})/(3*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a*((2*I)*A + 5*B)*(a + I*a*Tan[e + f*x])^{(5/2)})/(3*c*f*Sqrt[c - I*c*Tan[e + f*x]]) + (5*a^3*((2*I)*A + 5*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*c^2*f) + (5*a^2*((2*I)*A + 5*B)*(a + I*a*Tan[e + f*x])^{(3/2)}*Sqrt[c - I*c*Tan[e + f*x]])/(6*c^2*f)$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

Maple [B] time = 0.115, size = 731, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(f*x+e))^{7/2}*(A+B*\tan(f*x+e))/(c-I*c*\tan(f*x+e))^{3/2}, x)$

[Out] $\frac{1}{6}f*(a*(1+I*\tan(f*x+e)))^{1/2}*(-c*(-1+I*\tan(f*x+e)))^{1/2}*a^3/c^2*(6*I*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^3-114*I*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)-75*I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)^3*a*c-118*I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}+30*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)^3*a*c+3*I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^4+185*I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^2+225*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)^2*a*c+21*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)^3+225*I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)*a*c-30*I*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c-90*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)*a*c-74*A*\tan(f*x+e)^2*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}+90*I*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)^2*a*c-75*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c-279*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)+46*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/(\tan(f*x+e)+I)^3/(a*c)^{1/2}/(a*c*(1+\tan(f*x+e)^2))^{1/2}$

Maxima [B] time = 3.24362, size = 1598, normalized size = 5.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(f*x+e))^{7/2}*(A+B*\tan(f*x+e))/(c-I*c*\tan(f*x+e))^{3/2}, x, \text{algorithm}="maxima")$

[Out] $-(((120*A - 300*I*B)*a^3*\cos(4*f*x + 4*e) + (240*A - 600*I*B)*a^3*\cos(2*f*x + 2*e) - 60*(-2*I*A - 5*B)*a^3*\sin(4*f*x + 4*e) - 120*(-2*I*A - 5*B)*a^3*\sin(2*f*x + 2*e) + (120*A - 300*I*B)*a^3)*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + (((120*A - 300*I*B)*a^3*\cos(4*f*x + 4*e) + (240*A - 600*I*B)*a^3*\cos(2*f*x + 2*e) - 60*(-2*I*A - 5*B)*a^3*\sin(4*f*x + 4*e) - 120*(-2*I*A - 5*B)*a^3*\sin(2*f*x + 2*e) + (120*A - 300*I*B)*a^3)*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), -\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))) + 1) + ((32*A - 32*I*B)*a^3*\cos(4*f*x + 4*e) + (64*A - 64*I*B)*a^3*\cos(2*f*x + 2*e) - 32*(-I*A - B)*a^3*\sin(4*f*x + 4*e) - 64*(-I*A - B)*a^3*\sin(2*f*x + 2*e) - (16*A - 232*I*B)*a^3)*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - ((192*A - 384*I*B)*a^3*\cos(4*f*x + 4*e) + (384*A - 768*I*B)*a^3*\cos(2*f*x + 2*e) + 192*(I*A + 2*B)*a^3*\sin(4*f*x + 4*e) + 384*(I*A + 2*B)*a^3*\sin(2*f*x + 2*e) + (240*A - 600*I*B)*a^3)*\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (30*(-2*I*A - 5*B)*a^3*\cos(4*f*x + 4*e) + 60*(-2*I*A - 5*B)*a^3*\cos(2*f*x + 2*e) + (60*A - 150*I*B)*a^3*\sin(4*f*x + 4*e) + (120*A - 300*I*B)*a^3*\sin(2*f*x + 2*e) + 30*(-2*I*A - 5*B)*a^3)*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))$

$$\begin{aligned}
& x + 2e), \cos(2fx + 2e))) + 1) - (30(2IA + 5B)a^3\cos(4fx + 4e) \\
& + 60(2IA + 5B)a^3\cos(2fx + 2e) - (60A - 150IB)a^3\sin(4fx + \\
& 4e) - (120A - 300IB)a^3\sin(2fx + 2e) + 30(2IA + 5B)a^3)\log(\cos(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e)))^2 + \sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e)))^2 - 2\sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) + 1) - (32(-IA - B)a^3\cos(4fx + 4e) + 64(-IA - B)a^3\cos(2fx + 2e) + (32A - 32IB)a^3\sin(4fx + 4e) + (64A - 64IB)a^3\sin(2fx + 2e) + 8(2IA + 29B)a^3)\sin(3/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))) - (192(IA + 2B)a^3\cos(4fx + 4e) + 384(IA + 2B)a^3\cos(2fx + 2e) - (192A - 384IB)a^3\sin(4fx + 4e) - (384A - 768IB)a^3\sin(2fx + 2e) + 120(2IA + 5B)a^3)\sin(1/2\arctan2(\sin(2fx + 2e), \cos(2fx + 2e))))\sqrt{a}\sqrt{c}/((-24Ic^2\cos(4fx + 4e) - 48Ic^2\cos(2fx + 2e) + 24c^2\sin(4fx + 4e) + 48c^2\sin(2fx + 2e) - 24Ic^2)f)
\end{aligned}$$

Fricas [B] time = 1.65747, size = 1477, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*(2*((-8*I*A - 8*B)*a^3*e^(6*I*f*x + 6*I*e) + (32*I*A + 80*B)*a^3*e^(4*I*f*x + 4*I*e) + (100*I*A + 250*B)*a^3*e^(2*I*f*x + 2*I*e) + (60*I*A + 150*B)*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 3*(c^2*f*e^(2*I*f*x + 2*I*e) + c^2*f)*sqrt(((100*A^2 - 500*I*A*B - 625*B^2)*a^7/(c^3*f^2))*log(2*(((40*I*A + 100*B)*a^3*e^(2*I*f*x + 2*I*e) + (40*I*A + 100*B)*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + 2*(c^2*f*e^(2*I*f*x + 2*I*e) - c^2*f)*sqrt(((100*A^2 - 500*I*A*B - 625*B^2)*a^7/(c^3*f^2))))/((10*I*A + 25*B)*a^3*e^(2*I*f*x + 2*I*e) + (10*I*A + 25*B)*a^3)) - 3*(c^2*f*e^(2*I*f*x + 2*I*e) + c^2*f)*sqrt(((100*A^2 - 500*I*A*B - 625*B^2)*a^7/(c^3*f^2))*log(2*(((40*I*A + 100*B)*a^3*e^(2*I*f*x + 2*I*e) + (40*I*A + 100*B)*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - 2*(c^2*f*e^(2*I*f*x + 2*I*e) - c^2*f)*sqrt(((100*A^2 - 500*I*A*B - 625*B^2)*a^7/(c^3*f^2))))/((10*I*A + 25*B)*a^3*e^(2*I*f*x + 2*I*e) + (10*I*A + 25*B)*a^3)))/(c^2*f*e^(2*I*f*x + 2*I*e) + c^2*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-i c \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(3/2), x)

$$3.823 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=283

$$\frac{2a^{7/2}(6B+iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{5/2}f} - \frac{a^3(6B+iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{c^3f} - \frac{2a^2(6B+iA)(a+ia \tan(e+fx))}{3c^2f\sqrt{c-ic \tan(e+fx)}}$$

[Out] (2*a^(7/2)*(I*A + 6*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(c^(5/2)*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (2*a*(I*A + 6*B)*(a + I*a*Tan[e + f*x])^(5/2))/(15*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*a^2*(I*A + 6*B)*(a + I*a*Tan[e + f*x])^(3/2))/(3*c^2*f*Sqrt[c - I*c*Tan[e + f*x]]) - (a^3*(I*A + 6*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c^3*f)

Rubi [A] time = 0.347681, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$\frac{2a^{7/2}(6B+iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{5/2}f} - \frac{a^3(6B+iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{c^3f} - \frac{2a^2(6B+iA)(a+ia \tan(e+fx))}{3c^2f\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(5/2), x]

[Out] (2*a^(7/2)*(I*A + 6*B)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(c^(5/2)*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(5*f*(c - I*c*Tan[e + f*x])^(5/2)) + (2*a*(I*A + 6*B)*(a + I*a*Tan[e + f*x])^(5/2))/(15*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*a^2*(I*A + 6*B)*(a + I*a*Tan[e + f*x])^(3/2))/(3*c^2*f*Sqrt[c - I*c*Tan[e + f*x]]) - (a^3*(I*A + 6*B)*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(c^3*f)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

Maple [B] time = 0.121, size = 833, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x)
```

```
[Out] -1/15/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3/c^3*(-9
0*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1
/2))*tan(f*x+e)^4*a*c-474*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(
f*x+e)+15*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a
*c)^(1/2))*tan(f*x+e)^4*a*c+540*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2
))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+246*I*B*(a*c*(1+tan(f*x
+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3+360*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan
(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^3*a*c+15*B*tan(f*x+e
)^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+60*I*A*ln((a*c*tan(f*x+e)+(a*c
*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^3*a*c-60*I*A*
ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*t
an(f*x+e)*a*c-90*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1
/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-46*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))
^(1/2)*(a*c)^(1/2)-90*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(
a*c)^(1/2))/(a*c)^(1/2))*a*c+26*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2
)-360*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(
1/2))*tan(f*x+e)*a*c-564*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)
^(1/2)-94*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2+15*A*ln
((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c
+74*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+141*B*(a*c)^(1/2
)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(tan(f*x+e)+I)^
4/(a*c)^(1/2)
```

Maxima [B] time = 2.68146, size = 1315, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2
),x, algorithm="maxima")
```

```
[Out] (((450*A - 2700*I*B)*a^3*cos(2*f*x + 2*e) - 450*(-I*A - 6*B)*a^3*sin(2*f*x
+ 2*e) + (450*A - 2700*I*B)*a^3)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e),
cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) +
1) + ((450*A - 2700*I*B)*a^3*cos(2*f*x + 2*e) - 450*(-I*A - 6*B)*a^3*sin(2*
f*x + 2*e) + (450*A - 2700*I*B)*a^3)*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*
e), cos(2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)
)) + 1) - ((180*A - 180*I*B)*a^3*cos(2*f*x + 2*e) + 180*(I*A + B)*a^3*sin(2
*f*x + 2*e) + (180*A - 180*I*B)*a^3)*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(
2*f*x + 2*e))) + ((300*A - 900*I*B)*a^3*cos(2*f*x + 2*e) - 300*(-I*A - 3*B)
*a^3*sin(2*f*x + 2*e) + (300*A - 900*I*B)*a^3)*cos(3/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) - ((900*A - 4500*I*B)*a^3*cos(2*f*x + 2*e) + 900*(
I*A + 5*B)*a^3*sin(2*f*x + 2*e) + (900*A - 5400*I*B)*a^3)*cos(1/2*arctan2(s
in(2*f*x + 2*e), cos(2*f*x + 2*e))) - (225*(-I*A - 6*B)*a^3*cos(2*f*x + 2*e
) + (225*A - 1350*I*B)*a^3*sin(2*f*x + 2*e) + 225*(-I*A - 6*B)*a^3)*log(cos
(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2
*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos
```

$(2fx + 2e))) + 1) - (225(IA + 6B)a^3 \cos(2fx + 2e) - (225A - 1350IB)a^3 \sin(2fx + 2e) + 225(IA + 6B)a^3) \log(\cos(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))^2 + \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))^2 - 2 \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))) + 1) - (180(IA + B)a^3 \cos(2fx + 2e) - (180A - 180IB)a^3 \sin(2fx + 2e) + 180(IA + B)a^3) \sin(5/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))) - (300(-IA - 3B)a^3 \cos(2fx + 2e) + (300A - 900IB)a^3 \sin(2fx + 2e) + 300(-IA - 3B)a^3) \sin(3/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e))) - (900(IA + 5B)a^3 \cos(2fx + 2e) - (900A - 4500IB)a^3 \sin(2fx + 2e) + 900(IA + 6B)a^3) \sin(1/2 \arctan 2(\sin(2fx + 2e), \cos(2fx + 2e)))) \sqrt{a} \sqrt{c} / ((-450Ic^3 \cos(2fx + 2e) + 450c^3 \sin(2fx + 2e) - 450Ic^3) f)$

Fricas [B] time = 1.69032, size = 1311, normalized size = 4.63

$$15c^3 \sqrt{\frac{(4A^2 - 48iAB - 144B^2)a^7}{c^5 f^2}} f \log \left(\frac{2 \left((4iA + 24B)a^3 e^{(2ifx + 2ie)} + (4iA + 24B)a^3 \right) \sqrt{\frac{a}{e^{(2ifx + 2ie)} + 1}} \sqrt{\frac{c}{e^{(2ifx + 2ie)} + 1}} e^{(ifx + ie)} + (c^3 f e^{(2ifx + 2ie)} - c^3 f)}{(iA + 6B)a^3 e^{(2ifx + 2ie)} + (iA + 6B)a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] $-1/60*(15c^3 \sqrt{(4A^2 - 48iAB - 144B^2)a^7/(c^5 f^2)}) f \log(2 * (((4IA + 24B)a^3 e^{(2Ifx + 2Ie)} + (4IA + 24B)a^3) \sqrt{a/(e^{(2Ifx + 2Ie)} + 1)}) \sqrt{c/(e^{(2Ifx + 2Ie)} + 1)} e^{(Ifx + Ie)} + (c^3 f e^{(2Ifx + 2Ie)} - c^3 f) \sqrt{(4A^2 - 48iAB - 144B^2)a^7/(c^5 f^2)})) / ((IA + 6B)a^3 e^{(2Ifx + 2Ie)} + (IA + 6B)a^3) - 15c^3 \sqrt{(4A^2 - 48iAB - 144B^2)a^7/(c^5 f^2)} f \log(2 * (((4IA + 24B)a^3 e^{(2Ifx + 2Ie)} + (4IA + 24B)a^3) \sqrt{a/(e^{(2Ifx + 2Ie)} + 1)}) \sqrt{c/(e^{(2Ifx + 2Ie)} + 1)} e^{(Ifx + Ie)} - (c^3 f e^{(2Ifx + 2Ie)} - c^3 f) \sqrt{(4A^2 - 48iAB - 144B^2)a^7/(c^5 f^2)})) / ((IA + 6B)a^3 e^{(2Ifx + 2Ie)} + (IA + 6B)a^3) - 2 * ((-12IA - 12B)a^3 e^{(6Ifx + 6Ie)} + (8IA + 48B)a^3 e^{(4Ifx + 4Ie)} + (-40IA - 240B)a^3 e^{(2Ifx + 2Ie)} + (-60IA - 360B)a^3) \sqrt{a/(e^{(2Ifx + 2Ie)} + 1)}) \sqrt{c/(e^{(2Ifx + 2Ie)} + 1)} e^{(Ifx + Ie)} / (c^3 f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-i c \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(5/2), x)

$$3.824 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{7/2}} dx$$

Optimal. Leaf size=251

$$-\frac{2a^{7/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{7/2}f} + \frac{2a^3B\sqrt{a+ia \tan(e+fx)}}{c^3f\sqrt{c-ic \tan(e+fx)}} - \frac{2a^2B(a+ia \tan(e+fx))^{3/2}}{3c^2f(c-ic \tan(e+fx))^{3/2}} - \frac{(B+ia)(a+ia \tan(e+fx))^{5/2}}{7f(c-ic \tan(e+fx))^{5/2}}$$

[Out] $(-2*a^{(7/2)}*B*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(c^{(7/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(7/2)})/(7*f*(c - I*c*Tan[e + f*x])^{(7/2)}) + (2*a*B*(a + I*a*Tan[e + f*x])^{(5/2)})/(5*c*f*(c - I*c*Tan[e + f*x])^{(5/2)}) - (2*a^2*B*(a + I*a*Tan[e + f*x])^{(3/2)})/(3*c^2*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a^3*B*Sqrt[a + I*a*Tan[e + f*x]])/(c^3*f*Sqrt[c - I*c*Tan[e + f*x]])$

Rubi [A] time = 0.315253, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 47, 63, 217, 203}

$$-\frac{2a^{7/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{7/2}f} + \frac{2a^3B\sqrt{a+ia \tan(e+fx)}}{c^3f\sqrt{c-ic \tan(e+fx)}} - \frac{2a^2B(a+ia \tan(e+fx))^{3/2}}{3c^2f(c-ic \tan(e+fx))^{3/2}} - \frac{(B+ia)(a+ia \tan(e+fx))^{5/2}}{7f(c-ic \tan(e+fx))^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + I*a*\text{Tan}[e + f*x])^{(7/2)}*(A + B*\text{Tan}[e + f*x])]/(c - I*c*\text{Tan}[e + f*x])^{(7/2)}, x]$

[Out] $(-2*a^{(7/2)}*B*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(c^{(7/2)}*f) - ((I*A + B)*(a + I*a*Tan[e + f*x])^{(7/2)})/(7*f*(c - I*c*Tan[e + f*x])^{(7/2)}) + (2*a*B*(a + I*a*Tan[e + f*x])^{(5/2)})/(5*c*f*(c - I*c*Tan[e + f*x])^{(5/2)}) - (2*a^2*B*(a + I*a*Tan[e + f*x])^{(3/2)})/(3*c^2*f*(c - I*c*Tan[e + f*x])^{(3/2)}) + (2*a^3*B*Sqrt[a + I*a*Tan[e + f*x]])/(c^3*f*Sqrt[c - I*c*Tan[e + f*x]])$

Rule 3588

$\text{Int}[(a + b*\text{tan}[(e + f*x)])^{(m)}*((A + B*\text{tan}[(e + f*x)])^{(n)}), x_Symbol] := \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x_Symbol] := -\text{Simp}[(b*e - a*f)*(c + d*x)^{(n+1)}*(e + f*x)^{(p+1)}/(f*(p+1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n+1) - b*(d*e*(n+1) + c*f*(p+1))]/(f*(p+1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 47

$\text{Int}[(a + b*x)^m*(c + d*x)^n, x_Symbol] := \text{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^n/(b*(m+1)), x] - \text{Dist}[(d*n)/(b*(m+1)), \text{Int}[(a + b*x)^m*(c + d*x)^n, x], x]$

```

nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
  NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 203

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt
[a, 2]]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{7/2}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(a+iax)^{5/2}(A+Bx)}{(c-icx)^{9/2}} dx, x, \tan(e + fx)\right)}{f} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{(iaB) \operatorname{Subst}\left(\int \frac{(a+iax)^{5/2}}{(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{f} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{2aB(a + ia \tan(e + fx))^{5/2}}{5cf(c - ic \tan(e + fx))^{5/2}} - \frac{(ia^2)}{3c^2} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{2aB(a + ia \tan(e + fx))^{5/2}}{5cf(c - ic \tan(e + fx))^{5/2}} - \frac{2a^2}{3c^2} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{2aB(a + ia \tan(e + fx))^{5/2}}{5cf(c - ic \tan(e + fx))^{5/2}} - \frac{2a^2}{3c^2} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{2aB(a + ia \tan(e + fx))^{5/2}}{5cf(c - ic \tan(e + fx))^{5/2}} - \frac{2a^2}{3c^2} \\
&= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} + \frac{2aB(a + ia \tan(e + fx))^{5/2}}{5cf(c - ic \tan(e + fx))^{5/2}} - \frac{2a^2}{3c^2} \\
&= -\frac{2a^{7/2}B \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{c^{7/2}f} - \frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{7f(c - ic \tan(e + fx))^{7/2}} +
\end{aligned}$$

Mathematica [B] time = 17.5833, size = 570, normalized size = 2.27

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left((9B - 5iA) \cos(6$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(7/2), x]

[Out] $(-2*B*\text{Sqrt}[E^{(I*f*x)}]*\text{Sqrt}[E^{(I*(e + f*x))}/(1 + E^{((2*I)*(e + f*x))})]*\text{ArcTan}[E^{(I*(e + f*x))}*(a + I*a*\text{Tan}[e + f*x])^{(7/2)}*(A + B*\text{Tan}[e + f*x])]/(c^3 * E^{(I*(4*e + f*x))}*\text{Sqrt}[c/(1 + E^{((2*I)*(e + f*x))})]*f*\text{Sec}[e + f*x]^{(9/2)}*(\text{Cos}[f*x] + I*\text{Sin}[f*x])^{(7/2)}*(A*\text{Cos}[e + f*x] + B*\text{Sin}[e + f*x])) + (\text{Cos}[e + f*x]^{(4)}*((B*\text{Cos}[3*e])/c^4 + \text{Cos}[4*f*x]*((-2*B*\text{Cos}[e])/(15*c^4) - (((2*I)/15)*B*\text{Sin}[e])/c^4) + \text{Cos}[2*f*x]*((2*B*\text{Cos}[e])/(3*c^4) - (((2*I)/3)*B*\text{Sin}[e])/c^4) - (I*B*\text{Sin}[3*e])/c^4 + ((-5*I)*A + 9*B)*\text{Cos}[6*f*x]*(\text{Cos}[3*e]/(70*c^4) + ((I/70)*\text{Sin}[3*e])/c^4) + (A - I*B)*\text{Cos}[8*f*x]*((-I/14)*\text{Cos}[5*e])/c^4 + \text{Sin}[5*e]/(14*c^4) + (((2*I)/3)*B*\text{Cos}[e])/c^4 + (2*B*\text{Sin}[e])/(3*c^4))*\text{Sin}[2*f*x] + ((((-2*I)/15)*B*\text{Cos}[e])/c^4 + (2*B*\text{Sin}[e])/(15*c^4))*\text{Sin}[4*f*x] + (5*A + (9*I)*B)*(\text{Cos}[3*e]/(70*c^4) + ((I/70)*\text{Sin}[3*e])/c^4)*\text{Sin}[6*f*x] + (A - I*B)*(\text{Cos}[5*e]/(14*c^4) + ((I/14)*\text{Sin}[5*e])/c^4)*\text{Sin}[8*f*x])*\text{Sqrt}[\text{Sec}[e + f*x]*(c*\text{Cos}[e + f*x] - I*c*\text{Sin}[e + f*x])]*(a + I*a*\text{Tan}[e + f*x])^{(7/2)}*(A + B*\text{Tan}[e + f*x])]/(f*(\text{Cos}[f*x] + I*\text{Sin}[f*x])^3*(A*\text{Cos}[e + f*x] + B*\text{Sin}[e + f*x]))$

Maple [B] time = 0.117, size = 638, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2), x)

[Out] $1/105/f*(a*(1+I*\text{tan}(f*x+e)))^{(1/2)}*(-c*(-1+I*\text{tan}(f*x+e)))^{(1/2)}*a^3/c^4*(-105*I*B*\ln((a*c*\text{tan}(f*x+e)+(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c)^{(1/2))*\text{tan}(f*x+e)^5*a*c+1050*I*B*\ln((a*c*\text{tan}(f*x+e)+(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c)^{(1/2))*\text{tan}(f*x+e)^3*a*c+337*I*B*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\text{tan}(f*x+e)^4+525*B*\ln((a*c*\text{tan}(f*x+e)+(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c)^{(1/2))*\text{tan}(f*x+e)^4*a*c+30*I*A*\text{tan}(f*x+e)^3*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}-15*A*\text{tan}(f*x+e)^4*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}-525*I*B*\ln((a*c*\text{tan}(f*x+e)+(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c)^{(1/2))*\text{tan}(f*x+e)*a*c-1176*I*B*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\text{tan}(f*x+e)^2-1050*B*\ln((a*c*\text{tan}(f*x+e)+(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c)^{(1/2))*\text{tan}(f*x+e)^2*a*c-950*B*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\text{tan}(f*x+e)^3+30*I*A*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\text{tan}(f*x+e)+167*I*B*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}+105*B*\ln((a*c*\text{tan}(f*x+e)+(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c)^{(1/2))*a*c+730*B*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\text{tan}(f*x+e)+15*A*(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2))}/(a*c*(1+\text{tan}(f*x+e)^2))^{(1/2)}/(\text{tan}(f*x+e)+I)^5/(a*c)^{(1/2)}$

Maxima [A] time = 2.57147, size = 335, normalized size = 1.33

$$\left(210 B a^3 \arctan(\cos(fx + e), \sin(fx + e) + 1) + 210 B a^3 \arctan(\cos(fx + e), -\sin(fx + e) + 1) - 30(-iA - B)a^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="maxima")

[Out] -1/210*(210*B*a^3*arctan2(cos(f*x + e), sin(f*x + e) + 1) + 210*B*a^3*arctan2(cos(f*x + e), -sin(f*x + e) + 1) - 30*(-I*A - B)*a^3*cos(7*f*x + 7*e) - 84*B*a^3*cos(5*f*x + 5*e) + 140*B*a^3*cos(3*f*x + 3*e) - 420*B*a^3*cos(f*x + e) + 105*I*B*a^3*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 105*I*B*a^3*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) - (30*A - 30*I*B)*a^3*sin(7*f*x + 7*e) - 84*I*B*a^3*sin(5*f*x + 5*e) + 140*I*B*a^3*sin(3*f*x + 3*e) - 420*I*B*a^3*sin(f*x + e))*sqrt(a)/(c^(7/2)*f)

Fricas [B] time = 1.46666, size = 1075, normalized size = 4.28

$$105 c^4 f \sqrt{-\frac{B^2 a^7}{c^7 f^2}} \log \left(\frac{4 \left(2 \left(B a^3 e^{(2i f x + 2i e)} + B a^3 \right) \sqrt{\frac{a}{e^{(2i f x + 2i e)} + 1}} \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} e^{(i f x + i e)} + \left(c^4 f e^{(2i f x + 2i e)} - c^4 f \right) \sqrt{-\frac{B^2 a^7}{c^7 f^2}} \right)}{B a^3 e^{(2i f x + 2i e)} + B a^3} \right) - 105 c^4 f \sqrt{-\frac{B^2 a^7}{c^7 f^2}} \log \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="fricas")

[Out] 1/210*(105*c^4*f*sqrt(-B^2*a^7/(c^7*f^2))*log(4*(2*(B*a^3*e^(2*I*f*x + 2*I*e) + B*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (c^4*f*e^(2*I*f*x + 2*I*e) - c^4*f)*sqrt(-B^2*a^7/(c^7*f^2)))/(B*a^3*e^(2*I*f*x + 2*I*e) + B*a^3)) - 105*c^4*f*sqrt(-B^2*a^7/(c^7*f^2))*log(4*(2*(B*a^3*e^(2*I*f*x + 2*I*e) + B*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (c^4*f*e^(2*I*f*x + 2*I*e) - c^4*f)*sqrt(-B^2*a^7/(c^7*f^2)))/(B*a^3*e^(2*I*f*x + 2*I*e) + B*a^3)) + ((-30*I*A - 30*B)*a^3*e^(8*I*f*x + 8*I*e) + (-30*I*A + 54*B)*a^3*e^(6*I*f*x + 6*I*e) - 56*B*a^3*e^(4*I*f*x + 4*I*e) + 280*B*a^3*e^(2*I*f*x + 2*I*e) + 420*B*a^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))/(c^4*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-ic \tan(fx + e) + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(7/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(7/2), x)

$$3.825 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{9/2}} dx$$

Optimal. Leaf size=102

$$-\frac{(-8B+iA)(a+ia \tan(e+fx))^{7/2}}{63cf(c-ic \tan(e+fx))^{7/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{7/2}}{9f(c-ic \tan(e+fx))^{9/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(9*f*(c - I*c*Tan[e + f*x])^(9/2)) - ((I*A - 8*B)*(a + I*a*Tan[e + f*x])^(7/2))/(63*c*f*(c - I*c*Tan[e + f*x])^(7/2))

Rubi [A] time = 0.228282, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$-\frac{(-8B+iA)(a+ia \tan(e+fx))^{7/2}}{63cf(c-ic \tan(e+fx))^{7/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{7/2}}{9f(c-ic \tan(e+fx))^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(9/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(9*f*(c - I*c*Tan[e + f*x])^(9/2)) - ((I*A - 8*B)*(a + I*a*Tan[e + f*x])^(7/2))/(63*c*f*(c - I*c*Tan[e + f*x])^(7/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 37

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{9/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{5/2} (A+Bx)}{(c-icx)^{11/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{9f(c - ic \tan(e + fx))^{9/2}} + \frac{(a(A + 8iB)) \operatorname{Subst} \left(\int \frac{(a+iax)^{5/2}}{(c-icx)^{9/2}} dx, x, \tan(e + fx) \right)}{9f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{9f(c - ic \tan(e + fx))^{9/2}} - \frac{(iA - 8B)(a + ia \tan(e + fx))^{7/2}}{63cf(c - ic \tan(e + fx))^{7/2}}$$

Mathematica [B] time = 13.7657, size = 335, normalized size = 3.28

$$\frac{\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left((B - iA) \cos(6fx) \right)}{}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(9/2), x]

[Out] (Cos[e + f*x]^4*((-I)*A + B)*Cos[6*f*x]*(Cos[3*e]/(28*c^5) + ((I/28)*Sin[3*e])/c^5) + ((-8*I)*A + B)*Cos[8*f*x]*(Cos[5*e]/(126*c^5) + ((I/126)*Sin[5*e])/c^5) + (A - I*B)*Cos[10*f*x]*(((I/36)*Cos[7*e])/c^5 + Sin[7*e]/(36*c^5)) + (A + I*B)*(Cos[3*e]/(28*c^5) + ((I/28)*Sin[3*e])/c^5)*Sin[6*f*x] + (8*A + I*B)*(Cos[5*e]/(126*c^5) + ((I/126)*Sin[5*e])/c^5)*Sin[8*f*x] + (A - I*B)*(Cos[7*e]/(36*c^5) + ((I/36)*Sin[7*e])/c^5)*Sin[10*f*x]*Sqrt[Sec[e + f*x]*(c*cos[e + f*x] - I*c*sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*SIN[f*x])^3*(A*cos[e + f*x] + B*sin[e + f*x]))

Maple [A] time = 0.114, size = 134, normalized size = 1.3

$$\frac{a^3 \left(1 + (\tan(fx + e))^2 \right) \left(8iB (\tan(fx + e))^3 + 6iA (\tan(fx + e))^2 + A (\tan(fx + e))^3 - 6iB \tan(fx + e) + 15B \right)}{63fc^5 (\tan(fx + e) + i)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2), x)

[Out] -1/63/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3/c^5*(1+tan(f*x+e)^2)*(8*I*B*tan(f*x+e)^3+6*I*A*tan(f*x+e)^2+A*tan(f*x+e)^3-6*I*B*tan(f*x+e)+15*B*tan(f*x+e)^2-8*I*A+15*A*tan(f*x+e)+B)/(tan(f*x+e)+I)^6

Maxima [B] time = 2.76656, size = 225, normalized size = 2.21

$$\frac{\left((882A - 882iB)a^3 \cos(11fx + 11e) + (2016A + 252iB)a^3 \cos(9fx + 9e) + (1134A + 1134iB)a^3 \cos(7fx + 7e) \right)}{(-15876ic^5 \cos(2fx + 2e) + 15876ic^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="maxima")

[Out] -((882*A - 882*I*B)*a^3*cos(11*f*x + 11*e) + (2016*A + 252*I*B)*a^3*cos(9*f*x + 9*e) + (1134*A + 1134*I*B)*a^3*cos(7*f*x + 7*e) - 882*(-I*A - B)*a^3*sin(11*f*x + 11*e) - 252*(-8*I*A + B)*a^3*sin(9*f*x + 9*e) - 1134*(-I*A + B)*a^3*sin(7*f*x + 7*e))*sqrt(a)*sqrt(c)/((-15876*I*c^5*cos(2*f*x + 2*e) + 15876*c^5*sin(2*f*x + 2*e) - 15876*I*c^5)*f)

Fricas [A] time = 1.41371, size = 304, normalized size = 2.98

$$\frac{\left((-7iA - 7B)a^3e^{(10ifx+10ie)} + (-16iA + 2B)a^3e^{(8ifx+8ie)} + (-9iA + 9B)a^3e^{(6ifx+6ie)}\right)\sqrt{\frac{a}{e^{(2ifx+2ie)}+1}}\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}e^{(ifx+ie)}}{126c^5f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="fricas")

[Out] 1/126*((-7*I*A - 7*B)*a^3*e^(10*I*f*x + 10*I*e) + (-16*I*A + 2*B)*a^3*e^(8*I*f*x + 8*I*e) + (-9*I*A + 9*B)*a^3*e^(6*I*f*x + 6*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^5*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan (fx + e) + A)(ia \tan (fx + e) + a)^{\frac{7}{2}}}{(-ic \tan (fx + e) + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(9/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(9/2), x)

$$3.826 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{11/2}} dx$$

Optimal. Leaf size=155

$$\frac{(-9B+2iA)(a+ia \tan(e+fx))^{7/2}}{693c^2f(c-ic \tan(e+fx))^{7/2}} - \frac{(-9B+2iA)(a+ia \tan(e+fx))^{7/2}}{99cf(c-ic \tan(e+fx))^{9/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{7/2}}{11f(c-ic \tan(e+fx))^{11/2}}$$

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(11*f*(c - I*c*Tan[e + f*x])^(11/2)) - (((2*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(7/2))/(99*c*f*(c - I*c*Tan[e + f*x])^(9/2)) - (((2*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(7/2))/(693*c^2*f*(c - I*c*Tan[e + f*x])^(7/2))
```

Rubi [A] time = 0.263789, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{(-9B+2iA)(a+ia \tan(e+fx))^{7/2}}{693c^2f(c-ic \tan(e+fx))^{7/2}} - \frac{(-9B+2iA)(a+ia \tan(e+fx))^{7/2}}{99cf(c-ic \tan(e+fx))^{9/2}} - \frac{(B+iA)(a+ia \tan(e+fx))^{7/2}}{11f(c-ic \tan(e+fx))^{11/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(11/2), x]
```

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(11*f*(c - I*c*Tan[e + f*x])^(11/2)) - (((2*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(7/2))/(99*c*f*(c - I*c*Tan[e + f*x])^(9/2)) - (((2*I)*A - 9*B)*(a + I*a*Tan[e + f*x])^(7/2))/(693*c^2*f*(c - I*c*Tan[e + f*x])^(7/2))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{11/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{5/2} (A+Bx)}{(c-icx)^{13/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{11f(c - ic \tan(e + fx))^{11/2}} + \frac{(a(2A + 9iB)) \operatorname{Subst} \left(\int \frac{(a+iax)^{5/2}}{(c-icx)^{11/2}} \right)}{11f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(2iA - 9B)(a + ia \tan(e + fx))^{7/2}}{99cf(c - ic \tan(e + fx))^{9/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{11f(c - ic \tan(e + fx))^{11/2}} - \frac{(2iA - 9B)(a + ia \tan(e + fx))^{7/2}}{99cf(c - ic \tan(e + fx))^{9/2}}$$

Mathematica [B] time = 15.7224, size = 417, normalized size = 2.69

$$\frac{\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left((B - iA) \cos(6fx) \left(\frac{9}{11} \right) \right)}{11f(c - ic \tan(e + fx))^{11/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(11/2), x]

[Out] (Cos[e + f*x]^4*((-I)*A + B)*Cos[6*f*x]*(Cos[3*e]/(56*c^6) + ((I/56)*Sin[3*e])/c^6) + ((-23*I)*A + 9*B)*Cos[8*f*x]*(Cos[5*e]/(504*c^6) + ((I/504)*Sin[5*e])/c^6) + (31*A - (9*I)*B)*Cos[10*f*x]*((-I/792)*Cos[7*e])/c^6 + Sin[7*e]/(792*c^6) + (A - I*B)*Cos[12*f*x]*((-I/88)*Cos[9*e])/c^6 + Sin[9*e]/(88*c^6) + (A + I*B)*(Cos[3*e]/(56*c^6) + ((I/56)*Sin[3*e])/c^6)*Sin[6*f*x] + (23*A + (9*I)*B)*(Cos[5*e]/(504*c^6) + ((I/504)*Sin[5*e])/c^6)*Sin[8*f*x] + (31*A - (9*I)*B)*(Cos[7*e]/(792*c^6) + ((I/792)*Sin[7*e])/c^6)*Sin[10*f*x] + (A - I*B)*(Cos[9*e]/(88*c^6) + ((I/88)*Sin[9*e])/c^6)*Sin[12*f*x])*Sqrt[Sec[e + f*x]*(c*Cos[e + f*x] - I*c*Sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x])/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.11, size = 161, normalized size = 1.

$$\frac{\frac{i}{693} a^3 \left(1 + (\tan(fx + e))^2 \right) \left(2iA (\tan(fx + e))^4 - 63iB (\tan(fx + e))^3 - 9B (\tan(fx + e))^4 - 45iA (\tan(fx + e))^2 \right)}{fc^6 (\tan(fx + e) + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2), x)

```
[Out] 1/693*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3/c^6*(
1+tan(f*x+e)^2)*(2*I*A*tan(f*x+e)^4-63*I*B*tan(f*x+e)^3-9*B*tan(f*x+e)^4-45
*I*A*tan(f*x+e)^2-14*A*tan(f*x+e)^3+63*I*B*tan(f*x+e)-144*B*tan(f*x+e)^2+79
*I*A-140*A*tan(f*x+e)-9*B)/(tan(f*x+e)+I)^7
```

Maxima [A] time = 3.05426, size = 270, normalized size = 1.74

$$\left(63(-iA - B)a^3 \cos\left(\frac{11}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right)\right) - 154iAa^3 \cos\left(\frac{9}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/
2),x, algorithm="maxima")
```

```
[Out] 1/2772*(63*(-I*A - B)*a^3*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e))) - 154*I*A*a^3*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 9
9*(-I*A + B)*a^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (63
*A - 63*I*B)*a^3*sin(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 15
4*A*a^3*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (99*A + 99*I
*B)*a^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(1
1/2)*f)
```

Fricas [A] time = 1.41822, size = 375, normalized size = 2.42

$$\frac{\left((-63iA - 63B)a^3 e^{(12ifx+12ie)} + (-217iA - 63B)a^3 e^{(10ifx+10ie)} + (-253iA + 99B)a^3 e^{(8ifx+8ie)} + (-99iA + 99B)a^3 e^{(6ifx+6ie)}\right)}{2772c^6f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/
2),x, algorithm="fricas")
```

```
[Out] 1/2772*((-63*I*A - 63*B)*a^3*e^(12*I*f*x + 12*I*e) + (-217*I*A - 63*B)*a^3*
e^(10*I*f*x + 10*I*e) + (-253*I*A + 99*B)*a^3*e^(8*I*f*x + 8*I*e) + (-99*I*
A + 99*B)*a^3*e^(6*I*f*x + 6*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c
/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^6*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1
1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-i c \tan(fx + e) + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(11/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(11/2), x)

$$3.827 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{13/2}} dx$$

Optimal. Leaf size=208

$$\frac{2(-10B+3iA)(a+ia \tan(e+fx))^{7/2}}{9009c^3f(c-ic \tan(e+fx))^{7/2}} - \frac{2(-10B+3iA)(a+ia \tan(e+fx))^{7/2}}{1287c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-10B+3iA)(a+ia \tan(e+fx))^{7/2}}{143cf(c-ic \tan(e+fx))^{11/2}}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(13*f*(c - I*c*Tan[e + f*x])^(13/2)) - (((3*I)*A - 10*B)*(a + I*a*Tan[e + f*x])^(7/2))/(143*c*f*(c - I*c*Tan[e + f*x])^(11/2)) - (2*((3*I)*A - 10*B)*(a + I*a*Tan[e + f*x])^(7/2))/(1287*c^2*f*(c - I*c*Tan[e + f*x])^(9/2)) - (2*((3*I)*A - 10*B)*(a + I*a*Tan[e + f*x])^(7/2))/(9009*c^3*f*(c - I*c*Tan[e + f*x])^(7/2))

Rubi [A] time = 0.285863, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-10B+3iA)(a+ia \tan(e+fx))^{7/2}}{9009c^3f(c-ic \tan(e+fx))^{7/2}} - \frac{2(-10B+3iA)(a+ia \tan(e+fx))^{7/2}}{1287c^2f(c-ic \tan(e+fx))^{9/2}} - \frac{(-10B+3iA)(a+ia \tan(e+fx))^{7/2}}{143cf(c-ic \tan(e+fx))^{11/2}}$$

Antiderivative was successfully verified.

[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(13/2), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(13*f*(c - I*c*Tan[e + f*x])^(13/2)) - (((3*I)*A - 10*B)*(a + I*a*Tan[e + f*x])^(7/2))/(143*c*f*(c - I*c*Tan[e + f*x])^(11/2)) - (2*((3*I)*A - 10*B)*(a + I*a*Tan[e + f*x])^(7/2))/(1287*c^2*f*(c - I*c*Tan[e + f*x])^(9/2)) - (2*((3*I)*A - 10*B)*(a + I*a*Tan[e + f*x])^(7/2))/(9009*c^3*f*(c - I*c*Tan[e + f*x])^(7/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler

Q[m, 1] || !SumSimplerQ[n, 1])

Rule 37

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{13/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(a+iax)^{5/2} (A+Bx)}{(c-icx)^{15/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{13f(c - ic \tan(e + fx))^{13/2}} + \frac{(a(3A + 10iB)) \operatorname{Subst} \left(\int \frac{(a+iax)^{5/2}}{(c-icx)^{13/2}} dx, x, \tan(e + fx) \right)}{13f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(3iA - 10B)(a + ia \tan(e + fx))^{7/2}}{143cf(c - ic \tan(e + fx))^{11/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(3iA - 10B)(a + ia \tan(e + fx))^{7/2}}{143cf(c - ic \tan(e + fx))^{11/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{13f(c - ic \tan(e + fx))^{13/2}} - \frac{(3iA - 10B)(a + ia \tan(e + fx))^{7/2}}{143cf(c - ic \tan(e + fx))^{11/2}}$$

Mathematica [B] time = 17.0674, size = 495, normalized size = 2.38

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx)) \sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left((B - iA) \cos(6fx) \left(\frac{9}{143c} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(13/2), x]

[Out] (Cos[e + f*x]^4*((-I)*A + B)*Cos[6*f*x]*(Cos[3*e]/(112*c^7) + ((I/112)*Sin[3*e])/c^7) + ((-15*I)*A + 8*B)*Cos[8*f*x]*(Cos[5*e]/(504*c^7) + ((I/504)*Sin[5*e])/c^7) + ((-30*I)*A + B)*Cos[10*f*x]*(Cos[7*e]/(792*c^7) + ((I/792)*Sin[7*e])/c^7) + (25*A - (12*I)*B)*Cos[12*f*x]*((-I/1144)*Cos[9*e])/c^7 + Sin[9*e]/(1144*c^7) + (A - I*B)*Cos[14*f*x]*((-I/208)*Cos[11*e])/c^7 + Sin[11*e]/(208*c^7) + (A + I*B)*(Cos[3*e]/(112*c^7) + ((I/112)*Sin[3*e])/c^7)*Sin[6*f*x] + (15*A + (8*I)*B)*(Cos[5*e]/(504*c^7) + ((I/504)*Sin[5*e])/c^7)*Sin[8*f*x] + (30*A + I*B)*(Cos[7*e]/(792*c^7) + ((I/792)*Sin[7*e])/c^7)*Sin[10*f*x] + (25*A - (12*I)*B)*(Cos[9*e]/(1144*c^7) + ((I/1144)*Sin[9*e])/c^7)*Sin[12*f*x] + (A - I*B)*(Cos[11*e]/(208*c^7) + ((I/208)*Sin[11*e])/c^7)*Sin[14*f*x])*Sqrt[Sec[e + f*x]*(c*cos[e + f*x] - I*c*sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*SIN[f*x])^3*(A*cos[e + f*x] + B*sin[e + f*x]))

Maple [A] time = 0.114, size = 184, normalized size = 0.9

$$\frac{i}{9009} a^3 \left(1 + (\tan(fx + e))^2 \right) \left(6iA (\tan(fx + e))^5 - 160iB (\tan(fx + e))^4 - 20B (\tan(fx + e))^5 - 177iA (\tan(fx + e))^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+I*a*\tan(f*x+e))^{(7/2)}*(A+B*\tan(f*x+e))/(c-I*c*\tan(f*x+e))^{(13/2)},x)$

[Out] $\frac{1}{9009}I/f*(a*(1+I*\tan(f*x+e)))^{(1/2)}*(-c*(-1+I*\tan(f*x+e)))^{(1/2)}*a^3/c^7*(1+\tan(f*x+e)^2)*(6*I*A*\tan(f*x+e)^5-160*I*B*\tan(f*x+e)^4-20*B*\tan(f*x+e)^5-177*I*A*\tan(f*x+e)^3-48*A*\tan(f*x+e)^4-1643*I*B*\tan(f*x+e)^2+590*B*\tan(f*x+e)^3-1569*I*A*\tan(f*x+e)+408*A*\tan(f*x+e)^2-97*I*B-776*B*\tan(f*x+e)-930*A)/(\tan(f*x+e)+I)^8$

Maxima [A] time = 3.11868, size = 373, normalized size = 1.79

$(693(-iA - B)a^3 \cos\left(\frac{13}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + 819(-3iA - B)a^3 \cos\left(\frac{11}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + 1001(-3iA + B)a^3 \cos\left(\frac{9}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + 1287(-iA + B)a^3 \cos\left(\frac{7}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + (693A - 693iB)a^3 \sin\left(\frac{13}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + (2457A - 819iB)a^3 \sin\left(\frac{11}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + (3003A + 1001iB)a^3 \sin\left(\frac{9}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right) + (1287A + 1287iB)a^3 \sin\left(\frac{7}{2} \arctan(\sin(2fx + 2e), \cos(2fx + 2e))\right)) * \sqrt{a} / (c^{(13/2)} * f)$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(f*x+e))^{(7/2)}*(A+B*\tan(f*x+e))/(c-I*c*\tan(f*x+e))^{(13/2)},x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{72072}*(693*(-I*A - B)*a^3*\cos(13/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 819*(-3*I*A - B)*a^3*\cos(11/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1001*(-3*I*A + B)*a^3*\cos(9/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1287*(-I*A + B)*a^3*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (693*A - 693*I*B)*a^3*\sin(13/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (2457*A - 819*I*B)*a^3*\sin(11/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (3003*A + 1001*I*B)*a^3*\sin(9/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (1287*A + 1287*I*B)*a^3*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*\sqrt{a}/(c^{(13/2)}*f)$

Fricas [A] time = 1.30005, size = 458, normalized size = 2.2

$((-693iA - 693B)a^3 e^{(14i fx + 14ie)} + (-3150iA - 1512B)a^3 e^{(12i fx + 12ie)} + (-5460iA + 182B)a^3 e^{(10i fx + 10ie)} + (-4290iA + 2288B)a^3 e^{(8i fx + 8ie)} + (-1287iA + 1287B)a^3 e^{(6i fx + 6ie)}) * \sqrt{a} / (e^{(2I*fx + 2I*e)} + 1) * \sqrt{c} / (e^{(2I*fx + 2I*e)} + 1) * e^{(I*fx + I*e)} / (c^7 * f)$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+I*a*\tan(f*x+e))^{(7/2)}*(A+B*\tan(f*x+e))/(c-I*c*\tan(f*x+e))^{(13/2)},x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1}{72072}*((-693*I*A - 693*B)*a^3*e^{(14*I*f*x + 14*I*e)} + (-3150*I*A - 1512*B)*a^3*e^{(12*I*f*x + 12*I*e)} + (-5460*I*A + 182*B)*a^3*e^{(10*I*f*x + 10*I*e)} + (-4290*I*A + 2288*B)*a^3*e^{(8*I*f*x + 8*I*e)} + (-1287*I*A + 1287*B)*a^3*e^{(6*I*f*x + 6*I*e)}) * \sqrt{a} / (e^{(2*I*f*x + 2*I*e)} + 1) * \sqrt{c} / (e^{(2*I*f*x + 2*I*e)} + 1) * e^{(I*f*x + I*e)} / (c^7 * f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(13/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-i c \tan(fx + e) + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(13/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(13/2), x)

$$3.828 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{15/2}} dx$$

Optimal. Leaf size=261

$$\frac{2(-11B+4iA)(a+ia \tan(e+fx))^{7/2}}{45045c^4f(c-ic \tan(e+fx))^{7/2}} - \frac{2(-11B+4iA)(a+ia \tan(e+fx))^{7/2}}{6435c^3f(c-ic \tan(e+fx))^{9/2}} - \frac{(-11B+4iA)(a+ia \tan(e+fx))^{7/2}}{715c^2f(c-ic \tan(e+fx))^{11/2}}$$

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(15*f*(c - I*c*Tan[e + f*x])^(15/2)) - (((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(195*c*f*(c - I*c*Tan[e + f*x])^(13/2)) - (((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(715*c^2*f*(c - I*c*Tan[e + f*x])^(11/2)) - (2*((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(6435*c^3*f*(c - I*c*Tan[e + f*x])^(9/2)) - (2*((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(45045*c^4*f*(c - I*c*Tan[e + f*x])^(7/2))
```

Rubi [A] time = 0.315509, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-11B+4iA)(a+ia \tan(e+fx))^{7/2}}{45045c^4f(c-ic \tan(e+fx))^{7/2}} - \frac{2(-11B+4iA)(a+ia \tan(e+fx))^{7/2}}{6435c^3f(c-ic \tan(e+fx))^{9/2}} - \frac{(-11B+4iA)(a+ia \tan(e+fx))^{7/2}}{715c^2f(c-ic \tan(e+fx))^{11/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(15/2), x]
```

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(15*f*(c - I*c*Tan[e + f*x])^(15/2)) - (((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(195*c*f*(c - I*c*Tan[e + f*x])^(13/2)) - (((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(715*c^2*f*(c - I*c*Tan[e + f*x])^(11/2)) - (2*((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(6435*c^3*f*(c - I*c*Tan[e + f*x])^(9/2)) - (2*((4*I)*A - 11*B)*(a + I*a*Tan[e + f*x])^(7/2))/(45045*c^4*f*(c - I*c*Tan[e + f*x])^(7/2))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || (EqQ[c, 0] || LtQ[p, n]))))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
```

```
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{15/2}} dx = \frac{(ac) \text{Subst}\left(\int \frac{(a+iax)^{5/2}(A+Bx)}{(c-icx)^{17/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{15f(c - ic \tan(e + fx))^{15/2}} + \frac{(a(4A + 11iB)) \text{Subst}\left(\int \frac{(a+iax)^{5/2}}{(c-icx)^{15/2}} dx, x, \tan(e + fx)\right)}{15f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{15f(c - ic \tan(e + fx))^{15/2}} - \frac{(4iA - 11B)(a + ia \tan(e + fx))^{7/2}}{195cf(c - ic \tan(e + fx))^{13/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{15f(c - ic \tan(e + fx))^{15/2}} - \frac{(4iA - 11B)(a + ia \tan(e + fx))^{7/2}}{195cf(c - ic \tan(e + fx))^{13/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{15f(c - ic \tan(e + fx))^{15/2}} - \frac{(4iA - 11B)(a + ia \tan(e + fx))^{7/2}}{195cf(c - ic \tan(e + fx))^{13/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{15f(c - ic \tan(e + fx))^{15/2}} - \frac{(4iA - 11B)(a + ia \tan(e + fx))^{7/2}}{195cf(c - ic \tan(e + fx))^{13/2}}$$

Mathematica [B] time = 17.3174, size = 577, normalized size = 2.21

$$\frac{\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))}((B - iA) \cos(6fx))}{(c - ic \tan(e + fx))^{15/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[
e + f*x])^(15/2), x]
```

```
[Out] (Cos[e + f*x]^4*(((-I)*A + B)*Cos[6*f*x]*(Cos[3*e]/(224*c^8) + ((I/224)*Sin
[3*e])/c^8) + ((-37*I)*A + 23*B)*Cos[8*f*x]*(Cos[5*e]/(2016*c^8) + ((I/2016
)*Sin[5*e])/c^8) + ((-49*I)*A + 11*B)*Cos[10*f*x]*(Cos[7*e]/(1584*c^8) + ((
I/1584)*Sin[7*e])/c^8) + (61*A - (11*I)*B)*Cos[12*f*x]*(((I/2288)*Cos[9*e]
)/c^8 + Sin[9*e]/(2288*c^8)) + (73*A - (43*I)*B)*Cos[14*f*x]*(((I/6240)*Co
s[11*e])/c^8 + Sin[11*e]/(6240*c^8)) + (A - I*B)*Cos[16*f*x]*(((I/480)*Cos
[13*e])/c^8 + Sin[13*e]/(480*c^8)) + (A + I*B)*(Cos[3*e]/(224*c^8) + ((I/22
4)*Sin[3*e])/c^8)*Sin[6*f*x] + (37*A + (23*I)*B)*(Cos[5*e]/(2016*c^8) + ((I
/2016)*Sin[5*e])/c^8)*Sin[8*f*x] + (49*A + (11*I)*B)*(Cos[7*e]/(1584*c^8) +
((I/1584)*Sin[7*e])/c^8)*Sin[10*f*x] + (61*A - (11*I)*B)*(Cos[9*e]/(2288*c
^8) + ((I/2288)*Sin[9*e])/c^8)*Sin[12*f*x] + (73*A - (43*I)*B)*(Cos[11*e]/(
6240*c^8) + ((I/6240)*Sin[11*e])/c^8)*Sin[14*f*x] + (A - I*B)*(Cos[13*e]/(4
80*c^8) + ((I/480)*Sin[13*e])/c^8)*Sin[16*f*x])*Sqrt[Sec[e + f*x]*(c*cos[e
+ f*x] - I*c*sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x
```

)]/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*Cos[e + f*x] + B*Sin[e + f*x]))

Maple [A] time = 0.122, size = 206, normalized size = 0.8

$$a^3 \left(1 + (\tan(fx + e))^2\right) \left(22iB(\tan(fx + e))^6 + 72iA(\tan(fx + e))^5 + 8A(\tan(fx + e))^6 - 825iB(\tan(fx + e))^6\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(15/2),x)

[Out] -1/45045/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3/c^8*(1+tan(f*x+e)^2)*(22*I*B*tan(f*x+e)^6+72*I*A*tan(f*x+e)^5+8*A*tan(f*x+e)^6-825*I*B*tan(f*x+e)^4-198*B*tan(f*x+e)^5-780*I*A*tan(f*x+e)^3-300*A*tan(f*x+e)^4-7260*I*B*tan(f*x+e)^2+2145*B*tan(f*x+e)^3-6858*I*A*tan(f*x+e)+1455*A*tan(f*x+e)^2-407*I*B-3663*B*tan(f*x+e)-4243*A)/(tan(f*x+e)+I)^9

Maxima [A] time = 3.28053, size = 448, normalized size = 1.72

$$\left(3003(-iA - B)a^3 \cos\left(\frac{15}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right)\right) + 6930(-2iA - B)a^3 \cos\left(\frac{13}{2} \arctan(\sin(2fx + 2e)), \cos(2fx + 2e)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(15/2),x, algorithm="maxima")

[Out] 1/720720*(3003*(-I*A - B)*a^3*cos(15/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 6930*(-2*I*A - B)*a^3*cos(13/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 24570*I*A*a^3*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 10010*(-2*I*A + B)*a^3*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 6435*(-I*A + B)*a^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (3003*A - 3003*I*B)*a^3*sin(15/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (13860*A - 6930*I*B)*a^3*sin(13/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 24570*A*a^3*sin(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (20020*A + 10010*I*B)*a^3*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (6435*A + 6435*I*B)*a^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(15/2)*f)

Fricas [A] time = 1.41013, size = 537, normalized size = 2.06

$$\left((-3003iA - 3003B)a^3 e^{(16ifx+16ie)} + (-16863iA - 9933B)a^3 e^{(14ifx+14ie)} + (-38430iA - 6930B)a^3 e^{(12ifx+12ie)} + (-\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(15/2),x, algorithm="fricas")

```
[Out] 1/720720*((-3003*I*A - 3003*B)*a^3*e^(16*I*f*x + 16*I*e) + (-16863*I*A - 99
33*B)*a^3*e^(14*I*f*x + 14*I*e) + (-38430*I*A - 6930*B)*a^3*e^(12*I*f*x + 1
2*I*e) + (-44590*I*A + 10010*B)*a^3*e^(10*I*f*x + 10*I*e) + (-26455*I*A + 1
6445*B)*a^3*e^(8*I*f*x + 8*I*e) + (-6435*I*A + 6435*B)*a^3*e^(6*I*f*x + 6*I
*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^
(I*f*x + I*e)/(c^8*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1
5/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-i c \tan(fx + e) + c)^{\frac{15}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(15/
2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x +
e) + c)^(15/2), x)
```


$$3.829 \quad \int \frac{(a+ia \tan(e+fx))^{7/2}(A+B \tan(e+fx))}{(c-ic \tan(e+fx))^{17/2}} dx$$

Optimal. Leaf size=314

$$\frac{8(-12B + 5iA)(a + ia \tan(e + fx))^{7/2}}{765765c^5 f(c - ic \tan(e + fx))^{7/2}} - \frac{8(-12B + 5iA)(a + ia \tan(e + fx))^{7/2}}{109395c^4 f(c - ic \tan(e + fx))^{9/2}} - \frac{4(-12B + 5iA)(a + ia \tan(e + fx))^{7/2}}{12155c^3 f(c - ic \tan(e + fx))^{11/2}}$$

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(17*f*(c - I*c*Tan[e + f*x])^(17/2)) - (((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(255*c*f*(c - I*c*Tan[e + f*x])^(15/2)) - (4*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(3315*c^2*f*(c - I*c*Tan[e + f*x])^(13/2)) - (4*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(12155*c^3*f*(c - I*c*Tan[e + f*x])^(11/2)) - (8*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(109395*c^4*f*(c - I*c*Tan[e + f*x])^(9/2)) - (8*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(765765*c^5*f*(c - I*c*Tan[e + f*x])^(7/2))
```

Rubi [A] time = 0.353886, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{8(-12B + 5iA)(a + ia \tan(e + fx))^{7/2}}{765765c^5 f(c - ic \tan(e + fx))^{7/2}} - \frac{8(-12B + 5iA)(a + ia \tan(e + fx))^{7/2}}{109395c^4 f(c - ic \tan(e + fx))^{9/2}} - \frac{4(-12B + 5iA)(a + ia \tan(e + fx))^{7/2}}{12155c^3 f(c - ic \tan(e + fx))^{11/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[e + f*x])^(17/2), x]
```

```
[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(7/2))/(17*f*(c - I*c*Tan[e + f*x])^(17/2)) - (((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(255*c*f*(c - I*c*Tan[e + f*x])^(15/2)) - (4*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(3315*c^2*f*(c - I*c*Tan[e + f*x])^(13/2)) - (4*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(12155*c^3*f*(c - I*c*Tan[e + f*x])^(11/2)) - (8*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(109395*c^4*f*(c - I*c*Tan[e + f*x])^(9/2)) - (8*((5*I)*A - 12*B)*(a + I*a*Tan[e + f*x])^(7/2))/(765765*c^5*f*(c - I*c*Tan[e + f*x])^(7/2))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || (EqQ[c, 0] || LtQ[p, n]))))
```

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*S
implify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{(a + ia \tan(e + fx))^{7/2} (A + B \tan(e + fx))}{(c - ic \tan(e + fx))^{17/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{(a+iax)^{5/2}(A+Bx)}{(c-icx)^{19/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{17f(c - ic \tan(e + fx))^{17/2}} + \frac{(a(5A + 12iB)) \operatorname{Subst}\left(\int \frac{(a+iax)^{5/2}}{(c-icx)^{17/2}} dx, x, \tan(e + fx)\right)}{17f}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{17f(c - ic \tan(e + fx))^{17/2}} - \frac{(5iA - 12B)(a + ia \tan(e + fx))^{7/2}}{255cf(c - ic \tan(e + fx))^{15/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{17f(c - ic \tan(e + fx))^{17/2}} - \frac{(5iA - 12B)(a + ia \tan(e + fx))^{7/2}}{255cf(c - ic \tan(e + fx))^{15/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{17f(c - ic \tan(e + fx))^{17/2}} - \frac{(5iA - 12B)(a + ia \tan(e + fx))^{7/2}}{255cf(c - ic \tan(e + fx))^{15/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{17f(c - ic \tan(e + fx))^{17/2}} - \frac{(5iA - 12B)(a + ia \tan(e + fx))^{7/2}}{255cf(c - ic \tan(e + fx))^{15/2}}$$

$$= -\frac{(iA + B)(a + ia \tan(e + fx))^{7/2}}{17f(c - ic \tan(e + fx))^{17/2}} - \frac{(5iA - 12B)(a + ia \tan(e + fx))^{7/2}}{255cf(c - ic \tan(e + fx))^{15/2}}$$

Mathematica [B] time = 17.7227, size = 655, normalized size = 2.09

$$\cos^4(e + fx)(a + ia \tan(e + fx))^{7/2}(A + B \tan(e + fx))\sqrt{\sec(e + fx)(c \cos(e + fx) - ic \sin(e + fx))} \left((B - iA) \cos(6fx) \left(\frac{9}{1088} \cos(15e) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(c - I*c*Tan[
e + f*x])^(17/2), x]
```

```
[Out] (Cos[e + f*x]^4*(((-I)*A + B)*Cos[6*f*x]*(Cos[3*e]/(448*c^9) + ((I/448)*Sin
[3*e])/c^9) + ((-22*I)*A + 15*B)*Cos[8*f*x]*(Cos[5*e]/(2016*c^9) + ((I/2016
)*Sin[5*e])/c^9) + ((-145*I)*A + 51*B)*Cos[10*f*x]*(Cos[7*e]/(6336*c^9) + (
(I/6336)*Sin[7*e])/c^9) + ((-60*I)*A + B)*Cos[12*f*x]*(Cos[9*e]/(2288*c^9)
+ ((I/2288)*Sin[9*e])/c^9) + (215*A - (69*I)*B)*Cos[14*f*x]*(((I/12480)*Co
s[11*e])/c^9 + Sin[11*e]/(12480*c^9)) + (50*A - (33*I)*B)*Cos[16*f*x]*(((I
/8160)*Cos[13*e])/c^9 + Sin[13*e]/(8160*c^9)) + (A - I*B)*Cos[18*f*x]*(((I
/1088)*Cos[15*e])/c^9 + Sin[15*e]/(1088*c^9)) + (A + I*B)*(Cos[3*e]/(448*c^
```

9) + ((I/448)*Sin[3*e])/c^9)*Sin[6*f*x] + (22*A + (15*I)*B)*(Cos[5*e]/(2016*c^9) + ((I/2016)*Sin[5*e])/c^9)*Sin[8*f*x] + (145*A + (51*I)*B)*(Cos[7*e]/(6336*c^9) + ((I/6336)*Sin[7*e])/c^9)*Sin[10*f*x] + (60*A + I*B)*(Cos[9*e]/(2288*c^9) + ((I/2288)*Sin[9*e])/c^9)*Sin[12*f*x] + (215*A - (69*I)*B)*(Cos[11*e]/(12480*c^9) + ((I/12480)*Sin[11*e])/c^9)*Sin[14*f*x] + (50*A - (33*I)*B)*(Cos[13*e]/(8160*c^9) + ((I/8160)*Sin[13*e])/c^9)*Sin[16*f*x] + (A - I*B)*(Cos[15*e]/(1088*c^9) + ((I/1088)*Sin[15*e])/c^9)*Sin[18*f*x])*Sqrt[Sec[e + f*x]*(c*cos[e + f*x] - I*c*sin[e + f*x])]*(a + I*a*Tan[e + f*x])^(7/2)*(A + B*Tan[e + f*x]))/(f*(Cos[f*x] + I*Sin[f*x])^3*(A*cos[e + f*x] + B*sin[e + f*x]))

Maple [A] time = 0.124, size = 230, normalized size = 0.7

$$\frac{i}{765765} a^3 \left(1 + \left(\tan(fx + e) \right)^2 \right) \left(109881 iB \left(\tan(fx + e) \right)^2 + 5871 iB - 96 B \left(\tan(fx + e) \right)^7 + 40 iA \left(\tan(fx + e) \right)^7 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(17/2),x)

[Out] 1/765765*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)*a^3/c^9*(1+tan(f*x+e)^2)*(109881*I*B*tan(f*x+e)^2+5871*I*B-96*B*tan(f*x+e)^7+40*I*A*tan(f*x+e)^7-400*A*tan(f*x+e)^6-960*I*B*tan(f*x+e)^6+4464*B*tan(f*x+e)^5+103165*I*A*tan(f*x+e)+5400*A*tan(f*x+e)^4+12960*I*B*tan(f*x+e)^4-26820*B*tan(f*x+e)^3-1860*I*A*tan(f*x+e)^5-18030*A*tan(f*x+e)^2+11175*I*A*tan(f*x+e)^3+58710*B*tan(f*x+e)+66260*A)/(tan(f*x+e)+I)^10

Maxima [A] time = 3.40804, size = 554, normalized size = 1.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(17/2),x, algorithm="maxima")

[Out] 1/24504480*(45045*(-I*A - B)*a^3*cos(17/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 51051*(-5*I*A - 3*B)*a^3*cos(15/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 117810*(-5*I*A - B)*a^3*cos(13/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 139230*(-5*I*A + B)*a^3*cos(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 85085*(-5*I*A + 3*B)*a^3*cos(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 109395*(-I*A + B)*a^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (45045*A - 45045*I*B)*a^3*sin(17/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (255255*A - 153153*I*B)*a^3*sin(15/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (589050*A - 117810*I*B)*a^3*sin(13/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (696150*A + 139230*I*B)*a^3*sin(11/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (425425*A + 255255*I*B)*a^3*sin(9/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (109395*A + 109395*I*B)*a^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*sqrt(a)/(c^(17/2)*f)

Fricas [A] time = 1.43199, size = 635, normalized size = 2.02

$$\left((-45045i A - 45045 B)a^3 e^{(18i f x + 18i e)} + (-300300i A - 198198 B)a^3 e^{(16i f x + 16i e)} + (-844305i A - 270963 B)a^3 e^{(14i f x + 14i e)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(17/2),x, algorithm="fricas")

[Out] 1/24504480*((-45045*I*A - 45045*B)*a^3*e^(18*I*f*x + 18*I*e) + (-300300*I*A - 198198*B)*a^3*e^(16*I*f*x + 16*I*e) + (-844305*I*A - 270963*B)*a^3*e^(14*I*f*x + 14*I*e) + (-1285200*I*A + 21420*B)*a^3*e^(12*I*f*x + 12*I*e) + (-121575*I*A + 394485*B)*a^3*e^(10*I*f*x + 10*I*e) + (-534820*I*A + 364650*B)*a^3*e^(8*I*f*x + 8*I*e) + (-109395*I*A + 109395*B)*a^3*e^(6*I*f*x + 6*I*e))*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)/(c^9*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(17/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(i a \tan(fx + e) + a)^{\frac{7}{2}}}{(-i c \tan(fx + e) + c)^{\frac{17}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(7/2)*(A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(17/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(7/2)/(-I*c*tan(f*x + e) + c)^(17/2), x)

$$3.830 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{\sqrt{a+ia \tan(e+fx)}} dx$$

Optimal. Leaf size=228

$$\frac{3c^{5/2}(-3B + 2iA) \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{\sqrt{a}f} + \frac{3c^2(-3B + 2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2af} + \frac{c(-3B + 2iA)}{af}$$

```
[Out] (3*((2*I)*A - 3*B)*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[a]*f) + (3*((2*I)*A - 3*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(2*a*f) + (((2*I)*A - 3*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(2*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))/(f*Sqrt[a + I*a*Tan[e + f*x]])
```

Rubi [A] time = 0.296598, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 50, 63, 217, 203}

$$\frac{3c^{5/2}(-3B + 2iA) \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{\sqrt{a}f} + \frac{3c^2(-3B + 2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2af} + \frac{c(-3B + 2iA)}{af}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/Sqrt[a + I*a*Tan[e + f*x]],x]
```

```
[Out] (3*((2*I)*A - 3*B)*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[a]*f) + (3*((2*I)*A - 3*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]/(2*a*f) + (((2*I)*A - 3*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(2*a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(5/2))/(f*Sqrt[a + I*a*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || (EqQ[c, 0] || LtQ[p, n]))))
```

Rule 50

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !IGtQ
```



```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/Sqrt[a + I*a*
Tan[e + f*x]],x]
```

```
[Out] -(c^3*Sec[e + f*x]*(Cos[f*x] + I*Sin[f*x])*(6*((-2*I)*A + 3*B)*ArcTan[Cos[e
+ f*x] + I*Sin[e + f*x]]*(Cos[f*x] - I*Sin[f*x]) + (Sec[e + f*x]^2*(5*((-2
*I)*A + 3*B) + ((-10*I)*A + 13*B)*Cos[2*(e + f*x)] + (2*A + (5*I)*B)*Sin[2*
(e + f*x)]*(Cos[e + 2*f*x] - I*Sin[e + 2*f*x]))/2))/(2*f*Sqrt[a + I*a*Tan[
e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])
```

Maple [B] time = 0.196, size = 566, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(1/2),x)
```

```
[Out] 1/2*I/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*c^2/a*(6*I*
A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))
*tan(f*x+e)^2*a*c+18*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a
*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+4*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(
a*c)^(1/2)*tan(f*x+e)^2-9*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)
*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+B*(a*c*(1+tan(f*x+e)^2))^(1/2)*
(a*c)^(1/2)*tan(f*x+e)^3-6*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1
/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-12*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)
^(1/2)*tan(f*x+e)+12*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)
^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+2*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2)
)^(1/2)*(a*c)^(1/2)-14*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+9*B*ln(
(a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+
19*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-10*A*(a*c*(1+tan(f
*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(-tan(f*x+e)+I)^2
/(a*c)^(1/2)
```

Maxima [B] time = 4.10663, size = 1779, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(1/2
),x, algorithm="maxima")
```

```
[Out] ((96*A + 144*I*B)*c^2*cos(4*f*x + 4*e) + (160*A + 240*I*B)*c^2*cos(2*f*x +
2*e) + 48*(2*I*A - 3*B)*c^2*sin(4*f*x + 4*e) + 80*(2*I*A - 3*B)*c^2*sin(2*f
*x + 2*e) + (64*A + 64*I*B)*c^2 + ((48*A + 72*I*B)*c^2*cos(5/2*arctan2(sin(
2*f*x + 2*e), cos(2*f*x + 2*e))) + (96*A + 144*I*B)*c^2*cos(3/2*arctan2(sin
(2*f*x + 2*e), cos(2*f*x + 2*e))) + (48*A + 72*I*B)*c^2*cos(1/2*arctan2(sin
(2*f*x + 2*e), cos(2*f*x + 2*e))) + 24*(2*I*A - 3*B)*c^2*sin(5/2*arctan2(si
n(2*f*x + 2*e), cos(2*f*x + 2*e))) + 48*(2*I*A - 3*B)*c^2*sin(3/2*arctan2(s
in(2*f*x + 2*e), cos(2*f*x + 2*e))) + 24*(2*I*A - 3*B)*c^2*sin(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*arctan2(cos(1/2*arctan2(sin(2*f*x + 2
*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)
)) + 1) + ((48*A + 72*I*B)*c^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e))) + (96*A + 144*I*B)*c^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
```

```

+ 2*e))) + (48*A + 72*I*B)*c^2*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e))) + 24*(2*I*A - 3*B)*c^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*
x + 2*e))) + 48*(2*I*A - 3*B)*c^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f
*x + 2*e))) + 24*(2*I*A - 3*B)*c^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*
f*x + 2*e))))*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))),
-sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) + (12*(2*I*A -
3*B)*c^2*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 24*(2*I*A -
3*B)*c^2*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 12*(2*I*A
- 3*B)*c^2*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (24*A + 3
6*I*B)*c^2*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (48*A + 7
2*I*B)*c^2*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - (24*A + 3
6*I*B)*c^2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*log(cos(1/
2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*
x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*
f*x + 2*e)))) + 1) + (12*(-2*I*A + 3*B)*c^2*cos(5/2*arctan2(sin(2*f*x + 2*e)
, cos(2*f*x + 2*e))) + 24*(-2*I*A + 3*B)*c^2*cos(3/2*arctan2(sin(2*f*x + 2*
e), cos(2*f*x + 2*e))) + 12*(-2*I*A + 3*B)*c^2*cos(1/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) + (24*A + 36*I*B)*c^2*sin(5/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) + (48*A + 72*I*B)*c^2*sin(3/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) + (24*A + 36*I*B)*c^2*sin(1/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))))*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x +
2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 - 2*sin(
1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1))*sqrt(a)*sqrt(c)/((-1
6*I*a*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 32*I*a*cos(3/2
*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) - 16*I*a*cos(1/2*arctan2(sin(
2*f*x + 2*e), cos(2*f*x + 2*e))) + 16*a*sin(5/2*arctan2(sin(2*f*x + 2*e), c
os(2*f*x + 2*e))) + 32*a*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)
)) + 16*a*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*f)

```

Fricas [B] time = 1.74717, size = 1593, normalized size = 6.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(1/2
),x, algorithm="fricas")

```

```

[Out] 1/4*(2*((-10*I*A + 14*B)*c^2*e^(5*I*f*x + 5*I*e) + (12*I*A - 18*B)*c^2*e^(4
*I*f*x + 4*I*e) + (-20*I*A + 28*B)*c^2*e^(3*I*f*x + 3*I*e) + (20*I*A - 30*B
)*c^2*e^(2*I*f*x + 2*I*e) + (-10*I*A + 14*B)*c^2*e^(I*f*x + I*e) + (8*I*A -
8*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) +
1))*e^(I*f*x + I*e) - sqrt((36*A^2 + 108*I*A*B - 81*B^2)*c^5/(a*f^2))*(a*f*
e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))*log((2*((6*I*A - 9*B)*c^2*e^
(2*I*f*x + 2*I*e) + (6*I*A - 9*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sq
rt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + sqrt((36*A^2 + 108*I*A*B
- 81*B^2)*c^5/(a*f^2))*(a*f*e^(2*I*f*x + 2*I*e) - a*f))/((-12*I*A + 18*B)*c
^2*e^(2*I*f*x + 2*I*e) + (-12*I*A + 18*B)*c^2)) + sqrt((36*A^2 + 108*I*A*B
- 81*B^2)*c^5/(a*f^2))*(a*f*e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))*
log((2*((6*I*A - 9*B)*c^2*e^(2*I*f*x + 2*I*e) + (6*I*A - 9*B)*c^2)*sqrt(a/(
e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e)
- sqrt((36*A^2 + 108*I*A*B - 81*B^2)*c^5/(a*f^2))*(a*f*e^(2*I*f*x + 2*I*e)
- a*f))/((-12*I*A + 18*B)*c^2*e^(2*I*f*x + 2*I*e) + (-12*I*A + 18*B)*c^2))
)/(a*f*e^(4*I*f*x + 4*I*e) + a*f*e^(2*I*f*x + 2*I*e))

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(5/2)/(a+I*a*tan(f*x+e))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan (fx + e) + A)(-ic \tan (fx + e) + c)^{\frac{5}{2}}}{\sqrt{ia \tan (fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(5/2)/sqrt(I*a*tan(f*x + e) + a), x)

$$3.831 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{\sqrt{a+ia \tan(e+fx)}} dx$$

Optimal. Leaf size=169

$$\frac{2c^{3/2}(-2B + iA) \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{\sqrt{af}} + \frac{c(-2B + iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{af} + \frac{(-B + iA)(c - ic \tan(e + fx))^{3/2}}{f\sqrt{a + ia \tan(e + fx)}}$$

[Out] (2*(I*A - 2*B)*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])]/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[a]*f) + ((I*A - 2*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(f*Sqrt[a + I*a*Tan[e + f*x]])

Rubi [A] time = 0.26395, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 50, 63, 217, 203}

$$\frac{2c^{3/2}(-2B + iA) \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{\sqrt{af}} + \frac{c(-2B + iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{af} + \frac{(-B + iA)(c - ic \tan(e + fx))^{3/2}}{f\sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/Sqrt[a + I*a*Tan[e + f*x]], x]

[Out] (2*(I*A - 2*B)*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])]/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(Sqrt[a]*f) + ((I*A - 2*B)*c*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(a*f) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(f*Sqrt[a + I*a*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))]/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 50

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n

+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}{\sqrt{a + ia \tan(e + fx)}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)\sqrt{c-icx}}{(a+iax)^{3/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{f\sqrt{a + ia \tan(e + fx)}} - \frac{((A + 2iB)c) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{\sqrt{a+iax}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - 2B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{af} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{f\sqrt{a + ia \tan(e + fx)}} \\ &= \frac{(iA - 2B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{af} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{f\sqrt{a + ia \tan(e + fx)}} \\ &= \frac{(iA - 2B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{af} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{f\sqrt{a + ia \tan(e + fx)}} \\ &= \frac{2(iA - 2B)c^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{a}f} + \frac{(iA - 2B)c\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{af} \end{aligned}$$

Mathematica [A] time = 6.35624, size = 161, normalized size = 0.95

$$\frac{c^2(\cos(fx) + i \sin(fx))(\sin(fx) + i \cos(fx))(A + B \tan(e + fx))(\cos(e + fx)(\tan(e + fx) + i)(-2iA + iB \tan(e + fx))}{f\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}(A \cos(e + fx) + B \sin(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/Sqrt[a + I*a*Tan[e + f*x]],x]

```
[Out] (c^2*(Cos[f*x] + I*Sin[f*x])*(I*Cos[f*x] + Sin[f*x])*(A + B*Tan[e + f*x])*(
2*(A + (2*I)*B)*ArcTan[Cos[e + f*x] + I*Sin[e + f*x]] + Cos[e + f*x]*(I + T
an[e + f*x]))*((-2*I)*A + 3*B + I*B*Tan[e + f*x]))/(f*(A*Cos[e + f*x] + B*S
in[e + f*x])*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])
```

Maple [B] time = 0.219, size = 499, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(1/2),x)
```

```
[Out] 1/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)/a*c*(-2*I*B*ln(
(a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(
f*x+e)^2*a*c+2*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1
/2)))/(a*c)^(1/2))*tan(f*x+e)*a*c-A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2)
)^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+2*I*B*ln((a*c*tan(f*x+e)
+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c+4*I*B*(a*c*(1+t
an(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-4*B*ln((a*c*tan(f*x+e)+(a*c*(1+t
an(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c-B*tan(f*x+e)^2
*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-2*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2
)*(a*c)^(1/2)+A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)
))/(a*c)^(1/2))*a*c+2*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)+
3*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/
(-tan(f*x+e)+I)^2/(a*c)^(1/2)
```

Maxima [B] time = 2.75616, size = 1229, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(1/2
),x, algorithm="maxima")
```

```
[Out] ((4*A + 8*I*B)*c*cos(2*f*x + 2*e) + 4*(I*A - 2*B)*c*sin(2*f*x + 2*e) + (4*A
+ 4*I*B)*c + ((2*A + 4*I*B)*c*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x
+ 2*e))) + (2*A + 4*I*B)*c*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e))) + 2*(I*A - 2*B)*c*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))
+ 2*(I*A - 2*B)*c*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*ar
ctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2
(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1) + ((2*A + 4*I*B)*c*cos(3/2*arcta
n2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (2*A + 4*I*B)*c*cos(1/2*arctan2(s
in(2*f*x + 2*e), cos(2*f*x + 2*e))) + 2*(I*A - 2*B)*c*sin(3/2*arctan2(sin(2
*f*x + 2*e), cos(2*f*x + 2*e))) + 2*(I*A - 2*B)*c*sin(1/2*arctan2(sin(2*f*x
+ 2*e), cos(2*f*x + 2*e))))*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(
2*f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1)
- ((-I*A + 2*B)*c*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (-
I*A + 2*B)*c*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (A + 2*
I*B)*c*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (A + 2*I*B)*c
*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*log(cos(1/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e),
cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)
```

$$\begin{aligned} &)) + 1) - ((I*A - 2*B)*c*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)) \\ &)) + (I*A - 2*B)*c*\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (\\ &A + 2*I*B)*c*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (A + 2* \\ &I*B)*c*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))\log(\cos(1/2*\ar \\ &\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x + \\ &2*e), \cos(2*f*x + 2*e)))^2 - 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x \\ &+ 2*e))) + 1))\sqrt{a}\sqrt{c}/((-2*I*a*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), c \\ &\os(2*f*x + 2*e))) - 2*I*a*\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) \\ &))) + 2*a*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 2*a*\sin(1/ \\ &2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*f) \end{aligned}$$

Fricas [B] time = 1.68285, size = 1308, normalized size = 7.74

$$\left(a \sqrt{\frac{(4A^2 + 16iAB - 16B^2)c^3}{af^2}} f e^{(2ifx+2ie)} \log \left(\frac{2 \left((2iA-4B)ce^{(2ifx+2ie)} + (2iA-4B)c \right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(ifx+ie)} + (af e^{(2ifx+2ie)} - af)}{(-4iA+8B)ce^{(2ifx+2ie)} + (-4iA+8B)c} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} &-1/4*(a*\sqrt{(4*A^2 + 16*I*A*B - 16*B^2)*c^3/(a*f^2)})*f*e^{(2*I*f*x + 2*I*e)} \\ &* \log((2*((2*I*A - 4*B)*c*e^{(2*I*f*x + 2*I*e)} + (2*I*A - 4*B)*c)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)} + \\ &(a*f*e^{(2*I*f*x + 2*I*e)} - a*f)*\sqrt{(4*A^2 + 16*I*A*B - 16*B^2)*c^3/(a*f^2)})/((-4*I*A + 8*B)*c*e^{(2*I*f*x + 2*I*e)} + (-4*I*A + 8*B)*c) - a*\sqrt{(4*A^2 + 16*I*A*B - 16*B^2)*c^3/(a*f^2)})*f*e^{(2*I*f*x + 2*I*e)}* \log((2*((2*I*A - 4*B)*c*e^{(2*I*f*x + 2*I*e)} + (2*I*A - 4*B)*c)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)} - (a*f*e^{(2*I*f*x + 2*I*e)} - a*f)*\sqrt{(4*A^2 + 16*I*A*B - 16*B^2)*c^3/(a*f^2)})/((-4*I*A + 8*B)*c*e^{(2*I*f*x + 2*I*e)} + (-4*I*A + 8*B)*c) - 2*((-4*I*A + 6*B)*c*e^{(3*I*f*x + 3*I*e)} + (4*I*A - 8*B)*c*e^{(2*I*f*x + 2*I*e)} + (-4*I*A + 6*B)*c*e^{(I*f*x + I*e)} + (4*I*A - 4*B)*c)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)})*e^{(-2*I*f*x - 2*I*e)}/(a*f) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan (f x+e)+A)(-i c \tan (f x+e)+c)^{\frac{3}{2}}}{\sqrt{i a \tan (f x+e)+a}} d x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(3/2)/sqrt(I*a*tan(f*x + e) + a), x)
```

$$3.832 \quad \int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{\sqrt{a+ia \tan(e+fx)}} dx$$

Optimal. Leaf size=110

$$\frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{f\sqrt{a+ia \tan(e+fx)}} - \frac{2B\sqrt{c} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{af}}$$

[Out] $(-2*B*\text{Sqrt}[c]*\text{ArcTan}[(\text{Sqrt}[c]*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]])]/(\text{Sqrt}[a]*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]))/(\text{Sqrt}[a]*f) + ((I*A - B)*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/(f*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]])$

Rubi [A] time = 0.219041, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3588, 78, 63, 217, 203}

$$\frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{f\sqrt{a+ia \tan(e+fx)}} - \frac{2B\sqrt{c} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{\sqrt{af}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]/\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]], x]$

[Out] $(-2*B*\text{Sqrt}[c]*\text{ArcTan}[(\text{Sqrt}[c]*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]])]/(\text{Sqrt}[a]*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]]))/(\text{Sqrt}[a]*f) + ((I*A - B)*\text{Sqrt}[c - I*c*\text{Tan}[e + f*x]])/(f*\text{Sqrt}[a + I*a*\text{Tan}[e + f*x]])$

Rule 3588

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x\} \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(b*e - a*f)*(c + d*x)^{(n+1)}*(e + f*x)^{(p+1)}]/(f*(p+1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n+p+2) - b*(d*e*(n+1) + c*f*(p+1))]/(f*(p+1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x\} \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)}}{\sqrt{a + ia \tan(e + fx)}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{3/2}\sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{f\sqrt{a + ia \tan(e + fx)}} - \frac{(iBc) \text{Subst} \left(\int \frac{1}{\sqrt{a+iax}\sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f} \\ &= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{f\sqrt{a + ia \tan(e + fx)}} - \frac{(2Bc) \text{Subst} \left(\int \frac{1}{\sqrt{2c - \frac{cx^2}{a}}} dx, x, \sqrt{a + ia \tan(e + fx)} \right)}{af} \\ &= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{f\sqrt{a + ia \tan(e + fx)}} - \frac{(2Bc) \text{Subst} \left(\int \frac{1}{1 + \frac{cx^2}{a}} dx, x, \frac{\sqrt{a+ia \tan(e+fx)}}{\sqrt{c-ic \tan(e+fx)}} \right)}{af} \\ &= -\frac{2B\sqrt{c} \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{\sqrt{a}f} + \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{f\sqrt{a + ia \tan(e + fx)}} \end{aligned}$$

Mathematica [A] time = 3.98718, size = 152, normalized size = 1.38

$$\frac{c \sec(e + fx) \left(\sin\left(\frac{1}{2}(e + fx)\right) + i \cos\left(\frac{1}{2}(e + fx)\right) \right) \left((A + iB) \left(\cos\left(\frac{1}{2}(e + fx)\right) - i \sin\left(\frac{1}{2}(e + fx)\right) \right) + 2iB \left(\cos\left(\frac{1}{2}(e + fx)\right) \right) \right)}{f\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/Sqrt[a + I*a*Tan[e + f*x]], x]

[Out] (c*Sec[e + f*x]*((A + I*B)*(Cos[(e + f*x)/2] - I*Sin[(e + f*x)/2]) + (2*I)*B*ArcTan[Cos[e + f*x] + I*Sin[e + f*x]]*(Cos[(e + f*x)/2] + I*Sin[(e + f*x)/2]))*(I*Cos[(e + f*x)/2] + Sin[(e + f*x)/2]))/(f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])

Maple [B] time = 0.18, size = 323, normalized size = 2.9

$$\frac{-i}{af(-\tan(fx + e) + i)^2} \sqrt{-c(-1 + i \tan(fx + e))} \sqrt{a(1 + i \tan(fx + e))} \left(-2iB \ln \left(\left(ac \tan(fx + e) + \sqrt{ac(1 + (\tan(fx + e))^2)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2),x)

[Out]
$$-I/f*(-c*(-1+I*\tan(f*x+e)))^{1/2}*(a*(1+I*\tan(f*x+e)))^{1/2}/a*(-2*I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)*a*c+B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*\tan(f*x+e)^2*a*c+I*A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)+I*B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}-B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c)^{1/2})*a*c-B*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}*\tan(f*x+e)+A*(a*c*(1+\tan(f*x+e)^2))^{1/2}*(a*c)^{1/2}))/((a*c*(1+\tan(f*x+e)^2))^{1/2}/(-\tan(f*x+e)+I)^2/(a*c)^{1/2})$$

Maxima [A] time = 2.37535, size = 189, normalized size = 1.72

$$\left(2B \arctan(\cos(fx + e), \sin(fx + e) + 1) + 2B \arctan(\cos(fx + e), -\sin(fx + e) + 1) - 2(A - B) \cos(fx + e)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2),x, algorithm="maxima")

[Out]
$$-1/2*(2*B*\arctan2(\cos(f*x + e), \sin(f*x + e) + 1) + 2*B*\arctan2(\cos(f*x + e), -\sin(f*x + e) + 1) - 2*(I*A - B)*\cos(f*x + e) + I*B*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\sin(f*x + e) + 1) - I*B*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 - 2*\sin(f*x + e) + 1) - (2*A + 2*I*B)*\sin(f*x + e))*\sqrt{c}/(\sqrt{a}*f)$$

Fricas [B] time = 1.59364, size = 1013, normalized size = 9.21

$$\left(af\sqrt{-\frac{B^2c}{af^2}}e^{(2ifx+2ie)}\log\left(\frac{2\left(Be^{(2ifx+2ie)}+B\right)\sqrt{\frac{a}{e^{(2ifx+2ie)}+1}}\sqrt{\frac{c}{e^{(2ifx+2ie)}+1}}e^{(ifx+ie)}+(af e^{(2ifx+2ie)}-af)\sqrt{-\frac{B^2c}{af^2}}}{2\left(Be^{(2ifx+2ie)}+B\right)}\right)-af\sqrt{-\frac{B^2c}{af^2}}e^{(2ifx+2ie)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2),x, algorithm="fricas")

[Out]
$$1/2*(af*\sqrt{-B^2*c/(af^2)}*e^{(2*I*f*x + 2*I*e)}*\log(-1/2*(2*(B*e^{(2*I*f*x + 2*I*e)} + B)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)} + (af*e^{(2*I*f*x + 2*I*e)} - af)*\sqrt{-B^2*c/(af^2)}))/((B*e^{(2*I*f*x + 2*I*e)} + B)) - af*\sqrt{-B^2*c/(af^2)}*e^{(2*I*f*x + 2*I*e)}*\log(-1/2*(2*(B*e^{(2*I*f*x + 2*I*e)} + B)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)} - (af*e^{(2*I*f*x + 2*I*e)} - af)*\sqrt{-B^2*c/(af^2)}))/((B*e^{(2*I*f*x + 2*I*e)} + B)) + ((-2*I*A + 2*B)*e^{(3*I*f*x + 3*I*e)} + (2*I*A - 2*B)*e^{(2*I*f*x + 2*I*e)} + (-2*I*A + 2*B)*e^{(I*f*x + I*e)} + 2*I*A - 2*B)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)}*e^{(-2*I*f*x - 2*I*e)}/(af)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c(i \tan(e + fx) - 1)(A + B \tan(e + fx))}}{\sqrt{a(i \tan(e + fx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(1/2),x)

[Out] Integral(sqrt(-c*(I*tan(e + f*x) - 1))*(A + B*tan(e + f*x))/sqrt(a*(I*tan(e + f*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{-ic \tan(fx + e) + c}}{\sqrt{ia \tan(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(-I*c*tan(f*x + e) + c)/sqrt(I*a*tan(f*x + e) + a), x)

$$3.833 \quad \int \frac{A+B \tan(e+fx)}{\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=92

$$\frac{iA\sqrt{c-ic \tan(e+fx)}}{cf\sqrt{a+ia \tan(e+fx)}} - \frac{B+iA}{f\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}$$

[Out] -((I*A + B)/(f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])) + (I*A*Sqrt[c - I*c*Tan[e + f*x]])/(c*f*Sqrt[a + I*a*Tan[e + f*x]])

Rubi [A] time = 0.199729, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$\frac{iA\sqrt{c-ic \tan(e+fx)}}{cf\sqrt{a+ia \tan(e+fx)}} - \frac{B+iA}{f\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/(Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]), x]

[Out] -((I*A + B)/(f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])) + (I*A*Sqrt[c - I*c*Tan[e + f*x]])/(c*f*Sqrt[a + I*a*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 37

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{\sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^{3/2}(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA + B}{f \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}} + \frac{(aA) \operatorname{Subst} \left(\int \frac{1}{(a+iax)^{3/2} \sqrt{c-icx}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA + B}{f \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}} + \frac{iA \sqrt{c - ic \tan(e + fx)}}{cf \sqrt{a + ia \tan(e + fx)}}$$

Mathematica [A] time = 3.77169, size = 77, normalized size = 0.84

$$\frac{\sqrt{c - ic \tan(e + fx)} (\cos(e + fx) + i \sin(e + fx)) (B \cos(e + fx) - A \sin(e + fx))}{cf \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/(Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]]),x]

[Out] -((((Cos[e + f*x] + I*Sin[e + f*x])*(B*Cos[e + f*x] - A*Sin[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(c*f*Sqrt[a + I*a*Tan[e + f*x]]))

Maple [A] time = 0.193, size = 99, normalized size = 1.1

$$\frac{A (\tan(fx + e))^3 - B (\tan(fx + e))^2 + A \tan(fx + e) - B \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))}}{afc (-\tan(fx + e) + i)^2 (\tan(fx + e) + i)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(1/2),x)

[Out] 1/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/a/c*(A*tan(f*x+e)^3-B*tan(f*x+e)^2+A*tan(f*x+e)-B)/(-tan(f*x+e)+I)^2/(tan(f*x+e)+I)^2

Maxima [A] time = 2.52534, size = 170, normalized size = 1.85

$$\frac{((2A - 2iB) \cos(4fx + 4e) - 4iB \cos(2fx + 2e) - 2(-iA - B) \sin(4fx + 4e) + 4B \sin(2fx + 2e) - 2A - 2iB) \sqrt{a} \sqrt{c}}{(-4iac \cos(3fx + 3e) - 4iac \cos(fx + e) + 4ac \sin(3fx + 3e) + 4ac \sin(fx + e))f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="maxima")

[Out] -((2*A - 2*I*B)*cos(4*f*x + 4*e) - 4*I*B*cos(2*f*x + 2*e) - 2*(-I*A - B)*sin(4*f*x + 4*e) + 4*B*sin(2*f*x + 2*e) - 2*A - 2*I*B)*sqrt(a)*sqrt(c)/((-4*I*a*c*cos(3*f*x + 3*e) - 4*I*a*c*cos(f*x + e) + 4*a*c*sin(3*f*x + 3*e) + 4*a*c*sin(f*x + e))*f)

Fricas [A] time = 1.31045, size = 290, normalized size = 3.15

$$\frac{\left((-iA - B)e^{(4ifx+4ie)} + 2Be^{(3ifx+3ie)} - 2Be^{(2ifx+2ie)} + 2Be^{(ifx+ie)} + iA - B\right) \sqrt{\frac{a}{e^{(2ifx+2ie)}+1}} \sqrt{\frac{c}{e^{(2ifx+2ie)}+1}} e^{(-ifx-ie)}}{2acf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="fricas")

[Out] 1/2*((-I*A - B)*e^(4*I*f*x + 4*I*e) + 2*B*e^(3*I*f*x + 3*I*e) - 2*B*e^(2*I*f*x + 2*I*e) + 2*B*e^(I*f*x + I*e) + I*A - B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-I*f*x - I*e)/(a*c*f)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \tan(e + fx)}{\sqrt{a(i \tan(e + fx) + 1)} \sqrt{-c(i \tan(e + fx) - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(1/2)/(c-I*c*tan(f*x+e))**(1/2),x)

[Out] Integral((A + B*tan(e + f*x))/(sqrt(a*(I*tan(e + f*x) + 1))*sqrt(-c*(I*tan(e + f*x) - 1))), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{\sqrt{ia \tan(fx + e) + a} \sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/(sqrt(I*a*tan(f*x + e) + a)*sqrt(-I*c*tan(f*x + e) + c)), x)

$$3.834 \quad \int \frac{A+B \tan(e+fx)}{\sqrt{a+ia \tan(e+fx)}(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=157

$$\frac{-B+iA}{f\sqrt{a+ia \tan(e+fx)}(c-ic \tan(e+fx))^{3/2}} - \frac{(-B+2iA)\sqrt{a+ia \tan(e+fx)}}{3acf\sqrt{c-ic \tan(e+fx)}} - \frac{(-B+2iA)\sqrt{a+ia \tan(e+fx)}}{3af(c-ic \tan(e+fx))^{3/2}}$$

[Out] (I*A - B)/(f*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2)) - (((2*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*a*f*(c - I*c*Tan[e + f*x])^(3/2)) - (((2*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*a*c*f*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.251288, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{-B+iA}{f\sqrt{a+ia \tan(e+fx)}(c-ic \tan(e+fx))^{3/2}} - \frac{(-B+2iA)\sqrt{a+ia \tan(e+fx)}}{3acf\sqrt{c-ic \tan(e+fx)}} - \frac{(-B+2iA)\sqrt{a+ia \tan(e+fx)}}{3af(c-ic \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/(Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2)), x]

[Out] (I*A - B)/(f*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2)) - (((2*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*a*f*(c - I*c*Tan[e + f*x])^(3/2)) - (((2*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(3*a*c*f*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || (EqQ[c, 0] || LtQ[p, n]))))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])

Rule 37

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{\sqrt{a + ia \tan(e + fx)(c - ic \tan(e + fx))^{3/2}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{3/2}(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{iA - B}{f \sqrt{a + ia \tan(e + fx)(c - ic \tan(e + fx))^{3/2}} + \frac{(2A + iB)c \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{3/2}(c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{iA - B}{f \sqrt{a + ia \tan(e + fx)(c - ic \tan(e + fx))^{3/2}} - \frac{(2iA - B)\sqrt{a + ia \tan(e + fx)(c - ic \tan(e + fx))^{3/2}}}{3af(c - ic \tan(e + fx))^{3/2}}$$

$$= \frac{iA - B}{f \sqrt{a + ia \tan(e + fx)(c - ic \tan(e + fx))^{3/2}} - \frac{(2iA - B)\sqrt{a + ia \tan(e + fx)(c - ic \tan(e + fx))^{3/2}}}{3af(c - ic \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 7.03764, size = 103, normalized size = 0.66

$$\frac{i\sqrt{c - ic \tan(e + fx)(\cos(2(e + fx)) + i \sin(2(e + fx)))((B - 2iA) \sin(2(e + fx)) + (A + 2iB) \cos(2(e + fx)) - 3A)}}{6c^2 f \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/(Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2)), x]

[Out] ((I/6)*(Cos[2*(e + f*x)] + I*Sin[2*(e + f*x)])*(-3*A + (A + (2*I)*B)*Cos[2*(e + f*x)] + ((-2*I)*A + B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(c^2*f*Sqrt[a + I*a*Tan[e + f*x]])

Maple [A] time = 0.19, size = 151, normalized size = 1.

$$\frac{-\frac{i}{3} \left(2iA (\tan(fx + e))^4 - iB (\tan(fx + e))^3 - B (\tan(fx + e))^4 + 3iA (\tan(fx + e))^2 - 2A (\tan(fx + e))^3 - iB (\tan(fx + e))^4 \right)}{afc^2 (-\tan(fx + e) + i)^2 (\tan(fx + e) + i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(3/2), x)

[Out] -1/3*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/a/c^2*(2*I*A*tan(f*x+e)^4-I*B*tan(f*x+e)^3-B*tan(f*x+e)^4+3*I*A*tan(f*x+e)^2-2*A*tan(f*x+e)^3-I*B*tan(f*x+e)+I*A-2*A*tan(f*x+e)+B)/(-tan(f*x+e)+I)^2/(tan(f*x+e)+I)^3

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")
```

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.44176, size = 389, normalized size = 2.48

$$\frac{\left((-iA - B)e^{(6ifx+6ie)} + (-7iA - B)e^{(4ifx+4ie)} + (4iA + 4B)e^{(3ifx+3ie)} + (-3iA - 3B)e^{(2ifx+2ie)} + (4iA + 4B)e^{(ifx+ie)}\right)}{12ac^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*((-I*A - B)*e^(6*I*f*x + 6*I*e) + (-7*I*A - B)*e^(4*I*f*x + 4*I*e) + (4*I*A + 4*B)*e^(3*I*f*x + 3*I*e) + (-3*I*A - 3*B)*e^(2*I*f*x + 2*I*e) + (4*I*A + 4*B)*e^(I*f*x + I*e) + 3*I*A - 3*B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-I*f*x - I*e)/(a*c^2*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(1/2)/(c-I*c*tan(f*x+e))**(3/2),x)
```

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{\sqrt{ia \tan(fx + e) + a(-ic \tan(fx + e) + c)^{\frac{3}{2}}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/(sqrt(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(3/2)), x)
```


$$3.835 \quad \int \frac{A+B \tan(e+fx)}{\sqrt{a+ia \tan(e+fx)}(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=213

$$\frac{2(-2B+3iA)\sqrt{a+ia \tan(e+fx)}}{15ac^2 f \sqrt{c-ic \tan(e+fx)}} - \frac{2(-2B+3iA)\sqrt{a+ia \tan(e+fx)}}{15acf(c-ic \tan(e+fx))^{3/2}} - \frac{(-2B+3iA)\sqrt{a+ia \tan(e+fx)}}{5af(c-ic \tan(e+fx))^{5/2}} + \frac{1}{f\sqrt{a+ia \tan(e+fx)}}$$

[Out] (I*A - B)/(f*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2)) - (((3*I)*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(5*a*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*((3*I)*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*((3*I)*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.275042, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-2B+3iA)\sqrt{a+ia \tan(e+fx)}}{15ac^2 f \sqrt{c-ic \tan(e+fx)}} - \frac{2(-2B+3iA)\sqrt{a+ia \tan(e+fx)}}{15acf(c-ic \tan(e+fx))^{3/2}} - \frac{(-2B+3iA)\sqrt{a+ia \tan(e+fx)}}{5af(c-ic \tan(e+fx))^{5/2}} + \frac{1}{f\sqrt{a+ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/(Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2)), x]

[Out] (I*A - B)/(f*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2)) - (((3*I)*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(5*a*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*((3*I)*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*((3*I)*A - 2*B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&

```
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{5/2}} dx = \frac{(ac) \text{Subst}\left(\int \frac{A+Bx}{(a+iax)^{3/2}(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{iA - B}{f\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{5/2}} + \frac{((3A + 2iB)c) \text{Subst}\left(\int \frac{1}{\sqrt{a + ia \tan(e + fx)}} dx, x, \tan(e + fx)\right)}{5af(c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{iA - B}{f\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{5/2}} - \frac{(3iA - 2B)\sqrt{a + ia \tan(e + fx)}}{5af(c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{iA - B}{f\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{5/2}} - \frac{(3iA - 2B)\sqrt{a + ia \tan(e + fx)}}{5af(c - ic \tan(e + fx))^{5/2}}$$

$$= \frac{iA - B}{f\sqrt{a + ia \tan(e + fx)}(c - ic \tan(e + fx))^{5/2}} - \frac{(3iA - 2B)\sqrt{a + ia \tan(e + fx)}}{5af(c - ic \tan(e + fx))^{5/2}}$$

Mathematica [A] time = 10.8351, size = 128, normalized size = 0.6

$$\frac{\sqrt{c - ic \tan(e + fx)}(\cos(3(e + fx)) + i \sin(3(e + fx)))(3A + 2iB)(3 \sin(3(e + fx)) - 5 \sin(e + fx)) + 5(B - 6iA) \cos(e + fx)}{60c^3 f \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/(Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x]))^(5/2), x]
```

```
[Out] ((Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)])*(5*((-6*I)*A + B)*Cos[e + f*x] + ((6*I)*A - 9*B)*Cos[3*(e + f*x)] + (3*A + (2*I)*B)*(-5*Sin[e + f*x] + 3*Sin[3*(e + f*x)]))*Sqrt[c - I*c*Tan[e + f*x]]/(60*c^3*f*Sqrt[a + I*a*Tan[e + f*x]])
```

Maple [A] time = 0.188, size = 184, normalized size = 0.9

$$\frac{4iB(\tan(fx + e))^5 + 12iA(\tan(fx + e))^4 + 6A(\tan(fx + e))^5 + 2iB(\tan(fx + e))^3 - 8B(\tan(fx + e))^4 + 18iA(\tan(fx + e))^2}{15afc^3(-\tan(fx + e) + i)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(5/2), x)
```

[Out] $1/15/f*(a*(1+I*\tan(f*x+e)))^{(1/2)}*(-c*(-1+I*\tan(f*x+e)))^{(1/2)}/a/c^3*(4*I*B*\tan(f*x+e)^5+12*I*A*\tan(f*x+e)^4+6*A*\tan(f*x+e)^5+2*I*B*\tan(f*x+e)^3-8*B*\tan(f*x+e)^4+18*I*A*\tan(f*x+e)^2+3*A*\tan(f*x+e)^3-2*I*B*\tan(f*x+e)-7*B*\tan(f*x+e)^2+6*I*A-3*A*\tan(f*x+e)+B)/(-\tan(f*x+e)+I)^2/(\tan(f*x+e)+I)^4$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.41208, size = 447, normalized size = 2.1

$$\frac{\left((-3iA - 3B)e^{(8ifx+8ie)} + (-18iA - 8B)e^{(6ifx+6ie)} + (-60iA + 10B)e^{(4ifx+4ie)} + (48iA + 8B)e^{(3ifx+3ie)} - 30iAe^{(2ifx+2ie)}\right)}{120ac^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")`

[Out] $1/120*((-3*I*A - 3*B)*e^{(8*I*f*x + 8*I*e)} + (-18*I*A - 8*B)*e^{(6*I*f*x + 6*I*e)} + (-60*I*A + 10*B)*e^{(4*I*f*x + 4*I*e)} + (48*I*A + 8*B)*e^{(3*I*f*x + 3*I*e)} - 30*I*A*e^{(2*I*f*x + 2*I*e)} + (48*I*A + 8*B)*e^{(I*f*x + I*e)} + 15*I*A - 15*B)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(-I*f*x - I*e)}/(a*c^3*f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(1/2)/(c-I*c*tan(f*x+e))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{\sqrt{ia \tan(fx + e) + a(-ic \tan(fx + e) + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(1/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/(sqrt(I*a*tan(f*x + e) + a)*(-I*c*tan(f*x + e) + c)^(5/2)), x)
```

$$3.836 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=287

$$\frac{5c^{7/2}(-5B + 2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} - \frac{5c^3(-5B + 2iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2a^2f} - \frac{5c^2(-5B + 2iA)}{2a^2f}$$

[Out] $(-5*((2*I)*A - 5*B)*c^{(7/2)}*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(a^{(3/2)}*f) - (5*((2*I)*A - 5*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*a^2*f) - (5*((2*I)*A - 5*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^{(3/2)})/(6*a^2*f) - (2*((2*I)*A - 5*B)*c*(c - I*c*Tan[e + f*x])^{(5/2)})/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]]) + ((I*A - B)*(c - I*c*Tan[e + f*x])^{(7/2)})/(3*f*(a + I*a*Tan[e + f*x])^{(3/2)})$

Rubi [A] time = 0.342676, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$\frac{5c^{7/2}(-5B + 2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} - \frac{5c^3(-5B + 2iA)\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{2a^2f} - \frac{5c^2(-5B + 2iA)}{2a^2f}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] $(-5*((2*I)*A - 5*B)*c^{(7/2)}*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(a^{(3/2)}*f) - (5*((2*I)*A - 5*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*a^2*f) - (5*((2*I)*A - 5*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^{(3/2)})/(6*a^2*f) - (2*((2*I)*A - 5*B)*c*(c - I*c*Tan[e + f*x])^{(5/2)})/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]]) + ((I*A - B)*(c - I*c*Tan[e + f*x])^{(7/2)})/(3*f*(a + I*a*Tan[e + f*x])^{(3/2)})$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

[In] $\text{int}((A+B*\tan(f*x+e))*(c-I*c*\tan(f*x+e))^{(7/2)}/(a+I*a*\tan(f*x+e))^{(3/2)},x)$

[Out] $\frac{1}{6}f*(-c*(-1+I*\tan(f*x+e)))^{(1/2)}*(a*(1+I*\tan(f*x+e)))^{(1/2)}*c^3/a^2*(6*I*A*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\tan(f*x+e)^3-114*I*A*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\tan(f*x+e)-75*I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)^3*a*c-118*I*B*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}-30*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)^3*a*c+3*I*B*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\tan(f*x+e)^4+185*I*B*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\tan(f*x+e)^2-225*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)^2*a*c-21*B*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\tan(f*x+e)^3+225*I*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)*a*c-30*I*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)*a*c+74*A*\tan(f*x+e)^2*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}+90*I*A*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)^2*a*c+75*B*\ln((a*c*\tan(f*x+e)+(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c)^{(1/2)})*\tan(f*x+e)^2*a*c+279*B*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)}*\tan(f*x+e)-46*A*(a*c*(1+\tan(f*x+e)^2))^{(1/2)}*(a*c)^{(1/2)})/(a*c*(1+\tan(f*x+e)^2))^{(1/2)}/(a*c)^{(1/2)}/(-\tan(f*x+e)+I)^3$

Maxima [B] time = 5.96431, size = 1854, normalized size = 6.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(f*x+e))*(c-I*c*\tan(f*x+e))^{(7/2)}/(a+I*a*\tan(f*x+e))^{(3/2)},x, \text{algorithm}="maxima")$

[Out] $-(1440*A + 3600*I*B)*c^3*\cos(6*f*x + 6*e) + (2400*A + 6000*I*B)*c^3*\cos(4*f*x + 4*e) + (768*A + 1920*I*B)*c^3*\cos(2*f*x + 2*e) + 720*(2*I*A - 5*B)*c^3*\sin(6*f*x + 6*e) + 1200*(2*I*A - 5*B)*c^3*\sin(4*f*x + 4*e) + 384*(2*I*A - 5*B)*c^3*\sin(2*f*x + 2*e) - (192*A + 192*I*B)*c^3 + ((720*A + 1800*I*B)*c^3*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (1440*A + 3600*I*B)*c^3*\cos(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (720*A + 1800*I*B)*c^3*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 360*(2*I*A - 5*B)*c^3*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 720*(2*I*A - 5*B)*c^3*\sin(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 360*(2*I*A - 5*B)*c^3*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1) + ((720*A + 1800*I*B)*c^3*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (1440*A + 3600*I*B)*c^3*\cos(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (720*A + 1800*I*B)*c^3*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 360*(2*I*A - 5*B)*c^3*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 720*(2*I*A - 5*B)*c^3*\sin(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 360*(2*I*A - 5*B)*c^3*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*\arctan2(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))), -\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1) + (180*(2*I*A - 5*B)*c^3*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 360*(2*I*A - 5*B)*c^3*\cos(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 180*(2*I*A - 5*B)*c^3*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (360*A + 900*I*B)*c^3*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (720*A + 1800*I*B)*c^3*\sin(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - (360*A + 900*I*B)*c^3*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*\log(\cos(1/2*\arctan2(\sin(2*f*x +$

$$2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1) + (180*(-2*I*A + 5*B)*c^3*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 360*(-2*I*A + 5*B)*c^3*\cos(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 180*(-2*I*A + 5*B)*c^3*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (360*A + 900*I*B)*c^3*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (720*A + 1800*I*B)*c^3*\sin(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + (360*A + 900*I*B)*c^3*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*\log(\cos(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 + \sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e)))^2 - 2*\sin(1/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 1))*\sqrt{a}*\sqrt{c}/((-144*I*a^2*\cos(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - 288*I*a^2*\cos(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) - 144*I*a^2*\cos(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 144*a^2*\sin(7/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 288*a^2*\sin(5/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))) + 144*a^2*\sin(3/2*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e))))*f)$$

Fricas [B] time = 1.75218, size = 1729, normalized size = 6.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] $\frac{1}{12} * (2 * ((46 * I * A - 118 * B) * c^3 * e^{(7 * I * f * x + 7 * I * e)} + (-60 * I * A + 150 * B) * c^3 * e^{(6 * I * f * x + 6 * I * e)} + (92 * I * A - 236 * B) * c^3 * e^{(5 * I * f * x + 5 * I * e)} + (-100 * I * A + 250 * B) * c^3 * e^{(4 * I * f * x + 4 * I * e)} + (46 * I * A - 118 * B) * c^3 * e^{(3 * I * f * x + 3 * I * e)} + (-32 * I * A + 80 * B) * c^3 * e^{(2 * I * f * x + 2 * I * e)} + (8 * I * A - 8 * B) * c^3) * \sqrt{a / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * e^{(I * f * x + I * e)} + 3 * (a^2 * f * e^{(6 * I * f * x + 6 * I * e)} + a^2 * f * e^{(4 * I * f * x + 4 * I * e)}) * \sqrt{(100 * A^2 + 500 * I * A * B - 625 * B^2) * c^7 / (a^3 * f^2)} * \log((2 * ((10 * I * A - 25 * B) * c^3 * e^{(2 * I * f * x + 2 * I * e)} + (10 * I * A - 25 * B) * c^3) * \sqrt{a / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * e^{(I * f * x + I * e)} + (a^2 * f * e^{(2 * I * f * x + 2 * I * e)} - a^2 * f) * \sqrt{(100 * A^2 + 500 * I * A * B - 625 * B^2) * c^7 / (a^3 * f^2)}) / ((-20 * I * A + 50 * B) * c^3 * e^{(2 * I * f * x + 2 * I * e)} + (-20 * I * A + 50 * B) * c^3) - 3 * (a^2 * f * e^{(6 * I * f * x + 6 * I * e)} + a^2 * f * e^{(4 * I * f * x + 4 * I * e)}) * \sqrt{(100 * A^2 + 500 * I * A * B - 625 * B^2) * c^7 / (a^3 * f^2)} * \log((2 * ((10 * I * A - 25 * B) * c^3 * e^{(2 * I * f * x + 2 * I * e)} + (10 * I * A - 25 * B) * c^3) * \sqrt{a / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * e^{(I * f * x + I * e)} - (a^2 * f * e^{(2 * I * f * x + 2 * I * e)} - a^2 * f) * \sqrt{(100 * A^2 + 500 * I * A * B - 625 * B^2) * c^7 / (a^3 * f^2)}) / ((-20 * I * A + 50 * B) * c^3 * e^{(2 * I * f * x + 2 * I * e)} + (-20 * I * A + 50 * B) * c^3)) / (a^2 * f * e^{(6 * I * f * x + 6 * I * e)} + a^2 * f * e^{(4 * I * f * x + 4 * I * e)})$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2)/(a+I*a*tan(f*x+e))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{7}{2}}}{(ia \tan(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(7/2)/(I*a*tan(f*x + e) + a)^(3/2), x)

$$3.837 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=229

$$\frac{2c^{5/2}(-4B + iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} - \frac{c^2(-4B + iA)\sqrt{a + ia \tan(e+fx)}\sqrt{c - ic \tan(e+fx)}}{a^2f} - \frac{2c(-4B + iA)(c - iA \tan(e+fx))^{3/2}}{3af\sqrt{a + ia \tan(e+fx)}}$$

[Out] $(-2*(I*A - 4*B)*c^{(5/2)}*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])]/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]]))/(a^{(3/2)}*f) - ((I*A - 4*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(a^2*f) - (2*(I*A - 4*B)*c*(c - I*c*Tan[e + f*x])^{(3/2)})/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]]) + ((I*A - B)*(c - I*c*Tan[e + f*x])^{(5/2)})/(3*f*(a + I*a*Tan[e + f*x])^{(3/2)})$

Rubi [A] time = 0.307727, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$\frac{2c^{5/2}(-4B + iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} - \frac{c^2(-4B + iA)\sqrt{a + ia \tan(e+fx)}\sqrt{c - ic \tan(e+fx)}}{a^2f} - \frac{2c(-4B + iA)(c - iA \tan(e+fx))^{3/2}}{3af\sqrt{a + ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] $(-2*(I*A - 4*B)*c^{(5/2)}*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])]/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]]))/(a^{(3/2)}*f) - ((I*A - 4*B)*c^2*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(a^2*f) - (2*(I*A - 4*B)*c*(c - I*c*Tan[e + f*x])^{(3/2)})/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]]) + ((I*A - B)*(c - I*c*Tan[e + f*x])^{(5/2)})/(3*f*(a + I*a*Tan[e + f*x])^{(3/2)})$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))]/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || (EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m])

rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]

Rule 50

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{5/2}}{(a + ia \tan(e + fx))^{3/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)(c-icx)^{3/2}}{(a+iax)^{5/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{3f(a + ia \tan(e + fx))^{3/2}} - \frac{((A + 4iB)c) \operatorname{Subst} \left(\int \frac{(c-icx)^{3/2}}{(a+iax)^{3/2}} dx, x, \tan(e + fx) \right)}{3f}$$

$$= -\frac{2(iA - 4B)c(c - ic \tan(e + fx))^{3/2}}{3af\sqrt{a + ia \tan(e + fx)}} + \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{3f(a + ia \tan(e + fx))^{3/2}}$$

$$= -\frac{(iA - 4B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^2f} - \frac{2(iA - 4B)c(c - ic \tan(e + fx))^{3/2}}{3af\sqrt{a + ia \tan(e + fx)}}$$

$$= -\frac{(iA - 4B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^2f} - \frac{2(iA - 4B)c(c - ic \tan(e + fx))^{3/2}}{3af\sqrt{a + ia \tan(e + fx)}}$$

$$= -\frac{(iA - 4B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^2f} - \frac{2(iA - 4B)c(c - ic \tan(e + fx))^{3/2}}{3af\sqrt{a + ia \tan(e + fx)}}$$

$$= -\frac{2(iA - 4B)c^{5/2} \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{a^{3/2}f} - \frac{(iA - 4B)c^2\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^2f}$$

Mathematica [A] time = 11.2828, size = 174, normalized size = 0.76

$$\frac{4\sqrt{2}\left(\frac{c}{1+e^{2i(e+fx)}}\right)^{5/2}\left(3(A+4iB)e^{3i(e+fx)}(1+e^{2i(e+fx)})\tan^{-1}\left(e^{i(e+fx)}\right)+A\left(2e^{2i(e+fx)}+3e^{4i(e+fx)}-1\right)+iB\left(8e^{2i(e+fx)}+3af(\tan(e+fx)-i)\sqrt{a+ia\tan(e+fx)}\right)}{3af(\tan(e+fx)-i)\sqrt{a+ia\tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] (-4*sqrt[2]*(c/(1 + E^((2*I)*(e + f*x))))^(5/2)*(A*(-1 + 2*E^((2*I)*(e + f*x))) + 3*E^((4*I)*(e + f*x))) + I*B*(-1 + 8*E^((2*I)*(e + f*x)) + 12*E^((4*I)*(e + f*x))) + 3*(A + (4*I)*B)*E^((3*I)*(e + f*x))*(1 + E^((2*I)*(e + f*x))))*ArcTan[E^(I*(e + f*x))])/(3*a*f*(-I + Tan[e + f*x])*sqrt[a + I*a*Tan[e + f*x]])

Maple [B] time = 0.125, size = 669, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(3/2), x)

[Out] 1/3/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*c^2/a^2*(-12*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^3*a*c+9*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-3*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^3*a*c+36*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)*a*c+29*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2-36*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)^2*a*c-3*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3-3*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c-12*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+9*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*tan(f*x+e)*a*c+8*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-19*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+12*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)))/(a*c)^(1/2))*a*c+45*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)-4*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(-tan(f*x+e)+I)^3/(a*c)^(1/2)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.78026, size = 1447, normalized size = 6.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*(3*a^2*sqrt((4*A^2 + 32*I*A*B - 64*B^2)*c^5/(a^3*f^2))*f*e^(4*I*f*x + 4*I*e)*log((2*((2*I*A - 8*B)*c^2*e^(2*I*f*x + 2*I*e) + (2*I*A - 8*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (a^2*f*e^(2*I*f*x + 2*I*e) - a^2*f)*sqrt((4*A^2 + 32*I*A*B - 64*B^2)*c^5/(a^3*f^2)))/((-4*I*A + 16*B)*c^2*e^(2*I*f*x + 2*I*e) + (-4*I*A + 16*B)*c^2)) - 3*a^2*sqrt((4*A^2 + 32*I*A*B - 64*B^2)*c^5/(a^3*f^2))*f*e^(4*I*f*x + 4*I*e)*log((2*((2*I*A - 8*B)*c^2*e^(2*I*f*x + 2*I*e) + (2*I*A - 8*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (a^2*f*e^(2*I*f*x + 2*I*e) - a^2*f)*sqrt((4*A^2 + 32*I*A*B - 64*B^2)*c^5/(a^3*f^2)))/((-4*I*A + 16*B)*c^2*e^(2*I*f*x + 2*I*e) + (-4*I*A + 16*B)*c^2)) + 2*((8*I*A - 38*B)*c^2*e^(5*I*f*x + 5*I*e) + (-12*I*A + 48*B)*c^2*e^(4*I*f*x + 4*I*e) + (8*I*A - 38*B)*c^2*e^(3*I*f*x + 3*I*e) + (-8*I*A + 32*B)*c^2*e^(2*I*f*x + 2*I*e) + (4*I*A - 4*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))*e^(-4*I*f*x - 4*I*e)/(a^2*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-i c \tan(fx + e) + c)^{\frac{5}{2}}}{(i a \tan(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(5/2)/(I*a*tan(f*x + e) + a)^(3/2), x)
```

$$3.838 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=157

$$\frac{2Bc^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} + \frac{(-B+IA)(c-ic \tan(e+fx))^{3/2}}{3f(a+ia \tan(e+fx))^{3/2}} + \frac{2Bc\sqrt{c-ic \tan(e+fx)}}{af\sqrt{a+ia \tan(e+fx)}}$$

[Out] (2*B*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(a^(3/2)*f) + (2*B*c*Sqrt[c - I*c*Tan[e + f*x]])/(a*f*Sqrt[a + I*a*Tan[e + f*x]]) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f*(a + I*a*Tan[e + f*x])^(3/2))

Rubi [A] time = 0.265271, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 47, 63, 217, 203}

$$\frac{2Bc^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} + \frac{(-B+IA)(c-ic \tan(e+fx))^{3/2}}{3f(a+ia \tan(e+fx))^{3/2}} + \frac{2Bc\sqrt{c-ic \tan(e+fx)}}{af\sqrt{a+ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] (2*B*c^(3/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(a^(3/2)*f) + (2*B*c*Sqrt[c - I*c*Tan[e + f*x]])/(a*f*Sqrt[a + I*a*Tan[e + f*x]]) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(3/2))/(3*f*(a + I*a*Tan[e + f*x])^(3/2))

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &

& IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}{(a + ia \tan(e + fx))^{3/2}} dx &= \frac{(ac) \operatorname{Subst}\left(\int \frac{(A+Bx)\sqrt{c-icx}}{(a+iax)^{5/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{3f(a + ia \tan(e + fx))^{3/2}} - \frac{(iBc) \operatorname{Subst}\left(\int \frac{\sqrt{c-icx}}{(a+iax)^{3/2}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{2Bc\sqrt{c - ic \tan(e + fx)}}{af\sqrt{a + ia \tan(e + fx)}} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(iBc^2) \operatorname{Subst}\left(\int \frac{1}{\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{2Bc\sqrt{c - ic \tan(e + fx)}}{af\sqrt{a + ia \tan(e + fx)}} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(2Bc^2) \operatorname{Subst}\left(\int \frac{1}{\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{2Bc\sqrt{c - ic \tan(e + fx)}}{af\sqrt{a + ia \tan(e + fx)}} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(2Bc^2) \operatorname{Subst}\left(\int \frac{1}{\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{2Bc\sqrt{c - ic \tan(e + fx)}}{af\sqrt{a + ia \tan(e + fx)}} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(2Bc^2) \operatorname{Subst}\left(\int \frac{1}{\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f} \\ &= \frac{2Bc^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{3/2}f} + \frac{2Bc\sqrt{c - ic \tan(e + fx)}}{af\sqrt{a + ia \tan(e + fx)}} + \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{3f(a + ia \tan(e + fx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 7.36481, size = 114, normalized size = 0.73

$$\frac{\sqrt{2}ce^{-2i(e+fx)}\sqrt{\frac{c}{1+e^{2i(e+fx)}}}\left(iA+B(-1+6e^{2i(e+fx)})+6Be^{3i(e+fx)}\tan^{-1}\left(e^{i(e+fx)}\right)\right)}{3af\sqrt{a+ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] $(\sqrt{2} * c * \sqrt{c / (1 + E^{(2 * I) * (e + f * x)})}) * (I * A + B * (-1 + 6 * E^{(2 * I) * (e + f * x)}) + 6 * B * E^{(3 * I) * (e + f * x)}) * \text{ArcTan}[E^{(I * (e + f * x))}] / (3 * a * E^{(2 * I) * (e + f * x)}) * f * \sqrt{a + I * a * \text{Tan}[e + f * x]})$

Maple [B] time = 0.119, size = 408, normalized size = 2.6

$$\frac{c}{3 f a^2 (-\tan(fx + e) + i)^3} \sqrt{-c(-1 + i \tan(fx + e))} \sqrt{a(1 + i \tan(fx + e))} \left(-3 i B \ln \left(\left(a c \tan(fx + e) + \sqrt{a c (1 + i \tan(fx + e))} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(3/2),x)`

[Out] $1/3/f * (-c * (-1 + I * \tan(f * x + e)))^{(1/2)} * (a * (1 + I * \tan(f * x + e)))^{(1/2)} / a^2 * c * (-3 * I * B * \ln((a * c * \tan(f * x + e) + (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)}) / (a * c)^{(1/2)}) * \tan(f * x + e)^3 * a * c + 9 * I * B * \ln((a * c * \tan(f * x + e) + (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)}) / (a * c)^{(1/2)}) * \tan(f * x + e) * a * c + 7 * I * B * (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)} * \tan(f * x + e)^2 - 9 * B * \ln((a * c * \tan(f * x + e) + (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)}) / (a * c)^{(1/2)}) * \tan(f * x + e)^2 * a * c + A * \tan(f * x + e)^2 * (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)} - 5 * I * B * (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)} + 3 * B * \ln((a * c * \tan(f * x + e) + (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)}) / (a * c)^{(1/2)}) * a * c + 12 * B * (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)} * \tan(f * x + e) + A * (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} * (a * c)^{(1/2)}) / (a * c * (1 + \tan(f * x + e)^2))^{(1/2)} / (-\tan(f * x + e) + I)^3 / (a * c)^{(1/2)}$

Maxima [A] time = 2.84403, size = 228, normalized size = 1.45

$$\left(6 B c \arctan(\cos(fx + e), \sin(fx + e) + 1) + 6 B c \arctan(\cos(fx + e), -\sin(fx + e) + 1) - 2(-i A + B) c \cos(3fx + 3e) \right) / (a^3 f^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="maxima")`

[Out] $1/6 * (6 * B * c * \arctan2(\cos(f * x + e), \sin(f * x + e) + 1) + 6 * B * c * \arctan2(\cos(f * x + e), -\sin(f * x + e) + 1) - 2 * (-I * A + B) * c * \cos(3 * f * x + 3 * e) + 12 * B * c * \cos(f * x + e) + 3 * I * B * c * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 + 2 * \sin(f * x + e) + 1) - 3 * I * B * c * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 - 2 * \sin(f * x + e) + 1) + (2 * A + 2 * I * B) * c * \sin(3 * f * x + 3 * e) - 12 * I * B * c * \sin(f * x + e)) * \sqrt{c} / (a^{(3/2)} * f)$

Fricas [B] time = 1.6577, size = 1143, normalized size = 7.28

$$\left(3 a^2 f \sqrt{-\frac{B^2 c^3}{a^3 f^2}} e^{(4i f x + 4i e)} \log \left(\frac{2 (B c e^{(2i f x + 2i e) + B c}) \sqrt{\frac{a}{e^{(2i f x + 2i e) + 1}}} \sqrt{\frac{c}{e^{(2i f x + 2i e) + 1}}} e^{(i f x + i e)} + (a^2 f e^{(2i f x + 2i e) - a^2 f}) \sqrt{-\frac{B^2 c^3}{a^3 f^2}}}{2 (B c e^{(2i f x + 2i e) + B c})} \right) - 3 a^2 f \sqrt{-\frac{B^2 c^3}{a^3 f^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] -1/6*(3*a^2*f*sqrt(-B^2*c^3/(a^3*f^2))*e^(4*I*f*x + 4*I*e)*log(-1/2*(2*(B*c*e^(2*I*f*x + 2*I*e) + B*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (a^2*f*e^(2*I*f*x + 2*I*e) - a^2*f)*sqrt(-B^2*c^3/(a^3*f^2)))/(B*c*e^(2*I*f*x + 2*I*e) + B*c)) - 3*a^2*f*sqrt(-B^2*c^3/(a^3*f^2))*e^(4*I*f*x + 4*I*e)*log(-1/2*(2*(B*c*e^(2*I*f*x + 2*I*e) + B*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (a^2*f*e^(2*I*f*x + 2*I*e) - a^2*f)*sqrt(-B^2*c^3/(a^3*f^2)))/(B*c*e^(2*I*f*x + 2*I*e) + B*c)) - ((-2*I*A - 10*B)*c*e^(5*I*f*x + 5*I*e) + 12*B*c*e^(4*I*f*x + 4*I*e) + (-2*I*A - 10*B)*c*e^(3*I*f*x + 3*I*e) + (2*I*A + 10*B)*c*e^(2*I*f*x + 2*I*e) + (2*I*A - 2*B)*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))*e^(-4*I*f*x - 4*I*e)/(a^2*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(3/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{3}{2}}}{(ia \tan(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(3/2)/(I*a*tan(f*x + e) + a)^(3/2), x)
```

$$3.839 \quad \int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=104

$$\frac{(-B + iA)\sqrt{c - ic \tan(e + fx)}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(2B + iA)\sqrt{c - ic \tan(e + fx)}}{3af\sqrt{a + ia \tan(e + fx)}}$$

[Out] ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*f*(a + I*a*Tan[e + f*x])^(3/2)) + ((I*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]])

Rubi [A] time = 0.214955, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$\frac{(-B + iA)\sqrt{c - ic \tan(e + fx)}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(2B + iA)\sqrt{c - ic \tan(e + fx)}}{3af\sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*f*(a + I*a*Tan[e + f*x])^(3/2)) + ((I*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 37

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rubi steps

$$\int \frac{(A + B \tan(e + fx))\sqrt{c - ic \tan(e + fx)}}{(a + ia \tan(e + fx))^{3/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^{5/2}\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{((A - 2iB)c) \operatorname{Subst}\left(\int \frac{1}{(a+iax)^{3/2}\sqrt{c-icx}} dx, x, \tan(e + fx)\right)}{3f}$$

$$= \frac{(iA - B)\sqrt{c - ic \tan(e + fx)}}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{(iA + 2B)\sqrt{c - ic \tan(e + fx)}}{3af\sqrt{a + ia \tan(e + fx)}}$$

Mathematica [A] time = 4.14039, size = 81, normalized size = 0.78

$$\frac{\sqrt{c - ic \tan(e + fx)}((2B + iA) \tan(e + fx) + 2A - iB)}{3af(\tan(e + fx) - i)\sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x])^(3/2), x]

[Out] ((2*A - I*B + (I*A + 2*B)*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(3*a*f*(-I + Tan[e + f*x])*Sqrt[a + I*a*Tan[e + f*x]])

Maple [A] time = 0.114, size = 103, normalized size = 1.

$$\frac{2iB(\tan(fx + e))^2 + 3iA \tan(fx + e) - A(\tan(fx + e))^2 - iB + 3B \tan(fx + e) + 2A}{3fa^2(-\tan(fx + e) + i)^3} \sqrt{-c(-1 + i \tan(fx + e))} \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2), x)

[Out] 1/3/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)/a^2*(2*I*B*tan(f*x+e)^2+3*I*A*tan(f*x+e)-A*tan(f*x+e)^2-I*B+3*B*tan(f*x+e)+2*A)/(-tan(f*x+e)+I)^3

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.32497, size = 348, normalized size = 3.35

$$\frac{\left((-4iA - 2B)e^{(5ifx+5ie)} + (3iA + 3B)e^{(4ifx+4ie)} + (-4iA - 2B)e^{(3ifx+3ie)} + (4iA + 2B)e^{(2ifx+2ie)} + iA - B\right)\sqrt{\frac{c}{e^{(2ifx+2ie)} + 1}}}{6a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] 1/6*((-4*I*A - 2*B)*e^(5*I*f*x + 5*I*e) + (3*I*A + 3*B)*e^(4*I*f*x + 4*I*e) + (-4*I*A - 2*B)*e^(3*I*f*x + 3*I*e) + (4*I*A + 2*B)*e^(2*I*f*x + 2*I*e) + I*A - B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-3*I*f*x - 3*I*e)/(a^2*f)

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)\sqrt{-ic \tan(fx + e) + c}}{(ia \tan(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*sqrt(-I*c*tan(f*x + e) + c)/(I*a*tan(f*x + e) + a)^(3/2), x)

$$3.840 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{3/2} \sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=152

$$\frac{B+iA}{f(a+ia \tan(e+fx))^{3/2} \sqrt{c-ic \tan(e+fx)}} + \frac{(B+2iA)\sqrt{c-ic \tan(e+fx)}}{3acf\sqrt{a+ia \tan(e+fx)}} + \frac{(B+2iA)\sqrt{c-ic \tan(e+fx)}}{3cf(a+ia \tan(e+fx))^{3/2}}$$

```
[Out] -((I*A + B)/(f*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])) +
(((2*I)*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*c*f*(a + I*a*Tan[e + f*x])^(3
/2)) + (((2*I)*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*a*c*f*Sqrt[a + I*a*Tan
[e + f*x]])
```

Rubi [A] time = 0.246077, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$-\frac{B+iA}{f(a+ia \tan(e+fx))^{3/2} \sqrt{c-ic \tan(e+fx)}} + \frac{(B+2iA)\sqrt{c-ic \tan(e+fx)}}{3acf\sqrt{a+ia \tan(e+fx)}} + \frac{(B+2iA)\sqrt{c-ic \tan(e+fx)}}{3cf(a+ia \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e +
f*x]]), x]
```

```
[Out] -((I*A + B)/(f*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])) +
(((2*I)*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*c*f*(a + I*a*Tan[e + f*x])^(3
/2)) + (((2*I)*A + B)*Sqrt[c - I*c*Tan[e + f*x]])/(3*a*c*f*Sqrt[a + I*a*Tan
[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*S
implify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp
 [((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
 a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
 1]

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{5/2}(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(a(2A - iB)) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{5/2}(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(2iA + B)\sqrt{c - ic \tan(e + fx)}}{3cf(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(2iA + B)\sqrt{c - ic \tan(e + fx)}}{3cf(a + ia \tan(e + fx))^{3/2} \sqrt{c - ic \tan(e + fx)}}$$

Mathematica [A] time = 4.81573, size = 85, normalized size = 0.56

$$\frac{i\sqrt{c - ic \tan(e + fx)}((B + 2iA) \sin(2(e + fx)) + (A - 2iB) \cos(2(e + fx)) - 3A)}{6acf\sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]]), x]

[Out] ((-I/6)*(-3*A + (A - (2*I)*B)*Cos[2*(e + f*x)] + ((2*I)*A + B)*Sin[2*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(a*c*f*Sqrt[a + I*a*Tan[e + f*x]])

Maple [A] time = 0.187, size = 152, normalized size = 1.

$$\frac{\frac{i}{3} \left(2iA (\tan(fx + e))^4 - iB (\tan(fx + e))^3 + B (\tan(fx + e))^4 + 3iA (\tan(fx + e))^2 + 2A (\tan(fx + e))^3 - iB \tan(fx + e) \right)}{fa^2c (-\tan(fx + e) + i)^3 (\tan(fx + e) + i)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(3/2), x)

[Out] 1/3*I/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)/a^2/c*(2*I*A*tan(f*x+e)^4-I*B*tan(f*x+e)^3+B*tan(f*x+e)^4+3*I*A*tan(f*x+e)^2+2*A*tan(f*x+e)^3-I*B*tan(f*x+e)+I*A+2*A*tan(f*x+e)-B)/(-tan(f*x+e)+I)^3/(tan(f*x+e)+I)^2

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.3744, size = 400, normalized size = 2.63

$$\frac{\left((-3iA - 3B)e^{(6ifx+6ie)} + (-4iA + 4B)e^{(5ifx+5ie)} + (3iA - 3B)e^{(4ifx+4ie)} + (-4iA + 4B)e^{(3ifx+3ie)} + (7iA - B)e^{(2ifx+2ie)}\right)}{12a^2cf}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/12*((-3*I*A - 3*B)*e^(6*I*f*x + 6*I*e) + (-4*I*A + 4*B)*e^(5*I*f*x + 5*I*e) + (3*I*A - 3*B)*e^(4*I*f*x + 4*I*e) + (-4*I*A + 4*B)*e^(3*I*f*x + 3*I*e) + (7*I*A - B)*e^(2*I*f*x + 2*I*e) + I*A - B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-3*I*f*x - 3*I*e)/(a^2*c*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(3/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^{\frac{3}{2}} \sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^(3/2)*sqrt(-I*c*tan(f*x + e) + c)), x)
```


$$3.841 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{3/2}(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=150

$$\frac{B+iA}{3f(a+ia \tan(e+fx))^{3/2}(c-ic \tan(e+fx))^{3/2}} + \frac{2A \tan(e+fx)}{3acf \sqrt{a+ia \tan(e+fx)} \sqrt{c-ic \tan(e+fx)}} + \frac{1}{3cf(a+ia \tan(e+fx))^{3/2}}$$

[Out] $-(I*A + B)/(3*f*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2)) + ((I/3)*A)/(c*f*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]]) + (2*A*Tan[e + f*x])/(3*a*c*f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])$

Rubi [A] time = 0.245398, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 39}

$$\frac{B+iA}{3f(a+ia \tan(e+fx))^{3/2}(c-ic \tan(e+fx))^{3/2}} + \frac{2A \tan(e+fx)}{3acf \sqrt{a+ia \tan(e+fx)} \sqrt{c-ic \tan(e+fx)}} + \frac{1}{3cf(a+ia \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])/((a + I*a*\text{Tan}[e + f*x])^(3/2)*(c - I*c*\text{Tan}[e + f*x])^(3/2)), x]$

[Out] $-(I*A + B)/(3*f*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2)) + ((I/3)*A)/(c*f*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]]) + (2*A*Tan[e + f*x])/(3*a*c*f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])$

Rule 3588

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] := \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m-1)}*(c + d*x)^{(n-1)}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] := -\text{Simp}[(b*e - a*f)*(c + d*x)^{(n+1)}*(e + f*x)^{(p+1)}]/(f*(p+1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n+2) - b*(d*e*(n+1) + c*f*(p+1))]/(f*(p+1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 45

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] := \text{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}]/((b*c - a*d)*(m+1)), x] - \text{Dist}[(d*\text{Simplify}[m + n + 2])/((b*c - a*d)*(m+1)), \text{Int}[(a + b*x)^{\text{Simplify}[m+1]}*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[\text{Simplify}[m + n + 2], 0] \&\& \text{NeQ}[m, -1] \&\& !(\text{LtQ}[m, -1] \&\& \text{LtQ}[n, -1] \&\& (\text{EqQ}[a, 0] || (\text{NeQ}[c, 0] \&\& \text{LtQ}[m - n, 0] \&\& \text{IntegerQ}[n]))) \&\& (\text{SumSimplerQ}[m, 1] || !\text{SumSimplerQ}[n, 1])$

Rule 39

```
Int[1/(((a_) + (b_.)*(x_))^(3/2)*((c_) + (d_.)*(x_))^(3/2)), x_Symbol] :> S
imp[x/(a*c*Sqrt[a + b*x]*Sqrt[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && Eq
Q[b*c + a*d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^{5/2} (c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} + \frac{(aA) \operatorname{Subst} \left(\int \frac{1}{(a+iax)^{5/2} (c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{3cf(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} + \frac{1}{3cf(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} + \frac{1}{3cf(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 8.5646, size = 120, normalized size = 0.8

$$\frac{\sqrt{c - ic \tan(e + fx)} (\sin(2(e + fx)) - i \cos(2(e + fx))) (9A \tan(e + fx) + A \sin(3(e + fx)) \sec(e + fx) - 2B \cos(2(e + fx)))}{12ac^2 f (\tan(e + fx) - i) \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(3/2)), x]
```

```
[Out] (((-I)*Cos[2*(e + f*x)] + Sin[2*(e + f*x)])*(-2*B - 2*B*Cos[2*(e + f*x)] + A*Sec[e + f*x]*Sin[3*(e + f*x)] + 9*A*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(12*a*c^2*f*(-I + Tan[e + f*x])*Sqrt[a + I*a*Tan[e + f*x]])
```

Maple [A] time = 0.125, size = 113, normalized size = 0.8

$$\frac{2A(\tan(fx + e))^5 + 5A(\tan(fx + e))^3 - B(\tan(fx + e))^2 + 3A \tan(fx + e) - B \sqrt{a(1 + i \tan(fx + e))} \sqrt{-c(-1 + i \tan(fx + e))}}{3fa^2c^2(-\tan(fx + e) + i)^3(\tan(fx + e) + i)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2)/(c-I*c*tan(f*x+e))^(3/2), x)
```

```
[Out] -1/3/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/a^2/c^2*(2*A*tan(f*x+e)^5+5*A*tan(f*x+e)^3-B*tan(f*x+e)^2+3*A*tan(f*x+e)-B)/(-tan(f*x+e)+I)^3/(tan(f*x+e)+I)^3
```

Maxima [A] time = 2.55065, size = 267, normalized size = 1.78

$$\frac{(3(3iA - B) \cos(2fx + 2e) - (9A + 3iB) \sin(2fx + 2e) - 2B) \cos\left(\frac{3}{2} \arctan\left(\sin(2fx + 2e), \cos(2fx + 2e)\right)\right) + 3}{12ac^2 f (\tan(e + fx) - i) \sqrt{a + ia \tan(e + fx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")
```

```
[Out] 1/24*((3*(3*I*A - B)*cos(2*f*x + 2*e) - (9*A + 3*I*B)*sin(2*f*x + 2*e) - 2*B)*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 3*(-3*I*A - B)*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((9*A + 3*I*B)*cos(2*f*x + 2*e) + 3*(3*I*A - B)*sin(2*f*x + 2*e) + 2*A)*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (9*A - 3*I*B)*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))/(a^(3/2)*c^(3/2)*f)
```

Fricas [A] time = 1.38303, size = 409, normalized size = 2.73

$$\frac{\left((-iA - B)e^{(8ifx+8ie)} + (-10iA - 4B)e^{(6ifx+6ie)} + 8Be^{(5ifx+5ie)} - 6Be^{(4ifx+4ie)} + 8Be^{(3ifx+3ie)} + (10iA - 4B)e^{(2ifx+2ie)}\right)}{24a^2c^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/24*((-I*A - B)*e^(8*I*f*x + 8*I*e) + (-10*I*A - 4*B)*e^(6*I*f*x + 6*I*e) + 8*B*e^(5*I*f*x + 5*I*e) - 6*B*e^(4*I*f*x + 4*I*e) + 8*B*e^(3*I*f*x + 3*I*e) + (10*I*A - 4*B)*e^(2*I*f*x + 2*I*e) + I*A - B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-3*I*f*x - 3*I*e)/(a^2*c^2*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2)/(c-I*c*tan(f*x+e))^(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^{\frac{3}{2}}(-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^(3/2)*(-I*c*tan(f*x + e) + c)^(3/2)), x)
```

$$3.842 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{3/2}(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=269

$$\frac{2(-B+4iA)\sqrt{a+ia \tan(e+fx)}}{15a^2c^2f\sqrt{c-ic \tan(e+fx)}} - \frac{2(-B+4iA)\sqrt{a+ia \tan(e+fx)}}{15a^2cf(c-ic \tan(e+fx))^{3/2}} - \frac{(-B+4iA)\sqrt{a+ia \tan(e+fx)}}{5a^2f(c-ic \tan(e+fx))^{5/2}} + \frac{1}{3f(a+ia \tan(e+fx))}$$

[Out] (I*A - B)/(3*f*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(5/2)) + ((4*I)*A - B)/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2)) - (((4*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(5*a^2*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*((4*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a^2*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*((4*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a^2*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Rubi [A] time = 0.317456, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(-B+4iA)\sqrt{a+ia \tan(e+fx)}}{15a^2c^2f\sqrt{c-ic \tan(e+fx)}} - \frac{2(-B+4iA)\sqrt{a+ia \tan(e+fx)}}{15a^2cf(c-ic \tan(e+fx))^{3/2}} - \frac{(-B+4iA)\sqrt{a+ia \tan(e+fx)}}{5a^2f(c-ic \tan(e+fx))^{5/2}} + \frac{1}{3f(a+ia \tan(e+fx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(5/2)), x]

[Out] (I*A - B)/(3*f*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e + f*x])^(5/2)) + ((4*I)*A - B)/(3*a*f*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(5/2)) - (((4*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(5*a^2*f*(c - I*c*Tan[e + f*x])^(5/2)) - (2*((4*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a^2*c*f*(c - I*c*Tan[e + f*x])^(3/2)) - (2*((4*I)*A - B)*Sqrt[a + I*a*Tan[e + f*x]])/(15*a^2*c^2*f*Sqrt[c - I*c*Tan[e + f*x]])

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

Rule 45

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c

```
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}} dx = \frac{(ac) \operatorname{Subst}\left(\int \frac{A+Bx}{(a+iax)^{5/2}(c-icx)^{7/2}} dx, x, \tan(e + fx)\right)}{f}$$

$$= \frac{iA - B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}} + \frac{((4A + iB)c) S}{3af \sqrt{a + ia \tan(e + fx)}}$$

$$= \frac{iA - B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{3af \sqrt{a + ia \tan(e + fx)}}$$

$$= \frac{iA - B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{3af \sqrt{a + ia \tan(e + fx)}}$$

$$= \frac{iA - B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{3af \sqrt{a + ia \tan(e + fx)}}$$

$$= \frac{iA - B}{3f(a + ia \tan(e + fx))^{3/2} (c - ic \tan(e + fx))^{5/2}} + \frac{iA - B}{3af \sqrt{a + ia \tan(e + fx)}}$$

Mathematica [A] time = 11.8992, size = 170, normalized size = 0.63

$$\frac{\sec(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(3(e + fx)) + i \sin(3(e + fx))) (20(A + iB) \cos(2(e + fx)) + (A + 4iB) \cos(4(e + fx)))}{120ac^3 f (\tan(e + fx) - i) \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e
+ f*x])^(5/2)), x]
```

```
[Out] (Sec[e + f*x]*(Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)])*(-45*A + 20*(A + I*B)
*Cos[2*(e + f*x)] + (A + (4*I)*B)*Cos[4*(e + f*x)] - (40*I)*A*Sin[2*(e + f*
x)] + 10*B*Sin[2*(e + f*x)] - (4*I)*A*Sin[4*(e + f*x)] + B*Sin[4*(e + f*x)]
)*Sqrt[c - I*c*Tan[e + f*x]]/(120*a*c^3*f*(-I + Tan[e + f*x])*Sqrt[a + I*a
*Tan[e + f*x]])
```

Maple [A] time = 0.138, size = 199, normalized size = 0.7

$$\frac{\frac{i}{15} \left(8iA (\tan(fx + e))^6 - 2iB (\tan(fx + e))^5 - 2B (\tan(fx + e))^6 + 20iA (\tan(fx + e))^4 - 8A (\tan(fx + e))^5 - \right)}{fa^2c^3 (\tan(fx + e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\tan(f*x+e))/(a+I*a*\tan(f*x+e))^{(3/2)}/(c-I*c*\tan(f*x+e))^{(5/2)},x)$

[Out] $1/15*I/f*(a*(1+I*\tan(f*x+e)))^{(1/2)}*(-c*(-1+I*\tan(f*x+e)))^{(1/2)}/a^2/c^3*(8*I*A*\tan(f*x+e)^6-2*I*B*\tan(f*x+e)^5-2*B*\tan(f*x+e)^6+20*I*A*\tan(f*x+e)^4-8*A*\tan(f*x+e)^5-5*I*B*\tan(f*x+e)^3-5*B*\tan(f*x+e)^4+15*I*A*\tan(f*x+e)^2-20*A*\tan(f*x+e)^3-3*I*B*\tan(f*x+e)+3*I*A-12*A*\tan(f*x+e)+3*B)/(\tan(f*x+e)+I)^4/(-\tan(f*x+e)+I)^3$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(f*x+e))/(a+I*a*\tan(f*x+e))^{(3/2)}/(c-I*c*\tan(f*x+e))^{(5/2)},x,\text{algorithm}=\text{"maxima"})$

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.46272, size = 531, normalized size = 1.97

$(-3iA - 3B)e^{(10ifx+10ie)} + (-23iA - 13B)e^{(8ifx+8ie)} + (-110iA - 10B)e^{(6ifx+6ie)} + (48iA + 48B)e^{(5ifx+5ie)} + (-30iA - 30B)e^{(4ifx+4ie)} + (48iA + 48B)e^{(3ifx+3ie)} + (65iA - 35B)e^{(2ifx+2ie)} + 5iA - 5B)*\text{sqrt}(a/(e^{(2ifx+2ie)} + 1))*\text{sqrt}(c/(e^{(2ifx+2ie)} + 1))*e^{(-3ifx - 3ie)}/(a^2*c^3*f)$

240

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(f*x+e))/(a+I*a*\tan(f*x+e))^{(3/2)}/(c-I*c*\tan(f*x+e))^{(5/2)},x,\text{algorithm}=\text{"fricas"})$

[Out] $1/240*((-3*I*A - 3*B)*e^{(10*I*f*x + 10*I*e)} + (-23*I*A - 13*B)*e^{(8*I*f*x + 8*I*e)} + (-110*I*A - 10*B)*e^{(6*I*f*x + 6*I*e)} + (48*I*A + 48*B)*e^{(5*I*f*x + 5*I*e)} + (-30*I*A - 30*B)*e^{(4*I*f*x + 4*I*e)} + (48*I*A + 48*B)*e^{(3*I*f*x + 3*I*e)} + (65*I*A - 35*B)*e^{(2*I*f*x + 2*I*e)} + 5*I*A - 5*B)*\text{sqrt}(a/(e^{(2*I*f*x + 2*I*e)} + 1))*\text{sqrt}(c/(e^{(2*I*f*x + 2*I*e)} + 1))*e^{(-3*I*f*x - 3*I*e)}/(a^2*c^3*f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\tan(f*x+e))/(a+I*a*\tan(f*x+e))^{(3/2)}/(c-I*c*\tan(f*x+e))^{(5/2)},x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^{\frac{3}{2}} (-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^(3/2)*(-I*c*tan(f*x + e) + c)^(5/2)), x)

$$3.843 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{9/2}}{(a+ia \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=343

$$\frac{7c^{9/2}(-7B+2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{5/2}f} + \frac{7c^4(-7B+2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2a^3f} + \frac{7c^3(-7B+2iA)\sqrt{a+ia \tan(e+fx)}}{2a^3f}$$

```
[Out] (7*((2*I)*A - 7*B)*c^(9/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(a^(5/2)*f) + (7*((2*I)*A - 7*B)*c^4*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*a^3*f) + (7*((2*I)*A - 7*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(6*a^3*f) + (14*((2*I)*A - 7*B)*c^2*(c - I*c*Tan[e + f*x])^(5/2))/(15*a^2*f*Sqrt[a + I*a*Tan[e + f*x]]) - (2*((2*I)*A - 7*B)*c*(c - I*c*Tan[e + f*x])^(7/2))/(15*a*f*(a + I*a*Tan[e + f*x])^(3/2)) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(9/2))/(5*f*(a + I*a*Tan[e + f*x])^(5/2))
```

Rubi [A] time = 0.380989, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$\frac{7c^{9/2}(-7B+2iA) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{5/2}f} + \frac{7c^4(-7B+2iA)\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}}{2a^3f} + \frac{7c^3(-7B+2iA)\sqrt{a+ia \tan(e+fx)}}{2a^3f}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(9/2))/(a + I*a*Tan[e + f*x])^(5/2), x]
```

```
[Out] (7*((2*I)*A - 7*B)*c^(9/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(a^(5/2)*f) + (7*((2*I)*A - 7*B)*c^4*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(2*a^3*f) + (7*((2*I)*A - 7*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*(c - I*c*Tan[e + f*x])^(3/2))/(6*a^3*f) + (14*((2*I)*A - 7*B)*c^2*(c - I*c*Tan[e + f*x])^(5/2))/(15*a^2*f*Sqrt[a + I*a*Tan[e + f*x]]) - (2*((2*I)*A - 7*B)*c*(c - I*c*Tan[e + f*x])^(7/2))/(15*a*f*(a + I*a*Tan[e + f*x])^(3/2)) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(9/2))/(5*f*(a + I*a*Tan[e + f*x])^(5/2))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```


Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && ( !IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^(5/2),x)

[Out] $\frac{1}{30} \frac{1}{f} (-c(-1+I \tan(fx+e)))^{1/2} (a(1+I \tan(fx+e)))^{1/2} c^4/a^3 (-3881 I B (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} \tan(fx+e) + 4410 I B \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e)^2 a^c + 2014 I B (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} \tan(fx+e)^3 + 840 I A \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e)^3 a^c - 210 A \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e)^4 a^c - 735 I B \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e)^4 a^c + 15 I B (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} \tan(fx+e)^5 - 2940 B \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e)^3 a^c - 150 B \tan(fx+e)^4 (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} + 30 I A (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} \tan(fx+e)^4 - 840 I A \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e) a^c + 1260 A \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e)^2 a^c + 584 A \tan(fx+e)^3 (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} - 735 I B \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) a^c + 334 I A (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} + 2940 B \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) \tan(fx+e) a^c + 4576 B \tan(fx+e)^2 (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} - 1316 I A (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2} \tan(fx+e)^2 - 210 A \ln((a^c \tan(fx+e) + (a^c (1+\tan(fx+e)^2))^{1/2} (a^c)^{1/2}) / (a^c)^{1/2}) a^c - 1096 A (a^c)^{1/2} (a^c (1+\tan(fx+e)^2))^{1/2} \tan(fx+e) - 1154 B (a^c)^{1/2} (a^c (1+\tan(fx+e)^2))^{1/2} / (a^c (1+\tan(fx+e)^2))^{1/2} / (a^c)^{1/2} / (-\tan(fx+e) + I)^4$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.91753, size = 1820, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] $\frac{1}{60} (2 * ((-334 * I * A + 1154 * B) * c^4 * e^{(9 * I * f * x + 9 * I * e)} + (420 * I * A - 1470 * B) * c^4 * e^{(8 * I * f * x + 8 * I * e)} + (-668 * I * A + 2308 * B) * c^4 * e^{(7 * I * f * x + 7 * I * e)} + (700 * I * A - 2450 * B) * c^4 * e^{(6 * I * f * x + 6 * I * e)} + (-334 * I * A + 1154 * B) * c^4 * e^{(5 * I * f * x + 5 * I * e)} + (224 * I * A - 784 * B) * c^4 * e^{(4 * I * f * x + 4 * I * e)} + (-32 * I * A + 112 * B) * c^4 * e^{(2 * I * f * x + 2 * I * e)} + (24 * I * A - 24 * B) * c^4) * \sqrt{a / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * \sqrt{c / (e^{(2 * I * f * x + 2 * I * e)} + 1)} * e^{(I * f * x + I * e)} - 15 * (a^3 * f * e^{(8 * I * f * x + 8 * I * e)} + a^3 * f * e^{(6 * I * f * x + 6 * I * e)}) * \sqrt{(196 * A^2 + 1372 * I * A * B - 2401 * B^2)}$

$$B^2)c^9/(a^5f^2))*\log((2*((14IA - 49B)*c^4e^{(2If*x + 2I*e)} + (14IA - 49B)*c^4)*\sqrt{a/(e^{(2If*x + 2I*e)} + 1)}*\sqrt{c/(e^{(2If*x + 2I*e)} + 1)}*e^{(If*x + I*e)} + (a^3f*e^{(2If*x + 2I*e)} - a^3f)*\sqrt{(196A^2 + 1372IA*B - 2401B^2)*c^9/(a^5f^2)}))/((-28IA + 98B)*c^4e^{(2If*x + 2I*e)} + (-28IA + 98B)*c^4)) + 15*(a^3f*e^{(8If*x + 8I*e)} + a^3f*e^{(6If*x + 6I*e)})*\sqrt{(196A^2 + 1372IA*B - 2401B^2)*c^9/(a^5f^2)})*\log((2*((14IA - 49B)*c^4e^{(2If*x + 2I*e)} + (14IA - 49B)*c^4)*\sqrt{a/(e^{(2If*x + 2I*e)} + 1)}*\sqrt{c/(e^{(2If*x + 2I*e)} + 1)}*e^{(If*x + I*e)} - (a^3f*e^{(2If*x + 2I*e)} - a^3f)*\sqrt{(196A^2 + 1372IA*B - 2401B^2)*c^9/(a^5f^2)}))/((-28IA + 98B)*c^4e^{(2If*x + 2I*e)} + (-28IA + 98B)*c^4)))/(a^3f*e^{(8If*x + 8I*e)} + a^3f*e^{(6If*x + 6I*e)})$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(9/2)/(a+I*a*tan(f*x+e))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{9}{2}}}{(ia \tan(fx + e) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(9/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(9/2)/(I*a*tan(f*x + e) + a)^(5/2), x)

$$3.844 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{7/2}}{(a+ia \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=284

$$\frac{2c^{7/2}(-6B + iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a+ia \tan(e+fx)}}{\sqrt{a} \sqrt{c-ic \tan(e+fx)}} \right)}{a^{5/2} f} + \frac{c^3(-6B + iA) \sqrt{a + ia \tan(e+fx)} \sqrt{c - ic \tan(e+fx)}}{a^3 f} + \frac{2c^2(-6B + iA)(c - ia \tan(e+fx))^{3/2}}{3a^2 f \sqrt{a + ia \tan(e+fx)}}$$

```
[Out] (2*(I*A - 6*B)*c^(7/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(a^(5/2)*f) + ((I*A - 6*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(a^3*f) + (2*(I*A - 6*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(3*a^2*f*Sqrt[a + I*a*Tan[e + f*x]]) - (2*(I*A - 6*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(15*a*f*(a + I*a*Tan[e + f*x])^(3/2)) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(5*f*(a + I*a*Tan[e + f*x])^(5/2))
```

Rubi [A] time = 0.342894, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {3588, 78, 47, 50, 63, 217, 203}

$$\frac{2c^{7/2}(-6B + iA) \tan^{-1} \left(\frac{\sqrt{c} \sqrt{a+ia \tan(e+fx)}}{\sqrt{a} \sqrt{c-ic \tan(e+fx)}} \right)}{a^{5/2} f} + \frac{c^3(-6B + iA) \sqrt{a + ia \tan(e+fx)} \sqrt{c - ic \tan(e+fx)}}{a^3 f} + \frac{2c^2(-6B + iA)(c - ia \tan(e+fx))^{3/2}}{3a^2 f \sqrt{a + ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^(5/2), x]
```

```
[Out] (2*(I*A - 6*B)*c^(7/2)*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])]/(a^(5/2)*f) + ((I*A - 6*B)*c^3*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])/(a^3*f) + (2*(I*A - 6*B)*c^2*(c - I*c*Tan[e + f*x])^(3/2))/(3*a^2*f*Sqrt[a + I*a*Tan[e + f*x]]) - (2*(I*A - 6*B)*c*(c - I*c*Tan[e + f*x])^(5/2))/(15*a*f*(a + I*a*Tan[e + f*x])^(3/2)) + ((I*A - B)*(c - I*c*Tan[e + f*x])^(7/2))/(5*f*(a + I*a*Tan[e + f*x])^(5/2))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && ( !IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{7/2}}{(a + ia \tan(e + fx))^{5/2}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{(A+Bx)(c-icx)^{5/2}}{(a+iax)^{7/2}} dx, x, \tan(e + fx) \right)}{f} \\
&= \frac{(iA - B)(c - ic \tan(e + fx))^{7/2}}{5f(a + ia \tan(e + fx))^{5/2}} - \frac{((A + 6iB)c) \text{Subst} \left(\int \frac{(c-icx)^{5/2}}{(a+iax)^{5/2}} dx \right)}{5f} \\
&= -\frac{2(iA - 6B)c(c - ic \tan(e + fx))^{5/2}}{15af(a + ia \tan(e + fx))^{3/2}} + \frac{(iA - B)(c - ic \tan(e + fx))^{5/2}}{5f(a + ia \tan(e + fx))^{5/2}} \\
&= \frac{2(iA - 6B)c^2(c - ic \tan(e + fx))^{3/2}}{3a^2f\sqrt{a + ia \tan(e + fx)}} - \frac{2(iA - 6B)c(c - ic \tan(e + fx))^{3/2}}{15af(a + ia \tan(e + fx))^{3/2}} \\
&= \frac{(iA - 6B)c^3\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^3f} + \frac{2(iA - 6B)c^2(c - ic \tan(e + fx))^{3/2}}{3a^2f\sqrt{a + ia \tan(e + fx)}} \\
&= \frac{(iA - 6B)c^3\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^3f} + \frac{2(iA - 6B)c^2(c - ic \tan(e + fx))^{3/2}}{3a^2f\sqrt{a + ia \tan(e + fx)}} \\
&= \frac{(iA - 6B)c^3\sqrt{a + ia \tan(e + fx)}\sqrt{c - ic \tan(e + fx)}}{a^3f} + \frac{2(iA - 6B)c^2(c - ic \tan(e + fx))^{3/2}}{3a^2f\sqrt{a + ia \tan(e + fx)}} \\
&= \frac{2(iA - 6B)c^{7/2} \tan^{-1} \left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}} \right)}{a^{5/2}f} + \frac{(iA - 6B)c^3\sqrt{a + ia \tan(e + fx)}}{3a^2f\sqrt{a + ia \tan(e + fx)}}
\end{aligned}$$

Mathematica [A] time = 14.2969, size = 205, normalized size = 0.72

$$\frac{2\sqrt{2}c^2e^{-4i(e+fx)}\left(\frac{c}{1+e^{2i(e+fx)}}\right)^{3/2}\left(15i(A+6iB)e^{5i(e+fx)}(1+e^{2i(e+fx)})\tan^{-1}\left(e^{i(e+fx)}\right)+iA(-2e^{2i(e+fx)}+10e^{4i(e+fx)}+15e^{6i(e+fx)})\right)}{15a^2f\sqrt{a+ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(7/2))/(a + I*a*Tan[e + f*x])^(5/2), x]

[Out] (2*Sqrt[2]*c^2*(c/(1 + E^((2*I)*(e + f*x))))^(3/2)*(I*A*(3 - 2*E^((2*I)*(e + f*x))) + 10*E^((4*I)*(e + f*x))) + 15*E^((6*I)*(e + f*x))) - 3*B*(1 - 4*E^((2*I)*(e + f*x))) + 20*E^((4*I)*(e + f*x))) + 30*E^((6*I)*(e + f*x))) + (15*I*(A + (6*I)*B)*E^((5*I)*(e + f*x))*(1 + E^((2*I)*(e + f*x)))*ArcTan[E^(I*(e + f*x))]))/(15*a^2*E^((4*I)*(e + f*x))*f*Sqrt[a + I*a*Tan[e + f*x]])

Maple [B] time = 0.121, size = 835, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^(5/2), x)

```
[Out] 1/15/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*c^3/a^3*(-47
4*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+540*I*B*ln((a*c*t
an(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)
^2*a*c-15*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a
*c)^(1/2))*tan(f*x+e)^4*a*c+246*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2
))*tan(f*x+e)^3+60*I*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)
^(1/2))/(a*c)^(1/2))*tan(f*x+e)^3*a*c-360*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(
f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^3*a*c-15*B*tan(f*x+e)
^4*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-90*I*B*ln((a*c*tan(f*x+e)+(a*c*
(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^4*a*c-60*I*A*ln
((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan
(f*x+e)*a*c+90*A*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/
2)))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+46*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(
1/2)*(a*c)^(1/2)-90*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a
*c)^(1/2))/(a*c)^(1/2))*a*c+26*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)
+360*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(
1/2))*tan(f*x+e)*a*c+564*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(
1/2)-94*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^2-15*A*ln(
(a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-
74*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-141*B*(a*c)^(1/2)*
(a*c*(1+tan(f*x+e)^2))^(1/2)/(a*c*(1+tan(f*x+e)^2))^(1/2)/(-tan(f*x+e)+I)^
4/(a*c)^(1/2)
```

Maxima [B] time = 3.9302, size = 1416, normalized size = 4.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^(5/2
),x, algorithm="maxima")
```

```
[Out] ((900*A + 5400*I*B)*c^3*cos(6*f*x + 6*e) + (600*A + 3600*I*B)*c^3*cos(4*f*x
+ 4*e) - (120*A + 720*I*B)*c^3*cos(2*f*x + 2*e) + 900*(I*A - 6*B)*c^3*sin(
6*f*x + 6*e) + 600*(I*A - 6*B)*c^3*sin(4*f*x + 4*e) + 120*(-I*A + 6*B)*c^3*
sin(2*f*x + 2*e) + (180*A + 180*I*B)*c^3 + ((450*A + 2700*I*B)*c^3*cos(7/2*
arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (450*A + 2700*I*B)*c^3*cos(5
/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 450*(I*A - 6*B)*c^3*sin(7
/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 450*(I*A - 6*B)*c^3*sin(5
/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*arctan2(cos(1/2*arctan2(si
n(2*f*x + 2*e), cos(2*f*x + 2*e))), sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2
*f*x + 2*e)))) + 1) + ((450*A + 2700*I*B)*c^3*cos(7/2*arctan2(sin(2*f*x + 2*
e), cos(2*f*x + 2*e))) + (450*A + 2700*I*B)*c^3*cos(5/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) + 450*(I*A - 6*B)*c^3*sin(7/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))) + 450*(I*A - 6*B)*c^3*sin(5/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e))))*arctan2(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*
f*x + 2*e))), -sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))) + 1) +
(225*(I*A - 6*B)*c^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) +
225*(I*A - 6*B)*c^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) -
(225*A + 1350*I*B)*c^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))
) - (225*A + 1350*I*B)*c^3*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e))))*log(cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*
arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e)))^2 + 2*sin(1/2*arctan2(sin(2*f*
x + 2*e), cos(2*f*x + 2*e)))) + 1) + (225*(-I*A + 6*B)*c^3*cos(7/2*arctan2(s
in(2*f*x + 2*e), cos(2*f*x + 2*e))) + 225*(-I*A + 6*B)*c^3*cos(5/2*arctan2(
sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (225*A + 1350*I*B)*c^3*sin(7/2*arcta
n2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (225*A + 1350*I*B)*c^3*sin(5/2*ar
```



```
ctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) * log(cos(1/2*arctan2(sin(2*f*x +
2*e), cos(2*f*x + 2*e)))^2 + sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x +
2*e)))^2 - 2*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 1)) * sq
rt(a)*sqrt(c)/((-450*I*a^3*cos(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*
e))) - 450*I*a^3*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 450
*a^3*sin(7/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 450*a^3*sin(5/2
*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))*f
```

Fricas [B] time = 1.73902, size = 1531, normalized size = 5.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^(5/2
),x, algorithm="fricas")
```

```
[Out] -1/60*(15*a^3*sqrt((4*A^2 + 48*I*A*B - 144*B^2)*c^7/(a^5*f^2))*f*e^(6*I*f*x
+ 6*I*e)*log((2*((2*I*A - 12*B)*c^3*e^(2*I*f*x + 2*I*e) + (2*I*A - 12*B)*c
^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(
I*f*x + I*e) + (a^3*f*e^(2*I*f*x + 2*I*e) - a^3*f)*sqrt((4*A^2 + 48*I*A*B -
144*B^2)*c^7/(a^5*f^2)))/((-4*I*A + 24*B)*c^3*e^(2*I*f*x + 2*I*e) + (-4*I*
A + 24*B)*c^3)) - 15*a^3*sqrt((4*A^2 + 48*I*A*B - 144*B^2)*c^7/(a^5*f^2))*f
*e^(6*I*f*x + 6*I*e)*log((2*((2*I*A - 12*B)*c^3*e^(2*I*f*x + 2*I*e) + (2*I*
A - 12*B)*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*
e) + 1))*e^(I*f*x + I*e) - (a^3*f*e^(2*I*f*x + 2*I*e) - a^3*f)*sqrt((4*A^2 +
48*I*A*B - 144*B^2)*c^7/(a^5*f^2)))/((-4*I*A + 24*B)*c^3*e^(2*I*f*x + 2*I*
e) + (-4*I*A + 24*B)*c^3)) - 2*((-52*I*A + 282*B)*c^3*e^(7*I*f*x + 7*I*e) +
(60*I*A - 360*B)*c^3*e^(6*I*f*x + 6*I*e) + (-52*I*A + 282*B)*c^3*e^(5*I*f*
x + 5*I*e) + (40*I*A - 240*B)*c^3*e^(4*I*f*x + 4*I*e) + (-8*I*A + 48*B)*c^3
*e^(2*I*f*x + 2*I*e) + (12*I*A - 12*B)*c^3)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1
))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))*e^(-6*I*f*x - 6*I*e)/
(a^3*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(7/2)/(a+I*a*tan(f*x+e))**(5
/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{7}{2}}}{(ia \tan(fx + e) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(7/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(7/2)/(I*a*tan(f*x + e) + a)^(5/2), x)
```

$$3.845 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{5/2}}{(a+ia \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=205

$$-\frac{2Bc^{5/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{5/2}f} - \frac{2Bc^2\sqrt{c-ic \tan(e+fx)}}{a^2f\sqrt{a+ia \tan(e+fx)}} + \frac{(-B+iA)(c-ic \tan(e+fx))^{5/2}}{5f(a+ia \tan(e+fx))^{5/2}} + \frac{2Bc(c-ic \tan(e+fx))^{5/2}}{3af(a+ia \tan(e+fx))^{5/2}}$$

[Out] $(-2*B*c^{(5/2)}*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(a^{(5/2)}*f) - (2*B*c^2*Sqrt[c - I*c*Tan[e + f*x]])/(a^{(5/2)}*f*Sqrt[a + I*a*Tan[e + f*x]]) + (2*B*c*(c - I*c*Tan[e + f*x])^{(3/2)})/(3*a*f*(a + I*a*Tan[e + f*x])^{(3/2)}) + ((I*A - B)*(c - I*c*Tan[e + f*x])^{(5/2)})/(5*f*(a + I*a*Tan[e + f*x])^{(5/2)})$

Rubi [A] time = 0.289492, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3588, 78, 47, 63, 217, 203}

$$-\frac{2Bc^{5/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{a+ia \tan(e+fx)}}{\sqrt{a}\sqrt{c-ic \tan(e+fx)}}\right)}{a^{5/2}f} - \frac{2Bc^2\sqrt{c-ic \tan(e+fx)}}{a^2f\sqrt{a+ia \tan(e+fx)}} + \frac{(-B+iA)(c-ic \tan(e+fx))^{5/2}}{5f(a+ia \tan(e+fx))^{5/2}} + \frac{2Bc(c-ic \tan(e+fx))^{5/2}}{3af(a+ia \tan(e+fx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x])^(5/2), x]

[Out] $(-2*B*c^{(5/2)}*ArcTan[(Sqrt[c]*Sqrt[a + I*a*Tan[e + f*x]])/(Sqrt[a]*Sqrt[c - I*c*Tan[e + f*x]])])/(a^{(5/2)}*f) - (2*B*c^2*Sqrt[c - I*c*Tan[e + f*x]])/(a^{(5/2)}*f*Sqrt[a + I*a*Tan[e + f*x]]) + (2*B*c*(c - I*c*Tan[e + f*x])^{(3/2)})/(3*a*f*(a + I*a*Tan[e + f*x])^{(3/2)}) + ((I*A - B)*(c - I*c*Tan[e + f*x])^{(5/2)})/(5*f*(a + I*a*Tan[e + f*x])^{(5/2)})$

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 78

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 47

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^n/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m])


```
[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(5/2))/(a + I*a*Tan[e + f*x])^(5/2),x]
```

```
[Out] -(Sqrt[2]*c^2*Sqrt[c/(1 + E^((2*I)*(e + f*x)))]*((-3*I)*A + B*(3 - 10*E^((2*I)*(e + f*x)) + 30*E^((4*I)*(e + f*x))) + 30*B*E^((5*I)*(e + f*x))*ArcTan[E^(I*(e + f*x))]))/(15*a^2*E^((4*I)*(e + f*x))*f*Sqrt[a + I*a*Tan[e + f*x]])
```

Maple [B] time = 0.119, size = 557, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(5/2),x)
```

```
[Out] 1/15/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)*c^2/a^3*(-15*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^4*a*c+90*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^2*a*c+43*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)^3-60*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)^3*a*c+3*I*A*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+3*A*tan(f*x+e)^3*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)-15*I*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*a*c-77*I*B*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)*tan(f*x+e)+60*B*ln((a*c*tan(f*x+e)+(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2))/(a*c)^(1/2))*tan(f*x+e)*a*c+97*B*tan(f*x+e)^2*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+3*I*A*(a*c*(1+tan(f*x+e)^2))^(1/2)*(a*c)^(1/2)+3*A*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2)*tan(f*x+e)-23*B*(a*c)^(1/2)*(a*c*(1+tan(f*x+e)^2))^(1/2))/(a*c*(1+tan(f*x+e)^2))^(1/2)/(-tan(f*x+e)+I)^4/(a*c)^(1/2)
```

Maxima [A] time = 3.22251, size = 294, normalized size = 1.43

$$\left(30 B c^2 \arctan(\cos(fx + e), \sin(fx + e) + 1) + 30 B c^2 \arctan(\cos(fx + e), -\sin(fx + e) + 1) - 6(iA - B)c^2 \cos(5fx + 5e) - 20 B c^2 \cos(3fx + 3e) + 60 B c^2 \cos(fx + e) + 15 I B c^2 \log(\cos(fx + e)^2 + \sin(fx + e)^2 + 2 \sin(fx + e) + 1) - 15 I B c^2 \log(\cos(fx + e)^2 + \sin(fx + e)^2 - 2 \sin(fx + e) + 1) - (6A + 6IB)c^2 \sin(5fx + 5e) + 20 I B c^2 \sin(3fx + 3e) - 60 I B c^2 \sin(fx + e) \right) \sqrt{c} / (a^{5/2} f)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="maxima")
```

```
[Out] -1/30*(30*B*c^2*arctan2(cos(f*x + e), sin(f*x + e) + 1) + 30*B*c^2*arctan2(cos(f*x + e), -sin(f*x + e) + 1) - 6*(I*A - B)*c^2*cos(5*f*x + 5*e) - 20*B*c^2*cos(3*f*x + 3*e) + 60*B*c^2*cos(f*x + e) + 15*I*B*c^2*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 15*I*B*c^2*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) - (6*A + 6*I*B)*c^2*sin(5*f*x + 5*e) + 20*I*B*c^2*sin(3*f*x + 3*e) - 60*I*B*c^2*sin(f*x + e))*sqrt(c)/(a^(5/2)*f)
```

Fricas [B] time = 1.7066, size = 1223, normalized size = 5.97

$$\left(15 a^3 f \sqrt{-\frac{B^2 c^5}{a^5 f^2}} e^{(6i f x + 6i e)} \log \left(\frac{2 \left(B c^2 e^{(2i f x + 2i e)} + B c^2 \right) \sqrt{\frac{a}{e^{(2i f x + 2i e)} + 1}} \sqrt{\frac{c}{e^{(2i f x + 2i e)} + 1}} e^{(i f x + i e)} + \left(a^3 f e^{(2i f x + 2i e)} - a^3 f \right) \sqrt{-\frac{B^2 c^5}{a^5 f^2}} \right) \right) - 15 a^3 f \sqrt{-\frac{B^2 c^5}{a^5 f^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="fricas")
```

```
[Out] 1/30*(15*a^3*f*sqrt(-B^2*c^5/(a^5*f^2))*e^(6*I*f*x + 6*I*e)*log(-1/2*(2*(B*c^2*e^(2*I*f*x + 2*I*e) + B*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) + (a^3*f*e^(2*I*f*x + 2*I*e) - a^3*f)*sqrt(-B^2*c^5/(a^5*f^2)))/(B*c^2*e^(2*I*f*x + 2*I*e) + B*c^2)) - 15*a^3*f*sqrt(-B^2*c^5/(a^5*f^2))*e^(6*I*f*x + 6*I*e)*log(-1/2*(2*(B*c^2*e^(2*I*f*x + 2*I*e) + B*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e) - (a^3*f*e^(2*I*f*x + 2*I*e) - a^3*f)*sqrt(-B^2*c^5/(a^5*f^2)))/(B*c^2*e^(2*I*f*x + 2*I*e) + B*c^2)) + ((-6*I*A + 46*B)*c^2*e^(7*I*f*x + 7*I*e) - 60*B*c^2*e^(6*I*f*x + 6*I*e) + (-6*I*A + 46*B)*c^2*e^(5*I*f*x + 5*I*e) - 40*B*c^2*e^(4*I*f*x + 4*I*e) + (6*I*A + 14*B)*c^2*e^(2*I*f*x + 2*I*e) + (6*I*A - 6*B)*c^2)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(I*f*x + I*e))*e^(-6*I*f*x - 6*I*e)/(a^3*f)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-i c \tan(fx + e) + c)^{\frac{5}{2}}}{(i a \tan(fx + e) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(5/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(5/2)/(I*a*tan(f*x + e) + a)^(5/2), x)
```

$$3.846 \quad \int \frac{(A+B \tan(e+fx))(c-ic \tan(e+fx))^{3/2}}{(a+ia \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=104

$$\frac{(4B + iA)(c - ic \tan(e + fx))^{3/2}}{15af(a + ia \tan(e + fx))^{3/2}} + \frac{(-B + iA)(c - ic \tan(e + fx))^{3/2}}{5f(a + ia \tan(e + fx))^{5/2}}$$

[Out] $((I*A - B)*(c - I*c*Tan[e + f*x])^{(3/2)})/(5*f*(a + I*a*Tan[e + f*x])^{(5/2)}) + ((I*A + 4*B)*(c - I*c*Tan[e + f*x])^{(3/2)})/(15*a*f*(a + I*a*Tan[e + f*x])^{(3/2)})$

Rubi [A] time = 0.228521, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3588, 78, 37}

$$\frac{(4B + iA)(c - ic \tan(e + fx))^{3/2}}{15af(a + ia \tan(e + fx))^{3/2}} + \frac{(-B + iA)(c - ic \tan(e + fx))^{3/2}}{5f(a + ia \tan(e + fx))^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Tan}[e + f*x])*(c - I*c*\text{Tan}[e + f*x])^{(3/2)}]/(a + I*a*\text{Tan}[e + f*x])^{(5/2)}, x]$

[Out] $((I*A - B)*(c - I*c*Tan[e + f*x])^{(3/2)})/(5*f*(a + I*a*Tan[e + f*x])^{(5/2)}) + ((I*A + 4*B)*(c - I*c*Tan[e + f*x])^{(3/2)})/(15*a*f*(a + I*a*Tan[e + f*x])^{(3/2)})$

Rule 3588

$\text{Int}[(a_ + (b_)*\text{tan}[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\text{tan}[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[(a*c)/f, \text{Subst}[\text{Int}[(a + b*x)^{(m - 1)}*(c + d*x)^{(n - 1)}*(A + B*x), x], x, \text{Tan}[e + f*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, n\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[a^2 + b^2, 0]$

Rule 78

$\text{Int}[(a_ + (b_)*(x_))*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(b*e - a*f)*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)}]/(f*(p + 1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))]/(f*(p + 1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^{(p + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{LtQ}[p, -1] \&\& (!\text{LtQ}[n, -1] || \text{IntegerQ}[p] || !(\text{IntegerQ}[n] || !(\text{EqQ}[e, 0] || !(\text{EqQ}[c, 0] || \text{LtQ}[p, n]))))$

Rule 37

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}]/((b*c - a*d)*(m + 1)), x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[m + n + 2, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^{3/2}}{(a + ia \tan(e + fx))^{5/2}} dx = \frac{(ac) \operatorname{Subst} \left(\int \frac{(A+Bx)\sqrt{c-icx}}{(a+iax)^{7/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{5f(a + ia \tan(e + fx))^{5/2}} + \frac{((A - 4iB)c) \operatorname{Subst} \left(\int \frac{\sqrt{c-icx}}{(a+iax)^{5/2}} dx, x, \tan(e + fx) \right)}{5f}$$

$$= \frac{(iA - B)(c - ic \tan(e + fx))^{3/2}}{5f(a + ia \tan(e + fx))^{5/2}} + \frac{(iA + 4B)(c - ic \tan(e + fx))^{3/2}}{15af(a + ia \tan(e + fx))^{3/2}}$$

Mathematica [A] time = 7.77362, size = 92, normalized size = 0.88

$$\frac{c(1 - i \tan(e + fx))\sqrt{c - ic \tan(e + fx)}((A - 4iB) \tan(e + fx) - 4iA - B)}{15a^2 f (\tan(e + fx) - i)^2 \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(3/2))/(a + I*a*Tan[e + f*x])^(5/2), x]

[Out] (c*(1 - I*Tan[e + f*x])*((-4*I)*A - B + (A - (4*I)*B)*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]]/(15*a^2*f*(-I + Tan[e + f*x])^2*Sqrt[a + I*a*Tan[e + f*x]])

Maple [A] time = 0.11, size = 92, normalized size = 0.9

$$\frac{\frac{i}{15}c \left(1 + (\tan(fx + e))^2\right) (iA \tan(fx + e) - iB + 4B \tan(fx + e) + 4A)}{fa^3 (-\tan(fx + e) + i)^4} \sqrt{-c(-1 + i \tan(fx + e))} \sqrt{a(1 + i \tan(fx + e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(5/2), x)

[Out] 1/15*I/f*(-c*(-1+I*tan(f*x+e)))^(1/2)*(a*(1+I*tan(f*x+e)))^(1/2)/a^3*c*(1+tan(f*x+e)^2)*(I*A*tan(f*x+e)-I*B+4*B*tan(f*x+e)+4*A)/(-tan(f*x+e)+I)^4

Maxima [A] time = 2.99084, size = 207, normalized size = 1.99

$$\frac{((150A - 150iB)c \cos(4fx + 4e) + (240A - 60iB)c \cos(2fx + 2e) - 150(-iA - B)c \sin(4fx + 4e) - 60(-4iA - B)c \sin(2fx + 2e))}{(-900ia^3 \cos(7fx + 7e) - 900ia^3 \cos(5fx + 5e) + 900a^3 \sin(7fx + 7e) + 900a^3 \sin(5fx + 5e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(5/2), x, algorithm="maxima")

[Out] ((150*A - 150*I*B)*c*cos(4*f*x + 4*e) + (240*A - 60*I*B)*c*cos(2*f*x + 2*e) - 150*(-I*A - B)*c*sin(4*f*x + 4*e) - 60*(-4*I*A - B)*c*sin(2*f*x + 2*e) + (90*A + 90*I*B)*c)*sqrt(a)*sqrt(c)/((-900*I*a^3*cos(7*f*x + 7*e) - 900*I*a^3*cos(5*f*x + 5*e) + 900*a^3*sin(7*f*x + 7*e) + 900*a^3*sin(5*f*x + 5*e))*

f)

Fricas [A] time = 1.35945, size = 371, normalized size = 3.57

$$\frac{\left((-8iA - 2B)ce^{(7ifx+7ie)} + (-8iA - 2B)ce^{(5ifx+5ie)} + (5iA + 5B)ce^{(4ifx+4ie)} + (8iA + 2B)ce^{(2ifx+2ie)} + (3iA - 3B)\right)}{30a^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] 1/30*((-8*I*A - 2*B)*c*e^(7*I*f*x + 7*I*e) + (-8*I*A - 2*B)*c*e^(5*I*f*x + 5*I*e) + (5*I*A + 5*B)*c*e^(4*I*f*x + 4*I*e) + (8*I*A + 2*B)*c*e^(2*I*f*x + 2*I*e) + (3*I*A - 3*B)*c)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-5*I*f*x - 5*I*e)/(a^3*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(-ic \tan(fx + e) + c)^{\frac{3}{2}}}{(ia \tan(fx + e) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(3/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(-I*c*tan(f*x + e) + c)^(3/2)/(I*a*tan(f*x + e) + a)^(5/2), x)

$$3.847 \quad \int \frac{(A+B \tan(e+fx))\sqrt{c-ic \tan(e+fx)}}{(a+ia \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=157

$$\frac{(3B+2iA)\sqrt{c-ic \tan(e+fx)}}{15a^2 f \sqrt{a+ia \tan(e+fx)}} + \frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{5f(a+ia \tan(e+fx))^{5/2}} + \frac{(3B+2iA)\sqrt{c-ic \tan(e+fx)}}{15af(a+ia \tan(e+fx))^{3/2}}$$

```
[Out] ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(5*f*(a + I*a*Tan[e + f*x])^(5/2)) +
(((2*I)*A + 3*B)*Sqrt[c - I*c*Tan[e + f*x]])/(15*a*f*(a + I*a*Tan[e + f*x])
)^(3/2)) + (((2*I)*A + 3*B)*Sqrt[c - I*c*Tan[e + f*x]])/(15*a^2*f*Sqrt[a +
I*a*Tan[e + f*x]])
```

Rubi [A] time = 0.244008, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{(3B+2iA)\sqrt{c-ic \tan(e+fx)}}{15a^2 f \sqrt{a+ia \tan(e+fx)}} + \frac{(-B+iA)\sqrt{c-ic \tan(e+fx)}}{5f(a+ia \tan(e+fx))^{5/2}} + \frac{(3B+2iA)\sqrt{c-ic \tan(e+fx)}}{15af(a+ia \tan(e+fx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*Sqrt[c - I*c*Tan[e + f*x]])/(a + I*a*Tan[e + f*x])
)^(5/2), x]
```

```
[Out] ((I*A - B)*Sqrt[c - I*c*Tan[e + f*x]])/(5*f*(a + I*a*Tan[e + f*x])^(5/2)) +
(((2*I)*A + 3*B)*Sqrt[c - I*c*Tan[e + f*x]])/(15*a*f*(a + I*a*Tan[e + f*x])
)^(3/2)) + (((2*I)*A + 3*B)*Sqrt[c - I*c*Tan[e + f*x]])/(15*a^2*f*Sqrt[a +
I*a*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*S
implify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])
```


Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [A] time = 1.4206, size = 416, normalized size = 2.65

$$\frac{(-28iA - 12B)e^{(7ifx+7ie)} + (15iA + 15B)e^{(6ifx+6ie)} + (-28iA - 12B)e^{(5ifx+5ie)} + (25iA + 15B)e^{(4ifx+4ie)} + (13iA - 3B)e^{(2ifx+2ie)}}{60a^3f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="fricas")
```

```
[Out] 1/60*((-28*I*A - 12*B)*e^(7*I*f*x + 7*I*e) + (15*I*A + 15*B)*e^(6*I*f*x + 6*I*e) + (-28*I*A - 12*B)*e^(5*I*f*x + 5*I*e) + (25*I*A + 15*B)*e^(4*I*f*x + 4*I*e) + (13*I*A - 3*B)*e^(2*I*f*x + 2*I*e) + 3*I*A - 3*B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-5*I*f*x - 5*I*e)/(a^3*f)
```

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))**(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(5/2),x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A) \sqrt{-ic \tan(fx + e) + c}}{(ia \tan(fx + e) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^(1/2)*(A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*sqrt(-I*c*tan(f*x + e) + c)/(I*a*tan(f*x + e) + a)^(5/2), x)
```

$$3.848 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{5/2} \sqrt{c-ic \tan(e+fx)}} dx$$

Optimal. Leaf size=212

$$\frac{2(2B+3iA)\sqrt{c-ic \tan(e+fx)}}{15a^2cf\sqrt{a+ia \tan(e+fx)}} - \frac{B+iA}{f(a+ia \tan(e+fx))^{5/2}\sqrt{c-ic \tan(e+fx)}} + \frac{2(2B+3iA)\sqrt{c-ic \tan(e+fx)}}{15acf(a+ia \tan(e+fx))^{3/2}} + \dots$$

```
[Out] -((I*A + B)/(f*(a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]])) +
(((3*I)*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]]/(5*c*f*(a + I*a*Tan[e + f*x])^(
5/2)) + (2*((3*I)*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]]/(15*a*c*f*(a + I*a*
Tan[e + f*x])^(3/2)) + (2*((3*I)*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]]/(15*a
^2*c*f*Sqrt[a + I*a*Tan[e + f*x]]))
```

Rubi [A] time = 0.278414, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 37}

$$\frac{2(2B+3iA)\sqrt{c-ic \tan(e+fx)}}{15a^2cf\sqrt{a+ia \tan(e+fx)}} - \frac{B+iA}{f(a+ia \tan(e+fx))^{5/2}\sqrt{c-ic \tan(e+fx)}} + \frac{2(2B+3iA)\sqrt{c-ic \tan(e+fx)}}{15acf(a+ia \tan(e+fx))^{3/2}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e +
f*x]]), x]
```

```
[Out] -((I*A + B)/(f*(a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]])) +
(((3*I)*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]]/(5*c*f*(a + I*a*Tan[e + f*x])^(
5/2)) + (2*((3*I)*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]]/(15*a*c*f*(a + I*a*
Tan[e + f*x])^(3/2)) + (2*((3*I)*A + 2*B)*Sqrt[c - I*c*Tan[e + f*x]]/(15*a
^2*c*f*Sqrt[a + I*a*Tan[e + f*x]]))
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*S
implify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
```

```
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n])) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])
```

Rule 37

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rubi steps

$$\int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}} dx = \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{7/2}(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(a(3A - 2iB)) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{7/2}(c-icx)^{3/2}} dx, x, \tan(e + fx) \right)}{f}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(3iA + 2B) \sqrt{c - ic \tan(e + fx)}}{5cf(a + ia \tan(e + fx))^{5/2}}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(3iA + 2B) \sqrt{c - ic \tan(e + fx)}}{5cf(a + ia \tan(e + fx))^{5/2}}$$

$$= -\frac{iA + B}{f(a + ia \tan(e + fx))^{5/2} \sqrt{c - ic \tan(e + fx)}} + \frac{(3iA + 2B) \sqrt{c - ic \tan(e + fx)}}{5cf(a + ia \tan(e + fx))^{5/2}}$$

Mathematica [A] time = 6.33682, size = 132, normalized size = 0.62

$$\frac{\sec(e + fx) \sqrt{c - ic \tan(e + fx)} (-i(3A - 2iB)(5 \sin(e + fx) - 3 \sin(3(e + fx))) + (-30A + 5iB) \cos(e + fx) + (6A - 9iB))}{60a^2cf(\tan(e + fx) - i) \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]]), x]
```

```
[Out] -(Sec[e + f*x]*((-30*A + (5*I)*B)*Cos[e + f*x] + (6*A - (9*I)*B)*Cos[3*(e + f*x)] - I*(3*A - (2*I)*B)*(5*Sin[e + f*x] - 3*Sin[3*(e + f*x)]))*Sqrt[c - I*c*Tan[e + f*x]]/(60*a^2*c*f*(-I + Tan[e + f*x])*Sqrt[a + I*a*Tan[e + f*x]])
```

Maple [A] time = 0.183, size = 186, normalized size = 0.9

$$\frac{4iB(\tan(fx + e))^5 + 12iA(\tan(fx + e))^4 - 6A(\tan(fx + e))^5 + 2iB(\tan(fx + e))^3 + 8B(\tan(fx + e))^4 + 18iA}{15fa^3c(-\tan(fx + e) + i)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(5/2), x)
```

[Out] $-1/15/f*(-c*(-1+I*\tan(f*x+e)))^{(1/2)}*(a*(1+I*\tan(f*x+e)))^{(1/2)}/a^3/c*(4*I*B*\tan(f*x+e)^5+12*I*A*\tan(f*x+e)^4-6*A*\tan(f*x+e)^5+2*I*B*\tan(f*x+e)^3+8*B*\tan(f*x+e)^4+18*I*A*\tan(f*x+e)^2-3*A*\tan(f*x+e)^3-2*I*B*\tan(f*x+e)+7*B*\tan(f*x+e)^2+6*I*A+3*A*\tan(f*x+e)-B)/(-\tan(f*x+e)+I)^4/(\tan(f*x+e)+I)^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.35331, size = 458, normalized size = 2.16

$$\frac{\left((-15iA - 15B)e^{(8ifx+8ie)} + (-48iA + 8B)e^{(7ifx+7ie)} + 30iAe^{(6ifx+6ie)} + (-48iA + 8B)e^{(5ifx+5ie)} + (60iA + 10B)e^{(4ifx+4ie)} + (18iA - 8B)e^{(2ifx+2ie)} + 3iA - 3B\right)\sqrt{a/(e^{(2ifx+2ie)} + 1)}\sqrt{c/(e^{(2ifx+2ie)} + 1)}}{120a^3cf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="fricas")`

[Out] $1/120*((-15*I*A - 15*B)*e^{(8*I*f*x + 8*I*e)} + (-48*I*A + 8*B)*e^{(7*I*f*x + 7*I*e)} + 30*I*A*e^{(6*I*f*x + 6*I*e)} + (-48*I*A + 8*B)*e^{(5*I*f*x + 5*I*e)} + (60*I*A + 10*B)*e^{(4*I*f*x + 4*I*e)} + (18*I*A - 8*B)*e^{(2*I*f*x + 2*I*e)} + 3*I*A - 3*B)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(-5*I*f*x - 5*I*e)}/(a^3*c*f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))**(1/2)/(a+I*a*tan(f*x+e))**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^{\frac{5}{2}} \sqrt{-ic \tan(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(c-I*c*tan(f*x+e))^(1/2)/(a+I*a*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^(5/2)*sqrt(-I*c*tan(f*x + e) + c)), x)
```


$$3.849 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=216

$$\frac{2(4A - iB) \tan(e + fx)}{15a^2cf \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}} - \frac{B + iA}{3f(a + ia \tan(e + fx))^{5/2}(c - ic \tan(e + fx))^{3/2}} + \frac{1}{15acf(a + ia \tan(e + fx))^{3/2}}$$

```
[Out] -(I*A + B)/(3*f*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2))
+ ((4*I)*A + B)/(15*c*f*(a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]])
+ ((4*I)*A + B)/(15*a*c*f*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])
+ (2*(4*A - I*B)*Tan[e + f*x])/(15*a^2*c*f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.293649, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {3588, 78, 45, 39}

$$\frac{2(4A - iB) \tan(e + fx)}{15a^2cf \sqrt{a + ia \tan(e + fx)} \sqrt{c - ic \tan(e + fx)}} - \frac{B + iA}{3f(a + ia \tan(e + fx))^{5/2}(c - ic \tan(e + fx))^{3/2}} + \frac{1}{15acf(a + ia \tan(e + fx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2)), x]
```

```
[Out] -(I*A + B)/(3*f*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2))
+ ((4*I)*A + B)/(15*c*f*(a + I*a*Tan[e + f*x])^(5/2)*Sqrt[c - I*c*Tan[e + f*x]])
+ ((4*I)*A + B)/(15*a*c*f*(a + I*a*Tan[e + f*x])^(3/2)*Sqrt[c - I*c*Tan[e + f*x]])
+ (2*(4*A - I*B)*Tan[e + f*x])/(15*a^2*c*f*Sqrt[a + I*a*Tan[e + f*x]]*Sqrt[c - I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*Simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
```

Q[m, 1] || !SumSimplerQ[n, 1])

Rule 39

Int[1/(((a_) + (b_.)*(x_))^(3/2)*((c_) + (d_.)*(x_))^(3/2)), x_Symbol] :> S
imp[x/(a*c*Sqrt[a + b*x]*Sqrt[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && Eq
Q[b*c + a*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}} dx &= \frac{(ac) \text{Subst} \left(\int \frac{A+Bx}{(a+iax)^{7/2} (c-icx)^{5/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}} + \frac{(a(4A - iB)) \text{Su}}{15cf(a + ia \tan} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}} + \frac{iA + B}{15cf(a + ia \tan} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}} + \frac{iA + B}{15cf(a + ia \tan} \\ &= -\frac{iA + B}{3f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{3/2}} + \frac{iA + B}{15cf(a + ia \tan} \end{aligned}$$

Mathematica [A] time = 11.907, size = 133, normalized size = 0.62

$$\frac{i\sqrt{c - ic \tan(e + fx)}(20(A - iB) \cos(2(e + fx)) + (A - 4iB) \cos(4(e + fx)) + 40iA \sin(2(e + fx)) + 4iA \sin(4(e + fx))) - 120a^2c^2f\sqrt{a + ia \tan(e + fx)}}{120a^2c^2f\sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2)), x]

[Out] ((-I/120)*(-45*A + 20*(A - I*B)*Cos[2*(e + f*x)] + (A - (4*I)*B)*Cos[4*(e + f*x)] + (40*I)*A*Sin[2*(e + f*x)] + 10*B*Sin[2*(e + f*x)] + (4*I)*A*Sin[4*(e + f*x)] + B*Sin[4*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(a^2*c^2*f*Sqr
t[a + I*a*Tan[e + f*x]])

Maple [A] time = 0.125, size = 199, normalized size = 0.9

$$\frac{-\frac{i}{15} \left(8iA (\tan (fx + e))^6 - 2iB (\tan (fx + e))^5 + 2B (\tan (fx + e))^6 + 20iA (\tan (fx + e))^4 + 8A (\tan (fx + e))^5 - 5 \right)}{fa^3c^2(-\tan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(3/2), x)

[Out] -1/15*I/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/a^3/c^2*(
8*I*A*tan(f*x+e)^6-2*I*B*tan(f*x+e)^5+2*B*tan(f*x+e)^6+20*I*A*tan(f*x+e)^4+
8*A*tan(f*x+e)^5-5*I*B*tan(f*x+e)^3+5*B*tan(f*x+e)^4+15*I*A*tan(f*x+e)^2+20

$*A*\tan(f*x+e)^3-3*I*B*\tan(f*x+e)+3*I*A+12*A*\tan(f*x+e)-3*B)/(-\tan(f*x+e)+I)^4/(\tan(f*x+e)+I)^3$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.48528, size = 531, normalized size = 2.46

$(-5iA - 5B)e^{(10ifx+10ie)} + (-65iA - 35B)e^{(8ifx+8ie)} + (-48iA + 48B)e^{(7ifx+7ie)} + (30iA - 30B)e^{(6ifx+6ie)} + (-48iA + 48B)e^{(5ifx+5ie)} + (110iA - 10B)e^{(4ifx+4ie)} + (23iA - 13B)e^{(2ifx+2ie)} + 3iA - 3B)*\sqrt{a/(e^{(2ifx+2ie)} + 1)}*\sqrt{c/(e^{(2ifx+2ie)} + 1)}*e^{(-5ifx - 5ie)}/(a^3*c^2*f)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out] $1/240*((-5*I*A - 5*B)*e^{(10*I*f*x + 10*I*e)} + (-65*I*A - 35*B)*e^{(8*I*f*x + 8*I*e)} + (-48*I*A + 48*B)*e^{(7*I*f*x + 7*I*e)} + (30*I*A - 30*B)*e^{(6*I*f*x + 6*I*e)} + (-48*I*A + 48*B)*e^{(5*I*f*x + 5*I*e)} + (110*I*A - 10*B)*e^{(4*I*f*x + 4*I*e)} + (23*I*A - 13*B)*e^{(2*I*f*x + 2*I*e)} + 3*I*A - 3*B)*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*\sqrt{c/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(-5*I*f*x - 5*I*e)}/(a^3*c^2*f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^{\frac{5}{2}} (-ic \tan(fx + e) + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^(5/2)*(-I*c*tan(f*x + e) + c)^(3/2)), x)
```

$$3.850 \quad \int \frac{A+B \tan(e+fx)}{(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{5/2}} dx$$

Optimal. Leaf size=204

$$\frac{8A \tan(e+fx)}{15a^2c^2f\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}} - \frac{B+iA}{5f(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{5/2}} + \frac{1}{15acf(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{5/2}}$$

```
[Out] -(I*A + B)/(5*f*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))
+ ((I/5)*A)/(c*f*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2))
+ (4*A*Tan[e + f*x])/(15*a*c*f*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e
+ f*x])^(3/2)) + (8*A*Tan[e + f*x])/(15*a^2*c^2*f*Sqrt[a + I*a*Tan[e + f*x
]]*Sqrt[c - I*c*Tan[e + f*x]])
```

Rubi [A] time = 0.275143, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3588, 78, 45, 40, 39}

$$\frac{8A \tan(e+fx)}{15a^2c^2f\sqrt{a+ia \tan(e+fx)}\sqrt{c-ic \tan(e+fx)}} - \frac{B+iA}{5f(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{5/2}} + \frac{1}{15acf(a+ia \tan(e+fx))^{5/2}(c-ic \tan(e+fx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2)), x]
```

```
[Out] -(I*A + B)/(5*f*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2))
+ ((I/5)*A)/(c*f*(a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(3/2))
+ (4*A*Tan[e + f*x])/(15*a*c*f*(a + I*a*Tan[e + f*x])^(3/2)*(c - I*c*Tan[e
+ f*x])^(3/2)) + (8*A*Tan[e + f*x])/(15*a^2*c^2*f*Sqrt[a + I*a*Tan[e + f*x
]]*Sqrt[c - I*c*Tan[e + f*x]])
```

Rule 3588

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Di
st[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x,
Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c +
a*d, 0] && EqQ[a^2 + b^2, 0]
```

Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 45

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*S
implify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
```

Q[m, 1] || !SumSimplerQ[n, 1])

Rule 40

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(x*(a + b*x)^(m + 1)*(c + d*x)^(m + 1))/(2*a*c*(m + 1)), x] + Dist[(2*m + 3)/(2*a*c*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(m + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && ILtQ[m + 3/2, 0]

Rule 39

Int[1/(((a_) + (b_.)*(x_))^(3/2)*((c_) + (d_.)*(x_))^(3/2)), x_Symbol] := Simp[x/(a*c*Sqrt[a + b*x]*Sqrt[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \tan(e + fx)}{(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} dx &= \frac{(ac) \operatorname{Subst} \left(\int \frac{A+Bx}{(a+iax)^{7/2} (c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{f} \\ &= -\frac{iA + B}{5f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} + \frac{(aA) \operatorname{Subst} \left(\int \frac{1}{(a+iax)^{7/2} (c-icx)^{7/2}} dx, x, \tan(e + fx) \right)}{5cf(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{iA + B}{5f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} + \frac{1}{5cf(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{iA + B}{5f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} + \frac{1}{5cf(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} \\ &= -\frac{iA + B}{5f(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} + \frac{1}{5cf(a + ia \tan(e + fx))^{5/2} (c - ic \tan(e + fx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 11.5343, size = 151, normalized size = 0.74

$$\frac{\sec^2(e + fx) \sqrt{c - ic \tan(e + fx)} (\cos(3(e + fx)) + i \sin(3(e + fx))) (-150A \sin(e + fx) - 25A \sin(3(e + fx)) - 3A \sin(5(e + fx)))}{240a^2c^3f(\tan(e + fx) - i)^2 \sqrt{a + ia \tan(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[e + f*x])/((a + I*a*Tan[e + f*x])^(5/2)*(c - I*c*Tan[e + f*x])^(5/2)), x]

[Out] (Sec[e + f*x]^2*(Cos[3*(e + f*x)] + I*Sin[3*(e + f*x)])*(30*B*Cos[e + f*x] + 15*B*Cos[3*(e + f*x)] + 3*B*Cos[5*(e + f*x)] - 150*A*Sin[e + f*x] - 25*A*Sin[3*(e + f*x)] - 3*A*Sin[5*(e + f*x)])*Sqrt[c - I*c*Tan[e + f*x]]/(240*a^2*c^3*f*(-I + Tan[e + f*x])^2*Sqrt[a + I*a*Tan[e + f*x]])

Maple [A] time = 0.131, size = 124, normalized size = 0.6

$$\frac{8A(\tan(fx + e))^7 + 28A(\tan(fx + e))^5 + 35A(\tan(fx + e))^3 - 3B(\tan(fx + e))^2 + 15A \tan(fx + e) - 3B}{15fa^3c^3(-\tan(fx + e) + i)^4(\tan(fx + e) + i)^4} \sqrt{a(1 + i \tan(fx + e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(5/2),x)

[Out] 1/15/f*(a*(1+I*tan(f*x+e)))^(1/2)*(-c*(-1+I*tan(f*x+e)))^(1/2)/a^3/c^3*(8*A*tan(f*x+e)^7+28*A*tan(f*x+e)^5+35*A*tan(f*x+e)^3-3*B*tan(f*x+e)^2+15*A*tan(f*x+e)-3*B)/(-tan(f*x+e)+I)^4/(tan(f*x+e)+I)^4

Maxima [B] time = 2.64763, size = 446, normalized size = 2.19

$$(30(5iA - B)\cos(4fx + 4e) + 5(5iA - 3B)\cos(2fx + 2e) - (150A + 30iB)\sin(4fx + 4e) - (25A + 15iB)\sin(2fx + 2e)) / ((\tan(fx + e) + i)^4 (\tan(fx + e) - i)^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="maxima")

[Out] 1/480*((30*(5*I*A - B)*cos(4*f*x + 4*e) + 5*(5*I*A - 3*B)*cos(2*f*x + 2*e) - (150*A + 30*I*B)*sin(4*f*x + 4*e) - (25*A + 15*I*B)*sin(2*f*x + 2*e) - 6*B*cos(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 5*(-5*I*A - 3*B)*cos(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + 30*(-5*I*A - B)*cos(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + ((150*A + 30*I*B)*cos(4*f*x + 4*e) + (25*A + 15*I*B)*cos(2*f*x + 2*e) + 30*(5*I*A - B)*sin(4*f*x + 4*e) + 5*(5*I*A - 3*B)*sin(2*f*x + 2*e) + 6*A)*sin(5/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (25*A - 15*I*B)*sin(3/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))) + (150*A - 30*I*B)*sin(1/2*arctan2(sin(2*f*x + 2*e), cos(2*f*x + 2*e))))/(a^(5/2)*c^(5/2)*f)

Fricas [A] time = 1.50763, size = 540, normalized size = 2.65

$$((-3iA - 3B)e^{(12i fx + 12ie)} + (-28iA - 18B)e^{(10i fx + 10ie)} + (-175iA - 45B)e^{(8i fx + 8ie)} + 96Be^{(7i fx + 7ie)} - 60Be^{(6i fx + 6ie)}) / ((\tan(fx + e) + i)^4 (\tan(fx + e) - i)^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="fricas")

[Out] 1/480*((-3*I*A - 3*B)*e^(12*I*f*x + 12*I*e) + (-28*I*A - 18*B)*e^(10*I*f*x + 10*I*e) + (-175*I*A - 45*B)*e^(8*I*f*x + 8*I*e) + 96*B*e^(7*I*f*x + 7*I*e) - 60*B*e^(6*I*f*x + 6*I*e) + 96*B*e^(5*I*f*x + 5*I*e) + (175*I*A - 45*B)*e^(4*I*f*x + 4*I*e) + (28*I*A - 18*B)*e^(2*I*f*x + 2*I*e) + 3*I*A - 3*B)*sqrt(a/(e^(2*I*f*x + 2*I*e) + 1))*sqrt(c/(e^(2*I*f*x + 2*I*e) + 1))*e^(-5*I*f*x - 5*I*e)/(a^3*c^3*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))**(5/2)/(c-I*c*tan(f*x+e))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \tan(fx + e) + A}{(ia \tan(fx + e) + a)^{\frac{5}{2}} (-ic \tan(fx + e) + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))/(a+I*a*tan(f*x+e))^(5/2)/(c-I*c*tan(f*x+e))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)/((I*a*tan(f*x + e) + a)^(5/2)*(-I*c*tan(f*x + e) + c)^(5/2)), x)
```


$$3.851 \quad \int (a + ia \tan(e + fx))^m (A + B \tan(e + fx))(c - ic \tan(e + fx))^n dx$$

Optimal. Leaf size=150

$$\frac{(B + iA)(a + ia \tan(e + fx))^m (c - ic \tan(e + fx))^n}{2fn} - \frac{2^{n-1}(B(m - n) + iA(m + n))(1 - i \tan(e + fx))^{-n}(a + ia \tan(e + fx))^m}{2fn}$$

[Out] ((I*A + B)*(a + I*a*Tan[e + f*x])^m*(c - I*c*Tan[e + f*x])^n)/(2*f*n) - (2^(-1 + n)*(B*(m - n) + I*A*(m + n))*Hypergeometric2F1[m, -n, 1 + m, (1 + I*Tan[e + f*x])/2]*(a + I*a*Tan[e + f*x])^m*(c - I*c*Tan[e + f*x])^n)/(f*m*n*(1 - I*Tan[e + f*x])^n)

Rubi [A] time = 0.227203, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {3588, 79, 70, 69}

$$\frac{(B + iA)(a + ia \tan(e + fx))^m (c - ic \tan(e + fx))^n}{2fn} - \frac{2^{n-1}(B(m - n) + iA(m + n))(1 - i \tan(e + fx))^{-n}(a + ia \tan(e + fx))^m}{2fn}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^m*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n, x]

[Out] ((I*A + B)*(a + I*a*Tan[e + f*x])^m*(c - I*c*Tan[e + f*x])^n)/(2*f*n) - (2^(-1 + n)*(B*(m - n) + I*A*(m + n))*Hypergeometric2F1[m, -n, 1 + m, (1 + I*Tan[e + f*x])/2]*(a + I*a*Tan[e + f*x])^m*(c - I*c*Tan[e + f*x])^n)/(f*m*n*(1 - I*Tan[e + f*x])^n)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])^n, x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 79

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^Simplify[p + 1], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && !RationalQ[p] && SumSimplerQ[p, 1]

Rule 70

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Dist[(c + d*x)^FracPart[n]/((b/(b*c - a*d))^IntPart[n]*(b*(c + d*x))/(b*c - a*d))^FracPart[n], Int[(a + b*x)^m*Simp[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d)], x]^n, x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && !IntegerQ[n] && (RationalQ[m] || !SimplerQ[n + 1, m + 1])

Rule 69

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(((a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])/(b*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[b/(b*c - a*d), 0] && (RationalQ[m] || !(RationalQ[n] && GtQ[-(d/(b*c - a*d)), 0]))
```

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^m (A + B \tan(e + fx)) (c - ic \tan(e + fx))^n dx &= \frac{(ac) \text{Subst} \left(\int (a + iax)^{-1+m} (A + Bx) (c - icx)^{-1+n} dx \right)}{f} \\ &= \frac{(iA + B)(a + ia \tan(e + fx))^m (c - ic \tan(e + fx))^n}{2fn} \\ &= \frac{(iA + B)(a + ia \tan(e + fx))^m (c - ic \tan(e + fx))^n}{2fn} \\ &= \frac{(iA + B)(a + ia \tan(e + fx))^m (c - ic \tan(e + fx))^n}{2fn} \end{aligned}$$

Mathematica [A] time = 33.303, size = 197, normalized size = 1.31

$$\frac{2^{m+n-1} \left(e^{ifx} \right)^m \left(\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}} \right)^m \left(\frac{c}{1+e^{2i(e+fx)}} \right)^n \sec^{-m}(e + fx) (\cos(fx) + i \sin(fx))^{-m} (a + ia \tan(e + fx))^m ((m + 1)(B - iA) \text{Hypergeometric2F1}[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])}{f m(m + 1)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^m*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^n,x]
```

```
[Out] (2^(-1 + m + n)*(E^(I*f*x))^m*(c/(1 + E^((2*I)*(e + f*x))))^n*(E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x))))^m*((-I)*(A - I*B)*E^((2*I)*(e + f*x))*Hypergeometric2F1[1, 1 - n, 2 + m, -E^((2*I)*(e + f*x))] + ((-I)*A + B)*(1 + m)*Hypergeometric2F1[1, -n, 1 + m, -E^((2*I)*(e + f*x))])*(a + I*a*Tan[e + f*x])^m)/(f*m*(1 + m)*Sec[e + f*x]^m*(Cos[f*x] + I*Sin[f*x])^m)
```

Maple [F] time = 1.095, size = 0, normalized size = 0.

$$\int (a + ia \tan(fx + e))^m (A + B \tan(fx + e)) (c - ic \tan(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^m*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)
```

```
[Out] int((a+I*a*tan(f*x+e))^m*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^m (-ic \tan(fx + e) + c)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^m*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="maxima")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^m*(-I*c*tan(f*x + e) + c)^n, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i f x + 2i e)} + A + iB \right) \left(\frac{2ae^{(2i f x + 2i e)}}{e^{(2i f x + 2i e)} + 1} \right)^m \left(\frac{2c}{e^{(2i f x + 2i e)} + 1} \right)^n}{e^{(2i f x + 2i e)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^m*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*f*x + 2*I*e) + A + I*B)*(2*a*e^(2*I*f*x + 2*I*e) / (e^(2*I*f*x + 2*I*e) + 1))^m*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n/(e^(2*I*f*x + 2*I*e) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^m*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan (f x + e) + A) (i a \tan (f x + e) + a)^m (-i c \tan (f x + e) + c)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^m*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^n,x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^m*(-I*c*tan(f*x + e) + c)^n, x)

$$3.852 \quad \int (a + ia \tan(e + fx))^{1+m} (A + B \tan(e + fx))(c - ic \tan(e + fx))^{-1-m} dx$$

Optimal. Leaf size=147

$$\frac{aB2^m(1 + i \tan(e + fx))^{-m}(a + ia \tan(e + fx))^m(c - ic \tan(e + fx))^{-m} \text{Hypergeometric2F1}\left(-m, -m, 1 - m, \frac{1}{2}(1 - i \tan(e + fx))\right)}{cfm}$$

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(1 + m)*(c - I*c*Tan[e + f*x])^(-1 - m)) / (2*f*(1 + m)) + (2^m*a*B*Hypergeometric2F1[-m, -m, 1 - m, (1 - I*Tan[e + f*x])/2]*(a + I*a*Tan[e + f*x]^m)/(c*f*m*(1 + I*Tan[e + f*x])^m*(c - I*c*Tan[e + f*x])^m)

Rubi [A] time = 0.224891, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 47, $\frac{\text{number of rules}}{\text{integrand size}} = 0.085$, Rules used = {3588, 79, 70, 69}

$$\frac{aB2^m(1 + i \tan(e + fx))^{-m}(a + ia \tan(e + fx))^m(c - ic \tan(e + fx))^{-m} {}_2F_1\left(-m, -m; 1 - m; \frac{1}{2}(1 - i \tan(e + fx))\right)}{cfm} - \frac{(B + i)}{f}$$

Antiderivative was successfully verified.

[In] Int[(a + I*a*Tan[e + f*x])^(1 + m)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(-1 - m), x]

[Out] -((I*A + B)*(a + I*a*Tan[e + f*x])^(1 + m)*(c - I*c*Tan[e + f*x])^(-1 - m)) / (2*f*(1 + m)) + (2^m*a*B*Hypergeometric2F1[-m, -m, 1 - m, (1 - I*Tan[e + f*x])/2]*(a + I*a*Tan[e + f*x]^m)/(c*f*m*(1 + I*Tan[e + f*x])^m*(c - I*c*Tan[e + f*x])^m)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*(c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 79

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^Simplify[p + 1], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && !RationalQ[p] && SumSimplerQ[p, 1]

Rule 70

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Dist[(c + d*x)^FracPart[n]/((b/(b*c - a*d))^IntPart[n]*((b*(c + d*x))/(b*c - a*d))^FracPart[n]), Int[(a + b*x)^m*Simp[(b*c)/(b*c - a*d) + (b*d*x)/(b*c - a*d), x]^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && !IntegerQ[n] && (RationalQ[m] || !SimplerQ[n + 1, m + 1])

Rule 69

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(((
a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c -
a*d))]/(b*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, m, n}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[b/(b*c - a*d)
, 0] && (RationalQ[m] || !(RationalQ[n] && GtQ[-(d/(b*c - a*d)), 0]))
```

Rubi steps

$$\begin{aligned} \int (a + ia \tan(e + fx))^{1+m} (A + B \tan(e + fx)) (c - ic \tan(e + fx))^{-1-m} dx &= \frac{(ac) \operatorname{Subst}\left(\int (a + iax)^m (A + Bx)(c - icx) dx\right)}{f} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{1+m} (c - ic \tan(e + fx))^{-1-m}}{2f(1+m)} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{1+m} (c - ic \tan(e + fx))^{-1-m}}{2f(1+m)} \\ &= -\frac{(iA + B)(a + ia \tan(e + fx))^{1+m} (c - ic \tan(e + fx))^{-1-m}}{2f(1+m)} \end{aligned}$$

Mathematica [A] time = 84.1838, size = 177, normalized size = 1.2

$$\frac{ae^{i(e+2fx)} \left(e^{ifx}\right)^m \left(\frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}}\right)^m (\tan(e + fx) - i) \left(\frac{c}{1+e^{2i(e+fx)}}\right)^{-m} \sec^{-m-1}(e + fx) (\cos(fx) + i \sin(fx))^{-m-1} (a + ia \tan(e + fx))^{-1-m}}{2cf(m+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + I*a*Tan[e + f*x])^(1 + m)*(A + B*Tan[e + f*x])*(c - I*c*Tan[e + f*x])^(-1 - m), x]
```

```
[Out] (a*E^(I*(e + 2*f*x))*(E^(I*f*x))^m*(E^(I*(e + f*x))/(1 + E^((2*I)*(e + f*x))))^m*(A - I*B + (2*I)*B*Hypergeometric2F1[1, 1 + m, 2 + m, -E^((2*I)*(e + f*x))])*Sec[e + f*x]^(-1 - m)*(Cos[f*x] + I*Sin[f*x])^(-1 - m)*(-I + Tan[e + f*x])*(a + I*a*Tan[e + f*x])^m/(2*c*(c/(1 + E^((2*I)*(e + f*x))))^m*f*(1 + m))
```

Maple [F] time = 1.369, size = 0, normalized size = 0.

$$\int (a + ia \tan(fx + e))^{1+m} (A + B \tan(fx + e)) (c - ic \tan(fx + e))^{-1-m} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+I*a*tan(f*x+e))^(1+m)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(-1-m), x)
```

```
[Out] int((a+I*a*tan(f*x+e))^(1+m)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(-1-m), x)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1+m)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(-1-m),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\left((A - iB)e^{(2i f x + 2i e)} + A + iB \right) \left(\frac{2ae^{(2i f x + 2i e)}}{e^{(2i f x + 2i e)} + 1} \right)^{m+1} \left(\frac{2c}{e^{(2i f x + 2i e)} + 1} \right)^{-m-1}}{e^{(2i f x + 2i e)} + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1+m)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(-1-m),x, algorithm="fricas")

[Out] integral(((A - I*B)*e^(2*I*f*x + 2*I*e) + A + I*B)*(2*a*e^(2*I*f*x + 2*I*e)/(e^(2*I*f*x + 2*I*e) + 1))^(m + 1)*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^(-m - 1)/(e^(2*I*f*x + 2*I*e) + 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))**(1+m)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))**(-1-m),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \tan(fx + e) + A)(ia \tan(fx + e) + a)^{m+1} (-ic \tan(fx + e) + c)^{-m-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+I*a*tan(f*x+e))^(1+m)*(A+B*tan(f*x+e))*(c-I*c*tan(f*x+e))^(-1-m),x, algorithm="giac")

[Out] integrate((B*tan(f*x + e) + A)*(I*a*tan(f*x + e) + a)^(m + 1)*(-I*c*tan(f*x + e) + c)^(-m - 1), x)

$$3.853 \quad \int \frac{(c - ic \tan(e + fx))^{n(-i(2+n) + (-2+n) \tan(e + fx))}}{(-i + \tan(e + fx))^2} dx$$

Optimal. Leaf size=33

$$\frac{(c - ic \tan(e + fx))^n}{f(-\tan(e + fx) + i)^2}$$

[Out] (c - I*c*Tan[e + f*x])^n/(f*(I - Tan[e + f*x])^2)

Rubi [A] time = 0.105814, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {3588, 74}

$$\frac{(c - ic \tan(e + fx))^n}{f(-\tan(e + fx) + i)^2}$$

Antiderivative was successfully verified.

[In] Int[((c - I*c*Tan[e + f*x])^n*((-I)*(2 + n) + (-2 + n)*Tan[e + f*x]))/((-I + Tan[e + f*x])^2, x]

[Out] (c - I*c*Tan[e + f*x])^n/(f*(I - Tan[e + f*x])^2)

Rule 3588

Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(a*c)/f, Subst[Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(A + B*x), x], x, Tan[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B, m, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 + b^2, 0]

Rule 74

Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rubi steps

$$\int \frac{(c - ic \tan(e + fx))^{n(-i(2+n) + (-2+n) \tan(e + fx))}}{(-i + \tan(e + fx))^2} dx = -\frac{(ic) \text{Subst}\left(\int \frac{(c-icx)^{-1+n(-i(2+n)+(-2+n)x)}}{(-i+x)^3} dx, x, \tan(e + fx)\right)}{f} = \frac{(c - ic \tan(e + fx))^n}{f(i - \tan(e + fx))^2}$$

Mathematica [A] time = 3.70189, size = 56, normalized size = 1.7

$$\frac{(c \sec(e + fx))^n \exp(n(-\log(c \sec(e + fx)) + \log(c - ic \tan(e + fx))))}{f(\tan(e + fx) - i)^2}$$

Antiderivative was successfully verified.

[In] Integrate[((c - I*c*Tan[e + f*x])^n*((-I)*(2 + n) + (-2 + n)*Tan[e + f*x])) / (-I + Tan[e + f*x])^2, x]

[Out] (E^(n*(-Log[c*Sec[e + f*x]] + Log[c - I*c*Tan[e + f*x]]))*(c*Sec[e + f*x])^n) / (f*(-I + Tan[e + f*x])^2)

Maple [F] time = 0.713, size = 0, normalized size = 0.

$$\int \frac{(c - ic \tan(fx + e))^n (-i(2 + n) + (n - 2) \tan(fx + e))}{(\tan(fx + e) - i)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c-I*c*tan(f*x+e))^n*(-I*(2+n)+(n-2)*tan(f*x+e))/(tan(f*x+e)-I)^2,x)

[Out] int((c-I*c*tan(f*x+e))^n*(-I*(2+n)+(n-2)*tan(f*x+e))/(tan(f*x+e)-I)^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^n*(-I*(2+n)+(-2+n)*tan(f*x+e))/(-I+tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 1.37158, size = 153, normalized size = 4.64

$$\frac{\left(\frac{2c}{e^{(2ifx+2ie)}+1}\right)^n \left(e^{(4ifx+4ie)} + 2e^{(2ifx+2ie)} + 1\right) e^{(-4ifx-4ie)}}{4f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c-I*c*tan(f*x+e))^n*(-I*(2+n)+(-2+n)*tan(f*x+e))/(-I+tan(f*x+e))^2,x, algorithm="fricas")

[Out] -1/4*(2*c/(e^(2*I*f*x + 2*I*e) + 1))^n*(e^(4*I*f*x + 4*I*e) + 2*e^(2*I*f*x + 2*I*e) + 1)*e^(-4*I*f*x - 4*I*e)/f

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((c-I*c*tan(f*x+e))**n*(-I*(2+n)+(-2+n)*tan(f*x+e))/(tan(f*x+e)-I)**2,x)
```

```
[Out] Exception raised: AttributeError
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{((n-2)\tan(fx+e) - in - 2i)(-ic\tan(fx+e) + c)^n}{(\tan(fx+e) - i)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c-I*c*tan(f*x+e))^n*(-I*(2+n)+(-2+n)*tan(f*x+e))/(-I+tan(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate(((n - 2)*tan(f*x + e) - I*n - 2*I)*(-I*c*tan(f*x + e) + c)^n/(tan(f*x + e) - I)^2, x)
```

$$3.854 \quad \int \frac{(A+B \tan(e+fx))(c+d \tan(e+fx))}{(a+ia \tan(e+fx))^2} dx$$

Optimal. Leaf size=104

$$\frac{A(d+ic)+B(c+3id)}{4a^2 f(1+i \tan(e+fx))} + \frac{x(A-iB)(c-id)}{4a^2} + \frac{(-B+iA)(c+id)}{4f(a+ia \tan(e+fx))^2}$$

[Out] ((A - I*B)*(c - I*d)*x)/(4*a^2) + (B*(c + (3*I)*d) + A*(I*c + d))/(4*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c + I*d))/(4*f*(a + I*a*Tan[e + f*x])^2)

Rubi [A] time = 0.238247, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {3590, 3526, 8}

$$\frac{A(d+ic)+B(c+3id)}{4a^2 f(1+i \tan(e+fx))} + \frac{x(A-iB)(c-id)}{4a^2} + \frac{(-B+iA)(c+id)}{4f(a+ia \tan(e+fx))^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Tan[e + f*x])*(c + d*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^2,x]

[Out] ((A - I*B)*(c - I*d)*x)/(4*a^2) + (B*(c + (3*I)*d) + A*(I*c + d))/(4*a^2*f*(1 + I*Tan[e + f*x])) + ((I*A - B)*(c + I*d))/(4*f*(a + I*a*Tan[e + f*x])^2)

Rule 3590

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) + (f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d + 2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]
```

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0] && LtQ[m, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\int \frac{(A + B \tan(e + fx))(c + d \tan(e + fx))}{(a + ia \tan(e + fx))^2} dx = \frac{(iA - B)(c + id)}{4f(a + ia \tan(e + fx))^2} - \frac{i \int \frac{a(B(c+id)+A(ic+d))+2aBd \tan(e+fx)}{a+ia \tan(e+fx)} dx}{2a^2}$$

$$= \frac{B(c + 3id) + A(ic + d)}{4a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c + id)}{4f(a + ia \tan(e + fx))^2} + \frac{((A - iB)(c - id))}{4a^2}$$

$$= \frac{(A - iB)(c - id)x}{4a^2} + \frac{B(c + 3id) + A(ic + d)}{4a^2 f(1 + i \tan(e + fx))} + \frac{(iA - B)(c + id)}{4f(a + ia \tan(e + fx))}$$

Mathematica [A] time = 1.68907, size = 201, normalized size = 1.93

$$\frac{(A + B \tan(e + fx))(c + d \tan(e + fx))(\sin(2(e + fx))(A(4icfx + c + 4dfx + id) + B(4cfx + ic - 4idfx - d)) + \cos(2(e + fx))(A(4icfx + c + 4dfx + id) + B(4cfx + ic - 4idfx - d)))}{16a^2 f(\tan(e + fx) - i)^2 (A \cos(e + fx) + B \sin(e + fx))(c + d \tan(e + fx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Tan[e + f*x])*(c + d*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^2,x]

[Out] -(((4*I)*(A*c + B*d) + (A*(d*(-1 - (4*I)*f*x) + c*(I + 4*f*x)) - B*(c + (4*I)*c*f*x + d*(I + 4*f*x)))*Cos[2*(e + f*x)] + (B*(I*c - d + 4*c*f*x - (4*I)*d*f*x) + A*(c + I*d + (4*I)*c*f*x + 4*d*f*x))*Sin[2*(e + f*x)]*(A + B*Tan[e + f*x])*(c + d*Tan[e + f*x]))/(16*a^2*f*(A*Cos[e + f*x] + B*Sin[e + f*x]))*(c*Cos[e + f*x] + d*Sin[e + f*x])*(-I + Tan[e + f*x])^2)

Maple [B] time = 0.045, size = 338, normalized size = 3.3

$$\frac{-\frac{i}{4}Bc}{fa^2(\tan(fx + e) - i)} - \frac{\frac{i}{8}B \ln(\tan(fx + e) + i)d}{fa^2} + \frac{Ac}{4fa^2(\tan(fx + e) - i)} + \frac{3Bd}{4fa^2(\tan(fx + e) - i)} + \frac{1}{4fa^2(\tan(fx + e) - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x)

[Out] -1/4*I/f/a^2/(tan(f*x+e)-I)*B*c-1/8*I/f/a^2*B*ln(tan(f*x+e)+I)*d+1/4/f/a^2/(tan(f*x+e)-I)*A*c+3/4/f/a^2/(tan(f*x+e)-I)*B*d+1/4/f/a^2/(tan(f*x+e)-I)^2*A*d+1/4/f/a^2/(tan(f*x+e)-I)^2*B*c-1/4*I/f/a^2/(tan(f*x+e)-I)*A*d+1/8*I/f/a^2*A*ln(tan(f*x+e)+I)*c+1/4*I/f/a^2/(tan(f*x+e)-I)^2*B*d-1/4*I/f/a^2/(tan(f*x+e)-I)^2*A*c-1/8/f/a^2*ln(tan(f*x+e)-I)*A*d-1/8/f/a^2*ln(tan(f*x+e)-I)*B*c+1/8/f/a^2*A*ln(tan(f*x+e)+I)*d+1/8/f/a^2*B*ln(tan(f*x+e)+I)*c+1/8*I/f/a^2*ln(tan(f*x+e)-I)*B*d-1/8*I/f/a^2*ln(tan(f*x+e)-I)*A*c

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.34732, size = 224, normalized size = 2.15

$$\frac{\left((4(A - iB)c + (-4iA - 4B)d)fxe^{(4ifx+4ie)} + (iA - B)c - (A + iB)d + (4iAc + 4iBd)e^{(2ifx+2ie)} \right) e^{(-4ifx-4ie)}}{16a^2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="fricas")

[Out] 1/16*((4*(A - I*B)*c + (-4*I*A - 4*B)*d)*f*x*e^(4*I*f*x + 4*I*e) + (I*A - B)*c - (A + I*B)*d + (4*I*A*c + 4*I*B*d)*e^(2*I*f*x + 2*I*e))*e^(-4*I*f*x - 4*I*e)/(a^2*f)

Sympy [A] time = 1.8764, size = 298, normalized size = 2.87

$$\left\{ \begin{array}{ll} \frac{\left((16iAa^2cfe^{4ie} + 16iBa^2dfe^{4ie})e^{-2ifx} + (4iAa^2cfe^{2ie} - 4Aa^2dfe^{2ie} - 4Ba^2cfe^{2ie} - 4iBa^2dfe^{2ie})e^{-4ifx} \right) e^{-6ie}}{64a^4f^2} & \text{for } 64a^4f^2e^{6ie} \neq 0 \\ x \left(-\frac{Ac - iAd - iBc - Bd}{4a^2} + \frac{(Ace^{4ie} + 2Ace^{2ie} + Ac - iAde^{4ie} + iAd - iBce^{4ie} + iBc - Bde^{4ie} + 2Bde^{2ie} - Bd)e^{-4ie}}{4a^2} \right) & \text{otherwise} \end{array} \right. + \frac{x(Ac - iAd - iBc)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x)

[Out] Piecewise((((16*I*A*a**2*c*f*exp(4*I*e) + 16*I*B*a**2*d*f*exp(4*I*e))*exp(-2*I*f*x) + (4*I*A*a**2*c*f*exp(2*I*e) - 4*A*a**2*d*f*exp(2*I*e) - 4*B*a**2*c*f*exp(2*I*e) - 4*I*B*a**2*d*f*exp(2*I*e))*exp(-4*I*f*x))*exp(-6*I*e)/(64*a**4*f**2), Ne(64*a**4*f**2*exp(6*I*e), 0)), (x*(-(A*c - I*A*d - I*B*c - B*d)/(4*a**2) + (A*c*exp(4*I*e) + 2*A*c*exp(2*I*e) + A*c - I*A*d*exp(4*I*e) + I*A*d - I*B*c*exp(4*I*e) + I*B*c - B*d*exp(4*I*e) + 2*B*d*exp(2*I*e) - B*d)*exp(-4*I*e)/(4*a**2)), True)) + x*(A*c - I*A*d - I*B*c - B*d)/(4*a**2)

Giac [B] time = 1.23019, size = 270, normalized size = 2.6

$$\frac{2(-iAc - Bc - Ad + iBd)\log(-i\tan(fx+e)+1)}{a^2} + \frac{2(iAc + Bc + Ad - iBd)\log(-i\tan(fx+e)-1)}{a^2} + \frac{-3iAc\tan(fx+e)^2 - 3Bc\tan(fx+e)^2 - 3Ad\tan(fx+e)^2 + 3iBd\tan(fx+e)^2}{a^2}$$

16f

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^2,x, algorithm="giac")

[Out] -1/16*(2*(-I*A*c - B*c - A*d + I*B*d)*log(-I*tan(f*x + e) + 1)/a^2 + 2*(I*A*c + B*c + A*d - I*B*d)*log(-I*tan(f*x + e) - 1)/a^2 + (-3*I*A*c*tan(f*x + e)^2 - 3*B*c*tan(f*x + e)^2 - 3*A*d*tan(f*x + e)^2 + 3*I*B*d*tan(f*x + e)^2 - 10*A*c*tan(f*x + e) + 10*I*B*c*tan(f*x + e) + 10*I*A*d*tan(f*x + e) - 6*B*d*tan(f*x + e) + 11*I*A*c + 3*B*c + 3*A*d + 5*I*B*d)/(a^2*(tan(f*x + e) - I)^2))/f

$$3.855 \quad \int \frac{(A+B \tan(e+fx))(c+d \tan(e+fx))}{(a+ia \tan(e+fx))^{3/2}} dx$$

Optimal. Leaf size=147

$$-\frac{(B+iA)(c-id) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(e+fx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}f} + \frac{(-B+iA)(c+id)}{3f(a+ia \tan(e+fx))^{3/2}} + \frac{A(d+ic)+B(c+3id)}{2af\sqrt{a+ia \tan(e+fx)}}$$

```
[Out] -((I*A + B)*(c - I*d)*ArcTanh[Sqrt[a + I*a*Tan[e + f*x]]/(Sqrt[2]*Sqrt[a])])
)/(2*Sqrt[2]*a^(3/2)*f) + ((I*A - B)*(c + I*d))/(3*f*(a + I*a*Tan[e + f*x])
^(3/2)) + (B*(c + (3*I)*d) + A*(I*c + d))/(2*a*f*Sqrt[a + I*a*Tan[e + f*x]]
)
```

Rubi [A] time = 0.295479, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {3590, 3526, 3480, 206}

$$-\frac{(B+iA)(c-id) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(e+fx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}f} + \frac{(-B+iA)(c+id)}{3f(a+ia \tan(e+fx))^{3/2}} + \frac{A(d+ic)+B(c+3id)}{2af\sqrt{a+ia \tan(e+fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Tan[e + f*x])*(c + d*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^(3/2), x]
```

```
[Out] -((I*A + B)*(c - I*d)*ArcTanh[Sqrt[a + I*a*Tan[e + f*x]]/(Sqrt[2]*Sqrt[a])])
)/(2*Sqrt[2]*a^(3/2)*f) + ((I*A - B)*(c + I*d))/(3*f*(a + I*a*Tan[e + f*x])
^(3/2)) + (B*(c + (3*I)*d) + A*(I*c + d))/(2*a*f*Sqrt[a + I*a*Tan[e + f*x]]
)
```

Rule 3590

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*tan[(e_) +
(f_)*(x_)])*((c_) + (d_)*tan[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((
A*b - a*B)*(a*c + b*d)*(a + b*Tan[e + f*x])^m)/(2*a^2*f*m), x] + Dist[1/(2*
a*b), Int[(a + b*Tan[e + f*x])^(m + 1)*Simp[A*b*c + a*B*c + a*A*d + b*B*d +
2*a*B*d*Tan[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &&
NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 + b^2, 0]
```

Rule 3526

```
Int[((a_) + (b_)*tan[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*tan[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(a + b*Tan[e + f*x])^m)/(2*a*
f*m), x] + Dist[(b*c + a*d)/(2*a*b), Int[(a + b*Tan[e + f*x])^(m + 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 + b^2, 0]
] && LtQ[m, 0]
```

Rule 3480

```
Int[Sqrt[(a_) + (b_)*tan[(c_) + (d_)*(x_)]], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(2*a - x^2), x], x, Sqrt[a + b*Tan[c + d*x]]], x] /; FreeQ[{a,
b, c, d}, x] && EqQ[a^2 + b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \tan(e + fx))(c + d \tan(e + fx))}{(a + ia \tan(e + fx))^{3/2}} dx &= \frac{(iA - B)(c + id)}{3f(a + ia \tan(e + fx))^{3/2}} - \frac{i \int \frac{a(B(c+id)+A(ic+d))+2aBd \tan(e+fx)}{\sqrt{a+ia \tan(e+fx)}} dx}{2a^2} \\ &= \frac{(iA - B)(c + id)}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{B(c + 3id) + A(ic + d)}{2af\sqrt{a + ia \tan(e + fx)}} + \frac{((A - iB)(c - id))}{2af\sqrt{a + ia \tan(e + fx)}} \\ &= \frac{(iA - B)(c + id)}{3f(a + ia \tan(e + fx))^{3/2}} + \frac{B(c + 3id) + A(ic + d)}{2af\sqrt{a + ia \tan(e + fx)}} - \frac{(i(A - iB)(c - id))}{2af\sqrt{a + ia \tan(e + fx)}} \\ &= -\frac{(iA + B)(c - id) \tanh^{-1}\left(\frac{\sqrt{a+ia \tan(e+fx)}}{\sqrt{2}\sqrt{a}}\right)}{2\sqrt{2}a^{3/2}f} + \frac{(iA - B)(c + id)}{3f(a + ia \tan(e + fx))^{3/2}} + \end{aligned}$$

Mathematica [A] time = 5.31034, size = 206, normalized size = 1.4

$$\frac{(A + B \tan(e + fx))(c + d \tan(e + fx)) \left(\frac{2}{3} \cos(e + fx) ((A(d + 5ic) + B(c + 7id)) \cos(e + fx) - 3(Ac - iAd - iBc + 3Bd) \sin(e + fx)) \right)}{4f(a + ia \tan(e + fx))^{3/2} (A \cos(e + fx) + B \sin(e + fx))(c \cos(e + fx) + d \sin(e + fx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Tan[e + f*x])*(c + d*Tan[e + f*x]))/(a + I*a*Tan[e + f*x])^(3/2), x]
```

```
[Out] (((-I)*(A - I*B)*(c - I*d)*E^(I*(e + f*x))*Sqrt[1 + E^((2*I)*(e + f*x))])*ArcSinh[E^(I*(e + f*x))] + (2*Cos[e + f*x]*((B*(c + (7*I)*d) + A*((5*I)*c + d))*Cos[e + f*x] - 3*(A*c - I*B*c - I*A*d + 3*B*d)*Sin[e + f*x]))/3)*(A + B*Tan[e + f*x])*(c + d*Tan[e + f*x])/(4*f*(A*Cos[e + f*x] + B*Sin[e + f*x])*(c*Cos[e + f*x] + d*Sin[e + f*x])*(a + I*a*Tan[e + f*x])^(3/2))
```

Maple [A] time = 0.074, size = 131, normalized size = 0.9

$$\frac{-2i}{af} \left(-\frac{i}{4}Ad - \frac{i}{4}Bc + \frac{Ac}{4} + \frac{3Bd}{4} \right) \frac{1}{\sqrt{a + ia \tan(fx + e)}} - \frac{a(-Bd + iAd + iBc + Ac)}{6} (a + ia \tan(fx + e))^{-\frac{3}{2}} - \frac{\sqrt{2}}{2} \left(\frac{i}{4}Ad - \frac{i}{4}Bc + \frac{Ac}{4} + \frac{3Bd}{4} \right) (a + ia \tan(fx + e))^{-\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2), x)
```

```
[Out] -2*I/f/a*(-(-1/4*I*A*d-1/4*I*B*c+1/4*A*c+3/4*B*d)/(a+I*a*tan(f*x+e))^(1/2)-1/6*a*(-B*d+I*A*d+I*B*c+A*c)/(a+I*a*tan(f*x+e))^(3/2)-1/2*(1/4*I*A*d+1/4*I*B*c-1/4*A*c+1/4*B*d)*2^(1/2)/a^(1/2)*arctanh(1/2*(a+I*a*tan(f*x+e))^(1/2)*2^(1/2)/a^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.74103, size = 1629, normalized size = 11.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/12*(3*\sqrt{1/2})*a^2*f*\sqrt{-((A^2 - 2*I*A*B - B^2)*c^2 - (2*I*A^2 + 4*A*B - 2*I*B^2)*c*d - (A^2 - 2*I*A*B - B^2)*d^2)/(a^3*f^2)}*e^{(4*I*f*x + 4*I*e)} \\ & * \log(-2*I*\sqrt{1/2})*a^2*f*\sqrt{-((A^2 - 2*I*A*B - B^2)*c^2 - (2*I*A^2 + 4*A*B - 2*I*B^2)*c*d - (A^2 - 2*I*A*B - B^2)*d^2)/(a^3*f^2)}*e^{(2*I*f*x + 2*I*e)} \\ & - \sqrt{2}*((A - I*B)*c - (I*A + B)*d + ((A - I*B)*c - (I*A + B)*d)*e^{(2*I*f*x + 2*I*e)}*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)}*e^{(-I*f*x - I*e)} \\ & /((A - I*B)*c - (I*A + B)*d) - 3*\sqrt{1/2})*a^2*f*\sqrt{-((A^2 - 2*I*A*B - B^2)*c^2 - (2*I*A^2 + 4*A*B - 2*I*B^2)*c*d - (A^2 - 2*I*A*B - B^2)*d^2)/(a^3*f^2)}*e^{(4*I*f*x + 4*I*e)} \\ & * \log(-2*I*\sqrt{1/2})*a^2*f*\sqrt{-((A^2 - 2*I*A*B - B^2)*c^2 - (2*I*A^2 + 4*A*B - 2*I*B^2)*c*d - (A^2 - 2*I*A*B - B^2)*d^2)/(a^3*f^2)}*e^{(2*I*f*x + 2*I*e)} \\ & - \sqrt{2}*((A - I*B)*c - (I*A + B)*d + ((A - I*B)*c - (I*A + B)*d)*e^{(2*I*f*x + 2*I*e)}*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)}*e^{(-I*f*x - I*e)} \\ & /((A - I*B)*c - (I*A + B)*d) - \sqrt{2}*((I*A - B)*c - (A + I*B)*d + ((4*I*A + 2*B)*c + 2*(A + 4*I*B)*d)*e^{(4*I*f*x + 4*I*e)} \\ & + ((5*I*A + B)*c + (A + 7*I*B)*d)*e^{(2*I*f*x + 2*I*e)}*\sqrt{a/(e^{(2*I*f*x + 2*I*e)} + 1)}*e^{(I*f*x + I*e)}*e^{(-4*I*f*x - 4*I*e)}/(a^2*f) \end{aligned}$$

Sympy [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2),x)

[Out] Exception raised: AttributeError

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \tan(fx + e) + A)(d \tan(fx + e) + c)}{(a \tan(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*tan(f*x+e))*(c+d*tan(f*x+e))/(a+I*a*tan(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*tan(f*x + e) + A)*(d*tan(f*x + e) + c)/(I*a*tan(f*x + e) + a)^(3/2), x)
```


Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25       "C"],
26     If[FreeQ[result,Integrate] && FreeQ[result,Int],
27       "C",
28       "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```

```

38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46   If[AtomQ[expn],
47     1,
48     If[ListQ[expn],
49       Max[Map[ExpnType,expn]],
50       If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52           ExpnType[expn[[1]]],
53           If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55               1,
56               Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58             If[Head[expn]===Plus || Head[expn]===Times,
59               Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60             If[ElementaryFunctionQ[Head[expn]],
61               Max[3,ExpnType[expn[[1]]],
62             If[SpecialFunctionQ[Head[expn]],
63               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64             If[HypergeometricFunctionQ[Head[expn]],
65               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66             If[AppellFunctionQ[Head[expn]],
67               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68             If[Head[expn]===RootSum,
69               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
70             If[Head[expn]===Integrate || Head[expn]===Int,
71               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
72             9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp,Log,
78     Sin,Cos,Tan,Cot,Sec,Csc,
79     ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
80     Sinh,Cosh,Tanh,Coth,Sech,Csch,
81     ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
82   },func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   },func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]
99
100

```

```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14     debug:=false;
15
16     leaf_count_result:=leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal:=leafcount(optimal);
23
24     ExpnType_result:=ExpnType(result);
25     ExpnType_optimal:=ExpnType(optimal);
26
27     if debug then
28         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
29             ExpnType_optimal);
30     fi;
31
32 # If result and optimal are mathematical expressions,
33 # GradeAntiderivative[result,optimal] returns
34 # "F" if the result fails to integrate an expression that
35 # is integrable
36 # "C" if result involves higher level functions than necessary
37 # "B" if result is more than twice the size of the optimal
38 # antiderivative
39 # "A" if result can be considered optimal
40
41 #This check below actually is not needed, since I only
42 #call this grading only for passed integrals. i.e. I check
43 #for "F" before calling this. But no harm of keeping it here.
44 #just in case.
45
46 if not type(result,freeof('int')) then
47     return "F";
48 end if;
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then

```

```

57         print("both result and optimal complex");
58         fi;
59         #both result and optimal complex
60         if leaf_count_result<=2*leaf_count_optimal then
61             return "A";
62         else
63             return "B";
64         end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```

```

119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'`^`') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'`+`') or type(expn,'`*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))
149   elif AppellFunctionQ(op(0,expn)) then
150     max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152     max(8,apply(max,map(ExpnType,[op(expn)]))) else
153     9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159   member(func,[
160     exp,log,ln,
161     sin,cos,tan,cot,sec,csc,
162     arcsin,arccos,arctan,arccot,arcsec,arccsc,
163     sinh,cosh,tanh,coth,sech,csch,
164     arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168   member(func,[
169     erf,erfc,erfi,
170     FresnelS,FresnelC,
171     Ei,Ei,Li,Si,Ci,Shi,Chi,
172     GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173     EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177   member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181   member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```

```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn
72 )))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or
77 type(expn,``*`)
78     m1 = expnType(expn.args[0])
79     m2 = expnType(list(expn.args[1:]))
80     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82     return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84     m1 = max(map(expnType, list(expn.args)))
85     return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88     m1 = max(map(expnType, list(expn.args)))
89     return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
90     elif is_appell_function(expn.func):
91     m1 = max(map(expnType, list(expn.args)))
92     return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
93     elif isinstance(expn,RootSum):
94     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
95 ,Apply[List,expn]],7]],
96     return max(7,m1)
97     elif str(expn).find("Integral") != -1:
98     m1 = max(map(expnType, list(expn.args)))
99     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
100     else:
101     return 9
102
103 #main function
104 def grade_antiderivative(result,optimal):
105
106     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
well
120         if leaf_count_result <= 2*leaf_count_optimal:
121             return "A"
122         else:
123             return "B"
124 else:
125     return "C"

```

4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #     Albert Rich to use with Sagemath. This is used to
3 #     grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #     'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))]
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len
(flatten(tree(anti))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34             #since this estimate of leaf count is bit lower than

```



```

35         #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func , " is special_function")
83         else:
84             print ("func ", func , " is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','
91     hypergeometric_U']
92
93 def is_appell_function(func):
94     return func.name() in ['hypergeometric'] #[appellf1] can't find this in
95     sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
104             return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list: #isinstance(expn,list):
121         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
127     elif expn.operator() == operator.pow: #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
129             return expnType(expn.operands()[0]) #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
132                 return 1
133             else:
134                 return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
141     elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
142         return max(3,expnType(expn.operands()[0]))
143     elif is_special_function(expn.operator()): #is_special_function(expn.func)
144         m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146     elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
148         return max(5,m1)    #max(5,m1)
149     elif is_appell_function(expn.operator()):
150         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
151         return max(6,m1)    #max(6,m1)
152     elif str(expn).find("Integral") != -1: #this will never happen, since it
153         #is checked before calling the grading function that is passed.
154         #but kept it here.
155         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
156         return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
157     else:
158         return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)
176
177     if expnType_result <= expnType_optimal:
178         if result.has(I):
179             if optimal.has(I): #both result and optimal complex
180                 if leaf_count_result <= 2*leaf_count_optimal:
181                     return "A"
182                 else:
183                     return "B"
184             else: #result contains complex but optimal is not
185                 return "C"
186         else: # result do not contain complex, this assumes optimal do not as
well
187             if leaf_count_result <= 2*leaf_count_optimal:
188                 return "A"
189             else:
190                 return "B"
191     else:
192         return "C"

```